



Infor EAM Technical Reference Guide

EAM 11.7

Copyright © 2021 Infor

Important Notices

The material contained in this publication (including any supplementary information constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose".

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information, whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor EAM 11.7

Publication date: October 6, 2021

Contents

About this guide	
Intended audience	
Organization	
Related documents	
Contacting Infor	
Chapter 1 Data models (Oracle)	
Chapter 2 Data models (SQL)	
Chapter 3 Tables (alphabetical by table)	
Chapter 4 Primary key definitions	
Chapter 5 Foreign key definitions	
Chapter 6 Views	
Chapter 7 Constraint definitions	
Chapter 8 Indexes	
Chapter 9 Field descriptions/usage	

About this guide

This guide provides detailed, comprehensive information about Infor EAM's data structure, including data models, definitions of tables and views, primary and foreign key definitions, constraint definitions, index definitions, and field descriptions.

Intended audience

This guide is intended for database administrators, system and data analysts, and IT managers with a high level of proficiency in Oracle or SQL Server programming and database management. It aides those readers in querying the database for information, and with adding customizations to the EAM application.

Organization

This table shows the chapters of the guide:

Section	Description
Data models (Oracle)	Representation of the Oracle data structures or data modeling by module in EAM.
Data models (SQL)	Representation of the SQL data structures or data modeling by module in EAM.
Tables (alphabetical by table)	Alphabetized list of EAM database tables with column names, column descriptions, and Oracle and SQL data types per database table.
Primary key definitions	Comprehensive list of rows of data in the EAM database table columns. Identifies all table records in EAM.

Section	Description
Foreign key definitions	Comprehensive list of columns in the EAM relational database table with linked primary key references. Establishes links between tables.
Views	Comprehensive list of EAM database views defined by queries for searching a database.
Constraint definitions	Comprehensive list of EAM database schema definitions by “associated” table, for defining data properties per database compliance.
Indexes	Comprehensive list of EAM data structures for speedy data retrieval operations on EAM database tables.
Field descriptions/usage	Comprehensive list of fields in the EAM database with field definition, and usage information including function code and function description.

Related documents

You can find these documents in the product documentation section of the Infor Support Portal, as described in "Contacting Infor" on page 5:

- *Infor EAM Product Family Software Requirements*
- *Infor EAM Architecture and Server Management Development Guide*
- *Infor EAM Installation Guide*
- *Infor EAM Oracle Database Installation and Upgrade Guide*
- *Infor EAM Product Overview Guide*


Contacting Infor


If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.


If we update this document after the product release, we will post the new version on the Infor Support Portal. To access documentation, select **Search > Browse Documentation**. We recommend that you check this portal periodically for updated documentation.


If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1 Data models (Oracle)









R5BARCODELABELS

BCL_LABEL
BCL_SESSID
BCL_ESCAPE
BCL_COLUMN
BCL_VALUE
BCL_UPDATECOUNT
BCL_LASTSAVED

R5BARESC

BCE_LINE
BCE_ESCAPE
BCE_COLUMN
BCE_TEXT1
BCE_TEXT2
BCE_UPDATECOUNT
BCE_LASTSAVED

R5BARCODEREADERS


BCR_CODE
BCR_DESC
BCR_STORE (FK)
BCR_UPDATECOUNT
BCR_LASTSAVED


R5BARCODETRANS

BCT_SERIAL
BCT_READER
BCT_PART
BCT_OBJECT
BCT_QTY
BCT_LOT
BCT_BIN
BCT_STORE
BCT_ERROR
BCT_EVENT
BCT_ACT
BCT_DATE
BCT_OBJECT_ORG
BCT_PART_ORG
BCT_UPDATECOUNT
BCT_LASTSAVED

R5BARCODESTTK

BCK_SERIAL
BCK_READER
BCK_STOCKTAKE
BCK_PART
BCK_QTY
BCK_LOT
BCK_BIN
BCK_STORE
BCK_ERROR
BCK_DATE
BCK_PART_ORG
BCK_UPDATECOUNT
BCK_LASTSAVED





COR_INBOX_ENTRY
C_ID
C_XML
C_TENANT_ID
C_MESSAGE_PRIORITY
C_CREATED_DATE_TIME
C_WAS_PROCESSED



COR_INBOX_HEADERS
C_ID
C_INBOX_ID (FK)
C_HEADER_KEY
C_HEADER_VALUE

COR_PROPERTY
C_ID
C_PROPERTY_NAME
C_PROPERTY_VALUE

ESB_INBOUND_DUPLICATE
C_MESSAGE_ID
C_CREATED_DATE_TIME


COR_OUTBOX_ENTRY
C_ID
C_XML
C_TENANT_ID
C_MESSAGE_PRIORITY
C_CREATED_DATE_TIME
C_WAS_PROCESSED




COR_OUTBOX_HEADERS
C_ID
C_OUTBOX_ID (FK)
C_HEADER_KEY
C_HEADER_VALUE

ESB_PREVIOUS_VERSION_MEDIATION
C_ID
C_LOGICAL_ID
C_NOUN_NAME
C_TENANT_ID
C_ACCOUNTING_ENTITY_ID
C_LOCATION_ID
C_VARIATION_ID
C_REVISION_ID
C_NOUN_ID
C_XML
C_AGENCY_ROLE

ESB_VARIATION_ID_MEDIATION
C_ID
C_LOGICAL_ID
C_NOUN_NAME
C_TENANT_ID
C_ACCOUNTING_ENTITY_ID
C_LOCATION_ID
C_VARIATION_ID
C_REVISION_ID
C_NOUN_ID
C_SYSTEM_ID
C_DRILLBACK_LID
C_AGENCY_ROLE





R5MGCUSTOMFIELD
TPC_SQLIDENTITY
TPC_TENANTIDENTITY (FK)
TPC_NAME
TPC_VALUE
TPC_TYPE
TPC_STATUS
TPC_UPDATETIMESTAMP
TPC_UPDATECOUNT
TPC_LASTSAVED

R5MGPROVISIONINGCONFIG
TPK_NAME
TPK_VALUE
TPK_LASTSAVED

R5MGTENANT
TPT_SQLIDENTITY
TPT_TENANTID
TPT_STATUS
TPT_PROVISIONINGSTATE
TPT_DISPLAYNAME
TPT_DESCRIPTION
TPT_PRODUCTNAME
TPT_PRODUCTVERSION
TPT_LOGICALID
TPT_MINGLEENABLED
TPT_DBVENDOR
TPT_DBHOST
TPT_DBPORT
TPT_DBNAME
TPT_DBSERVICENAME
TPT_DBTYPE
TPT_DBUSERTYPE
TPT_DBUSERROLE
TPT_DBUSERNAME
TPT_DBUSERPASSWORD
TPT_CREATETIMESTAMP
TPT_UPDATETIMESTAMP
TPT_UPDATECOUNT
TPT_CHILDTIMESTAMP
TPT_MESSAGE
TPT_UPGRADE
TPT_LICENSE
TPT_SHORTNAME
TPT_LASTSAVED
TPT_POD
TPT_ZDUPRIORITY

R5MGSNAPSHOT
SNS_TENANTID
SNS_OPERATION
SNS_SNAPSHOTID
SNS_EAMVERSION
SNS_STATUS
SNS_LOCATION
SNS_CREATED
SNS_UPDATED
SNS_UPDATECOUNT
SNS_LASTSAVED
SNS_SECONDARYTENANTID
SNS_COMPLETEDDBPATCH

R5MGADMINISTRATOR
TPA_SQLIDENTITY
TPA_TENANTIDENTITY (FK)
TPA_GUID
TPA_EMAIL
TPA_STATUS
TPA_UPDATETIMESTAMP
TPA_UPDATECOUNT
TPA_LASTSAVED

R5MGSNAPSHOTHIST
SNH_TENANTID
SNH_SNAPSHOTID
SNH_OPERATION
SNH_EAMVERSION
SNH_STATUS
SNH_LOCATION
SNH_CREATED
SNH_UPDATED
SNH_UPDATECOUNT
SNH_LASTSAVED
SNH_SECONDARYTENANTID
SNH_COMPLETEDDBPATCH

R5IMPORTEXPORTGRPSTATUS

IMG_SESSIONID	(FK)
IMG_GROUP	
IMG_STATUS	
IMG_PROCESSORDER	
IMG_START	
IMG_END	
IMG_LASTSAVED	

R/1818

R5IMPORTEXPORTSTATUS

IES_SESSIONID	
IES_USERID	(FK)
IES_TYPE	
IES_STATUS	
IES_FILELOCATION	
IES_EMAILSENT	
IES_FILESENT	
IES_ESTTIMETOSTART	
IES_ESTTIMETOEND	
IES_DATECREATED	
IES_UPDATECOUNT	
IES_STARTED	
IES_COMPLETED	
IES_RECORDCOUNT	
IES_LASTSAVED	
IES_EMAIL	
IES_DESC	
IES_INCLUDEEMAIL	
IES_PREVIEW	

R/1866

R5IMPORTSESSIONS

ISE_SESSIONID	
ISE_LINE	
ISE_SUBMITTED	
ISE_STARTED	
ISE_COMPLETED	
ISE_RECORDCOUNT	
ISE_STATUS	
ISE_UPDATEDBY	
ISE_LASTSAVED	

R5USERS

USR_CODE	
USR_DESC	
USR_CLASS	
USR_MRC	(FK)
USR_SYSMAN	
USR_PASSWORD	
USR_LASTFUNC	(FK)
USR_FIRSTFUNC	
USR_GROUP	(FK)
USR_LANG	(FK)
USR_PRINTER	(FK)
USR_EXPPASS	
USR_EXPUSER	
USR_FACILITY	(FK)
USR_REQAPVLIMIT	
USR_REQAUTHAPVLIMIT	
USR_BUYER	
USR_PORDAPVLIMIT	
USR_PORDAUTHAPVLIMIT	
USR_ROUTER	
USR_DATELOCKED	
USR_VIOLATIONS	
USR_CLASS_ORG	
USR_APPROVER	
USR_PICAPVLIMIT	
USR_EMAILADDRESS	
USR_NOTIFICATIONPREF	
USR_BROWSER	
USR_INVAPVLIMIT	
USR_INVAPVLIMITNONPO	
USR_UPDATECOUNT	
USR_LOGIN	
USR_REQUESTOR	
USR_ACTIVE	
USR_LOCAL	
USR_SUCCESSMSGTIMEOUT	(FK)
USR_EWSFIRSTFUNC	
USR_CREATED	
USR_UPDATED	
USR_INBOXTAB	
USR_MOBILE	
USR_CONNECTOR	
USR_BARCODE	
USR_NOTUSED	
USR_SESSIONTIMEOUT	
USR_ANALYTICS	
USR_PROFESSIONAL	
USR_CONSUMER	
USR_SCREENDESIGNER	
USR_508	
USR_MOBILEADM	
USR_EDITDATASPY	
USR_ADVANCEDFILTERS	
USR_EDITOWNCOMMENTS	
USR_EDITOTHERSCOMMENTS	
USR_UDFCHAR01	
USR_UDFCHAR02	
USR_UDFCHAR03	
USR_UDFCHAR04	
USR_UDFCHAR05	
USR_UDFCHAR06	
USR_UDFCHAR07	
USR_UDFCHAR08	
USR_UDFCHAR09	
USR_UDFCHAR10	
USR_UDFCHAR11	
USR_UDFCHAR12	
USR_UDFCHAR13	
USR_UDFCHAR14	
USR_UDFCHAR15	
USR_UDFCHAR16	
USR_UDFCHAR17	
USR_UDFCHAR18	
USR_UDFCHAR19	
USR_UDFCHAR20	
USR_UDFCHAR21	
USR_UDFCHAR22	
USR_UDFCHAR23	
USR_UDFCHAR24	
USR_UDFCHAR25	
USR_UDFCHAR26	
USR_UDFCHAR27	
USR_UDFCHAR28	
USR_UDFCHAR29	
USR_UDFCHAR30	
USR_UDFNUM01	
USR_UDFNUM02	
USR_UDFNUM03	
USR_UDFNUM04	
USR_UDFNUM05	
USR_UDFDATE01	
USR_UDFDATE02	
USR_UDFDATE03	
USR_UDFDATE04	
USR_UDFDATE05	
USR_UDFCHKBOX01	
USR_UDFCHKBOX02	
USR_UDFCHKBOX03	
USR_UDFCHKBOX04	
USR_UDFCHKBOX05	
USR_ENXUSER	
USR_GLOBALDATASPY	
USR_DEFAULT_ORG	
USR_DEFAULT_CHART_TYPE	
USR_DEFAULT_CHART_PERIOD	
USR_DEFAULT_CHART_GROUPBY	
USR_DEFAULT_CHART_SHOWYEAR	
USR_DEFAULT_KPI_SIZE	
USR_EXTERNCODE	
USR_CANCELDAIYSCHEDESESSION	
USR_SUPPLIER	(FK)
USR_SUPPLIER_ORG	(FK)
USR_ALLOWSCREENCACHESSETUP	
USR_ALLOWVIEWINGAUDITTRAIL	
USR_ENABLESCREENCACHEDECK	
USR_ENABLETRANSITIONANIMATIONS	
USR_DEFAULT_CHART_STATE	
USR_DEFAULTSTORE	(FK)
USR_ALLOWMOBILESETTINGS	
USR_ARCGIS_USERCODE	
USR_ARCGIS_PASSWORD	
USR_ALLOWVIEWINGPRIVATECASES	
USR_MOBILEFIRSTSCREEN	
USR_ALLOWCONTAINSEARCH	
USR_ALLOWUPDATEFIELD	
USR_LASTSAVED	
USR_PROFILEPICTURE	(FK)
USR_MOBILEAUTOSYNC	
USR_ENABLEBIOMETRICS	
USR_MOBILEAPP	
USR_DUXFIRSTFUNC	(FK)
USR_ALLOWMOBILESYNCONFIG	
USR_ENABLEMOBILERESTOREUSER	

R5IMPORTDATASPYMAP

IDS_SESSIONID	
IDS_OLD_DATASPYID	
IDS_DATASPYID	
IDS_CREATED	
IDS_CREATEDBY	
IDS_LASTSAVED	

R5IMPORTMENUMAP

IMM_OLDMENUCODE	
IMM_NEWMENUCODE	
IMM_LASTSAVED	

R5IMPORTDDFIELDMAP

IDF_SESSIONID	
IDF_OLD_DDFIELDID	
IDF_DDFIELDID	
IDF_CREATED	
IDF_CREATEDBY	
IDF_LASTSAVED	

R5IMPORTHEADERDATA

IMH_SESSIONID	
IMH_HEADERDATA	
IMH_LASTSAVED	

R5IMPORTDATA


IPD_SESSIONID	
IPD_LINE	
IPD_STATUS	
IPD_MESSAGE	
IPD_TABLE	
IPD_DATA	
IPD_DECODED	
IPD_UPDATED	
IPD_LASTSAVED	


R5IMPORTMETADATA


IMD_SESSIONID	
IMD_LINE	
IMD_TABLE	
IMD_METADATA	
IMD_LASTSAVED	


R5IMPORTGRIDMAP


IGM_SESSIONID	
IGM_OLD_GRIDID	
IGM_GRIDID	
IGM_ACTIVE	
IGM_CREATED	
IGM_CREATEDBY	
IGM_LASTSAVED	











R5SCHEDULES

SCH_CODE
SCH_NAME
SCH_DESCRIPTION
SCH_TYPE
SCH_MONTH
SCH_DAYOFMONTH
SCH_DAYOFWEEK
SCH_HOUR
SCH_MINUTE
SCH_UPDATECOUNT
SCH_LASTSAVED

R5JOBS

JOB_NAME
JOB_DESCRIPTION
JOB_CLASS
JOB_TYPE
JOB_UPDATECOUNT
JOB_PARTNERID
JOB_LASTSAVED

R5SCHEDULEDJOBS

SCJ_CODE	(FK)
SCJ_JOBNAME	(FK)
SCJ_SCHCODE	(FK)
SCJ_ACTIVE	
SCJ_BROKEN	
SCJ_LASTRUN	
SCJ_NEXTRUN	
SCJ_UPDATECOUNT	
SCJ_SERVERID	
SCJ_LASTSAVED	
SCJ_TYPE	


R5JOBPARAM


JPR_NAME	(FK)
JPR_LINE	
JPR_PARAMETER	
JPR_RENTITY	
JPR_RTYPE	
JPR_DATATYPE	
JPR_LENGTH	
JPR_FORMAT	
JPR_DEFAULT	
JPR_FIXED	
JPR_MANDATORY	
JPR_UPPER	
JPR_OPTIONS	
JPR_REMEMBER	
JPR_TEST	
JPR_QUERY	
JPR_LOVFUNCTION	
JPR_PROPERTY	
JPR_EWSLOVDEF	
JPR_UPDATECOUNT	
JPR_LASTSAVED	


R5JOBPARAMVALUE


JPV_CODE	(FK)
JPV_LINE	
JPV_KEY	
JPV_VALUE	
JPV_UPDATECOUNT	
JPV_LASTSAVED	











R5USERGISMAPS

UGM_USER	(FK)
UGM_MAP	(FK)
UGM_MAP_ORG	(FK)
UGM_MRC	(FK)
UGM_DEFAULT	
UGM_UPDATECOUNT	
UGM_LASTSAVED	

R5MRCGISMAPS

MGM_MRC	(FK)
MGM_MAP	(FK)
MGM_MAP_ORG	(FK)
MGM_LASTSAVED	

R5GISMAPS

GSM_CODE	(FK)
GSM_ORG	(FK)
GSM_DESC	
GSM_CLASS	
GSM_CLASS_ORG	
GSM_NOTUSED	
GSM_UPDATECOUNT	
GSM_LASTSAVED	
GSM_MOBILEONLY	

R5OBJMAP

OMP_MAPID	
OMP_TYPE	
OMP_CODE	
OMP_CODE_ORG	
OMP_REVISION	
OMP_XMIN	
OMP_XMAX	
OMP_YMIN	
OMP_YMAX	
OMP_UPDATECOUNT	
OMP_CREATED	
OMP_UPDATED	
OMP_MAP	(FK)
OMP_MAP_ORG	(FK)
OMP_BASEMAP	
OMP_OPACITY	
OMP_LASTSAVED	

R5OBJMAPACETATES

OMA_MAPID	
OMA_TYPE	
OMA_FROMX	
OMA_FROMY	
OMA_TOX	
OMA_TOY	
OMA_UPDATECOUNT	
OMA_LASTSAVED	

R5GISMAPPARAMETERS

GSP_MAPCODE	(FK)
GSP_MAP_ORG	(FK)
GSP_PARAM	(FK)
GSP_VALUE	
GSP_UPDATECOUNT	
GSP_LASTSAVED	

R5OBJMAPPLAYER

OML_MAPID	
OML_VISIBLELAYER	
OML_LASTSAVED	

R5OBJMAPLABELS

OLB_MAPID	
OLB_TYPE	
OLB_X	
OLB_Y	
OLB_TEXT	
OLB_UPDATECOUNT	
OLB_LASTSAVED	

R5GISVISIBLELAYER

GVL_CODE	(FK)
GVL_VISIBLELAYER	
GVL_MAP	(FK)
GVL_MAP_ORG	(FK)
GVL_LASTSAVED	

R5GISUGPREFERENCES

GUP_UGRCODE	(FK)
GUP_PROFILE	(FK)
GUP_PROFILE_ORG	(FK)
GUP_GISLAYER	
GUP_DEFAULT	
GUP_XLOCATION	
GUP_YLOCATION	
GUP_AUTOCREATE	
GUP_UPDATECOUNT	
GUP_CREATED	
GUP_UPDATED	
GUP_MAP	(FK)
GUP_MAP_ORG	(FK)
GUP_LASTSAVED	

R5GISDATAMAPS

GMP_MAPPINGID	
GMP_LAYERNAME	
GMP_LAYERATTRIBUTE	
GMP_LAYERCONSTANT	
GMP_ASSETATTRIBUTE	
GMP_ASSETCONSTANT	
GMP_ACTION	
GMP_OWNER	
GMP_SEQUENCE	
GMP_DELIMITER	
GMP_SOURCE	
GMP_UPDATECOUNT	
GMP_CREATED	
GMP_UPDATED	
GMP_LRS	
GMP_TYPE	
GMP_GRIDLOOKUPNAME	
GMP_LASTSAVED	

R5LINEARDIRECTIONS


LDR_DIRECTION	
LDR_OPPOSITEDIRECTION	
LDR_NOTE	
LDR_CREATEDBY	
LDR_CREATED	
LDR_UPDATEDBY	
LDR_UPDATED	
LDR_UPDATECOUNT	
LDR_LASTSAVED	


R5MAPSCONSENT


MCT_APPID	
MCT_USERID	
MCT_DEVICEID	
MCT_PRODUCT	
MCT_LASTUPDATED	
MCT_UPDATECOUNT	
MCT_LASTSAVED	

R5LINEARREFCLASSES


LRC_ENTITY	(FK)
LRC_CLASS	(FK)
LRC_CLASS_ORG	(FK)
LRC_LINEARREF_CLASS	
LRC_LINEARREF_CLASS_ORG	
LRC_CREATEDBY	(FK)
LRC_CREATED	
LRC_UPDATECOUNT	
LRC_LASTSAVED	







[illegible]



R5MOBILELISTENTITIES

LET_DATAGRID
LET_SEQNO
LET_MASK
LET_GROUPID
LET_BLOCKSIZE
LET_DELINSUPD
LET_FILTER
LET_TABLENAME
LET_DOWNCAT
LET_ORGKEY
LET_DOWNGROUP
LET_UPDATECOUNT
LET_UPDATED
LET_TABLEUPDATED
LET_FILTERPARAMS
LET_MASTERTABLE
LET_CACHEDATA
LET_RENTITIES
LET_DDSPYID
LET_LASTSAVED

R5MOBILEDATABLOCKS

MDB_REQUESTID
MDB_BLOCKID
MDB_SEQ
MDB_COMPRESSED
MDB_CREATED
MDB_DOWNLOADED
MDB_SIZE
MDB_XML
MDB_UPDATECOUNT
MDB_GRIDNAME
MDB_SYNCCONFIG
MDB_ORGCONFIG
MDB_START
MDB_END
MDB_RECORDS
MDB_CACHED
MDB_LASTSAVED

R5MOBILESYNSTATUS

MSS_REQUESTID
MSS_RUNPROCESS
MSS_UPDATED
MSS_UPDATECOUNT
MSS_LASTSAVED

R5MOBILESYNDELETE

MSD_PK
MSD_TABLENAME
MSD_DELETED
MSD_RENTITY
MSD_KEYS
MSD_VALUES
MSD_UPDATECOUNT
MSD_LASTSAVED
MSD_ORG

R5MOBILESYNBLOCKS

MSB_REQUESTID
MSB_BLOCKID
MSB_SEQ
MSB_DOWNLOADED
MSB_SIZE
MSB_GRIDNAME
MSB_UPDATED
MSB_UPDATECOUNT
MSB_LASTSAVED

R5MOBILESYNCTIME

MSM_REQUESTID
MSM_GRIDNAME
MSM_SYNCTIME
MSM_UPDATED
MSM_UPDATECOUNT
MSM_LASTSAVED

R5MOBILEDBSYNC

MDS_SYNCID
MDS_USER
MDS_ORG
MDS_STATUS
MDS_DBLASTUPDATEDDATE
MDS_GRIDS_PROCESSED
MDS_STATUS_MSG
MDS_SYNC_REQUEST
MDS_DOWNLOAD
MDS_FILENAME
MDS_UPDATECOUNT
MDS_LASTSAVED

R5MOBILECONFIGS

MCF_CODE
MCF_RCODE
MCF_CONFIG
MCF_DESK
MCF_COMPTYPE
MCF_USER
MCF_GROUP
MCF_XMLCONFIG
MCF_CREATED
MCF_UPDATED
MCF_UPDATECOUNT
MCF_LASTSAVED

R5MOBILEEVENTSYNCH

MES_REQUESTID
MES_EVENT
MES_ORG
MES_OBJECT
MES_OBJECT_ORG
MES_EVENTUPDATED
MES_MULTIEQUIP
MES_UPDATED
MES_UPDATECOUNT
MES_LASTSAVED

R5MOBILEUSERCONFIGS

MUC_USER
MUC_GROUP
MUC_CODE
MUC_DESK
MUC_RCODE
MUC_COMPTYPE
MUC_CREATED
MUC_UPDATED
MUC_UPDATECOUNT
MUC_LASTSAVED

R5MOBILETABLEUPDATES

MTU_TABLENAME
MTU_UPDATED
MTU_RENTITY
MTU_LASTSAVED

R5MOBILENOTEBOOKREFERENCES

MNR_MOBILENOTEBOOK
MNR_REF_MOBILENOTEBOOK
MNR_COPIED
MNR_MOBILE_CREATED
MNR_CREATED
MNR_LASTSAVED

R5MOBILENOTEBOOKEMAILS

MNE_CODE
MNE_MOBILENOTEBOOK
MNE_PERSON
MNE_EMAILADDRESS
MNE_MAILEVENT
MNE_MOBILE_CREATED
MNE_SENT
MNE_LASTSAVED

R5MOBILEGRIDLOCK

MGL_GRIDNAME
MGL_SYNCCONFIG
MGL_ORGCONFIG
MGL_UPDATED
MGL_UPDATECOUNT
MGL_LASTSAVED

R5MOBILENOTEBOOKS

MNB_CODE
MNB_ORG
MNB_CLASS
MNB_CLASS_ORG
MNB_PRIVATE
MNB_HISTORY
MNB_NOTE
MNB_DEFECT
MNB_OBJECT
MNB_OBJECT_ORG
MNB_NCFSEVERITY
MNB_MTASEVERITY
MNB_NCTTYPE
MNB_NCTTYPE_ORG
MNB_NCFCLASS
MNB_NCFCLASS_ORG
MNB_DIVISION
MNB_LINE
MNB_TRACK
MNB_SECTION
MNB_STATION
MNB_STATIONING_MAJOR
MNB_STATIONING_MINOR
MNB_DETAILED_LOCATION
MNB_CREATED
MNB_CREATEDBY
MNB_MOBILECREATED
MNB_EMAILADDRESS
MNB_MNECODE
MNB_UDFCHAR01
MNB_UDFCHAR02
MNB_UDFCHAR03
MNB_UDFCHAR04
MNB_UDFCHAR05
MNB_UDFCHAR06
MNB_UDFCHAR07
MNB_UDFCHAR08
MNB_UDFCHAR09
MNB_UDFCHAR10
MNB_UDFCHAR11
MNB_UDFCHAR12
MNB_UDFCHAR13
MNB_UDFCHAR14
MNB_UDFCHAR15
MNB_UDFCHAR16
MNB_UDFCHAR17
MNB_UDFCHAR18
MNB_UDFCHAR19
MNB_UDFCHAR20
MNB_UDFCHAR21
MNB_UDFCHAR22
MNB_UDFCHAR23
MNB_UDFCHAR24
MNB_UDFCHAR25
MNB_UDFCHAR26
MNB_UDFCHAR27
MNB_UDFCHAR28
MNB_UDFCHAR29
MNB_UDFCHAR30
MNB_UDFNUM01
MNB_UDFNUM02
MNB_UDFNUM03
MNB_UDFNUM04
MNB_UDFNUM05
MNB_UDFDATE01
MNB_UDFDATE02
MNB_UDFDATE03
MNB_UDFDATE04
MNB_UDFDATE05
MNB_UDFCHKBOX01
MNB_UDFCHKBOX02
MNB_UDFCHKBOX03
MNB_UDFCHKBOX04
MNB_UDFCHKBOX05
MNB_UPDATECOUNT
MNB_LEVEL1
MNB_LEVEL1_ORG
MNB_LEVEL2
MNB_LEVEL2_ORG
MNB_LEVEL4
MNB_LEVEL4_ORG
MNB_LEVEL3A
MNB_LEVEL3A_ORG
MNB_UPDATED
MNB_UPDATEDBY
MNB_NONCONFORMITY_OBSERVATION
MNB_LASTSAVED
OBJ_CODE
OBJ_ORG

R5MOBILELBSDATA

LBS_DEVICEID
LBS_DATE
LBS_USER
LBS_LATITUDE
LBS_LONGITUDE
LBS_EMPLOYEE
LBS_OBJECT
LBS_OBJECT_ORG
LBS_EVENT
LBS_EVENT_ORG
LBS_EVENT_START
LBS_EVENT_STOP
LBS_UPDATECOUNT
LBS_LASTSAVED

R5MOBILEFILTEREDWOS

MFV_SESSIONID
MFV_EVENT
MFV_CREATED
MFV_LASTUPDATED
MFV_OBJECT
MFV_OBJECT_ORG
MFV_UPDATECOUNT
MFV_LASTSAVED

R5MOBILEFILTEREDOBJECTS

MFO_SESSIONID
MFO_OBJECT
MFO_OBJECT_ORG
MFO_LASTUPDATED
MFO_CREATED
MFO_UPDATECOUNT
MFO_LASTSAVED

R5MOBILEPNREGISTRY

MPN_APPID
MPN_DEVICEID
MPN_PLATFORM
MPN_TOKEN
MPN_USER
MPN_CREATED
MPN_CREATEDBY
MPN_UPDATED
MPN_UPDATEDBY
MPN_UPDATECOUNT
MPN_LASTSAVED

R5MOBILEFILTEREDPTW

MFT_SESSIONID
MFT_CODE
MFT_CREATED
MFT_LASTUPDATED
MFT_UPDATECOUNT
MFT_LASTSAVED

R5MOBILENOTICES


MNT_CODE
MNT_APPID
MNT_APPVERSION
MNT_EXPIRYDATE
MNT_CREATED
MNT_LASTSAVED


R5MOBILEQUERIES

MQR_GRIDNAME
MQR_TABLENAME
MQR_VERSION
MQR_CREATETABLE
MQR_SQLTEXT
MQR_UPDATED
MQR_PREPAREGRID
MQR_COLUMNMAP
MQR_SINGLETHREADPERCONN
MQR_PREPARETABLEUSED
MQR_UPDATECOUNT
MQR_LASTSAVED


R5MOBILEENTITYSETUP


MBE_ENTITY
MBE_RENTITY
MBE_UPDATECOUNT
MBE_LASTSAVED





[illegible]





RSPMFORECASTPARAMS	
PPF_CODE	
PPF_USER	
PPF_PARAMETER	
PPF_DEFPARAM	
PPF_SESSIONID	
PPF_STARTDATE	
PPF_ENDDATE	
PPF_OBJECTS	
PPF_OBTYPES	
PPF_OBCLASSES	
PPF_TOPLEVEL	
PPF_TOPLEVEL_ORG	
PPF_CATEGORIES	
PPF_CRITICALITIES	
PPF_PMSCHEDULES	
PPF_PMLCLASSES	
PPF_NESTED	
PPF_PRIORITIES	
PPF_JOBTYPES	
PPF_EVENT_ORG	
PPF_EVENT_CLASSES	
PPF_MRCs	
PPF_LOCATIONS	
PPF_PERSONS	
PPF_COSTCODES	
PPF_SCHEDGRPS	
PPF_PARENTTYPE	
PPF_WORKHOURS	
PPF_MIN_FREQ	
PPF_INC_CHILDREN	
PPF_WORKORDER_BGCOLOR	
PPF_ACTDUEDT_BGCOLOR	
PPF_FORECASTPM_BGCOLOR	
PPF_WEEKEND_BGCOLOR	
PPF_UKDPMDUEDT_TXTCOLOR	
PPF_CAL_DAY	
PPF_YEAR_DSG	
PPF_QTR_DSG	
PPF_MONTH_DSG	
PPF_WEEK_DSG	
PPF_DAILY_DSG	
PPF_BACKFILLING	
PPF_FORWARDFILLING	
PPF_SESSION_APRV	
PPF_FORECASTING	
PPF_CREATED	
PPF_ENABLECHILDEQUIPTAB	
PPF_SCREENSHOTSPLIT	
PPF_PAGESIZE	
PPF_UPDATECOUNT	
PPF_LASTSAVED	

RSPMFORECASTPREVIEW	
PPV_SESSIONID	
PPV_OBJECT	
PPV_OBJECT_ORG	
PPV_SELECT	
PPV_PARENT	
PPV_PARENT_ORG	
PPV_UPDATECOUNT	
PPV_LASTSAVED	

RSPMPSSESSIONDATES	
PPD_LINE	
PPD_PPSPK	
PPD_DUEDATE	
PPD_WORKORDER	
PPD_ISCALDATE	
PPD_ISPROJECTED	
PPD_UPDATECOUNT	
PPD_LASTSAVED	

RSPMFORECASTWARNING	
PFW_PPSPK	
PFW_WARNTYPE	
PFW_MESSAGE	
PFW_UPDATECOUNT	
PFW_LASTSAVED	

RSPMFORECASTEQUIPLIST	
PFL_SESSIONID	
PFL_OBJECT	
PFL_OBJECT_ORG	
PFL_SELECT	
PFL_PARENT	
PFL_PARENT_ORG	
PFL_UPDATECOUNT	
PFL_LASTSAVED	

R5PPMOBJECTS	
PPO_PK	
PPO_REVISION	(FK)
PPO_OBJECT	(FK)
PPO_OBTYPE	
PPO_OBRTYPE	
PPO_LOCATION	(FK)
PPO_MRC	(FK)
PPO_COSTCODE	(FK)
PPO_ROUTE	
PPO_DUE	
PPO_METUOM	(FK)
PPO_METERDUE	
PPO_FREQ	
PPO_METER	
PPO_ISSTYPE	
PPO_FIXED	
PPO_DEACTIVE	
PPO_CHANGED	
PPO_CLASS_ORG	
PPO_OBJECT_ORG	(FK)
PPO_LOCATION_ORG	(FK)
PPO_ORG	(FK)
PPO_PACKAGE	(FK)
PPO_PERSON	(FK)
PPO_PERIODUOM	
PPO_METERDUE2	
PPO_METUOM2	(FK)
PPO_METER2	
PPO_UPDATECOUNT	
PPO_DORMSTART	
PPO_DORMEND	
PPO_DORMREUSE	
PPO_SCHEDGRP	(FK)
PPO_SET	
PPO_FROMPOINT	
PPO_FROMREFDESC	
PPO_FROMGEOREF	
PPO_TOPOINT	
PPO_TOREFDESC	
PPO_TOGEOREF	
PPO_LOCKEDBYSESSION	
PPO_PERFORMONWEEK	
PPO_PERFORMONDAY	
PPO_SETID	
PPO_INCLUDENONCONFORMITIES	
PPO_DUEENONCONFORMITIESONLY	
PPO_LASTSAVED	
PPO_UDFCHAR01	
PPO_UDFCHAR02	
PPO_UDFCHAR03	
PPO_UDFCHAR04	
PPO_UDFCHAR05	
PPO_UDFCHAR06	
PPO_UDFCHAR07	
PPO_UDFCHAR08	
PPO_UDFCHAR09	
PPO_UDFCHAR10	
PPO_UDFCHAR11	
PPO_UDFCHAR12	
PPO_UDFCHAR13	
PPO_UDFCHAR14	
PPO_UDFCHAR15	
PPO_UDFCHAR16	
PPO_UDFCHAR17	
PPO_UDFCHAR18	
PPO_UDFCHAR19	
PPO_UDFCHAR20	
PPO_UDFCHAR21	
PPO_UDFCHAR22	
PPO_UDFCHAR23	
PPO_UDFCHAR24	
PPO_UDFCHAR25	
PPO_UDFCHAR26	
PPO_UDFCHAR27	
PPO_UDFCHAR28	
PPO_UDFCHAR29	
PPO_UDFCHAR30	
PPO_UDFCHAR31	
PPO_UDFCHAR32	
PPO_UDFCHAR33	
PPO_UDFCHAR34	
PPO_UDFCHAR35	
PPO_UDFCHAR36	
PPO_UDFCHAR37	
PPO_UDFCHAR38	
PPO_UDFCHAR39	
PPO_UDFCHAR40	
PPO_UDFCHAR41	
PPO_UDFCHAR42	
PPO_UDFCHAR43	
PPO_UDFCHAR44	
PPO_UDFCHAR45	
PPO_UDFNUM01	
PPO_UDFNUM02	
PPO_UDFNUM03	
PPO_UDFNUM04	
PPO_UDFNUM05	
PPO_UDFNUM06	
PPO_UDFNUM07	
PPO_UDFNUM08	
PPO_UDFNUM09	
PPO_UDFNUM10	
PPO_UDFDATE01	
PPO_UDFDATE02	
PPO_UDFDATE03	
PPO_UDFDATE04	
PPO_UDFDATE05	
PPO_UDFDATE06	
PPO_UDFDATE07	
PPO_UDFDATE08	
PPO_UDFDATE09	
PPO_UDFDATE10	
PPO_UDFCHKBOX01	
PPO_UDFCHKBOX02	
PPO_UDFCHKBOX03	
PPO_UDFCHKBOX04	
PPO_UDFCHKBOX05	
PPO_UDFCHKBOX06	
PPO_UDFCHKBOX07	
PPO_UDFCHKBOX08	
PPO_UDFCHKBOX09	
PPO_UDFCHKBOX10	
PPO_UDFNOTE01	
PPO_UDFNOTE02	
PPO_COPYUDFSTOWO	
PPO_SHIFT	(FK)

R5PPMCALENDARS	
PPC_PPM	(FK)
PPC_REVISION	(FK)
PPC_OBJECT	(FK)
PPC_OBJECT_ORG	(FK)
PPC_DATE	
PPC_OBTYPE	
PPC_OBRTYPE	
PPC_REUSE	
PPC_UPDATECOUNT	
PPC_LASTSAVED	
PPC_REPLDEPT	

R5PPMPLAN	
PMP_CODE	
PMP_DESC	
PMP_ORG	(FK)
PMP_CLASS	
PMP_CLASS_ORG	
PMP_OBJECTCLASS_ORG	
PMP_UPDATECOUNT	
PMP_LASTSAVED	

RSPMFORECASTRESLOAD	
PFT_SESSIONID	
PFT_TRADE	
PFT_DATE	
PFT_HOURS	
PFT_LASTSAVED	

R5PPMFORECASTPARENTREF	
PFR_SESSIONID	
PFR_PARENT	
PFR_PARENT_ORG	
PFR_CHILD	
PFR_CHILD_ORG	
PFR_UPDATECOUNT	
PFR_LASTSAVED	

R5PPMSESSIONLINES	
PPL_LINE	
PPL_OBJECT	
PPL_OBJORG	
PPL_PPM	
PPL_NESTINGREF	
PPL_SESSIONID	
PPL_UPDATECOUNT	
PPL_LASTSAVED	


R5PPMS	
PPM_CODE	
PPM_REVISION	
PPM_DESC	
PPM_CLASS	
PPM_ISSTYPE	
PPM_DURATION	
PPM_FREQ	
PPM_METER	
PPM_METUOM	
PPM_NESTED	
PPM_PRIORITY	
PPM_JOBTYPE	
PPM_SPECIAL	
PPM_OKWINDOW	
PPM_NEARWINDOW	
PPM_GENWINDOW	
PPM_REVRSTATUS	
PPM_REVSSTATUS	
PPM_ORG	(FK)
PPM_CLASS_ORG	(FK)
PPM_PACKAGE	(FK)
PPM_PLAN	(FK)
PPM_NOTUSED	
PPM_ESTWORKLOAD	
PPM_WOCLASS	
PPM_WOCLASS_ORG	
PPM_NESTEDPMSTATUS	
PPM_PERIODUOM	
PPM_NESTEDTOLMIN	
PPM_NESTEDTOLMAX	
PPM_NESTEDTOLMETMIN	
PPM_NESTEDTOLMETMAX	
PPM_NESTEDTOLMET2MIN	
PPM_NESTEDTOLMET2MAX	
PPM_METER2	
PPM_METUOM2	(FK)
PPM_UPDATECOUNT	
PPM_SCHEDGRP	
PPM_PERFORMONWEEK	
PPM_PERFORMONDAY	
PPM_PRODPRORITY	
PPM_REQUESTEDSTARTDATEBUFFER	
PPM_REQUESTEDENDDATEBUFFER	
PPM_UDFCHAR01	
PPM_UDFCHAR02	
PPM_UDFCHAR03	
PPM_UDFCHAR04	
PPM_UDFCHAR05	
PPM_UDFCHAR06	
PPM_UDFCHAR07	
PPM_UDFCHAR08	
PPM_UDFCHAR09	
PPM_UDFCHAR10	
PPM_UDFCHAR11	
PPM_UDFCHAR12	
PPM_UDFCHAR13	
PPM_UDFCHAR14	
PPM_UDFCHAR15	
PPM_UDFCHAR16	
PPM_UDFCHAR17	
PPM_UDFCHAR18	
PPM_UDFCHAR19	
PPM_UDFCHAR20	
PPM_UDFCHAR21	
PPM_UDFCHAR22	
PPM_UDFCHAR23	
PPM_UDFCHAR24	
PPM_UDFCHAR25	
PPM_UDFCHAR26	
PPM_UDFCHAR27	
PPM_UDFCHAR28	
PPM_UDFCHAR29	
PPM_UDFCHAR30	
PPM_UDFNUM01	
PPM_UDFNUM02	
PPM_UDFNUM03	
PPM_UDFNUM04	
PPM_UDFNUM05	
PPM_UDFDATE01	
PPM_UDFDATE02	
PPM_UDFDATE03	
PPM_UDFDATE04	
PPM_UDFDATE05	
PPM_UDFCHKBOX01	
PPM_UDFCHKBOX02	
PPM_UDFCHKBOX03	
PPM_UDFCHKBOX04	
PPM_UDFCHKBOX05	
PPM_SAFETYREVIEWREQUIRED	
PPM_SAFETYREVIEWED	
PPM_SAFETYREVIEWEDBY	
PPM_SAFETYREVIEWEDNAME	
PPM_SAFETYREVIEWEDTYPE	
PPM_PERMITREVIEWREQUIRED	
PPM_PERMITREVIEWED	
PPM_PERMITREVIEWEDBY	
PPM_PERMITREVIEWEDNAME	
PPM_PERMITREVIEWEDTYPE	
PPM_UDFNOTE01	
PPM_UDFNOTE02	
PPM_LASTSAVED	
PPM_UDFCHAR31	
PPM_UDFCHAR32	
PPM_UDFCHAR33	
PPM_UDFCHAR34	
PPM_UDFCHAR35	
PPM_UDFCHAR36	
PPM_UDFCHAR37	
PPM_UDFCHAR38	
PPM_UDFCHAR39	
PPM_UDFCHAR40	
PPM_UDFCHAR41	
PPM_UDFCHAR42	
PPM_UDFCHAR43	
PPM_UDFCHAR44	
PPM_UDFCHAR45	
PPM_UDFNUM06	
PPM_UDFNUM07	
PPM_UDFNUM08	
PPM_UDFNUM09	
PPM_UDFNUM10	
PPM_UDFDATE06	
PPM_UDFDATE07	
PPM_UDFDATE08	
PPM_UDFDATE09	
PPM_UDFDATE10	
PPM_UDFCHKBOX06	
PPM_UDFCHKBOX07	
PPM_UDFCHKBOX08	
PPM_UDFCHKBOX09	
PPM_UDFCHKBOX10	
PPM_UDFCHAR46	
PPM_UDFCHAR47	
PPM_UDFCHAR48	
PPM_UDFCHAR49	
PPM_UDFCHAR50	
PPM_UDFCHAR51	
PPM_UDFCHAR52	
PPM_UDFCHAR53	
PPM_UDFCHAR54	
PPM_UDFCHAR55	

R5PPMACTS	
PPA_PPM	(FK)
PPA_REVISION	(FK)
PPA_ACT	
PPA_TRADE	
PPA_DURATION	(FK)
PPA_EST	
PPA_TASK	
PPA_MATLIST	
PPA_PERSONS	
PPA_START	
PPA_SPECIAL	
PPA_HIRE	
PPA_QTY	
PPA_UDOM	(FK)
PPA_ACTION	
PPA_WHAT	
PPA_WHERE	
PPA_HOW	
PPA_CONDITION	
PPA_RPC	
PPA_WAP	
PPA_TPF	
PPA_MANUFACT	(FK)
PPA_SYSLEVEL	
PPA_ASMLEVEL	
PPA_COMPLEVEL	
PPA_UPDATECOUNT	
PPA_NOTE	
PPA_UDFCHAR01	
PPA_UDFCHAR02	
PPA_UDFCHAR03	
PPA_UDFCHAR04	
PPA_UDFCHAR05	
PPA_UDFCHAR06	
PPA_UDFCHAR07	
PPA_UDFCHAR08	
PPA_UDFCHAR09	
PPA_UDFCHAR10	
PPA_UDFCHAR11	
PPA_UDFCHAR12	
PPA_UDFCHAR13	
PPA_UDFCHAR14	
PPA_UDFCHAR15	
PPA_UDFCHAR16	
PPA_UDFCHAR17	
PPA_UDFCHAR18	
PPA_UDFCHAR19	
PPA_UDFCHAR20	
PPA_UDFCHAR21	
PPA_UDFCHAR22	
PPA_UDFCHAR23	
PPA_UDFCHAR24	
PPA_UDFCHAR25	
PPA_UDFCHAR26	
PPA_UDFCHAR27	
PPA_UDFCHAR28	
PPA_UDFCHAR29	
PPA_UDFCHAR30	
PPA_UDFNUM01	
PPA_UDFNUM02	
PPA_UDFNUM03	
PPA_UDFNUM04	
PPA_UDFNUM05	
PPA_UDFDATE01	
PPA_UDFDATE02	
PPA_UDFDATE03	(FK)
PPA_UDFDATE04	
PPA_UDFDATE05	
PPA_UDFCHKBOX01	
PPA_UDFCHKBOX02	
PPA_UDFCHKBOX03	
PPA_UDFCHKBOX04	
PPA_UDFCHKBOX05	
PPA_UDFNOTE01	
PPA_UDFNOTE02	
PPA_LASTSAVED	
PPA_LABORTYPE	
PPA_LABORTYPE	
PPA_SUPPLIER	(FK)
PPA_SUPPLIER_ORG	(FK)

R5PPMTOOLS	
PPT_PPM	(FK)
PPT_REVISION	(FK)
PPT_ACT	(FK)
PPT_TOOL	(FK)
PPT_HOURS	
PPT_QTY	
PPT_UPDATECOUNT	
PPT_LASTSAVED	

R5PPMCTDETAILS	
PAD_CODE	
PAD_RTYPE	
PAD_DESC	
PAD_UPDATECOUNT	
PAD_LASTSAVED	

R5PPMPLANSESSION	
PPS_PK	
PPS_SESSIONID	
PPS_PPPOK	
PPS_PPREVISION	
PPS_DUEWEEKOFMONTH	
PPS_DUEDAYOFWEEK	
PPS_LOCKED	
PPS_DUEDATE	
PPS_NESTINGREF	
PPS_IGNOREFREQWARNING	
PPS_IGNORERANGEWARNING	
PPS_UPDATECOUNT	
PPS_LASTSAVED	



RSQUOTTASKS
QUT_QUOTATION
QUT_SEQNO
QUT_EVENT (FK)
QUT_ACT (FK)
QUT_LINE
QUT_TRADE
QUT_TEXT
QUT_LANG (FK)
QUT_UPDATECOUNT
QUT_LASTSAVED

RSQUOTLINES
QUL_QUOTATION (FK)
QUL_SEQNO (FK)
QUL_LINE
QUL_TYPE
QUL_RTYPE
QUL_REQ (FK)
QUL_PART (FK)
QUL_CATREF
QUL_PURLOM (FK)
QUL_EVENT (FK)
QUL_ACT (FK)
QUL_TRADE (FK)
QUL_REOPERS
QUL_PERSONS
QUL_REQQTY
QUL_QUOTQTY
QUL_QUOTUOM (FK)
QUL_LEADTIME
QUL_TASK
QUL_EXPIR
QUL_MULTIPLY
QUL_CURR (FK)
QUL_EXCH
QUL_REQLINE
QUL_EXCHTODUAL
QUL_EXCHFROMDUAL
QUL_TASKQTY
QUL_TASKREV
QUL_QUOTTASKQTY
QUL_DELADDRESS
QUL_PART_ORG (FK)
QUL_INSPECT
QUL_UPDATECOUNT
QUL_LASTSAVED

RSQUOTATIONS
QUO_CODE
QUO_SEQNO
QUO_DESC
QUO_CLASS
QUO_STATUS
QUO_RSTATUS
QUO_TYPE
QUO_RTYPE
QUO_SUPPLIER (FK)
QUO_LANG (FK)
QUO_STORE (FK)
QUO_AUTH (FK)
QUO_ORIGIN (FK)
QUO_DOCREF
QUO_DATE
QUO_DUE
QUO_RECV
QUO_EXPIR
QUO_LEADTIME
QUO_TOTAL
QUO_CURR
QUO_EXCH
QUO_RATING
QUO_SCORE
QUO_PRINTED
QUO_ORDER
QUO_BUYER
QUO_BLANKET
QUO_ORG (FK)
QUO_EXCHTODUAL
QUO_EXCHFROMDUAL
QUO_DELADDRESS
QUO_CLASS_ORG
QUO_SUPPLIER_ORG (FK)
QUO_ORDER_ORG (FK)
QUO_UPDATECOUNT
QUO_LASTSAVED

RSRFORRESPONSES
RFR_QUOTID
RFR_CODE (FK)
RFR_ORG (FK)
RFR_SUPPLIER (FK)
RFR_SUPPLIER_ORG (FK)
RFR_DESC
RFR_STATUS
RFR_RSTATUS
RFR_REPLY
RFR_EXPIRATION
RFR_CLASS
RFR_CLASS_ORG
RFR_CURR (FK)
RFR_RECEIVED
RFR_RECEIVEDBY (FK)
RFR_PARTLINES
RFR_SERVICELINES
RFR_TOTALTAX
RFR_PARTVALUE
RFR_SERVICEVALUE
RFR_CREATED
RFR_UPDATED
RFR_UPDATECOUNT
RFR_UDFCHAR01
RFR_UDFCHAR02
RFR_UDFCHAR03
RFR_UDFCHAR04
RFR_UDFCHAR05
RFR_UDFCHAR06
RFR_UDFCHAR07
RFR_UDFCHAR08
RFR_UDFCHAR09
RFR_UDFCHAR10
RFR_UDFCHAR11
RFR_UDFCHAR12
RFR_UDFCHAR13
RFR_UDFCHAR14
RFR_UDFCHAR15
RFR_UDFNUM01
RFR_UDFNUM02
RFR_UDFNUM03
RFR_UDFNUM04
RFR_UDFNUM05
RFR_UDFNUM06
RFR_UDFNUM07
RFR_UDFNUM08
RFR_UDFNUM09
RFR_UDFNUM10
RFR_UDFDATE01
RFR_UDFDATE02
RFR_UDFDATE03
RFR_UDFDATE04
RFR_UDFDATE05
RFR_UDFCHKBOX01
RFR_UDFCHKBOX02
RFR_UDFCHKBOX03
RFR_UDFCHKBOX04
RFR_UDFCHKBOX05
RFR_LASTSAVED

RSRFLINERESPONSES
RLR_QUOTID
RLR_QUOTLINE (FK)
RLR_RFQ (FK)
RLR_RFQ_ORG (FK)
RLR_RFQLINE (FK)
RLR_REF
RLR_NOTOFFERED
RLR_LEADTIME
RLR_DUEDATE
RLR_PURITY
RLR_REQQTY
RLR_MULTIPLY
RLR_PRICE
RLR_EXCH
RLR_FREEZERATE
RLR_CURR
RLR_PURLOM
RLR_STATUS
RLR_RSTATUS
RLR_TYPE
RLR_RTYPE
RLR_TAX
RLR_TAX2
RLR_CREATED
RLR_UPDATED
RLR_SUMMARIZED
RLR_TASKQTY
RLR_UPDATECOUNT
RLR_UDFCHAR01
RLR_UDFCHAR02
RLR_UDFCHAR03
RLR_UDFCHAR04
RLR_UDFCHAR05
RLR_UDFCHAR06
RLR_UDFCHAR07
RLR_UDFCHAR08
RLR_UDFCHAR09
RLR_UDFCHAR10
RLR_UDFCHAR11
RLR_UDFCHAR12
RLR_UDFCHAR13
RLR_UDFCHAR14
RLR_UDFCHAR15
RLR_UDFNUM01
RLR_UDFNUM02
RLR_UDFNUM03
RLR_UDFNUM04
RLR_UDFNUM05
RLR_UDFNUM06
RLR_UDFNUM07
RLR_UDFNUM08
RLR_UDFNUM09
RLR_UDFNUM10
RLR_UDFDATE01
RLR_UDFDATE02
RLR_UDFDATE03
RLR_UDFDATE04
RLR_UDFDATE05
RLR_UDFCHKBOX01
RLR_UDFCHKBOX02
RLR_UDFCHKBOX03
RLR_UDFCHKBOX04
RLR_UDFCHKBOX05
RLR_LASTSAVED


RSRFSUPPLIERS
RFS_CODE (FK)
RFS_ORG (FK)
RFS_SUPPLIER (FK)
RFS_SUPPLIER_ORG (FK)
RFS_CONTACT
RFS_PHONE
RFS_FAX
RFS_EMAIL
RFS_CREATED
RFS_UPDATED
RFS_UPDATECOUNT
RFS_LASTSAVED

RSRFOCLAUSES
RFC_CODE (FK)
RFC_ORG (FK)
RFC_CLAUSE (FK)
RFC_CREATED
RFC_UPDATED
RFC_UPDATECOUNT
RFC_LASTSAVED

RSRFOQUOTATIONS
RFQ_CODE
RFQ_ORG
RFQ_DESC
RFQ_STATUS
RFQ_RSTATUS
RFQ_CURR (FK)
RFQ_STORE (FK)
RFQ_REQUESTEDBY (FK)
RFQ_RESPONSEDUE
RFQ_PROJECT (FK)
RFQ_PROJBUD (FK)
RFQ_EVENT (FK)
RFQ_EVTACT
RFQ_RELATEDWO
RFQ_BUYER
RFQ_DELADDRESS
RFQ_CLASS
RFQ_CLASS_ORG
RFQ_CREATEDBY (FK)
RFQ_REQUESTEDDATE
RFQ_AWARDEDBY
RFQ_AWARDEDDATE
RFQ_RESPONSEOPT
RFQ_PRINT
RFQ_AUTOPRINT
RFQ_TOTALVALUE
RFQ_LASTTOTALE
RFQ_SHIPVA
RFQ_PAYMENTTERMS
RFQ_FREIGHTTERMS
RFQ_FOBPOINT
RFQ_PAYBYMETHODS
RFQ_EMAILSUBJECT
RFQ_EMAILTEXT
RFQ_CREATED
RFQ_UPDATED
RFQ_UPDATECOUNT
RFQ_LASTSAVED
RFQ_REQUISITION (FK)

RSRFLINES
RLI_RFQ (FK)
RLI_ORG (FK)
RLI_RFQLINE
RLI_EVENT
RLI_ACT
RLI_RELATEDWO
RLI_TYPE
RLI_RTYPE
RLI_TASK
RLI_TASKREV
RLI_TASKQTY
RLI_UOM (FK)
RLI_TRADE (FK)
RLI_QTY
RLI_DUEDATE
RLI_DELADDRESS
RLI_PART_ORG (FK)
RLI_MANUFACTURER
RLI_MANUFACTPART
RLI_INSPECT
RLI_CREATED
RLI_UPDATED
RLI_UPDATECOUNT
RLI_LASTSAVED

RSRFLINERESPONSEMAPPING
RRM_QUOTID (FK)
RRM_QUOTLINE (FK)
RRM_RFQ (FK)
RRM_RFQ_ORG (FK)
RRM_RFQLINE (FK)
RRM_UPDATED
RRM_UPDATECOUNT
RRM_LASTSAVED



[illegible]

REGRESSIONS	
REQ_CODE	
REQ_DESC	
REQ_DATE	
REQ_STATUS	
REQ_PRIORITY	
REQ_AUTH	(FK)
REQ_FROMENTITY	
REQ_TOENTITY	
REQ_FROMTYPE	
REQ_TOTYPE	
REQ_EVENT	(FK)
REQ_COSTCODE	
REQ_PRINTED	(FK)
REQ_CASH	
REQ_ACD	
REQ_SURFACE	
REQ_DELAYRESS	(FK)
REQ_CLASS_ORG	(FK)
REQ_FROMCODE_ORG	
REQ_TOCODE_ORG	
REQ_RELTYPE	(FK)
REQ_REASON	
REQ_ORDER	
REQ_CREATE_ORG	
REQ_SESSION	
REQ_PERSON	
REQ_DATEAPPROVED	
REQ_RELATIONSHIP	
REQ_CATEGORY	
REQ_RESOURCE	
REQ_RELATIONSHIP	
REQ_ATTENTIONO	(FK)
REQ_COMMENT	
REQ_REF_ORG	
REQ_PREQUIRED	
REQ_UPDATEDATE	
REQ_UFCHAR#1	
REQ_UFCHAR#2	
REQ_UFCHAR#3	
REQ_UFCHAR#4	
REQ_UFCHAR#5	
REQ_UFCHAR#6	
REQ_UFCHAR#7	
REQ_UFCHAR#8	
REQ_UFCHAR#9	
REQ_UFCHAR#10	
REQ_UFCHAR#11	
REQ_UFCHAR#12	
REQ_UFCHAR#13	
REQ_UFCHAR#14	
REQ_UFCHAR#15	
REQ_UFCHAR#16	
REQ_UFCHAR#17	
REQ_UFCHAR#18	
REQ_UFCHAR#19	
REQ_UFCHAR#20	
REQ_UFCHAR#21	
REQ_UFCHAR#22	
REQ_UFCHAR#23	
REQ_UFCHAR#24	
REQ_UFCHAR#25	
REQ_UFCHAR#26	
REQ_UFCHAR#27	
REQ_UFCHAR#28	
REQ_UFCHAR#29	
REQ_UFCHAR#30	
REQ_UFNUM#1	
REQ_UFNUM#2	
REQ_UFNUM#3	
REQ_UFNUM#4	
REQ_UFNUM#5	
REQ_UFNUM#6	
REQ_UFNUM#7	
REQ_UFNUM#8	
REQ_UFNUM#9	
REQ_UFNUM#10	
REQ_UFNUM#11	
REQ_UFNUM#12	
REQ_UFNUM#13	
REQ_UFNUM#14	
REQ_UFNUM#15	
REQ_UFNUM#16	
REQ_UFNUM#17	
REQ_UFNUM#18	
REQ_UFNUM#19	
REQ_UFNUM#20	
REQ_UFNUM#21	
REQ_UFNUM#22	
REQ_UFNUM#23	
REQ_UFNUM#24	
REQ_UFNUM#25	
REQ_UFNUM#26	
REQ_UFNUM#27	
REQ_UFNUM#28	
REQ_UFNUM#29	
REQ_UFNUM#30	
REQ_LASTUSED	

SR00000001	REL REQ	(FK)
SR00000002	REL REQ	(FK)
SR00000003	REL PART	(FK)
SR00000004	REL PUR	(FK)
SR00000005	REL INTRFLAG	(FK)
SR00000006	REL PRICE	(FK)
SR00000007	REL QTY	(FK)
SR00000008	REL LOC	(FK)
SR00000009	REL REQQTY	(FK)
SR00000010	REL COSTCODE	(FK)
SR00000011	REL QTY	(FK)
SR00000012	REL PROBUD	(FK)
SR00000013	REL EVENT	(FK)
SR00000014	REL STATUS	(FK)
SR00000015	REL STATUS	(FK)
SR00000016	REL RTYPE	(FK)
SR00000017	REL MULT	(FK)
SR00000018	REL ACTIVE	(FK)
SR00000019	REL PUR ORDER	(FK)
SR00000020	REL BUCH	(FK)
SR00000021	REL EXPI	(FK)
SR00000022	REL EXPISYSTEM	(FK)
SR00000023	REL SOURCECODE	(FK)
SR00000024	REL WAREHOUSE	(FK)
SR00000025	REL INTERFACE	(FK)
SR00000026	REL BLANKFLINE	(FK)
SR00000027	REL EXPIF2QUAD	(FK)
SR00000028	REL EXPIFORMODAL	(FK)
SR00000029	REL EXPIFORMODAL	(FK)
SR00000030	REL MANUFACTURER	(FK)
SR00000031	REL REF	(FK)
SR00000032	REL SUPPLIER	(FK)
SR00000033	REL COMMODITY	(FK)
SR00000034	REL WAREHOUSE	(FK)
SR00000035	REL EXPENSTYPE	(FK)
SR00000036	REL RTYPE	(FK)
SR00000037	REL TASKREV	(FK)
SR00000038	REL TRAF	(FK)
SR00000039	REL REQTASKQTY	(FK)
SR00000040	REL ADDRESS	(FK)
SR00000041	REL SUPPLY ORG	(FK)
SR00000042	REL PUR ORDER	(FK)
SR00000043	REL INSPCT	(FK)
SR00000044	REL QTY	(FK)
SR00000045	REL PURPRICE	(FK)
SR00000046	REL PLATECOUNT	(FK)
SR00000047	REL REF	(FK)
SR00000048	REL JECATEQTY	(FK)
SR00000049	REL TRANSFERFLAG	(FK)
SR00000050	REL PUR ORDER	(FK)
SR00000051	REL PLASTATE	(FK)
SR00000052	REL PURPSTATSTATUS	(FK)
SR00000053	REL REF	(FK)
SR00000054	REL ATTENTIONTO	(FK)
SR00000055	REL PERFORMESSAGE	(FK)
SR00000056	REL QTY	(FK)
SR00000057	REL QUOTLINE	(FK)
SR00000058	REL RFL	(FK)
SR00000059	REL PUR ORG	(FK)
SR00000060	REL RFLINE	(FK)
SR00000061	REL UDFCH4R0	(FK)
SR00000062	REL UDFCH4R0	(FK)
SR00000063	REL UDFCH4R1	(FK)
SR00000064	REL UDFCH4R2	(FK)
SR00000065	REL UDFCH4R3	(FK)
SR00000066	REL UDFCH4R4	(FK)
SR00000067	REL UDFCH4R5	(FK)
SR00000068	REL UDFCH4R6	(FK)
SR00000069	REL UDFCH4R7	(FK)
SR00000070	REL UDFCH4R8	(FK)
SR00000071	REL UDFCH4R9	(FK)
SR00000072	REL UDFCH4R10	(FK)
SR00000073	REL UDFCH4R11	(FK)
SR00000074	REL UDFCH4R12	(FK)
SR00000075	REL UDFCH4R13	(FK)
SR00000076	REL UDFCH4R14	(FK)
SR00000077	REL UDFCH4R15	(FK)
SR00000078	REL UDFCH4R16	(FK)
SR00000079	REL UDFCH4R17	(FK)
SR00000080	REL UDFCH4R18	(FK)
SR00000081	REL UDFCH4R19	(FK)
SR00000082	REL UDFCH4R20	(FK)
SR00000083	REL UDFCH4R21	(FK)
SR00000084	REL UDFCH4R22	(FK)
SR00000085	REL UDFCH4R23	(FK)
SR00000086	REL UDFCH4R24	(FK)
SR00000087	REL UDFCH4R25	(FK)
SR00000088	REL UDFCH4R26	(FK)
SR00000089	REL UDFCH4R27	(FK)
SR00000090	REL UDFCH4R28	(FK)
SR00000091	REL UDFCH4R29	(FK)
SR00000092	REL UDFCH4R30	(FK)
SR00000093	REL UDFNUM0	(FK)
SR00000094	REL UDFNUM0	(FK)
SR00000095	REL UDFNUM0	(FK)
SR00000096	REL UDFNUM0	(FK)
SR00000097	REL UDFDATE02	(FK)
SR00000098	REL UDFDATE03	(FK)
SR00000099	REL UDFDATE04	(FK)
SR00000100	REL UDFDATE05	(FK)
SR00000101	REL UDFDATE06	(FK)
SR00000102	REL UDFDATE07	(FK)
SR00000103	REL UDFDATE08	(FK)
SR00000104	REL UDFDATE09	(FK)
SR00000105	REL UDFDATE10	(FK)
SR00000106	REL UDFDATE11	(FK)
SR00000107	REL UDFDATE12	(FK)
SR00000108	REL UDFDATE13	(FK)
SR00000109	REL UDFDATE14	(FK)
SR00000110	REL UDFDATE15	(FK)
SR00000111	REL UDFDATE16	(FK)
SR00000112	REL UDFDATE17	(FK)
SR00000113	REL UDFDATE18	(FK)
SR00000114	REL UDFDATE19	(FK)
SR00000115	REL UDFDATE20	(FK)
SR00000116	REL UDFDATE	
SR00000117	REL UDFCH80B001	(FK)
SR00000118	REL UDFCH80B002	(FK)
SR00000119	REL UDFCH80B003	(FK)
SR00000120	REL UDFCH80B004	(FK)
SR00000121	REL UDFCH80B005	(FK)
SR00000122	REL NOTE	(FK)
SR00000123	REL UDFDESCRIPTION	(FK)
SR00000124	REL LASTSAVED	(FK)
SR00000125	REL UNSPEC0002	(FK)

[illegible]


RSREQUIRECLASSES	
RCL_CLASS	(FK)
RCL_CLASS_ORG	
RCL_UPDATECOUNT	
RCL_CREATED	
RCL_UPDATED	
RCL_LASTSAVED	

↑

RSREQUIRECODES	
ROM_CODE	
ROM_DESC	
ROM_CLASS	
ROM_GEN	
ROM_CLASS_ORG	
ROM_UPDATECOUNT	
ROM_CREATED	
ROM_UPDATED	
ROM_PARTFAILURE	
ROM_NOTIFIED	
ROM_ENABLEWORKORDERS	
ROM_GROUP	
ROM_LASTSAVED	

↑

RSREQUISITIONINTERFACE	
RQI_TRANSID	
RQI_CREATE	
RQI_SOURCESYSTEM	
RQI_SOURCECODE	
RQI_PSO	
RQI_DESC	
RQI_CHILD	
RQI_REQLINE	
RQI_PART	
RQI_QUOTEFLAG	
RQI_QTY	
RQI_PRICE	
RQI_UOM	
RQI_COSTCODE	
RQI_MULTPLY	
RQI_CURR	
RQI_EXCH	
RQI_ACTIVE	
RQI_ADDDETAIL	
RQI_PARTDESC	
RQI_PART_ORG	



R5WSDUP
WDU_CODE
WDU_DESC
WDU_TIME
WDU_TYPE
WDU_UPDATECOUNT
WDU_LASTSAVED

R5WSPROMPTS
WST_CODE
WST_DESC
WST_NOTUSED
WST_UPDATECOUNT
WST_UPDATED
WST_FUNCTION
WST_TAB
WST_SYSTEM
WST_LASTSAVED

R5WSMESSAGES
WSM_MSGIND
WSM_TEXT
WSM_UPDATECOUNT
WSM_LASTSAVED
WSM_S3FILENAME
WSM_OFFSETSTART
WSM_OFFSETEND

R5WSMESSAGES_ARCHIVE
AWM_MSGIND
AWM_TEXT
AWM_UPDATECOUNT
AWM_LASTSAVED
AWM_S3FILENAME
AWM_OFFSETSTART
AWM_OFFSETEND

R5WSEVENTBUFFER
WEF_CODE
WEF_EVENT
WEF_DATE
WEF_USER
WEF_PROCESSOR
WEF_PARAM1
WEF_PARAM2
WEF_PARAM3
WEF_PARAM4
WEF_PARAM5
WEF_PARAM6
WEF_PARAM7
WEF_PARAM8
WEF_PARAM9
WEF_PARAM10
WEF_PARAM11
WEF_PARAM12
WEF_PARAM13
WEF_PARAM14
WEF_PARAM15
WEF_STATUS
WEF_UPDATECOUNT
WEF_LASTSAVED

R5WSMESSAGELINES_ARCHIVE
AWL_MESSAGE
AWL_LINE
AWL_CONTENT
AWL_UPDATECOUNT
AWL_LASTSAVED

R5WSREQUIREDFIELDS
PWR_PAGENAME
PWR_TABNAME
PWR_WEBSERVICE
PWR_REQFIELDS
PWR_KEYFIELDS
PWR_LASTSAVED

R5WSMSGPARTS
WSP_MESSAGE
WSP_PART
WSP_MSG_TEXT
WSP_TIME
WSP_STATUS
WSP_RSTATUS
WSP_STATUS_MESSAGE
WSP_UPDATECOUNT
WSP_LASTSAVED

R5WSEVENTS
WSE_CODE
WSE_DESC
WSE_BASE_EVENT
WSE_FILTER_PROCESSOR
WSE_MSG_TEMPLATE
WSE_UPDATECOUNT
WSE_MEKEY
WSE_LASTSAVED

R5WSMESSAGELINES
WML_MESSAGE
WML_LINE
WML_CONTENT
WML_UPDATECOUNT
WML_LASTSAVED

R5WSPROMPTFIELDS
WSF_WSPMTCODE
WSF_LINE
WSF_PROCESSGROUP
WSF_FIELD
WSF_FIELDLABEL
WSF_NEXTLINE
WSF_RTYPE
WSF_TYPE
WSF_MAXLENGTH
WSF_MINLENGTH
WSF_DUPPREVVALUE
WSF_BRANCHCOND
WSF_BRANCHPATTERN
WSF_BRANCHGOTO
WSF_RETRIEVEFROMGROUP
WSF_RETRIEVEFIELD
WSF_DESTWEBSERVICE
WSF_RETRIEVEXPath
WSF_DESTXPath
WSF_FIELDXPath
WSF_FIXEDDATA
WSF_COMPUTEDDATA
WSF_PATTERN
WSF_SQLQUERYCODE
WSF_DISPLAYTYPE
WSF_UNMAPPED
WSF_UPDATECOUNT
WSF_UPDATED
WSF_MOBILEQUERYCODE
WSF_ISCONTROLOG
WSF_ISCLASS
WSF_ISCLASSORG
WSF_ISCATEGORY
WSF_SYSTEMFIELDTYPE
WSF_CUSTOMFIELDID
WSF_CLEARPREVALUES
WSF_TAGNAME
WSF_PRIMARYKEY
WSF_PRECISION
WSF_SCALE
WSF_UPPERCASE
WSF_LASTSAVED
WSF_RESPONSEXPath

R5WSREQHIST
WSQ_MESSAGE
WSQ_PROCESS
WSQ_TIME
WSQ_STATUS
WSQ_RSTATUS
WSQ_STATUS_MESSAGE
WSQ_DATAAREA
WSQ_UPDATECOUNT
WSQ_LASTSAVED

R5WSPRETURNPROMPTS
WPR_WSPCODE
WPR_SOURCESEQ
WPR_TARGETSEQ
WPR_QUERYCODE
WPR_UPDATED
WPR_UPDATECOUNT
WPR_MOBILEQUERYCODE
WPR_LASTSAVED

R5WSREQHIST_ARCHIVE
AWQ_MESSAGE
AWQ_PROCESS
AWQ_TIME
AWQ_STATUS
AWQ_RSTATUS
AWQ_STATUS_MESSAGE
AWQ_DATAAREA
AWQ_UPDATECOUNT
AWQ_LASTSAVED

R5WSMESSAGESTATUS
WSS_CODE
WSS_DESC
WSS_TYPE
WSS_RTYPE
WSS_CONTEXTID
WSS_CORRELATIONID
WSS_PARTNER
WSS_REQ_STATUS
WSS_REQ_RSTATUS
WSS_REQ_MESSAGE
WSS_RSP_STATUS
WSS_RSP_RSTATUS
WSS_RSP_MESSAGE
WSS_DOCUMENT
WSS_RSP_DOCUMENT
WSS_TIME
WSS_REQ_TIME
WSS_RSP_TIME
WSS_RETRY
WSS_RETRY_COUNT
WSS_RETRY_TIME
WSS_ORG
WSS_REQ_MSGIND
WSS_RSP_MSGIND
WSS_REDELIVER_COUNT
WSS_REDELIVER_TIME
WSS_UPDATECOUNT
WSS_CONFIRMBOD_STATUSCODE
WSS_CONFIRMBOD_MESSAGE
WSS_RETRYSUSPEND
WSS_RETRYQUEUEUTIME
WSS_LASTSAVED
WSS_S3ARCHIVED

R5WSMESSAGESTATUS_ARCHIVE
AWS_CODE
AWS_DESC
AWS_TYPE
AWS_RTYPE
AWS_CONTEXTID
AWS_CORRELATIONID
AWS_PARTNER
AWS_REQ_STATUS
AWS_REQ_RSTATUS
AWS_REQ_MESSAGE
AWS_RSP_STATUS
AWS_RSP_RSTATUS
AWS_RSP_MESSAGE
AWS_DOCUMENT
AWS_RSP_DOCUMENT
AWS_TIME
AWS_REQ_TIME
AWS_RSP_TIME
AWS_ORG
AWS_REQ_MSGIND
AWS_RSP_MSGIND
AWS_UPDATECOUNT
AWS_CONFIRMBOD_STATUSCODE
AWS_CONFIRMBOD_MESSAGE
AWS_RETRYSUSPEND
AWS_RETRYQUEUEUTIME
AWS_LASTSAVED
AWS_S3ARCHIVED

R5WSRSPHIST
WSR_MESSAGE
WSR_PROCESS
WSR_TIME
WSR_STATUS
WSR_RSTATUS
WSR_STATUS_MESSAGE
WSR_DATAAREA
WSR_ADDRESS
WSR_UPDATECOUNT
WSR_LASTSAVED

R5WSRSPHIST_ARCHIVE
AWR_MESSAGE
AWR_PROCESS
AWR_TIME
AWR_STATUS
AWR_RSTATUS
AWR_STATUS_MESSAGE
AWR_DATAAREA
AWR_ADDRESS
AWR_UPDATECOUNT
AWR_LASTSAVED

R5WOLABORSCHEDPARAMS

WLS_CODE
WLS_USER
WLS_PARAMETER
WLS_DEFPARAM
WLS_SESSIONID
WLS_WOSCHEDSTARTDATE
WLS_WOSCHEDENDDATE
WLS_CREATED
WLS_EVENT_ORG
WLS_WORKORDER
WLS_WOMRC
WLS_WOPMSCHEDULE
WLS_WOPROJECT
WLS_WOPROJBUD
WLS_WOOBJECT
WLS_WOOBJECTORG
WLS_WOLOC
WLS_WOLOCORG
WLS_WOJOBTYPE
WLS_WOPRIORITY
WLS_WOSTATUS
WLS_WOREPORTEDBY
WLS_WOASSIGNEDBY
WLS_WOASSIGNEDTO
WLS_WOCLASS
WLS_WOCLASSORG
WLS_WOCRITICALITY
WLS_WOSHIFT
WLS_OBJECT
WLS_OBJORG
WLS_OBJTYPE
WLS_OBJSTATUS
WLS_OBJCLASS
WLS_OBJCLASSORG
WLS_OBJCATEGORY
WLS_OBJCOSTCODE
WLS_OBJMRC
WLS_OBJPARENT
WLS_OBJPARENTORG
WLS_OBJLOC
WLS_OBJLOCORG
WLS_ACTTRADE
WLS_ACTTASK
WLS_ACTSTARTDATE
WLS_ACTENDDATE
WLS_EMPMRC
WLS_EMPCLASS
WLS_EMPCLASSORG
WLS_EMPTRADE
WLS_EMPSHIFT
WLS_EMPCREW
WLS_EMPCREWORG
WLS_UNSCHEDCOLOR
WLS_LIGHTLYSCHEDCOLOR
WLS_MODERATELYSCHEDCOLOR
WLS_FULLYSCHEDCOLOR
WLS_OVERSCHEDCOLOR
WLS_THRESHOLDPERCENT
WLS_GENAVAILTHROUGH
WLS_SCHEDULING
WLS_SCHEDULINGSTARTDATE
WLS_UPDATED
WLS_LISTLASTREFRESHED
WLS_DATA LASTGEN
WLS_MP
WLS_MP_ORG
WLS_MP_SEQ
WLS_CAMPAIGN
WLS_CAMPAIGN_LINE
WLS_UPDATECOUNT
WLS_OBJINCLUDECHILDREN
WLS_ALLOWACTSONDIFFSESSION
WLS_SKIPEQUIPSELECTIONPROCESS
WLS_MAXCALCPRIORITY
WLS_OPERATIONALSTATUS
WLS_SHIFTSDULING
WLS_SHIFTSTART
WLS_SHIFTDURATION
WLS_AUTOSELECTACTIVITY
WLS_EXCLUDEDURATION
WLS_EXCLUDEPEOPLEREQUIRED
WLS_CONSIST
WLS_LASTSAVED

R5WOLABORSCHEDPERIODPATTERN

SPT_SESSIONID
SPT_PATTERNNUM
SPT_PATTERNDESC
SPT_UPDATECOUNT
SPT_LASTSAVED

R5WOLABORSCHEDEMP

WLO_SESSIONID
WLO_PERSON
WLO_SELECT
WLO_RELATED
WLO_UPDATECOUNT
WLO_LASTSAVED

R5WOLABORSCHEDPERSONPERIOD

SPP_SESSIONID
SPP_PERSON
SPP_PERIODPATTERN
SPP_SHIFTS
SPP_UPDATECOUNT
SPP_LASTSAVED

R5WOLABORSCHDEQUIP

WLE_SESSIONID
WLE_OBJECT
WLE_OBJECT_ORG
WLE_SELECT
WLE_UPDATECOUNT
WLE_LASTSAVED

R5WOLABORSCHEDDAYPATTERN


SDP_SESSIONID
SDP_PATTERNNUM
SDP_PATTERNDESC
SDP_UPDATECOUNT
SDP_LASTSAVED


R5WOLABORSCHEDSCHEDTEMP

SCT_SESSIONID
SCT_CODE
SCT_EVENT
SCT_ACT
SCT_PERSON
SCT_DATE
SCT_HOURS
SCT_RELATED
SCT_ACSCODE
SCT_MRC
SCT_TRADE
SCT_STARTTIME
SCT_ENDTIME
SCT_SHIFT
SCT_FROZEN
SCT_COMMENT
SCT_OBJECT
SCT_OBJECT_ORG
SCT_MODIFIED
SCT_DELETED
SCT_UPDATECOUNT

R5WOLABORSCHEDWO

LSW_SESSIONID
LSW_EVENT
LSW_ACT
LSW_SELECT
LSW_HRSREM
LSW_STATUS
LSW_NEWSTATUS
LSW_PPLREM
LSW_ACTHRSREM
LSW_ACTPPLREQ
LSW_PREVSCHEDHRS
LSW_PREVSCHEDPPL
LSW_TOTALSCHEDHRS
LSW_LASTSCHEDDATE
LSW_MATAVAIL
LSW_RELATED
LSW_IGNORE
LSW_ESIGNUSER
LSW_ESIGNTYPE
LSW_ESIGNDATE
LSW_ESIGNCERTIFYNUM
LSW_ESIGNCERTIFYTYPE
LSW_ACTCOMPLETED
LSW_UPDATECOUNT
LSW_CONTNEXTSHIFT
LSW_DUEPERC
LSW_LASTSAVED





Chapter 3 Tables (alphabetical by table)

COR_INBOX_ENTRY				
BUS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	Primary key - all of the provided database schemas have this set as auto-increment
C_XML	N	BLOB	varbinary	The message you are sending. The message must be encoded
C_TENANT_ID	N	VARCHAR2(250)	varchar(250)	Tenant code
C_MESSAGE_PRIORITY	N	NUMBER(2,0)	int	Messages with a higher priority will be sent before messages with a lower priority. You can set the priority from 0 to 9
C_CREATED_DATE_TIME	N	TIMESTAMP(6)	datetime	Time this row was entered into the database
C_WAS_PROCESSED	N	NUMBER(1,0)	int	Used by the ESB to determine if a message has been sent or not. Unprocessed messages will be mark as 0, processed messages will be marked 1
COR_INBOX_HEADERS				
BUS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	Primary key - all of the provided database schemas have this set as auto-increment
C_INBOX_ID	N	NUMBER(38,0)	bigint	Used to join the headers to the message cor_inbox_entry row
C_HEADER_KEY	N	VARCHAR2(250)	varchar(250)	Key used to describe the type of header
C_HEADER_VALUE	N	VARCHAR2(250)	varchar(250)	Header value
COR_OUTBOX_ENTRY				
BUS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	Primary key - all of the provided database schemas have this set as auto-increment
C_XML	N	BLOB	varbinary	The message you are sending. The message must be encoded
C_TENANT_ID	N	VARCHAR2(250)	varchar(250)	Tenant code
C_MESSAGE_PRIORITY	N	NUMBER(2,0)	int	Messages with a higher priority will be sent before messages with a lower priority. You can set the priority from 0 to 9
C_CREATED_DATE_TIME	N	TIMESTAMP(6)	datetime	Time this row was entered into the database
C_WAS_PROCESSED	N	NUMBER(1,0)	int	Used by the ESB to determine if a message has been sent or not. Unprocessed messages will be mark as 0, processed messages will be marked 1
COR_OUTBOX_HEADERS				
BUS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	Primary key - all of the provided database schemas have this set as auto-increment
C_OUTBOX_ID	N	NUMBER(38,0)	bigint	Used to join the headers to the message cor_outbox_entry row.
C_HEADER_KEY	N	VARCHAR2(250)	varchar(250)	Key used to describe the type of header
C_HEADER_VALUE	N	VARCHAR2(250)	varchar(250)	Header value
COR_PROPERTY				
BUS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	Primary key - all of the provided database schemas have this set as auto-increment
C_PROPERTY_NAME	N	VARCHAR2(250)	varchar(250)	Name of the property
C_PROPERTY_VALUE	N	VARCHAR2(250)	varchar(250)	Value of the property
ESB_INBOUND_DUPLICATE				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_MESSAGE_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_CREATED_DATE_TIME	N	TIMESTAMP(6)	datetime	T.B.D.
ESB_PREVIOUS_VERSION_MEDIATION				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	T.B.D.
C_LOGICAL_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_NOUN_NAME	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_TENANT_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_ACCOUNTING_ENTITY_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_LOCATION_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_VARIATION_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_REVISION_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.

C_NOUN_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_XML	Y	BLOB	varbinary	T.B.D.
C_AGENCY_ROLE	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.

ESB_VARIATION_ID_MEDIATION

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
C_ID	N	NUMBER(38,0)	bigint	T.B.D.
C_LOGICAL_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_NOUN_NAME	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_TENANT_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_ACCOUNTING_ENTITY_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_LOCATION_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_VARIATION_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_REVISION_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_NOUN_ID	N	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_SYSTEM_ID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_DRILLBACK_LID	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.
C_AGENCY_ROLE	Y	VARCHAR2(250)	nvarchar(250)	T.B.D.

PLAN_TABLE

SQLSERVER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STATEMENT_ID	Y	VARCHAR2(30)	nvarchar(30)	value of the optional statement_id parameter of the explain plan.
PLAN_ID	Y	NUMBER		T.B.D.
TIMESTAMP	Y	DATE	datetime	Date and time when the explain plan statement was run.
REMARKS	Y	VARCHAR2(4000)	nvarchar(80)	comment
OPERATION	Y	VARCHAR2(30)	nvarchar(30)	Name of the internal operation performed in this step.
OPTIONS	Y	VARCHAR2(255)	nvarchar(30)	A variation on the operation described in the operation column.
OBJECT_NODE	Y	VARCHAR2(128)	nvarchar(128)	object reference database link.
OBJECT_OWNER	Y	VARCHAR2(30)	nvarchar(30)	user who owns the schema containing the table or index.
OBJECT_NAME	Y	VARCHAR2(30)	nvarchar(30)	table or index name.
OBJECT_ALIAS	Y	VARCHAR2(65)		T.B.D.
OBJECT_INSTANCE	Y	NUMBER(38,0)	numeric(18,0)	ordinal position number of the object.
OBJECT_TYPE	Y	VARCHAR2(30)	nvarchar(30)	object type description
OPTIMIZER	Y	VARCHAR2(255)	nvarchar(255)	current optimizer mode.
SEARCH_COLUMNS	Y	NUMBER	numeric(18,0)	not in use.
ID	Y	NUMBER(38,0)	int	step id of the execution plan.
PARENT_ID	Y	NUMBER(38,0)	int	The id of the next execution step
DEPTH	Y	NUMBER(38,0)		T.B.D.
POSITION	Y	NUMBER(38,0)	numeric(18,0)	optimizers estimation of cost of executing
COST	Y	NUMBER(38,0)	numeric(18,0)	cost-based approach estimation of cost.
CARDINALITY	Y	NUMBER(38,0)	numeric(18,0)	cost-based approach estimation of the number of rows accessed
BYTES	Y	NUMBER(38,0)	numeric(18,0)	cost-based approach estimation of the number of bytes accessed
OTHER_TAG	Y	VARCHAR2(255)	nvarchar(255)	Contents of the other column. more information here
PARTITION_START	Y	VARCHAR2(255)	nvarchar(255)	start partition of a range of accessed partitions.
PARTITION_STOP	Y	VARCHAR2(255)	nvarchar(255)	stop partition of a range of accessed partitions.
PARTITION_ID	Y	NUMBER(38,0)	int	step that has computed the pair of values of the start partition and stop partition columns.
OTHER	Y	LONG	ntext	other information
OTHER_XML	Y	CLOB		T.B.D.
DISTRIBUTION	Y	VARCHAR2(30)	nvarchar(30)	distribution method used
CPU_COST	Y	NUMBER(38,0)		cost-based approach estimation of CPU cost.
IO_COST	Y	NUMBER(38,0)		cost-based approach estimation of I/O cost.
TEMP_SPACE	Y	NUMBER(38,0)		cost-based approach estimation of temporary space used
ACCESS_PREDICATES	Y	VARCHAR2(4000)		T.B.D.
FILTER_PREDICATES	Y	VARCHAR2(4000)		T.B.D.

PROJECTION	Y	VARCHAR2(4000)	T.B.D.
TIME	Y	NUMBER(38,0)	T.B.D.
QBLOCK_NAME	Y	VARCHAR2(30)	T.B.D.

R54TXFUNCTIONS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FUN_CODE	Y	VARCHAR2(6)	nvarchar(6)	code
FUN_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
FUN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification
FUN_SUBTYPE	Y	VARCHAR2(1)	nvarchar(1)	sub type
FUN_FILE	Y	VARCHAR2(16)	nvarchar(16)	file
FUN_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	r entity (system)
FUN_PUBLIC	Y	VARCHAR2(1)	nvarchar(1)	public checkbox
FUN_SELECT	Y	VARCHAR2(1)	nvarchar(1)	select checkbox
FUN_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	update flag
FUN_INSERT	Y	VARCHAR2(1)	nvarchar(1)	insert
FUN_DELETE	Y	VARCHAR2(1)	nvarchar(1)	delete checkbox
FUN_AUTO	Y	VARCHAR2(1)	nvarchar(1)	automatic
FUN_MODE	Y	VARCHAR2(10)	nvarchar(10)	mode
FUN_DEVICE	Y	VARCHAR2(12)	nvarchar(12)	device
FUN_ORIENTATION	Y	VARCHAR2(10)	nvarchar(10)	orientation
FUN_LASTVALUE	Y	VARCHAR2(4)	nvarchar(4)	last value
FUN_BACKGROUND	Y	VARCHAR2(1)	nvarchar(1)	background
FUN_APPLICATION	Y	VARCHAR2(6)	nvarchar(6)	application
FUN_DIRSEL	Y	VARCHAR2(1)	nvarchar(1)	direct select
FUN_BACKGROUNDREP	Y	VARCHAR2(6)	nvarchar(6)	background report
FUN_COMMAND	Y	VARCHAR2(4)	nvarchar(4)	command
FUN_ICON	Y	VARCHAR2(12)	nvarchar(12)	icon
FUN_DIRECTORY	Y	VARCHAR2(1000)	nvarchar(1000)	directory
FUN_SYSTEM	Y	VARCHAR2(1)	nvarchar(1)	system
FUN_BACKGROUNDGRAPH	Y	VARCHAR2(6)	nvarchar(6)	background graph
FUN_DISPLAYAP	Y	VARCHAR2(1)	nvarchar(1)	display ap
FUN_DISPLAYFT	Y	VARCHAR2(1)	nvarchar(1)	display ft
FUN_POPUPAP	Y	VARCHAR2(1)	nvarchar(1)	popup ap
FUN_POPUPFT	Y	VARCHAR2(1)	nvarchar(1)	popup ft
FUN_MODOP	Y	VARCHAR2(2)	nvarchar(2)	mod op
FUN_PARENTFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	parent function
FUN_PARENTTAB	Y	VARCHAR2(6)	nvarchar(6)	parent tab
FUN_LST	Y	VARCHAR2(1)	nvarchar(1)	This flag indicates if the function has a list view
FUN_HDR	Y	VARCHAR2(1)	nvarchar(1)	This flag indicates if the function has a header view

R5ACCOUNTDETAIL	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACD_CODE	N	NUMBER	int	account details code. unique sequential number.
ACD_ACCOUNTED	N	VARCHAR2(2)	nvarchar(2)	To indicate whether row is DR or CR.
ACD_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
ACD_SEGMENT1	Y	VARCHAR2(30)	nvarchar(30)	account details segment-1 value.
ACD_SEGMENT2	Y	VARCHAR2(30)	nvarchar(30)	account details segment-2 value.
ACD_SEGMENT3	Y	VARCHAR2(30)	nvarchar(30)	account details segment-3 value.
ACD_SEGMENT4	Y	VARCHAR2(30)	nvarchar(30)	account details segment-4 value.
ACD_SEGMENT5	Y	VARCHAR2(30)	nvarchar(30)	account details segment-5 value.
ACD_SEGMENT6	Y	VARCHAR2(30)	nvarchar(30)	account details segment-6 value.
ACD_SEGMENT7	Y	VARCHAR2(30)	nvarchar(30)	account details segment-7 value.
ACD_SEGMENT8	Y	VARCHAR2(30)	nvarchar(30)	account details segment-8 value.

ACD_SEGMENT9	Y	VARCHAR2(30)	nvarchar(30)	account details segment-9 value.
ACD_SEGMENT10	Y	VARCHAR2(30)	nvarchar(30)	account details segment-10 value.
ACD_SEGMENT11	Y	VARCHAR2(30)	nvarchar(30)	account details segment-11 value.
ACD_SEGMENT12	Y	VARCHAR2(30)	nvarchar(30)	account details segment-12 value.
ACD_SEGMENT13	Y	VARCHAR2(30)	nvarchar(30)	account details segment-13 value.
ACD_SEGMENT14	Y	VARCHAR2(30)	nvarchar(30)	account details segment-14 value.
ACD_SEGMENT15	Y	VARCHAR2(30)	nvarchar(30)	account details segment-15 value.
ACD_SEGMENT16	Y	VARCHAR2(30)	nvarchar(30)	account details segment-16 value.
ACD_SEGMENT17	Y	VARCHAR2(30)	nvarchar(30)	account details segment-17 value.
ACD_SEGMENT18	Y	VARCHAR2(30)	nvarchar(30)	account details segment-18 value.
ACD_SEGMENT19	Y	VARCHAR2(30)	nvarchar(30)	account details segment-19 value.
ACD_SEGMENT20	Y	VARCHAR2(30)	nvarchar(30)	account details segment-20 value.
ACD_SEGMENT21	Y	VARCHAR2(30)	nvarchar(30)	account details segment-21 value.
ACD_SEGMENT22	Y	VARCHAR2(30)	nvarchar(30)	account details segment-22 value.
ACD_SEGMENT23	Y	VARCHAR2(30)	nvarchar(30)	account details segment-23 value.
ACD_SEGMENT24	Y	VARCHAR2(30)	nvarchar(30)	account details segment-24 value.
ACD_SEGMENT25	Y	VARCHAR2(30)	nvarchar(30)	account details segment-25 value.
ACD_SEGMENT26	Y	VARCHAR2(30)	nvarchar(30)	account details segment-26 value.
ACD_SEGMENT27	Y	VARCHAR2(30)	nvarchar(30)	account details segment-27 value.
ACD_SEGMENT28	Y	VARCHAR2(30)	nvarchar(30)	account details segment-28 value.
ACD_SEGMENT29	Y	VARCHAR2(30)	nvarchar(30)	account details segment-29 value.
ACD_SEGMENT30	Y	VARCHAR2(30)	nvarchar(30)	account details segment-30 value.
ACD_USRATTR1	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-1 value.
ACD_USRATTR2	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-2 value.
ACD_USRATTR3	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-3 value.
ACD_USRATTR4	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-4 value.
ACD_USRATTR5	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-5 value.
ACD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACD_ALIAS	Y	VARCHAR2(45)	nvarchar(45)	Account code alias
ACD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACD_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5ACCOUNTDETAILINTERFACE		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACI_TRANSID	Y	NUMBER	bigint	Unique identification of tracking transaction
ACI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	Identification of source system detail.
ACI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	Unique identification of details in source code
ACI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction
ACI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence
ACI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	Tracking transaction name (user code, see entity TKTP)
ACI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	Tracking Transaction transaction type (A:Insertion, U:Update, R:Replace, M:Mobile)
ACI_SESSIONID	Y	NUMBER	numeric(38,0)	Identification of user logon session (generated by database)
ACI_CREATED	Y	DATE	datetime	Transaction creation date
ACI_CODE	Y	NUMBER	int	account details code. unique sequential number.
ACI_ACCOUNTED	Y	VARCHAR2(2)	nvarchar(2)	To indicate whether row is DR or CR.
ACI_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
ACI_SEGMENT1	Y	VARCHAR2(30)	nvarchar(30)	account details segment-1 value.
ACI_SEGMENT2	Y	VARCHAR2(30)	nvarchar(30)	account details segment-2 value.
ACI_SEGMENT3	Y	VARCHAR2(30)	nvarchar(30)	account details segment-3 value.
ACI_SEGMENT4	Y	VARCHAR2(30)	nvarchar(30)	account details segment-4 value.
ACI_SEGMENT5	Y	VARCHAR2(30)	nvarchar(30)	account details segment-5 value.
ACI_SEGMENT6	Y	VARCHAR2(30)	nvarchar(30)	account details segment-6 value.
ACI_SEGMENT7	Y	VARCHAR2(30)	nvarchar(30)	account details segment-7 value.
ACI_SEGMENT8	Y	VARCHAR2(30)	nvarchar(30)	account details segment-8 value.

ACI_SEGMENT9	Y	VARCHAR2(30)	nvarchar(30)	account details segment-9 value.
ACI_SEGMENT10	Y	VARCHAR2(30)	nvarchar(30)	account details segment-10 value.
ACI_SEGMENT11	Y	VARCHAR2(30)	nvarchar(30)	account details segment-11 value.
ACI_SEGMENT12	Y	VARCHAR2(30)	nvarchar(30)	account details segment-12 value.
ACI_SEGMENT13	Y	VARCHAR2(30)	nvarchar(30)	account details segment-13 value.
ACI_SEGMENT14	Y	VARCHAR2(30)	nvarchar(30)	account details segment-14 value.
ACI_SEGMENT15	Y	VARCHAR2(30)	nvarchar(30)	account details segment-15 value.
ACI_SEGMENT16	Y	VARCHAR2(30)	nvarchar(30)	account details segment-16 value.
ACI_SEGMENT17	Y	VARCHAR2(30)	nvarchar(30)	account details segment-17 value.
ACI_SEGMENT18	Y	VARCHAR2(30)	nvarchar(30)	account details segment-18 value.
ACI_SEGMENT19	Y	VARCHAR2(30)	nvarchar(30)	account details segment-19 value.
ACI_SEGMENT20	Y	VARCHAR2(30)	nvarchar(30)	account details segment-20 value.
ACI_SEGMENT21	Y	VARCHAR2(30)	nvarchar(30)	account details segment-21 value.
ACI_SEGMENT22	Y	VARCHAR2(30)	nvarchar(30)	account details segment-22 value.
ACI_SEGMENT23	Y	VARCHAR2(30)	nvarchar(30)	account details segment-23 value.
ACI_SEGMENT24	Y	VARCHAR2(30)	nvarchar(30)	account details segment-24 value.
ACI_SEGMENT25	Y	VARCHAR2(30)	nvarchar(30)	account details segment-25 value.
ACI_SEGMENT26	Y	VARCHAR2(30)	nvarchar(30)	account details segment-26 value.
ACI_SEGMENT27	Y	VARCHAR2(30)	nvarchar(30)	account details segment-27 value.
ACI_SEGMENT28	Y	VARCHAR2(30)	nvarchar(30)	account details segment-28 value.
ACI_SEGMENT29	Y	VARCHAR2(30)	nvarchar(30)	account details segment-29 value.
ACI_SEGMENT30	Y	VARCHAR2(30)	nvarchar(30)	account details segment-30 value.
ACI_USRATTR1	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-1 value.
ACI_USRATTR2	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-2 value.
ACI_USRATTR3	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-3 value.
ACI_USRATTR4	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-4 value.
ACI_USRATTR5	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-5 value.
ACI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACI_ALIAS	Y	VARCHAR2(45)	nvarchar(45)	Account code alias
ACI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACCOUNTDETAIL_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAL_CODE	Y	NUMBER	int	account details code. unique sequential number.
AAL_ACCOUNTED	Y	VARCHAR2(2)	nvarchar(2)	To indicate whether row is DR or CR.
AAL_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
AAL_SEGMENT1	Y	VARCHAR2(30)	nvarchar(30)	account details segment-1 value.
AAL_SEGMENT2	Y	VARCHAR2(30)	nvarchar(30)	account details segment-2 value.
AAL_SEGMENT3	Y	VARCHAR2(30)	nvarchar(30)	account details segment-3 value.
AAL_SEGMENT4	Y	VARCHAR2(30)	nvarchar(30)	account details segment-4 value.
AAL_SEGMENT5	Y	VARCHAR2(30)	nvarchar(30)	account details segment-5 value.
AAL_SEGMENT6	Y	VARCHAR2(30)	nvarchar(30)	account details segment-6 value.
AAL_SEGMENT7	Y	VARCHAR2(30)	nvarchar(30)	account details segment-7value.
AAL_SEGMENT8	Y	VARCHAR2(30)	nvarchar(30)	account details segment-8 value.
AAL_SEGMENT9	Y	VARCHAR2(30)	nvarchar(30)	account details segment-9 value.
AAL_SEGMENT10	Y	VARCHAR2(30)	nvarchar(30)	account details segment-10 value.
AAL_SEGMENT11	Y	VARCHAR2(30)	nvarchar(30)	account details segment-11 value.
AAL_SEGMENT12	Y	VARCHAR2(30)	nvarchar(30)	account details segment-12 value.
AAL_SEGMENT13	Y	VARCHAR2(30)	nvarchar(30)	account details segment-13 value.
AAL_SEGMENT14	Y	VARCHAR2(30)	nvarchar(30)	account details segment-14 value.
AAL_SEGMENT15	Y	VARCHAR2(30)	nvarchar(30)	account details segment-15 value.
AAL_SEGMENT16	Y	VARCHAR2(30)	nvarchar(30)	account details segment-16 value.
AAL_SEGMENT17	Y	VARCHAR2(30)	nvarchar(30)	account details segment-17 value.

AAL_SEGMENT18	Y	VARCHAR2(30)	nvarchar(30)	account details segment-18 value.
AAL_SEGMENT19	Y	VARCHAR2(30)	nvarchar(30)	account details segment-19 value.
AAL_SEGMENT20	Y	VARCHAR2(30)	nvarchar(30)	account details segment-20 value.
AAL_SEGMENT21	Y	VARCHAR2(30)	nvarchar(30)	account details segment-21 value.
AAL_SEGMENT22	Y	VARCHAR2(30)	nvarchar(30)	account details segment-22 value.
AAL_SEGMENT23	Y	VARCHAR2(30)	nvarchar(30)	account details segment-23 value.
AAL_SEGMENT24	Y	VARCHAR2(30)	nvarchar(30)	account details segment-24 value.
AAL_SEGMENT25	Y	VARCHAR2(30)	nvarchar(30)	account details segment-25 value.
AAL_SEGMENT26	Y	VARCHAR2(30)	nvarchar(30)	account details segment-26 value.
AAL_SEGMENT27	Y	VARCHAR2(30)	nvarchar(30)	account details segment-27 value.
AAL_SEGMENT28	Y	VARCHAR2(30)	nvarchar(30)	account details segment-28 value.
AAL_SEGMENT29	Y	VARCHAR2(30)	nvarchar(30)	account details segment-29 value.
AAL_SEGMENT30	Y	VARCHAR2(30)	nvarchar(30)	account details segment-30 value.
AAL_USRATTR1	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-1 value.
AAL_USRATTR2	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-2 value.
AAL_USRATTR3	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-3 value.
AAL_USRATTR4	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-4 value.
AAL_USRATTR5	Y	VARCHAR2(50)	nvarchar(50)	account details user attribute-5 value.
AAL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAL_ALIAS	Y	VARCHAR2(45)	nvarchar(45)	Account code alias
AAL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSACDPARAMS		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADP_SEGMENT	N	VARCHAR2(30)	nvarchar(30)	account detail segment column name.
ADP_LENGTH	Y	NUMBER	int	display length of segment column.
ADP_DATATYPE	Y	VARCHAR2(10)	nvarchar(10)	number, character or date data type.
ADP_PROMPT	Y	VARCHAR2(20)	nvarchar(20)	label text for segment column.
ADP_PROMPTX	Y	NUMBER	int	horizontal display coordinate.
ADP_PROMPTY	Y	NUMBER	int	vertical display coordinate.
ADP_SEGMENTX	Y	NUMBER	int	horizontal display coordinate.
ADP_SEGMENTY	Y	NUMBER	int	vertical display coordinate.
ADP_SEQ	Y	NUMBER	int	display sequence number.
ADP_REQUIRED	Y	VARCHAR2(1)	nvarchar(1)	is segment required?
ADP_DEFAULT	Y	VARCHAR2(30)	nvarchar(30)	default value for segment.
ADP_HINT	Y	VARCHAR2(80)	nvarchar(80)	help display text.
ADP_LOVSQL	Y	VARCHAR2(2000)	nvarchar(2000)	sql statement for list of values.
ADP_DESCSQL	Y	VARCHAR2(2000)	nvarchar(2000)	sql statement for segment code description.
ADP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADP_QUERY	Y	VARCHAR2(8)	nvarchar(8)	Query statement
ADP_VALUELOOKUP	Y	VARCHAR2(2)	nvarchar(2)	Lookup
ADP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSACTCHECKLISTS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACK_CODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
ACK_EVENT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ACK_ACT	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
ACK_DESC	N	VARCHAR2(80)	nvarchar(80)	T.B.D.
ACK_SEQUENCE	N	NUMBER(8,0)	numeric(8,0)	T.B.D.
ACK_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
ACK_NOTES	Y	VARCHAR2(4000)	nvarchar(4000)	T.B.D.

ACK_UPDATED	Y	DATE	datetime	Update timestamp
ACK_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
ACK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACK_LOTO	Y	VARCHAR2(30)	nvarchar(30)	The checklist log out tag out code.
ACK_OCCURRENCE	Y	NUMBER(8,0)	numeric(8,0)	The checklist occurrence.
ACK_POINT	Y	VARCHAR2(30)	nvarchar(30)	The checklist inspection point.
ACK_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The checklist equipment.
ACK_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The checklist equipment organization.
ACK_YES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the checklist item has been answered with YES.
ACK_NO	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the checklist item has been answered with NO.
ACK_FINDING	Y	VARCHAR2(4)	nvarchar(4)	The checklist inspection finding.
ACK_VALUE	Y	NUMBER(24,6)	numeric(24,6)	The checklist value.
ACK_UOM	Y	VARCHAR2(30)	nvarchar(30)	The checklist meter reading uom.
ACK_FINALOCCURRENCE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is the checklists final occurrence.
ACK_FOLLOWUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a followup work order should be created.
ACK_FOLLOWUPEVENT	Y	VARCHAR2(30)	nvarchar(30)	The checklist followup work order.
ACK_FOLLOWUPACT	Y	NUMBER(8,0)	numeric(8,0)	The checklist followup activity.
ACK_REQUIREDTOCLOSE	Y	VARCHAR2(8)	nvarchar(8)	Flag to indicate whether the checklist item needs to be answered before the related work order can be completed.
ACK_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The checklist system level.
ACK_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The checklist assembly level.
ACK_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The checklist component level
ACK_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The checklist component location
ACK_CONDITION	Y	VARCHAR2(4)	nvarchar(4)	The checklist inspection condition
ACK_READING	Y	VARCHAR2(1)	nvarchar(1)	The checklist meter reading.
ACK_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	The checklist inspection aspect.
ACK_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	The checklist inspection point type.
ACK_TASK	Y	VARCHAR2(20)	nvarchar(20)	The checklist task code.
ACK_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	The checklist material list.
ACK_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The checklist type.
ACK_PARENTKEY	Y	VARCHAR2(30)	nvarchar(30)	The task checklist code from which this check list item originates.
ACK_POSSIBLEFINDINGS	Y	VARCHAR2(250)	nvarchar(250)	A comma delimited list of possible findings.
ACK_TASKCHECKLISTCODE	Y	VARCHAR2(30)	nvarchar(30)	The originating task checklist code.
ACK_OBJECTLEVEL	Y	VARCHAR2(8)	nvarchar(8)	The checklist equipment level.
ACK_DEFMAINT	Y	VARCHAR2(30)	nvarchar(30)	The reference to a deferred maintenance record
ACK_PART	Y	VARCHAR2(30)	nvarchar(30)	The part of the checklist
ACK_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization of the check list
ACK_PARTCONDITION	Y	VARCHAR2(20)	nvarchar(20)	The part condition of the checklist
ACK_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
ACK_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
ACK_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
ACK_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
ACK_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
ACK_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
ACK_FROMJOBPLAN	Y	VARCHAR2(20)	nvarchar(20)	The job plan of the operator checklist
ACK_FROMJOBPLANREV	Y	NUMBER(4,0)	numeric(4,0)	The job plan revision of the operator checklist
ACK_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	The system entity of the operator checklist
ACK_ENTITYKEY	Y	VARCHAR2(100)	nvarchar(100)	The code of the operator checklist
ACK_ENTITYORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the operator checklist
ACK_ROUTESEQUENCE	Y	NUMBER(8,0)	numeric(8,0)	The route sequence of the checklist
ACK_JOB	Y	VARCHAR2(20)	nvarchar(20)	The job of the checklist.
ACK_CASETASK	Y	VARCHAR2(30)	nvarchar(30)	The case task of the checklist.
ACK_NONCONFORMITY	Y	VARCHAR2(30)	nvarchar(30)	The nonconformity of the checklist item.
ACK_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
ACK_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.

ACK_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
ACK_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
ACK_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
ACK_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
ACK_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
ACK_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point.
ACK_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
ACK_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
ACK_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
ACK_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
ACK_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
ACK_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
ACK_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
ACK_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
ACK_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
ACK_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
ACK_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
ACK_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
ACK_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
ACK_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
ACK_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point.
ACK_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
ACK_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
ACK_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
ACK_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
ACK_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
ACK_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
ACK_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
ACK_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the checklist item.
ACK_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The color of the check list item.
ACK_REFERENCE	Y	VARCHAR2(45)	nvarchar(45)	The reference of the check list item.
ACK_OK	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the check list item is ok.
ACK_REPAIRSNEEDED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether repairs are needed.
ACK_RESOLUTION	Y	VARCHAR2(8)	nvarchar(8)	The resolution of the check list item.
ACK_GOOD	Y	VARCHAR2(1)	nvarchar(1)	
ACK_POOR	Y	VARCHAR2(1)	nvarchar(1)	
ACK_ADJUSTED	Y	VARCHAR2(1)	nvarchar(1)	
ACK_NONCONFORMITYFOUND	Y	VARCHAR2(1)	nvarchar(1)	
ACK_MINSLIDERVALUE	Y	NUMBER(24,0)	numeric(24,0)	
ACK_MAXSLIDERVALUE	Y	NUMBER(24,0)	numeric(24,0)	
ACK_SRCALCULATEDVALUE	Y	VARCHAR2(1)	nvarchar(1)	
ACK_FORMULA	Y	VARCHAR2(2000)	nvarchar(2000)	
ACK_POSSIBLE DIRECTIONS	Y	VARCHAR2(200)	nvarchar(200)	
ACK_POSSIBLE_NA_OPTIONS	Y	VARCHAR2(500)	nvarchar(500)	
ACK_POSSIBLE_CONDS_AS_FOUND	Y	VARCHAR2(500)	nvarchar(500)	
ACK_POSSIBLE_SEVERITIES	Y	VARCHAR2(500)	nvarchar(500)	
ACK_GROUP_LABEL	Y	VARCHAR2(8)	nvarchar(8)	
ACK_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	
ACK_NOT_APPLICABLE	Y	VARCHAR2(8)	nvarchar(8)	
ACK_CONDITION_AS_FOUND	Y	VARCHAR2(8)	nvarchar(8)	
ACK_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	
ACK_NONCONFORMITYTYPE	Y	VARCHAR2(30)	nvarchar(30)	
ACK_NONCONFORMITYTYPE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ACK_TOLERANCESEVERITY	Y	VARCHAR2(8)	nvarchar(8)	

ACK_TOLERANCE_NCF_TYPE	Y	VARCHAR2(30)	nvarchar(30)	
ACK_TOLERANCE_NCF_TYPE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ACK_TOLERANCECRNONCONFORMITY	Y	VARCHAR2(1)	nvarchar(1)	
ACK_METRICFRACTIONSLIDER	Y	VARCHAR2(1)	nvarchar(1)	
ACK_RESPONSIBILITY	Y	VARCHAR2(8)	nvarchar(8)	
ACK_MEASUREMENTRESP	Y	VARCHAR2(8)	nvarchar(8)	
ACK_HIDEFOLLOWUP	Y	VARCHAR2(1)	nvarchar(1)	
ACK_HIDELINEARFIELDS	Y	VARCHAR2(1)	nvarchar(1)	
ACK_ENABLENONCONFORMITIES	Y	VARCHAR2(1)	nvarchar(1)	
ACK_MOBILEDATEUPDATED	Y	DATE	datetime	
ACK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACK_LINEARLOCATION	Y	NUMBER(24,6)	numeric(24,6)	
ACK_FRACTIONSLIDERDIMENSIONS	Y	VARCHAR2(4)	nvarchar(4)	
ACK_CHECKLISTDATETIME	Y	DATE	datetime	
ACK_CHECKLISTDATE	Y	DATE	datetime	
ACK_FREETEXT	Y	VARCHAR2(4000)	nvarchar(4000)	
ACK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTCHECKLISTSTEMP

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACK_CODE	Y	VARCHAR2(30)		
ACK_OBJECT	Y	VARCHAR2(30)		
ACK_OBJECT_ORG	Y	VARCHAR2(15)		
ACK_POINT	Y	VARCHAR2(30)		
ACK_POINTTYPE	Y	VARCHAR2(30)		
ACK_OBJECTLEVEL	Y	VARCHAR2(8)		
ACK_FORMULA	Y	VARCHAR2(2000)		
ACK_SEQUENCE	Y	NUMBER(8,0)		
ACK_ROUTESEQUENCE	Y	NUMBER(8,0)		
ACK_FROMPOINT	Y	NUMBER(24,6)		
ACK_LINEARLOCATION	Y	NUMBER(24,6)		

R5ACTCLASSES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACL_CLASS	N	VARCHAR2(8)	nvarchar(8)	class code
ACL_ACTION	N	VARCHAR2(8)	nvarchar(8)	action code
ACL_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
ACL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACL_CREATED	Y	DATE	datetime	Creation timestamp
ACL_UPDATED	Y	DATE	datetime	Update timestamp
ACL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTIONCODES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACC_CODE	N	VARCHAR2(8)	nvarchar(8)	action code
ACC_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
ACC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of action code
ACC_GEN	N	VARCHAR2(1)	nvarchar(1)	generic, or not
ACC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
ACC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACC_CREATED	Y	DATE	datetime	Creation timestamp
ACC_UPDATED	Y	DATE	datetime	Update timestamp
ACC_PARTFAILURE	Y	VARCHAR2(1)	nvarchar(1)	Part Failure Flag

ACC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
ACC_ENABLEWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
ACC_GROUP	Y	VARCHAR2(80)	nvarchar(80)	user group
ACC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSACTIVEQUEUELIST

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AQT_CODE	N	VARCHAR2(60)	nvarchar(60)	List code
AQT_TIME	Y	DATE	datetime	timestamp
AQT_SERVERID	Y	VARCHAR2(120)	nvarchar(120)	Served ID
AQT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AQT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AQT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSACTIVITIES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACT_EVENT	N	VARCHAR2(30)	nvarchar(30)	event code
ACT_ACT	N	NUMBER(8,0)	numeric(8,0)	activity sequence number
ACT_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	* is internal capacity
ACT_START	Y	DATE	datetime	start date
ACT_TIME	N	NUMBER(5,2)	numeric(5,2)	time that activity starts
ACT_NEWSTART	Y	DATE	datetime	new start date
ACT_HIRE	N	VARCHAR2(1)	nvarchar(1)	to be hired ? flag
ACT_ORDERED	Y	VARCHAR2(1)	nvarchar(1)	ordered ? flag
ACT_FIXH	N	VARCHAR2(1)	nvarchar(1)	fixed hours/day ? flag
ACT_MINHOURS	N	VARCHAR2(1)	nvarchar(1)	alloc min. hours flag
ACT_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc
ACT_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade
ACT_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	applicable shift pattern
ACT_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of persons required
ACT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
ACT_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
ACT_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	new route code ??
ACT_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration in days
ACT_NEWDUR	Y	NUMBER(8,0)	numeric(8,0)	new duration
ACT_MAXDUR	Y	NUMBER(8,0)	numeric(8,0)	maximum duration
ACT_EST	Y	NUMBER	numeric(24,6)	estimated hours
ACT_REM	Y	NUMBER	numeric(24,6)	remaining hours
ACT_NT	Y	NUMBER	numeric(24,6)	normal hours spent
ACT_NTRATE	Y	NUMBER	numeric(24,6)	estimated overall rate
ACT_OT	Y	NUMBER	numeric(24,6)	overtime hours spent
ACT_OTRATE	Y	NUMBER	numeric(24,6)	estimated overtime rate
ACT_PURRATE	Y	NUMBER(24,6)	numeric(24,6)	purchase order rate
ACT_TASK	Y	VARCHAR2(20)	nvarchar(20)	instruction list code
ACT_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	picking list code
ACT_SPECIAL	N	VARCHAR2(1)	nvarchar(1)	special day flag
ACT_GRAPH	Y	VARCHAR2(80)	nvarchar(80)	graph after planning
ACT_LEVEL	Y	NUMBER(4,0)	numeric(4,0)	level in hierarchy ??
ACT_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
ACT_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
ACT_ORDTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of order
ACT_ORDRTYPE	Y	VARCHAR2(4)	nvarchar(4)	rtype of order: st or sf
ACT_SCHDHRS	Y	NUMBER	numeric(24,6)	hours activity has been scheduled

ACT_LATESTSCHED	Y	DATE	datetime	last date activity was scheduled for
ACT_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	is activity completed?
ACT_MATLREV	Y	NUMBER(4,0)	numeric(4,0)	material revision number.
ACT_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision number.
ACT_QTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
ACT_UOM	Y	VARCHAR2(30)	nvarchar(30)	task unit of measure
ACT_REQ	Y	VARCHAR2(30)	nvarchar(30)	activity part requisition
ACT_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	activity part requisition line
ACT_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	activity requisition suppliers organization
ACT_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	activity purchase order #
ACT_RPC	Y	VARCHAR2(4)	nvarchar(4)	reason for repair code
ACT_WAP	Y	VARCHAR2(4)	nvarchar(4)	work accomplished code
ACT_TPF	Y	VARCHAR2(4)	nvarchar(4)	technician part failure code
ACT_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer/supplier code
ACT_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
ACT_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
ACT_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code
ACT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	act entity class code
ACT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	act entity class organization
ACT_PERCOMPLETE	Y	NUMBER(3,0)	numeric(3,0)	percentage completed
ACT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACT_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
ACT_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
ACT_PERRESP	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
ACT_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	Whether the activity falls under an active warranty.
ACT_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ACT_NOTE	Y	VARCHAR2(256)	nvarchar(256)	Activity Note
ACT_DEFERMAINTENANCE	Y	VARCHAR2(1)	nvarchar(1)	Defer Maintenance
ACT_DEFERREDIRECTMATS	Y	VARCHAR2(1)	nvarchar(1)	Deferred Direct Materials
ACT_DEFERREDORIGWO	Y	VARCHAR2(30)	nvarchar(30)	Deferred Original WO
ACT_DEFERREDORIGACT	Y	NUMBER(8,0)	numeric(8,0)	Deferred Original Activity
ACT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ACT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ACT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ACT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ACT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ACT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ACT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACT_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
ACT_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
ACT_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
ACT_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
ACT_PERFORMED	Y	DATE	datetime	Date of performed signature.
ACT_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of performed signature.
ACT_PERFORMEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of performed signature.
ACT_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
ACT_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
ACT_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
ACT_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The activity component location.
ACT_SCHEDULINGSESSIONID	Y	NUMBER(18,0)	numeric(18,0)	The scheduling session ID of the activity
ACT_SCHEDULINGSESSIONTYPE	Y	VARCHAR2(4)	nvarchar(4)	The scheduling session type of the activity
ACT_TOPPARENT	Y	NUMBER(8,0)	numeric(8,0)	The top/normal parent of the activity
ACT_PARENT	Y	NUMBER(8,0)	numeric(8,0)	The parent activity of the activity
ACT_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The sequence/job of the activity
ACT_PLANNINGLEVEL	Y	VARCHAR2(4)	nvarchar(4)	The planning level of the activity
ACT_MULTIPLETRADES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the activity has multiple trades associated
ACT_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
ACT_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
ACT_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
ACT_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
ACT_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
ACT_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
ACT_ESTLABORCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated labor cost of the activity.
ACT_ESTMATLCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated material cost of the activity.
ACT_ESTMISCCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated miscellaneous cost of the activity.
ACT_ASSIGNMENTSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The assignment status of the activity.
ACT_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
ACT_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
ACT_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
ACT_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.

ACT_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
ACT_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
ACT_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
ACT_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
ACT_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
ACT_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
ACT_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
ACT_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
ACT_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
ACT_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
ACT_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
ACT_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
ACT_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
ACT_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
ACT_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
ACT_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
ACT_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
ACT_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
ACT_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
ACT_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
ACT_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
ACT_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
ACT_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
ACT_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
ACT_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
ACT_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
ACT_PERFORMED2	Y	DATE	datetime	
ACT_PERFORMEDBY2	Y	VARCHAR2(255)	nvarchar(255)	
ACT_PERFORMEDTYPE2	Y	VARCHAR2(4)	nvarchar(4)	
ACT_REJECTPERFORMEDBY	Y	VARCHAR2(1)	nvarchar(1)	
ACT_REJECTPERFORMEDBY2	Y	VARCHAR2(1)	nvarchar(1)	
ACT_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	
ACT_CONDITION_AS_FOUND	Y	VARCHAR2(8)	nvarchar(8)	
ACT_REVIEWRESP	Y	VARCHAR2(8)	nvarchar(8)	
ACT_PERFORMBYRESP	Y	VARCHAR2(8)	nvarchar(8)	
ACT_PERFORMBY2RESP	Y	VARCHAR2(8)	nvarchar(8)	
ACT_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
ACT_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
ACT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACT_RECORDEDBY	Y	VARCHAR2(15)	nvarchar(15)	
ACT_DATERECORDED	Y	DATE	datetime	
ACT_DISPATCHERRORS	Y	VARCHAR2(4000)	nvarchar(4000)	
ACT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTIVITIES_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
ACA_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity sequence number
ACA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	* is internal capacity
ACA_START	Y	DATE	datetime	start date
ACA_TIME	Y	NUMBER(5,2)	numeric(5,2)	time that activity starts
ACA_NEWSTART	Y	DATE	datetime	new start date
ACA_HIRE	Y	VARCHAR2(1)	nvarchar(1)	to be hired ? flag

ACA_ORDERED	Y	VARCHAR2(1)	nvarchar(1)	ordered ? flag
ACA_FIXH	Y	VARCHAR2(1)	nvarchar(1)	fixed hours/day ? flag
ACA_MINHOURS	Y	VARCHAR2(1)	nvarchar(1)	alloc min. hours flag
ACA_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc
ACA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade
ACA_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	applicable shift pattern
ACA_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of persons required
ACA_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
ACA_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
ACA_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	new route code ??
ACA_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration in days
ACA_NEWDUR	Y	NUMBER(8,0)	numeric(8,0)	new duration
ACA_MAXDUR	Y	NUMBER(8,0)	numeric(8,0)	maximum duration
ACA_EST	Y	NUMBER	numeric(24,6)	estimated hours
ACA_REM	Y	NUMBER	numeric(24,6)	remaining hours
ACA_NT	Y	NUMBER	numeric(24,6)	normal hours spent
ACA_NRATE	Y	NUMBER	numeric(24,6)	estimated overall rate
ACA_OT	Y	NUMBER	numeric(24,6)	overtime hours spent
ACA_OTRATE	Y	NUMBER	numeric(24,6)	estimated overtime rate
ACA_PURRATE	Y	NUMBER(24,6)	numeric(24,6)	purchase order rate
ACA_TASK	Y	VARCHAR2(20)	nvarchar(20)	instruction list code
ACA_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	picking list code
ACA_SPECIAL	Y	VARCHAR2(1)	nvarchar(1)	special day flag
ACA_GRAPH	Y	VARCHAR2(80)	nvarchar(80)	graph after planning
ACA_LEVEL	Y	NUMBER(4,0)	numeric(4,0)	level in hierarchy ??
ACA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
ACA_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
ACA_ORDTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of order
ACA_ORDRTYPE	Y	VARCHAR2(4)	nvarchar(4)	rtype of order: st or sf
ACA_SCHDHRS	Y	NUMBER	numeric(24,6)	hours activity has been scheduled
ACA_LATESTSCHED	Y	DATE	datetime	last date activity was scheduled for
ACA_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	is activity completed?
ACA_MATLREV	Y	NUMBER(4,0)	numeric(4,0)	material revision number.
ACA_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision number.
ACA_QTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
ACA_UOM	Y	VARCHAR2(30)	nvarchar(30)	task unit of measure
ACA_REQ	Y	VARCHAR2(30)	nvarchar(30)	activity part requisition
ACA_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	activity part requisition line
ACA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	activity requisition suppliers organization
ACA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	activity purchase order #
ACA_RPC	Y	VARCHAR2(4)	nvarchar(4)	reason for repair code
ACA_WAP	Y	VARCHAR2(4)	nvarchar(4)	work accomplished code
ACA_TPF	Y	VARCHAR2(4)	nvarchar(4)	technician part failure code
ACA_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer/supplier code
ACA_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
ACA_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
ACA_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code
ACA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	act entity class code
ACA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	act entity class organization
ACA_PERCOMPLETE	Y	NUMBER(3,0)	numeric(3,0)	percentage completed
ACA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACA_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
ACA_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
ACA_PERRESP	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.

ACA_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	Whether the activity falls under an active warranty.
ACA_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ACA_NOTE	Y	VARCHAR2(256)	nvarchar(256)	Activity Note
ACA_DEFERMAINTENANCE	Y	VARCHAR2(1)	nvarchar(1)	Defer Maintenance
ACA_DEFERREDIRECTMATS	Y	VARCHAR2(1)	nvarchar(1)	Deferred Direct Materials
ACA_DEFERREDORIGWO	Y	VARCHAR2(30)	nvarchar(30)	Deferred Original WO
ACA_DEFERREDORIGACT	Y	NUMBER(8,0)	numeric(8,0)	Deferred Original Activity
ACA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ACA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ACA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ACA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ACA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ACA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACA_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
ACA_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization

ACA_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
ACA_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
ACA_PERFORMED	Y	DATE	datetime	Date of performed signature.
ACA_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of performed signature.
ACA_PERFORMEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of performed signature.
ACA_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
ACA_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
ACA_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
ACA_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The activity component location.
ACA_SCHEDULINGSESSIONID	Y	NUMBER(18,0)	numeric(18,0)	The scheduling session ID of the activity
ACA_SCHEDULINGSESSIONTYPE	Y	VARCHAR2(4)	nvarchar(4)	The scheduling session type of the activity
ACA_TOPPARENT	Y	NUMBER(8,0)	numeric(8,0)	The top/normal parent of the activity
ACA_PARENT	Y	NUMBER(8,0)	numeric(8,0)	The parent activity of the activity
ACA_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The sequence/job of the activity
ACA_PLANNINGLEVEL	Y	VARCHAR2(4)	nvarchar(4)	The planning level of the activity
ACA_MULTIPLETRADES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the activity has multiple trades associated
ACA_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
ACA_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
ACA_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
ACA_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
ACA_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
ACA_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
ACA_ESTLABORCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated labor cost of the activity.
ACA_ESTMATLCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated material cost of the activity.
ACA_ESTMISCCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated miscellaneous cost of the activity.
ACA_ASSIGNMENTSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The assignment status of the activity.
ACA_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
ACA_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
ACA_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
ACA_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
ACA_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
ACA_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
ACA_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
ACA_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
ACA_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
ACA_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
ACA_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
ACA_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
ACA_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
ACA_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
ACA_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
ACA_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
ACA_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
ACA_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
ACA_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
ACA_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
ACA_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
ACA_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
ACA_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
ACA_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
ACA_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
ACA_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
ACA_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
ACA_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.

ACA_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
ACA_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
ACA_PERFORMED2	Y	DATE	datetime	
ACA_PERFORMEDBY2	Y	VARCHAR2(255)	nvarchar(255)	
ACA_PERFORMEDTYPE2	Y	VARCHAR2(4)	nvarchar(4)	
ACA_REJECTPERFORMEDBY	Y	VARCHAR2(1)	nvarchar(1)	
ACA_REJECTPERFORMEDBY2	Y	VARCHAR2(1)	nvarchar(1)	
ACA_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	
ACA_CONDITION_AS_FOUND	Y	VARCHAR2(8)	nvarchar(8)	
ACA_REVIEWRESP	Y	VARCHAR2(8)	nvarchar(8)	
ACA_PERFORMBYRESP	Y	VARCHAR2(8)	nvarchar(8)	
ACA_PERFORMBY2RESP	Y	VARCHAR2(8)	nvarchar(8)	
ACA_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
ACA_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
ACA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACA_RECORDEDBY	Y	VARCHAR2(15)	nvarchar(15)	
ACA_DATERECORDED	Y	DATE	datetime	
ACA_DISPATCHERRORS	Y	VARCHAR2(4000)	nvarchar(4000)	
ACA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTQUALIFICATIONS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AQU_EVENT	N	VARCHAR2(30)	nvarchar(30)	Event code
AQU_ACTIVITY	N	NUMBER(8,0)	numeric(8,0)	Activity
AQU_QUALIFICATION	N	VARCHAR2(20)	nvarchar(20)	Qualification code
AQU_SOURCE	N	VARCHAR2(1)	nvarchar(1)	Value are: Trade, Task, Ad Hoc
AQU_REMOVED	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether this qualification is removable or not
AQU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AQU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AQU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTQUALIFICATIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAQ_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAQ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Event code
AAQ_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	Activity
AAQ_QUALIFICATION	Y	VARCHAR2(20)	nvarchar(20)	Qualification code
AAQ_SOURCE	Y	VARCHAR2(1)	nvarchar(1)	Value are: Trade, Task, Ad Hoc
AAQ_REMOVED	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether this qualification is removable or not
AAQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTSCHEDULES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACS_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number
ACS_ACTIVITY	N	NUMBER(8,0)	numeric(8,0)	the activity number for this function of the job.
ACS_COMMENT	Y	VARCHAR2(60)	nvarchar(60)	schedule info
ACS_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc scheduled to do the work.
ACS_TRADE	Y	VARCHAR2(15)	nvarchar(15)	scheduled trade
ACS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	maintenance equipment
ACS_SCHED	N	DATE	datetime	sched date
ACS_STARTTIME	Y	NUMBER	numeric(24,6)	start time
ACS_ENDTIME	Y	NUMBER	numeric(24,6)	end time

ACS_HOURS	Y	NUMBER	numeric(24,6)	actual hrs
ACS_RESPONSIBLE	Y	VARCHAR2(15)	nvarchar(15)	person res. for activity
ACS_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	shift for activity
ACS_SCHEDULER	Y	VARCHAR2(255)	nvarchar(255)	system user who scheduled
ACS_FROZEN	Y	VARCHAR2(1)	nvarchar(1)	used to freeze schedule
ACS_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
ACS_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	scheduling project id
ACS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACS_CODE	N	VARCHAR2(30)	nvarchar(30)	Schedule code
ACS_UPDATED	Y	DATE	datetime	Update timestamp
ACS_SHIFTSCEDULESESSION	Y	NUMBER(18,0)	numeric(18,0)	The session used during shift scheduling
ACS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ACTSCHEDULES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAS_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAS_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number
AAS_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	the activity number for this function of the job.
AAS_COMMENT	Y	VARCHAR2(60)	nvarchar(60)	schedule info
AAS_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc scheduled to do the work.
AAS_TRADE	Y	VARCHAR2(15)	nvarchar(15)	scheduled trade
AAS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	maintenance equipment
AAS_SCHED	Y	DATE	datetime	sched date
AAS_STARTTIME	Y	NUMBER	numeric(24,6)	start time
AAS_ENDTIME	Y	NUMBER	numeric(24,6)	end time
AAS_HOURS	Y	NUMBER	numeric(24,6)	actual hrs
AAS_RESPONSIBLE	Y	VARCHAR2(15)	nvarchar(15)	person res. for activity
AAS_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	shift for activity
AAS_SCHEDULER	Y	VARCHAR2(255)	nvarchar(255)	system user who scheduled
AAS_FROZEN	Y	VARCHAR2(1)	nvarchar(1)	used to freeze schedule
AAS_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
AAS_MPPROJ	Y	VARCHAR2(30)	nvarchar(20)	scheduling project id
AAS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAS_CODE	Y	VARCHAR2(30)	nvarchar(30)	Schedule code
AAS_UPDATED	Y	DATE	datetime	Update timestamp
AAS_SHIFTSCEDULESESSION	Y	NUMBER(18,0)	numeric(18,0)	The session used during shift scheduling
AAS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDETAILS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADD_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	obj, cat, part, sup, job etc
ADD_RENTITY	N	VARCHAR2(4)	nvarchar(4)	obj, cat, part, sup, job etc
ADD_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of origin of the line (category or otherwise).
ADD_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	system type : a p t s l
ADD_CODE	N	VARCHAR2(255)	nvarchar(255)	unique code of entity
ADD_LANG	N	VARCHAR2(2)	nvarchar(2)	language
ADD_LINE	N	NUMBER(12,0)	numeric(12,0)	number of text line.
ADD_PRINT	N	VARCHAR2(1)	nvarchar(1)	text will be printed on report.
ADD_TEXT	N	LONG	ntext	any additional details/comments.
ADD_CREATED	Y	DATE	datetime	date/time text created.
ADD_USER	Y	VARCHAR2(255)	nvarchar(255)	user who created text.
ADD_UPDATED	Y	DATE	datetime	date/time text updated.

ADD_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	user who performed update.
ADD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDETAILSINTERFACE

DATA COLLECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADI_TRANSID	N	NUMBER	bigint	transaction id
ADI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
ADI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
ADI_TRANSORGID	Y	NUMBER	bigint	transaction organization id
ADI_TRANSGROUP	Y	NUMBER	int	transaction group
ADI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	transaction code
ADI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type
ADI_SESSIONID	Y	NUMBER	int	session id
ADI_USER	Y	VARCHAR2(255)	nvarchar(255)	user
ADI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
ADI_CODE	Y	VARCHAR2(100)	nvarchar(100)	code
ADI_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	rentity
ADI_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity
ADI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type
ADI_LANG	Y	VARCHAR2(2)	nvarchar(2)	language
ADI_LINE	Y	NUMBER(12,0)	numeric(12,0)	line
ADI_COMMENT	Y	LONG	ntext	free format comments
ADI_PRINT	Y	VARCHAR2(1)	nvarchar(1)	print
ADI_CODE1	Y	VARCHAR2(40)	nvarchar(40)	code1 optional specific for some entities
ADI_ORG1	Y	VARCHAR2(15)	nvarchar(15)	organization1 specific to some entities
ADI_CREATED	Y	DATE	datetime	creation date
ADI_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
ADI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDETAILS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ADA_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	obj, cat, part, sup, job etc
ADA_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	obj, cat, part, sup, job etc
ADA_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of origin of the line (category or otherwise).
ADA_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	system type : a p t s l
ADA_CODE	Y	VARCHAR2(255)	nvarchar(255)	unique code of entity
ADA_LANG	Y	VARCHAR2(2)	nvarchar(2)	language
ADA_LINE	Y	NUMBER(12,0)	numeric(12,0)	number of text line.
ADA_PRINT	Y	VARCHAR2(1)	nvarchar(1)	text will be printed on report.
ADA_TEXT	Y	LONG	ntext	any additional details/comments.
ADA_CREATED	Y	DATE	datetime	date/time text created.
ADA_USER	Y	VARCHAR2(255)	nvarchar(255)	user who created text.
ADA_UPDATED	Y	DATE	datetime	date/time text updated.
ADA_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	user who performed update.
ADA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDITIONALCHARGE

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADC_EVENT	N	VARCHAR2(30)	nvarchar(30)	Event code for this charge

ADC_ACT	N	NUMBER(8,0)	numeric(8,0)	Activity number for this charge
ADC_LINE	N	NUMBER	int	Line number
ADC_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade code for this charge
ADC_DESC	N	VARCHAR2(255)	nvarchar(255)	Description for this charge
ADC_QTY	N	NUMBER	numeric(24,6)	Charged quantity
ADC_UNITPRICE	N	NUMBER	numeric(24,6)	Charged unit price
ADC_CURR	N	VARCHAR2(3)	nvarchar(3)	The currency for the unit price
ADC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDITIONALCHARGE_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Event code for this charge
AAA_ACT	Y	NUMBER(8,0)	numeric(8,0)	Activity number for this charge
AAA_LINE	Y	NUMBER	int	Line number
AAA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade code for this charge
AAA_DESC	Y	VARCHAR2(255)	nvarchar(255)	Description for this charge
AAA_QTY	Y	NUMBER	numeric(24,6)	Charged quantity
AAA_UNITPRICE	Y	NUMBER	numeric(24,6)	Charged unit price
AAA_CURR	Y	VARCHAR2(3)	nvarchar(3)	The currency for the unit price
AAA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDPROPERTIES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APR_PROPERTY	N	VARCHAR2(8)	nvarchar(8)	custom property code.
APR_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code (system code).
APR_CLASS	N	VARCHAR2(8)	nvarchar(8)	entity classification code.
APR_LINE	Y	NUMBER(8,0)	numeric(8,0)	line/sequence number.
APR_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure.
APR_LIST	Y	VARCHAR2(1)	nchar(1)	indicates whether list of valid values is defined at property, entity or classification level.
APR_LISTVALID	Y	VARCHAR2(1)	nchar(1)	value is + if value must be validated against pre-defined list of values.
APR_REQUIRED	Y	VARCHAR2(1)	nchar(1)	value is + if custom property is mandatory.
APR_NONUPDCAT	Y	VARCHAR2(1)	nchar(1)	value is + if custom property is non-updateable.
APR_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
APR_WODISP	Y	VARCHAR2(1)	nvarchar(1)	Check to see the custom fields on WRJOB for rentities EVNT and OBJ
APR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APR_CREATED	Y	DATE	datetime	Creation timestamp
APR_UPDATED	Y	DATE	datetime	Update timestamp
APR_GROUPLABEL	Y	VARCHAR2(80)	nvarchar(80)	The label belonging to a group of custom fields.
APR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APR_STATUS	Y	VARCHAR2(8)	nvarchar(8)	
APR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDRESS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADR_RENTITY	N	VARCHAR2(4)	nvarchar(4)	rentity of parent data
ADR_CODE	N	VARCHAR2(50)	nvarchar(50)	code of parent data
ADR_RTYPE	N	VARCHAR2(4)	nvarchar(4)	type of address m, d or i
ADR_TEXT	N	VARCHAR2(2000)	nvarchar(2000)	address text
ADR_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1

ADR_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
ADR_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
ADR_CITY	Y	VARCHAR2(20)	nvarchar(20)	city
ADR_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
ADR_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
ADR_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
ADR_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone #
ADR_PHONEEXTN	Y	VARCHAR2(50)	nvarchar(50)	phone extension
ADR_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
ADR_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address
ADR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADDRESS_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAR_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAR_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	rentity of parent data
AAR_CODE	Y	VARCHAR2(50)	nvarchar(50)	code of parent data
AAR_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of address m, d or i
AAR_TEXT	Y	VARCHAR2(2000)	nvarchar(2000)	address text
AAR_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
AAR_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
AAR_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
AAR_CITY	Y	VARCHAR2(20)	nvarchar(20)	city
AAR_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
AAR_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
AAR_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
AAR_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone #
AAR_PHONEEXTN	Y	VARCHAR2(50)	nvarchar(50)	phone extension
AAR_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
AAR_EMAIL	Y	VARCHAR2(180)	nvarchar(180)	email address
AAR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ADJUSTMENTS CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADJ_CODE	N	VARCHAR2(30)	nvarchar(30)	Adjustment
ADJ_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
ADJ_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
ADJ_RATE	Y	NUMBER(24,6)	numeric(24,6)	Rate
ADJ_STWO	Y	VARCHAR2(20)	nvarchar(20)	Standard WO
ADJ_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Out of Service
ADJ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ADJ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADJ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADJ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADJ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADJ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADJ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADJ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ADJ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ADJ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ADJ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ADJ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ADJ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADJ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADJ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADJ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADJ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADJ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSAGREEMENTS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AGR_CODE	N	VARCHAR2(30)	nvarchar(30)	agreement number. unique identification.
AGR_DESC	N	VARCHAR2(80)	nvarchar(80)	agreement description.
AGR_STATUS	N	VARCHAR2(4)	nvarchar(4)	agreement status (user code, see entity agst).
AGR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	agreement status (system code, see entity agst).
AGR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AGR_DEBTOR	N	VARCHAR2(30)	nvarchar(30)	debtor code.
AGR_ARRANGEMENT	N	VARCHAR2(12)	nvarchar(12)	arrangement code.
AGR_START	Y	DATE	datetime	start date of agreement.
AGR_END	Y	DATE	datetime	end date of agreement.
AGR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
AGR_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
AGR_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
AGR_ORG	N	VARCHAR2(15)	nvarchar(15)	agreement organization

AGR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AGR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	agreement object organization
AGR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AGR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AGR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSAGREEMENTS_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAG_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAG_CODE	Y	VARCHAR2(30)	nvarchar(30)	agreement number. unique identification.
AAG_DESC	Y	VARCHAR2(80)	nvarchar(80)	agreement description.
AAG_STATUS	Y	VARCHAR2(4)	nvarchar(4)	agreement status (user code, see entity agst).
AAG_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	agreement status (system code, see entity agst).
AAG_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AAG_DEBTOR	Y	VARCHAR2(30)	nvarchar(30)	debtor code.
AAG_ARRANGEMENT	Y	VARCHAR2(12)	nvarchar(12)	arrangement code.
AAG_START	Y	DATE	datetime	start date of agreement.
AAG_END	Y	DATE	datetime	end date of agreement.
AAG_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
AAG_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
AAG_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
AAG_ORG	Y	VARCHAR2(15)	nvarchar(15)	agreement organization
AAG_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AAG_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	agreement object organization
AAG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSALERTDATAOBJ		Alert Management System		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADO_PK	N	NUMBER(38,0)	numeric(38,0)	The system generated primary key.
ADO_OBJ	N	VARCHAR2(30)	nvarchar(30)	object code
ADO_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
ADO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

[illegible]

ADO_UDFNUM41	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM42	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM43	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM44	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM45	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM46	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM47	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM48	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM49	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFNUM50	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE06	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE07	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE08	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE09	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE10	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE11	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE12	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE13	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE14	Y	DATE	datetime	User defined field of type Date
ADO_UDFDATE15	Y	DATE	datetime	User defined field of type Date
ADO_CREATED	Y	DATE	datetime	record creation timestamp
ADO_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
ADO_UPDATED	Y	DATE	datetime	record update timestamp
ADO_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
ADO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTEXCEPTIONS

Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ALX_ALERT	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
ALX_ENTITYCODE	N	VARCHAR2(30)	nvarchar(30)	Used in conjunction with r5alerts.alt_rentity and alx_org to uniquely identify a record in the system.
ALX_ENTITYORG	Y	VARCHAR2(15)	nvarchar(15)	Used in conjunction with r5alerts.alt_rentity and alx_code to uniquely identify a record in the system.
ALX_MINVALUE	Y	NUMBER(24,6)	numeric(24,6)	Establishes the lower inclusive boundary for determining an acceptable value.
ALX_MAXVALUE	Y	NUMBER(24,6)	numeric(24,6)	Establishes the upper inclusive boundary for determining an acceptable value.
ALX_WITHINVALUES	N	VARCHAR2(1)	nvarchar(1)	Indicates an acceptable value must fall within or outside the range established by min and max values.
ALX_DELAY	Y	NUMBER(8,0)	numeric(8,0)	Used in conjunction with delayuom to define the duration of time the system should refrain from creating additional alerts for the identified code/org/alert.
ALX_DELAYUOM	Y	VARCHAR2(10)	nvarchar(10)	Used in conjunction with delay to define the duration of time the system should refrain from creating additional alerts for the identified code/org/alert.
ALX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTGENERATEWO

Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AGW_ALERT	N	VARCHAR2(30)	nvarchar(30)	
AGW_TYPE	Y	VARCHAR2(8)	nvarchar(8)	
AGW_GENERATETHROUGHFIELDID	Y	NUMBER(14,0)	numeric(14,0)	

AGW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AGW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AGW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTGRIDDATA Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AGD_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the grid data record.
AGD_ALERT	Y	VARCHAR2(30)	nvarchar(30)	The alert code the grid data belongs to
AGD_GRIDID	Y	NUMBER(14,0)	numeric(14,0)	The grid ID used to retrieve the grid data.
AGD_DATASPYID	Y	NUMBER(14,0)	numeric(14,0)	The dataspy used to retrieve the grid data.
AGD_DATE	Y	DATE	datetime	The date the grid data record was inserted.
AGD_RECIPIENT	Y	VARCHAR2(1000)	nvarchar(1000)	The recipient of the grid data record.
AGD_DESCRIPTION	Y	VARCHAR2(1000)	nvarchar(1000)	The description of the grid data record.
AGD_DATA	Y	CLOB	nvarchar(max)	The actual grid data.
AGD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AGD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTGRIDPARAMS Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AGP_ALERT	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
AGP_PARAM	N	VARCHAR2(50)	nvarchar(50)	Identifies the parameter being used by the grid specified in the alert management definition.
AGP_VALUE	Y	VARCHAR2(256)	nvarchar(256)	Stores text values to be used for the grid parameter when evaluating an alert.
AGP_NVALUE	Y	NUMBER(24,6)	numeric(24,6)	Stores numeric values to be used for the grid parameter when evaluating an alert.
AGP_DVALUE	Y	DATE	datetime	Stores date values to be used for the grid parameter when evaluating an alert.
AGP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AGP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AGP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTHISTORY Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ALH_ALERT	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
ALH_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Identifies the status of an alert (eg. F[ailed] or S[uccessful])
ALH_RTYPE	N	VARCHAR2(4)	nvarchar(4)	Identifies the type of alert being recorded (eg. E[-mail] or W[ork Order])
ALH_ENTITYCODE	Y	VARCHAR2(200)	nvarchar(200)	Used in conjunction with r5alerts.alt_rentity and alh_entityorg to identify a record in the system.
ALH_ENTITYORG	Y	VARCHAR2(200)	nvarchar(200)	Used in conjunction with r5alerts.alt_rentity and alh_entitycode to uniquely identify a record in the system.
ALH_TEMPLATE	Y	VARCHAR2(18)	nvarchar(18)	Identifies the specific alert mail template sent for an entity/org combination.
ALH_RESULTCODE	Y	VARCHAR2(30)	nvarchar(30)	Used in conjunction with alh_resultorg to identify the record created during the alert processing (eg. work order code, email event code).
ALH_RESULTORG	Y	VARCHAR2(15)	nvarchar(15)	Used in conjunction with alh_resultcode to identify the record created during the alert processing.
ALH_ERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Describes the error encountered.
ALH_CREATED	Y	DATE	datetime	record creation timestamp
ALH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTIONPULSE Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ALI_ALERT	N	VARCHAR2(30)	nvarchar(30)	The alert code the ion pulse record belongs to.
ALI_DELAY	Y	NUMBER(8,0)	numeric(8,0)	The delay of the ion pulse record.
ALI_DELAYUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the delay of the ion pulse record.
ALI_RECIPIENTFIELDID	Y	NUMBER(14,0)	numeric(14,0)	The field id used to retrieve the recipient of the ion pulse record.
ALI_DESCRIPTIONFIELDID	Y	NUMBER(14,0)	numeric(14,0)	The field id used to retrieve the description of the ion pulse record.
ALI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTMAIL	Stores data relevant to generati			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
ALM_ALERT	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
ALM_TEMPLATE	N	VARCHAR2(18)	nvarchar(18)	Identifies the email content and recipient for an email alert.
ALM_DELAY	Y	NUMBER(8,0)	numeric(8,0)	Used in conjunction with delayuom to define the duration of time the system should refrain from creating additional emails for this alert/equipment combination.
ALM_DELAYUOM	Y	VARCHAR2(10)	nvarchar(10)	Used in conjunction with delay to define the duration of time the system should refrain from creating additional emails for this alert/equipment combination.
ALM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTS	Alert Management System			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
ALT_CODE	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
ALT_DESC	N	VARCHAR2(80)	nvarchar(80)	Describes an alert definition.
ALT_GRIDID	N	NUMBER(14,0)	numeric(14,0)	Used in conjunction with dataspyid to identify the query used to evaluate for necessary alerts.
ALT_DATASPYID	Y	NUMBER(14,0)	numeric(14,0)	Used in conjunction with gridid to identify the query used to evaluate for necessary alerts.
ALT_FREQ	N	NUMBER(8,0)	numeric(8,0)	Used in conjunction with frequom to define the desired frequency for evaluating a given alert definition.
ALT_FREQUOM	N	VARCHAR2(10)	nvarchar(10)	Used in conjunction with freq to define the desired frequency for evaluating a given alert definition.
ALT_NEXTEVAL	Y	DATE	datetime	Indicates the next earliest time the alert definition should be evaluated.
ALT_LASTEVAL	Y	DATE	datetime	Indicates the last time an alert definition was evaluated.
ALT_LASTALERT	Y	DATE	datetime	Indicates the last time one or more alerts was issued for an alert definition.
ALT_USEMINMAX	N	VARCHAR2(1)	nvarchar(1)	Affirms results from the grid should be evaluated further using the supplied min/max values. That is, the author of the alert chose not to develop the criteria in the grid definition itself.
ALT_MINVALUE	Y	NUMBER(24,6)	numeric(24,6)	Establishes the lower inclusive boundary for determining an acceptable value.
ALT_MAXVALUE	Y	NUMBER(24,6)	numeric(24,6)	Establishes the upper inclusive boundary for determining an acceptable value.
ALT_WITHINVALUES	N	VARCHAR2(1)	nvarchar(1)	Indicates an acceptable value must fall within or outside the range established by min and max values.
ALT_VALUEFIELDID	Y	NUMBER(14,0)	numeric(14,0)	When useminmax is enabled, this field identifies the grid result column containing data needing to be evaluated against the min/max values.
ALT_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	Identifies the type of data being queried for by the grid (eg. equipment, parts, etc).
ALT_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	Identifies the specific user-defined entity type.
ALT_CODEFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field that contains the entity code value related to alt_rentity.
ALT_ORGFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field that contains the entity org value related to alt_rentity.
ALT_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	Affirms whether the alert definition is active.
ALT_ENABLEWO	N	VARCHAR2(1)	nvarchar(1)	Affirms whether work order alerts are enabled for an alert definition.
ALT_ENABLEMAIL	N	VARCHAR2(1)	nvarchar(1)	Affirms whether email alerts are enabled for an alert definition.
ALT_INPROGRESS	N	VARCHAR2(1)	nvarchar(1)	Indicates the system is currently evaluating the alert definition.
ALT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ALT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

ALT_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ALT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ALT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ALT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ALT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ALT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ALT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ALT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ALT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ALT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ALT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ALT_CREATED	Y	DATE	datetime	record creation timestamp
ALT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
ALT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALT_SOURCE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ALT_ENABLEIONPULSE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this alert should capture/store grid data.
ALT_ENABLEGENERATEWO	Y	VARCHAR2(1)	nvarchar(1)	
ALT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALT_IMPORT_REF	Y	VARCHAR2(80)	nvarchar(80)	
ALT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTSQL Stores user-defined database cod

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ALS_ALERT	N	VARCHAR2(30)	nvarchar(30)	Alert Management System
ALS_RTYPE	N	VARCHAR2(4)	nvarchar(4)	Indicates whether the code is executed prior to or following alert evaluation.
ALS_STMT	Y	VARCHAR2(4000)	nvarchar(4000)	User-defined code to be executed during evaluation of an alert
ALS_ABORTONFAILURE	N	VARCHAR2(1)	nvarchar(1)	Indicates whether failures encountered executing before statements should stop alert evaluation.
ALS_INCLUDEPREVIEW	N	VARCHAR2(1)	nvarchar(1)	Indicates the code should be executed when user chooses to preview the grid associated to an alert definition.
ALS_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	Affirms code should be executed during evaluation of an alert.
ALS_COMMENT	Y	VARCHAR2(240)	nvarchar(240)	Description of the user-defined code.
ALS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTTEXTPARAMS Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATP_ALERT	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
ATP_RTYPE	N	VARCHAR2(4)	nvarchar(4)	Indicates the type of parameter being stored (ie. M[ail], C[omment], or D[escription])
ATP_TEMPLATE	Y	VARCHAR2(18)	nvarchar(18)	Identifies the email content and recipient for an email alert.
ATP_PARAMETER	N	NUMBER(4,0)	numeric(4,0)	Identifies the parameter being replaced.
ATP_FIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the field supplying data to be used during parameter substitution.
ATP_VALUE	Y	VARCHAR2(80)	nvarchar(80)	Identifies a hard-coded value that should be used during parameter substitution.
ATP_INCLUDERECIPIENT	N	VARCHAR2(1)	nvarchar(1)	Affirms mail parameters should apply to recipient list as well as email body.
ATP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ATP_REPORTPARAMETER	Y	NUMBER(2,0)	numeric(2,0)	The report parameter belonging to the alert parameter.
ATP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTWO Alert Management System

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ALW_ALERT	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

ALW_DELAY	Y	NUMBER(8,0)	numeric(8,0)	Used in conjunction with delayuom to define the duration of time the system should refrain from creating additional work orders for this alert/equipment combination.
ALW_DELAYUOM	Y	VARCHAR2(10)	nvarchar(10)	Used in conjunction with delay to define the duration of time the system should refrain from creating additional work orders for this alert/equipment combination.
ALW_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	Identifies the standard work order value that should be used when creating work orders from this alert definition.
ALW_WORKORDERORG	Y	VARCHAR2(15)	nvarchar(15)	Identifies the actual work order organization value to be used when creating work orders from this alert definition.
ALW_OBJECTFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the equipment to be used when creating work orders from this alert definition.
ALW_OBJECTORGFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the equipment organization to be used when creating work orders from this alert definition.
ALW_WORKORDERORGFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the work order organization to be used when creating work orders from this alert definition.
ALW_PROBLEMCODEFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the problem code to be used when creating work orders from this alert definition.
ALW_JOBTYPEFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the work order type to be used when creating work orders from this alert definition.
ALW_PRIORITYFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the priority to be used when creating work orders from this alert definition.
ALW_DURATIONFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the duration to be used when creating work orders from this alert definition.
ALW_SCHEDSTARTFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the scheduled start date to be used when creating work orders from this alert definition.
ALW_REQUESTSTARTFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the requested start date to be used when creating work orders from this alert definition.
ALW_REQUESTENDFIELDID	Y	NUMBER(14,0)	numeric(14,0)	Identifies the grid field containing the requested end date to be used when creating work orders from this alert definition.
ALW_WODESC	Y	VARCHAR2(80)	nvarchar(80)	Identifies the description text and grid field parameter(s) that should be used when creating work orders from this alert definition.
ALW_WOCOMMENT	Y	LONG	ntext	Identifies the comment text and grid field parameter(s) that should be used when creating work orders from this alert definition.
ALW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ALW_INCLUDENONCONFORMITIES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether nonconformities should be created for the created alert work order.
ALW_DUENONCONFORMITIESONLY	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether only due nonconformities should be created for the created alert work order.
ALW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ALW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALERTWOFIELDMAPPING	Alert Management System			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWF_ALERT	N	VARCHAR2(30)	nvarchar(30)	The alert code the work order column belongs to.
AWF_WOFIELD	N	VARCHAR2(30)	nvarchar(30)	The column which should get a value from the alert grid, when creating the alert work order.
AWF_GRIDFIELD	N	NUMBER(14,0)	numeric(14,0)	The grid field which is used to give the work order column a value.
AWF_GRIDFIELDDATATYPE	N	VARCHAR2(10)	nvarchar(10)	The data type of the work order column.
AWF_BOILERTEXTNUMBER	N	NUMBER(4,0)	numeric(4,0)	The boiler text number (from the Work Orders screen) of the work order column.
AWF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALLTEXTS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATX_CODE	N	VARCHAR2(30)	nvarchar(30)	text code
ATX_TEXTTYPE	N	VARCHAR2(4)	nvarchar(4)	type of text string: boilertetxs, help text, etc
ATX_LANG	N	VARCHAR2(2)	nvarchar(2)	language
ATX_TEXT	Y	VARCHAR2(2000)	nvarchar(2000)	text string
ATX_LASTMODIFIED	Y	DATE	datetime	update time stamp
ATX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ATX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALTERNATESCREENFLOWS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASF_CODE	N	VARCHAR2(30)	nvarchar(30)	Alternate Flow Code/Auto Number
ASF_SCREENFLOWCODE	Y	VARCHAR2(6)	nvarchar(6)	Screen Flow Code
ASF_FROMSEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	From Sequence
ASF_THENSEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	Then Sequence
ASF_ELSESEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	Else Sequence
ASF_DDSPYID	Y	NUMBER(14,0)	numeric(14,0)	Reference to r5dddataspy.dds_ddspyid

ASF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ASF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ASF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ALTERNATEUOMS	T.B.D.			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AUM_CODE	N	VARCHAR2(30)	nvarchar(30)	
AUM_PARENTUOM	N	VARCHAR2(30)	nvarchar(30)	
AUM_CREATED	Y	DATE	datetime	Creation timestamp
AUM_UPDATED	Y	DATE	datetime	Update timestamp
AUM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AUM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AUM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSCENARIOCAMPAIGN	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APC_APMSCENARIO	N	VARCHAR2(30)	nvarchar(30)	
APC_APMSCENARIO_ORG	N	VARCHAR2(15)	nvarchar(15)	
APC_CAMPAIGN	N	VARCHAR2(30)	nvarchar(30)	
APC_CAMPAIGN_ORG	N	VARCHAR2(15)	nvarchar(15)	
APC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSCENARIOEQUIPMENT	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEQ_APMSCENARIO	N	VARCHAR2(30)	nvarchar(30)	
AEQ_APMSCENARIO_ORG	N	VARCHAR2(15)	nvarchar(15)	
AEQ_EQUIPMENT	N	VARCHAR2(30)	nvarchar(30)	
AEQ_EQUIPMENT_ORG	N	VARCHAR2(15)	nvarchar(15)	
AEQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSCENARIOPROJECTS	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APJ_APMSCENARIO	N	VARCHAR2(30)	nvarchar(30)	
APJ_APMSCENARIO_ORG	N	VARCHAR2(15)	nvarchar(15)	
APJ_PROJECT	N	VARCHAR2(20)	nvarchar(20)	
APJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APJ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSCENARIOS	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASR_CODE	N	VARCHAR2(30)	nvarchar(30)	
ASR_ORG	N	VARCHAR2(15)	nvarchar(15)	
ASR_DESC	N	VARCHAR2(80)	nvarchar(80)	
ASR_STATUS	N	VARCHAR2(4)	nvarchar(4)	
ASR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
ASR_YEAR	Y	NUMBER(4,0)	numeric(4,0)	
ASR_COUNTRY	Y	VARCHAR2(8)	nvarchar(8)	
ASR_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	
ASR_STARTDATE	Y	DATE	datetime2	

ASR_ENDDATE	Y	DATE	datetime2	
ASR_CREATED	Y	DATE	datetime2	Creation timestamp
ASR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
ASR_UPDATED	Y	DATE	datetime2	Update timestamp
ASR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
ASR_ASSETCONDPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
ASR_SAFETYPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
ASR_RELIABILITYPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
ASR_OMCOSTPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
ASR_FUNDINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
ASR_FUNDINGORG	Y	VARCHAR2(15)	nvarchar(15)	
ASR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASR_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
ASR_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
ASR_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
ASR_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
ASR_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
ASR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

ASR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ASR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ASR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSCENARIOWORKORDER

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APW_APMSCENARIO	N	VARCHAR2(30)	nvarchar(30)	
APW_APMSCENARIO_ORG	N	VARCHAR2(15)	nvarchar(15)	
APW_EVENT	N	VARCHAR2(30)	nvarchar(30)	
APW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSNONCONFORMITIES

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APN_APMSCENARIO	N	VARCHAR2(30)	nvarchar(30)	
APN_APMSCENARIO_ORG	N	VARCHAR2(15)	nvarchar(15)	
APN_NONCONFORMITY	N	VARCHAR2(30)	nvarchar(30)	
APN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APMSPMSCHEDULE

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASH_APMSCENARIO	N	VARCHAR2(30)	nvarchar(30)	
ASH_APMSCENARIO_ORG	N	VARCHAR2(15)	nvarchar(15)	
ASH_PMSCHEDULE	N	VARCHAR2(20)	nvarchar(20)	
ASH_LASTSAVED	Y	DATE	datetime	Timestamp of last update
ASH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ASH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APPROVELISTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APL_CODE	N	VARCHAR2(8)	nvarchar(8)	approval list code.
APL_DESC	N	VARCHAR2(80)	nvarchar(80)	description of approval list.
APL_ORG	N	VARCHAR2(15)	nvarchar(15)	approval list organization
APL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APL_RCAPPROVERS	Y	VARCHAR2(1)	nvarchar(1)	
APL_RESERVATIONCALENDAR_OWNERS	Y	VARCHAR2(1)	nvarchar(1)	
APL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5APPROVEUSERS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APU_LIST	N	VARCHAR2(8)	nvarchar(8)	approval list.
APU_USER	N	VARCHAR2(255)	nvarchar(255)	user.
APU_SEQ	Y	NUMBER(2,0)	numeric(2,0)	sequence for approval.
APU_RESP	Y	VARCHAR2(25)	nvarchar(25)	responsibility of approver.
APU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCACTIVITIES

ARCHIVED

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
AAC_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity sequence number
AAC_START	Y	DATE	datetime	start date.
AAC_TIME	Y	NUMBER(5,2)	numeric(5,2)	time that activity starts
AAC_HIRE	Y	VARCHAR2(1)	nvarchar(1)	checked: activity is ordered via service orders.
AAC_ORDERED	Y	VARCHAR2(1)	nvarchar(1)	ordered ? flag
AAC_FIXH	Y	VARCHAR2(1)	nvarchar(1)	fixed hours/day ? flag
AAC_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc
AAC_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade associated with this activity.
AAC_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of persons required
AAC_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
AAC_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
AAC_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration in days for this activity.
AAC_EST	Y	NUMBER	numeric(24,6)	estimated hours
AAC_REM	Y	NUMBER	numeric(24,6)	original estimate of number of hours for this activity.
AAC_NT	Y	NUMBER	numeric(24,6)	normal hours spent
AAC_NTRATE	Y	NUMBER	numeric(24,6)	estimated overall rate
AAC_TASK	Y	VARCHAR2(20)	nvarchar(20)	task list associated with this activity.
AAC_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	material list for this activity.
AAC_SPECIAL	Y	VARCHAR2(1)	nvarchar(1)	special day flag
AAC_ARCDATE	Y	DATE	datetime	achieve date
AAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCADEDETAILS		ARCHIVED		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAD_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (user code).
AAD_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
AAD_TYPE	Y	VARCHAR2(4)	nvarchar(4)	user type
AAD_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	system type.
AAD_CODE	Y	VARCHAR2(24)	nvarchar(24)	entity occurrence code.
AAD_LANG	Y	VARCHAR2(2)	nvarchar(2)	language code.
AAD_LINE	Y	NUMBER(8,0)	numeric(8,0)	page/sequence number.
AAD_PRINT	Y	VARCHAR2(1)	nvarchar(1)	value is + if text is to be printed.
AAD_TEXT	Y	LONG	ntext	free-format text.
AAD_ARCDATE	Y	DATE	datetime	date archived.
AAD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCBOOKEDHOURS		ARCHIVED		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ABO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
ABO_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity sequence number
ABO_DATE	Y	DATE	datetime	date on which work was completed.
ABO_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade (denorm.)
ABO_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc (denorm.)
ABO_PERSON	Y	VARCHAR2(15)	nvarchar(15)	personnel code of individual employee.
ABO_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of occupation.
ABO_OCRTYPE	Y	VARCHAR2(4)	nvarchar(4)	system occ type
ABO_ON	Y	NUMBER(5,0)	numeric(5,0)	time on.
ABO_OFF	Y	NUMBER(5,0)	numeric(5,0)	time off.

ABO_HOURS	Y	NUMBER	numeric(24,6)	number of hours worked.
ABO_RATE	Y	NUMBER	numeric(24,6)	hourly rate.
ABO_COST	Y	NUMBER	numeric(24,6)	hours * rate (denorm.)
ABO_ENTERED	Y	DATE	datetime	to track corrections
ABO_ACD	Y	NUMBER	bigint	financial interface
ABO_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	financial interface
ABO_GLTRANSFER	Y	DATE	datetime	financial interface
ABO_ARCDATE	Y	DATE	datetime	achieve date
ABO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ABO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ABO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCEVENTS	ARCHIVED			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AVE_CODE	Y	VARCHAR2(30)	nvarchar(30)	unique event code
AVE_DESC	Y	VARCHAR2(80)	nvarchar(80)	description, comment
AVE_TYPE	Y	VARCHAR2(4)	nvarchar(4)	event type (user defined). class
AVE_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	corresponding system type
AVE_DATE	Y	DATE	datetime	event date
AVE_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status of event (user defined)
AVE_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	corresponding system status
AVE_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc
AVE_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	location type
AVE_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code
AVE_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code
AVE_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	whether jobcard has been printed
AVE_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
AVE_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
AVE_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	user object type
AVE_OBRYP	Y	VARCHAR2(4)	nvarchar(4)	system object type
AVE_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
AVE_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	standard workorder code
AVE_PPM	Y	VARCHAR2(20)	nvarchar(20)	ppm code
AVE_FREQ	Y	NUMBER(8,0)	numeric(8,0)	frequency
AVE_ISSTYP	Y	VARCHAR2(1)	nvarchar(1)	if filled then variable else fixed
AVE_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code
AVE_METERDUE	Y	NUMBER	numeric(24,6)	meter value
AVE_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
AVE_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	new routing code not yet used
AVE_FIXED	Y	VARCHAR2(1)	nvarchar(1)	fixed or not ? flag
AVE_TARGET	Y	DATE	datetime	target date
AVE_EARLYSTART	Y	DATE	datetime	earliest start date
AVE_LATEEND	Y	DATE	datetime	latest end date
AVE_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration
AVE_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent of job
AVE_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	filled job cannot be comp.
AVE_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	originator
AVE_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code
AVE_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	new cause code
AVE_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code
AVE_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	new type of job
AVE_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority
AVE_REPORTED	Y	DATE	datetime	date/time reported
AVE_START	Y	DATE	datetime	actual start date

AVE_DUE	Y	DATE	datetime	due date
AVE_COMPLETED	Y	DATE	datetime	date/time of completion
AVE_DOWNTIME	Y	NUMBER	numeric(24,6)	downtime
AVE_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	value of the uom at the time of the failure.
AVE_METERREADING	Y	NUMBER(24,6)	numeric(24,6)	meter reading at which preventive maintenance was due.
AVE_METUOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure of meter.
AVE_MAXCOST	Y	NUMBER(24,6)	numeric(24,6)	maximum cost of work order.
AVE_SCREENER	Y	VARCHAR2(255)	nvarchar(255)	username of last screener of work order.
AVE_ROUTEDFROM	Y	VARCHAR2(255)	nvarchar(255)	username of previous screener of work order.
AVE_ROUTEREASON	Y	VARCHAR2(240)	nvarchar(240)	description of reason why work order was routed to last screener.
AVE_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	checked: object was under warranty at the time of the job.
AVE_ACD	Y	NUMBER	bigint	financial interface
AVE_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	system user who entered job
AVE_ARCDATE	Y	DATE	datetime	archive date
AVE_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	failure code.
AVE_DOWNTIMEHRS	Y	NUMBER	numeric(24,6)	downtime of object of work order (in hours).
AVE_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AVE_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
AVE_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
AVE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AVE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AVE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSARCHIVERESULTS

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARE_PK	N	NUMBER(38,0)	numeric(38,0)	The unique identifier of a result record. New sequence s5archiveresults is used to populate a value into this column.
ARE_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	The unique identifier of an archive.
ARE_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	The system entity.
ARE_CODE	Y	VARCHAR2(60)	nvarchar(60)	The actual code (of for instance a work order).
ARE_PARENTRENTITY	Y	VARCHAR2(4)	nvarchar(4)	The parent system entity.
ARE_PARENT	Y	VARCHAR2(60)	nvarchar(60)	The actual parent code.
ARE_RESULT	Y	NUMBER(3,0)	numeric(3,0)	The number of the result.
ARE_ERRORMESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	The Oracle error message in case of an unspecified error.
ARE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ARE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSARCHIVES

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARC_CODE	N	NUMBER(38,0)	numeric(38,0)	The unique identifier of an archive. New sequence s5Archives is used to populate a value into this column.
ARC_DATE	Y	DATE	datetime	The date the archive record was created.
ARC_USER	Y	VARCHAR2(255)	nvarchar(255)	The user who started the archive.
ARC_ENDDATE	Y	DATE	datetime	The date through which to archive.
ARC_EVENTS	Y	VARCHAR2(1)	nvarchar(1)	Should work orders be archived?
ARC_ORDERS	Y	VARCHAR2(1)	nvarchar(1)	Should purchase orders be archived?
ARC_TRANS	Y	VARCHAR2(1)	nvarchar(1)	Should transactions be archived?
ARC_AUDIT	Y	VARCHAR2(1)	nvarchar(1)	The actual number of audits archived.
ARC_ELEC	Y	VARCHAR2(1)	nvarchar(1)	The actual number of electronic records archived.
ARC_ESTEVENTS	Y	NUMBER(10,0)	numeric(10,0)	The estimated number of work orders to be archived.
ARC_ESTORDERS	Y	NUMBER(10,0)	numeric(10,0)	The estimated number of purchase orders to be archived.
ARC_ESTTRANS	Y	NUMBER(10,0)	numeric(10,0)	The estimated number of transactions to be archived.
ARC_ESTAUDIT	Y	NUMBER(10,0)	numeric(10,0)	The estimated number of audits to be archived.
ARC_ESTelec	Y	NUMBER(10,0)	numeric(10,0)	The estimated number of electronic records to be archived.
ARC_ACTEVENTS	Y	NUMBER(10,0)	numeric(10,0)	The actual number of work orders archived.

ARC_ACTORDERS	Y	NUMBER(10,0)	numeric(10,0)	The actual number of purchase orders archived.
ARC_ACTTRANS	Y	NUMBER(10,0)	numeric(10,0)	The actual number of transactions archived.
ARC_ACTAUDIT	Y	NUMBER(10,0)	numeric(10,0)	The actual number of audits archived.
ARC_ACTELEC	Y	NUMBER(10,0)	numeric(10,0)	The actual number of electronic records archived.
ARC_STOP	Y	VARCHAR2(1)	nvarchar(1)	Determines whether the archive process should be stopped.
ARC_INPROGRESS	Y	VARCHAR2(1)	nvarchar(1)	Determines whether the archive is still in progress.
ARC_SCHEDULED	Y	VARCHAR2(1)	nvarchar(1)	Determines whether the archive is scheduled. Defaults to -
ARC_SCHEDULEDTIME	Y	DATE	datetime	The date and time the archive is scheduled to run
ARC_OUTPUT	Y	VARCHAR2(2)	nvarchar(2)	Holds the value of the ouput parameter of package procedure o7archivedata.archivedata
ARC_LASTCREATED	Y	DATE	datetime	The last date a change has been made.
ARC_STOPPEDDATE	Y	DATE	datetime	The date the archive process has stopped.
ARC_STARTED	Y	DATE	datetime	The date the actual archive was started.
ARC_COMPLETED	Y	DATE	datetime	The date the actual archive was completed. This column will not get a value if the archive process is terminated prematurely.
ARC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ARC_CALLCENTER	Y	VARCHAR2(1)	nvarchar(1)	Should call center records be archived?
ARC_ESTCALLCENTER	Y	NUMBER(10,0)	numeric(10,0)	The estimated number of call center records to be archived.
ARC_ACTCALLCENTER	Y	NUMBER(10,0)	numeric(10,0)	The actual number of call center records archived.
ARC_JOBTYPE	Y	VARCHAR2(500)	nvarchar(500)	The job type selection criterion when archiving work orders.
ARC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCHIVETEMP		ASSET TRACKING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ART_SESSIONID	Y	VARCHAR2(30)	nvarchar(30)	identification of user logon session (genarated by database).
ART_ACTION	Y	VARCHAR2(30)	nvarchar(30)	action.
ART_TRANSAPIID	Y	NUMBER	int	transaction number of api transaction.
ART_TRANSORGID	Y	NUMBER	bigint	transaction number of original tracking transaction.
ART_TRANSGROUP	Y	NUMBER	int	transaction group sequence number.
ART_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user, see entity trtp).
ART_APIRTYPE	Y	VARCHAR2(4)	nvarchar(4)	open interface type (system code, see entity iftp).
ART_APITABLE	Y	VARCHAR2(32)	nvarchar(32)	open interface table name.
ART_APIPREFIX	Y	VARCHAR2(24)	nvarchar(24)	prefix.
ART_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCINTERROERS		ASSET TRACKING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATE_TRANSORGID	N	NUMBER	bigint	original tracking transaction number.
ATE_TRANSGROUP	Y	NUMBER	int	transaction group sequence number.
ATE_SESSIONID	Y	NUMBER	int	identification of user logon session (genarated by database).
ATE_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
ATE_CREATE	Y	DATE	datetime	creation date.
ATE_ERRSOURCE	Y	VARCHAR2(32)	nvarchar(32)	error source.
ATE_ERRTYPE	Y	VARCHAR2(10)	nvarchar(10)	error type.
ATE_ERRNUMBER	Y	VARCHAR2(10)	nvarchar(10)	error number.
ATE_ERRMSG	Y	VARCHAR2(240)	nvarchar(240)	error message.
ATE_RESOLUTION	Y	DATE	datetime	resolution date.
ATE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCORDCLAUSES		ARCHIVED		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AOC_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
AOC_CLAUSE	Y	VARCHAR2(8)	nvarchar(8)	clause code.
AOC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

AOC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCORDERLINES	ARCHIVED

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AOL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
AOL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
AOL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
AOL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
AOL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
AOL_PART	Y	VARCHAR2(30)	nvarchar(30)	code of part.
AOL_DUE	Y	DATE	datetime	delivery due date.
AOL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price per purchase unit of measure in supplier currency.
AOL_CURR	Y	VARCHAR2(3)	nvarchar(3)	code of currency.
AOL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AOL_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be ordered in issue uom.
AOL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date.
AOL_RECVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date.
AOL_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced to-date.
AOL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
AOL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
AOL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
AOL_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract code.
AOL_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
AOL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	work order number.
AOL_ACT	Y	NUMBER(8,0)	numeric(8,0)	work order activity number.
AOL_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
AOL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
AOL_INVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value invoiced to-date.
AOL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	part, fixed-price service, etc.
AOL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	user type
AOL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if delivery is outstanding.
AOL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conv factor issue to purch
AOL_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
AOL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order line status code (system code).
AOL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order line status code (user code).
AOL_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
AOL_REVISED	Y	DATE	datetime	purchase order revision date.
AOL_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	this size is used for mcs conv
AOL_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number.
AOL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	from ext purch system
AOL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
AOL_ACD	Y	NUMBER	bigint	financial interface
AOL_INTERFACE	Y	DATE	datetime	financial interface
AOL_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	originator code.
AOL_ARCDATE	Y	DATE	datetime	archive date
AOL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part code organization
AOL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AOL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCORDER	ARCHIVED

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AOR_CODE	Y	VARCHAR2(30)	nvarchar(30)	purchase order code.
AOR_DESC	Y	VARCHAR2(80)	nvarchar(80)	purchase order description.
AOR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.

AOR_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code).
AOR_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (system code).
AOR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
AOR_DATE	Y	DATE	datetime	purchase order date.
AOR_DUE	Y	DATE	datetime	purchase order due date.
AOR_APPROV	Y	DATE	datetime	approval date.
AOR_STATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (user code).
AOR_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (system code).
AOR_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of authorizer of purchase order.
AOR_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract code.
AOR_DISCPERC	Y	NUMBER(4,1)	numeric(4,1)	discount percentage.
AOR_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
AOR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price of order
AOR_CURR	Y	VARCHAR2(3)	nvarchar(3)	code of currency.
AOR_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AOR_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	originator.
AOR_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
AOR_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if order has been printed.
AOR_BUYER	Y	VARCHAR2(255)	nvarchar(255)	buyer code.
AOR_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies payment terms for purchases.
AOR_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies how freight charges will be paid.
AOR_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies ship-via methods.
AOR_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point for this vendor site.
AOR_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	default approver code
AOR_REVISION	Y	NUMBER(4,0)	numeric(4,0)	revision number of a document.
AOR_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	this size is used for mcs conv
AOR_BLANKETRELEASE	Y	NUMBER	int	this order was created from this blanket release.
AOR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	external purch system
AOR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
AOR_INTERFACE	Y	DATE	datetime	financial interface
AOR_ARCDATE	Y	DATE	datetime	archive date
AOR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AOR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AOR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCPERMEVENTS

ARCHIVED

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APE_CODE	Y	VARCHAR2(12)	nvarchar(12)	permit code
APE_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event for which permit is issued
APE_PERMIT	Y	VARCHAR2(12)	nvarchar(12)	code of permit.
APE_DATE	Y	DATE	datetime	date permit was printed.
APE_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	status of permit
APE_ARCDATE	Y	DATE	datetime	achieve date
APE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARCTRAKDATA

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATD_TRANSORGID	N	NUMBER	bigint	transid
ATD_CREATED	Y	DATE	datetime	defaults to sysdate
ATD_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ATD_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ATD_TRANS	N	VARCHAR2(4)	nvarchar(4)	transaction type

ATD_TRACKDATE	N	DATE	datetime	date tracking transaction created.
ATD_SESSIONID	Y	NUMBER	int	session id
ATD_DATA1	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA2	Y	VARCHAR2(255)	nvarchar(255)	archive data 2
ATD_DATA3	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA4	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA5	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA6	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA7	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA8	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA9	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA10	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA11	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA12	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA13	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA14	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA15	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA16	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA17	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA18	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA19	Y	VARCHAR2(255)	nvarchar(255)	archive data 19
ATD_DATA20	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA21	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA22	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA23	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA24	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA25	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA26	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA27	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA28	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA29	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA30	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA31	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA32	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA33	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA34	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA35	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA36	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA37	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA38	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA39	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA40	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA41	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA42	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA43	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA44	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA45	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA46	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA47	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA48	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA49	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_DATA50	Y	VARCHAR2(255)	nvarchar(255)	archive data
ATD_STATUS	Y	VARCHAR2(1)	nvarchar(1)	status of the transaction
ATD_ERRORSTATUS	Y	VARCHAR2(1)	nvarchar(1)	error status of the transaction

ATD_POSTED	Y	DATE	datetime	posted date for transaction
ATD_DATA51	Y	LONG	ntext	archive data 51 for comments text
ATD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARRANGEMENTS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARR_CODE	N	VARCHAR2(12)	nvarchar(12)	arrangement code. must be unique.
ARR_DESC	N	VARCHAR2(80)	nvarchar(80)	arrangement description.
ARR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ARR_CUSTOM_TARIFF	Y	VARCHAR2(1)	nvarchar(1)	value is + if custom tariffs have been defined for internal labor charges.
ARR_MAT_SPECIFIC	Y	VARCHAR2(1)	nvarchar(1)	value is + if part classification mark-ups have been defined for stocked material charges.
ARR_LAB_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	percentage of actual cost to be charged for internal labor (if no custom tariffs).
ARR_MAT_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	percentage of material markups
ARR_HIR_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	percentage of actual cost to be charged for contract labor.
ARR_DMA_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	percentage of actual cost to be charged for direct material purchases.
ARR_FIX_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	percentage of actual cost to be charged for fixed price services.
ARR_ADD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	amount of fixed price additional charge, to be added to each job charge.
ARR_TIME_ROUNDUP	Y	NUMBER(4,0)	numeric(4,0)	number of minutes internal labor hours are to be rounded up to.
ARR_MIN_TIME	Y	NUMBER(4,0)	numeric(4,0)	minimum time to be charged for internal labor (minutes).
ARR_TOL_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	field to hold tool usage charge percentage
ARR_ORG	N	VARCHAR2(15)	nvarchar(15)	arrangement organization
ARR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ARR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ARR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARRJOBS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AJO_ARRANGEMENT	N	VARCHAR2(12)	nvarchar(12)	arrangement code.
AJO_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
AJO_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	job type code (user code).
AJO_OBJCLASS	N	VARCHAR2(8)	nvarchar(8)	object classification code.
AJO_OBJCLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	object classification code organization
AJO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AJO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AJO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARRPARTS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APA_ARRANGEMENT	N	VARCHAR2(12)	nvarchar(12)	arrangement code.
APA_PARCLASS	N	VARCHAR2(8)	nvarchar(8)	part classification code.
APA_CHARGE	Y	NUMBER(5,2)	numeric(5,2)	percentage of actual cost to be charged for stocked materials of this part classification.
APA_PARCLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	part classification code organization
APA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ARRPRICES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARP_ARRANGEMENT	N	VARCHAR2(12)	nvarchar(12)	arrangement code
ARP_ORG	N	VARCHAR2(15)	nvarchar(15)	organization
ARP_ADD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	fixed/added
ARP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

ARP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASPECTPOINTS	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
APO_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code)
APO_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code)
APO_ASPECT	N	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
APO_POINT	N	VARCHAR2(30)	nvarchar(30)	inspection point number.
APO_POINTTYPE	N	VARCHAR2(30)	nvarchar(30)	inspection point type.
APO_MAX	Y	NUMBER(24,6)	numeric(24,6)	maximum value.
APO_MAXEXTR	Y	NUMBER(24,6)	numeric(24,6)	maximum possible value.
APO_MAXPPM	Y	VARCHAR2(20)	nvarchar(20)	ppm number for maximum.
APO_MAXSTWO	Y	VARCHAR2(20)	nvarchar(20)	standard job code.
APO_MAXTOL	Y	NUMBER(4,1)	numeric(4,1)	tolerance or safety percentage.
APO_METHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method.
APO_MIN	Y	NUMBER(24,6)	numeric(24,6)	minimum value.
APO_MINEXTR	Y	NUMBER(24,6)	numeric(24,6)	minimum possible value.
APO_MINPPM	Y	VARCHAR2(20)	nvarchar(20)	ppm number for minimum.
APO_MINSTWO	Y	VARCHAR2(20)	nvarchar(20)	standard job code.
APO_MINTOL	Y	NUMBER(4,1)	numeric(4,1)	tolerance or safety percentage.
APO_NOMINAL	Y	NUMBER(24,6)	numeric(24,6)	nominal value.
APO_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure.
APO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
APO_MINFORMULA	Y	VARCHAR2(8)	nvarchar(8)	minimum value formula
APO_MAXFORMULA	Y	VARCHAR2(8)	nvarchar(8)	maximum value formula
APO_CONFRACTING	Y	VARCHAR2(4)	nvarchar(4)	confidence rating
APO_REPLACEFREQ	Y	NUMBER	numeric(8,0)	replacement frequency
APO_FACTOR	Y	NUMBER	numeric(24,6)	factor
APO_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk focus
APO_UPDATED	Y	DATE	datetime	Timestamp
APO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

APO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
APO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
APO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
APO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
APO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
APO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASPECTPROMPTS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APM_ASPECT	N	VARCHAR2(30)	nvarchar(30)	aspect code
APM_SEQ	N	NUMBER(2,0)	numeric(2,0)	sequence
APM_DESC	N	VARCHAR2(80)	nvarchar(80)	description
APM_PROMPT	Y	VARCHAR2(8)	nvarchar(8)	property
APM_DEFAULT	Y	VARCHAR2(25)	nvarchar(25)	default
APM_RULE	Y	VARCHAR2(8)	nvarchar(8)	validate
APM_INSERT	Y	VARCHAR2(8)	nvarchar(8)	insert
APM_UPDATE	Y	VARCHAR2(8)	nvarchar(8)	update
APM_COLUMN	Y	VARCHAR2(35)	nvarchar(35)	upload column
APM_DISPLAY	N	VARCHAR2(1)	nvarchar(1)	display
APM_MANDATORY	N	VARCHAR2(1)	nvarchar(1)	mandatory
APM_PRINT	N	VARCHAR2(1)	nvarchar(1)	print
APM_CASE	Y	VARCHAR2(1)	nvarchar(1)	uppercase
APM_SIZE	Y	NUMBER(2,0)	numeric(2,0)	length
APM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used
APM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APM_UPDATED	Y	DATE	datetime	Timestamp
APM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASPECTS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASP_CODE	N	VARCHAR2(30)	nvarchar(30)	code of inspection aspect.
ASP_DESC	N	VARCHAR2(80)	nvarchar(80)	description of inspection aspect.
ASP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	should exist in r5classes, rentity aspc

ASP_TIMEDEP	Y	VARCHAR2(2)	nvarchar(2)	time dependence.
ASP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ASP_PARENT	Y	VARCHAR2(4)	nvarchar(4)	parent aspect
ASP_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if aspect is still used
ASP_RANDOM	Y	VARCHAR2(1)	nvarchar(1)	random result
ASP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ASP_CREATED	Y	DATE	datetime	Creation timestamp
ASP_UPDATED	Y	DATE	datetime	Update timestamp
ASP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ASP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ASP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ASP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ASP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ASP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ASP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ASP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ASP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

ASP_SQLIDENTITY	Y	int identity	Identity column for SQL Server

R5ASPECTTOLERANCE		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AST_PK	N	VARCHAR2(30)	nvarchar(30)	Unique key of the tolerance record
AST_ASPECT	N	VARCHAR2(30)	nvarchar(30)	Inspection Aspect the tolerance record is associated to
AST_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization the tolerance is applicable for
AST_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Equipment Class the tolerance is applicable for
AST_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Class Org. the tolerance is applicable for
AST_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Category the tolerance is applicable for
AST_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Category Org. the tolerance is applicable for
AST_FROM_OBJECTSIZE	Y	NUMBER(24,6)	numeric(24,6)	Low threshold of the equipment size the tolerance is applicable for
AST_TO_OBJECTSIZE	Y	NUMBER(24,6)	numeric(24,6)	High threshold of the equipment size the tolerance is applicable for
AST_MEASUREMENT	Y	VARCHAR2(1)	nvarchar(1)	If selected this record is used for a nonconformity measurement
AST_FROMVALUE	Y	NUMBER(24,6)	numeric(24,6)	Low threshold of the tolerance
AST_TOVALUE	Y	NUMBER(24,6)	numeric(24,6)	High threshold of the tolerance
AST_UOM	Y	VARCHAR2(30)	nvarchar(30)	Unit of measure for the from and to values of this tolerance record
AST_CREATENONCONFORMITY	Y	VARCHAR2(1)	nvarchar(1)	If selected this tolerance indicates a nonconformity
AST_NONCONFORMITYTYPE	Y	VARCHAR2(30)	nvarchar(30)	Default Nonconformity Type for this tolerance
AST_NONCONFORMITYTYPE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Default Nonconformity Type Org. for this tolerance
AST_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	Default Severity for this tolerance
AST_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	Inspection Point Type the tolerance record is associated to
AST_MOBILEBUTTONSEQ	Y	NUMBER(2,0)	numeric(2,0)	Position of the button on the mobile device
AST_CREATED	Y	DATE	datetime	Creation timestamp
AST_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
AST_UPDATED	Y	DATE	datetime	Update timestamp
AST_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
AST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASPECTUOMS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASU_ASPECT	N	VARCHAR2(30)	nvarchar(30)	The aspect of the aspect/uom combination.
ASU_UOM	N	VARCHAR2(30)	nvarchar(30)	The unit of measure of the aspect/uom combination.
ASU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5ASSETCLASSDEFACAPACITIES		ASSET MANAGEMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCP_OCDPK	N	VARCHAR2(30)	nvarchar(30)	
CCP_CAPACITYCODE	N	VARCHAR2(8)	nvarchar(8)	
CCP_EFFECTIVE	N	DATE	datetime	
CCP_EXPIRED	Y	DATE	datetime	
CCP_CAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
CCP_DESIREDCAPACITY	N	NUMBER(24,6)	numeric(24,6)	
CCP_TOTALDESIREDCAPACITY	N	NUMBER(24,6)	numeric(24,6)	
CCP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
CCP_CREATED	Y	DATE	datetime	Creation timestamp
CCP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
CCP_UPDATED	Y	DATE	datetime	Update timestamp
CCP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CCP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CCP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CCP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CCP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CCP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CCP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASSETCLASSDEFCOST

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
COS_OCDPK	N	VARCHAR2(30)	nvarchar(30)	
COS_ORG	N	VARCHAR2(15)	nvarchar(15)	
COS_COSTTYPE	N	VARCHAR2(8)	nvarchar(8)	
COS_RCOSTTYPE	N	VARCHAR2(8)	nvarchar(8)	
COS_NOTE	Y	VARCHAR2(1000)	nvarchar(1000)	
COS_ESTIMATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	
COS_ATAGE	Y	NUMBER(3,0)	numeric(3,0)	

COS_ATUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
COS_ATUSAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	
COS_CONDSOREIMPROVEMENT	Y	NUMBER(24,6)	numeric(24,6)	
COS_STANDARDWO	Y	VARCHAR2(20)	nvarchar(20)	
COS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COS_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
COS_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
COS_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
COS_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
COS_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
COS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
COS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
COS_WEIGHT	Y	NUMBER(2,0)	numeric(2,0)	
COS_INVESTEARLY	Y	NUMBER(3,0)	numeric(3,0)	
COS_MAXIMUMRECURRENCE	Y	NUMBER(3,0)	numeric(3,0)	

COS_ADJUSTINTERVAL	Y	VARCHAR2(1)	nvarchar(1)	
COS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASSETCLASSDEFFAULTCOST

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACF_OCDPK	N	VARCHAR2(30)	nvarchar(30)	
ACF_ORG	N	VARCHAR2(15)	nvarchar(15)	
ACF_FAILUREMODECOSTTYPE	N	VARCHAR2(8)	nvarchar(8)	
ACF_COST	N	NUMBER(24,6)	numeric(24,6)	
ACF_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ACF_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACF_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACF_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACF_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACF_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ACF_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
ACF_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
ACF_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
ACF_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
ACF_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
ACF_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACF_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACF_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACF_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ACF_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

ACF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASSETCLASSDEFINITION

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCD_PK	N	VARCHAR2(30)	nvarchar(30)	
OCD_CLASS	N	VARCHAR2(30)	nvarchar(30)	
OCD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
OCD_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
OCD_SERVICELIFE	Y	NUMBER(3,0)	numeric(3,0)	
OCD_SERVICELIFEUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
OCD_METUOM	Y	VARCHAR2(30)	nvarchar(30)	
OCD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCD_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
OCD_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
OCD_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
OCD_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
OCD_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
OCD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

OCD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OCD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCD_ORG	N	VARCHAR2(15)	nvarchar(15)	
OCD_PERFORMANCEFORMULA	Y	VARCHAR2(30)	nvarchar(30)	
OCD_PERFORMANCEFORMULA_ORG	Y	VARCHAR2(15)	nvarchar(15)	
OCD_AUTOCREATECLASSLEVEL	Y	VARCHAR2(1)	nvarchar(1)	
OCD_AUTOCREATECATLEVEL	Y	VARCHAR2(1)	nvarchar(1)	
OCD_AUTOCREATED	Y	VARCHAR2(1)	nvarchar(1)	
OCD_PERFORMANCE	Y	NUMBER(9,6)	numeric(9,6)	
OCD_PERFORMANCELASTUPDATED	Y	DATE	datetime	
OCD_EQUIPCOUNT	Y	NUMBER(8,0)	numeric(8,0)	
OCD_EQUIPINCLUDEDINPERFORM	Y	NUMBER(8,0)	numeric(8,0)	
OCD_CONDITIONRATING	Y	NUMBER(9,6)	numeric(9,6)	
OCD_CAPACITYCODE	Y	VARCHAR2(8)	nvarchar(8)	
OCD_AVAILABLECAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
OCD_DESIREDCAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
OCD_CAPACITYRATING	Y	NUMBER(9,6)	numeric(9,6)	
OCD_NUMBEROFFAILURES	Y	NUMBER(24,6)	numeric(24,6)	
OCD_MTBFDAYS	Y	NUMBER(24,6)	numeric(24,6)	
OCD_MTBFRATING	Y	NUMBER(9,6)	numeric(9,6)	
OCD_MUBF	Y	NUMBER(24,6)	numeric(24,6)	
OCD_MUBFUOM	Y	VARCHAR2(30)	nvarchar(30)	
OCD_MUBFRATING	Y	NUMBER(9,6)	numeric(9,6)	
OCD_MTTTRHRS	Y	NUMBER(24,6)	numeric(24,6)	
OCD_MTTRRATING	Y	NUMBER(9,6)	numeric(9,6)	
OCD_VARIABLERESULT1	Y	NUMBER(24,6)	numeric(24,6)	
OCD_VARIABLERATING1	Y	NUMBER(9,6)	numeric(9,6)	
OCD_VARIABLERESULT2	Y	NUMBER(24,6)	numeric(24,6)	
OCD_VARIABLERATING2	Y	NUMBER(9,6)	numeric(9,6)	
OCD_VARIABLERESULT3	Y	NUMBER(24,6)	numeric(24,6)	
OCD_VARIABLERATING3	Y	NUMBER(9,6)	numeric(9,6)	
OCD_VARIABLERESULT4	Y	NUMBER(24,6)	numeric(24,6)	
OCD_VARIABLERATING4	Y	NUMBER(9,6)	numeric(9,6)	
OCD_VARIABLERESULT5	Y	NUMBER(24,6)	numeric(24,6)	
OCD_VARIABLERATING5	Y	NUMBER(9,6)	numeric(9,6)	
OCD_VARIABLERESULT6	Y	NUMBER(24,6)	numeric(24,6)	
OCD_VARIABLERATING6	Y	NUMBER(9,6)	numeric(9,6)	
OCD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASSETCLASSDEFUSAGES

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADU_ODCPK	N	VARCHAR2(30)	nvarchar(30)	
ADU_UOM	N	VARCHAR2(30)	nvarchar(30)	
ADU_SERVICELIFEUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
ADU_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ADU_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADU_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADU_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADU_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADU_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADU_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADU_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ADU_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ADU_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ADU_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ADU_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ADU_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADU_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADU_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADU_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADU_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADU_LASTSAVED	Y	DATE	datetime	Timestamp of last update
ADU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASSETINVENTORYPARAMS

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AIP_CODE	N	VARCHAR2(30)	nvarchar(30)	The unique code of the set of asset inventory parameters.
AIP_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the set of parameters.
AIP_USER	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record.
AIP_PARAMETER	Y	VARCHAR2(10)	nvarchar(10)	The parameter code.
AIP_DEFPARAM	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether this is the default set of parameters.
AIP_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	The session id
AIP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status of the inventory
AIP_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the inventory.
AIP_OBJ_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization parameter.

AIP_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department parameter
AIP_OBJ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class parameter.
AIP_OBJ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization parameter.
AIP_OBJ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status parameter.
AIP_PERSON	N	VARCHAR2(15)	nvarchar(15)	The assigned to parameter.
AIP_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	The standard work order.
AIP_OBJ_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The parent parameter.
AIP_OBJ_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The parent organization parameter.
AIP_OBJ_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type parameter.
AIP_BLIND_INVENTORY	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether this is a so called blind inventory.
AIP_MOVE_WO	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether it is allowed to create move work orders
AIP_UPDATE_PHYSICAL_LOCATION	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whther it is allowed to change the physical location.
AIP_CREATED	Y	DATE	datetime	Date the record was created.
AIP_UPDATED	Y	DATE	datetime	Date the record was last updated.
AIP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AIP_PARENT_STORE	Y	VARCHAR2(15)	nvarchar(15)	The parent store of the store
AIP_INVENTORYVERIFICATIONDATE	Y	DATE	datetime	
AIP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AIP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ASSETINVENTORYRESULTS	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AIR_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	The session id.
AIR_OBJ	N	VARCHAR2(30)	nvarchar(30)	The asset code.
AIR_OBJ_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the asset.
AIR_OBSERVED_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The observed location of the asset.
AIR_OBSERVED_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The observed location organization of the asset.
AIR_INVENTORYVERIFICATIONDATE	Y	DATE	datetime	Date of the inventory verification.
AIR_RESOLUTION	Y	VARCHAR2(80)	nvarchar(80)	The resolution.
AIR_DISPOSITION	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the asset needs disposition.
AIR_UPDATED	Y	DATE	datetime	Date the record was last updated.
AIR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AIR_OBSERVED_BINLOCATION	Y	VARCHAR2(15)	nvarchar(15)	The observed bin location of the asset
AIR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AIR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ATTRIBUTESETDEF	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASD_CODE	N	VARCHAR2(30)	nvarchar(30)	Attribute set definition code
ASD_DESC	Y	VARCHAR2(256)	nvarchar(256)	Attribute set definition description
ASD_TYPE	Y	VARCHAR2(1)	nvarchar(1)	DEFAULT R, Attribute set type, H for hierachical and R for non-hierarchical
ASD_ATTRIBUTE1	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 1 defined for the attribute set.
ASD_ATTRIBUTE2	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 2 defined for the attribute set.
ASD_ATTRIBUTE3	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 3 defined for the attribute set.
ASD_ATTRIBUTE4	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 4 defined for the attribute set.
ASD_ATTRIBUTES5	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 5 defined for the attribute set.
ASD_ATTRIBUTE6	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 6 defined for the attribute set.
ASD_ATTRIBUTE7	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 7 defined for the attribute set.
ASD_ATTRIBUTE8	Y	VARCHAR2(30)	nvarchar(30)	Attribute name 8 defined for the attribute set.
ASD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated.
ASD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ASD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5AUDATTRIBS	BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAT_CODE	N	NUMBER	int	attribute number used to fetch text
AAT_TABLE	N	VARCHAR2(30)	nvarchar(30)	table name.
AAT_COLUMN	N	VARCHAR2(30)	nvarchar(30)	any time this column is changed the change will be stored.
AAT_TEXT	N	VARCHAR2(45)	nvarchar(45)	label used to identify the column that was changed.
AAT_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	code of employee who entered the record: author; reference.
AAT_COMMENT	Y	VARCHAR2(240)	nvarchar(240)	explanation for this audit request.
AAT_INSERT	Y	VARCHAR2(1)	nvarchar(1)	store the changes during insert (create an insert trigger).
AAT_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	store the changes during update (create an update trigger).
AAT_DELETE	Y	VARCHAR2(1)	nvarchar(1)	store the changes during delete (create a delete trigger).
AAT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAT_UPDATED	Y	DATE	datetime	Update timestamp
AAT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5AUDITPK	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APK_TABLE	N	VARCHAR2(30)	nvarchar(30)	name of to be audited table.
APK_SEQNO	N	NUMBER	int	sequence number.
APK_COLUMN	N	VARCHAR2(30)	nvarchar(30)	column name used in audit trail.
APK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APK_DATATYPE	Y	VARCHAR2(30)	nvarchar(30)	data type
APK_UPDATED	Y	DATE	datetime	Update timestamp
APK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5AUDVALUES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AVA_ATTRIBUTE	N	NUMBER	int	number that identifies column on which audit trail is active.
AVA_TABLE	N	VARCHAR2(30)	nvarchar(30)	database table name.
AVA_PRIMARYID	N	VARCHAR2(80)	nvarchar(80)	key value of record inserted, updated or deleted (first key field).
AVA_SECONDARYID	Y	VARCHAR2(180)	nvarchar(180)	key value of record inserted, updated or deleted (second key field).
AVA_FROM	Y	VARCHAR2(250)	nvarchar(250)	value of column before change.
AVA_TO	Y	VARCHAR2(250)	nvarchar(250)	value of column after change.
AVA_CHANGED	N	DATE	datetime	date of insert, update or delete.
AVA_MODIFIEDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who inserted, updated or deleted value.
AVA_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function where value was inserted, updated or deleted.
AVA_UPDATED	Y	VARCHAR2(1)	nvarchar(1)	value is + if this change was the result of an update.
AVA_INSERTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if this change was the result of an insert.
AVA_DELETED	Y	VARCHAR2(1)	nvarchar(1)	value is + if this change was the result of a delete.
AVA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AVA_SCODE	Y	VARCHAR2(100)	nvarchar(100)	Scrambled code of audit record at insert to use with check on tampering later on
AVA_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	If it is a Mobile record, the value will be +
AVA_PRIMARYID2	Y	VARCHAR2(45)	nvarchar(45)	The alternative/original equipment code, used with equipment code renumbering
AVA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AVA_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5AUDVALUES_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AAV_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AAV_ATTRIBUTE	Y	NUMBER	int	number that identifies column on which audit trail is active.
AAV_TABLE	Y	VARCHAR2(30)	nvarchar(30)	database table name.
AAV_PRIMARYID	Y	VARCHAR2(80)	nvarchar(80)	key value of record inserted, updated or deleted (first key field).
AAV_SECONDARYID	Y	VARCHAR2(180)	nvarchar(180)	key value of record inserted, updated or deleted (second key field).

AAV_FROM	Y	VARCHAR2(250)	nvarchar(250)	value of column before change.
AAV_TO	Y	VARCHAR2(250)	nvarchar(250)	value of column after change.
AAV_CHANGED	Y	DATE	datetime	date of insert, update or delete.
AAV_MODIFIEDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who inserted, updated or deleted value.
AAV_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function where value was inserted, updated or deleted.
AAV_UPDATED	Y	VARCHAR2(1)	nvarchar(1)	value is + if this change was the result of an update.
AAV_INSERTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if this change was the result of an insert.
AAV_DELETED	Y	VARCHAR2(1)	nvarchar(1)	value is + if this change was the result of a delete.
AAV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AAV_SCODE	Y	VARCHAR2(100)	nvarchar(100)	Scrambled code of audit record at insert to use with check on tampering later on
AAV_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	If it is a Mobile record, the value will be +
AAV_PRIMARYID2	Y	VARCHAR2(45)	nvarchar(45)	The alternative/original equipment code, used with equipment code renumbering
AAV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AAV_SQLIDENTITY	Y		bigint	Identity column for SQL Server

RSAUTH	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AUT_GROUP	N	VARCHAR2(12)	nvarchar(12)	code of user group allowed to undertake status change.
AUT_USER	N	VARCHAR2(255)	nvarchar(255)	username of person allowed to undertake status change.
AUT_ENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code (user code).
AUT_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code (system code).
AUT_STATUS	N	VARCHAR2(4)	nvarchar(4)	code status can be changed from.
AUT_STATNEW	N	VARCHAR2(4)	nvarchar(4)	code status can be changed to.
AUT_TYPE	N	VARCHAR2(1)	nvarchar(1)	type of authorization.
AUT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AUT_CREATED	Y	DATE	datetime	Creation timestamp
AUT_UPDATED	Y	DATE	datetime	Update timestamp
AUT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AUT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSAUTOWOS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWO_SESSION	N	NUMBER	numeric(18,0)	
AWO_STATUS	Y	VARCHAR2(8)	nvarchar(8)	
AWO_ALERT	Y	VARCHAR2(30)	nvarchar(30)	
AWO_EVALUATIONDATE	Y	DATE	datetime2	
AWO_ERROR	Y	VARCHAR2(255)	nvarchar(255)	
AWO_TOTAL	Y	NUMBER(8,0)	numeric(8,0)	
AWO_SUCCESSCOUNT	Y	NUMBER(8,0)	numeric(8,0)	
AWO_BYPASSCOUNT	Y	NUMBER(8,0)	numeric(8,0)	
AWO_ERRORCOUNT	Y	NUMBER(8,0)	numeric(8,0)	
AWO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSAAVAILABILITY	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AVL_DATE	N	DATE	datetime	date
AVL_OWNHOURS	N	NUMBER	numeric(24,6)	available own hours
AVL_NETHOURS	N	NUMBER	numeric(24,6)	net own hours available
AVL_HIRHOURS	N	NUMBER	numeric(24,6)	total hired hours available
AVL_NETHIRED	N	NUMBER	numeric(24,6)	net hired hours available
AVL_SPECIAL	N	VARCHAR2(1)	nvarchar(1)	special day flag
AVL_MRC	N	VARCHAR2(15)	nvarchar(15)	mrc

AVL_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade
AVL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AVL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AVL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BARCODELABELS

BARCODE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BCL_SESSID	N	VARCHAR2(12)	nvarchar(12)	session identification.
BCL_LABEL	N	NUMBER	int	label.
BCL_COLUMN	N	VARCHAR2(25)	nvarchar(25)	column in base table, e.g. par_desc.
BCL_VALUE	Y	VARCHAR2(80)	nvarchar(80)	value in that column.
BCL_ESCAPE	N	VARCHAR2(8)	nvarchar(8)	e.g. intmpb=part, bin for intermec.
BCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BARCODEREADERS

BARCODE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BCR_CODE	N	VARCHAR2(4)	nvarchar(4)	code of bar code reader.
BCR_DESC	N	VARCHAR2(80)	nvarchar(80)	description of bar code reader.
BCR_STORE	N	VARCHAR2(15)	nvarchar(15)	code of store where bar code reader is used.
BCR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BCR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BCR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BARCODESTTK

BARCODE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BCK_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
BCK_SERIAL	N	NUMBER	int	order in which lines are read
BCK_QTY	Y	NUMBER(24,6)	numeric(24,6)	qty counted, issued, returned
BCK_READER	N	VARCHAR2(4)	nvarchar(4)	bar code reader, previously pen id
BCK_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
BCK_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
BCK_STORE	Y	VARCHAR2(15)	nvarchar(15)	optional store filled by hand-held device
BCK_ERROR	Y	VARCHAR2(1)	nvarchar(1)	to skip records incorrectly read
BCK_STOCKTAKE	N	VARCHAR2(8)	nvarchar(8)	stock take identifier
BCK_DATE	Y	DATE	datetime	date scanned, extra check
BCK_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
BCK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BCK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BCK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BARCODETRANS

BARCODE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BCT_PART	Y	VARCHAR2(30)	nvarchar(30)	part number.
BCT_SERIAL	N	NUMBER	int	order in which lines are read
BCT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
BCT_QTY	Y	NUMBER(24,6)	numeric(24,6)	qty counted, issued, returned
BCT_READER	N	VARCHAR2(4)	nvarchar(4)	bar code reader, previously pen id
BCT_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
BCT_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
BCT_STORE	Y	VARCHAR2(15)	nvarchar(15)	optional store filled by hand-held device
BCT_ERROR	Y	VARCHAR2(1)	nvarchar(1)	to skip records incorrectly read
BCT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	for issues and returns

BCT_ACT	Y	NUMBER(8,0)	numeric(8,0)	for issues and returns
BCT_DATE	Y	DATE	datetime	date scanned, extra check
BCT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
BCT_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
BCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BCT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BARESC	BARCODE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BCE_TEXT1	Y	VARCHAR2(200)	nvarchar(200)	prefix to print barcode to intermec printer.
BCE_TEXT2	Y	VARCHAR2(200)	nvarchar(200)	suffix to print barcode to intermec printer.
BCE_LINE	N	NUMBER	int	sequential number identifying print order of columns on barcode label.
BCE_COLUMN	N	VARCHAR2(25)	nvarchar(25)	name of (base-table) column to be printed on barcode label.
BCE_ESCAPE	N	VARCHAR2(8)	nvarchar(8)	defines which details are to be printed to which type of barcode printer, e.g., intmpb=part, bin for intermec
BCE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BCE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BCE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BBNOTICES	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BBN_CODE	N	VARCHAR2(30)	nvarchar(30)	Bulletin Board Notice Code /Auto-generated code
BBN_ORG	N	VARCHAR2(15)	nvarchar(15)	Bulletin Board Notice Org
BBN_LANG	N	VARCHAR2(2)	nvarchar(2)	Language
BBN_DESC	N	VARCHAR2(80)	nvarchar(80)	Bulletin Board Notice Title
BBN_TEXT	Y	VARCHAR2(500)	nvarchar(500)	Notice Text
BBN_KBARTICLE	Y	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
BBN_KBARTICLE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
BBN_STARTDATE	Y	DATE	datetime	Start Date
BBN_ENDDATE	Y	DATE	datetime	End Date
BBN_CREATED	Y	DATE	datetime	Date Created
BBN_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Created This Record
BBN_IMPORTANCE	Y	VARCHAR2(1)	nvarchar(1)	Importance
BBN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The Record Update Count
BBN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BBN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BILLINGADJUSTMENTS	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FBA_PK	N	VARCHAR2(30)	nvarchar(30)	The system generated primary key.
FBA_ORIGINALBILL	N	VARCHAR2(30)	nvarchar(30)	The fleet bill that needs to be adjusted.
FBA_TICKET	N	VARCHAR2(30)	nvarchar(30)	The fleet ticket.
FBA_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The new cost code.
FBA_DATE	N	DATE	datetime	The record creation date.
FBA_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this adjustment appeared.
FBA_BILLSUBLINE2	Y	VARCHAR2(30)	nvarchar(30)	The second bill sub line on which this adjustment appeared.
FBA_HOURS	Y	NUMBER(24,6)	numeric(24,6)	The hour adjustment.
FBA_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage adjustment.
FBA_PERIODCHARGE	Y	NUMBER(24,6)	numeric(24,6)	The period charge adjustment.
FBA_INSURANCECHARGE	Y	NUMBER(24,6)	numeric(24,6)	The insurance charge adjustment.
FBA_FUELCHARGE	Y	NUMBER(24,6)	numeric(24,6)	The fuel charge adjustment.
FBA_HOURLMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The hour markup charge adjustment
FBA_MILEAGEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The mileage markup charge adjustment.
FBA_PERIODMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The period markup charge adjustment.

FBA_INSURANCEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The insurance markup charge adjustment.
FBA_EXCEPTION	Y	VARCHAR2(30)	nvarchar(30)	The exception.
FBA_EXCEPTION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the exception.
FBA_EXCEPTIONCHARGE	Y	NUMBER(24,6)	numeric(24,6)	The exception adjustment.
FBA_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record.
FBA_COMMENT	Y	VARCHAR2(2000)	nvarchar(2000)	Free text.
FBA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FBA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FBA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BINS	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BIN_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
BIN_CODE	N	VARCHAR2(15)	nvarchar(15)	bin location code.
BIN_DESC	N	VARCHAR2(80)	nvarchar(80)	bin location description.
BIN_CREATED	Y	DATE	datetime	creation date
BIN_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
BIN_UPDATED	Y	DATE	datetime	update date
BIN_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
BIN_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
BIN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BIN_FORSTOCK	Y	VARCHAR2(1)	nvarchar(1)	
BIN_FORHELDITEMS	Y	VARCHAR2(1)	nvarchar(1)	
BIN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BINSTOCK	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BIS_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
BIS_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
BIS_BIN	N	VARCHAR2(15)	nvarchar(15)	bin location code.
BIS_LOT	N	VARCHAR2(12)	nvarchar(12)	lot number.
BIS_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity of part in stock at store/bin/lot.
BIS_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
BIS_REPAIRQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be repaired
BIS_CREATED	Y	DATE	datetime	creation date
BIS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
BIS_UPDATED	Y	DATE	datetime	update date
BIS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
BIS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BIS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

BIS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BIS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BIS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BIS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BIS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BIS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BIS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
BIS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
BIS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
BIS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
BIS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
BIS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BIS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BIS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BIS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BIS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BIS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BIS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BLANKETORDCLAUSES		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BLC_BLANKETORDER	N	VARCHAR2(30)	nvarchar(30)	blanket order number.
BLC_CLAUSE	N	VARCHAR2(8)	nvarchar(8)	clause code.
BLC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BLC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BLC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BLANKETORDERS		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BLO_BLANKETORDER	N	VARCHAR2(30)	nvarchar(30)	unique sequence number identifier
BLO_DESC	N	VARCHAR2(80)	nvarchar(80)	blanket order description
BLO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class code
BLO_STATUS	N	VARCHAR2(4)	nvarchar(4)	status of blanket
BLO_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	u unfinished/not active a approved/active, r ready for printing, c cancelled
BLO_CREATED	N	DATE	datetime	date the blanket order was created
BLO_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	blanket order supplier
BLO_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
BLO_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
BLO_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.

BLO_BUYER	N	VARCHAR2(255)	nvarchar(255)	blanket order buyer
BLO_MAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	max monetary amount allowed to be released against this order
BLO_CURAMOUNTREL	Y	NUMBER(24,6)	numeric(24,6)	current monetary amount released against this std. order
BLO_NUMRELEASED	Y	NUMBER(24,6)	numeric(24,6)	number of releases against this blanket order
BLO_START	Y	DATE	datetime	effective start date for this blanket order
BLO_END	Y	DATE	datetime	effective end date for this blanket order
BLO_LASTRELEASED	Y	DATE	datetime	last released date
BLO_LASTORD	Y	VARCHAR2(30)	nvarchar(30)	last released order against this blanket
BLO_APPROVEORDER	Y	VARCHAR2(1)	nvarchar(1)	should order be approve autom.
BLO_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms
BLO_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms
BLO_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	shipment via
BLO_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	free on board point
BLO_ORG	N	VARCHAR2(15)	nvarchar(15)	blanket order organization
BLO_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
BLO_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
BLO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
BLO_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
BLO_LASTORD_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of the last released order against this blanket
BLO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BLO_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (7i Buy)
BLO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BLO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BLANKETORDLINES	PURCHASING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BLL_BLANKETORDER	N	VARCHAR2(30)	nvarchar(30)	blanket order number
BLL_BLANKETLINE	N	NUMBER(8,0)	numeric(8,0)	order line number
BLL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of order
BLL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	rtype of order
BLL_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity
BLL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
BLL_UOM	Y	VARCHAR2(30)	nvarchar(30)	uom
BLL_UOMPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of uom
BLL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	multiplier - conversion factor
BLL_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency
BLL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate
BLL_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity
BLL_MAXLINEQTY	Y	NUMBER(24,6)	numeric(24,6)	maximum quantity allowed to be released against this blanket order item
BLL_MAXLINEAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	maximum monetary amount allowed to be released against this order item.
BLL_CURQTYREL	Y	NUMBER(24,6)	numeric(24,6)	current quantity released against this blanket order item
BLL_CURAMOUNTREL	Y	NUMBER(24,6)	numeric(24,6)	current monetary amount released against this blanket order item
BLL_NUMRELEASED	Y	NUMBER(24,6)	numeric(24,6)	number of releases against this blanket order item.
BLL_LASTORD	Y	VARCHAR2(30)	nvarchar(30)	last order released against this item.
BLL_QUOTATION	Y	VARCHAR2(30)	nvarchar(30)	rfq that initiated this std. order line item.
BLL_QUOTELINE	Y	NUMBER(8,0)	numeric(8,0)	line of the rfq that originated this blanket order line item.
BLL_SEQNO	Y	VARCHAR2(2)	nvarchar(2)	sequence number for quotation
BLL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
BLL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
BLL_REF	Y	VARCHAR2(50)	nvarchar(50)	the catalogue reference code.
BLL_LASTORD_ORG	Y	VARCHAR2(15)	nvarchar(15)	last order released against this item organization
BLL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
BLL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if part requires inspection
BLL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

BLL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
BLL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade of task
BLL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
BLL_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be ordered in issue unit of measure.
BLL_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of task ordered
BLL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
BLL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	unit price, or total price of fixed price service.
BLL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
BLL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The object associated to the service line.
BLL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the object.
BLL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	The task revision associated to the line.
BLL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BLL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BLANKETORDUSERS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BLU_BLANKETORDER	N	VARCHAR2(30)	nvarchar(30)	blanket order number
BLU_USER	N	VARCHAR2(255)	nvarchar(255)	user
BLU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BLU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BLU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BOILERTEXTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BOT_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function, e.g. bmsr1 (also reports
BOT_NUMBER	N	NUMBER(4,0)	numeric(4,0)	serial no, 1=title, 2=1st field, etc
BOT_LENGTH	N	NUMBER(3,0)	numeric(3,0)	field length, copied from boilerfield
BOT_XPOS	N	NUMBER(3,0)	numeric(3,0)	x: distribution among multiple forms
BOT_YPOS	N	NUMBER(3,0)	numeric(3,0)	y: distribution among multiple forms
BOT_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
BOT_TEXT	N	VARCHAR2(255)	nvarchar(255)	texts string.
BOT_DEST	N	VARCHAR2(2)	nvarchar(2)	destination
BOT_PAGE	Y	VARCHAR2(30)	nvarchar(30)	page number of boiler plate.
BOT_FLD1	Y	VARCHAR2(61)	nvarchar(61)	field that text refers to
BOT_FLD2	Y	VARCHAR2(24)	nvarchar(24)	field if text is between 2 fields
BOT_P RTP	Y	VARCHAR2(4)	nvarchar(4)	abov, fron, behi, belo
BOT_LVCR	Y	NUMBER(2,0)	numeric(2,0)	correction if lov button between flds
BOT_ADLEN	Y	NUMBER(2,0)	numeric(2,0)	additional width
BOT_POOL	N	VARCHAR2(12)	nvarchar(12)	pool code to track changes
BOT_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	user changed text e.g. jargon
BOT_DISPLAY	Y	VARCHAR2(1)	nvarchar(1)	indicates whether boiler text will be displayed or not.
BOT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BOT_CREATED	Y	DATE	datetime	Creation timestamp
BOT_UPDATED	Y	DATE	datetime	Update timestamp
BOT_CLONED	Y	VARCHAR2(1)	nvarchar(1)	has this record just been created by cloning of a function
BOT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BOT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BOOKEDHOURS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BOO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
BOO_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity sequence number
BOO_DATE	N	DATE	datetime	date of booking
BOO_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade (denorm.)

BOO_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc (denorm.)
BOO_PERSON	Y	VARCHAR2(15)	nvarchar(15)	person that books
BOO_OCTYPE	N	VARCHAR2(4)	nvarchar(4)	user occupation type
BOO_OCRTYPE	N	VARCHAR2(4)	nvarchar(4)	system occ type
BOO_ON	Y	NUMBER(5,0)	numeric(5,0)	start time
BOO_OFF	Y	NUMBER(5,0)	numeric(5,0)	end time
BOO_HOURS	N	NUMBER	numeric(24,6)	total hours (denorm.)
BOO_RATE	N	NUMBER	numeric(24,6)	rate for booking
BOO_COST	N	NUMBER	numeric(24,6)	hours * rate (denorm.)
BOO_ENTERED	N	DATE	datetime	date booked hours entry created.
BOO_ACD	Y	NUMBER	bigint	account details code.
BOO_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + if booked hours entry has been extracted by the general ledger interface.
BOO_GLTRANSFER	Y	DATE	datetime	date on which booked hours entry was extracted by the general ledger interface.
BOO_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
BOO_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
BOO_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence.
BOO_CORRECTION	Y	VARCHAR2(1)	nvarchar(1)	correction of booking of hours.
BOO_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
BOO_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order organization
BOO_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
BOO_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
BOO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BOO_ORIGHOURS	Y	NUMBER	numeric(24,6)	To store the original booked hours in case the hours are set to zero, because the costs are divided among the related route objects. This only applies to the parent.
BOO_ROUTERTYPE	Y	VARCHAR2(4)	nvarchar(4)	Used to be able to put the costs in the correct cell in for instance function WOCOST. Value can be ST, SF or <NULL>.
BOO_ROUTEREC	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is created to distribute the costs among child jobs.
BOO_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this booking appeared.
BOO_FLEETCHECKED	Y	VARCHAR2(1)	nvarchar(1)	Whether this record has been checked before. - not yet checked, + checked, M Maintenance internal labor, I Internal labor non-maintenance, C Contract maintenance labor, N non maintenance contract.
BOO_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
BOO_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
BOO_FLEETMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The markup cost
BOO_SPLITHOURS	Y	VARCHAR2(1)	nvarchar(1)	Flag that tells how a booked hours record is to be split (for multi-equipment WOs only)
BOO_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
BOO_CODE	N	VARCHAR2(30)	nvarchar(30)	PK column
BOO_ROUTEPARENT	Y	VARCHAR2(30)	nvarchar(30)	The job number of the route parent.
BOO_MISC	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
BOO_ORIGTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The original tax amount
BOO_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The tax amount
BOO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

BOO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BOO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BOO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BOO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BOO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BOO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BOO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
BOO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
BOO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
BOO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
BOO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
BOO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BOO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BOO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BOO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BOO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BOO_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
BOO_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
BOO_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
BOO_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
BOO_CORRECTIONDATE	Y	DATE	datetime	The actual date of the booked hours correction.
BOO_UNMATCHEDINVOICE	Y	VARCHAR2(45)	nvarchar(45)	
BOO_UNMATCHEDINVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
BOO_UNMATCHEDINVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	
BOO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BOO_CURRENTCREW	Y	VARCHAR2(15)	nvarchar(15)	
BOO_CURRENTCREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
BOO_CREW	Y	VARCHAR2(15)	nvarchar(15)	
BOO_CREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
BOO_CORRECTION_REF	Y	VARCHAR2(30)	nvarchar(30)	
BOO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BOOKEDHOURSINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BOI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
BOI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
BOI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
BOI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
BOI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence.
BOI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.

BOI_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
BOI_DATE	Y	DATE	datetime	date on which person worked on activity.
BOI_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
BOI_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
BOI_PERSON	Y	VARCHAR2(15)	nvarchar(15)	personnel number of person who worked on activity.
BOI_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	occupation type (user code, see entity octp).
BOI_ON	Y	NUMBER(5,0)	numeric(5,0)	time at which person started work on activity (time on).
BOI_OFF	Y	NUMBER(5,0)	numeric(5,0)	time at which person ended work on activity (time off).
BOI_HOURS	Y	NUMBER	numeric(24,6)	number of hours person worked on activity.
BOI_RATE	Y	NUMBER	numeric(24,6)	internal labor hourly rate (hired labor and fixed price services are not supported by this interface
BOI_ENTERED	Y	DATE	datetime	date booked hours entry created.
BOI_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + if booked hours entry has been extracted by the general ledger interface.
BOI_GLTRANSFER	Y	DATE	datetime	date on which booked hours entry was extracted by the general ledger interface.
BOI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
BOI_SESSIONID	Y	NUMBER	int	identification of user logon session (generated by database).
BOI_CORRECTION	Y	VARCHAR2(1)	nvarchar(1)	whether the booking is correct or not.
BOI_USER	Y	VARCHAR2(255)	nvarchar(255)	user code
BOI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
BOI_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
BOI_ACDALIAS	Y	VARCHAR2(45)	nvarchar(45)	Account code alias
BOI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BOOKEDHOURS_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ABK_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ABK_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
ABK_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity sequence number
ABK_DATE	Y	DATE	datetime	date of booking
ABK_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade (denorm.)
ABK_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc (denorm.)
ABK_PERSON	Y	VARCHAR2(15)	nvarchar(15)	person that books
ABK_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	user occupation type
ABK_OCRTYPE	Y	VARCHAR2(4)	nvarchar(4)	system occ type
ABK_ON	Y	NUMBER(5,0)	numeric(5,0)	start time
ABK_OFF	Y	NUMBER(5,0)	numeric(5,0)	end time
ABK_HOURS	Y	NUMBER	numeric(24,6)	total hours (denorm.)
ABK_RATE	Y	NUMBER	numeric(24,6)	rate for booking
ABK_COST	Y	NUMBER	numeric(24,6)	hours * rate (denorm.)
ABK_ENTERED	Y	DATE	datetime	date booked hours entry created.
ABK_ACD	Y	NUMBER	bigint	account details code.
ABK_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + if booked hours entry has been extracted by the general ledger interface.
ABK_GLTRANSFER	Y	DATE	datetime	date on which booked hours entry was extracted by the general ledger interface.
ABK_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
ABK_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
ABK_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence.
ABK_CORRECTION	Y	VARCHAR2(1)	nvarchar(1)	correction of booking of hours.
ABK_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
ABK_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order organization
ABK_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ABK_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
ABK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ABK_ORIGHOURS	Y	NUMBER	numeric(24,6)	To store the original booked hours in case the hours are set to zero, because the costs are divided among the related route objects. This only applies to the parent.
ABK_ROUTERTYPE	Y	VARCHAR2(4)	nvarchar(4)	Used to be able to put the costs in the correct cell in for instance function WOCOST. Value can be ST, SF or <NULL>.

ABK_ROUTEREC	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is created to distribute the costs among child jobs.
ABK_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this booking appeared.
ABK_FLEETCHECKED	Y	VARCHAR2(1)	nvarchar(1)	Whether this record has been checked before. - not yet checked, + checked, M Maintenance internal labor, I Internal labor non-maintenance, C Contract maintenance labor, N non maintenance contract.
ABK_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ABK_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ABK_FLEETMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The markup cost
ABK_SPLITHOURS	Y	VARCHAR2(1)	nvarchar(1)	Flag that tells how a booked hours record is to be split (for multi-equipment WOs only)
ABK_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
ABK_CODE	Y	VARCHAR2(30)	nvarchar(30)	PK column
ABK_ROUTEPARENT	Y	VARCHAR2(30)	nvarchar(30)	The job number of the route parent.
ABK_MISC	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
ABK_ORIGTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The original tax amount
ABK_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The tax amount
ABK_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ABK_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ABK_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ABK_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ABK_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ABK_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ABK_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ABK_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ABK_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ABK_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ABK_UDFDATE05	Y	DATE	datetime	User defined field of type Date

ABK_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ABK_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ABK_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ABK_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ABK_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ABK_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
ABK_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
ABK_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
ABK_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
ABK_CORRECTIONDATE	Y	DATE	datetime	The actual date of the booked hours correction.
ABK_UNMATCHEDINVOICE	Y	VARCHAR2(45)	nvarchar(45)	
ABK_UNMATCHEDINVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ABK_UNMATCHEDINVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	
ABK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ABK_CURRENTCREW	Y	VARCHAR2(15)	nvarchar(15)	
ABK_CURRENTCREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ABK_CREW	Y	VARCHAR2(15)	nvarchar(15)	
ABK_CREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ABK_CORRECTION_REF	Y	VARCHAR2(30)	nvarchar(30)	
ABK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BREAKUPKITPARTS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BUP_LOT	Y	VARCHAR2(12)	nvarchar(12)	T.B.D.
BUP_TRANSLINE	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
BUP_PART	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
BUP_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BUP_PARTUOM	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
BUP_PARTLOT	Y	VARCHAR2(12)	nvarchar(12)	T.B.D.
BUP_PARTLOTEXPIREDATE	Y	DATE	datetime	T.B.D.
BUP_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
BUP_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BUP_QTY	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
BUP_QTYUSED	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
BUP_QTYTOSTORE	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
BUP_QTYTOREPAIR	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
BUP_STOREBIN	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BUP_REPAIRBIN	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BUP_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	T.B.D.
BUP_CREATED	Y	DATE	datetime	T.B.D.
BUP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BUP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BUP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUDGETAMOUNTS	BUDGETS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BDA_CODE	N	VARCHAR2(8)	nvarchar(30)	budget code.
BDA_VERSION	N	NUMBER(3,0)	numeric(3,0)	version number.
BDA_DATE	N	DATE	datetime	date budget actual record created.
BDA_EXPC	Y	NUMBER(24,6)	numeric(24,6)	total cost estimate.
BDA_EXPCREM	Y	NUMBER(24,6)	numeric(24,6)	part of total cost estimate not yet spent.
BDA_ORDR	Y	NUMBER(24,6)	numeric(24,6)	total order value.
BDA_ORDRREM	Y	NUMBER(24,6)	numeric(24,6)	part of total order value not yet received.
BDA_COMM	Y	NUMBER(24,6)	numeric(24,6)	total commitment value.

BDA_COMMREM	Y	NUMBER(24,6)	numeric(24,6)	part of total commitment value not yet materialized.
BDA_SPENT	Y	NUMBER(24,6)	numeric(24,6)	total amount spent to-date.
BDA_INVC	Y	NUMBER(24,6)	numeric(24,6)	total amount invoiced to-date.
BDA_IDIF	Y	NUMBER(24,6)	numeric(24,6)	total price variances amount.
BDA_OPTION	N	VARCHAR2(1)	nvarchar(1)	option: both, total or position.
BDA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BDA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BDA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUDGETDETAILS

BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BDT_CODE	N	VARCHAR2(30)	nvarchar(30)	budget code.
BDT_BUDGET	Y	VARCHAR2(17)	nvarchar(17)	budget code.
BDT_YEAR	N	VARCHAR2(8)	nvarchar(8)	budget term code.
BDT_LEVEL	N	NUMBER(1,0)	numeric(1,0)	level of budget item details record in detailed budget structure.
BDT_PERIOD	Y	VARCHAR2(4)	nvarchar(4)	budget term.
BDT_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility code.
BDT_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
BDT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
BDT_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code).
BDT_COSTTYPE	Y	VARCHAR2(4)	nvarchar(4)	cost type (user code).
BDT_COSTRTYPE	Y	VARCHAR2(4)	nvarchar(4)	cost type (system code)
BDT_MRCGR	Y	VARCHAR2(5)	nvarchar(5)	budget group code for maintenance responsibility centres codes.
BDT_LOCATIONGR	Y	VARCHAR2(5)	nvarchar(5)	budget group code - locations.
BDT_OBJECTGR	Y	VARCHAR2(5)	nvarchar(5)	budget group code - objects.
BDT_JOBTYPEGR	Y	VARCHAR2(5)	nvarchar(5)	budget group code - job types.
BDT_COSTTYPEGR	Y	VARCHAR2(5)	nvarchar(5)	budget group code - cost types.
BDT_SPENT	Y	NUMBER(24,6)	numeric(24,6)	amount spent to-date.
BDT_AMOUNT	N	NUMBER(24,6)	numeric(24,6)	current budget amount.
BDT_ORIGINAL	Y	NUMBER(24,6)	numeric(24,6)	original budget amount.
BDT_SEQNO	Y	NUMBER(2,0)	numeric(2,0)	budget item line number.
BDT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
BDT_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
BDT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BDT_CREATED	Y	DATE	datetime	Creation timestamp
BDT_UPDATED	Y	DATE	datetime	Update timestamp
BDT_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code
BDT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	The project
BDT_COSTCODEGR	Y	VARCHAR2(5)	nvarchar(5)	The cost code budget group
BDT_PROJECTGR	Y	VARCHAR2(5)	nvarchar(5)	The project budget group
BDT_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The budget detail record this record was copied from
BDT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BDT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUDGETGROUPS

BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BGR_CODE	N	VARCHAR2(5)	nvarchar(5)	budget group code.
BGR_DESC	N	VARCHAR2(80)	nvarchar(80)	budget group description.
BGR_ENTITY	N	VARCHAR2(4)	nvarchar(4)	code of entity (user code).
BGR_RENTITY	N	VARCHAR2(4)	nvarchar(4)	code of entity (system code).
BGR_ORG	N	VARCHAR2(15)	nvarchar(15)	budget organization
BGR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BGR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BGR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUDGETITEMS		BUDGETS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BIT_GROUP	N	VARCHAR2(5)	nvarchar(5)	budget group code
BIT_CODE	N	VARCHAR2(30)	nvarchar(30)	instance of the groups entity
BIT_START	Y	DATE	datetime	first day item contributes to budget
BIT_END	Y	DATE	datetime	end date.
BIT_CODE_ORG	N	VARCHAR2(15)	nvarchar(15)	budget organization
BIT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BIT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BIT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUDGETS		BUDGETS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BUD_CODE	N	VARCHAR2(17)	nvarchar(17)	budget code.
BUD_YEAR	N	VARCHAR2(8)	nvarchar(8)	budget term code.
BUD_DATE	N	DATE	datetime	date on which budget was specified.
BUD_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code
BUD_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved budget.
BUD_Keeper	Y	VARCHAR2(15)	nvarchar(15)	personnel code of budget keeper.
BUD_CALCULATED	Y	DATE	datetime	date of last cost calculation.
BUD_STATUS	N	VARCHAR2(4)	nvarchar(4)	budget status (user code).
BUD_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	budget status code (system code)
BUD_AMOUNT	N	NUMBER(24,6)	numeric(24,6)	current budget amount.
BUD_ORIGINAL	Y	NUMBER(24,6)	numeric(24,6)	original budget amount.
BUD_APPROV	Y	DATE	datetime	date budget approved.
BUD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BUD_CREATED	Y	DATE	datetime	Creation timestamp
BUD_UPDATED	Y	DATE	datetime	Update timestamp
BUD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BUD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUDGETSTRUCTURE		BUDGETS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BUS_CODE	N	VARCHAR2(17)	nvarchar(17)	budget code.
BUS_DESC	N	VARCHAR2(80)	nvarchar(80)	budget description.
BUS_PARENT	Y	VARCHAR2(17)	nvarchar(17)	parent budget code.
BUS_CAL	N	VARCHAR2(2)	nvarchar(2)	calendar code.
BUS_PERI	N	NUMBER(1,0)	numeric(1,0)	budget term code.
BUS_LOC	Y	NUMBER(1,0)	numeric(1,0)	level of location code in budget hierarchy.
BUS_MRC	Y	NUMBER(1,0)	numeric(1,0)	level of maintenance responsibility centre code in budget hierarchy.
BUS_OBJ	Y	NUMBER(1,0)	numeric(1,0)	level of object code in budget hierarchy.
BUS_JBTP	Y	NUMBER(1,0)	numeric(1,0)	level of job type in budget hierarchy.
BUS_CSTP	Y	NUMBER(1,0)	numeric(1,0)	level of cost type in budget hierarchy.
BUS_LEVEL	Y	NUMBER(1,0)	numeric(1,0)	number of levels in budget hierarchy.
BUS_ORG	N	VARCHAR2(15)	nvarchar(15)	budget organization
BUS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BUS_CSTC	Y	NUMBER(1,0)	numeric(1,0)	The level of the cost code in the budget hierarchy.
BUS_PROJ	Y	NUMBER(1,0)	numeric(1,0)	The level of the project in the budget hierarchy.
BUS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BUS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BUILDINGLAYOUT		ASSET MANAGEMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

BLY_CODE	N	VARCHAR2(30)	nvarchar(30)	The unique code of a building layout.
BLY_DESC	Y	VARCHAR2(80)	nvarchar(80)	The building layout description.
BLY_PATHPICTURE	Y	VARCHAR2(500)	nvarchar(500)	The picture path.
BLY_PATHLAYOUTIMAGE	Y	VARCHAR2(500)	nvarchar(500)	The layout image path.
BLY_TOPLEFT_X	Y	NUMBER(24,12)	numeric(24,6)	The top left X coordinate.
BLY_TOPLEFT_Y	Y	NUMBER(24,12)	numeric(24,6)	The top left Y coordinate.
BLY_BOTTOMRIGHT_X	Y	NUMBER(24,12)	numeric(24,6)	The bottom right X coordinate.
BLY_BOTTOMRIGHT_Y	Y	NUMBER(24,12)	numeric(24,6)	The bottom right Y coordinate.
BLY_TOP_X	Y	NUMBER(24,12)	numeric(24,6)	The top X coordinate.
BLY_BOTTOM_Y	Y	NUMBER(24,12)	numeric(24,6)	The bottom Y coordinate.
BLY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BLY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BLY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5BURANKINGVALUESCLASSES

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BRC_PK	N	VARCHAR2(30)	nvarchar(30)	
BRC_RRVPK	N	VARCHAR2(30)	nvarchar(30)	
BRC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
BRC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
BRC_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
BRC_OBJECT_CODE	Y	VARCHAR2(30)	nvarchar(30)	
BRC_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
BRC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
BRC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

BRC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BRC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BRC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BRC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
BRC_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
BRC_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
BRC_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
BRC_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
BRC_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
BRC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BRC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BRC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BRC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BRC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
BRC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BRC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BRC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CALCEVENTS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CEV_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
CEV_INCREMENT	N	NUMBER(4,0)	numeric(4,0)	sequential line number within job number, for incremental charges.
CEV_STATUS	N	VARCHAR2(4)	nvarchar(4)	job item charge status (user code, see entity cest).
CEV_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	job item charge status (system code, see entity cest).
CEV_DEBTOR	Y	VARCHAR2(30)	nvarchar(30)	debtor code.
CEV_AGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number.
CEV_LAB_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of internal labor on which charge is based.
CEV_MAT_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of stocked materials on which charge is based.
CEV_PRICE	N	NUMBER(24,6)	numeric(24,6)	total price (total charge amount + total correction amount).
CEV_INCREMENTABLE	Y	VARCHAR2(1)	nvarchar(1)	value is + if additional (incremental) charges may be calculated for this job.
CEV_DATE	N	DATE	datetime	date job item charge created.
CEV_ORIGIN	Y	VARCHAR2(255)	nvarchar(255)	username of person who created job item charge.
CEV_HIR_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of hired labor on which charge is based.
CEV_DMA_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of direct materials on which charge is based.
CEV_FIX_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of fixed price services on which charge is based.
CEV_COST	Y	NUMBER(24,6)	numeric(24,6)	total cost.
CEV_LAB_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for internal labor.
CEV_MAT_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for stocked materials.
CEV_HIR_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for hired labor.
CEV_DMA_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for direct materials.
CEV_FIX_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for fixed price services.
CEV_ADD_CALC	Y	NUMBER(24,6)	numeric(24,6)	fixed charge to be added.
CEV_CALC	Y	NUMBER(24,6)	numeric(24,6)	total charge amount calculated.
CEV_FIX_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for fixed price services.
CEV_LAB_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for internal labor.
CEV_MAT_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for stocked materials.
CEV_HIR_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for hired labor.
CEV_DMA_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for direct materials.
CEV_ADD_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to fixed charge to be added.
CEV_CORR	Y	NUMBER(24,6)	numeric(24,6)	total correction amount to be added/subtracted from total charge calculated.
CEV_FIX_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for fixed price services (charge amount + correction amount).
CEV_LAB_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for internal labor (charge amount + correction amount).
CEV_MAT_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for stocked materials (charge amount + correction amount).
CEV_HIR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for hired labor (charge amount + correction amount).

CEV_DMA_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for direct materials (charge amount + correction amount).
CEV_ADD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	fixed price to be added (charge amount + correction amount).
CEV_TOL_COST	Y	NUMBER(24,6)	numeric(24,6)	field to hold tool usage cost.
CEV_TOL_CALC	Y	NUMBER(24,6)	numeric(24,6)	field to hold calculated tool usage cost.
CEV_TOL_CORR	Y	NUMBER(24,6)	numeric(24,6)	field to hold tool usage cost correction.
CEV_TOL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	field to hold tool usage cost price.
CEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CEV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CALCEVENTS_ARCHIVE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACV_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACV_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
ACV_INCREMENT	Y	NUMBER(4,0)	numeric(4,0)	sequential line number within job number, for incremental charges.
ACV_STATUS	Y	VARCHAR2(4)	nvarchar(4)	job item charge status (user code, see entity cest).
ACV_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	job item charge status (system code, see entity cest).
ACV_DEBTOR	Y	VARCHAR2(30)	nvarchar(30)	debtor code.
ACV_AGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number.
ACV_LAB_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of internal labor on which charge is based.
ACV_MAT_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of stocked materials on which charge is based.
ACV_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total price (total charge amount + total correction amount).
ACV_INCREMENTABLE	Y	VARCHAR2(1)	nvarchar(1)	value is + if additional (incremental) charges may be calculated for this job.
ACV_DATE	Y	DATE	datetime	date job item charge created.
ACV_ORIGIN	Y	VARCHAR2(255)	nvarchar(255)	username of person who created job item charge.
ACV_HIR_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of hired labor on which charge is based.
ACV_DMA_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of direct materials on which charge is based.
ACV_FIX_COST	Y	NUMBER(24,6)	numeric(24,6)	cost of fixed price services on which charge is based.
ACV_COST	Y	NUMBER(24,6)	numeric(24,6)	total cost.
ACV_LAB_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for internal labor.
ACV_MAT_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for stocked materials.
ACV_HIR_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for hired labor.
ACV_DMA_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for direct materials.
ACV_FIX_CALC	Y	NUMBER(24,6)	numeric(24,6)	charge amount calculated for fixed price services.
ACV_ADD_CALC	Y	NUMBER(24,6)	numeric(24,6)	fixed charge to be added.
ACV_CALC	Y	NUMBER(24,6)	numeric(24,6)	total charge amount calculated.
ACV_FIX_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for fixed price services.
ACV_LAB_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for internal labor.
ACV_MAT_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for stocked materials.
ACV_HIR_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for hired labor.
ACV_DMA_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to calculated charge for direct materials.
ACV_ADD_CORR	Y	NUMBER(24,6)	numeric(24,6)	correction amount to be applied to fixed charge to be added.
ACV_CORR	Y	NUMBER(24,6)	numeric(24,6)	total correction amount to be added/subtracted from total charge calculated.
ACV_FIX_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for fixed price services (charge amount + correction amount).
ACV_LAB_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for internal labor (charge amount + correction amount).
ACV_MAT_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for stocked materials (charge amount + correction amount).
ACV_HIR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for hired labor (charge amount + correction amount).
ACV_DMA_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price for direct materials (charge amount + correction amount).
ACV_ADD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	fixed price to be added (charge amount + correction amount).
ACV_TOL_COST	Y	NUMBER(24,6)	numeric(24,6)	field to hold tool usage cost.
ACV_TOL_CALC	Y	NUMBER(24,6)	numeric(24,6)	field to hold calculated tool usage cost.
ACV_TOL_CORR	Y	NUMBER(24,6)	numeric(24,6)	field to hold tool usage cost correction.
ACV_TOL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	field to hold tool usage cost price.
ACV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

ACV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CALCEVTLINES

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CEL_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
CEL_INCREMENT	N	NUMBER(4,0)	numeric(4,0)	value is + if additional (incremental) charges may be calculated for the job.
CEL_LINE	N	NUMBER(8,0)	numeric(8,0)	sequential line number within job number, for incremental charges.
CEL_RTYPE	N	VARCHAR2(8)	nvarchar(8)	job item charge type (system code, cetp).
CEL_SUBEVENT	Y	VARCHAR2(30)	nvarchar(30)	sub event code.
CEL_SUBACT	Y	NUMBER(8,0)	numeric(8,0)	sub activity number.
CEL_COST	Y	NUMBER(24,6)	numeric(24,6)	total cost for labor or material item (at internal rates/tariffs), calculated.
CEL_CALC	Y	NUMBER(24,6)	numeric(24,6)	total charge for labor or material item (at external rates/tariffs), calculated.
CEL_CORR	Y	NUMBER(24,6)	numeric(24,6)	amount of correction applied to calculated job charge.
CEL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total price for labor or material item.
CEL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code of labor item..
CEL_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	occupation type (user code, see entity octp).
CEL_HOURS	Y	NUMBER(12,2)	numeric(12,2)	number of labor hours booked.
CEL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code of material item.
CEL_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity used of material item.
CEL_TOOL	Y	VARCHAR2(12)	nvarchar(12)	field to hold tool code.
CEL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
CEL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CEL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CEL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CALCEVTLINES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACN_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACN_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
ACN_INCREMENT	Y	NUMBER(4,0)	numeric(4,0)	value is + if additional (incremental) charges may be calculated for the job.
ACN_LINE	Y	NUMBER(8,0)	numeric(8,0)	sequential line number within job number, for incremental charges.
ACN_RTYPE	Y	VARCHAR2(8)	nvarchar(8)	job item charge type (system code, cetp).
ACN_SUBEVENT	Y	VARCHAR2(30)	nvarchar(30)	sub event code.
ACN_SUBACT	Y	NUMBER(8,0)	numeric(8,0)	sub activity number.
ACN_COST	Y	NUMBER(24,6)	numeric(24,6)	total cost for labor or material item (at internal rates/tariffs), calculated.
ACN_CALC	Y	NUMBER(24,6)	numeric(24,6)	total charge for labor or material item (at external rates/tariffs), calculated.
ACN_CORR	Y	NUMBER(24,6)	numeric(24,6)	amount of correction applied to calculated job charge.
ACN_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total price for labor or material item.
ACN_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code of labor item..
ACN_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	occupation type (user code, see entity octp).
ACN_HOURS	Y	NUMBER(12,2)	numeric(12,2)	number of labor hours booked.
ACN_PART	Y	VARCHAR2(30)	nvarchar(30)	part code of material item.
ACN_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity used of material item.
ACN_TOOL	Y	VARCHAR2(12)	nvarchar(12)	field to hold tool code.
ACN_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ACN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CALCOBJRRSCORE

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GTC_RANKINGCODE	Y	VARCHAR2(30)		
GTC_RANKINGORG	Y	VARCHAR2(15)		

GTC_RANKINGREVISION	Y	NUMBER(4,0)
GTC_CORRECTIONSORE	Y	VARCHAR2(1)
GTC_PRECISION	Y	NUMBER(1,0)
GTC_RTYPE	Y	VARCHAR2(8)
GTC_TYPE	Y	VARCHAR2(8)
GTC_TRACKHISTORY	Y	VARCHAR2(1)
GTC_SCORE	Y	NUMBER(24,6)
GTC_LENGTH	Y	NUMBER(24,6)
GTC_DATECORREFFECTIVE	Y	DATE
GTC_ERRORS	Y	NUMBER(1,0)
GTC_UOM	Y	VARCHAR2(30)

RSCALCULATESCORE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSC_LEVELPK	Y	VARCHAR2(30)		The reliability ranking level pk
CSC_PARENT	Y	VARCHAR2(30)		The reliability ranking level parent
CSC_CODE	Y	VARCHAR2(30)		The reliability ranking level code
CSC_VALUE	Y	NUMBER(24,6)		The reliability ranking level value

RSCALENDARS

BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CAL_CODE	N	VARCHAR2(2)	nvarchar(2)	calendar code.
CAL_DESC	N	VARCHAR2(80)	nvarchar(80)	calendar description.
CAL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
CAL_PERIODS	N	NUMBER(2,0)	numeric(2,0)	number of terms (periods) for calendar.
CAL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CAL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CAL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CAL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSCALGROUPS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CLG_CODE	N	VARCHAR2(8)	nvarchar(8)	calibration group code
CLG_CONTRACTOR	N	VARCHAR2(30)	nvarchar(30)	contractor
CLG_CONTRACTOR_ORG	Y	VARCHAR2(15)	nvarchar(15)	contractor organization
CLG_TASK	N	VARCHAR2(20)	nvarchar(20)	task list code
CLG_TASKREV	N	NUMBER(4,0)	numeric(4,0)	task revision
CLG_EQUIPUSED	N	VARCHAR2(12)	nvarchar(12)	equipment code used
CLG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CLG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CLG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSCALLERS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CLL_CODE	N	VARCHAR2(30)	nvarchar(30)	caller code
CLL_CUSTOMER	N	VARCHAR2(30)	nvarchar(30)	caller customer
CLL_NAME	N	VARCHAR2(80)	nvarchar(80)	caller name
CLL_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	caller email
CLL_PHONE	Y	VARCHAR2(50)	nvarchar(50)	caller phone
CLL_FAX	Y	VARCHAR2(50)	nvarchar(50)	caller fax
CLL_LEVEL1	Y	VARCHAR2(30)	nvarchar(30)	caller property
CLL_LEVEL2	Y	VARCHAR2(30)	nvarchar(30)	caller building
CLL_LEVEL3	Y	VARCHAR2(30)	nvarchar(30)	caller floor
CLL_CODESTRUCTURE	Y	VARCHAR2(100)	nvarchar(100)	caller property structure

CLL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CLL_ID	Y	VARCHAR2(30)	nvarchar(30)	ID to be used when caller logs into the Caller login page
CLL_ORG	Y	VARCHAR2(15)	nvarchar(15)	Org value to be used when this caller creates the Service request
CLL_SRFLAG	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine if caller can create service requests
CLL_EXTERNCODE	Y	VARCHAR2(256)	nvarchar(256)	The external code of the caller.
CLL_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag
CLL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CLL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CAMPAIGNEVENTS

CAMPAIGNS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CGE_CAMPAIGN	N	VARCHAR2(30)	nvarchar(30)	Campaign Code
CGE_CAMPAIGN_ORG	N	VARCHAR2(15)	nvarchar(15)	Campaign Code Organization
CGE_LINE	N	NUMBER(8,0)	numeric(8,0)	Campaign Event
CGE_DESC	N	VARCHAR2(80)	nvarchar(80)	Job Description
CGE_SURVEY	N	VARCHAR2(1)	nvarchar(1)	Survey
CGE_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	Safety
CGE_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	WO Type
CGE_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority
CGE_REQM	Y	VARCHAR2(8)	nvarchar(8)	Problem Code
CGE_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	Standard WO
CGE_CLASS	Y	VARCHAR2(8)	nvarchar(8)	WO Class
CGE_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	WO Class Org.
CGE_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Project
CGE_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	Budget
CGE_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
CGE_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	Requested By
CGE_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	Scheduling Group
CGE_ACT_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade
CGE_ACT_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task
CGE_ACT_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	Material List
CGE_ACT_DURATION	Y	NUMBER(8,0)	numeric(8,0)	Activity Duration
CGE_ACT_EST	Y	NUMBER	numeric(24,6)	Estimated Hours
CGE_ACT_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	People Required
CGE_DURATION	Y	NUMBER(8,0)	numeric(8,0)	Duration
CGE_PRD_PRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
CGE_PRD_PRIORITYDESC	Y	VARCHAR2(1024)	nvarchar(1024)	Production Priority Description
CGE_PRD_REQSTARTDATEBUFF	Y	NUMBER(4,0)	numeric(4,0)	Requested Start Date Buffer (Days)
CGE_PRD_REQENDDATEBUFF	Y	NUMBER(4,0)	numeric(4,0)	Requested End Date Buffer (Days)
CGE_PRD_DOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Downtime (Hours)
CGE_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CGE_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CGE_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CGE_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
CGE_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
CGE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CGE_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CGE_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CGE_UDFDATE06	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE07	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE08	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE09	Y	DATE	datetime	User defined field of type Date
CGE_UDFDATE10	Y	DATE	datetime	User defined field of type Date
CGE_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CGE_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CGE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CAMPAGNOBJECTS	CAMPAIGNS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CGO_CAMPAIGN	N	VARCHAR2(30)	nvarchar(30)	Campaign Code
CGO_CAMPAIGN_ORG	N	VARCHAR2(15)	nvarchar(15)	Campaign Code Organization
CGO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment
CGO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
CGO_STATUS	N	VARCHAR2(4)	nvarchar(4)	Survey Line Status
CGO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Survey Work Order
CGO_MESSAGE	Y	VARCHAR2(500)	nvarchar(500)	Error Message
CGO_ERRORCODE	Y	VARCHAR2(12)	nvarchar(12)	Error Code
CGO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CGO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CGO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CAMPAGNS	CAMPAIGNS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CAM_CODE	N	VARCHAR2(30)	nvarchar(30)	Campaign Code
CAM_ORG	N	VARCHAR2(15)	nvarchar(15)	Campaign Code Organization
CAM_DESC	N	VARCHAR2(80)	nvarchar(80)	Campaign Description
CAM_STATUS	N	VARCHAR2(4)	nvarchar(4)	User Status Code
CAM_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	System Status Code
CAM_TYPE	N	VARCHAR2(4)	nvarchar(4)	User Type Code
CAM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Campaign Class
CAM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Campaign Class Organization
CAM_SURVEY	N	VARCHAR2(1)	nvarchar(1)	Survey Code
CAM_COORDIN	Y	VARCHAR2(15)	nvarchar(15)	Campaign Coordinator
CAM_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
CAM_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
CAM_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	Who entered the record
CAM_CREATED	Y	DATE	datetime	Creation Date Stamp
CAM_UPDATED	Y	DATE	datetime	Update timestamp

CAM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CAM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CAM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CAM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CAM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CAM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CAM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CAM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CAPITALPLANNINGREQUESTS

GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CPR_CODE	N	VARCHAR2(30)	nvarchar(30)	Code
CPR_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
CPR_DESC	N	VARCHAR2(80)	nvarchar(80)	Description

CPR_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	Long Description
CPR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
CPR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Organization
CPR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
CPR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
CPR_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
CPR_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority
CPR_ESTLABCOST	Y	NUMBER(24,6)	numeric(24,6)	Estimated Labor Cost
CPR_ESTMATCOST	Y	NUMBER(24,6)	numeric(24,6)	Estimate Material Cost
CPR_STATUS	N	VARCHAR2(4)	nvarchar(4)	Status
CPR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	System Status
CPR_DATECREATED	Y	DATE	datetime	Date Created
CPR_ORIGAPPROPRIATIONDATE	Y	DATE	datetime	Original Appropriation Date
CPR_CURRENTAPPROPRIATIONDATE	Y	DATE	datetime	Current Appropriation Date
CPR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
CPR_REQUESTEDBY	Y	VARCHAR2(15)	nvarchar(15)	Requested By
CPR_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
CPR_AUTHORIZEDBY	Y	VARCHAR2(255)	nvarchar(255)	Authorized By
CPR_DATEAUTHORIZED	Y	DATE	datetime	Date Authorized
CPR_DEFAULTAUTHORIZER	Y	VARCHAR2(255)	nvarchar(255)	Default authorizer
CPR_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	Scheduled group
CPR_GREEN	Y	VARCHAR2(1)	nvarchar(1)	Green Related Flag
CPR_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	Work Order Type
CPR_CODESTRUCTURE	Y	VARCHAR2(255)	nvarchar(255)	Code Structure
CPR_COSTAVOIDANCE	Y	NUMBER(24,6)	numeric(24,6)	Cost Avoidance
CPR_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
CPR_MAJORGROUP	Y	VARCHAR2(30)	nvarchar(30)	Look up to r5codestructure (level1) with entity CPRQ
CPR_GROUP	Y	VARCHAR2(30)	nvarchar(30)	Look up to r5codestructure (level2) with entity CPRQ
CPR_INDIVIDUAL	Y	VARCHAR2(30)	nvarchar(30)	Look up to r5codestructure (level2) with entity CPRQ
CPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CPR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User Defined Field
CPR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User Defined Field
CPR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User Defined Field
CPR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User Defined Field
CPR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User Defined Field
CPR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User Defined Field
CPR_UDFDATE01	Y	DATE	datetime	User Defined Field
CPR_UDFDATE02	Y	DATE	datetime	User Defined Field
CPR_UDFDATE03	Y	DATE	datetime	User Defined Field
CPR_UDFDATE04	Y	DATE	datetime	User Defined Field
CPR_UDFDATE05	Y	DATE	datetime	User Defined Field
CPR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User Defined Field
CPR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User Defined Field
CPR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User Defined Field
CPR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User Defined Field

CPR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User Defined Field
CPR_OBJECTIVE	Y	VARCHAR2(30)	nvarchar(30)	The objective of the capital planning request.
CPR_OBJECTIVE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the objective of the capital planning request.
CPR_ROI	Y	NUMBER(6,2)	numeric(6,2)	Return on Investment percentage.
CPR_NPV	Y	NUMBER(24,6)	numeric(24,6)	Net present Value.
CPR_IRR	Y	NUMBER(6,2)	numeric(6,2)	Internal Rate of Return percentage.
CPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CASEMANAGEMENT

CASE MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSM_CODE	N	VARCHAR2(30)	nvarchar(30)	Unique ID of case
CSM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization of case
CSM_DESC	N	VARCHAR2(80)	nvarchar(80)	Description of case
CSM_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment of case
CSM_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment organization of case
CSM_CASETYPE	N	VARCHAR2(8)	nvarchar(8)	Type of case
CSM_MRC	N	VARCHAR2(15)	nvarchar(15)	Department of case
CSM_STATUS	Y	VARCHAR2(4)	nvarchar(4)	User status of the case
CSM_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	System status of case
CSM_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that reviewed the case
CSM_REVIEWED	Y	DATE	datetime	Date case is reviewed
CSM_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of review of the case
CSM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the case
CSM_CREATED	Y	DATE	datetime	Date time case was created
CSM_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that updated the case
CSM_UPDATED	Y	DATE	datetime	Date time update
CSM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class of case
CSM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class organization of case
CSM_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	Location of case
CSM_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	Location of case
CSM_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service code of the case
CSM_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service code organization of the case
CSM_AREA	Y	VARCHAR2(50)	nvarchar(50)	Location or area description where the event happened
CSM_WORKADDRESS	Y	VARCHAR2(256)	nvarchar(256)	Work address for the case
CSM_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority of case
CSM_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost code of case
CSM_EVENT_STARTDATE	Y	DATE	datetime	Start date of the event the case was created for
CSM_EVENT_ENDDATE	Y	DATE	datetime	End date of the event the case was created for
CSM_REGULATORY	Y	VARCHAR2(1)	nvarchar(1)	Case relates to regulatory requirements
CSM_FOLLOWUPREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Case follow-up is required
CSM_HAZARDMATERIAL	Y	VARCHAR2(1)	nvarchar(1)	Hazardous material involved
CSM_TOTALESTIMATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	Total estimated costs of the case
CSM_TOTALCALCULATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	Total calculated costs of the case
CSM_CALCOSTREFRESHREQ	Y	VARCHAR2(1)	nvarchar(1)	Indicates if a cost refresh is required
CSM_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Parent case reference
CSM_WORKORDER	Y	VARCHAR2(30)	nvarchar(30)	case reference to a work order
CSM_PERMITTOWORK	Y	VARCHAR2(30)	nvarchar(30)	Case reference to a permit to work
CSM_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	Case reference to a shift
CSM_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Case reference to a project
CSM_CAMPAIGN	Y	VARCHAR2(30)	nvarchar(30)	Case reference to a campaign
CSM_CAMPAIGN_ORG	Y	VARCHAR2(15)	nvarchar(15)	Case reference to a campaign organization
CSM_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	Starting point for linear equipment
CSM_FROMPOINTREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Starting reference description for linear equipment

CSM_FROMPOINTGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	Starting geo reference for linear equipment
CSM_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	Ending point for linear equipment
CSM_TOPOINTREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Ending reference description for linear equipment
CSM_TOPOINTGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	Ending geo reference for linear equipment
CSM_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	Inspection direction for linear equipment
CSM_FLOW	Y	VARCHAR2(8)	nvarchar(8)	Flow of medium for linear equipment
CSM_REQUESTEDBY	Y	VARCHAR2(15)	nvarchar(15)	Person that requested the case
CSM_REQUESTED	Y	DATE	datetime	Date case is requested
CSM_RESPONSIBLE	Y	VARCHAR2(15)	nvarchar(15)	Person responsible for the case
CSM_RESPONSIBLE_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person responsible for the case
CSM_RESPONSIBLE_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person responsible for the case
CSM_PREPAREDBY	Y	VARCHAR2(15)	nvarchar(15)	Person that prepared the case
CSM_PREPAREDBY_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person that prepared the case
CSM_PREPAREDBY_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person that prepared the case
CSM_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Person assigned to the case
CSM_ASSIGNEDTO_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person assigned to the case
CSM_ASSIGNEDTO_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person assigned to the case
CSM_SCHD_STARTDATE	Y	DATE	datetime	Scheduled start date of the case
CSM_SCHD_ENDDATE	Y	DATE	datetime	Scheduled end date of the case
CSM_REQ_STARTDATE	Y	DATE	datetime	Requested start date of the case
CSM_REQ_ENDDATE	Y	DATE	datetime	Requested end date of the case
CSM_STARTDATE	Y	DATE	datetime	Date case work was started
CSM_COMPLETEDDATE	Y	DATE	datetime	Date case was completed
CSM_INCIDENTREQUEST	Y	VARCHAR2(30)	nvarchar(30)	Originating service request (call center)
CSM_INCIDENTREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	Originating service request (call center)
CSM_SOURCETYPE	Y	VARCHAR2(4)	nvarchar(4)	Origin of the case
CSM_WO_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description for the follow-up work order
CSM_STANDARDWO	Y	VARCHAR2(20)	nvarchar(20)	Standard work order for the follow-up work order
CSM_WO_TYPE	Y	VARCHAR2(8)	nvarchar(8)	Type for the follow-up work order
CSM_WO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Work order class for the follow-up work order
CSM_WO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work order class organization for the follow-up work order
CSM_WO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Status for the follow-up work order
CSM_WO_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority for the follow-up work order
CSM_TASKPLAN	Y	VARCHAR2(20)	nvarchar(20)	Task plan for the follow-up work order
CSM_JOBPLAN	Y	VARCHAR2(20)	nvarchar(20)	Job plan for the for the follow-up work order
CSM_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade for the follow-up work order
CSM_ESTIMATEDHOURS	Y	NUMBER(10,2)	numeric(10,2)	Estimated hours for the follow-up work order
CSM_PEOPLEREQUIRED	Y	NUMBER(8,0)	numeric(8,0)	People required for the follow-up work order
CSM_FOLLOWUPWO	Y	VARCHAR2(30)	nvarchar(30)	Follow-up work order
CSM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CSM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char

CSM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CSM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CSM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CSM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CSM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CSM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CSM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSM_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
CSM_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
CSM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSCASEMANAGEMENTEVENTLOG				
CASE MANAGEMENT				
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
CML_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the log event record.
CML_CASECODE	Y	VARCHAR2(30)	nvarchar(30)	Reference to case record
CML_EVENTTYPE	N	VARCHAR2(8)	nvarchar(8)	Type of event log record
CML_EVENTLOG_DATE	N	DATE	datetime	Date of the event log record
CML_FROMSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Status of the case before the event
CML_TOSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Status of the case after the event
CML_USER	Y	VARCHAR2(255)	nvarchar(255)	User that reviewed or updated the event og record
CML_ESIGNTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of esignature used
CML_NOTES	Y	VARCHAR2(2000)	nvarchar(2000)	Free notes for the event log record
CML_CREATED	Y	DATE	datetime	Date time event log record for the case is created
CML_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the event log record for the case
CML_UPDATED	Y	DATE	datetime	Date time event log record for the case is updated
CML_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the event log record for the case
CML_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CML_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char
CML_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined fieldof type char

CML_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
CML_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CML_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CML_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CML_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CML_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CML_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CML_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CML_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CML_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CML_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CML_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CML_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CML_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CML_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CML_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CML_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CML_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CML_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5CASEMANAGEMENTTASKS

CASE MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCM_CODE	N	VARCHAR2(30)	nvarchar(30)	Primary key of the case task
TCM_DESC	N	VARCHAR2(80)	nvarchar(80)	Case task description
TCM_CASEMANAGEMENT	N	VARCHAR2(30)	nvarchar(30)	the primary key of the related case management record
TCM_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	Sequence of the case task
TCM_STEP	Y	NUMBER(6,0)	numeric(6,0)	Step (sub-sequence) of the case task
TCM_NOTE	Y	VARCHAR2(80)	nvarchar(80)	Notes for case task

TCM_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority of the case task
TCM_CHKLIST_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task plan used to determine the checklist of the task
TCM_CHKLIST_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	Revision of task plan used to determine the checklist of the task
TCM_ESTIMATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	Case task estimated costs
TCM_CALCULATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	Total calculated costs of the case task
TCM_COSTREFRESHREQ	Y	VARCHAR2(1)	nvarchar(1)	Indicates if a cost refresh is required
TCM_FROMSERVICECODE	Y	VARCHAR2(1)	nvarchar(1)	Case task originated from the selected service code
TCM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the case task
TCM_CREATED	Y	DATE	datetime	Date time case task was created
TCM_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that last updated the case task
TCM_UPDATED	Y	DATE	datetime	Date case task was last updated
TCM_RESPONSIBLE_ROLE	Y	VARCHAR2(8)	nvarchar(8)	Role of the person that should be responsible for the case task
TCM_RESPONSIBLE	Y	VARCHAR2(15)	nvarchar(15)	Person responsible for the case task
TCM_RESPONSIBLE_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person responsible for the case task
TCM_RESPONSIBLE_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person responsible for the case task
TCM_ASSIGNEDTO_ROLE	Y	VARCHAR2(8)	nvarchar(8)	Role of the person that should be assigned to the case
TCM_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Person assigned to the case task
TCM_ASSIGNEDTO_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person assigned to the case task
TCM_ASSIGNEDTO_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person assigned to the case task
TCM_PLANNEDDURATION	Y	NUMBER(10,0)	numeric(10,0)	Duration of the case task
TCM_DURATION_UNIT	Y	VARCHAR2(20)	nvarchar(20)	Case task duration unit of measure
TCM_SCHD_STARTDATE	Y	DATE	datetime	Scheduled start date of the case task
TCM_SCHD_ENDDATE	Y	DATE	datetime	Scheduled end date of the case task
TCM_REQ_STARTDATE	Y	DATE	datetime	Requested start date of the case task
TCM_REQ_ENDDATE	Y	DATE	datetime	Requested end date of the case task
TCM_FIRMDATES	Y	VARCHAR2(1)	nvarchar(1)	Indicator dates are firm
TCM_READYTOSTART	Y	VARCHAR2(1)	nvarchar(1)	Case task is ready to start
TCM_STARTED	Y	VARCHAR2(1)	nvarchar(1)	Indicator case task has started
TCM_STARTDATE	Y	DATE	datetime	Start date of the case task
TCM_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	Indicates the case task is completed
TCM_PERCENT_COMPLETE	Y	NUMBER(4,0)	numeric(4,0)	Completion percentage of case task
TCM_DATECOMPLETED	Y	DATE	datetime	Date case task was completed
TCM_NOTIFY_COMPLETE	Y	VARCHAR2(1)	nvarchar(1)	Alert when the case task is complete
TCM_NOTIFY_READYTOSTART	Y	VARCHAR2(1)	nvarchar(1)	Alert when the case task is ready to start
TCM_WO_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description for the follow-up work order
TCM_STANDARDWO	Y	VARCHAR2(20)	nvarchar(20)	Standard work order for the follow-up work order
TCM_WO_TYPE	Y	VARCHAR2(8)	nvarchar(8)	Type for the follow-up work order
TCM_WO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Work order class for the follow-up work order
TCM_WO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work order class organization for the follow-up work order
TCM_WO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Status for the follow-up work order
TCM_WO_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority for the follow-up work order
TCM_TASKPLAN	Y	VARCHAR2(20)	nvarchar(20)	Task plan for the follow-up work order
TCM_JOBPLAN	Y	VARCHAR2(20)	nvarchar(20)	Job plan for the follow-up work order
TCM_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade for the follow-up work order
TCM_ESTIMATEDHOURS	Y	NUMBER(10,2)	numeric(10,2)	Estimated hours for the follow-up work order
TCM_PEOPLEREQUIRED	Y	NUMBER(8,0)	numeric(8,0)	People required for the follow-up work order
TCM_FOLLOWUPWO	Y	VARCHAR2(30)	nvarchar(30)	Follow-up work order
TCM_PERFORMED	Y	DATE	datetime	Date time the case task was performed
TCM_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that performed the case task
TCM_PERFORMEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of performed by
TCM_REVIEWED	Y	DATE	datetime	Date time the case task was reviewed
TCM_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that reviewed the case task
TCM_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of review
TCM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char

TCM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type char
TCM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TCM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TCM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TCM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TCM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TCM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TCM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TCM_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
TCM_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
TCM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CASETASKS

CASE MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CTA_CODE	N	VARCHAR2(30)	nvarchar(30)	Primary key of the case task
CTA_SERVICECODE	N	VARCHAR2(30)	nvarchar(30)	Reference to the parent service code

CTA_SERVICECODE_ORG	N	VARCHAR2(15)	nvarchar(15)	Reference to the parent service code organization
CTA_DESC	N	VARCHAR2(80)	nvarchar(80)	Description of the case task
CTA_NOTE	Y	VARCHAR2(80)	nvarchar(80)	Note for the case task
CTA_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	Sequence of the case task
CTA_STEP	Y	NUMBER(6,0)	numeric(6,0)	Step (sub sequence) of the case task
CTA_CHKLIST_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task plan used to create the case task checklist
CTA_ESTCOSTS	Y	NUMBER(24,6)	numeric(24,6)	Estimated costs of the case task
CTA_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority of the case task
CTA_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Case task is out of service
CTA_RESPONSIBLE_ROLE	Y	VARCHAR2(8)	nvarchar(8)	Role of the person that should be responsible for the case task
CTA_RESPONSIBLE	Y	VARCHAR2(15)	nvarchar(15)	Person responsible for the case task
CTA_RESPONSIBLE_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person responsible for the case task
CTA_RESPONSIBLE_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person responsible for the case task
CTA_ASSIGNEDTO_ROLE	Y	VARCHAR2(8)	nvarchar(8)	Role of the person that should be assigned to the case
CTA_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Person assigned to the case task
CTA_ASSIGNEDTO_NAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person assigned to the case task
CTA_ASSIGNEDTO_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email of the person assigned to the case task
CTA_PLANNEDDURATION	Y	NUMBER(10,0)	numeric(10,0)	Duration of the case task
CTA_PLANNEDDURATION_UNIT	Y	VARCHAR2(20)	nvarchar(20)	Case task duration unit of measure
CTA_FIRMDATES	Y	VARCHAR2(1)	nvarchar(1)	Firm dates
CTA_NOTIFY_COMPLETE	Y	VARCHAR2(1)	nvarchar(1)	Alert when the case task is complete
CTA_NOTIFY_READYTOSTART	Y	VARCHAR2(1)	nvarchar(1)	Alert when the case task is ready to start
CTA_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	Standard work order for the follow-up work order
CTA_STANDWORK_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description for the follow-up work order
CTA_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	Type for the follow-up work order
CTA_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Work order class for the follow-up work order
CTA_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work order class organization for the follow-up work order
CTA_WOSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Status for the follow-up work order
CTA_WOPRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority for the follow-up work order
CTA_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task for the follow-up work order
CTA_JOBPLAN	Y	VARCHAR2(20)	nvarchar(20)	Job plan for the follow-up work order
CTA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade for the follow-up work order
CTA_ESTHOURS	Y	NUMBER(10,2)	numeric(10,2)	Estimated hours for the follow-up work order
CTA_PEOPLEREQ	Y	NUMBER(8,0)	numeric(8,0)	People required for follow-up work order
CTA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CTA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CTA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CTA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CTA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CTA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CTA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CTA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CTA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CATALOGREFERENCES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRF_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
CRF_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
CRF_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code
CRF_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CRF_REFERENCE	N	VARCHAR2(50)	nvarchar(50)	reference
CRF_NOTES	Y	VARCHAR2(256)	nvarchar(256)	notes
CRF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CRF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CATALOGUE

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CAT_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
CAT_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code
CAT_DATE	N	DATE	datetime	date of last change of record
CAT_GROSS	Y	NUMBER(24,6)	numeric(24,6)	before inventory_decimal
CAT_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time of part (in days).
CAT_QUOTATION	Y	VARCHAR2(30)	nvarchar(30)	quotation number.
CAT_EXPQUOT	Y	DATE	datetime	expiration date of quotation.
CAT_QUOTPRICE	Y	NUMBER(24,6)	numeric(24,6)	before inventory_decimal
CAT_QUOTUOM	Y	VARCHAR2(30)	nvarchar(30)	quotation unit of measure.
CAT_EXPPURPR	Y	DATE	datetime	expiration date of catalogue price.
CAT_PURPRICE	Y	NUMBER(24,6)	numeric(24,6)	net price of part per purchase unit of measure in supplier currency.

CAT_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure.
CAT_REF	Y	VARCHAR2(50)	nvarchar(50)	suppliers reference of part.
CAT_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	factor for issue to purchase.
CAT_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
CAT_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
CAT_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
CAT_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
CAT_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
CAT_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
CAT_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
CAT_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CAT_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
CAT_DESC	Y	VARCHAR2(2000)	nvarchar(2000)	catalogue description
CAT_MINORDQTY	Y	NUMBER(24,6)	numeric(24,6)	minimum order quantity
CAT_REPREF	Y	VARCHAR2(50)	nvarchar(50)	part repair reference code
CAT_REPPRICE	Y	NUMBER(24,6)	numeric(24,6)	part repair price
CAT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CAT_IPLASTUPDATE	Y	DATE	datetime	Date price and lead time were updated from 7iBuy
CAT_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code
CAT_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IProcure
CAT_INSERTOLDREFERENCE	Y	VARCHAR2(1)	nvarchar(1)	Insert old reference flag
CAT_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The default cost code
CAT_DOCUMOTO_BOOKID	Y	VARCHAR2(100)	nvarchar(100)	The Documoto bookid of the supplier/part combination
CAT_DOCUMOTO_PART	Y	VARCHAR2(100)	nvarchar(100)	The Documoto part of the supplier/part combination
CAT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CAT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CAUSECLASSES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CAC_CLASS	N	VARCHAR2(8)	nvarchar(8)	classification code.
CAC_CAUSE	N	VARCHAR2(8)	nvarchar(8)	cause code
CAC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
CAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CAC_CREATED	Y	DATE	datetime	Creation timestamp
CAC_UPDATED	Y	DATE	datetime	Update timestamp
CAC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CAUSES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CAU_CODE	N	VARCHAR2(8)	nvarchar(8)	cause code. unique identification.
CAU_DESC	N	VARCHAR2(80)	nvarchar(80)	cause description.
CAU_GEN	Y	VARCHAR2(1)	nvarchar(1)	value is + if cause applies to all object classifications.
CAU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CAU_CREATED	Y	DATE	datetime	Creation timestamp
CAU_UPDATED	Y	DATE	datetime	Update timestamp
CAU_PARTFAILURE	Y	VARCHAR2(1)	nvarchar(1)	Part Failure Flag
CAU_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CAU_ENABLEWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
CAU_GROUP	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
CAU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CAU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CCTRCALGROUPPERIODS

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CGP_PERIOD	N	VARCHAR2(30)	nvarchar(30)	Period name
CGP_GROUPCODE	N	VARCHAR2(15)	nvarchar(15)	Calendar group code
CGP_GROUPORG	N	VARCHAR2(15)	nvarchar(15)	Calendar group org
CGP_START	N	DATE	datetime	Start date
CGP_END	N	DATE	datetime	End date
CGP_MONSTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_MONEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_TUESSTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_TUESEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_WEDSTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_WEDEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_THURSSTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_THURSEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_FRISTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_FRIEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_SATSTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_SATEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_SUNSTART	Y	NUMBER(38,0)	numeric(38,0)	Starting time of period
CGP_SUNEND	Y	NUMBER(38,0)	numeric(38,0)	Ending time of period
CGP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CGP_INTERNALOFFICEHOURS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this record is about internal office hours.
CGP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CGP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CCTRCALGROUPS

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CGR_CODE	N	VARCHAR2(15)	nvarchar(15)	Calendar Group Code
CGR_ORG	N	VARCHAR2(15)	nvarchar(15)	Calendar Group Organization
CGR_DESC	N	VARCHAR2(80)	nvarchar(80)	Calendar Group Description
CGR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Calendar Groups Class
CGR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Calendar Group Class Organization
CGR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out Of Service
CGR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CGR_PARENT	Y	VARCHAR2(15)	nvarchar(15)	Parent Calendar Group
CGR_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Parent Calendar Group Organization
CGR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CGR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEDCANVASES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CHC_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code.
CHC_USER	N	VARCHAR2(255)	nvarchar(255)	username.
CHC_CANVAS	N	VARCHAR2(20)	nvarchar(20)	canvas name.
CHC_CANVAS_WIDTH	N	NUMBER(5,0)	numeric(5,0)	canvas width.
CHC_VIEW_WIDTH	Y	NUMBER(5,0)	numeric(5,0)	view with.
CHC_X_POS	Y	NUMBER(5,0)	numeric(5,0)	x_position
CHC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CHC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEDCANVASESCOPY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCN_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function code.
CCN_USER	Y	VARCHAR2(255)	nvarchar(255)	username.

CCN_CANVAS	Y	VARCHAR2(20)	nvarchar(20)	canvas name.
CCN_CANVAS_WIDTH	Y	NUMBER(5,0)	numeric(5,0)	canvas width.
CCN_VIEW_WIDTH	Y	NUMBER(5,0)	numeric(5,0)	view with.
CCN_X_POS	Y	NUMBER(5,0)	numeric(5,0)	x_position
CCN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEDCOLUMNS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CHO_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code.
CHO_USER	N	VARCHAR2(255)	nvarchar(255)	username of person who changed list layout.
CHO_BLOCK	N	VARCHAR2(15)	nvarchar(15)	identification of block in list view.
CHO_ITEM	N	VARCHAR2(30)	nvarchar(30)	identification of field in list view.
CHO_XPOS	N	NUMBER(5,0)	numeric(5,0)	x-coordinate of field in list view.
CHO_YPOS	N	NUMBER(5,0)	numeric(5,0)	y-coordinate of field in list view.
CHO_WIDTH	N	NUMBER(5,0)	numeric(5,0)	width of field in list view.
CHO_NEXT_ITEM	Y	VARCHAR2(60)	nvarchar(60)	identification of next column in list view.
CHO_PREV_ITEM	Y	VARCHAR2(60)	nvarchar(60)	identification of previous column in list view.
CHO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CHO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEDCOLUMNSCOPY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
COC_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function code.
COC_USER	Y	VARCHAR2(255)	nvarchar(255)	username of person who changed list layout.
COC_BLOCK	Y	VARCHAR2(15)	nvarchar(15)	identification of block in list view.
COC_ITEM	Y	VARCHAR2(30)	nvarchar(30)	identification of field in list view.
COC_XPOS	Y	NUMBER(5,0)	numeric(5,0)	x-coordinate of field in list view.
COC_YPOS	Y	NUMBER(5,0)	numeric(5,0)	y-coordinate of field in list view.
COC_WIDTH	Y	NUMBER(5,0)	numeric(5,0)	width of field in list view.
COC_NEXT_ITEM	Y	VARCHAR2(60)	nvarchar(60)	identification of next column in list view.
COC_PREV_ITEM	Y	VARCHAR2(60)	nvarchar(60)	identification of previous column in list view.
COC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
COC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEDFIELDS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CHF_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function code.
CHF_FIELD	Y	VARCHAR2(61)	nvarchar(61)	field name.
CHF_DISPLAY	Y	VARCHAR2(1)	nvarchar(1)	value is + to display field.
CHF_XPOS	Y	NUMBER(4,0)	numeric(4,0)	x-coordinate of field in record view.
CHF_YPOS	Y	NUMBER(4,0)	numeric(4,0)	y-coordinate of field in record view.
CHF_WIDTH	Y	NUMBER(4,0)	numeric(4,0)	width of field in record view.
CHF_REQUIRED	Y	VARCHAR2(1)	nvarchar(1)	value is + if field is mandatory.
CHF_PAGE	Y	VARCHAR2(30)	nvarchar(30)	page name in form.
CHF_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	value is + if changed.
CHF_ORIG_REQ	Y	VARCHAR2(1)	nvarchar(1)	value is + if field was originally required.
CHF_READONLY	Y	VARCHAR2(1)	nvarchar(1)	value is + if field is read-only
CHF_NEXTFIELD	Y	VARCHAR2(61)	nvarchar(61)	next field in tabbing order
CHF_FORMATMASK	Y	VARCHAR2(30)	nvarchar(30)	format mask of field
CHF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CHF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEDFIELDSCOPY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CHY_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	see r5changedfields
CHY_FIELD	Y	VARCHAR2(61)	nvarchar(61)	see r5changedfields
CHY_DISPLAY	Y	VARCHAR2(1)	nvarchar(1)	see r5changedfields
CHY_XPOS	Y	NUMBER(4,0)	numeric(4,0)	see r5changedfields
CHY_YPOS	Y	NUMBER(4,0)	numeric(4,0)	see r5changedfields
CHY_WIDTH	Y	NUMBER(4,0)	numeric(4,0)	see r5changedfields
CHY_REQUIRED	Y	VARCHAR2(1)	nvarchar(1)	see r5changedfields
CHY_PAGE	Y	VARCHAR2(30)	nvarchar(30)	see r5changedfields
CHY_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	see r5changedfields
CHY_ORIG_REQ	Y	VARCHAR2(1)	nvarchar(1)	see r5changedfields
CHY_READONLY	Y	VARCHAR2(1)	nvarchar(1)	see r5changedfields
CHY_NEXTFIELD	Y	VARCHAR2(61)	nvarchar(61)	see r5changedfields
CHY_FORMATMASK	Y	VARCHAR2(30)	nvarchar(30)	see r5changedfields
CHY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CHY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGENOTICE

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CNH_CODE	N	VARCHAR2(24)	nvarchar(24)	change notice number.
CNH_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer.
CNH_STATUS	N	VARCHAR2(4)	nvarchar(4)	status of change notice.
CNH_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	change notice status (system code)
CNH_STARTDATE	N	DATE	datetime	start date of change notice.
CNH_EXPIREDATE	N	DATE	datetime	end date of change notice.
CNH_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
CNH_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of change notice.
CNH_MFGMATCHFLAG	N	VARCHAR2(1)	nvarchar(1)	selected assets match on manufacturer flag.
CNH_ORG	N	VARCHAR2(15)	nvarchar(15)	change notice organization
CNH_CLOSEDATE	Y	DATE	datetime	date the change notice was closed.
CNH_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CNH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CNH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CNH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGENOTICELINES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CNL_CN	N	VARCHAR2(24)	nvarchar(24)	change notice number
CNL_CNLINE	N	NUMBER(30,0)	numeric(30,0)	change notice line number
CNL_OLDPART	Y	VARCHAR2(30)	nvarchar(30)	old part number
CNL_NEWPART	Y	VARCHAR2(30)	nvarchar(30)	new part number
CNL_FROMOBJECTCODE	Y	VARCHAR2(30)	nvarchar(30)	from object code
CNL_TOOBJECTCODE	Y	VARCHAR2(30)	nvarchar(30)	to object code
CNL_FROMSERIALNO	Y	VARCHAR2(30)	nvarchar(30)	from serial number
CNL_TOSERIALNO	Y	VARCHAR2(30)	nvarchar(30)	to serial number
CNL_FROMOBJECTCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from object code organization
CNL_TOOBJECTCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	to object code organization
CNL_OLDPART_ORG	Y	VARCHAR2(15)	nvarchar(15)	old part number organization
CNL_NEWPART_ORG	Y	VARCHAR2(15)	nvarchar(15)	new part number organization
CNL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CNL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CNL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHANGEPARTHISTORY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CPH_FROMPART	N	VARCHAR2(30)	nvarchar(30)	The original part code
CPH_FROMPART_ORG	N	VARCHAR2(15)	nvarchar(15)	The original part organization
CPH_TOPART	N	VARCHAR2(30)	nvarchar(30)	The new part code
CPH_TOPART_ORG	N	VARCHAR2(15)	nvarchar(15)	The new part organization
CPH_CREATED	N	DATE	datetime	Creation timestamp
CPH_CREATEDBY	N	VARCHAR2(255)	nvarchar(255)	user who created this record
CPH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CPH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CPH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHARGEDEFSEQUENCE

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CDS_CATEGORY	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
CDS_SUBCATEGORY	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
CDS_LEVEL	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
CDS_ACTUALSUBCAT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
CDS_SEQUENCE	N	NUMBER(3,0)	numeric(3,0)	T.B.D.
CDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CHILDWORKS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CHW_PARENTSTWO	N	VARCHAR2(20)	nvarchar(20)	parent standard wo code
CHW_CHILDSTWO	N	VARCHAR2(20)	nvarchar(20)	child standard wo code
CHW_SEQ	N	NUMBER(3,0)	numeric(3,0)	sequence
CHW_STEP	N	NUMBER(3,0)	numeric(3,0)	step
CHW_TRIGSTEP	Y	NUMBER(3,0)	numeric(3,0)	trigger step
CHW_TRIGSEQ	Y	NUMBER(3,0)	numeric(3,0)	trigger sequence
CHW_OLDSTATUS	Y	VARCHAR2(4)	nvarchar(4)	old status
CHW_OLDRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	old r status (system)
CHW_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	new status
CHW_NEWRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	new r status (system)
CHW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CHW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CHW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CLASSES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CLS_ENTITY	N	VARCHAR2(4)	nvarchar(4)	to which entity class belongs
CLS_RENTITY	N	VARCHAR2(4)	nvarchar(4)	to which entity class belongs
CLS_CODE	N	VARCHAR2(8)	nvarchar(8)	code of class
CLS_DESC	N	VARCHAR2(80)	nvarchar(80)	default description of class
CLS_ORG	N	VARCHAR2(15)	nvarchar(15)	class organization
CLS_RENTITYCODE	Y	VARCHAR2(4)	nvarchar(4)	r entity code (for part coding structure)
CLS_LEVEL	Y	NUMBER(4,0)	numeric(4,0)	part coding structure level
CLS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CLS_CREATED	Y	DATE	datetime	Creation timestamp
CLS_UPDATED	Y	DATE	datetime	Update timestamp
CLS_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CLS_ICON	Y	VARCHAR2(30)	nvarchar(30)	icon for this class
CLS_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	path to the icon file
CLS_PROPERTY_DEFINITION	Y	VARCHAR2(8)	nvarchar(8)	The property definition of the class.

CLS_MOBILE_NOTEBOOK_DEFINITION	Y	VARCHAR2(8)	nvarchar(8)	
CLS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CLS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CLASSLINEARREFS		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CLR_ID	N	NUMBER(38,0)	numeric(38,0)	The surrogate key of this table
CLR_ENTITY	N	VARCHAR2(4)	nvarchar(4)	The entity of the class linear reference record
CLR_CLASS	N	VARCHAR2(8)	nvarchar(8)	The class the class linear reference record belongs to
CLR_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	The class organization the class linear reference record belongs to
CLR_RTYPE	N	VARCHAR2(4)	nvarchar(4)	The system type of the class linear reference record
CLR_TYPE	N	VARCHAR2(8)	nvarchar(8)	The type of the class linear reference record
CLR_LINEARREF_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the class linear reference record
CLR_LINEARREF_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the class linear reference record
CLR_PART	Y	VARCHAR2(30)	nvarchar(30)	The part of the class linear reference record
CLR_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization of the class linear reference record
CLR_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the class linear reference record
CLR_GEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of the class linear reference record
CLR_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the class linear reference record
CLR_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the class linear reference record
CLR_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the record applies to its children as well
CLR_REPEATEVERYLENGTH	Y	NUMBER(24,6)	numeric(24,6)	The interval after which linear reference records should be repeated
CLR_REPEATEVERYUOM	Y	VARCHAR2(10)	nvarchar(10)	The repeat every length unit of measure
CLR_STARTINGSEQUENCE	Y	NUMBER(18,0)	numeric(18,0)	The starting sequence of the class linear reference record
CLR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
CLR_CREATED	Y	DATE	datetime	Creation timestamp
CLR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Updated by user
CLR_UPDATED	Y	DATE	datetime	Update timestamp
CLR_DISPLAYONOVERVIEW	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the record should be displayed in the linear overview
CLR_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The color of the class linear reference record
CLR_ICON	Y	VARCHAR2(30)	nvarchar(30)	The icon associated to the class linear reference record
CLR_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The icon path associated to the class linear reference record
CLR_RELATIONSHIPTYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the class linear reference record
CLR_HORIZONTALOFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset of the class linear reference record
CLR_HORIZONTALOFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The horizontal offset unit of measure of the class linear reference record
CLR_HORIZONTALOFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The horizontal offset type of the class linear reference record
CLR_VERTICALOFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset of the class linear reference record
CLR_VERTICALOFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The vertical offset unit of measure of the class linear reference record
CLR_VERTICALOFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The vertical offset type of the class linear reference record
CLR_QTYPERUOM	Y	NUMBER(24,6)	numeric(24,6)	The quantity per unit of measure of the class linear reference record
CLR_QTYUOM	Y	VARCHAR2(10)	nvarchar(10)	The quantity unit of measure of the class linear reference record
CLR_WIDTH	Y	NUMBER(24,6)	numeric(24,6)	The width of the class linear reference record
CLR_WIDTHUOM	Y	VARCHAR2(10)	nvarchar(10)	The width unit of measure of the class linear reference record
CLR_HEIGHT	Y	NUMBER(24,6)	numeric(24,6)	The height of the class linear reference record
CLR_HEIGHTUOM	Y	VARCHAR2(10)	nvarchar(10)	The height unit of measure of the class linear reference record
CLR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CLR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CLR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CLR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CLR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CLR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CLR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CLR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CLR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CLOSEDPERIODS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CLP_CLOSED	N	DATE	datetime	a valid closing date for a period.
CLP_ENTERED	N	DATE	datetime	date when closing date was entered.
CLP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CLP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CLP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CLOSINGCODEHIERARCHY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCH_PARENTCLOSINGCODE	N	VARCHAR2(8)	nvarchar(8)	T.B.D.
CCH_PARENTCLOSINGCODETYPE	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
CCH_CHILDCLOSINGCODE	N	VARCHAR2(8)	nvarchar(8)	T.B.D.
CCH_CHILDCLOSINGCODETYPE	N	VARCHAR2(4)	nvarchar(4)	T.B.D.

CCH_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
CCH_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
CCH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCH_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
CCH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CMDFUELTYPE

GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CFL_PK	N	VARCHAR2(30)	nvarchar(30)	Surrogate key. Value provided by a sequence.
CFL_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	Commodity code
CFL_TYPE	N	VARCHAR2(8)	nvarchar(8)	Fuel Type
CFL_FROMDATE	N	DATE	datetime	From Date
CFL_EMISSIONS	N	NUMBER(24,6)	numeric(24,6)	Emissions
CFL_TODATE	N	DATE	datetime	To Date
CFL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CFL_GHG	N	VARCHAR2(30)	nvarchar(30)	The greenhouse gas
CFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CNHIST

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CNI_CN	N	VARCHAR2(24)	nvarchar(24)	change notice
CNI_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object
CNI_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location of object
CNI_RECORDED	N	DATE	datetime	date this history record was recorded
CNI_DISPDATE	Y	DATE	datetime	date this object was dispositioned.
CNI_STATE	Y	VARCHAR2(4)	nvarchar(4)	state of object.
CNI_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
CNI_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
CNI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CNI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CNI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CNLOCATIONS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CNC_CN	N	VARCHAR2(24)	nvarchar(24)	change notice.
CNC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	the locations.
CNC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	location organization
CNC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CNC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CNC_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
CNC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CODESTRUCTURE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSR_CODE	N	VARCHAR2(30)	nvarchar(30)	code structure code
CSR_DESC	N	VARCHAR2(80)	nvarchar(80)	description
CSR_RENTITY	N	VARCHAR2(4)	nvarchar(4)	code structure r entity (system)
CSR_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	code structure entity
CSR_STRLEVEL1	Y	VARCHAR2(30)	nvarchar(30)	code structure level 1
CSR_STRLEVEL2	Y	VARCHAR2(30)	nvarchar(30)	code structure level 2
CSR_STRLEVEL3	Y	VARCHAR2(30)	nvarchar(30)	code structure level 3
CSR_STRLEVEL4	Y	VARCHAR2(30)	nvarchar(30)	code structure level 4

CSR_STRLEVEL5	Y	VARCHAR2(30)	nvarchar(30)	code structure level 5
CSR_STRLEVEL6	Y	VARCHAR2(30)	nvarchar(30)	code structure level 6
CSR_STRLEVEL7	Y	VARCHAR2(30)	nvarchar(30)	code structure level 7
CSR_STRLEVEL8	Y	VARCHAR2(30)	nvarchar(30)	code structure level 8
CSR_STRUCTURE	Y	VARCHAR2(255)	nvarchar(255)	structure
CSR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSR_UPDATED	Y	DATE	datetime	Update time stamp
CSR_ICON	Y	VARCHAR2(30)	nvarchar(30)	The icon associated to the code structure
CSR_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The icon path associated to the code structure
CSR_IMPORTANCE	Y	VARCHAR2(8)	nvarchar(8)	The importance of the code structure record.
CSR_MATERIALTYPE	Y	VARCHAR2(8)	nvarchar(8)	The material type of the code structure record.
CSR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CSR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CODESTRUCTURECLASSES

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSL_CODE	N	VARCHAR2(30)	nvarchar(30)	
CSL_RENTITY	N	VARCHAR2(4)	nvarchar(4)	
CSL_CLASS	N	VARCHAR2(8)	nvarchar(8)	
CSL_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	
CSL_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	
CSL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CSL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CSL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CSL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CSL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CSL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CSL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSL_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CSL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMMANDS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CMD_CODE	N	VARCHAR2(4)	nvarchar(4)	command code.
CMD_DESC	N	VARCHAR2(80)	nvarchar(80)	command description.
CMD_COMMAND	Y	VARCHAR2(200)	nvarchar(200)	command syntax (statement to execute).
CMD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CMD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CMD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMMODITIES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CMD_CODE	N	VARCHAR2(15)	nvarchar(15)	commodity code
CMD_DESC	N	VARCHAR2(80)	nvarchar(80)	commodity description.
CMD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
CMD_ORG	N	VARCHAR2(15)	nvarchar(15)	commodity organization
CMD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CMD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CMD_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CMD_UOM	Y	VARCHAR2(30)	nvarchar(30)	Commodity Uom
CMD_EMISSIONCATEGORY	Y	VARCHAR2(8)	nvarchar(8)	Emission category of the commodity
CMD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CMD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CMD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMD_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CMD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CMD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CMD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CMD_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CMD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMMODITYCO2EMISSION

GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCE_DATE	N	DATE	datetime	timestamp of the record
CCE_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code
CCE_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization code
CCE_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	commodity code
CCE_CO2EMISSION	Y	NUMBER(24,6)	numeric(24,6)	The CO2 emission of this equipment per unit of commodity consumption on the specified day. Calculate actual CO2 by multiplying this value with the actual consumption of the commodity for that object.
CCE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCE_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type of co2 emission (UtilityBill/Fuel)
CCE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMMODITYENERGYEFF

GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CEE_DATE	Y	DATE	datetime	timestamp of the record
CEE_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code
CEE_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	objectcode
CEE_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization code
CEE_PARENTUTLBILLOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The parent equipment which gets billed - use this to determine rate per commodity use
CEE_PARENTUTLBILLOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the parent equipment which gets billed
CEE_ACTUALCONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	The actual consumption of this equipment/commodity on the specified day
CEE_DESIGNCONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	The design consumption of this equipment/commodity on the specified day

CEE_ENERGYEFFICIENCYINDEX	Y	NUMBER(24,6)	numeric(24,6)	The ratio of design and actual consumption Flag to determine whether this record was created using a bill or an actual consumption record. U = Utility Rate Record, Value C = Consumption
CEE_ORIGIN	Y	VARCHAR2(1)	nvarchar(1)	Record
CEE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CEE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CEE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPANIES		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
COM_CODE	N	VARCHAR2(30)	nvarchar(30)	code of supplier.
COM_DESC	N	VARCHAR2(80)	nvarchar(80)	supplier name.
COM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
COM_CONTACT	Y	VARCHAR2(45)	nvarchar(45)	primary contact, separate table too
COM_OURCONT	Y	VARCHAR2(15)	nvarchar(15)	personnel code of our contact.
COM_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
COM_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
COM_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time (in days).
COM_MAXORD	Y	NUMBER(24,6)	numeric(24,6)	maximum order value for this supplier.
COM_MINORD	Y	NUMBER(24,6)	numeric(24,6)	minimum order value for this supplier.
COM_STATUS	Y	VARCHAR2(4)	nvarchar(4)	supplier status.
COM_PHONE	Y	VARCHAR2(45)	nvarchar(45)	phone number.
COM_FAX	Y	VARCHAR2(45)	nvarchar(45)	fax number.
COM_BUYER	Y	VARCHAR2(255)	nvarchar(255)	buyer for this company or site.
COM_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent company to this site. leave null if this site is the parent.
COM_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies payment terms for purchases.
COM_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies how freight charges will be paid.
COM_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies ship-via methods.
COM_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point for this vendor site.
COM_PURCHASESITE	Y	VARCHAR2(1)	nvarchar(1)	indicates that this company can be assigned an order or rfq.
COM_MINORITYGROUP	Y	VARCHAR2(4)	nvarchar(4)	special interest group that may get tax incentives, awards, etc.
COM_EDINO	Y	VARCHAR2(20)	nvarchar(20)	number used to access the vendors edi system.
COM_TYPE1099	Y	VARCHAR2(10)	nvarchar(10)	type 1099 code.
COM_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	financial interface
COM_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	financial interface
COM_INTERFACE	Y	DATE	datetime	financial interface
COM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	company used/not used flag
COM_CAPACITY	Y	NUMBER(5,2)	numeric(5,2)	capacity of suppliers for planning
COM_PEOPLE	Y	VARCHAR2(1)	nvarchar(1)	meaning company can supply manpower
COM_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
COM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
COM_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent supplier organization
COM_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	supplier email address
COM_IPVENDOR	Y	NUMBER	int	7i Buy vendor code
COM_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (7i Buy)
COM_IPACCOUNT	Y	VARCHAR2(30)	nvarchar(30)	7i Buy account associated with supplier.
COM_IPRESPONSE	Y	VARCHAR2(1)	nvarchar(1)	supplier response type
COM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
COM_CREATED	Y	DATE	datetime	Creation timestamp
COM_UPDATED	Y	DATE	datetime	Update timestamp
COM_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
COM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

COM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
COM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
COM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
COM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
COM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
COM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
COM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
COM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
COM_CUSTOMER	Y	VARCHAR2(1)	nvarchar(1)	Customer
COM_ACCOUNTCODE	Y	VARCHAR2(50)	nvarchar(50)	Customer Account Code
COM_COSTCENTER	Y	VARCHAR2(50)	nvarchar(50)	Customer Cost Center
COM_TAX	Y	VARCHAR2(20)	nvarchar(20)	Tax Code
COM_GROUPPURCHASINGORG1	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
COM_GROUPPURCHASINGORG2	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
COM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
COM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPANIESINTERFACE		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CIN_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
CIN_CREATE	Y	DATE	datetime	date interface transaction created.

CIN_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
CIN_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
CIN_CODE	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
CIN_DESC	Y	VARCHAR2(80)	nvarchar(80)	supplier name.
CIN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
CIN_CONTACT	Y	VARCHAR2(45)	nvarchar(45)	name of suppliers main contact.
CIN_OURCONT	Y	VARCHAR2(15)	nvarchar(15)	personnel number of our main contact with supplier.
CIN_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
CIN_LANG	Y	VARCHAR2(2)	nvarchar(2)	language code.
CIN_LEADTIME	Y	NUMBER	numeric(4,1)	default leadtime (in days).
CIN_MAXORD	Y	NUMBER	numeric(24,6)	maximum order value (per order).
CIN_MINORD	Y	NUMBER	numeric(24,6)	minimum order value (per order).
CIN_STATUS	Y	VARCHAR2(4)	nvarchar(4)	supplier status.
CIN_PHONE	Y	VARCHAR2(45)	nvarchar(45)	phone number.
CIN_FAX	Y	VARCHAR2(45)	nvarchar(45)	fax number.
CIN_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code.
CIN_PARENT	Y	VARCHAR2(30)	nvarchar(30)	supplier code of suppliers parent company.
CIN_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	code of free-on-board point terms.
CIN_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
CIN_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code of payment terms.
CIN_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code of freight terms.
CIN_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	code of ship-via terms.
CIN_MAILTOSITE	Y	VARCHAR2(17)	nvarchar(17)	not used.
CIN_MINORITYGROUP	Y	VARCHAR2(25)	nvarchar(25)	minority code.
CIN_EDINO	Y	VARCHAR2(20)	nvarchar(20)	electronic data interchange number.
CIN_TYPE1099	Y	VARCHAR2(10)	nvarchar(10)	type 1099 code.
CIN_PURCHASESITE	Y	VARCHAR2(1)	nvarchar(1)	value is + if goods and services are purchased from this company.
CIN_ADDRESS1	Y	VARCHAR2(70)	nvarchar(70)	address line 1.
CIN_ADDRESS2	Y	VARCHAR2(70)	nvarchar(70)	address line 2.
CIN_ADDRESS3	Y	VARCHAR2(70)	nvarchar(70)	address line 3.
CIN_ADDRESS4	Y	VARCHAR2(70)	nvarchar(70)	address line 4.
CIN_ADDRESS5	Y	VARCHAR2(70)	nvarchar(70)	address line 5.
CIN_ADDRESS6	Y	VARCHAR2(70)	nvarchar(70)	address line 6.
CIN_INACTIVE	Y	DATE	datetime	value is + if supplier is no longer used.
CIN_CAPACITY	Y	NUMBER(5,2)	numeric(5,2)	number of people available at supplier for contract labor.
CIN_PEOPLE	Y	VARCHAR2(1)	nvarchar(1)	value is + if supplier provides contract labor.
CIN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CIN_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
CIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPATIBLEUNITSLABOR

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
CLB_PK	N	VARCHAR2(30)	nvarchar(30)	
CLB_COMPATIBLEUNIT	N	VARCHAR2(30)	nvarchar(30)	
CLB_COMPATIBLEUNIT_ORG	N	VARCHAR2(15)	nvarchar(15)	
CLB_TRADE	N	VARCHAR2(15)	nvarchar(15)	
CLB_STANDARDCREW	Y	VARCHAR2(15)	nvarchar(15)	
CLB_STANDARDCREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CLB_HOURSREQUIRED	N	NUMBER(24,6)	numeric(24,6)	
CLB_RATEOVERRIDE	Y	NUMBER(10,4)	numeric(10,4)	
CLB_ACTIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CLB_ACTIONRTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	

CLB_LABORADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CLB_LABORADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CLB_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLB_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLB_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLB_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLB_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLB_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLB_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CLB_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CLB_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CLB_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CLB_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CLB_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLB_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLB_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLB_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLB_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

CLB_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CLB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPATIBLEUNITSLIBRARY	PROJECTS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUL_CODE	N	VARCHAR2(30)	nvarchar(30)	
CUL_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUL_DESC	N	VARCHAR2(80)	nvarchar(80)	
CUL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
CUL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CUL_MRC	Y	VARCHAR2(15)	nvarchar(15)	
CUL_STATUS	N	VARCHAR2(4)	nvarchar(4)	
CUL_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
CUL_ACCOUNTINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
CUL_FIXEDASSETCODE	Y	VARCHAR2(30)	nvarchar(30)	
CUL_HIERARCHICALLEVEL	N	VARCHAR2(8)	nvarchar(8)	
CUL_ACTIVITYTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUL_UOM	N	VARCHAR2(30)	nvarchar(30)	
CUL_STANDARDSHEET	Y	VARCHAR2(80)	nvarchar(80)	
CUL_INCLUDEASTOTALQTY	N	VARCHAR2(1)	nvarchar(1)	
CUL_OBJCLASS	Y	VARCHAR2(8)	nvarchar(8)	
CUL_OBJCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CUL_AVAILABLEFORWORKPOINTS	Y	VARCHAR2(1)	nvarchar(1)	
CUL_AVAILABLEFORSPANONLY	Y	VARCHAR2(1)	nvarchar(1)	
CUL_AVAILABLEFORCOSTONLY	Y	VARCHAR2(1)	nvarchar(1)	
CUL_INHERITPARENTDETAILS	Y	VARCHAR2(1)	nvarchar(1)	
CUL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CUL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CUL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CUL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CUL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CUL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CUL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUL_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CUL_ACCOUNTINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CUL_FIXEDASSETCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CUL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPCOMMODITIES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCM_COMPANY	N	VARCHAR2(30)	nvarchar(30)	company/supplier code
CCM_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	commodity code
CCM_COMPANY_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CCM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPCONTACTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCO_COMPANY	N	VARCHAR2(30)	nvarchar(30)	supplier code.
CCO_CONTLINE	N	NUMBER(8,0)	numeric(8,0)	sequence number.
CCO_TYPE	Y	VARCHAR2(4)	nvarchar(4)	contact type code.
CCO_NAME	N	VARCHAR2(80)	nvarchar(80)	contacts other than primary contact in r5companies.
CCO_PHONE	Y	VARCHAR2(45)	nvarchar(45)	phone number.
CCO_FAX	Y	VARCHAR2(45)	nvarchar(45)	fax number.
CCO_COMPANY_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CCO_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	supplier email address
CCO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCO_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	The first address line of the company contact.
CCO_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	The second address line of the company contact.
CCO_CITY	Y	VARCHAR2(20)	nvarchar(20)	The city of the company contact.
CCO_STATE	Y	VARCHAR2(30)	nvarchar(30)	The state of the company contact.
CCO_ZIPCODE	Y	VARCHAR2(10)	nvarchar(10)	The zip code of the company contact.
CCO_SECONDARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	The second email address of the company contact.
CCO_SECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	The second phone number of the company contact.
CCO_TERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	The third phone number of the company contact.
CCO_SECONDARYFAX	Y	VARCHAR2(50)	nvarchar(50)	The second fax number of the company contact.
CCO_EMAILFAX	Y	VARCHAR2(180)	nvarchar(180)	The email/fax info of the company contact.
CCO_PREFERREDCONTACTMETHOD	Y	VARCHAR2(4)	nvarchar(4)	The preferred contact method of the company contact.

CCO_OUTOFSERVICE	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record is out of service.
CCO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COMPFUELMIX GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CFM_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	Supplier Code
CFM_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	Supplier Organization
CFM_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	Commodity Code
CFM_TYPE	N	VARCHAR2(8)	nvarchar(8)	Fuel Type
CFM_CAPACITY	Y	NUMBER(24,6)	numeric(24,6)	Capacity Value
CFM_FROMDATE	N	DATE	datetime	From Date
CFM_TODATE	Y	DATE	datetime	To Date
CFM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CFM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CFM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONCLAUSES CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCL_CODE	N	VARCHAR2(8)	nvarchar(8)	code of clause.
CCL_DESC	N	VARCHAR2(80)	nvarchar(80)	description of clause.
CCL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of clause; its comments will not be copied to contract.
CCL_PARENT	Y	VARCHAR2(8)	nvarchar(8)	parent clause code.
CCL_LINE	Y	NUMBER(8,0)	numeric(8,0)	number of clause, only to order clause structure.
CCL_SYSTEM	N	VARCHAR2(1)	nvarchar(1)	value is + if clause is system-defined.
CCL_ORG	N	VARCHAR2(15)	nvarchar(15)	clause organization
CCL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCL_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONDISCOUNTS CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CDI_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
CDI_PART	Y	VARCHAR2(30)	nvarchar(30)	part number.
CDI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	discount type (user code, see entity ditp).
CDI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	discount type (system code, see entity ditp).
CDI_VALUE	Y	NUMBER(24,6)	numeric(24,6)	value above which discount is given.
CDI_PURQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity in purchase uom above which discount is given.
CDI_DISPERC	N	NUMBER(7,4)	numeric(7,4)	discount percentage.
CDI_START	Y	DATE	datetime	date discount commences.
CDI_END	Y	DATE	datetime	date discount expires.
CDI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
CDI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CDI_PK	N	NUMBER(38,0)	numeric(30,0)	pk column
CDI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CDI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONDITIONS INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CND_CODE	N	VARCHAR2(4)	nvarchar(4)	inspection condition.
CND_DESC	N	VARCHAR2(80)	nvarchar(80)	condition description
CND_CLASS	Y	VARCHAR2(8)	nvarchar(8)	should exist in r5classes, rentity aspc

CND_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CND_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CND_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CND_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CND_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONDSOREMATRIXSETUP

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CMS_PK	N	NUMBER(30,0)	numeric(30,0)	The primary key of the record.
CMS_RCMPROJECT	N	VARCHAR2(8)	nvarchar(8)	The RCM/StreamPlus project the record belongs to.
CMS_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	The severity for which the condition data is valid.
CMS_INTENSITY	Y	VARCHAR2(8)	nvarchar(8)	The intensity for which the condition data is valid.
CMS_SIZEFROM	Y	NUMBER(24,6)	numeric(24,6)	The from size for which the condition data is valid.
CMS_SIZETO	Y	NUMBER(24,6)	numeric(24,6)	The to size for which the condition data is valid.
CMS_IMPORTANCE	Y	VARCHAR2(8)	nvarchar(8)	The importance for which the condition data is valid.
CMS_CONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	The condition score belonging to the defined combination of the other columns.
CMS_CONDITIONINDEX	Y	VARCHAR2(8)	nvarchar(8)	The condition index belonging to the defined combination of the other columns.
CMS_REINSPECTAFTER	Y	NUMBER(6,0)	numeric(6,0)	The number of days/weeks/months after which a reinspection should take place.
CMS_REINSPECTAFTERUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure (days/weeks/months) of the reinspection number.
CMS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
CMS_DATECREATED	Y	DATE	datetime	Creation timestamp
CMS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
CMS_DATEUPDATED	Y	DATE	datetime	Update timestamp
CMS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CMS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CMS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CMS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CMS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CMS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CMS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CMS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CMS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CMS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CMS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CMS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONFIGSETTINGS

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CFS_CODE	N	VARCHAR2(20)	nvarchar(20)	Configuration code for 7i Mobile settings
CFS_GROUP	N	VARCHAR2(12)	nvarchar(12)	Configuration user group for 7i Mobile settings
CFS_USER	N	VARCHAR2(255)	nvarchar(255)	Configuration user ID for 7i Mobile settings
CFS_COMPTYPE	N	VARCHAR2(20)	nvarchar(20)	Configuration type for 7i Mobile settings
CFS_CONFIG	N	NUMBER	int	Configuration flag for 7i Mobile settings
CFS_XMLCONFIG	Y	CLOB	ntext	Configuration XML content for 7i Mobile settings
CFS_CREATED	Y	DATE	datetime	Creation timestamp
CFS_UPDATED	Y	DATE	datetime	Update timestamp
CFS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CFS_DESK	N	VARCHAR2(1)	nvarchar(1)	indicates if Mobile client is a FullVGA(desktop) version or 1/4VGA(Pocket PC) version
CFS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CFS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONFT

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CXX_CONTYPE	N	VARCHAR2(8)	nvarchar(8)	class of contract; comments of class and related clauses are copied to comments of contract.
CXX_LANG	N	VARCHAR2(2)	nvarchar(2)	language: contract prompts should be specified in this language.
CXX_TEXTE1	N	VARCHAR2(60)	nvarchar(60)	contract prompt: to supplier.
CXX_TEXTE2	N	VARCHAR2(60)	nvarchar(60)	contract prompt: clauses.
CXX_TEXTE3	N	VARCHAR2(60)	nvarchar(60)	contract prompt: for contract.
CXX_TEXTE4	N	VARCHAR2(60)	nvarchar(60)	contract prompt: valid from start date.
CXX_TEXTE5	N	VARCHAR2(60)	nvarchar(60)	contract prompt: until end date.
CXX_TEXTH1	N	VARCHAR2(60)	nvarchar(60)	contract prompt: financial conditions.
CXX_TEXTH2	N	VARCHAR2(60)	nvarchar(60)	contract prompt: per order.
CXX_TEXTH3	N	VARCHAR2(60)	nvarchar(60)	contract prompt: during contract.
CXX_TEXT1	N	VARCHAR2(60)	nvarchar(60)	contract prompt: above order value.
CXX_TEXT2	N	VARCHAR2(60)	nvarchar(60)	contract prompt: discount in %.
CXX_TEXT3	N	VARCHAR2(60)	nvarchar(60)	contract prompt: for part.
CXX_TEXT4	N	VARCHAR2(60)	nvarchar(60)	contract prompt: above quantity.
CXX_TEXT5	N	VARCHAR2(60)	nvarchar(60)	contract prompt: above parts value.
CXX_SYSTEM	N	VARCHAR2(1)	nvarchar(1)	value is + if details are system-defined.
CXX_CONTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	contract class organization
CXX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CXX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

CXX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONNLOCK	ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CLK_OPERATIONID	N	VARCHAR2(128)	nvarchar(128)	Unique client label. use OPSSYNC for Analytics
CLK_SESSIONID	Y	VARCHAR2(128)	nvarchar(128)	Unique sessionID. Identifies client that is actively synchronizing
CLK_SESSIONSTART	Y	TIMESTAMP(6)	datetime	Start time of synchronization
CLK_SESSIONUPDATE	Y	TIMESTAMP(6)	datetime	Time when any Operation is performed Last
CLK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CLK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONPARTS	CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CPA_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	contract
CPA_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier
CPA_PART	N	VARCHAR2(30)	nvarchar(30)	part
CPA_MULTIPLY	N	NUMBER(10,4)	numeric(10,4)	conversion factor
CPA_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	leadtime
CPA_PRICE	N	NUMBER(24,6)	numeric(24,6)	price
CPA_REF	N	VARCHAR2(50)	nvarchar(50)	reference
CPA_PURUOM	N	VARCHAR2(30)	nvarchar(30)	purchase unit of measure
CPA_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CPA_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
CPA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTCENTERATTRIBUTES	CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
COA_LAYER	N	VARCHAR2(60)	nvarchar(60)	GIS Layer
COA_LAYERATTRIBUTE	N	VARCHAR2(64)	nvarchar(64)	GIS Layer Attribute
COA_ATTRIBUTEALIAS	N	VARCHAR2(80)	nvarchar(80)	Attribute"s Alias
COA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
COA_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
COA_MAP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
COA_MAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
COA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
COA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTCENTEROPTIONS	CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
COP_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
COP_DEFWOORG	Y	VARCHAR2(15)	nvarchar(15)	Default Work Order Organization
COP_DEFCONTACTSOURCE	N	VARCHAR2(4)	nvarchar(4)	Default Contact Source
COP_DEFWOSTATUS	N	VARCHAR2(4)	nvarchar(4)	Default Work Order Status
COP_DEFOPENSTATUS	N	VARCHAR2(4)	nvarchar(4)	Default Open Request Status
COP_DEFFOLLOWUPSTATUS	N	VARCHAR2(4)	nvarchar(4)	Default Follow-up Request Status
COP_TOP10LOOKBACK	N	NUMBER(3,0)	numeric(3,0)	The Top 10 Look Back Days
COP_CLOSEABLE	N	VARCHAR2(1)	nvarchar(1)	Allow Request to Close When Work Order Is Open
COP_COPYCUSTOMERINFO	N	VARCHAR2(1)	nvarchar(1)	Populate Customer Information on Unsuccessful Search
COP_WOCLOSEDAYS	Y	NUMBER(3,0)	numeric(3,0)	The Days That A Completed Work Order Can Be Used to Create Duplicate Work Order
COP_DEFTYPE	Y	VARCHAR2(4)	nvarchar(4)	Default Contact Record Type
COP_DEFFINDBY	Y	VARCHAR2(30)	nvarchar(30)	Default Find Contact By
COP_UPDATED	Y	DATE	datetime	Date Updated

COP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
COP_HIGHLIGHTMAP	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate Whether or not to Highlight on Map
COP_IDFEATURE	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate Whether or not to Identify Feature
COP_SHOWCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate Whether or not to Show Children
COP_NEARADDRESS	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate Whether or not to View Nearest Address
COP_SCHEDULEWO	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate Whether or not to Schedule WOs
COP_SHOWPROVIDER	N	VARCHAR2(1)	nvarchar(1)	Flag to Show Provider
COP_SHOWSERVICECATEGORY	N	VARCHAR2(1)	nvarchar(1)	Flag to Show Service Category
COP_KBRESULTSPPERPAGE	N	NUMBER(3,0)	numeric(3,0)	KB Results Per Page
COP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The Record Update Count
COP_NEWCUSTOMERALLOWED	Y	VARCHAR2(1)	nvarchar(1)	New Customer Allowed Flag
COP_MINPENALTY	Y	NUMBER(24,6)	numeric(24,6)	Minimum Penalty
COP_DEPTSTRUCTUREUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Use Department Structure Only Once Flag
COP_DEFORGUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Use Default Organization Flag
COP_SPCVALIDATION	Y	VARCHAR2(1)	nvarchar(1)	Service Problem Code Validation for contact center setup screen
COP_EVENTTYPEFILTER	Y	VARCHAR2(1)	nvarchar(1)	event type filter code
COP_WODUPLICATECHECK	Y	VARCHAR2(1)	nvarchar(1)	Check for duplicate workorders when creating a new workorder on the Call Center screen
COP_WOOPENDAYS	Y	NUMBER(3,0)	numeric(3,0)	number of days after which to ignore open work orders.
COP_WOTYPES	Y	VARCHAR2(200)	nvarchar(200)	Duplicate work orders of these types would be checked. This is a comma delimited list of WO types.
COP_WOSTATUSES	Y	VARCHAR2(200)	nvarchar(200)	Duplicate work orders of these statuses would be checked. This is a comma delimited list of WO statuses.
COP_WOHEADEROBJONLY	Y	VARCHAR2(1)	nvarchar(1)	When checking for Duplicate work orders only evaluate work order header equipment otherwise also check the equipment tab as well.
COP_MATCHSC	Y	VARCHAR2(1)	nvarchar(1)	When checking for Duplicate work orders match the Service Category as well.
COP_MATCHSPC	Y	VARCHAR2(1)	nvarchar(1)	When checking for Duplicate work orders match the Service Problem Code as well.
COP_SHOWSPC	N	VARCHAR2(1)	nvarchar(1)	Contact Center Show Service Problem Code check box
COP_SHOWSUPPLIER	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the supplier should be displayed.
COP_CHKDUPLICATEOPENREQ	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the system should check for duplicate open requisitions.
COP_CHKRECURRINGCLOSEDREQ	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the system should check for recurring closed requisitions.
COP_RECURRINGREQLOOKBACKDAYS	Y	NUMBER(3,0)	numeric(3,0)	The number of days to look back when checking for recurring closed requisitions.
COP_DEFPORTALSOURCE	Y	VARCHAR2(4)	nvarchar(4)	The default portal source.
COP_DEFPORTALTYPE	Y	VARCHAR2(4)	nvarchar(4)	The default portal type.
COP_DEFPORTALSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The default portal status.
COP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
COP_INCLUDEPMWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	
COP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTINFO

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
CTI_CODE	N	VARCHAR2(30)	nvarchar(30)	Contact Code /Auto-Generated Code/Surrogate Key
CTI_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contact Org
CTI_ALIAS	Y	VARCHAR2(80)	nvarchar(80)	Contact Alias
CTI_FIRSTNAME	Y	VARCHAR2(80)	nvarchar(80)	First Name
CTI_MIDDLENAME	Y	VARCHAR2(80)	nvarchar(80)	Other first names
CTI_LASTNAME	Y	VARCHAR2(80)	nvarchar(80)	Last Name
CTI_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	Street Address 1
CTI_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	Street Address 2
CTI_PRIMARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Primary Phone
CTI_SECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Secondary Phone
CTI_TERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Tertiary Phone
CTI_NPRIMARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone with Number Only Value
CTI_NSECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Secondary Phone with Number Only Value
CTI_NTERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Tertiary Phone with Number Only Value
CTI_PRIMARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Primary Fax
CTI_SECONDARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Secondary Fax
CTI_PRIMARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Primary Email

CTI_SECONDARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Secondary Email
CTI_CITY	Y	VARCHAR2(20)	nvarchar(20)	City
CTI_STATE	Y	VARCHAR2(30)	nvarchar(30)	State
CTI_ZIP	Y	VARCHAR2(10)	nvarchar(10)	Zip Code
CTI_EMPLOYEE	Y	VARCHAR2(15)	nvarchar(15)	Employee Code
CTI_NOTES	Y	VARCHAR2(256)	nvarchar(256)	Contact Note
CTI_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out Of Service Flag
CTI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CTI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
CTI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Organization
CTI_COMPANYNAME	Y	VARCHAR2(80)	nvarchar(80)	Company Name
CTI_EMAILFAX	Y	VARCHAR2(180)	nvarchar(180)	Email Fax
CTI_CUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	The customer of the contact info record.
CTI_CUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of customer of the contact info record.
CTI_PORTALID	Y	VARCHAR2(256)	nvarchar(256)	The portal ID of the contact info record.
CTI_VIPSTATUS	Y	VARCHAR2(8)	nvarchar(8)	The VIP status of the room of the contact info record.
CTI_LANG	Y	VARCHAR2(2)	nvarchar(2)	The language of the contact info record.
CTI_CAMPUS	Y	VARCHAR2(30)	nvarchar(30)	The campus of the contact info record.
CTI_CAMPUS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the campus of the contact info record.
CTI_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	The building of the contact info record.
CTI_BUILDING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the building of the contact info record.
CTI_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	The floor of the contact info record.
CTI_FLOOR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the floor of the contact info record.
CTI_ROOM	Y	VARCHAR2(30)	nvarchar(30)	The room of the contact info record.
CTI_ROOM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the room of the contact info record.
CTI_EXTERNAL_CONTACTID	Y	VARCHAR2(255)	nvarchar(255)	The external contact of the contact info record.
CTI_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CTI_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTI_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTI_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTI_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTI_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTI_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTI_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CTI_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CTI_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CTI_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CTI_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CTI_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTI_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTI_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTI_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTI_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CTI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTINFOOBJECTS	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CIO_CONTACTINFO	N	VARCHAR2(30)	nvarchar(30)	Contact Info Code
CIO_CONTACTINFO_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contact Info Organization
CIO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Code
CIO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
CIO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CIO_TYPE	Y	VARCHAR2(8)	nvarchar(8)	Contact Info Type
CIO_DEFAULTEQUIPMENT	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this equipment should be used as default.
CIO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CIO_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
CIO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTRECORDOBJECTS	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRO_CTRCODE	N	VARCHAR2(30)	nvarchar(30)	Contact Center Code
CRO_CTR_ORG	N	VARCHAR2(15)	nvarchar(15)	Contact Center Organization
CRO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment code
CRO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
CRO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CRO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRO_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
CRO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTRECORDOBJECTS_ARCHIVE	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACB_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACB_CTRCODE	Y	VARCHAR2(30)	nvarchar(30)	Contact Center Code
ACB_CTR_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contact Center Organization
ACB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment code
ACB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
ACB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ACB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACB_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	

ACB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTRECORDS

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CTR_CODE	N	VARCHAR2(30)	nvarchar(30)	Contact record code/Auto-generated code
CTR_ORG	N	VARCHAR2(15)	nvarchar(15)	Contact record org
CTR_DESC	Y	VARCHAR2(80)	nvarchar(80)	Contact record description
CTR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Contact record class
CTR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contact record class org
CTR_TYPE	N	VARCHAR2(4)	nvarchar(4)	Contact record type to indicate it is an Action request, a comment or an information request
CTR_RTYPE	N	VARCHAR2(4)	nvarchar(4)	System type
CTR_STATUS	N	VARCHAR2(4)	nvarchar(4)	Contact record status
CTR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	System status
CTR_CONTACTSOURCE	N	VARCHAR2(4)	nvarchar(4)	Contact source to indicate whether the request is from Email, Phone or Fax and etc)-Entity for contact source is CTSC
CTR_CREATED	Y	DATE	datetime	Date created
CTR_UPDATED	Y	DATE	datetime	Date updated
CTR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
CTR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
CTR_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department code
CTR_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider code
CTR_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider org
CTR_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service category code
CTR_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service category org
CTR_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service problem code
CTR_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service problem org
CTR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment code
CTR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment org
CTR_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Job priority
CTR_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work order number
CTR_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	Standard Work Order
CTR_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Work Order Class
CTR_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Class Org
CTR_PROMISEDDATE	Y	DATE	datetime	Promised date to resolve the problem.
CTR_KBARTICLE	Y	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
CTR_KBARTICLE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
CTR_DUPLICATE	Y	VARCHAR2(1)	nvarchar(1)	Duplicate Request Flag
CTR_WORKADDRESS	Y	VARCHAR2(256)	nvarchar(256)	Work Address
CTR_ADDRESSALIAS	Y	VARCHAR2(30)	nvarchar(30)	Address Alias
CTR_CONTACTINFOID	Y	VARCHAR2(30)	nvarchar(30)	Contact Info ID
CTR_FIRSTNAME	Y	VARCHAR2(80)	nvarchar(80)	Contact First Name
CTR_MIDDLENAME	Y	VARCHAR2(80)	nvarchar(80)	Contact Middle Name
CTR_LASTNAME	Y	VARCHAR2(80)	nvarchar(80)	Contact Last Name
CTR_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	Contact Address1
CTR_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	Contact Address2
CTR_PRIMARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone
CTR_SECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone
CTR_TERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone
CTR_PRIMARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Fax
CTR_SECONDARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Contact Secondary Fax
CTR_PRIMARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Contact Primary Email
CTR_SECONDARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Contact Secondary Email
CTR_CITY	Y	VARCHAR2(20)	nvarchar(20)	Contact City
CTR_STATE	Y	VARCHAR2(30)	nvarchar(30)	Contact State
CTR_ZIP	Y	VARCHAR2(10)	nvarchar(10)	Contact Zip Code

CTR_EMPLOYEE	Y	VARCHAR2(15)	nvarchar(15)	Employee Code
CTR_CONTACTNOTE	Y	VARCHAR2(256)	nvarchar(256)	Contact note
CTR_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Organization
CTR_NOTE	Y	VARCHAR2(256)	nvarchar(256)	Contact Center Notes
CTR_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
CTR_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
CTR_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
CTR_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
CTR_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
CTR_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
CTR_CONTACTINFOALIAS	Y	VARCHAR2(80)	nvarchar(80)	Contact Info Alias
CTR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The record update count
CTR_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
CTR_COPYNOTETOWO	Y	VARCHAR2(1)	nvarchar(1)	A flag to indicate if it is needed to copy a note to the work order
CTR_COMPANYNAME	Y	VARCHAR2(80)	nvarchar(80)	Company Name
CTR_TEMPPROMISEDDATE	Y	DATE	datetime	Temporary Promised Date
CTR_EQPUSABILITY	Y	VARCHAR2(30)	nvarchar(30)	Equipment Usability
CTR_EQPUSABILITYORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization
CTR_EMAILFAX	Y	VARCHAR2(180)	nvarchar(180)	Email Fax
CTR_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	Multi-Equipment Flag
CTR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTR_UDFDATE01	Y	DATE	datetime	User defined field of type date
CTR_UDFDATE02	Y	DATE	datetime	User defined field of type date
CTR_UDFDATE03	Y	DATE	datetime	User defined field of type date
CTR_UDFDATE04	Y	DATE	datetime	User defined field of type date
CTR_UDFDATE05	Y	DATE	datetime	User defined field of type date
CTR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTR_GUESTSALUTATION	Y	VARCHAR2(8)	nvarchar(8)	Salutation
CTR_VIPSTATUS	Y	VARCHAR2(8)	nvarchar(8)	VIP Status
CTR_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the call center record.
CTR_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the location of the call center record,
CTR_AUTOCREATEWO	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a work order should be created automatically.
CTR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the call center record.
CTR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier of the call center record.
CTR_CASE	Y	VARCHAR2(30)	nvarchar(30)	The case of the call center record.
CTR_DUPLICATECASE	Y	VARCHAR2(30)	nvarchar(30)	The duplicate case of the call center record.

CTR_REFERENCE	Y	VARCHAR2(50)	nvarchar(50)	The reference of the call center record.
CTR_DUPLICATEREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The duplicate request of the call center record.
CTR_DUPLICATEREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the duplicate request of the call center record.
CTR_RECURRINGREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The recurring request of the call center record.
CTR_RECURRINGREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the recurring request of the call center record.
CTR_CAMPUS	Y	VARCHAR2(30)	nvarchar(30)	The campus of the call center record.
CTR_CAMPUS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the campus of the call center record.
CTR_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	The building of the call center record.
CTR_BUILDING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the building of the call center record.
CTR_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	The floor of the call center record.
CTR_FLOOR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the floor of the call center record.
CTR_ROOM	Y	VARCHAR2(30)	nvarchar(30)	The room of the call center record.
CTR_ROOM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the room of the call center record.
CTR_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the call center record.
CTR_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the call center record.
CTR_DEADLINE	Y	DATE	datetime	The deadline of the call center record.
CTR_FOLLOWUPEVENT	Y	VARCHAR2(30)	nvarchar(30)	The code of the followup work order that was created.
CTR_REQUESTSTART	Y	DATE	datetime	The requested start date of the call center record.
CTR_REQUESTEND	Y	DATE	datetime	The requested end date of the call center record.
CTR_AREA	Y	VARCHAR2(50)	nvarchar(50)	The area of the call center record.
CTR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTR_WORKSPACE	Y	VARCHAR2(30)	nvarchar(30)	The workspace of the call center record.
CTR_ATTACHEDDOCS	Y	VARCHAR2(1)	nvarchar(30)	Flag to indicate whether there are attached documents.
CTR_SRPPRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The service request priority of the call center record.
CTR_TOTALESTCOST	Y	NUMBER(24,6)	numeric(24,6)	The total estimated cost of the call center record.
CTR_MINOR	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is to be considered a minor issue.
CTR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CTR_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	
CTR_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	
CTR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTACTRECORDS_ARCHIVE

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AON_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AON_CODE	Y	VARCHAR2(30)	nvarchar(30)	Contact record code/Auto-generated code

AON_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contact record org
AON_DESC	Y	VARCHAR2(80)	nvarchar(80)	Contact record desc
AON_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Contact record class
AON_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contact record class org
AON_TYPE	Y	VARCHAR2(4)	nvarchar(4)	Contact record type to indicate it is an Action request, a comment or an information request
AON_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	System type
AON_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Contact record status
AON_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	System status
AON_CONTACTSOURCE	Y	VARCHAR2(4)	nvarchar(4)	Contact source to indicate whether the request is from Email, Phone or Fax and etc)-Entity for contact source is CTSC
AON_CREATED	Y	DATE	datetime	Date created
AON_UPDATED	Y	DATE	datetime	Date updated
AON_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
AON_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
AON_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department code
AON_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider code
AON_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider org
AON_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service category code
AON_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service category org
AON_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service problem code
AON_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service problem org
AON_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment code
AON_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment org
AON_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Job priority
AON_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work order number
AON_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	Standard Work Order
AON_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Work Order Class
AON_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Class Org
AON_PROMISEDDATE	Y	DATE	datetime	Promised date to resolve the problem.
AON_KBARTICLE	Y	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
AON_KBARTICLE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
AON_DUPLICATE	Y	VARCHAR2(1)	nvarchar(1)	Duplicate Request Flag
AON_WORKADDRESS	Y	VARCHAR2(256)	nvarchar(256)	Work Address
AON_ADDRESSALIAS	Y	VARCHAR2(30)	nvarchar(30)	Address Alias
AON_CONTACTINFOID	Y	VARCHAR2(30)	nvarchar(30)	Contact Info ID
AON_FIRSTNAME	Y	VARCHAR2(80)	nvarchar(80)	Contact First Name
AON_MIDDLENAME	Y	VARCHAR2(80)	nvarchar(80)	Contact Middle Name
AON_LASTNAME	Y	VARCHAR2(80)	nvarchar(80)	Contact Last Name
AON_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	Contact Address1
AON_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	Contact Address2
AON_PRIMARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone
AON_SECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone
AON_TERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone
AON_PRIMARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Fax
AON_SECONDARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Contact Secondary Fax
AON_PRIMARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Contact Primary Email
AON_SECONDARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Contact Secondary Email
AON_CITY	Y	VARCHAR2(20)	nvarchar(20)	Contact City
AON_STATE	Y	VARCHAR2(30)	nvarchar(30)	Contact State
AON_ZIP	Y	VARCHAR2(10)	nvarchar(10)	Contact Zip Code
AON_EMPLOYEE	Y	VARCHAR2(15)	nvarchar(15)	Employee Code
AON_CONTACTNOTE	Y	VARCHAR2(256)	nvarchar(256)	Contact note
AON_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Organization
AON_NOTE	Y	VARCHAR2(256)	nvarchar(256)	Contact Center Notes
AON_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point

AON_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
AON_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
AON_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
AON_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
AON_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
AON_CONTACTINFOALIAS	Y	VARCHAR2(80)	nvarchar(80)	Contact Info Alias
AON_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
AON_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
AON_COPYNOTETOWO	Y	VARCHAR2(1)	nvarchar(1)	A flag to indicate if it is needed to copy a note to the work order
AON_COMPANYNAME	Y	VARCHAR2(80)	nvarchar(80)	Company Name
AON_TEMPPROMISEDDATE	Y	DATE	datetime	Temporary Promised Date
AON_EQPUSABILITY	Y	VARCHAR2(30)	nvarchar(30)	Equipment Usability
AON_EQPUSABILITYORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization
AON_EMAILFAX	Y	VARCHAR2(180)	nvarchar(180)	Email Fax
AON_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	Multi-Equipment Flag
AON_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AON_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AON_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AON_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AON_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AON_UDFDATE01	Y	DATE	datetime	User defined field of type date
AON_UDFDATE02	Y	DATE	datetime	User defined field of type date
AON_UDFDATE03	Y	DATE	datetime	User defined field of type date
AON_UDFDATE04	Y	DATE	datetime	User defined field of type date
AON_UDFDATE05	Y	DATE	datetime	User defined field of type date
AON_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AON_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AON_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AON_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AON_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AON_GUESTSALUTATION	Y	VARCHAR2(8)	nvarchar(8)	Salutation
AON_VIPSTATUS	Y	VARCHAR2(8)	nvarchar(8)	VIP Status
AON_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the call center record,
AON_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the location of the call center record,
AON_AUTOCREATEWO	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a work order should be created automatically.
AON_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the call center record.
AON_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier of the call center record.
AON_CASE	Y	VARCHAR2(30)	nvarchar(30)	The case of the call center record.
AON_DUPLICATECASE	Y	VARCHAR2(30)	nvarchar(30)	The duplicate case of the call center record.
AON_REFERENCE	Y	VARCHAR2(50)	nvarchar(50)	The reference of the call center record.
AON_DUPLICATEREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The duplicate request of the call center record.
AON_DUPLICATEREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the duplicate request of the call center record.
AON_RECURRINGREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The recurring request of the call center record.
AON_RECURRINGREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the recurring request of the call center record.

AON_CAMPUS	Y	VARCHAR2(30)	nvarchar(30)	The campus of the call center record.
AON_CAMPUS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the campus of the call center record.
AON_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	The building of the call center record.
AON_BUILDING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the building of the call center record.
AON_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	The floor of the call center record.
AON_FLOOR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the floor of the call center record.
AON_ROOM	Y	VARCHAR2(30)	nvarchar(30)	The room of the call center record.
AON_ROOM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the room of the call center record.
AON_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the call center record.
AON_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the call center record.
AON_DEADLINE	Y	DATE	datetime	The deadline of the call center record.
AON_FOLLOWUPEVENT	Y	VARCHAR2(30)	nvarchar(30)	The code of the followup work order that was created.
AON_REQUESTSTART	Y	DATE	datetime	The requested start date of the call center record.
AON_REQUESTEND	Y	DATE	datetime	The requested end date of the call center record.
AON_AREA	Y	VARCHAR2(50)	nvarchar(50)	The area of the call center record.
AON_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AON_WORKSPACE	Y	VARCHAR2(30)	nvarchar(30)	The workspace of the call center record.
AON_ATTACHEDDOCS	Y	VARCHAR2(1)	nvarchar(30)	Flag to indicate whether there are attached documents.
AON_SRPPRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The service request priority of the call center record.
AON_TOTALESTCOST	Y	NUMBER(24,6)	numeric(24,6)	The total estimated cost of the call center record.
AON_MINOR	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is to be considered a minor issue.
AON_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AON_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	
AON_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	
AON_SQIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTADJUSTMENTS	CONTRACTS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CAD_PK	N	VARCHAR2(30)	nvarchar(30)	Primary key field for the Contract Adjustment. Value is System generated.
CAD_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract Header
CAD_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Organization
CAD_CONTRACTREVISION	Y	NUMBER(8,0)	numeric(8,0)	Contract Revision
CAD_CONTRACTITEM	Y	VARCHAR2(30)	nvarchar(30)	Contract Item. Optional field. If entered the Adjustment will be invoiced as part of the Contract Item costs. If blank the Adjustment will be treated as an Adjustment on contract header level.
CAD_ADJUSTMENT	Y	VARCHAR2(30)	nvarchar(30)	Contract Adjustment code

CAD_ADJUSTMENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contract Adjusment Organization
CAD_DATE	N	DATE	datetime	The date this Adjustment must be invoiced
CAD_STATUS	N	VARCHAR2(4)	nvarchar(4)	Status of the Adjustment (System Codes entity AJST).
CAD_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	System Status of the Adjustment (System Codes entity AJST)
CAD_TYPE	N	VARCHAR2(4)	nvarchar(4)	Adjustment Type. You can create your own codes on the System Codes screen (entity AJTP). The system will not let you select types that are either Invoice Discount or Contract Discount. These are protected and used by the Generate Invoices Process to handle discounts
CAD_RTYPE	N	VARCHAR2(4)	nvarchar(4)	System Adjustment Type. You can create your own codes on the System Codes screen (entity AJTP). The system will not let you select types that are either Invoice Discount or Contract Discount. These are protected and used by the Generate Invoices Process to handle discounts
CAD_QTY	Y	NUMBER(24,6)	numeric(24,6)	Quantity of the adjustment
CAD_RATE	Y	NUMBER(24,6)	numeric(24,6)	The date this Adjustment must be invoiced
CAD_TAX	Y	VARCHAR2(20)	nvarchar(20)	Tax Code Å¿ If entered the system will calculate the Tax amount
CAD_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax amount
CAD_EXCH	Y	NUMBER(24,12)	numeric(24,12)	Exchange rate
CAD_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
CAD_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	Invoice Revision
CAD_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
CAD_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
CAD_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	Comment
CAD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CAD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CAD_UDFDATE01	Y	DATE	datetime	User defined field of type Date

CAD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CAD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CAD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CAD_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CAD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CAD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CAD_INVOICEAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Total Amount of the invoice
CAD_INVOICETAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Invoice Tax amount
CAD_ACD	Y	NUMBER	bigint	The reference to the associated account detail record
CAD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CAD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTCHARGEDEFS		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCD_PK	N	VARCHAR2(30)	nvarchar(30)	Primary key field. Value is System generated.
CCD_ORIGPK	Y	VARCHAR2(30)	nvarchar(30)	Original pk of the charge definition of an earlier revision of the contract
CCD_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract Header
CCD_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	Contract Header revision
CCD_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Contracting Organization selected on the Contract Item or Contract Header
CCD_CONTRACTITEM	Y	VARCHAR2(30)	nvarchar(30)	Contract Item. The equipment, project or work order for which this record is applicable.
CCD_SOURCECODE	Y	VARCHAR2(4)	nvarchar(4)	Combined information on: Header Template, Header, Item Template, Item, Generated Item
CCD_INVOICINGORG	Y	VARCHAR2(15)	nvarchar(15)	Invoicing Organization selected on the Contract Item or Contract Header
CCD_INVOICINGDESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	Invoicing Description
CCD_INVOICE	Y	VARCHAR2(1)	nvarchar(1)	Checkbox. Select or exclude this line from invoicing.
CCD_INVOICECONDITIONAL	Y	VARCHAR2(1)	nvarchar(1)	If selected the system will invoice only if the next lower level combined charges are greater than zero. If unselected the system will invoice no matter what.
CCD_CATEGORY	N	VARCHAR2(4)	nvarchar(4)	Charge Category, possible values: WO Charges, Sales Transactions, Fuel Charges, Energy Charges, Usage Charges, One Time Charges
CCD_LEVEL	N	VARCHAR2(4)	nvarchar(4)	Charge Level. The following values exist: Transaction Adjustment, Subcategory Adjustment, Charge Category Adjustment.
CCD_SUBCATEGORY	N	VARCHAR2(30)	nvarchar(30)	Charge Subcategory. there are values for each Charge Category.
CCD_RATE	Y	NUMBER(24,6)	numeric(24,6)	Rate
CCD_ADJPERCBEFORE	Y	NUMBER(7,4)	numeric(7,4)	Adjustment percentage of the transaction before other adjustments have been applied
CCD_ADJUNITPRICE	Y	NUMBER(24,6)	numeric(24,6)	Adjustment of the transaction price
CCD_ADJTRANSACTION	Y	NUMBER(24,6)	numeric(24,6)	Adjustment of the transaction
CCD_ADJPERCAFTER	Y	NUMBER(7,4)	numeric(7,4)	Adjustment percentage of the transaction after other adjustments have been applied
CCD_MINQTY	Y	NUMBER(24,6)	numeric(24,6)	The minimum quantity the system will invoice
CCD_MINCHARGE	Y	NUMBER(24,6)	numeric(24,6)	Minimum Charge. Minimum value of the charge. Say that you issues 1 O-ring for \$.25 and that is the all the work order charges you have to invoice, but you want at least \$25.
CCD_MAXCHARGE	Y	NUMBER(24,6)	numeric(24,6)	Maximum Charge. Maximum value of the charge. For example if no invoice line should be created for more than \$500 dollar.
CCD_FREEUPTO	Y	NUMBER(24,6)	numeric(24,6)	Free Up To. The first amount of work order charges are free
CCD_COSTBASIS	Y	NUMBER(24,6)	numeric(24,6)	Cost Basis
CCD_TAXBASIS	Y	NUMBER(24,6)	numeric(24,6)	Tax basis
CCD_TAXABLE	Y	VARCHAR2(1)	nvarchar(1)	Checkbox that indicates the line is taxable or not
CCD_TAX	Y	VARCHAR2(20)	nvarchar(20)	Tax Code. Reference to the applicable Tax Code used to calculate the tax amount.
CCD_USAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	UOM. The meter UOM must be entered every time you create a Charge Definition for Usage Based charges
CCD_CHARGEESTUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Charge Estimated Usage. The system will invoice actual usage entered in the form of meter readings, but if readings are not up to date, because the last two weeks no readings have been entered, the system will also invoice the estimated usage for those two weeks.
CCD_ROLLOVER	Y	VARCHAR2(1)	nvarchar(1)	Rollover. Like the rollover minutes of your cell phone plan. Normally if you are charging for 2000 miles a month and the customer only uses 1800 they lose the 200. With Rollover selected the 200 goes into a buffer that can be used in the next invoicing periods when they go over the 2000.
CCD_STARTMETERVALUE	Y	NUMBER(24,6)	numeric(24,6)	Starting Meter Value. The value of the meter at the beginning of the contract. This is the starting value for the first invoice
CCD_ESTDAILYUSAGE	Y	NUMBER(24,6)	numeric(24,6)	Estimated Daily Usage. If estimated usage is charged here you can specify the estimated daily usage.

CCD_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade. Can be used to specify charges differently for the labor related Charge Subcategories
CCD_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	Occupation type
CCD_OCRTYPE	Y	VARCHAR2(4)	nvarchar(4)	Occupation system type
CCD_PARTCLASS	Y	VARCHAR2(8)	nvarchar(8)	Part Class. Can be used to specify charges differently depending for the material related Charge Subcategories (Stock Items, Direct Purchases) of the work order, depending on the part class
CCD_PARTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization of the Part Class
CCD_SUBMETERED	Y	VARCHAR2(1)	nvarchar(1)	Submetered. Indicates that the space / equipment is submetered and that the system can use actual consumption records as the basis for Use Floor Area. The alternative to Submetered. Now the utility invoice determines the basis for the energy consumption. When you select Use Floor Area the system will try to calculate the Invoicing Percentage based on the floor area of the Contract Item and that of the utility bill source, i.e. typically the building that the Contract Item resides in.
CCD_USEFLOORAREA	Y	VARCHAR2(1)	nvarchar(1)	
CCD_INVOICINGPERCENTAGE	Y	NUMBER(7,4)	numeric(7,4)	Invoicing Percentage. Percentage of the utility bill consumption that will be invoiced.
CCD_UTILITYBILLSOURCE	Y	VARCHAR2(30)	nvarchar(30)	Utility Bill Source. Reference to the equipment that is referenced on the utility bill. Note that the utility bill may determine the consumption, but also the rate, if the rate was not specified specifically on the Charge Definition record
CCD_UTILITYBILLSOURCE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization of the Utility Bill Source
CCD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCD_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CCD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CCD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CCD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CCD_UDFDATE05	Y	DATE	datetime	User defined field of type Date

CCD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTCLAUSES

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCS_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract
CCS_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	Contract Revision
CCS_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
CCS_CLAUSE	N	VARCHAR2(8)	nvarchar(8)	Contract Clause
CCS_SEQUENCE	N	NUMBER(9,0)	numeric(9,0)	Sequence
CCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTCOMMODITIES

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CTC_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract
CTC_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	Contract Revision
CTC_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Commodity Org.
CTC_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	Commodity
CTC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CTC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CTC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTDISCOUNTS

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CDC_CODE	N	VARCHAR2(30)	nvarchar(30)	Discount code
CDC_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract code
CDC_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	Contract revision
CDC_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
CDC_APPLYEACHINVOICE	N	VARCHAR2(1)	nvarchar(1)	Apply to Each Invoice
CDC_APPLYFULLAMOUNT	Y	VARCHAR2(1)	nvarchar(1)	Apply to Full Amount
CDC_MINVALUE	N	NUMBER(24,6)	numeric(24,6)	Minimum Value
CDC_PERCENTAGE	N	NUMBER(7,4)	numeric(7,4)	Discount %
CDC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CDC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CDC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTITEMS

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CIT_CODE	N	VARCHAR2(30)	nvarchar(30)	Contract Item
CIT_ORIGCODE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
CIT_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
CIT_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	T.B.D.
CIT_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
CIT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
CIT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Org.
CIT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Project

CIT_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	Project Budget
CIT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
CIT_CUSTOMER	N	VARCHAR2(30)	nvarchar(30)	Customer
CIT_CUSTOMER_ORG	N	VARCHAR2(15)	nvarchar(15)	Customer Org.
CIT_INVOICINGORG	N	VARCHAR2(15)	nvarchar(15)	Invoicing Org.
CIT_TAX	Y	VARCHAR2(20)	nvarchar(20)	Tax Code
CIT_CONTRACTTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	Contract Template
CIT_CONTRACTTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contract Template Org.
CIT_INVOICINGDESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	Invoicing Description
CIT_FIXEDEXCHRATE	Y	VARCHAR2(1)	nvarchar(1)	Use Fixed Exchange Rate
CIT_EXCH	Y	NUMBER(24,12)	numeric(24,12)	Exchange Rate
CIT_USAGEQTY	Y	NUMBER(24,6)	numeric(24,6)	Usage Quantity
CIT_USAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	UOM
CIT_SALESPRICE	Y	NUMBER(24,6)	numeric(24,6)	Sales Price
CIT_EXERCISEOPTION	Y	VARCHAR2(1)	nvarchar(1)	Exercise Option
CIT_EXERCISEDATE	Y	DATE	datetime	Exercise Date
CIT_SALESTAX	Y	VARCHAR2(20)	nvarchar(20)	Sales Tax Code
CIT_OBJSTATUSAFTERSALE	Y	VARCHAR2(4)	nvarchar(4)	Equipment Status After Sale
CIT_COPIEDFROM	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
CIT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CIT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CIT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CIT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CIT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CIT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CIT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CIT_STARTDATE	Y	DATE	datetime	Start date.
CIT_ENDDATE	Y	DATE	datetime	End date.
CIT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CIT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTORSIGNOFF

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSO_PK	N	VARCHAR2(30)	nvarchar(30)	
CSO_PERMITTOWORKCODE	N	VARCHAR2(30)	nvarchar(30)	
CSO_NAME	N	VARCHAR2(80)	nvarchar(80)	
CSO_DATESIGNED	N	DATE	datetime2	
CSO_SIGNATURETYPE	Y	VARCHAR2(8)	nvarchar(8)	
CSO_REMARK	Y	VARCHAR2(256)	nvarchar(256)	
CSO_COMPANY	Y	VARCHAR2(80)	nvarchar(80)	
CSO_RESPONSIBILITY	Y	VARCHAR2(80)	nvarchar(80)	
CSO_CREATED	Y	DATE	datetime2	Creation timestamp
CSO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSO_MOBILEDATECREATED	Y	DATE	datetime2	
CSO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSO_ISSIGNED	Y	VARCHAR2(1)	nvarchar(1)	
CSO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTS

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CON_CODE	N	VARCHAR2(30)	nvarchar(30)	code of contract; system generated.
CON_DESC	N	VARCHAR2(80)	nvarchar(80)	contract description/title.
CON_CLASS	Y	VARCHAR2(8)	nvarchar(8)	same as contype
CON_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
CON_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
CON_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
CON_COPY	Y	VARCHAR2(30)	nvarchar(30)	contract to copy from.
CON_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
CON_STATUS	N	VARCHAR2(4)	nvarchar(4)	status of contract.
CON_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	contract status (system code, see entity dost).
CON_OWN	N	VARCHAR2(1)	nvarchar(1)	checked: own contract, otherwise received.
CON_REF	Y	VARCHAR2(50)	nvarchar(50)	suppliers document reference for contract received.
CON_CREATE	N	DATE	datetime	contract creation date.
CON_START	N	DATE	datetime	start date of contract.
CON_END	N	DATE	datetime	date by which the contract expires.
CON_RENEW	Y	DATE	datetime	date on which contract must be renewed.
CON_PRINTED	N	VARCHAR2(1)	nvarchar(1)	printed or not
CON_OWNCONTACT	N	VARCHAR2(15)	nvarchar(15)	our person
CON_CONTACT	Y	VARCHAR2(45)	nvarchar(45)	their person

CON_ORG	N	VARCHAR2(15)	nvarchar(15)	contract organization
CON_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CON_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CON_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CON_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CON_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTSALESPRICE

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSP_PK	N	VARCHAR2(30)	nvarchar(30)	Primary key field
CSP_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract
CSP_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	Contract Revision
CSP_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Organization
CSP_RENTITY	N	VARCHAR2(4)	nvarchar(4)	Entity
CSP_CODE	N	VARCHAR2(50)	nvarchar(50)	T.B.D.
CSP_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
CSP_SALESPRICE	N	NUMBER(24,6)	numeric(24,6)	Sales Price
CSP_STARTDATE	N	DATE	datetime	Date Effective
CSP_ENDDATE	N	DATE	datetime	Date Expired
CSP_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store
CSP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CSP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CSP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CSP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CSP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CSP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CSP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTTEMPLATES

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CTP_CODE	N	VARCHAR2(30)	nvarchar(30)	Contract Template
CTP_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
CTP_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
CTP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
CTP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Org.
CTP_CONTRACTCLASS	Y	VARCHAR2(8)	nvarchar(8)	Contract Class
CTP_CONTRACTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contract Class Org.
CTP_DEFAULTINVSSTATUS	N	VARCHAR2(4)	nvarchar(4)	Default Invoice Status
CTP_WHEREUSED	N	VARCHAR2(4)	nvarchar(4)	Where Used
CTP_ROUNDINGHOURS	N	VARCHAR2(4)	nvarchar(4)	Rounding Hours
CTP_ROUNDINGDAYS	N	VARCHAR2(4)	nvarchar(4)	Rounding Days
CTP_STARTTIMEHOURS	Y	VARCHAR2(2)	nvarchar(2)	Hourly Invoicing Start Time Hours
CTP_STARTTIMEMINUTES	Y	VARCHAR2(2)	nvarchar(2)	Hourly Invoicing Start Time Minutes
CTP_ENDTIMEHOURS	Y	VARCHAR2(2)	nvarchar(2)	Hourly Invoicing End Time Hours
CTP_ENDTIMEMINUTES	Y	VARCHAR2(2)	nvarchar(2)	Hourly Invoicing End Time Minutes
CTP_PERIOD	Y	NUMBER(8,0)	numeric(8,0)	Invoice Every
CTP_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	Period UOM
CTP_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Out Of Service
CTP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CTP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CTP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CTP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CTP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CTP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CTP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CTP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CTP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CTP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CTP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CTP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTWOCRITERIA

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CWC_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract
CWC_CONTRACTREVISION	N	NUMBER(8,0)	numeric(8,0)	Contract revision
CWC_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Organization
CWC_MRC	N	VARCHAR2(15)	nvarchar(15)	Department
CWC_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	WO Type
CWC_CLASS	N	VARCHAR2(8)	nvarchar(8)	T.B.D.
CWC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
CWC_GROUPING	Y	VARCHAR2(50)	nvarchar(50)	Grouping
CWC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CWC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CWC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CWC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CWC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CWC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CWC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CWC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CWC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CWC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CWC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CWC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CWC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CWC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONTRACTWORKORDERS

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CWO_EVENT	Y	VARCHAR2(30)		Work Order
CWO_DATE	Y	DATE		T.B.D.
CWO_STANDWORK	Y	VARCHAR2(30)		T.B.D.
CWO_PPM	Y	VARCHAR2(20)		T.B.D.
CWO_SERVICEPROBLEM	Y	VARCHAR2(30)		T.B.D.
CWO_SERVICEPROBLEM_ORG	Y	VARCHAR2(30)		T.B.D.
CWO_USED	Y	VARCHAR2(10)		T.B.D.

R5CONTYPECLAUSES

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCY_CONTYPE	N	VARCHAR2(8)	nvarchar(8)	should be in r5classes
CCY_LINE	N	NUMBER(8,0)	numeric(8,0)	sequence number indicating order in which clauses are presented.
CCY_CLAUS	N	VARCHAR2(8)	nvarchar(8)	clause code.
CCY_CONTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	contract class organization
CCY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CONVUOM MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CNV_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
CNV_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
CNV_UOMFROM	N	VARCHAR2(30)	nvarchar(30)	unit of measure to convert from.
CNV_UOMTO	N	VARCHAR2(30)	nvarchar(30)	unit of measure to convert to.
CNV_MULTIPLY	N	NUMBER(10,4)	numeric(10,4)	conversion factor (to = from x multiply).
CNV_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
CNV_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
CNV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CNV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CNV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COPYBLDTPLDEFLIST

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BDL_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	Session ID
BDL_SEQUENCE	N	NUMBER(8,0)	numeric(8,0)	Sequence Number
BDL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Code
BDL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
BDL_NEWOBJECT	Y	VARCHAR2(30)	nvarchar(30)	New Equipment Code
BDL_NEWOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	New Equipment Organization
BDL_NEWDESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	New Description
BDL_COMMISS	Y	DATE	datetime	Default Commission Date
BDL_MRC	Y	VARCHAR2(15)	nvarchar(15)	Default Department
BDL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost Code
BDL_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
BDL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BDL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BDL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COPYBLDTPLDEFFPARAMETERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BDP_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	Auto Code (surrogate key)
BDP_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Code
BDP_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
BDP_NEWOBJECT	Y	VARCHAR2(30)	nvarchar(30)	New Equipment Code
BDP_NEWOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	New Equipment Organization
BDP_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	New Status
BDP_DEF Commiss	Y	DATE	datetime	Default Commission Date
BDP_DEFMRC	Y	VARCHAR2(15)	nvarchar(15)	Default Department
BDP_COPYPARTSASSOCIATED	Y	VARCHAR2(1)	nvarchar(1)	Copy Parts Associated Flag
BDP_COPYDOCUMENT	Y	VARCHAR2(1)	nvarchar(1)	Copy Document Flag
BDP_COPYCOMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Copy Comments Flag
BDP_COPYPERMITS	Y	VARCHAR2(1)	nvarchar(1)	Copy Permits Flag
BDP_DATECREATED	Y	DATE	datetime	Date Created
BDP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
BDP_PROGRESSSTATE	Y	VARCHAR2(1)	nvarchar(1)	State to track the progress
BDP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BDP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BDP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5COSTCODES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

CST_CODE	N	VARCHAR2(30)	nvarchar(30)	unique cost code
CST_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
CST_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of cost code
CST_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	checked: cost code is not in use.
CST_ORG	N	VARCHAR2(15)	nvarchar(15)	cost code organization
CST_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CST_CREATED	Y	DATE	datetime	creation date
CST_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
CST_UPDATED	Y	DATE	datetime	update date
CST_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
CST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CST_FLEETCUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	The fleet customer.
CST_FLEETCUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
CST_NONBILLABLE	Y	VARCHAR2(1)	nvarchar(1)	Whether the cost code is billable.
CST_SEGMENTVALUE	Y	VARCHAR2(30)	nvarchar(30)	Segment
CST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CST_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CST_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CST_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CST_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CST_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CST_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CST_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CST_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CST_UDFDATE03	Y	DATE	datetime	User defined field of type Date

CST_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CST_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CST_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CST_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CST_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CST_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CST_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CPDATA CONVERGED PROCUREMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
XCP_TYPE	Y	VARCHAR2(1)		
XCP_CODE1	Y	VARCHAR2(100)		
XCP_CODE2	Y	VARCHAR2(100)		

R5CREDITBALANCECHANGES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CBC_PK	N	NUMBER	numeric(18,0)	The primary key of the credit balance change.
CBC_VALUE	Y	NUMBER(24,6)	numeric(24,6)	The value of the credit balance change.
CBC_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type (invoice/receipt/initialization) of the credit balance change.
CBC_DATE	N	DATE	datetime	The date and time of the credit balance change.
CBC_PART	N	VARCHAR2(30)	nvarchar(30)	The part of the credit balance change.
CBC_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the part of the credit balance change.
CBC_STORE	Y	VARCHAR2(15)	nvarchar(15)	The store of the credit balance change.
CBC_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the credit balance change.
CBC_TRANS	Y	VARCHAR2(30)	nvarchar(30)	The receipt transaction which initiated the credit balance change.
CBC_TRANSLINE	Y	NUMBER(8,0)	numeric(8,0)	The receipt transaction line which initiated the credit balance change.
CBC_INV	Y	VARCHAR2(45)	nvarchar(45)	The invoice which initiated the credit balance change.
CBC_INV_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the invoice which initiated the credit balance change.
CBC_INVLIN	Y	NUMBER(8,0)	numeric(8,0)	The invoice line which initiated the credit balance change.
CBC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CBC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CREDITCARDS PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRD_CREDITCARD	N	VARCHAR2(35)	nvarchar(35)	credit card
CRD_CODE	N	NUMBER	int	credit card code
CRD_FOUR	Y	VARCHAR2(4)	nvarchar(4)	last four digits of credit card number
CRD_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of credit card
CRD_RTYPE	N	VARCHAR2(4)	nvarchar(4)	r type of credit card (system)
CRD_ORG	N	VARCHAR2(15)	nvarchar(15)	organization
CRD_DESC	N	VARCHAR2(80)	nvarchar(80)	description
CRD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of credit card
CRD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class organization
CRD_NAMEONCARD	N	VARCHAR2(60)	nvarchar(60)	name on card
CRD_EXPDATE	N	DATE	datetime	expiration date
CRD_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	not used
CRD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CRD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CREDITCARDUSERS PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCU_CODE	N	NUMBER	int	credit card code

CCU_USER	N	VARCHAR2(255)	nvarchar(255)	user code
CCU_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	default flag
CCU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CREWEMPLOYEES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRE_PK	N	NUMBER(38,0)	numeric(38,0)	PK column
CRE_CREW	Y	VARCHAR2(15)	nvarchar(15)	Crew
CRE_CREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organisation code of crew
CRE_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Personnel code
CRE_START	Y	DATE	datetime	Start date
CRE_END	Y	DATE	datetime	End date
CRE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CRE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CREWS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRW_CODE	N	VARCHAR2(15)	nvarchar(15)	Crew code
CRW_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
CRW_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization code
CRW_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
CRW_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Code Organization
CRW_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag
CRW_SCHEDGROUP	Y	VARCHAR2(30)	nvarchar(30)	Scheduled group code
CRW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CRW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRW_PROFILEPICTURE	Y	VARCHAR2(30)	nvarchar(30)	
CRW_EXPIRATIONDATE	Y	DATE	datetime	
CRW_STDCREW	Y	VARCHAR2(15)	nvarchar(15)	
CRW_STDCREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CRW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
CRW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CRW_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
CRW_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
CRW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CRITINDEX

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRX_PK	N	NUMBER	int	primary key
CRX_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality
CRX_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk focus
CRX_RISKREV	Y	NUMBER(4,0)	numeric(4,0)	revision
CRX_CONFRATING	Y	VARCHAR2(4)	nvarchar(4)	confidence rating
CRX_REVISION	Y	NUMBER(4,0)	numeric(4,0)	revision
CRX_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	r status (system)
CRX_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	status
CRX_ONFREQ	Y	NUMBER(8,2)	numeric(8,2)	on frequency
CRX_ONMAX	Y	NUMBER(4,0)	numeric(4,0)	on maximum
CRX_OFFFREQ	Y	NUMBER(8,2)	numeric(8,2)	off frequency
CRX_OFFMAX	Y	NUMBER(4,0)	numeric(4,0)	off maximum
CRX_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used

CRX_CREATED	Y	DATE	datetime	created
CRX_USER	Y	VARCHAR2(255)	nvarchar(255)	by user
CRX_UPDATED	Y	DATE	datetime	date changed
CRX_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	by user
CRX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CRX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUACCOUNTINGCODES		PROJECTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUA_CODE	N	VARCHAR2(30)	nvarchar(30)	
CUA_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUA_DESC	N	VARCHAR2(80)	nvarchar(80)	
CUA_REGULATORYACCOUNT	N	VARCHAR2(80)	nvarchar(80)	
CUA_CAPEX	Y	VARCHAR2(1)	nvarchar(1)	
CUA_INSTALLGL	Y	VARCHAR2(255)	nvarchar(255)	
CUA_REMOVEGL	Y	VARCHAR2(255)	nvarchar(255)	
CUA_OMGL	Y	VARCHAR2(255)	nvarchar(255)	
CUA_SALVAGEGL	Y	VARCHAR2(255)	nvarchar(255)	
CUA_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CUA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CUA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CUA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CUA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CUA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CUA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CUA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUA_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CUA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUESTIMATECOMPATIBLEUNITS		PROJECTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CEC_CUESTIMATE	N	VARCHAR2(30)	nvarchar(30)	
CEC_CUESTIMATE_ORG	N	VARCHAR2(15)	nvarchar(15)	
CEC_SEQUENCENUMBER	N	NUMBER(8,0)	numeric(8,0)	
CEC_WORKPOINT	Y	VARCHAR2(30)	nvarchar(30)	
CEC_COMPATIBLEUNIT	Y	VARCHAR2(30)	nvarchar(30)	
CEC_COMPATIBLEUNIT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CEC_QUANTITY	Y	NUMBER(24,6)	numeric(24,6)	
CEC_ACCOUNTINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
CEC_ACTIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CEC_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
CEC_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CEC_LABORADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CEC_LABORADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CEC_MATERIALSADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	

CEC_TOOLSADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CEC_TOOLSADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CEC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CEC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CEC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CEC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CEC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CEC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CEC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CEC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CEC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CEC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CEC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CEC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CEC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CEC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CEC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CEC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CEC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CEC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CEC_ACT	Y	NUMBER(8,0)	numeric(8,0)	
CEC_LABORCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEC_PARTCOST	Y	NUMBER(24,6)	numeric(24,6)	

CEC_TOOLCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEC_SERVICECOST	Y	NUMBER(24,6)	numeric(24,6)	
CEC_ADDITIONALCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEC_TOTALCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEC_ACD	Y	NUMBER	bigint	
CEC_ACCOUNTINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CEC_OVERHEADCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUESTIMATEFERCUNITS	PROJECTS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CEF_PK	N	VARCHAR2(30)	nvarchar(30)	
CEF_CUESTIMATE	Y	VARCHAR2(30)	nvarchar(30)	
CEF_CUESTIMATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CEF_ACCOUNTINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
CEF_ACCOUNTINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CEF_FIXEDASSETCODE	Y	VARCHAR2(30)	nvarchar(30)	
CEF_FIXEDASSETCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CEF_WORKFUNCTION	Y	VARCHAR2(8)	nvarchar(8)	
CEF_QTY	Y	NUMBER(24,6)	numeric(24,6)	
CEF_LABORCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_PARTCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_TOOLCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_SERVICECOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_ADDITIONALCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_ALLOCATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_ALLOCATIONPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
CEF_NONALLOCATEDCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_TOTALCOST	Y	NUMBER(24,6)	numeric(24,6)	
CEF_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CEF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUESTIMATES	PROJECTS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUE_CODE	N	VARCHAR2(30)	nvarchar(30)	
CUE_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUE_DESC	Y	VARCHAR2(80)	nvarchar(80)	
CUE_ESTIMATE TYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUE_ESTIMATE RTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUE_STATUS	Y	VARCHAR2(8)	nvarchar(8)	
CUE_RSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
CUE_MRC	Y	VARCHAR2(15)	nvarchar(15)	
CUE_CUDESIGNPROJECT	Y	VARCHAR2(20)	nvarchar(20)	
CUE_CONTRIBUTIONTOTAL	Y	NUMBER(24,6)	numeric(24,6)	
CUE_CONTRIBUTIONPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
CUE_LABORADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CUE_LABORADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	

[illegible]

CUE_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUE_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUE_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CUE_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CUE_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CUE_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CUE_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CUE_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUE_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUE_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUE_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUE_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUE_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CUE_CUDESIGNEVENT	Y	VARCHAR2(30)	nvarchar(30)	
CUE_OVERHEADTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUE_ACD	Y	NUMBER	bigint	
CUE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUESTIMATESUPPLIERS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CES_CUESTIMATE	N	VARCHAR2(30)	nvarchar(30)	
CES_CUESTIMATE_ORG	N	VARCHAR2(15)	nvarchar(15)	
CES_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	
CES_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	
CES_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CES_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CES_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CES_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CES_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CES_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CES_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CES_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CES_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CES_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CES_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CES_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CES_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CES_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CES_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CES_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CES_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CES_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CES_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CES_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUESTIMATEWORKPOINTS		PROJECTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CWP_CUESTIMATE	N	VARCHAR2(30)	nvarchar(30)	
CWP_CUESTIMATE_ORG	N	VARCHAR2(15)	nvarchar(15)	
CWP_WORKPOINT	N	VARCHAR2(30)	nvarchar(30)	
CWP_DESC	N	VARCHAR2(80)	nvarchar(80)	
CWP_SPAN	Y	VARCHAR2(1)	nvarchar(1)	
CWP_SPANLENGTH	Y	NUMBER(24,6)	numeric(24,6)	
CWP_SPANLENGTHUOM	Y	VARCHAR2(30)	nvarchar(30)	
CWP_FROMWORKPOINT	Y	VARCHAR2(30)	nvarchar(30)	
CWP_VINTAGEYEAR	Y	VARCHAR2(4)	nvarchar(4)	
CWP_FIXEDASSETCODE	Y	VARCHAR2(30)	nvarchar(30)	
CWP_ACCOUNTINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
CWP_CONTRIBUTIONTOTAL	Y	NUMBER(24,6)	numeric(24,6)	
CWP_CONTRIBUTIONPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
CWP_CHILDCUDESIGNWO	Y	VARCHAR2(30)	nvarchar(30)	
CWP_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
CWP_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CWP_LABORADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CWP_LABORADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CWP_MATERIALSADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CWP_MATERIALSADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CWP_MATERIALSADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CWP_MATERIALSADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CWP_MATERIALSADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CWP_MATERIALSADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	

[illegible]

CWP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CWP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CWP_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CWP_ACCOUNTINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CWP_FIXEDASSETCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CWP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUIFIXEDASSETCODES

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CFC_CODE	N	VARCHAR2(30)	nvarchar(30)	
CFC_ORG	N	VARCHAR2(15)	nvarchar(15)	
CFC_DESC	N	VARCHAR2(80)	nvarchar(80)	
CFC_CUACCOUNTINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
CFC_CUACCOUNTINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CFC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CFC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CFC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CFC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CFC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CFC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CFC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

CFC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CFC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CFC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CFC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CFC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CFC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CFC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CFC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CFC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CFC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CFC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CFC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CFC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CULIBRARYCHILDREN

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUC_PK	N	VARCHAR2(30)	nvarchar(30)	
CUC_COMPATIBLEUNIT	N	VARCHAR2(30)	nvarchar(30)	
CUC_COMPATIBLEUNIT_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUC_CHILDCU	N	VARCHAR2(30)	nvarchar(30)	
CUC_CHILDCU_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUC_ACTIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUC_ACCOUNTINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
CUC_FIXEDASSETCODE	Y	VARCHAR2(30)	nvarchar(30)	
CUC_ACTIVITYTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUC_QUANTITY	N	NUMBER(24,6)	numeric(24,6)	
CUC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CUC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CUC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CUC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CUC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CUC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CUC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CUC_ACCOUNTINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CUC_FIXEDASSETCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CUC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CULIBRARYPARTS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUP_PK	N	VARCHAR2(30)	nvarchar(30)	
CUP_COMPATIBLEUNIT	N	VARCHAR2(30)	nvarchar(30)	
CUP_COMPATIBLEUNIT_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUP_PART	N	VARCHAR2(30)	nvarchar(30)	
CUP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUP_QUANTITY	N	NUMBER(24,6)	numeric(24,6)	
CUP_PRICEOVERRIDE	Y	NUMBER(24,6)	numeric(24,6)	
CUP_ACTIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUP_ACTIONRTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUP_STORE	Y	VARCHAR2(15)	nvarchar(15)	
CUP_MATERIALSADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CUP_MATERIALSADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CUP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CUP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CUP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CUP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CUP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CUP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CUP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUP_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CUP_PERFORMRESERVATION	Y	VARCHAR2(1)	nvarchar(1)	
CUP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CULIBRARYSERVICES		PROJECTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSV_PK	N	VARCHAR2(30)	nvarchar(30)	
CSV_COMPATIBLEUNIT	N	VARCHAR2(30)	nvarchar(30)	
CSV_COMPATIBLEUNIT_ORG	N	VARCHAR2(15)	nvarchar(15)	
CSV_STANDARDCREW	Y	VARCHAR2(15)	nvarchar(15)	
CSV_STANDARDCREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CSV_TRADE	N	VARCHAR2(15)	nvarchar(15)	
CSV_HOURSREQUIRED	N	NUMBER(24,6)	numeric(24,6)	
CSV_RATEOVERRIDE	Y	NUMBER(10,4)	numeric(10,4)	
CSV_ACTIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CSV_ACTIONRTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CSV_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CSV_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSV_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSV_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSV_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSV_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSV_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSV_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CSV_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CSV_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CSV_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CSV_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CSV_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSV_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSV_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSV_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSV_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSV_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CSV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CULIBRARYTOOLS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
CLT_PK	N	VARCHAR2(30)	nvarchar(30)	
CLT_COMPATIBLEUNIT	Y	VARCHAR2(30)	nvarchar(30)	
CLT_COMPATIBLEUNIT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
CLT_TOOL	Y	VARCHAR2(12)	nvarchar(12)	

CLT_HOURSREQUIRED	Y	NUMBER(12,2)	numeric(12,2)	
CLT_RATEOVERRIDE	Y	NUMBER(24,6)	numeric(24,6)	
CLT_ACTIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CLT_ACTIONRTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT0	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT1	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT2	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT3	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT4	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT5	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT6	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT7	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT8	Y	VARCHAR2(8)	nvarchar(8)	
CLT_TOOLSADJUSTMENT9	Y	VARCHAR2(8)	nvarchar(8)	
CLT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CLT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CLT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CLT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CLT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CLT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CLT_UDFDATE05	Y	DATE	datetime	User defined field of type Date

CLT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CLT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CLT_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CLT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUOVERHEADCODES

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUO_CODE	N	VARCHAR2(30)	nvarchar(30)	
CUO_ORG	N	VARCHAR2(15)	nvarchar(15)	
CUO_DESC	N	VARCHAR2(80)	nvarchar(80)	
CUO_APPLYTO	N	VARCHAR2(8)	nvarchar(8)	
CUO_OVERHEADFACTOR	N	NUMBER(24,6)	numeric(24,6)	
CUO_OVERHEADTYPE	Y	VARCHAR2(8)	nvarchar(8)	
CUO_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
CUO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CUO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CUO_UDFDATE01	Y	DATE	datetime	User defined field of type Date

CUO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CUO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CUO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CUO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CUO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CUO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUO_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CUO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CURRENCIES		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUR_CODE	N	VARCHAR2(3)	nvarchar(3)	currency code. unique identification.
CUR_DESC	N	VARCHAR2(80)	nvarchar(80)	currency description.
CUR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
CUR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	financial interface
CUR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	financial interface
CUR_INTERFACE	Y	DATE	datetime	financial interface
CUR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	currency used/not used flag
CUR_DUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate of dual currency.
CUR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CUR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUR_CREATED	Y	DATE	datetime	Creation timestamp
CUR_UPDATED	Y	DATE	datetime	Update timestamp
CUR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CUR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CURRENCYINTERFACE		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
CUI_CREATE	Y	DATE	datetime	date interface transaction created.
CUI_CODE	Y	VARCHAR2(3)	nvarchar(3)	currency code.
CUI_DESC	Y	VARCHAR2(80)	nvarchar(80)	currency description.
CUI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
CUI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
CUI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
CUI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CUI_DUAL	Y	NUMBER(24,12)	numeric(24,12)	conversion rate for euro
CUI_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating record is not used
CUI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOM		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CUS_DATE	Y	DATE	datetime	date
CUS_APPLIED	Y	DATE	datetime	applied date
CUS_TITLE	Y	VARCHAR2(45)	nvarchar(45)	title
CUS_OBJECTS	Y	VARCHAR2(30)	nvarchar(30)	code identifying the object that changed
CUS_DESC	Y	VARCHAR2(100)	nvarchar(100)	description
CUS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CUS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CUS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERCONTRACTS		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCT_CODE	N	VARCHAR2(30)	nvarchar(30)	The unique code of the contract.
CCT_REVISION	N	NUMBER(8,0)	numeric(8,0)	The revision number of the contract.
CCT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the contract.
CCT_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the contract.
CCT_CUSTOMER	N	VARCHAR2(30)	nvarchar(30)	The customer of the contract.
CCT_CUSTOMER_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the customer of the contract.
CCT_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the contract.
CCT_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the contract.
CCT_CONTRACTTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	The contract template of the contract.
CCT_CONTRACTTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the contract template of the contract.
CCT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the contract.
CCT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the contract.
CCT_TAX	Y	VARCHAR2(20)	nvarchar(20)	The tax code of the contract.
CCT_STARTDATE	N	DATE	datetime	The start date of the contract.
CCT_ENDDATE	N	DATE	datetime	The end date of the contract.
CCT_REVISITDATE	Y	DATE	datetime	The date of the new revision.
CCT_CONTACT	Y	VARCHAR2(80)	nvarchar(80)	The main contact of the contract.
CCT_PHONE	Y	VARCHAR2(50)	nvarchar(50)	The phone number of the contract.
CCT_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	The email address of the contract.
CCT_EMAILINVOICE	Y	VARCHAR2(1)	nvarchar(1)	Whether an email should be sent at invoicing the contract.
CCT_PERIOD	N	NUMBER(8,0)	numeric(8,0)	The number of days/weeks/months between invoices.
CCT_PERIODUOM	N	VARCHAR2(10)	nvarchar(10)	The period, like days/weeks/months, between invoices.
CCT_NEXTINVOICEDATE	N	DATE	datetime	The date the contract should be invoiced next.
CCT_OFFSETINVGGENERATION	N	NUMBER(8,0)	numeric(8,0)	The number of days after the next invoice date the contract gets actually created.
CCT_DEFAULTINVSTATUS	N	VARCHAR2(4)	nvarchar(4)	The default invoice status of the contract.
CCT_DEFAULTINVORG	N	VARCHAR2(15)	nvarchar(15)	The default invoicing organization of the contract.
CCT_INVOICINGCURRENCY	N	VARCHAR2(3)	nvarchar(3)	The invoicing currency of the contract.
CCT_LASTINVOICEDATE	Y	DATE	datetime	The date the contract was last invoiced.
CCT_LASTINVOICE	Y	VARCHAR2(30)	nvarchar(30)	The code of the last invoice belonging to the contract.
CCT_AMOUNTINVOICED	Y	NUMBER(24,6)	numeric(24,6)	The amount invoiced.
CCT_FIXEDEXCHRATE	Y	VARCHAR2(1)	nvarchar(1)	Whether fixed exchange rates should be used.
CCT_SYNXFIXEDEXCHRATES	Y	VARCHAR2(1)	nvarchar(1)	Whether fixed exchange rates should be synced automatically.
CCT_CLOSEDWOONLY	Y	VARCHAR2(1)	nvarchar(1)	Whether only closed work orders should be invoiced.
CCT_ROUNDINGHOURS	N	VARCHAR2(4)	nvarchar(4)	The way of rounding used in case of usage records based on hours.
CCT_ROUNDINGDAYS	N	VARCHAR2(4)	nvarchar(4)	The way of rounding used in case of usage records based on days.
CCT_STARTTIMEHOURS	Y	VARCHAR2(2)	nvarchar(2)	Hourly invoicing start time, hour component.
CCT_STARTTIMEMINUTES	Y	VARCHAR2(2)	nvarchar(2)	Hourly invoicing start time, minute component.
CCT_ENDTIMEHOURS	Y	VARCHAR2(2)	nvarchar(2)	Hourly invoicing end time, hour component.
CCT_ENDTIMEMINUTES	Y	VARCHAR2(2)	nvarchar(2)	Hourly invoicing end time, minute component.
CCT_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who requested the contract.
CCT_DATEREQUESTED	Y	DATE	datetime	The date the contract was requested.
CCT_APPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	The approver of the contract.
CCT_DATEAPPROVED	Y	DATE	datetime	The date the contract was approved.
CCT_REVISIONREASON	Y	VARCHAR2(240)	nvarchar(240)	The reason of the new contract revision.
CCT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CCT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CCT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CCT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CCT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CCT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CCT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CCT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CCT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERINVOICEDetails

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CID_INVOICE	N	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CID_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization to which this record belongs.
CID_INVOICE_REVISION	N	NUMBER(8,0)	numeric(8,0)	The invoice revision of the customer invoice detail record.
CID_INVOICELINE	N	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record.
CID_INVOICEITEM	Y	VARCHAR2(30)	nvarchar(30)	The invoice item of the customer invoice detail record.
CID_CONTRACTCHARGEDEF	Y	VARCHAR2(30)	nvarchar(30)	The contract charge definition of the customer invoice detail record.
CID_ORIGCONTRACTCHARGEDEF	Y	VARCHAR2(30)	nvarchar(30)	The original code of the charge definition.
CID_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	The currency of the customer invoice detail record.
CID_CATEGORY	Y	VARCHAR2(4)	nvarchar(4)	The charge category of the customer invoice detail record.
CID_SUBCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The charge sub category of the customer invoice detail record.

CID_LEVEL	Y	VARCHAR2(4)	nvarchar(4)	The charge level of the customer invoice detail record.
CID_ADJUSTMENT	Y	VARCHAR2(30)	nvarchar(30)	The adjustment code of the customer invoice detail record.
CID_ADJUSTMENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the adjustment code of the customer invoice detail record.
CID_ADJUSTMENTTYPE	Y	VARCHAR2(4)	nvarchar(4)	The adjustment type of the customer invoice detail record.
CID_GROUPING	Y	VARCHAR2(50)	nvarchar(50)	The grouping of the customer invoice detail record.
CID_ERROR	Y	VARCHAR2(1)	nvarchar(1)	The error code relatedto the customer invoice detail record.
CID_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	The initiating entity related to the customer invoice detail record.
CID_CODE	Y	VARCHAR2(50)	nvarchar(50)	The initiating code related to the customer invoice detail record.
CID_CODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the initiating code related to the customer invoice detail record.
CID_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order related to the customer invoice detail record.
CID_ACT	Y	NUMBER(8,0)	numeric(8,0)	The activity related to the customer invoice detail record.
CID_INVOICEQTY	Y	NUMBER(24,6)	numeric(24,6)	The invoice quantity of the customer invoice detail record.
CID_ADJUSTEDQTY	Y	NUMBER(24,6)	numeric(24,6)	The adjusted quantity of the customer invoice detail record.
CID_INVOICEUOM	Y	VARCHAR2(30)	nvarchar(30)	The invoice unit of measure of the customer invoice detail record.
CID_INVOICEPERIODS	Y	NUMBER(24,6)	numeric(24,6)	The number of periods of the customer invoice detail record.
CID_ADJUSTEDPERIODS	Y	NUMBER(24,6)	numeric(24,6)	The adjusted periods of the customer invoice detail record.
CID_INVOICEPRICE	Y	NUMBER(24,6)	numeric(24,6)	The invoice price of the customer invoice detail record.
CID_ADJUSTEDPRICE	Y	NUMBER(24,6)	numeric(24,6)	The adjusted price of the customer invoice detail record.
CID_FROMDATE	Y	DATE	datetime	The from date of the customer invoice detail record.
CID_TODATE	Y	DATE	datetime	The to date of the customer invoice detail record.
CID_INVOICEROLLUP	Y	NUMBER(24,6)	numeric(24,6)	The invoice rollup of the customer invoice detail record.
CID_ADJUSTEDROLLUP	Y	NUMBER(24,6)	numeric(24,6)	The adjusted rollup value of the customer invoice detail record.
CID_TRANSACTIONAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The transaction amount of the customer invoice detail record.
CID_ADJUSTMENTS	Y	NUMBER(24,6)	numeric(24,6)	The adjustment value of the customer invoice detail record.
CID_TRANSACTIONTOTAL	Y	NUMBER(24,6)	numeric(24,6)	The transaction total amount of the customer invoice detail record.
CID_CORRECTEDTOTAL	Y	NUMBER(24,6)	numeric(24,6)	The corrected total value of the customer invoice detail record.
CID_TAXBASE	Y	NUMBER(24,6)	numeric(24,6)	The tax base of the customer invoice detail record.
CID_TAXPERCENTAGE	Y	NUMBER(7,4)	numeric(7,4)	The tax percentage of the customer invoice detail record.
CID_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The tax amount of the customer invoice detail record.
CID_EXCH	Y	NUMBER(24,12)	numeric(24,12)	The exchange rate of the customer invoice detail record.
CID_INVOICEAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The invoice amount of the customer invoice detail record.
CID_INVOICETAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The invoice tax amount of the customer invoice detail record.
CID_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	The commodity of the customer invoice detail record.
CID_ESTIMATEDCREDIT	Y	VARCHAR2(1)	nvarchar(1)	Whether this is a credit for an earlier estimate.
CID_ESTIMATEDDAILYUSAGE	Y	NUMBER(24,6)	numeric(24,6)	The estimated daily usage of the customer invoice detail record.
CID_ESTIMATEDUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Whether this is an estimated usage record.
CID_ROLLOVERBUFFER	Y	NUMBER(24,6)	numeric(24,6)	The rollover buffer of the customer invoice detail record.
CID_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CID_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CID_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CID_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CID_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CID_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CID_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CID_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CID_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CID_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CID_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CID_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CID_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CID_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CID_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CID_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CID_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CID_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CID_ACTUALSUBCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The actual subcategory of the customer invoice detail record.
CID_TAXROLLUP	Y	NUMBER(24,6)	numeric(24,6)	The tax rollup of the customer invoice detail record.
CID_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CID_TAX	Y	VARCHAR2(20)	nvarchar(20)	
CID_TAXABLE	Y	VARCHAR2(1)	nvarchar(1)	
CID_CADPK	Y	VARCHAR2(30)	nvarchar(30)	
CID_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERINVOICEERRORS		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CIE_INVOICE	N	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CIE_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	The invoice organization to which this record belongs.
CIE_INVOICE_REVISION	N	NUMBER(8,0)	numeric(8,0)	The invoice revision to which this record belongs.
CIE_INVOICELINE	N	NUMBER(8,0)	numeric(8,0)	The invoice line to which this record belongs.
CIE_ERROR	N	NUMBER(2,0)	numeric(2,0)	The error number of the customer invoice error record.
CIE_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	The entity of the customer invoice error record.
CIE_CODE	Y	VARCHAR2(500)	nvarchar(500)	The related code of the customer invoice error record.
CIE_CODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the related code of the customer invoice error record.
CIE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CIE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CIE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERINVOICEITEMS		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CII_PK	N	VARCHAR2(30)	nvarchar(30)	The unique code of the customer invoice item record.

CII_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CII_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The invoice organization to which this record belongs.
CII_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	The invoice revision to which this record belongs.
CII_CONTRACTITEM	Y	VARCHAR2(30)	nvarchar(30)	The customer contract item of the customer invoice item record.
CII_ORIGCONTRACTITEM	Y	VARCHAR2(30)	nvarchar(30)	The original code of the related customer contract item.
CII_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The object belonging to the related customer contract item.
CII_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the object belonging to the related customer contract item.
CII_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	The project belonging to the related customer contract item.
CII_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	The project budget class belonging to the related customer contract item.
CII_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order belonging to the related customer contract item.
CII_CUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	The customer of the customer invoice item record.
CII_CUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the customer of the customer invoice item record.
CII_INVOICINGORG	Y	VARCHAR2(15)	nvarchar(15)	The invoicing organization of the customer invoice item record.
CII_INVOICINGDESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	The invoicing description of the customer invoice item record.
CII_TAX	Y	VARCHAR2(20)	nvarchar(20)	The tax code of the customer invoice item record.
CII_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	The currency of the customer invoice item record.
CII_EXCH	Y	NUMBER(24,12)	numeric(24,12)	The exchange rate of the customer invoice item record.
CII_ERRORFOUND	Y	VARCHAR2(1)	nvarchar(1)	Whether an error was found during the invoicing process.
CII_NETAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The net amount of the customer invoice item record.
CII_ADJUSTEDNET	Y	NUMBER(24,6)	numeric(24,6)	The adjusted net amount of the customer invoice item record.
CII_ADJUSTMENTS	Y	NUMBER(24,6)	numeric(24,6)	The adjustment amount of the customer invoice item record.
CII_TAXPERCENTAGE	Y	NUMBER(7,4)	numeric(7,4)	The tax percentage of the customer invoice item record.
CII_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The tax amount of the customer invoice item record.
CII_GROSSAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The gross amount of the customer invoice item record.
CII_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CII_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CII_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERINVOICERUNNING	PURCHASING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CIR_DATE	N	DATE	datetime	Date and time the create customer invoices process started.
CIR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CIR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERINVOICES	CONTRACTS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CIV_CODE	N	VARCHAR2(30)	nvarchar(30)	The unique code of the customer invoice.
CIV_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
CIV_REVISION	N	NUMBER(8,0)	numeric(8,0)	Revision
CIV_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
CIV_CURR	N	VARCHAR2(3)	nvarchar(3)	Invoice Currency
CIV_STATUS	N	VARCHAR2(4)	nvarchar(4)	Status
CIV_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The status of the customer invoice.
CIV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
CIV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Org.
CIV_CUSTOMER	N	VARCHAR2(30)	nvarchar(30)	Customer
CIV_CUSTOMER_ORG	N	VARCHAR2(15)	nvarchar(15)	Customer Org.
CIV_CONTRACT	N	VARCHAR2(30)	nvarchar(30)	Contract
CIV_CONTRACT_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Org.
CIV_CONTRACT_REVISION	Y	NUMBER(8,0)	numeric(8,0)	Contract Revision
CIV_WHEREUSED	N	VARCHAR2(4)	nvarchar(4)	Where Used
CIV_FROMDATE	Y	DATE	datetime	From Date
CIV_TODATE	Y	DATE	datetime	To Date
CIV_CREATED	Y	DATE	datetime	Creation Date

CIV_REGENERATED	Y	DATE	datetime	Regenerated
CIV_APPROVED	Y	DATE	datetime	Approval Date
CIV_PAID	Y	DATE	datetime	Paid Date
CIV_GENERALLEDGER	Y	DATE	datetime	General Ledger Date
CIV_CONTACT	Y	VARCHAR2(80)	nvarchar(80)	Customer Contact
CIV_PHONE	Y	VARCHAR2(50)	nvarchar(50)	Phone Number
CIV_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	Email Address
CIV_EMAILINVOICE	Y	VARCHAR2(1)	nvarchar(1)	Email Invoice
CIV_EMAILED	Y	DATE	datetime	Emailed On
CIV_TAX	Y	VARCHAR2(20)	nvarchar(20)	Tax Code
CIV_NETAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Net Amount
CIV_ADJUSTMENTS	Y	NUMBER(24,6)	numeric(24,6)	Adjustments
CIV_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax Amount
CIV_GROSSAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The gross amount of the customer invoice.
CIV_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CIV_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIV_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIV_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIV_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIV_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CIV_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CIV_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CIV_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CIV_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CIV_UDFDATE05	Y	DATE	datetime	User defined field of type Date

CIV_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIV_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIV_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIV_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIV_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CIV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CIV_INPROGRESS	Y	DATE	datetime	Flag to determine whether a customer invoice is being regenerated.
CIV_REQUESTREGENERATE	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether a customer invoice should be regenerated.
CIV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CIV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERRENTALS

CONTRACTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRT_CODE	N	VARCHAR2(30)	nvarchar(30)	Customer Rental
CRT_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
CRT_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
CRT_TYPE	N	VARCHAR2(4)	nvarchar(4)	The user type of the rental contract.
CRT_RTYPE	N	VARCHAR2(4)	nvarchar(4)	The system type of the rental contract.
CRT_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the rental contract.
CRT_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the rental contract.
CRT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
CRT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Org.
CRT_RETURNEDOBJECT	Y	VARCHAR2(30)	nvarchar(30)	Received Equipment
CRT_RETURNEDOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Received Equipment Org.
CRT_CONTRACTTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	Rental Template
CRT_CONTRACTTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Rental Template Org.
CRT_ISSUEDTO	Y	VARCHAR2(15)	nvarchar(15)	Issue To
CRT_REFERENCE	Y	VARCHAR2(30)	nvarchar(30)	Reference
CRT_CUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	Customer
CRT_CUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Customer Org.
CRT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
CRT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Org.
CRT_CONTACT	Y	VARCHAR2(80)	nvarchar(80)	Customer Contact
CRT_PHONE	Y	VARCHAR2(50)	nvarchar(50)	Phone Number
CRT_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	Email Address
CRT_EMAILINVOICE	Y	VARCHAR2(1)	nvarchar(1)	Email Invoice
CRT_PHONE2	Y	VARCHAR2(50)	nvarchar(50)	Second Phone Number
CRT_LICENSE	Y	VARCHAR2(50)	nvarchar(50)	License
CRT_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost Code
CRT_TAX	Y	VARCHAR2(20)	nvarchar(20)	Tax Code
CRT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
CRT_CREATED	Y	DATE	datetime	Date Created
CRT_COMPLETED	Y	DATE	datetime	Completed
CRT_ISSUEDATE	Y	DATE	datetime	Issue Date/Time
CRT_ISSUEREADING	Y	NUMBER(24,6)	numeric(24,6)	Issue Reading
CRT_ISSUEREADINGUOM	Y	VARCHAR2(30)	nvarchar(30)	UOM
CRT_ISSUELOCATION	Y	VARCHAR2(50)	nvarchar(50)	Issue Location
CRT_ISSUEFUELLEVEL	Y	NUMBER(2,0)	numeric(2,0)	Issue Fuel Level
CRT_ISSUEDBY	Y	VARCHAR2(255)	nvarchar(255)	Issued By
CRT_RETURNDATE	Y	DATE	datetime	Return Date/Time
CRT_RETURNREADING	Y	NUMBER(24,6)	numeric(24,6)	Return Reading
CRT_RETURNLOCATION	Y	VARCHAR2(50)	nvarchar(50)	Return Location
CRT_RETURNFUELLEVEL	Y	NUMBER(2,0)	numeric(2,0)	Return Fuel Level
CRT_RETURNEDTO	Y	VARCHAR2(255)	nvarchar(255)	Returned To

CRT_CALCULATEDHOURS	Y	NUMBER(24,6)	numeric(24,6)	Calculated Hours
CRT_CALCULATEDDAYS	Y	NUMBER(24,6)	numeric(24,6)	Calculated Days
CRT_CALCULATEDUSAGE	Y	NUMBER(24,6)	numeric(24,6)	Calculated Usage
CRT_CALCULATEDFUELUSAGE	Y	NUMBER(2,0)	numeric(2,0)	Calculated Fuel Usage
CRT_CORRECTHOURS	Y	NUMBER(24,6)	numeric(24,6)	Corrected Hours
CRT_CORRECTEDDAYS	Y	NUMBER(24,6)	numeric(24,6)	Corrected Days
CRT_CORRECTEDUSAGE	Y	NUMBER(24,6)	numeric(24,6)	Corrected Usage
CRT_CORRECTEDFUELUSAGE	Y	NUMBER(2,0)	numeric(2,0)	Corrected Fuel Usage
CRT_CORRECTBY	Y	VARCHAR2(255)	nvarchar(255)	Corrected By
CRT_NETAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Net Amount
CRT_ADJUSTMENTS	Y	NUMBER(24,6)	numeric(24,6)	Adjustments
CRT_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax Amount
CRT_GROSSAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Gross Amount
CRT_INVOICEDMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Invoiced Amount
CRT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CRT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CRT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CRT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CRT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CRT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CRT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CRT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CRT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CRT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CRT_UDFDATE05	Y	DATE	datetime	User defined field of type Date

CRT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CRT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CRT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CRT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CRT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CRT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CRT_VEHICLETYPE	Y	VARCHAR2(8)	nvarchar(8)	The vehicle type
CRT_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	The reject reason of the customer rental
CRT_ESTIMATEDISSUEDATE	Y	DATE	datetime	The estimate issue date of the vehicle
CRT_ESTIMATEDRETURNDATE	Y	DATE	datetime	The estimated return date of the vehicle
CRT_ACD	Y	NUMBER	bigint	The reference to the associated account detail record
CRT_PRIVATE	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the rental contract is private.
CRT_ALLDAY	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the customer rental is for the whole day.
CRT_TRAVELFROM	Y	NUMBER(5,0)	numeric(5,0)	The travel from time in minutes of the customer rental.
CRT_TRAVELTO	Y	NUMBER(5,0)	numeric(5,0)	The travel to time in minutes of the customer rental.
CRT_SETUPTIME	Y	NUMBER(5,0)	numeric(5,0)	The setup time in minutes of the customer rental.
CRT_TEARDOWNTIME	Y	NUMBER(5,0)	numeric(5,0)	The teardown time in minutes of the customer rental.
CRT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order of the customer rental.
CRT_WORKADDRESS	Y	VARCHAR2(256)	nvarchar(256)	The work address of the customer rental.
CRT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	The project of the customer rental.
CRT_SUPPLIER1	Y	VARCHAR2(30)	nvarchar(30)	The first supplier of the customer rental.
CRT_SUPPLIER1ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the first supplier of the customer rental.
CRT_INSTRUCTION1	Y	VARCHAR2(2000)	nvarchar(2000)	The first line instructions of the customer rental.
CRT_SUPPLIER2	Y	VARCHAR2(30)	nvarchar(30)	The second supplier of the customer rental.
CRT_SUPPLIER2ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the second supplier of the customer rental.
CRT_INSTRUCTION2	Y	VARCHAR2(2000)	nvarchar(2000)	The second line instructions of the customer rental.
CRT_SUPPLIER3	Y	VARCHAR2(30)	nvarchar(30)	The third supplier of the customer rental.
CRT_SUPPLIER3ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the third supplier of the customer rental.
CRT_INSTRUCTION3	Y	VARCHAR2(2000)	nvarchar(2000)	The third line instructions of the customer rental.
CRT_BUILDINGSERVICES	Y	VARCHAR2(80)	nvarchar(80)	The building services of the customer rental.
CRT_BUILDINGSERVICESEMAIL	Y	VARCHAR2(255)	nvarchar(255)	The building services email of the customer rental.
CRT_BUILDINGSERVICESINSTR	Y	VARCHAR2(2000)	nvarchar(2000)	The building services instructions of the customer rental.
CRT_EMAILRECIPIENTS	Y	VARCHAR2(2000)	nvarchar(2000)	The email recipients of the customer rental.
CRT_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the customer rental.
CRT_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the location of the customer rental.
CRT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERREQUESTHISTORY

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRH_PK	N	VARCHAR2(30)	nvarchar(30)	Surrogate Key
CRH_CALLCENTERCODE	Y	VARCHAR2(30)	nvarchar(30)	Customer Request Code
CRH_CALLCENTER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Customer Request Org
CRH_REQDATE	Y	DATE	datetime	Current Date/Time
CRH_EVENTTYPE	Y	VARCHAR2(4)	nvarchar(4)	System Code for Customer Request Sent
CRH_USERCODE	Y	VARCHAR2(255)	nvarchar(255)	User
CRH_FIELD	Y	VARCHAR2(45)	nvarchar(45)	Field Changed
CRH_OLDVALUE	Y	VARCHAR2(250)	nvarchar(250)	Old Field Value
CRH_NEWVALUE	Y	VARCHAR2(250)	nvarchar(250)	New Field Value
CRH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
CRH_COMMENT	Y	VARCHAR2(2000)	nvarchar(2000)	Comment
CRH_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
CRH_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	Customer Request History Entity
CRH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

CRH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERREQUESTHIST_ARCHIVE ARCHIVING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARH_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ARH_PK	Y	VARCHAR2(30)	nvarchar(30)	Surrogate Key
ARH_CALLCENTERCODE	Y	VARCHAR2(30)	nvarchar(30)	Customer Request Code
ARH_CALLCENTER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Customer Request Org
ARH_REQDATE	Y	DATE	datetime	Current Date/Time
ARH_EVENTTYPE	Y	VARCHAR2(4)	nvarchar(4)	System Code for Customer Request Sent
ARH_USERCODE	Y	VARCHAR2(255)	nvarchar(255)	User
ARH_FIELD	Y	VARCHAR2(45)	nvarchar(45)	Field Changed
ARH_OLDVALUE	Y	VARCHAR2(250)	nvarchar(250)	Old Field Value
ARH_NEWVALUE	Y	VARCHAR2(250)	nvarchar(250)	New Field Value
ARH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ARH_COMMENT	Y	VARCHAR2(2000)	nvarchar(2000)	Comment
ARH_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
ARH_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	Customer Request History Entity
ARH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERSURVEYANSWERS CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSA_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey answer.
CSA_QUESTION_CODE	N	VARCHAR2(30)	nvarchar(30)	The question pk of the customer survey answer.
CSA_DESC	N	VARCHAR2(80)	nvarchar(80)	the description of the customer survey answer.
CSA_SEQUENCE	N	NUMBER(4,0)	numeric(4,0)	The sequence of the customer survey answer.
CSA_TEXT	N	VARCHAR2(80)	nvarchar(80)	The text of the customer survey answer.
CSA_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the answer is out of service.
CSA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERSURVEYEVENTS CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SEV_PK	N	VARCHAR2(50)	nvarchar(50)	The primary key of the customer survey event.
SEV_SURVEY	Y	VARCHAR2(30)	nvarchar(30)	The survey primary key of the customer survey event.
SEV_SURVEY_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the survey of the customer survey event.
SEV_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	The entity of the customer survey event.
SEV_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status of the customer survey event.
SEV_EMAILSOURCE	Y	VARCHAR2(4)	nvarchar(4)	The email source of the customer survey event.
SEV_CODE	Y	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey event.
SEV_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the customer survey event.
SEV_DATE	Y	DATE	datetime	The date and time of the customer survey event.
SEV_SURVEYTAKEN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the survey has been taken.
SEV_EMAILADDRESS	Y	VARCHAR2(255)	nvarchar(255)	The email address of the customer survey event.
SEV_SURVEYURL	Y	VARCHAR2(2000)	nvarchar(2000)	The URL of the customer survey event.
SEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SEV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERSURVEYQUESTIONS CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSQ_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey question.

CSQ_SURVEY	N	VARCHAR2(30)	nvarchar(30)	The survey the customer survey question belongs to.
CSQ_SURVEY_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the customer survey the question belongs to.
CSQ_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the customer survey question.
CSQ_SEQUENCE	N	NUMBER(8,0)	numeric(8,0)	The sequence of the customer survey question.
CSQ_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type of customer survey question.
CSQ_TEXT	N	VARCHAR2(2000)	nvarchar(2000)	The text of the customer survey question.
CSQ_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the question is out of service.
CSQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERSURVEYRESPONSES

CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SER_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the response record.
SER_CUSTOMERSURVEYEVENT	Y	VARCHAR2(50)	nvarchar(50)	Pointer to the customer survey event record.
SER_QUESTION	Y	VARCHAR2(30)	nvarchar(30)	The question of the response record.
SER_ANSWER	Y	VARCHAR2(30)	nvarchar(30)	The actual answer given by the survey taker.
SER_RESPONSE	Y	VARCHAR2(255)	nvarchar(255)	The response to the customer survey question.
SER_NRESPONSE	Y	NUMBER(24,6)	numeric(24,6)	The numeric response to the customer survey question.
SER_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SER_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SER_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERSURVEYS

CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSU_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey.
CSU_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the customer survey.
CSU_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the customer survey.
CSU_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the customer survey.
CSU_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the customer survey.
CSU_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the customer survey.
CSU_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the customer survey.
CSU_EFFECTIVE	N	DATE	datetime	The start date of the customer survey.
CSU_DISCONTINUE	N	DATE	datetime	The end date of the customer survey.
CSU_LOGOURL	Y	VARCHAR2(2000)	nvarchar(2000)	The URL where the logo can be found.
CSU_FROMEMAIL	Y	VARCHAR2(255)	nvarchar(255)	The email address the customer survey will be send from.
CSU_TITLE	Y	VARCHAR2(80)	nvarchar(80)	The title of the customer survey.
CSU_OPENINGMSG	N	VARCHAR2(2000)	nvarchar(2000)	The opening message of the customer survey.
CSU_CLOSINGMSG	N	VARCHAR2(2000)	nvarchar(2000)	The closing message of the customer survey.
CSU_REDIRECTURL	Y	VARCHAR2(2000)	nvarchar(2000)	The redirect URL of the customer survey.
CSU_REDIRECTTIMER	Y	NUMBER(8,0)	numeric(8,0)	The redirect timer of the customer survey.
CSU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSU_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CSU_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CSU_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSU_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSU_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSU_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSU_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CSU_UDFDATE01	Y	DATE	datetime	User defined field of type Date
CSU_UDFDATE02	Y	DATE	datetime	User defined field of type Date
CSU_UDFDATE03	Y	DATE	datetime	User defined field of type Date
CSU_UDFDATE04	Y	DATE	datetime	User defined field of type Date
CSU_UDFDATE05	Y	DATE	datetime	User defined field of type Date
CSU_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSU_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSU_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSU_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSU_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CSU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMERSURVEYTRIGGERS

CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SVT_SURVEY	N	VARCHAR2(30)	nvarchar(30)	The survey the customer survey trigger belongs to.
SVT_SURVEY_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the survey the customer survey trigger belongs to.
SVT_ENTITY	N	VARCHAR2(4)	nvarchar(4)	The entity of the customer survey trigger.
SVT_STATUS	N	VARCHAR2(4)	nvarchar(4)	The status of the customer survey trigger.
SVT_EMAILSOURCE	N	VARCHAR2(4)	nvarchar(4)	The email source of the customer survey trigger.
SVT_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the customer survey trigger is out of service.
SVT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SVT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SVT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMFIELDATTRIBUTES

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CFA_PK	N	VARCHAR2(30)	nvarchar(30)	
CFA_PROPERTY	N	VARCHAR2(8)	nvarchar(8)	
CFA_RENTITY	N	VARCHAR2(4)	nvarchar(4)	
CFA_CLASS	N	VARCHAR2(8)	nvarchar(8)	

CFA_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	
CFA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	
CFA_CREATED	Y	DATE	datetime	Creation timestamp
CFA_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
CFA_UPDATED	Y	DATE	datetime	Update timestamp
CFA_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
CFA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CFA_LASTSAVED	Y	DATE	datetime	Timestamp of last update
CFA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CUSTOMTEXTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CTT_POOL	N	VARCHAR2(12)	nvarchar(12)	pool code
CTT_LANG	N	VARCHAR2(2)	nvarchar(2)	language
CTT_LENGTH	N	NUMBER(3,0)	numeric(3,0)	text length
CTT_TEXT	Y	VARCHAR2(255)	nvarchar(255)	changed text
CTT_ORIGTEXT	Y	VARCHAR2(255)	nvarchar(255)	original text
CTT_DATE	Y	DATE	datetime	date of change
CTT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CTT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CTT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CYCLECOUNT

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CCC_USER	N	VARCHAR2(255)	nvarchar(255)	user.
CCC_DATE	N	DATE	datetime	date the record is inserted.
CCC_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent object code.
CCC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
CCC_DESC	N	VARCHAR2(80)	nvarchar(80)	object description.
CCC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
CCC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CCC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CCC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DASHBOARDCONFIGS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DBC_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group
DBC_USER	N	VARCHAR2(255)	nvarchar(255)	user
DBC_XMLCONFIG	Y	CLOB	ntext	xml configuration
DBC_CREATED	Y	DATE	datetime	Creation timestamp
DBC_UPDATED	Y	DATE	datetime	update timestamp
DBC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DBC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DBC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATABRIDGEERRORS

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DBE_TRANSID	N	NUMBER	int	Primary column for the table.
DBE_XTSSEQNUM	Y	NUMBER	int	Column to keep primary key of r5xmltranstatus/r5xmltranstatushist tables.
DBE_PARENTSEQNUM	Y	NUMBER	int	column to hold sequence number of parent row if any
DBE_CREATE	Y	DATE	datetime	Column to keep the cration date.
DBE_ERRORMESSAGE	Y	VARCHAR2(4000)	varchar(4000)	Column to keep the error message for the original row.
DBE_GLTRANSID	Y	NUMBER	int	Column for transid of r5glinterface.
DBE_RUNID	Y	NUMBER	int	Column for runid of r5glinterface.

DBE_GLTABLE	Y	VARCHAR2(120)	nvarchar(120)	Column to keep the table names for the gl process.
DBE_GLPROCESS	Y	VARCHAR2(20)	nvarchar(20)	Column for the process name of the glfeed.
DBE_TBLROWID	Y	VARCHAR2(250)	nvarchar(250)	Column to keep the rowid of the gl row processed.
DBE_GLENTRYID	Y	NUMBER	int	Column to keep the entryid from r5glinterface.
DBE_UPDATECOUNT	Y	NUMBER(38,0)	nvarchar(38)	Column to keep the update count for the row.
DBE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DBE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATABRIDGEERRORSHIST

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DBH_TRANSID	Y	NUMBER	int	archived transid of the error row
DBH_XTSSEQNUM	Y	NUMBER	int	archived sequence number of the error row
DBH_PARENTSEQNUM	Y	NUMBER	int	archived sequence number of parent row if any
DBH_CREATE	Y	DATE	datetime	date when record was created originally
DBH_ERRORMESSAGE	Y	VARCHAR2(4000)	varchar(4000)	archived error message
DBH_GLTRANSID	Y	NUMBER	int	archived transid of the glprocess
DBH_RUNID	Y	NUMBER	int	archived run id of the gl process
DBH_GLTABLE	Y	VARCHAR2(120)	nvarchar(120)	archived table name on which the glprocess took place
DBH_GLPROCESS	Y	VARCHAR2(20)	nvarchar(20)	archived gl process name
DBH_TBLROWID	Y	VARCHAR2(250)	nvarchar(250)	archived table rowid of the gl process
DBH_GLENTRYID	Y	NUMBER	int	archived entryid number from gl process
DBH_UPDATECOUNT	Y	NUMBER(38,0)	nvarchar(38)	archived updatecount of the error row
DBH_ARCHIVE	Y	DATE	datetime	date when record archived.
DBH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DBH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATABRIDGESTATUS

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DBS_KEYFIELD	N	VARCHAR2(20)	nvarchar(20)	primary key field
DBS_SERVERSTATUS	Y	VARCHAR2(20)	nvarchar(20)	databridge server status
DBS_SVSTATUSASOF	Y	DATE	datetime	databridge server status as of
DBS_PARTNERSTATUS	Y	VARCHAR2(20)	nvarchar(20)	partner server status
DBS_PNSTATUSASOF	Y	DATE	datetime	partner server status as of
DBS_REFRESHPNSTATUS	Y	VARCHAR2(1)	nvarchar(1)	refresh number of transactions processed
DBS_NUMOFDONE	Y	NUMBER(38,0)	numeric(38,0)	number of transactions done
DBS_NUMOFPENDING	Y	NUMBER(38,0)	numeric(38,0)	number of transactions pending
DBS_NUMOFERROR	Y	NUMBER(38,0)	numeric(38,0)	number of transactions in error
DBS_TRANSINCE	Y	DATE	datetime	transaction since
DBS_TRANASOF	Y	DATE	datetime	transaction as of
DBS_REFRESHTRAN	Y	VARCHAR2(1)	nvarchar(1)	refresh number of transactions
DBS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DBS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVCUSTOMSTMTS

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCC_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Identifies the upload the custom statement belongs to.
DCC_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping the custom sql statement(s) pertain to.
DCC_OPERATIONRTYPE	N	VARCHAR2(4)	nvarchar(4)	Identifies the operation the custom statement belongs to, i.e. [C]onvert or [R]ollback. Determines when during the table process the custom statement should be executed, i.e. Before Statement(BS), Before Row(BR), After Row(AR), After Statement(AS)
DCC_STMTRTYPE	N	VARCHAR2(4)	nvarchar(4)	After Statement(AS)
DCC_STMT	N	CLOB	nvarchar(max)	Contains the sql statement(s) (ie. code) to be executed.
DCC_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	Determines if a statement is active and should be executed.
DCC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVERSION		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DTC_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the uploaded dataset.
DTC_UPDESC	N	VARCHAR2(80)	nvarchar(80)	Describes the uploaded dataset.
DTC_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product uploaded from.
DTC_UPRSTATUS	N	VARCHAR2(4)	nvarchar(4)	System status of the upload progress of the dataset.
DTC_UPUSER	N	VARCHAR2(255)	nvarchar(255)	Identifies the user that created the upload (ie. uploaded the data)
DTC_UPSTARTED	Y	DATE	datetime	Identifies the date/time a dataset began uploading.
DTC_UPCOMPLETED	Y	DATE	datetime	Identifies the date/time a dataset completed uploading.
DTC_UPSTOPPED	Y	DATE	datetime	Identifies the date/time an uploading dataset was cancelled by the user.
DTC_CVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	System status of the conversion.
DTC_CVUSER	Y	VARCHAR2(255)	nvarchar(255)	Identifies the user performing the conversion on the upload.
DTC_CVSTARTED	Y	DATE	datetime	Identifies the start date/time of a conversion process.
DTC_CVCOMPLETED	Y	DATE	datetime	Identifies the completion date/time of a conversion.
DTC_CVSTOPPED	Y	DATE	datetime	Identifies the date/time a conversion process was cancelled by the user.
DTC_CVSTOP	Y	VARCHAR2(1)	nvarchar(1)	Indicates a user has requested that an inprogress process be cancelled.
DTC_CVINPROGRESS	Y	VARCHAR2(1)	nvarchar(1)	Indicates a process is currently in progress for the upload (ie. conversion or preliminary analysis).
DTC_CVSCHEDULED	Y	VARCHAR2(1)	nvarchar(1)	Indicates a process has been scheduled for the upload (ie. conversion or preliminary analysis).
DTC_CVSCHEDULEDTIME	Y	DATE	datetime	Date/time of the scheduled process.
DTC_PURGEDATE	Y	DATE	datetime	Identifies the date/time uploaded data was purged.
DTC_OPTIONSREVIEWED	N	VARCHAR2(1)	nvarchar(1)	Indicates all options have been reviewed and set for the upload. Analysis and/or conversion processes may commence.
DTC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
DTC_UDF2UDF	Y	VARCHAR2(1)	nvarchar(1)	T.B.D
DTC_PMACTBYINSTR	Y	VARCHAR2(1)	nvarchar(1)	T.B.D
DTC_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DATACONVEXPRESSIONS		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DXP_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Identifies the upload the expression belongs to.
DXP_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this expression belongs to.
DXP_DESTFIELD	N	VARCHAR2(30)	nvarchar(30)	Identifies the destination field the expression result will be stored.
DXP_EXPRESSION	Y	VARCHAR2(500)	nvarchar(500)	SQL expression
DXP_CHKSPECCHAR	N	VARCHAR2(1)	nvarchar(1)	Affirms whether the field mapping expression should be evaluated for special character restrictions.
DXP_LOCKED	N	VARCHAR2(1)	nvarchar(1)	Affirms whether an end user will be allowed to modify the expression (ie. customize)
DXP_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	Determines if a field mapping expression should be included.
DXP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
DXP_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DATACONVEXTDEF		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DED_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product this definition exists for
DED_SRCTABLE	N	VARCHAR2(30)	nvarchar(30)	Along with srcfields, identifies the table that looks up to reftable.reffields
DED_SRCFIELDS	N	VARCHAR2(300)	nvarchar(300)	Along with srctable, identifies the field(s) that looks up to reftable.reffields
DED_REFTABLE	N	VARCHAR2(30)	nvarchar(30)	Along with reffields, identifies the table that srctable.srcfields looks up to.
DED_REFFIELDS	N	VARCHAR2(300)	nvarchar(300)	Along with reftable, identifies the field(s) that srctable.srcfields looks up to.
DED_REFEXTFIELD	Y	VARCHAR2(30)	nvarchar(30)	Defines the field then newextfield should be modeled after
DED_NEWEXTFIELD	N	VARCHAR2(30)	nvarchar(30)	Defines a new field to be created in the extension table (ie. srctable_ext.newextfield)
DED_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DATACONVLST		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCT_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product from which the table will be uploaded.
DCT_DESTTABLE	N	VARCHAR2(30)	nvarchar(30)	Defines the name of the staging table that will be constructed for the uploading source table.
DCT_SOURCETABLE	N	VARCHAR2(30)	nvarchar(30)	Name of the table within the source product.

DCT_DESTEXISTS	N	VARCHAR2(1)	nvarchar(1)	Affirms whether the staging table has been constructed for the given source table.
DCT_DESTTABLEPREFIX	N	VARCHAR2(3)	nvarchar(3)	Defines the unique column prefix used in the target table.
DCT_REQUIRED	N	VARCHAR2(1)	nvarchar(1)	Affirms whether or not the source table is required to be uploaded in order to satisfy subsequent data transfer requirements.
DCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVLOG

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DLG_ID	N	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the logging record.
DLG_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Identifies the upload the logging information pertains to.
DLG_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence the log information pertains to
DLG_RTYPE	N	VARCHAR2(4)	nvarchar(4)	Identifies the process for which the log information pertains, i.e. [C]onversion or [P]reliminary analysis.
DLG_STARTED	N	DATE	datetime	Date/time processing started on the table.
DLG_COMPLETED	Y	DATE	datetime	Date/time processing completed on the table.
DLG_INSSTMT	Y	VARCHAR2(4000)	nvarchar(4000)	SQL expression used to transfer source data to the respective destination table.
DLG_DELSTMT	Y	VARCHAR2(4000)	nvarchar(4000)	SQL expression used to remove records from their destination tables which were successfully transferred
DLG_SKIP	N	VARCHAR2(1)	nvarchar(1)	Affirms whether the records within the source table should be skipped during row-level conversion processing.
DLG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVLOGDETAILS

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DLD_LOGID	Y	NUMBER(38,0)	numeric(38,0)	Identifies the master log record for which this row-level logging information pertains to.
DLD_UPRECNUM	Y	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the record for which this row-level logging information pertains to.
DLD_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	System status of the record, e.g. [S]uccessful, [I]ndex violation, [O]ther error
DLD_ERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Describes the error encountered while processing a record.
DLD_CREATED	Y	DATE	datetime	Creation timestamp
DLD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVOPTION

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DON_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product the option pertains to.
DON_OPTION	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies the option.
DON_DESC	Y	VARCHAR2(80)	nvarchar(80)	Describes the option being offered.
DON_STEP	N	NUMBER(4,0)	numeric(4,0)	Identifies the sequential order the option appears in.

R5DATACONVOPTIONTEXT

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DXT_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product the option description pertains to.
DXT_OPTION	N	VARCHAR2(30)	nvarchar(30)	Identifies the option the description pertains to.
DXT_LANG	N	VARCHAR2(2)	nvarchar(2)	Identifies the language the option description appears in.
DXT_TEXT	Y	VARCHAR2(2000)	nvarchar(2000)	Describes the purpose of the option being offered.

R5DATACONVPROD

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCP_PRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the support product.
DCP_NAME	N	VARCHAR2(20)	nvarchar(20)	Defines the name of the supported product.
DCP_VERSION	N	VARCHAR2(20)	nvarchar(20)	Defines the product version of the supported product.
DCP_DBTYPE	N	VARCHAR2(10)	nvarchar(10)	Defines the database type of the supported product.
DCP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSEQ

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSQ_SEQID	N	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the table mapping.
DSQ_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product this table mapping pertains to.
DSQ_DESTTABLE	N	VARCHAR2(30)	nvarchar(30)	Defines the destination table in Infor EAM.

DSQ_SOURCETABLE	N	VARCHAR2(30)	nvarchar(30)	Identifies the staging table data will be transferred from.
DSQ_SOURCECONDITION	Y	VARCHAR2(1000)	nvarchar(1000)	Defines a sql expression applied to the source data to filter records for processing.
DSQ_CONVSEQ	N	NUMBER	int	Defines the sequential order the table should be processed in.
DSQ_IGNOREPK	N	VARCHAR2(1)	nvarchar(1)	Affirms whether primary key violations should be ignored during data transfer processing.
DSQ_UPDATECVTOTALS	N	VARCHAR2(1)	nvarchar(1)	Affirms whether the data transfer results for a given table mapping should be calculated in the summary.
DSQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSEQCUSTOM

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSC_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping the sql statement(s) pertain to.
DSC_OPERATIONRTYPE	N	VARCHAR2(4)	nvarchar(4)	Identifies the operation the statement belongs to, i.e. [C]onvert or [R]ollback. Determines when during the table process the custom statement should be executed, i.e. Before Statement(BS), Before Row(BR), After Row(AR),
DSC_STMTRTYPE	N	VARCHAR2(4)	nvarchar(4)	After Statement(AS)
DSC_STMT	N	CLOB	nvarchar(max)	Contains the sql statement(s) (ie. code) to be executed.
DSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSEQDETAILS

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSD_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this expression belongs to.
DSD_DESTFIELD	N	VARCHAR2(30)	nvarchar(30)	Identifies the destination field the expression result will be stored.
DSD_EXPRESSION	Y	VARCHAR2(500)	nvarchar(500)	SQL expression
DSD_CHKSPECCHAR	N	VARCHAR2(1)	nvarchar(1)	Affirms whether the field mapping expression should be evaluated for special character restrictions.
DSD_LOCKED	N	VARCHAR2(1)	nvarchar(1)	Affirms whether an end user will be allowed to modify the expression (ie. customize)
DSD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSEQGENERATOR

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSG_TABLE	N	VARCHAR2(30)	nvarchar(30)	Along with dsg_field, identifies the table and field that will hold the generated sequence value.
DSG_FIELD	N	VARCHAR2(30)	nvarchar(30)	Along with dsg_table, identifies the table and field that will hold the generated sequence value.
DSG_NEXT	N	NUMBER(38,0)	numeric(38,0)	Identifies the next sequence value.
DSG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSUBEXPS

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSX_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Defines the upload this substring expression pertains to.
DSX_SEQID	N	NUMBER(38,0)	numeric(38,0)	Defines the table mapping sequence this substring expression pertains to.
DSX_DESTFIELD	N	VARCHAR2(30)	nvarchar(30)	Identifies the field the resultant expression value will be stored into.
DSX_ORDER	N	NUMBER(2,0)	numeric(2,0)	Defines the order of this substring expression relative to the others to be concatenated for the same destination field (ie. dsx_destfield).
DSX_SRCFIELD	Y	VARCHAR2(30)	nvarchar(30)	Defines the field text is being extracted from.
DSX_PREFIX	Y	VARCHAR2(10)	nvarchar(10)	Defines a literal value to be prefixed to the substring expression value.
DSX_START	Y	NUMBER(5,0)	numeric(5,0)	Defines the starting position within the source field (ie. dsx_srcfield) to begin extracting text.
DSX_LENGTH	Y	NUMBER(5,0)	numeric(5,0)	Defines how many characters of the source field (ie. dsx_srcfield) will be used.
DSX_SUFFIX	Y	VARCHAR2(10)	nvarchar(10)	Defines a literal value to be suffixed to the substring expression value.
DSX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
DSX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSUBEXPSETUP

DATA CONVERSION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSS_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product this definition exists for
DSS_OPTION	N	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this setup pertains to.
DSS_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this setup pertains to.
DSS_DESTFIELD	N	VARCHAR2(30)	nvarchar(30)	Identifies the field the resultant expressions can be setup for.
DSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATACONVSUMDETAILS		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSL_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Identifies the upload this summary information pertains to.
DSL_SOURCETABLE	N	VARCHAR2(30)	nvarchar(30)	Identifies the table this summary information pertains to.
DSL_RTYPE	N	VARCHAR2(4)	nvarchar(4)	Identifies the operation this summary information pertains to, i.e. [C]onversion or [P]reliminary analysis
DSL_ATTEMPT	Y	NUMBER(38,0)	numeric(38,0)	Records the number of records attempted during the operation.
DSL_SUCCESS	Y	NUMBER(38,0)	numeric(38,0)	Records the number of successful records processed by the operation.
DSL_DUPERR	Y	NUMBER(38,0)	numeric(38,0)	Records the number of duplicate records identified by the operation.
DSL_LENGTHERR	Y	NUMBER(38,0)	numeric(38,0)	Records the number of field length violations identified by the operation.
DSL_SPCHARERR	Y	NUMBER(38,0)	numeric(38,0)	Records the number of special character violations identified by the operation.
DSL_OTHERERR	Y	NUMBER(38,0)	numeric(38,0)	Records the number of non-specific violations identified by the operation.
DSL_INCLUDE	N	VARCHAR2(1)	nvarchar(1)	Indicates whether this table should be included during the operation.
DSL_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DATACONVSUMMARY		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSU_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Identifies the upload this information pertains to.
DSU_SOURCETABLE	N	VARCHAR2(30)	nvarchar(30)	Identifies the source table this upload information pertains to.
DSU_UPATTEMPT	Y	NUMBER(38,0)	numeric(38,0)	Records the number of records the system attempted to store into the upload table.
DSU_UPSUCCESS	Y	NUMBER(38,0)	numeric(38,0)	Records the number of records the system successfully stored into the upload table.
DSU_UPFAILED	Y	NUMBER(38,0)	numeric(38,0)	Records the number of records the system failed to store into the upload table.
DSU_STARTUPLOAD	Y	DATE	datetime	Identifies the initial data/time a record was uploaded to this table.
DSU_LASTUPLOAD	Y	DATE	datetime	Identifies the last date/time a record was uploaded to this table for the given upload identifier.
DSU_CVSKIP	N	VARCHAR2(1)	nvarchar(1)	Indicates whether this table should be skipped by post-uploading operations like conversion or analyzing.
DSU_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DATACONVXREFDEFAULT		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DXD_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the product this default cross-reference information pertains to.
DXD_OPTION	N	VARCHAR2(30)	nvarchar(30)	See comment for r5dataconvxrefvalue.d xv_option
DXD_SRCVALUE1	N	VARCHAR2(100)	nvarchar(100)	See comment for r5dataconvxrefvalue.d xv_srcvalue1
DXD_SRCVALUE2	Y	VARCHAR2(100)	nvarchar(100)	See comment for r5dataconvxrefvalue.d xv_srcvalue2
DXD_DESTVALUE1	Y	VARCHAR2(100)	nvarchar(100)	See comment for r5dataconvxrefvalue.d xv_destvalue1
DXD_DESTVALUE2	Y	VARCHAR2(100)	nvarchar(100)	See comment for r5dataconvxrefvalue.d xv_destvalue2
DXD_SKIP	N	VARCHAR2(1)	nvarchar(1)	See comment for r5dataconvxrefvalue.d xv_skip
R5DATACONVXREFSETUP		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DXS_SRCPRODUCTID	N	NUMBER(38,0)	numeric(38,0)	Identifies the source product this setup pertains to.
DXS_OPTION	N	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this setup pertains to.
DXS_SEQID	N	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence which the source fields and destination fields belong.
DXS_SRCFIELDS	Y	VARCHAR2(100)	nvarchar(100)	Defines source table fields that will equate to destination table fields.
DXS_DESTFIELDS	Y	VARCHAR2(100)	nvarchar(100)	Defines destination table fields that will equate to source table fields.
R5DATACONVXREFVALUE		DATA CONVERSION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DXV_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Identifies the upload this cross-reference information pertains to.
DXV_OPTION	N	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this cross-reference information pertains to.
DXV_SRCVALUE1	N	VARCHAR2(100)	nvarchar(100)	Identifies a key field value in the source table that equates to the key field value in the destination table.
DXV_SRCVALUE2	Y	VARCHAR2(100)	nvarchar(100)	Identifies a secondary key field value in the source table that equates to a secondary key field value in the destination table.
DXV_DESTVALUE1	Y	VARCHAR2(100)	nvarchar(100)	Identifies a key field value in the destination table that equates to the key field value in the source table.
DXV_DESTVALUE2	Y	VARCHAR2(100)	nvarchar(100)	Identifies a secondary key field value in the destination table that equates to a secondary key field value in the source table.
DXV_SKIP	N	VARCHAR2(1)	nvarchar(1)	Indicates whether the source values should be skipped rather than equated to any destination values.
DXV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated

DXV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATA LAKE DELETE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DKD_SEQNUM	N	NUMBER	numeric(38,0)	
DKD_TABLE	Y	VARCHAR2(30)	nvarchar(30)	
DKD_KEYFLD1	Y	VARCHAR2(100)	nvarchar(100)	
DKD_KEYFLD2	Y	VARCHAR2(200)	nvarchar(200)	
DKD_WASPROCESSED	Y	NUMBER	numeric(38,0)	
DKD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DKD_LASTSAVED	Y	DATE	datetime	Timestamp of last update
DKD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DATA LAKE TABLES NOT ALLOWED

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DLT_TABLE	N	VARCHAR2(30)	nvarchar(30)	

R5DATA UPLOAD ERRORS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DUE_UPCODE	N	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the upload which the error belongs to.
DUE_DESTTABLE	N	VARCHAR2(30)	nvarchar(30)	Identifies the table being uploaded to
DUE_UPRECNUM	N	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the record within desttable for which the error exists.
DUE_ERRORMESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Describes the error encountered while uploading the record.
DUE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DUE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DCEQUIPMENT SELECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCE_PK	N	VARCHAR2(30)	nvarchar(30)	
DCE_DECAYCURVE	Y	VARCHAR2(30)	nvarchar(30)	
DCE_DECAYCURVE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
DCE_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
DCE_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
DCE_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
DCE_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
DCE_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
DCE_TYPE	Y	VARCHAR2(8)	nvarchar(8)	
DCE_INCLUDEWITHDRAWN	Y	VARCHAR2(1)	nvarchar(1)	
DCE_INCLUDEOUTOFSERVICE	Y	VARCHAR2(1)	nvarchar(1)	
DCE_INCLUDELINEAR	Y	VARCHAR2(1)	nvarchar(1)	
DCE_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

DCE_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCE_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCE_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCE_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCE_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCE_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCE_UDFDATE01	Y	DATE	datetime	User defined field of type Date
DCE_UDFDATE02	Y	DATE	datetime	User defined field of type Date
DCE_UDFDATE03	Y	DATE	datetime	User defined field of type Date
DCE_UDFDATE04	Y	DATE	datetime	User defined field of type Date
DCE_UDFDATE05	Y	DATE	datetime	User defined field of type Date
DCE_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCE_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCE_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCE_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCE_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCE_UPDATED	Y	DATE	datetime	Update timestamp
DCE_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
DCE_CREATED	Y	DATE	datetime	Creation timestamp
DCE_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
DCE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCE_LASTSAVED	Y	DATE	datetime	Timestamp of last update
DCE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DDCUSTOMFIELDS

DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCF_DDSPYID	Y	NUMBER(14,0)	numeric(14,0)	Ref:dddataspy.dds_ddspyyid
DCF_TAGNAME	Y	VARCHAR2(240)	nvarchar(240)	The customfield name
DCF_WIDTH	Y	VARCHAR2(40)	nvarchar(40)	The width of the column
DCF_ORDER	Y	NUMBER	int	The order in which it should be displayed to the user
DCF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
DCF_VIEWTYPE	Y	VARCHAR2(32)	nvarchar(32)	The viewtype it is associated with
DCF_UPDATED	Y	DATE	datetime	Update time stamp
DCF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DDDATASPY

DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DDS_DDSPYNAME	N	VARCHAR2(30)	nvarchar(30)	dataspy name

DDS_DDSPYID	N	NUMBER(14,0)	numeric(14,0)	a unique id of the dataspy
DDS_AUTORUN	Y	VARCHAR2(1)	nvarchar(1)	if this dataspy will automatically run
DDS_SCOPE	Y	VARCHAR2(1)	nvarchar(1)	scope of the dataspy, (public or private). not used now
DDS_ORGANIZATION	Y	VARCHAR2(15)	nvarchar(15)	organization of the dataspy
DDS_UPDATESTAMP	Y	DATE	datetime	updated timestamp
DDS_UPDATEBYUSER	Y	VARCHAR2(255)	nvarchar(255)	updated by user
DDS_CREATEDSTAMP	Y	DATE	datetime	created timestamp
DDS_UPDATEABLE	Y	VARCHAR2(1)	nvarchar(1)	if the dataspy is updatable
DDS_FILTERSTRXML	Y	VARCHAR2(2000)	nvarchar(2000)	an xml string defines the filter condition
DDS_SORTSTRXML	Y	VARCHAR2(2000)	varchar(2000)	an xml string defines the sort condition
DDS_FIELDLIST	Y	VARCHAR2(2200)	varchar(2200)	field list used to build the sql query (list view or lov view)
DDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DDS_DISPLAYROW	Y	NUMBER(4,0)	numeric(4,0)	number of visible rows in a grid
DDS_OWNER	N	VARCHAR2(255)	nvarchar(255)	owner of the dataspy
DDS_GRIDID	N	NUMBER(14,0)	numeric(14,0)	gridid that this dataspy is associated with.
DDS_TYPE	N	VARCHAR2(2)	nvarchar(2)	dataspy type
DDS_DEFAULTFLAG	Y	VARCHAR2(1)	nvarchar(1)	a flag to indicate if this dataspy is the default one.
DDS_FIELDLIST_PORTLET	Y	VARCHAR2(500)	varchar(500)	field list used to build the sql query (portlet view)
DDS_CLIENTROWS	Y	NUMBER(4,0)	numeric(4,0)	number of rows returned to the client in one request
DDS_PORTLETROWS	Y	NUMBER(2,0)	numeric(2,0)	number of rows displayed in a portlet
DDS_HINTS	Y	VARCHAR2(255)	varchar(255)	help display text
DDS_BOTNAME	Y	VARCHAR2(61)	varchar(61)	Field that text refers to
DDS_USERFILTER	Y	VARCHAR2(2000)	nvarchar(2000)	This is the free text sql statement users can type which is a where clause. Will be appended after the dataspy where clause
DDS_SECURITYDATASPY	Y	VARCHAR2(1)	nvarchar(1)	Specifies if this is a security dataspy or not. These types of dataspy are only available to admin users
DDS_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
DDS_UPDATED	Y	DATE	datetime	Update time stamp
DDS_DDSPYFILTER	Y	VARCHAR2(50)	nvarchar(50)	Filter on dataspy list
DDS_GLOBALDATASPY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
DDS_BLACKLISTVIOLATIONS	Y	NUMBER(10,0)	numeric(10,0)	
DDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DDFIELD	DATASPY			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DDF_FIELDID	N	NUMBER(14,0)	numeric(14,0)	a unique id of the field
DDF_SOURCENAME	Y	VARCHAR2(2000)	varchar(2000)	normally is tablename.fieldname, but can be a function
DDF_DATATYPE	Y	VARCHAR2(10)	nvarchar(10)	field data type
DDF_DESC	Y	VARCHAR2(80)	nvarchar(80)	field description
DDF_VALUEMAPID	Y	NUMBER(14,0)	numeric(14,0)	map code to internationalized description. reference a mapping in the r5ddvalue table. not used now.
DDF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DDF_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	System entity code
DDF_LVGRID	Y	VARCHAR2(1000)	nvarchar(1000)	Defines parameter mapping for this field in list of values lookups
DDF_TABLENAME	Y	VARCHAR2(50)	nvarchar(50)	NullField indicating the table name to which the DD field in the record belongs.
DDF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DDF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DDSPYFILTERGROUPS	DATASPY			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DFG_DDSPYID	N	NUMBER(14,0)	numeric(14,0)	
DFG_GROUP	N	VARCHAR2(12)	nvarchar(12)	
DFG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DFG_LASTSAVED	Y	DATE	datetime	Timestamp of last update
DFG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DDVALUE	DATASPY			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DDV_CODE	N	VARCHAR2(30)	nvarchar(30)	a value code, such as c, which needs to be mapped to an internationalized description, such as closed.
DDV_MAPID	N	NUMBER	int	a unique id of the mapping
DDV_MP_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	rentity, a value that needs to be supplied in order to use the r5descriptions table to get the text.
DDV_MP_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	a value that needs to be supplied in order to use the r5descriptions table to get the text.
DDV_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of the rentity
DDV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DDV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DDV_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DEBCODESTRUCT	COMMERCIAL SERVICES			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCS_CUSTOMER	N	VARCHAR2(30)	nvarchar(30)	customer/debtor
DCS_LEVEL1	N	VARCHAR2(30)	nvarchar(30)	level1 value for customer
DCS_LEVEL2	Y	VARCHAR2(30)	nvarchar(30)	level2 value for customer
DCS_LEVEL3	Y	VARCHAR2(30)	nvarchar(30)	level3 value for customer
DCS_CODESTRUCTURE	N	VARCHAR2(100)	nvarchar(100)	code structure for debtors
DCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DEBTORS	COMMERCIAL SERVICES			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DEB_CODE	N	VARCHAR2(30)	nvarchar(30)	debtor code.
DEB_DESC	N	VARCHAR2(80)	nvarchar(80)	debtor description.
DEB_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
DEB_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
DEB_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
DEB_ORG	N	VARCHAR2(15)	nvarchar(15)	debtor organization
DEB_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
DEB_TYPE	N	VARCHAR2(4)	nvarchar(4)	customer type
DEB_RTYPE	N	VARCHAR2(4)	nvarchar(4)	customer system type
DEB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DEB_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
DEB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DEB_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DECAYCURVE	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCR_CODE	N	VARCHAR2(30)	nvarchar(30)	
DCR_ORG	N	VARCHAR2(15)	nvarchar(15)	
DCR_DESC	N	VARCHAR2(80)	nvarchar(80)	
DCR_STATUS	N	VARCHAR2(4)	nvarchar(4)	
DCR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
DCR_XAXIS_MAX	N	NUMBER(18,0)	numeric(18,0)	
DCR_XAXIS_UOM_TYPE	N	VARCHAR2(1)	nvarchar(1)	
DCR_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	
DCR_METUOM	Y	VARCHAR2(30)	nvarchar(30)	
DCR_CONDSORE_THRESHOLD	N	NUMBER(24,6)	numeric(24,6)	
DCR_OPERATIONAL_MODIFIER	Y	VARCHAR2(450)	nvarchar(450)	
DCR_LINEARASSETFLAG	Y	VARCHAR2(1)	nvarchar(1)	
DCR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
DCR_CREATED	Y	DATE	datetime2	Creation timestamp

DCR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
DCR_UPDATED	Y	DATE	datetime2	Update timestamp
DCR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCR_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
DCR_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
DCR_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
DCR_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
DCR_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
DCR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCR_CONDSORESTART	N	NUMBER(24,6)	numeric(24,6)	
DCR_CONDSOREEND	N	NUMBER(24,6)	numeric(24,6)	
DCR_MARKOVCHAINS	Y	VARCHAR2(1)	nvarchar(1)	
DCR_NUMBEROFSTATES	Y	NUMBER(2,0)	numeric(2,0)	
DCR_CURVEPOINTINTERVAL	Y	NUMBER(18,0)	numeric(18,0)	

DCR_PRECISION	Y	NUMBER(1,0)	numeric(1,0)	
DCR_CURVEPOINTLASTGENERATED	Y	DATE	datetime	
DCR_PROCESSLASTUPDATED	Y	DATE	datetime	
DCR_PROCESSRUNNING	Y	VARCHAR2(1)	nvarchar(1)	
DCR_AVGERROR	Y	NUMBER(14,6)	numeric(14,6)	
DCR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DECAYCURVEMARKOVMATRIX	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DMM_PK	N	VARCHAR2(30)	nvarchar(30)	
DMM_DECAYCURVE	Y	VARCHAR2(30)	nvarchar(30)	
DMM_DECAYCURVE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
DMM_TYPE	Y	VARCHAR2(1)	nvarchar(1)	
DMM_FROMSTATE	Y	NUMBER(2,0)	numeric(2,0)	
DMM_TOSTATE1	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE2	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE3	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE4	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE5	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE6	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE7	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE8	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE9	Y	NUMBER(24,23)	numeric(24,23)	
DMM_TOSTATE10	Y	NUMBER(24,23)	numeric(24,23)	
DMM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DMM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

DMM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DMM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DMM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DMM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DMM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DMM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
DMM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
DMM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
DMM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
DMM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
DMM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DMM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DMM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DMM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DMM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DMM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DMM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DMM_GENERATED	Y	VARCHAR2(1)	nvarchar(1)	
DMM_ZONE	Y	NUMBER(2,0)	numeric(8,0)	
DMM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DECAYCURVEPOINTS

R5RELIABILITYRANKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CPD_POINT	N	VARCHAR2(30)	nvarchar(30)	
CPD_DCCODE	Y	VARCHAR2(30)	nvarchar(30)	
CPD_DCORG	Y	VARCHAR2(15)	nvarchar(15)	
CPD_PERIODUSAGE	N	NUMBER(18,0)	numeric(18,0)	
CPD_CONDITIONSCORE	N	NUMBER(24,6)	numeric(24,6)	
CPD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

CPD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
CPD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CPD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CPD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CPD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CPD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
CPD_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
CPD_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
CPD_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
CPD_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
CPD_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
CPD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CPD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CPD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CPD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CPD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
CPD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CPD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CPD_STATE1	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE2	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE3	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE4	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE5	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE6	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE7	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE8	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE9	Y	NUMBER(24,23)	numeric(24,23)	
CPD_STATE10	Y	NUMBER(24,23)	numeric(24,23)	
CPD_HEALTHINDEX	Y	NUMBER(9,6)	numeric(9,6)	
CPD_AUTOGENERATED	Y	VARCHAR2(1)	nvarchar(1)	
CPD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DEFAULTPAGE LAYOUT

DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PLD_PAGENAME	N	VARCHAR2(40)	nvarchar(40)	function based name of page
PLD_ELEMENTID	N	VARCHAR2(40)	nvarchar(40)	Unique field element ID in form
PLD_ELEMENTTYPE	Y	VARCHAR2(2)	nvarchar(2)	Type of element: B block, F field, G grid
PLD_PRESENTINJSP	Y	VARCHAR2(1)	nvarchar(1)	Include in JSP download: S system required, Y yes, N no
PLD_ATTRIBUTE	Y	VARCHAR2(1)	nvarchar(1)	Current field attribute: S system required, R required, O optional, P protected, H hidden
PLD_FIELDCONTAINER	Y	VARCHAR2(20)	nvarchar(20)	Unique identifier for field container
PLD_FIELDGROUP	Y	NUMBER(4,0)	numeric(4,0)	Unique ID for field grouping (fields in same group move together)
PLD_POSITIONINGGROUP	Y	NUMBER(4,0)	numeric(4,0)	Position order inside field group
PLD_FIELDCONTTYPE	Y	NUMBER(4,0)	numeric(4,0)	Type of field container
PLD_TABINDEX	Y	NUMBER(4,0)	numeric(4,0)	Tab order index for fields only. Calculated based on PLO_FIELDCONTAINER, PLO_FIELDGROUP and PLO_POSITIONINGGROUP
PLD_SYSTEMATTRIBUTE	Y	VARCHAR2(1)	nvarchar(1)	System defined attribute. Cannot be customized.
PLD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PLD_DDTABLENAME	Y	VARCHAR2(80)	nvarchar(80)	table name
PLD_DDFIELDNAME	Y	VARCHAR2(80)	nvarchar(80)	field name
PLD_XPATH	Y	VARCHAR2(400)	nvarchar(400)	field xpath
PLD_FIELDTYPE	Y	VARCHAR2(20)	nvarchar(20)	field type
PLD_SIZE	Y	NUMBER(3,0)	numeric(3,0)	field display size

PLD_MAXLENGTH	Y	NUMBER(5,0)	numeric(5,0)	field max length
PLD_CASE	Y	VARCHAR2(10)	nvarchar(10)	case of the field (upper case or mixed case.)
PLD_OTHERATTRIBS	Y	VARCHAR2(200)	nvarchar(200)	field other attributes
PLD_NUMBERTYPE	Y	VARCHAR2(20)	nvarchar(20)	field number type
PLD_ONLOOKUP	Y	VARCHAR2(2000)	nvarchar(2000)	lookup definition
PLD_ONVALIDATE	Y	VARCHAR2(2000)	nvarchar(2000)	field validation definition
PLD_ONCLASSCHANGE	Y	VARCHAR2(500)	nvarchar(500)	class change event handling
PLD_ONCHAINEDLOOKUP	Y	VARCHAR2(1500)	nvarchar(1500)	chained lookup definition
PLD_JSPFILE	Y	VARCHAR2(30)	nvarchar(30)	jsp file name
PLD_OTHERTAGS	Y	VARCHAR2(1000)	nvarchar(1000)	field other tags
PLD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PLD_DESTXPATH	Y	VARCHAR2(200)	nvarchar(200)	
PLD_RESPONSEXPATH	Y	VARCHAR2(200)	nvarchar(200)	
PLD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSDEFERREDACT	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DFA_CODE	N	VARCHAR2(30)	nvarchar(30)	Unique deferred activity code
DFA_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Object code
DFA_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Object Org.
DFA_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	Object Type
DFA_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	Object Rtype
DFA_WO	Y	VARCHAR2(30)	nvarchar(30)	Current Assigned Event Code
DFA_ACT	Y	NUMBER(8,0)	numeric(8,0)	Current Assigned Activity Code
DFA_PREVIOUSWO	Y	VARCHAR2(30)	nvarchar(30)	Previous Event code
DFA_PREVIOUSACT	Y	NUMBER(8,0)	numeric(8,0)	Previous Activity sequence number
DFA_ORIGWO	Y	VARCHAR2(30)	nvarchar(30)	original Event code
DFA_ORIGACT	Y	NUMBER(8,0)	numeric(8,0)	original Activity sequence number
DFA_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	related Event code
DFA_RELATEDACT	Y	NUMBER(8,0)	numeric(8,0)	related Activity number
DFA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	* is internal capacity
DFA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Supplier org
DFA_ORG	Y	VARCHAR2(15)	nvarchar(15)	Deferred Activity Org
DFA_DESC	Y	VARCHAR2(80)	nvarchar(80)	Deferred Activity Note, Description, comment
DFA_STATUS	N	VARCHAR2(4)	nvarchar(4)	Status of deferred activity (user defined)
DFA_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Status of deferred activity (system defined)
DFA_DEFERREDBY	Y	VARCHAR2(255)	nvarchar(255)	Deferred By user
DFA_ASSIGNED	Y	DATE	datetime	Date assigned to WO
DFA_DEFERRED	Y	DATE	datetime	Date Deferred
DFA_TRADE	N	VARCHAR2(15)	nvarchar(15)	Trade
DFA_TASK	Y	VARCHAR2(20)	nvarchar(20)	Instruction list code
DFA_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	Instruction list code review seq.
DFA_QTY	Y	NUMBER(10,2)	numeric(10,2)	quantity
DFA_UOM	Y	VARCHAR2(30)	nvarchar(30)	UOM
DFA_PERSONS	N	NUMBER(8,0)	numeric(8,0)	Number of persons required
DFA_DURATION	N	NUMBER(8,0)	numeric(8,0)	Duration in days
DFA_EST	N	NUMBER	numeric(24,6)	Estimated hours
DFA_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	Picking list code
DFA_MATLREV	Y	NUMBER(4,0)	numeric(4,0)	Pclist review sequence
DFA_RPC	Y	VARCHAR2(4)	nvarchar(4)	Reason for repair code
DFA_WAP	Y	VARCHAR2(4)	nvarchar(4)	Work accomplished code
DFA_TPF	Y	VARCHAR2(4)	nvarchar(4)	Technician part failure code
DFA_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer/supplier code
DFA_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	System level code

DFA_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Assembly level code
DFA_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Component level
DFA_HIRE	N	VARCHAR2(1)	nvarchar(1)	To be hired ? flag
DFA_ORDTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of order
DFA_ORDRTYPE	Y	VARCHAR2(4)	nvarchar(4)	Rtype of order: ST or SF.
DFA_MRC	N	VARCHAR2(15)	nvarchar(15)	Department Code
DFA_PERCOMPLETE	Y	NUMBER(3,0)	numeric(3,0)	percentage completed
DFA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DFA_COMPONENTLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The component location
DFA_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
DFA_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
DFA_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
DFA_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
DFA_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
DFA_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
DFA_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
DFA_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
DFA_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
DFA_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
DFA_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
DFA_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
DFA_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
DFA_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
DFA_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
DFA_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
DFA_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
DFA_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
DFA_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
DFA_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
DFA_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
DFA_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
DFA_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
DFA_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
DFA_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
DFA_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
DFA_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
DFA_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
DFA_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
DFA_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
DFA_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
DFA_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
DFA_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
DFA_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
DFA_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
DFA_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
DFA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DFA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DELADDRESSES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DAD_CODE	N	VARCHAR2(20)	nvarchar(20)	delivery address code
DAD_DESC	Y	VARCHAR2(80)	nvarchar(80)	delivery address description
DAD_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used checkbox
DAD_ADDRESS	Y	VARCHAR2(2000)	nvarchar(2000)	delivery address

DAD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DAD_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	Address Line 1
DAD_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	Address Line 2
DAD_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	Address Line 3
DAD_CITY	Y	VARCHAR2(20)	nvarchar(20)	City
DAD_STATE	Y	VARCHAR2(30)	nvarchar(30)	State
DAD_ZIP	Y	VARCHAR2(10)	nvarchar(10)	Postal Code
DAD_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	Country
DAD_PHONE	Y	VARCHAR2(50)	nvarchar(50)	Phone
DAD_PHONEEXTN	Y	VARCHAR2(50)	nvarchar(50)	Phone extension
DAD_FAX	Y	VARCHAR2(50)	nvarchar(50)	Fax
DAD_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email
DAD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DAD_VALIDFORALLORGS	Y	VARCHAR2(1)	nvarchar(1)	
DAD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DELIVERABLES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DLV_CODE	Y	VARCHAR2(128)	nvarchar(128)	name of database object (index, constraint, column, etc.)
DLV_TYPE	Y	VARCHAR2(13)	nvarchar(13)	type of database object (column, etc.)
DLV_PARENT	Y	VARCHAR2(128)	nvarchar(128)	table to which database object (index, constraint, column, etc.) relates.
DLV_SIZE	Y	NUMBER	int	no. of rows, length of code, etc.
DLV_SHOULDBE	Y	VARCHAR2(1)	nvarchar(1)	value is + as should be, - when filling at site.
DLV_INSERTION	Y	DATE	datetime	date database object inserted.
DLV_VALID	Y	VARCHAR2(1)	nvarchar(1)	value is + if valid.
DLV_ENABLED	Y	VARCHAR2(1)	nvarchar(1)	value is + if enabled.
DLV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DLV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DLV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DELIVERYADDRESSORGS

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DAO_DELADDRESS	N	VARCHAR2(20)	nvarchar(20)	
DAO_ORG	N	VARCHAR2(15)	nvarchar(15)	
DAO_LASTSAVED	Y	DATE	datetime	Timestamp of last update
DAO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DEPARTMENTSECURITY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSE_USER	N	VARCHAR2(255)	nvarchar(255)	User Code
DSE_MRC	N	VARCHAR2(15)	nvarchar(15)	Department Code
DSE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
DSE_READONLY	Y	VARCHAR2(1)	nvarchar(1)	Read only flag
DSE_UPDATED	Y	DATE	datetime	Update timestamp
DSE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DSE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DEPARTMENTSTRUCTURE

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DPS_CODE	N	VARCHAR2(30)	nvarchar(30)	Auto-Generated Surrogate Key
DPS_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
DPS_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider
DPS_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider Org
DPS_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service Category

DPS_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Category Org
DPS_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service Problem
DPS_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Problem Org
DPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
DPS_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the department structure record.
DPS_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier of the department structure record.
DPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DEPEXCEL EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DEX_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
DEX_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment code.
DEX_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment.
DEX_PERIOD	Y	NUMBER	numeric(38,0)	The sequence number.
DEX_STARTDATE	Y	DATE	datetime	The start date of a fiscal period.
DEX_ENDDATE	Y	DATE	datetime	The end date of a fiscal period.
DEX_DEPEXPENSE	Y	NUMBER	numeric(24,6)	The depreciation expense of a fiscal period.
DEX_BOOKVALUE	Y	NUMBER	numeric(24,6)	The book value of a fiscal period.
DEX_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department of the equipment.
DEX_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the equipment.
DEX_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The category of the equipment
DEX_TYPE	Y	VARCHAR2(4)	nvarchar(4)	The type of the equipment.
DEX_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status of the equipment.
DEX_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Whether the equipment is still in service.
DEX_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the equipment.
DEX_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code of the equipment.
DEX_DEPTYPE	Y	VARCHAR2(4)	nvarchar(4)	The depreciation type.
DEX_ESTLIFEUOM	Y	VARCHAR2(1)	nvarchar(1)	The UOM in which the estimated useful life is expressed.
DEX_ORIGVALUE	Y	NUMBER(24,6)	numeric(24,6)	The original value of the equipment.
DEX_ESTLIFE	Y	NUMBER(8,2)	numeric(8,2)	Estimated useful life of the equipment.
DEX_RESIDUAL	Y	NUMBER(24,6)	numeric(24,6)	Value of the equipment at the end of its useful life.
DEX_ESTOUTPUT	Y	NUMBER(24,0)	numeric(24,0)	The estimated number of units of output during the estimated useful life of the equipment.
DEX_SOLDDATE	Y	DATE	datetime	The date until which the equipment should be depreciated. Also referred to as date sold/scrapped.
DEX_TRANSFERDATE	Y	DATE	datetime	Date equipment was transferred.
DEX_COMMISS	Y	DATE	datetime	The commission date of the equipment.
DEX_DEPMETHOD	Y	VARCHAR2(4)	nvarchar(4)	The depreciation method.
DEX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DEX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DEPOTS FUEL

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DEP_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the depot
DEP_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the depot
DEP_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the depot
DEP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the depot
DEP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the depot
DEP_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the depot
DEP_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization of the depot
DEP_EXTERNAL	N	VARCHAR2(1)	nvarchar(1)	Whether the depot is external (not owned by the customer)
DEP_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Flag indicating if depot is still used
DEP_ALLOWNEGQTY	N	VARCHAR2(1)	nvarchar(1)	Can tanks of this depot have a negative contents
DEP_ALLOWOVERQTY	N	VARCHAR2(1)	nvarchar(1)	Can tanks of this depot have more contents than its capacity
DEP_MARKUPPERC	Y	NUMBER(6,3)	numeric(6,3)	The surcharge percentage added to the issue price of fuel

DEP_FIXEDMARKUP	Y	NUMBER(24,6)	numeric(24,6)	A fixed surcharge added to the issue price of fuel
DEP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DEP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DEP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DEP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DEP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DEP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DEP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
DEP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
DEP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
DEP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
DEP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
DEP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DEP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DEP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DEP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DEP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DEP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DEP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DEP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DESCRIPTIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DES_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity
DES_RENTITY	N	VARCHAR2(4)	nvarchar(4)	system entity

DES_TYPE	Y	VARCHAR2(4)	nvarchar(4)	user code
DES_RTYPE	N	VARCHAR2(4)	nvarchar(4)	system predefined code
DES_CODE	N	VARCHAR2(255)	nvarchar(255)	code of entity instance
DES_LANG	N	VARCHAR2(2)	nvarchar(2)	language
DES_TEXT	N	VARCHAR2(255)	nvarchar(255)	descriptive text
DES_TRANS	N	VARCHAR2(1)	nvarchar(1)	duplicated description translated?
DES_ORG	N	VARCHAR2(15)	nvarchar(15)	description organization
DES_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DES_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DES_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5DESCRIPTIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADS_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ADS_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity
ADS_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	system entity
ADS_TYPE	Y	VARCHAR2(4)	nvarchar(4)	user code
ADS_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	system predefined code
ADS_CODE	Y	VARCHAR2(40)	nvarchar(40)	code of entity instance
ADS_LANG	Y	VARCHAR2(2)	nvarchar(2)	language
ADS_TEXT	Y	VARCHAR2(255)	nvarchar(255)	descriptive text
ADS_TRANS	Y	VARCHAR2(1)	nvarchar(1)	duplicated description translated?
ADS_ORG	Y	VARCHAR2(15)	nvarchar(15)	description organization
ADS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADS_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5DETAILAUDIT

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DTA_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity.
DTA_RENTITY	N	VARCHAR2(4)	nvarchar(4)	system entity.
DTA_TYPE	N	VARCHAR2(4)	nvarchar(4)	type.
DTA_CODE	N	VARCHAR2(100)	nvarchar(100)	code.
DTA_LANG	N	VARCHAR2(2)	nvarchar(2)	language.
DTA_LINE	N	NUMBER(12,0)	numeric(12,0)	line number.
DTA_PRINT	Y	VARCHAR2(1)	nvarchar(1)	print flag.
DTA_UPDATED	Y	DATE	datetime	date the comment record was updated.
DTA_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	user who updated.
DTA_DELETED	Y	DATE	datetime	date the comment record was deleted.
DTA_DELUSER	Y	VARCHAR2(255)	nvarchar(255)	user who deleted.
DTA_DATE	Y	DATE	datetime	date the record was created (used at purging).
DTA_TEXT	Y	LONG	ntext	free format text.
DTA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DTA_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	If it is a Mobile record, the value will be +
DTA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DTA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DEVICES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DEV_CODE	N	VARCHAR2(12)	nvarchar(12)	a code for the device
DEV_DESC	N	VARCHAR2(80)	nvarchar(80)	description of device.
DEV_CATFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + if a device category
DEV_RTYPE	N	VARCHAR2(4)	nvarchar(4)	the reports destination type
DEV_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of device.

DEV_CATEGORY	Y	VARCHAR2(12)	nvarchar(12)	category of device.
DEV_DRIVER	Y	VARCHAR2(20)	nvarchar(20)	name of printer driver
DEV_MODE	Y	VARCHAR2(10)	nvarchar(10)	specified if char only device
DEV_SPECIAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if special (label printer)
DEV_ORIENTATION	Y	VARCHAR2(10)	nvarchar(10)	specified if orientation fixed
DEV_DESTINATION	Y	VARCHAR2(100)	nvarchar(100)	optional full spec. of device
DEV_ORG	N	VARCHAR2(15)	nvarchar(15)	device organization
DEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DEV_UPDATED	Y	DATE	datetime	Update timestamp
DEV_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
DEV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DEV_LASTLOGINDATE	Y	DATE	datetime	
DEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DIACONVERSION

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCO_PIPING	N	VARCHAR2(20)	nvarchar(20)	pipng code
DCO_PIPINGREV	N	NUMBER(4,0)	numeric(4,0)	pipng code revision
DCO_NOMSIZEINCH	N	NUMBER	numeric(24,6)	pipe size (inches)
DCO_NOMSIZEMM	Y	NUMBER	numeric(24,6)	pipe size (mm)
DCO_ACTOUTERDIA	Y	NUMBER	numeric(24,6)	outer diameter
DCO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DIAGNOSTICS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DIA_CODE	N	VARCHAR2(8)	nvarchar(8)	unique code
DIA_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
DIA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of diagnostic
DIA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
DIA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DIA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DIA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DIAGUSAGES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DIU_DIAG	N	VARCHAR2(8)	nvarchar(8)	diagnostic code
DIU_OBTYPE	N	VARCHAR2(4)	nvarchar(4)	user object type
DIU_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	system object type
DIU_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code
DIU_REQM	N	VARCHAR2(8)	nvarchar(8)	requirement code
DIU_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
DIU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DIU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DIU_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
DIU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DISCREPANCIES

NONCONFORMITIES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSP_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	The session ID
DSP_GISOBJID	N	VARCHAR2(30)	nvarchar(30)	The GIS object ID
DSP_MODIFIEDBY	N	VARCHAR2(1)	nvarchar(1)	The user who modified the record.
DSP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

DSP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DSP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DISPATCHES WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SWD_CODE	N	VARCHAR2(30)	nvarchar(30)	unique dispatch number
SWD_DESC	N	VARCHAR2(80)	nvarchar(80)	description of request/phone
SWD_EVENT	N	VARCHAR2(30)	nvarchar(30)	standing wo to link the request
SWD_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity, corresponding with the request
SWD_REPORTED	Y	DATE	datetime	date/time reported
SWD_START	Y	DATE	datetime	start date/time
SWD_END	Y	DATE	datetime	end date/time
SWD_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	person requesting repair
SWD_ASSIGNED	Y	VARCHAR2(15)	nvarchar(15)	person repair was assigned to
SWD_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code
SWD_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	charge code
SWD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
SWD_ORG	N	VARCHAR2(15)	nvarchar(15)	dispatch organization
SWD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
SWD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SWD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SWD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DISPATCHES_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AED_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AED_CODE	Y	VARCHAR2(30)	nvarchar(30)	unique dispatch number
AED_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of request/phone
AED_EVENT	Y	VARCHAR2(30)	nvarchar(30)	standing wo to link the request
AED_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity, corresponding with the request
AED_REPORTED	Y	DATE	datetime	date/time reported
AED_START	Y	DATE	datetime	start date/time
AED_END	Y	DATE	datetime	end date/time
AED_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	person requesting repair
AED_ASSIGNED	Y	VARCHAR2(15)	nvarchar(15)	person repair was assigned to
AED_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code
AED_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	charge code
AED_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AED_ORG	Y	VARCHAR2(15)	nvarchar(15)	dispatch organization
AED_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AED_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AED_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AED_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DISPATCHEVENTS T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DIW_PK	N	VARCHAR2(30)	nvarchar(30)	
DIW_EVENT	Y	VARCHAR2(30)	nvarchar(30)	
DIW_ACT	N	NUMBER(8,0)	numeric(8,0)	
DIW_PERSON	Y	VARCHAR2(15)	nvarchar(15)	
DIW_CREW	Y	VARCHAR2(15)	nvarchar(15)	
DIW_CREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
DIW_DISPATCHED	N	DATE	datetime	
DIW_DISPATCHEDBY	Y	VARCHAR2(255)	nvarchar(255)	

DIW_CREATED	Y	DATE	datetime	Creation timestamp
DIW_COMPLETE	Y	VARCHAR2(1)	nvarchar(1)	
DIW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DIW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DIW_SEQUENCE	Y	NUMBER(5,0)	numeric(5,0)	
DIW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCBODY	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NAME	N	VARCHAR2(256)	nvarchar(256)	document name
MIME_TYPE	Y	VARCHAR2(128)	nvarchar(128)	mime type
DOC_SIZE	Y	NUMBER	int	size of document
DAD_CHARSET	Y	VARCHAR2(128)	nvarchar(128)	character set
LAST_UPDATED	Y	DATE	datetime	last updated
CONTENT_TYPE	Y	VARCHAR2(128)	nvarchar(128)	content type
CONTENT	Y	LONG RAW	image	document content
DOB_CODE	Y	VARCHAR2(30)	nvarchar(30)	document code
BLOB_CONTENT	Y	BLOB	image	Contains document content. i.e. Word document, PDF, etc.
DOB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCENTITIES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DAE_DOCUMENT	N	VARCHAR2(30)	nvarchar(30)	document code
DAE_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity.
DAE_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code
DAE_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of an entity.
DAE_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	rapier type
DAE_CODE	N	VARCHAR2(255)	nvarchar(255)	code of entity linked to the documents
DAE_COPYTOWO	Y	VARCHAR2(1)	nvarchar(1)	Flags document to be copied to a work order when the document parent record is used in a work order. For WO: Indicates that document should print on work order report if print attachment flag checked in report. For all others: Indicates that
DAE_PRINTONWO	Y	VARCHAR2(1)	nvarchar(1)	document copied to work order should have print flag checked by default.
DAE_COPYTOPO	Y	VARCHAR2(1)	nvarchar(1)	Flags document to be copied to a purchase order when the document parent record is used in a purchase order.
DAE_PRINTONPO	Y	VARCHAR2(1)	nvarchar(1)	Whether document will be displayed at po print
DAE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DAE_CREATECOPYTOWO	Y	VARCHAR2(1)	nvarchar(1)	T.B.D
DAE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DAE_IDMCOPY	Y	VARCHAR2(1)	nvarchar(1)	
DAE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCENTITIES_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADE_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ADE_DOCUMENT	Y	VARCHAR2(30)	nvarchar(30)	document code
ADE_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity.
ADE_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code
ADE_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of an entity.
ADE_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	rapier type
ADE_CODE	Y	VARCHAR2(100)	nvarchar(100)	code of entity linked to the documents
ADE_COPYTOWO	Y	VARCHAR2(1)	nvarchar(1)	Flags document to be copied to a work order when the document parent record is used in a work order. For WO: Indicates that document should print on work order report if print attachment flag checked in report. For all others: Indicates that
ADE_PRINTONWO	Y	VARCHAR2(1)	nvarchar(1)	document copied to work order should have print flag checked by default.
ADE_COPYTOPO	Y	VARCHAR2(1)	nvarchar(1)	Flags document to be copied to a purchase order when the document parent record is used in a purchase order.

ADE_PRINTONPO	Y	VARCHAR2(1)	nvarchar(1)	Whether document will be displayed at po print
ADE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADE_CREATECOPYTOWO	Y	VARCHAR2(1)	nvarchar(1)	T.B.D
ADE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADE_IDMCOPY	Y	VARCHAR2(1)	nvarchar(1)	
ADE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCKLINES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
DKL_DCKCODE	N	VARCHAR2(30)	nvarchar(30)	dock receipt
DKL_LINE	N	NUMBER(8,0)	numeric(8,0)	dock line
DKL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
DKL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
DKL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
DKL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
DKL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
DKL_LOCATION	Y	VARCHAR2(12)	nvarchar(12)	on-dock location
DKL_INSPSTATUS	N	VARCHAR2(4)	nvarchar(4)	inspection status
DKL_INSPRSTATUS	N	VARCHAR2(4)	nvarchar(4)	inspection r status (system)
DKL_LINESTATUS	N	VARCHAR2(4)	nvarchar(4)	line status
DKL_LINERSTATUS	N	VARCHAR2(4)	nvarchar(4)	line r status (system)
DKL_COUNTED	Y	VARCHAR2(1)	nvarchar(1)	count qty
DKL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	received qty.
DKL_COUNTQTY	Y	NUMBER(24,6)	numeric(24,6)	counted qty.
DKL_PRINT	Y	NUMBER(6,0)	numeric(6,0)	print flag
DKL_INSPECTEDQTY	Y	NUMBER(24,6)	numeric(24,6)	inspected qty
DKL_INSPREJQTY	Y	NUMBER(24,6)	numeric(24,6)	rejected qty.
DKL_REJREASON	Y	VARCHAR2(15)	nvarchar(15)	reject reason
DKL_INSPECTOR	Y	VARCHAR2(15)	nvarchar(15)	inspector
DKL_INSPDATE	Y	DATE	datetime	inspection date
DKL_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	updated by
DKL_UPDATED	Y	DATE	datetime	updated
DKL_RETNQTY	Y	NUMBER(24,6)	numeric(24,6)	retn. qty
DKL_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin
DKL_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot
DKL_MANLOT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer lot
DKL_MANLOTEXP	Y	DATE	datetime	expiration date
DKL_DIRECT	Y	VARCHAR2(1)	nvarchar(1)	direct
DKL_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	asset type
DKL_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	asset r type (system)
DKL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	asset
DKL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	asset org.
DKL_SERIAL	Y	VARCHAR2(30)	nvarchar(30)	serial number
DKL_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center
DKL_RECVCODE	Y	VARCHAR2(30)	nvarchar(30)	receipt number
DKL_RETNCODE	Y	VARCHAR2(30)	nvarchar(30)	return number
DKL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
DKL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
DKL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	inspect flag
DKL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
DKL_ACD	Y	NUMBER	bigint	financial interface
DKL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DKL_REPAIRPRICE	Y	NUMBER(24,6)	numeric(24,6)	part repair price
DKL_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Assigned To

DKL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
DKL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
DKL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DKL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DKL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DKL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DKL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DKL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DKL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
DKL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
DKL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
DKL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
DKL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
DKL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DKL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DKL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DKL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DKL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DKL_REPAIRCONDITION	Y	VARCHAR2(20)	nvarchar(20)	The condition of the repaired part.
DKL_MOBILEDATEUPDATED	Y	DATE	datetime	
DKL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DKL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCKLINES_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

ADL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ADL_DCKCODE	Y	VARCHAR2(30)	nvarchar(30)	dock receipt
ADL_LINE	Y	NUMBER(8,0)	numeric(8,0)	dock line
ADL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
ADL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
ADL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ADL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
ADL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ADL_LOCATION	Y	VARCHAR2(12)	nvarchar(12)	on-dock location
ADL_INSPSTATUS	Y	VARCHAR2(4)	nvarchar(4)	inspection status
ADL_INSPRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	inspection r status (system)
ADL_LINERSTATUS	Y	VARCHAR2(4)	nvarchar(4)	line status
ADL_LINERSTATUS	Y	VARCHAR2(4)	nvarchar(4)	line r status (system)
ADL_COUNTED	Y	VARCHAR2(1)	nvarchar(1)	count qty
ADL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	received qty.
ADL_COUNTQTY	Y	NUMBER(24,6)	numeric(24,6)	counted qty.
ADL_PRINT	Y	NUMBER(6,0)	numeric(6,0)	print flag
ADL_INSPECTEDQTY	Y	NUMBER(24,6)	numeric(24,6)	inspected qty
ADL_INSPREJQTY	Y	NUMBER(24,6)	numeric(24,6)	rejected qty.
ADL_REJREASON	Y	VARCHAR2(15)	nvarchar(15)	reject reason
ADL_INSPECTOR	Y	VARCHAR2(15)	nvarchar(15)	inspector
ADL_INSPDATE	Y	DATE	datetime	inspection date
ADL_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	updated by
ADL_UPDATED	Y	DATE	datetime	updated
ADL_RETNQTY	Y	NUMBER(24,6)	numeric(24,6)	retn. qty
ADL_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin
ADL_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot
ADL_MANLOT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer lot
ADL_MANLOTEXP	Y	DATE	datetime	expiration date
ADL_DIRECT	Y	VARCHAR2(1)	nvarchar(1)	direct
ADL_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	asset type
ADL_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	asset r type (system)
ADL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	asset
ADL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	asset org.
ADL_SERIAL	Y	VARCHAR2(30)	nvarchar(30)	serial number
ADL_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center
ADL_RECVCODE	Y	VARCHAR2(30)	nvarchar(30)	receipt number
ADL_RETNCODE	Y	VARCHAR2(30)	nvarchar(30)	return number
ADL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
ADL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ADL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	inspect flag
ADL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
ADL_ACD	Y	NUMBER	bigint	financial interface
ADL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADL_REPAIRPRICE	Y	NUMBER(24,6)	numeric(24,6)	part repair price
ADL_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
ADL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
ADL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
ADL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ADL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ADL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ADL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ADL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ADL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ADL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADL_REPAIRCONDITION	Y	VARCHAR2(20)	nvarchar(20)	The condition of the repaired part.
ADL_MOBILEDATEUPDATED	Y	DATE	datetime	
ADL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCKRECEIPTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCK_CODE	N	VARCHAR2(30)	nvarchar(30)	on-dock receipt code
DCK_ORG	N	VARCHAR2(15)	nvarchar(15)	organization
DCK_DESC	N	VARCHAR2(80)	nvarchar(80)	description
DCK_STATUS	N	VARCHAR2(4)	nvarchar(4)	status
DCK_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	r status (system)
DCK_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier
DCK_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
DCK_ORDER	Y	VARCHAR2(30)	nvarchar(30)	order

DCK_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
DCK_RECVDATE	Y	DATE	datetime	received date
DCK_DOCKID	N	VARCHAR2(15)	nvarchar(15)	dock id
DCK_LOCATION	Y	VARCHAR2(12)	nvarchar(12)	location
DCK_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship via
DCK_PACKSLIP	Y	VARCHAR2(45)	nvarchar(45)	packing slip
DCK_FREIGHT	Y	VARCHAR2(24)	nvarchar(24)	freight
DCK_REFERENCE	Y	VARCHAR2(45)	nvarchar(45)	reference
DCK_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center
DCK_RECEIVER	Y	VARCHAR2(15)	nvarchar(15)	receiver
DCK_CREATED	Y	DATE	datetime	date created
DCK_USER	Y	VARCHAR2(255)	nvarchar(255)	entered by
DCK_UPDATED	Y	DATE	datetime	updated
DCK_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	updated by
DCK_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
DCK_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class organization
DCK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCK_RETRIEVEALL	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate to Retrieve All Dock Lines
DCK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCK_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DCK_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCK_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCK_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCK_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DCK_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

DCK_UDFDATE01	Y	DATE	datetime	User defined field of type Date
DCK_UDFDATE02	Y	DATE	datetime	User defined field of type Date
DCK_UDFDATE03	Y	DATE	datetime	User defined field of type Date
DCK_UDFDATE04	Y	DATE	datetime	User defined field of type Date
DCK_UDFDATE05	Y	DATE	datetime	User defined field of type Date
DCK_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCK_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCK_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCK_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCK_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DCK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCKRECEIPTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ADT_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ADT_CODE	Y	VARCHAR2(30)	nvarchar(30)	on-dock receipt code
ADT_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
ADT_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
ADT_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status
ADT_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status (system)
ADT_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier
ADT_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ADT_ORDER	Y	VARCHAR2(30)	nvarchar(30)	order
ADT_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ADT_RECVDATE	Y	DATE	datetime	received date
ADT_DOCKID	Y	VARCHAR2(15)	nvarchar(15)	dock id
ADT_LOCATION	Y	VARCHAR2(12)	nvarchar(12)	location
ADT_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship via
ADT_PACKSLIP	Y	VARCHAR2(45)	nvarchar(45)	packing slip
ADT_FREIGHT	Y	VARCHAR2(24)	nvarchar(24)	freight
ADT_REFERENCE	Y	VARCHAR2(45)	nvarchar(45)	reference
ADT_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center
ADT_RECEIVER	Y	VARCHAR2(15)	nvarchar(15)	receiver
ADT_CREATED	Y	DATE	datetime	date created
ADT_USER	Y	VARCHAR2(255)	nvarchar(255)	entered by
ADT_UPDATED	Y	DATE	datetime	updated
ADT_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	updated by
ADT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
ADT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class organization
ADT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ADT_RETRIEVEALL	Y	VARCHAR2(1)	nvarchar(1)	Flag to Indicate to Retrieve All Dock Lines
ADT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ADT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ADT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ADT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ADT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ADT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ADT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ADT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ADT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ADT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ADT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCMATRIX		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DMX_WARRANTY	N	VARCHAR2(30)	nvarchar(30)	warranty code.
DMX_COLUMN	Y	VARCHAR2(4)	nvarchar(4)	user column name.
DMX_RCOLUMN	N	VARCHAR2(4)	nvarchar(4)	column name.
DMX_VALUE	N	VARCHAR2(24)	nvarchar(24)	user entered value.
DMX_OPERATOR	Y	VARCHAR2(2)	nvarchar(2)	operator (=, <>, <, >, <= or >=) to be used.
DMX_DVALUE	Y	DATE	datetime	user entered value (for dates).
DMX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DMX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DMX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCSIZES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DSZ_CODE	N	VARCHAR2(4)	nvarchar(4)	document size code.
DSZ_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
DSZ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DSZ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DSZ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCTYPES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DOT_EXT	N	VARCHAR2(10)	nvarchar(10)	extension
DOT_TYPE	N	VARCHAR2(50)	nvarchar(50)	document type
DOT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DOT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DOT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DOCUMENTS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DOC_CODE	N	VARCHAR2(30)	nvarchar(30)	unique code of document
DOC_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
DOC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	document class/type
DOC_ORIGCODE	Y	VARCHAR2(30)	nvarchar(30)	original code of document
DOC_REVNUMBER	Y	VARCHAR2(8)	nvarchar(8)	revision number
DOC_REVISION	Y	DATE	datetime	revision date
DOC_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent document
DOC_ORIGIN	Y	VARCHAR2(24)	nvarchar(24)	originator of document
DOC_PAGES	Y	NUMBER	int	number of pages
DOC_SIZE	Y	VARCHAR2(4)	nvarchar(4)	document size
DOC_CABINET	Y	VARCHAR2(12)	nvarchar(12)	where document is kept
DOC_FILENAME	Y	VARCHAR2(255)	nvarchar(255)	file where doc is stored
DOC_FILETYPE	Y	VARCHAR2(50)	nvarchar(50)	file type of doc
DOC_EXPIR	Y	DATE	datetime	expiration date
DOC_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
DOC_WARSTART	Y	DATE	datetime	start date of warranty.
DOC_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	checked: this document is a warranty.
DOC_DURATION	Y	NUMBER	int	duration of warranty.
DOC_THRESHOLD	Y	NUMBER	int	renewal threshold of warranty.
DOC_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer of document.
DOC_ORG	N	VARCHAR2(15)	nvarchar(15)	document organization
DOC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
DOC_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
DOC_TYPE	N	VARCHAR2(4)	nvarchar(4)	document type
DOC_RTYPE	N	VARCHAR2(4)	nvarchar(4)	document r type (system)
DOC_FILESIZE	Y	NUMBER(12,0)	numeric(12,0)	size of uploaded file
DOC_LOCKUSER	Y	VARCHAR2(255)	nvarchar(255)	code of user who has file locked
DOC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DOC_LABCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Percentage of actual cost to be charged for internal labor
DOC_MATCHCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Percentage of actual cost to be charged for stocked material
DOC_HIRCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Percentage of actual cost to be charged for hired/contract labor
DOC_DMACHARGE	Y	NUMBER(5,2)	numeric(5,2)	Percentage of actual cost to be charged for material directly purchased
DOC_SERVICECHARGE	Y	NUMBER(5,2)	numeric(5,2)	Percentage of actual cost to be charged for services
DOC_TOOLCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Percentage of actual cost to be charged for tool usages
DOC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag
DOC_ORIGFILENAME	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
DOC_UPLOADED	Y	DATE	datetime	T.B.D.
DOC_WARRANTYTYPE	Y	VARCHAR2(4)	nvarchar(4)	The type of warranty
DOC_CONTROLNUMBER	Y	VARCHAR2(30)	nvarchar(30)	The control number of the warranty
DOC_AGREEMENTTYPE	Y	VARCHAR2(4)	nvarchar(4)	The type of agreement used on the warranty
DOC_ONSITEREPAIR	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the warranty covers an onsite repair
DOC_LOANERPROVIDED	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether a loaner will be provided
DOC_RENEWALALERTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Email address to be used when a renewal is due

DOC_STARTDATEBASIS	Y	VARCHAR2(4)	nvarchar(4)	The basis of the start date of the warranty
DOC_FIXEDLABORRATE	Y	NUMBER(24,6)	numeric(24,6)	The fixed labor rate of the warranty
DOC_FIXEDLABORAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The fixed labor amount of the warranty
DOC_FIXEDSTOCKAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The fixed material amount of the warranty
DOC_MAXLABORAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The maximum labor amount of the warranty
DOC_MAXSTOCKAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The maximum material amount of the warranty
DOC_EXCLUDEPEMWORKORDER	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the warranty applies to preventive maintenance work orders
DOC_PARTLISTREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether a part list is required
DOC_RMAREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether a Return Merchandise Authorization is required
DOC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
DOC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DOC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DOC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DOC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DOC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
DOC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
DOC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
DOC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
DOC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
DOC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
DOC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DOC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DOC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DOC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
DOC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

DOC_CONTENT	Y	CLOB	nvarchar(max)	The content of the document.
DOC_IDMTYPE	Y	VARCHAR2(32)	nvarchar(32)	the IDM type of the document.
DOC_TITLE	Y	VARCHAR2(256)	nvarchar(256)	The title of the document.
DOC_DATEEFFECTIVE	Y	DATE	datetime	The date effective of the document.
DOC_DATEEXPIRED	Y	DATE	datetime	The expiration date of the document.
DOC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DOC_ISPROFILEPICTURE	Y	VARCHAR2(1)	nvarchar(1)	
DOC_ISMOBILELOG	Y	VARCHAR2(1)	nvarchar(1)	
DOC_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5DRIVERCTRL	ASSET TRACKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DRV_CODE	N	VARCHAR2(10)	nvarchar(10)	code of interface driver.
DRV_QUEUE	N	VARCHAR2(2)	nvarchar(2)	number of batch queue in which interface driver runs.
DRV_ACTION	N	VARCHAR2(1)	nvarchar(1)	value is + if interface driver has been started.
DRV_LASTRAN	Y	DATE	datetime	next run time
DRV_NEXTRUN	Y	DATE	datetime	last run time
DRV_FREQUENCY	Y	NUMBER	int	frequency of running the job
DRV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DRV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DSCHAVAIL	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SHA_DATE	N	DATE	datetime	date
SHA_PERSON	N	VARCHAR2(15)	nvarchar(15)	number of persons
SHA_SHIFT	N	VARCHAR2(4)	nvarchar(4)	shift code
SHA_HOURS	N	NUMBER(12,2)	numeric(12,2)	available hours
SHA_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade
SHA_MRC	N	VARCHAR2(15)	nvarchar(15)	mrc
SHA_GENDATE	N	DATE	datetime	start date
SHA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SHA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SHA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DUALCONVHEADER	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCH_BATCH	N	NUMBER(6,0)	numeric(6,0)	unique batch number.
DCH_DATE	N	DATE	datetime	date of conversion.
DCH_TYPE	N	VARCHAR2(1)	nvarchar(1)	b for base conversion, c for catalogue currency conversion.
DCH_OLDCURR	N	VARCHAR2(3)	nvarchar(3)	old currency.
DCH_NEWCURR	N	VARCHAR2(3)	nvarchar(3)	new currency (eur).
DCH_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
DCH_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier
DCH_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
DCH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DUALCONVLINES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DCL_BATCH	N	NUMBER(6,0)	numeric(6,0)	batch number.
DCL_TABLE	N	VARCHAR2(30)	nvarchar(30)	table name.
DCL_PK	N	VARCHAR2(100)	nvarchar(100)	primary key value.
DCL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.

DCL_COLUMN1	Y	VARCHAR2(30)	nvarchar(30)	column name 1.
DCL_VALUE1	Y	NUMBER(24,6)	numeric(24,6)	value 1.
DCL_COLUMN2	Y	VARCHAR2(30)	nvarchar(30)	column name 2.
DCL_VALUE2	Y	NUMBER(24,6)	numeric(24,6)	value 2
DCL_COLUMN3	Y	VARCHAR2(30)	nvarchar(30)	column name 3.
DCL_VALUE3	Y	NUMBER(24,6)	numeric(24,6)	value 3
DCL_COLUMN4	Y	VARCHAR2(30)	nvarchar(30)	column name 4.
DCL_VALUE4	Y	NUMBER(24,6)	numeric(24,6)	value 4
DCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSDUXLAYOUT MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DXL_USERGROUP	N	VARCHAR2(12)	nvarchar(12)	
DXL_PAGENAME	N	VARCHAR2(40)	nvarchar(40)	
DXL_ELEMENTID	N	VARCHAR2(60)	nvarchar(60)	
DXL_ELEMENTTYPE	Y	VARCHAR2(2)	nvarchar(2)	
DXL_FIELDSIZE	Y	NUMBER(1,0)	numeric(1,0)	
DXL_ATTRIBUTE	Y	VARCHAR2(1)	nvarchar(1)	
DXL_SYSTEMATTRIBUTE	Y	VARCHAR2(1)	nvarchar(1)	
DXL_PRESENTINJSP	Y	VARCHAR2(1)	nvarchar(1)	
DXL_SECTION	Y	VARCHAR2(30)	nvarchar(30)	
DXL_SECTIONPOSITION	Y	NUMBER(4,0)	numeric(4,0)	
DXL_POSITIONINGROUP	Y	NUMBER(2,0)	numeric(2,0)	
DXL_SECTIONLABEL	Y	VARCHAR2(61)	nvarchar(61)	
DXL_NEWCARD	Y	VARCHAR2(1)	nvarchar(1)	
DXL_FIELDINFO	Y	VARCHAR2(4000)	nvarchar(4000)	
DXL_DEFAULTVALUE	Y	VARCHAR2(1000)	nvarchar(1000)	
DXL_RADIOOPTIONS	Y	VARCHAR2(500)	nvarchar(500)	
DXL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DXL_LASTSAVED	Y	DATE	date	Timestamp of last update
DXL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSDWAVAILLABORDAILYSNAP DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZLA_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZLA_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZLA_MRCKEY	N	NUMBER	int	Foreign key to the MRCs dimension
ZLA_TRADEKEY	N	NUMBER	int	Foreign key to the trades dimension
ZLA_PERSONNELHOURS	Y	NUMBER	numeric(24,6)	Available internal hours
ZLA_HIREDHOURS	Y	NUMBER	numeric(24,6)	Available hired hours
ZLA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZLA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSDWBUDGETKEYS DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KBU_CODE	N	VARCHAR2(30)	nvarchar(30)	Budget code
KBU_KEY	N	NUMBER	int	Budget surrogate key
KBU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KBU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSDWBUDGETS DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

ZBU_KEY	N	NUMBER	int	Budget surrogate key
ZBU_CODE	Y	VARCHAR2(30)	nvarchar(30)	Budget code
ZBU_BUDGET	Y	VARCHAR2(17)	nvarchar(17)	Budget id
ZBU_YEAR	Y	VARCHAR2(8)	nvarchar(8)	Budget year
ZBU_PERIOD	Y	VARCHAR2(4)	nvarchar(4)	Budget period
ZBU_STATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Budget status code
ZBU_STATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Budget status description
ZBU_MRCCODE	Y	VARCHAR2(15)	nvarchar(15)	Budget MRC code
ZBU_MRCDISC	Y	VARCHAR2(80)	nvarchar(80)	Budget MRC description
ZBU_ISMRCGROUP	Y	VARCHAR2(1)	nvarchar(1)	Is budget MRC code a group code?
ZBU_LOCATIONCODE	Y	VARCHAR2(30)	nvarchar(30)	Budget location code
ZBU_LOCATIONORG	Y	VARCHAR2(15)	nvarchar(15)	Budget location organization code
ZBU_LOCATIONDESC	Y	VARCHAR2(80)	nvarchar(80)	Budget location description
ZBU_ISLOCATIONGROUP	Y	VARCHAR2(1)	nvarchar(1)	Is budget location code a group code?
ZBU_OBJECTCODE	Y	VARCHAR2(30)	nvarchar(30)	Budget object code
ZBU_OBJECTORG	Y	VARCHAR2(15)	nvarchar(15)	Budget object organization code
ZBU_OBJECTDESC	Y	VARCHAR2(80)	nvarchar(80)	Budget object description
ZBU_ISOBJECTGROUP	Y	VARCHAR2(1)	nvarchar(1)	Is budget object code a group code?
ZBU_JOBTYPECODE	Y	VARCHAR2(8)	nvarchar(8)	Budget job type code
ZBU_JOBTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Budget job type description
ZBU_ISJOBTYPEGROUP	Y	VARCHAR2(1)	nvarchar(1)	Is budget job type code a group code?
ZBU_COSTTYPECODE	Y	VARCHAR2(5)	nvarchar(5)	Budget cost type code
ZBU_COSTTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Budget cost type description
ZBU_ISCOSTTYPEGROUP	Y	VARCHAR2(1)	nvarchar(1)	Is budget cost type code a group code?
ZBU_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZBU_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZBU_BUDGETAMOUNTDEFCUR	Y	NUMBER	numeric(24,6)	Budget amount (default currency)
ZBU_BUDGETAMOUNTORGCUR	Y	NUMBER	numeric(24,6)	Budget amount (organization currency)
ZBU_ORIGINALAMOUNTDEFCUR	Y	NUMBER	numeric(24,6)	Original budget amount (default currency)
ZBU_ORIGINALAMOUNTORGCUR	Y	NUMBER	numeric(24,6)	Original budget amount (organization currency)
ZBU_RSTATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Budget system status code
ZBU_RSTATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Budget system status description
ZBU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZBU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWDATAMARTDIMENSIONS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DMD_DMTTABLE	N	VARCHAR2(30)	nvarchar(30)	Data mart table name
DMD_DIMTABLE	N	VARCHAR2(30)	nvarchar(30)	Dimension table name
DMD_FACTJOINFIELD	N	VARCHAR2(30)	nvarchar(30)	Fact table field name corresponding to the surrogate key of the dimension table
DMD_DIMBUSINESSKEYFIELD	Y	VARCHAR2(30)	nvarchar(30)	Dimension business key field, used especially for mapping date dimension dates to surrogate key field names.
DMD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DMD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWDATAMARTS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DMT_TABLE	N	VARCHAR2(30)	nvarchar(30)	Name of physical fact table or view corresponding to the data mart
DMT_DESC	N	VARCHAR2(80)	nvarchar(80)	Data mart descriptive name
DMT_GRAIN	N	VARCHAR2(2)	nvarchar(2)	Fact table grain type (TR = Transaction, PS = Periodic Snapshot, AS = Accumulating Snapshot)
DMT_TABLETYPE	Y	VARCHAR2(1)	nvarchar(1)	Data Mart table type: T = Table, V = View
DMT_BOTNUMBER	Y	NUMBER(3,0)	numeric(3,0)	Boilertext number corresponding to the data mart name
DMT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DMT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWDDATE		DATAWAREHOUSE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DWD_DATEKEY	N	NUMBER(38,0)	numeric(38,0)	key of the dw date table
DWD_DATEVALUE	N	DATE	datetime	date value of the date table
DWD_CREATEDATE	N	DATE	datetime	house keeping info
DWD_CREATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWD_UPDATEDATE	N	DATE	datetime	house keeping info
DWD_UPDATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DWD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DWD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWDATES		DATAWAREHOUSE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZDT_KEY	N	NUMBER	int	Date surrogate key
ZDT_DATE	N	DATE	datetime	Calendar date (no time of day)
ZDT_RUNNINGDAYNUM	Y	NUMBER	int	Day number since start of epoch - to determine distance between days
ZDT_RUNNINGWEEKNUM	Y	NUMBER	int	Week number since start of epoch - to determine distance between weeks
ZDT_RUNNINGMONTHNUM	Y	NUMBER	int	Month number since start of epoch - to determine distance between months
ZDT_DAYNUMINMONTH	Y	NUMBER	int	Month day number (1 - 31)
ZDT_DAYNUMINYEAR	Y	NUMBER	int	Year day number (1 - 366)
ZDT_WEEKNUMINYEAR	Y	NUMBER	int	Calendar week number (1 - 53)
ZDT_MONTHNUMINYEAR	Y	NUMBER	int	Calendar month number (1 - 12)
ZDT_YEARMONTH	Y	VARCHAR2(8)	nvarchar(8)	Calendar year and month (YYYY-MM)
ZDT_QUARTER	Y	NUMBER	int	Calendar quarter number
ZDT_YEARQUARTER	Y	VARCHAR2(6)	nvarchar(6)	Calendar year and quarter (YYYY-Q)
ZDT_HALFYEAR	Y	NUMBER	int	Calendar half-year (1, 2)
ZDT_YEAR	Y	NUMBER	int	Calendar year (YYYY)
ZDT_LASTDAYINMONTH	Y	VARCHAR2(1)	nvarchar(1)	Last day in calendar month flag, = + if the day is the last day of the month, else = -
ZDT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZDT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWDIMENSIONFIELDS		DATAWAREHOUSE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DMF_FIELD	N	VARCHAR2(30)	nvarchar(30)	Dimension attribute physical field name
DMF_DIMTABLE	N	VARCHAR2(30)	nvarchar(30)	Dimension physical table or view name
DMF_DESC	N	VARCHAR2(80)	nvarchar(80)	Dimension attribute descriptive name
DMF_BOTNUMBER	Y	NUMBER(3,0)	numeric(3,0)	Boilertext number corresponding to the dimension field names
DMF_FIELDID	Y	NUMBER(14,0)	numeric(14,0)	Field-id number
DMF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DMF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWDIMENSIONS		DATAWAREHOUSE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DIM_TABLE	N	VARCHAR2(30)	nvarchar(30)	Name of physical dimension table or view
DIM_DESC	N	VARCHAR2(80)	nvarchar(80)	Dimension descriptive name
DIM_TABLETYPE	N	VARCHAR2(1)	nvarchar(1)	Dimension table type: T = Table, V = View
DIM_KEYFIELD	N	VARCHAR2(30)	nvarchar(30)	Name of the surrogate key field in the physical dimension table or view
DIM_CREATEKEYSEQUENCE	N	VARCHAR2(1)	nvarchar(1)	value is + if a sequence should be created to supply the dimension table key value
DIM_SURROGATEKEYLOOKUPTBL	Y	VARCHAR2(30)	nvarchar(30)	Name of the surrogate key lookup table that supports ETL activities
DIM_BOTNUMBER	Y	NUMBER(3,0)	numeric(3,0)	Boilertext number corresponding to the dimension name
DIM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DIM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DVENTITIES				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZEN_KEY	N	NUMBER(38,0)	numeric(38,0)	Entity surrogate key
ZEN_CODE	Y	VARCHAR2(45)	nvarchar(45)	Entity code (i.e. this is the work order #, then po #, etc., depending on the type of entity).
ZEN_DESC	Y	VARCHAR2(80)	nvarchar(80)	Entity description
ZEN_TYPE	Y	VARCHAR2(45)	nvarchar(45)	Entity Type
ZEN_SECONDARY	Y	VARCHAR2(180)	nvarchar(180)	Entity secondary code
ZEN_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	Entity code from rSentities table
ZEN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZEN_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DWETLDATAMARTS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETL_DIMTABLE	N	VARCHAR2(30)	nvarchar(30)	ETL Dimension table
ETL_DMTTABLE	N	VARCHAR2(30)	nvarchar(30)	ETL Data-mart table
ETL_MODULE	N	VARCHAR2(8)	nvarchar(8)	ETL module
ETL_COMDIM	Y	VARCHAR2(1)	nvarchar(1)	ETL Common dimension flag
ETL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
R5DWETLRUNCTRL				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RUN_LOADFLAG	N	VARCHAR2(1)	nvarchar(1)	Indicates that the ETL procedure should load data from the source tables
RUN_LOADTYPE	N	VARCHAR2(1)	nvarchar(1)	Type of ETL load: F=full, I=incremental. Full loads are generally performed once when the data warehouse is initially populated.
RUN_LOADFROMDATE	Y	DATE	datetime	Used to retrieve source table records timestamped on or after the given date/time
RUN_PURGEFLAG	N	VARCHAR2(1)	nvarchar(1)	Indicates that the ETL procedure should purge old data from the data warehouse
RUN_PURGETODATE	Y	DATE	datetime	All data warehouse data timestamped on or before this date will be removed from the data warehouse
RUN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times record has been updated
RUN_DEFCUR	Y	VARCHAR2(3)	nvarchar(3)	Default currency
RUN_COMMITFREQ	Y	NUMBER	int	Sets the commit threshold for the data warehouse ETL procedure
RUN_KEY	Y	NUMBER(38,0)	numeric(38,0)	Primary key, added to satisfy an EJB requirement
RUN_LOADFIRSTDATE	Y	DATE	datetime	Stores the timestamp of the first full load of the ETL procedure
RUN_REPAIR	Y	VARCHAR2(1)	nvarchar(1)	Indicates that data warehouse repair should take place as part of the next run.
RUN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RUN_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DWETLRUNERRORLOG				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ELG_RUNNUMBER	N	NUMBER	numeric(38,0)	Run number
ELG_SEQUENCE	N	NUMBER	numeric(38,0)	Sequence number for each error
ELG_TARGETOBJECT	Y	VARCHAR2(40)	nvarchar(40)	Target object (dimension, fact table, index, etc.)
ELG_ERRORNUM	Y	NUMBER	numeric(38,0)	Standard error code
ELG_MESSAGE	Y	VARCHAR2(100)	nvarchar(100)	Error message corresponding to the code
ELG_KEYDATA	Y	VARCHAR2(2000)	nvarchar(2000)	Key fields and data of the error record
ELG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ELG_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DWETLRUNLOG				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RLG_RUNNUMBER	N	NUMBER	int	Run number
RLG_STARTTIME	Y	DATE	datetime	Starting time of the ETL run (DB server time)
RLG_ENDTIME	Y	DATE	datetime	Ending time of the ETL run (DB server time)
RLG_ELAPSEDTIME	Y	NUMBER	numeric(18,0)	Total ETL run time (in seconds)
RLG_STATUS	Y	VARCHAR2(80)	nvarchar(80)	ETL run status (EXECUTING, COMPLETED, ABORTED)
RLG_MESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Message, usually present when the ETL run procedure fails

RLG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RLG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWETLRUNLOGDETAIL DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LGD_LOGRUNNUMBER	N	NUMBER	int	Run number
LGD_OPERATION	Y	VARCHAR2(80)	nvarchar(80)	Major operation being performed (full load, incremental load, purge)
LGD_STEP	Y	VARCHAR2(80)	nvarchar(80)	Step within the operation
LGD_TARGETOBJECT	Y	VARCHAR2(30)	nvarchar(30)	Target object (dimension, fact table, index, etc.)
LGD_STARTTIME	Y	DATE	datetime	Time the step started
LGD_ENDTIME	Y	DATE	datetime	Time the step completed
LGD_ELAPSEDTIME	Y	NUMBER	numeric(18,0)	Total step run time (in seconds)
LGD_NUMRECSPROCESSED	Y	NUMBER	int	Number of records processed
LGD_STATUS	Y	VARCHAR2(80)	nvarchar(80)	Status of the step: EXECUTING, COMPLETED, ABORTED
LGD_SEQUENCE	N	NUMBER	int	Sequence number for each step in an ETL run
LGD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LGD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWFACTFIELDS DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FFL_FIELD	N	VARCHAR2(30)	nvarchar(30)	Name of fact field in physical fact table or view
FFL_DMTTABLE	N	VARCHAR2(30)	nvarchar(30)	The physical fact table or view name
FFL_DESC	N	VARCHAR2(80)	nvarchar(80)	Fact field descriptive name
FFL_ADDITIVITY	N	VARCHAR2(1)	nvarchar(1)	Fact additivity (A=fully additive, S=semi-additive, N=non-additive)
FFL_BOTNUMBER	Y	NUMBER(3,0)	numeric(3,0)	Boilertext number corresponding to the fact field names
FFL_FIELDDID	Y	NUMBER(14,0)	numeric(14,0)	Field-id number
FFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWINDEXES DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IDX_INDEXNAME	N	VARCHAR2(30)	nvarchar(30)	Index name
IDX_TABLE	N	VARCHAR2(30)	nvarchar(30)	Name of table to be indexed
IDX_FIELDS	N	VARCHAR2(2000)	nvarchar(2000)	Name of field(s) to be indexed, separated by commas
IDX_TABLESPACE	N	VARCHAR2(30)	nvarchar(30)	Index tablespace name
IDX_INDEXTYPE	N	VARCHAR2(1)	nvarchar(1)	Index type: B = bitmap, N = non-unique, U = Unique. Note: the bitmap index cannot be used unless the Oracle Enterprise Edition is installed.
IDX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IDX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWLABORDAILYSNAP DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZLB_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZLB_WOKEY	N	NUMBER	int	Foreign key to the work orders dimension
ZLB_PERSONNELKEY	N	NUMBER	int	Foreign key to the personnel dimension
ZLB_TRADEKEY	N	NUMBER	int	Foreign key to the trades dimension
ZLB_MRCKEY	N	NUMBER	int	Foreign key to the MRCs dimension
ZLB_OCTYPEKEY	N	NUMBER	int	Foreign key to the occupation types dimension
ZLB_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZLB_HOURS	Y	NUMBER	numeric(24,6)	Labor hours
ZLB_COSTDEFCUR	Y	NUMBER	numeric(24,6)	Labor cost (default currency)
ZLB_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZLB_COSTORGCUR	Y	NUMBER	numeric(24,6)	Labor cost (organization currency)
ZLB_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZLB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

ZLB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWMATLTRANSDAILYSNAP	DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZMS_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZMS_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZMS_MRCKEY	N	NUMBER	int	Foreign key to the MRCs dimension
ZMS_MATLTRANSTYPEKEY	N	NUMBER	int	Foreign key to the material transaction types dimension
ZMS_FROMSTOREKEY	N	NUMBER	int	Foreign key to the from-stores dimension
ZMS_TOSTOREKEY	N	NUMBER	int	Foreign key to the to-stores dimension
ZMS_FROMSUPPLIERKEY	N	NUMBER	int	Foreign key to the from-suppliers dimension
ZMS_TOSUPPLIERKEY	N	NUMBER	int	Foreign key to the to-suppliers dimension
ZMS_FROMWOKEY	N	NUMBER	int	Foreign key to the from-work orders dimension
ZMS_TOWOKEY	N	NUMBER	int	Foreign key to the to-work orders dimension
ZMS_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZMS_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZMS_MATERIALCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Material cost (default currency)
ZMS_MATERIALCOSTORGCUR	Y	NUMBER	numeric(24,6)	Material cost (organization currency)
ZMS_SCRAPCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Unrepairable scrap cost (default currency)
ZMS_SCRAPCOSTORGCUR	Y	NUMBER	numeric(24,6)	Unrepairable scrap cost (organization currency)
ZMS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZMS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWMATLTRANSTYPES	DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZMT_KEY	N	NUMBER	int	Material transaction type surrogate key
ZMT_CODE	Y	VARCHAR2(8)	nvarchar(8)	Material transaction type code
ZMT_DESC	Y	VARCHAR2(80)	nvarchar(80)	Material transaction type description
ZMT_RCODE	Y	VARCHAR2(8)	nvarchar(8)	Material transaction system type code
ZMT_RDESC	Y	VARCHAR2(80)	nvarchar(80)	Material transaction system type description
ZMT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZMT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWMETASTATUSES	ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DMS_TABLE	N	VARCHAR2(30)	nvarchar(30)	Name of table containing the status field to be tracked
DMS_FIELD	N	VARCHAR2(30)	nvarchar(30)	Name of the status field
DMS_STATUSENTITY	N	VARCHAR2(4)	nvarchar(4)	Status entity associated with the status field
DMS_ENTITY	N	VARCHAR2(4)	nvarchar(4)	Entity associated with the status field
DMS_STATUSENTITYBOT	N	NUMBER(3,0)	numeric(3,0)	Boilertext number for a short label describing the status entity
DMS_ENTITYBOT	N	NUMBER(3,0)	numeric(3,0)	Boilertext number for a short label describing the entity
DMS_UPDATED	Y	DATE	datetime	Timestamp indicating time created/updated
DMS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DMS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWMETERS	DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZME_KEY	N	NUMBER(38,0)	int	Meter surrogate key
ZME_CODE	Y	VARCHAR2(20)	nvarchar(20)	Meter code
ZME_DESC	Y	VARCHAR2(80)	nvarchar(80)	Meter description
ZME_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Meter class code
ZME_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Meter class organization
ZME_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Meter class description
ZME_READYTYPE	Y	VARCHAR2(30)	nvarchar(30)	Meter reading type

ZME_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Meter parent
ZME_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZME_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWMETERSDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZMR_DATEKEY	N	NUMBER(38,0)	int	Foreign key to the dates dimension
ZMR_METERKEY	N	NUMBER(38,0)	int	Foreign key to the meters dimension
ZMR_OBJECTKEY	N	NUMBER(38,0)	int	Foreign key to the objects dimension
ZMR_ORGKEY	N	NUMBER(38,0)	int	Foreign key to the organizations dimension
ZMR_UOMKEY	N	NUMBER(38,0)	int	Foreign key to the UOM dimension
ZMR_READING	Y	NUMBER(24,6)	numeric(24,6)	Meter reading
ZMR_DIFFERENCE	Y	NUMBER(24,6)	numeric(24,6)	Meter reading difference
ZMR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZMR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWMRCS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZMR_KEY	N	NUMBER	int	MRC surrogate key
ZMR_CODE	Y	VARCHAR2(15)	nvarchar(15)	MRC code
ZMR_DESC	Y	VARCHAR2(80)	nvarchar(80)	MRC description
ZMR_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	MRC class code
ZMR_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	MRC class organization
ZMR_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	MRC class description
ZMR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZMR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWOBJECTKEYS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KOB_CODE	N	VARCHAR2(30)	nvarchar(30)	Object code
KOB_ORGCODE	N	VARCHAR2(15)	nvarchar(15)	Object organization code
KOB_KEY	N	NUMBER	int	Object surrogate key
KOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWOBJECTROLLUPDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZVT_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZVT_OBJECTKEY	N	NUMBER	int	Foreign key to the objects dimension
ZVT_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZVT_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZVT_OWNLABCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object own labor cost (default currency)
ZVT_OWNLABCOSTORGCUR	Y	NUMBER	numeric(24,6)	Object own labor cost (organization currency)
ZVT_HIREDLABCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object hired labor cost (default currency)
ZVT_HIREDLABCOSTORGCUR	Y	NUMBER	numeric(24,6)	Object hired labor cost (organization currency)
ZVT_FIXEDLABCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object fixed price labor cost (default currency)
ZVT_FIXEDLABCOSTORGCUR	Y	NUMBER	numeric(24,6)	Object fixed price labor cost (organization currency)
ZVT_STOCKMATCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object stock material cost (default currency)
ZVT_STOCKMATCOSTORGCUR	Y	NUMBER	numeric(24,6)	Object stock material cost (organization currency)
ZVT_DIRMATCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object direct material cost (default currency)
ZVT_DIRMATCOSTORGCUR	Y	NUMBER	numeric(24,6)	Object direct material cost (organization currency)
ZVT_TOOLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object tool usage cost (default currency)
ZVT_TOOLCOSTORGCUR	Y	NUMBER	numeric(24,6)	Object tool usage cost (organization currency)
ZVT_DOWNTIME	Y	NUMBER	numeric(24,6)	Object downtime

ZVT_DOWNTIMECOSTDEFCUR	Y	NUMBER	numeric(24,6)	Object downtime cost (default currency)
ZVT_DOWNTIMECOSTORGCUR	Y	NUMBER	numeric(24,6)	Object downtime cost (organization currency)
ZVT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZVT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWOBJECTS		DATAWAREHOUSE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZOB_KEY	N	NUMBER	int	Object surrogate key
ZOB_CODE	Y	VARCHAR2(30)	nvarchar(30)	Object code
ZOB_DESC	Y	VARCHAR2(80)	nvarchar(80)	Object description
ZOB_ORGCODE	Y	VARCHAR2(15)	nvarchar(15)	Object organization code
ZOB_ORGDESC	Y	VARCHAR2(80)	nvarchar(80)	Object organization description
ZOB_TYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Object type code
ZOB_TYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Object type description
ZOB_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Object class code
ZOB_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Object class organization code
ZOB_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Object class description
ZOB_LOCATIONCODE	Y	VARCHAR2(30)	nvarchar(30)	Object location code
ZOB_LOCATIONORG	Y	VARCHAR2(15)	nvarchar(15)	Object location organization code
ZOB_LOCATIONDESC	Y	VARCHAR2(80)	nvarchar(80)	Object location description
ZOB_MANUFACTURERCODE	Y	VARCHAR2(45)	nvarchar(45)	Object manufacturer code
ZOB_MANUFACTURERDESC	Y	VARCHAR2(80)	nvarchar(80)	Object manufacturer description
ZOB_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Object cost code
ZOB_COSTCODEDESC	Y	VARCHAR2(80)	nvarchar(80)	Object cost code description
ZOB_STATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Object status code
ZOB_STATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Object status description
ZOB_STATECODE	Y	VARCHAR2(4)	nvarchar(4)	Object state code
ZOB_STATEDESC	Y	VARCHAR2(80)	nvarchar(80)	Object state description
ZOB_PRODUCTIONRELATED	Y	VARCHAR2(1)	nvarchar(1)	value is + if Object is production-related
ZOB_SAFETYRELATED	Y	VARCHAR2(1)	nvarchar(1)	#NAME?
ZOB_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	
ZOB_VALUEDEFCUR	Y	NUMBER	numeric(24,6)	Object value (default currency)
ZOB_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Object default currency
ZOB_VALUEORGCUR	Y	NUMBER	numeric(24,6)	Object value (organization currency)
ZOB_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Object organization currency
ZOB_ASSIGNEDTOCODE	Y	VARCHAR2(15)	nvarchar(15)	Code of the person the Object is assigned to
ZOB_ASSIGNEDTONAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the person the Object is assigned to
ZOB_COMMISSIONDATE	Y	DATE	datetime	Object commission date
ZOB_WITHDRAWALDATE	Y	DATE	datetime	Object withdrawal date
ZOB_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Category code
ZOB_CATEGORYDESC	Y	VARCHAR2(80)	nvarchar(80)	Category description
ZOB_RTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Object system type code
ZOB_RTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Object system type description
ZOB_RSTATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Object system status code
ZOB_RSTATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Object system status description
ZOB_RSTATECODE	Y	VARCHAR2(4)	nvarchar(4)	Object system state code
ZOB_RSTATEDESC	Y	VARCHAR2(80)	nvarchar(80)	Object system state description
ZOB_VARIABLE1	Y	VARCHAR2(120)	nvarchar(120)	Object user defined variable (1)
ZOB_VARIABLE2	Y	VARCHAR2(120)	nvarchar(120)	Object user defined variable (2)
ZOB_VARIABLE3	Y	VARCHAR2(120)	nvarchar(120)	Object user defined variable (3)
ZOB_VARIABLE4	Y	VARCHAR2(120)	nvarchar(120)	Object user defined variable (4)
ZOB_VARIABLE5	Y	VARCHAR2(120)	nvarchar(120)	Object user defined variable (5)
ZOB_VARIABLE6	Y	VARCHAR2(120)	nvarchar(120)	Object user defined variable (6)
ZOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

ZOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWOCUPATIONTYPES	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZOT_KEY	N	NUMBER	int	Occupation type surrogate key
ZOT_CODE	Y	VARCHAR2(8)	nvarchar(8)	Occupation type code
ZOT_DESC	Y	VARCHAR2(80)	nvarchar(80)	Occupation type description
ZOT_RCODE	Y	VARCHAR2(8)	nvarchar(8)	Occupation system type code
ZOT_RDESC	Y	VARCHAR2(80)	nvarchar(80)	Occupation system type description
ZOT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZOT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWORDERLINETYPES	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZOL_KEY	N	NUMBER	int	Order line type surrogate key
ZOL_CODE	Y	VARCHAR2(4)	nvarchar(4)	Order line type code
ZOL_DESC	Y	VARCHAR2(80)	nvarchar(80)	Order line type description
ZOL_RCODE	Y	VARCHAR2(8)	nvarchar(8)	Order line system type code
ZOL_RDESC	Y	VARCHAR2(80)	nvarchar(80)	Order line system type description
ZOL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZOL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWORG	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DWO_ORGKEY	N	NUMBER(38,0)	numeric(38,0)	table key
DWO_ORGVALUE	N	VARCHAR2(15)	nvarchar(15)	organization name
DWO_CREATEDATE	N	DATE	datetime	house keeping info
DWO_CREATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWO_UPDATEDATE	N	DATE	datetime	house keeping info
DWO_UPDATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DWO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DWO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWORGANIZATIONS	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZOR_KEY	N	NUMBER	int	Organization surrogate key
ZOR_CODE	Y	VARCHAR2(15)	nvarchar(15)	Organization code
ZOR_DESC	Y	VARCHAR2(80)	nvarchar(80)	Organization description
ZOR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZOR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWORGFACT	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DWF_ORGKEY	N	NUMBER(38,0)	numeric(38,0)	foreign key to dworg
DWF_DATEKEY	N	NUMBER(38,0)	numeric(38,0)	foreign key to dwdate
DWF_WOSCOMPLETED	Y	NUMBER	int	dataware house data
DWF_WOSCOMPLETEDONTIME	Y	NUMBER	int	dataware house data
DWF_PMSCOMPLETED	Y	NUMBER	int	dataware house data
DWF_PMSCOMPLETEDNOLABOR	Y	NUMBER	int	dataware house data
DWF_PMSOVER30DAYSLATE	Y	NUMBER	int	dataware house data
DWF_PLANWOSCOMPLETED	Y	NUMBER	int	dataware house data
DWF_PLANWOSCOMPLETEDONTIME	Y	NUMBER	int	dataware house data
DWF_BREAKDOWNWOSCOMPLETED	Y	NUMBER	int	dataware house data

DWF_TODAYSLABORHOURCAPACITY	Y	NUMBER	numeric(24,6)	dataware house data
DWF_PLANWOACTUALLABORHOURS	Y	NUMBER	numeric(24,6)	dataware house data
DWF_PLANWOESTLABORHOURS	Y	NUMBER	numeric(24,6)	dataware house data
DWF_BOOKEDWONTLABORHOURS	Y	NUMBER	numeric(24,6)	dataware house data
DWF_BOOKEDWOOTLABORHOURS	Y	NUMBER	numeric(24,6)	dataware house data
DWF_BACKLOGGEDWOS	Y	NUMBER	int	dataware house data
DWF_BACKLOGGEDPMS	Y	NUMBER	int	dataware house data
DWF_OPENPMS	Y	NUMBER	int	dataware house data
DWF_WODOWNTIMEHOURS	Y	NUMBER	numeric(24,6)	dataware house data
DWF_ACTIVEEQUIPMENTVALUE	Y	NUMBER	numeric(24,6)	dataware house data
DWF_INACTIVEEQUIPMENTVALUE	Y	NUMBER	numeric(24,6)	dataware house data
DWF_VALUEOFISSUES	Y	NUMBER	numeric(24,6)	dataware house data
DWF_VALUEOFRECEIPTS	Y	NUMBER	numeric(24,6)	dataware house data
DWF_STOCKVALUE	Y	NUMBER	numeric(24,6)	dataware house data
DWF_INACTIVESTOCKVALUE	Y	NUMBER	numeric(24,6)	dataware house data
DWF_CREATEDATE	N	DATE	datetime	house keeping info
DWF_CREATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWF_UPDATEDATE	N	DATE	datetime	house keeping info
DWF_UPDATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DWF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DWF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPARTCLASSES

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPC_KEY	N	NUMBER	int	Part class surrogate key
ZPC_CODE	Y	VARCHAR2(8)	nvarchar(8)	Part class code
ZPC_ORGCODE	Y	VARCHAR2(15)	nvarchar(15)	Part class organization code
ZPC_DESC	Y	VARCHAR2(80)	nvarchar(80)	Part class description
ZPC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZPC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPARTS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPA_KEY	N	NUMBER	int	Part surrogate key
ZPA_CODE	Y	VARCHAR2(30)	nvarchar(30)	Part code
ZPA_DESC	Y	VARCHAR2(80)	nvarchar(80)	Part description
ZPA_ORGCODE	Y	VARCHAR2(15)	nvarchar(15)	Part organization
ZPA_ORGDESC	Y	VARCHAR2(80)	nvarchar(80)	Organization description
ZPA_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Part class code
ZPA_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Part class organization code
ZPA_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Part class description
ZPA_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Part category
ZPA_CATEGORYDESC	Y	VARCHAR2(80)	nvarchar(80)	Part category description
ZPA_SAVEHISTORY	Y	VARCHAR2(1)	nvarchar(1)	Part save history
ZPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPARTSDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZAS_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZAS_PARTKEY	N	NUMBER	int	Foreign key to the part dimension
ZAS_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZAS_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency

ZAS_VALUEONHANDDEFCUR	Y	NUMBER	numeric(24,6)	Value on hand (default currency)
ZAS_VALUEONHANDORGCUR	Y	NUMBER	numeric(24,6)	Value on hand (organization currency)
ZAS_VALUETOBEREPAIREDDEFCUR	Y	NUMBER	numeric(24,6)	Value to be repaired (default currency)
ZAS_VALUETOBEREPAIREDORGCUR	Y	NUMBER	numeric(24,6)	Value to be repaired (organization currency)
ZAS_VALUEINTRANSITDEFCUR	Y	NUMBER	numeric(24,6)	Value in transit (default currency)
ZAS_VALUEINTRANSITORGCUR	Y	NUMBER	numeric(24,6)	Value in transit (organization currency)
ZAS_VALUEATSHOPDEFCUR	Y	NUMBER	numeric(24,6)	Value at shop (default currency)
ZAS_VALUEATSHOPORGCUR	Y	NUMBER	numeric(24,6)	Value at shop (organization currency)
ZAS_VALUEATSUPPLIERDEFCUR	Y	NUMBER	numeric(24,6)	Value at supplier (default currency)
ZAS_VALUEATSUPPLIERORGCUR	Y	NUMBER	numeric(24,6)	Value at supplier (organization currency)
ZAS_QUANTITYONHAND	Y	NUMBER	numeric(24,6)	Quantity on hand
ZAS_QUANTITYTOBEREPAIRED	Y	NUMBER	numeric(24,6)	Quantity to be repaired
ZAS_QUANTITYINTRANSIT	Y	NUMBER	numeric(24,6)	Quantity in transit
ZAS_QUANTITYATSHOP	Y	NUMBER	numeric(24,6)	Quantity at shop
ZAS_QUANTITYATSUPPLIER	Y	NUMBER	numeric(24,6)	Quantity at supplier
ZAS_QUANTITYORDERED	Y	NUMBER	numeric(24,6)	Quantity ordered
ZAS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZAS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPARTSTRANSDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPT_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZPT_PARTKEY	N	NUMBER	int	Foreign key to the parts dimension
ZPT_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZPT_SUPPLIERKEY	N	NUMBER	int	Foreign key to the suppliers dimension
ZPT_POKEY	N	NUMBER	int	Foreign key to the purchase orders dimension
ZPT_ORDERLINETYPEKEY	N	NUMBER	int	Foreign key to the order line types dimension
ZPT_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZPT_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZPT_QUANTITYISSUED	Y	NUMBER	numeric(24,6)	Quantity issued
ZPT_QUANTITYRECEIVED	Y	NUMBER	numeric(24,6)	Quantity received
ZPT_QUANTITYRETURNED	Y	NUMBER	numeric(24,6)	Quantity returned
ZPT_QUANTITYORDERED	Y	NUMBER	numeric(24,6)	Quantity ordered
ZPT_QUANTITYBACKORDERED	Y	NUMBER	numeric(24,6)	Quantity back ordered
ZPT_VALUEISSUEDDEFCUR	Y	NUMBER	numeric(24,6)	Value issued(default currency)
ZPT_VALUEISSUEDORGCUR	Y	NUMBER	numeric(24,6)	Value issued (organization currency)
ZPT_VALUERECEIVEDDEFCUR	Y	NUMBER	numeric(24,6)	Value received (default currency)
ZPT_VALUERECEIVEDORGCUR	Y	NUMBER	numeric(24,6)	Value received (organization currency)
ZPT_VALUERETURNEDDEFCUR	Y	NUMBER	numeric(24,6)	Value returned (default currency)
ZPT_VALUERETURNEDORGCUR	Y	NUMBER	numeric(24,6)	Value returned (organization currency)
ZPT_VALUEORDEREDDEFCUR	Y	NUMBER	numeric(24,6)	Value ordered (default currency)
ZPT_VALUEORDEREDORGCUR	Y	NUMBER	numeric(24,6)	Value ordered (organization currency)
ZPT_VALUEBACKORDEREDDEFCUR	Y	NUMBER	numeric(24,6)	Value back ordered (default currency)
ZPT_VALUEBACKORDEREDORGCUR	Y	NUMBER	numeric(24,6)	Value back ordered (organization currency)
ZPT_DAYSASTDUE	Y	NUMBER	int	Days past due
ZPT_DAYSBEFOREDUE	Y	NUMBER	int	Days before due
ZPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPERSONNEL

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPE_KEY	N	NUMBER	int	Personnel surrogate key
ZPE_CODE	Y	VARCHAR2(15)	nvarchar(15)	Personnel code
ZPE_NAME	Y	VARCHAR2(80)	nvarchar(80)	Personnel description

ZPE_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Personnel class code
ZPE_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Personnel class organization
ZPE_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Personnel class description
ZPE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZPE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPOACCUMSNAP	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPS_DATECREATEDKEY	N	NUMBER	int	Foreign key to the purchase order creation dates dimension
ZPS_DATEDUEKEY	N	NUMBER	int	Foreign key to the purchase order due dates dimension
ZPS_DATEAPPROVEDKEY	N	NUMBER	int	Foreign key to the purchase order approval dates dimension
ZPS_POKEY	N	NUMBER	int	Foreign key to the purchase order dimension
ZPS_ORGKEY	N	NUMBER	int	Foreign key to the organization dimension
ZPS_SUPPLIERKEY	N	NUMBER	int	Foreign key to the suppliers dimension
ZPS_STOREKEY	N	NUMBER	int	Foreign key to the stores dimension
ZPS_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZPS_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZPS_ORDEREDMATLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	PO ordered materials cost (default currency)
ZPS_ORDEREDMATLCOSTORGCUR	Y	NUMBER	numeric(24,6)	PO ordered materials cost (organization currency)
ZPS_RECEIVEDMATLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	PO received materials cost (default currency)
ZPS_RECEIVEDMATLCOSTORGCUR	Y	NUMBER	numeric(24,6)	PO received materials cost (organization currency)
ZPS_RETURNEDMATLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	PO returned materials cost (default currency)
ZPS_RETURNEDMATLCOSTORGCUR	Y	NUMBER	numeric(24,6)	PO returned materials cost (organization currency)
ZPS_ORDEREDLABORCOSTDEFCUR	Y	NUMBER	numeric(24,6)	PO ordered labor cost (default currency)
ZPS_ORDEREDLABORCOSTORGCUR	Y	NUMBER	numeric(24,6)	PO ordered labor cost (organization currency)
ZPS_RECEIVEDLABORCOSTDEFCUR	Y	NUMBER	numeric(24,6)	PO received labor cost (default currency)
ZPS_RECEIVEDLABORCOSTORGCUR	Y	NUMBER	numeric(24,6)	PO received labor cost (organization currency)
ZPS_CREATIONTOAPPROVALLAG	Y	NUMBER	numeric(9,2)	PO creation to approval lag time (days)
ZPS_CREATIONTODUELAG	Y	NUMBER	numeric(9,2)	PO creation to due date lag time (days)
ZPS_APPROVALTODUELAG	Y	NUMBER	numeric(9,2)	PO approval to due date lag time (days)
ZPS_TOTALPOLINES	Y	NUMBER(10,0)	numeric(10,0)	Ordered line items
ZPS_TOTALEXTRACOSTDEFCUR	Y	NUMBER(10,4)	numeric(10,4)	PO total extra cost (default currency)
ZPS_TOTALEXTRACOSTORGCUR	Y	NUMBER(10,4)	numeric(10,4)	PO total extra cost (organization currency)
ZPS_DATERECEIVEDKEY	N	NUMBER	int	Foreign key to the purchase order receipt dates dimension
ZPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWPOLINESDAILYSNAP	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPL_DATEKEY	N	NUMBER(18,0)	int	Foreign key to dates dimension
ZPL_ORGKEY	N	NUMBER(18,0)	int	Foreign key to the organization dimension
ZPL_POKEY	N	NUMBER(18,0)	int	Foreign key to the purchase order dimension
ZPL_PARTCLASSKEY	N	NUMBER(18,0)	int	Foreign key to the part classes dimension
ZPL_SUPPLIERKEY	N	NUMBER(18,0)	int	Foreign key to the suppliers dimension
ZPL_STOREKEY	N	NUMBER(18,0)	int	Foreign key to the stores dimension
ZPL_QUANTITYORDERED	Y	NUMBER(24,6)	numeric(24,6)	PO line quantity ordered
ZPL_QUANTITYRECEIVED	Y	NUMBER(24,6)	numeric(24,6)	PO line quantity received
ZPL_QUANTITYLESS	Y	NUMBER(24,6)	numeric(24,6)	PO line quantity ordered not received
ZPL_QUANTITYEXCESS	Y	NUMBER(24,6)	numeric(24,6)	PO line excess quantity received
ZPL_QUANTITYSCRAPPED	Y	NUMBER(24,6)	numeric(24,6)	PO line quantity scrapped
ZPL_QUANTITYGOOD	Y	NUMBER(24,6)	numeric(24,6)	PO line quantity in good condition
ZPL_DAYS�ATE	Y	NUMBER(18,0)	numeric(18,0)	Delivery days late for part class
ZPL_DAYSÊARLY	Y	NUMBER(18,0)	numeric(18,0)	Delivery days early for part class
ZPL_LEADTIME	Y	NUMBER(18,0)	numeric(18,0)	Delivery lead time

ZPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
R5DWPURCHASEORDERKEYS	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KPO_CODE	N	VARCHAR2(30)	nvarchar(30)	Purchase order code
KPO_ORGCODE	N	VARCHAR2(15)	nvarchar(15)	Purchase order organization code
KPO_KEY	N	NUMBER	int	Purchase order surrogate key
KPO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KPO_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DWPURCHASEORDERS	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZPO_KEY	N	NUMBER	int	Purchase order surrogate key
ZPO_CODE	Y	VARCHAR2(30)	nvarchar(30)	Purchase order code
ZPO_DESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order description
ZPO_ORGCODE	Y	VARCHAR2(15)	nvarchar(15)	Purchase order organization code
ZPO_ORGDESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order organization description
ZPO_TYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Purchase order type code
ZPO_TYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order type description
ZPO_STATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Purchase order status code
ZPO_STATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order status description
ZPO_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Purchase order class code
ZPO_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Purchase order class organization code
ZPO_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order class description
ZPO_RTTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Purchase order system type code
ZPO_RTTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order system type description
ZPO_RSTATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Purchase order system status code
ZPO_RSTATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Purchase order system status description
ZPO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZPO_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DWRUNCTRL	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DWC_RUNCTRLKEY	N	NUMBER(38,0)	numeric(38,0)	table key
DWC_RUNCTRLINTERVAL	Y	NUMBER(38,0)	numeric(38,0)	how many days of data to load
DWC_RUNCTRLTOP	N	VARCHAR2(1)	nvarchar(1)	what dw load is to do
DWC_PURGEBEGDATE	Y	DATE	datetime	dw purge start date
DWC_PURGEENDDATE	Y	DATE	datetime	dw purge end date
DWC_CREATEDATE	N	DATE	datetime	house keeping info
DWC_CREATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWC_UPDATEDATE	N	DATE	datetime	house keeping info
DWC_UPDATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DWC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5DWRUNLOG	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DWL_RUNLOGKEY	N	NUMBER(38,0)	numeric(38,0)	the table key
DWL_RUNLOGVALUE	N	VARCHAR2(4000)	varchar(4000)	string containing log info
DWL_RUNLOGDATE	N	DATE	datetime	when the dw load was run
DWL_CREATEDATE	N	DATE	datetime	house keeping info
DWL_CREATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWL_UPDATEDATE	N	DATE	datetime	house keeping info

DWL_UPDATEUSER	N	VARCHAR2(255)	nvarchar(255)	house keeping info
DWL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DWL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DWL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSERVICEREQUESTKEYS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KSR_CODE	N	VARCHAR2(30)	nvarchar(30)	Service request code
KSR_KEY	N	NUMBER	int	Service request surrogate key
KSR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KSR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSERVICEREQUESTS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZSR_KEY	N	NUMBER	int	Service request surrogate key
ZSR_CODE	Y	VARCHAR2(30)	nvarchar(30)	Service request code
ZSR_DESC	Y	VARCHAR2(80)	nvarchar(80)	Service request description
ZSR_TYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Service request type code
ZSR_TYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request type description
ZSR_STATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Service request status code
ZSR_STATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request status description
ZSR_CUSTOMERCODE	Y	VARCHAR2(30)	nvarchar(30)	Service request customer code
ZSR_CUSTOMERDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request customer description
ZSR_CUSTOMERTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Service request customer type code
ZSR_CUSTOMERTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request customer type description
ZSR_CALLERNAME	Y	VARCHAR2(80)	nvarchar(80)	Service request caller name
ZSR_PROPERTY	Y	VARCHAR2(30)	nvarchar(30)	Service request property
ZSR_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	Service request building
ZSR_FLOORROOM	Y	VARCHAR2(30)	nvarchar(30)	Service request floor/room
ZSR_OBJECTCODE	Y	VARCHAR2(30)	nvarchar(30)	Service request object code
ZSR_OBJECTORG	Y	VARCHAR2(15)	nvarchar(15)	Service request object organization code
ZSR_OBJECTDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request object description
ZSR_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Service request priority
ZSR_ASSIGNEDTOCODE	Y	VARCHAR2(15)	nvarchar(15)	Service request assigned-to code
ZSR_ASSIGNEDTONAME	Y	VARCHAR2(80)	nvarchar(80)	Service request assigned-to name
ZSR_ENTEREDBYCODE	Y	VARCHAR2(255)	nvarchar(255)	Service request entered-by code
ZSR_ENTEREDBYNAME	Y	VARCHAR2(80)	nvarchar(80)	Service request entered-by name
ZSR_INFORMATIONTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Service request information type code
ZSR_INFORMATIONTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request information type description
ZSR_DUPLICATEPARENTCODE	Y	VARCHAR2(30)	nvarchar(30)	Service request duplicate parent code
ZSR_REPLICATEPARENTCODE	Y	VARCHAR2(30)	nvarchar(30)	Service request replicate parent code
ZSR_RTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Service request system type code
ZSR_RTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request system type description
ZSR_RSTATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Service request system status code
ZSR_RSTATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request system status description
ZSR_RINFORMATIONTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Service request system information type code
ZSR_RINFORMATIONTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request system information type description
ZSR_RCUSTOMERTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Service request system customer type code
ZSR_RCUSTOMERTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Service request system customer type description
ZSR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZSR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSTATUSDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

ZSC_DATEKEY	N	NUMBER(38,0)	int	Foreign key to the dates dimension
ZSC_ORGKEY	N	NUMBER(38,0)	int	Foreign key to the organizations dimension
ZSC_MRCKEY	N	NUMBER(38,0)	int	Foreign key to the MRCs dimension
ZSC_ENTITYKEY	N	NUMBER(38,0)	numeric(38,0)	Foreign key to the entities dimension
ZSC_FROMSTATUSKEY	N	NUMBER(38,0)	numeric(38,0)	Foreign key to the from-status dimension
ZSC_TOSTATUSKEY	N	NUMBER(38,0)	numeric(38,0)	Foreign key to the to-status dimension
ZSC_FROMSTATUSTIME	Y	DATE	datetime	From-status timestamp
ZSC_TOSTATUSTIME	Y	DATE	datetime	To-status timestamp
ZSC_TIMEINTERVAL	Y	NUMBER(10,4)	numeric(10,4)	Time between From-status and To-status
ZSC_STATUSDIRECTION	Y	VARCHAR2(1)	nvarchar(1)	Status direction
ZSC_CUMULATIVETIME	Y	NUMBER(10,4)	numeric(10,4)	Cumulative time between statuses
ZSC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSTATUSES

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZST_KEY	N	NUMBER(38,0)	numeric(38,0)	Status surrogate key
ZST_CODE	Y	VARCHAR2(8)	nvarchar(8)	Status code
ZST_DESC	Y	VARCHAR2(80)	nvarchar(80)	Status description
ZST_RCODE	Y	VARCHAR2(8)	nvarchar(8)	Status system code
ZST_RDESC	Y	VARCHAR2(80)	nvarchar(80)	Status system description
ZST_ATTRB	Y	VARCHAR2(45)	nvarchar(45)	Status attribute
ZST_STATUSENTITY	Y	VARCHAR2(4)	nvarchar(4)	Status entity code
ZST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSTORES

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZSO_KEY	N	NUMBER	int	Store surrogate key
ZSO_CODE	Y	VARCHAR2(15)	nvarchar(15)	Store code
ZSO_DESC	Y	VARCHAR2(80)	nvarchar(80)	Store description
ZSO_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Store class code
ZSO_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Store class organization code
ZSO_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Store class description
ZSO_LOCATIONCODE	Y	VARCHAR2(30)	nvarchar(30)	Store location code
ZSO_LOCATIONORG	Y	VARCHAR2(15)	nvarchar(15)	Store location organization code
ZSO_LOCATIONDESC	Y	VARCHAR2(80)	nvarchar(80)	Store location description
ZSO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZSO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSTORESDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZSS_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZSS_STOREKEY	N	NUMBER	int	Foreign key to the stores dimension
ZSS_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZSS_PARTCLASSKEY	N	NUMBER	int	Foreign key to the part classes dimension
ZSS_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZSS_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZSS_VALUEONHANDDEFCUR	Y	NUMBER	numeric(24,6)	Value on hand (default currency)
ZSS_VALUEONHANDORGCUR	Y	NUMBER	numeric(24,6)	Value on hand (organization currency)
ZSS_VALUETOBEREPAIREDDEFCUR	Y	NUMBER	numeric(24,6)	Value to be repaired (default currency)
ZSS_VALUETOBEREPAIREDORGCUR	Y	NUMBER	numeric(24,6)	Value to be repaired (organization currency)
ZSS_VALUEINTRANSITDEFCUR	Y	NUMBER	numeric(24,6)	Value in transit (default currency)
ZSS_VALUEINTRANSITORGCUR	Y	NUMBER	numeric(24,6)	Value in transit (organization currency)

ZSS_VALUEATSHOPDEFCUR	Y	NUMBER	numeric(24,6)	Value at shop (default currency)
ZSS_VALUEATSHOPORGCUR	Y	NUMBER	numeric(24,6)	Value at shop (organization currency)
ZSS_VALUEATSUPPLIERDEFCUR	Y	NUMBER	numeric(24,6)	Value at supplier (default currency)
ZSS_VALUEATSUPPLIERORGCUR	Y	NUMBER	numeric(24,6)	Value at supplier (organization currency)
ZSS_VALUEISSUEDWODEFCUR	Y	NUMBER	numeric(24,6)	Value issued to WO (default currency)
ZSS_VALUEISSUEDWOORGCUR	Y	NUMBER	numeric(24,6)	Value issued to WO (organization currency)
ZSS_VALUERETNWODEFCUR	Y	NUMBER	numeric(24,6)	Value returned to WO (default currency)
ZSS_VALUERETNWOORGCUR	Y	NUMBER	numeric(24,6)	Value returned to WO (organization currency)
ZSS_VALUERECVSUPPLIERDEFCUR	Y	NUMBER	numeric(24,6)	Value received from supplier (default currency)
ZSS_VALUERECVSUPPLIERORGCUR	Y	NUMBER	numeric(24,6)	Value received from supplier (organization currency)
ZSS_VALUERETNSUPPLIERDEFCUR	Y	NUMBER	numeric(24,6)	Value returned to supplier (default currency)
ZSS_VALUERETNSUPPLIERORGCUR	Y	NUMBER	numeric(24,6)	Value returned to supplier (organization currency)
ZSS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSUPPLIERKEYS	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KSU_CODE	N	VARCHAR2(30)	nvarchar(30)	Supplier code
KSU_ORGCODE	N	VARCHAR2(15)	nvarchar(15)	Supplier organization code
KSU_KEY	N	NUMBER	int	Supplier surrogate key
KSU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KSU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWSUPPLIERS	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZSU_KEY	N	NUMBER	int	Supplier surrogate key
ZSU_CODE	Y	VARCHAR2(30)	nvarchar(30)	Supplier code
ZSU_DESC	Y	VARCHAR2(80)	nvarchar(80)	Supplier description
ZSU_ORGCODE	Y	VARCHAR2(15)	nvarchar(15)	Supplier organization code
ZSU_ORGDESC	Y	VARCHAR2(80)	nvarchar(80)	Supplier organization description
ZSU_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Supplier class code
ZSU_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Supplier class organization code
ZSU_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Supplier class description
ZSU_BUYERCODE	Y	VARCHAR2(255)	nvarchar(255)	Supplier buyer code
ZSU_BUYERNAME	Y	VARCHAR2(80)	nvarchar(80)	Supplier buyer name
ZSU_PARENTCODE	Y	VARCHAR2(30)	nvarchar(30)	Supplier parent code
ZSU_PARENTORG	Y	VARCHAR2(15)	nvarchar(15)	Supplier parent organization code
ZSU_PARENTDESC	Y	VARCHAR2(80)	nvarchar(80)	Supplier parent description
ZSU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZSU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWTMPBUDGETDETAILITEMS	DATAWAREHOUSE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZBI_CODE	Y	VARCHAR2(30)		Budget code
ZBI_START	Y	DATE		Period start date
ZBI_END	Y	DATE		Period end date
ZBI_BUDGET	Y	VARCHAR2(17)		Budget id
ZBI_YEAR	Y	VARCHAR2(8)		Budget year
ZBI_PERIOD	Y	VARCHAR2(4)		Budget period
ZBI_USESOBJECT	Y	NUMBER(1,0)		Non-null if the budget structure uses objects
ZBI_OBJECT	Y	VARCHAR2(30)		Budget object
ZBI_OBJECT_ORG	Y	VARCHAR2(15)		Budget object organization
ZBI_OBJECTGR	Y	VARCHAR2(5)		Budget object group
ZBI_USESLOCATION	Y	NUMBER(1,0)		Non-null if the budget structure uses locations

ZBI_LOCATION	Y	VARCHAR2(30)	Budget location
ZBI_LOCATION_ORG	Y	VARCHAR2(15)	Budget location organization
ZBI_LOCATIONGR	Y	VARCHAR2(5)	Budget location group
ZBI_USESJOBTYPE	Y	NUMBER(1,0)	Non-null if the budget structure uses job types
ZBI_JOBTYPE	Y	VARCHAR2(8)	Budget job type
ZBI_JOBTYPEGR	Y	VARCHAR2(5)	Budget job type group
ZBI_USESMRC	Y	NUMBER(1,0)	Non-null if the budget structure uses mrcs
ZBI_MRC	Y	VARCHAR2(15)	Budget mrc
ZBI_MRCGR	Y	VARCHAR2(5)	Budget mrc group
ZBI_COSTTYPE	Y	VARCHAR2(4)	Budget cost type
ZBI_COSTTYPEGR	Y	VARCHAR2(5)	Budget cost type group

R5DWTMPINVENTORYTURNS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTI_DATEKEY	N	NUMBER	int	Foreign key to the date dimension
ZTI_STOREKEY	N	NUMBER	int	Foreign key to the stores dimension
ZTI_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZTI_PARTCLASSKEY	N	NUMBER	int	Foreign key to the part classes dimension
ZTI_VALUEISSUEDWO	Y	NUMBER	numeric(24,6)	Value issued to WO (organization currency)
ZTI_VALUERETNWO	Y	NUMBER	numeric(24,6)	Value returned from WO (organization currency)
ZTI_VALUERECVSUPPLIER	Y	NUMBER	numeric(24,6)	Value received from supplier (organization currency)
ZTI_VALUERETNSUPPLIER	Y	NUMBER	numeric(24,6)	Value returned to supplier (organization currency)
ZTI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5DWTMPLOCATIONS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTL_ELEMENT	N	VARCHAR2(30)		Child location
ZTL_ELEMENT_ORG	N	VARCHAR2(15)		Child location organization
ZTL_STRUCTURE	N	VARCHAR2(30)		Budget structure location
ZTL_STRUCTURE_ORG	N	VARCHAR2(15)		Budget structure location organization

R5DWTMPOBJECTS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTO_ELEMENT	N	VARCHAR2(30)		Child object
ZTO_ELEMENT_ORG	N	VARCHAR2(15)		Child object organization
ZTO_STRUCTURE	N	VARCHAR2(30)		Budget structure object
ZTO_STRUCTURE_ORG	N	VARCHAR2(15)		Budget structure object organization

R5DWTMPPARTS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTP_PART	N	VARCHAR2(30)	nvarchar(30)	Part code
ZTP_PARTORG	N	VARCHAR2(15)	nvarchar(15)	Organization of part
ZTP_STORE	N	VARCHAR2(15)	nvarchar(15)	Store
ZTP_STOREORG	N	VARCHAR2(15)	nvarchar(15)	Organization of store
ZTP_PARTCLASS	Y	VARCHAR2(8)	nvarchar(8)	Class of part
ZTP_PARTCLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Organization of class of part
ZTP_QTYONHAND	Y	NUMBER	numeric(24,6)	Quantity on hand
ZTP_QTYTOREPAIR	Y	NUMBER	numeric(24,6)	Quantity to repair
ZTP_QTYINTRANSIT	Y	NUMBER	numeric(24,6)	Quantity in transit
ZTP_QTYTOREPAIRINTRANSIT	Y	NUMBER	numeric(24,6)	Quantity to repair in transit
ZTP_QTYATSHOP	Y	NUMBER	numeric(24,6)	Quantity at shop
ZTP_QTYATSUPPLIER	Y	NUMBER	numeric(24,6)	Quantity at supplier
ZTP_PRICE	Y	NUMBER	numeric(24,6)	Price
ZTP_COREVALUE	Y	NUMBER	numeric(24,6)	Core price of the repairable part.

ZTP_SAVEPARTHISTORY	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether the part should be added to the Part dimension and to the Parts Daily Snapshot dimension.
ZTP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZTP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWTMPSTORESDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTS_STOREKEY	N	NUMBER	int	Foreign key to the stores dimension
ZTS_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZTS_PARTCLASSKEY	N	NUMBER	int	Foreign key to the part classes dimension
ZTS_ORGCUR	Y	VARCHAR2(3)	nvarchar(3)	Organization currency
ZTS_VALUEONHAND	Y	NUMBER	numeric(24,6)	Value on hand
ZTS_VALUETOBEREPAIRED	Y	NUMBER	numeric(24,6)	Value to be repaired
ZTS_VALUEINTRANSIT	Y	NUMBER	numeric(24,6)	Value in transit
ZTS_VALUEATSHOP	Y	NUMBER	numeric(24,6)	Value at shop
ZTS_VALUEATSUPPLIER	Y	NUMBER	numeric(24,6)	Value at supplier
ZTS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZTS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWTMPWOCOSTS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTC_KEY	Y	NUMBER		Surrogate key
ZTC_DATE	Y	DATE		Work order date
ZTC_BUDCODE	Y	VARCHAR2(30)		Work order budget code
ZTC_BUDGET	Y	VARCHAR2(17)		Work order budget id
ZTC_YEAR	Y	VARCHAR2(8)		Work order year
ZTC_PERIOD	Y	VARCHAR2(4)		Work order period
ZTC_WOCODE	Y	VARCHAR2(30)		Work order code
ZTC_WOORG	Y	VARCHAR2(15)		Work order organization
ZTC_WOOBJECT	Y	VARCHAR2(30)		Work order object code
ZTC_WOOBJECTORG	Y	VARCHAR2(15)		Work order object organization
ZTC_BUDOBJECT	Y	VARCHAR2(30)		Work order budget object
ZTC_BUDOBJECTORG	Y	VARCHAR2(15)		Work order budget object organization
ZTC_WOLOCATION	Y	VARCHAR2(30)		Work order location
ZTC_WOLOCATIONORG	Y	VARCHAR2(15)		Work order location organization
ZTC_BUDLOCATION	Y	VARCHAR2(30)		Work order budget location
ZTC_BUDLOCATIONORG	Y	VARCHAR2(15)		Work order budget location organization
ZTC_MRC	Y	VARCHAR2(15)		Work order MRC code
ZTC_JOBTYPE	Y	VARCHAR2(8)		Work order job type
ZTC_COSTTYPE	Y	VARCHAR2(4)		Work order cost type
ZTC_DEFCUR	Y	VARCHAR2(4)		Default currency
ZTC_ORGCUR	Y	VARCHAR2(4)		Organization currency
ZTC_OWNLABCOSTORGCUR	Y	NUMBER		Work order own labor cost (organization currency)
ZTC_OWNLABCOSTDEFCUR	Y	NUMBER		Work order own labor cost (default currency)
ZTC_HIREDLABCOSTORGCUR	Y	NUMBER		Work order hired labor cost (organization currency)
ZTC_HIREDLABCOSTDEFCUR	Y	NUMBER		Work order hired labor cost (default currency)
ZTC_FIXEDLABCOSTORGCUR	Y	NUMBER		Work order fixed labor cost (organization currency)
ZTC_FIXEDLABCOSTDEFCUR	Y	NUMBER		Work order fixed labor cost (default currency)
ZTC_STOCKMATCOSTORGCUR	Y	NUMBER		Work order stock material cost (organization currency)
ZTC_STOCKMATCOSTDEFCUR	Y	NUMBER		Work order stock material cost (default currency)
ZTC_DIRMATCOSTORGCUR	Y	NUMBER		Work order direct material cost (organization currency)
ZTC_DIRMATCOSTDEFCUR	Y	NUMBER		Work order direct material cost (default currency)
ZTC_TOOLCOSTORGCUR	Y	NUMBER		Work order tool cost (organization currency)
ZTC_TOOLCOSTDEFCUR	Y	NUMBER		Work order tool cost (default currency)

R5DWTRADES				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZTR_KEY	N	NUMBER	int	Trade surrogate key
ZTR_CODE	Y	VARCHAR2(15)	nvarchar(15)	Trade code
ZTR_DESC	Y	VARCHAR2(80)	nvarchar(80)	Trade description
ZTR_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Trade class code
ZTR_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Trade class organization
ZTR_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Trade class description
ZTR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZTR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWUOMS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZUM_KEY	N	NUMBER(38,0)	int	UOM surrogate key
ZUM_CODE	Y	VARCHAR2(30)	nvarchar(30)	UOM code
ZUM_DESC	Y	VARCHAR2(80)	nvarchar(80)	UOM description
ZUM_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	UOM class code
ZUM_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	UOM class organization
ZUM_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	UOM class description
ZUM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZUM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWWARCLAIMSACCUMSNAP				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZCS_DATEREPORTEDKEY	N	NUMBER	int	Foreign key to the warranty claim reported dates dimension
ZCS_DATEFILEDKEY	N	NUMBER	int	Foreign key to the warranty claim filed dates dimension
ZCS_DATERESOLVEDKEY	N	NUMBER	int	Foreign key to the warranty claim resolved dates dimension
ZCS_CLAIMKEY	N	NUMBER	int	Foreign key to the warranty claims dimension
ZCS_OBJECTKEY	N	NUMBER	int	Foreign key to the objects dimension
ZCS_SUPPLIERKEY	N	NUMBER	int	Foreign key to the suppliers dimension
ZCS_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZCS_MRCKEY	N	NUMBER	int	Foreign key to the MRCs dimension
ZCS_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZCS_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZCS_CLAIMAMOUNTDEFCUR	Y	NUMBER	numeric(24,6)	Warranty claim amount (default currency)
ZCS_CLAIMAMOUNTORGCUR	Y	NUMBER	numeric(24,6)	Warranty claim amount (organization currency)
ZCS_CLOSEAMOUNTDEFCUR	Y	NUMBER	numeric(24,6)	Warranty close amount (default currency)
ZCS_CLOSEAMOUNTORGCUR	Y	NUMBER	numeric(24,6)	Warranty close amount (organization currency)
ZCS_RPTTOFILEDLAG	Y	NUMBER	numeric(5,2)	Warranty claim reported to filed lag time
ZCS_RPTTORESOLVEDLAG	Y	NUMBER	numeric(5,2)	Warranty claim reported to resolved lag time
ZCS_FILEDTORESOLVEDLAG	Y	NUMBER	numeric(5,2)	Warranty claim filed to resolved lag time
ZCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWWARRANTYCLAIMS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZWC_KEY	N	NUMBER	int	Warranty claim surrogate key
ZWC_CODE	Y	VARCHAR2(30)	nvarchar(30)	Warranty claim code
ZWC_DESC	Y	VARCHAR2(80)	nvarchar(80)	Warranty claim description
ZWC_WARRANTYCODE	Y	VARCHAR2(30)	nvarchar(30)	Warranty claim warranty code
ZWC_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Warranty claim class code
ZWC_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Warranty claim class organization code
ZWC_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Warranty claim class description
ZWC_OPEN	Y	VARCHAR2(1)	nvarchar(1)	Warranty claim open flag (+/-)

ZWC_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Warranty claim status code
ZWC_STATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Warranty claim status description
ZWC_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Warranty claim system status code
ZWC_RSTATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Warranty claim system status description
ZWC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWWOACCMSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZWS_WODATECREATEDKEY	N	NUMBER	int	Foreign key to the work order creation dates dimension
ZWS_SRDATEREQUESTEDKEY	N	NUMBER	int	Foreign key to the work order creation dates dimension
ZWS_SCHEDSTARTDATEKEY	N	NUMBER	int	Foreign key to the work order scheduled start dates dimension
ZWS_SCHEDCOMPDATEKEY	N	NUMBER	int	Foreign key to the work order scheduled completion dates dimension
ZWS_ACTUALSTARTDATEKEY	N	NUMBER	int	Foreign key to the work order actual start dates dimension
ZWS_ACTUALCOMPDATEKEY	N	NUMBER	int	Foreign key to the work order actual completion dates dimension
ZWS_WOKEY	N	NUMBER	int	Foreign key to the work orders dimension
ZWS_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZWS_MRCKEY	N	NUMBER	int	Foreign key to the MRCs dimension
ZWS_OBJECTKEY	N	NUMBER	int	Foreign key to the objects dimension
ZWS_SRKEY	N	NUMBER	int	Foreign key to the service requests dimension
ZWS_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZWS_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZWS_SRRESPONSETIME	Y	NUMBER	numeric(8,0)	Service request response time (mins)
ZWS_SRESTCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Service request estimated cost (default currency)
ZWS_SRESTCOSTORGCUR	Y	NUMBER	numeric(24,6)	Service request estimated cost (organization currency)
ZWS_ESTMATLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Estimated material cost (default currency)
ZWS_ESTMATLCOSTORGCUR	Y	NUMBER	numeric(24,6)	Estimated material cost (organization currency)
ZWS_ACTMATLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Work order actual material cost (default currency)
ZWS_ACTMATLCOSTORGCUR	Y	NUMBER	numeric(24,6)	Work order actual material cost (organization currency)
ZWS_ESTLABORCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Work order estimated labor cost (default currency)
ZWS_ESTLABORCOSTORGCUR	Y	NUMBER	numeric(24,6)	Work order estimated labor cost (organization currency)
ZWS_ACTLABORCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Work order actual labor cost (default currency)
ZWS_ACTLABORCOSTORGCUR	Y	NUMBER	numeric(24,6)	Work order actual labor cost (organization currency)
ZWS_ESTLABORHOURS	Y	NUMBER	numeric(24,6)	Work order estimated labor hours
ZWS_ACTLABORHOURS	Y	NUMBER	numeric(24,6)	Work order actual labor hours
ZWS_DOWNTIME	Y	NUMBER	numeric(24,2)	Work order object downtime
ZWS_SCHEDDURATION	Y	NUMBER	numeric(8,0)	Work order scheduled duration
ZWS_ACTDURATION	Y	NUMBER	numeric(8,0)	Work order actual duration
ZWS_WOCREATETOSCHEDSTARTLAG	Y	NUMBER	numeric(24,2)	Work order created to scheduled start lag time
ZWS_WOCREATETOACTSTARTLAG	Y	NUMBER	numeric(24,2)	Work order created to actual start lag time
ZWS_WOCREATETOACTCOMPLAG	Y	NUMBER	numeric(24,2)	Work order created to completion start lag time
ZWS_DOWNTIMECOSTDEFCUR	Y	NUMBER(10,4)	numeric(10,4)	Work order downtime cost (default currency)
ZWS_DOWNTIMECOSTORGCUR	Y	NUMBER(10,4)	numeric(10,4)	Work order downtime cost (organization currency)
ZWS_SCHEDULEDHOURS	Y	NUMBER	numeric(24,6)	Scheduled Labor Hours
ZWS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZWS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWWOCOSTDAILYSNAP

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZWT_DATEKEY	N	NUMBER	int	Foreign key to the dates dimension
ZWT_WOKEY	N	NUMBER	int	Foreign key to the work orders dimension
ZWT_BUDGETKEY	N	NUMBER	int	Foreign key to the budgets dimension
ZWT_ORGKEY	N	NUMBER	int	Foreign key to the organizations dimension
ZWT_MRCKEY	N	NUMBER	int	Foreign key to the MRCs dimension

ZWT_OBJECTKEY	N	NUMBER	int	Foreign key to the objects dimension
ZWT_ORGCUR	Y	VARCHAR2(4)	nvarchar(4)	Organization currency
ZWT_DEFCUR	Y	VARCHAR2(4)	nvarchar(4)	Default currency
ZWT_OWNLABCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Own labor cost (default currency)
ZWT_OWNLABCOSTORGCUR	Y	NUMBER	numeric(24,6)	Own labor cost (organization currency)
ZWT_HIREDLABCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Hired labor cost (default currency)
ZWT_HIREDLABCOSTORGCUR	Y	NUMBER	numeric(24,6)	Hired labor cost (organization currency)
ZWT_FIXEDLABCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Fixed price labor cost (default currency)
ZWT_FIXEDLABCOSTORGCUR	Y	NUMBER	numeric(24,6)	Fixed price labor cost (organization currency)
ZWT_STOCKMATCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Stock material cost (default currency)
ZWT_STOCKMATCOSTORGCUR	Y	NUMBER	numeric(24,6)	Stock material cost (organization currency)
ZWT_DIRMATCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Direct material cost (default currency)
ZWT_DIRMATCOSTORGCUR	Y	NUMBER	numeric(24,6)	Direct material cost (organization currency)
ZWT_TOOLCOSTDEFCUR	Y	NUMBER	numeric(24,6)	Tool usage cost (default currency)
ZWT_TOOLCOSTORGCUR	Y	NUMBER	numeric(24,6)	Tool usage cost (organization currency)
ZWT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZWT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWORKORDERKEYS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KWO_CODE	N	VARCHAR2(30)	nvarchar(30)	Work order code
KWO_KEY	N	NUMBER	int	Work order surrogate key
KWO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KWO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5DWORKORDERS

DATAWAREHOUSE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ZWO_KEY	N	NUMBER	int	Work order surrogate key
ZWO_CODE	Y	VARCHAR2(30)	nvarchar(30)	Work order code
ZWO_DESC	Y	VARCHAR2(80)	nvarchar(80)	Work order description
ZWO_TYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Work order type code
ZWO_TYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order type description
ZWO_JOBTYPECODE	Y	VARCHAR2(8)	nvarchar(8)	Work order job type code
ZWO_JOBTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order job type description
ZWO_CLASSCODE	Y	VARCHAR2(8)	nvarchar(8)	Work order class code
ZWO_CLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Work order class organization code
ZWO_CLASSDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order class description
ZWO_STATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Work order status code
ZWO_STATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order status description
ZWO_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Work order cost code
ZWO_COSTCODEDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order cost code description
ZWO_LOCATIONCODE	Y	VARCHAR2(30)	nvarchar(30)	Work order location code
ZWO_LOCATIONORG	Y	VARCHAR2(15)	nvarchar(15)	Work order location organization code
ZWO_LOCATIONDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order location description
ZWO_PROJECTCODE	Y	VARCHAR2(20)	nvarchar(20)	Work order project code
ZWO_PROJECTDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order project description
ZWO_PROJBUDGETCODE	Y	VARCHAR2(20)	nvarchar(20)	Work order project budget code
ZWO_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Work order priority
ZWO_SHIFTCODE	Y	VARCHAR2(4)	nvarchar(4)	Work order shift code
ZWO_SHIFTDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order shift description
ZWO_ASSIGNEDBYCODE	Y	VARCHAR2(30)	nvarchar(30)	Work order assigned-by code
ZWO_ASSIGNEDBYNAME	Y	VARCHAR2(80)	nvarchar(80)	Work order assigned-by name
ZWO_ASSIGNEDTOCODE	Y	VARCHAR2(15)	nvarchar(15)	Work order assigned-to code
ZWO_ASSIGNEDTONAME	Y	VARCHAR2(80)	nvarchar(80)	Work order assigned-to name

ZWO_OBJUNDERWARRANTY	Y	VARCHAR2(1)	nvarchar(1)	Work order object under warranty
ZWO_REOPENED	Y	VARCHAR2(1)	nvarchar(1)	Work order reopened
ZWO_PROBLEMCODE	Y	VARCHAR2(8)	nvarchar(8)	Work order problem code
ZWO_PROBLEMDISC	Y	VARCHAR2(80)	nvarchar(80)	Work order problem description
ZWO_FAILURECODE	Y	VARCHAR2(8)	nvarchar(8)	Work order failure code
ZWO_FAILUREDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order failure description
ZWO_CAUSECODE	Y	VARCHAR2(8)	nvarchar(8)	Work order cause code
ZWO_CAUSEDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order cause description
ZWO_ACTIONCODE	Y	VARCHAR2(8)	nvarchar(8)	Work order action code
ZWO_ACTIONDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order action description
ZWO_RTYPECODE	Y	VARCHAR2(4)	nvarchar(4)	Work order system type code
ZWO_RTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order system type description
ZWO_RSTATUSCODE	Y	VARCHAR2(4)	nvarchar(4)	Work order system status code
ZWO_RSTATUSDESC	Y	VARCHAR2(80)	nvarchar(80)	Work order system status description
ZWO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ZWO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEADIFF

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EAD_SESSIONID	Y	NUMBER	numeric(18,0)	T.B.D.
EAD_DATE	Y	DATE	datetime	T.B.D.
EAD_TYPE	Y	VARCHAR2(40)	nvarchar(40)	T.B.D.
EAD_ACTION	Y	VARCHAR2(40)	nvarchar(40)	T.B.D.
EAD_PK	Y	VARCHAR2(200)	nvarchar(200)	T.B.D.
EAD_FIELD	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
EAD_COLUMN	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
EAD_SIGNEDVALUE	Y	VARCHAR2(2000)	nvarchar(2000)	T.B.D.
EAD_CURRENTVALUE	Y	VARCHAR2(2000)	nvarchar(2000)	T.B.D.

RSECMAXSEQ

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECX_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization to which the sequence applies.
ECX_PREFIX	Y	VARCHAR2(30)	nvarchar(30)	The prefix to which the sequence applies.
ECX_SUFFIX	Y	VARCHAR2(30)	nvarchar(30)	The suffix to which the sequence applies.
ECX_LENGTH	Y	NUMBER(8,0)	numeric(8,0)	The number of digits to which the sequence applies.
ECX_SEQUENCE	Y	VARCHAR2(30)	nvarchar(30)	The actual name of the database sequence.
ECX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSESESSIONDETAILS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSD_PK	N	NUMBER	numeric(18,0)	The primary key of the record.
CSD_PARENTPK	Y	NUMBER	numeric(18,0)	The primary key of the parent record.
CSD_SESSION	N	VARCHAR2(30)	nvarchar(30)	The equipment configuration session id.
CSD_EQUIPCONFIG	N	VARCHAR2(30)	nvarchar(30)	The equipment configuration used to create equipment.
CSD_EQUIPCONFIG_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment configuration organization used to create equipment.
CSD_EQUIPCONFIGREV	N	NUMBER(4,0)	numeric(4,0)	The equipment configuration revision used to create equipment.
CSD_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The object code of the used equipment configuration.
CSD_LEVEL	N	NUMBER(4,0)	numeric(4,0)	The level within the equipment hierarchy.
CSD_DEPENDENT	Y	VARCHAR2(1)	nvarchar(1)	The dependent flag to be used at creation of new equipment.
CSD_COSTROLLUP	Y	VARCHAR2(1)	nvarchar(1)	The cost rollup flag to be used at creation of new equipment.
CSD_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The intended system level to be used at creation of new equipment.
CSD_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The intended assembly level to be used at creation of new equipment.

CSD_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The intended component level to be used at creation of new equipment.
CSD_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The intended component location to be used at creation of new equipment.
CSD_PARENTEC	Y	VARCHAR2(30)	nvarchar(30)	The parent equipment configuration.
CSD_PARENTEC_ORG	Y	VARCHAR2(15)	nvarchar(15)	The parent equipment configuration organization.
CSD_PARENTECREV	Y	NUMBER(4,0)	numeric(4,0)	The parent equipment configuration revision.
CSD_PARENTOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The object code of the parent equipment configuration.
CSD_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization to be used at creation of new equipment.
CSD_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The intended location to be used at creation of new equipment.
CSD_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The intended location organization to be used at creation of new equipment.
CSD_MRC	Y	VARCHAR2(15)	nvarchar(15)	The intended department to be used at creation of new equipment.
CSD_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The intended costcode to be used at creation of new equipment.
CSD_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The intended assigned person to be used at creation of new equipment.
CSD_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization to be used at creation of the commissioning work order.
CSD_PMATTACHED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is an associated maintenance schedule.
CSD_MPATTACHED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is an associated maintenance pattern.
CSD_EVENTMRC	Y	VARCHAR2(15)	nvarchar(15)	The department to be used at creation of the commissioning work order.
CSD_EVENTLOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location to be used at creation of the commissioning work order.
CSD_EVENTLOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization to be used at creation of the commissioning work order.
CSD_EVENTPERSON	Y	VARCHAR2(15)	nvarchar(15)	The assigned person to be used at creation of the commissioning work order.
CSD_EVENTSCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	The schedule group to be used at creation of the commissioning work order.
CSD_EVENTCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The costcode to be used at creation of the commissioning work order.
CSD_EQUIPMENTCREATED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate equipment has been created.
CSD_ACTCLASS	Y	VARCHAR2(8)	nvarchar(8)	The actual class to be used at creation of new equipment.
CSD_ACTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The actual class organization to be used at creation of new equipment.
CSD_ACTCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The actual costcode to be used at creation of new equipment.
CSD_ACTSYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The actual system level to be used at creation of new equipment.
CSD_ACTASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The actual assembly level to be used at creation of new equipment.
CSD_ACTCOMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The actual component level to be used at creation of new equipment.
CSD_ACTPERSON	Y	VARCHAR2(15)	nvarchar(15)	The actual person to be used at creation of new equipment.
CSD_ACTPRIMARYUOM	Y	VARCHAR2(30)	nvarchar(30)	The actual primary UOM to be used at creation of new equipment.
CSD_ACTMANUFACT	Y	VARCHAR2(45)	nvarchar(45)	The actual manufacturer to be used at creation of new equipment.
CSD_ACTRENTALTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	The actual rental template to be used at creation of new equipment.
CSD_ACTRENTALTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The actual rental template organization to be used at creation of new equipment.
CSD_ACTCONTRACTTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	The actual contract template to be used at creation of new equipment.
CSD_ACTCONTRACTTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The actual contract template organization to be used at creation of new equipment.
CSD_ACTCUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	The actual customer to be used at creation of new equipment.
CSD_ACTCUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The actual customer organization to be used at creation of new equipment.
CSD_ACTCALGROUP	Y	VARCHAR2(15)	nvarchar(15)	The actual calendar group to be used at creation of new equipment.
CSD_ACTCALGROUPORG	Y	VARCHAR2(15)	nvarchar(15)	The actual calendar group organization to be used at creation of new equipment.
CSD_ACTFLOORAREAUOM	Y	VARCHAR2(30)	nvarchar(30)	The actual floor area UOM to be used at creation of new equipment.
CSD_ACTREGION	Y	VARCHAR2(30)	nvarchar(30)	The actual region to be used at creation of new equipment.
CSD_ACTREGION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The actual region organization to be used at creation of new equipment.
CSD_ACTRELRanking	Y	VARCHAR2(30)	nvarchar(30)	The actual reliability ranking to be used at creation of new equipment.
CSD_ACTRELRanking_ORG	Y	VARCHAR2(15)	nvarchar(15)	The actual reliability ranking organization to be used at creation of new equipment.
CSD_ACTRELRankingREV	Y	NUMBER(4,0)	numeric(4,0)	The actual reliability ranking revision to be used at creation of new equipment.
CSD_ACTPERFORMANCEMANAGER	Y	VARCHAR2(15)	nvarchar(15)	The actual performance manager to be used at creation of new equipment.
CSD_CURRENTCODE	Y	VARCHAR2(30)	nvarchar(30)	Equipment code only used during the equipment generation process itself.
CSD_CURRENTORG	Y	VARCHAR2(15)	nvarchar(15)	Organization code only used during the equipment generation process itself.
CSD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ECSSESSIONEQUIPMENT

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

CSE_DETAILPK	N	NUMBER	numeric(18,0)	The primary key of the associated equipment configuration session detail record.
CSE_COUNT	N	NUMBER(6,0)	numeric(6,0)	Sequence number.
CSE_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The equipment configuration session id.
CSE_EQUIPCONFIG	N	VARCHAR2(30)	nvarchar(30)	The equipment configuration used to create equipment.
CSE_EQUIPCONFIG_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment configuration organization used to create equipment.
CSE_EQUIPCONFIGREV	N	NUMBER(4,0)	numeric(4,0)	The equipment configuration revision used to create equipment.
CSE_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The object code of the used equipment configuration.
CSE_NEWOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The code (to be) used for the new equipment.
CSE_NEWOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization (to be) used for the new equipment.
CSE_NEWOBJECTSEQ	Y	NUMBER	numeric(18,0)	New object sequenec number.
CSE_ERRORS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are associated errors.
CSE_WARNINGS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are associated warnings.
CSE_GENERATED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the quipment has been created.
CSE_GENERATEDTRANS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicated whether the transactional data has been associated to the equipment.
CSE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5CSESSIONWARNINGS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CSW_PK	N	NUMBER	numeric(18,0)	The primary key of the warning record.
CSW_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The equipment configuration session id.
CSW_DETAILPK	Y	NUMBER	numeric(18,0)	The primary key of the associated equipment configuration session detail record.
CSW_COUNT	Y	NUMBER(6,0)	numeric(6,0)	Sequence number.
CSW_EQUIPCONFIG	Y	VARCHAR2(30)	nvarchar(30)	The equipment configuration used to create equipment.
CSW_EQUIPCONFIG_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment configuration organization used to create equipment.
CSW_EQUIPCONFIGREV	Y	NUMBER(4,0)	numeric(4,0)	The equipment configuration revision used to create equipment.
CSW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The object code of the used equipment configuration.
CSW_LEVEL	Y	NUMBER(4,0)	numeric(4,0)	The level within the equipment hierarchy.
CSW_NEWOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The code (to be) used for the new equipment.
CSW_NEWOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization (to be) used for the new equipment.
CSW_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	The entity related to the error/warning.
CSW_CODE	Y	VARCHAR2(100)	nvarchar(100)	The code related to the error/warning.
CSW_CODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization related to the error/warning.
CSW_TYPE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is an error or a warning.
CSW_MESSAGEID	Y	NUMBER(2,0)	numeric(2,0)	The message id.
CSW_MESSAGE	Y	VARCHAR2(255)	nvarchar(255)	The error message generated by Oracle or SQL Server.
CSW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CSW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CSW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EDITIONBACKREPS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EBR_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function
EBR_MEFLAG	N	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used
EBR_REPORT	Y	VARCHAR2(6)	nvarchar(6)	Report function
EBR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EBR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EDITIONFILTERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EDF_CODE	N	VARCHAR2(40)	nvarchar(40)	Edition filter code
EDF_TYPE	N	VARCHAR2(1)	nvarchar(1)	Tpye of edition filter
EDF_MEFLAG	N	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used

EDF_FILTER	Y	VARCHAR2(500)	nvarchar(500)	Edition filter
EDF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EDF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EDITIONUCODES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EDU_RCODE	Y	VARCHAR2(4)	nvarchar(4)	predefined system code
EDU_CODE	Y	VARCHAR2(4)	nvarchar(4)	user code corresponding to a unique, pre-defined code.
EDU_LANG	Y	VARCHAR2(2)	nvarchar(2)	language of this code
EDU_DESC	Y	VARCHAR2(80)	nvarchar(80)	default description
EDU_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	system entity
EDU_MARKET	Y	VARCHAR2(8)	nvarchar(8)	market of this code
EDU_TEXTCODE	Y	VARCHAR2(12)	nvarchar(12)	text code in text system
EDU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5ELECARCHIVE

ELECTRONIC SIGNATURE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ELA_CODE	Y	VARCHAR2(30)	nvarchar(30)	sequence number
ELA_USER	Y	VARCHAR2(255)	nvarchar(255)	user id entered on bxsig
ELA_DATE	Y	DATE	datetime	date of the update
ELA_SIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	signature type entered on bxsig
ELA_SCODE	Y	VARCHAR2(100)	nvarchar(100)	hash code with all fields
ELA_ACODE	Y	VARCHAR2(100)	nvarchar(100)	hash code with fields fld1 to fld200 only
ELA_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity of the stored record
ELA_ENTCODE	Y	VARCHAR2(80)	nvarchar(80)	code of the stored record
ELA_ENTORG	Y	VARCHAR2(15)	nvarchar(15)	organization code of the stored record
ELA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status
ELA_PARENT	Y	VARCHAR2(30)	nvarchar(30)	this will store the value in ela_code for child entities ex. act for parent entity evnt.
ELA_FLD1	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD2	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD3	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD4	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD5	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD6	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD7	Y	VARCHAR2(4000)	nvarchar(4000)	column to store the base table column value.
ELA_FLD8	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD9	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD10	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD11	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD12	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
ELA_FLD13	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD14	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD15	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
ELA_FLD16	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
ELA_FLD17	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
ELA_FLD18	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD19	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD20	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD21	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD22	Y	VARCHAR2(2000)	nvarchar(2000)	column to store the base table column value.
ELA_FLD23	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD24	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD25	Y	VARCHAR2(2000)	nvarchar(2000)	column to store the base table column value.
ELA_FLD26	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.

[illegible]

[illegible]

[illegible]

ELA_FLD189	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD190	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD191	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD192	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD193	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD194	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD195	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD196	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD197	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD198	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD199	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD200	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_CERTIFYNUM	Y	VARCHAR2(20)	nvarchar(20)	Certification number
ELA_CERTIFYTYPE	Y	VARCHAR2(8)	nvarchar(8)	Certification type
ELA_LONG	Y	LONG	ntext	value of archived longfield
ELA_LCODE	Y	VARCHAR2(500)	nvarchar(500)	code identifying archived long field
ELA_FLD201	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD202	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD203	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD204	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD205	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD206	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD207	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD208	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD209	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD210	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD211	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD212	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD213	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD214	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD215	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD216	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD217	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD218	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD219	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value
ELA_FLD220	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD221	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD222	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value
ELA_FLD223	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD224	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD225	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD226	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD227	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD228	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD229	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD230	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value
ELA_FLD231	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD232	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD233	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD234	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD235	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD236	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_USERDESC	Y	VARCHAR2(80)	nvarchar(80)	User description
ELA_SIGNTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Signon type description

[illegible]

[illegible]

RSELEARCHIVE	ELECTRONIC SIGNATURE			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
ELA_FLD324	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD325	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD326	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD327	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD328	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD329	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD330	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD331	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD332	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD333	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD334	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD335	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD336	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD337	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD338	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD339	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD340	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
ELA_FLD341	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.

[illegible]

AEA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEA_CODE	Y	VARCHAR2(30)	nvarchar(30)	sequence number
AEA_USER	Y	VARCHAR2(255)	nvarchar(255)	user id entered on bxsig
AEA_DATE	Y	DATE	datetime	date of the update
AEA_SIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	signature type entered on bxsig
AEA_SCODE	Y	VARCHAR2(100)	nvarchar(100)	hash code with all fields
AEA_ACODE	Y	VARCHAR2(100)	nvarchar(100)	hash code with fields fld1 to fld200 only
AEA_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity of the stored record
AEA_ENTCODE	Y	VARCHAR2(80)	nvarchar(80)	code of the stored record
AEA_ENTORG	Y	VARCHAR2(15)	nvarchar(15)	organization code of the stored record
AEA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status
AEA_PARENT	Y	VARCHAR2(30)	nvarchar(30)	this will store the value in aea_code for child entities ex. act for parent entity evnt.
AEA_FLD1	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD2	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD3	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD4	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD5	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD6	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD7	Y	VARCHAR2(4000)	nvarchar(4000)	column to store the base table column value.
AEA_FLD8	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD9	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD10	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD11	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD12	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
AEA_FLD13	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD14	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD15	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
AEA_FLD16	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
AEA_FLD17	Y	VARCHAR2(1000)	nvarchar(1000)	column to store the base table column value.
AEA_FLD18	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD19	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD20	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD21	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD22	Y	VARCHAR2(2000)	nvarchar(2000)	column to store the base table column value.
AEA_FLD23	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD24	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD25	Y	VARCHAR2(2000)	nvarchar(2000)	column to store the base table column value.
AEA_FLD26	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD27	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD28	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD29	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD30	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD31	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD32	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD33	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD34	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD35	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD36	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD37	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD38	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD39	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD40	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD41	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD42	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

AEA_FLD307	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD308	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD309	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD310	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD311	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD312	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD313	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD314	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD315	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD316	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD317	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD318	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD319	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD320	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD321	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD322	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.

[illegible]

[illegible]

AEA_FLD411	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD412	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD413	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD414	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD415	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD416	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD417	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD418	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD419	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD420	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD421	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD422	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD423	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD424	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD425	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD426	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD427	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD428	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD429	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD430	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD431	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD432	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD433	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD434	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD435	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD436	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD437	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD438	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD439	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD440	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD441	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD442	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD443	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_FLD444	Y	VARCHAR2(256)	nvarchar(256)	column to store the base table column value.
AEA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSELECMAPPING

ELECTRONIC SIGNATURE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ELM_CODE	Y	NUMBER	int	mapping code
ELM_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity of stored table
ELM_ARCHCOL	Y	VARCHAR2(20)	nvarchar(20)	column name in table r5elecarchive
ELM_BASECOL	Y	VARCHAR2(50)	nvarchar(50)	column name in base table
ELM_COLTYPE	Y	VARCHAR2(30)	nvarchar(30)	data type of stored column
ELM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ELM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSELECREC

ELECTRONIC SIGNATURE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ELR_ENTITY	N	VARCHAR2(4)	nvarchar(4)	user entity code for which the electronic record is created.
ELR_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	system entity code for which the electronic record is created.
ELR_STATUS	N	VARCHAR2(4)	nvarchar(4)	the original status of the entity
ELR_NEWSTATUS	N	VARCHAR2(4)	nvarchar(4)	the new status of the entity.
ELR_SIGNATURE	Y	VARCHAR2(1)	nvarchar(1)	value is + = es required, - = only er.
ELR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

ELR_UPDATED	Y	DATE	datetime	update timestamp
ELR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ELR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSELECSIGN ELECTRONIC SIGNATURE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ELS_CODE	N	VARCHAR2(30)	nvarchar(30)	code of the signed record
ELS_ENTCODE	Y	VARCHAR2(80)	nvarchar(80)	entity
ELS_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
ELS_USER	Y	VARCHAR2(255)	nvarchar(255)	Infor EAM username.
ELS_DATE	Y	DATE	datetime	date/time an electronic record was created.
ELS_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity
ELS_SIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	signature type
ELS_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status
ELS_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent record
ELS_CERTIFYNUM	Y	VARCHAR2(20)	nvarchar(20)	Certification number
ELS_CERTIFYTYPE	Y	VARCHAR2(8)	nvarchar(8)	Certification type
ELS_EXTERNALDATE	Y	DATE	datetime	TBD
ELS_USERDESC	Y	VARCHAR2(80)	nvarchar(80)	User description
ELS_SIGNTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Signon type description
ELS_LASTCHANGED	Y	VARCHAR2(30)	nvarchar(30)	this column holds last electronic archive record key since last work order change
ELS_ENTCODE2	Y	VARCHAR2(80)	nvarchar(80)	The alternative/original equipment code, used with equipment code renumbering
ELS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ELS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSELECSIGN_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	The unique identifier of an archive
ESA_CODE	Y	VARCHAR2(30)	nvarchar(30)	Archive code
ESA_ENTCODE	Y	VARCHAR2(80)	nvarchar(80)	entity
ESA_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
ESA_USER	Y	VARCHAR2(255)	nvarchar(255)	Infor EAM username.
ESA_DATE	Y	DATE	datetime	date/time an electronic record was created.
ESA_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity
ESA_SIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	signature type
ESA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status
ESA_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent record
ESA_CERTIFYNUM	Y	VARCHAR2(20)	nvarchar(20)	Certification number
ESA_CERTIFYTYPE	Y	VARCHAR2(8)	nvarchar(8)	Certification type
ESA_EXTERNALDATE	Y	DATE	datetime	TBD
ESA_USERDESC	Y	VARCHAR2(80)	nvarchar(80)	User description
ESA_SIGNTYPEDESC	Y	VARCHAR2(80)	nvarchar(80)	Signon type description
ESA_LASTCHANGED	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESA_ENTCODE2	Y	VARCHAR2(80)	nvarchar(80)	The alternative/original equipment code, used with equipment code renumbering
ESA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSELECTRICITYDATA ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OED_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment
OED_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment organization
OED_DATERECORDED	N	DATE	datetime	Date the electricity data was recorded
OED_INTERVAL	Y	NUMBER(10,0)	numeric(10,0)	Interval in minutes between this record and the previous record for the same equipment
OED_COMPLETE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record is considered completed.

OED_EQUIPMENTON	Y	VARCHAR2(1)	nvarchar(1)	If + this indicates the current drawn was high enough for the equipment to be considered on (running).
OED_VOLTAGEAB_V	Y	NUMBER(24,6)	numeric(24,6)	Voltage Phase A to B
OED_VOLTAGEBC_V	Y	NUMBER(24,6)	numeric(24,6)	Voltage Phase B to C
OED_VOLTAGECA_V	Y	NUMBER(24,6)	numeric(24,6)	Voltage Phase C to A
OED_VOLTAGE_IMBALANCE	Y	NUMBER(24,6)	numeric(24,6)	Calculated voltage imbalance between voltage a to b, b to c and c to a
OED_VOLTAGEAN_V	Y	NUMBER(24,6)	numeric(24,6)	Voltage Phases A to N
OED_VOLTAGEBN_V	Y	NUMBER(24,6)	numeric(24,6)	Voltage Phases B to N
OED_VOLTAGECN_V	Y	NUMBER(24,6)	numeric(24,6)	Voltage Phases C to N
OED_CURRENTA_A	Y	NUMBER(24,6)	numeric(24,6)	Current Phase A
OED_CURRENTB_A	Y	NUMBER(24,6)	numeric(24,6)	Current Phase B
OED_CURRENTC_A	Y	NUMBER(24,6)	numeric(24,6)	Current Phase C
OED_CURRENTNEUTRAL_A	Y	NUMBER(24,6)	numeric(24,6)	Neutral Current
OED_FREQUENCY_HZ	Y	NUMBER(24,6)	numeric(24,6)	Frequency
OED_POWERFACTOR_PCT	Y	NUMBER(24,6)	numeric(24,6)	Power Factor
OED_ENERGYTOTAL_KWH	Y	NUMBER(24,6)	numeric(24,6)	Real Energy Total
OED_ENERGY_KWH	Y	NUMBER(24,6)	numeric(24,6)	Real Energy measured from previous record to this record
OED_ENERGYTOTALAPPARENT_VAH	Y	NUMBER(24,6)	numeric(24,6)	Apparent Energy Total
OED_ENERGYTOTALREACTIVE_VARH	Y	NUMBER(24,6)	numeric(24,6)	Reactive Energy Total
OED_POWER_W	Y	NUMBER(24,6)	numeric(24,6)	Power Demand
OED_POWERAPPARENT_VA	Y	NUMBER(24,6)	numeric(24,6)	Apparent Power
OED_POWERREACTIVE_VAR	Y	NUMBER(24,6)	numeric(24,6)	Reactive Power
OED_THDVOLTA_PCT	Y	NUMBER(24,6)	numeric(24,6)	Total Harmonic Distortion Voltage A
OED_THDVOLTB_PCT	Y	NUMBER(24,6)	numeric(24,6)	Total Harmonic Distortion Voltage B
OED_THDVOLTC_PCT	Y	NUMBER(24,6)	numeric(24,6)	Total Harmonic Distortion Voltage C
OED_THDCURRENTA_PCT	Y	NUMBER(24,6)	numeric(24,6)	Total Harmonic Distortion Current A
OED_THDCURRENTB_PCT	Y	NUMBER(24,6)	numeric(24,6)	Total Harmonic Distortion Current B
OED_THDCURRENTC_PCT	Y	NUMBER(24,6)	numeric(24,6)	Total Harmonic Distortion Current C
OED_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OED_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OED_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
OED_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEMPLOYEEORGCHANGE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EOC_PERSON	N	VARCHAR2(15)	nvarchar(15)	The employee who changed organization.
EOC_DATE	N	DATE	datetime	The date the employee was transferred.
EOC_OLDORG	Y	VARCHAR2(15)	nvarchar(15)	The original organization.
EOC_NEWORG	Y	VARCHAR2(15)	nvarchar(15)	The new organization.
EOC_OLDPERSON	Y	VARCHAR2(15)	nvarchar(15)	The "historic" person.
EOC_USER	Y	VARCHAR2(255)	nvarchar(255)	The D7I user who requested the transfer.
EOC_INPROGRESS	N	VARCHAR2(1)	nvarchar(1)	Whether the transfer is in progress.
EOC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EOC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EOC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEMPTRYROWS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETR_ROWNUM	Y	VARCHAR2(2)	nvarchar(2)	Row number for query retrieval

RSENERGYREFERENCES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EPR_OBJECT	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
EPR_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
EPR_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	T.B.D.

EPR_SUBMETERED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EPR_USEFLOORAREA	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EPR_INVOICINGPERCENTAGE	Y	NUMBER(7,4)	numeric(7,4)	T.B.D.
EPR_UTILITYBILLSOURCE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
EPR_UTILITYBILLSOURCE_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
EPR_INVOICE	Y	VARCHAR2(1)	nvarchar(1)	Invoice
EPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYSTARBUILDINGS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESB_CUSTOMERID	N	VARCHAR2(100)	nvarchar(100)	The customer ID.
ESB_BUILDINGID	N	VARCHAR2(100)	nvarchar(100)	ID of the building.
ESB_BUILDINGNAME	Y	VARCHAR2(60)	nvarchar(60)	Name of the building.
ESB_BUILDINGADDRESS	Y	VARCHAR2(60)	nvarchar(60)	Address of the building.
ESB_BUILDINGCITY	Y	VARCHAR2(25)	nvarchar(25)	City of the building.
ESB_BUILDINGSTATE	Y	VARCHAR2(2)	nvarchar(2)	State of the building.
ESB_BUILDINGZIP	Y	VARCHAR2(5)	nvarchar(5)	Zip code of the building.
ESB_BUILDINGYEARBUILT	Y	NUMBER(4,0)	numeric(4,0)	Year the building was built.
ESB_CONFIRMED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record has been confirmed.
ESB_CREATED	Y	DATE	datetime	record creation timestamp
ESB_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
ESB_UPDATED	Y	DATE	datetime	Update time stamp
ESB_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
ESB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYSTARRATINGALERTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESL_CUSTOMERID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESL_TXNID	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESL_ALERTCODE	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESL_ALERTTEXT	Y	CLOB	ntext	T.B.D.
ESL_UPDATECOUNT	Y	NUMBER(38,0)		number of times this record has been updated
ESL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYSTARRATINGS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESD_TXNID	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESD_CUSTOMERID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESD_OBJECT	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESD_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESD_USEDEFAULT	Y	VARCHAR2(2)	nvarchar(2)	T.B.D.
ESD_YEARLABELED	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESD_LASTLABELEDDATE	Y	DATE	datetime	T.B.D.
ESD_RATING	Y	NUMBER(3,0)	numeric(3,0)	T.B.D.
ESD_ALERTCODE	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESD_ALERTTEXT	Y	CLOB	ntext	T.B.D.
ESD_AREA	Y	NUMBER	int	T.B.D.

ESD_ENDINGYEAR	N	NUMBER(4,0)	numeric(4,0)	T.B.D.
ESD_ENDINGMONTH	N	NUMBER(2,0)	numeric(2,0)	T.B.D.
ESD_CONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_CONSUMPTIONWVN	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_INTENSITY	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_INTENSITYWVN	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_SCONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_SCONSUMPTIONWVN	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_SINTENSITY	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_SINTENSITYWVN	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_DIRECTGHG	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_INDIRECTGHG	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_TOTALGHG	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_INTENSITY50	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_INTENSITY75	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_ITENERGY	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_DATACENTERPUE	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESD_BUILDINGID	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESD_BUILDINGNAME	Y	VARCHAR2(60)	nvarchar(60)	T.B.D.
ESD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYSTARREADINGS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESR_CUSTOMERID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESR_OBJECT	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESR_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESR_UOM	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESR_DATE	N	DATE	datetime	T.B.D.
ESR_CONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
ESR_METERID	Y	VARCHAR2(100)	nvarchar(100)	The ID of the meter.
ESR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESR_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ESR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYSTARSETUP

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESS_CUSTOMERID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_BUILDINGID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_METERID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESS_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESS_UOM	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESS_BUILDINGNAME	Y	VARCHAR2(60)	nvarchar(60)	T.B.D.
ESS_BUILDINGADDRESS	Y	VARCHAR2(60)	nvarchar(60)	T.B.D.
ESS_BUILDINGCITY	Y	VARCHAR2(25)	nvarchar(25)	T.B.D.
ESS_BUILDINGSTATE	Y	VARCHAR2(2)	nvarchar(2)	T.B.D.
ESS_BUILDINGZIP	Y	VARCHAR2(5)	nvarchar(5)	T.B.D.
ESS_BUILDINGYEARBUILT	Y	NUMBER(4,0)	numeric(4,0)	T.B.D.
ESS_METERNAME	Y	VARCHAR2(60)	nvarchar(60)	T.B.D.
ESS_ENERGYTYPE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESS_METERUNIT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESS_CONFIRMED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.

ESS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYSTARTXNS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESX_TXNID	N	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESX_CUSTOMERID	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESX_STATUS	Y	VARCHAR2(20)	nvarchar(20)	T.B.D.
ESX_SRVNAME	Y	VARCHAR2(20)	nvarchar(20)	T.B.D.
ESX_REQTIME	Y	DATE	datetime	T.B.D.
ESX_RESPTIME	Y	DATE	datetime	T.B.D.
ESX_REQMSG	N	CLOB	ntext	T.B.D.
ESX_RESPMSG	N	CLOB	ntext	T.B.D.
ESX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESX_BUILDINGID	Y	VARCHAR2(100)	nvarchar(100)	ID of the building.
ESX_METERID	Y	VARCHAR2(100)	nvarchar(100)	The ID of the meter.
ESX_RATINGYEAR	Y	NUMBER(4,0)	numeric(4,0)	Year the rating applies to.
ESX_RATINGMONTH	Y	NUMBER(2,0)	numeric(2,0)	Month the rating applies to.
ESX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENERGYTARGETS

ASSET MANAGEMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EGT_OBJECTIVE	N	VARCHAR2(30)	nvarchar(30)	The objective.
EGT_OBJECTIVE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the objective.
EGT_SCOPE	N	VARCHAR2(4)	nvarchar(4)	The scope of the energy target.
EGT_ACTIVITY	N	VARCHAR2(4)	nvarchar(4)	The activity of the energy target.
EGT_EMISSIONSOURCE	N	VARCHAR2(4)	nvarchar(4)	The emission source of the energy target.
EGT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EGT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EGT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENTAPPHEADER

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EAH_PK	N	NUMBER	int	primary key.
EAH_RENTITY	N	VARCHAR2(4)	nvarchar(4)	system entity.
EAH_ENTITY	N	VARCHAR2(4)	nvarchar(4)	user entity.
EAH_CODE	N	VARCHAR2(30)	nvarchar(30)	code of the pm, material list, task or rout.
EAH_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
EAH_APPLIST	Y	VARCHAR2(8)	nvarchar(8)	approval list.
EAH_APPDATE	Y	DATE	datetime	approval date.
EAH_USER	Y	VARCHAR2(255)	nvarchar(255)	the user who requested.
EAH_DATE	N	DATE	datetime	date the revision was created.
EAH_REASON	Y	VARCHAR2(2000)	nvarchar(2000)	reason for the new revision.
EAH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EAH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EAH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENTAPPLISTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EAL_RENTITY	N	VARCHAR2(4)	nvarchar(4)	system entity.
EAL_ENTITY	N	VARCHAR2(4)	nvarchar(4)	user entity.
EAL_CODE	N	VARCHAR2(30)	nvarchar(30)	code of pm, material list, task or rout.

EAL_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
EAL_PK	N	NUMBER	int	primary key of header.
EAL_APPROVED	Y	VARCHAR2(1)	nvarchar(1)	whether new revision is approved by user.
EAL_REJECTED	Y	VARCHAR2(1)	nvarchar(1)	whether the new revision is rejected by user.
EAL_SEQ	Y	NUMBER(2,0)	numeric(2,0)	sequence number determining the order which user approve new revision.
EAL_DRILLDOWN	Y	VARCHAR2(1)	nvarchar(1)	weather drill down functionality has been used.
EAL_FINISHED	Y	VARCHAR2(1)	nvarchar(1)	whether new revision has already been approved or rejected by any user.
EAL_ORIGIN	Y	VARCHAR2(1)	nvarchar(1)	whether this record is originated by itself.
EAL_DATE	Y	DATE	datetime	date of approval-rejection.
EAL_USER	Y	VARCHAR2(255)	nvarchar(255)	user approve or reject.
EAL_APPRUSER	Y	VARCHAR2(255)	nvarchar(255)	user who approved/rejected the new revision.
EAL_RESP	Y	VARCHAR2(25)	nvarchar(25)	responsibility of user.
EAL_USERNAME	Y	VARCHAR2(80)	nvarchar(80)	user name who approve or reject.
EAL_APPRUSERNAME	Y	VARCHAR2(80)	nvarchar(80)	name of user who approved-rejected.
EAL_REJECTREASON	Y	VARCHAR2(2000)	nvarchar(2000)	reject reason.
EAL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EAL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EAL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENTITIES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ENT_ENTITY	N	VARCHAR2(4)	nvarchar(4)	code of entity.
ENT_RENTITY	N	VARCHAR2(4)	nvarchar(4)	code indicating the type of entity.
ENT_STATENT	Y	VARCHAR2(4)	nvarchar(4)	system entity status code
ENT_TYPENT	Y	VARCHAR2(4)	nvarchar(4)	system entity type code
ENT_MULTILANG	Y	VARCHAR2(1)	nvarchar(1)	if filled, multilang. descr
ENT_CLASSIF	Y	VARCHAR2(1)	nvarchar(1)	if filled, entity has class
ENT_TABLE	N	VARCHAR2(32)	nvarchar(32)	the database table where the records of this entity are stored.
ENT_ADDATTRIBS	Y	VARCHAR2(1)	nvarchar(1)	value is + if entity has custom properties.
ENT_FREETEXT	Y	VARCHAR2(1)	nvarchar(1)	value is + if entity has free-format text.
ENT_ADDRESSES	Y	VARCHAR2(1)	nvarchar(1)	value is + if entity has associated addresses.
ENT_DOCUMENTS	Y	VARCHAR2(1)	nvarchar(1)	value is + if entity has associated documents.
ENT_ASSPARTS	Y	VARCHAR2(1)	nvarchar(1)	value is + if entity has associated parts.
ENT_ASSPERMITS	Y	VARCHAR2(1)	nvarchar(1)	value is + if entity has associated permits.
ENT_FTAUDIT	Y	VARCHAR2(1)	nvarchar(1)	whether free format text should be audited.
ENT_CAAUDIT	Y	VARCHAR2(1)	nvarchar(1)	whether custom field should be audited.
ENT_ERECORD	Y	VARCHAR2(1)	nvarchar(1)	electronic signature enabled
ENT_AUDITS	Y	VARCHAR2(1)	nvarchar(1)	audit flag
ENT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ENT_UPDATED	Y	DATE	datetime	Update timestamp
ENT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ENT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENTITYATTRIBUTESETS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESE_RENTITY	N	VARCHAR2(4)	nvarchar(4)	System entity for the attribute set
ESE_ENTITYCODE	N	VARCHAR2(200)	nvarchar(200)	Code representing the record having the given system entity
ESE_ATTRIBUTESETDEF	N	VARCHAR2(30)	nvarchar(30)	Link to the attribute set defined in attribute set definition table
ESE_NAME	N	VARCHAR2(256)	nvarchar(256)	Name representing this entity attribute set record
ESE_DESC	Y	VARCHAR2(256)	nvarchar(256)	Description of this attribute set record
ESE_VALUE1	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 1 defined in attribute set definition table
ESE_VALUE2	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 2 defined in attribute set definition table
ESE_VALUE3	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 3 defined in attribute set definition table
ESE_VALUE4	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 4 defined in attribute set definition table

ESE_VALUE5	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 5 defined in attribute set definition table
ESE_VALUE6	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 6 defined in attribute set definition table
ESE_VALUE7	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 7 defined in attribute set definition table
ESE_VALUE8	Y	VARCHAR2(256)	nvarchar(256)	Value of the corresponding attribute 8 defined in attribute set definition table
ESE_REFERENCE	Y	VARCHAR2(2000)	nvarchar(2000)	Used for outside reference of this attribute set record. Usually the concatenation of all attribute values, separated by dots.
ESE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ESE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ENTITYINDICATORS

PERFORMANCE INDICATORS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EIN_ENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code of object entity (user code).
EIN_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code of object entity (system code, value of obj).
EIN_TYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
EIN_RTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
EIN_CODE	N	VARCHAR2(30)	nvarchar(30)	object code.
EIN_INDICATOR	N	VARCHAR2(4)	nvarchar(4)	performance indicator code.
EIN_TARGET	Y	NUMBER	numeric(24,6)	target for performance indicator on this object.
EIN_BEST	Y	NUMBER	numeric(24,6)	best value recorded to-date for this performance indicator on this object.
EIN_WORST	Y	NUMBER	numeric(24,6)	worst value recorded to-date for this performance indicator on this object.
EIN_DESC	Y	VARCHAR2(80)	nvarchar(80)	not in r5descriptions
EIN_CODE_ORG	N	VARCHAR2(15)	nvarchar(15)	object code organization
EIN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EIN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ENTITYPARTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EPA_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
EPA_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (user code).
EPA_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code)
EPA_TYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code).
EPA_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code).
EPA_CODE	Y	VARCHAR2(255)	nvarchar(255)	object or category code.
EPA_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of part.
EPA_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure of part.
EPA_COMMENT	Y	VARCHAR2(240)	nvarchar(240)	free-format text.
EPA_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
EPA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EPA_PK	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
EPA_PARTLOCATION	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
EPA_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The system level.
EPA_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly level.
EPA_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component level.
EPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ENTITYPARTS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEP_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEP_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
AEP_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (user code).
AEP_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code)
AEP_TYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code).

AEP_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code).
AEP_CODE	Y	VARCHAR2(255)	nvarchar(255)	object or category code.
AEP_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of part.
AEP_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure of part.
AEP_COMMENT	Y	VARCHAR2(240)	nvarchar(240)	free-format text.
AEP_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
AEP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEP_PK	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
AEP_PARTLOCATION	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
AEP_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The system level.
AEP_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly level.
AEP_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component level.
AEP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENTITYSAFETY		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESF_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the entity safety record.
ESF_RENTITY	N	VARCHAR2(4)	nvarchar(4)	The system entity to which the safety record belongs.
ESF_CODE	N	VARCHAR2(50)	nvarchar(50)	The code to which the safety record belongs.
ESF_HAZARD	N	VARCHAR2(30)	nvarchar(30)	The hazard of the safety record.
ESF_HAZARD_ORG	N	VARCHAR2(15)	nvarchar(15)	The hazard organization of the safety record.
ESF_PRECAUTION	N	VARCHAR2(30)	nvarchar(30)	The precaution of the safety record.
ESF_PRECAUTION_ORG	N	VARCHAR2(15)	nvarchar(15)	The precaution organization of the safety record.
ESF_APPLYTOCHILDREN	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this safety record should be applied to child equipment as well.
ESF_DELETEPENDING	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is a pending delete.
ESF_TIMING	Y	VARCHAR2(8)	nvarchar(8)	The timing code of the safety record.
ESF_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	The sequence
ESF_HEALTHHAZARD	Y	VARCHAR2(8)	nvarchar(8)	The health hazard code of the safety record.
ESF_FLAMMABILITY	Y	VARCHAR2(8)	nvarchar(8)	The flammability code of the safety record.
ESF_INSTABILITY	Y	VARCHAR2(8)	nvarchar(8)	The instability code of the safety record.
ESF_SPECIALHAZARDS	Y	VARCHAR2(8)	nvarchar(8)	The special hazards code of the safety record.
ESF_CREATED	Y	DATE	datetime	record creation timestamp
ESF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
ESF_UPDATED	Y	DATE	datetime	Update time stamp
ESF_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
ESF_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
ESF_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
ESF_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
ESF_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
ESF_REVIEWWTRIGGER	Y	VARCHAR2(8)	nvarchar(8)	Trigger of reviewed signature.
ESF_RENTCODE	Y	VARCHAR2(55)	nvarchar(55)	The system entity and code to which the safety record belongs.
ESF_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ESF_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESF_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESF_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESF_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESF_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESF_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESF_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ESF_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ESF_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ESF_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ESF_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ESF_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESF_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESF_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESF_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESF_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ENTITYSALESPRICES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESP_PK	N	VARCHAR2(30)	nvarchar(30)	Primary key field
ESP_RENTITY	N	VARCHAR2(4)	nvarchar(4)	Entity
ESP_CODE	N	VARCHAR2(50)	nvarchar(50)	Entity Sales price code
ESP_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
ESP_SALESPRICE	N	NUMBER(24,6)	numeric(24,6)	Sales Price
ESP_DATEEFFECTIVE	N	DATE	datetime	Date Effective
ESP_DATEEXPIRED	N	DATE	datetime	Date Expired
ESP_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store
ESP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ESP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ESP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ESP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ESP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ESP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ESP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ESP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ESP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ESP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSENTITYTABLES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETT_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity
ETT_MOS	Y	VARCHAR2(1)	nvarchar(1)	active
ETT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ETT_UPDATED	Y	DATE	datetime	Update timestamp
ETT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ETT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQQTEMP

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EQQ_PART	N	VARCHAR2(30)	nvarchar(30)	part code

EOQ_STORE	N	VARCHAR2(15)	nvarchar(15)	store code
EOQ_CALQUANTITY	Y	NUMBER(24,6)	numeric(24,6)	eqq (calculated)
EOQ_NEWQUANTITY	Y	NUMBER(24,6)	numeric(24,6)	new eqq
EOQ_FLAG	Y	VARCHAR2(1)	nvarchar(1)	flag indicating record should be updated
EOQ_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
EOQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EOQ_ANNUALDEMAND	Y	NUMBER(24,6)	numeric(24,6)	TBD
EOQ_SESSIONID	N	NUMBER(38,0)	numeric(38,0)	Session ID
EOQ_DATE	Y	DATE	datetime	Time stamp
EOQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPCOMMODITYDATA

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECD_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The object
ECD_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The object organization
ECD_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	The commodity
ECD_RATE	Y	NUMBER(24,6)	numeric(24,6)	The rate
ECD_CO2EMISSION	Y	NUMBER(24,6)	numeric(24,6)	The CO2 emission
ECD_BASELOAD	Y	NUMBER(24,6)	numeric(24,6)	The base load
ECD_SLOPE_CD	Y	NUMBER(24,6)	numeric(24,6)	The cooling degree slope
ECD_SLOPE_HD	Y	NUMBER(24,6)	numeric(24,6)	The heating degree slope
ECD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECD_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ECD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPCONFIGMPS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECM_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment code to maintain
ECM_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment to maintain
ECM_MP	N	VARCHAR2(30)	nvarchar(30)	The code of the maintenance pattern
ECM_MP_ORG	N	VARCHAR2(15)	nvarchar(15)	the organization of the maintenance pattern
ECM_INITIALSEQ	Y	NUMBER(8,0)	numeric(8,0)	The initial sequence of the maintenance pattern
ECM_DORMSTART	Y	DATE	datetime	The dormant period start date
ECM_DORMEND	Y	DATE	datetime	The dormant period end date
ECM_DORMREUSE	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the dormant period is also valid for next year. Default will be -.
ECM_SET	Y	VARCHAR2(4)	nvarchar(4)	The set of the MP equipment, used at copying test points
ECM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECM_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ECM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPCONFIGPMS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EGP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment code to maintain
EGP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment to maintain
EGP_PPM	N	VARCHAR2(20)	nvarchar(20)	The unique code of a Periodic Preventive Maintenance schedule
EGP_USEPPMSETUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether PM setup date should be used, or not
EGP_FREQ	Y	NUMBER(8,0)	numeric(8,0)	The frequency in days, weeks, months, quarters or years
EGP_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the frequency, either days, weeks, months, quarters or years
EGP_METER	Y	NUMBER(24,6)	numeric(24,6)	Meter interval
EGP_METUOM	Y	VARCHAR2(30)	nvarchar(30)	Unit of measure belong to the first meter
EGP_METER2	Y	NUMBER(24,6)	numeric(24,6)	Second meter interval
EGP_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	Unit of measure belonging to the second meter
EGP_PERFORMONWEEK	Y	VARCHAR2(1)	nvarchar(1)	Week of the month on which to perform PM

EGP_PERFORMONDAY	Y	NUMBER(1,0)	numeric(1,0)	Day of the week on which to perform PM
EGP_ISSTYPE	Y	VARCHAR2(1)	nvarchar(1)	Issue type (+ for fixed or - for variable)
EGP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class
EGP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class
EGP_DORMSTART	Y	DATE	datetime	The dormant period start date
EGP_DORMEND	Y	DATE	datetime	The dormant period end date
EGP_DORMREUSE	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the dormant period is also valid for next year. Default will be -.
EGP_SET	Y	VARCHAR2(4)	nvarchar(4)	The set of the PM equipment, used at copying test points
EGP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EGP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EGP_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
EGP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPCONFIGSESSIONS		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EGS_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the session.
EGS_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the session.
EGS_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the session.
EGS_PROCESSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the session has been completely processed.
EGS_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the session is active.
EGS_AWAITINGPURCHASE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the session still has lines for which PO receipts should take place.
EGS_PROCESSERROR	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether errors occurred during processing.
EGS_PROCESSRUNNING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the process is running.
EGS_PROCESSLASTUPDATED	Y	DATE	datetime	The date and time the process last committed a record.
EGS_EQUIPCONFIG	N	VARCHAR2(30)	nvarchar(30)	The equipment configuration to be used at creation of the equipment.
EGS_EQUIPCONFIG_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment configuration organization to be used at creation of the equipment.
EGS_EQUIPCONFIGREV	N	NUMBER(4,0)	numeric(4,0)	The equipment configuration revision to be used at creation of the equipment.
EGS_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The object code belonging to the equipment configuration.
EGS_ALLSPECIFIC	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether all equipment should have a specific organization
EGS_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department to be used at creation of the equipment.
EGS_COMMISS	Y	DATE	datetime	The commissioning date to be used at creation of the equipment.
EGS_STATUS	N	VARCHAR2(4)	nvarchar(4)	The status to be used at creation of the equipment.
EGS_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location to be used at creation of the equipment.
EGS_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization to be used at creation of the equipment.
EGS_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code to be used at creation of the equipment.
EGS_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The assigned person to be used at creation of the equipment.
EGS_STORE	Y	VARCHAR2(15)	nvarchar(15)	The store to be used at creation of the equipment.
EGS_BIN	Y	VARCHAR2(15)	nvarchar(15)	The bin to be used at creation of the equipment.
EGS_LOT	Y	VARCHAR2(12)	nvarchar(12)	The lot to be used at creation of the equipment.
EGS_GENERATECOUNT	N	NUMBER(6,0)	numeric(6,0)	The number of top level equipment to create.
EGS_CREATECOMMEVENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a commissioning work order should be created.
EGS_COMMEVENTSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The status to be used at creation of the commissioning work order.
EGS_COMMMRC	Y	VARCHAR2(15)	nvarchar(15)	The department to be used at creation of the commissioning work order.
EGS_COMMLOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location to be used at creation of the commissioning work order.
EGS_COMMLOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization to be used at creation of the commissioning work order.
EGS_COMMCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code to be used at creation of the commissioning work order.
EGS_COMMPERSON	Y	VARCHAR2(15)	nvarchar(15)	The assigned person to be used at creation of the commissioning work order.
EGS_COMMSCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	The scheduling group to be used at creation of the commissioning work order.
EGS_TOPLEVELONLY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether only the top level equipment should be created.
EGS_ALLDEPENDENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether all structure records should be dependent.
EGS_ALLCOSTROLLUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether all structure records should have cost rollup.
EGS_COMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether comments should be created.
EGS_DOCUMENTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether associated documents should be created.
EGS_CUSTOMFIELDS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether associated custom fields should be created.

EGS_METERS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether logical meters should be created.
EGS_PARTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether associated parts should be created.
EGS_WARRANTIES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether warranties should be created.
EGS_CREATED	Y	DATE	datetime	record creation timestamp
EGS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
EGS_UPDATED	Y	DATE	datetime	Update time stamp
EGS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
EGS_USER	Y	VARCHAR2(255)	nvarchar(255)	The user.
EGS_SIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	The signature type.
EGS_CERTIFYNUM	Y	VARCHAR2(20)	nvarchar(20)	The signature certify number.
EGS_CERTIFYTYPE	Y	VARCHAR2(8)	nvarchar(8)	The signature certify type.
EGS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EGS_EVENTMRC	Y	VARCHAR2(15)	nvarchar(15)	The department used when creating the IN work order
EGS_EVENTLOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location used when creating the IN work order
EGS_EVENTLOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization used when creating the IN work order
EGS_EVENTCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code used when creating the IN work order
EGS_EVENTPERSON	Y	VARCHAR2(15)	nvarchar(15)	The person used when creating the IN work order
EGS_EVENTSCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	The scheduling group used when creating the IN work order
EGS_SETDUEVALUES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether due dates should be set for PMs and MPs
EGS_DUEDATEREFERENCE	Y	DATE	datetime	Date to determine the due date of the PMs and MPs
EGS_ACTIVATEMPS	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether maintenance patterns should be automatically activated
EGS_DEPRECIATION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether depreciation records should be created
EGS_PMS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether preventive maintenance records should be created
EGS_MPS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether maintenance patterns should be created
EGS_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether safety records should be created
EGS_PERMITS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether permits should be created
EGS_CALIBRATION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether calibration records should be created
EGS_TESTPOINTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether test points should be created
EGS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EGS_PARENT	Y	VARCHAR2(30)	nvarchar(30)	
EGS_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EGS_PARENTDEPENDENT	Y	VARCHAR2(1)	nvarchar(1)	
EGS_PARENTCOSTROLLUP	Y	VARCHAR2(1)	nvarchar(1)	
EGS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EQUIPCONFIGSTRUCTURES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECS_PK	N	NUMBER	numeric(18,0)	The primary key of the structure record.
ECS_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The parent equipment configuration object code of the structure.
ECS_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The parent equipment configuration object organization of the structure.
ECS_CHILD	Y	VARCHAR2(30)	nvarchar(30)	The child equipment configuration object code of the structure.
ECS_CHILD_ORG	Y	VARCHAR2(15)	nvarchar(15)	The child equipment configuration object organization of the structure.
ECS_USEAPPROVEDREV	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the approved revision should be used.
ECS_ROLLOWDOWN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether status changes should rolldown to children.
ECS_ROLLUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether costs should rollup to the parent.
ECS_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The system level
ECS_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly level.
ECS_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component level.
ECS_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The component location.
ECS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EQUIPEVALUATIONLIST

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EEL_EVALCODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the equipment evaluation
EEL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The old equipment
EEL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The old equipment organization
EEL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The status
EEL_CAPITALPLANNINGREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The created capital planning request
EEL_CAPITALPLANNINGREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	The created capital planning request organization
EEL_AGE	Y	NUMBER(6,3)	numeric(6,3)	The age of the old equipment in years
EEL_ROI	Y	NUMBER(24,6)	numeric(24,6)	The return on investment in years
EEL_PMCOST	Y	NUMBER(24,6)	numeric(24,6)	The actual total PM cost of the old equipment
EEL_PMCOSTPREVIOUSYEAR	Y	NUMBER(24,6)	numeric(24,6)	The actual annual PM cost of the old equipment
EEL_NONPMCOST	Y	NUMBER(24,6)	numeric(24,6)	The actual total non PM cost of the old equipment
EEL_NONPMCOSTPREVIOUSYEAR	Y	NUMBER(24,6)	numeric(24,6)	The actual annual non PM cost of the old equipment
EEL_TOTALANNUALSAVINGS	Y	NUMBER(24,6)	numeric(24,6)	The total annual savings
EEL_ENERGYCOST	Y	NUMBER(24,6)	numeric(24,6)	The actual energy cost of the old equipment
EEL_CO2COST	Y	NUMBER(24,6)	numeric(24,6)	The actual co2 cost of the old equipment
EEL_B_ENERGYCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated energy cost of the new equipment
EEL_B_CO2COST	Y	NUMBER(24,6)	numeric(24,6)	The estimated co2 cost of the new equipment
EEL_COMMODITYMISMATCH	Y	VARCHAR2(1)	nvarchar(1)	Whether the old and new equipment have different associated commodities
EEL_MISSINGCURRENCIES	Y	VARCHAR2(40)	nvarchar(40)	Whether there are missing exchange rates when calculating total costs
EEL_WARNINGMESSAGE	Y	VARCHAR2(500)	nvarchar(500)	Warning message
EEL_LASTREFRESHED	Y	DATE	datetime	The last date/time the record was refreshed
EEL_SCF1	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 1
EEL_SCF2	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 2
EEL_SCF3	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 3
EEL_SCF4	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 4
EEL_SCF5	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 5
EEL_SCF6	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 6
EEL_SCF7	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 7
EEL_SCF8	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 8
EEL_SCF9	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 9
EEL_SCF10	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 10
EEL_SCF11	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 11
EEL_SCF12	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 12
EEL_SCF13	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 13
EEL_SCF14	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 14
EEL_SCF15	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 15
EEL_SCF16	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 16
EEL_SCF17	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 17
EEL_SCF18	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 18
EEL_SCF19	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 19
EEL_SCF20	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 20
EEL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EEL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EEL_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
EEL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPEVALUATIONS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EEV_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the equipment evaluation
EEV_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the equipment evaluation
EEV_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment evaluation
EEV_STATUS	N	VARCHAR2(4)	nvarchar(4)	The status of the equipment evaluation
EEV_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the equipment evaluation

EEV_MANUFACTDESC	Y	VARCHAR2(80)	nvarchar(80)	The potential manufacturer of the new euipment
EEV_MANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	The potential model of the new euipment
EEV_CO2COST	N	NUMBER(24,6)	numeric(24,6)	The estimated co2 cost of the new equipment
EEV_ANNUALPMCOST	N	NUMBER(24,6)	numeric(24,6)	The estimated annual PM cost of the new equipment
EEV_ANNUALNONPMCOST	N	NUMBER(24,6)	numeric(24,6)	The estimated annual non PM cost of the new equipment
EEV_COMMODITY1	Y	VARCHAR2(15)	nvarchar(15)	Commodity associated to the new equipment
EEV_DESIGNUSAGEUOM1	Y	VARCHAR2(30)	nvarchar(30)	The design usage unit of measure of the first commodity
EEV_DESIGNCONSUMPTIONRATE1	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate of the first commodity
EEV_COMMODITY2	Y	VARCHAR2(15)	nvarchar(15)	Commodity associated to the new equipment
EEV_DESIGNUSAGEUOM2	Y	VARCHAR2(30)	nvarchar(30)	The design usage unit of measure of the second commodity
EEV_DESIGNCONSUMPTIONRATE2	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate of the second commodity
EEV_COMMODITY3	Y	VARCHAR2(15)	nvarchar(15)	Commodity associated to the new equipment
EEV_DESIGNUSAGEUOM3	Y	VARCHAR2(30)	nvarchar(30)	The design usage unit of measure of the third commodity
EEV_DESIGNCONSUMPTIONRATE3	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate of the third commodity
EEV_COMMODITY4	Y	VARCHAR2(15)	nvarchar(15)	Commodity associated to the new equipment
EEV_DESIGNUSAGEUOM4	Y	VARCHAR2(30)	nvarchar(30)	The design usage unit of measure of the fourth commodity
EEV_DESIGNCONSUMPTIONRATE4	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate of the fourth commodity
EEV_COMMODITY5	Y	VARCHAR2(15)	nvarchar(15)	Commodity associated to the new equipment
EEV_DESIGNUSAGEUOM5	Y	VARCHAR2(30)	nvarchar(30)	The design usage unit of measure of the fifth commodity
EEV_DESIGNCONSUMPTIONRATE5	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate of the fifth commodity
EEV_SEARCH_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	The manufacturer search criterion for old equipment
EEV_SEARCH_MANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	The model search criterion for old equipment
EEV_SEARCH_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class search criterion for old equipment
EEV_SEARCH_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization search criterion for old equipment
EEV_SEARCH_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The category search criterion for old equipment
EEV_SEARCH_TYPE	Y	VARCHAR2(4)	nvarchar(4)	The type search criterion for old equipment
EEV_SEARCH_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status search criterion for old equipment
EEV_SEARCH_GASINDEX	Y	VARCHAR2(1)	nvarchar(1)	The gas index search criterion for old equipment
EEV_SEARCH_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	The out of service search criterion for old equipment
EEV_SEARCH_WITHDRAWN	Y	VARCHAR2(1)	nvarchar(1)	The withdrawn search criterion for old equipment
EEV_SELECTIONCRITERIAUPDATE	Y	DATE	datetime	The date the selection criteria were last updated
EEV_LISTLASTREFRESHED	Y	DATE	datetime	Date the list was last refreshed
EEV_ESTMATCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated material cost of the new equipment
EEV_ESTLABCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated labor cost of the new equipment
EEV_ESTSALVAGE	Y	NUMBER(24,6)	numeric(24,6)	The estimated salvage value of the old equipment
EEV_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The default priority for the capital planning request
EEV_MAJORGROUP	Y	VARCHAR2(30)	nvarchar(30)	The default major group for the capital planning request
EEV_GROUP	Y	VARCHAR2(30)	nvarchar(30)	The default group for the capital planning request
EEV_INDIVIDUAL	Y	VARCHAR2(30)	nvarchar(30)	The default individual for the capital planning request
EEV_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	The long description of the equipment evaluation
EEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EEV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPFUNCTIONLEVELS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
EFL_CODE	N	VARCHAR2(30)	nvarchar(30)	Primary key of the record
EFL_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
EFL_OBJECT	N	VARCHAR2(35)	nvarchar(35)	Reference to the selected equipment
EFL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Reference to the selected equipment organization
EFL_PROJECT	N	VARCHAR2(8)	nvarchar(8)	Reference to the selected RCM Project
EFL_LEVELTYPE	N	VARCHAR2(4)	nvarchar(4)	Type of record. FUNS is function. FUNF is functional failure. FUNC is consequence. FAIL is failure mode.
EFL_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	Sequence for display in the RCM tree
EFL_NOTE	Y	VARCHAR2(256)	nvarchar(256)	Free note field

EFL_PROBABILITY	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected Probability
EFL_CONSEQUENCE	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected Consequence
EFL_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Reference to the next higher level in the hierarchy
EFL_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the record
EFL_CREATED	Y	DATE	datetime	Date record was created
EFL_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that last updated the record
EFL_UPDATED	Y	DATE	datetime	Date last updated
EFL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EFL_CONSEQUENCECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected Consequence Category
EFL_FUNCTIONFAILURE	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected functional failure as the child of the failure mode
EFL_STREAMPLUSVERSION	Y	VARCHAR2(30)	nvarchar(30)	The version of Streamplus
EFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EFL_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
EFL_CONSEQUENCECOST	Y	NUMBER(24,6)	numeric(24,6)	
EFL_PROBABILITY_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
EFL_PROBLEM	Y	VARCHAR2(8)	nvarchar(8)	
EFL_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	
EFL_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	
EFL_ACTION	Y	VARCHAR2(8)	nvarchar(8)	
EFL_STANDARDWO	Y	VARCHAR2(20)	nvarchar(20)	
EFL_DOWNTIMEHOURS	Y	NUMBER(8,2)	numeric(8,2)	
EFL_DOWNTIMECOST	Y	NUMBER(24,6)	numeric(24,6)	
EFL_SYMPTOM	Y	VARCHAR2(8)	nvarchar(8)	
EFL_TACTICALCAUSE	Y	VARCHAR2(8)	nvarchar(8)	
EFL_HUMANFACTOR	Y	VARCHAR2(8)	nvarchar(8)	
EFL_WORKMANSHIP	Y	VARCHAR2(8)	nvarchar(8)	
EFL_HUMANOVERSIGHT	Y	VARCHAR2(8)	nvarchar(8)	
EFL_DETECTIONMETHOD	Y	VARCHAR2(8)	nvarchar(8)	
EFL_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
EFL_RPN	Y	NUMBER(24,6)	numeric(24,6)	
EFL_UNMITIGATED_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
EFL_UNMITIGATED_RPN	Y	NUMBER(24,6)	numeric(24,6)	
EFL_SOURCE	Y	VARCHAR2(30)	nvarchar(30)	
EFL_SOURCE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EFL_SOURCE_TYPE	Y	VARCHAR2(4)	nvarchar(4)	
EFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUIPMENTQUALIFICATIONS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EQU_OBJCODE	N	VARCHAR2(30)	nvarchar(30)	
EQU_OBJORG	N	VARCHAR2(15)	nvarchar(15)	
EQU_QUALIFICATION	N	VARCHAR2(20)	nvarchar(20)	
EQU_QUALIFICATIONSTART	N	DATE	datetime	
EQU_PURPOSE	Y	VARCHAR2(80)	nvarchar(80)	
EQU_HOURS	Y	NUMBER(5,1)	numeric(5,1)	
EQU_CEU	Y	NUMBER(5,1)	numeric(5,1)	
EQU_COURSESTART	Y	DATE	datetime	
EQU_COURSEFINISH	Y	DATE	datetime	
EQU_COURSECOST	Y	NUMBER(24,6)	numeric(24,6)	
EQU_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	
EQU_COURSECOMPLETED	Y	VARCHAR2(1)	nvarchar(1)	
EQU_CERTIFICATION	Y	VARCHAR2(20)	nvarchar(20)	
EQU_CERTIFICATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
EQU_DURATION	Y	NUMBER(4,0)	numeric(4,0)	

EQU_DURATIONUOM	Y	VARCHAR2(1)	nvarchar(1)	
EQU_EXPIRATION	Y	DATE	datetime	
EQU_COMMENTS	Y	VARCHAR2(80)	nvarchar(80)	
EQU_TEMPDISQUALIFIED	Y	VARCHAR2(1)	nvarchar(1)	
EQU_UPDATED	Y	DATE	datetime	
EQU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
EQU_LASTSAVED	Y	DATE	datetime	
EQU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EQUIPMENTRANKINGHISTORY		R5RELIABILITYRANKING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ERH_RANKINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
ERH_RANKINGORG	Y	VARCHAR2(15)	nvarchar(15)	
ERH_RANKINGREVISION	Y	NUMBER(4,0)	numeric(4,0)	
ERH_RANKINGTYPE	Y	VARCHAR2(8)	nvarchar(8)	
ERH_OBJCODE	Y	VARCHAR2(30)	nvarchar(30)	
ERH_OBJORG	Y	VARCHAR2(15)	nvarchar(15)	
ERH_DATE	Y	DATE	datetime	
ERH_SCORE	Y	NUMBER(24,6)	numeric(24,6)	
ERH_INDEX	Y	VARCHAR2(8)	nvarchar(8)	
ERH_ENDOFUSEFULLIFE	Y	DATE	datetime	
ERH_CONDITIONPROTOCOL	Y	VARCHAR2(8)	nvarchar(8)	
ERH_CONDSORESTART	Y	NUMBER(24,6)	numeric(24,6)	
ERH_CONDSOREEND	Y	NUMBER(24,6)	numeric(24,6)	
ERH_CONDSORETHRESHOLD	Y	NUMBER(24,6)	numeric(24,6)	
ERH_DECAYCURVE	Y	VARCHAR2(30)	nvarchar(30)	
ERH_DECAYCURVE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ERH_CORRCONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	
ERH_CORRCONDITIONREASON	Y	VARCHAR2(8)	nvarchar(8)	
ERH_CORRCONDITIONDATE	Y	DATE	datetime	
ERH_CORRCONDITIONUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
ERH_PRIMARYUOM	Y	VARCHAR2(30)	nvarchar(30)	
ERH_SERVICELIFE	Y	NUMBER(3,0)	numeric(3,0)	
ERH_DAILYUSAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	
ERH_USAGE	Y	NUMBER(24,6)	numeric(24,6)	
ERH_SERVICELIFEUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
ERH_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
ERH_LASTSAVED	Y	DATE	datetime	Timestamp of last update
ERH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ERH_CAPACITYRATING	Y	NUMBER(9,6)	numeric(9,6)	
ERH_NUMBEROFFAILURES	Y	NUMBER(10,0)	numeric(10,0)	
ERH_MTBFDAYS	Y	NUMBER(24,6)	numeric(24,6)	
ERH_MTBFRATING	Y	NUMBER(9,6)	numeric(9,6)	
ERH_MUBF	Y	NUMBER(24,6)	numeric(24,6)	
ERH_MUBFRATING	Y	NUMBER(9,6)	numeric(9,6)	
ERH_MTTTRHRS	Y	NUMBER(24,6)	numeric(24,6)	
ERH_MTTTRRATING	Y	NUMBER(9,6)	numeric(9,6)	
ERH_VARIABLERESULT1	Y	NUMBER(24,6)	numeric(24,6)	
ERH_VARIABLERATING1	Y	NUMBER(9,6)	numeric(9,6)	
ERH_VARIABLERESULT2	Y	NUMBER(24,6)	numeric(24,6)	
ERH_VARIABLERATING2	Y	NUMBER(9,6)	numeric(9,6)	
ERH_VARIABLERESULT3	Y	NUMBER(24,6)	numeric(24,6)	
ERH_VARIABLERATING3	Y	NUMBER(9,6)	numeric(9,6)	
ERH_VARIABLERESULT4	Y	NUMBER(24,6)	numeric(24,6)	

ERH_VARIABLERATING4	Y	NUMBER(9,6)	numeric(9,6)	
ERH_VARIABLERESULT5	Y	NUMBER(24,6)	numeric(24,6)	
ERH_VARIABLERATING5	Y	NUMBER(9,6)	numeric(9,6)	
ERH_VARIABLERESULT6	Y	NUMBER(24,6)	numeric(24,6)	
ERH_VARIABLERATING6	Y	NUMBER(9,6)	numeric(9,6)	
ERH_PERFORMANCEFORMULA	Y	VARCHAR2(30)	nvarchar(30)	
ERH_PERFORMANCEFORMULA_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ERH_PERFORMANCE	Y	NUMBER(9,6)	numeric(9,6)	
ERH_CONDITIONRATING	Y	NUMBER(9,6)	numeric(9,6)	
ERH_CAPACITYCODE	Y	VARCHAR2(8)	nvarchar(8)	
ERH_AVAILABLECAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
ERH_DESIREDCAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
ERH_PK	N	VARCHAR2(30)	nvarchar(30)	
ERH_CREATED	Y	DATE	datetime	Creation timestamp
ERH_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
ERH_UPDATED	Y	DATE	datetime	Update timestamp
ERH_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
ERH_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	
ERH_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	
ERH_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	
ERH_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	
ERH_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	
ERH_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	
ERH_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ERH_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

ERH_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ERH_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ERH_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ERH_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ERH_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ERH_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ERH_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ERH_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ERH_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ERH_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ERH_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ERH_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ERH_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ERH_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ERH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EQUIPMENTRANKINGS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EQR_RANKINGCODE	N	VARCHAR2(30)	nvarchar(30)	The ranking code.
EQR_RANKINGORG	N	VARCHAR2(15)	nvarchar(15)	The ranking organization.
EQR_RANKINGREVISION	N	NUMBER(4,0)	numeric(4,0)	The ranking revision
EQR_OBJCODE	N	VARCHAR2(30)	nvarchar(30)	The equipment code related to the ranking.
EQR_OBJORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization related to the ranking.
EQR_NOTE	Y	VARCHAR2(256)	nvarchar(256)	The note of the ranking/equipment combination.
EQR_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the equipment is the default for the current ranking.
EQR_LOCKRANKINGVALUES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the ranking values should be locked.
EQR_RANKINGINDEX	Y	VARCHAR2(8)	nvarchar(8)	The calculated ranking index of the ranking/equipment combination.
EQR_RANKINGSCORE	Y	NUMBER(24,6)	numeric(24,6)	The calculated ranking score of the ranking/equipment combination.
EQR_VALUESLASTCALCULATED	Y	DATE	datetime	The date the index and score were last calculated.
EQR_SURVEYLASTUPDATED	Y	DATE	datetime	The date the survey was last updated.
EQR_REFRESHEVERY	Y	NUMBER(2,0)	numeric(2,0)	The number of days/weeks/months between calculations.
EQR_REFRESHEVERYUNIT	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure (days/weeks/months) of the refresh every number.
EQR_NEXTREFRESH	Y	DATE	datetime	The next refresh date of the ranking/equipment combination.
EQR_REFRESHSEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	The refresh sequence.
EQR_CALCULATIONERROR	Y	VARCHAR2(1)	nvarchar(1)	The system generated calculation error of the ranking/equipment combination.
EQR_CREATED	Y	DATE	datetime	record creation timestamp
EQR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
EQR_UPDATED	Y	DATE	datetime	update date
EQR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
EQR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EQR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

EQR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EQR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EQR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EQR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EQR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EQR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EQR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
EQR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
EQR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
EQR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
EQR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
EQR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EQR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EQR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EQR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EQR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EQR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EQR_CORRSCORERANKING	Y	VARCHAR2(30)	nvarchar(30)	
EQR_CORRSCORERANKING_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EQR_CORRSCORERANKINGREV	Y	NUMBER(4,0)	numeric(4,0)	
EQR_CORRSCOREINDEX	Y	VARCHAR2(8)	nvarchar(8)	
EQR_CORRSCORESCORE	Y	NUMBER(24,6)	numeric(24,6)	
EQR_CORRSCOREDATE	Y	DATE	datetime	
EQR_CORRSCORESTATUS	Y	VARCHAR2(8)	nvarchar(8)	
EQR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEQUPMENTSTRUCTUREDETAIL

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STD_SESSION	N	NUMBER	numeric(18,0)	The session id.
STD_PARENT	N	VARCHAR2(200)	nvarchar(200)	The parent code.
STD_PARENT_ORG	N	VARCHAR2(15)	nvarchar(15)	The parent organization.
STD_PARENTTYPE	N	VARCHAR2(1)	nvarchar(1)	The parent type.
STD_CHILD	N	VARCHAR2(200)	nvarchar(200)	The child code.
STD_CHILD_ORG	N	VARCHAR2(15)	nvarchar(15)	The child organization.
STD_CHILDTYPE	N	VARCHAR2(1)	nvarchar(1)	The child type.
STD_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	The object user type.
STD_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department.
STD_DATE	Y	DATE	datetime	The date.
STD_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	The object system type.

STD_ROLLUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether costs should rollup.
STD_KIT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is a kit.
STD_CHILD_DESC	Y	VARCHAR2(80)	nvarchar(80)	The child description.
STD_DESCLEFT	Y	VARCHAR2(300)	nvarchar(300)	The left part of the equipment structure detail node description
STD_DESCRIGHT	Y	VARCHAR2(300)	nvarchar(300)	The right part of the equipment structure detail node description
STD_QTY	Y	NUMBER(24,6)	numeric(24,6)	Part Quanty
STD_ICON	Y	VARCHAR2(30)	nvarchar(30)	The icon of the equipment structure details record
STD_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The icon path of the equipment structure details record
STD_RISKLEVEL_ICON	Y	VARCHAR2(30)	nvarchar(30)	The risk level icon.
STD_RISKLEVEL_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The risk level icon path.
STD_WORKSPACECODE	Y	VARCHAR2(30)	nvarchar(30)	The workspace
STD_SEQUENCE	Y	NUMBER(10,0)	numeric(10,0)	The sequence.
STD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EQUIPMENTUSABILITIES	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
EUB_EQPUSABILITY	N	VARCHAR2(30)	nvarchar(30)	Equipment Usability
EUB_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization
EUB_DESC	Y	VARCHAR2(80)	nvarchar(80)	Equipment Usability Description
EUB_PENALTYFACTOR	Y	NUMBER(24,6)	numeric(24,6)	Penalty Factor
EUB_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not Used Flag
EUB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
EUB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EUB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ERRSOURCE	BASE			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
ERS_SOURCE	N	VARCHAR2(32)	nvarchar(32)	name of procedure, form etc.
ERS_TYPE	N	VARCHAR2(4)	nvarchar(4)	indicates whether procedure, etc.
ERS_DESC	Y	VARCHAR2(80)	nvarchar(80)	reminder to check the error code
ERS_NUMBER	N	NUMBER(4,0)	numeric(4,0)	serial number of error
ERS_CODE	Y	VARCHAR2(12)	nvarchar(12)	code of error message
ERS_NAME	Y	VARCHAR2(80)	nvarchar(80)	Variable name for web client messages only
ERS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ERS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ERS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ERRTEXTS	BASE			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
ERT_CODE	N	VARCHAR2(12)	nvarchar(12)	identifier of error message
ERT_TEXT	N	VARCHAR2(255)	nvarchar(255)	error message
ERT_LANG	N	VARCHAR2(2)	nvarchar(2)	language.
ERT_TRANSLATE	Y	VARCHAR2(1)	nvarchar(1)	checked: to translate (again)
ERT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ERT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ERT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ESTIMATEEVENTLOGS	PROJECTS			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
EEG_PK	N	VARCHAR2(30)	nvarchar(30)	
EEG_CUESTIMATE	Y	VARCHAR2(30)	nvarchar(30)	
EEG_CUESTIMATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EEG_DATE	Y	DATE	datetime	

EEG_USER	Y	VARCHAR2(255)	nvarchar(255)	
EEG_FROMSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
EEG_TOSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
EEG_TOTALCUESTIMATECOST	Y	NUMBER(24,6)	numeric(24,6)	
EEG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EEG_LASTSAVED	Y	DATE	datetime	Timestamp of last update
EEG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSESTTOCOMPDATA PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCA_PROJBUD	Y	VARCHAR2(20)		
TCA_TYPE	Y	NUMBER(2,0)		
TCA_COST	Y	NUMBER(24,6)		

RSESTTOCOMPPROJS PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCP_CODE	Y	VARCHAR2(20)		

RSEVALCRITERIA MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVC_CODE	N	VARCHAR2(8)	nvarchar(8)	evaluation criteria code
EVC_LINE	N	NUMBER(8,0)	numeric(8,0)	line
EVC_CRITERIA	N	VARCHAR2(45)	nvarchar(45)	evaluation criteria
EVC_WEIGHT	N	NUMBER(3,0)	numeric(3,0)	weight
EVC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EVC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVALRESPONSES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVR_CODE	N	VARCHAR2(8)	nvarchar(8)	evaluation code
EVR_CLINE	N	NUMBER(8,0)	numeric(8,0)	evaluation line
EVR_RLINE	N	NUMBER(8,0)	numeric(8,0)	line
EVR_RESPONSE	Y	VARCHAR2(45)	nvarchar(45)	criteria response
EVR_VALUE	Y	NUMBER(4,0)	numeric(4,0)	value
EVR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EVR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVALUATIONCUSTOMFLDPARAMS PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECP_EVALCODE	N	VARCHAR2(30)	nvarchar(30)	evaluation code
ECP_EVALTYPE	N	VARCHAR2(1)	nvarchar(1)	evaluation type
ECP_PROPERTY	N	VARCHAR2(8)	nvarchar(8)	Property
ECP_ORDER	Y	NUMBER(2,0)	numeric(2,0)	Order
ECP_MIN	Y	VARCHAR2(40)	nvarchar(40)	minimum value
ECP_MAX	Y	VARCHAR2(40)	nvarchar(40)	maximum value
ECP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTACCOMPLISHMENTS T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EAC_PK	N	VARCHAR2(30)	nvarchar(30)	

EAC_EVENT	N	VARCHAR2(30)	nvarchar(30)	
EAC_ACT	N	NUMBER(8,0)	numeric(8,0)	
EAC_TYPE	N	VARCHAR2(8)	nvarchar(8)	
EAC_DATEWORKED	N	DATE	datetime	
EAC_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
EAC_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
EAC_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
EAC_SYMPTOM	Y	VARCHAR2(8)	nvarchar(8)	
EAC_PROBLEM	Y	VARCHAR2(8)	nvarchar(8)	
EAC_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	
EAC_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	
EAC_ACTION	Y	VARCHAR2(8)	nvarchar(8)	
EAC_QUANTITY	Y	NUMBER(24,6)	numeric(24,6)	
EAC_UOM	Y	VARCHAR2(30)	nvarchar(30)	
EAC_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
EAC_CREW	Y	VARCHAR2(15)	nvarchar(15)	
EAC_CREW_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EAC_PERSON	Y	VARCHAR2(15)	nvarchar(15)	
EAC_NONCONFORMITY	Y	VARCHAR2(30)	nvarchar(30)	
EAC_OBSERVATION	Y	VARCHAR2(30)	nvarchar(30)	
EAC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
EAC_CREATED	Y	DATE	datetime	Creation timestamp
EAC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
EAC_UPDATED	Y	DATE	datetime	Update timestamp
EAC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EAC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

EAC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EAC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EAC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EAC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EAC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EAC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
EAC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
EAC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
EAC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
EAC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
EAC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EAC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EAC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EAC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EAC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EAC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
EAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTASPECTS	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EAS_ASPECT	N	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
EAS_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number of inspection job..
EAS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EAS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EAS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTASPECTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEC_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number of inspection job..
AEC_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
AEC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTCOST	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVO_EVENT	N	VARCHAR2(30)	nvarchar(30)	The work order
EVO_RECALCCOST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate the cost of the work order needs to be recalculated
EVO_COSTCALCULATED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the cost of the work order has been calculated
EVO_LABOR	Y	NUMBER(24,6)	numeric(24,6)	Total labor cost of the work order
EVO_MATERIAL	Y	NUMBER(24,6)	numeric(24,6)	Total material cost of the work order
EVO_TOOL	Y	NUMBER(24,6)	numeric(24,6)	Total tool cost of the work order
EVO_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	Total cost of the work order
EVO_HOURS	Y	NUMBER(24,6)	numeric(24,6)	Total hours worked on the work order
EVO_UPDATED	Y	DATE	datetime	Date the record was last updated
EVO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVO_OWNLABOR	Y	NUMBER(24,6)	numeric(24,6)	
EVO_HIREDLABOR	Y	NUMBER(24,6)	numeric(24,6)	
EVO_SERVICESLABOR	Y	NUMBER(24,6)	numeric(24,6)	
EVO_STOCKMATERIAL	Y	NUMBER(24,6)	numeric(24,6)	
EVO_DIRECTMATERIAL	Y	NUMBER(24,6)	numeric(24,6)	
EVO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTCOSTS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECT_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order
ECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
ECT_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment
ECT_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment org
ECT_FROMPOINT	Y	VARCHAR2(24)	nvarchar(24)	Starting reference point
ECT_TOPOINT	Y	VARCHAR2(24)	nvarchar(24)	Ending reference point
ECT_LABOR	Y	NUMBER(24,6)	numeric(24,6)	WO Labor cost
ECT_MATERIAL	Y	NUMBER(24,6)	numeric(24,6)	WO material cost
ECT_TOOL	Y	NUMBER(24,6)	numeric(24,6)	WO tool cost
ECT_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	total wo cost
ECT_HOURS	Y	NUMBER(24,6)	numeric(24,6)	WO labor hours booked
ECT_UPDATED	Y	DATE	datetime	Date WO cost was updated.
ECT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECT_SQLIDENTITY	Y		int identity	Identity column for SQL Server
RSEVENTCOSTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACE_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACE_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
ACE_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
ACE_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
ACE_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment org
ACE_FROMPOINT	Y	VARCHAR2(24)	nvarchar(24)	Starting reference point
ACE_TOPOINT	Y	VARCHAR2(24)	nvarchar(24)	Ending reference point
ACE_LABOR	Y	NUMBER(24,6)	numeric(24,6)	WO Labor cost
ACE_MATERIAL	Y	NUMBER(24,6)	numeric(24,6)	WO material cost
ACE_TOOL	Y	NUMBER(24,6)	numeric(24,6)	WO tool cost
ACE_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	total wo cost
ACE_HOURS	Y	NUMBER(24,6)	numeric(24,6)	WO labor hours booked
ACE_UPDATED	Y	DATE	datetime	Date WO cost was updated.
ACE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACE_SQLIDENTITY	Y		int identity	Identity column for SQL Server
RSEVENTCOST_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AVC_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	The identifier of the archive
AVC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order
AVC_RECALCCOST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate the cost of the work order needs to be recalculated
AVC_COSTCALCULATED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the cost of the work order has been calculated
AVC_LABOR	Y	NUMBER(24,6)	numeric(24,6)	Total labor cost of the work order
AVC_MATERIAL	Y	NUMBER(24,6)	numeric(24,6)	Total material cost of the work order
AVC_TOOL	Y	NUMBER(24,6)	numeric(24,6)	Total tool cost of the work order
AVC_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	Total cost of the work order
AVC_HOURS	Y	NUMBER(24,6)	numeric(24,6)	Total hours worked on the work order
AVC_UPDATED	Y	DATE	datetime	Date the record was last updated
AVC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AVC_OWNLABOR	Y	NUMBER(24,6)	numeric(24,6)	
AVC_HIREDLABOR	Y	NUMBER(24,6)	numeric(24,6)	
AVC_SERVICESLABOR	Y	NUMBER(24,6)	numeric(24,6)	

AVC_STOCKMATERIAL	Y	NUMBER(24,6)	numeric(24,6)	
AVC_DIRECTMATERIAL	Y	NUMBER(24,6)	numeric(24,6)	
AVC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTEQUIPREPLACEMENT	T.B.D.			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EER_EVENT	N	VARCHAR2(30)	nvarchar(30)	
EER_OBJECT	N	VARCHAR2(30)	nvarchar(30)	
EER_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	
EER_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	
EER_CORERETURN	Y	VARCHAR2(1)	nvarchar(1)	
EER_WITHDRAW	Y	VARCHAR2(1)	nvarchar(1)	
EER_STORERETURN	Y	VARCHAR2(1)	nvarchar(1)	
EER_STORE	Y	VARCHAR2(15)	nvarchar(15)	
EER_BIN	Y	VARCHAR2(15)	nvarchar(15)	
EER_PROCESSED	Y	VARCHAR2(1)	nvarchar(1)	
EER_CREATED	Y	DATE	datetime	Creation timestamp
EER_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
EER_UPDATED	Y	DATE	datetime	Update timestamp
EER_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
EER_PART	Y	VARCHAR2(30)	nvarchar(30)	
EER_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EER_NEWOBJECT	Y	VARCHAR2(30)	nvarchar(30)	
EER_NEWOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EER_FROMSTORE	Y	VARCHAR2(15)	nvarchar(15)	
EER_FROMBIN	Y	VARCHAR2(15)	nvarchar(15)	
EER_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

EER_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EER_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EER_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EER_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EER_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EER_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EER_UDFDATE01	Y	DATE	datetime	User defined field of type Date
EER_UDFDATE02	Y	DATE	datetime	User defined field of type Date
EER_UDFDATE03	Y	DATE	datetime	User defined field of type Date
EER_UDFDATE04	Y	DATE	datetime	User defined field of type Date
EER_UDFDATE05	Y	DATE	datetime	User defined field of type Date
EER_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EER_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EER_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EER_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EER_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EER_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EER_LASTSAVED	Y	DATE	datetime	Timestamp of last update
EER_RETURNCONDITION	Y	VARCHAR2(20)	nvarchar(20)	
EER_CONDITION	Y	VARCHAR2(20)	nvarchar(20)	
EER_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTOBJECTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EOB_EVENT	N	VARCHAR2(30)	nvarchar(30)	event code
EOB_OBTYP	N	VARCHAR2(4)	nvarchar(4)	user object type
EOB_OBRTP	N	VARCHAR2(4)	nvarchar(4)	system object type
EOB_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code
EOB_LEVEL	N	NUMBER(3,0)	numeric(3,0)	level
EOB_ROLLUP	N	VARCHAR2(1)	nvarchar(1)	cost rollup flag
EOB_DOWNTIME	N	VARCHAR2(1)	nvarchar(1)	new down time rollup flag
EOB_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
EOB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EOB_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
EOB_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
EOB_WEIGHTPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The weight percentage.
EOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTOBJECTS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEO_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
AEO_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	user object type
AEO_OBRTP	Y	VARCHAR2(4)	nvarchar(4)	system object type
AEO_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
AEO_LEVEL	Y	NUMBER(3,0)	numeric(3,0)	level
AEO_ROLLUP	Y	VARCHAR2(1)	nvarchar(1)	cost rollup flag
AEO_DOWNTIME	Y	VARCHAR2(1)	nvarchar(1)	new down time rollup flag
AEO_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
AEO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEO_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
AEO_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point

AEO_WEIGHTPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The weight percentage
AEO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTPOINTS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EPO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number of inspection job.
EPO_LINE	Y	NUMBER(8,0)	numeric(8,0)	inspection reading line number (within inspection event number).
EPO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
EPO_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
EPO_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
EPO_POINT	Y	VARCHAR2(30)	nvarchar(30)	identification of object inspection point.
EPO_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	inspection point type.
EPO_ASPECT	N	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
EPO_AVGSLOPE	Y	NUMBER(24,6)	numeric(24,6)	average slope of inspection reading over time, based on a linear regression method.
EPO_COMMENT	Y	VARCHAR2(70)	nvarchar(70)	comments related to inspection reading.
EPO_CREATE	Y	VARCHAR2(1)	nvarchar(1)	value is + if correction job is to be created when the inspection results are approved
EPO_DATE	Y	DATE	datetime	date of inspection reading.
EPO_FINDING	Y	VARCHAR2(4)	nvarchar(4)	finding code.
EPO_JOB	Y	VARCHAR2(30)	nvarchar(30)	event number of correction job.
EPO_LASTSLOPE	Y	NUMBER(24,6)	numeric(24,6)	last slope of inspection reading over time, based on a linear regression method.
EPO_MAX	Y	NUMBER(24,6)	numeric(24,6)	date at which inspection reading is predicted to exceed maximum acceptable value.
EPO_MAXDATE	Y	DATE	datetime	date at which inspection reading is predicted to exceed maximum acceptable value.
EPO_MAXPPM	Y	VARCHAR2(20)	nvarchar(20)	exceeds maximum acceptable value.
EPO_MAXSTWO	Y	VARCHAR2(20)	nvarchar(20)	code of standard job that needs to be created when inspection reading exceeds maximum acceptable value
EPO_MAXTOL	Y	NUMBER(4,1)	numeric(4,1)	date at which inspection reading is predicted to be within tolerance percentage points of maximum accept value
EPO_MAXTOLDATE	Y	DATE	datetime	date at which inspection reading is predicted to be within tolerance percentage points of maximum accept value
EPO_METHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method code.
EPO_MIN	Y	NUMBER(24,6)	numeric(24,6)	date at which inspection reading is predicted to drop below minimum acceptable value.
EPO_MINDATE	Y	DATE	datetime	date at which inspection reading is predicted to drop below minimum acceptable value.
EPO_MINPPM	Y	VARCHAR2(20)	nvarchar(20)	drops below minimum acceptable value.
EPO_MINSTWO	Y	VARCHAR2(20)	nvarchar(20)	code of standard job that needs to be created when inspection reading drops below minimum accept value
EPO_MINTOL	Y	NUMBER(4,1)	numeric(4,1)	date at which inspection reading is predicted to be within tolerance percentage points of minimum accept value
EPO_MINTOLDATE	Y	DATE	datetime	date at which inspection reading is predicted to be within tolerance percentage points of minimum accept value
EPO_RESULT	Y	VARCHAR2(4)	nvarchar(4)	result of inspection reading (user code, qualitative result).
EPO_RRESULT	Y	VARCHAR2(4)	nvarchar(4)	result of inspection reading (system code, qualitative result).
EPO_STWO	Y	VARCHAR2(20)	nvarchar(20)	standard job code suggested by system on basis of inspection result.
EPO_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of origin of the line (category or otherwise).
EPO_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
EPO_VALUE	Y	NUMBER(24,6)	numeric(24,6)	value of inspection reading (quantitative, numeric result).
EPO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
EPO_INSPECTOR	Y	VARCHAR2(15)	nvarchar(15)	inspector
EPO_LOCATION	Y	VARCHAR2(70)	nvarchar(70)	location code
EPO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
EPO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
EPO_CODE	N	VARCHAR2(30)	nvarchar(30)	event point code
EPO_ORIGEVENT	Y	VARCHAR2(30)	nvarchar(30)	originating event
EPO_NIDATEMINCRIT	Y	DATE	datetime	minimum criticality date
EPO_NIDATEMINTOL	Y	DATE	datetime	minimum tolerance date
EPO_NIDATEMAXCRIT	Y	DATE	datetime	maximum criticality date
EPO_NIDATEMAXTOL	Y	DATE	datetime	maximum tolerance date
EPO_ASSESSED Slope	Y	NUMBER	numeric(24,6)	addressed slope
EPO_VARCHAR1	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR2	Y	VARCHAR2(45)	nvarchar(45)	character variable

EPO_VARCHAR3	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR4	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR5	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR6	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR7	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR8	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR9	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR10	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARNUM1	Y	NUMBER	float	numeric variable
EPO_VARNUM2	Y	NUMBER	float	numeric variable
EPO_VARNUM3	Y	NUMBER	float	numeric variable
EPO_VARNUM4	Y	NUMBER	float	numeric variable
EPO_VARNUM5	Y	NUMBER	float	numeric variable
EPO_VARNUM6	Y	NUMBER	float	numeric variable
EPO_VARNUM7	Y	NUMBER	float	numeric variable
EPO_VARNUM8	Y	NUMBER	float	numeric variable
EPO_VARNUM9	Y	NUMBER	float	numeric variable
EPO_VARNUM10	Y	NUMBER	float	numeric variable
EPO_VARDATE1	Y	DATE	datetime	date variable
EPO_VARDATE2	Y	DATE	datetime	date variable
EPO_VARDATE3	Y	DATE	datetime	date variable
EPO_VARDATE4	Y	DATE	datetime	date variable
EPO_VARDATES	Y	DATE	datetime	date variable
EPO_CONFRATING	Y	VARCHAR2(4)	nvarchar(4)	confidence rating
EPO_PARENT	Y	VARCHAR2(30)	nvarchar(30)	event point parent
EPO_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	completed
EPO_PROCESSED	Y	VARCHAR2(1)	nvarchar(1)	processed flag
EPO_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk code
EPO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EPO_VARCHAR11	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR12	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR13	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR14	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR15	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR16	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR17	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR18	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR19	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR20	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR21	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR22	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR23	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR24	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR25	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR26	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR27	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR28	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR29	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR30	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR31	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR32	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR33	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR34	Y	VARCHAR2(45)	nvarchar(45)	character variable
EPO_VARCHAR35	Y	VARCHAR2(45)	nvarchar(45)	character variable

EPO_VARNUM11	Y	NUMBER	float	numeric variable
EPO_VARNUM12	Y	NUMBER	float	numeric variable
EPO_VARNUM13	Y	NUMBER	float	numeric variable
EPO_VARNUM14	Y	NUMBER	float	numeric variable
EPO_VARNUM15	Y	NUMBER	float	numeric variable
EPO_VARNUM16	Y	NUMBER	float	numeric variable
EPO_VARNUM17	Y	NUMBER	float	numeric variable
EPO_VARNUM18	Y	NUMBER	float	numeric variable
EPO_VARNUM19	Y	NUMBER	float	numeric variable
EPO_VARNUM20	Y	NUMBER	float	numeric variable
EPO_VARNUM21	Y	NUMBER	float	numeric variable
EPO_VARNUM22	Y	NUMBER	float	numeric variable
EPO_VARNUM23	Y	NUMBER	float	numeric variable
EPO_VARNUM24	Y	NUMBER	float	numeric variable
EPO_VARNUM25	Y	NUMBER	float	numeric variable
EPO_VARNUM26	Y	NUMBER	float	numeric variable
EPO_VARNUM27	Y	NUMBER	float	numeric variable
EPO_VARNUM28	Y	NUMBER	float	numeric variable
EPO_VARNUM29	Y	NUMBER	float	numeric variable
EPO_VARNUM30	Y	NUMBER	float	numeric variable
EPO_VARNUM31	Y	NUMBER	float	numeric variable
EPO_VARNUM32	Y	NUMBER	float	numeric variable
EPO_VARNUM33	Y	NUMBER	float	numeric variable
EPO_VARNUM34	Y	NUMBER	float	numeric variable
EPO_VARNUM35	Y	NUMBER	float	numeric variable
EPO_VARDATE6	Y	DATE	datetime	date variable
EPO_VARDATE7	Y	DATE	datetime	date variable
EPO_VARDATE8	Y	DATE	datetime	date variable
EPO_VARDATE9	Y	DATE	datetime	date variable
EPO_VARDATE10	Y	DATE	datetime	date variable
EPO_VARDATE11	Y	DATE	datetime	date variable
EPO_VARDATE12	Y	DATE	datetime	date variable
EPO_VARDATE13	Y	DATE	datetime	date variable
EPO_VARDATE14	Y	DATE	datetime	date variable
EPO_VARDATE15	Y	DATE	datetime	date variable
EPO_CREATED	Y	DATE	datetime	Creation timestamp
EPO_UPDATED	Y	DATE	datetime	Update timestamp
EPO_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
EPO_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
EPO_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
EPO_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
EPO_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
EPO_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
EPO_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
EPO_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
EPO_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
EPO_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
EPO_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
EPO_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
EPO_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
EPO_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
EPO_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
EPO_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
EPO_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.

EPO_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
EPO_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
EPO_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
EPO_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
EPO_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
EPO_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
EPO_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
EPO_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
EPO_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
EPO_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
EPO_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
EPO_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
EPO_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
EPO_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
EPO_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
EPO_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
EPO_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
EPO_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
EPO_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
EPO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EPO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTPOINTS_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEN_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEN_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number of inspection job.
AEN_LINE	Y	NUMBER(8,0)	numeric(8,0)	inspection reading line number (within inspection event number).
AEN_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
AEN_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
AEN_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
AEN_POINT	Y	VARCHAR2(30)	nvarchar(30)	identification of object inspection point.
AEN_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	inspection point type.
AEN_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
AEN_AVGSLOPE	Y	NUMBER(24,6)	numeric(24,6)	average slope of inspection reading over time, based on a linear regression method.
AEN_COMMENT	Y	VARCHAR2(70)	nvarchar(70)	comments related to inspection reading.
AEN_CREATE	Y	VARCHAR2(1)	nvarchar(1)	value is + if correction job is to be created when the inspection results are approved
AEN_DATE	Y	DATE	datetime	date of inspection reading.
AEN_FINDING	Y	VARCHAR2(4)	nvarchar(4)	finding code.
AEN_JOB	Y	VARCHAR2(30)	nvarchar(30)	event number of correction job.
AEN_LASTSLOPE	Y	NUMBER(24,6)	numeric(24,6)	last slope of inspection reading over time, based on a linear regression method.
AEN_MAX	Y	NUMBER(24,6)	numeric(24,6)	date at which inspection reading is predicted to exceed maximum acceptable value.
AEN_MAXDATE	Y	DATE	datetime	date at which inspection reading is predicted to exceed maximum acceptable value.
AEN_MAXPPM	Y	VARCHAR2(20)	nvarchar(20)	exceeds maximum acceptable value.
AEN_MAXSTWO	Y	VARCHAR2(20)	nvarchar(20)	code of standard job that needs to be created when inspection reading exceeds maximum acceptable value
AEN_MAXTOL	Y	NUMBER(4,1)	numeric(4,1)	date at which inspection reading is predicted to be within tolerance percentage points of maximum acceptable value
AEN_MAXTOLDATE	Y	DATE	datetime	date at which inspection reading is predicted to be within tolerance percentage points of maximum acceptable value
AEN_METHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method code.
AEN_MIN	Y	NUMBER(24,6)	numeric(24,6)	date at which inspection reading is predicted to drop below minimum acceptable value.
AEN_MINDATE	Y	DATE	datetime	date at which inspection reading is predicted to drop below minimum acceptable value.
AEN_MINPPM	Y	VARCHAR2(20)	nvarchar(20)	drops below minimum acceptable value.
AEN_MINSTWO	Y	VARCHAR2(20)	nvarchar(20)	code of standard job that needs to be created when inspection reading drops below minimum acceptable value
AEN_MINTOL	Y	NUMBER(4,1)	numeric(4,1)	date at which inspection reading is predicted to be within tolerance percentage points of minimum acceptable value
AEN_MINTOLDATE	Y	DATE	datetime	date at which inspection reading is predicted to be within tolerance percentage points of minimum acceptable value
AEN_RESULT	Y	VARCHAR2(4)	nvarchar(4)	result of inspection reading (user code, qualitative result).

AEN_RESULT	Y	VARCHAR2(4)	nvarchar(4)	result of inspection reading (system code, qualitative result).
AEN_STWO	Y	VARCHAR2(20)	nvarchar(20)	standard job code suggested by system on basis of inspection result.
AEN_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of origin of the line (category or otherwise).
AEN_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
AEN_VALUE	Y	NUMBER(24,6)	numeric(24,6)	value of inspection reading (quantitative, numeric result).
AEN_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
AEN_INSPECTOR	Y	VARCHAR2(15)	nvarchar(15)	inspector
AEN_LOCATION	Y	VARCHAR2(70)	nvarchar(70)	location code
AEN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
AEN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AEN_CODE	Y	VARCHAR2(30)	nvarchar(30)	event point code
AEN_ORIGEVENT	Y	VARCHAR2(30)	nvarchar(30)	originating event
AEN_NIDATEMINCRIT	Y	DATE	datetime	minimum criticality date
AEN_NIDATEMINTOL	Y	DATE	datetime	minimum tolerance date
AEN_NIDATEMAXCRIT	Y	DATE	datetime	maximum criticality date
AEN_NIDATEMAXTOL	Y	DATE	datetime	maximum tolerance date
AEN_ASSESSEDSLOPE	Y	NUMBER	numeric(24,6)	addressed slope
AEN_VARCHAR1	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR2	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR3	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR4	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR5	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR6	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR7	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR8	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR9	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR10	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARNUM1	Y	NUMBER	float	numeric variable
AEN_VARNUM2	Y	NUMBER	float	numeric variable
AEN_VARNUM3	Y	NUMBER	float	numeric variable
AEN_VARNUM4	Y	NUMBER	float	numeric variable
AEN_VARNUM5	Y	NUMBER	float	numeric variable
AEN_VARNUM6	Y	NUMBER	float	numeric variable
AEN_VARNUM7	Y	NUMBER	float	numeric variable
AEN_VARNUM8	Y	NUMBER	float	numeric variable
AEN_VARNUM9	Y	NUMBER	float	numeric variable
AEN_VARNUM10	Y	NUMBER	float	numeric variable
AEN_VARDATE1	Y	DATE	datetime	date variable
AEN_VARDATE2	Y	DATE	datetime	date variable
AEN_VARDATE3	Y	DATE	datetime	date variable
AEN_VARDATE4	Y	DATE	datetime	date variable
AEN_VARDATE5	Y	DATE	datetime	date variable
AEN_CONFRATING	Y	VARCHAR2(4)	nvarchar(4)	confidence rating
AEN_PARENT	Y	VARCHAR2(30)	nvarchar(30)	event point parent
AEN_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	completed
AEN_PROCESSED	Y	VARCHAR2(1)	nvarchar(1)	processed flag
AEN_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk code
AEN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEN_VARCHAR11	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR12	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR13	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR14	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR15	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR16	Y	VARCHAR2(45)	nvarchar(45)	character variable

AEN_VARCHAR17	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR18	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR19	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR20	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR21	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR22	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR23	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR24	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR25	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR26	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR27	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR28	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR29	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR30	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR31	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR32	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR33	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR34	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARCHAR35	Y	VARCHAR2(45)	nvarchar(45)	character variable
AEN_VARNUM11	Y	NUMBER	float	numeric variable
AEN_VARNUM12	Y	NUMBER	float	numeric variable
AEN_VARNUM13	Y	NUMBER	float	numeric variable
AEN_VARNUM14	Y	NUMBER	float	numeric variable
AEN_VARNUM15	Y	NUMBER	float	numeric variable
AEN_VARNUM16	Y	NUMBER	float	numeric variable
AEN_VARNUM17	Y	NUMBER	float	numeric variable
AEN_VARNUM18	Y	NUMBER	float	numeric variable
AEN_VARNUM19	Y	NUMBER	float	numeric variable
AEN_VARNUM20	Y	NUMBER	float	numeric variable
AEN_VARNUM21	Y	NUMBER	float	numeric variable
AEN_VARNUM22	Y	NUMBER	float	numeric variable
AEN_VARNUM23	Y	NUMBER	float	numeric variable
AEN_VARNUM24	Y	NUMBER	float	numeric variable
AEN_VARNUM25	Y	NUMBER	float	numeric variable
AEN_VARNUM26	Y	NUMBER	float	numeric variable
AEN_VARNUM27	Y	NUMBER	float	numeric variable
AEN_VARNUM28	Y	NUMBER	float	numeric variable
AEN_VARNUM29	Y	NUMBER	float	numeric variable
AEN_VARNUM30	Y	NUMBER	float	numeric variable
AEN_VARNUM31	Y	NUMBER	float	numeric variable
AEN_VARNUM32	Y	NUMBER	float	numeric variable
AEN_VARNUM33	Y	NUMBER	float	numeric variable
AEN_VARNUM34	Y	NUMBER	float	numeric variable
AEN_VARNUM35	Y	NUMBER	float	numeric variable
AEN_VARDATE6	Y	DATE	datetime	date variable
AEN_VARDATE7	Y	DATE	datetime	date variable
AEN_VARDATE8	Y	DATE	datetime	date variable
AEN_VARDATE9	Y	DATE	datetime	date variable
AEN_VARDATE10	Y	DATE	datetime	date variable
AEN_VARDATE11	Y	DATE	datetime	date variable
AEN_VARDATE12	Y	DATE	datetime	date variable
AEN_VARDATE13	Y	DATE	datetime	date variable
AEN_VARDATE14	Y	DATE	datetime	date variable
AEN_VARDATE15	Y	DATE	datetime	date variable

AEN_CREATED	Y	DATE	datetime	Creation timestamp
AEN_UPDATED	Y	DATE	datetime	Update timestamp
AEN_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
AEN_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
AEN_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
AEN_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
AEN_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
AEN_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
AEN_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
AEN_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
AEN_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
AEN_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
AEN_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
AEN_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
AEN_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
AEN_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
AEN_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
AEN_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
AEN_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
AEN_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
AEN_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
AEN_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
AEN_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
AEN_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
AEN_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
AEN_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
AEN_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
AEN_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
AEN_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
AEN_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
AEN_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
AEN_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
AEN_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
AEN_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
AEN_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
AEN_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
AEN_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
AEN_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
AEN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTRESOURCES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ERE_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order Code
ERE_RESOURCE	N	VARCHAR2(80)	nvarchar(80)	Resource Code
ERE_COOLDOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Cool Down Time
ERE_WARMUPTIME	Y	NUMBER(7,2)	numeric(7,2)	Warmup Time
ERE_DOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Down Time
ERE_OPERATIONSEQ	N	NUMBER(8,0)	numeric(8,0)	Operational Sequence
ERE_OFFSET	Y	VARCHAR2(1)	nvarchar(1)	Offset
ERE_OFFSETVALUE	Y	NUMBER(7,2)	numeric(7,2)	Offset Value
ERE_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	- if Work Order Resource is not used (i.e. no longer valid).
ERE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ERE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

ERE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVENTS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVT_CODE	N	VARCHAR2(30)	nvarchar(30)	unique event code
EVT_DESC	N	VARCHAR2(80)	nvarchar(80)	description, comment
EVT_TYPE	N	VARCHAR2(4)	nvarchar(4)	event type (user defined). class
EVT_RTYPE	N	VARCHAR2(4)	nvarchar(4)	corresponding system type
EVT_DATE	N	DATE	datetime	event date
EVT_STATUS	N	VARCHAR2(4)	nvarchar(4)	status of event (user defined)
EVT_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	corresponding system status
EVT_MRC	N	VARCHAR2(15)	nvarchar(15)	mrc
EVT_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	location type
EVT_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code
EVT_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code
EVT_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	whether jobcard has been printed
EVT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
EVT_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
EVT_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	user object type
EVT_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	system object type
EVT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
EVT_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	standard workorder code
EVT_PPM	Y	VARCHAR2(20)	nvarchar(20)	ppm code
EVT_FREQ	Y	NUMBER(8,0)	numeric(8,0)	frequency
EVT_ISSTYPE	Y	VARCHAR2(1)	nvarchar(1)	if filled then variable else fixed default f
EVT_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code
EVT_METERDUE	Y	NUMBER	numeric(24,6)	meter value
EVT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
EVT_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	new routing code not yet used
EVT_SESSION	Y	VARCHAR2(8)	nvarchar(8)	planning session number
EVT_SCHENO	Y	NUMBER(5,0)	numeric(5,0)	schedule sequence number
EVT_PLANPRIO	Y	VARCHAR2(8)	nvarchar(8)	planning priority
EVT_FIXED	N	VARCHAR2(1)	nvarchar(1)	fixed or not ? flag
EVT_SLACK	Y	NUMBER(5,0)	numeric(5,0)	days slack after planning
EVT_TARGET	Y	DATE	datetime	target date
EVT_NEWTARGET	Y	DATE	datetime	new target date
EVT_EARLYSTART	Y	DATE	datetime	earliest start date
EVT_LATEEND	Y	DATE	datetime	latest end date
EVT_MUSTEND	Y	DATE	datetime	must end before date
EVT_LASTPLAN	Y	DATE	datetime	last planned date
EVT_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration
EVT_NEWDUR	Y	NUMBER(8,0)	numeric(8,0)	new duration
EVT_PLANSTATUS	Y	VARCHAR2(1)	nvarchar(1)	plan status
EVT_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent of job
EVT_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	filled job cannot be compl. unless
EVT_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	originator
EVT_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code
EVT_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	what caused the failure
EVT_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code
EVT_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	new type of job
EVT_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority
EVT_REPORTED	Y	DATE	datetime	date/time reported
EVT_START	Y	DATE	datetime	actual start date
EVT_MATAVAIL	Y	DATE	datetime	date that materials are available

EVT_DUE	Y	DATE	datetime	due date
EVT_COMPLETED	Y	DATE	datetime	date/time of completion
EVT_DOWNTIME	Y	NUMBER	numeric(24,6)	downtime
EVT_LABTOTAL	Y	NUMBER	numeric(24,6)	total labor costs
EVT_MATTOTAL	Y	NUMBER	numeric(24,6)	total materials costs
EVT_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	shift code.
EVT_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	meter reading at time of failure.
EVT_METERREADING	Y	NUMBER(24,6)	numeric(24,6)	meter reading at which planned preventive maintenance job is due.
EVT_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure code.
EVT_MAXCOST	Y	NUMBER(24,6)	numeric(24,6)	maximum value/cost of job.
EVT_SCREENER	Y	VARCHAR2(255)	nvarchar(255)	username of screener.
EVT_ROUTEDFROM	Y	VARCHAR2(255)	nvarchar(255)	username of screener who routed this job.
EVT_ROUTEREASON	Y	VARCHAR2(240)	nvarchar(240)	comments describing why job was rerouted.
EVT_WARRANTY	N	VARCHAR2(1)	nvarchar(1)	value is + if work is warranty related.
EVT_OKWINEND	Y	DATE	datetime	end date of ok window of ppm job.
EVT_NEARWINSTART	Y	DATE	datetime	start date of near window of ppm job.
EVT_GENWINSTART	Y	DATE	datetime	start date of release window of ppm job.
EVT_OKWINENDVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which ok window of ppm job ends.
EVT_NEARWINBEGVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which near window of ppm job starts.
EVT_GENWINBEGVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which release window of ppm job starts.
EVT_ROUTESTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of route of which this job is part (user code).
EVT_ROUTERSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of route of which this job is part (system code).
EVT_ACD	Y	NUMBER	bigint	financial interface
EVT_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	when requests are completed
EVT_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	system user who entered job
EVT_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	component that failed
EVT_DOWNTIMEHRS	Y	NUMBER	numeric(24,6)	the number of hours obj was down
EVT_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	safety implied because of work
EVT_OBJCRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality at time of the work
EVT_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	project name in which the event is planned
EVT_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
EVT_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction code (user code, see entity tktp).
EVT_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
EVT_CN	Y	VARCHAR2(24)	nvarchar(24)	change notice number.
EVT_REOPENED	Y	VARCHAR2(1)	nvarchar(1)	revision reopened.
EVT_PPOPK	Y	NUMBER	int	the link to the ppm objects table (r5ppmobjects).
EVT_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	revision number
EVT_ROUTEREV	Y	NUMBER(4,0)	numeric(4,0)	revision number.
EVT_ORG	N	VARCHAR2(15)	nvarchar(15)	event organization
EVT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
EVT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
EVT_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
EVT_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	schedule group
EVT_REQUESTSTART	Y	DATE	datetime	requested start date
EVT_SCHEDEND	Y	DATE	datetime	scheduled end date
EVT_REQUESTEND	Y	DATE	datetime	requested end date
EVT_MASTERCAL	Y	VARCHAR2(1)	nvarchar(1)	checked to display job on master calendar
EVT_STEP	Y	NUMBER(3,0)	numeric(3,0)	order of child job compared to other child jobs
EVT_SEQ	Y	NUMBER(3,0)	numeric(3,0)	sub-order of child job compared to other child jobs
EVT_TRIGEVENT	Y	VARCHAR2(30)	nvarchar(30)	triggering event code
EVT_OLDRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status to change from when triggering event closed (system)
EVT_OLDSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status to change from when triggering event closed
EVT_NEWRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status to change to when triggering event closed (system)
EVT_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status to change to when triggering event closed

EVT_CONFLICT	Y	VARCHAR2(1)	nvarchar(1)	conflict flag as determined on master calendar
EVT_CONFLICTRESOLVED	Y	VARCHAR2(1)	nvarchar(1)	resolved flag as determined on master calendar
EVT_CONFLICTDESC	Y	VARCHAR2(255)	nvarchar(255)	description of conflict
EVT_PACKAGE	Y	VARCHAR2(24)	nvarchar(24)	work package code associated to this job
EVT_CODE_ALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
EVT_CREATED	Y	DATE	datetime	creation date
EVT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
EVT_UPDATED	Y	DATE	datetime	update date
EVT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
EVT_CONTNAME	Y	VARCHAR2(50)	nvarchar(50)	contact name for the event
EVT_CONTPHONE	Y	VARCHAR2(50)	nvarchar(50)	contact phone for the event
EVT_CONTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	contact email for the event
EVT_CONTNOTES	Y	VARCHAR2(255)	nvarchar(255)	contact notes for the event
EVT_FOLLOWUP	Y	VARCHAR2(1)	nvarchar(1)	follow up flag
EVT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EVT_SERVICEREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The service request code related to the job.
EVT_PERSON	Y	VARCHAR2(15)	nvarchar(15)	assigned to
EVT_PRINT	Y	VARCHAR2(1)	nvarchar(1)	Whether a job should be printed
EVT_BILLABLE	Y	VARCHAR2(1)	nvarchar(1)	Whether the Work Order is to be billed back to the customer or not
EVT_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	PPM period UOM
EVT_METERDUE2	Y	NUMBER(24,6)	numeric(24,6)	Second meter due
EVT_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	Second meter UOM
EVT_ROUTEPARENT	Y	VARCHAR2(30)	nvarchar(30)	The job number of the route parent.
EVT_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
EVT_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
EVT_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
EVT_INTERFACE	Y	DATE	datetime	interface timestamp
EVT_LASTCAL	Y	DATE	datetime	The date the equipment of the work order was last calibrated.
EVT_SOPEFFECTIVE	Y	DATE	datetime	The date from which the calibration Standard Operating Procedure was effective.
EVT_CALSTATUS	Y	VARCHAR2(2)	nvarchar(2)	The calibration status. P for Pass, F for Fail, PF for Pass, fail exists, PR for Pass, recal exists or I for Incomplete.
EVT_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	he increment
EVT_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	The precision
EVT_PIDNO	Y	VARCHAR2(80)	nvarchar(80)	The P.ID number.
EVT_PIDDRAWING	Y	VARCHAR2(80)	nvarchar(80)	The P.ID drawing
EVT_SERVICEPERC	Y	NUMBER(24,6)	numeric(24,6)	The service percentage.
EVT_SOP	Y	VARCHAR2(30)	nvarchar(30)	The Standard Operating Procedure used while calibrating
EVT_SRQCALLNAME	Y	VARCHAR2(80)	nvarchar(80)	Caller name
EVT_SRQCUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	Customer code
EVT_SRQLEVEL1	Y	VARCHAR2(30)	nvarchar(30)	level1 code
EVT_FIRSTBILL	Y	VARCHAR2(30)	nvarchar(30)	The first bill on which this event appeared.
EVT_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
EVT_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
EVT_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
EVT_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
EVT_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the work order is a multiple equipment work order
EVT_AGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	The customer contract of the work order
EVT_SIGPB	Y	VARCHAR2(30)	nvarchar(30)	The user who last performed the calibration
EVT_SIGRB	Y	VARCHAR2(30)	nvarchar(30)	The user who last reviewed the calibration
EVT_LASTTIMEPB	Y	DATE	datetime	The last time the calibration was performed
EVT_LASTTIMERB	Y	DATE	datetime	The last time the calibration was reviewed
EVT_COMPLETED_TRUNC	Y	DATE	datetime	Day part of evt_completed field, in SQL server only
EVT_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	Performed By
EVT_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	Reviewed By
EVT_METERINTERVAL	Y	NUMBER(24,6)	numeric(24,6)	Meter Interval

EVT_METERINTERVAL2	Y	NUMBER(24,6)	numeric(24,6)	Meter Interval 2
EVT_WORKADDRESS	Y	VARCHAR2(256)	nvarchar(256)	Work Address
EVT_PFPROMISEDATE	Y	DATE	datetime	Permanent Promise Date
EVT_TFPROMISEDATE	Y	DATE	datetime	Temporary Fix Date Promised
EVT_TFDATECOMPLETED	Y	DATE	datetime	Temporary Fix Date Completed
EVT_EQUIPMENTUSABILITY	Y	VARCHAR2(30)	nvarchar(30)	Equipment Usability
EVT_EQUIPMENTUSABILITY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization
EVT_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider
EVT_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider Organization
EVT_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service Problem Code
EVT_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Problem Code Organization
EVT_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service Category
EVT_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Category Organization
EVT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFDATE01	Y	DATE	datetime	User defined field of type date
EVT_UDFDATE02	Y	DATE	datetime	User defined field of type date
EVT_UDFDATE03	Y	DATE	datetime	User defined field of type date
EVT_UDFDATE04	Y	DATE	datetime	User defined field of type date
EVT_UDFDATE05	Y	DATE	datetime	User defined field of type date
EVT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

EVT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
EVT_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
EVT_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
EVT_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
EVT_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
EVT_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
EVT_PERFORMONWEEK	Y	VARCHAR2(1)	nvarchar(1)	week of the month on which to perform PM
EVT_PERFORMONDAY	Y	NUMBER(1,0)	numeric(1,0)	day of the week on which to perform PM
EVT_ALERT	Y	VARCHAR2(30)	nvarchar(30)	Alert code
EVT_PRODUCTIONREQUEST	Y	VARCHAR2(30)	nvarchar(30)	Production Request Code
EVT_PRODUCTIONREQUESTREV	Y	NUMBER(4,0)	numeric(4,0)	Production Request Revision
EVT_PRODUCTIONREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	Production Request Organization Code
EVT_PRODORDER	Y	VARCHAR2(80)	nvarchar(80)	Production Order Code
EVT_PRODPRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
EVT_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
EVT_PRODUCTIONSTART	Y	DATE	datetime	Production Start Date
EVT_PRODUCTIONEND	Y	DATE	datetime	Production End Date
EVT_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
EVT_MP	Y	VARCHAR2(30)	nvarchar(30)	The maintenance pattern of the WO
EVT_MP_ORG	Y	VARCHAR2(15)	nvarchar(15)	The maintenance pattern organization of the WO
EVT_MP_REV	Y	NUMBER(4,0)	numeric(4,0)	The maintenance pattern revision of the WO
EVT_MP_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The maintenance pattern sequence of the WO
EVT_METERDUEDATE	Y	DATE	datetime	The predicted date the meter due value will be reached
EVT_METERDUEDATE2	Y	DATE	datetime	The predicted date the second meter due value will be reached
EVT_CAMPAIGN	Y	VARCHAR2(30)	nvarchar(30)	Campaign Header Code
EVT_CAMPAIGN_ORG	Y	VARCHAR2(15)	nvarchar(15)	Campaign Organization
EVT_CAMPAIGN_LINE	Y	NUMBER(8,0)	numeric(8,0)	Campaign Line
EVT_CAMPAIGN_SURVEY	Y	VARCHAR2(1)	nvarchar(1)	Survey Code
EVT_MPPROJTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
EVT_PSQPK	Y	NUMBER(38,0)	numeric(38,0)	Primary Key Code in r5patternsequences
EVT_OKWINENDVAL2	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
EVT_NEARWINBEGVAL2	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
EVT_GENWINBEGVAL2	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
EVT_OUTPUTCALCTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
EVT_CEILPERMIT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_LIFESAFETY	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_INFECTCONTROL	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_PCRA	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_PFI	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_BURNPERMIT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_PATIENTSAFETY	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_RECALLNOTICE	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_SMDA	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_VISITORINJURY	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_STAFFINJURY	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_SECURITYINCIDENT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_PROPERTYDAMAGE	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_HAZMATINCIDENT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_FIREINCIDENT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_MEDICEQUIPINCIDENT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.

EVT_UTILITYINCIDENT	N	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
EVT_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
EVT_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
EVT_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
EVT_PHONE	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
EVT_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
EVT_LOCKOUT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_PERSONALPROTECTIVEEQUIP	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_CONFINEDSPACE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_STATEMENTOFCOND	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_BUILDMAINTPROGRAM	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_HIPAACONFIDENTIALITY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
EVT_FACILITY	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
EVT_FACILITY_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
EVT_ADDITIONALINFO	Y	VARCHAR2(4000)	nvarchar(4000)	T.B.D.
EVT_SAFETYREVIEWED	Y	DATE	datetime	Date of safety reviewed signature.
EVT_SAFETYREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of safety reviewed signature.
EVT_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of safety reviewed signature.
EVT_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of safety reviewed signature.
EVT_PERMITREVIEWED	Y	DATE	datetime	Date of permit reviewed signature.
EVT_PERMITREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of permit reviewed signature.
EVT_PERMITREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of permit reviewed signature.
EVT_PERMITREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of permit reviewed signature.
EVT_ORIGWO	Y	VARCHAR2(30)	nvarchar(30)	In case of a permit to work renewal, the original work order.
EVT_ORIGACT	Y	NUMBER(8,0)	numeric(8,0)	In case of a permit to work renewal, the original activity.
EVT_MINOR	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the workorder is a minor work order.
EVT_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the work order
EVT_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the work order
EVT_CALCULATEDPRIORITY	Y	NUMBER(24,6)	numeric(24,6)	The calculated priority of the work order
EVT_PRESERVECALCPRIORITY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the calculated priority of the work order should be preserved
EVT_GUESTPROFILEID	Y	NUMBER(30,0)	numeric(30,0)	The guest profile ID of the work order.
EVT_MANAGERPROFILEID	Y	VARCHAR2(20)	nvarchar(20)	The manager profile ID of the work order.
EVT_GUESTSALUTATION	Y	VARCHAR2(8)	nvarchar(8)	The guest salutation of the work order.
EVT_GUESTFIRSTNAME	Y	VARCHAR2(100)	nvarchar(100)	The guest first name of the work order.
EVT_GUESTLASTNAME	Y	VARCHAR2(100)	nvarchar(100)	The guest last name of the work order.
EVT_GUESTMIDDLENAME	Y	VARCHAR2(50)	nvarchar(50)	The uest middle name of the work order.
EVT_GUESTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	The guest email address of the work order.
EVT_GUESTPHONENUMBER	Y	VARCHAR2(50)	nvarchar(50)	The guest phone number of the work order.
EVT_VIPSTATUS	Y	VARCHAR2(8)	nvarchar(8)	The VIP status of the work order.
EVT_RESERVATIONNUM	Y	VARCHAR2(50)	nvarchar(50)	The reservation number of the work order.
EVT_SCHEDULEDSTARTTIME	Y	NUMBER(5,0)	numeric(5,0)	The scheduled start time of the work order.
EVT_SCHEDULEDENDTIME	Y	NUMBER(5,0)	numeric(5,0)	The scheduled end time of the work order.
EVT_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the work order.
EVT_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier of the work order.
EVT_CASEMANAGEMENT	Y	VARCHAR2(30)	nvarchar(30)	The case management of the work order.
EVT_CASEMANAGEMENTTASK	Y	VARCHAR2(30)	nvarchar(30)	The case management task of the work order.
EVT_ORIGCASEMANAGEMENT	Y	VARCHAR2(30)	nvarchar(30)	The originating case management record.
EVT_DUPCASEMANAGEMENT	Y	VARCHAR2(30)	nvarchar(30)	The duplicate case management of the work order.
EVT_CONTACTRECORD	Y	VARCHAR2(30)	nvarchar(30)	The call center of the work order.
EVT_CONTACTRECORD_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the call center of the work order.
EVT_WORKSPACE	Y	VARCHAR2(30)	nvarchar(30)	The workspace of the work order.
EVT_LATITUDE	Y	NUMBER(8,6)	numeric(8,6)	The latitude of the work order.
EVT_LONGITUDE	Y	NUMBER(9,6)	numeric(9,6)	The longitude of the work order.

EVT_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
EVT_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
EVT_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
EVT_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
EVT_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
EVT_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
EVT_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
EVT_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
EVT_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
EVT_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
EVT_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
EVT_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
EVT_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
EVT_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
EVT_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
EVT_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
EVT_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
EVT_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
EVT_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
EVT_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.

RSEVENTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVT_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
EVT_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
EVT_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
EVT_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
EVT_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
EVT_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
EVT_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
EVT_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
EVT_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
EVT_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
EVT_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the work order.
EVT_TYPECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The type category of the work order.
EVT_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
EVT_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
EVT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVT_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

EVT_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
EVT_UDFDATE06	Y	DATE	datetime	User defined field of type Date
EVT_UDFDATE07	Y	DATE	datetime	User defined field of type Date
EVT_UDFDATE08	Y	DATE	datetime	User defined field of type Date
EVT_UDFDATE09	Y	DATE	datetime	User defined field of type Date
EVT_UDFDATE10	Y	DATE	datetime	User defined field of type Date
EVT_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
EVT_FAILUREMODE	Y	VARCHAR2(8)	nvarchar(8)	
EVT_SYMPTOM	Y	VARCHAR2(8)	nvarchar(8)	
EVT_TACTICALCAUSE	Y	VARCHAR2(8)	nvarchar(8)	
EVT_HUMANFACTOR	Y	VARCHAR2(8)	nvarchar(8)	
EVT_WORKMANSHIP	Y	VARCHAR2(8)	nvarchar(8)	
EVT_HUMANOVERSIGHT	Y	VARCHAR2(8)	nvarchar(8)	
EVT_METHODOFDETECTION	Y	VARCHAR2(8)	nvarchar(8)	
EVT_CLOSINGLATITUDE	Y	NUMBER(8,6)	numeric(8,6)	
EVT_CLOSINGLONGITUDE	Y	NUMBER(9,6)	numeric(9,6)	
EVT_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
EVT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVENTSIGNATURE

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETS_EVENT	N	VARCHAR2(30)	nvarchar(30)	work order number
ETS_ESIGNER	Y	VARCHAR2(255)	nvarchar(255)	esignature signer
ETS_ESIGNATUREDATE	Y	DATE	datetime	the date the esignature signed
ETS_CODE	Y	VARCHAR2(30)	nvarchar(30)	the electronic archive record key
ETS_PARENTCODE	Y	VARCHAR2(30)	nvarchar(30)	the last electronic archive record key since last work order change
ETS_SIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
ETS_CERTIFYNUM	Y	VARCHAR2(20)	nvarchar(20)	T.B.D.
ETS_CERTIFYTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
ETS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ETS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ETS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVENTSINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
EVI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
EVI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of this event in source system.

EVI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
EVI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
EVI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
EVI_CODE	Y	VARCHAR2(30)	nvarchar(30)	event code. unique identification.
EVI_DESC	Y	VARCHAR2(80)	nvarchar(80)	event/job description.
EVI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	event type (user code, see entity evtp).
EVI_DATE	Y	DATE	datetime	date event created.
EVI_STATUS	Y	VARCHAR2(4)	nvarchar(4)	event status (user code, see entity evst).
EVI_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
EVI_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type of location of event (system code, value I).
EVI_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
EVI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
EVI_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if job card has been printed.
EVI_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
EVI_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
EVI_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
EVI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
EVI_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	standard job code.
EVI_PPM	Y	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule.
EVI_FREQ	Y	NUMBER(8,0)	numeric(8,0)	period/frequency of planned preventive maintenance job in days.
EVI_ISSTYPE	Y	VARCHAR2(1)	nvarchar(1)	value is + if re-issue based on date due (fixed), - if re-issue based on date completed (variable).
EVI_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code.
EVI_METERDUE	Y	NUMBER	numeric(24,6)	reading at which planned preventive maintenance job is due.
EVI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
EVI_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	route code.
EVI_SESSION	Y	VARCHAR2(8)	nvarchar(8)	planning session number.
EVI_SCHEDNO	Y	NUMBER(5,0)	numeric(5,0)	plan number.
EVI_PLANPRIO	Y	VARCHAR2(4)	nvarchar(4)	mp project priority code.
EVI_FIXED	Y	VARCHAR2(1)	nvarchar(1)	value is + if planned preventive job is on a fixed schedule.
EVI_SLACK	Y	NUMBER(5,0)	numeric(5,0)	number of days job has shifted towards optimum end date.
EVI_TARGET	Y	DATE	datetime	date on which work is currently expected to start.
EVI_NEWTARGET	Y	DATE	datetime	new target date of job.
EVI_EARLYSTART	Y	DATE	datetime	earliest start date of job.
EVI_LATEEND	Y	DATE	datetime	optimum end date of job (used for alap planning).
EVI_MUSTEND	Y	DATE	datetime	date by which job must be completed.
EVI_LASTPLAN	Y	DATE	datetime	date on which job was most recently planned.
EVI_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration of job in days.
EVI_NEWDUR	Y	NUMBER(8,0)	numeric(8,0)	new duration of job in days.
EVI_PLANSTATUS	Y	VARCHAR2(1)	nvarchar(1)	mp project plan status indicator.
EVI_PARENT	Y	VARCHAR2(30)	nvarchar(30)	event number of parent job.
EVI_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	value is + if job is dependent on parent job.
EVI_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	personnel number of originator of job.
EVI_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code.
EVI_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	cause code.
EVI_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code.
EVI_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code, entity jbtp).
EVI_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority.
EVI_REPORTED	Y	DATE	datetime	date on and time at which work was reported.
EVI_START	Y	DATE	datetime	date work started.
EVI_MATAVAIL	Y	DATE	datetime	earliest date on which all critical materials are expected to be available.
EVI_DUE	Y	DATE	datetime	date on which planned preventive maintenance job is due.
EVI_COMPLETED	Y	DATE	datetime	date work was completed.
EVI_DOWNTIME	Y	NUMBER	numeric(24,6)	total downtime cost of job.
EVI_LABTOTAL	Y	NUMBER	numeric(24,6)	total labor cost.

EVI_MATTOTAL	Y	NUMBER	numeric(24,6)	cost of materials used.
EVI_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	shift code.
EVI_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	meter reading at time of failure.
EVI_METERREADING	Y	NUMBER(24,6)	numeric(24,6)	meter reading at which planned preventive maintenance job is due.
EVI_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure code.
EVI_MAXCOST	Y	NUMBER(24,6)	numeric(24,6)	maximum value/cost of job.
EVI_SCREENER	Y	VARCHAR2(255)	nvarchar(255)	username of screener.
EVI_ROUTEDFROM	Y	VARCHAR2(255)	nvarchar(255)	username of screener who routed this job.
EVI_ROUTEREASON	Y	VARCHAR2(240)	nvarchar(240)	comments describing why job was rerouted.
EVI_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	value is + if work is warranty related.
EVI_OKWINEND	Y	DATE	datetime	end date of ok window of ppm job.
EVI_NEARWINSTART	Y	DATE	datetime	start date of near window of ppm job.
EVI_GENWINSTART	Y	DATE	datetime	start date of release window of ppm job.
EVI_OKWINENDVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which ok window of ppm job ends.
EVI_NEARWINBEGVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which near window of ppm job starts.
EVI_GENWINBEGVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which release window of ppm job starts.
EVI_ROUTESTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of route of which this job is part (user code).
EVI_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	the reason this request was not approved for work.
EVI_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who created this job.
EVI_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
EVI_ACTSUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
EVI_ACTSTART	Y	DATE	datetime	actual start date of activity.
EVI_ACTTIME	Y	NUMBER(5,2)	numeric(5,2)	actual hours booked against activity.
EVI_ACTNEWSTART	Y	DATE	datetime	new start date of activity.
EVI_ACTHIRE	Y	VARCHAR2(1)	nvarchar(1)	value is + if activity is to be undertaken by hired labor.
EVI_ACTORDERED	Y	VARCHAR2(1)	nvarchar(1)	value is + if service order has been created for activity.
EVI_ACTFIXH	Y	VARCHAR2(1)	nvarchar(1)	value is + if activity has been scheduled for fixed hours/day.
EVI_ACTMINHOURS	Y	VARCHAR2(1)	nvarchar(1)	minimum labor hours required for activity.
EVI_ACTMRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
EVI_ACTTRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
EVI_ACTSHIFT	Y	VARCHAR2(4)	nvarchar(4)	shift code.
EVI_ACTPERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of persons.
EVI_ACTPROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
EVI_ACTPROJBUD	Y	VARCHAR2(4)	nvarchar(4)	project budget code.
EVI_ACTROUTE	Y	VARCHAR2(12)	nvarchar(12)	route code.
EVI_ACTDURATION	Y	NUMBER(8,0)	numeric(8,0)	duration of activity in days.
EVI_ACTNEWDUR	Y	NUMBER(8,0)	numeric(8,0)	new duration of activity in days.
EVI_ACTMAXDUR	Y	NUMBER(8,0)	numeric(8,0)	maximum duration of activity in days.
EVI_ACTEST	Y	NUMBER	numeric(24,6)	estimated labor hours required for activity.
EVI_ACTREM	Y	NUMBER	numeric(24,6)	remaining labor hours required for activity.
EVI_ACTNT	Y	NUMBER	numeric(24,6)	normal time hours booked to activity.
EVI_ACTNTRATE	Y	NUMBER	numeric(24,6)	hourly rate for effort spent in normal time.
EVI_ACTOT	Y	NUMBER	numeric(24,6)	overtime hours booked to activity.
EVI_ACTOTRATE	Y	NUMBER	numeric(24,6)	hourly rate for effort spent in overtime.
EVI_ACTPURRATE	Y	NUMBER(24,6)	numeric(24,6)	purchase price of contract labor.
EVI_ACTTASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
EVI_ACTMATLIST	Y	VARCHAR2(20)	nvarchar(20)	material list code.
EVI_ACTSPECIAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if activity can be performed on special days.
EVI_ACTGRAPH	Y	VARCHAR2(80)	nvarchar(80)	activity graph.
EVI_ACTLEVEL	Y	NUMBER(4,0)	numeric(4,0)	activity number.
EVI_ACTORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
EVI_ACTORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
EVI_ACTORDTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
EVI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).

EVI_SESSIONID	Y	NUMBER	int	identification of user logon session (generated by database).
EVI_CN	Y	VARCHAR2(24)	nvarchar(24)	change notice number.
EVI_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	failure code.
EVI_DOWNTIMEHRS	Y	NUMBER	numeric(24,6)	total downtime in hours.
EVI_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	value is + if work is safety related.
EVI_ACTCOMPLETED	Y	VARCHAR2(1)	nvarchar(1)	value is + if activity has been completed.
EVI_ORG	Y	VARCHAR2(15)	nvarchar(15)	event organization
EVI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
EVI_TECHVALUE1	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT1	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE2	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT2	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE3	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT3	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE4	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT4	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE5	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT5	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE6	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT6	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE7	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT7	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE8	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT8	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE9	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT9	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE10	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT10	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE11	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT11	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE12	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT12	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE13	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT13	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE14	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT14	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE15	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT15	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE16	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT16	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE17	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT17	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE18	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT18	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE19	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT19	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_TECHVALUE20	Y	VARCHAR2(40)	nvarchar(40)	custom field value
EVI_TECHPROMPT20	Y	VARCHAR2(8)	nvarchar(8)	custom field code
EVI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
EVI_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
EVI_ACTSUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	activity supplier organization
EVI_ACTORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	activity purchase order organization
EVI_CODE_ALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
EVI_PERSON	Y	VARCHAR2(15)	nvarchar(15)	personnel code of employee.

EVI_ACSRESPONSIBLE	Y	VARCHAR2(15)	nvarchar(15)	Person responsible
EVI_ACSCODE	Y	VARCHAR2(30)	nvarchar(30)	Schedule code
EVI_LASTCAL	Y	DATE	datetime	The date the equipment of the work order was last calibrated.
EVI_SOPEFFECTIVE	Y	DATE	datetime	The date from which the calibration Standard Operating Procedure was effective.
EVI_CALSTATUS	Y	VARCHAR2(2)	nvarchar(2)	The calibration status. P for Pass, F for Fail, PF for Pass, fail exists or PR for Pass, recal exists.
EVI_ETP_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
EVI_ETP_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization.
EVI_ETP_SEQ	Y	NUMBER(4,0)	numeric(4,0)	The sequence number.
EVI_ETP_TESTPOINT	Y	NUMBER(24,6)	numeric(24,6)	The test point.
EVI_ETP_TESTPOINTUOM	Y	VARCHAR2(30)	nvarchar(30)	The test point unit of measure.
EVI_ETP_DEVICETOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from device tolerance.
EVI_ETP_DEVICETOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to device tolerance.
EVI_ETP_STANDARD	Y	NUMBER(24,6)	numeric(24,6)	The standard.
EVI_ETP_STANDARDUOM	Y	VARCHAR2(30)	nvarchar(30)	The standard unit of measure.
EVI_ETP_OUTPUT	Y	NUMBER(24,6)	numeric(24,6)	The expected output.
EVI_ETP_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure.
EVI_ETP_DEVICEREADING	Y	NUMBER(24,6)	numeric(24,6)	The actual device reading.
EVI_ETP_DEVIATION	Y	NUMBER(24,6)	numeric(24,6)	The difference between actual and expected.
EVI_ETP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status. P for Pass, F for Fail, N for Not applicable and R for Recalibrate.
EVI_ETP_DEVICETOLFROMAL	Y	NUMBER(24,6)	numeric(24,6)	The as left from device tolerance.
EVI_ETP_DEVICETOLTOAL	Y	NUMBER(24,6)	numeric(24,6)	The as left to device tolerance.
EVI_ETP_STANDARDAL	Y	NUMBER(24,6)	numeric(24,6)	The as left standard.
EVI_ETP_STANDARDUOMAL	Y	VARCHAR2(30)	nvarchar(30)	The as left standard unit of measure.
EVI_ETP_OUTPUTAL	Y	NUMBER(24,6)	numeric(24,6)	The as left expected output.
EVI_ETP_OUTPUTUOMAL	Y	VARCHAR2(30)	nvarchar(30)	The as left output unit of measure.
EVI_ETP_DEVICEREADINGAL	Y	NUMBER(24,6)	numeric(24,6)	The as left actual device reading.
EVI_ETP_DEVIATIONAL	Y	NUMBER(24,6)	numeric(24,6)	The as left difference between actual and expected.
EVI_ETP_STATUSAL	Y	VARCHAR2(4)	nvarchar(4)	The as left status. P for Pass, F for Fail, N for Not applicable and R for Recalibrate.
EVI_ETP_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Does the test point apply.
EVI_ETP_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	Comments.
EVI_EST_PART	Y	VARCHAR2(30)	nvarchar(30)	The part.
EVI_EST_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization.
EVI_EST_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
EVI_EST_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization.
EVI_EST_LOT	Y	VARCHAR2(12)	nvarchar(12)	The lot.
EVI_EST_NEXTCALDATE	Y	DATE	datetime	The next calibration date.
EVI_ACDALIAS	Y	VARCHAR2(45)	nvarchar(45)	Work Order Account code alias
EVI_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	scheduled group code
EVI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEV_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEV_CODE	Y	VARCHAR2(30)	nvarchar(30)	unique event code
AEV_DESC	Y	VARCHAR2(80)	nvarchar(80)	description, comment
AEV_TYPE	Y	VARCHAR2(4)	nvarchar(4)	event type (user defined). class
AEV_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	corresponding system type
AEV_DATE	Y	DATE	datetime	event date
AEV_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status of event (user defined)
AEV_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	corresponding system status
AEV_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc
AEV_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	location type
AEV_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code
AEV_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code

AEV_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	whether jobcard has been printed
AEV_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
AEV_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
AEV_OBTYPE	Y	VARCHAR2(4)	nvarchar(4)	user object type
AEV_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	system object type
AEV_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
AEV_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	standard workorder code
AEV_PPM	Y	VARCHAR2(20)	nvarchar(20)	ppm code
AEV_FREQ	Y	NUMBER(8,0)	numeric(8,0)	frequency
AEV_ISSTYPE	Y	VARCHAR2(1)	nvarchar(1)	if filled then variable else fixed default f
AEV_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code
AEV_METERDUE	Y	NUMBER	numeric(24,6)	meter value
AEV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
AEV_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	new routing code not yet used
AEV_SESSION	Y	VARCHAR2(8)	nvarchar(8)	planning session number
AEV_SCHEDNO	Y	NUMBER(5,0)	numeric(5,0)	schedule sequence number
AEV_PLANPRIO	Y	VARCHAR2(8)	nvarchar(8)	planning priority
AEV_FIXED	Y	VARCHAR2(1)	nvarchar(1)	fixed or not ? flag
AEV_SLACK	Y	NUMBER(5,0)	numeric(5,0)	days slack after planning
AEV_TARGET	Y	DATE	datetime	target date
AEV_NEWTARGET	Y	DATE	datetime	new target date
AEV_EARLYSTART	Y	DATE	datetime	earliest start date
AEV_LATEEND	Y	DATE	datetime	latest end date
AEV_MUSTEND	Y	DATE	datetime	must end before date
AEV_LASTPLAN	Y	DATE	datetime	last planned date
AEV_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration
AEV_NEWDUR	Y	NUMBER(8,0)	numeric(8,0)	new duration
AEV_PLANSTATUS	Y	VARCHAR2(1)	nvarchar(1)	plan status
AEV_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent of job
AEV_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	filled job cannot be compl. unless
AEV_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	originator
AEV_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code
AEV_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	what caused the failure
AEV_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code
AEV_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	new type of job
AEV_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority
AEV_REPORTED	Y	DATE	datetime	date/time reported
AEV_START	Y	DATE	datetime	actual start date
AEV_MATAVAIL	Y	DATE	datetime	date that materials are available
AEV_DUE	Y	DATE	datetime	due date
AEV_COMPLETED	Y	DATE	datetime	date/time of completion
AEV_DOWNTIME	Y	NUMBER	numeric(24,6)	downtime
AEV_LABTOTAL	Y	NUMBER	numeric(24,6)	total labor costs
AEV_MATTOTAL	Y	NUMBER	numeric(24,6)	total materials costs
AEV_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	shift code.
AEV_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	meter reading at time of failure.
AEV_METERREADING	Y	NUMBER(24,6)	numeric(24,6)	meter reading at which planned preventive maintenance job is due.
AEV_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure code.
AEV_MAXCOST	Y	NUMBER(24,6)	numeric(24,6)	maximum value/cost of job.
AEV_SCREENER	Y	VARCHAR2(255)	nvarchar(255)	username of screener.
AEV_ROUTEDFROM	Y	VARCHAR2(255)	nvarchar(255)	username of screener who routed this job.
AEV_ROUTEREASON	Y	VARCHAR2(240)	nvarchar(240)	comments describing why job was rerouted.
AEV_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	value is + if work is warranty related.
AEV_OKWINEND	Y	DATE	datetime	end date of ok window of ppm job.

AEV_NEARWINSTART	Y	DATE	datetime	start date of near window of ppm job.
AEV_GENWINSTART	Y	DATE	datetime	start date of release window of ppm job.
AEV_OKWINENDVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which ok window of ppm job ends.
AEV_NEARWINBEGVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which near window of ppm job starts.
AEV_GENWINBEGVAL	Y	NUMBER(24,6)	numeric(24,6)	reading at which release window of ppm job starts.
AEV_ROUTESTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of route of which this job is part (user code).
AEV_ROUTERSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of route of which this job is part (system code).
AEV_ACD	Y	NUMBER	bigint	financial interface
AEV_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	when requests are completed
AEV_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	system user who entered job
AEV_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	component that failed
AEV_DOWNTIMEHRS	Y	NUMBER	numeric(24,6)	the number of hours obj was down
AEV_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	safety implied because of work
AEV_OBJCRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality at time of the work
AEV_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	project name in which the event is planned
AEV_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
AEV_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction code (user code, see entity tktp).
AEV_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
AEV_CN	Y	VARCHAR2(24)	nvarchar(24)	change notice number.
AEV_REOPENED	Y	VARCHAR2(1)	nvarchar(1)	revision reopened.
AEV_PPOPK	Y	NUMBER	int	the link to the ppm objects table (r5ppmobjects).
AEV_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	revision number
AEV_ROUTEREV	Y	NUMBER(4,0)	numeric(4,0)	revision number.
AEV_ORG	Y	VARCHAR2(15)	nvarchar(15)	event organization
AEV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AEV_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
AEV_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
AEV_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	schedule group
AEV_REQUESTSTART	Y	DATE	datetime	requested start date
AEV_SCHEDEND	Y	DATE	datetime	scheduled end date
AEV_REQUESTEND	Y	DATE	datetime	requested end date
AEV_MASTERCAL	Y	VARCHAR2(1)	nvarchar(1)	checked to display job on master calendar
AEV_STEP	Y	NUMBER(3,0)	numeric(3,0)	order of child job compared to other child jobs
AEV_SEQ	Y	NUMBER(3,0)	numeric(3,0)	sub-order of child job compared to other child jobs
AEV_TRIGEVENT	Y	VARCHAR2(30)	nvarchar(30)	triggering event code
AEV_OLDRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status to change from when triggering event closed (system)
AEV_OLDSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status to change from when triggering event closed
AEV_NEWRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status to change to when triggering event closed (system)
AEV_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status to change to when triggering event closed
AEV_CONFLICT	Y	VARCHAR2(1)	nvarchar(1)	conflict flag as determined on master calendar
AEV_CONFLICTRESOLVED	Y	VARCHAR2(1)	nvarchar(1)	resolved flag as determined on master calendar
AEV_CONFLICTDESC	Y	VARCHAR2(255)	nvarchar(255)	description of conflict
AEV_PACKAGE	Y	VARCHAR2(24)	nvarchar(24)	work package code associated to this job
AEV_CODE_ALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
AEV_CREATED	Y	DATE	datetime	creation date
AEV_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
AEV_UPDATED	Y	DATE	datetime	update date
AEV_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
AEV_CONTNAME	Y	VARCHAR2(50)	nvarchar(50)	contact name for the event
AEV_CONTPHONE	Y	VARCHAR2(50)	nvarchar(50)	contact phone for the event
AEV_CONTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	contact email for the event
AEV_CONTNOTES	Y	VARCHAR2(255)	nvarchar(255)	contact notes for the event
AEV_FOLLOWUP	Y	VARCHAR2(1)	nvarchar(1)	follow up flag
AEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

AEV_SERVICEREQUEST	Y	VARCHAR2(30)	nvarchar(30)	The service request code related to the job.
AEV_PERSON	Y	VARCHAR2(15)	nvarchar(15)	assigned to
AEV_PRINT	Y	VARCHAR2(1)	nvarchar(1)	Whether a job should be printed
AEV_BILLABLE	Y	VARCHAR2(1)	nvarchar(1)	Whether the Work Order is to be billed back to the customer or not
AEV_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	PPM period UOM
AEV_METERDUE2	Y	NUMBER(24,6)	numeric(24,6)	Second meter due
AEV_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	Second meter UOM
AEV_ROUTEPARENT	Y	VARCHAR2(30)	nvarchar(30)	The job number of the route parent.
AEV_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
AEV_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
AEV_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
AEV_INTERFACE	Y	DATE	datetime	interface timestamp
AEV_LASTCAL	Y	DATE	datetime	The date the equipment of the work order was last calibrated.
AEV_SOPEFFECTIVE	Y	DATE	datetime	The date from which the calibration Standard Operating Procedure was effective.
AEV_CALSTATUS	Y	VARCHAR2(2)	nvarchar(2)	The calibration status. P for Pass, F for Fail, PF for Pass, fail exists, PR for Pass, recal exists or I for Incomplete.
AEV_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	he increment
AEV_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	The precision
AEV_PIDNO	Y	VARCHAR2(80)	nvarchar(80)	The P.ID number.
AEV_PIDDRAWING	Y	VARCHAR2(80)	nvarchar(80)	The P.ID drawing
AEV_SERVICEPERC	Y	NUMBER(24,6)	numeric(24,6)	The service percentage.
AEV_SOP	Y	VARCHAR2(30)	nvarchar(30)	The Standard Operating Procedure used while calibrating
AEV_SRQCALLNAME	Y	VARCHAR2(80)	nvarchar(80)	Caller name
AEV_SRQCUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	Customer code
AEV_SRQLEVEL1	Y	VARCHAR2(30)	nvarchar(30)	level1 code
AEV_FIRSTBILL	Y	VARCHAR2(30)	nvarchar(30)	The first bill on which this event appeared.
AEV_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
AEV_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
AEV_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
AEV_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
AEV_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the work order is a multiple equipment work order
AEV_AGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	The customer contract of the work order
AEV_SIGPB	Y	VARCHAR2(30)	nvarchar(30)	The user who last performed the calibration
AEV_SIGRB	Y	VARCHAR2(30)	nvarchar(30)	The user who last reviewed the calibration
AEV_LASTTIMEPB	Y	DATE	datetime	The last time the calibration was performed
AEV_LASTTIMERB	Y	DATE	datetime	The last time the calibration was reviewed
AEV_COMPLETED_TRUNC	Y	DATE	datetime	Day part of evt_completed field, in SQL server only
AEV_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	Performed By
AEV_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	Reviewed By
AEV_METERINTERVAL	Y	NUMBER(24,6)	numeric(24,6)	Meter Interval
AEV_METERINTERVAL2	Y	NUMBER(24,6)	numeric(24,6)	Meter Interval 2
AEV_WORKADDRESS	Y	VARCHAR2(256)	nvarchar(256)	Work Address
AEV_PFPROMISEDATE	Y	DATE	datetime	Permanent Promise Date
AEV_TFPROMISEDATE	Y	DATE	datetime	Temporary Fix Date Promised
AEV_TFDATECOMPLETED	Y	DATE	datetime	Temporary Fix Date Completed
AEV_EQUIPMENTUSABILITY	Y	VARCHAR2(30)	nvarchar(30)	Equipment Usability
AEV_EQUIPMENTUSABILITY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization
AEV_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider
AEV_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider Organization
AEV_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service Problem Code
AEV_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Problem Code Organization
AEV_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service Category
AEV_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Category Organization
AEV_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AEV_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFDATE01	Y	DATE	datetime	User defined field of type date
AEV_UDFDATE02	Y	DATE	datetime	User defined field of type date
AEV_UDFDATE03	Y	DATE	datetime	User defined field of type date
AEV_UDFDATE04	Y	DATE	datetime	User defined field of type date
AEV_UDFDATE05	Y	DATE	datetime	User defined field of type date
AEV_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
AEV_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
AEV_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
AEV_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
AEV_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
AEV_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
AEV_PERFORMONWEEK	Y	VARCHAR2(1)	nvarchar(1)	week of the month on which to perform PM
AEV_PERFORMONDAY	Y	NUMBER(1,0)	numeric(1,0)	day of the week on which to perform PM
AEV_ALERT	Y	VARCHAR2(30)	nvarchar(30)	Alert code
AEV_PRODUCTIONREQUEST	Y	VARCHAR2(30)	nvarchar(30)	Production Request Code
AEV_PRODUCTIONREQUESTREV	Y	NUMBER(4,0)	numeric(4,0)	Production Request Revision

AEV_PRODUCTIONREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	Production Request Organization Code
AEV_PRODORDER	Y	VARCHAR2(80)	nvarchar(80)	Production Order Code
AEV_PRODPRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
AEV_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
AEV_PRODUCTIONSTART	Y	DATE	datetime	Production Start Date
AEV_PRODUCTIONEND	Y	DATE	datetime	Production End Date
AEV_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
AEV_MP	Y	VARCHAR2(30)	nvarchar(30)	The maintenance pattern of the WO
AEV_MP_ORG	Y	VARCHAR2(15)	nvarchar(15)	The maintenance pattern organization of the WO
AEV_MP_REV	Y	NUMBER(4,0)	numeric(4,0)	The maintenance pattern revision of the WO
AEV_MP_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The maintenance pattern sequence of the WO
AEV_METERDUEDATE	Y	DATE	datetime	The predicted date the meter due value will be reached
AEV_METERDUEDATE2	Y	DATE	datetime	The predicted date the second meter due value will be reached
AEV_CAMPAIGN	Y	VARCHAR2(30)	nvarchar(30)	Campaign Header Code
AEV_CAMPAIGN_ORG	Y	VARCHAR2(15)	nvarchar(15)	Campaign Organization
AEV_CAMPAIGN_LINE	Y	NUMBER(8,0)	numeric(8,0)	Campaign Line
AEV_CAMPAIGN_SURVEY	Y	VARCHAR2(1)	nvarchar(1)	Survey Code
AEV_MPPROJTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
AEV_PSQPK	Y	NUMBER(38,0)	numeric(38,0)	Primary Key Code in r5patternsequences
AEV_OKWINENDVAL2	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
AEV_NEARWINBEGVAL2	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
AEV_GENWINBEGVAL2	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
AEV_OUTPUTCALCTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
AEV_CEILPERMIT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_LIFESAFETY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_INFECTCONTROL	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_PCRA	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_PFI	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_BURNPERMIT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_PATIENTSAFETY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_RECALLNOTICE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_SMDA	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_VISITORINJURY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_STAFFINJURY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_SECURITYINCIDENT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_PROPERTYDAMAGE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_HAZMATINCIDENT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_FIREINCIDENT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_MEDICEQUIPINCIDENT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_UTILITYINCIDENT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
AEV_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
AEV_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
AEV_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
AEV_PHONE	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
AEV_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
AEV_LOCKOUT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_PERSONALPROTECTIVEEQUIP	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_CONFINEDSPACE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_STATEMENTOFCOND	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_BUILDMAINTPROGRAM	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_HIPAACONFIDENTIALITY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
AEV_FACILITY	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
AEV_FACILITY_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.

AEV_ADDITIONALINFO	Y	VARCHAR2(4000)	nvarchar(4000)	T.B.D.
AEV_SAFETYREVIEWED	Y	DATE	datetime	Date of safety reviewed signature.
AEV_SAFETYREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of safety reviewed signature.
AEV_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of safety reviewed signature.
AEV_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of safety reviewed signature.
AEV_PERMITREVIEWED	Y	DATE	datetime	Date of permit reviewed signature.
AEV_PERMITREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of permit reviewed signature.
AEV_PERMITREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of permit reviewed signature.
AEV_PERMITREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of permit reviewed signature.
AEV_ORIGWO	Y	VARCHAR2(30)	nvarchar(30)	In case of a permit to work renewal, the original work order.
AEV_ORIGACT	Y	NUMBER(8,0)	numeric(8,0)	In case of a permit to work renewal, the original activity.
AEV_MINOR	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the workorder is a minor work order.
AEV_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the work order
AEV_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the work order
AEV_CALCULATEDPRIORITY	Y	NUMBER(24,6)	numeric(24,6)	The calculated priority of the work order
AEV_PRESERVECALCPRIORITY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the calculated priority of the work order should be preserved
AEV_GUESTPROFILEID	Y	NUMBER(30,0)	numeric(30,0)	The guest profile ID of the work order.
AEV_MANAGERPROFILEID	Y	VARCHAR2(20)	nvarchar(20)	The manager profile ID of the work order.
AEV_GUESTSALUTATION	Y	VARCHAR2(8)	nvarchar(8)	The guest salutation of the work order.
AEV_GUESTFIRSTNAME	Y	VARCHAR2(100)	nvarchar(100)	The guest first name of the work order.
AEV_GUESTLASTNAME	Y	VARCHAR2(100)	nvarchar(100)	The guest last name of the work order.
AEV_GUESTMIDDLENAME	Y	VARCHAR2(50)	nvarchar(50)	The uest middle name of the work order.
AEV_GUESTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	The guest email address of the work order.
AEV_GUESTPHONENUMBER	Y	VARCHAR2(50)	nvarchar(50)	The guest phone number of the work order.
AEV_VIPSTATUS	Y	VARCHAR2(8)	nvarchar(8)	The VIP status of the work order.
AEV_RESERVATIONNUM	Y	VARCHAR2(50)	nvarchar(50)	The reservation number of the work order.
AEV_SCHEDULEDSTARTTIME	Y	NUMBER	numeric(38,0)	The scheduled start time of the work order.
AEV_SCHEDULEDENDTIME	Y	NUMBER	numeric(38,0)	The scheduled end time of the work order.
AEV_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the work order.
AEV_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier of the work order.
AEV_CASEMANAGEMENT	Y	VARCHAR2(30)	nvarchar(30)	The case management of the work order.
AEV_CASEMANAGEMENTTASK	Y	VARCHAR2(30)	nvarchar(30)	The case managemant task of the work order.
AEV_ORIGCASEMANAGEMENT	Y	VARCHAR2(30)	nvarchar(30)	The originating case management record.
AEV_DUPCASEMANAGEMENT	Y	VARCHAR2(30)	nvarchar(30)	The duplicate case management of the work order.
AEV_CONTACTRECORD	Y	VARCHAR2(30)	nvarchar(30)	The call center of the work order.
AEV_CONTACTRECORD_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the call center of the work order.
AEV_WORKSPACE	Y	VARCHAR2(30)	nvarchar(30)	The workspace of the work order.
AEV_LATITUDE	Y	NUMBER(8,6)	numeric(8,6)	The latitude of the work order
AEV_LONGITUDE	Y	NUMBER(9,6)	numeric(9,6)	The longitude of the work order.
AEV_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
AEV_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
AEV_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
AEV_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
AEV_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
AEV_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
AEV_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
AEV_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
AEV_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
AEV_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
AEV_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
AEV_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
AEV_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
AEV_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
AEV_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.

AEV_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
AEV_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
AEV_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
AEV_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.

RSEVENTS_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEV_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
AEV_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
AEV_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
AEV_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
AEV_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
AEV_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.
AEV_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
AEV_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
AEV_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
AEV_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
AEV_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
AEV_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the work order.
AEV_TYPECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The type category of the work order.
AEV_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
AEV_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
AEV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEV_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEV_UDFDATE06	Y	DATE	datetime	User defined field of type Date
AEV_UDFDATE07	Y	DATE	datetime	User defined field of type Date
AEV_UDFDATE08	Y	DATE	datetime	User defined field of type Date
AEV_UDFDATE09	Y	DATE	datetime	User defined field of type Date
AEV_UDFDATE10	Y	DATE	datetime	User defined field of type Date
AEV_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEV_FAILUREMODE	Y	VARCHAR2(8)	nvarchar(8)	

AEV_SYMPTOM	Y	VARCHAR2(8)	nvarchar(8)	
AEV_TACTICALCAUSE	Y	VARCHAR2(8)	nvarchar(8)	
AEV_HUMANFACTOR	Y	VARCHAR2(8)	nvarchar(8)	
AEV_WORKMANSHIP	Y	VARCHAR2(8)	nvarchar(8)	
AEV_HUMANOVERSIGHT	Y	VARCHAR2(8)	nvarchar(8)	
AEV_METHODOFDETECTION	Y	VARCHAR2(8)	nvarchar(8)	
AEV_CLOSINGLATITUDE	Y	NUMBER(8,6)	numeric(8,6)	
AEV_CLOSINGLONGITUDE	Y	NUMBER(9,6)	numeric(9,6)	
AEV_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVENTS_LASTSTATUSUPDATE		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ELU_CODE	N	VARCHAR2(30)	nvarchar(30)	Primary key
ELU_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
ELU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RSEVENTTYPEFILTER		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETF_CODE	N	VARCHAR2(30)	nvarchar(30)	event type filter code
ETF_ENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code
ETF_EVENTTYPE	N	VARCHAR2(4)	nvarchar(4)	event type
ETF_WOTYPE	Y	VARCHAR2(8)	nvarchar(8)	work order type
ETF_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	work order class
ETF_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of work order class
ETF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
ETF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ETF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVTINSTRUMENTS		CALIBRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EIS_EVENT	N	VARCHAR2(30)	nvarchar(30)	The work order.
EIS_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment.
EIS_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization.
EIS_INSTYPE	Y	VARCHAR2(1)	nvarchar(1)	The instrument type.
EIS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EIS_UPDATED	Y	DATE	datetime	update timestamp
EIS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EIS_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
EIS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVTINSTRUMENTS_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEI_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.

AEI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
AEI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization.
AEI_INSTYPE	Y	VARCHAR2(1)	nvarchar(1)	The instrument type.
AEI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEI_UPDATED	Y	DATE	datetime	update timestamp
AEI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEI_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
AEI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVTSTANDARDS

CALIBRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EST_PK	N	NUMBER	int	The system generated primary key.
EST_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.
EST_PART	Y	VARCHAR2(30)	nvarchar(30)	The part.
EST_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization.
EST_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
EST_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization.
EST_LOT	Y	VARCHAR2(12)	nvarchar(12)	The lot.
EST_NEXTCALDATE	Y	DATE	datetime	The next calibration due date.
EST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EST_UPDATED	Y	DATE	datetime	update timestamp
EST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EST_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
EST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVTSTANDARDS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AES_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AES_PK	Y	NUMBER	int	The system generated primary key.
AES_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.
AES_PART	Y	VARCHAR2(30)	nvarchar(30)	The part.
AES_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization.
AES_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
AES_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization.
AES_LOT	Y	VARCHAR2(12)	nvarchar(12)	The lot.
AES_NEXTCALDATE	Y	DATE	datetime	The next calibration due date.
AES_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AES_UPDATED	Y	DATE	datetime	update timestamp
AES_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AES_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
AES_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVTSYSTEMS

CALIBRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ESY_EVENT	N	VARCHAR2(30)	nvarchar(30)	The work order.
ESY_SYSTEM	N	VARCHAR2(30)	nvarchar(30)	The system.
ESY_SYSTEM_ORG	N	VARCHAR2(15)	nvarchar(15)	The system organization.
ESY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ESY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ESY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EVTSYSTEMS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEY_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code

AEY_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.
AEY_SYSTEM	Y	VARCHAR2(30)	nvarchar(30)	The system.
AEY_SYSTEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The system organization.
AEY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVTTTESTPOINTS

CALIBRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETP_EVENT	N	VARCHAR2(30)	nvarchar(30)	The work order.
ETP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment.
ETP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization.
ETP_SEQ	N	NUMBER(4,0)	numeric(4,0)	The sequence number.
ETP_TESTPOINT	N	NUMBER(24,6)	numeric(24,6)	The test point.
ETP_TESTPOINTUOM	N	VARCHAR2(30)	nvarchar(30)	The test point unit of measure.
ETP_DEVICEFROM	Y	NUMBER(24,6)	numeric(24,6)	The from device tolerance.
ETP_DEVICEOFTO	Y	NUMBER(24,6)	numeric(24,6)	The to device tolerance.
ETP_STANDARD	Y	NUMBER(24,6)	numeric(24,6)	The standard.
ETP_STANDARDUOM	Y	VARCHAR2(30)	nvarchar(30)	The standard unit of measure.
ETP_OUTPUT	Y	NUMBER(24,6)	numeric(24,6)	The expected output.
ETP_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure.
ETP_DEVICEREADING	Y	NUMBER(24,6)	numeric(24,6)	The actual device reading.
ETP_DEVIATION	Y	NUMBER(24,6)	numeric(24,6)	The difference between actual and expected.
ETP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status. P for Pass, F for Fail, N for Not applicable and R for Recalibrate.
ETP_DEVICEFROMAL	Y	NUMBER(24,6)	numeric(24,6)	The as left from device tolerance.
ETP_DEVICEOFTOAL	Y	NUMBER(24,6)	numeric(24,6)	The as left to device tolerance.
ETP_STANDARDAL	Y	NUMBER(24,6)	numeric(24,6)	The as left standard.
ETP_STANDARDUOMAL	Y	VARCHAR2(30)	nvarchar(30)	The as left standard unit of measure.
ETP_OUTPUTAL	Y	NUMBER(24,6)	numeric(24,6)	The as left expected output.
ETP_OUTPUTUOMAL	Y	VARCHAR2(30)	nvarchar(30)	The as left output unit of measure.
ETP_DEVICEREADINGAL	Y	NUMBER(24,6)	numeric(24,6)	The as left actual device reading.
ETP_DEVIATIONAL	Y	NUMBER(24,6)	numeric(24,6)	The as left difference between actual and expected.
ETP_STATUSAL	Y	VARCHAR2(4)	nvarchar(4)	The as left status. P for Pass, F for Fail, N for Not applicable and R for Recalibrate.
ETP_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	Comments.
ETP_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Does the test point apply.
ETP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ETP_UPDATED	Y	DATE	datetime	update timestamp
ETP_OUTPUTCALCTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
ETP_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	T.B.D.
ETP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ETP_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ETP_ALERTTOLERANCE	Y	NUMBER(24,6)	numeric(24,6)	
ETP_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	
ETP_DEVICERANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
ETP_DEVICERANGEETO	Y	NUMBER(24,6)	numeric(24,6)	
ETP_OUTPUTRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
ETP_OUTPUTRANGEETO	Y	NUMBER(24,6)	numeric(24,6)	
ETP_PROCESSRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
ETP_PROCESSRANGEETO	Y	NUMBER(24,6)	numeric(24,6)	
ETP_PROCESSTOLERANCEFROM	Y	NUMBER(24,6)	numeric(24,6)	
ETP_PROCESSTOLERANCEETO	Y	NUMBER(24,6)	numeric(24,6)	
ETP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ETP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ETP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ETP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ETP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ETP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ETP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ETP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ETP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ETP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ETP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ETP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ETP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ETP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ETP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ETP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ETP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ETP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ETP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ETP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ETP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEVTTTESTPOINTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AET_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AET_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.
AET_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
AET_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization.
AET_SEQ	Y	NUMBER(4,0)	numeric(4,0)	The sequence number.
AET_TESTPOINT	Y	NUMBER(24,6)	numeric(24,6)	The test point.
AET_TESTPOINTUOM	Y	VARCHAR2(30)	nvarchar(30)	The test point unit of measure.
AET_DEVICETOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from device tolerance.
AET_DEVICETOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to device tolerance.
AET_STANDARD	Y	NUMBER(24,6)	numeric(24,6)	The standard.
AET_STANDARDUOM	Y	VARCHAR2(30)	nvarchar(30)	The standard unit of measure.
AET_OUTPUT	Y	NUMBER(24,6)	numeric(24,6)	The expected output.
AET_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure.
AET_DEVICEREADING	Y	NUMBER(24,6)	numeric(24,6)	The actual device reading.
AET_DEVIATION	Y	NUMBER(24,6)	numeric(24,6)	The difference between actual and expected.
AET_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status. P for Pass, F for Fail, N for Not applicable and R for Recalibrate.
AET_DEVICETOLFROMAL	Y	NUMBER(24,6)	numeric(24,6)	The as left from device tolerance.
AET_DEVICETOLTOAL	Y	NUMBER(24,6)	numeric(24,6)	The as left to device tolerance.
AET_STANDARDAL	Y	NUMBER(24,6)	numeric(24,6)	The as left standard.
AET_STANDARDUOMAL	Y	VARCHAR2(30)	nvarchar(30)	The as left standard unit of measure.
AET_OUTPUTAL	Y	NUMBER(24,6)	numeric(24,6)	The as left expected output.
AET_OUTPUTUOMAL	Y	VARCHAR2(30)	nvarchar(30)	The as left output unit of measure.
AET_DEVICEREADINGAL	Y	NUMBER(24,6)	numeric(24,6)	The as left actual device reading.
AET_DEVIATIONAL	Y	NUMBER(24,6)	numeric(24,6)	The as left difference between actual and expected.
AET_STATUSAL	Y	VARCHAR2(4)	nvarchar(4)	The as left status. P for Pass, F for Fail, N for Not applicable and R for Recalibrate.
AET_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	Comments.
AET_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Does the test point apply.
AET_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AET_UPDATED	Y	DATE	datetime	update timestamp
AET_OUTPUTCALCTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
AET_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	T.B.D.
AET_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AET_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	

AET_ALERTTOLERANCE	Y	NUMBER(24,6)	numeric(24,6)	
AET_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	
AET_DEVICERANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
AET_DEVICERANGETO	Y	NUMBER(24,6)	numeric(24,6)	
AET_OUTPUTRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
AET_OUTPUTRANGETO	Y	NUMBER(24,6)	numeric(24,6)	
AET_PROCESSRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
AET_PROCESSRANGETO	Y	NUMBER(24,6)	numeric(24,6)	
AET_PROCESSTOLERANCEFROM	Y	NUMBER(24,6)	numeric(24,6)	
AET_PROCESSTOLERANCETO	Y	NUMBER(24,6)	numeric(24,6)	
AET_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AET_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AET_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AET_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AET_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AET_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AET_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AET_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AET_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AET_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AET_UDFDATE01	Y	DATE	datetime	User defined field of type Date
AET_UDFDATE02	Y	DATE	datetime	User defined field of type Date
AET_UDFDATE03	Y	DATE	datetime	User defined field of type Date
AET_UDFDATE04	Y	DATE	datetime	User defined field of type Date
AET_UDFDATE05	Y	DATE	datetime	User defined field of type Date
AET_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AET_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AET_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AET_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AET_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXCEPTIONS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EXC_DATE	N	DATE	datetime	date to which this exception applies.
EXC_HOURS	N	NUMBER	numeric(24,6)	total number of hours the trade or person is available on this date.
EXC_PERSON	N	VARCHAR2(15)	nvarchar(15)	person code
EXC_COMMENT	Y	VARCHAR2(70)	nvarchar(70)	any additional details/comments.
EXC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EXC_TIME	N	NUMBER(38,0)	numeric(38,0)	Start Time
EXC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EXC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXCHRATES		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRR_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
CRR_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
CRR_START	N	DATE	datetime	start date.
CRR_END	N	DATE	datetime	end date.
CRR_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if currency is not used (i.e. no longer valid).
CRR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	financial interface
CRR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	financial interface
CRR_INTERFACE	Y	DATE	datetime	financial interface
CRR_ORGCURR	N	VARCHAR2(3)	nvarchar(3)	currency organization

CRR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CRR_CODE	N	VARCHAR2(30)	nvarchar(30)	unique identifier for echchange rate
CRR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CRR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXCHRATESINTERFACE

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CRI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
CRI_CREATE	Y	DATE	datetime	date interface transaction created.
CRI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
CRI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
CRI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
CRI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
CRI_START	Y	DATE	datetime	date exchange rate is valid from.
CRI_END	Y	DATE	datetime	date exchange rate is valid to.
CRI_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if exchange rate is active (i.e. provides the default value).
CRI_ORGCURR	Y	VARCHAR2(3)	nvarchar(3)	currency organization
CRI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXITMESSAGES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EXM_SESSION	Y	VARCHAR2(30)	nvarchar(30)	session number
EXM_TYPE	Y	VARCHAR2(2)	nvarchar(2)	type of message
EXM_DATE	Y	DATE	datetime	date of message
EXM_ATTRIBUTE	Y	VARCHAR2(30)	nvarchar(30)	block and column
EXM_TEXT	Y	VARCHAR2(200)	nvarchar(200)	actual text of message
EXM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EXM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EXM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXPORT

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EXP_CODE	N	VARCHAR2(30)	nvarchar(30)	a unique id generated using timestamp and sessionid
EXP_TABLE	Y	VARCHAR2(30)	nvarchar(30)	table to be exported
EXP_WHERE	Y	VARCHAR2(4000)	nvarchar(4000)	where clause of exported data
EXP_FIELDS	Y	VARCHAR2(4000)	nvarchar(4000)	comma separated list of fields
EXP_TIMESTAMP	Y	DATE	datetime	timestamp of this record
EXP_NAMES	Y	VARCHAR2(4000)	nvarchar(4000)	comma separated list of field boiltertexts
EXP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EXP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXPORTDATA

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EPD_SESSIONID	N	NUMBER	numeric(18,0)	
EPD_LINE	N	NUMBER(18,0)	numeric(18,0)	
EPD_SELECTED	Y	VARCHAR2(1)	nvarchar(1)	
EPD_GROUP	Y	VARCHAR2(60)	nvarchar(60)	
EPD_TABLE	Y	VARCHAR2(80)	nvarchar(80)	
EPD_KEY1	Y	VARCHAR2(255)	nvarchar(255)	
EPD_KEY2	Y	VARCHAR2(255)	nvarchar(255)	
EPD_KEY3	Y	VARCHAR2(255)	nvarchar(255)	
EPD_KEY4	Y	VARCHAR2(255)	nvarchar(255)	
EPD_KEYS	Y	VARCHAR2(255)	nvarchar(255)	
EPD_UPDATED	Y	DATE	datetime	Update timestamp

EPD_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(30)	The user who updated the record
EPD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EPD_LASTSAVED	Y	DATE	datetime	Timestamp of last update
EPD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXPORTFILTERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EFI_USER	N	VARCHAR2(255)	nvarchar(255)	7i user
EFI_FUNC	N	VARCHAR2(6)	nvarchar(6)	7i function
EFI_NAME	N	VARCHAR2(8)	nvarchar(8)	Name of filter
EFI_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	flag for default filter
EFI_FIELDS	Y	VARCHAR2(4000)	varchar(4000)	Database columns included in this filter. Column as concatenated by comma
EFI_NAMES	Y	VARCHAR2(4000)	varchar(4000)	Boilertexts corresponding to the column. BT as concatenated by #;#;#
EFI_BLOCK	Y	VARCHAR2(30)	nvarchar(30)	The data block of the export filter
EFI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EFI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXPORTFUNCTIONS

EXPORT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EXF_SESSIONID	N	NUMBER	numeric(38,0)	
EXF_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	
EXF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EXF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EXF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXPORTINFO

EXPORT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EPI_SESSIONID	Y	NUMBER	numeric(18,0)	
EPI_EXPORT	Y	CLOB	nvarchar(max)	
EPI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EPI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXPORTSELECTIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EPS_SESSIONID	N	NUMBER	numeric(18,0)	
EPS_GROUP	N	VARCHAR2(60)	nvarchar(60)	
EPS_UPDATED	Y	DATE	datetime	Update timestamp
EPS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(30)	The user who updated the record
EPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EPS_LASTSAVED	Y	DATE	datetime	Timestamp of last update
EPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXTCHARGES

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECH_CODE	N	VARCHAR2(8)	nvarchar(8)	sequence
ECH_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type
ECH_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	r type (system)
ECH_DISCPERC	Y	NUMBER(5,2)	numeric(5,2)	discount percent
ECH_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount
ECH_INVORD_CODE	N	VARCHAR2(45)	nvarchar(45)	purchase order code
ECH_INVORD_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ECH_INVORD_LINE	N	NUMBER	int	purchase order line
ECH_INVORD	N	VARCHAR2(1)	nvarchar(1)	flag indicating if extra charges/discounts should be included in part price updates
ECH_PARPRICE	Y	VARCHAR2(1)	nvarchar(1)	part price

ECH_CUMULATIVE	Y	VARCHAR2(1)	nvarchar(1)	cumulative flag
ECH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTCHARGES_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACH_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACH_CODE	Y	VARCHAR2(8)	nvarchar(8)	sequence
ACH_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type
ACH_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	r type (system)
ACH_DISCPERC	Y	NUMBER(5,2)	numeric(5,2)	discount percent
ACH_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount
ACH_INVORD_CODE	Y	VARCHAR2(45)	nvarchar(45)	purchase order code
ACH_INVORD_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ACH_INVORD_LINE	Y	NUMBER	int	purchase order line
ACH_INVORD	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if extra charges/discounts should be included in part price updates
ACH_PARPRICE	Y	VARCHAR2(1)	nvarchar(1)	part price
ACH_CUMULATIVE	Y	VARCHAR2(1)	nvarchar(1)	cumulative flag
ACH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTENSIBLEFRAMEWORK BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EFR_NAME	N	VARCHAR2(80)	nvarchar(30)	The name of the extensible framework.
EFR_SOURCECODE	N	CLOB	nvarchar(max)	The source code of the extensible framework.
EFR_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate the record is out of service.
EFR_USERFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	The user function of the extensible framework.
EFR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EFR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EFR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTINVLINES COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EIL_INVOICE	N	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIL_LINE	N	NUMBER(8,0)	numeric(8,0)	external invoice line number.
EIL_PAYMENTAGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number of fixed payment.
EIL_PAYMENTLINE	Y	NUMBER(8,0)	numeric(8,0)	line number of fixed payment on agreement.
EIL_EVENTCODE	Y	VARCHAR2(30)	nvarchar(30)	job number.
EIL_EVENTINCREMENT	Y	NUMBER(4,0)	numeric(4,0)	sequential number identifying each incremental job item charge (within job number).
EIL_PRICE	N	NUMBER(24,6)	numeric(24,6)	total price invoiced in local currency.
EIL_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization
EIL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EIL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EIL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTINVLINES_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AIL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AIL_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	external invoice number.
AIL_LINE	Y	NUMBER(8,0)	numeric(8,0)	external invoice line number.
AIL_PAYMENTAGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number of fixed payment.
AIL_PAYMENTLINE	Y	NUMBER(8,0)	numeric(8,0)	line number of fixed payment on agreement.

AIL_EVENTCODE	Y	VARCHAR2(30)	nvarchar(30)	job number.
AIL_EVENTINCREMENT	Y	NUMBER(4,0)	numeric(4,0)	sequential number identifying each incremental job item charge (within job number).
AIL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total price invoiced in local currency.
AIL_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	invoice organization
AIL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AIL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AIL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXTINVOICES	COMMERCIAL SERVICES			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EIV_CODE	N	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIV_STATUS	N	VARCHAR2(4)	nvarchar(4)	external invoice status (user code, see entity eist).
EIV_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	external invoice status (system code, see entity eist).
EIV_DEBTOR	N	VARCHAR2(30)	nvarchar(30)	debtor code.
EIV_PRICE	N	NUMBER(24,6)	numeric(24,6)	gross amount charged in local currency.
EIV_TAX	N	NUMBER(24,6)	numeric(24,6)	amount of tax in local currency.
EIV_TAXED	N	NUMBER(24,6)	numeric(24,6)	net amount charged in local currency (gross + tax).
EIV_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
EIV_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
EIV_EXCHANGED	N	NUMBER(24,6)	numeric(24,6)	charge amount in debtor currency.
EIV_DATE	N	DATE	datetime	external invoice date.
EIV_ORIGIN	N	VARCHAR2(255)	nvarchar(255)	username of originator of external invoice.
EIV_TAXPERC	N	NUMBER	numeric(24,6)	tax percentage.
EIV_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization
EIV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EIV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EIV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXTINVOICES_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AIV_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AIV_CODE	Y	VARCHAR2(30)	nvarchar(30)	external invoice number.
AIV_STATUS	Y	VARCHAR2(4)	nvarchar(4)	external invoice status (user code, see entity eist).
AIV_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	external invoice status (system code, see entity eist).
AIV_DEBTOR	Y	VARCHAR2(30)	nvarchar(30)	debtor code.
AIV_PRICE	Y	NUMBER(24,6)	numeric(24,6)	gross amount charged in local currency.
AIV_TAX	Y	NUMBER(24,6)	numeric(24,6)	amount of tax in local currency.
AIV_TAXED	Y	NUMBER(24,6)	numeric(24,6)	net amount charged in local currency (gross + tax).
AIV_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AIV_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AIV_EXCHANGED	Y	NUMBER(24,12)	numeric(24,12)	charge amount in debtor currency.
AIV_DATE	Y	DATE	datetime	external invoice date.
AIV_ORIGIN	Y	VARCHAR2(255)	nvarchar(255)	username of originator of external invoice.
AIV_TAXPERC	Y	NUMBER	numeric(24,6)	tax percentage.
AIV_ORG	Y	VARCHAR2(15)	nvarchar(15)	invoice organization
AIV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AIV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AIV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSEXTMENULANG	DATASPY			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EML_EXTMENU	N	VARCHAR2(30)	nvarchar(30)	menu sequence number
EML_LANG	N	VARCHAR2(2)	nvarchar(2)	language of text
EML_TEXT	Y	VARCHAR2(80)	nvarchar(80)	displayed text for menu item

EML_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EML_TRANS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the menu item has been translated.
EML_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EML_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTMENULANGTEMP

DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TEML_EXTMENU	Y	VARCHAR2(30)	nvarchar(30)	menu sequence number
TEML_LANG	Y	VARCHAR2(2)	nvarchar(2)	language of text
TEML_TEXT	Y	VARCHAR2(80)	nvarchar(80)	displayed text for menu item
TEML_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TEML_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTMENUS

DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EMN_CODE	N	VARCHAR2(30)	nvarchar(30)	menu sequence number
EMN_SEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	sequence number
EMN_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group
EMN_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function called by menu
EMN_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent menu
EMN_TYPE	Y	VARCHAR2(1)	nvarchar(1)	menu type
EMN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EMN_MEFLAG	Y	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used
EMN_HIDE	Y	VARCHAR2(1)	nvarchar(1)	Hide this menu or not
EMN_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	Whether the menu entry is specifically for Mobile
EMN_ICON	Y	VARCHAR2(35)	nvarchar(35)	The icon belonging to the mobile menu entry
EMN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EMN_TRANSIT	Y	VARCHAR2(1)	nvarchar(1)	
EMN_DUXMOBILE	Y	VARCHAR2(1)	nvarchar(1)	
EMN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTMENUSTEMP

DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TEMN_CODE	Y	VARCHAR2(30)	nvarchar(30)	menu sequence number
TEMN_SEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	sequence number
TEMN_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group
TEMN_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function called by menu
TEMN_PARENT	Y	VARCHAR2(30)	nvarchar(30)	function called by menu
TEMN_TYPE	Y	VARCHAR2(1)	nvarchar(1)	menu type
TEMN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TEMN_MEFLAG	Y	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used
TEMN_HIDE	Y	VARCHAR2(1)	nvarchar(1)	Hide this menu or not
TEMN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5EXTTARIFFS

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ETA_ARRANGEMENT	N	VARCHAR2(12)	nvarchar(12)	arrangement code.
ETA_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade code.
ETA_RTYPE	N	VARCHAR2(4)	nvarchar(4)	occupation type (system code, see entity octp).
ETA_RATE	N	NUMBER(24,6)	numeric(24,6)	hourly rate.
ETA_TYPE	N	VARCHAR2(4)	nvarchar(4)	user type.
ETA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ETA_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
ETA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

ETA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FACILITIES	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FAC_CODE	N	VARCHAR2(10)	nvarchar(10)	facility code.
FAC_DESC	N	VARCHAR2(80)	nvarchar(80)	facility description.
FAC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
FAC_ORG	N	VARCHAR2(15)	nvarchar(15)	facility organization
FAC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
FAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FAC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FAILURECLASSES	EQUIPMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FCA_CLASS	N	VARCHAR2(8)	nvarchar(8)	object classification code.
FCA_FAILURE	N	VARCHAR2(8)	nvarchar(8)	failure code.
FCA_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
FCA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FCA_CREATED	Y	DATE	datetime	Creation timestamp
FCA_UPDATED	Y	DATE	datetime	Update timestamp
FCA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FCA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FAILURES	EQUIPMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FAL_CODE	N	VARCHAR2(8)	nvarchar(8)	component that failed, i.e. case, elec, seal.
FAL_DESC	N	VARCHAR2(80)	nvarchar(80)	description of failure code.
FAL_GEN	Y	VARCHAR2(1)	nvarchar(1)	checked: code applies to all classifications.
FAL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FAL_CREATED	Y	DATE	datetime	Creation timestamp
FAL_UPDATED	Y	DATE	datetime	Update timestamp
FAL_PARTFAILURE	Y	VARCHAR2(1)	nvarchar(1)	Part Failure Flag
FAL_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
FAL_ENABLEWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
FAL_GROUP	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
FAL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FAL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FIELDFILTERCLASS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLC_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function
FLC_CLASS	N	VARCHAR2(8)	nvarchar(8)	Class
FLC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	Class Organization
FLC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FIELDFILTERTYPE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FFT_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	T.B.D.
FFT_TYPE	N	VARCHAR2(8)	nvarchar(8)	T.B.D.
FFT_RTYPE	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
FFT_DEFAULTSCREENTYPE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.

FFT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FFT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FFT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FIELDFILTERWOOBJTYPE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FFW_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	T.B.D.
FFW_TYPE	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
FFW_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
FFW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FFW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FFW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FIFO

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FIF_PK	N	NUMBER	int	Primary key column. Given a value using new sequence s5fifo
FIF_STORE	N	VARCHAR2(15)	nvarchar(15)	Store code.
FIF_PART	N	VARCHAR2(30)	nvarchar(30)	Part code.
FIF_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	Part organization code.
FIF_ORDER	Y	VARCHAR2(30)	nvarchar(30)	Purchase order code.
FIF_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Purchase order organization code.
FIF_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	Order line number.
FIF_QTY	N	NUMBER(24,6)	numeric(24,6)	Quantity.
FIF_PRICE	N	NUMBER(24,6)	numeric(24,6)	Price.
FIF_DATE	N	DATE	datetime	Date, determines pick order.
FIF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FIF_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	The invoice related to the record.
FIF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FIF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FILTERLINES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLL_PK	N	VARCHAR2(30)	nvarchar(30)	refers to table r5filters
FLL_LINE	N	NUMBER	int	line number of statement in filter.
FLL_COLUMN	Y	VARCHAR2(30)	nvarchar(30)	column name, e.g. par_class
FLL_OPERATOR	Y	VARCHAR2(20)	nvarchar(20)	e.g. > = etc
FLL_VALUE1	Y	VARCHAR2(45)	nvarchar(45)	value used for comparison, e.g. 120
FLL_VALUE2	Y	VARCHAR2(45)	nvarchar(45)	2nd value used for comparison
FLL_DATATYPE	Y	VARCHAR2(1)	nvarchar(1)	v=varchar, n=numeric, d=date
FLL_TYPE	Y	VARCHAR2(3)	nvarchar(3)	and , or
FLL_STATEMENT	Y	VARCHAR2(1000)	nvarchar(1000)	statement, as seen by user
FLL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FILTERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FIL_PK	Y	VARCHAR2(30)	nvarchar(30)	primary key, generated with sequence
FIL_FUNC	N	VARCHAR2(6)	nvarchar(6)	function e.g. bnmrcs
FIL_USER	N	VARCHAR2(255)	nvarchar(255)	user code
FIL_BLOCK	N	VARCHAR2(30)	nvarchar(30)	the block, e.g. b1.
FIL_CODE	N	VARCHAR2(12)	nvarchar(12)	filter code as defined by user
FIL_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group code
FIL_STATEMENT	Y	VARCHAR2(2000)	nvarchar(2000)	the filter statement

FIL_USRDEF	Y	VARCHAR2(1)	nvarchar(1)	flag indicating query should be run by default
FIL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FIL_CASEINSENSITIVE	Y	VARCHAR2(1)	nvarchar(1)	Is the filter case insensitive
FIL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FIL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FILTERABCOLUMNS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FTC_TABLE	N	VARCHAR2(30)	nvarchar(30)	table
FTC_COLUMN	N	VARCHAR2(30)	nvarchar(30)	column
FTC_DATATYPE	Y	VARCHAR2(106)	nvarchar(106)	data type
FTC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FTC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FTC_CLOB	Y	VARCHAR2(1)	nvarchar(1)	
FTC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FILTERTABLES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FTA_TABLE	N	VARCHAR2(30)	nvarchar(30)	table
FTA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FTA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FTA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FINCLASSES

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FCL_CLASS	N	VARCHAR2(8)	nvarchar(8)	object classification code.
FCL_FIND	N	VARCHAR2(4)	nvarchar(4)	finding code.
FCL_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
FCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FCL_UPDATED	Y	DATE	datetime	Timestamp
FCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FINDINGS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FND_CODE	N	VARCHAR2(4)	nvarchar(4)	inspection finding code.
FND_DESC	N	VARCHAR2(80)	nvarchar(80)	inspection finding description.
FND_CLASS	Y	VARCHAR2(8)	nvarchar(8)	inspection finding classification code.
FND_GEN	N	VARCHAR2(1)	nvarchar(1)	value is + if inspection finding applies to all object classifications.
FND_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
FND_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FND_CREATED	Y	DATE	datetime	Creation timestamp
FND_UPDATED	Y	DATE	datetime	Update timestamp
FND_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FND_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FINDPROFILE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FPF_CODE	N	VARCHAR2(30)	nvarchar(30)	object code.
FPF_PROFILE	Y	VARCHAR2(30)	nvarchar(30)	profile code.
FPF_PROFILE_ORG	N	VARCHAR2(15)	nvarchar(15)	profile organization
FPF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FPF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FIRSTACT	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACT_EVENT	N	VARCHAR2(30)	nvarchar(30)	The work order.
ACT_ACT	Y	NUMBER(8,0)	numeric(8,0)	The first activity of a work order.
ACT_START	Y	DATE	datetime	The start date of the first activity of a work order.
ACT_TRADE	Y	VARCHAR2(15)	nvarchar(15)	The trade of the first activity of a work order.
ACT_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	The number of persons needed to perform the first activity of a work order.
ACT_DURATION	Y	NUMBER(8,0)	numeric(8,0)	The duration of the first activity of a work order.
ACT_EST	Y	NUMBER	numeric(24,6)	The estimated number of hours of the first activity of a work order.
ACT_REM	Y	NUMBER	numeric(24,6)	The remaining number of hours of the first activity of a work order.
ACT_TASK	Y	VARCHAR2(20)	nvarchar(20)	The task of the first activity of a work order.
ACT_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	The material list of the first activity of a work order.
ACT_MULTIPLETRADES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the first activity of the work order can have multiple trades.
ACT_RPC	Y	VARCHAR2(4)	nvarchar(4)	
ACT_WAP	Y	VARCHAR2(4)	nvarchar(4)	
ACT_TPF	Y	VARCHAR2(4)	nvarchar(4)	
ACT_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	
ACT_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
ACT_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
ACT_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
ACT_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	
ACT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACT_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FIXEDPAYMENTS	COMMERCIAL SERVICES			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FPA_AGREEMENT	N	VARCHAR2(30)	nvarchar(30)	agreement number.
FPA_LINE	N	NUMBER(8,0)	numeric(8,0)	fixed payment line number (within agreement).
FPA_DESC	N	VARCHAR2(80)	nvarchar(80)	fixed payment description.
FPA_STATUS	N	VARCHAR2(4)	nvarchar(4)	fixed payment status (user code, see entity fpst).
FPA_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	fixed payment status (system code, see entity fpst).
FPA_DEBTOR	N	VARCHAR2(30)	nvarchar(30)	debtor code.
FPA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
FPA_DUE	Y	DATE	datetime	fixed payment due date.
FPA_PRICE	N	NUMBER(24,6)	numeric(24,6)	fixed payment charge amount.
FPA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
FPA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FIXEDPAYMENTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AFP_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AFP_AGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number.
AFP_LINE	Y	NUMBER(8,0)	numeric(8,0)	fixed payment line number (within agreement).
AFP_DESC	Y	VARCHAR2(80)	nvarchar(80)	fixed payment description.
AFP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	fixed payment status (user code, see entity fpst).
AFP_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	fixed payment status (system code, see entity fpst).
AFP_DEBTOR	Y	VARCHAR2(30)	nvarchar(30)	debtor code.
AFP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AFP_DUE	Y	DATE	datetime	fixed payment due date.
AFP_PRICE	Y	NUMBER(24,6)	numeric(24,6)	fixed payment charge amount.
AFP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AFP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

AFP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AFP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLDFILTEROPRCHECKLIST	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FFO_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	The function/screen
FFO_OBJ_CLASS	N	VARCHAR2(8)	nvarchar(8)	The object class
FFO_OBJ_CLASS_ORG	N	VARCHAR2(30)	nvarchar(30)	The object class organization
FFO_TASK	N	VARCHAR2(20)	nvarchar(20)	The task plan
FFO_COMPLETESTATUS	N	VARCHAR2(4)	nvarchar(4)	The completed status
FFO_CANCELSTATUS	N	VARCHAR2(4)	nvarchar(4)	The cancelled status
FFO_DEFAULTSCREENTYPE	Y	VARCHAR2(1)	nvarchar(1)	The default screen type
FFO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FFO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FFO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLDSNOTCHANGEABLE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FNC_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	the name of the function
FNC_FIELD	N	VARCHAR2(30)	nvarchar(30)	field name
FNC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FNC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FNC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETAUTH	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FAU_GROUP	N	VARCHAR2(12)	nvarchar(12)	The user group.
FAU_TICKETTYPE	N	VARCHAR2(4)	nvarchar(4)	The ticket type.
FAU_INSERT	Y	VARCHAR2(1)	nvarchar(1)	Insert allowed.
FAU_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	Update allowed.
FAU_DELETE	Y	VARCHAR2(1)	nvarchar(1)	Delete allowed.
FAU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FAU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FAU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBILLINGCODES	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FBC_CODE	N	VARCHAR2(15)	nvarchar(15)	The billing code.
FBC_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
FBC_DESC	N	VARCHAR2(80)	nvarchar(80)	The description.
FBC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class.
FBC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class.
FBC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Is this billing code no longer used?
FBC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FBC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FBC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBILLINGGRATES	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FBR_BILLINGCODE	N	VARCHAR2(15)	nvarchar(15)	The billing code.
FBR_BILLINGCODE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
FBR_STARTDATE	N	DATE	datetime	The start date.
FBR_ENDDATE	N	DATE	datetime	The end date.
FBR_USAGECHARGE	Y	NUMBER(24,6)	numeric(24,6)	The usage charge.

FBR_USAGERTYPE	Y	VARCHAR2(4)	nvarchar(4)	The usage rate type.
FBR_MILEAGECHARGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage charge.
FBR_INSURANCECHARGE	Y	NUMBER(24,6)	numeric(24,6)	The insurance charge.
FBR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FBR_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
FBR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FBR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBILLINGSCHEDULES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FSC_PERIODENDDATE	N	DATE	datetime	The period end date.
FSC_BILLED	Y	VARCHAR2(1)	nvarchar(1)	Whether this period has been billed.
FSC_PERIODDESC	N	VARCHAR2(80)	nvarchar(80)	The description of the period.
FSC BILLINGINPROGRESS	Y	VARCHAR2(1)	nvarchar(1)	Whether the billing process is in progress
FSC_LASTBILLCREATEDDATE	Y	DATE	datetime	The date and time the last bill was created.
FSC_PROCESSSTARTDATE	Y	DATE	datetime	The date and time the billing process should be started.
FSC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FSC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBILLINES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FBL_BILL	N	VARCHAR2(30)	nvarchar(30)	The fleet bill.
FBL_COSTCODE	N	VARCHAR2(30)	nvarchar(30)	The cost code.
FBL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The vehicle.
FBL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the vehicle.
FBL_ADJUSTMENT	N	VARCHAR2(1)	nvarchar(1)	Whether the bill line is an adjustment.
FBL_FUEL	Y	NUMBER(24,6)	numeric(24,6)	The fuel charge.
FBL_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage charge.
FBL_USAGE	Y	NUMBER(24,6)	numeric(24,6)	The usage charge.
FBL_INSURANCE	Y	NUMBER(24,6)	numeric(24,6)	The insurance charge.
FBL_NONMAINTENANCE	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance charge.
FBL_MAINTENANCE	Y	NUMBER(24,6)	numeric(24,6)	The maintenance charge.
FBL_EXCEPTIONS	Y	NUMBER(24,6)	numeric(24,6)	The exceptions charge.
FBL_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	The total charge.
FBL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FBL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FBL_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
FBL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBILLS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FBI_CODE	N	VARCHAR2(30)	nvarchar(30)	The system generated bill code.
FBI_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the bill.
FBI_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the bill.
FBI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class.
FBI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class.
FBI_PERIODSTARTDATE	Y	DATE	datetime	The period start date.
FBI_PERIODENDDATE	N	DATE	datetime	The period end date.
FBI_DATECREATED	Y	DATE	datetime	The date the bill was created.
FBI_DATEPAID	Y	DATE	datetime	The date the bill was paid.
FBI_FLEETCUSTOMER	N	VARCHAR2(30)	nvarchar(30)	The fleet customer.
FBI_FLEETCUSTOMER_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
FBI_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The bill amount.

FBI_GLTRANSFER	Y	DATE	datetime	The date the bill got transferred to a General Ledger.
FBI_PRINTBILL	Y	VARCHAR2(1)	nvarchar(1)	Whether the bill should be printed.
FBI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FBI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FBI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBILLSUBLINES	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FBS_PK	N	VARCHAR2(30)	nvarchar(30)	System generated primary key.
FBS_BILL	N	VARCHAR2(30)	nvarchar(30)	The fleet bill.
FBS_COSTCODE	N	VARCHAR2(30)	nvarchar(30)	The cost code.
FBS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The vehicle.
FBS_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the vehicle.
FBS_ADJUSTMENT	Y	VARCHAR2(1)	nvarchar(1)	Whether the bill sub line is an adjustment.
FBS_ADJPK	Y	VARCHAR2(30)	nvarchar(30)	The link to an adjustment record.
FBS_TICKET	Y	VARCHAR2(30)	nvarchar(30)	The fleet ticket.
FBS_READING	Y	NUMBER(24,6)	numeric(24,6)	The reading of the vehicle at time of billing.
FBS_FUEL	Y	NUMBER(24,6)	numeric(24,6)	The fuel charge.
FBS_FUELMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The fuel markup charge.
FBS_MILES	Y	NUMBER(24,6)	numeric(24,6)	The number of miles.
FBS_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage charge.
FBS_MILEAGEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The mileage markup charge.
FBS_HOURS	Y	NUMBER(24,6)	numeric(24,6)	The number of hours.
FBS_USAGE	Y	NUMBER(24,6)	numeric(24,6)	The usage charge.
FBS_USAGEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The usage markup charge.
FBS_INSURANCE	Y	NUMBER(24,6)	numeric(24,6)	The insurance charge.
FBS_INSURANCEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The insurance markup charge.
FBS_REPAIR	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance charge.
FBS_LABORREP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance labor charge.
FBS_LABORREPMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance labor markup charge.
FBS_PARTSREP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance parts charge.
FBS_PARTSREPMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance parts markup charge.
FBS_CONTRLABORREP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance contract labor charge.
FBS_CONTRLABORREPMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance contract labor markup charge.
FBS_MAINTENANCE	Y	NUMBER(24,6)	numeric(24,6)	The maintenance charge.
FBS_LABORMNT	Y	NUMBER(24,6)	numeric(24,6)	The maintenance labor charge.
FBS_LABORMNTMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The maintenance labor markup charge.
FBS_PARTSMNT	Y	NUMBER(24,6)	numeric(24,6)	The maintenance parts charge.
FBS_PARTSMNTMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The maintenance parts markup charge.
FBS_CONTRLABORMNT	Y	NUMBER(24,6)	numeric(24,6)	The maintenance contract labor charge.
FBS_CONTRLABORMNTMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The maintenance contract labor markup charge.
FBS_EXCEPTIONS	Y	NUMBER(24,6)	numeric(24,6)	The exceptions charge.
FBS_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	The total charge.
FBS_DAYSILLED	Y	NUMBER(24,6)	numeric(24,6)	The number of days billed.
FBS_BILLINGCODE	Y	VARCHAR2(15)	nvarchar(15)	The billing code.
FBS_BILLINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
FBS_MARKUPCODE	Y	VARCHAR2(15)	nvarchar(15)	The markup code.
FBS_MARKUPCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
FBS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FBS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FBS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETBOOKLABOR	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

FLB_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order
FLB_ACT	N	NUMBER(8,0)	numeric(8,0)	Activity
FLB_PERSON	N	VARCHAR2(15)	nvarchar(15)	Employee
FLB_OCTYPE	N	VARCHAR2(4)	nvarchar(4)	Type of Hours (user code)
FLB_OCRTYPE	N	VARCHAR2(4)	nvarchar(4)	Type of Hours (system code)
FLB_PASSWORDREQUIRED	N	VARCHAR2(1)	nvarchar(1)	Password required or not
FLB_STARTDATE	Y	DATE	datetime	Start date
FLB_AUTOBOOK	Y	VARCHAR2(1)	nvarchar(1)	If checked then book labor records will be created
FLB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLB_SHIFTSCEDULESESSION	N	NUMBER(18,0)	numeric(18,0)	The shift scheduling session
FLB_MECHANICWORKBENCH	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the is a mechanic workbench involved
FLB_TRADE	Y	VARCHAR2(15)	nvarchar(15)	The trade
FLB_ACSCODE	Y	VARCHAR2(30)	nvarchar(30)	Pointer to an activity scheduling record
FLB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETCUSTOMERCODES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FCD_PK	N	VARCHAR2(30)	nvarchar(30)	The system generated primary key.
FCD_FLEETCUSTOMER	N	VARCHAR2(30)	nvarchar(30)	The fleet customer.
FCD_FLEETCUSTOMER_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
FCD_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	The equipment type.
FCD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The equipment class.
FCD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment class.
FCD_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The equipment category.
FCD_BILLINGCODE	Y	VARCHAR2(15)	nvarchar(15)	The billing code.
FCD_BILLINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
FCD_MARKUPCODE	Y	VARCHAR2(15)	nvarchar(15)	The markup code.
FCD_MARKUPCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
FCD_LABORMNT	Y	VARCHAR2(1)	nvarchar(1)	Should maintenance labor costs be billed?
FCD_CONTRACTLABORMNT	Y	VARCHAR2(1)	nvarchar(1)	Should maintenance contract labor costs be billed?
FCD_PARTSMNT	Y	VARCHAR2(1)	nvarchar(1)	Should maintenance part costs be billed?
FCD_LABORREP	Y	VARCHAR2(1)	nvarchar(1)	Should non maintenance labor costs be billed?
FCD_CONTRACTLABORREP	Y	VARCHAR2(1)	nvarchar(1)	Should non maintenance contract labor costs be billed?
FCD_PARTSREP	Y	VARCHAR2(1)	nvarchar(1)	Should non maintenance part costs be billed?
FCD_FUEL	Y	VARCHAR2(1)	nvarchar(1)	Should fuel costs be billed?
FCD_MILEAGE	Y	VARCHAR2(1)	nvarchar(1)	Should mileage costs be billed?
FCD_USAGE	Y	VARCHAR2(1)	nvarchar(1)	Should usage costs be billed?
FCD_INSURANCE	Y	VARCHAR2(1)	nvarchar(1)	Should insurance costs be billed?
FCD_EXCEPTIONS	Y	VARCHAR2(1)	nvarchar(1)	Should exception costs be billed?
FCD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FCD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FCD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETCUSTOMERS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FCU_CODE	N	VARCHAR2(30)	nvarchar(30)	The fleet customer code.
FCU_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
FCU_DESC	N	VARCHAR2(80)	nvarchar(80)	The description.
FCU_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class.
FCU_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class.
FCU_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Is this fleet customer no longer used?
FCU_BILLABLE	Y	VARCHAR2(1)	nvarchar(1)	Is this fleet customer billable?
FCU_BILLNOCHARGE	Y	VARCHAR2(1)	nvarchar(1)	Should this customer get a bill when there are no charges?

FCU_LABORMNT	Y	VARCHAR2(1)	nvarchar(1)	Should maintenance labor costs be billed?
FCU_CONTRACTLABORMNT	Y	VARCHAR2(1)	nvarchar(1)	Should maintenance contract labor costs be billed?
FCU_PARTSMNT	Y	VARCHAR2(1)	nvarchar(1)	Should maintenance part costs be billed?
FCU_LABORREP	Y	VARCHAR2(1)	nvarchar(1)	Should non maintenance labor costs be billed?
FCU_CONTRACTLABORREP	Y	VARCHAR2(1)	nvarchar(1)	Should non maintenance contract labor costs be billed?
FCU_PARTSREP	Y	VARCHAR2(1)	nvarchar(1)	Should non maintenance part costs be billed?
FCU_FUEL	Y	VARCHAR2(1)	nvarchar(1)	Should fuel costs be billed?
FCU_MILEAGE	Y	VARCHAR2(1)	nvarchar(1)	Should mileage costs be billed?
FCU_USAGE	Y	VARCHAR2(1)	nvarchar(1)	Should usage costs be billed?
FCU_INSURANCE	Y	VARCHAR2(1)	nvarchar(1)	Should insurance costs be billed?
FCU_EXCEPTIONS	Y	VARCHAR2(1)	nvarchar(1)	Should exception costs be billed?
FCU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FCU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FCU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETEXCEPTIONS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FEX_CODE	N	VARCHAR2(30)	nvarchar(30)	The exception code.
FEX_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the exception.
FEX_DESC	N	VARCHAR2(80)	nvarchar(80)	The description.
FEX_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The exception amount.
FEX_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	The standard work order.
FEX_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Is this exception code no longer used?
FEX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FEX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FEX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETFUELCLASSES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FFC_CLASS	N	VARCHAR2(8)	nvarchar(8)	The part class.
FFC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the part class.
FFC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FFC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FFC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETMARKUPCODES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FMC_CODE	N	VARCHAR2(15)	nvarchar(15)	The markup code.
FMC_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
FMC_DESC	N	VARCHAR2(80)	nvarchar(80)	The description.
FMC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class.
FMC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class.
FMC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Is this markup code no longer used?
FMC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FMC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FMC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETMARKUPRATES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FMR_MARKUPCODE	N	VARCHAR2(15)	nvarchar(15)	The markup code.
FMR_MARKUPCODE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
FMR_STARTDATE	N	DATE	datetime	The start date.
FMR_ENDDATE	N	DATE	datetime	The end date.
FMR_FUEL	Y	NUMBER(24,6)	numeric(24,6)	The fuel markup.

FMR_FUELPERC	Y	NUMBER(5,2)	numeric(5,2)	The fuel markup percentage.
FMR_LABOR	Y	NUMBER(24,6)	numeric(24,6)	The labor markup.
FMR_LABORPERC	Y	NUMBER(5,2)	numeric(5,2)	The labor markup percentage.
FMR_PARTS	Y	NUMBER(24,6)	numeric(24,6)	The parts markup.
FMR_PARTSPERC	Y	NUMBER(5,2)	numeric(5,2)	The parts markup percentage.
FMR_CONTRACTLABOR	Y	NUMBER(24,6)	numeric(24,6)	The contract labor markup.
FMR_CONTRACTLABORPERC	Y	NUMBER(5,2)	numeric(5,2)	The contract labor markup percentage.
FMR_POOLMILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The pool mileage markup.
FMR_POOLMILEAGEPERC	Y	NUMBER(5,2)	numeric(5,2)	The pool mileage markup percentage.
FMR_LOANMILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The loan mileage markup.
FMR_LOANMILEAGEPERC	Y	NUMBER(5,2)	numeric(5,2)	The loan mileage markup percentage.
FMR_ASGNMILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The assign markup.
FMR_ASGNMILEAGEPERC	Y	NUMBER(5,2)	numeric(5,2)	The assign markup percentage.
FMR_POOLUSAGE	Y	NUMBER(24,6)	numeric(24,6)	The pool usage markup.
FMR_POOLUSAGEPERC	Y	NUMBER(5,2)	numeric(5,2)	The pool usage markup percentage.
FMR_LOANUSAGE	Y	NUMBER(24,6)	numeric(24,6)	The loan usage markup.
FMR_LOANUSAGEPERC	Y	NUMBER(5,2)	numeric(5,2)	The loan usage markup percentage.
FMR_ASGNUSAGE	Y	NUMBER(24,6)	numeric(24,6)	The assign usage markup.
FMR_ASGNUSAGEPERC	Y	NUMBER(5,2)	numeric(5,2)	The assign usage markup percentage.
FMR_INSURANCE	Y	NUMBER(24,6)	numeric(24,6)	The insurance markup.
FMR_INSURANCEPERC	Y	NUMBER(5,2)	numeric(5,2)	The insurance markup percentage.
FMR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FMR_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
FMR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FMR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETPARAMETERS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FPR_PK	N	VARCHAR2(1)	nvarchar(1)	Primary key.
FPR_MINHOURSBILLED	Y	NUMBER(8,2)	numeric(8,2)	Minimum hours billed.
FPR_OFFSHIFTHOURS	Y	NUMBER(8,2)	numeric(8,2)	Number of hours billed during offshift hours.
FPR_ROUNDING	Y	NUMBER(2,0)	numeric(2,0)	Number of minutes used to round up.
FPR_STARTTIME	Y	NUMBER(5,0)	numeric(5,0)	Shift start time.
FPR_ENDTIME	Y	NUMBER(5,0)	numeric(5,0)	Shift end time.
FPR_UPDPM	N	VARCHAR2(1)	nvarchar(1)	When PM data should be refreshed.
FPR_UPDCSTC_POOL	Y	VARCHAR2(1)	nvarchar(1)	Should the equipment cost code change on issuing a pool vehicle.
FPR_UPDCSTC_LOANER	Y	VARCHAR2(1)	nvarchar(1)	Should the equipment cost code change on issuing a loaner vehicle.
FPR_UPDCSTC_ASSIGN	Y	VARCHAR2(1)	nvarchar(1)	Should the equipment cost code change on issuing an assigned vehicle.
FPR_PROMPTNOBILLING	Y	VARCHAR2(1)	nvarchar(1)	Should the user be notified when a ticket has no billing code associated to it.
FPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETTICKETEXCEPTIONS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FTE_PK	N	VARCHAR2(30)	nvarchar(30)	The system generated primary key.
FTE_TICKET	N	VARCHAR2(30)	nvarchar(30)	The ticket code.
FTE_EXCEPTION	N	VARCHAR2(30)	nvarchar(30)	The exception code.
FTE_EXCEPTION_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the exception code.
FTE_DATE	N	DATE	datetime	The date of the exception.
FTE_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.
FTE_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type of exception.
FTE_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The exception amount.
FTE_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this ticket exception appears.

FTE_COMMENT	Y	VARCHAR2(2000)	nvarchar(2000)	Free text.
FTE_EXTRACHARGE	Y	VARCHAR2(1)	nvarchar(1)	Should this exception be included in the bill?
FTE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FTE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FTE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSFLEETTICKETS	FLEET			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FTI_CODE	N	VARCHAR2(30)	nvarchar(30)	The system generated ticket code.
FTI_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the ticket.
FTI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the ticket.
FTI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class.
FTI_RTYPE	N	VARCHAR2(4)	nvarchar(4)	The system type of ticket.
FTI_TYPE	N	VARCHAR2(4)	nvarchar(4)	The user type of ticket.
FTI_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the ticket.
FTI_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the ticket.
FTI_FLEETCUSTOMER	N	VARCHAR2(30)	nvarchar(30)	The fleet customer.
FTI_FLEETCUSTOMER_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
FTI_COSTCODE	N	VARCHAR2(30)	nvarchar(30)	The cost code.
FTI_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The vehicle.
FTI_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the vehicle.
FTI_RECVOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The received vehicle.
FTI_RECVOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the received vehicle.
FTI_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The person to whom the vehicle is issued.
FTI_OTHER	Y	VARCHAR2(30)	nvarchar(30)	The third party person to whom the vehicle is issued.
FTI_PHONE	Y	VARCHAR2(50)	nvarchar(50)	The phone number.
FTI_DRIVERSLICENSE	Y	VARCHAR2(30)	nvarchar(30)	The drivers license.
FTI_CREATED	Y	DATE	datetime	The creation date of the ticket.
FTI_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the ticket.
FTI_ISSUEFUELLEVEL	Y	NUMBER(4,3)	numeric(4,3)	The fuel level at issue time.
FTI_RETURNFUELLEVEL	Y	NUMBER(4,3)	numeric(4,3)	The fuel level at return time.
FTI_ISSUEPARKING	Y	VARCHAR2(30)	nvarchar(30)	The parking location at issue time.
FTI_RETURNPARKING	Y	VARCHAR2(30)	nvarchar(30)	The parking location at return time.
FTI_ISSUEMILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage at issue time.
FTI_RETURNMILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage at return time.
FTI_ISSUEDATE	Y	DATE	datetime	The issue date and time.
FTI_RETURNDATE	Y	DATE	datetime	The return date and time.
FTI_ESTRETURNDATE	Y	DATE	datetime	The estimated return date and time.
FTI_COMPLETEDATE	Y	DATE	datetime	The date and time the ticket was completed.
FTI_ISSUEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who issued the ticket.
FTI_RETURNEDTO	Y	VARCHAR2(255)	nvarchar(255)	The user who set the ticket status to Returned.
FTI_BILLINGCODE	Y	VARCHAR2(15)	nvarchar(15)	The billing code.
FTI_BILLINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
FTI_MARKUPCODE	Y	VARCHAR2(15)	nvarchar(15)	The markup code.
FTI_MARKUPCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
FTI_LASTPMEVENT	Y	VARCHAR2(30)	nvarchar(30)	The last PM work order.
FTI_LASTPMCOMPLETED	Y	DATE	datetime	The last PM completion date.
FTI_LASTPMREADING	Y	NUMBER(24,6)	numeric(24,6)	The last reading before the last PM completion date.
FTI_NEXTPMEVENT	Y	VARCHAR2(30)	nvarchar(30)	The next PM work order.
FTI_NEXTPMDUE	Y	DATE	datetime	The next PM due date.
FTI_NEXTPMREADING	Y	NUMBER(24,6)	numeric(24,6)	The next PM meter reading due.
FTI_HOURSUSED	Y	NUMBER(24,6)	numeric(24,6)	The system calculated number of hours used.
FTI_MILEAGEUSED	Y	NUMBER(24,6)	numeric(24,6)	The system calculated number of miles used.
FTI_HOURSBILLED	Y	NUMBER(24,6)	numeric(24,6)	The number of hours that should be billed.

FTI_MILEAGEBILLED	Y	NUMBER(24,6)	numeric(24,6)	The number of miles that should be billed.
FTI_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this ticket appears.
FTI_PERIODENDDATE	Y	DATE	datetime	The period end date belonging to the bill sub line on which this ticket appears.
FTI_ACD	Y	NUMBER	bigint	The system generated account detail number.
FTI_REOPENED	Y	VARCHAR2(1)	nvarchar(1)	Whether the ticket has been reopened.
FTI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FTI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FTI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEETWOTYPES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FWT_WOTYPE	N	VARCHAR2(8)	nvarchar(8)	The work order type.
FWT_MAINTENANCE	Y	VARCHAR2(1)	nvarchar(1)	Does the work fall under maintenance.
FWT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count.
FWT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FWT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEXAUDIT

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FXA_TABNAME	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
FXA_TRIGNAME	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
FXA_ROWID	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
FXA_SDATE	Y	TIMESTAMP(6)	datetime	T.B.D.
FXA_EDATE	Y	TIMESTAMP(6)	datetime	T.B.D.
FXA_DIFF	Y	NUMBER	numeric(18,0)	T.B.D.
FXA_MESSAGE	Y	VARCHAR2(300)	nvarchar(300)	T.B.D.
FXA_STATUS	Y	NUMBER	int	T.B.D.
FXA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5FLEXSQL

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLX_TABLE	N	VARCHAR2(32)	varchar(32)	table name.
FLX_TRIGGER	N	VARCHAR2(32)	varchar(32)	identification of trigger event that executes this statement.
FLX_SEQ	N	NUMBER	numeric(38,0)	sequence number of flex-sql statement (within table/trigger).
FLX_ABORTONFAILURE	N	VARCHAR2(1)	nvarchar(1)	value is + to abort trigger with error message if statement returns failure.
FLX_REVERSERETURN	N	VARCHAR2(1)	nvarchar(1)	value is + to reverse success/failure return codes.
FLX_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	value is + to activate this statement.
FLX_MSGFAILURE	Y	VARCHAR2(240)	nvarchar(240)	error message text to be displayed if statement fails.
FLX_COMMENT	Y	VARCHAR2(240)	nvarchar(240)	free-format text.
FLX_MUSTEXIST	Y	VARCHAR2(1)	nvarchar(1)	value is + to only continue with next step if statement returns success.
FLX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLX_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the flex statement belongs to mobile.
FLX_STMT	N	CLOB	nvarchar(max)	sql statement to execute.
FLX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEXTABLES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLT_TABLE	N	VARCHAR2(32)	nvarchar(32)	table name.
FLT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FLEXTABLESNOTALLOWED

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FXT_TABLE	N	VARCHAR2(30)	nvarchar(30)	
FXT_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FOREIGNENTITY	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FEN_USERFUNCTION	N	VARCHAR2(6)	nvarchar(6)	T.B.D.
FEN_SYSTEMFUNCTION	N	VARCHAR2(6)	nvarchar(6)	T.B.D.
FEN_FOREIGNUSERFUNCTION	N	VARCHAR2(6)	nvarchar(6)	T.B.D.
FEN_FOREIGNSYSTEMFUNCTION	N	VARCHAR2(6)	nvarchar(6)	T.B.D.
FEN_ELEMENTID	N	VARCHAR2(60)	nvarchar(60)	T.B.D.
FEN_FOREIGNELEMENTID	N	VARCHAR2(60)	nvarchar(60)	T.B.D.
FEN_ORGFIELD	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
FEN_RENTITY	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
FEN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FEN_ALLOWDRILLBACK	N	VARCHAR2(1)	nvarchar(1)	Flag indicating whether drillback is allowed.
FEN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FEN_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FORGETME	DATA PROTECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FGM_PK	N	VARCHAR2(30)	nvarchar(30)	
FGM_CREATED	Y	DATE	datetime	Creation timestamp
FGM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
FGM_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	
FGM_CODE	Y	VARCHAR2(255)	nvarchar(30)	
FGM_NEWCODE	Y	VARCHAR2(30)	nvarchar(30)	
FGM_STATUS	Y	VARCHAR2(1)	nvarchar(1)	
FGM_STARTDATE	Y	DATE	datetime	
FGM_ENDDATE	Y	DATE	datetime	
FGM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FGM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FGM_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FORGETMEERRORS	DATA PROTECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FME_CODE	N	VARCHAR2(30)	nvarchar(30)	
FME_STATEMENT	N	NUMBER(4,0)	numeric(4,0)	
FME_ERRMESSAGE	Y	VARCHAR2(4000)	nvarchar(4000)	
FME_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FME_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FORMLINKPARMS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLP_CALLING	N	VARCHAR2(6)	nvarchar(6)	calling function
FLP_CALLED	N	VARCHAR2(6)	nvarchar(6)	function called
FLP_FROMFIELD	N	VARCHAR2(40)	nvarchar(40)	field from which function is called
FLP_TOFIELD	Y	VARCHAR2(40)	nvarchar(40)	field to put cursor in
FLP_MODES	Y	VARCHAR2(4)	nvarchar(4)	modes
FLP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLP_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5FUELINVENTORY	FUEL			

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FIN_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel physical inventory record
FIN_DESC	Y	VARCHAR2(80)	nvarchar(80)	The description of the fuel physical inventory
FIN_DEPOT	Y	VARCHAR2(30)	nvarchar(30)	The depot of the fuel physical inventory
FIN_DEPOT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The depot organization of the fuel physical inventory
FIN_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status of the fuel physical inventory
FIN_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the fuel physical inventory
FIN_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record
FIN_CREATED	Y	DATE	datetime	The date the record was created
FIN_DATE	Y	DATE	datetime	The date the fuel physical inventory was performed
FIN_UPDATEQTY	Y	VARCHAR2(1)	nvarchar(1)	Whether on approval the tank quantities should be updated
FIN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FIN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUELINVENTORYADJUSTMENTS	FUEL			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FIA_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel inventory adjustment record
FIA_FUELINVENTORY	Y	VARCHAR2(30)	nvarchar(30)	The fuel physical inventory which caused the adjustment
FIA_DEPOT	Y	VARCHAR2(30)	nvarchar(30)	The depot of the fuel inventory adjustment
FIA_DEPOT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The depot organization of the fuel inventory adjustment
FIA_TANK	Y	VARCHAR2(30)	nvarchar(30)	The tank of the fuel inventory adjustment
FIA_QTY	Y	NUMBER(24,6)	numeric(24,6)	The quantity of the fuel inventory adjustment
FIA_DATE	Y	DATE	datetime	The date of the fuel inventory adjustment
FIA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FIA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FIA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUELINVENTORYTANKS	FUEL			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FIT_FUELINVENTORY	N	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel physical inventory record
FIT_LINE	N	NUMBER(8,0)	numeric(8,0)	The line number
FIT_TANK	Y	VARCHAR2(30)	nvarchar(30)	The tank
FIT_EXPQTY	Y	NUMBER(24,6)	numeric(24,6)	The expected fuel quantity in the tank
FIT_PHYQTY	Y	NUMBER(24,6)	numeric(24,6)	The actual/physical fuel quantity in the tank
FIT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FIT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FIT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUELISSUES	FUEL			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLI_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel issue record
FLI_DEPOT	N	VARCHAR2(30)	nvarchar(30)	The depot issued from
FLI_DEPOT_ORG	N	VARCHAR2(15)	nvarchar(15)	The depot organization issued from
FLI_PUMP	Y	VARCHAR2(30)	nvarchar(30)	The pump the fuel was issued from
FLI_FUEL	N	VARCHAR2(30)	nvarchar(30)	The fuel issued
FLI_VEHICLE	N	VARCHAR2(30)	nvarchar(30)	The vehicle/equipment the fuel was issued to
FLI_VEHICLE_ORG	N	VARCHAR2(15)	nvarchar(15)	The vehicle/equipment organization the fuel was issued to
FLI_DATE	N	DATE	datetime	The date of the fuel issue
FLI_QTY	N	NUMBER(24,6)	numeric(24,6)	The fuel quantity issued
FLI_PRICE	N	NUMBER(24,6)	numeric(24,6)	The fuel issue price per unit of measure
FLI_ISSUEDTO	Y	VARCHAR2(15)	nvarchar(15)	The person the fuel was issued to
FLI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLI_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

FLI_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FLI_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FLI_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FLI_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FLI_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FLI_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FLI_UDFDATE01	Y	DATE	datetime	User defined field of type Date
FLI_UDFDATE02	Y	DATE	datetime	User defined field of type Date
FLI_UDFDATE03	Y	DATE	datetime	User defined field of type Date
FLI_UDFDATE04	Y	DATE	datetime	User defined field of type Date
FLI_UDFDATE05	Y	DATE	datetime	User defined field of type Date
FLI_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FLI_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FLI_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FLI_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FLI_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FLI_READING	Y	NUMBER(24,6)	numeric(24,6)	The fuel issue reading
FLI_METER	Y	VARCHAR2(20)	nvarchar(20)	The fuel issue meter
FLI_DIFF	Y	NUMBER(24,6)	numeric(24,6)	The fuel issue difference
FLI_READING_UOM	Y	VARCHAR2(30)	nvarchar(30)	The fuel issue reading unit of measure
FLI_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	The fuel issue commodity
FLI_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
FLI_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
FLI_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
FLI_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
FLI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

FLI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUELRECEIPTS		FUEL		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FLR_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel receipt record
FLR_DEPOT	N	VARCHAR2(30)	nvarchar(30)	The depot the fuel was received at
FLR_DEPOT_ORG	N	VARCHAR2(15)	nvarchar(15)	The depot organization the fuel was received at
FLR_TANK	N	VARCHAR2(30)	nvarchar(30)	The tank the fuel was received at
FLR_FUEL	N	VARCHAR2(30)	nvarchar(30)	The fuel received
FLR_DATE	N	DATE	datetime	The date of the fuel receipt
FLR_QTY	N	NUMBER(24,6)	numeric(24,6)	The fuel quantity received
FLR_PRICE	N	NUMBER(24,6)	numeric(24,6)	The price of the fuel receipt
FLR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the fuel receipt
FLR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The supplier organization of the fuel receipt
FLR_REFERENCE	Y	VARCHAR2(30)	nvarchar(30)	The reference of the fuel receipt
FLR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FLR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FLR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUELS		FUEL		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FUE_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel
FUE_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the fuel
FUE_TYPE	N	VARCHAR2(8)	nvarchar(8)	The type of fuel
FUE_UOM	N	VARCHAR2(30)	nvarchar(30)	The unit of measure of the fuel
FUE_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the fuel
FUE_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the fuel
FUE_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Whether the fuel is out of service
FUE_BLENDED	N	VARCHAR2(1)	nvarchar(1)	Whether a fuel is a blend of other fuels
FUE_BLENDFUEL1	Y	VARCHAR2(30)	nvarchar(30)	One of the fuels in a blended fuel
FUE_BLENDPERC1	Y	NUMBER(5,3)	numeric(5,3)	The percentage of a particular fuel in a blended fuel
FUE_BLENDFUEL2	Y	VARCHAR2(30)	nvarchar(30)	One of the fuels in a blended fuel
FUE_BLENDPERC2	Y	NUMBER(5,3)	numeric(5,3)	The percentage of a particular fuel in a blended fuel
FUE_BLENDFUEL3	Y	VARCHAR2(30)	nvarchar(30)	One of the fuels in a blended fuel
FUE_BLENDPERC3	Y	NUMBER(5,3)	numeric(5,3)	The percentage of a particular fuel in a blended fuel
FUE_BLENDFUEL4	Y	VARCHAR2(30)	nvarchar(30)	One of the fuels in a blended fuel
FUE_BLENDPERC4	Y	NUMBER(5,3)	numeric(5,3)	The percentage of a particular fuel in a blended fuel
FUE_BLENDFUEL5	Y	VARCHAR2(30)	nvarchar(30)	One of the fuels in a blended fuel
FUE_BLENDPERC5	Y	NUMBER(5,3)	numeric(5,3)	The percentage of a particular fuel in a blended fuel
FUE_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

FUE_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
FUE_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FUE_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FUE_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FUE_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FUE_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
FUE_UDFDATE01	Y	DATE	datetime	User defined field of type Date
FUE_UDFDATE02	Y	DATE	datetime	User defined field of type Date
FUE_UDFDATE03	Y	DATE	datetime	User defined field of type Date
FUE_UDFDATE04	Y	DATE	datetime	User defined field of type Date
FUE_UDFDATE05	Y	DATE	datetime	User defined field of type Date
FUE_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FUE_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FUE_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FUE_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FUE_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
FUE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FUE_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	The fuel commodity
FUE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FUE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUNCTIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FUN_CODE	N	VARCHAR2(6)	nvarchar(6)	function that background report will be called from.
FUN_DESC	N	VARCHAR2(80)	nvarchar(80)	title of function as it will appear on the menu.
FUN_CLASS	N	VARCHAR2(8)	nvarchar(8)	class, e.g. menu,inp,rpt,sql,qmx
FUN_SUBTYPE	Y	VARCHAR2(1)	nvarchar(1)	type of form.
FUN_FILE	Y	VARCHAR2(255)	nvarchar(255)	name of file to be run.
FUN_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity of this function.
FUN_PUBLIC	Y	VARCHAR2(1)	nvarchar(1)	checked: function is public.
FUN_SELECT	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether query is allowed in the function.
FUN_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether update is allowed in the function.
FUN_INSERT	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether insert is allowed in the function.
FUN_DELETE	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether delete is allowed in the function.
FUN_AUTO	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether the function will auto-query.
FUN_MODE	Y	VARCHAR2(10)	nvarchar(10)	see constraint.
FUN_DEVICE	Y	VARCHAR2(12)	nvarchar(12)	code of printer used by this function.
FUN_ORIENTATION	Y	VARCHAR2(10)	nvarchar(10)	landscape/portrait
FUN_LASTVALUE	Y	VARCHAR2(4)	nvarchar(4)	entity which should be used in the startup query.
FUN_BACKGROUND	N	VARCHAR2(1)	nvarchar(1)	checked: the report can only be run as batch process with printer or file destination.

FUN_APPLICATION	Y	VARCHAR2(6)	nvarchar(6)	function upon which this function is based.
FUN_BACKGROUNDREP	Y	VARCHAR2(6)	nvarchar(6)	related report for this function (if exists).
FUN_BACKGROUNDGRAPH	Y	VARCHAR2(6)	nvarchar(6)	related graph for this function.
FUN_DIRSEL	N	VARCHAR2(1)	nvarchar(1)	checked: appears on direct selection of functions.
FUN_COMMAND	Y	VARCHAR2(4)	nvarchar(4)	code referring to host etc command
FUN_ICON	Y	VARCHAR2(35)	nvarchar(35)	name of icon file to be used for button.
FUN_DIRECTORY	Y	VARCHAR2(1000)	nvarchar(1000)	directory from which file is read, e.g. c:\bin\
FUN_SYSTEM	N	VARCHAR2(1)	nvarchar(1)	flag for user and sys. funcs
FUN_DISPLAYAP	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether custom fields are shown at startup.
FUN_DISPLAYFT	Y	VARCHAR2(1)	nvarchar(1)	field to indicate whether to display list view at startup(checked) or display record view at startup (unchecked)
FUN_POPUPAP	Y	VARCHAR2(1)	nvarchar(1)	no longer used.
FUN_POPUPFT	Y	VARCHAR2(1)	nvarchar(1)	no longer used.
FUN_PARENTFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	code of function within which this function is a tab.
FUN_PARENTTAB	Y	VARCHAR2(6)	nvarchar(6)	code of tab in parent function for this function.
FUN_UGFILE	Y	VARCHAR2(90)	nvarchar(90)	enter the name of the user guide file
FUN_DESCCHANGED	N	VARCHAR2(1)	nvarchar(1)	title of the function changed.
FUN_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
FUN_PERTYPE	Y	VARCHAR2(4)	nvarchar(4)	personnel type
FUN_WORKBOOK	Y	VARCHAR2(100)	nvarchar(100)	discoverer workbook
FUN_WORKSHEET	Y	VARCHAR2(100)	nvarchar(100)	discoverer worksheet
FUN_NOW	Y	VARCHAR2(1)	nvarchar(1)	comments
FUN_RS	N	VARCHAR2(1)	nvarchar(1)	Available for requestor users or not
FUN_LST	Y	VARCHAR2(1)	nvarchar(1)	This flag indicates if the function has a list view
FUN_HDR	Y	VARCHAR2(1)	nvarchar(1)	This flag indicates if the function has a header view
FUN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FUN_EWSREPORT	Y	VARCHAR2(1)	nvarchar(1)	whether this is an EWS report function
FUN_PRDDATASRC	Y	VARCHAR2(1)	nvarchar(1)	value is + if the production database is to be used - if the report database is to be used to run the report(the default).
FUN_RPTFILEUPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	who updated the report parameters
FUN_RPTFILEUPDATED	Y	DATE	datetime	report parameter update timestamp
FUN_EWSURLNEW	Y	VARCHAR2(1)	nvarchar(1)	Should this web url be displayed in new window or not
FUN_TICKET	Y	VARCHAR2(255)	nvarchar(255)	Ticket flag
FUN_REPDISABLED	Y	VARCHAR2(1)	nvarchar(1)	Report disabled flag
FUN_ADVREPT	Y	VARCHAR2(1)	nvarchar(1)	Advanced report server flag
FUN_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
FUN_EWSBTN	Y	VARCHAR2(1)	nvarchar(1)	this column indicates if the toolbar buttons are enabled or not
FUN_UPDATED	Y	DATE	datetime	Update timestamp
FUN_TXTCODE	Y	VARCHAR2(12)	nvarchar(12)	text code
FUN_UDFRENTITY	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
FUN_FIELDFILTERTYPE	Y	VARCHAR2(1)	nvarchar(1)	Filter Type
FUN_FIELDFILTERCLASS	Y	VARCHAR2(1)	nvarchar(1)	Filter Class
FUN_FIELDFILTERWOBJECTTYPE	Y	VARCHAR2(1)	nvarchar(1)	Filter WO Equipment Type
FUN_XTYPE	Y	VARCHAR2(50)	nvarchar(50)	The X type of the function.
FUN_NODESIGN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the function has screen designer capabilities.
FUN_STARTUPVIEW	Y	VARCHAR2(4)	nvarchar(4)	The startup mode (list, record or split view) of the function.
FUN_FIELDFILTERCHECKLIST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is a check list associated
FUN_FIELDFILTERCFCLASS	Y	VARCHAR2(8)	nvarchar(8)	The custom field class
FUN_FIELDFILTERCFCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The custom field class organization
FUN_FIELDFILTERCFORG	Y	VARCHAR2(15)	nvarchar(15)	The custom field organization
FUN_SPLITVIEWDISPLAY	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate how to open the screen.
FUN_RESERVATIONCALENDAR	N	VARCHAR2(1)	nvarchar(1)	Specifies the user function is of type reservation calendar.
FUN_SCHEDULERVIEW	Y	VARCHAR2(2)	nvarchar(2)	Flag to indicate whether this is a scheduler view.
FUN_BLOCKDURATION	Y	VARCHAR2(2)	nvarchar(2)	Default length of time for a reservation when double clicking to create reservation on minute based calendar.
FUN_WORKINGSTARTTIMEHOURS	Y	VARCHAR2(2)	nvarchar(2)	Work day start time on reservation calendar.
FUN_WORKINGSTARTTIMEMINUTES	Y	VARCHAR2(2)	nvarchar(2)	Work day start time on reservation calendar.

FUN_WORKINGENDTIMEHOURS	Y	VARCHAR2(2)	nvarchar(2)	Work day end time on reservation calendar.
FUN_WORKINGENDTIMEMINUTES	Y	VARCHAR2(2)	nvarchar(2)	Work day end time on reservation calendar.
FUN_DEFAULTRESERVATIONTYPE	Y	VARCHAR2(4)	nvarchar(4)	Default type for reservations created on the reservation calendar.
FUN_DEFAULTRESERVATIONSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Default status for reservations created on the reservation calendar.
FUN_SUNDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_MONDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_TUESDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_WEDNESDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_THURSDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_FRIDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_SATURDAY	N	VARCHAR2(1)	nvarchar(1)	When checked, specifies day as a working day, meaning it will be highlighted gray on the reservation calendar.
FUN_AUTOREFRESHTIMER	Y	NUMBER(8,0)	numeric(8,0)	amount of time before refreshing the list view grid
FUN_POPUPFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	Is this a popup?
FUN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FUN_MOBILEROUTE	Y	VARCHAR2(100)	nvarchar(100)	
FUN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUNCTIONTABGRIDS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FTG_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	
FTG_TAB	N	VARCHAR2(6)	nvarchar(6)	
FTG_GRIDID	N	NUMBER(14,0)	numeric(14,0)	
FTG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FTG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUNCTIONTABS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FTB_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code
FTB_TAB	N	VARCHAR2(6)	nvarchar(6)	tab name
FTB_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity
FTB_VISIBLE	Y	VARCHAR2(1)	nvarchar(1)	display flag
FTB_SELECT	Y	VARCHAR2(1)	nvarchar(1)	query
FTB_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	update
FTB_INSERT	Y	VARCHAR2(1)	nvarchar(1)	insert
FTB_DELETE	Y	VARCHAR2(1)	nvarchar(1)	delete
FTB_DISPLAYFT	Y	VARCHAR2(1)	nvarchar(1)	display
FTB_SYSREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag copied by editor to specify user level system required flag in r5tabpermissions.
FTB_SEQ	Y	NUMBER(2,0)	numeric(2,0)	Sequence that tabs should appear
FTB_SQLEXIST	Y	VARCHAR2(2000)	nvarchar(2000)	SQL statement to check if there is data in a tab
FTB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FTB_ALTERSAVE	Y	VARCHAR2(1)	nvarchar(1)	Tab save mode
FTB_INTERFACECODE	Y	VARCHAR2(6)	nvarchar(6)	TBD
FTB_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
FTB_EWSBTN	Y	VARCHAR2(1)	nvarchar(1)	this column indicates if the toolbar buttons are enabled or not
FTB_XTYPE	Y	VARCHAR2(50)	nvarchar(50)	The X type of the tab of the function.
FTB_NODESIGN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the function tab has screen designer capabilities.
FTB_DESIGNPOPUP	Y	VARCHAR2(1)	nvarchar(1)	Is this popup supporting screen designer?
FTB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FTB_PRODUCT	Y	VARCHAR2(1)	nvarchar(1)	
FTB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUNCTIONUSERTABS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FUB_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function name

FUB_TAB	N	VARCHAR2(6)	nvarchar(6)	Tab name
FUB_TYPE	Y	VARCHAR2(1)	nvarchar(1)	Tab type
FUB_URL	Y	VARCHAR2(2000)	nvarchar(2000)	Linked URL
FUB_ISSECURE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate if trusted
FUB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
FUB_REPORT	Y	VARCHAR2(6)	nvarchar(6)	The reort associated to the user tab of a function
FUB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FUB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUNCUSERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FUS_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function referred on menus.
FUS_USER	N	VARCHAR2(255)	nvarchar(255)	user
FUS_SHORTN	Y	VARCHAR2(30)	nvarchar(30)	short name or abbreviation for the function.
FUS_PRINTER	Y	VARCHAR2(12)	nvarchar(12)	user printer
FUS_BUTFUN1	Y	VARCHAR2(6)	nvarchar(6)	function which should appear on button screen.
FUS_BUTFUN2	Y	VARCHAR2(6)	nvarchar(6)	function which should appear on button screen.
FUS_BUTFUN3	Y	VARCHAR2(6)	nvarchar(6)	function which should appear on button screen.
FUS_BUTFUN4	Y	VARCHAR2(6)	nvarchar(6)	function which should appear on button screen.
FUS_BUTFUN5	Y	VARCHAR2(6)	nvarchar(6)	function which should appear on button screen.
FUS_BUTFUN6	Y	VARCHAR2(6)	nvarchar(6)	function which should appear on button screen.
FUS_BUTNAME1	Y	VARCHAR2(12)	nvarchar(12)	name which will appear below the button.
FUS_BUTNAME2	Y	VARCHAR2(12)	nvarchar(12)	name which will appear below the button.
FUS_BUTNAME3	Y	VARCHAR2(12)	nvarchar(12)	name which will appear below the button.
FUS_BUTNAME4	Y	VARCHAR2(12)	nvarchar(12)	name which will appear below the button.
FUS_BUTNAME5	Y	VARCHAR2(12)	nvarchar(12)	name which will appear below the button.
FUS_BUTNAME6	Y	VARCHAR2(12)	nvarchar(12)	name which will appear below the button.
FUS_BUTICON1	Y	VARCHAR2(12)	nvarchar(12)	name of icon file to be used for button.
FUS_BUTICON2	Y	VARCHAR2(12)	nvarchar(12)	name of icon file to be used for button.
FUS_BUTICON3	Y	VARCHAR2(12)	nvarchar(12)	name of icon file to be used for button.
FUS_BUTICON4	Y	VARCHAR2(12)	nvarchar(12)	name of icon file to be used for button.
FUS_BUTICON5	Y	VARCHAR2(12)	nvarchar(12)	name of icon file to be used for button.
FUS_BUTICON6	Y	VARCHAR2(12)	nvarchar(12)	name of icon file to be used for button.
FUS_NOTES	Y	VARCHAR2(2000)	nvarchar(2000)	comments (free text).
FUS_FILTER	Y	VARCHAR2(30)	nvarchar(30)	filter to use when user starts function
FUS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FUS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FUS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUNCVIEWMAP

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FVM_FUNCVIEW	N	VARCHAR2(50)	nvarchar(50)	view
FVM_GROUP	N	VARCHAR2(12)	nvarchar(12)	User group
FVM_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code
FVM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5FUNNOPERM

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FPN_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function
FPN_NOSELECT	Y	VARCHAR2(1)	nvarchar(1)	no select
FPN_NOINSERT	Y	VARCHAR2(1)	nvarchar(1)	no insert
FPN_NODELETE	Y	VARCHAR2(1)	nvarchar(1)	no delete
FPN_NOUPDATE	Y	VARCHAR2(1)	nvarchar(1)	no update
FPN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

FPN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FPN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUTUREDUPLICATES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FDP_PPOPK	N	NUMBER	int	The primary key of the related ppm objects table.
FDP_SEQNO	N	NUMBER(4,0)	numeric(4,0)	The sequence number.
FDP_DATE	Y	DATE	datetime	The date the future duplicate work order is due.
FDP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FDP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5FUTUREEVENTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FUT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
FUT_SEQNO	Y	NUMBER(4,0)	numeric(4,0)	sequence number
FUT_DATE	Y	DATE	datetime	date
FUT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FUT_MP_SEQ	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
FUT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FUT_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5GENPRODREQPARAM

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPP_CODE	N	VARCHAR2(30)	nvarchar(30)	Generate Production Request Parameter Code
GPP_USER	Y	VARCHAR2(255)	nvarchar(255)	Logged in User
GPP_PARAMETER	Y	VARCHAR2(10)	nvarchar(10)	Parameter Code
GPP_DEFPARAM	Y	VARCHAR2(1)	nvarchar(1)	Is Default Parameter (+ for yes , - for No)
GPP_ORG	N	VARCHAR2(15)	nvarchar(15)	Specific Organization
GPP_MRCS	Y	VARCHAR2(160)	nvarchar(160)	Departments
GPP_OBJECTS	Y	VARCHAR2(310)	nvarchar(310)	Equipments
GPP_JOBTYPES	Y	VARCHAR2(90)	nvarchar(90)	Work Order Job types
GPP_WOCLASSES	Y	VARCHAR2(90)	nvarchar(90)	WorkOrder Classes
GPP_PRIORITIES	Y	VARCHAR2(90)	nvarchar(90)	Priorities
GPP_PRODPRIORITIES	Y	VARCHAR2(2570)	nvarchar(2570)	Production Priorities
GPP_SCHEDGRPS	Y	VARCHAR2(310)	nvarchar(310)	Suppliers
GPP_LOCATIONS	Y	VARCHAR2(310)	nvarchar(310)	Locations
GPP_PERSONS	Y	VARCHAR2(160)	nvarchar(160)	Employees
GPP_COSTCODES	Y	VARCHAR2(310)	nvarchar(310)	Cost Codes
GPP_PMSCHEDULES	Y	VARCHAR2(210)	nvarchar(210)	PM Schedules
GPP_PMCLASSES	Y	VARCHAR2(90)	nvarchar(90)	PM Classes
GPP_REQUESTSTART	Y	DATE	datetime	Work Order Request Start Date
GPP_REQUESTEND	Y	DATE	datetime	Work Order Request End Date
GPP_REQUESTSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Production Request Status
GPP_CREATED	Y	DATE	datetime	Created Date
GPP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
GPP_GROUPBY	Y	VARCHAR2(1)	nvarchar(1)	Group By
GPP_INCWOWITHNORES	Y	VARCHAR2(1)	nvarchar(1)	Include Workorder With No Resources (+ for yes , - for No)
GPP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GPP_RESOURCE	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
GPP_RANGETYPE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
GPP_DOWNTIMETYPE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
GPP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GENPRODREQWO		PRODUCTION REQUESTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPW_SESSIONID	N	NUMBER	numeric(18,0)	SessionId (unique)
GPW_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order Code
GPW_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Organization
GPW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Code
GPW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
GPW_PPM	Y	VARCHAR2(20)	nvarchar(20)	PM Schedule Code
GPW_WOTYPE	Y	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
GPW_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Production Request Status
GPW_GROUPSEQ	Y	NUMBER(3,0)	numeric(3,0)	Group Sequence
GPW_REQUESTSTART	Y	DATE	datetime	Work Order Request Start Date
GPW_REQUESTEND	Y	DATE	datetime	Work Order Request End Date
GPW_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select Checkbox value (+ for checked, - for not checked)
GPW_SCHEDSTART	Y	DATE	datetime	Scheduled Start Date
GPW_SCHEDEND	Y	DATE	datetime	Scheduled End Date
GPW_PRODPRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
GPW_CREATED	Y	DATE	datetime	Created Date
GPW_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
GPW_PMTYPE	Y	VARCHAR2(1)	nvarchar(1)	PM Schedule Type
GPW_ERROR	Y	VARCHAR2(2000)	nvarchar(2000)	Error Message Column
GPW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GPW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GENPRODUCTREQUEST		PRODUCTION REQUESTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPR_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	SessionId (unique)
GPR_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select Checkbox value (+ for checked, - for not checked)
GPR_EVENT	Y	VARCHAR2(30)	nvarchar(30)	WorkOrder Code
GPR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Code
GPR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
GPR_RESOURCE	Y	VARCHAR2(80)	nvarchar(80)	Resource Code
GPR_RESOURCENAME	Y	VARCHAR2(1024)	nvarchar(1024)	Resource Description
GPR_OPERATIONSEQ	Y	NUMBER(8,0)	numeric(8,0)	Operational Sequence
GPR_COOLDOWNTIME	Y	NUMBER(18,2)	numeric(18,2)	Cool Down Time
GPR_WARMUPTIME	Y	NUMBER(18,2)	numeric(18,2)	Warmup Time
GPR_DOWNTIME	Y	NUMBER(18,2)	numeric(18,2)	Warmup Time
GPR_OFFSET	Y	VARCHAR2(1)	nvarchar(1)	Offset (+ for checked, - for not checked)
GPR_OFFSETVALUE	Y	NUMBER(18,2)	numeric(18,2)	Offset Value
GPR_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
GPR_SCHEDSTART	Y	DATE	datetime	Scheduled Start Date
GPR_SCHEDEND	Y	DATE	datetime	Scheduled End Date
GPR_REQUESTSTART	Y	DATE	datetime	Production Request Start Date
GPR_REQUESTEND	Y	DATE	datetime	Production Request End Date
GPR_PRODPRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
GPR_CREATED	Y	DATE	datetime	Created Date
GPR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
GPR_ERROR	Y	VARCHAR2(2000)	nvarchar(2000)	Error Message Column
GPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GPR_PRODUCTIONSTART	Y	DATE	datetime	Production Start Date
GPR_PRODUCTIONEND	Y	DATE	datetime	Production End Date
GPR_SINGLERESOURCEWO	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
GPR_BUNDLE	Y	VARCHAR2(30)	nvarchar(30)	Bundle of Work Orders

GPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GISDATAMAPS

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GMP_MAPPINGID	N	NUMBER(38,0)	numeric(38,0)	Unique mapping id(sequence) for the mapping
GMP_LAYERNAME	N	VARCHAR2(60)	nvarchar(60)	Name of GIS layer
GMP_LAYERATTRIBUTE	Y	VARCHAR2(64)	nvarchar(64)	GIS Attribute
GMP_LAYERCONSTANT	Y	VARCHAR2(1000)	nvarchar(1000)	GIS Value
GMP_ASSETATTRIBUTE	Y	VARCHAR2(64)	nvarchar(64)	Infor EAM Attribute
GMP_ASSETCONSTANT	Y	VARCHAR2(1000)	nvarchar(1000)	Infor EAM value
GMP_ACTION	N	VARCHAR2(1)	nvarchar(1)	Move M, Copy C
GMP_OWNER	Y	VARCHAR2(1)	nvarchar(1)	Gis G, Infor EAM
GMP_SEQUENCE	N	NUMBER(4,0)	int	indicates order in which data appears in a multi-part data mapping scenario
GMP_DELIMITER	Y	VARCHAR2(10)	nvarchar(10)	delimiter text appearing in a multi-part data mapping scenario
GMP_SOURCE	Y	VARCHAR2(1)	nvarchar(1)	Gis G, Infor EAM D, Both B
GMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
GMP_CREATED	Y	DATE	datetime	Creation timestamp
GMP_UPDATED	Y	DATE	datetime	Update timestamp
GMP_LRS	Y	VARCHAR2(1)	nvarchar(1)	
GMP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	
GMP_GRIDLOOKUPNAME	Y	VARCHAR2(40)	nvarchar(40)	
GMP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GISMAPPARAMETERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GSP_MAPCODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
GSP_MAP_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
GSP_PARAM	N	VARCHAR2(8)	nvarchar(8)	T.B.D.
GSP_VALUE	Y	VARCHAR2(2000)	nvarchar(2000)	T.B.D.
GSP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GSP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GSP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GISMAPS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GSM_CODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
GSM_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
GSM_DESC	N	VARCHAR2(80)	nvarchar(80)	T.B.D.
GSM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
GSM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
GSM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
GSM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GSM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GSM_MOBILEONLY	Y	VARCHAR2(1)	nvarchar(1)	
GSM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GISUGPREFERENCES

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GUP_UGRCODE	N	VARCHAR2(12)	nvarchar(12)	User Group Code
GUP_PROFILE	N	VARCHAR2(30)	nvarchar(30)	Profile Code
GUP_PROFILE_ORG	N	VARCHAR2(15)	nvarchar(15)	Profile Organization Code
GUP_GISLAYER	N	VARCHAR2(60)	nvarchar(60)	GIS Layer

GUP_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	Indicates which layer is the default for a specified profile.
GUP_XLOCATION	Y	NUMBER(24,6)	numeric(24,6)	X Location; map coordinate
GUP_YLOCATION	Y	NUMBER(24,6)	numeric(24,6)	Y Location; map coordinate
GUP_AUTOCREATE	Y	VARCHAR2(1)	nvarchar(1)	Affirms an new asset of the specified profile should automatically be created with the GIS system without user interaction.
GUP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GUP_CREATED	Y	DATE	datetime	Creation datestamp
GUP_UPDATED	Y	DATE	datetime	Update timestamp
GUP_MAP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
GUP_MAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
GUP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GUP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GISVISIBLELAYER

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GVL_CODE	Y	VARCHAR2(255)	nvarchar(255)	The user for which the visible GIS map layer applies.
GVL_VISIBLELAYER	Y	VARCHAR2(100)	nvarchar(100)	The GIS map layer that will be visible to the user.
GVL_MAP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
GVL_MAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
GVL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GVL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLCODECOMBINATIONS

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GLC_CODECOMBINATIONID	N	NUMBER(15,0)	numeric(15,0)	key field identifying the account combination.
GLC_LASTUPDATEDATE	N	DATE	datetime	the date when the row has been last updated
GLC_LASTUPDATEDBY	N	NUMBER	int	the user who last updated the row.
GLC_CHARTOFACCOUNTSID	N	NUMBER(15,0)	numeric(15,0)	key field identifying the chart of accounts of the account combination.
GLC_DETAILPOSTINGALLOWEDFLAG	N	VARCHAR2(1)	nvarchar(1)	flag to indicate whether posting is allowed for the account combination.
GLC_DETAILBUDGETINGALLOWEDFLAG	N	VARCHAR2(1)	nvarchar(1)	flag to indicate whether budgeting is allowed for the account combination.
GLC_ACCOUNTTYPE	N	VARCHAR2(1)	nvarchar(1)	identifier for account type.
GLC_ENABLEDFLAG	N	VARCHAR2(1)	nvarchar(1)	flag to indicate as to whether the combination is enabled or not.
GLC_SUMMARYFLAG	N	VARCHAR2(1)	nvarchar(1)	summary account flag.
GLC_SEGMENT1	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT2	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT3	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT4	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT5	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT6	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT7	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT8	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT9	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT10	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT11	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT12	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT13	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT14	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT15	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT16	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT17	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT18	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT19	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT20	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT21	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.
GLC_SEGMENT22	Y	VARCHAR2(25)	varchar(25)	column for holding the key value of the account combination.

[illegible]

GLC_SEGMENTATTRIBUTE31	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination
GLC_SEGMENTATTRIBUTE32	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination
GLC_SEGMENTATTRIBUTE33	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination
GLC_SEGMENTATTRIBUTE34	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE35	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE36	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE37	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE38	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE39	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE40	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE41	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_SEGMENTATTRIBUTE42	Y	VARCHAR2(60)	varchar(60)	field holding the attribute of the key value of the account combination.
GLC_JGZZRECONFLAG	Y	VARCHAR2(1)	nvarchar(1)	global reconciliation flexfield column
GLC_JGZZRECONCONTEXT	Y	VARCHAR2(30)	nvarchar(30)	global reconciliation flexfield context column
GLC_REFERENCE1	Y	VARCHAR2(1)	nvarchar(1)	field to hold localization reference
GLC_REFERENCE2	Y	VARCHAR2(1)	nvarchar(1)	field to hold localization reference
GLC_REFERENCE3	Y	VARCHAR2(1)	nvarchar(1)	field to hold localization reference
GLC_REFERENCE4	Y	VARCHAR2(1)	nvarchar(1)	field to hold localization reference
GLC_REFERENCES	Y	VARCHAR2(1)	nvarchar(1)	field to hold localization reference
GLC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GLC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GLC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLINTERFACE

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GLI_TRANSID	N	NUMBER	int	unique identification of interface transaction.
GLI_RUNID	Y	VARCHAR2(20)	nvarchar(20)	identification of batch extract session (generated by database).
GLI_PROCESS	Y	VARCHAR2(20)	nvarchar(20)	code of general ledger process definition.
GLI_GROUP	Y	VARCHAR2(20)	nvarchar(20)	group value.
GLI_STATUS	Y	VARCHAR2(50)	nvarchar(50)	as defined in oracle financials.
GLI_SETOFBOOKSID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_ACCOUNTINGDATE	Y	DATE	datetime	as defined in oracle financials.
GLI_CURRENCYCODE	Y	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLI_DATECREATED	Y	DATE	datetime	as defined in oracle financials.
GLI_CREATEDBY	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_ACTUALFLAG	Y	VARCHAR2(1)	nvarchar(1)	as defined in oracle financials.
GLI_USERJECATEGORYNAME	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_USERJESOURCENAME	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_CURRENCYCONVERSIONDATE	Y	DATE	datetime	as defined in oracle financials.
GLI_ENCUMBRANCETYPEID	Y	NUMBER	int	as defined in oracle financials.
GLI_BUDGETVERSIONID	Y	NUMBER	int	as defined in oracle financials.
GLI_USERCURRENCYCONVERSIONTYPE	Y	VARCHAR2(30)	nvarchar(30)	as defined in oracle financials.
GLI_CURRENCYCONVERSIONRATE	Y	NUMBER	numeric(24,12)	as defined in oracle financials.
GLI_SEGMENT1	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT2	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT3	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT4	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT5	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT6	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT7	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT8	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT9	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT10	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
GLI_SEGMENT11	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.

[illegible]

GLI_JEBATCHID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_PERIODNAME	Y	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLI_JEHEADERID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_JELINENUM	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_CHARTOFACCOUNTSID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_FUNCTIONALCURRENCYCODE	Y	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLI_CODECOMBINATIONID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_DATECREATEDINGL	Y	DATE	datetime	as defined in oracle financials.
GLI_WARNINGCODE	Y	VARCHAR2(4)	nvarchar(4)	as defined in oracle financials.
GLI_STATUSDESCRIPTION	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLI_STATAMOUNT	Y	NUMBER	numeric(24,6)	as defined in oracle financials.
GLI_GROUPID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_REQUESTID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLI_SUBLEDGERDOCSEQUENCEID	Y	NUMBER	int	as defined in oracle financials.
GLI_SUBLEDGERDOCSEQUENCEVALUE	Y	NUMBER	int	as defined in oracle financials.
GLI_ATTRIBUTE1	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE2	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE3	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE4	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE5	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE6	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE7	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE8	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE9	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE10	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE11	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE12	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE13	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE14	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE15	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE16	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE17	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE18	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE19	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_ATTRIBUTE20	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_CONTEXT	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_CONTEXT2	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_INVOICEDATE	Y	DATE	datetime	as defined in oracle financials.
GLI_TAXCODE	Y	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLI_INVOICEIDENTIFIER	Y	VARCHAR2(20)	nvarchar(20)	as defined in oracle financials.
GLI_INVOICEAMOUNT	Y	NUMBER	numeric(24,6)	as defined in oracle financials.
GLI_CONTEXT3	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLI_USSGLTRANSACTIONCODE	Y	VARCHAR2(30)	nvarchar(30)	as defined in oracle financials.
GLI_DESCRFLXERRORMESSAGE	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLI_ENTITYS	Y	VARCHAR2(100)	nvarchar(100)	field to hold entity value.
GLI_GLNOMACCT	Y	VARCHAR2(750)	nvarchar(750)	field to hold all segment values.
GLI_ENTRYID	Y	NUMBER	int	gl interface field for joining debit and credit
GLI_SEQNUM	Y	NUMBER	int	sequence number
GLI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GLI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GLI_ORG	Y	VARCHAR2(15)	nvarchar(15)	
GLI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLINTERFACEHIST

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
GLH_TRANSID	N	NUMBER	int	the key identifier for the transaction.
GLH_RUNID	Y	VARCHAR2(20)	nvarchar(20)	the key identification number for the journal entry.
GLH_PROCESS	Y	VARCHAR2(20)	nvarchar(20)	the process name for the journal entry.
GLH_GROUP	Y	VARCHAR2(20)	nvarchar(20)	field holding group value for the journal entry.
GLH_STATUS	Y	VARCHAR2(50)	nvarchar(50)	status of the journal entry.
GLH_SETOFBOOKSID	Y	NUMBER(15,0)	numeric(15,0)	set of books identifier for the journal entry
GLH_ACCOUNTINGDATE	Y	DATE	datetime	date when the account was transacted.
GLH_CURRENCYCODE	Y	VARCHAR2(15)	nvarchar(15)	curency code for the journal entry.
GLH_DATECREATED	Y	DATE	datetime	creation date of the entry.
GLH_CREATEDBY	Y	NUMBER(15,0)	numeric(15,0)	field for the user who created the entry.
GLH_ACTUALFLAG	Y	VARCHAR2(1)	nvarchar(1)	type of the account.
GLH_USERJECATEGORYNAME	Y	VARCHAR2(25)	nvarchar(25)	the journal entry category name.
GLH_USERJESOURCENAME	Y	VARCHAR2(25)	nvarchar(25)	the journal entry source name.
GLH_CURRENCYCONVERSIONDATE	Y	DATE	datetime	date of any conversion for the currency code.
GLH_ENCUMBRANCETYPEID	Y	NUMBER	int	key id of the encumbrance that the journal entry refers.
GLH_BUDGETVERSIONID	Y	NUMBER	int	field holding the version of the budget for the account.
GLH_USERCURRENCYCONVERSIONTYPE	Y	VARCHAR2(30)	nvarchar(30)	the currency conversion type for any user currency for the journal entry.
GLH_CURRENCYCONVERSIONRATE	Y	NUMBER	numeric(24,12)	rate of any conversion for the currency code/
GLH_SEGMENT1	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry .
GLH_SEGMENT2	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT3	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT4	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT5	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT6	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT7	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT8	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT9	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT10	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT11	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT12	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT13	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT14	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT15	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT16	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT17	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT18	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT19	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT20	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT21	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT22	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT23	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT24	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT25	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT26	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT27	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT28	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT29	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_SEGMENT30	Y	VARCHAR2(25)	nvarchar(25)	field for holding the key flexfield value of the journal entry
GLH_ENTEREDDR	Y	NUMBER	numeric(24,6)	the credit amount of the journal entry.
GLH_ENTEREDCR	Y	NUMBER	numeric(24,6)	the debit amount of the journal entry.
GLH_ACCOUNTEDDR	Y	NUMBER	numeric(24,6)	credit amount of the journal entry
GLH_ACCOUNTEDCR	Y	NUMBER	numeric(24,6)	debit amount of the journal entry
GLH_TRANSACTIONDATE	Y	DATE	datetime	he date when the journal entry transaction was made.

GLH_REFERENCE1	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE2	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE3	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE4	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE5	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE6	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE7	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE8	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE9	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE10	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE11	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE12	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE13	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE14	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE15	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE16	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE17	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE18	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE19	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE20	Y	VARCHAR2(100)	nvarchar(100)	reference column for the journal entry.
GLH_REFERENCE21	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE22	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE23	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE24	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE25	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE26	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE27	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE28	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE29	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_REFERENCE30	Y	VARCHAR2(240)	nvarchar(240)	reference column for the journal entry.
GLH_JEBATCHID	Y	NUMBER(15,0)	numeric(15,0)	the journal batch id for the journal entry.
GLH_PERIODNAME	Y	VARCHAR2(15)	nvarchar(15)	the period for which the journal entry is entered.
GLH_JEHEADERID	Y	NUMBER(15,0)	numeric(15,0)	the journal header for the journal entry.
GLH_JELINENUM	Y	NUMBER(15,0)	numeric(15,0)	the line number for the journal entry.
GLH_CHARTOFACCOUNTSID	Y	NUMBER(15,0)	numeric(15,0)	field for the chart of accounts of the journal entry.
GLH_FUNCTIONALCURRENCYCODE	Y	VARCHAR2(15)	nvarchar(15)	functional currency of the journal entry.
GLH_CODECOMBINATIONID	Y	NUMBER(15,0)	numeric(15,0)	field holding the key id of the combination for the account.
GLH_DATECREATEDINGL	Y	DATE	datetime	creation date in general ledger.
GLH_WARNINGCODE	Y	VARCHAR2(4)	nvarchar(4)	warning code if any for the journal entry.
GLH_STATUSDDESCRIPTION	Y	VARCHAR2(240)	nvarchar(240)	description of the status of the journal entry.
GLH_STATAMOUNT	Y	NUMBER	numeric(24,6)	statistical amount of the journal entry.
GLH_GROUPID	Y	NUMBER(15,0)	numeric(15,0)	field holding the group id value for the journal entry.
GLH_REQUESTID	Y	NUMBER(15,0)	numeric(15,0)	request id for the journal entry.
GLH_SUBLEDGERDOCSEQUENCEID	Y	NUMBER	int	the sequence id of the sub ledger process for which the journal entry is made.
GLH_SUBLEDGERDOCSEQUENCEVALUE	Y	NUMBER	int	the sequence value of the sub ledger process for which the journal entry is made.
GLH_ATTRIBUTE1	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE2	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE3	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE4	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE5	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE6	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE7	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE8	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE9	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.

GLH_ATTRIBUTE10	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE11	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE12	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE13	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE14	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE15	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE16	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE17	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE18	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE19	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_ATTRIBUTE20	Y	VARCHAR2(150)	nvarchar(150)	descriptive column for the account.
GLH_CONTEXT	Y	VARCHAR2(150)	nvarchar(150)	context field for the journal entry.
GLH_CONTEXT2	Y	VARCHAR2(150)	nvarchar(150)	context field for the journal entry.
GLH_INVOICEDATE	Y	DATE	datetime	the invoice date of the invoice from which the journal is derived.
GLH_TAXCODE	Y	VARCHAR2(15)	nvarchar(15)	the tax code of the journal entry.
GLH_INVOICEIDENTIFIER	Y	VARCHAR2(20)	nvarchar(20)	the invoice identifier of the invoice from which the journal is derived.
GLH_INVOICEAMOUNT	Y	NUMBER	numeric(24,6)	the invoice amount of the invoice from which the journal is derived.
GLH_CONTEXT3	Y	VARCHAR2(150)	nvarchar(150)	context field for the journal entry.
GLH_USSGLTRANSACTIONCODE	Y	VARCHAR2(30)	nvarchar(30)	government transaction cod for the journal entry.
GLH_DESCRFLXERRORMESSAGE	Y	VARCHAR2(240)	nvarchar(240)	error message if any for the descriptive column.
GLH_ENTITYS	Y	VARCHAR2(100)	nvarchar(100)	field to hold entity value.
GLH_GLNOMACCT	Y	VARCHAR2(750)	nvarchar(750)	field to hold all segment values.
GLH_ENTRYID	Y	NUMBER	int	gl interface history field for joining debit and credit
GLH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GLH_ORG	Y	VARCHAR2(15)	nvarchar(15)	
GLH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLOBALACKCHILDREN

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GAC_EVENT	Y	VARCHAR2(30)		
GAC_OBJECT	Y	VARCHAR2(30)		
GAC_OBJECT_ORG	Y	VARCHAR2(15)		
GAC_LEVEL	Y	NUMBER		

R5GLPROCESSDEF

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPD_CODE	N	VARCHAR2(20)	nvarchar(20)	the code representing the general ledger process.
GPD_DESC	N	VARCHAR2(80)	nvarchar(80)	description.
GPD_ROWIDCOL	N	VARCHAR2(250)	varchar(250)	rowid column from source table.
GPD_SUMMARY	N	VARCHAR2(1)	nvarchar(1)	summarize transactions
GPD_GROUPCOL	N	VARCHAR2(250)	varchar(250)	group column from source table.
GPD_AMOUNTCOL	N	VARCHAR2(250)	varchar(250)	amount column.
GPD_DATECOL	N	VARCHAR2(250)	varchar(250)	date column.
GPD_SEGMENTSCOL	Y	VARCHAR2(2000)	varchar(2000)	expense segment columns.
GPD_FROMSTMT	N	VARCHAR2(2000)	varchar(2000)	source tables for from statements.
GPD_WHERESTMT	N	VARCHAR2(2000)	varchar(2000)	where conditions to process records.
GPD_UPDATESTMT	Y	VARCHAR2(2000)	varchar(2000)	source update statement.
GPD_DESTUPDATESTMT	Y	VARCHAR2(2000)	varchar(2000)	destination update statement.
GPD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GPD_JECATEGORYCOL	Y	VARCHAR2(250)	nvarchar(250)	The column name for jecategory in the process.
GPD_JESOURCECOL	Y	VARCHAR2(250)	nvarchar(250)	The column name for jesource in the process.
GPD_SETOFBOOKSIDCOL	Y	VARCHAR2(250)	nvarchar(250)	The column name for setofbooksid in the process.
GPD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLPROCTRACE		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPT_LINENUMBER	Y	NUMBER	int	line number for the gl procedure trace.
GPT_TRACETEXT	Y	LONG	ntext	trace text for the gl procedure trace.
GPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLREFERENCES		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GLF_PROCESS	N	VARCHAR2(20)	nvarchar(20)	general ledger process code.
GLF_GROUP	N	VARCHAR2(20)	nvarchar(20)	group value for general ledger process.
GLF_SETOFBOOKSID	N	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_JESOURCE	N	VARCHAR2(25)	varchar(25)	as defined in oracle financials.
GLF_JECATEGORY	N	VARCHAR2(25)	varchar(25)	as defined in oracle financials.
GLF_CURRENCY	N	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLF_ACTUALFLAG	N	VARCHAR2(1)	nvarchar(1)	as defined in oracle financials.
GLF_STATUS	N	VARCHAR2(50)	nvarchar(50)	as defined in oracle financials.
GLF_CHARTOFACCOUNTSID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_FNDUSERID	Y	NUMBER	numeric(24,0)	as defined in oracle financials.
GLF_REFERENCE1	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE2	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE3	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE4	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE5	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE6	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE7	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE8	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE9	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE10	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE11	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE12	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE13	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE14	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE15	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE16	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE17	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE18	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE19	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE20	Y	VARCHAR2(100)	nvarchar(100)	as defined in oracle financials.
GLF_REFERENCE21	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE22	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE23	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE24	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE25	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE26	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE27	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE28	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE29	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_REFERENCE30	Y	VARCHAR2(240)	nvarchar(240)	as defined in oracle financials.
GLF_ATTRIBUTE1	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLF_ATTRIBUTE2	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.
GLF_ATTRIBUTE3	Y	VARCHAR2(150)	nvarchar(150)	as defined in oracle financials.

[illegible]

GLF_CURRENCYCONVERSIONRATE	Y	NUMBER	numeric(24,12)	as defined in oracle financials.
GLF_JEBATCHID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_PERIODNAME	Y	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLF_JEHEADERID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_JELINENUM	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_FUNCTIONALCURRENCYCODE	Y	VARCHAR2(15)	nvarchar(15)	as defined in oracle financials.
GLF_CODECOMBINATIONID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_GROUPID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_REQUESTID	Y	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_SUBLEDGERDOCSEQUENCEID	Y	NUMBER	numeric(24,0)	as defined in oracle financials.
GLF_SUBLEDGERDOCSEQUENCEVALUE	Y	NUMBER	numeric(24,0)	as defined in oracle financials.
GLF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GLF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GLF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GLREFERENCESCTRL INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GRC_R5COLUMN	N	VARCHAR2(30)	nvarchar(30)	r5glreferences column name
GRC_DISPLAYNAME	Y	VARCHAR2(30)	nvarchar(30)	column name from gl_interface
GRC_LENGTH	Y	NUMBER(4,0)	numeric(4,0)	length of gl field.
GRC_DATATYPE	Y	VARCHAR2(1)	nvarchar(1)	d=date, n=number, c=character
GRC_DISPLAYSEQ	Y	NUMBER	int	identifies the order that gl fields are displayed on form ymgldr.
GRC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GRC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GRC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GL_CODE_COMBINATIONS INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CODE_COMBINATION_ID	N	NUMBER(15,0)	numeric(15,0)	no longer used.
DESCRIPTION	Y	VARCHAR2(1000)	nvarchar(1000)	no longer used.
ACCOUNT_TYPE	Y	VARCHAR2(1)	nvarchar(1)	no longer used.
ENABLED_FLAG	Y	VARCHAR2(1)	nvarchar(1)	no longer used.
START_DATE_ACTIVE	Y	DATE	datetime	no longer used.
END_DATE_ACTIVE	Y	DATE	datetime	no longer used.
DETAIL_POSTING_ALLOWED_FLAG	Y	VARCHAR2(1)	nvarchar(1)	no longer used.
CHART_OF_ACCOUNTS_ID	Y	NUMBER(15,0)	numeric(15,0)	no longer used.
GCC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
COD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GL_SETS_OF_BOOKS INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NAME	Y	VARCHAR2(30)	nvarchar(30)	a description for an external chart of accounts (set of books)
CHART_OF_ACCOUNTS_ID	Y	NUMBER(15,0)	numeric(15,0)	an identifier for an external chart of accounts (set of books)
SFB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SFB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NAM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GRAPHPARMS BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPM_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	unique functioncode not null
GPM_QUERY	N	VARCHAR2(2000)	nvarchar(2000)	sql query statement used to retrieve information from the database.
GPM_TYPE	N	VARCHAR2(4)	nvarchar(4)	code identifying the type of query.
GPM_MIN	Y	NUMBER(24,6)	numeric(24,6)	minimum value for chart
GPM_MAX	Y	NUMBER(24,6)	numeric(24,6)	maximum value for chart

GPM_TARGET	Y	NUMBER(24,6)	numeric(24,6)	target value for chart
GPM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GPM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GRAPHPORTLET ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GPH_CODE	N	NUMBER	int	unique id
GPH_ID	Y	NUMBER	int	graph id
GPH_TYPE	Y	VARCHAR2(1)	nvarchar(1)	graph type (c=correlation, t=timeseries)
GPH_WIDTH	Y	VARCHAR2(1)	nvarchar(1)	width of portlet (s=single, d=double, t=triple)
GPH_TITLE	Y	VARCHAR2(120)	nvarchar(120)	title of graph portlet
GPH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GPH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GREENHOUSEGASES GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GHG_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the greenhouse gas
GHG_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the greenhouse gas
GHG_CO2ERATIO	N	NUMBER(24,6)	numeric(24,6)	The emission ratio with co2
GHG_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Whether the greenhouse gas is out of service
GHG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GHG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GHG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GRID DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GRD_DESC	N	VARCHAR2(80)	nvarchar(80)	grid description
GRD_GRIDID	N	NUMBER(14,0)	numeric(14,0)	a unique id of the grid
GRD_BASEQUERY	Y	VARCHAR2(4000)	varchar(4000)	the base query defined for a grid. single org
GRD_GRIDNAME	N	VARCHAR2(40)	nvarchar(40)	grid name
GRD_KEYFIELDS	Y	VARCHAR2(800)	varchar(800)	single org key field list
GRD_FILTERABLELIST	Y	VARCHAR2(3000)	varchar(3000)	single org filterable field list
GRD_SORTABLELIST	Y	VARCHAR2(2000)	varchar(2000)	single org sortable field list
GRD_DISPLAYABLELIST	Y	VARCHAR2(2000)	varchar(2000)	single org displayable field list
GRD_ORGCOLNAME	Y	VARCHAR2(100)	varchar(100)	organization column name of the base table. not used now.
GRD_BASEQUERY_MULTIORG	Y	VARCHAR2(4000)	varchar(4000)	the base query defined for a grid. multi org.
GRD_KEYFIELDS_MULTIORG	Y	VARCHAR2(800)	varchar(800)	multi org key field list
GRD_FILTERABLE_MULTIORG	Y	VARCHAR2(3000)	varchar(3000)	multi org filterable field list
GRD_SORTABLE_MULTIORG	Y	VARCHAR2(2000)	varchar(2000)	multi org sortable field list
GRD_DISPLAYABLE_MULTIORG	Y	VARCHAR2(2000)	varchar(2000)	multi org displayable field list
GRD_BOTFUNCTION	Y	VARCHAR2(6)	varchar(6)	used to get grid title from r5boilertexts table, the bot_number is always 1.
GRD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GRD_PORTLETFLAG	Y	VARCHAR2(1)	varchar(1)	a flag to show if this grid can be selected as a portlet.
GRD_SECENTITY	Y	VARCHAR2(6)	varchar(6)	entity of the function used to get multi-org setting
GRD_HINTS	Y	VARCHAR2(255)	varchar(255)	help display text
GRD_TAB	Y	VARCHAR2(1)	varchar(1)	This flag indicates if this grid exists on a tab or not
GRD_GRIDTYPE	Y	NUMBER(2,0)	numeric(2,0)	Indicates OPS graph
GRD_UNITS	Y	VARCHAR2(40)	varchar(40)	optional units for ops variable transfer and download
GRD_OPTIMIZERON	Y	VARCHAR2(1)	varchar(1)	Flag set to + when a grid query takes too long and a post query function call optimization is possible.
GRD_DISTINCT	Y	VARCHAR2(1)	varchar(1)	flag to indicate if we need to use "distinct" in the query.
GRD_COMMITFLAG	Y	VARCHAR2(1)	varchar(1)	specifies the type of commit to be performed on editable grids.
GRD_CUSTOMFIELDCODE	Y	VARCHAR2(100)	varchar(100)	This is the custom field code that will be used to lookup the customfield for that grid. Format = Entity Name = field1#field2 e.g. OBJ=obj_code#obj_org

GRD_COMPLEX	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the grid is complex or not.
GRD_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Active flag
GRD_NOSCREENDESIGNER	Y	VARCHAR2(1)	nvarchar(1)	not visible in screen designer flag
GRD_MOBILE	Y	VARCHAR2(1)	varchar(1)	If it is a Mobile record, the value will be +
GRD_UPDATED	Y	DATE	datetime	Update time stamp
GRD_GISDATAFILTER	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
GRD_GISWOFIELDMAP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a filter to display certain user defined grids in the new Infor EAM Grid lookup on the Map Attributes popup available from the Infor EAM Toolbar on the ArcGIS Desktop
GRD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GRD_MAXGRIDCOST	Y	NUMBER(8,0)	numeric(8,0)	
GRD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GRIDFIELD DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GFD_FIELDID	N	NUMBER(14,0)	numeric(14,0)	identifier of a field.
GFD_GRIDID	N	NUMBER(14,0)	numeric(14,0)	identify the grid this field belongs to
GFD_BOTFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function name used to get field label from r5boilertexts table
GFD_BOTNUMBER	Y	NUMBER(4,0)	numeric(4,0)	bot_number used to get the field label.
GFD_CONTROLTYPE	Y	VARCHAR2(30)	nvarchar(30)	control types in a web page.
GFD_SCRIPTEVENT	Y	VARCHAR2(200)	nvarchar(200)	an event handler associated with the control.
GFD_TAGNAME	Y	VARCHAR2(60)	nvarchar(60)	an alias that identifies a field in a grid.
GFD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GFD_TAGPARAMS	Y	VARCHAR2(500)	nvarchar(500)	define parameters used to get dropdown
GFD_AGGFUNC	Y	VARCHAR2(5)	nvarchar(5)	define aggregate function (such as SUM, AVG)
GFD_FIELDTYPE	Y	VARCHAR2(1)	nvarchar(1)	Grid field type. n -- normal field; o -- organization field; l -- lot field
GFD_OCCURRENCE	N	NUMBER(3,0)	numeric(3,0)	Indicates which component query the field is in
GFD_DEPENDENT	Y	NUMBER(14,0)	numeric(14,0)	T.B.D.
GFD_SECENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity of the function used to get multi-org setting
GFD_HEADERLOCATION	Y	VARCHAR2(2)	nvarchar(2)	Location of the header on the screen
GFD_UPDATED	Y	DATE	datetime	Update time stamp
GFD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GFD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GRIDPARAM DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GDP_GRIDID	N	NUMBER(14,0)	numeric(14,0)	Grid Id
GDP_PARAM	N	VARCHAR2(50)	nvarchar(50)	Parameter
GDP_TAGNAME	Y	VARCHAR2(60)	nvarchar(60)	Tag Name
GDP_DATATYPE	Y	VARCHAR2(10)	nvarchar(10)	Data type
GDP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GDP_UPDATED	Y	DATE	datetime	Update time stamp
GDP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GDP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GRIDWIDGET BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GWG_WIDGETID	N	VARCHAR2(30)	nvarchar(30)	The widget id.
GWG_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	The function code.
GWG_GRIDNAME	N	VARCHAR2(40)	nvarchar(40)	The grid name.
GWG_GRIDID	N	NUMBER(14,0)	numeric(14,0)	The grid id.
GWG_DATASPYID	N	NUMBER(14,0)	numeric(14,0)	The dataspy id
GWG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GWG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GWG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GROUPS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UGR_CODE	N	VARCHAR2(12)	nvarchar(12)	code of user group.
UGR_DESC	N	VARCHAR2(80)	nvarchar(80)	name (description) of group
UGR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of user group
UGR_MRC	Y	VARCHAR2(15)	nvarchar(15)	default mrc of group members
UGR_PRINTER	Y	VARCHAR2(12)	nvarchar(12)	default printer of group
UGR_CORRBOOK	Y	VARCHAR2(1)	nvarchar(1)	checked: correcting booked hours allowed.
UGR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
UGR_LOGIN	Y	VARCHAR2(1)	nvarchar(1)	Whether users of this usergroup are allowed to login
UGR_REQUESTOR	N	VARCHAR2(1)	nvarchar(1)	Requestor type group or not
UGR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UGR_CREATED	Y	DATE	datetime	Creation timestamp
UGR_UPDATED	Y	DATE	datetime	Update timestamp
UGR_SESSIONTIMEOUT	Y	NUMBER(3,0)	numeric(3,0)	Timeout delay
UGR_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	Job Type
UGR_ADDPERM	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a user group will get the same tabpermissions added that the system gets added in an upgrade
UGR_DOWNLOADWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group work order data should be downloaded.
UGR_FORDATASPY	Y	NUMBER(14,0)	numeric(14,0)	List of dataspies applicable to the work order download.
UGR_DOWNLOADEMPLOYEE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group employee data should be downloaded.
UGR_FORTRADE	Y	VARCHAR2(1000)	nvarchar(1000)	List of trades applicable to the employess download.
UGR_FORDEPARTMENT_EMP	Y	VARCHAR2(1000)	nvarchar(1000)	List of departments applicable to the employee download.
UGR_FOREMPLOYEE	Y	VARCHAR2(1000)	nvarchar(1000)	List of employees applicable to the employee download.
UGR_DOWNLOADSTANDARDWOS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group standard work order data should be downloaded.
UGR_DOWNLOADINSRESULTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group inspection results data should be downloaded.
UGR_DOWNLOADTASK	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group task data should be downloaded.
UGR_DOWNLOADEQUIPMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group equipment data should be downloaded.
UGR_FORDEPARTMENT_EQUIP	Y	VARCHAR2(1000)	nvarchar(1000)	List of departments applicable to the equipment download.
UGR_FORLOCATION	Y	VARCHAR2(1000)	nvarchar(1000)	List of Locations applicable to the equipment download
UGR_FORCLASS_EQUIP	Y	VARCHAR2(1000)	nvarchar(1000)	List of classes applicable to the equipment download.
UGR_FORCATEGORY	Y	VARCHAR2(1000)	nvarchar(1000)	List of categories applicable to the equipment download.
UGR_FOREQUIPMENT	Y	VARCHAR2(1000)	nvarchar(1000)	List of equipment applicable to the equipment download.
UGR_FORTYPE	Y	VARCHAR2(4)	nvarchar(4)	List of types.
UGR_DOWNLOADEQUIPCOMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group equipment comments data should be downloaded.
UGR_FORDOWNLOADEDWO_EQCMT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether equipment comments should be used for downloaded work orders only.
UGR_DOWNLOADEQUIPHISTORY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group equipment history data should be downloaded.
UGR_FORDOWNLOADEDWO_EQHST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether equipment history should be used for downloaded work orders only.
UGR_FORLATESTDAYS	Y	NUMBER(7,0)	numeric(7,0)	Date to limit meter readings to download.
UGR_DOWNLOADDEQCUSTOMFIELDS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group equipment custom fields data should be downloaded.
UGR_FORDOWNLOADEDWO_EQCF	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether equipment custom fields should be used for downloaded work orders only.
UGR_DOWNLOADCOSTCODES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group cost code data should be downloaded.
UGR_FORCLASS_CC	Y	VARCHAR2(1000)	nvarchar(1000)	List of classes applicable to the cost codes download.
UGR_FORCOSTCODE	Y	VARCHAR2(1000)	nvarchar(1000)	List of cost codes applicable to the cost codes download.
UGR_DOWNLOADDEQHISTCOMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group equipment history comments data should be downloaded.
UGR_DOWNLOADSTORES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group store data should be downloaded.
UGR_DOWNLOADPARTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group parts data should be downloaded.
UGR_FORSTORE_PART	Y	VARCHAR2(15)	nvarchar(15)	List of stores applicable to the parts download.
UGR_FORPART_PART	Y	VARCHAR2(1000)	nvarchar(1000)	List of parts applicable to the parts download.
UGR_MAXINSTOCKANDQUANTITY	Y	NUMBER(7,0)	numeric(7,0)	Number to limit the parts download.
UGR_DOWNLOADDBINS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group bin data should be downloaded.
UGR_FORSTORE_BIN	Y	VARCHAR2(15)	nvarchar(15)	List of stores applicable to the bin download.
UGR_FORBIN	Y	VARCHAR2(1000)	nvarchar(1000)	List of bins applicable to the bins download.
UGR_DOWNLOADPHYINVENTORY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group physical inventory data should be downloaded.

UGR_FORSTORE_INV	Y	VARCHAR2(15)	nvarchar(15)	List of stores applicable to the inventory download.
UGR_FORLINE	Y	VARCHAR2(1000)	nvarchar(1000)	Min and max line numbers to limit the physical inventory download.
UGR_DOWNLOADSUPPLIER	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group supplier data should be downloaded.
UGR_DOWNLOADASSETINVENTORY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group asset inventory data should be downloaded.
UGR_DOWNLOADSTOCK	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group stock data should be downloaded.
UGR_DOWNLOADDESIGNSETTINGS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether for this group electronic signature setting data should be downloaded.
UGR_DOWNLOADMTRREADING	Y	VARCHAR2(1)	nvarchar(1)	
UGR_DOWNLOADDOCPRINTWO	Y	VARCHAR2(1)	nvarchar(1)	
UGR_EQUIPFORDATASPY	Y	NUMBER(14,0)	numeric(14,0)	
UGR_MTRREADINGLATESTDAYS	Y	NUMBER(7,0)	numeric(7,0)	
UGR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UGR_MOBILEAPP	Y	VARCHAR2(8)	nvarchar(8)	
UGR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5GROUPSEVALCODES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
GSE_UGRCODE	N	VARCHAR2(12)	nvarchar(12)	user group
GSE_EVDCODE	N	VARCHAR2(8)	nvarchar(8)	evaluation code
GSE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
GSE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
GSE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HAZARDPRECAUTIONS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HZP_HAZARD	N	VARCHAR2(30)	nvarchar(30)	The hazard code.
HZP_HAZARD_ORG	N	VARCHAR2(15)	nvarchar(15)	The hazard organization.
HZP_REVISION	N	NUMBER(4,0)	numeric(4,0)	The hazard revision number.
HZP_PRECAUTION	N	VARCHAR2(30)	nvarchar(30)	The precaution to protect against the hazard.
HZP_PRECAUTION_ORG	N	VARCHAR2(15)	nvarchar(15)	The precaution organization to protect against the hazard.
HZP_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	The sequence number.
HZP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HZP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HZP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HAZARDS

EQUIPMENTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HAZ_CODE	N	VARCHAR2(30)	nvarchar(30)	The hazard code.
HAZ_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the hazard.
HAZ_REVISION	N	NUMBER(4,0)	numeric(4,0)	The hazard revision.
HAZ_DESC	N	VARCHAR2(80)	nvarchar(80)	The hazard description.
HAZ_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the hazard.
HAZ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the hazard.
HAZ_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Not Used Flag
HAZ_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of hazard.
HAZ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the hazard.
HAZ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the hazard.
HAZ_REVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a review is required.
HAZ_CREATED	Y	DATE	datetime	record creation timestamp
HAZ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
HAZ_UPDATED	Y	DATE	datetime	Update time stamp
HAZ_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
HAZ_REQUESTED	Y	DATE	datetime	The date the hazard was requested.
HAZ_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who requested the hazard.
HAZ_APPROVED	Y	DATE	datetime	The date the hazard was approved.

HAZ_APPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who approved the hazard.
HAZ_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The reason for the new hazard revision.
HAZ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HAZ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HAZ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HAZ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HAZ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HAZ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HAZ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
HAZ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
HAZ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
HAZ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
HAZ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
HAZ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
HAZ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
HAZ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
HAZ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
HAZ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
HAZ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HAZ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HAZ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HELPTXTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HEL_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code, or attrib if field help is defined at attribute level.

HEL_ITEM	N	VARCHAR2(24)	nvarchar(24)	identifies field (and, if necessary, block) to which help text entry applies, e.g., b1.usr_code
HEL_TEXT	N	VARCHAR2(250)	nvarchar(250)	field help text.
HEL_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
HEL_POOL	N	VARCHAR2(12)	nvarchar(12)	text pool code, used to track changes.
HEL_DRILLDOWN	Y	VARCHAR2(6)	nvarchar(6)	function code of drill-down function.
HEL_CHANGED	N	VARCHAR2(1)	nvarchar(1)	value is + if customized, - if upgradeable.
HEL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HEL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HEL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HIDDENDATASPIES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HDS_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group
HDS_DATASPYID	N	NUMBER(14,0)	numeric(14,0)	unique id of the dataspy
HDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HOME

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HOM_CODE	N	VARCHAR2(24)	nvarchar(24)	inbox code
HOM_TYPE	N	VARCHAR2(1)	nvarchar(1)	kpi type
HOM_DESC	N	VARCHAR2(80)	nvarchar(80)	description
HOM_SQLCODE	Y	VARCHAR2(8)	nvarchar(8)	sql statement
HOM_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function
HOM_GEN	Y	VARCHAR2(1)	nvarchar(1)	general flag
HOM_PARENT	Y	VARCHAR2(1)	nvarchar(1)	parent
HOM_UPDFREQ	Y	NUMBER	int	frequency
HOM_UPDATE	Y	DATE	datetime	last updated
HOM_NXTUPDATE	Y	DATE	datetime	next update
HOM_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure
HOM_HISTORY	Y	VARCHAR2(1)	nvarchar(1)	maintain history
HOM_WHERECLAUSE	Y	VARCHAR2(2000)	nvarchar(2000)	filter
HOM_CURVALUE	Y	NUMBER	numeric(24,6)	current value
HOM_NORMSCORE	Y	NUMBER	numeric(24,6)	normal score
HOM_ERROR	Y	VARCHAR2(255)	nvarchar(255)	error message
HOM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HOM_EWSFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	ews home function
HOM_EWSDATASPYID	Y	NUMBER(14,0)	numeric(14,0)	a unique id of the dataspy of ews home function
HOM_OPERATOR	Y	VARCHAR2(2)	nvarchar(2)	Mathematical operator for comparison with field hom_value
HOM_VALUE	Y	NUMBER(24,6)	numeric(24,6)	Value to compare KPI with
HOM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
HOM_ROLLUPTYPE	Y	VARCHAR2(1)	nvarchar(1)	Rollup type
HOM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
HOM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

HOM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
HOM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
HOM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
HOM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
HOM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
HOM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
HOM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
HOM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
HOM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
HOM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
HOM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
HOM_MIN	Y	NUMBER(9,0)	numeric(9,0)	The minimum value of the KPI score.
HOM_MAX	Y	NUMBER(9,0)	numeric(9,0)	The maximum value of the KPI score.
HOM_RADIUSPERCENTAGE	Y	NUMBER(4,2)	numeric(4,2)	The radius percentage used to draw the donut image.
HOM_KPITYPE	Y	VARCHAR2(4)	nvarchar(4)	The type of Key Performance Indicator.
HOM_GROUPBYTEXT	Y	VARCHAR2(80)	nvarchar(80)	The boiler text of the grouped by column in the chart.
HOM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HOM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HOMEGROUPS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HMG_HOMCODE	N	VARCHAR2(24)	nvarchar(24)	inbox code
HMG_HOMTYPE	N	VARCHAR2(1)	nvarchar(1)	inbox type
HMG_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group
HMG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HMG_SEQ	Y	NUMBER(4,0)	numeric(4,0)	The sequence number.
HMG_AUTOFRESH	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether an auto refresh should take place.
HMG_TAB	Y	VARCHAR2(4)	nvarchar(4)	The folder.
HMG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HMG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HOMEUSERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HMU_HOMCODE	N	VARCHAR2(24)	nvarchar(24)	inbox code
HMU_HOMTYPE	N	VARCHAR2(1)	nvarchar(1)	inbox type
HMU_USER	N	VARCHAR2(255)	nvarchar(255)	user code
HMU_SEQ	N	NUMBER(4,0)	numeric(4,0)	sequence
HMU_AUTOFRESH	Y	VARCHAR2(1)	nvarchar(1)	auto refresh
HMU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HMU_TAB	Y	VARCHAR2(4)	nvarchar(4)	Startup tab for user
HMU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HMU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HYPERLINK

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HYP_SOURCEPAGENAME	N	VARCHAR2(40)	nvarchar(40)	Page name of the source page for hyperlink

HYP_SOURCEELEMENTID	N	VARCHAR2(80)	nvarchar(80)	Element id of the source field for hyperlink
HYP_DESTPAGENAME	Y	VARCHAR2(40)	nvarchar(40)	Page name of the destination page for hyperlink
HYP_DESTELEMENTID	Y	VARCHAR2(80)	nvarchar(80)	Element id of the destination field for hyperlink
HYP_SCREENMODE	Y	VARCHAR2(1)	nvarchar(1)	Screen mode destination screen should open in
HYP_DATASPY	Y	NUMBER(14,0)	numeric(14,0)	Reference to r5dddataspy.dds_ddspyid
HYP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
HYP_SRCLINENUMBER	N	NUMBER(3,0)	numeric(3,0)	Line number in the source
HYP_LINKNAME	N	VARCHAR2(80)	nvarchar(80)	Name of the hyperlink
HYP_PK	N	NUMBER(8,0)	numeric(8,0)	Primary key
HYP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HYP_PERFORMEXACTQUERY	Y	VARCHAR2(1)	nvarchar(1)	
HYP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5HYPERLINKURLPARAMETERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
HUP_HYPERLINKPK	N	NUMBER(8,0)	numeric(8,0)	The primary key of the hyperlink.
HUP_USERFUNCTION	N	VARCHAR2(6)	nvarchar(6)	The user function.
HUP_TAB	N	VARCHAR2(6)	nvarchar(6)	The tab.
HUP_PARAMETERNAME	N	VARCHAR2(30)	nvarchar(30)	The parameter name.
HUP_ELEMENTID	N	VARCHAR2(80)	nvarchar(80)	The element id
HUP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
HUP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
HUP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IBCALC

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IBC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code
IBC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
IBC_ASPECT	N	VARCHAR2(30)	nvarchar(30)	aspect code
IBC_POINT	N	VARCHAR2(30)	nvarchar(30)	point
IBC_POINTTYPE	N	VARCHAR2(30)	nvarchar(30)	point type
IBC_SESSIONID	N	NUMBER	int	variable 2
IBC_ERROR	Y	VARCHAR2(8)	nvarchar(8)	error
IBC_OLDMAX	Y	NUMBER(24,6)	numeric(24,6)	old maximum
IBC_OLDMIN	Y	NUMBER(24,6)	numeric(24,6)	old minimum
IBC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IBC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IESINTERESTCENTERS

CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ENI_CODE	N	VARCHAR2(30)	nvarchar(30)	interest center code
ENI_DESC	N	VARCHAR2(80)	nvarchar(80)	description of the interest center
ENI_CATEGORY	N	VARCHAR2(80)	nvarchar(80)	category on the interest center
ENI_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of service flag on the interest center
ENI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ENI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ENI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IESREPOSITORIES

CUSTOMER SURVEYS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ENS_CODE	N	VARCHAR2(30)	nvarchar(30)	repository code
ENS_DESC	Y	VARCHAR2(80)	nvarchar(80)	the interest center description
ENS_TABLENAME	N	VARCHAR2(32)	nvarchar(32)	the target table for this repository
ENS_USERFUNCTION	N	VARCHAR2(6)	nvarchar(6)	the user function for the repository

ENS_TAB	Y	VARCHAR2(6)	nvarchar(6)	the tab name for the repository
ENS_THUMBNAIL	Y	VARCHAR2(1000)	nvarchar(1000)	a url to an image to be used as a thumbnail for the repository
ENS_DATECREATEDCOL	Y	VARCHAR2(60)	nvarchar(60)	the date created database column of some target table
ENS_DATEUPDATEDCOL	Y	VARCHAR2(60)	nvarchar(60)	the date updated database column of some target table
ENS_ORGCOL	Y	VARCHAR2(60)	nvarchar(60)	the organization database column of some target table
ENS_TABLEPREFIX	Y	VARCHAR2(3)	nvarchar(3)	the prefix on of the columns on the target table
ENS_INTERESTCENTER	N	VARCHAR2(30)	nvarchar(30)	the interest center associated to this repository
ENS_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of service flag on the repository
ENS_ISINCREMENTAL	Y	VARCHAR2(1)	nvarchar(1)	does this repository support incremental crawls?
ENS_ISPOPUP	N	VARCHAR2(1)	nvarchar(1)	is the target function a popup?
ENS_DATELASTCRAWL	Y	DATE	datetime	the last time this repository was crawled
ENS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ENS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ENS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IESREPOSITORYCOLUMNS		CUSTOMER SURVEYS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ENC_REPOSITORYID	N	VARCHAR2(30)	nvarchar(30)	the repository associated to this column
ENC_COLUMNNAME	N	VARCHAR2(30)	nvarchar(30)	the column name of some target repository table
ENC_FIELDNAME	Y	VARCHAR2(45)	nvarchar(45)	the field name associated to the column
ENC_ALIAS	Y	VARCHAR2(80)	nvarchar(80)	the alias on some column
ENC_DATATYPE	N	VARCHAR2(8)	nvarchar(8)	the datatype of the column of some target repository table
ENC_DISPLAYORDER	Y	NUMBER(6,0)	numeric(6,0)	the display order for this specific column
ENC_PKORDER	Y	NUMBER(6,0)	numeric(6,0)	the primary key order for the column on some target tale
ENC_ISJSKEYFIELD	Y	VARCHAR2(1)	nvarchar(1)	is this field a jsp key field?
ENC_FACET	Y	VARCHAR2(80)	nvarchar(80)	the facet for this column
ENC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ENC_HIDDENFROMSEARCHRESULTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to inidctae whether the column should be hidden from the search results.
ENC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ENC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IMPORTDATA		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPD_SESSIONID	Y	NUMBER	numeric(18,0)	
IPD_LINE	Y	NUMBER(18,0)	numeric(18,0)	
IPD_STATUS	Y	VARCHAR2(1)	nvarchar(1)	
IPD_MESSAGE	Y	VARCHAR2(500)	nvarchar(500)	
IPD_TABLE	Y	VARCHAR2(80)	nvarchar(80)	
IPD_DATA	Y	CLOB	nvarchar(max)	
IPD_DECODED	Y	CLOB	nvarchar(max)	
IPD_UPDATED	Y	DATE	datetime	Update timestamp
IPD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IMPORTDATASPYMAP		CONFIGURATIONIMPORTT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IDS_SESSIONID	Y	NUMBER	numeric(18,0)	
IDS_OLD_DATASPYID	Y	NUMBER(14,0)	numeric(14,0)	
IDS_DATASPYID	Y	NUMBER(14,0)	numeric(14,0)	
IDS_CREATED	Y	DATE	datetime	Creation timestamp
IDS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
IDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IMPORTDDFIELDMAP		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IDF_SESSIONID	Y	NUMBER	numeric(18,0)	
IDF_OLD_DDFIELDID	Y	NUMBER(14,0)	numeric(14,0)	
IDF_DDFIELDID	Y	NUMBER(14,0)	numeric(14,0)	
IDF_CREATED	Y	DATE	datetime	Creation timestamp
IDF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
IDF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IDF_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTEXPORTGRPSTATUS		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IMG_SESSIONID	N	NUMBER	numeric(38,0)	Sessionid for the import Process
IMG_GROUP	N	VARCHAR2(60)	nvarchar(60)	Import Export Group
IMG_STATUS	Y	VARCHAR2(1)	nvarchar(1)	Status of the group
IMG_PROCESSORDER	Y	NUMBER	numeric(38,0)	used for the sort order of the group
IMG_START	Y	DATE	datetime	
IMG_END	Y	DATE	datetime	
IMG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IMG_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTEXPORTSTATUS		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IES_USERID	Y	VARCHAR2(255)	nvarchar(255)	UserId that started the Process
IES_SESSIONID	N	NUMBER	numeric(38,0)	Unique Sessionid
IES_TYPE	Y	VARCHAR2(1)	nvarchar(1)	Type of Process (Import \ Export)
IES_STATUS	Y	VARCHAR2(1)	nvarchar(1)	Status of the Process(Submitted\Started\Completed)
IES_FILELOCATION	Y	VARCHAR2(256)	nvarchar(256)	Location of the file to Export on Server
IES_EMAILSENT	Y	VARCHAR2(1)	nvarchar(1)	Has the email been sent to the user after the process finishes
IES_FILESENT	Y	VARCHAR2(1)	nvarchar(1)	Has the File been sent with the email
IES_ESTTIMETOSTART	Y	DATE	datetime	Estimated time the process will Start
IES_ESTTIMETOEND	Y	DATE	datetime	Estimated time the process will End
IES_DATECREATED	Y	DATE	datetime	Creation timestamp
IES_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
IES_STARTED	Y	DATE	datetime	
IES_COMPLETED	Y	DATE	datetime	
IES_RECORDCOUNT	Y	NUMBER(18,0)	numeric(18,0)	
IES_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IES_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	
IES_DESC	Y	VARCHAR2(80)	nvarchar(80)	
IES_INCLUDEEMAIL	Y	VARCHAR2(1)	nvarchar(1)	
IES_PREVIEW	Y	VARCHAR2(1)	nvarchar(1)	
IES_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTGRIDMAP		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IGM_SESSIONID	Y	NUMBER	numeric(18,0)	
IGM_OLD_GRIDID	Y	NUMBER(14,0)	numeric(14,0)	
IGM_GRIDID	Y	NUMBER(14,0)	numeric(14,0)	
IGM_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	
IGM_CREATED	Y	DATE	datetime	Creation timestamp
IGM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
IGM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IGM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IMPORTHEADERDATA		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IMH_SESSIONID	Y	NUMBER	numeric(18,0)	
IMH_HEADERDATA	Y	CLOB	nvarchar(max)	
IMH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IMH_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTMENUMAP		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IMM_OLDMENUCODE	Y	VARCHAR2(30)	nvarchar(30)	Old Menu Code
IMM_NEWMENUCODE	Y	VARCHAR2(30)	nvarchar(30)	New Menu Code
IMM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IMM_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTMETADATA		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IMD_SESSIONID	Y	NUMBER	numeric(18,0)	
IMD_LINE	Y	NUMBER(18,0)	numeric(18,0)	
IMD_TABLE	Y	VARCHAR2(80)	nvarchar(80)	
IMD_METADATA	Y	CLOB	nvarchar(max)	
IMD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IMD_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTRCMTEMPLATEHISTORY		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IRH_OBJECT	N	VARCHAR2(35)	nvarchar(35)	
IRH_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	
IRH_TEMPLATE	N	VARCHAR2(30)	nvarchar(30)	
IRH_TEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	
IRH_TEMPLATE_REVISION	N	NUMBER(4,0)	numeric(4,0)	
IRH_RCMPROJECT	Y	VARCHAR2(8)	nvarchar(8)	
IRH_IMPORTPROBABILITIES	Y	VARCHAR2(1)	nvarchar(1)	
IRH_IMPORTCONSEQUENCES	Y	VARCHAR2(1)	nvarchar(1)	
IRH_IMPORTMITIGATION	Y	VARCHAR2(1)	nvarchar(1)	
IRH_CREATED	Y	DATE	datetime	Creation timestamp
IRH_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
IRH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IRH_LASTSAVED	Y	DATE	datetime	Timestamp of last update
IRH_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5IMPORTSESSIONS		CONFIGURATIONIMPORT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ISE_SESSIONID	Y	NUMBER	numeric(18,0)	
ISE_LINE	Y	NUMBER(5,0)	numeric(5,0)	
ISE_SUBMITTED	Y	DATE	datetime	
ISE_STARTED	Y	DATE	datetime	
ISE_COMPLETED	Y	DATE	datetime	
ISE_RECORDCOUNT	Y	NUMBER(18,0)	numeric(18,0)	
ISE_STATUS	Y	VARCHAR2(1)	nvarchar(1)	
ISE_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
ISE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ISE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INBOXGRID

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ING_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INDICATORS

PERFORMANCE INDICATORS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IND_CODE	N	VARCHAR2(4)	nvarchar(4)	performance indicator code. unique identification.
IND_DESC	N	VARCHAR2(80)	nvarchar(80)	performance indicator description.
IND_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
IND_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
IND_MIN	Y	NUMBER	numeric(24,6)	minimum value.
IND_MAX	Y	NUMBER	numeric(24,6)	maximum value.
IND_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
IND_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IND_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IND_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INDICATORVALUES

PERFORMANCE INDICATORS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IDV_ENTITY	N	VARCHAR2(4)	nvarchar(4)	entity (user code).
IDV_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity (system code).
IDV_TYPE	N	VARCHAR2(4)	nvarchar(4)	entity subtype (user code).
IDV_RTYPE	N	VARCHAR2(4)	nvarchar(4)	entity subtype (system code).
IDV_CODE	N	VARCHAR2(30)	nvarchar(30)	identifies what performance indicator value is recorded against, e.g., an object code.
IDV_INDICATOR	N	VARCHAR2(4)	nvarchar(4)	performance indicator code.
IDV_DATE	Y	DATE	datetime	date of measurement.
IDV_RECORDED	Y	DATE	datetime	date recorded.
IDV_VALUE	Y	NUMBER	numeric(24,6)	value of performance indicator.
IDV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IDV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IDV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INFORMATION

COMMERCIAL SERVICES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INF_LEVEL1	N	VARCHAR2(30)	nvarchar(30)	property for which information is created
INF_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of information
INF_RTYPE	N	VARCHAR2(4)	nvarchar(4)	system type of information
INF_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	property information comments
INF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
INF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
INF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INSPECTEQUIPDATA

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IED_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object
IED_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
IED_PIPING	Y	VARCHAR2(20)	nvarchar(20)	pipng class
IED_PIPINGREV	Y	NUMBER(4,0)	numeric(4,0)	pipng revision
IED_MATERIAL	Y	VARCHAR2(20)	nvarchar(20)	material standard
IED_MATERIALREV	Y	NUMBER(4,0)	numeric(4,0)	material standard revision
IED_MAOP	Y	NUMBER	numeric(24,6)	maximum allowable operating pressure
IED_NOMINALOD	Y	NUMBER	numeric(24,6)	nominal outer diameter
IED_ACTUALOD	Y	NUMBER	numeric(24,6)	actual outer diameter
IED_ACTOT	Y	NUMBER	numeric(24,6)	actual operating temp.

IED_DESOT	Y	NUMBER	numeric(24,6)	design operating temp.
IED_DESFACTOR	Y	NUMBER	numeric(24,6)	design factor (f)
IED_DESPRESS	Y	NUMBER	numeric(24,6)	design pressure
IED_DESCORRATE	Y	NUMBER	numeric(24,6)	design corrosion rate
IED_DESMIN	Y	NUMBER	numeric(24,6)	design temp min
IED_DESMAX	Y	NUMBER	numeric(24,6)	design temp max
IED_HALFAPANGLE	Y	NUMBER	numeric(24,6)	half apex angle
IED_INSIDESR	Y	NUMBER	numeric(24,6)	inside spherical radius
IED_LINCOAT	Y	VARCHAR2(20)	nvarchar(20)	lining/coating
IED_WELDTYPE	Y	VARCHAR2(20)	nvarchar(20)	weld type
IED_PIGGFREQ	Y	NUMBER	int	pigging frequency
IED_VARNUM1	Y	NUMBER(15,2)	numeric(15,2)	variable 1
IED_VARNUM2	Y	NUMBER(15,2)	numeric(15,2)	variable 2
IED_VARNUM3	Y	NUMBER(15,2)	numeric(15,2)	variable 3
IED_VARNUM4	Y	NUMBER(15,2)	numeric(15,2)	variable 4
IED_VARNUM5	Y	NUMBER(15,2)	numeric(15,2)	variable 5
IED_VARNUM6	Y	NUMBER(15,2)	numeric(15,2)	variable 6
IED_VARNUM7	Y	NUMBER(15,2)	numeric(15,2)	variable 7
IED_VARNUM8	Y	NUMBER(15,2)	numeric(15,2)	variable 8
IED_VARNUM9	Y	NUMBER(15,2)	numeric(15,2)	variable 9
IED_VARNUM10	Y	NUMBER(15,2)	numeric(15,2)	variable 10
IED_VARCHAR1	Y	VARCHAR2(45)	nvarchar(45)	variable 1
IED_VARCHAR2	Y	VARCHAR2(45)	nvarchar(45)	character variable
IED_VARCHAR3	Y	VARCHAR2(45)	nvarchar(45)	variable 3
IED_VARCHAR4	Y	VARCHAR2(45)	nvarchar(45)	variable 4
IED_VARCHAR5	Y	VARCHAR2(45)	nvarchar(45)	variable 5
IED_VARCHAR6	Y	VARCHAR2(45)	nvarchar(45)	variable 6
IED_VARCHAR7	Y	VARCHAR2(45)	nvarchar(45)	variable 7
IED_VARCHAR8	Y	VARCHAR2(45)	nvarchar(45)	variable 8
IED_VARCHAR9	Y	VARCHAR2(45)	nvarchar(45)	variable 9
IED_VARCHAR10	Y	VARCHAR2(45)	nvarchar(45)	variable 10
IED_NOMINALODUOM	Y	VARCHAR2(1)	nvarchar(1)	unit of measure
IED_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	changed flag
IED_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IED_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IED_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
IED_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INSPECTIONSINTERFACE

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
IRI_TRANSID	Y	NUMBER	bigint	transaction id
IRI_CREATED	Y	DATE	datetime	created
IRI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
IRI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
IRI_TRANSORGID	Y	NUMBER	bigint	transaction organization
IRI_TRANSGROUP	Y	NUMBER	int	transaction group
IRI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type
IRI_SESSIONID	Y	NUMBER	int	session id
IRI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	transaction code
IRI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
IRI_LINE	Y	NUMBER(8,0)	numeric(8,0)	line
IRI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
IRI_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object r type (system)
IRI_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type

IRI_POINT	Y	VARCHAR2(30)	nvarchar(30)	point
IRI_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	point type
IRI_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	aspect code
IRI_COMMENT	Y	VARCHAR2(70)	nvarchar(70)	comment
IRI_CREATE	Y	VARCHAR2(1)	nvarchar(1)	create
IRI_DATE	Y	DATE	datetime	date
IRI_FINDING	Y	VARCHAR2(4)	nvarchar(4)	finding code
IRI_METHOD	Y	VARCHAR2(8)	nvarchar(8)	method code
IRI_RESULT	Y	VARCHAR2(4)	nvarchar(4)	result
IRI_RRESULT	Y	VARCHAR2(4)	nvarchar(4)	r result (system)
IRI_STWO	Y	VARCHAR2(20)	nvarchar(20)	standard wo
IRI_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure
IRI_VALUE	Y	NUMBER(24,6)	numeric(24,6)	value
IRI_LOCATION	Y	VARCHAR2(70)	nvarchar(70)	location code
IRI_INSPECTOR	Y	VARCHAR2(15)	nvarchar(15)	inspector
IRI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
IRI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
IRI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification organization
IRI_NIDATEMINCRIT	Y	DATE	datetime	ni date minimum criteria
IRI_NIDATEMINTOL	Y	DATE	datetime	ni date minimum tolerance
IRI_NIDATEMAXCRIT	Y	DATE	datetime	ni date maximum criteria
IRI_NIDATEMAXTOL	Y	DATE	datetime	ni date maximum tolerance
IRI_ASSEDSLOPE	Y	NUMBER	numeric(24,6)	assessed slope
IRI_VARCHAR1	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR2	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR3	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR4	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR5	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR6	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR7	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR8	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR9	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR10	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARNUM1	Y	NUMBER	float	numeric variable
IRI_VARNUM2	Y	NUMBER	float	numeric variable
IRI_VARNUM3	Y	NUMBER	float	numeric variable
IRI_VARNUM4	Y	NUMBER	float	numeric variable
IRI_VARNUM5	Y	NUMBER	float	numeric variable
IRI_VARNUM6	Y	NUMBER	float	numeric variable
IRI_VARNUM7	Y	NUMBER	float	numeric variable
IRI_VARNUM8	Y	NUMBER	float	numeric variable
IRI_VARNUM9	Y	NUMBER	float	numeric variable
IRI_VARNUM10	Y	NUMBER	float	numeric variable
IRI_VARDATE1	Y	DATE	datetime	date variable
IRI_VARDATE2	Y	DATE	datetime	date variable
IRI_VARDATE3	Y	DATE	datetime	date variable
IRI_VARDATE4	Y	DATE	datetime	date variable
IRI_VARDATES	Y	DATE	datetime	date variable
IRI_CONFRATING	Y	VARCHAR2(4)	nvarchar(4)	confidence rating
IRI_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	inspections result completed flag
IRI_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
IRI_VARCHAR11	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR12	Y	VARCHAR2(45)	nvarchar(45)	character variable
IRI_VARCHAR13	Y	VARCHAR2(45)	nvarchar(45)	character variable

[illegible]

IRI_VARDATE13	Y	DATE	datetime	date variable
IRI_VARDATE14	Y	DATE	datetime	date variable
IRI_VARDATE15	Y	DATE	datetime	date variable
IRI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INSTALL	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INS_CODE	N	VARCHAR2(8)	nvarchar(8)	code of installation parameter.
INS_DESC	Y	VARCHAR2(2000)	nvarchar(2000)	value of installation parameter.
INS_COMMENT	N	VARCHAR2(750)	nvarchar(750)	description of installation parameter.
INS_FIXED	N	VARCHAR2(1)	nvarchar(1)	value is + if installation code is fixed, i.e. cannot be changed after installation.
INS_MODULE	Y	VARCHAR2(12)	nvarchar(12)	module to which install parameter belongs
INS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
INS_EXTENDED	Y	VARCHAR2(1)	nvarchar(1)	This parameter is for Extended
INS_EDCOMMENT	Y	VARCHAR2(2000)	nvarchar(2000)	Description for particular edition
INS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
INS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTERFACE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INT_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
INT_CREATE	Y	DATE	datetime	date interface transaction created.
INT_TABLE	Y	VARCHAR2(32)	nvarchar(32)	source table of interface transaction.
INT_PROCESS	Y	DATE	datetime	date interface transaction (last) processed.
INT_STATUS	Y	VARCHAR2(30)	nvarchar(30)	status of interface transaction.
INT_ACTION	Y	VARCHAR2(30)	nvarchar(30)	action of interface transaction.
INT_KEYFLD1	Y	VARCHAR2(80)	nvarchar(80)	key field 1.
INT_KEYFLD2	Y	VARCHAR2(80)	nvarchar(80)	key field 2.
INT_KEYFLD3	Y	VARCHAR2(80)	nvarchar(80)	key field 3.
INT_KEYFLD4	Y	VARCHAR2(80)	nvarchar(80)	key field 4
INT_KEYFLD5	Y	VARCHAR2(80)	nvarchar(80)	key field 5.
INT_KEYFLDDATE1	Y	DATE	datetime	key field 1 (date field).
INT_KEYFLDDATE2	Y	DATE	datetime	key field 2 (date field).
INT_RETRIES	Y	NUMBER	int	number of retries.
INT_QUEUE	Y	NUMBER	int	queue number.
INT_SESSIONID	Y	NUMBER	int	identification of user logon session (generated by database).
INT_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
INT_TRANSORGID	Y	NUMBER	bigint	transaction organization
INT_GROUP	Y	NUMBER	int	group code
INT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTERFACEERRORS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INE_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
INE_CREATE	Y	DATE	datetime	date interface error created.
INE_ERROR	Y	VARCHAR2(240)	nvarchar(240)	error message text.
INE_ERRSOURCE	Y	VARCHAR2(32)	nvarchar(32)	source of error message.
INE_ERRTYPE	Y	VARCHAR2(10)	nvarchar(10)	error message type.
INE_ERRNUMBER	Y	VARCHAR2(10)	nvarchar(10)	error message number.
INE_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
INE_MP5ORGID	Y	VARCHAR2(15)	nvarchar(15)	D7i organization
INE_APP5ORGID	Y	VARCHAR2(30)	nvarchar(30)	orafin organization
INE_RECORDLOCATORINFO	Y	VARCHAR2(240)	nvarchar(240)	key fields
INE_INTERFACE	Y	VARCHAR2(50)	nvarchar(50)	interface procedure

INE_ERRORCODE	Y	NUMBER	int	error code
INE_POSITIONCODE	Y	VARCHAR2(20)	nvarchar(20)	position code
INE_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5INTERFACEERRORSXT		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ISX_TRANSID	Y	NUMBER	int	transaction id
ISX_CREATE	Y	DATE	datetime	process date
ISX_ERROR	Y	VARCHAR2(240)	nvarchar(240)	error text
ISX_ERRSOURCE	Y	VARCHAR2(32)	nvarchar(32)	error source
ISX_ERRTYPE	Y	VARCHAR2(10)	nvarchar(10)	error type
ISX_ERRNUMBER	Y	VARCHAR2(10)	nvarchar(10)	error number
ISX_TRANSORGID	Y	NUMBER	int	transaction organization
ISX_MP5ORGID	Y	VARCHAR2(15)	nvarchar(15)	D7i organization
ISX_APP5ORGID	Y	VARCHAR2(30)	nvarchar(30)	apps org. id
ISX_RECORDLOCATORINFO	Y	VARCHAR2(240)	nvarchar(240)	key fields
ISX_INTERFACE	Y	VARCHAR2(50)	nvarchar(50)	interface procedure
ISX_ERRORCODE	Y	NUMBER	int	error code
ISX_POSITIONCODE	Y	VARCHAR2(20)	nvarchar(20)	position code
ISX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTERFACEXT		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IXT_TRANSID	Y	NUMBER	int	unique identification of interface transaction.
IXT_CREATE	Y	DATE	datetime	date interface transaction created.
IXT_TABLE	Y	VARCHAR2(32)	nvarchar(32)	source table of interface transaction.
IXT_PROCESS	Y	DATE	datetime	date interface transaction processed.
IXT_STATUS	Y	VARCHAR2(30)	nvarchar(30)	status of interface transaction.
IXT_ACTION	Y	VARCHAR2(30)	nvarchar(30)	action code of interface transaction.
IXT_KEYFLD1	Y	VARCHAR2(80)	nvarchar(80)	key field 1.
IXT_KEYFLD2	Y	VARCHAR2(80)	nvarchar(80)	key field 2.
IXT_KEYFLD3	Y	VARCHAR2(80)	nvarchar(80)	key field 3.
IXT_KEYFLD4	Y	VARCHAR2(80)	nvarchar(80)	key field 4.
IXT_KEYFLD5	Y	VARCHAR2(80)	nvarchar(80)	key field 5.
IXT_KEYFLDDATE1	Y	DATE	datetime	key field 1 (date field).
IXT_KEYFLDDATE2	Y	DATE	datetime	key field 2 (date field).
IXT_RETRIES	Y	NUMBER	int	number of retries.
IXT_QUEUE	Y	NUMBER	int	queue number
IXT_SESSIONID	Y	NUMBER	int	session id
IXT_TRANS	Y	VARCHAR2(4)	nvarchar(4)	transaction code
IXT_TRANSORGID	Y	NUMBER	int	transaction organization
IXT_GROUP	Y	NUMBER	int	group code
IXT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTGPLANOPTIONS		INTEGRATION PLAN		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPO_RULE	Y	VARCHAR2(256)	nvarchar(256)	Rule
IPO_CASASTTOPMININSERT	Y	VARCHAR2(1)	nvarchar(1)	Insert
IPO_CASASTTOPMUPDATE	Y	VARCHAR2(1)	nvarchar(1)	Update
IPO_CASASTTOPMDELETE	Y	VARCHAR2(1)	nvarchar(1)	Delete
IPO_CASASTTOPMPROMPT	Y	VARCHAR2(1)	nvarchar(1)	Prompt
IPO_CASASTTONPMWOINSERT	Y	VARCHAR2(1)	nvarchar(1)	Insert
IPO_CASASTTONPMWOUUPDATE	Y	VARCHAR2(1)	nvarchar(1)	Update
IPO_CASASTTONPMWODELETE	Y	VARCHAR2(1)	nvarchar(1)	Delete

IPO_CASASTTONPMWOPROMPT	Y	VARCHAR2(1)	nvarchar(1)	Prompt
IPO_CASPMTOPMWOWINSERT	Y	VARCHAR2(1)	nvarchar(1)	Insert
IPO_CASPMTOPMWOWUPDATE	Y	VARCHAR2(1)	nvarchar(1)	Update
IPO_CASPMTOPMWOWDELETE	Y	VARCHAR2(1)	nvarchar(1)	Delete
IPO_CASPMTOPMWOWPROMPT	Y	VARCHAR2(1)	nvarchar(1)	Prompt
IPO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTGPLANORGITEM

INTEGRATION PLAN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPI_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization Code
IPI_ITEM	Y	VARCHAR2(80)	nvarchar(80)	Item Code
IPI_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
IPI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTGPLANSTATUS

INTEGRATION PLAN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPS_WOTYPE	N	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
IPS_NEWSTATUS	N	VARCHAR2(8)	nvarchar(8)	New WorkOrder Status
IPS_OLDSTATUS	N	VARCHAR2(8)	nvarchar(8)	Old WorkOrder Status
IPS_PRQSTATUS	N	VARCHAR2(4)	nvarchar(4)	Production Request Status
IPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INTGPLANWOTYPES

INTEGRATION PLAN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPW_WOTYPE	N	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
IPW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVALSTRUCTURES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IST_RCHILD	N	VARCHAR2(4)	nvarchar(4)	object type of child object (system code).
IST_RPARENT	N	VARCHAR2(4)	nvarchar(4)	2: child is already attached to a parent of this type.
IST_NEWRPARENT	N	VARCHAR2(4)	nvarchar(4)	object type of new parent to which child object is to be linked (system code).
IST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVDISTRIBUTIONS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IVD_INVOICE	N	VARCHAR2(45)	nvarchar(45)	invoice number
IVD_LINE	N	NUMBER(8,0)	numeric(8,0)	invoice line number
IVD_CCID	N	NUMBER(15,0)	numeric(15,0)	accounting flexfield
IVD_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization
IVD_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	amount of extra invoice cost
IVD_TYPE	N	VARCHAR2(4)	nvarchar(4)	user type of extra invoice cost
IVD_RTYPE	N	VARCHAR2(4)	nvarchar(4)	system type of extra invoice cost
IVD_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	extra invoice cost percentage

IVD_ACD	Y	NUMBER	bigint	financial interface
IVD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IVD_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
IVD_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
IVD_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
IVD_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
IVD_TAX	Y	VARCHAR2(20)	nvarchar(20)	The first tax code related to the invoice extra charge
IVD_TAX2	Y	VARCHAR2(20)	nvarchar(20)	The second tax code related to the invoice extra charge
IVD_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The tax amount related to the invoice extra charge
IVD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IVD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVDISTRIBUTIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AID_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AID_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	invoice number
AID_LINE	Y	NUMBER(8,0)	numeric(8,0)	invoice line number
AID_CCID	Y	NUMBER(15,0)	numeric(15,0)	accounting flexfield
AID_ORG	Y	VARCHAR2(15)	nvarchar(15)	invoice organization
AID_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	amount of extra invoice cost
AID_TYPE	Y	VARCHAR2(4)	nvarchar(4)	user type of extra invoice cost
AID_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	system type of extra invoice cost
AID_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	extra invoice cost percentage
AID_ACD	Y	NUMBER	bigint	financial interface
AID_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AID_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
AID_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
AID_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
AID_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
AID_TAX	Y	VARCHAR2(20)	nvarchar(20)	The first tax code related to the invoice extra charge
AID_TAX2	Y	VARCHAR2(20)	nvarchar(20)	The second tax code related to the invoice extra charge
AID_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax amount to be included while calculating the new average price
AID_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AID_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVESTMENTPLANEQUIPMENT

BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IEQ_INVESTMENTPLANNING	N	VARCHAR2(30)	nvarchar(30)	
IEQ_INVESTMENTPLANNINGREV	N	NUMBER(4,0)	numeric(4,0)	
IEQ_INVESTMENTPLANNING_ORG	N	VARCHAR2(15)	nvarchar(15)	
IEQ_OBJECT	N	VARCHAR2(30)	nvarchar(30)	
IEQ_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	
IEQ_PLANPRIORITY	Y	NUMBER(10,0)	numeric(10,0)	
IEQ_PRIORITYOVERRIDE	Y	NUMBER(10,0)	numeric(10,0)	
IEQ_COMMISSIONDATE	Y	DATE	datetime	
IEQ_CORRCONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_CORRCONDITIONDATE	Y	DATE	datetime	
IEQ_CORRCONDITIONUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_SERVICELIFE	Y	NUMBER(3,0)	numeric(3,0)	
IEQ_SERVICELIFEUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_AGE	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_AGECORRECTION	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_AGEINCREMENTPERIOD	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_AGEBASEDONUSAGE	Y	VARCHAR2(1)	nvarchar(1)	

IEQ_YEARLYAVERAGE	Y	NUMBER(24,6)	numeric(24,6)	
IEQ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
IEQ_CREATED	Y	DATE	datetime	Creation timestamp
IEQ_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
IEQ_UPDATED	Y	DATE	datetime	Update timestamp
IEQ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IEQ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IEQ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IEQ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IEQ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IEQ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IEQ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
IEQ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
IEQ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
IEQ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
IEQ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
IEQ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IEQ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IEQ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IEQ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IEQ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IEQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IEQ_LASTSAVED	Y	DATE	datetime	Timestamp of last update
IEQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVESTMENTPLANNING		BUDGETS		
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
INP_CODE	N	VARCHAR2(30)	nvarchar(30)	
INP_REVISION	N	NUMBER(4,0)	numeric(4,0)	
INP_ORG	N	VARCHAR2(15)	nvarchar(15)	
INP_DESC	N	VARCHAR2(80)	nvarchar(80)	
INP_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
INP_STATUS	N	VARCHAR2(4)	nvarchar(4)	
INP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
INP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
INP_STARTDATE	Y	DATE	datetime	
INP_PLANNINGPERIODS	N	NUMBER(2,0)	numeric(2,0)	
INP_YEARLYINFLATIONPERCENT	Y	NUMBER(24,6)	numeric(24,6)	
INP_ALLOWEARLYINVESTMENTS	Y	VARCHAR2(1)	nvarchar(1)	
INP_ALLOWBUDGETROLLOVER	Y	VARCHAR2(1)	nvarchar(1)	
INP_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
INP_NOTE	Y	VARCHAR2(2000)	nvarchar(2000)	
INP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
INP_CREATED	Y	DATE	datetime	Creation timestamp
INP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
INP_UPDATED	Y	DATE	datetime	Update timestamp
INP_FUNDINGTYPE	N	VARCHAR2(8)	nvarchar(8)	
INP_STARTINGBUDGET	Y	NUMBER(24,6)	numeric(24,6)	
INP_YEARLYINCREASEPERCENT	Y	NUMBER(24,6)	numeric(24,6)	
INP_YEARLYINCREASE	Y	NUMBER(24,6)	numeric(24,6)	
INP_INCLUDEEQUIPCRITICALITY	Y	VARCHAR2(1)	nvarchar(1)	
INP_INCLUDEEQUIPMENTRISK	Y	VARCHAR2(1)	nvarchar(1)	
INP_CPRPRIORITYBASIS	Y	VARCHAR2(4)	nvarchar(4)	
INP_PLANNINGSTATUS	Y	VARCHAR2(4)	nvarchar(4)	
INP_PLANNINGERROR	Y	VARCHAR2(4000)	nvarchar(4000)	
INP_PLANNINGREQUESTDATE	Y	DATE	datetime	
INP_PLANNINGRUNDATE	Y	DATE	datetime	
INP_PLANNINGRUNID	Y	VARCHAR2(100)	nvarchar(100)	
INP_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	
INP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

INP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
INP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
INP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
INP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
INP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
INP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
INP_LASTSAVED	Y	DATE	datetime	Timestamp of last update
INP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVESTMENTPLANNINGREQUESTS BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPQ_INVESTMENTPLANNING	N	VARCHAR2(30)	nvarchar(30)	
IPQ_INVESTMENTPLANNING_ORG	N	VARCHAR2(15)	nvarchar(15)	
IPQ_INVESTMENTPLANNINGREV	N	NUMBER(4,0)	numeric(4,0)	
IPQ_CAPITALPLANNINGREQUEST	N	VARCHAR2(30)	nvarchar(30)	
IPQ_CAPITALPLANNINGREQUEST_ORG	N	VARCHAR2(15)	nvarchar(15)	
IPQ_PLANPRIORITY	Y	NUMBER(10,0)	numeric(10,0)	
IPQ_PRIORITYOVERRIDE	Y	NUMBER(10,0)	numeric(10,0)	
IPQ_INVESTMENTPERIOD	Y	NUMBER(2,0)	numeric(2,0)	
IPQ_INVESTMENTPERIODOVERRIDE	Y	NUMBER(2,0)	numeric(2,0)	
IPQ_INVESTEARLY	Y	NUMBER(3,0)	numeric(3,0)	
IPQ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	
IPQ_CREATED	Y	DATE	datetime	Creation timestamp
IPQ_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
IPQ_UPDATED	Y	DATE	datetime	Update timestamp
IPQ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

IPQ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IPQ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IPQ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IPQ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IPQ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IPQ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IPQ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
IPQ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
IPQ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
IPQ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
IPQ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
IPQ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IPQ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IPQ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IPQ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IPQ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IPQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPQ_LASTSAVED	Y	DATE	datetime	
IPQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVESTMENTPLANNINGRESULT BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INR_CODE	N	VARCHAR2(30)	nvarchar(30)	
INR_INVESTMENTPLANNING	Y	VARCHAR2(30)	nvarchar(30)	
INR_INVESTMENTPLANNINGREV	Y	NUMBER(4,0)	numeric(4,0)	
INR_INVESTMENTPLANNING_ORG	Y	VARCHAR2(15)	nvarchar(15)	
INR_TYPE	Y	VARCHAR2(8)	nvarchar(8)	
INR_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	
INR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
INR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
INR_CAPITALPLANNINGREQUEST	Y	VARCHAR2(30)	nvarchar(30)	
INR_CAPITALPLANNINGREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	
INR_PLANNINGPERIOD	Y	NUMBER(2,0)	numeric(2,0)	
INR_INVESTMENTOPTION	Y	VARCHAR2(8)	nvarchar(8)	

INR_OPTIONCOST	Y	NUMBER(24,6)	numeric(24,6)	
INR_OPTIONSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
INR_OPTIONAGE	Y	NUMBER(6,2)	numeric(6,2)	
INR_PERIODCOST	Y	NUMBER(24,6)	numeric(24,6)	
INR_PERIODBUDGET	Y	NUMBER(24,6)	numeric(24,6)	
INR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
INR_CREATED	Y	DATE	datetime	Creation timestamp
INR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
INR_LASTSAVED	Y	DATE	datetime	Timestamp of last update
INR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICEALLOCATIONS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INA_PK	N	NUMBER	numeric(38,0)	The system generated primary key, using new sequence s5invoiceallocations
INA_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	The invoice
INA_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the invoice
INA_INVLIN	Y	NUMBER(8,0)	numeric(8,0)	The invoice line number
INA_ORIGQTY	Y	NUMBER(24,6)	numeric(24,6)	The original quantity
INA_REMQTY	Y	NUMBER(24,6)	numeric(24,6)	The remaining/outstanding quantity
INA_PRICE	Y	NUMBER(24,6)	numeric(24,6)	The unit cost
INA_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is still active. Defaults to +
INA_INACTIVATED	Y	DATE	datetime	The date and time the record was inactivated
INA_UPDATECOUNT	Y	NUMBER	numeric(38,0)	Number of times this record has been updated
INA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
INA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICEALLOCATIONS_ARCHIVE

ARCHIVING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AIA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AIA_PK	Y	NUMBER	numeric(38,0)	The system generated primary key, using new sequence s5invoiceallocations
AIA_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	The invoice
AIA_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the invoice
AIA_INVLIN	Y	NUMBER(8,0)	numeric(8,0)	The invoice line number
AIA_ORIGQTY	Y	NUMBER(24,6)	numeric(24,6)	The original quantity
AIA_REMQTY	Y	NUMBER(24,6)	numeric(24,6)	The remaining/outstanding quantity
AIA_PRICE	Y	NUMBER(24,6)	numeric(24,6)	The unit cost
AIA_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is still active. Defaults to +
AIA_INACTIVATED	Y	DATE	datetime	The date and time the record was inactivated
AIA_UPDATECOUNT	Y	NUMBER	numeric(38,0)	number of times this record has been updated
AIA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AIA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICEINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
INI_CREATE	Y	DATE	datetime	date interface transaction created.
INI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
INI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
INI_CODE	Y	VARCHAR2(30)	nvarchar(30)	invoice number.
INI_DESC	Y	VARCHAR2(80)	nvarchar(80)	invoice description.
INI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	invoice classification code.
INI_RTTYPE	Y	VARCHAR2(4)	nvarchar(4)	invoice type (user code, see entity ivtp).
INI_PARENTREF	Y	VARCHAR2(24)	nvarchar(24)	invoice code of (original) parent invoice.
INI_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized invoice.

INI_REF	Y	VARCHAR2(24)	nvarchar(24)	suppliers invoice reference.
INI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	invoice status (system code, see entity ivst).
INI_DATE	Y	DATE	datetime	invoice registration date.
INI_RECORD	Y	DATE	datetime	date invoice recorded.
INI_PAYDATE	Y	DATE	datetime	payment due date.
INI_MATCH	Y	DATE	datetime	date invoice matched.
INI_APPROV	Y	DATE	datetime	date invoice approved.
INI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
INI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
INI_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	invoice amount.
INI_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
INI_CHARGE	Y	NUMBER(24,6)	numeric(24,6)	amount extra charges.
INI_VAT	Y	NUMBER(24,6)	numeric(24,6)	tax amount.
INI_INVLINE	Y	NUMBER(8,0)	numeric(8,0)	invoice line number.
INI_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
INI_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
INI_LINECURR	Y	VARCHAR2(3)	nvarchar(3)	currency code (of invoice line).
INI_LINEEXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate (of invoice line).
INI_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced.
INI_INVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value invoiced.
INI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	invoice price.
INI_LINEDISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	invoice line discount amount.
INI_REVERSAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if reversal.
INI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
INI_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
INI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICELINES

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IVL_INVOICE	N	VARCHAR2(45)	nvarchar(45)	invoice code
IVL_INVLINE	N	NUMBER(8,0)	numeric(8,0)	invoice line number.
IVL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
IVL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
IVL_INVQTY	N	NUMBER(24,6)	numeric(24,6)	invoice line quantity.
IVL_INVVALUE	N	NUMBER(24,6)	numeric(24,6)	value invoiced.
IVL_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	unit price discount amount.
IVL_PRICE	N	NUMBER(24,6)	numeric(24,6)	invoice line price.
IVL_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
IVL_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
IVL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
IVL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
IVL_INTERFACE	Y	DATE	datetime	financial interface
IVL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
IVL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
IVL_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization
IVL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
IVL_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax 1
IVL_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2
IVL_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
IVL_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra charges
IVL_TYPE	N	VARCHAR2(4)	nvarchar(4)	invoice line type
IVL_RTYPE	N	VARCHAR2(4)	nvarchar(4)	invoice line r type (system)
IVL_MATCHED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating status of invoice line
IVL_RETURNQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be physically returned

IVL_LOSTCREDIT	Y	NUMBER(24,6)	numeric(24,6)	Credit amount that cannot be subtracted from the stock value.
IVL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IVL_INVCALCTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax amount to be included while calculating the new average price
IVL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IVL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IVL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IVL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IVL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IVL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IVL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
IVL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
IVL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
IVL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
IVL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
IVL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IVL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IVL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IVL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IVL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IVL_FINALPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is the final payment of a purchase order line
IVL_PREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is a pre payment invoice line
IVL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IVL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICELINES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AII_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AII_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	invoice code
AII_INVLIN	Y	NUMBER(8,0)	numeric(8,0)	invoice line number.
AII_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
AII_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
AII_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	invoice line quantity.
AII_INVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value invoiced.
AII_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	unit price discount amount.
AII_PRICE	Y	NUMBER(24,6)	numeric(24,6)	invoice line price.
AII_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AII_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AII_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
AII_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
AII_INTERFACE	Y	DATE	datetime	financial interface
AII_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
AII_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
AII_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	invoice organization
AII_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
AII_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax 1
AII_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2
AII_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
AII_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra charges
AII_TYPE	Y	VARCHAR2(4)	nvarchar(4)	invoice line type
AII_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	invoice line r type (system)
AII_MATCHED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating status of invoice line
AII_RETURNQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be physically returned
AII_LOSTCREDIT	Y	NUMBER(24,6)	numeric(24,6)	Credit amount that cannot be subtracted from the stock value.
AII_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AII_INVCALCTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax amount to be included while calculating the new average price
AII_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AII_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AII_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AII_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AII_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AII_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AII_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AII_UDFDATE01	Y	DATE	datetime	User defined field of type Date
AII_UDFDATE02	Y	DATE	datetime	User defined field of type Date
AII_UDFDATE03	Y	DATE	datetime	User defined field of type Date
AII_UDFDATE04	Y	DATE	datetime	User defined field of type Date
AII_UDFDATE05	Y	DATE	datetime	User defined field of type Date
AII_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AII_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AII_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AII_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AII_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AII_FINALPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is the final payment of a purchase order line
AII_PREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is a pre payment invoice line
AII_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AII_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICES		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
INV_CODE	N	VARCHAR2(45)	nvarchar(45)	code identifying the invoice.
INV_DESC	N	VARCHAR2(80)	nvarchar(80)	description of invoice.
INV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
INV_STATUS	N	VARCHAR2(4)	nvarchar(4)	current status.
INV_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	invoice status (system code).
INV_PARENT	Y	VARCHAR2(45)	nvarchar(45)	original invoice reference.
INV_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
INV_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of invoice (user code).
INV_RTYPE	N	VARCHAR2(4)	nvarchar(4)	invoice type (system code).
INV_AUTH	Y	VARCHAR2(255)	nvarchar(255)	user authorizing payment of invoice.
INV_CHARGE	Y	NUMBER(24,6)	numeric(24,6)	total amount of additional charges, e.g. delivery charges.
INV_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
INV_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
INV_DATE	N	DATE	datetime	date invoice was raised by supplier.
INV_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount on invoice.
INV_PAYDATE	Y	DATE	datetime	invoice due date.
INV_REF	N	VARCHAR2(24)	nvarchar(24)	invoice reference.
INV_RECORD	N	DATE	datetime	invoice recording date.
INV_MATCH	Y	DATE	datetime	date invoice matched.
INV_APPROV	Y	DATE	datetime	invoice approval date.
INV_VAT	Y	NUMBER(24,6)	numeric(24,6)	amount of value added tax.
INV_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	invoice value, including debit and credit notes referring to this invoice.
INV_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
INV_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
INV_INTERFACE	Y	DATE	datetime	financial interface
INV_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization

INV_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent invoice organization
INV_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
INV_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
INV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
INV_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
INV_PAYSUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	the supplier to pay the invoice
INV_PAYSUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	the supplier organization
INV_PAIDDATE	Y	DATE	datetime	date the invoice was paid
INV_ORDER	Y	VARCHAR2(30)	nvarchar(30)	po of the invoice
INV_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	po organization of the invoice
INV_PREMATCHUSER	Y	VARCHAR2(255)	nvarchar(255)	the user who set the invoice to status pre-match.
INV_RETURN	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate whether physical return are allowed on the invoice.
INV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
INV_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
INV_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
INV_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
INV_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INV_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INV_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INV_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INV_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
INV_UDFDATE01	Y	DATE	datetime	User defined field of type Date
INV_UDFDATE02	Y	DATE	datetime	User defined field of type Date
INV_UDFDATE03	Y	DATE	datetime	User defined field of type Date
INV_UDFDATE04	Y	DATE	datetime	User defined field of type Date

INV_UDFDATE05	Y	DATE	datetime	User defined field of type Date
INV_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INV_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INV_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INV_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INV_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
INV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
INV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AIN_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AIN_CODE	Y	VARCHAR2(45)	nvarchar(45)	code identifying the invoice.
AIN_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of invoice.
AIN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AIN_STATUS	Y	VARCHAR2(4)	nvarchar(4)	current status.
AIN_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	invoice status (system code).
AIN_PARENT	Y	VARCHAR2(45)	nvarchar(45)	original invoice reference.
AIN_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
AIN_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of invoice (user code).
AIN_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	invoice type (system code).
AIN_AUTH	Y	VARCHAR2(255)	nvarchar(255)	user authorizing payment of invoice.
AIN_CHARGE	Y	NUMBER(24,6)	numeric(24,6)	total amount of additional charges, e.g. delivery charges.
AIN_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AIN_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AIN_DATE	Y	DATE	datetime	date invoice was raised by supplier.
AIN_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount on invoice.
AIN_PAYDATE	Y	DATE	datetime	invoice due date.
AIN_REF	Y	VARCHAR2(24)	nvarchar(24)	invoice reference.
AIN_RECORD	Y	DATE	datetime	invoice recording date.
AIN_MATCH	Y	DATE	datetime	date invoice matched.
AIN_APPROV	Y	DATE	datetime	invoice approval date.
AIN_VAT	Y	NUMBER(24,6)	numeric(24,6)	amount of value added tax.
AIN_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	invoice value, including debit and credit notes referring to this invoice.
AIN_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
AIN_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
AIN_INTERFACE	Y	DATE	datetime	financial interface
AIN_ORG	Y	VARCHAR2(15)	nvarchar(15)	invoice organization
AIN_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent invoice organization
AIN_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
AIN_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
AIN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AIN_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
AIN_PAYSUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	the supplier to pay the invoice
AIN_PAYSUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	the supplier organization
AIN_PAIDDATE	Y	DATE	datetime	date the invoice was paid
AIN_ORDER	Y	VARCHAR2(30)	nvarchar(30)	po of the invoice
AIN_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	po organization of the invoice
AIN_PREMATCHUSER	Y	VARCHAR2(255)	nvarchar(255)	the user who set the invoice to status pre-match.
AIN_RETURN	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate whether physical return are allowed on the invoice.
AIN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AIN_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
AIN_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
AIN_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AIN_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AIN_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AIN_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AIN_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AIN_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AIN_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AIN_UDFDATE01	Y	DATE	datetime	User defined field of type Date
AIN_UDFDATE02	Y	DATE	datetime	User defined field of type Date
AIN_UDFDATE03	Y	DATE	datetime	User defined field of type Date
AIN_UDFDATE04	Y	DATE	datetime	User defined field of type Date
AIN_UDFDATE05	Y	DATE	datetime	User defined field of type Date
AIN_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AIN_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AIN_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AIN_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AIN_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AIN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSINVOICEUNMATCHEDLINES

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IUC_INVOICE	N	VARCHAR2(45)	nvarchar(45)	
IUC_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	
IUC_LINE	N	NUMBER(8,0)	numeric(8,0)	
IUC_DESC	N	VARCHAR2(80)	nvarchar(80)	
IUC_TYPE	N	VARCHAR2(8)	nvarchar(8)	

IUC_ORDER	N	VARCHAR2(30)	nvarchar(30)	
IUC_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	
IUC_ORDLINE	N	NUMBER(8,0)	numeric(8,0)	
IUC_TOOL	Y	VARCHAR2(12)	nvarchar(12)	
IUC_HOURS	N	NUMBER(24,6)	numeric(24,6)	
IUC_RATE	N	NUMBER(24,6)	numeric(24,6)	
IUC_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	
IUC_EVENT	N	VARCHAR2(30)	nvarchar(30)	
IUC_ACT	N	NUMBER(8,0)	numeric(8,0)	
IUC_TRADE	Y	VARCHAR2(15)	nvarchar(15)	
IUC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
IUC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IUC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IUC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IUC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IUC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
IUC_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
IUC_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
IUC_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
IUC_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
IUC_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
IUC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IUC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IUC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IUC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

IUC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
IUC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IUC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IUC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICEUTILITYAUDIT

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IUA_INVOICE	N	VARCHAR2(45)	nvarchar(45)	The code of the supplier invoice.
IUA_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the supplier invoice.
IUA_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	The utility line number of the customer invoice.
IUA_MESSAGEID	N	NUMBER(2,0)	numeric(2,0)	The message id of the invoice utility audit record.
IUA_PREVINVOICE	Y	VARCHAR2(45)	nvarchar(45)	The code of the previous supplier invoice.
IUA_DAYS	Y	NUMBER(4,0)	numeric(4,0)	The number of days overlap or missing between invoices.
IUA_PEAKDEMAND	Y	NUMBER(24,6)	numeric(24,6)	The peak demand of the invoice utility audit record.
IUA_DEMANDDIFF	Y	NUMBER(24,6)	numeric(24,6)	The demand difference between two periods..
IUA_COSTDIFF	Y	NUMBER(24,6)	numeric(24,6)	The cost difference between two periods.
IUA_PERCDIFF	Y	NUMBER(24,6)	numeric(24,6)	The cost difference as percentage between two periods.
IUA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IUA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IUA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVOICEUTILITYAUDIT_ARCHIVE

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AUA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	
AUA_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	
AUA_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
AUA_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	
AUA_MESSAGEID	Y	NUMBER(2,0)	numeric(2,0)	
AUA_PREVINVOICE	Y	VARCHAR2(45)	nvarchar(45)	
AUA_DAYS	Y	NUMBER(4,0)	numeric(4,0)	
AUA_PEAKDEMAND	Y	NUMBER(24,6)	numeric(24,6)	
AUA_DEMANDDIFF	Y	NUMBER(24,6)	numeric(24,6)	
AUA_COSTDIFF	Y	NUMBER(24,6)	numeric(24,6)	
AUA_PERCDIFF	Y	NUMBER(24,6)	numeric(24,6)	
AUA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AUA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AUA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5INVUNMATCHEDLINES_ARCHIVE

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ICA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	
ICA_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	
ICA_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ICA_LINE	Y	NUMBER(8,0)	numeric(8,0)	
ICA_DESC	Y	VARCHAR2(80)	nvarchar(80)	
ICA_TYPE	Y	VARCHAR2(8)	nvarchar(8)	
ICA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	
ICA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ICA_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	
ICA_TOOL	Y	VARCHAR2(12)	nvarchar(12)	
ICA_HOURS	Y	NUMBER(24,6)	numeric(24,6)	
ICA_RATE	Y	NUMBER(24,6)	numeric(24,6)	
ICA_TAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	
ICA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	

ICA_ACT	Y	NUMBER(8,0)	numeric(8,0)	
ICA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	
ICA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ICA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ICA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ICA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ICA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ICA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ICA_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
ICA_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
ICA_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
ICA_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
ICA_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
ICA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ICA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ICA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ICA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ICA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ICA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ICA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ICA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPCONNINFO

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CNN_CONNECTIONKEY	N	LONG	ntext	connection id returned by broker

CNN_CONNECTIONNAME	N	VARCHAR2(30)	nvarchar(30)	connection name entered by user
CNN_PASSWORD	N	VARCHAR2(30)	nvarchar(30)	connection password
CNN_DESCRIPTION	N	VARCHAR2(80)	nvarchar(80)	connection description
CNN_UPDATED	N	DATE	datetime	date last used
CNN_UPDUSER	N	VARCHAR2(255)	nvarchar(255)	user created by
CNN_ALLPARTSSENT	Y	VARCHAR2(1)	nvarchar(1)	checks if all the parts are succesfully sent to 7i Buy.
CNN_RETRIEVEERROR	Y	VARCHAR2(1)	nvarchar(1)	checks if there is an error in retrieving matches.
CNN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CNN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CNN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPFUNCTIONS	PURCHASING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPF_CODE	N	NUMBER(2,0)	numeric(2,0)	7i Buy function
IPF_DESC	Y	VARCHAR2(255)	nvarchar(255)	function description
IPF_FIELD	Y	VARCHAR2(30)	nvarchar(30)	field
IPF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPGROUPPERMISSIONS	PURCHASING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPG_GROUP	N	VARCHAR2(12)	nvarchar(12)	group
IPG_PERMISSION	N	NUMBER(38,0)	numeric(38,0)	permission
IPG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPG_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Active flag
IPG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPPERMISSIONS	PURCHASING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPP_CODE	N	NUMBER(38,0)	numeric(38,0)	code
IPP_MNEMONIC	Y	VARCHAR2(6)	nvarchar(6)	mnemonic
IPP_FUNCTION	Y	NUMBER(2,0)	numeric(2,0)	function
IPP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPTRACKING	PURCHASING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPR_TYPE	N	VARCHAR2(4)	nvarchar(4)	will be defined by the the entity "iptr"
IPR_RTYPE	N	VARCHAR2(4)	nvarchar(4)	will be defined by the the entity "iptr"
IPR_COLUMN1	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN2	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN3	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN4	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN5	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN6	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN7	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN8	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN9	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN10	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN11	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN12	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail

IPR_COLUMN13	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN14	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_COLUMN15	Y	VARCHAR2(80)	nvarchar(80)	will be used for adding information to the mail
IPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPVENDORORDERTERMS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPT_CODE	N	NUMBER	int	vendor order term code
IPT_TERM	N	VARCHAR2(30)	nvarchar(30)	acceptable order terms
IPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5IPVENDORS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
IPV_CODE	N	NUMBER	int	7i Buy vendor code
IPV_DESC	Y	VARCHAR2(255)	nvarchar(255)	vendor name
IPV_URL	Y	VARCHAR2(255)	nvarchar(255)	vendor url
IPV_NOTES	Y	VARCHAR2(4000)	nvarchar(4000)	vendor notes
IPV_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	vendor e-mail
IPV_ORG	N	VARCHAR2(15)	nvarchar(15)	vendor site
IPV_CURR	N	VARCHAR2(3)	nvarchar(3)	vendor currency
IPV_LANG	N	VARCHAR2(2)	nvarchar(2)	vendor language
IPV_ACCOUNT	Y	VARCHAR2(24)	nvarchar(24)	account number
IPV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
IPV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
IPV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ISOLATIONPOINTS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ISP_CODE	N	VARCHAR2(30)	nvarchar(30)	The isolation point code
ISP_ORG	N	VARCHAR2(15)	nvarchar(15)	The isolation point organization.
ISP_REVISION	N	NUMBER(4,0)	numeric(4,0)	The isolation point revision.
ISP_DESC	N	VARCHAR2(80)	nvarchar(80)	The isolation point description.
ISP_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the isolation point.
ISP_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the isolation point.
ISP_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Not Used Flag
ISP_ISOLATED	N	VARCHAR2(1)	nvarchar(1)	Flag to indicated whether the isolation point is isolated.
ISP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the isolation point.
ISP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the isolation point.
ISP_ENERGYSOURCE	Y	VARCHAR2(8)	nvarchar(8)	The energy source of the isolation point.
ISP_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment code related to the isolation point.
ISP_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment organization related to the isolation point.
ISP_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the isolation point.
ISP_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the location of the isolation point.
ISP_LOCATIONNOTE	Y	VARCHAR2(1000)	nvarchar(1000)	The location note of the isolation point.
ISP_RESIDUALENERGY	Y	VARCHAR2(8)	nvarchar(8)	The residual energy of the isolation point.
ISP_RESIDUALENERGY2	Y	VARCHAR2(8)	nvarchar(8)	The second residual energy of the isolation point.
ISP_REVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether the isolation point should be reviewed.
ISP_CREATED	Y	DATE	datetime	record creation timestamp
ISP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
ISP_UPDATED	Y	DATE	datetime	Update time stamp

ISP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
ISP_REQUESTED	Y	DATE	datetime	The date the isolation point was requested.
ISP_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who requested the isolation point.
ISP_APPROVED	Y	DATE	datetime	The date the isolation point was approved.
ISP_APPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who approved the isolation point.
ISP_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The reason for the new isolation point revision.
ISP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ISP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ISP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ISP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ISP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ISP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ISP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ISP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ISP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ISP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ISP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ISP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
ISP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
ISP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
ISP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
ISP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
ISP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ISP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ISP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ISSUEDCORES		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ISC_PK	N	NUMBER	numeric(18,0)	The primary key of the issued cores record.
ISC_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization.
ISC_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	The system entity belonging to the code the core was issued to.
ISC_CODE	Y	VARCHAR2(50)	nvarchar(50)	The project, work order, equipment or personnel code the core was issued to.
ISC_PART	Y	VARCHAR2(30)	nvarchar(30)	The core part issued.
ISC_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the core part issued.
ISC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order the core was issued to.
ISC_UNITCOREVALUE	Y	NUMBER(24,6)	numeric(24,6)	The value of a single core.
ISC_ISSUEDQTY	Y	NUMBER(24,6)	numeric(24,6)	The number of cores issued.
ISC_ORIGISSUETRANS	Y	VARCHAR2(30)	nvarchar(30)	The code of the first issue transaction.
ISC_ORIGISSUEDATE	Y	DATE	datetime	The date of the first issue transaction.
ISC_LASTISSUEDATE	Y	DATE	datetime	The date the core was last issued.
ISC_RETURNEDQTY	Y	NUMBER(24,6)	numeric(24,6)	The number of cores returned.
ISC_ORIGRETURNTRANS	Y	VARCHAR2(30)	nvarchar(30)	The code of the first return transaction.
ISC_ORIGRETURNDATE	Y	DATE	datetime	The date of the first return transaction.
ISC_UPDATED	Y	DATE	datetime	Update time stamp
ISC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ISC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ISC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ISSUEINTERFACE		ASSET TRACKING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ISI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
ISI_SERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number.
ISI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ISI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ISI_CODE	Y	VARCHAR2(8)	nvarchar(8)	transaction number.
ISI_DESC	Y	VARCHAR2(80)	nvarchar(80)	transaction description.
ISI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	transaction classification code.
ISI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (user code).
ISI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code).
ISI_ADVICE	Y	VARCHAR2(12)	nvarchar(12)	suppliers advise note reference.
ISI_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized transaction.
ISI_DATE	Y	DATE	datetime	date transaction occurred.
ISI_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ISI_PRIDEST	Y	VARCHAR2(4)	nvarchar(4)	price code of destination store.
ISI_PRIORIG	Y	VARCHAR2(4)	nvarchar(4)	price code of originating store.
ISI_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
ISI_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status.
ISI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	transaction status (system code).
ISI_FROMENTITY	Y	VARCHAR2(4)	nvarchar(4)	identifies entity where part is moved from (user code).
ISI_FROMRENTITY	Y	VARCHAR2(4)	nvarchar(4)	identifies entity where part is moved from (system code).
ISI_FROMTYPE	Y	VARCHAR2(4)	nvarchar(4)	identifies entity subtype where part is moved from (user code).
ISI_FROMRTYPE	Y	VARCHAR2(4)	nvarchar(4)	identifies entity subtype where part is moved from (system code).
ISI_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	identifies where part is moved from : which store, supplier, event code.
ISI_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	identifies entity where part is moved to (system code).
ISI_TORENTITY	Y	VARCHAR2(4)	nvarchar(4)	identifies entity where part is moved to (user code).
ISI_TOTYPE	Y	VARCHAR2(4)	nvarchar(4)	identifies entity subtype where part is moved to (user code).
ISI_TORTYPE	Y	VARCHAR2(4)	nvarchar(4)	identifies entity subtype where part is moved to (system code).
ISI_TOCODE	Y	VARCHAR2(30)	nvarchar(30)	identifies where part is moved to : which store, supplier, event code.
ISI_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if transaction has been printed.

ISI_LINE	Y	NUMBER(8,0)	numeric(8,0)	transaction line number.
ISI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
ISI_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ISI_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ISI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ISI_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ISI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ISI_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
ISI_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ISI_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code).
ISI_OBRTP	Y	VARCHAR2(4)	nvarchar(4)	object type (system code).
ISI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
ISI_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
ISI_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
ISI_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ISI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	transaction base price.
ISI_QTY	Y	NUMBER(24,6)	numeric(24,6)	transaction quantity.
ISI_STOCKPRICE	Y	NUMBER(24,6)	numeric(24,6)	transaction stock price
ISI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
ISI_IO	Y	NUMBER	int	input-output indicator.
ISI_ACD	Y	NUMBER	bigint	account details code.
ISI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ISI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
ISI_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ISI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ISI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ISSUES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ISS_PK	N	NUMBER	int	Primary key column. Given a value using new sequence s5fifo
ISS_EVENT	N	VARCHAR2(30)	nvarchar(30)	Store code.
ISS_ACT	Y	NUMBER(8,0)	numeric(8,0)	Part code.
ISS_STORE	N	VARCHAR2(15)	nvarchar(15)	Part organization code.
ISS_PART	N	VARCHAR2(30)	nvarchar(30)	part codePurchase order code.
ISS_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part code organizationPurchase order organization code.
ISS_QTY	N	NUMBER(24,6)	numeric(24,6)	Order line number.
ISS_PRICE	N	NUMBER(24,6)	numeric(24,6)	Quantity.
ISS_DATE	N	DATE	datetime	Price.
ISS_FIFODATE	N	DATE	datetime	Date of the original receipt.
ISS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ISS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ISS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ITEMS EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ITM_CODE	N	VARCHAR2(80)	nvarchar(80)	unique Item Code
ITM_DESC	N	VARCHAR2(1024)	nvarchar(1024)	Item Description
ITM_TYPE	N	VARCHAR2(100)	nvarchar(100)	Item Type
ITM_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
ITM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ITM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ITM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5JMPROJ BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JMP_PK	N	VARCHAR2(30)	nvarchar(30)	primary key / sessionid
JMP_ETC	Y	NUMBER(24,6)	numeric(24,6)	estimated cost to complete
JMP_RECS	Y	NUMBER(8,0)	numeric(8,0)	number of budget class records used to calculate the total cost
JMP_STARTDATE	Y	DATE	datetime	the start date and time of the cost calculation
JMP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5JOB LINES				
WORK				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JBL_EVENT	N	VARCHAR2(30)	nvarchar(30)	job code.
JBL_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
JBL_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization code.
JBL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	whether line is active or not.
JBL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition code.
JBL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
JBL_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be repaired.
JBL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity repaired.
JBL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity scrapped.
JBL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
JBL_COMPLETEDQTY	Y	NUMBER(24,6)	numeric(24,6)	The qty already repaired
JBL_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store used
JBL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JBL_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5JOB LINES_ARCHIVE				
Archiving				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AJL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AJL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job code.
AJL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
AJL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization code.
AJL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	whether line is active or not.
AJL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition code.
AJL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
AJL_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be repaired.
AJL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity repaired.
AJL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity scrapped.
AJL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AJL_COMPLETEDQTY	Y	NUMBER(24,6)	numeric(24,6)	The qty already repaired
AJL_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store used
AJL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AJL_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5JOB PARAM				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JPR_NAME	Y	VARCHAR2(10)	nvarchar(10)	This is primary key of the table.
JPR_LINE	Y	NUMBER(8,0)	numeric(8,0)	This is primary key of the table. Value should be greater then 0.
JPR_PARAMETER	Y	VARCHAR2(20)	nvarchar(20)	Alternate key with JP_NAME
JPR_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	system entity
JPR_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	system type
JPR_DATATYPE	Y	VARCHAR2(2)	nvarchar(2)	Could be one of the following values: C, CB, D, DF, DT, N, RB, O, CF
JPR_LENGTH	Y	NUMBER(10,0)	numeric(10,0)	length
JPR_FORMAT	Y	VARCHAR2(20)	nvarchar(20)	format mask.
JPR_DEFAULT	Y	VARCHAR2(30)	nvarchar(30)	default value

JPR_FIXED	Y	VARCHAR2(1)	nvarchar(1)	Could be one of the following values: +, -
JPR_MANDATORY	Y	VARCHAR2(1)	nvarchar(1)	Could be one of the following values: +, -
JPR_UPPER	Y	VARCHAR2(1)	nvarchar(1)	value is + if parameter is to be entered in uppercase.
JPR_OPTIONS	Y	NUMBER(10,0)	numeric(10,0)	number of options, datatype=rb
JPR_REMEMBER	Y	VARCHAR2(1)	nvarchar(1)	Could be one of the following values: +, -
JPR_TEST	Y	VARCHAR2(24)	nvarchar(24)	for making report book file (used by development only).
JPR_QUERY	Y	VARCHAR2(8)	nvarchar(8)	code of sql query statement.
JPR_LOVFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	code of function that provides list of values for parameter.
JPR_PROPERTY	Y	VARCHAR2(8)	nvarchar(8)	Used for lov on work order custom field report parameters.
JPR_EWSLOVDEF	Y	VARCHAR2(200)	nvarchar(200)	Extended lookup query definition
JPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
JPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5JOBPARAMVALUE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JPV_CODE	N	VARCHAR2(30)	nvarchar(30)	This is primary key of the table.
JPV_LINE	N	NUMBER(8,0)	numeric(8,0)	This is primary key of the table. Value should be greater than 0.
JPV_KEY	Y	VARCHAR2(20)	nvarchar(20)	Specifies parameters key.
JPV_VALUE	Y	VARCHAR2(1025)	nvarchar(1025)	Specifies parameters value.
JPV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Support optimistic locking scheme.
JPV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JPV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5JOBS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JOB_NAME	N	VARCHAR2(10)	nvarchar(10)	This is primary key of the table. User readable name of the job
JOB_DESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	Text description of the job.
JOB_CLASS	N	VARCHAR2(1025)	nvarchar(1025)	Specifies java class of the job
JOB_TYPE	N	VARCHAR2(1)	nvarchar(1)	Types of Job could be one of the following values:D = Oracle DBMS JobP = Store ProcedureJ = Java classS = Shell Script.
JOB_UPDATECOUNT	Y	NUMBER(38,0)	int	number of times this record has been updated.
JOB_PARTNERID	Y	VARCHAR2(128)	nvarchar(128)	TBD
JOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5JOBTYPEAUTH

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JTA_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
JTA_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	job type (user code, entity jbtp).
JTA_INSERT	N	VARCHAR2(1)	nvarchar(1)	value is + if user is allowed to insert jobs of this job type.
JTA_UPDATE	N	VARCHAR2(1)	nvarchar(1)	value is + if user is allowed to update jobs of this job type.
JTA_DELETE	N	VARCHAR2(1)	nvarchar(1)	value is + if user is allowed to delete jobs of this job type.
JTA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
JTA_UPDATED	Y	DATE	datetime	Update timestamp
JTA_STATUS	N	VARCHAR2(8)	nvarchar(8)	Authorization for the jobtype
JTA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JTA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5JOINTEFFICIENCY

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JEF_PIPING	N	VARCHAR2(20)	nvarchar(20)	pipng code
JEF_PIPINGREV	N	NUMBER(4,0)	numeric(4,0)	pipng revision
JEF_NOMSIZEMM	N	NUMBER	numeric(24,6)	pipe size (mm)
JEF_SCHEDULE	Y	VARCHAR2(10)	nvarchar(10)	schedule

JEF_JOINTEFF	Y	NUMBER	numeric(24,6)	joint efficiency
JEF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
JEF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JEF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5JSPFIELDS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
JFD_JSPFILE	N	VARCHAR2(30)	nvarchar(30)	TBD
JFD_FIELDS	Y	CLOB	nvarchar(max)	TBD
JFD_OTHERFIELDS	Y	CLOB	nvarchar(max)	TBD
JFD_JSINCLUDES	Y	VARCHAR2(2000)	nvarchar(2000)	TBD
JFD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
JFD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
JFD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KBACROSSREFERENCE	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KRF_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Object
KRF_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Object Organization
KRF_KBARTICLE	N	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
KRF_KBARTICLE_ORG	N	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Organization
KRF_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider Code
KRF_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider Organization
KRF_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
KRF_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service Category
KRF_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Category Organization
KRF_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service Problem Code
KRF_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Problem Organization
KRF_KBASTATUS	Y	VARCHAR2(4)	nvarchar(4)	KB Article Status
KRF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
KRF_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier.
KRF_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The supplier organization.
KRF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KRF_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
KRF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KBARTICLEDETAILS	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KBD_KBARTICLE	N	VARCHAR2(30)	nvarchar(30)	Knowledge Base Code
KBD_KBARTICLE_ORG	N	VARCHAR2(15)	nvarchar(15)	Knowledge Base Org
KBD_LANG	N	VARCHAR2(2)	nvarchar(2)	Language Code
KBD_KEYWORDS	Y	VARCHAR2(500)	nvarchar(500)	KB Article Key Words
KBD_TEXT	Y	CLOB	ntext	Knowledge Base Call Scripts
KBD_CREATED	Y	DATE	datetime	Date Created
KBD_UPDATED	Y	DATE	datetime	Date Updated
KBD_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
KBD_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Created This Record
KBD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The Record Update Count
KBD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KBD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KBARTICLES	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KBA_CODE	N	VARCHAR2(30)	nvarchar(30)	Knowledge Base Code /Auto-Generated Code

KBA_ORG	N	VARCHAR2(15)	nvarchar(15)	Knowledge Base Org
KBA_DESC	Y	VARCHAR2(80)	nvarchar(80)	KB Article Title
KBA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Knowledge Base Status
KBA_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Knowledge Base System Status
KBA_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service Problem Code
KBA_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Problem Org
KBA_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department Code
KBA_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider
KBA_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider Organization
KBA_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service Category
KBA_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Category Org
KBA_DOCUMENT	Y	VARCHAR2(30)	nvarchar(30)	Help Info Document
KBA_NOTES	Y	VARCHAR2(256)	nvarchar(256)	Knowledge Base Article Notes
KBA_CREATED	Y	DATE	datetime	Date Created
KBA_UPDATED	Y	DATE	datetime	Date Updated
KBA_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
KBA_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Created This Record
KBA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The Record Update Count
KBA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier.
KBA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The supplier organization.
KBA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KBA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSKEYLOCKS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KEL_KEY	N	VARCHAR2(30)	nvarchar(30)	The number of the key
KEL_KEY_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the key
KEL_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the lock
KEL_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the lock
KEL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment with the lock
KEL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment with the lock
KEL_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department of where lock is located
KEL_LOCATION	Y	VARCHAR2(80)	nvarchar(80)	The location of the lock
KEL_CYLINDERNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The cylinder number of the lock
KEL_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the lock is out of service
KEL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KEL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KEL_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
KEL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSKEYS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KEY_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the key
KEY_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the key
KEY_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the key
KEY_RTYPE	N	VARCHAR2(4)	nvarchar(4)	The system type of the key
KEY_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type of the key
KEY_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the key
KEY_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the key
KEY_LOST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether key is lost
KEY_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the key is out of service
KEY_ACCESSLEVEL	Y	VARCHAR2(4)	nvarchar(4)	The access level of the key
KEY_CABINET	Y	VARCHAR2(80)	nvarchar(80)	The cabinet where key is stored
KEY_POSITION	Y	VARCHAR2(80)	nvarchar(80)	The Job title of the employee

KEY_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The parent of the key
KEY_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the parent of the key
KEY_RING	Y	VARCHAR2(30)	nvarchar(30)	The parent ring of the key
KEY_RING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the parent ring for the key
KEY_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the key
KEY_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier for the key
KEY_SUPKEYCODE	Y	VARCHAR2(80)	nvarchar(80)	The supplier key number of the key
KEY_MANUFACTURER	Y	VARCHAR2(80)	nvarchar(80)	The manufacturer of the key
KEY_KEYTYPE	Y	VARCHAR2(80)	nvarchar(80)	The type of the key
KEY_KEYDECODE	Y	VARCHAR2(80)	nvarchar(80)	The cut number of the key pins
KEY_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The employee/holder of the key
KEY_ISSUEDATE	Y	DATE	datetime	The issue date of the key
KEY_EXPIRATIONDATE	Y	DATE	datetime	The issue expiration of the key
KEY_HOLDERNOTES	Y	VARCHAR2(500)	nvarchar(500)	The notes of the holder of the key
KEY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KEY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KEY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KEYTRANSACTIONS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KTR_PK	N	NUMBER	numeric(18,0)	The primary key of the key/ring
KTR_DATE	N	DATE	datetime	The transaction date
KTR_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type of the key/ring
KTR_KEY	N	VARCHAR2(30)	nvarchar(30)	The key/ring number
KTR_KEY_ORG	N	VARCHAR2(15)	nvarchar(15)	The key/ring organization
KTR_PERSON	N	VARCHAR2(15)	nvarchar(15)	The employee/holder of the key
KTR_PARENT	Y	NUMBER	numeric(18,0)	The parent of the key
KTR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KTR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KITPARTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BKP_CODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
BKP_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	T.B.D.
BKP_PART	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
BKP_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BKP_BIN	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BKP_LOT	Y	VARCHAR2(12)	nvarchar(12)	T.B.D.
BKP_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
BKP_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
BKP_ISSUEQTY	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
BKP_REMQTY	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
BKP_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	T.B.D.
BKP_SELECT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
BKP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BKP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BKP_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
BKP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KITS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BKS_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	T.B.D.
BKS_KITPART	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
BKS_KITPART_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.

BKS_STORE	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
BKS_KITBIN	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
BKS_NOOFKITSTOBUILD	N	NUMBER(6,0)	numeric(6,0)	T.B.D.
BKS_KITLOTDESC	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
BKS_KITLOTEXPIRED	Y	DATE	datetime	T.B.D.
BKS_USER	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
BKS_CREATED	Y	DATE	datetime	T.B.D.
BKS_UPDATED	Y	DATE	datetime	T.B.D.
BKS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BKS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BKS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KITTEMPLATES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KTT_KITTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	The kit template code
KTT_KITTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	The kit template organization
KTT_PART	N	VARCHAR2(30)	nvarchar(30)	the kit template part
KTT_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	The kit template part organization
KTT_QTY	N	NUMBER(24,6)	numeric(24,6)	The kit template quantity
KTT_NOTES	Y	VARCHAR2(256)	nvarchar(256)	The kit template free text
KTT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KTT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KTT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KPIHISTORY	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KPH_HOMCODE	N	VARCHAR2(24)	nvarchar(24)	home code
KPH_HOMTYPE	N	VARCHAR2(1)	nvarchar(1)	home type
KPH_UPDDATE	N	DATE	datetime	date updated
KPH_VALUE	Y	NUMBER	numeric(24,6)	value
KPH_NORMSCORE	Y	NUMBER	numeric(24,6)	normal score
KPH_COMMENT	Y	VARCHAR2(255)	nvarchar(255)	comment
KPH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KPH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KPH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KPISCORES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KPS_HOMCODE	Y	VARCHAR2(24)	nvarchar(24)	home code
KPS_HOMTYPE	Y	VARCHAR2(1)	nvarchar(1)	home type
KPS_LOWVALUE	Y	NUMBER	numeric(24,6)	low value
KPS_HIGHVALUE	Y	NUMBER	numeric(24,6)	high value
KPS_SCORE	Y	NUMBER(2,0)	numeric(2,0)	normal score
KPS_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
KPS_ICON	Y	VARCHAR2(1000)	nvarchar(1000)	icon
KPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KPS_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The color code of the kpi score.
KPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5KPISTRUCTURE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KPT_PARENT	N	VARCHAR2(24)	nvarchar(24)	kpi parent code
KPT_PARENTPYPE	N	VARCHAR2(1)	nvarchar(1)	kpi parent type

KPT_CHILD	N	VARCHAR2(24)	nvarchar(24)	kpi component
KPT_CHILDTYPE	N	VARCHAR2(1)	nvarchar(1)	kpi type
KPT_WEIGHT	Y	NUMBER(3,0)	numeric(3,0)	weight
KPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LABELFORMATS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LBL_CODE	N	VARCHAR2(30)	nvarchar(30)	label code
LBL_FILENAME	N	VARCHAR2(30)	nvarchar(30)	file name of the label
LBL_DESC	Y	VARCHAR2(80)	nvarchar(80)	the label description
LBL_PRINTERTYPE	N	VARCHAR2(30)	nvarchar(30)	printer type of the label
LBL_FIELDS	Y	VARCHAR2(4000)	varchar(4000)	database fields of the label
LBL_CLASS	N	VARCHAR2(8)	nvarchar(8)	the class the label belongs to
LBL_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	the class organization
LBL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LBL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LBL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LANGINST

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LIN_CODE	N	VARCHAR2(2)	nvarchar(2)	language code. unique identification.
LIN_TXTTYPE	Y	VARCHAR2(12)	nvarchar(12)	r if text is displayed right-to-left in this language (e.g. in hebrew).
LIN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LIN_LANGFILE	Y	CLOB	nvarchar(max)	
LIN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LANGUAGES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LAN_CODE	N	VARCHAR2(2)	nvarchar(2)	language code. unique identification.
LAN_DESC	N	VARCHAR2(80)	nvarchar(80)	language description.
LAN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
LAN_TXTTYPE	Y	VARCHAR2(12)	nvarchar(12)	r for reversed=right-to-left
LAN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
LAN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LAN_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	system status
LAN_LASTCREATED	Y	DATE	datetime	timestamp
LAN_PROCESSSTART	Y	DATE	datetime	timestamp
LAN_PROCESSEND	Y	DATE	datetime	timestamp
LAN_INSTALLED	Y	VARCHAR2(1)	nvarchar(1)	in this language installed
LAN_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of use
LAN_AVAILABLE	Y	VARCHAR2(1)	nvarchar(1)	is this language available to install
LAN_ERRORMESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Error message that will get populated in case something unexpected goes wrong during execution of the language driver.
LAN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LAN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LASTVALS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CPL_ATR	N	VARCHAR2(32)	nvarchar(32)	name of table column where last value is used.
CPL_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code where last value is used (system code).
CPL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
CPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

CPL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LEVELS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LVL_LEVEL	Y	NUMBER	int	level number.
LVL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LVL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LVL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LINEARDIRECTIONS	GIS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LDR_DIRECTION	N	VARCHAR2(8)	nvarchar(8)	The linear direction (like North).
LDR_OPPOSITEDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The opposite direction of the linear direction (like South).
LDR_NOTE	Y	VARCHAR2(256)	nvarchar(256)	A note belonging to the linear direction.
LDR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
LDR_CREATED	Y	DATE	datetime	record creation timestamp
LDR_UPDATEDBY	Y	VARCHAR2(255)	varchar(255)	updated by user
LDR_UPDATED	Y	DATE	datetime	update date
LDR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LDR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LDR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LINEARREFCLASSES	EQUIPMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LRC_ENTITY	N	VARCHAR2(4)	nvarchar(4)	The entity of the linear reference record
LRC_CLASS	N	VARCHAR2(8)	nvarchar(8)	The class the linear reference record belongs to
LRC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	The class organization the linear reference record belongs to
LRC_LINEARREF_CLASS	N	VARCHAR2(8)	nvarchar(8)	The class of the linear reference record
LRC_LINEARREF_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	The class organization of the linear reference record
LRC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
LRC_CREATED	Y	DATE	datetime	Creation timestamp
LRC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LRC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LRC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LOCALE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LOC_CODE	N	VARCHAR2(10)	nvarchar(10)	Locale identifier
LOC_DESC	Y	VARCHAR2(80)	nvarchar(80)	Locale description
LOC_DECSYM	N	VARCHAR2(1)	nvarchar(1)	Decimal separator char
LOC_MONDECSYM	N	VARCHAR2(3)	nvarchar(3)	Monetary decimal separator char
LOC_GRPSYM	N	VARCHAR2(1)	nvarchar(1)	Numeric grouping separator char
LOC_GRPDIGITS	N	NUMBER(1,0)	numeric(1,0)	Number of digits to separate for grouping
LOC_FRACTDIGITS	N	NUMBER(2,0)	numeric(2,0)	Number of digits to appear after a decimal
LOC_MONFRACT	N	NUMBER(2,0)	numeric(2,0)	Number of digits to appear after a monetary decimal
LOC_NEGSYM	N	VARCHAR2(1)	nvarchar(1)	Negative symbol
LOC_POSSYM	N	VARCHAR2(1)	nvarchar(1)	Positive symbol
LOC_DATEFMT	N	VARCHAR2(30)	nvarchar(30)	Date/time format string
LOC_STARTDAY	N	NUMBER(6,0)	numeric(6,0)	Start of week
LOC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
LOC_MONTGRPSEPARATOR	Y	VARCHAR2(1)	nvarchar(1)	Monetary group separator
LOC_MONTGRPDIGITS	Y	NUMBER(1,0)	numeric(1,0)	Monetary group digits
LOC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LOC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LOCALEHOTKEYS				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LHK_LOCALE	N	VARCHAR2(10)	nvarchar(10)	The locale the hot key applies to
LHK_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of a hot key
LHK_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the hot key
LHK_DEFAULT	N	NUMBER(3,0)	numeric(3,0)	The default/original ascii value of the hot key
LHK_KEY	N	NUMBER(3,0)	numeric(3,0)	The current ascii value of the hot key
LHK_EXTRA	Y	VARCHAR2(5)	nvarchar(5)	Th extra key (Ctrl or Alt) to use when invoking the hot key
LHK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LHK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LHK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LOCKOUTBOXES				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LOX_CODE	N	VARCHAR2(30)	nvarchar(30)	The lockout box code.
LOX_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the lockout box.
LOX_DESC	N	VARCHAR2(80)	nvarchar(80)	the lockout box description.
LOX_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Not Used Flag
LOX_INUSE	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the lockout box is currently in use.
LOX_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the lockout box.
LOX_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the lockout box.
LOX_LOCATIONNOTE	Y	VARCHAR2(1000)	nvarchar(1000)	The location note of the lockout box.
LOX_PTW	Y	VARCHAR2(30)	nvarchar(30)	The permit to work associated to the lockout box.
LOX_CREATED	Y	DATE	datetime	record creation timestamp
LOX_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
LOX_UPDATED	Y	DATE	datetime	Update time stamp
LOX_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
LOX_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

LOX_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LOX_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LOX_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LOX_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LOX_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LOX_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LOX_UDFDATE01	Y	DATE	datetime	User defined field of type Date
LOX_UDFDATE02	Y	DATE	datetime	User defined field of type Date
LOX_UDFDATE03	Y	DATE	datetime	User defined field of type Date
LOX_UDFDATE04	Y	DATE	datetime	User defined field of type Date
LOX_UDFDATE05	Y	DATE	datetime	User defined field of type Date
LOX_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
LOX_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
LOX_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
LOX_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
LOX_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
LOX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LOX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LOX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LONGDESCRIPTIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LDS_ENTITY	N	VARCHAR2(4)	nvarchar(4)	The entity belonging to the long description.
LDS_CODE	N	VARCHAR2(100)	nvarchar(100)	The code belonging to the long description.
LDS_LANG	N	VARCHAR2(2)	nvarchar(2)	The language belonging to the long description.
LDS_TRANS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the text has been translated.
LDS_TEXT	Y	VARCHAR2(2000)	nvarchar(2000)	The text of the long description.
LDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LOTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LOT_CODE	N	VARCHAR2(12)	nvarchar(12)	lot number. unique identification.
LOT_DESC	N	VARCHAR2(80)	nvarchar(80)	lot description.
LOT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
LOT_EXPIRED	Y	DATE	datetime	date lot expires.
LOT_MANLOT	Y	VARCHAR2(24)	nvarchar(24)	manufacturers lot number.
LOT_ORG	N	VARCHAR2(15)	nvarchar(15)	lot organization
LOT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
LOT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LOT_BUILDKITTRANS	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
LOT_BREAKUPKITTRANS	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
LOT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LOT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5LOWSTOCKREQUISITIONS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LRQ_SESSIONID	Y	NUMBER	numeric(38,0)	The current session ID.
LRQ_SEQUENCE	Y	NUMBER(8,0)	numeric(8,0)	The sequence number.
LRQ_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select flag

LRO_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store
LRO_STORE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Store organization
LRO_FROMRENTITY	Y	VARCHAR2(4)	nvarchar(4)	From rentity
LRO_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	Preferred supplier
LRO_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	Preferred supplier organization
LRO_PREFSTORE	Y	VARCHAR2(15)	nvarchar(15)	Preferred store
LRO_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	From code
LRO_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	From code organization
LRO_CURR	Y	VARCHAR2(3)	nvarchar(3)	Currency
LRO_EXCH	Y	NUMBER(24,12)	numeric(24,12)	Exchange rate
LRO_DEFEXCH	Y	NUMBER(24,12)	numeric(24,12)	Default exchange rate
LRO_PART	Y	VARCHAR2(30)	nvarchar(30)	Part
LRO_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	Part organization
LRO_UOM	Y	VARCHAR2(30)	nvarchar(30)	UOM
LRO_REQQTY	Y	NUMBER(24,6)	numeric(24,6)	Requested quantity
LRO_PRICE	Y	NUMBER(24,6)	numeric(24,6)	Price
LRO_MULTIPLY	Y	NUMBER(24,6)	numeric(24,6)	Conversion factor
LRO_BUYER	Y	VARCHAR2(255)	nvarchar(255)	Buyer
LRO_PARTCLASS	Y	VARCHAR2(8)	nvarchar(8)	Part class
LRO_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost code
LRO_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	Requested by
LRO_APPROVER	Y	VARCHAR2(255)	nvarchar(30)	Approver
LRO_DUE	Y	DATE	datetime	Due date
LRO_STOCKQTY	Y	NUMBER(24,6)	numeric(24,6)	Stock quantity
LRO_CATREF	Y	VARCHAR2(50)	nvarchar(50)	Catalogue reference
LRO_DATE	Y	DATE	datetime	Delivery address
LRO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LRO_REPAIRABLE	Y	VARCHAR2(1)	nvarchar(1)	value is + indicates part can be repaired, - indicates normal parts.
LRO_PRINTSUBID	Y	NUMBER(38,0)	numeric(38,0)	Random generated number for report record selection
LRO_ERROR	Y	VARCHAR2(255)	nvarchar(255)	Error description
LRO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILATTACHMENTMAPPING		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAM_TABLE	N	VARCHAR2(30)	nvarchar(30)	
MAM_RENTITY	N	VARCHAR2(4)	nvarchar(4)	
MAM_DOCPK	N	VARCHAR2(100)	nvarchar(100)	
MAM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILATTRIBS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAA_TABLE	Y	VARCHAR2(30)	nvarchar(30)	table name.
MAA_TEMPLATE	Y	VARCHAR2(18)	nvarchar(18)	code of mail template.
MAA_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	person who entered the data.
MAA_COMMENT	Y	VARCHAR2(240)	nvarchar(240)	comments.
MAA_INSERT	Y	VARCHAR2(1)	nvarchar(1)	defines a post-insert mail trigger.
MAA_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	defines post-update mail trigger.
MAA_DELETE	Y	VARCHAR2(1)	nvarchar(1)	defines a post-delete mail trigger.
MAA_OLDSTATUS	Y	VARCHAR2(4)	nvarchar(4)	old status of table, only valid when table has an entity.
MAA_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	new status of table, only valid when table has an entity.
MAA_WORKFLOW	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate if template is used for workflow
MAA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MAA_PK	N	VARCHAR2(30)	nvarchar(30)	PK column

MAA_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Active or not
MAA_INCLUDEURL	Y	VARCHAR2(1)	nvarchar(1)	Include URL or not
MAA_INCLUDEATTACHMENT	Y	VARCHAR2(1)	nvarchar(1)	
MAA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILCONDITIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAC_TABLE	Y	VARCHAR2(30)	nvarchar(30)	table name.
MAC_TEMPLATE	Y	VARCHAR2(18)	nvarchar(18)	code of mail template.
MAC_COLUMN	Y	VARCHAR2(1000)	nvarchar(1000)	column name of data to be displayed.
MAC_CRITERIA	Y	VARCHAR2(80)	nvarchar(80)	criteria of mail trigger.
MAC_VALUE1	Y	VARCHAR2(80)	nvarchar(80)	first value of condition.
MAC_VALUE2	Y	VARCHAR2(80)	nvarchar(80)	second part of constraint, only used when condition is between or not between.
MAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MAC_COLUMNGRO	Y	NUMBER(4,0)	numeric(4,0)	T.B.D.
MAC_ANDOR	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
MAC_ATTRIBPK	Y	VARCHAR2(30)	nvarchar(30)	referenc to pk of r5mailattribs
MAC_PK	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
MAC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILEVENTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAE_CODE	N	VARCHAR2(30)	nvarchar(30)	code of mailevent.
MAE_TEMPLATE	Y	VARCHAR2(18)	nvarchar(18)	code of mail template.
MAE_DATE	Y	DATE	datetime	date the mailevent was initiated.
MAE_SEND	Y	VARCHAR2(1)	nvarchar(1)	whether the mail driver has processed the record.
MAE_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	error while sending the message.
MAE_ERROR	Y	VARCHAR2(255)	nvarchar(255)	message code returned by mail program combined with mail error text, as defined by mail program.
MAE_PARAM1	Y	VARCHAR2(4000)	nvarchar(4000)	first parameter.
MAE_PARAM2	Y	VARCHAR2(4000)	nvarchar(4000)	second parameter.
MAE_PARAM3	Y	VARCHAR2(4000)	nvarchar(4000)	third parameter.
MAE_PARAM4	Y	VARCHAR2(4000)	nvarchar(4000)	fourth parameter.
MAE_PARAM5	Y	VARCHAR2(4000)	nvarchar(4000)	fifth parameter.
MAE_PARAM6	Y	VARCHAR2(4000)	nvarchar(4000)	sixth parameter.
MAE_PARAM7	Y	VARCHAR2(4000)	nvarchar(4000)	seventh parameter.
MAE_PARAM8	Y	VARCHAR2(4000)	nvarchar(4000)	eight parameter.
MAE_PARAM9	Y	VARCHAR2(4000)	nvarchar(4000)	ninth parameter.
MAE_PARAM10	Y	VARCHAR2(4000)	nvarchar(4000)	tenth parameter.
MAE_PARAM11	Y	VARCHAR2(4000)	nvarchar(4000)	eleventh parameter.
MAE_PARAM12	Y	VARCHAR2(4000)	nvarchar(4000)	twelfth parameter.
MAE_PARAM13	Y	VARCHAR2(4000)	nvarchar(4000)	thirteenth parameter.
MAE_PARAM14	Y	VARCHAR2(4000)	nvarchar(4000)	fourteenth parameter.
MAE_PARAM15	Y	VARCHAR2(4000)	nvarchar(4000)	fifteenth parameter.
MAE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MAE_ATTRIBPK	Y	VARCHAR2(30)	nvarchar(30)	To be pk of mail attrib
MAE_EWSURL	Y	VARCHAR2(255)	nvarchar(255)	Should this web url be displayed in new window or not
MAE_EMAILRECIPIENT	Y	VARCHAR2(1000)	nvarchar(1000)	Recipient of the email
MAE_PTFSEND	Y	VARCHAR2(1)	nvarchar(1)	
MAE_PTFERROR	Y	VARCHAR2(255)	nvarchar(255)	
MAE_DOCRENTITY	Y	VARCHAR2(4)	nvarchar(4)	
MAE_DOCPK	Y	VARCHAR2(100)	nvarchar(100)	
MAE_EMAILERRCOUNT	Y	NUMBER(10,0)	numeric(10,0)	

MAE_PTFERRCOUNT	Y	NUMBER(10,0)	numeric(10,0)	
MAE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILPARAMETERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAP_TABLE	Y	VARCHAR2(30)	nvarchar(30)	table name.
MAP_TEMPLATE	Y	VARCHAR2(18)	nvarchar(18)	code of mail template.
MAP_COLUMN	Y	VARCHAR2(1000)	nvarchar(1000)	column name of data to be displayed.
MAP_PARAMETER	N	NUMBER(2,0)	numeric(2,0)	number of parameters.
MAP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MAP_ATTRIBPK	N	VARCHAR2(30)	nvarchar(30)	To be pk of mail attrib
MAP_REPORTPARAMETER	Y	NUMBER(2,0)	numeric(2,0)	The report parameter.
MAP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILTABLESNOTALLOWED

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MLT_TABLE	N	VARCHAR2(30)	nvarchar(30)	
MLT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILTEMPLATE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAT_CODE	N	VARCHAR2(18)	nvarchar(18)	mail template code.
MAT_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of mailtemplate.
MAT_SUBJECT	Y	VARCHAR2(255)	nvarchar(255)	mail header.
MAT_TEXT	Y	VARCHAR2(1000)	nvarchar(1000)	mail body.
MAT_MAIL	Y	VARCHAR2(1000)	nvarchar(1000)	mail recipients.
MAT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MAT_REPORT	Y	VARCHAR2(6)	nvarchar(6)	The report belonging to the mail template.
MAT_FROMEMAIL	Y	VARCHAR2(255)	nvarchar(255)	The email address the email will be send from.
MAT_PUSHNOTIFICATION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there should be a push notification.
MAT_EMAIL	Y	VARCHAR2(1)	nvarchar(1)	
MAT_NOTEBOOKEMAILS	Y	VARCHAR2(1)	nvarchar(1)	
MAT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAILURLMAPPING

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MUM_TABLE	N	VARCHAR2(30)	nvarchar(30)	Table name
MUM_FUNCTION	N	VARCHAR2(30)	nvarchar(30)	Function
MUM_JSPFIELD	N	VARCHAR2(40)	nvarchar(40)	Field for Java Server Pages
MUM_TABLECOLUMN	N	VARCHAR2(155)	nvarchar(155)	Column name
MUM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MUM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAINISOLATIONBLOCKS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MIB_BLOCKID	N	NUMBER(18,0)	numeric(18,0)	
MIB_HYDRANTS	Y	NUMBER(9,0)	numeric(9,0)	
MIB_CUSTOMERS	Y	NUMBER(9,0)	numeric(9,0)	
MIB_VOLUME	Y	NUMBER(9,0)	numeric(9,0)	
MIB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MIB_LASTSAVED	Y	DATE	datetime	Timestamp of last update

MIB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAINISOLATIONDEPBLOCKS	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MID_BLOCKID	N	NUMBER(18,0)	numeric(18,0)	
MID_DEPBLOCKID	N	NUMBER(18,0)	numeric(18,0)	
MID_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MID_LASTSAVED	Y	DATE	datetime	Timestamp of last update
MID_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAINISOLATIONMAINS	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MIP_MAINID	N	VARCHAR2(30)	nvarchar(30)	
MIP_GISOBJID	Y	NUMBER(38,0)	numeric(38,0)	
MIP_BLOCKID	Y	NUMBER(18,0)	numeric(18,0)	
MIP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MIP_LASTSAVED	Y	DATE	datetime	Timestamp of last update
MIP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAINISOLATIONVALVES	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MIV_VALVEID	N	VARCHAR2(30)	nvarchar(30)	
MIV_GISOBJID	Y	NUMBER(38,0)	numeric(38,0)	
MIV_BLOCKID1	Y	NUMBER(18,0)	numeric(18,0)	
MIV_BLOCKID2	Y	NUMBER(18,0)	numeric(18,0)	
MIV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MIV_LASTSAVED	Y	DATE	datetime	Timestamp of last update
MIV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAINTENANCEPATTERNS	PM Forecasting			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTP_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of the maintenance pattern
MTP_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the maintenance pattern
MTP_REVISION	N	NUMBER(4,0)	numeric(4,0)	The revision of the maintenance pattern
MTP_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the maintenance pattern
MTP_MPTYPE	N	VARCHAR2(1)	nvarchar(1)	The type of the maintenance pattern
MTP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the maintenance pattern
MTP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the maintenance pattern
MTP_STARTDATE	Y	DATE	datetime	the start date of the maintenance pattern
MTP_METUOM	Y	VARCHAR2(30)	nvarchar(30)	The unit of measure of the meter
MTP_RELEASETYPE	Y	VARCHAR2(2)	nvarchar(2)	The release type of the maintenance pattern
MTP_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	The unit of measure of the second meter
MTP_RELEASETYPE2	Y	VARCHAR2(2)	nvarchar(2)	The second release type of the maintenance pattern
MTP_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	The schedule group of the maintenance pattern
MTP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the maintenance pattern
MTP_CREATED	Y	DATE	datetime	The date/time the maintenance pattern was created
MTP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

MTP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
MTP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
MTP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
MTP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
MTP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
MTP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MTP_ALLOWDUPLICATEWO	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
MTP_REQSTARTDATEBUFFER	Y	NUMBER(4,0)	numeric(4,0)	T.B.D.
MTP_REQENDDATEBUFFER	Y	NUMBER(4,0)	numeric(4,0)	T.B.D.
MTP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MANAGEDFILE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FMT_TICKET	N	VARCHAR2(16)	nvarchar(16)	This is primary key of the table - MD5 digest of the file name.
FMT_SEQNUM	N	NUMBER	int	This is used only in sequences of the files. For individual file this should be set to -1.
FMT_DESCRIPTION	Y	VARCHAR2(256)	nvarchar(256)	This field is used for debugging/troubleshooting purposes and allow to link file with module it was created from. Description should start with words CONNECTOR, REPORTS, etc.
FMT_BASEDIR	N	VARCHAR2(256)	nvarchar(256)	Base directory where the file was created.
FMT_TENANT	Y	VARCHAR2(24)	nvarchar(24)	Optional name of the tenant file was created for.
FMT_LIFESPAN	Y	NUMBER	int	Defines the lifespan of the file (in seconds). If NULL file will be kept indefinitely.
FMT_EXTENSION	N	VARCHAR2(8)	nvarchar(8)	Extension of the file

FMT_ACCESSTIME	N	TIMESTAMP(6)	timestamp	Last time the file was accessed (deleted. Created, etc.)
FMT_STATE	N	VARCHAR2(16)	nvarchar(16)	Current state of the file.
FMT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FMT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FMT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMANAGEDFILESEQUENCE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FMS_TICKET	N	VARCHAR2(16)	nvarchar(16)	This is foreign key of the table - MD5 digest of the file name.
FMS_FROM	N	NUMBER	int	Initial number in the sequence of the files.
FMS_TO	Y	NUMBER	int	Last number in the file sequence.
FMS_DESCRIPTION	Y	VARCHAR2(256)	nvarchar(256)	Optional origin of the file description. Description should start with words CONNECTOR, REPORTS, etc.
FMS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FMS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FMS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMANUFACTURERINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MFI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
MFI_CREATED	Y	DATE	datetime	date interface transaction created.
MFI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
MFI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
MFI_MANUFACT	N	VARCHAR2(24)	nvarchar(24)	manufacturer code.
MFI_DESC	Y	VARCHAR2(80)	nvarchar(80)	manufacturer description.
MFI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
MFI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	manufacturer classification code.
MFI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
MFI_PRIMARY	Y	VARCHAR2(1)	nvarchar(1)	value is + if manufacturer is primary manufacturer of part.
MFI_DELETEMP	Y	VARCHAR2(1)	nvarchar(1)	value is + if manufacturer part entry is to be deleted. not used by this interface.
MFI_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	manufacturer part number.
MFI_MANUFACTDRAW	Y	VARCHAR2(20)	nvarchar(20)	manufacturer drawing number.
MFI_FACILITY	Y	VARCHAR2(10)	nvarchar(10)	facility code.
MFI_DATE	Y	DATE	datetime	date manufacturer part entry created.
MFI_GROSS	Y	NUMBER(24,6)	numeric(24,6)	gross price of part in purchase unit of measure.
MFI_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time of part in days.
MFI_QUOTATION	Y	VARCHAR2(30)	nvarchar(30)	quotation reference. not used by this interface.
MFI_EXPQUOT	Y	DATE	datetime	date quotation price is valid to. not used by this interface.
MFI_QUOTPRICE	Y	NUMBER(24,6)	numeric(24,6)	quotation unit price in purchase unit of measure. not used by this interface.
MFI_QUOTUOM	Y	VARCHAR2(30)	nvarchar(30)	quotation purchase unit of measure. not used by this interface.
MFI_EXPPURPR	Y	DATE	datetime	date purchase price is valid to.
MFI_PURPRICE	Y	NUMBER(24,6)	numeric(24,6)	purchase price. not used by this interface.
MFI_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure.
MFI_REF	Y	VARCHAR2(24)	nvarchar(24)	suppliers catalogue reference.
MFI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from unit of purchase to unit of issue.
MFI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
MFI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
MFI_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
MFI_DELETECAT	Y	VARCHAR2(1)	nvarchar(1)	value is + if catalogue item is to be deleted. not used by this interface.
MFI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
MFI_SESSIONID	Y	NUMBER	int	identification of user logon session (generated by database).
MFI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
MFI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
MFI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MFI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization

MFI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
MFI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
MFI_USER	Y	VARCHAR2(255)	nvarchar(255)	user
MFI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MANUFACTURERS MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MFG_CODE	N	VARCHAR2(24)	nvarchar(24)	manufacturer code.
MFG_DESC	N	VARCHAR2(80)	nvarchar(80)	manufacturer description.
MFG_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
MFG_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
MFG_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
MFG_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
MFG_ORG	N	VARCHAR2(15)	nvarchar(15)	manufacturer organization
MFG_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MFG_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
MFG_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating manufacturer is no longer used
MFG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MFG_UPDATED	Y	DATE	datetime	update timestamp
MFG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MFG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MAPSCONSENT BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MCT_APPID	N	VARCHAR2(30)	nvarchar(30)	
MCT_USERID	N	VARCHAR2(255)	nvarchar(255)	
MCT_DEVICEID	N	VARCHAR2(80)	nvarchar(80)	
MCT_PRODUCT	N	VARCHAR2(15)	nvarchar(15)	
MCT_LASTUPDATED	Y	DATE	datetime	
MCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MCT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MATERIALOBJECTS INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MOB_MATERIAL	Y	VARCHAR2(20)	nvarchar(20)	material code
MOB_MATERIALREV	Y	NUMBER(4,0)	numeric(4,0)	material revision
MOB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
MOB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
MOB_PIPINGCLASS	Y	VARCHAR2(20)	nvarchar(20)	pipng class
MOB_DESIGN	Y	VARCHAR2(45)	nvarchar(45)	design
MOB_UPDATED	Y	VARCHAR2(1)	nvarchar(1)	updated
MOB_CORROSION	Y	NUMBER	numeric(24,6)	corrosion
MOB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MATERIALSTANDARDS INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MST_CODE	N	VARCHAR2(20)	nvarchar(20)	material standard
MST_DESC	N	VARCHAR2(80)	nvarchar(80)	description
MST_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
MST_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MST_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision

MST_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	r status (system)
MST_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	status
MST_DESIGN	Y	VARCHAR2(45)	nvarchar(45)	design code
MST_MATERIAL	Y	VARCHAR2(20)	nvarchar(20)	material
MST_STANDARD	Y	VARCHAR2(45)	nvarchar(45)	design standard
MST_TEMPUOM	Y	VARCHAR2(30)	nvarchar(30)	temp. uom
MST_STRESSUOM	Y	VARCHAR2(30)	nvarchar(30)	stress uom
MST_SMYS	Y	NUMBER	numeric(24,6)	specific minimum yield strength.
MST_SMYSUOM	Y	VARCHAR2(30)	nvarchar(30)	uom
MST_SMUTS	Y	NUMBER	numeric(24,6)	specific minimum ultimate tensile strength.
MST_SMUTSUOM	Y	VARCHAR2(30)	nvarchar(30)	uom
MST_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
MST_CREATED	Y	DATE	datetime	created
MST_USER	Y	VARCHAR2(255)	nvarchar(255)	by user
MST_UPDATED	Y	DATE	datetime	changed
MST_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	changed by
MST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MATLISTS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTL_CODE	N	VARCHAR2(20)	nvarchar(20)	material list code.
MTL_DESC	N	VARCHAR2(80)	nvarchar(80)	material list description.
MTL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
MTL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number a temporary material list is attached to.
MTL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number a temporary material list is attached to.
MTL_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
MTL_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	status of revision.
MTL_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	user status of revision.
MTL_ORG	N	VARCHAR2(15)	nvarchar(15)	material list organization
MTL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MTL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MTL_ENTITY	Y	VARCHAR2(10)	nvarchar(10)	The entity (task or job) that initiated the creation of the material list
MTL_PLAN_RECORD	Y	VARCHAR2(20)	nvarchar(20)	The code (task or job) that initiated the creation of the material list
MTL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MATLISTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AML_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AML_CODE	Y	VARCHAR2(20)	nvarchar(20)	material list code.
AML_DESC	Y	VARCHAR2(80)	nvarchar(80)	material list description.
AML_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AML_EVENT	Y	VARCHAR2(10)	nvarchar(30)	job number a temporary material list is attached to.
AML_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number a temporary material list is attached to.
AML_REVISION	Y	NUMBER(4,0)	numeric(4,0)	revision number.
AML_REVRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of revision.
AML_REVSTATUS	Y	VARCHAR2(4)	nvarchar(4)	user status of revision.
AML_ORG	Y	VARCHAR2(15)	nvarchar(15)	material list organization
AML_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AML_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AML_ENTITY	Y	VARCHAR2(10)	nvarchar(10)	The entity (task or job) that initiated the creation of the material list
AML_PLAN_RECORD	Y	VARCHAR2(20)	nvarchar(20)	The code (task or job) that initiated the creation of the material list

AML_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AML_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MATLPARTS MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MLP_MATLIST	N	VARCHAR2(20)	nvarchar(20)	material list code.
MLP_LINE	N	NUMBER(8,0)	numeric(8,0)	line number of part on material list.
MLP_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
MLP_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity of part required.
MLP_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
MLP_RESERV	N	VARCHAR2(1)	nvarchar(1)	value is + if item is to be reserved in stores when material list is requested.
MLP_CRIT	N	VARCHAR2(1)	nvarchar(1)	value is + if part is critical to the completion of the work.
MLP_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type code (user code, see entity obtp).
MLP_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type code (system code, see entity obtp).
MLP_CODE	Y	VARCHAR2(30)	nvarchar(30)	code of object or category that part applies to.
MLP_DIRECT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is to be purchased as a direct material item.
MLP_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number created for the purchase of this part for use on this work order activity.
MLP_MATLREV	N	NUMBER(4,0)	numeric(4,0)	revision number.
MLP_CODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	material list organization
MLP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
MLP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MLP_OPTIONAL	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the part on the material list is optional.
MLP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MLP_EQUIPFILTER	Y	VARCHAR2(500)	nvarchar(500)	
MLP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MATLPARTS_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AMP_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AMP_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	material list code.
AMP_LINE	Y	NUMBER(8,0)	numeric(8,0)	line number of part on material list.
AMP_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
AMP_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of part required.
AMP_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
AMP_RESERV	Y	VARCHAR2(1)	nvarchar(1)	value is + if item is to be reserved in stores when material list is requested.
AMP_CRIT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is critical to the completion of the work.
AMP_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type code (user code, see entity obtp).
AMP_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type code (system code, see entity obtp).
AMP_CODE	Y	VARCHAR2(30)	nvarchar(30)	code of object or category that part applies to.
AMP_DIRECT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is to be purchased as a direct material item.
AMP_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number created for the purchase of this part for use on this work order activity.
AMP_MATLREV	Y	NUMBER(4,0)	numeric(4,0)	revision number.
AMP_CODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	material list organization
AMP_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
AMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AMP_OPTIONAL	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the part on the material list is optional.
AMP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AMP_EQUIPFILTER	Y	VARCHAR2(500)	nvarchar(500)	
AMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MENUS BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MEN_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
MEN_CALLING	N	VARCHAR2(6)	nvarchar(6)	code of function that is calling.

MEN_CALLED	N	VARCHAR2(6)	nvarchar(6)	code of function that is called.
MEN_LINE	N	NUMBER(8,0)	numeric(8,0)	sequence number of option on menu.
MEN_MODE	Y	VARCHAR2(8)	nvarchar(8)	not used.
MEN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MEN_UPDATED	Y	DATE	datetime	update timestamp
MEN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MEN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMETERS		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MET_CODE	N	VARCHAR2(20)	nvarchar(20)	meter code. unique identification.
MET_DESC	N	VARCHAR2(80)	nvarchar(80)	meter description.
MET_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
MET_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
MET_OBRTP	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
MET_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	code of object meter is attached to.
MET_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent meter. not used.
MET_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of meter (user code). not used.
MET_RTYP	Y	VARCHAR2(4)	nvarchar(4)	type of meter (system code). not used.
MET_LAST	Y	NUMBER	numeric(24,6)	last reading of meter.
MET_MAX	Y	NUMBER	numeric(24,6)	maximum reading meter can reach before it goes round the clock.
MET_MIN	Y	NUMBER	numeric(24,6)	min reading of meter (where reading starts anew at maximum).
MET_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure of meter.
MET_ORG	N	VARCHAR2(15)	nvarchar(15)	meter organization
MET_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MET_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
MET_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MET_CREATED	Y	DATE	datetime	Creation timestamp
MET_UPDATED	Y	DATE	datetime	Update timestamp
MET_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMETHODS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTH_CODE	N	VARCHAR2(8)	nvarchar(8)	inspection method code. unique identification.
MTH_DESC	N	VARCHAR2(80)	nvarchar(80)	inspection method description.
MTH_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
MTH_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MTH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MTH_CREATED	Y	DATE	datetime	Creation timestamp
MTH_UPDATED	Y	DATE	datetime	Update timestamp
MTH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MGADMINISTRATOR		MANAGEMENT SCHEMA		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPA_SQLIDENTITY	N	NUMBER(10,0)	int identity	Unique record identifier for this record
TPA_TENANTIDENTITY	N	NUMBER(10,0)	int	Reference to associated R5MGTENANT record
TPA_GUID	N	VARCHAR2(50)	nvarchar(50)	Globally unique identifier for administrator
TPA_EMAIL	N	VARCHAR2(255)	nvarchar(255)	administrator email address
TPA_STATUS	N	VARCHAR2(32)	nvarchar(32)	Status of this administrator record
TPA_UPDATETIMESTAMP	N	DATE	datetime	timestamp of most recent update to this record
TPA_UPDATECOUNT	N	NUMBER(10,0)	int	number of times this record has been updated
TPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5MGCUSTOMFIELD				
MANAGEMENT SCHEMA				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPC_SQLIDENTITY	N	NUMBER(10,0)	int identity	Unique record identifier for this record
TPC_TENANTIDENTITY	N	NUMBER(10,0)	int	Reference to associated R5MG TENANT record
TPC_NAME	N	VARCHAR2(255)	nvarchar(255)	Custom field name
TPC_VALUE	Y	VARCHAR2(1024)	nvarchar(1024)	The value for the associated custom field
TPC_TYPE	N	VARCHAR2(32)	nvarchar(32)	The data type for the associated custom field value
TPC_STATUS	N	VARCHAR2(32)	nvarchar(32)	Status of this custom field record
TPC_UPDATETIMESTAMP	N	DATE	datetime	timestamp of most recent update to this record
TPC_UPDATECOUNT	N	NUMBER(10,0)	int	number of times this record has been updated
TPC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
R5MGPROVISIONINGCONFIG				
MANAGEMENT SCHEMA				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPK_NAME	N	VARCHAR2(64)	nvarchar(64)	The name of this tenant provisioning setting
TPK_VALUE	N	VARCHAR2(2048)	nvarchar(2048)	The value of the associated tenant provisioning setting
TPK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
R5MGSNAPSHOT				
MANAGEMENT SCHEMA				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SNS_TENANTID	N	VARCHAR2(32)	nvarchar(32)	
SNS_OPERATION	N	VARCHAR2(1)	nvarchar(1)	
SNS_SNAPSHOTID	Y	VARCHAR2(255)	nvarchar(255)	
SNS_EAMVERSION	N	VARCHAR2(15)	nvarchar(15)	
SNS_STATUS	N	VARCHAR2(1)	nvarchar(1)	
SNS_LOCATION	Y	VARCHAR2(255)	nvarchar(255)	
SNS_CREATED	N	DATE	datetime	Creation timestamp
SNS_UPDATED	N	DATE	datetime	Update timestamp
SNS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SNS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SNS_SECONDARYTENANTID	Y	VARCHAR2(32)	nvarchar(32)	
SNS_COMPLETEDDBPATCH	Y	VARCHAR2(255)	nvarchar(255)	
SNS_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5MGSNAPSHOTHIST				
MANAGEMENT SCHEMA				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SNH_TENANTID	N	VARCHAR2(32)	nvarchar(32)	
SNH_SNAPSHOTID	Y	VARCHAR2(255)	nvarchar(255)	
SNH_OPERATION	N	VARCHAR2(1)	nvarchar(1)	
SNH_EAMVERSION	N	VARCHAR2(15)	nvarchar(15)	
SNH_STATUS	N	VARCHAR2(1)	nvarchar(1)	
SNH_LOCATION	Y	VARCHAR2(255)	nvarchar(255)	
SNH_CREATED	N	DATE	datetime	Creation timestamp
SNH_UPDATED	N	DATE	datetime	Update timestamp
SNH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SNH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SNH_SECONDARYTENANTID	Y	VARCHAR2(32)	nvarchar(32)	
SNH_COMPLETEDDBPATCH	Y	VARCHAR2(255)	nvarchar(255)	
SNH_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5MGTENANT				
MANAGEMENT SCHEMA				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPT_SQLIDENTITY	N	NUMBER(10,0)	int identity	Unique record identifier for this record

TPT_TENANTID	N	VARCHAR2(32)	nvarchar(32)	The tenant name
TPT_STATUS	N	VARCHAR2(32)	nvarchar(32)	The current status of the tenant. ACTIVE, INACTIVE, ERROR, etc.
TPT_PROVISIONINGSTATE	N	VARCHAR2(32)	nvarchar(32)	The current provisioning state for this tenant
TPT_DISPLAYNAME	Y	VARCHAR2(255)	nvarchar(255)	The display name for this tenant
TPT_DESCRIPTION	Y	VARCHAR2(255)	nvarchar(255)	A short description for this tenant
TPT_PRODUCTNAME	N	VARCHAR2(32)	nvarchar(32)	The product name (i.e. EAM) for the associated tenant provisioning request
TPT_PRODUCTVERSION	N	VARCHAR2(32)	nvarchar(32)	The requested EAM version for the associated tenant provisioning request
TPT_LOGICALID	Y	VARCHAR2(255)	nvarchar(255)	The Infor Logical ID or LID
TPT_MINGLEENABLED	N	VARCHAR2(32)	nvarchar(32)	true if Ming.le is enabled for this tenant
TPT_DBVENDOR	N	VARCHAR2(32)	nvarchar(32)	The database vendor
TPT_DBHOST	N	VARCHAR2(255)	nvarchar(255)	A comma separated list of database server host names. Used for JDBC connections to the tenant database
TPT_DBPORT	N	NUMBER(10,0)	int	Port number for JDBC connections to the tenant database
TPT_DBNAME	N	VARCHAR2(255)	nvarchar(255)	The name of the tenant database schema
TPT_DBSERVICE_NAME	Y	VARCHAR2(255)	nvarchar(255)	Database service name use for JDBC connections
TPT_DBTYPE	Y	VARCHAR2(255)	nvarchar(255)	Database type
TPT_DBUSER_TYPE	Y	VARCHAR2(255)	nvarchar(255)	The type for the database user
TPT_DBUSER_ROLE	N	VARCHAR2(32)	nvarchar(32)	The role for the given database user
TPT_DBUSER_NAME	N	VARCHAR2(255)	nvarchar(255)	The database username for JDBC connections to the tenant database schema
TPT_DBUSER_PASSWORD	N	VARCHAR2(500)	nvarchar(500)	The password for the given database user
TPT_CREATE_TIMESTAMP	N	DATE	datetime	The creation timestamp of this tenant record
TPT_UPDATE_TIMESTAMP	N	DATE	datetime	timestamp of most recent update to this record
TPT_UPDATE_COUNT	N	NUMBER(10,0)	int	number of times this record has been updated
TPT_CHILD_TIMESTAMP	N	DATE	datetime	The timestamp of the most recent change to any associated child record
TPT_MESSAGE	N	VARCHAR2(255)	nvarchar(255)	The most recent message for the associated tenant provisioning request
TPT_UPGRADE	Y	VARCHAR2(32)	nvarchar(32)	
TPT_LICENSE	Y	VARCHAR2(1024)	nvarchar(1024)	
TPT_SHORTNAME	Y	VARCHAR2(255)	nvarchar(255)	
TPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPT_POD	Y	VARCHAR2(32)	nvarchar(32)	
TPT_ZDUPRIORITY	Y	NUMBER(5,0)	numeric(5,0)	

R5MINMAXFORMPARAM

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
FOP_FORMULA	N	VARCHAR2(8)	nvarchar(8)	formula id
FOP_PARAMETER	N	VARCHAR2(8)	nvarchar(8)	parameter
FOP_UOM	Y	VARCHAR2(30)	nvarchar(30)	formula uom
FOP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
FOP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
FOP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MINMAXFORMULAS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MMF_CODE	N	VARCHAR2(8)	nvarchar(8)	formula id
MMF_DESC	N	VARCHAR2(80)	nvarchar(80)	description
MMF_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
MMF_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MMF_FORMULA	Y	VARCHAR2(2000)	nvarchar(2000)	formula
MMF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MMF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MMF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MINMAXPARAMETERS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MMP_CODE	N	VARCHAR2(8)	nvarchar(8)	parameter

MMP_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
MMP_UOM	Y	VARCHAR2(30)	nvarchar(30)	uom
MMP_STATEMENT	Y	VARCHAR2(2000)	nvarchar(2000)	sql statement
MMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MMP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MINORITYGROUPS MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MNG_CODE	N	VARCHAR2(4)	nvarchar(4)	minority group code. unique identification.
MNG_DESC	N	VARCHAR2(80)	nvarchar(80)	minority group description.
MNG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MNG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MNG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILECONFIGS MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MCF_CODE	N	VARCHAR2(80)	nvarchar(80)	Mobile Configuration Code
MCF_RCODE	N	VARCHAR2(20)	nvarchar(20)	Mobile Configuration System Code
MCF_CONFIG	N	NUMBER	int	Mobile Configuration Flag
MCF_DESK	N	VARCHAR2(1)	nvarchar(1)	Mobile Configuration Desktop version
MCF_COMPTYPE	N	VARCHAR2(20)	nvarchar(20)	Mobile Configuration Type
MCF_USER	N	VARCHAR2(255)	nvarchar(255)	Mobile Configuration for User
MCF_GROUP	N	VARCHAR2(12)	nvarchar(12)	Mobile Configuration for User Group
MCF_XMLCONFIG	Y	CLOB	nvarchar(max)	Mobile Configuration XML
MCF_CREATED	Y	DATE	datetime	Mobile Configuration Create time
MCF_UPDATED	Y	DATE	datetime	Mobile Configuration Update time
MCF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MCF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MCF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEDATABLOCKS MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MDB_REQUESTID	N	VARCHAR2(60)	nvarchar(60)	Request ID from Client.
MDB_BLOCKID	N	NUMBER	int	Block number
MDB_SEQ	Y	NUMBER	int	Request Sequence of a particular client.
MDB_COMPRESSED	Y	VARCHAR2(1)	nvarchar(1)	value is + or -
MDB_CREATED	Y	DATE	datetime	Date created the block created.
MDB_DOWNLOADED	Y	VARCHAR2(1)	nvarchar(1)	value is + or -
MDB_SIZE	Y	NUMBER	int	Size of Data Block. Max = 200K
MDB_XML	Y	CLOB	ntext	Base64 String Data (Data which is retrieved)
MDB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
MDB_GRIDNAME	Y	VARCHAR2(20)	nvarchar(20)	Mobile sync data block for data grid name
MDB_SYNCCONFIG	Y	VARCHAR2(800)	nvarchar(800)	Mobile sync data block for Sync Configuration
MDB_ORGCONFIG	Y	VARCHAR2(800)	nvarchar(800)	Mobile sync data block for Organization Configuration
MDB_START	Y	DATE	datetime	Mobile sync data block start time
MDB_END	Y	DATE	datetime	Mobile sync data block end time
MDB_RECORDS	Y	NUMBER	int	Mobile sync data block records contained
MDB_CACHED	Y	VARCHAR2(1)	nvarchar(1)	Mobile sync data block cached
MDB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MDB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEDBSYNC MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

MDS_SYNCID	N	NUMBER(38,0)	numeric(38,0)	
MDS_USER	N	VARCHAR2(255)	nvarchar(255)	
MDS_ORG	N	VARCHAR2(15)	nvarchar(15)	
MDS_STATUS	N	VARCHAR2(32)	nvarchar(32)	
MDS_DBLASTUPDATEDDATE	Y	DATE	datetime	
MDS_GRID5_PROCESSED	Y	NUMBER(5,0)	numeric(5,0)	
MDS_STATUS_MSG	Y	VARCHAR2(2000)	nvarchar(2000)	
MDS_SYNC_REQUEST	Y	CLOB	nvarchar(max)	
MDS_DOWNLOAD	Y	VARCHAR2(1)	nvarchar(1)	
MDS_FILENAME	Y	VARCHAR2(255)	nvarchar(255)	
MDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MDS_LASTSAVED	Y	DATE	datetime	Timestamp of last update
MDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEENTITYSETUP

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MBE_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	
MBE_ENTITY	N	VARCHAR2(4)	nvarchar(4)	
MBE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MBE_LASTSAVED	Y	DATE	datetime	Timestamp of last update
MBE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEEVENTSYNC

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MES_REQUESTID	N	VARCHAR2(30)	nvarchar(30)	Mobile sync request id
MES_EVENT	N	VARCHAR2(30)	nvarchar(30)	Mobile sync Work Order
MES_ORG	Y	VARCHAR2(15)	nvarchar(15)	Mobile sync Work Order organization
MES_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Mobile sync Work Order equipment
MES_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Mobile sync Work Order equipment organization
MES_EVENTUPDATED	Y	DATE	datetime	Mobile sync Work Order update time
MES_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	Mobile sync multiple equipment work order
MES_UPDATED	Y	DATE	datetime	Mobile sync update time
MES_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MES_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MES_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEFILTEREDOBJECTS

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MFO_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	Timestamp when the record is generated in table
MFO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Number to be downloaded to Mobile device
MFO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
MFO_LASTUPDATED	Y	DATE	datetime	Equipment last update Time
MFO_CREATED	Y	DATE	datetime	Timestamp when the record is generated in table
MFO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MFO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MFO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEFILTEREDPTW

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MFT_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	
MFT_CODE	N	VARCHAR2(30)	nvarchar(30)	
MFT_CREATED	Y	DATE	datetime	Creation timestamp
MFT_LASTUPDATED	Y	DATE	datetime	
MFT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

MFT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MFT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEFILTEREDWOS

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MFW_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	Current Mobile data sync session ID
MFW_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order number to be downloaded to Mobile device
MFW_CREATED	Y	DATE	datetime	Timestamp when the record is generated in table
MFW_LASTUPDATED	Y	DATE	datetime	Work Order last update time
MFW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment of the Work Order
MFW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
MFW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MFW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MFW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEGRIDLOCK

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MGL_GRIDNAME	N	VARCHAR2(20)	nvarchar(20)	Mobile sync lock grid name
MGL_SYNCCONFIG	N	VARCHAR2(200)	nvarchar(200)	Mobile sync lock Sync Config
MGL_ORGCONFIG	N	VARCHAR2(200)	nvarchar(200)	Mobile sync lock Organization Config
MGL_UPDATED	Y	DATE	datetime	Mobile sync lock update time
MGL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MGL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MGL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILELBSDATA

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LBS_DEVICEID	N	VARCHAR2(100)	nvarchar(100)	Device ID
LBS_DATE	N	DATE	datetime	Creation Date
LBS_USER	N	VARCHAR2(255)	nvarchar(255)	Created By
LBS_LATITUDE	N	NUMBER(24,6)	numeric(24,6)	Latitude
LBS_LONGITUDE	N	NUMBER(24,6)	numeric(24,6)	Longitude
LBS_EMPLOYEE	Y	VARCHAR2(15)	nvarchar(15)	User ID
LBS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
LBS_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Org
LBS_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
LBS_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Org
LBS_EVENT_START	Y	DATE	datetime	WO Start Time
LBS_EVENT_STOP	Y	DATE	datetime	WO Stop Time
LBS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LBS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LBS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILELISTENTITIES

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LET_DATAGRID	Y	VARCHAR2(40)	nvarchar(40)	Grid Name
LET_SEQNO	Y	NUMBER(8,0)	numeric(8,0)	Sequence
LET_MASK	Y	NUMBER(8,0)	numeric(8,0)	Download mask
LET_GROUPID	Y	NUMBER(8,0)	numeric(8,0)	Sync Profile Group ID
LET_BLOCKSIZE	Y	NUMBER(8,0)	numeric(8,0)	Size of block to call existing QueryReqInfo component
LET_DELINSUPD	Y	NUMBER(8,0)	numeric(8,0)	Update flag
LET_FILTER	Y	VARCHAR2(50)	nvarchar(50)	Sync Config Filter ID
LET_TABLENAME	Y	VARCHAR2(50)	nvarchar(50)	Table Name
LET_DOWNCAT	Y	VARCHAR2(1)	nvarchar(1)	Download Category

LET_ORGKEY	Y	VARCHAR2(30)	nvarchar(30)	Organization ID for grid
LET_DOWNGROUP	Y	NUMBER(8,0)	numeric(8,0)	Group number of the grid it belongs to.
LET_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
LET_UPDATED	Y	DATE	datetime	Update timestamp
LET_TABLEUPDATED	Y	DATE	datetime	Table last updated
LET_FILTERPARAMS	Y	VARCHAR2(200)	nvarchar(200)	Filter for grid
LET_MASTERTABLE	Y	VARCHAR2(50)	nvarchar(50)	Related table for grid
LET_CACHEDATA	Y	VARCHAR2(1)	nvarchar(1)	Grid value is cached
LET_RENTITIES	Y	VARCHAR2(50)	nvarchar(50)	Related System Entities for grid
LET_DDSPYID	Y	NUMBER(14,0)	numeric(14,0)	Current data spy for grid
LET_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILENOTEBOOKEMAILS

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MNE_CODE	N	VARCHAR2(30)	nvarchar(30)	
MNE_MOBILENOTEBOOK	N	VARCHAR2(30)	nvarchar(30)	
MNE_PERSON	Y	VARCHAR2(15)	nvarchar(15)	
MNE_EMAILADDRESS	N	VARCHAR2(255)	nvarchar(255)	
MNE_MAILEVENT	Y	VARCHAR2(30)	nvarchar(30)	
MNE_MOBILE_CREATED	Y	DATE	datetime	Creation timestamp
MNE_SENT	Y	DATE	datetime	
MNE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MNE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILENOTEBOOKREFERENCES

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MNR_MOBILENOTEBOOK	N	VARCHAR2(30)	nvarchar(30)	
MNR_REF_MOBILENOTEBOOK	N	VARCHAR2(30)	nvarchar(30)	
MNR_COPIED	Y	VARCHAR2(1)	nvarchar(1)	
MNR_MOBILE_CREATED	Y	DATE	datetime	Creation timestamp
MNR_CREATED	Y	DATE	datetime	Creation timestamp
MNR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MNR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILENOTEBOOKS

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MNB_CODE	N	VARCHAR2(30)	nvarchar(30)	
MNB_ORG	N	VARCHAR2(15)	nvarchar(15)	
MNB_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
MNB_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_PRIVATE	Y	VARCHAR2(1)	nvarchar(1)	
MNB_HISTORY	Y	VARCHAR2(1)	nvarchar(1)	
MNB_NOTE	Y	VARCHAR2(4000)	nvarchar(4000)	
MNB_DEFECT	Y	VARCHAR2(1)	nvarchar(1)	
MNB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
MNB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_NCFSEVERITY	Y	VARCHAR2(8)	nvarchar(8)	
MNB_MTASEVERITY	Y	VARCHAR2(80)	nvarchar(80)	
MNB_NCTTYPE	Y	VARCHAR2(30)	nvarchar(30)	
MNB_NCTTYPE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_NCFCLASS	Y	VARCHAR2(8)	nvarchar(8)	
MNB_NCFCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_DIVISION	Y	VARCHAR2(80)	nvarchar(80)	

MNB_LINE	Y	VARCHAR2(80)	nvarchar(80)	
MNB_TRACK	Y	VARCHAR2(80)	nvarchar(80)	
MNB_SECTION	Y	VARCHAR2(80)	nvarchar(80)	
MNB_STATION	Y	VARCHAR2(80)	nvarchar(80)	
MNB_STATIONING_MAJOR	Y	NUMBER(6,0)	numeric(6,0)	
MNB_STATIONING_MINOR	Y	NUMBER(2,0)	numeric(2,0)	
MNB_DETAILED_LOCATION	Y	VARCHAR2(250)	nvarchar(250)	
MNB_CREATED	Y	DATE	datetime	Creation timestamp
MNB_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
MNB_MOBILECREATED	Y	DATE	datetime	
MNB_EMAILADDRESS	Y	VARCHAR2(255)	nvarchar(255)	
MNB_MNECODE	Y	VARCHAR2(30)	nvarchar(30)	
MNB_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MNB_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MNB_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MNB_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MNB_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MNB_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MNB_UDFDATE01	Y	DATE	datetime	User defined field of type Date
MNB_UDFDATE02	Y	DATE	datetime	User defined field of type Date
MNB_UDFDATE03	Y	DATE	datetime	User defined field of type Date
MNB_UDFDATE04	Y	DATE	datetime	User defined field of type Date
MNB_UDFDATE05	Y	DATE	datetime	User defined field of type Date
MNB_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MNB_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

MNB_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MNB_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MNB_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MNB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MNB_LEVEL1	Y	VARCHAR2(30)	nvarchar(30)	
MNB_LEVEL1_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_LEVEL2	Y	VARCHAR2(30)	nvarchar(30)	
MNB_LEVEL2_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_LEVEL3	Y	VARCHAR2(30)	nvarchar(30)	
MNB_LEVEL3_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_LEVEL4	Y	VARCHAR2(30)	nvarchar(30)	
MNB_LEVEL4_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_LEVEL3A	Y	VARCHAR2(30)	nvarchar(30)	
MNB_LEVEL3A_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MNB_UPDATED	Y	DATE	datetime	Update timestamp
MNB_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
MNB_NONCONFORMITY_OBSERVATION	Y	VARCHAR2(30)	nvarchar(30)	
MNB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MNB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILENOTICES

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MNT_CODE	N	VARCHAR2(20)	nvarchar(20)	
MNT_APPID	N	VARCHAR2(20)	nvarchar(20)	
MNT_APPVERSION	N	VARCHAR2(15)	nvarchar(15)	
MNT_EXPIRYDATE	Y	DATE	datetime2	
MNT_CREATED	Y	DATE	datetime2	Creation timestamp
MNT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5MOBILEPNREGISTRY

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPN_APPID	N	VARCHAR2(30)	nvarchar(30)	EAM mobile app id (EAMConnected/EAMDisconnected/EAMforiPhone)
MPN_DEVICEID	N	VARCHAR2(80)	nvarchar(80)	mobile device id
MPN_PLATFORM	N	VARCHAR2(8)	nvarchar(8)	platform(e.g. ANDROID/IOS /WINDOWS)
MPN_TOKEN	N	CLOB	nvarchar(max)	Registration Token
MPN_USER	N	VARCHAR2(255)	nvarchar(255)	EAM login user of EAM mobile app
MPN_CREATED	Y	DATE	datetime	Date Created
MPN_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created by user
MPN_UPDATED	Y	DATE	datetime	Date Updated
MPN_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Updated By user
MPN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MOBILEQUERIES

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MQR_GRIDNAME	N	VARCHAR2(50)	nvarchar(50)	
MQR_VERSION	N	VARCHAR2(20)	nvarchar(20)	
MQR_TABLENAME	N	VARCHAR2(100)	nvarchar(100)	
MQR_CREATETABLE	Y	CLOB	nvarchar(max)	
MQR_SQLTEXT	Y	CLOB	nvarchar(max)	
MQR_UPDATED	Y	DATE	datetime	Update timestamp
MQR_PREPAREGRID	Y	VARCHAR2(1)	nvarchar(1)	
MQR_COLUMNMAP	Y	VARCHAR2(2000)	nvarchar(2000)	

MQR_SINGLETHREADPERCONN	Y	VARCHAR2(1)	nvarchar(1)	
MQR_PREPARETABLEUSED	Y	VARCHAR2(100)	nvarchar(100)	
MQR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MQR_LASTSAVED	Y	DATE	datetime	Timestamp of last update
MQR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMOBILESYNCBLOCKS	MOBILE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSB_REQUESTID	N	VARCHAR2(60)	nvarchar(60)	Mobile Sync information request id
MSB_BLOCKID	N	NUMBER	int	Mobile Sync information block id
MSB_SEQ	Y	NUMBER	int	Mobile Sync information sequence number
MSB_DOWNLOADED	Y	VARCHAR2(1)	nvarchar(1)	Mobile Sync information downloaded flag
MSB_SIZE	N	NUMBER	int	Mobile Sync information data block size
MSB_GRIDNAME	Y	VARCHAR2(20)	nvarchar(20)	Mobile Sync information grid name
MSB_UPDATED	Y	DATE	datetime	Mobile Sync information record updated
MSB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MSB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMOBILESYNCDELETE	MOBILE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSD_PK	N	NUMBER(38,0)	numeric(38,0)	Mobile Sync Delete record primary key fields
MSD_TABLENAME	Y	VARCHAR2(50)	nvarchar(50)	Mobile Sync Delete record table name
MSD_DELETED	Y	DATE	datetime	Mobile Sync Delete delete time
MSD_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	Mobile Sync Delete record System Entity
MSD_KEYS	Y	VARCHAR2(400)	nvarchar(400)	Mobile Sync Delete record keys
MSD_VALUES	Y	VARCHAR2(400)	nvarchar(400)	Mobile Sync Delete record primary key values
MSD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MSD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSD_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MSD_SQLIDENTITY	Y		bigint	Identity column for SQL Server

RSMOBILESYNCSTATUS	MOBILE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSS_REQUESTID	N	VARCHAR2(60)	nvarchar(60)	Request ID from Clinet
MSS_RUNPROCESS	Y	NUMBER	int	Number of processes for a particular client
MSS_UPDATED	Y	DATE	datetime	Date updated
MSS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
MSS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMOBILESYNCTIME	MOBILE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSM_REQUESTID	N	VARCHAR2(60)	nvarchar(60)	Mobile sync time request id
MSM_GRIDNAME	N	VARCHAR2(20)	nvarchar(20)	Mobile sync time grid name
MSM_SYNTIME	N	DATE	datetime	Mobile sync timestamp
MSM_UPDATED	Y	DATE	datetime	Mobile Sync Delete last updated
MSM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MSM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSMOBILETABLEUPDATES	MOBILE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTU_TABLENAME	N	VARCHAR2(30)	nvarchar(30)	Mobile table updated table name

MTU_UPDATED	N	DATE	datetime	Mobile table updated last updated time
MTU_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	Mobile table updated system entity
MTU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTU_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5MOBILEUSERCONFIGS

MOBILE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MUC_USER	N	VARCHAR2(255)	nvarchar(255)	Mobile Configuration for user
MUC_GROUP	N	VARCHAR2(12)	nvarchar(12)	Mobile Configuration for User Group
MUC_CODE	N	VARCHAR2(80)	nvarchar(80)	Mobile Configuration Code
MUC_DESK	N	VARCHAR2(1)	nvarchar(1)	Mobile Configuration Desktop Version
MUC_RCODE	N	VARCHAR2(20)	nvarchar(20)	Mobile Configuration System Code
MUC_COMPTYPE	N	VARCHAR2(20)	nvarchar(20)	Mobile Configuration Type
MUC_CREATED	Y	DATE	datetime	Mobile Configuration create time
MUC_UPDATED	Y	DATE	datetime	Mobile Configuration Update time
MUC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MUC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MUC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPACTIVITIES

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPA_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPA_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
MPA_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
MPA_ACTDESC	Y	VARCHAR2(80)	nvarchar(80)	activity description after adjusting schedule in mp.
MPA_MPACTDESC	Y	VARCHAR2(80)	nvarchar(80)	activity description after adjusting schedule in mp.
MPA_BOOKED	Y	NUMBER	numeric(24,6)	number of labor hours booked.
MPA_REM	Y	NUMBER	numeric(24,6)	remaining number of hours of activity before adjusting schedule in mp.
MPA_MPREM	Y	NUMBER	numeric(24,6)	remaining number of hours of activity after adjusting schedule in mp.
MPA_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration of activity (in days) before adjusting schedule in mp.
MPA_MPDURATION	Y	NUMBER(8,0)	numeric(8,0)	duration of activity (in days) after adjusting schedule in mp.
MPA_TARGET	Y	DATE	datetime	target date of activity (in days) before adjusting schedule in mp.
MPA_MPTARGET	Y	DATE	datetime	target date of activity (in days) after adjusting schedule in mp.
MPA_START	Y	DATE	datetime	start date of activity.
MPA_EST	Y	NUMBER	numeric(24,6)	estimated number of hours of activity before adjusting schedule in mp.
MPA_MPEST	Y	NUMBER	numeric(24,6)	estimated number of hours of activity after adjusting schedule in mp.
MPA_MATRDATE	Y	DATE	datetime	date on which first materials are to be issued to this activity.
MPA_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade code of activity.
MPA_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people required for activity before adjusting sched. in mp.
MPA_MPPERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people required for activity after adjusting schedule in mp.
MPA_PERCREALIZED	Y	NUMBER(3,0)	numeric(3,0)	percentage of activity completed before adjusting schedule in mp.
MPA_MPPERCREALIZED	Y	NUMBER(3,0)	numeric(3,0)	percentage of activity completed after adjusting schedule in mp.
MPA_COMMENT	Y	LONG	ntext	event comments
MPA_RESOURCES	Y	VARCHAR2(1000)	nvarchar(1000)	resource names string
MPA_RESINITIALS	Y	VARCHAR2(500)	nvarchar(500)	resource code string
MPA_TRADE_DESC	Y	VARCHAR2(80)	nvarchar(80)	trade description
MPA_PRED	Y	VARCHAR2(200)	nvarchar(200)	predecessors string
MPA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPA_NOTE	Y	VARCHAR2(250)	nvarchar(250)	Note for the MS-Project activity.
MPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPACTRESASSIGNMENT

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

MAA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
MAA_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number
MAA_RESUNITS	Y	VARCHAR2(10)	nvarchar(10)	resource units assigned
MAA_RESINITIAL	Y	VARCHAR2(30)	nvarchar(30)	resource code
MAA_RESORG	Y	VARCHAR2(15)	nvarchar(15)	resource organization
MAA_RESTYPE	Y	VARCHAR2(8)	nvarchar(8)	resource type
MAA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MAA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPACTSCHEDULES

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSA_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	scheduling project
MSA_EVENT	N	VARCHAR2(30)	nvarchar(30)	event code
MSA_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number
MSA_PERSON	N	VARCHAR2(15)	nvarchar(15)	resource code
MSA_DATE	N	DATE	datetime	scheduled date
MSA_STARTTIME	Y	NUMBER	numeric(24,6)	start time
MSA_ENDTIME	Y	NUMBER	numeric(24,6)	end time
MSA_HOURS	Y	NUMBER(12,2)	numeric(12,2)	available hours
MSA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MSA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPASSIGNEDSUPPLIERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MAS_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	MS Project Code
MAS_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order Number
MAS_ACT	N	NUMBER(8,0)	numeric(8,0)	Work Order Activity
MAS_SCHED	N	DATE	datetime	Scheduled Date
MAS_SCHEDHOURS	Y	NUMBER	numeric(24,6)	Scheduled Hours
MAS_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	Supplier
MAS_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	Supplier Organization
MAS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
MAS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MAS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPAVAILABILITIES

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPV_DATE	Y	DATE	datetime	date
MPV_RESOURCE	Y	VARCHAR2(80)	nvarchar(80)	resource name (description)
MPV_RESINITIAL	Y	VARCHAR2(15)	nvarchar(15)	resource code
MPV_HOURS	Y	NUMBER(5,2)	numeric(5,2)	available hours
MPV_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code
MPV_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc code
MPV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPEQUIPMENT

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MEQ_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	scheduling project code
MEQ_CODE	N	VARCHAR2(30)	nvarchar(30)	object code
MEQ_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code

MEQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	object class
MEQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class org
MEQ_OBJTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type
MEQ_DESC	Y	VARCHAR2(80)	nvarchar(80)	object descriptions
MEQ_RESOURCECETYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. obj
MEQ_MSRESOURCECETYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. material.
MEQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MEQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MEQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPEVENTS	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPE_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPE_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
MPE_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
MPE_EVTDESC	Y	VARCHAR2(80)	nvarchar(80)	description of job.
MPE_MPEVTDESC	Y	VARCHAR2(80)	nvarchar(80)	description of job after adjusting schedule in mp.
MPE_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code.
MPE_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	type of job (user code, see entity jbtp).
MPE_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	priority of job before adjusting schedule in mp.
MPE_MPPRIORITY	Y	VARCHAR2(8)	nvarchar(8)	priority of job after adjusting schedule in mp.
MPE_TARGET	N	DATE	datetime	target date of job before adjusting schedule in mp.
MPE_MPTARGET	Y	DATE	datetime	target date of job after adjusting schedule in mp.
MPE_EVTSTART	Y	DATE	datetime	actual start date of job..
MPE_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration of job (in days) before adjusting schedule in mp.
MPE_MPDURATION	Y	NUMBER(8,0)	numeric(8,0)	duration of job (in days) after adjusting schedule in mp.
MPE_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
MPE_EVTSTATUS	N	VARCHAR2(4)	nvarchar(4)	job status (user code, see entity evst).
MPE_EVTRSTATUS	N	VARCHAR2(4)	nvarchar(4)	job status (system code, see entity evst).
MPE_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
MPE_COMMENT	Y	LONG	ntext	event comments
MPE_RESOURCES	Y	VARCHAR2(1000)	nvarchar(1000)	resource names string
MPE_RESINITIALS	Y	VARCHAR2(500)	nvarchar(500)	resource code string
MPE_PRED	Y	VARCHAR2(200)	nvarchar(200)	task predecessors string
MPE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPE_SCHEDEND	Y	DATE	datetime	scheduled end date
MPE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPOBJECTS	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPO_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
MPO_DESC	Y	VARCHAR2(80)	nvarchar(80)	object description.
MPO_OBCLASS	Y	VARCHAR2(8)	nvarchar(8)	object classification code.
MPO_OBCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	object class organization
MPO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
MPO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPO_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
MPO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPPERSACT	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

MPS_PERSON	N	VARCHAR2(15)	nvarchar(15)	personnel code of person assigned to activity.
MPS_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
MPS_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
MPS_DATE	N	DATE	datetime	date person is assigned to work on activity.
MPS_HOURS	N	NUMBER(10,2)	numeric(10,2)	hours required for job (in days) before adjusting schedule in mp.
MPS_MPHOURS	Y	NUMBER(10,2)	numeric(10,2)	hours required for job (in days) after adjusting schedule in mp.
MPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPPERSONNEL

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPP_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	scheduling project id
MPP_CODE	N	VARCHAR2(15)	nvarchar(15)	personnel code
MPP_ORG	Y	VARCHAR2(15)	nvarchar(15)	personnel organization
MPP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	personnel class
MPP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class org
MPP_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code
MPP_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc code
MPP_DESC	Y	VARCHAR2(80)	nvarchar(80)	personnel descriptions
MPP_RESOURCECTYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. pers
MPP_MSRESOURCECTYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. work
MPP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPPREDECESSORS

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPD_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	scheduling project id
MPD_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
MPD_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number
MPD_PRED	Y	NUMBER(3,0)	numeric(3,0)	predecessor number
MPD_PREDEVENT	Y	VARCHAR2(30)	nvarchar(30)	predecessor event code
MPD_PREDACT	Y	NUMBER(8,0)	numeric(8,0)	predecessor activity number
MPD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPPRIORITIES

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPR_UPRIOR	N	VARCHAR2(8)	nvarchar(8)	priority code (user code, see entity jbpri).
MPR_RPRIOR	N	VARCHAR2(8)	nvarchar(8)	corresponding microsoft project priority code.
MPR_SYSTEM	Y	VARCHAR2(1)	nvarchar(1)	value is + if entry is system defined.
MPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPPROJECTS

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPJ_CODE	N	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project. unique identification.
MPJ_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of mp scheduling project.
MPJ_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code.
MPJ_STARTDATE	Y	DATE	datetime	start date for selection of jobs into mp schedule.
MPJ_ENDDATE	Y	DATE	datetime	end date for selection of jobs into mp schedule.

MPJ_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type of jobs to be selected into mp schedule.
MPJ_JOBSTATUS	Y	VARCHAR2(4)	nvarchar(4)	job status of jobs to be selected into mp schedule.
MPJ_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code of activities be selected into mp schedule.
MPJ_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code of jobs to be selected into mp schedule.
MPJ_OBJECTCLASS	Y	VARCHAR2(8)	nvarchar(8)	object classification code.
MPJ_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code of jobs to be selected into mp schedule.
MPJ_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority of jobs to be selected into mp schedule.
MPJ_USER	Y	VARCHAR2(255)	nvarchar(255)	username of person who produced this mp schedule.
MPJ_DATE	Y	DATE	datetime	date mp project created.
MPJ_DEVICE	Y	VARCHAR2(12)	nvarchar(12)	identifies computer on which the ms project interface is installed.
MPJ_IMP	Y	VARCHAR2(1)	nvarchar(1)	value is + if mp project has been imported into microsoft project.
MPJ_EXP	Y	VARCHAR2(1)	nvarchar(1)	value is + if mp project has been exported from microsoft project.
MPJ_CHILD	Y	VARCHAR2(1)	nvarchar(1)	value is + if jobs of child objects are to be selected into mp schedule.
MPJ_SESTYPE	Y	VARCHAR2(4)	nvarchar(4)	the type of planning session (active or monitoring).
MPJ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	mp project status (system code).
MPJ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	mp project status (user code).
MPJ_OBJECTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	object class organization
MPJ_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
MPJ_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
MPJ_PERSONNEL	Y	VARCHAR2(1)	nvarchar(1)	check box to indicate whether the personnel information will be send to ms project
MPJ_AUXIOBJ	Y	VARCHAR2(1)	nvarchar(1)	check box to indicate whether the auxiliary equipment information will be send to ms project
MPJ_TOOL	Y	VARCHAR2(1)	nvarchar(1)	check box to indicate whether the tool information will be send to ms project
MPJ_SUPPLIER	Y	VARCHAR2(1)	nvarchar(1)	check box to indicate whether the supplier information will be send to ms project
MPJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPJ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MPJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPRESOURCESCHEDULE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MRS_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	MS Project Code
MRS_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order Number
MRS_ACT	Y	NUMBER(8,0)	numeric(8,0)	Activity number
MRS_SCHEDULECODE	Y	VARCHAR2(30)	nvarchar(30)	Schedule Code
MRS_SCHED	Y	DATE	datetime	Scheduled Date
MRS_SCHEDVALUE	Y	NUMBER	numeric(24,6)	Scheduled Hours
MRS_RESOURCE	Y	VARCHAR2(30)	nvarchar(20)	Resource
MRS_RESOURCE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Resource Organization
MRS_RESOURCE_TYPE	Y	VARCHAR2(8)	nvarchar(8)	Resource Type
MRS_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	Shift
MRS_SCHEDULER	Y	VARCHAR2(255)	nvarchar(255)	Scheduler
MRS_COMMENT	Y	VARCHAR2(60)	nvarchar(60)	WO Schedule Comment
MRS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
MRS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MRS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPSCHEDGROUPS

MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPG_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPG_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity for which group selection was requested: object, project, or mrc (system code).
MPG_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity for which group selection was requested: object, project, or mrc (user code).
MPG_CODE	N	VARCHAR2(30)	nvarchar(30)	code of object, project or maintenance responsibility centre.
MPG_CODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
MPG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

MPG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPSUPPLIER	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSP_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	scheduling project code
MSP_CODE	N	VARCHAR2(30)	nvarchar(30)	supplier code
MSP_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
MSP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	supplier class
MSP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class organization
MSP_DESC	Y	VARCHAR2(80)	nvarchar(80)	supplier descriptions
MSP_RESOURCECETYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. "comp"
MSP_MSRESOURCECETYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. "work"
MSP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MSP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPTOOL	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTO_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	scheduling project code
MTO_CODE	N	VARCHAR2(12)	nvarchar(12)	tool code
MTO_ORG	Y	VARCHAR2(15)	nvarchar(15)	tool organization
MTO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	trade class
MTO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class organization
MTO_DESC	Y	VARCHAR2(80)	nvarchar(80)	tool descriptions
MTO_RESOURCECETYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. tool
MTO_MSRESOURCECETYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. material
MTO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MTO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPTOOLACTIVITIES	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TOA_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
TOA_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
TOA_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
TOA_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code.
TOA_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
TOA_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of tool required.
TOA_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
TOA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TOA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TOA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPTOOLS	MS PROJECT INTERFACE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MPT_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code of by-asset part.
MPT_DESC	Y	VARCHAR2(80)	nvarchar(80)	object description.
MPT_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code of by-asset part..
MPT_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
MPT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
MPT_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
MPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

MPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MPTRADE MS PROJECT INTERFACE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTD_MPPROJ	N	VARCHAR2(20)	nvarchar(20)	scheduling project code
MTD_CODE	N	VARCHAR2(15)	nvarchar(15)	trade code
MTD_ORG	Y	VARCHAR2(15)	nvarchar(15)	trade organization code
MTD_DESC	Y	VARCHAR2(100)	nvarchar(100)	trade description
MTD_RESOURCECTYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. "trad"
MTD_MSRESOURCECTYPE	Y	VARCHAR2(12)	nvarchar(12)	e.g. "work"
MTD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MTD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MRCGISMAPS BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MGM_MRC	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
MGM_MAP	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
MGM_MAP_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
MGM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MGM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MRCS BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MRC_CODE	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code. unique identification. abbreviated as mrc.
MRC_DESC	N	VARCHAR2(80)	nvarchar(80)	maintenance responsibility centre code.
MRC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
MRC_STORE	Y	VARCHAR2(15)	nvarchar(15)	code of default store of mrc (store where materials are reserved).
MRC_DFLTSCREENER	Y	VARCHAR2(255)	nvarchar(255)	username of person who reviews work order requests and either approves or rejects the request.
MRC_SCHEDGROUP	Y	VARCHAR2(30)	nvarchar(30)	mrc groups used to aid scheduling of work orders..
MRC_CAPACITY	Y	NUMBER(5,2)	numeric(5,2)	number of people available at this mrc for scheduling in microsoft project.
MRC_ORG	N	VARCHAR2(15)	nvarchar(15)	mrc organization
MRC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
MRC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MRC_CREATED	Y	DATE	datetime	Creation timestamp
MRC_UPDATED	Y	DATE	datetime	Update timestamp
MRC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag
MRC_SEGMENTVALUE	Y	VARCHAR2(30)	nvarchar(30)	Segment value
MRC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MRC_DEPOT	Y	VARCHAR2(30)	nvarchar(30)	
MRC_DEPOT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
MRC_AVAILABLEFORCUS	Y	VARCHAR2(1)	nvarchar(1)	
MRC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MRCTOOLS WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MRT_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
MRT_TOOL	N	VARCHAR2(12)	nvarchar(12)	tool code.
MRT_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of tool at maintenance responsibility centre.
MRT_TARIFF	Y	NUMBER(24,6)	numeric(24,6)	hourly rate per use of a quantity of 1 of the tool.
MRT_HOURS	Y	NUMBER(5,2)	numeric(5,2)	hours tool is available
MRT_ORG	N	VARCHAR2(15)	nvarchar(15)	mrc tool organization
MRT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MRT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

MRT_CUSTANDARDRATE	Y	NUMBER(24,6)	numeric(24,6)	
MRT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5MSGSERVERREQUEST ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MSQ_REQUESTID	N	VARCHAR2(60)	nvarchar(60)	Message request ID
MSQ_REQUESTER	N	VARCHAR2(255)	nvarchar(255)	The unique server id of the request sender
MSQ_RECEIVER	Y	VARCHAR2(255)	nvarchar(255)	The unique server id of the request receiver
MSQ_USER	N	VARCHAR2(255)	nvarchar(255)	User who requested the report
MSQ_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization under which the user logged in
MSQ_STARTED	Y	DATE	datetime	Time the report was requested
MSQ_COMPLETED	Y	DATE	datetime	Time the report was completed
MSQ_STATUS	N	VARCHAR2(4)	nvarchar(4)	Message user status.
MSQ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Message system status. An Rcode whose rentity = MSST. Initially one of the following: S (Submitted), I (In Progress), R (Ready), V (Viewed), F
MSQ_ERRORMESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Error message from Message Server
MSQ_REQUESTXML	N	LONG	ntext	Original message request XML (as submitted to the Message Server)
MSQ_SYNCHRONOUS	Y	VARCHAR2(1)	nvarchar(1)	value is + indicates a synchronous request, - indicates an asynchronous request
MSQ_SUBMITCOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the request has been resubmitted to the message server
MSQ_POLLINGCOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the message server has been polled for a status of this request but without a reply
MSQ_LASTSTATUSMSGTIME	Y	DATE	datetime	Time that the most recent status message was created
MSQ_LASTSTATUSMSGTIMEDB	Y	DATE	datetime	Time of the most recent status change of this request
MSQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
MSQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MSQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NCSETUPSTATUSDEP NONCONFORMITIES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NSD_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization the record belongs to.
NSD_NCFSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The status the nonconformity automatically gets when changing the observation status.
NSD_NCOSTATUS	N	VARCHAR2(4)	nvarchar(4)	The observation status which initiates the automatic nonconformity status change.
NSD_ONLYIFSTATUS	Y	VARCHAR2(250)	nvarchar(250)	Only automatically change the nonconformity status if it has this value.
NSD_CREATED	Y	DATE	datetime	Timestamp the record was created.
NSD_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created the record.
NSD_UPDATED	Y	DATE	datetime	Timestamp the record was last updated.
NSD_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who last updated the record.
NSD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NSD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NSD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITIES NONCONFORMITIES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NCF_CODE	N	VARCHAR2(30)	nvarchar(30)	The nonconformity code.
NCF_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the nonconformity.
NCF_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the nonconformity.
NCF_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment of the nonconformity.
NCF_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization of the nonconformity.
NCF_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the nonconformity.
NCF_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization of the nonconformity.
NCF_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the nonconformity.
NCF_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the nonconformity.
NCF_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The system level of the nonconformity.
NCF_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly level of the nonconformity.
NCF_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component level of the nonconformity.
NCF_PART	Y	VARCHAR2(30)	nvarchar(30)	The part related to the nonconformity.

NCF_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization related to the nonconformity.
NCF_MATLTYPE	Y	VARCHAR2(8)	nvarchar(8)	The material type of the nonconformity.
NCF_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the nonconformity.
NCF_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the nonconformity.
NCF_NCTTYPE	Y	VARCHAR2(30)	nvarchar(30)	The type of the nonconformity.
NCF_NCTTYPE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The type organization of the nonconformity.
NCF_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	The severity of the nonconformity.
NCF_INTENSITY	Y	VARCHAR2(8)	nvarchar(8)	The intensity of the nonconformity.
NCF_SIZE	Y	NUMBER(24,6)	numeric(24,6)	The size of the nonconformity.
NCF_IMPORTANCE	Y	VARCHAR2(8)	nvarchar(8)	The importance of the nonconformity.
NCF_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority of the nonconformity.
NCF_CONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	The condition score of the nonconformity.
NCF_CONDITIONINDEX	Y	VARCHAR2(8)	nvarchar(8)	The condition index of the nonconformity.
NCF_NEXTINSPECTDATE	Y	DATE	datetime	The next inspection date.
NCF_NEXTINSPECTDATEOVERRIDE	Y	DATE	datetime	Next Inspection Date that was manually entered to override the calculated date
NCF_RECOMMREPAIRDATE	Y	DATE	datetime	The recommended repair date of the nonconformity.
NCF_ESTLABORCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated labot cost of the nonconformity.
NCF_ESTMATLCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated material cost of the nonconformity.
NCF_ESTMISCCOST	Y	NUMBER(24,6)	numeric(24,6)	The estimated miscellaneous cost of the nonconformity.
NCF_CREATED	Y	DATE	datetime	Creation timestamp
NCF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the nonconformity.
NCF_UPDATED	Y	DATE	datetime	Update timestamp
NCF_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the nonconformity.
NCF_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
NCF_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
NCF_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
NCF_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
NCF_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
NCF_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
NCF_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the nonconformity.
NCF_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the nonconformity.
NCF_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

NCF_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCF_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCF_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCF_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCF_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCF_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCF_UDFDATE01	Y	DATE	datetime	User defined field of type Date
NCF_UDFDATE02	Y	DATE	datetime	User defined field of type Date
NCF_UDFDATE03	Y	DATE	datetime	User defined field of type Date
NCF_UDFDATE04	Y	DATE	datetime	User defined field of type Date
NCF_UDFDATE05	Y	DATE	datetime	User defined field of type Date
NCF_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCF_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCF_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCF_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCF_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NCF_CPR	Y	VARCHAR2(30)	nvarchar(30)	The capital planning request related to the nonconformity.
NCF_CPR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The capital planning request organization related to the nonconformity.
NCF_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department of the nonconformity.
NCF_SOURCEOBSERVATION	Y	VARCHAR2(30)	nvarchar(30)	The source observation of the nonconformity.
NCF_OBSERVATIONOVERRIDE	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether these has been an observation override.
NCF_MERGEDINTO	Y	VARCHAR2(30)	nvarchar(30)	The nonconformity this nonconformity is merged into.
NCF_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
NCF_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
NCF_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.
NCF_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
NCF_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
NCF_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
NCF_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
NCF_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point
NCF_FROM_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the from point.
NCF_FROM_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the from point.
NCF_FROM_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the from point.
NCF_FROM_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the from point.
NCF_FROM_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the from point.
NCF_FROM_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the from point.
NCF_FROM_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the from point.
NCF_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
NCF_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
NCF_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
NCF_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
NCF_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
NCF_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
NCF_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
NCF_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point
NCF_TO_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the to point.
NCF_TO_HORIZONTAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset relative to the to point.

NCF_TO_HORIZONTAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the horizontal offset relative to the to point.
NCF_TO_HORIZONTAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of horizontal offset relative to the to point.
NCF_TO_VERTICAL_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset relative to the to point.
NCF_TO_VERTICAL_OFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The unit of measure of the vertical offset relative to the to point.
NCF_TO_VERTICAL_OFFSETTYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of vertical offset relative to the to point.
NCF_RELATIONSHIP_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the nonconformity.
NCF_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	Inspection Aspect associated to this nonconformity
NCF_NOTE	Y	VARCHAR2(1000)	nvarchar(1000)	Free text note field to add more detail to the nonconformity
NCF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NCF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYSELCRITERIA

NONCONFORMITIES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NCS_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the record.
NCS_RENTITY	N	VARCHAR2(4)	nvarchar(4)	The system entity the selection criteria belong to.
NCS_CODE	N	VARCHAR2(100)	nvarchar(100)	The code the selection criteria belong to
NCS_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class selection criterion.
NCS_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization selection criterion.
NCS_OBJCLASS	Y	VARCHAR2(8)	nvarchar(8)	The equipment class selection criterion.
NCS_OBJCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment class organization selection criterion.
NCS_NCTCLASS	Y	VARCHAR2(8)	nvarchar(8)	The nonconformity type class selection criterion.
NCS_NCTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The nonconformity type class organization selection criterion.
NCS_NCTTYPE	Y	VARCHAR2(30)	nvarchar(30)	The nonconformity type selection criterion.
NCS_NCTTYPE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The nonconformity type organization selection criterion.
NCS_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The system level selection criterion.
NCS_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly level selection criterion.
NCS_COMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component level selection criterion.
NCS_PART	Y	VARCHAR2(30)	nvarchar(30)	The part selection criterion.
NCS_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization selection criterion.
NCS_MATLTYPE	Y	VARCHAR2(8)	nvarchar(8)	The material type selection criterion.
NCS_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	The severity selection criterion.
NCS_INTENSITY	Y	VARCHAR2(8)	nvarchar(8)	The intensity selection criterion.
NCS_SIZEFROM	Y	NUMBER(24,6)	numeric(24,6)	The size from selection criterion.
NCS_SIZETO	Y	NUMBER(24,6)	numeric(24,6)	The size to selection criterion.
NCS_IMPORTANCE	Y	VARCHAR2(8)	nvarchar(8)	The importance selection criterion.
NCS_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority selection criterion.
NCS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

NCS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
NCS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
NCS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
NCS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
NCS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
NCS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NCS_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department selection criterion
NCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYSETUP		NONCONFORMITIES		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NCP_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization the nonconformity setup record belongs to.
NCP_PROTECTHEADER	Y	VARCHAR2(1)	nvarchar(1)	If selected, the header nonconformity data on the Nonconformity Observations screen and the Nonconformities tab of the Work Order screen will be protected if more than one observation is present for the nonconformity.
NCP_PROTECTOBSDATAONHDR	Y	VARCHAR2(1)	nvarchar(1)	If selected, the observation data like Severity, Intensity, etc. will be protected on the Nonconformities screen in update mode.
NCP_SYNCHRONIZE	Y	VARCHAR2(4)	nvarchar(4)	Observation data can be synchronized with the associated nonconformity header. Select the timing when synchronization should occur.
NCP_MERGERESTRICTIONS	Y	VARCHAR2(4)	nvarchar(4)	Determines which nonconformities can be selected for merging. If set to Unrestricted, there is no constraint. If set to Restricted, Equipment, Type, Part, System Level, Assembly Level, Component Level, and Material Type must be the same or blank.
NCP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the record.
NCP_UPDATED	Y	DATE	datetime	Timestamp the record was last updated.
NCP_USEOBSSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Nonconformity observations require manual status changes or not. If Yes, the user must manually change the status. If No, the system will protect the status and never apply changes.
NCP_SUPERSEDEDSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Value of the Status of the currently approved observation after approval of a new observation.
NCP_REINSPECTSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Value of the Status of new observations when created for a re-inspection of an existing nonconformity.
NCP_AUTOAPPROVESTATUS	Y	VARCHAR2(4)	nvarchar(4)	At work order closing automatically set the status of any unfinished observation associated with the work order.
NCP_AUTOSKIPSTATUS	Y	VARCHAR2(4)	nvarchar(4)	At work order closing, automatically set the status of any observation associated with the work order for re-inspection.
NCP_INCLUDECONDITION	Y	VARCHAR2(1)	nvarchar(1)	If selected, the system will copy the values of severity, intensity, size, importance and next inspection date override from the related nonconformity header to the observation when a new observation is created.
NCP_PREVOBSCOUNT	Y	NUMBER(6,0)	numeric(6,0)	Determines how many other, previous observations for the same nonconformity will be displayed on the observations comments and documents popup.
NCP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

NCP_CREATEFROMCHECKLIST	Y	VARCHAR2(4)	nvarchar(4)	Indicates whether a nonconformity can be created from the results of a checklist
NCP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NCP_MASSACKNOWLEDGEALLOWED	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYSEVERITY	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYINTENSITY	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYSIZE	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYIMPORTANCE	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYNEXTINSPDATEOVERRIDE	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYOBSERVATIONUDFS	Y	VARCHAR2(1)	nvarchar(4)	
NCP_COPYFROM	Y	VARCHAR2(4)	nvarchar(4)	
NCP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYTYPEASPECTS		NONCONFORMITIES		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NTA_ASPECT	N	VARCHAR2(30)	nvarchar(30)	Inspection Aspect
NTA_NONCONFORMITYTYPE_CODE	N	VARCHAR2(30)	nvarchar(30)	Nonconformity Type applicable to the Inspection Aspect
NTA_NONCONFORMITYTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	Nonconformity Type Org. applicable to the Inspection Aspect
NTA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NTA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NTA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYTYPEEMRS		NONCONFORMITIES		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NTE_PK	N	VARCHAR2(30)	nvarchar(30)	The system generated primary key of the record.
NTE_NONCONFORMITYTYPE_CODE	N	VARCHAR2(30)	nvarchar(30)	The nonconformity type.
NTE_NONCONFORMITYTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	The nonconformity type organization.
NTE_SYSLEVEL	N	VARCHAR2(30)	nvarchar(30)	A system level related to the nonconformity type.
NTE_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	An assembly level related to the nonconformity type.
NTE_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	A component level related to the nonconformity type.
NTE_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

NTE_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTE_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTE_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTE_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTE_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTE_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTE_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTE_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTE_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTE_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTE_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTE_UDFDATE01	Y	DATE	datetime	User defined field of type Date
NTE_UDFDATE02	Y	DATE	datetime	User defined field of type Date
NTE_UDFDATE03	Y	DATE	datetime	User defined field of type Date
NTE_UDFDATE04	Y	DATE	datetime	User defined field of type Date
NTE_UDFDATE05	Y	DATE	datetime	User defined field of type Date
NTE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NTE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NTE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYTYPEMATTYPE		NONCONFORMITIES		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MTS_NONCONFORMITYTYPE	N	VARCHAR2(30)	nvarchar(30)	The nonconformity type.
MTS_NONCONFORMITYTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	The nonconformity type organization.
MTS_MATERIALTYPE	N	VARCHAR2(8)	nvarchar(15)	A Material type related to the nonconformity type.
MTS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

MTS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
MTS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
MTS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
MTS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
MTS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
MTS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
MTS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
MTS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
MTS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MTS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
MTS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYTYPEPARTS		NONCONFORMITIES		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NTP_PART	N	VARCHAR2(30)	nvarchar(30)	A part related to the nonconformity type.
NTP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of a part related to the nonconformity type.
NTP_NONCONFORMITYTYPE_CODE	N	VARCHAR2(30)	nvarchar(30)	The nonconformity type.
NTP_NONCONFORMITYTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	The nonconformity type organization.
NTP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

NTP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NTP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NTP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NTP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
NTP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
NTP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
NTP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
NTP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
NTP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NTP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NTP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMITYTYPES

NONCONFORMITIES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NCT_CODE	N	VARCHAR2(30)	nvarchar(30)	The nonconformity type.
NCT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the nonconformity type.
NCT_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the nonconformity type.
NCT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the nonconformity type.
NCT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the nonconformity type.
NCT_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	The severity of the nonconformity type.
NCT_GENERAL	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the nonconformity type is a general type.
NCT_STANDARDWO	Y	VARCHAR2(20)	nvarchar(20)	The standard work order of the nonconformity type.
NCT_NONCONFORMITY_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The nonconformity class of the nonconformity type.
NCT_NONCONFORMITY_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The nonconformity class organization of the nonconformity type.
NCT_CHKLST_TASK	Y	VARCHAR2(20)	nvarchar(20)	The checklist task of the nonconformity type.
NCT_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the nonconformity type is out of service.
NCT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
NCT_CREATED	Y	DATE	datetime	record creation timestamp
NCT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
NCT_UPDATED	Y	DATE	datetime	update date
NCT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

NCT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
NCT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
NCT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
NCT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
NCT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
NCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NCT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5NONCONFORMOBSERVATIONS

NONCONFORMITIES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
NCO_PK	N	VARCHAR2(30)	nvarchar(30)	The system generated primary key of the nonconformity observation record.
NCO_CODE	Y	VARCHAR2(30)	nvarchar(30)	The nonconformity the observation belongs to.
NCO_OBSERVATION	Y	NUMBER(8,0)	numeric(8,0)	The nonconformity observation.
NCO_TASK	Y	VARCHAR2(20)	nvarchar(20)	The task of the nonconformity observation.
NCO_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	The task revision of the nonconformity observation.
NCO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The user status of the nonconformity observation.
NCO_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the nonconformity observation.
NCO_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	The severity of the nonconformity observation.
NCO_INTENSITY	Y	VARCHAR2(8)	nvarchar(8)	The intensity of the nonconformity observation.
NCO_SIZE	Y	NUMBER(24,6)	numeric(24,6)	The size of the nonconformity observation.
NCO_IMPORTANCE	Y	VARCHAR2(8)	nvarchar(8)	The importance of the nonconformity observation.
NCO_NOTE	Y	VARCHAR2(1000)	nvarchar(1000)	A note belonging to the nonconformity observation.
NCO_RECORDED	Y	DATE	datetime	Timestamp the record was recorded.
NCO_RECORDEDBY	Y	VARCHAR2(30)	nvarchar(30)	The user who recorded the record.

NCO_CONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	the condition score of the nonconformity observation.
NCO_CONDITIONINDEX	Y	VARCHAR2(8)	nvarchar(8)	The condition index of the nonconformity observation.
NCO_NEXTINSPECTDATE	Y	DATE	datetime	The next inspection date of the nonconformity observation.
NCO_NEXTINSPECTDATEOVERRIDE	Y	DATE	datetime	The next override inspection date of the nonconformity observation.
NCO_WORKORDER	Y	VARCHAR2(30)	nvarchar(30)	The work order related to the nonconformity observation.
NCO_CREATED	Y	DATE	datetime	Timestamp the record was created.
NCO_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record.
NCO_UPDATED	Y	DATE	datetime	Timestamp the record was last updated.
NCO_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the record.
NCO_PERFORMED	Y	DATE	datetime	Date of performed signature.
NCO_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of performed signature.
NCO_PERFORMEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of performed signature.
NCO_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
NCO_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
NCO_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
NCO_CODEBEFOREMERGE	Y	VARCHAR2(30)	nvarchar(30)	The nonconformity the observation used to belong to.
NCO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
NCO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
NCO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
NCO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
NCO_UDFDATE03	Y	DATE	datetime	User defined field of type Date

NCO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
NCO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
NCO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
NCO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
NCO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
NCO_MASSACKNOWLEDGED	Y	VARCHAR2(4)	nvarchar(4)	
NCO_ACKNOWLEDGEDBY	Y	VARCHAR2(255)	nvarchar(255)	
NCO_DATEACKNOWLEDGED	Y	DATE	datetime	
NCO_MOBILEDATEACKNOWLEDGED	Y	DATE	datetime	
NCO_ACKNOWLEDGEDCOPIEDFROM	Y	VARCHAR2(4)	nvarchar(4)	
NCO_ACKNOWLEDGEDSOURCEOBSERV	Y	VARCHAR2(30)	nvarchar(30)	
NCO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJACTUALCONSUMPTION

GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OAC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Code
OAC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
OAC_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	Commodity Code
OAC_DATE	N	DATE	datetime	To Date
OAC_USAGE	Y	NUMBER(24,6)	numeric(24,6)	Usage
OAC_ACTUALCONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	Design Consumption
OAC_DESIGNUSAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	The UOM of the usage. E.g if the equipment was on for 2 hours today Usage will be 2 and UOM will be HOUR
OAC_UPDATED	Y	DATE	datetime	record update timestamp
OAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OAC_LOADFACTOR	Y	NUMBER(3,0)	numeric(3,0)	The load factor of the actual consumption
OAC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OAC_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
OAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJDEPRECIATION

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ODP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment code.
ODP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment.
ODP_DEPTYPE	N	VARCHAR2(4)	nvarchar(4)	The depreciation type.
ODP_MODE	N	VARCHAR2(1)	nvarchar(1)	The mode of depreciation.
ODP_PERIOD	N	NUMBER	numeric(38,0)	The period number.
ODP_STARTDATE	Y	DATE	datetime	The start date of the period.
ODP_ENDDATE	Y	DATE	datetime	The end date of the period.
ODP_EXPENSE	Y	NUMBER	numeric(24,6)	The depreciation expense of the period.
ODP_BOOKVALUE	Y	NUMBER	numeric(24,6)	The book value at the end of the period.
ODP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
ODP_PARENT	Y	NUMBER	numeric(18,0)	The object depreciation type record used to create this record
ODP_ACD	Y	NUMBER	bigint	The reference to the associated account detail record
ODP_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate the record was transferred
ODP_GLTRANSFER	Y	DATE	datetime	Date the record was transferred
ODP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ODP_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ODP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJDEPTYPES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBD_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment code.
OBD_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment.
OBD_DEPTYPE	Y	VARCHAR2(4)	nvarchar(4)	The depreciation type.
OBD_ORIGVALUE	N	NUMBER(24,6)	numeric(24,6)	The original value of the equipment.
OBD_ESTLIFE	N	NUMBER(8,2)	numeric(8,2)	Estimated useful life of the equipment.
OBD_ESTLIFEUOM	N	VARCHAR2(1)	nvarchar(1)	The UOM in which the estimated useful life is expressed.
OBD_RESIDUAL	Y	NUMBER(24,6)	numeric(24,6)	Value of the equipment at the end of its useful life.
OBD_DEPMETHOD	N	VARCHAR2(4)	nvarchar(4)	The depreciation method.
OBD_DEPRMETHOD	N	VARCHAR2(4)	nvarchar(4)	The system code of the depreciation method.
OBD_ESTOUTPUT	Y	NUMBER(24,0)	numeric(24,0)	The estimated number of units of output during the estimated useful life of the equipment.
OBD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
OBD_STARTDATE	Y	DATE	datetime	User defined field of type Char
OBD_NOTES	Y	VARCHAR2(4000)	nvarchar(4000)	Notes
OBD_PK	N	NUMBER	numeric(18,0)	The primary key of the object depreciation type record
OBD_ACD	Y	NUMBER	bigint	The reference to the associated account detail record
OBD_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate the record was transferred
OBD_GLTRANSFER	Y	DATE	datetime	Date the record was transferred
OBD_DEPCATEGORY	Y	VARCHAR2(4)	nvarchar(4)	The depreciation category
OBD_CHANGEVALUE	Y	NUMBER(24,6)	numeric(24,6)	The delta in book value
OBD_CHANGELIFE	Y	NUMBER(8,2)	numeric(8,2)	The delta in life expectancy
OBD_CHANGEELO	Y	NUMBER(24,0)	numeric(24,0)	The delta in estimated lifetime output
OBD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

OBD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBD_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OBD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OBD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OBD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OBD_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OBD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBD_RELATIVESTART	Y	NUMBER(8,2)	numeric(8,2)	The number of days/weeks/months/quarters/years relative to the equipment commission date, only used with equipment configurations
OBD_RELATIVESTARTUOM	Y	VARCHAR2(1)	nvarchar(1)	The start date unit of measure relative to the equipment commission date, only used with equipment configurations
OBD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OBD_RELATIVETOCOMMISSION	Y	VARCHAR2(1)	nvarchar(1)	
OBD_ORIGINALCOMPONENTVALUE	Y	NUMBER(24,6)	numeric(24,6)	
OBD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJDESIGNCONSUMPTION	GREEN			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ODC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Code
ODC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
ODC_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	Commodity Code
ODC_FROMDATE	N	DATE	datetime	From Date
ODC_DESIGNUSAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	Consumption unit of measure
ODC_DESIGNCONSUMPTIONRATE	Y	NUMBER(24,6)	numeric(24,6)	Rate of consumption by design
ODC_PARENTUTLBILLOBJECT	Y	VARCHAR2(30)	nvarchar(30)	Parent Equipment for Utility Bill
ODC_PARENTUTLBILLOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Parent Equipment for Utility Bill Organization
ODC_TODATE	Y	DATE	datetime	To Date
ODC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ODC_DEFAULTLOADFACTOR	Y	NUMBER(3,0)	numeric(3,0)	The design consumption rate belonging to range 1
ODC_RANGELOW	N	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH	N	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_RANGELOW2	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH2	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE2	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 2
ODC_RANGELOW3	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH3	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE3	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 3
ODC_RANGELOW4	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH4	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE4	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 4
ODC_RANGELOW5	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH5	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE5	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 5
ODC_RANGELOW6	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH6	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE6	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 6
ODC_RANGELOW7	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH7	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE7	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 7
ODC_RANGELOW8	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate

ODC_RANGEHIGH8	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE8	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 8
ODC_RANGELOW9	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH9	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE9	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 9
ODC_RANGELOW10	Y	NUMBER(3,0)	numeric(3,0)	The low value of a range to determine the design consumption rate
ODC_RANGEHIGH10	Y	NUMBER(3,0)	numeric(3,0)	The high value of a range to determine the design consumption rate
ODC_DESIGNCONSUMPTIONRATE10	Y	NUMBER(24,6)	numeric(24,6)	The design consumption rate belonging to range 10
ODC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ODC_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ODC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTASPECTS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBA_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
OBA_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
OBA_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OBA_ASPECT	N	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
OBA_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
OBA_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk focus
OBA_METHOD	Y	VARCHAR2(8)	nvarchar(8)	which method to use for the inspection of the inspection points.
OBA_CONFRATING	Y	VARCHAR2(4)	nvarchar(4)	confidence rating
OBA_NOMINAL	Y	NUMBER(24,6)	numeric(24,6)	the starting value or normal value for meas. on an inspection aspect, i.e., if a new pipes wall thickness is 3 mm, 3mm is the nominal value.
OBA_UOM	Y	VARCHAR2(30)	nvarchar(30)	uom
OBA_MINEXTR	Y	NUMBER(24,6)	numeric(24,6)	minimum extreme value
OBA_MIN	Y	NUMBER(24,6)	numeric(24,6)	minimum critical value
OBA_MINTOL	Y	NUMBER(4,1)	numeric(4,1)	minimum tolerance percentage
OBA_MINSTWO	Y	VARCHAR2(20)	nvarchar(20)	minimum standard work order
OBA_MINPPM	Y	VARCHAR2(20)	nvarchar(20)	minimum periodic preventive maintenance
OBA_MINFORMULA	Y	VARCHAR2(8)	nvarchar(8)	minimum formula
OBA_MAXEXTR	Y	NUMBER(24,6)	numeric(24,6)	maximum extreme value
OBA_MAX	Y	NUMBER(24,6)	numeric(24,6)	maximum critical value
OBA_MAXTOL	Y	NUMBER(4,1)	numeric(4,1)	maximum tolerance percentage
OBA_MAXSTWO	Y	VARCHAR2(20)	nvarchar(20)	maximum standard work order
OBA_MAXPPM	Y	VARCHAR2(20)	nvarchar(20)	maximum periodic preventive maintenance
OBA_MAXFORMULA	Y	VARCHAR2(8)	nvarchar(8)	maximum formula
OBA_REPLACEFREQ	Y	NUMBER	numeric(8,0)	replacement frequency
OBA_FACTOR	Y	NUMBER	numeric(24,6)	factor
OBA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OBA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

OBA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OBA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OBA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OBA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OBA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OBA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OBA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTAUDITERORS

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OAE_BATCHNAME	Y	VARCHAR2(20)	nvarchar(20)	object audit batch code.
OAE_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
OAE_ERRORMESSAGE	Y	VARCHAR2(240)	nvarchar(240)	error message text.
OAE_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
OAE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OAE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTAUDITHIST

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OA_H_BATCH	N	VARCHAR2(20)	nvarchar(20)	object audit batch number.
OA_H_DATE	N	DATE	datetime	date the record is inserted.
OA_H_ACCEPTED	Y	NUMBER	int	number of objects accepted,
OA_H_MISSING	Y	NUMBER	int	number of objects missing.
OA_H_FAILED	Y	NUMBER	int	number of objects failed.
OA_H_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OA_H_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTAUDITLINES

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

OAL_BATCHNAME	N	VARCHAR2(20)	nvarchar(20)	object audit batch code.
OAL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	object audit status (user code, see entity oast).
OAL_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	object audit status (system code, see entity oast).
OAL_CREATED	Y	DATE	datetime	date audit batch created.
OAL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
OAL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
OAL_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	code identifying action taken at time of posting.
OAL_TRACKDATE	Y	DATE	datetime	date tracking transaction created.
OAL_OBPROFILE	Y	VARCHAR2(30)	nvarchar(30)	object profile code.
OAL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
OAL_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OAL_OBDESC	Y	VARCHAR2(80)	nvarchar(80)	object description.
OAL_OBCLASS	Y	VARCHAR2(8)	nvarchar(8)	object classification code.
OAL_OBCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category code.
OAL_OBMANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer code.
OAL_OBMANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	manufacturer model number.
OAL_OBMANUFACTREVNUM	Y	VARCHAR2(10)	nvarchar(10)	manufacturer model revision number.
OAL_OBMRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
OAL_OBPART	Y	VARCHAR2(30)	nvarchar(30)	part code.
OAL_OBSERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number.
OAL_OBSTORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
OAL_OBSTATUS	Y	VARCHAR2(4)	nvarchar(4)	object status code (user code, see entity obst).
OAL_OBCOMMISS	Y	DATE	datetime	date object commissioned into service.
OAL_OBWITHDRAW	Y	DATE	datetime	date object was last withdrawn from service.
OAL_OBRECORD	Y	DATE	datetime	date object record created.
OAL_OBUSER	Y	VARCHAR2(255)	nvarchar(255)	username of person who created object record.
OAL_OBORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
OAL_OBORDERLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
OAL_OBPRODUCTION	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is part of production process.
OAL_OBPRIMARYUOM	Y	VARCHAR2(30)	nvarchar(30)	code of primary unit of measure.
OAL_OBVALUE	Y	NUMBER	numeric(24,6)	purchase cost of object.
OAL_STRUCODE1	Y	VARCHAR2(30)	nvarchar(30)	object code of 1st parent object.
OAL_STRUTYPE1	Y	VARCHAR2(4)	nvarchar(4)	object type of 1st parent object (user code, see entity obtp).
OAL_STRUDPND1	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 1st parent object.
OAL_STRUCOST1	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 1st parent object.
OAL_STRUCODE2	Y	VARCHAR2(30)	nvarchar(30)	object code of 2nd parent object.
OAL_STRUTYPE2	Y	VARCHAR2(4)	nvarchar(4)	object type of 2nd parent object (user code, see entity obtp).
OAL_STRUDPND2	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 2nd parent object.
OAL_STRUCOST2	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 2nd parent object.
OAL_STRUCODE3	Y	VARCHAR2(30)	nvarchar(30)	object code of 3rd parent object.
OAL_STRUTYPE3	Y	VARCHAR2(4)	nvarchar(4)	object type of 3rd parent object (user code, see entity obtp).
OAL_STRUDPND3	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 3rd parent object.
OAL_STRUCOST3	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 3rd parent object.
OAL_STRUCODE4	Y	VARCHAR2(30)	nvarchar(30)	object code of 4th parent object.
OAL_STRUTYPE4	Y	VARCHAR2(4)	nvarchar(4)	object type of 4th parent object (user code, see entity obtp).
OAL_STRUDPND4	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 4th parent object.
OAL_STRUCOST4	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 4th parent object.
OAL_STRUCODE5	Y	VARCHAR2(30)	nvarchar(30)	object code of 5th parent object.
OAL_STRUTYPE5	Y	VARCHAR2(4)	nvarchar(4)	object type of 5th parent object (user code, see entity obtp).
OAL_STRUDPND5	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 5th parent object.
OAL_STRUCOST5	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 5th parent object.
OAL_STRUCODE6	Y	VARCHAR2(30)	nvarchar(30)	object code of 6th parent object.
OAL_STRUTYPE6	Y	VARCHAR2(4)	nvarchar(4)	object type of 6th parent object (user code, see entity obtp).
OAL_STRUDPND6	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 6th parent object.

OAL_STRUCOST6	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 6th parent object.
OAL_STRUCODE7	Y	VARCHAR2(30)	nvarchar(30)	object code of 7th parent object.
OAL_STRUTYPE7	Y	VARCHAR2(4)	nvarchar(4)	object type of 7th parent object (user code, see entity obtp).
OAL_STRUDPND7	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 7th parent object.
OAL_STRUCOST7	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 7th parent object.
OAL_STRUCODE8	Y	VARCHAR2(30)	nvarchar(30)	object code of 8th parent object.
OAL_STRUTYPE8	Y	VARCHAR2(4)	nvarchar(4)	object type of 1st parent object (user code, see entity obtp).
OAL_STRUDPND8	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 8th parent object.
OAL_STRUCOST8	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 8th parent object.
OAL_STRUCODE9	Y	VARCHAR2(30)	nvarchar(30)	object code of 9th parent object.
OAL_STRUTYPE9	Y	VARCHAR2(4)	nvarchar(4)	object type of 9th parent object (user code, see entity obtp).
OAL_STRUDPND9	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 9th parent object.
OAL_STRUCOST9	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 9th parent object.
OAL_STRUCODE10	Y	VARCHAR2(30)	nvarchar(30)	object code of 10th parent object.
OAL_STRUTYPE10	Y	VARCHAR2(4)	nvarchar(4)	object type of 10th parent object (user code, see entity obtp).
OAL_STRUDPND10	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 10th parent object.
OAL_STRUCOST10	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 10th parent object.
OAL_TECHVALUE1	Y	VARCHAR2(25)	nvarchar(25)	value of 1st custom property.
OAL_TECHPROMPT1	Y	VARCHAR2(8)	nvarchar(8)	code of 1st custom property.
OAL_TECHVALUE2	Y	VARCHAR2(25)	nvarchar(25)	value of 2nd custom property.
OAL_TECHPROMPT2	Y	VARCHAR2(8)	nvarchar(8)	code of 2nd custom property.
OAL_TECHVALUE3	Y	VARCHAR2(25)	nvarchar(25)	value of 3rd custom property.
OAL_TECHPROMPT3	Y	VARCHAR2(8)	nvarchar(8)	code of 3rd custom property.
OAL_TECHVALUE4	Y	VARCHAR2(25)	nvarchar(25)	value of 4th custom property.
OAL_TECHPROMPT4	Y	VARCHAR2(8)	nvarchar(8)	code of 4th custom property.
OAL_TECHVALUE5	Y	VARCHAR2(25)	nvarchar(25)	value of 5th custom property.
OAL_TECHPROMPT5	Y	VARCHAR2(8)	nvarchar(8)	code of 5th custom property.
OAL_TECHVALUE6	Y	VARCHAR2(25)	nvarchar(25)	value of 6th custom property.
OAL_TECHPROMPT6	Y	VARCHAR2(8)	nvarchar(8)	code of 6th custom property.
OAL_TECHVALUE7	Y	VARCHAR2(25)	nvarchar(25)	value of 7th custom property.
OAL_TECHPROMPT7	Y	VARCHAR2(8)	nvarchar(8)	code of 7th custom property.
OAL_TECHVALUE8	Y	VARCHAR2(25)	nvarchar(25)	value of 8th custom property.
OAL_TECHPROMPT8	Y	VARCHAR2(8)	nvarchar(8)	code of 8th custom property.
OAL_TECHVALUE9	Y	VARCHAR2(25)	nvarchar(25)	value of 9th custom property.
OAL_TECHPROMPT9	Y	VARCHAR2(8)	nvarchar(8)	code of 9th custom property.
OAL_TECHVALUE10	Y	VARCHAR2(25)	nvarchar(25)	value of 10nd custom property.
OAL_TECHPROMPT10	Y	VARCHAR2(8)	nvarchar(8)	code of 10th custom property.
OAL_TECHVALUE11	Y	VARCHAR2(25)	nvarchar(25)	value of 11th custom property.
OAL_TECHPROMPT11	Y	VARCHAR2(8)	nvarchar(8)	code of 11th custom property.
OAL_TECHVALUE12	Y	VARCHAR2(25)	nvarchar(25)	value of 12th custom property.
OAL_TECHPROMPT12	Y	VARCHAR2(8)	nvarchar(8)	code of 12th custom property.
OAL_TECHVALUE13	Y	VARCHAR2(25)	nvarchar(25)	value of 13th custom property.
OAL_TECHPROMPT13	Y	VARCHAR2(8)	nvarchar(8)	code of 13th custom property.
OAL_TECHVALUE14	Y	VARCHAR2(25)	nvarchar(25)	value of 14th custom property.
OAL_TECHPROMPT14	Y	VARCHAR2(8)	nvarchar(8)	code of 14th custom property.
OAL_TECHVALUE15	Y	VARCHAR2(25)	nvarchar(25)	value of 15th custom property.
OAL_TECHPROMPT15	Y	VARCHAR2(8)	nvarchar(8)	code of 15th custom property.
OAL_TECHVALUE16	Y	VARCHAR2(25)	nvarchar(25)	value of 16th custom property.
OAL_TECHPROMPT16	Y	VARCHAR2(8)	nvarchar(8)	code of 16th custom property.
OAL_TECHVALUE17	Y	VARCHAR2(25)	nvarchar(25)	value of 17th custom property.
OAL_TECHPROMPT17	Y	VARCHAR2(8)	nvarchar(8)	code of 17th custom property.
OAL_TECHVALUE18	Y	VARCHAR2(25)	nvarchar(25)	value of 18th custom property.
OAL_TECHPROMPT18	Y	VARCHAR2(8)	nvarchar(8)	code of 18th custom property.
OAL_TECHVALUE19	Y	VARCHAR2(25)	nvarchar(25)	value of 19th custom property.

OAL_TECHPROMPT19	Y	VARCHAR2(8)	nvarchar(8)	code of 19th custom property.
OAL_TECHVALUE20	Y	VARCHAR2(25)	nvarchar(25)	value of 20th custom property.
OAL_TECHPROMPT20	Y	VARCHAR2(8)	nvarchar(8)	code of 20th custom property.
OAL_OBSTATE	Y	VARCHAR2(4)	nvarchar(4)	object state code (user code, see entity obsa).
OAL_OBCN	Y	VARCHAR2(24)	nvarchar(24)	change notice code.
OAL_OBCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
OAL_OBSAFETY	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is safety related.
OAL_OBCRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	object criticality code (user code, see entity obcr).
OAL_OBCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	object class organization
OAL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
OAL_STRUORG1	Y	VARCHAR2(15)	nvarchar(15)	object org of 1st parent
OAL_STRUORG2	Y	VARCHAR2(15)	nvarchar(15)	object org of 2nd parent
OAL_STRUORG3	Y	VARCHAR2(15)	nvarchar(15)	object org of 3rd parent
OAL_STRUORG4	Y	VARCHAR2(15)	nvarchar(15)	object org of 4th parent
OAL_STRUORG5	Y	VARCHAR2(15)	nvarchar(15)	object org of 5th parent
OAL_STRUORG6	Y	VARCHAR2(15)	nvarchar(15)	object org of 6th parent
OAL_STRUORG7	Y	VARCHAR2(15)	nvarchar(15)	object org of 7th parent
OAL_STRUORG8	Y	VARCHAR2(15)	nvarchar(15)	object org of 8th parent
OAL_STRUORG9	Y	VARCHAR2(15)	nvarchar(15)	object org of 9th parent
OAL_STRUORG10	Y	VARCHAR2(15)	nvarchar(15)	object org of 10th parent
OAL_OBORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
OAL_OBPART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
OAL_OBBIN	Y	VARCHAR2(15)	nvarchar(15)	object bin
OAL_OBLOT	Y	VARCHAR2(12)	nvarchar(12)	object lot
OAL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OAL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTAUDITS

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OAD_BATCHNAME	N	VARCHAR2(20)	nvarchar(20)	object audit batch code.
OAD_CREATED	Y	DATE	datetime	date audit batch was created
OAD_PROCESSED	Y	DATE	datetime	date audit batch was last processed.
OAD_STATUS	Y	VARCHAR2(4)	nvarchar(4)	object audit status code (user code, entity oast).
OAD_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	object audit status code (system code, entity oast).
OAD_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code (main object of audit).
OAD_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, entity obst).
OAD_OBRTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, entity obst).
OAD_TESTPARENTS	N	VARCHAR2(1)	nvarchar(1)	value is + to audit the parents of all objects in the structure below the main object of the audit.
OAD_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
OAD_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
OAD_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
OAD_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
OAD_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin
OAD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OAD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTCAPACITIES

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	
OCP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	
OCP_CAPACITYCODE	N	VARCHAR2(8)	nvarchar(8)	
OCP_EFFECTIVE	N	DATE	datetime	
OCP_CAPACITY	N	NUMBER(24,6)	numeric(24,6)	
OCP_DESIREDCAPACITY	Y	NUMBER(24,6)	numeric(24,6)	

OCP_EXPIRED	Y	DATE	datetime	
OCP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
OCP_CREATED	Y	DATE	datetime	Creation timestamp
OCP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
OCP_UPDATED	Y	DATE	datetime	Update timestamp
OCP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OCP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OCP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OCP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OCP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OCP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OCP_LASTSAVED	Y	DATE	datetime	Timestamp of last update
OCP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTGASINDEX	GREEN			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OGI_DATE	Y	DATE	datetime	timestamp of the record
OGI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
OGI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization code
OGI_AVALILDOWNTIME	Y	NUMBER(24,6)	numeric(24,6)	The actual down time in hours
OGI_AVALISCHEDULEDHOURLS	Y	NUMBER(24,6)	numeric(24,6)	The scheduled available hours
OGI_PERFCTUALOUTPUT	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Actual production output
OGI_PERFDESIGNOUTPUT	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Design production output
OGI_QUALDEFECTS	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Number of defects or rework in production output
OGI_QUALTOTALPRODUCTION	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Total production output
OGI_AVAILABILITYINDEX	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Availability = (Scheduled hours minus Downtime hours) / Scheduled hours
OGI_PERFORMANCEINDEX	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Performance = Actual output for scheduled time / Design output for scheduled time
OGI_QUALITYINDEX	Y	NUMBER(24,6)	numeric(24,6)	OEE component; Quality = (Total production minus Defects or Rework) / Total production
OGI_ENERGYEFFICIENCYINDEX	Y	NUMBER(24,6)	numeric(24,6)	Average ratio of design consumption / actual consumption over all commodities
OGI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OGI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OGI_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5OBJECTIVES	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OJV_CODE	N	VARCHAR2(30)	nvarchar(30)	The objective code.
OJV_ORG	N	VARCHAR2(15)	nvarchar(15)	The objective organization.
OJV_DESC	N	VARCHAR2(80)	nvarchar(80)	The objective description.
OJV_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	The currency of the objective.
OJV_STRATEGY	N	VARCHAR2(30)	nvarchar(30)	The strategy associated to the objective.
OJV_STRATEGY_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the strategy associated to the objective
OJV_TARGETTYPE	N	VARCHAR2(4)	nvarchar(4)	The target type of the objective.
OJV_TARGETSUBTYPE	Y	VARCHAR2(4)	nvarchar(4)	The target sub type of the objective.
OJV_CONVERSIONTYPE	Y	VARCHAR2(4)	nvarchar(4)	The conversion type of the objective.
OJV_UOM	Y	VARCHAR2(30)	nvarchar(30)	The Unit Of Measure of the objective.
OJV_CATEGORYOPTIONS	Y	VARCHAR2(4)	nvarchar(4)	The category options of the objective.
OJV_BASELINEFROMDATE	Y	DATE	datetime	Baseline Date Range From Date.
OJV_BASELINETODATE	Y	DATE	datetime	Baseline Date Range To Date.
OJV_KICKOFFDATE	Y	DATE	datetime	The kickoff date of the objective.
OJV_GOALDATE	Y	DATE	datetime	The goal date of the objective.
OJV_STATEMENT	N	VARCHAR2(4000)	nvarchar(4000)	The statement describing the objective.
OJV_BASELINEAMT	Y	NUMBER(24,6)	numeric(24,6)	The objective baseline amount.
OJV_CHANGEAMT	Y	NUMBER(24,6)	numeric(24,6)	The change amount of the objective.
OJV_TARGETAMT	Y	NUMBER(24,6)	numeric(24,6)	The target amount of the objective.
OJV_TARGETCHANGE	Y	NUMBER(6,2)	numeric(24,6)	The target change of the objective.
OJV_PARAMETERS	Y	VARCHAR2(4)	nvarchar(4)	The parameters of the objective.
OJV_RELIABILITYCALC	Y	VARCHAR2(4)	nvarchar(4)	The type of reliability calculation used.
OJV_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the objective is still in use.
OJV_DATEAPPROVED	Y	DATE	datetime	The date the objective was approved.
OJV_APPROVEDBY	Y	VARCHAR2(15)	nvarchar(15)	The user who approved the objective.
OJV_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

OJV_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OJV_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OJV_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OJV_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OJV_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OJV_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OJV_UDFDATE01	Y	DATE	datetime	User defined field of type date
OJV_UDFDATE02	Y	DATE	datetime	User defined field of type date
OJV_UDFDATE03	Y	DATE	datetime	User defined field of type date
OJV_UDFDATE04	Y	DATE	datetime	User defined field of type date
OJV_UDFDATE05	Y	DATE	datetime	User defined field of type date
OJV_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OJV_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OJV_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OJV_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OJV_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OJV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OJV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OJV_RANKINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
OJV_RANKINGORG	Y	VARCHAR2(15)	nvarchar(15)	
OJV_RANKINGREVISION	Y	NUMBER(4,0)	numeric(4,0)	
OJV_LOCKRANKINGVALUES	Y	VARCHAR2(1)	nvarchar(1)	
OJV_RANKINGINDEX	Y	VARCHAR2(8)	nvarchar(8)	
OJV_RANKINGSCORE	Y	NUMBER(24,6)	numeric(24,6)	
OJV_VALUESLASTCALCULATED	Y	DATE	datetime	
OJV_SURVEYLASTUPDATED	Y	DATE	datetime	
OJV_REFRESHEVERY	Y	NUMBER(2,0)	numeric(2,0)	
OJV_REFRESHEVERYUNIT	Y	VARCHAR2(10)	nvarchar(10)	
OJV_NEXTREFRESH	Y	DATE	datetime	
OJV_REFRESHSEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	
OJV_CALCULATIONERROR	Y	VARCHAR2(1)	nvarchar(1)	
OJV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTLOTO		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OLO_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the lockout-tagout record.
OLO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment to which the lockout-tagout belongs.
OLO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization to which the lockout-tagout belongs.
OLO_ISOLATIONTYPE	N	VARCHAR2(8)	nvarchar(8)	The isolation type of the lockout-tagout.
OLO_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	The sequence number.
OLO_ISOLATIONMETHOD	N	VARCHAR2(20)	nvarchar(20)	The isolation method of the lockout-tagout.
OLO_ISOLATIONSTEP	N	VARCHAR2(1)	nvarchar(1)	the isolation step of the lockout-tagout.
OLO_DELETEPENDING	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is a pending delete.
OLO_ISOLATIONPOINT	Y	VARCHAR2(30)	nvarchar(30)	The isolation point of the lockout-tagout.
OLO_ISOLATIONPOINT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the isolation point of the lockout-tagout.
OLO_ENERGYSOURCE	Y	VARCHAR2(8)	nvarchar(8)	The energy source of the lockout-tagout.
OLO_LOCATIONNOTE	Y	VARCHAR2(1000)	nvarchar(1000)	The location note of the lockout-tagout.
OLO_NUMBEROFTAGS	Y	NUMBER(6,0)	numeric(6,0)	The number of tags.
OLO_RESIDUALENERGY	Y	VARCHAR2(8)	nvarchar(8)	The residual energy of the lockout-tagout.
OLO_RESIDUALENERGY2	Y	VARCHAR2(8)	nvarchar(8)	The second residual energy of the lockout-tagout.
OLO_CREATED	Y	DATE	datetime	record creation timestamp
OLO_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
OLO_UPDATED	Y	DATE	datetime	Update time stamp
OLO_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
OLO_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
OLO_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
OLO_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
OLO_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
OLO_REVIEWTRIGGER	Y	VARCHAR2(8)	nvarchar(8)	Event that triggered review.
OLO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

OLO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OLO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OLO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OLO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OLO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OLO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
OLO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
OLO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
OLO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
OLO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
OLO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OLO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OLO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTRANKING	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORA_PK	Y	NUMBER	int	primary key
ORA_RISPKPK	Y	NUMBER	int	risk primary key
ORA_ANSWER	Y	VARCHAR2(8)	nvarchar(8)	answer
ORA_VALUE	Y	NUMBER	numeric(24,6)	value
ORA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTRISK	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBR_PK	Y	NUMBER	int	primary key
OBR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object
OBR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object org.
OBR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
OBR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
OBR_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category
OBR_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk focus
OBR_RISKREV	Y	NUMBER(4,0)	numeric(4,0)	revision
OBR_REVISION	Y	NUMBER(4,0)	numeric(4,0)	revision
OBR_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	r status (system)
OBR_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	status
OBR_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality
OBR_CREATED	Y	DATE	datetime	created
OBR_USER	Y	VARCHAR2(255)	nvarchar(255)	by user
OBR_UPDATED	Y	DATE	datetime	date changed
OBR_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	by user
OBR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OBR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OBR_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
OBR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTS		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
OBJ_OBTYP	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OBJ_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
OBJ_CODE	N	VARCHAR2(30)	nvarchar(30)	object code.
OBJ_DESC	N	VARCHAR2(80)	nvarchar(80)	object description.
OBJ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
OBJ_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category code.
OBJ_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
OBJ_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type of location code (always l).
OBJ_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
OBJ_TAG	Y	VARCHAR2(24)	nvarchar(24)	object tag number.
OBJ_PTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type of position object (always p).
OBJ_POSITION	Y	VARCHAR2(30)	nvarchar(30)	object code of position object at which object is located.
OBJ_PARENT	Y	VARCHAR2(30)	nvarchar(30)	object code of parent object (of same object type).
OBJ_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on parent object.
OBJ_MANUFACT	Y	VARCHAR2(45)	nvarchar(45)	manufacturer code.
OBJ_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
OBJ_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
OBJ_SERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number.
OBJ_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
OBJ_STATUS	N	VARCHAR2(4)	nvarchar(4)	object status (user code, see entity obst).
OBJ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	object status (system code, see entity obst).
OBJ_COMMISS	Y	DATE	datetime	date object commissioned into service.
OBJ_WITHDRAW	Y	DATE	datetime	date object was last withdrawn from service.
OBJ_RECORD	N	DATE	datetime	The date on which the record is inserted or updated.
OBJ_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code of user who created object record.
OBJ_USER	N	VARCHAR2(255)	nvarchar(255)	username of person who created object record.
OBJ_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
OBJ_ORDERLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
OBJ_PRODUCTION	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is part of production process.
OBJ_PRIMARYUOM	Y	VARCHAR2(30)	nvarchar(30)	code of primary unit of measure.
OBJ_ACD	Y	NUMBER	bigint	account details code.
OBJ_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is no longer used.
OBJ_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is safety related.
OBJ_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality code of object (user code, see entity obcr).
OBJ_PROFILE	Y	VARCHAR2(30)	nvarchar(30)	object profile code.
OBJ_MANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	manufacturer model number.
OBJ_MANUFACTREVNUM	Y	VARCHAR2(10)	nvarchar(10)	manufacturer revision number.
OBJ_VALUE	Y	NUMBER	numeric(24,6)	purchase cost of object.
OBJ_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
OBJ_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
OBJ_VARIABLE1	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (1)
OBJ_VARIABLE2	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (2).
OBJ_VARIABLE3	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (3)
OBJ_VARIABLE4	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (4)
OBJ_VARIABLE5	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (5)
OBJ_VARIABLE6	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (6)
OBJ_STATE	Y	VARCHAR2(4)	nvarchar(4)	object state (user code, entity obsa).
OBJ_RSTATE	Y	VARCHAR2(4)	nvarchar(4)	object state (system code, entity obsa).
OBJ_CN	Y	VARCHAR2(24)	nvarchar(24)	change notice code.
OBJ_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
OBJ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
OBJ_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization

OBJ_POSITION_ORG	Y	VARCHAR2(15)	nvarchar(15)	position organization
OBJ_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent organization
OBJ_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
OBJ_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
OBJ_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin
OBJ_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot
OBJ_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
OBJ_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
OBJ_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code
OBJ_UPDATED	Y	DATE	datetime	update date
OBJ_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
OBJ_PREVENTEVTCOMP	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate whether jobs on the object can be completed.
OBJ_PERSON	Y	VARCHAR2(15)	nvarchar(15)	person assigned to the object
OBJ_ESIGNATURE	Y	VARCHAR2(100)	nvarchar(100)	Holds the user and electronic signature type of the original, as well as the new asset, during transfer.
OBJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OBJ_DORMSTART	Y	DATE	datetime	The dormant period start date
OBJ_DORMEND	Y	DATE	datetime	The dormant period end date
OBJ_DORMREUSE	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the dormant period is also valid for next year. Default will be -.
OBJ_GISOBJID	Y	NUMBER(38,0)	numeric(38,0)	GIS Object ID
OBJ_GISPROFILE	Y	VARCHAR2(1)	nvarchar(1)	Affirms a profile as a GIS profile
OBJ_PROFILE_ORG	Y	VARCHAR2(15)	nvarchar(15)	profile organization
OBJ_SOLDDATE	Y	DATE	datetime	The date until which the equipment should be depreciated. Also referred to as date sold/scrapped.
OBJ_TRANSFERTDATE	Y	DATE	datetime	Date equipment was transferred.
OBJ_CGMP	Y	VARCHAR2(1)	nvarchar(1)	Checkbox to designate a equipment as being Cgmp
OBJ_TESTPOINTUOM	Y	VARCHAR2(30)	nvarchar(30)	The input unit of measure.
OBJ_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure.
OBJ_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	The increment
OBJ_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	The precision
OBJ_PIDNO	Y	VARCHAR2(80)	nvarchar(80)	The P.ID number.
OBJ_PIDDRAWING	Y	VARCHAR2(80)	nvarchar(80)	The P.ID drawing
OBJ_SERVICEPERC	Y	NUMBER(24,6)	numeric(24,6)	The service percentage.
OBJ_DEVICETOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from device tolerance.
OBJ_DEVICETOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to device tolerance.
OBJ_DEVICETOLTYPE	Y	VARCHAR2(1)	nvarchar(1)	The type of device tolerance, absolute or percentage. Defaults to P.
OBJ_DEVICERANGFROM	Y	NUMBER(24,6)	numeric(24,6)	The from test point range.
OBJ_DEVICERANGETO	Y	NUMBER(24,6)	numeric(24,6)	The to test point range.
OBJ_OUTPUTRANGFROM	Y	NUMBER(24,6)	numeric(24,6)	The from output range.
OBJ_OUTPUTRANGETO	Y	NUMBER(24,6)	numeric(24,6)	The to output range.
OBJ_PROCESSTOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from process tolerance.
OBJ_PROCESSTOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to process tolerance.
OBJ_PROCESSRANGFROM	Y	NUMBER(24,6)	numeric(24,6)	The from process range.
OBJ_PROCESSRANGETO	Y	NUMBER(24,6)	numeric(24,6)	The to process range.
OBJ_SET	Y	VARCHAR2(4)	nvarchar(4)	The set the test point belongs to. Defaults to *.
OBJ_SOP	Y	VARCHAR2(30)	nvarchar(30)	The S.O.P. to be used when calibrating.
OBJ_LOOP	Y	VARCHAR2(1)	nvarchar(1)	Whether the equipment is a loop. Defaults to -.
OBJ_INSTRUMENT	Y	VARCHAR2(1)	nvarchar(1)	Whether the equipment is an instrument. Defaults to -.
OBJ_INSTRUMENTTYPE	Y	VARCHAR2(1)	nvarchar(1)	Type of instrument.
OBJ_INTERFACE	Y	DATE	datetime	financial interface
OBJ_LINKISWO	Y	VARCHAR2(1)	nvarchar(1)	Indicates that the system will attach the GIS map as a linked document when work orders are released for the equipment or route.
OBJ_GISLAYER	Y	VARCHAR2(60)	nvarchar(60)	GIS Layer
OBJ_XLOCATION	Y	NUMBER(24,6)	numeric(24,6)	x-coordinate of a GIS-integrated equipment
OBJ_YLOCATION	Y	NUMBER(24,6)	numeric(24,6)	y-coordinate of a GIS-integrated equipment
OBJ_LENGTH	Y	NUMBER(24,6)	numeric(24,6)	length of a linear equipment
OBJ_LENGTHUOM	Y	VARCHAR2(10)	nvarchar(10)	unit of measure for the equipment length

OBJ_LINEARREFUOM	Y	VARCHAR2(10)	nvarchar(10)	unit of measure for linear references
OBJ_LINEARREFPRECISION	Y	NUMBER(2,0)	numeric(2,0)	number of decimal places to include when converting to linear reference uom
OBJ_GEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
OBJ_VEHICLE	Y	VARCHAR2(1)	nvarchar(1)	Whether the equipment is a vehicle.
OBJ_FLEETCUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	The fleet customer.
OBJ_FLEETCUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
OBJ_BILLINGCODE	Y	VARCHAR2(15)	nvarchar(15)	The billing code.
OBJ_BILLINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
OBJ_MARKUPCODE	Y	VARCHAR2(15)	nvarchar(15)	The markup code.
OBJ_MARKUPCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
OBJ_VEHICLERSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the vehicle.
OBJ_VEHICLESTATUS	Y	VARCHAR2(4)	nvarchar(4)	The user status of the vehicle.
OBJ_ISSUEDTO	Y	VARCHAR2(30)	nvarchar(30)	The person to whom the vehicle has been issued.
OBJ_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
OBJ_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
OBJ_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
OBJ_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
OBJ_MINPENALTY	Y	NUMBER(24,6)	numeric(24,6)	Minimum Penalty field
OBJ_PENALTYFACTOR	Y	NUMBER(10,4)	numeric(10,4)	Penalty Factor
OBJ_CALGROUP	Y	VARCHAR2(15)	nvarchar(15)	Calendar Group
OBJ_CALGROUPORG	Y	VARCHAR2(15)	nvarchar(15)	Calendar Group Organization
OBJ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

OBJ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFDATE01	Y	DATE	datetime	User defined field of type date
OBJ_UDFDATE02	Y	DATE	datetime	User defined field of type date
OBJ_UDFDATE03	Y	DATE	datetime	User defined field of type date
OBJ_UDFDATE04	Y	DATE	datetime	User defined field of type date
OBJ_UDFDATE05	Y	DATE	datetime	User defined field of type date
OBJ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_SDMPRESENT	Y	VARCHAR2(1)	nvarchar(1)	Indicates if the equipment has its own set of SDM entries.
OBJ_SDMPATH	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether SDM is checked for this equipment or not
OBJ_COSTOFNEEDEDREPAIRS	Y	NUMBER(24,6)	numeric(24,6)	Cost of Needed repairs
OBJ_REPLACEMENTVALUE	Y	NUMBER(24,6)	numeric(24,6)	Replacement value
OBJ_FACILITYCONDITIONINDEX	Y	NUMBER(24,6)	numeric(24,6)	Index of facility conditions
OBJ_BILLABLE	Y	VARCHAR2(1)	nvarchar(1)	Billing Flag
OBJ_GASINDEX	Y	VARCHAR2(1)	nvarchar(1)	Tracking Gas Index Flag
OBJ_FLOORAREA	Y	NUMBER(24,6)	numeric(24,6)	Floor Area
OBJ_FLOORAREAUOM	Y	VARCHAR2(30)	nvarchar(30)	Floor Area UOM
OBJ_ESTREVENUE	Y	NUMBER(24,6)	numeric(24,6)	Estimated Revenue
OBJ_REGION	Y	VARCHAR2(30)	nvarchar(30)	Region
OBJ_PRIMARYUSE	Y	VARCHAR2(8)	nvarchar(8)	Primary Use
OBJ_YEARBUILT	Y	NUMBER(4,0)	numeric(4,0)	Year Built
OBJ_SERVICELIFE	Y	NUMBER(3,0)	numeric(3,0)	Service Life in years
OBJ_RESOURCE	Y	VARCHAR2(1)	nvarchar(1)	Track Resources (+ for yes, - for No)
OBJ_RESOURCEPRESENT	Y	VARCHAR2(1)	nvarchar(1)	Is Resources Available(+ for yes, - for No)
OBJ_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
OBJ_REGION_ORG	Y	VARCHAR2(15)	nvarchar(15)	Region Organization
OBJ_GISMAP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_GISMAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
OBJ_ENERGYSTARELIGIBLE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_RELIABILITYRANKING	Y	VARCHAR2(30)	nvarchar(30)	The reliability ranking code
OBJ_RELIABILITYRANKING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The reliability ranking organization
OBJ_RELIABILITYRANKINGREV	Y	NUMBER(4,0)	numeric(4,0)	The reliability ranking revision
OBJ_RELIABILITYRANKINGINDEX	Y	VARCHAR2(8)	nvarchar(8)	The reliability ranking index
OBJ_RELIABILITYRANKINGSCORE	Y	NUMBER(24,6)	numeric(24,6)	The reliability ranking score
OBJ_RELIABILITYRANKINGLOCKED	Y	VARCHAR2(1)	nvarchar(1)	Is the reliability ranking data locked
OBJ_RRVALUESLASTCALCULATED	Y	DATE	datetime	Reliability ranking data last calculated
OBJ_RRSURVEYLASTUPDATED	Y	DATE	datetime	Reliability ranking survey last updated
OBJ_OUTPUTCALCTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
OBJ_GIS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OBJ_GIS_SYNCNCOUNT	Y	NUMBER(38,0)	numeric(38,0)	T.B.D.
OBJ_ALIAS	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_RENTAL	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_RENTALTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_RENTALTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
OBJ_CONTRACT	Y	VARCHAR2(1)	nvarchar(1)	Contract Equipment
OBJ_CONTRACTTEMPLATE	Y	VARCHAR2(30)	nvarchar(30)	Contract Template
OBJ_CONTRACTTEMPLATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
OBJ_CUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	Customer
OBJ_CUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Customer Organization
OBJ_AVAILABILITYSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Availability Status

OBJ_AVAILABILITYRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Availability System Status
OBJ_TEMPMONITORED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_HARDWAREVER	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_SOFTWAREVER	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_PURCHASINGASSET	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_BIOMEDICALASSET	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_OEMSITE	Y	VARCHAR2(45)	nvarchar(45)	T.B.D.
OBJ_VENDOR	Y	VARCHAR2(45)	nvarchar(45)	T.B.D.
OBJ_COVERAGETYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_LOCKOUT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_PERSONALPROTECTIVEEQUIP	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_CONFINEDSPACE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_STATEMENTOFCOND	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_BUILDMAINTPROGRAM	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_HIPAACONFIDENTIALITY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_OWNERSHIPTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_INVENTORYVERIFICATIONDATE	Y	DATE	datetime	T.B.D.
OBJ_PURCHASEORDER	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_PURCHASEDATE	Y	DATE	datetime	T.B.D.
OBJ_PURCHASECOST	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
OBJ_INSTALLDATE	Y	DATE	datetime	T.B.D.
OBJ_DISPOSALTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_ROOMTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_UNITTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_GUESTFIRSTNAME	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
OBJ_GUESTMIDDLENAME	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
OBJ_GUESTLASTNAME	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
OBJ_VIPSTATUS	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_MAXGUESTCOUNT	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
OBJ_PHONENUMBER	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
OBJ_KEYNUMBER	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_ACCESSIBLE	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_NONSMOKING	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_SQFOOTAGE	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
OBJ_BEDCOUNT	Y	NUMBER(18,0)	numeric(18,0)	T.B.D.
OBJ_BATHCOUNT	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
OBJ_KITCHEN	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_LIVINGROOM	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_OPENBAY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_WING	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_EXPOSURE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
OBJ_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
OBJ_ZCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
OBJ_UMDNSCODE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
OBJ_FCICALCULATION	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
OBJ_GUESTSALUTATION	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
OBJ_GUESTPHONENUMBER	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
OBJ_EMAIL	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
OBJ_DRIVER	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
OBJ_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

OBJ_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OBJ_UDFDATE06	Y	DATE	datetime	User defined field of type Number
OBJ_UDFDATE07	Y	DATE	datetime	User defined field of type Number
OBJ_UDFDATE08	Y	DATE	datetime	User defined field of type Number
OBJ_UDFDATE09	Y	DATE	datetime	User defined field of type Number
OBJ_UDFDATE10	Y	DATE	datetime	User defined field of type Number
OBJ_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OBJ_FACILITY	Y	VARCHAR2(1)	nvarchar(1)	The facility.
OBJ_COUNTRY	Y	NUMBER(10,0)	numeric(10,0)	The country.
OBJ_TARGETPOWERFACTOR	Y	NUMBER(7,4)	numeric(7,4)	The target poer factor.
OBJ_TARGETPEAKDEMAND	Y	NUMBER(24,6)	numeric(24,6)	The target peak demand.
OBJ_STARTBILLINGPERIOD	Y	DATE	datetime	Start Billing Period
OBJ_BILLEVERYPERIOD	Y	NUMBER(5,0)	numeric(5,0)	Bill every periods
OBJ_BILLEVERYPERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	Bill every periods Unit Of Measure.
OBJ_EFFLOSSPHASEIMBALANCE1	Y	NUMBER(7,4)	numeric(7,4)	The eEfficiency Loss At 1% Phase Imbalance.
OBJ_EFFLOSSPHASEIMBALANCE2	Y	NUMBER(7,4)	numeric(7,4)	The efficiency Loss At 2% Phase Imbalance.
OBJ_EFFLOSSPHASEIMBALANCE3	Y	NUMBER(7,4)	numeric(7,4)	The efficiency Loss At 3% Phase Imbalance.
OBJ_EFFLOSSPHASEIMBALANCE4	Y	NUMBER(7,4)	numeric(7,4)	The efficiency Loss At 4% Phase Imbalance.
OBJ_EFFLOSSPHASEIMBALANCE5	Y	NUMBER(7,4)	numeric(7,4)	The efficiency Loss At 5% Phase Imbalance.
OBJ_PERFORMANCEMANAGER	Y	VARCHAR2(15)	nvarchar(15)	The performance manager.
OBJ_ELECSUBMETERINTERVAL	Y	NUMBER(10,0)	numeric(10,0)	The electric Sub-meter interval.
OBJ_ELECUSAGETHRESHOLD	Y	NUMBER(24,6)	numeric(24,6)	The electric usage threshold.
OBJ_SAFETYREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a safety review is required.
OBJ_SAFETYREVIEWED	Y	DATE	datetime	Date of safety reviewed signature.
OBJ_SAFETYREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of safety reviewed signature.
OBJ_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of safety reviewed signature.
OBJ_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of safety reviewed signature.
OBJ_PERMITREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a permit review is required.
OBJ_PERMITREVIEWED	Y	DATE	datetime	Date of permit reviewed signature.
OBJ_PERMITREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of permit reviewed signature.
OBJ_PERMITREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of permit reviewed signature.
OBJ_PERMITREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of permit reviewed signature.
OBJ_LOTOREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a loto review is required.

OBJ_LOTOREVIEWED	Y	DATE	datetime	Date of loto reviewed signature.
OBJ_LOTOREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of loto reviewed signature.
OBJ_LOTOREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of loto reviewed signature.
OBJ_LOTOREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of lott reviewed signature.
OBJ_COMPLLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The component location of the equipment.
OBJ_ORIGCONFIGCODE	Y	VARCHAR2(30)	nvarchar(30)	The equipment configuration used to create the equipment.
OBJ_ORIGCONFIGORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment configuration.used to create the equipment.
OBJ_ORIGCONFIGREV	Y	NUMBER(4,0)	numeric(4,0)	The equipment configuration revision.
OBJ_ORIGOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment code related to the equipment configuration used to create the equipment.
OBJ_CONFIGCODE	Y	VARCHAR2(30)	nvarchar(30)	The equipment configuration code.
OBJ_CONFIGREVISION	Y	NUMBER(4,0)	numeric(4,0)	The revision of the equipment configuration.
OBJ_CONFIGSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The user status of the equipment configuration.
OBJ_CONFIGRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the equipment configuration.
OBJ_CONFIGTYPE	Y	VARCHAR2(4)	nvarchar(4)	The equipment user type to use when creating new equipment.
OBJ_CONFIGSPECIFIC	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether all equipment should be created in a specific organization.
OBJ_CONFIGPREFIX	Y	VARCHAR2(30)	nvarchar(30)	The prefix to use when building the code of the new equipment.
OBJ_CONFIGSUFFIX	Y	VARCHAR2(30)	nvarchar(30)	The suffix to use when building the code of the new equipment.
OBJ_CONFIGSEQLENGTH	Y	NUMBER(2,0)	numeric(2,0)	The number of digits, between prefix and suffix, to use when building the code of the new equipment.

R5OBJECTS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBJ_CONFIGAUTONUM	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether new equipment should be automatically numbered/coded.
OBJ_CONFIGSTWO	Y	VARCHAR2(20)	nvarchar(20)	The standard work order to use when creating the commissioning work order.
OBJ_CONFIGREQUESTED	Y	DATE	datetime	The date the equipment configuration was requested.
OBJ_CONFIGREQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who requested the new equipment configuration.
OBJ_CONFIGAPPROVED	Y	DATE	datetime	The date the equipment configuration was approved.
OBJ_CONFIGAPPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who approved the equipment configuration.
OBJ_CREATED	Y	DATE	datetime	record creation timestamp
OBJ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
OBJ_CONFIGREVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The reason of the new equipment configuration revision.
OBJ_CONFIGDEFAULTSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The default status to use when creating equipment.
OBJ_RCMLEVEL	Y	VARCHAR2(8)	nvarchar(8)	The level of Reliability Centered Maintenance
OBJ_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The risk level of the equipment
OBJ_RPN	Y	NUMBER(24,6)	numeric(24,6)	The Risk priority Number of the equipment
OBJ_VEHICLETYPE	Y	VARCHAR2(8)	nvarchar(8)	The vehicle type of the equipment
OBJ_LINEARCOSTWEIGHT	Y	NUMBER(6,0)	numeric(6,0)	The linear cost weight of the system
OBJ_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the equipment
OBJ_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the equipment
OBJ_ORIGINALRECEIPTDATE	Y	DATE	datetime	The original receipt date of the equipment
OBJ_LATESTRECEIPTDATE	Y	DATE	datetime	The latest receipt date of the equipment
OBJ_ORIGINALINSTALLDATE	Y	DATE	datetime	The original install date of the equipment
OBJ_LATESTINSTALLDATE	Y	DATE	datetime	The latest install date of the equipment
OBJ_OPERATIONALSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The operational status of the equipment
OBJ_OPERATIONALRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The operational system status of the equipment
OBJ_LOANEDDEPT	Y	VARCHAR2(15)	nvarchar(15)	The department used in case of vehicle loaners
OBJ_WODEPT	Y	VARCHAR2(15)	nvarchar(15)	The department used in case of normal work orders
OBJ_PMWODEPT	Y	VARCHAR2(15)	nvarchar(15)	The department used in case of preventive maintenance
OBJ_DOCUMOTO_BOOKID	Y	VARCHAR2(100)	nvarchar(100)	The documoto bookid of the equipment
OBJ_GUESTPROFILEID	Y	NUMBER(30,0)	numeric(30,0)	The guest profile ID.
OBJ_MANAGERPROFILEID	Y	VARCHAR2(20)	nvarchar(20)	The manager profile ID
OBJ_RESCALOWNER	Y	VARCHAR2(255)	nvarchar(255)	Reservation calendar owner
OBJ_WORKSPACE	Y	VARCHAR2(30)	nvarchar(30)	The workspace.
OBJ_CONFIGUSEPARENTCODE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the child code should include the parent code.
OBJ_CONFIGPARENTSEPARATOR	Y	VARCHAR2(3)	nvarchar(3)	Separator to use in case the child code needs to have the parent code included.

OBJ_IMAGEURL	Y	VARCHAR2(1000)	nvarchar(1000)	The image URL.
OBJ_PRIMARYSYSTEM	Y	VARCHAR2(30)	nvarchar(30)	The primary system of the equipment.
OBJ_PRIMARYSYSTEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the primary system of the equipment.
OBJ_CONDITIONINDEX	Y	VARCHAR2(8)	nvarchar(8)	The condition index of the equipment.
OBJ_CONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	The condition score of the equipment.
OBJ_LINEAROBJTYPE	Y	VARCHAR2(8)	nvarchar(8)	The linear object type (right of way/route/segment) of the equipment.
OBJ_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction (north/south) of the equipment.
OBJ_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The from point of the equipment.
OBJ_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The to point of the equipment.
OBJ_RESCALOWNERLIST	Y	VARCHAR2(8)	nvarchar(8)	The reservation calendar owners list.
OBJ_CHECKLISTFILTER	Y	VARCHAR2(500)	nvarchar(500)	Equipment attributes that determine if certain checklist items are relevant or not
OBJ_TOLERANCE_SIZE	Y	NUMBER(24,6)	numeric(24,6)	Equipment size that determines which tolerance record is applicable
OBJ_MNBDEFINITION	Y	VARCHAR2(4)	nvarchar(4)	
OBJ_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
OBJ_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
OBJ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OBJ_FUEL	Y	VARCHAR2(30)	nvarchar(30)	
OBJ_RISKPRIORITYINDEX	Y	VARCHAR2(8)	nvarchar(8)	
OBJ_CRITICALITYSCORE	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_CORRCONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_CORRCONDITIONREASON	Y	VARCHAR2(8)	nvarchar(8)	
OBJ_CORRCONDITIONDATE	Y	DATE	datetime	
OBJ_CORRCONDITIONUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_ENDUSEFULLIFE	Y	DATE	datetime	
OBJ_SERVICELIFEUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_PROFILEPICTURE	Y	VARCHAR2(30)	nvarchar(30)	
OBJ_RISKCONSEQUENCECOST	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_FAILUREPROBPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
OBJ_BLACKSWAN	Y	VARCHAR2(1)	nvarchar(1)	
OBJ_BLACKSWANCOST	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_PERFORMANCEFORMULA	Y	VARCHAR2(30)	nvarchar(30)	
OBJ_PERFORMANCEFORMULA_ORG	Y	VARCHAR2(15)	nvarchar(15)	
OBJ_PERFORMANCE	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_PERFORMANCELASTUPDATED	Y	DATE	datetime	
OBJ_CONDITIONRATING	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_CAPACITYCODE	Y	VARCHAR2(8)	nvarchar(8)	
OBJ_AVAILABLECAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_DESIREDCAPACITY	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_CAPACITYRATING	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_NUMBROFFAILURES	Y	NUMBER(18,0)	numeric(18,0)	
OBJ_MTBFDAYS	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_MTBFRATING	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_MUBF	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_MUBFRATING	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_MTTRHRS	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_MTTRRATING	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_VARIABLERESULT1	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_VARIABLERATING1	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_VARIABLERESULT2	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_VARIABLERATING2	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_VARIABLERESULT3	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_VARIABLERATING3	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_VARIABLERESULT4	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_VARIABLERATING4	Y	NUMBER(9,6)	numeric(9,6)	

OBJ_VARIABLERESULT5	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_VARIABLERATING5	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_VARIABLERESULT6	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_VARIABLERATING6	Y	NUMBER(9,6)	numeric(9,6)	
OBJ_SCHEMATIC	Y	VARCHAR2(8)	nvarchar(8)	
OBJ_UNMITIGATED_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
OBJ_UNMITIGATED_RPN	Y	NUMBER(24,6)	numeric(24,6)	
OBJ_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OBJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTSDM	GREEN			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SDM_CODE	N	VARCHAR2(30)	nvarchar(30)	Service Delivery Map code. Auto-Generated code
SDM_PROVIDER	Y	VARCHAR2(30)	nvarchar(30)	Provider Code
SDM_PROVIDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Provider Organization
SDM_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
SDM_SERVICECATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Service Category Organization
SDM_SERVICECATEGORY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Category
SDM_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service Problem Code
SDM_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service Problem Code Organization
SDM_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Object Code
SDM_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Object Organization
SDM_MRC_CHECK	Y	VARCHAR2(1)	nvarchar(1)	Check value for department
SDM_PROVIDER_CHECK	Y	VARCHAR2(1)	nvarchar(1)	Check value for Provider
SDM_SERVICECATEGORY_CHECK	Y	VARCHAR2(1)	nvarchar(1)	Check value for Service category
SDM_SERVICEPROBLEM_CHECK	Y	VARCHAR2(1)	nvarchar(1)	Check value for service problem code
SDM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SDM_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier.
SDM_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The supplier organization.
SDM_SUPPLIER_CHECK	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whther the supplier should be checked.
SDM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SDM_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
SDM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTSERVICECODES	EQUIPMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OSC_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the record
OSC_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The parent PK.
OSC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment the service code belongs to.
OSC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization the service code belongs to.
OSC_SERVICECODE	N	VARCHAR2(30)	nvarchar(30)	The service code belonging to the equipment.
OSC_SERVICECODE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the service code belonging to the equipment.
OSC_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the service code also applies to child equipment.
OSC_SKIPTHISLEVEL	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this level should be skipped.
OSC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

OSC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OSC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OSC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OSC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OSC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OSC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OSC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTSINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
OBI_CREATED	Y	DATE	datetime	date interface transaction created.
OBI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
OBI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.

OBI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
OBI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
OBI_TRANSTYPE	N	VARCHAR2(4)	nvarchar(4)	code identifying action taken at time of posting.
OBI_TRACKDATE	N	DATE	datetime	date tracking transaction created.
OBI_OBPROFILE	Y	VARCHAR2(30)	nvarchar(30)	object profile code.
OBI_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
OBI_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OBI_OBDESC	Y	VARCHAR2(80)	nvarchar(80)	object description.
OBI_OBCLASS	Y	VARCHAR2(8)	nvarchar(8)	object classification code.
OBI_OBCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category code.
OBI_OBMANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer code.
OBI_OBMANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	manufacturer model number.
OBI_OBMANUFACTREVNUM	Y	VARCHAR2(10)	nvarchar(10)	manufacturer model revision number.
OBI_OBMRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code.
OBI_OBPART	Y	VARCHAR2(30)	nvarchar(30)	part code.
OBI_OBSERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number.
OBI_OBSTORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
OBI_OBSTATUS	Y	VARCHAR2(4)	nvarchar(4)	object status (user code, see entity obst).
OBI_OBCOMMISS	Y	DATE	datetime	date object commissioned into service.
OBI_OBWITHDRAW	Y	DATE	datetime	date object was last withdrawn from service.
OBI_OBRECORD	Y	DATE	datetime	date object record was created.
OBI_OBUSER	Y	VARCHAR2(255)	nvarchar(255)	username of person who recorded object details.
OBI_OBORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
OBI_OBORDERLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line.
OBI_OBPRODUCTION	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is part of production process.
OBI_OBSAFETY	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is safety related.
OBI_OBCRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality code.
OBI_OBPRIMARYUOM	Y	VARCHAR2(30)	nvarchar(30)	primary unit of measure code.
OBI_OBVALUE	Y	NUMBER	numeric(24,6)	purchase cost.
OBI_STRUCODE1	Y	VARCHAR2(30)	nvarchar(30)	object code of 1st parent object.
OBI_STRUTYPE1	Y	VARCHAR2(4)	nvarchar(4)	object type of 1st parent object (user code, see entity obtp).
OBI_STRUDPND1	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 1st parent object.
OBI_STRUCOST1	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 1st parent object.
OBI_STRUCODE2	Y	VARCHAR2(30)	nvarchar(30)	object code of 2nd parent object.
OBI_STRUTYPE2	Y	VARCHAR2(4)	nvarchar(4)	object type of 2nd parent object (user code, see entity obtp).
OBI_STRUDPND2	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 2nd parent object.
OBI_STRUCOST2	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 2nd parent object.
OBI_STRUCODE3	Y	VARCHAR2(30)	nvarchar(30)	object code of 3rd parent object.
OBI_STRUTYPE3	Y	VARCHAR2(4)	nvarchar(4)	object type of 3rd parent object (user code, see entity obtp).
OBI_STRUDPND3	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 3rd parent object.
OBI_STRUCOST3	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 3rd parent object.
OBI_STRUCODE4	Y	VARCHAR2(30)	nvarchar(30)	object code of 4th parent object.
OBI_STRUTYPE4	Y	VARCHAR2(4)	nvarchar(4)	object type of 4th parent object (user code, see entity obtp).
OBI_STRUDPND4	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 4th parent object.
OBI_STRUCOST4	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 4th parent object.
OBI_STRUCODE5	Y	VARCHAR2(30)	nvarchar(30)	object code of 5th parent object.
OBI_STRUTYPE5	Y	VARCHAR2(4)	nvarchar(4)	object type of 5th parent object (user code, see entity obtp).
OBI_STRUDPND5	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 5th parent object.
OBI_STRUCOST5	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 5th parent object.
OBI_STRUCODE6	Y	VARCHAR2(30)	nvarchar(30)	object code of 6th parent object.
OBI_STRUTYPE6	Y	VARCHAR2(4)	nvarchar(4)	object type of 6th parent object (user code, see entity obtp).
OBI_STRUDPND6	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 6th parent object.
OBI_STRUCOST6	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 6th parent object.
OBI_STRUCODE7	Y	VARCHAR2(30)	nvarchar(30)	object code of 7th parent object.

OBI_STRUTYPE7	Y	VARCHAR2(4)	nvarchar(4)	object type of 7th parent object (user code, see entity obtp).
OBI_STRUDPND7	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 7th parent object.
OBI_STRUCOST7	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 7th parent object.
OBI_STRUCODE8	Y	VARCHAR2(30)	nvarchar(30)	object code of 8th parent object.
OBI_STRUTYPE8	Y	VARCHAR2(4)	nvarchar(4)	object type of 8th parent object (user code, see entity obtp).
OBI_STRUDPND8	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 8th parent object.
OBI_STRUCOST8	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 8th parent object.
OBI_STRUCODE9	Y	VARCHAR2(30)	nvarchar(30)	object code of 9th parent object.
OBI_STRUTYPE9	Y	VARCHAR2(4)	nvarchar(4)	object type of 9th parent object (user code, see entity obtp).
OBI_STRUDPND9	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 9th parent object.
OBI_STRUCOST9	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 9th parent object.
OBI_STRUCODE10	Y	VARCHAR2(30)	nvarchar(30)	object code of 10th parent object.
OBI_STRUTYPE10	Y	VARCHAR2(4)	nvarchar(4)	object type of 10th parent object (user code, see entity obtp).
OBI_STRUDPND10	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on 10th parent object.
OBI_STRUCOST10	Y	VARCHAR2(1)	nvarchar(1)	value is + if costs of object roll up to 10th parent object.
OBI_TECHVALUE1	Y	VARCHAR2(40)	nvarchar(40)	value of 1st custom property.
OBI_TECHPROMPT1	Y	VARCHAR2(8)	nvarchar(8)	code of 1st custom property.
OBI_TECHVALUE2	Y	VARCHAR2(40)	nvarchar(40)	value of 2nd custom property.
OBI_TECHPROMPT2	Y	VARCHAR2(8)	nvarchar(8)	code of 2nd custom property.
OBI_TECHVALUE3	Y	VARCHAR2(40)	nvarchar(40)	value of 3rd custom property.
OBI_TECHPROMPT3	Y	VARCHAR2(8)	nvarchar(8)	code of 3rd custom property.
OBI_TECHVALUE4	Y	VARCHAR2(40)	nvarchar(40)	value of 4th custom property.
OBI_TECHPROMPT4	Y	VARCHAR2(8)	nvarchar(8)	code of 4th custom property.
OBI_TECHVALUE5	Y	VARCHAR2(40)	nvarchar(40)	value of 5th custom property.
OBI_TECHPROMPT5	Y	VARCHAR2(8)	nvarchar(8)	code of 5th custom property.
OBI_TECHVALUE6	Y	VARCHAR2(40)	nvarchar(40)	value of 6th custom property.
OBI_TECHPROMPT6	Y	VARCHAR2(8)	nvarchar(8)	code of 6th custom property.
OBI_TECHVALUE7	Y	VARCHAR2(40)	nvarchar(40)	value of 7th custom property.
OBI_TECHPROMPT7	Y	VARCHAR2(8)	nvarchar(8)	code of 7th custom property.
OBI_TECHVALUE8	Y	VARCHAR2(40)	nvarchar(40)	value of 8th custom property.
OBI_TECHPROMPT8	Y	VARCHAR2(8)	nvarchar(8)	code of 8th custom property.
OBI_TECHVALUE9	Y	VARCHAR2(40)	nvarchar(40)	value of 9th custom property.
OBI_TECHPROMPT9	Y	VARCHAR2(8)	nvarchar(8)	code of 9th custom property.
OBI_TECHVALUE10	Y	VARCHAR2(40)	nvarchar(40)	value of 10th custom property.
OBI_TECHPROMPT10	Y	VARCHAR2(8)	nvarchar(8)	code of 10th custom property.
OBI_TECHVALUE11	Y	VARCHAR2(40)	nvarchar(40)	value of 11th custom property.
OBI_TECHPROMPT11	Y	VARCHAR2(8)	nvarchar(8)	code of 11th custom property.
OBI_TECHVALUE12	Y	VARCHAR2(40)	nvarchar(40)	value of 12th custom property.
OBI_TECHPROMPT12	Y	VARCHAR2(8)	nvarchar(8)	code of 12th custom property.
OBI_TECHVALUE13	Y	VARCHAR2(40)	nvarchar(40)	value of 13th custom property.
OBI_TECHPROMPT13	Y	VARCHAR2(8)	nvarchar(8)	code of 13th custom property.
OBI_TECHVALUE14	Y	VARCHAR2(40)	nvarchar(40)	value of 14th custom property.
OBI_TECHPROMPT14	Y	VARCHAR2(8)	nvarchar(8)	code of 14th custom property.
OBI_TECHVALUE15	Y	VARCHAR2(40)	nvarchar(40)	value of 15th custom property.
OBI_TECHPROMPT15	Y	VARCHAR2(8)	nvarchar(8)	code of 15th custom property.
OBI_TECHVALUE16	Y	VARCHAR2(40)	nvarchar(40)	value of 16th custom property.
OBI_TECHPROMPT16	Y	VARCHAR2(8)	nvarchar(8)	code of 16th custom property.
OBI_TECHVALUE17	Y	VARCHAR2(40)	nvarchar(40)	value of 17th custom property.
OBI_TECHPROMPT17	Y	VARCHAR2(8)	nvarchar(8)	code of 17th custom property.
OBI_TECHVALUE18	Y	VARCHAR2(40)	nvarchar(40)	value of 18th custom property.
OBI_TECHPROMPT18	Y	VARCHAR2(8)	nvarchar(8)	code of 18th custom property.
OBI_TECHVALUE19	Y	VARCHAR2(40)	nvarchar(40)	value of 19th custom property.
OBI_TECHPROMPT19	Y	VARCHAR2(8)	nvarchar(8)	code of 19th custom property.
OBI_TECHVALUE20	Y	VARCHAR2(40)	nvarchar(40)	value of 20th custom property.

OBI_TECHPROMPT20	Y	VARCHAR2(8)	nvarchar(8)	code of 20th custom property.
OBI_OBCN	Y	VARCHAR2(24)	nvarchar(24)	change notice code.
OBI_OBCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
OBI_OBSTATE	Y	VARCHAR2(4)	nvarchar(4)	object state (user code, see entity obsa).
OBI_SESSIONID	Y	NUMBER	int	identification of user logon session (generated by database).
OBI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
OBI_VARIABLE1	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (1).
OBI_VARIABLE2	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (2).
OBI_VARIABLE3	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (3).
OBI_VARIABLE4	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (4).
OBI_VARIABLE5	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (5).
OBI_VARIABLE6	Y	VARCHAR2(30)	nvarchar(30)	user defined variable (6).
OBI_DOCUMENT	Y	VARCHAR2(30)	nvarchar(30)	warranty code.
OBI_STARTDATE	Y	DATE	datetime	start date of warranty coverage.
OBI_AUTOWARCOV	Y	VARCHAR2(1)	nvarchar(1)	whether automatic assignment of warranty coverage should take place.
OBI_AUTOWARCOVREP	Y	VARCHAR2(1)	nvarchar(1)	whether automatic warranty coverage replacement should take place
OBI_SKIPDUPS	Y	VARCHAR2(1)	nvarchar(1)	whether error resulting at the creation of an already exiting object should be skipped or not.
OBI_OBCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	object class organization
OBI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
OBI_STRUORG1	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 1
OBI_STRUORG2	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 2
OBI_STRUORG3	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 3
OBI_STRUORG4	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 4
OBI_STRUORG5	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 5
OBI_STRUORG6	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 6
OBI_STRUORG7	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 7
OBI_STRUORG8	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 8
OBI_STRUORG9	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 9
OBI_STRUORG10	Y	VARCHAR2(15)	nvarchar(15)	object parent organization 10
OBI_OBORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
OBI_OBPART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
OBI_OBBIN	Y	VARCHAR2(15)	nvarchar(15)	bin
OBI_OBLOT	Y	VARCHAR2(12)	nvarchar(12)	lot
OBI_OBPERSON	Y	VARCHAR2(15)	nvarchar(15)	person assigned to the object
OBI_GISOBJID	Y	NUMBER(38,0)	numeric(38,0)	GIS Object ID
OBI_GISPROFILE	Y	VARCHAR2(1)	nvarchar(1)	Affirms a profile as a GIS profile
OBI_PROFILE_ORG	Y	VARCHAR2(15)	nvarchar(15)	profile organization
OBI_ORIGVALUE	Y	NUMBER(24,6)	numeric(24,6)	The original value of the equipment.
OBI_ESTLIFE	Y	NUMBER(24,0)	numeric(24,0)	Estimated useful life of the equipment.
OBI_ESTLIFEUOM	Y	VARCHAR2(1)	nvarchar(1)	The UOM in which the estimated useful life is expressed.
OBI_RESIDUAL	Y	NUMBER(24,6)	numeric(24,6)	Value of the equipment at the end of its useful life.
OBI_DEPTYPE	Y	VARCHAR2(4)	nvarchar(4)	The depreciation type.
OBI_DEPRTYPE	Y	VARCHAR2(4)	nvarchar(4)	The system code of the depreciation type.
OBI_ESTOUTPUT	Y	NUMBER(24,0)	numeric(24,0)	The estimated number of units of output during the estimated useful life of the equipment.
OBI_SOLDDATE	Y	DATE	datetime	The date until which the equipment should be depreciated. Also referred to as date sold/scrapped.
OBI_TRANSFERDATE	Y	DATE	datetime	transfer timestamp
OBI_CGMP	Y	VARCHAR2(1)	nvarchar(1)	Checkbox to designate a equipment as being Cgmp
OBI_TESTPOINTUOM	Y	VARCHAR2(30)	nvarchar(30)	The input unit of measure.
OBI_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure.
OBI_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	The increment
OBI_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	The precision
OBI_PIDNO	Y	VARCHAR2(80)	nvarchar(80)	The P.ID number.
OBI_PIDDRAWING	Y	VARCHAR2(80)	nvarchar(80)	The P.ID drawing
OBI_SERVICEPERC	Y	NUMBER(24,6)	numeric(24,6)	The service percentage.

OBI_DEVICETOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from device tolerance.
OBI_DEVICETOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to device tolerance.
OBI_DEVICETOLTYPE	Y	VARCHAR2(1)	nvarchar(1)	The type of device tolerance, absolute or percentage.
OBI_DEVICERANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	The from test point range.
OBI_DEVICERANGETO	Y	NUMBER(24,6)	numeric(24,6)	The to test point range.
OBI_OUTPUTRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	The from output range.
OBI_OUTPUTRANGETO	Y	NUMBER(24,6)	numeric(24,6)	The to output range.
OBI_PROCESSTOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from process tolerance.
OBI_PROCESSTOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to process tolerance.
OBI_PROCESSRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	The from process range.
OBI_PROCESSRANGETO	Y	NUMBER(24,6)	numeric(24,6)	The to process range.
OBI_SET	Y	VARCHAR2(4)	nvarchar(4)	The set the test point belongs to.
OBI_SOP	Y	VARCHAR2(30)	nvarchar(30)	The S.O.P. to be used when calibrating.
OBI_LOOP	Y	VARCHAR2(1)	nvarchar(1)	Whether the equipment is a loop.
OBI_INSTRUMENT	Y	VARCHAR2(1)	nvarchar(1)	Whether the equipment is an instrument.
OBI_INSTRUMENTTYPE	Y	VARCHAR2(1)	nvarchar(1)	Type of instrument
OBI_OTP_SET	Y	VARCHAR2(4)	nvarchar(4)	The set of the object test point
OBI_OTP_SEQ	Y	NUMBER(4,0)	numeric(4,0)	The sequence number
OBI_OTP_TESTPOINT	Y	NUMBER(24,6)	numeric(24,6)	The test point
OBI_OTP_TESTPOINTUOM	Y	VARCHAR2(30)	nvarchar(30)	The input unit of measure
OBI_OTP_OUTPUT	Y	NUMBER(24,6)	numeric(24,6)	The expected output
OBI_OTP_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure
OBI_OTP_DEVICETOLFROM	Y	NUMBER(24,6)	numeric(24,6)	The from device tolerance
OBI_OTP_DEVICETOLTO	Y	NUMBER(24,6)	numeric(24,6)	The to device tolerance
OBI_OTP_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	Comments
OBI_DEPMETHOD	Y	VARCHAR2(4)	nvarchar(4)	The depreciation method.
OBI_DEPRMETHOD	Y	VARCHAR2(4)	nvarchar(4)	The system code of the depreciation method.
OBI_OTP_DEVICETOLTYPE	Y	VARCHAR2(1)	nvarchar(1)	The type of device tolerance, absolute or percentage
OBI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTSUPPLIERS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OSP_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the record.
OSP_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The parent PK
OSP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment the supplier belongs to.
OSP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment the supplier belongs to.
OSP_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	The supplier belonging to the equipment.
OSP_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the supplier belonging to the equipment.
OSP_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the supplier also applies to child equipment.
OSP_SKIPTHISLEVEL	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this level should be skipped.
OSP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

OSP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OSP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OSP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OSP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OSP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OSP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OSP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OSP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OSP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OSP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OSP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTSURVEY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBS_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The survey object
OBS_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The survey object organization
OBS_TYPE	N	VARCHAR2(1)	nvarchar(1)	The survey type
OBS_LEVELPK	N	VARCHAR2(30)	nvarchar(30)	The survey question pk
OBS_ANSWERPK	Y	VARCHAR2(30)	nvarchar(30)	The survey answer pk
OBS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OBS_VALUE	Y	NUMBER(24,6)	numeric(24,6)	The value of the object survey
OBS_CALCULATEDANSWER	Y	VARCHAR2(30)	nvarchar(30)	The calculated answer of the equipment survey.
OBS_CALCULATEDVALUE	Y	NUMBER(24,6)	numeric(24,6)	The calculated value of the equipment survey.
OBS_DATELASTCALCULATED	Y	DATE	datetime	The date and time the value of the equipment survey was last calculated.
OBS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OBS_WORKORDER	Y	VARCHAR2(30)	nvarchar(30)	
OBS_OPERATORCHECKLIST	Y	VARCHAR2(30)	nvarchar(30)	
OBS_DATEEFFECTIVE	Y	DATE	datetime	
OBS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJECTUPDATE

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OUP_PK	N	NUMBER	numeric(18,0)	The primary key of the object update record
OUP_OLDCODE	Y	VARCHAR2(30)	nvarchar(30)	The old equipment code.
OUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the updated equipment
OUP_NEWCODE	Y	VARCHAR2(30)	nvarchar(30)	The new equipment code
OUP_USER	Y	VARCHAR2(255)	nvarchar(255)	The user who initiated the object code update
OUP_DATE	Y	DATE	datetime	The date the equipment code was updated
OUP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OUP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJLINEARREF				
GIS				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LRF_ID	N	NUMBER(38,0)	numeric(38,0)	The surrogate key of this table, populated by sequence number S5LRF
LRF_OBJCODE	N	VARCHAR2(30)	nvarchar(30)	The equipment that this Linear Reference belong to
LRF_OBJORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment that this Linear Reference belong to
LRF_REFRTYPE	N	VARCHAR2(8)	nvarchar(8)	The Type of Reference, the system type is as following: LRS - Linear reference system, POI - Point of interest, RE - Related equipment
LRF_REFTYPE	N	VARCHAR2(8)	nvarchar(8)	The Type of Reference that user defined
LRF_REFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description, Required if LRF_REFTYPE = LRS or POI
LRF_RE_OBJCODE	Y	VARCHAR2(30)	nvarchar(30)	The equipment that this Linear Reference related to Required if LRF_REFTYPE = RE
LRF_RE_OBJORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment that this Linear Reference related to Required if LRF_REFTYPE = RE
LRF_FROMPOINT	N	NUMBER(24,6)	numeric(24,6)	The position of "From" point based on the equipment starting point
LRF_TOPOINT	N	NUMBER(24,6)	numeric(24,6)	The position of "To" point based on the equipment starting point
LRF_GEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of this Linear Reference
LRF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Default 0
LRF_CREATED	Y	DATE	datetime	Creation timestamp
LRF_UPDATED	Y	DATE	datetime	Update timestamp
LRF_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class the linear reference record belongs to
LRF_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization the linear reference record belongs to
LRF_PART	Y	VARCHAR2(30)	nvarchar(30)	The part of the linear reference record
LRF_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization of the linear reference record
LRF_CONDITION	Y	VARCHAR2(20)	nvarchar(20)	The part condition
LRF_DATEEFFECTIVE	N	DATE	datetime	The date effective of the linear reference record
LRF_DATEEXPIRED	N	DATE	datetime	The expiration date of the linear reference record
LRF_INSPECTIONDIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The inspection direction of the linear reference record
LRF_FLOW	Y	VARCHAR2(8)	nvarchar(8)	The flow of the linear reference record
LRF_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the record applies to its children as well
LRF_REPEATEVERYLENGTH	Y	NUMBER(24,6)	numeric(24,6)	The interval after which linear reference records should be repeated
LRF_REPEATEVERYUOM	Y	VARCHAR2(10)	nvarchar(10)	The repeat every length unit of measure
LRF_STARTINGSEQUENCE	Y	NUMBER(18,0)	numeric(18,0)	The starting sequence of the linear reference record
LRF_SETID	Y	VARCHAR2(30)	nvarchar(30)	The set ID of the linear reference record
LRF_DISPLAYONOVERVIEW	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether the record should be displayed in the linear overview
LRF_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The color of the linear reference record
LRF_ICON	Y	VARCHAR2(30)	nvarchar(30)	The icon associated to the linear reference record
LRF_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The icon path associated to the linear reference record
LRF_RELATIONSHIPTYPE	Y	VARCHAR2(8)	nvarchar(8)	The relationship type of the linear reference record
LRF_HORIZONTALOFFSET	Y	NUMBER(24,6)	numeric(24,6)	The horizontal offset of the linear reference record
LRF_HORIZONTALOFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The horizontal offset unit of measure of the linear reference record
LRF_HORIZONTALOFFSETYPE	Y	VARCHAR2(8)	nvarchar(8)	The horizontal offset type of the linear reference record
LRF_VERTICALOFFSET	Y	NUMBER(24,6)	numeric(24,6)	The vertical offset of the linear reference record
LRF_VERTICALOFFSETUOM	Y	VARCHAR2(10)	nvarchar(10)	The vertical offset unit of measure of the linear reference record
LRF_VERTICALOFFSETYPE	Y	VARCHAR2(8)	nvarchar(8)	The vertical offset type of the linear reference record
LRF_QTYPERUOM	Y	NUMBER(24,6)	numeric(24,6)	The quantity per unit of measure of the linear reference record
LRF_QTYUOM	Y	VARCHAR2(10)	nvarchar(10)	The quantity unit of measure of the linear reference record
LRF_WIDTH	Y	NUMBER(24,6)	numeric(24,6)	The width of the linear reference record

LRF_WIDTHUOM	Y	VARCHAR2(10)	nvarchar(10)	The width unit of measure of the linear reference record
LRF_HEIGHT	Y	NUMBER(24,6)	numeric(24,6)	The height of the linear reference record
LRF_HEIGHTUOM	Y	VARCHAR2(10)	nvarchar(10)	The height unit of measure of the linear reference record
LRF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User who created this record
LRF_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Update timestamp
LRF_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
LRF_UDFDATE01	Y	DATE	datetime	User defined field of type Date
LRF_UDFDATE02	Y	DATE	datetime	User defined field of type Date
LRF_UDFDATE03	Y	DATE	datetime	User defined field of type Date
LRF_UDFDATE04	Y	DATE	datetime	User defined field of type Date
LRF_UDFDATE05	Y	DATE	datetime	User defined field of type Date
LRF_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LRF_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LRF_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LRF_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LRF_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
LRF_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
LRF_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
LRF_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
LRF_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
LRF_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
LRF_SEQUENCE	Y	NUMBER(24,6)	numeric(24,6)	The sequence of the linear reference record
LRF_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the from point.
LRF_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the from point.
LRF_FROM_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the from point.

LRF_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the from point.
LRF_FROM_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the from point.
LRF_FROM_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the from point.
LRF_FROM_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the from point.
LRF_FROM_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the from point.
LRF_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	The reference of the to point.
LRF_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	The offset relative to the to point.
LRF_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The direction of the offset relative to the to point.
LRF_TO_OFFSET_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	The percentage of the offset relative to the to point.
LRF_TO_XCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The X coordinate of the to point.
LRF_TO_YCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	The Y coordinate of the to point.
LRF_TO_LATITUDE	Y	NUMBER(24,6)	numeric(24,6)	The latitude of the to point.
LRF_TO_LONGITUDE	Y	NUMBER(24,6)	numeric(24,6)	The longitude of the to point.
LRF_BRANCH_POINT	Y	VARCHAR2(1)	nvarchar(1)	The branch point.
LRF_IDENTIFIER	Y	VARCHAR2(80)	nvarchar(80)	The identifier.
LRF_BRANCH_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	The branch direction.
LRF_LINEAR_REFTYPE	Y	VARCHAR2(1)	nvarchar(1)	The linear reference type.
LRF_POINTREFERENCE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate this is a point reference.
LRF_OVERVIEWSEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	The overview sequence.
LRF_APPLYTOROUTEROW	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record applies to routes and right of ways.
LRF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LRF_CONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	
LRF_CONDITIONINDEX	Y	VARCHAR2(8)	nvarchar(8)	
LRF_RISKPRIORITYNUMBER	Y	NUMBER(24,6)	numeric(24,6)	
LRF_RISKPRIORITYINDEX	Y	VARCHAR2(8)	nvarchar(8)	
LRF_CRITICALITYSCORE	Y	NUMBER(24,6)	numeric(24,6)	
LRF_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	
LRF_COMMISSIONDATE	Y	DATE	datetime	
LRF_SERVICELIFE	Y	NUMBER(3,0)	numeric(3,0)	
LRF_SERVICELIFEUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
LRF_ENDUSEFULLIFE	Y	DATE	datetime	
LRF_CORRCONDITIONSCORE	Y	NUMBER(24,6)	numeric(24,6)	
LRF_CORRCONDITIONREASON	Y	VARCHAR2(8)	nvarchar(8)	
LRF_CORRCONDITIONDATE	Y	DATE	datetime	
LRF_CORRCONDITIONUSAGE	Y	NUMBER(24,6)	numeric(24,6)	
LRF_PARENTID	Y	NUMBER(38,0)	numeric(38,0)	
LRF_CORRSCORESTATUS	Y	VARCHAR2(8)	nvarchar(8)	
LRF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJMAP	GIS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OMP_MAPID	N	NUMBER(38,0)	numeric(38,0)	Code of the GIS map for the selected equipment or route.
OMP_TYPE	N	NUMBER	numeric(1,0)	Indicates whether the GIS map attributes are saved to equipment or a route. Zero (0) for equipment, one (1) for a route.
OMP_CODE	N	VARCHAR2(30)	nvarchar(30)	Equipment or route code for which the GIS map applies.
OMP_CODE_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment or route organization for which the GIS map applies.
OMP_REVISION	N	NUMBER(4,0)	numeric(4,0)	Revision of the route.
OMP_XMIN	Y	NUMBER	numeric(38,24)	The minimum x coordinate for the GIS map.
OMP_XMAX	Y	NUMBER	numeric(38,24)	The maximum x coordinate for the GIS map.
OMP_YMIN	Y	NUMBER	numeric(38,24)	The minimum y coordinate for the GIS map.
OMP_YMAX	Y	NUMBER	numeric(38,24)	The maximum y coordinate for the GIS map.
OMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
OMP_CREATED	Y	DATE	datetime	Date the GIS map attributes were saved to the equipment or route.
OMP_UPDATED	Y	DATE	datetime	Date which the GIS map attributes were last updated for the equipment or route.
OMP_MAP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.

OMP_MAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
OMP_BASEMAP	Y	VARCHAR2(30)	nvarchar(30)	The base map.
OMP_OPACITY	Y	NUMBER(2,1)	numeric(2,1)	The opacity.
OMP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJMAPACETATES

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OMA_MAPID	N	NUMBER(38,0)	numeric(38,0)	Code of the GIS map for the selected equipment or route.
OMA_TYPE	N	NUMBER(1,0)	numeric(1,0)	type of map acetate: 0 (Measurement), 1 (Sketch)
OMA_FROMX	N	NUMBER(24,6)	numeric(24,6)	x-coordinate of the starting position for the map acetate
OMA_FROMY	N	NUMBER(24,6)	numeric(24,6)	y-coordinate of the starting position for the map acetate
OMA_TOX	Y	NUMBER(24,6)	numeric(24,6)	x-coordinate of the ending position for the map acetate
OMA_TOY	Y	NUMBER(24,6)	numeric(24,6)	y-coordinate of the ending position for the map acetate
OMA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
OMA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OMA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJMAPLABELS

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OLB_MAPID	N	NUMBER(38,0)	numeric(38,0)	Code of the GIS map for the selected equipment or route.
OLB_TYPE	N	NUMBER(1,0)	numeric(1,0)	type of label: 0 (Measurement), 1 (Address)
OLB_X	N	NUMBER(24,6)	numeric(24,6)	x-coordinate of the label position
OLB_Y	N	NUMBER(24,6)	numeric(24,6)	y-coordinate of the label position
OLB_TEXT	Y	VARCHAR2(1000)	nvarchar(1000)	text of the map label
OLB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
OLB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OLB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJMAPLAYER

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OML_MAPID	N	NUMBER(38,0)	numeric(38,0)	Code of the GIS map for the selected equipment or route.
OML_VISIBLELAYER	N	VARCHAR2(60)	nvarchar(60)	GIS map layer that will be visible when equipment or route map is viewed.
OML_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OML_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJRESOURCES

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORS_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Code
ORS_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
ORS_RESOURCE	N	VARCHAR2(80)	nvarchar(80)	Resource Code
ORS_COOLDOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Cool Down Time
ORS_WARMUPTIME	Y	NUMBER(7,2)	numeric(7,2)	Warmup Time
ORS_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active(+ for yes, - for no)
ORS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORS_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
ORS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJRESOURCESAUDIT

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ERA_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Code
ERA_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
ERA_RESOURCE	Y	VARCHAR2(80)	nvarchar(80)	Resource Code

ERA_COOLDOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Cool Down Time
ERA_WARMUPTIME	Y	NUMBER(7,2)	numeric(7,2)	Warmup Time
ERA_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active(+ for yes, - for no)
ERA_ACTION	Y	VARCHAR2(3)	nvarchar(3)	type of action(insert/update/delete)
ERA_MODIFIEDBY	Y	VARCHAR2(255)	nvarchar(255)	Record Modified By
ERA_DATEMODIFIED	Y	DATE	datetime	Record Modified Date
ERA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ERA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ERA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJTESTPOINTS		CALIBRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OTP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment.
OTP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization.
OTP_SET	N	VARCHAR2(4)	nvarchar(4)	The set of the object test point.
OTP_SEQ	N	NUMBER(4,0)	numeric(4,0)	The sequence number.
OTP_TESTPOINT	N	NUMBER(24,6)	numeric(24,6)	The test point.
OTP_TESTPOINTUOM	N	VARCHAR2(30)	nvarchar(30)	The input unit of measure.
OTP_OUTPUT	Y	NUMBER(24,6)	numeric(24,6)	The expected output.
OTP_OUTPUTUOM	Y	VARCHAR2(30)	nvarchar(30)	The output unit of measure.
OTP_DEVICETOLFROM	N	NUMBER(24,6)	numeric(24,6)	The from device tolerance.
OTP_DEVICETOLTO	N	NUMBER(24,6)	numeric(24,6)	The to device tolerance.
OTP_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	Comments.
OTP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OTP_UPDATED	Y	DATE	datetime	update timestamp
OTP_DEVICETOLTYPE	Y	VARCHAR2(1)	nvarchar(1)	The type of device tolerance, absolute or percentage
OTP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OTP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OTP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OTP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OTP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OTP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OTP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OTP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OTP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OTP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OTP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OTP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OTP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OTP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OTP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OTP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OTP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OTP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OTP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OTP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OTP_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	The precision of the equipment test point.
OTP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OTP_ALERTTOLERANCE	Y	NUMBER(24,6)	numeric(24,6)	
OTP_INCREMENT	Y	NUMBER(24,6)	numeric(24,6)	
OTP_DEVICERANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
OTP_DEVICERANGETO	Y	NUMBER(24,6)	numeric(24,6)	
OTP_OUTPUTRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
OTP_OUTPUTRANGETO	Y	NUMBER(24,6)	numeric(24,6)	

OTP_PROCESSRANGEFROM	Y	NUMBER(24,6)	numeric(24,6)	
OTP_PROCESSRANGETO	Y	NUMBER(24,6)	numeric(24,6)	
OTP_PROCESSTOLERANCEFROM	Y	NUMBER(24,6)	numeric(24,6)	
OTP_PROCESSTOLERANCETO	Y	NUMBER(24,6)	numeric(24,6)	
OTP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJUNITS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBU_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment code.
OBU_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment.
OBU_YEARPK	N	NUMBER	int	The reference to a fiscal year.
OBU_UNITS	Y	NUMBER(24,6)	numeric(24,6)	The number of units of output.
OBU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
OBU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OBU_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
OBU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OBJUSAGEDEFS	EQUIPMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ODU_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
ODU_UOM	N	VARCHAR2(30)	nvarchar(30)	unit of measure code.
ODU_STANDARDLIFE	Y	NUMBER	numeric(24,6)	life expectancy of object, in terms of reading value of this logical meter.
ODU_RECALC	Y	VARCHAR2(1)	nvarchar(1)	flag.
ODU_SAVEDAYS	Y	NUMBER(8,0)	numeric(8,0)	calculated value.
ODU_LASTREADDATE	Y	DATE	datetime	date and time of last meter reading.
ODU_DFLTDAIILYUSG	Y	NUMBER(24,6)	numeric(24,6)	default daily usage of this logical meter.
ODU_CALCDAIILYUSG	Y	NUMBER	numeric(24,6)	calculated daily usage of this logical meter.
ODU_TOTALPURGED	Y	NUMBER	numeric(24,6)	total amount of usage purged.
ODU_TOTALSTORED	Y	NUMBER	numeric(24,6)	tot amount of usage at time of purge.
ODU_TOTPURCUR	Y	NUMBER	numeric(24,6)	calculated value.
ODU_TOTSTRCUR	Y	NUMBER	numeric(24,6)	calculated value.
ODU_TOTPURPRV	Y	NUMBER	numeric(24,6)	calculated value.
ODU_TOTSTRPRV	Y	NUMBER	numeric(24,6)	calculated value.
ODU_CALCDAYS	Y	NUMBER(3,0)	numeric(3,0)	number of readings used to calculate average daily usage.
ODU_TOTALUSAGE	Y	NUMBER	numeric(24,6)	total usage of the logical meter.
ODU_PARENT	N	VARCHAR2(1)	nvarchar(1)	value is + if readings of meter are to be rolled-down to child meters (meter roll-down via object structure).
ODU_CHILD	N	VARCHAR2(1)	nvarchar(1)	value is + if meter obtains its readings from a parent meter (meter roll-down via object structures).
ODU_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code of physical meter attached to this logical meter.
ODU_SINCEINSTALL	Y	NUMBER	numeric(24,6)	usage of logical meter since object was last moved in the object structure.
ODU_SINCELASTWORK	Y	NUMBER	numeric(24,6)	usage of logical meter since last job was completed on the object.
ODU_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
ODU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ODU_CREATED	Y	DATE	datetime	Creation timestamp
ODU_UPDATED	Y	DATE	datetime	Update timestamp
ODU_UPDOWNMETER	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether is a normal meter or an up/down meter
ODU_NOTLAST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the since last install/WO columns should be updated
ODU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ODU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPCALCERRORLOG	ANALYTICS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCL_DATESTAMP	N	DATE	datetime	Date of record entry
OCL_FACILITY	Y	VARCHAR2(60)	nvarchar(60)	Identified facility that owns the variable
OCL_WHENVARID	Y	NUMBER(38,0)	numeric(38,0)	Identifies Variable that needs to be calculated

OCL_WHENVARNUM	Y	NUMBER(38,0)	numeric(38,0)	Number of variable in database
OCL_WHENDATESTAMP	Y	DATE	datetime	Date when the error occurred
OCL_DESCRIPTION	Y	VARCHAR2(2000)	nvarchar(2000)	Error description
OCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPCALCQUEUE ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCQ_ID	N	NUMBER	int	Identifies calc request. Primary key
OCQ_STATUS	Y	NUMBER	int	Specifies calculation status
OCQ_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OCQ_FACILITY	N	VARCHAR2(60)	nvarchar(60)	Specifies facility that owns the variables being calculated
OCQ_VLIST	Y	VARCHAR2(512)	nvarchar(512)	A comma seperated list of calc type variables that need to be calculated
OCQ_DATESTART	N	DATE	datetime	Specifies start date of calculation
OCQ_DATEEND	N	DATE	datetime	Specifies end date of calculation
OCQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPCALCSETTINGS ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCS_KEYVALUE	Y	VARCHAR2(60)	nvarchar(60)	Specifies calculation settings such as calc version etc
OCS_CURVALUE	Y	VARCHAR2(60)	nvarchar(60)	Specifies current key value of the setting
OCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPCHARTS ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCH_ID	N	NUMBER(38,0)	numeric(38,0)	Chart ID
OCH_REPORTID	Y	NUMBER(38,0)	numeric(38,0)	Report ID
OCH_CHARTNUM	Y	NUMBER(38,0)	numeric(38,0)	Chart number
OCH_NAME	Y	VARCHAR2(120)	nvarchar(120)	Chart name
OCH_SERVER	N	NUMBER(1,0)	numeric(1,0)	Identifies the char as local (0) or server (1)
OCH_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	User who last changed the record
OCH_AUDITTIMESTAMP	Y	DATE	datetime	Time the record was last changed
OCH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
OCH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPCOMMENTS ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCM_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OCM_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OCM_DATESTAMP	N	DATE	datetime	Date of Comment
OCM_VARID	N	NUMBER(38,0)	numeric(38,0)	Identifies the Variable thats being commented
OCM_COMMENT	Y	VARCHAR2(3900)	nvarchar(3900)	Comment on the data item
OCM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
OCM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPERATORCHECKLISTS EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCK_CODE	N	VARCHAR2(30)	nvarchar(30)	Operator Check List Code
OCK_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization of the Operator Checklist
OCK_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Code

OCK_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
OCK_TASK	N	VARCHAR2(20)	nvarchar(20)	Task Plan Code
OCK_TASKREV	N	NUMBER(4,0)	numeric(4,0)	Task Plan Revision
OCK_STATUS	N	VARCHAR2(4)	nvarchar(4)	Operator Checklist Status
OCK_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Operator Checklist System Status
OCK_STARTDATE	Y	DATE	datetime	Date and Time the check list was created.
OCK_ENDDATE	Y	DATE	datetime	Date and Time the check list was completed.
OCK_UPDATED	Y	DATE	datetime	Date updated
OCK_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Update By User
OCK_CREATED	Y	DATE	datetime	Date the record was created
OCK_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who creates the record .
OCK_PERFORMED	Y	DATE	datetime	Date Performed
OCK_PERFORMEDBY	Y	VARCHAR2(255)	nvarchar(255)	Performed By User
OCK_PERFORMEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Performed By Type
OCK_REVIEWED	Y	DATE	datetime	Date Reviewed
OCK_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	Reviewed By User
OCK_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Reviewed Type
OCK_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCK_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCK_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCK_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OCK_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCK_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OCK_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OCK_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OCK_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCK_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OCK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OCK_REVIEWRESP	Y	VARCHAR2(8)	nvarchar(8)	
OCK_PERFORMBYRESP	Y	VARCHAR2(8)	nvarchar(8)	
OCK_CONDITION_AS_FOUND	Y	VARCHAR2(8)	nvarchar(8)	
OCK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCK_RECORDEDDBY	Y	VARCHAR2(15)	nvarchar(15)	
OCK_DATERECORDED	Y	DATE	datetime	
OCK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPFILES		ANALYTICS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OGF_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OGF_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OGF_ID	N	NUMBER	int	Identifies each file entry. Primary key
OGF_DIRNAME	Y	VARCHAR2(250)	nvarchar(250)	Identifies graph type GRAPHTS or GRAPHCORR
OGF_FILENAME	N	VARCHAR2(250)	nvarchar(250)	Name of the graph definition file
OGF_FILEDATA	N	LONG	ntext	Contents of graph definition file
OGF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OGF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPGENERALSETTINGS		ANALYTICS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OGS_KEYVALUE	N	VARCHAR2(60)	nvarchar(60)	Specifies settings such as Analytics version etc
OGS_CURVALUE	N	VARCHAR2(255)	nvarchar(255)	Specifies current value of the setting
OGS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OGS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPGRAPHCORR		ANALYTICS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OGC_ID	N	NUMBER	int	Primary key value of correlation graph
OGC_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OGC_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OGC_TITLE	N	VARCHAR2(120)	nvarchar(120)	Graph title
OGC_HEADING	Y	VARCHAR2(120)	nvarchar(120)	Short name of graph
OGC_HEADING2	Y	VARCHAR2(120)	nvarchar(120)	Analytics - T.B.D.
OGC_STARTDATE	Y	DATE	datetime	Start date of graph
OGC_ENDDATE	Y	DATE	datetime	End date of graph
OGC_VARID1	Y	NUMBER(38,0)	numeric(38,0)	Identifies independent variable in correlation
OGC_VARID2	Y	NUMBER(38,0)	numeric(38,0)	Identifies dependent variable in correlation
OGC_LWRLIMIT1	Y	NUMBER	float	value limit
OGC_UPRLIMIT1	Y	NUMBER	float	value limit
OGC_LWRLIMIT2	Y	NUMBER	float	value limit
OGC_UPRLIMIT2	Y	NUMBER	float	value limit
OGC_OFFSET	Y	NUMBER	float	Analytics - T.B.D.
OGC_PLOTLIN	Y	NUMBER	numeric(1,0)	Analytics - T.B.D.
OGC_PLOTGEO	Y	NUMBER	numeric(1,0)	Analytics - T.B.D.
OGC_PLOTEXPO	Y	NUMBER	numeric(1,0)	Analytics - T.B.D.
OGC_PLOT3RDORD	Y	NUMBER	numeric(1,0)	Analytics - T.B.D.
OGC_YTITLE	Y	VARCHAR2(40)	nvarchar(40)	Analytics - T.B.D.
OGC_PERIODTYPE	Y	FLOAT	float	Selected to store relative date values
OGC_DBLWRLIMIT1	Y	FLOAT	float	value limit
OGC_DBLUPRLIMIT1	Y	FLOAT	float	value limit
OGC_DBLWRLIMIT2	Y	FLOAT	float	value limit
OGC_DBLUPRLIMIT2	Y	FLOAT	float	value limit
OGC_ISPUBLIC	Y	VARCHAR2(1)	nvarchar(1)	Indicates if a graph is public (+) or private(-)
OGC_HEIGHT	Y	NUMBER(6,0)	numeric(6,0)	Graph height in pixels
OGC_WIDTH	Y	NUMBER(6,0)	numeric(6,0)	Graph width in pixels
OGC_CID	Y	NUMBER	int	Primary key value of correlation graph on client side
OGC_STATUS	Y	NUMBER(4,0)	numeric(4,0)	status
OGC_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization that this graph belongs to
OGC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OGC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPGRAPHPTS		ANALYTICS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OGT_ID	N	NUMBER	int	Primary key value of correlation graph
OGT_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OGT_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OGT_TITLE	N	VARCHAR2(120)	nvarchar(120)	Graph title
OGT_HEADING	Y	VARCHAR2(120)	nvarchar(120)	Short name of graph
OGT_HEADING2	Y	VARCHAR2(120)	nvarchar(120)	Analytics - T.B.D.
OGT_STARTDATE	Y	DATE	datetime	Start date of graph
OGT_ENDDATE	Y	DATE	datetime	End date of graph
OGT_YTITLE	Y	VARCHAR2(40)	nvarchar(40)	Analytics - T.B.D.
OGT_OLAYTITLE	Y	VARCHAR2(40)	nvarchar(40)	Analytics - T.B.D.
OGT_VARID1	Y	NUMBER(38,0)	numeric(38,0)	variable 1 in time series graph
OGT_VARID2	Y	NUMBER(38,0)	numeric(38,0)	variable 2 in time series graph
OGT_VARID3	Y	NUMBER(38,0)	numeric(38,0)	variable 3 in time series graph
OGT_VARID4	Y	NUMBER(38,0)	numeric(38,0)	variable 4 in time series graph
OGT_VARID5	Y	NUMBER(38,0)	numeric(38,0)	variable 5 in time series graph
OGT_AVGTYPE1	Y	VARCHAR2(10)	nvarchar(10)	Analytics - T.B.D.

OGT_AVGDAY51	Y	NUMBER	int	Analytics - T.B.D.
OGT_AVGTYPE2	Y	VARCHAR2(10)	nvarchar(10)	Analytics - T.B.D.
OGT_AVGDAY52	Y	NUMBER	int	Analytics - T.B.D.
OGT_AVGTYPE3	Y	VARCHAR2(10)	nvarchar(10)	Analytics - T.B.D.
OGT_AVGDAY53	Y	NUMBER	int	Analytics - T.B.D.
OGT_AVGTYPE4	Y	VARCHAR2(10)	nvarchar(10)	Analytics - T.B.D.
OGT_AVGDAY54	Y	NUMBER	int	Analytics - T.B.D.
OGT_AVGTYPE5	Y	VARCHAR2(10)	nvarchar(10)	Analytics - T.B.D.
OGT_AVGDAY55	Y	NUMBER	int	Analytics - T.B.D.
OGT_SHOWSTATS	Y	NUMBER	numeric(1,0)	Analytics - T.B.D.
OGT_MINMAX1	Y	NUMBER	float	Analytics - T.B.D.
OGT_MEAN1	Y	NUMBER	float	Analytics - T.B.D.
OGT_DLIM1	Y	NUMBER	float	Analytics - T.B.D.
OGT_WLIM1	Y	NUMBER	float	Analytics - T.B.D.
OGT_MLIM1	Y	NUMBER	float	Analytics - T.B.D.
OGT_QLIM1	Y	NUMBER	float	Analytics - T.B.D.
OGT_ALIM1	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT11	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE11	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT21	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE21	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEV1	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT11	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT21	Y	NUMBER	float	Analytics - T.B.D.
OGT_UCL1	Y	NUMBER	float	Analytics - T.B.D.
OGT_UWL1	Y	NUMBER	float	Analytics - T.B.D.
OGT_QCM1	Y	NUMBER	float	Analytics - T.B.D.
OGT_LWL1	Y	NUMBER	float	Analytics - T.B.D.
OGT_LCL1	Y	NUMBER	float	Analytics - T.B.D.
OGT_MINMAX2	Y	NUMBER	float	Analytics - T.B.D.
OGT_MEAN2	Y	NUMBER	float	Analytics - T.B.D.
OGT_DLIM2	Y	NUMBER	float	Analytics - T.B.D.
OGT_WLIM2	Y	NUMBER	float	Analytics - T.B.D.
OGT_MLIM2	Y	NUMBER	float	Analytics - T.B.D.
OGT_QLIM2	Y	NUMBER	float	Analytics - T.B.D.
OGT_ALIM2	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT12	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE12	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT22	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE22	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEV2	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT12	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT22	Y	NUMBER	float	Analytics - T.B.D.
OGT_UCL2	Y	NUMBER	float	Analytics - T.B.D.
OGT_UWL2	Y	NUMBER	float	Analytics - T.B.D.
OGT_QCM2	Y	NUMBER	float	Analytics - T.B.D.
OGT_LWL2	Y	NUMBER	float	Analytics - T.B.D.
OGT_LCL2	Y	NUMBER	float	Analytics - T.B.D.
OGT_MINMAX3	Y	NUMBER	float	Analytics - T.B.D.
OGT_MEAN3	Y	NUMBER	float	Analytics - T.B.D.
OGT_DLIM3	Y	NUMBER	float	Analytics - T.B.D.
OGT_WLIM3	Y	NUMBER	float	Analytics - T.B.D.
OGT_MLIM3	Y	NUMBER	float	Analytics - T.B.D.
OGT_QLIM3	Y	NUMBER	float	Analytics - T.B.D.

OGT_ALIM3	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT13	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE13	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT23	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE23	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEV3	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT13	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT23	Y	NUMBER	float	Analytics - T.B.D.
OGT_UCL3	Y	NUMBER	float	Analytics - T.B.D.
OGT_UWL3	Y	NUMBER	float	Analytics - T.B.D.
OGT_QCM3	Y	NUMBER	float	Analytics - T.B.D.
OGT_LWL3	Y	NUMBER	float	Analytics - T.B.D.
OGT_LCL3	Y	NUMBER	float	Analytics - T.B.D.
OGT_MINMAX4	Y	NUMBER	float	Analytics - T.B.D.
OGT_MEAN4	Y	NUMBER	float	Analytics - T.B.D.
OGT_DLIM4	Y	NUMBER	float	Analytics - T.B.D.
OGT_WLIM4	Y	NUMBER	float	Analytics - T.B.D.
OGT_MLIM4	Y	NUMBER	float	Analytics - T.B.D.
OGT_QLIM4	Y	NUMBER	float	Analytics - T.B.D.
OGT_ALIM4	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT14	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE14	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT24	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE24	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEV4	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT14	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT24	Y	NUMBER	float	Analytics - T.B.D.
OGT_UCL4	Y	NUMBER	float	Analytics - T.B.D.
OGT_UWL4	Y	NUMBER	float	Analytics - T.B.D.
OGT_QCM4	Y	NUMBER	float	Analytics - T.B.D.
OGT_LWL4	Y	NUMBER	float	Analytics - T.B.D.
OGT_LCL4	Y	NUMBER	float	Analytics - T.B.D.
OGT_MINMAX5	Y	NUMBER	float	Analytics - T.B.D.
OGT_MEAN5	Y	NUMBER	float	Analytics - T.B.D.
OGT_DLIM5	Y	NUMBER	float	Analytics - T.B.D.
OGT_WLIM5	Y	NUMBER	float	Analytics - T.B.D.
OGT_MLIM5	Y	NUMBER	float	Analytics - T.B.D.
OGT_QLIM5	Y	NUMBER	float	Analytics - T.B.D.
OGT_ALIM5	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT15	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE15	Y	NUMBER	float	Analytics - T.B.D.
OGT_PREMULT25	Y	FLOAT	float	Analytics - T.B.D.
OGT_PRE25	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEV5	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT15	Y	NUMBER	float	Analytics - T.B.D.
OGT_STDDEVMULT25	Y	NUMBER	float	Analytics - T.B.D.
OGT_UCL5	Y	NUMBER	float	Analytics - T.B.D.
OGT_UWL5	Y	NUMBER	float	Analytics - T.B.D.
OGT_QCM5	Y	NUMBER	float	Analytics - T.B.D.
OGT_LWL5	Y	NUMBER	float	Analytics - T.B.D.
OGT_LCL5	Y	NUMBER	float	Analytics - T.B.D.
OGT_PERIODTYPE	Y	FLOAT	float	Selected to store relative date values
OGT_ISPUBLIC	Y	VARCHAR2(1)	nvarchar(1)	Indicates if a graph is public (+) or private(-)
OGT_HEIGHT	Y	NUMBER(6,0)	numeric(6,0)	Graph height in pixels

OGT_WIDTH	Y	NUMBER(6,0)	numeric(6,0)	Graph width in pixels
OGT_CID	Y	NUMBER	int	Primary key value of correlation graph on client side
OGT_STATUS	Y	NUMBER(4,0)	numeric(4,0)	status
OGT_CYCLETYPE	Y	NUMBER	numeric(2,0)	Cycle information in Overlays, i.e Repeat Monthly, Daily, Yearly
OGT_GROUPTYPE	Y	NUMBER	numeric(1,0)	Stores group type i.e Weekly , Monthly , Daily etc
OGT_GROUPSUBTYPE	Y	NUMBER	numeric(1,0)	Stores any sub type such as week type when group by is Weekly
OGT_GAPSTYLE	Y	NUMBER(4,0)	numeric(4,0)	Graph rendering param
OGT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization that this graph belongs to
OGT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OGT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPLIMITS ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OPL_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OPL_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OPL_VARID	N	NUMBER(38,0)	numeric(38,0)	Variable for which the limits apply
OPL_MTH	N	NUMBER(2,0)	int	Month in year
OPL_DAILYMIN	Y	FLOAT	float	Analytics - T.B.D.
OPL_DAILYMAX	Y	FLOAT	float	Analytics - T.B.D.
OPL_WEEKLYMIN	Y	FLOAT	float	Analytics - T.B.D.
OPL_WEEKLYMAX	Y	FLOAT	float	Analytics - T.B.D.
OPL_MONTHLYMIN	Y	FLOAT	float	Analytics - T.B.D.
OPL_MONTHLYMAX	Y	FLOAT	float	Analytics - T.B.D.
OPL_QUARTERLYMIN	Y	FLOAT	float	Analytics - T.B.D.
OPL_QUARTERLYMAX	Y	FLOAT	float	Analytics - T.B.D.
OPL_SEMIANNUALMIN	Y	FLOAT	float	Analytics - T.B.D.
OPL_SEMIANNUALMAX	Y	FLOAT	float	Analytics - T.B.D.
OPL_ANNUALMIN	Y	FLOAT	float	Analytics - T.B.D.
OPL_ANNUALMAX	Y	FLOAT	float	Analytics - T.B.D.
OPL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
OPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OPL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPOLOOKUPTABLES ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OLT_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OLT_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OLT_ID	N	NUMBER	int	Analytics - T.B.D.
OLT_TABLENAME	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OLT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OLT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPREPORTS ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORP_ID	N	NUMBER(38,0)	numeric(38,0)	Report ID
ORP_NAME	N	VARCHAR2(120)	nvarchar(120)	Report name
ORP_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
ORP_TYPE	N	VARCHAR2(1)	nvarchar(1)	Report type: C = Chart, R = Report
ORP_PUBLIC	N	NUMBER(1,0)	numeric(1,0)	Identifies the report as public or private
ORP_TICKET	Y	VARCHAR2(255)	nvarchar(255)	Report zip file name as stored on the analytics server
ORP_CREATEDBYUSER	N	VARCHAR2(255)	nvarchar(255)	User who originally created the report
ORP_LASTUPLOADTIME	Y	DATE	datetime	Time the report template was last uploaded.
ORP_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	User who last changed the record
ORP_AUDITTIMESTAMP	Y	DATE	datetime	Time the record was last changed

ORP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
ORP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPREPORTVARS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORV_REPORTID	N	NUMBER(38,0)	numeric(38,0)	Report ID
ORV_VARID	N	NUMBER(38,0)	numeric(38,0)	Report ID
ORV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
ORV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPSERVERLOG

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OSL_ID	N	NUMBER(38,0)	numeric(38,0)	Server log code
OSL_DATESTAMP	N	DATE	datetime	Datetimestamp for message.
OSL_FACILITY	N	VARCHAR2(10)	nvarchar(10)	Facility as AETL for Analytics ETL, CALC for Calc engine, CHART for Chart Engine.
OSL_SEVERITY	N	VARCHAR2(5)	nvarchar(5)	Severity as FATAL, ERROR, WARN, INFO, DEBUG.
OSL_MESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Text of message
OSL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OSL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPSETTINGS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OST_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	Analytics - T.B.D.
OST_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OST_SETTING	Y	VARCHAR2(50)	nvarchar(50)	Analytics application settings
OST_CURVALUE	Y	VARCHAR2(50)	nvarchar(50)	Analytics setting value
OST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPSYMBOLS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OSY_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OSY_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OSY_ID	N	NUMBER(38,0)	numeric(38,0)	primary key id
OSY_SYMBOL	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OSY_DESC	Y	VARCHAR2(250)	nvarchar(250)	description
OSY_ALLOWNUMERIC	Y	NUMBER(1,0)	numeric(1,0)	table name
OSY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
OSY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OSY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPSYNCBLOCK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OPB_BLOCKID	N	NUMBER(24,0)	numeric(24,0)	Surrogate primarykey
OPB_SYNCTABLE	N	VARCHAR2(30)	nvarchar(30)	Identifies which client table recieves the key block
OPB_STARTVAL	N	NUMBER(24,0)	numeric(24,0)	This is the starting value for any new block request
OPB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OPB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPSYNCDEL

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SDL_SYNCKEY	N	NUMBER(24,0)	numeric(24,0)	Surrogate primarykey

SDL_TABLENAME	N	VARCHAR2(30)	nvarchar(30)	Table where the record is deleted from
SDL_RECORDKEY	N	NUMBER(24,0)	numeric(24,0)	Primarykey of record
SDL_DATEDLETED	N	DATE	datetime	Timestamp when the record was deleted
SDL_DELETEDBY	Y	VARCHAR2(120)	nvarchar(120)	Identifies who deleted the record
SDL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SDL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPTIMIZEDSCHEDULES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OPS_CODE	N	VARCHAR2(30)	nvarchar(30)	
OPS_ORG	N	VARCHAR2(15)	nvarchar(15)	
OPS_DESC	Y	VARCHAR2(80)	nvarchar(80)	
OPS_STATUS	Y	VARCHAR2(1)	nvarchar(1)	
OPS_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	
OPS_FREQ	Y	NUMBER(8,0)	numeric(8,0)	
OPS_FREQUOM	Y	VARCHAR2(10)	nvarchar(10)	
OPS_NEXTEVAL	Y	DATE	datetime	
OPS_LASTEVAL	Y	DATE	datetime	
OPS_LASTPROCESSDATE	Y	DATE	datetime	
OPS_ACTDATASPY	Y	NUMBER(14,0)	numeric(14,0)	
OPS_SHIFTDATASPY	Y	NUMBER(14,0)	numeric(14,0)	
OPS_CREWDATASPY	Y	NUMBER(14,0)	numeric(14,0)	
OPS_EMPLOYEEDATASPY	Y	NUMBER(14,0)	numeric(14,0)	
OPS_CREATED	Y	DATE	datetime	Creation timestamp
OPS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
OPS_UPDATED	Y	DATE	datetime	Update timestamp
OPS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
OPS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OPS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OPS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OPS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OPS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OPS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OPS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OPS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OPS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

OPS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OPS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OPS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OPS_LASTSAVED	Y	DATE	datetime	Timestamp of last update
OPS_SOLUTIONID	Y	VARCHAR2(100)	nvarchar(100)	
OPS_ERRORS	Y	VARCHAR2(4000)	nvarchar(4000)	
OPS_USEROADDISTANCE	Y	VARCHAR2(1)	nvarchar(1)	
OPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPUNITS	ANALYTICS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OUN_ID	N	NUMBER(38,0)	numeric(38,0)	Primary key
OUN_UNITS	Y	VARCHAR2(10)	nvarchar(10)	Predefined Units e.g. lb kg ml ..etc
OUN_DESCRIPTION	Y	VARCHAR2(30)	nvarchar(30)	Description of predefined Units i.e. pounds for lbs ..etc
OUN_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OUN_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OUN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
OUN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OUN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVARATTRIBUTES	ANALYTICS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OAT_ID	N	NUMBER(38,0)	numeric(38,0)	Attribute ID
OAT_DESC	N	VARCHAR2(80)	nvarchar(80)	Attribute description
OAT_TYPE	N	NUMBER(1,0)	numeric(1,0)	1 = numeric; 2 = text; 3 = date
OAT_LABEL	N	VARCHAR2(20)	nvarchar(20)	Attribute label for display
OAT_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	User who modified the record
OAT_AUDITTIMESTAMP	Y	DATE	datetime	Time of modification
OAT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times record has been updated
OAT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OAT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVARDATA	ANALYTICS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ODT_ID	N	NUMBER(24,0)	numeric(24,0)	pk
ODT_VARID	Y	NUMBER(38,0)	numeric(38,0)	Variable node in dependency tree.
ODT_DATESTAMP	Y	DATE	datetime	date stamp
ODT_ATTR1NUM	Y	NUMBER	float	Numeric attribute
ODT_ATTR1TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODT_ATTR2NUM	Y	NUMBER	float	Numeric attribute
ODT_ATTR2TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODT_ATTR3NUM	Y	NUMBER	float	Numeric attribute
ODT_ATTR3TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODT_ATTR4NUM	Y	NUMBER	float	Numeric attribute
ODT_ATTR4TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODT_ATTR5NUM	Y	NUMBER	float	Numeric attribute
ODT_ATTR5TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODT_ATTR6NUM	Y	NUMBER	float	Numeric attribute
ODT_ATTR6TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODT_NUMVALUE	Y	FLOAT	float	Numeric attribute value
ODT_TEXTVALUE	Y	VARCHAR2(255)	nvarchar(255)	Text attribute value
ODT_FORCED	Y	NUMBER(1,0)	numeric(1,0)	forced
ODT_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name

ODT_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
ODT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
ODT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ODT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVARDATEDEL ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ODD_VARID	Y	NUMBER(38,0)	numeric(38,0)	Variable node in dependency tree
ODD_DATESTAMP	Y	DATE	datetime	date stamp
ODD_ATTR1NUM	Y	NUMBER	numeric(38,0)	Numeric attribute
ODD_ATTR1TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODD_ATTR2NUM	Y	NUMBER	numeric(38,0)	Numeric attribute
ODD_ATTR2TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODD_ATTR3NUM	Y	NUMBER	numeric(38,0)	Numeric attribute
ODD_ATTR3TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODD_ATTR4NUM	Y	NUMBER	numeric(38,0)	Numeric attribute
ODD_ATTR4TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODD_ATTR5NUM	Y	NUMBER	numeric(38,0)	Numeric attribute
ODD_ATTR5TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODD_ATTR6NUM	Y	NUMBER	numeric(38,0)	Numeric attribute
ODD_ATTR6TEXT	Y	VARCHAR2(255)	nvarchar(255)	Text attribute
ODD_NUMVALUE	Y	FLOAT	float	Numeric attribute value
ODD_TEXTVALUE	Y	VARCHAR2(50)	nvarchar(50)	Text attribute value
ODD_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
ODD_AUDITTIMESTAMP	Y	DATE	datetime	time stamp
ODD_FORCED	Y	NUMBER(1,0)	numeric(1,0)	forced
ODD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ODD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVARDEPENDENCIES ANALYTICS.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OVV_VARID	N	NUMBER(38,0)	numeric(38,0)	Variable node in dependency tree.
OVV_PARENTID	N	NUMBER(38,0)	numeric(38,0)	Parent nodes of Variable node in dependency tree.
OVV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OVV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVAREQ ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OEQ_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OEQ_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OEQ_DATESTAMP	N	DATE	datetime	Date when the equation becomes effective
OEQ_EQINFIX	Y	VARCHAR2(4000)	nvarchar(4000)	Infix equation
OEQ_EQPOSTFIX	Y	VARCHAR2(4000)	nvarchar(4000)	postfix equation
OEQ_VARID	N	NUMBER(38,0)	numeric(38,0)	Variable ID
OEQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OEQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVARIABLES ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OVD_ID	N	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_AUDITUSER	Y	VARCHAR2(255)	nvarchar(255)	user name
OVD_AUDITTIMESTAMP	Y	DATE	datetime	timestamp
OVD_VARNUM	N	NUMBER(38,0)	numeric(38,0)	Analytics variable number. Used to display them in order
OVD_NAME	Y	VARCHAR2(40)	nvarchar(40)	Analytics variable name

OVD_SHORTNAME	Y	VARCHAR2(20)	nvarchar(20)	A short descriptive name for labelling purpose
OVD_VARTYPE	Y	VARCHAR2(1)	nvarchar(1)	F = 15 min variable, H = hourly variable, D= Daily type variable
OVD_ALLOWSYMBOL	Y	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_UNITS	Y	VARCHAR2(10)	nvarchar(10)	Unit label. i.e. kg, lbs ..etc
OVD_ENTRYMIN	Y	FLOAT	float	Analytics - T.B.D.
OVD_ENTRYMAX	Y	FLOAT	float	Analytics - T.B.D.
OVD_QCUCL	Y	FLOAT	float	Analytics - T.B.D.
OVD_QCLCL	Y	FLOAT	float	Analytics - T.B.D.
OVD_QCUWL	Y	FLOAT	float	Analytics - T.B.D.
OVD_QCLWL	Y	FLOAT	float	Analytics - T.B.D.
OVD_PRITHRESHOLD	Y	FLOAT	float	Analytics - T.B.D.
OVD_PRIOPERATOR	Y	VARCHAR2(5)	nvarchar(5)	Analytics - T.B.D.
OVD_PRIOPPR	Y	VARCHAR2(15)	nvarchar(15)	Analytics - T.B.D.
OVD_SECTHRESHOLD	Y	FLOAT	float	Analytics - T.B.D.
OVD_SECOOPERATOR	Y	VARCHAR2(5)	nvarchar(5)	Analytics - T.B.D.
OVD_SECOPPR	Y	VARCHAR2(15)	nvarchar(15)	Analytics - T.B.D.
OVD_LOCID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_LOCATION	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_STORETCODE	Y	VARCHAR2(10)	nvarchar(10)	Analytics - T.B.D.
OVD_LIST	Y	VARCHAR2(528)	nvarchar(528)	Analytics - T.B.D.
OVD_UD1	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD2	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD3	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD4	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD5	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD6	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD7	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD8	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_UD9	Y	VARCHAR2(50)	nvarchar(50)	Analytics - T.B.D.
OVD_DESCRIPTION	Y	VARCHAR2(250)	nvarchar(250)	A full description of variable
OVD_EQINFIX	Y	VARCHAR2(640)	nvarchar(640)	equation in infix form
OVD_EQPOSTFIX	Y	VARCHAR2(640)	nvarchar(640)	equation in postfix form
OVD_EQTRANSLATE	Y	VARCHAR2(640)	nvarchar(640)	equation converted into plain english using variable names
OVD_CALCFLAG	Y	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_DECPLACES	Y	NUMBER(2,0)	numeric(2,0)	Analytics - T.B.D.
OVD_CHKROLLOVER	Y	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_PARAMETER	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_CASCADERULE	Y	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_POSTYLE	Y	VARCHAR2(32)	nvarchar(32)	Analytics - T.B.D.
OVD_LIMIT_TO_LIST	Y	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_BARCODE	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_VARSCOPE	Y	NUMBER(1,0)	numeric(1,0)	1- D7i type, 2- regular public, 3-private variable
OVD_DELFLAG	Y	NUMBER(1,0)	numeric(1,0)	0-delete variable. 1-do not delete variable
OVD_MODIFIED	Y	NUMBER(1,0)	numeric(1,0)	0-variable not modified in any way. 1-variable modified
OVD_DDSPYID	Y	NUMBER(14,0)	numeric(14,0)	indicate which dataspy this field belongs to. only valid for varscope=1
OVD_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object
OVD_OBJ_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
OVD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OVD_QCMEAN	Y	FLOAT	float	T.B.D.
OVD_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization that this variable belongs to
OVD_ATTR0ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_ATTR1ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_ATTR2ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_ATTR3ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.

OVD_ATTR4ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_ATTR5ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_ATTR6ID	Y	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
OVD_FACTTYPE	N	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_STORERESULT	N	NUMBER(1,0)	numeric(1,0)	Analytics - T.B.D.
OVD_GRIDID	Y	NUMBER(14,0)	numeric(14,0)	grid associated with the variable
OVD_DATASPYFIELDIDS	Y	VARCHAR2(358)	nvarchar(358)	Analytics - T.B.D.
OVD_ATTR0ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR0ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR1ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR1ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR2ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR2ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR3ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR3ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR4ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR4ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR5ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR5ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR6ENTRYMIN	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_ATTR6ENTRYMAX	Y	VARCHAR2(20)	nvarchar(20)	Analytics - T.B.D.
OVD_LASTCALC	Y	DATE	datetime	datetime of last successful calculation. Null if never calculated.
OVD_CALCORDER	Y	NUMBER	int	Order to calculate variables based on equation dependencies.
OVD_DTRESOLUTION	Y	NUMBER	int	Used to handle 15 minute and hourly data
OVD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OVD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5OPVARSYMBOL ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OVS_ID	N	NUMBER	int	primary key (surrogate)
OVS_AUDITUSER	Y	VARCHAR2(120)	nvarchar(255)	User that performed the last modification
OVS_AUDITTIMESTAMP	Y	DATE	datetime	Time of the last modification
OVS_VARID	Y	NUMBER	numeric(38,0)	foreign key to r5opvardesc.ovd_varid
OVS_SYMBOLID	Y	NUMBER	numeric(38,0)	foreign key to r5opsymbols.osy_id
OVS_SYMBOLRULE	Y	NUMBER	int	(0=Entered,1=Zero,2=Half,3=Percent,4=Constant,5=Blank,6=Twice)
OVS_SYMBOLFACTOR	Y	FLOAT	real	The percentage or constant value, depending on the symbol rule. Ignored for symbols outside of 3-4.
OVS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OVS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OVS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDCLAUSEREVS PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OCR_ORDER	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
OCR_REVISION	N	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
OCR_CLAUSE	N	VARCHAR2(8)	nvarchar(8)	clause code.
OCR_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
OCR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OCR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OCR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDCLAUSEREVS_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACR_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACR_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.

ACR_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ACR_CLAUSE	Y	VARCHAR2(8)	nvarchar(8)	clause code.
ACR_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ACR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDCLAUSES

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORC_ORDER	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORC_CLAUSE	N	VARCHAR2(8)	nvarchar(8)	clause code.
ORC_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDCLAUSES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACO_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ACO_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ACO_CLAUSE	Y	VARCHAR2(8)	nvarchar(8)	clause code.
ACO_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ACO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERLINES

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORL_ORDER	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORL_ORDLINE	N	NUMBER(8,0)	numeric(8,0)	purchase order line number.
ORL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
ORL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ORL_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
ORL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ORL_DUE	N	DATE	datetime	delivery due date.
ORL_PRICE	N	NUMBER(24,6)	numeric(24,6)	unit price, or total price of fixed price service.
ORL_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
ORL_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
ORL_ORDQTY	N	NUMBER(24,6)	numeric(24,6)	quantity to be ordered in issue unit of measure.
ORL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in purchase unit of measure.
ORL_RECVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date in suppliers currency.
ORL_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced to-date in issue unit of measure.
ORL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
ORL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ORL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ORL_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ORL_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ORL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ORL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ORL_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ORL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
ORL_INVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value invoiced to-date in suppliers currency.
ORL_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
ORL_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).

ORL_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	value is + if awaiting delivery.
ORL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
ORL_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
ORL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status code (system code, see entity rlst).
ORL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status code (user code, see entity rlst).
ORL_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ORL_REVID	Y	DATE	datetime	date purchase order revision created.
ORL_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ORL_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number.
ORL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ORL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ORL_ACD	Y	NUMBER	bigint	account details code.
ORL_INTERFACE	Y	DATE	datetime	date order line created by financial interface.
ORL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ORL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ORL_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
ORL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
ORL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task code revision
ORL_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of task ordered
ORL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade of task
ORL_RECVTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	received task quantity
ORL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ORL_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
ORL_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ORL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if part requires inspection
ORL_DCKRECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received on dock
ORL_EXCHF	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if exchange rate is fixed
ORL_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2
ORL_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
ORL_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra changes/discounts
ORL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
ORL_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether cancelled po has been transmitted to 7i Buy or not.
ORL_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	indicates if current price has been obtained from 7i Buy
ORL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORL_INVCALCTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax amount to be included while calculating the new average price
ORL_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ORL_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
ORL_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
ORL_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
ORL_IPLASTUPDATE	Y	DATE	datetime	Date price and lead time were updated from 7iBuy
ORL_IPUPDATESTATUS	Y	VARCHAR2(1)	nvarchar(1)	Status of last price and lead time update from 7iBuy
ORL_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ORL_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ORL_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code
ORL_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IPProcure
ORL_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
ORL_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
ORL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
ORL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
ORL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ORL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ORL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ORL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ORL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ORL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ORL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORL_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order line.
ORL_ALLOWPREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether pre payments are allowed
ORL_PAYMENTNUMBER	Y	NUMBER(6,0)	numeric(6,0)	The number of expected payments
ORL_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
ORL_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	
ORL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORL_UNSPSCCODE	Y	VARCHAR2(30)	nvarchar(30)	
ORL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERLINES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AOI_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AOI_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.

AOI_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
AOI_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
AOI_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
AOI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
AOI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
AOI_DUE	Y	DATE	datetime	delivery due date.
AOI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	unit price, or total price of fixed price service.
AOI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AOI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AOI_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be ordered in issue unit of measure.
AOI_RECQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in purchase unit of measure.
AOI_RECVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date in suppliers currency.
AOI_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced to-date in issue unit of measure.
AOI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
AOI_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
AOI_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
AOI_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
AOI_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
AOI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
AOI_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
AOI_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
AOI_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
AOI_INVVALUE	Y	NUMBER(24,12)	numeric(24,6)	value invoiced to-date in suppliers currency.
AOI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
AOI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
AOI_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if awaiting delivery.
AOI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
AOI_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
AOI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status code (system code, see entity rlst).
AOI_STATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status code (user code, see entity rlst).
AOI_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
AOI_REVISID	Y	DATE	datetime	date purchase order revision created.
AOI_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
AOI_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number.
AOI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
AOI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
AOI_ACD	Y	NUMBER	bigint	account details code.
AOI_INTERFACE	Y	DATE	datetime	date order line created by financial interface.
AOI_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
AOI_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
AOI_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
AOI_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
AOI_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task code revision
AOI_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of task ordered
AOI_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade of task
AOI_RECVTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	received task quantity
AOI_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
AOI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
AOI_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
AOI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
AOI_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if part requires inspection
AOI_DCKRECQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received on dock
AOI_EXCHFIX	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if exchange rate is fixed
AOI_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2

AOI_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
AOI_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra changes/discounts
AOI_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
AOI_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether cancelled po has been transmitted to 7i Buy or not.
AOI_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	indicates if current price has been obtained from 7i Buy
AOI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AOI_INVCLCTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Tax amount to be included while calculating the new average price
AOI_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
AOI_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	as defined in oracle financials.
AOI_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
AOI_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
AOI_IPLASTUPDATE	Y	DATE	datetime	Date price and lead time were updated from 7iBuy
AOI_IPUPDATESTATUS	Y	VARCHAR2(1)	nvarchar(1)	Status of last price and lead time update from 7iBuy
AOI_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
AOI_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
AOI_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code
AOI_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IPurchase
AOI_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
AOI_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
AOI_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(30)	manufacturer
AOI_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
AOI_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOI_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOI_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOI_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

AOI_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOI_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOI_UDFDATE01	Y	DATE	datetime	User defined field of type Date
AOI_UDFDATE02	Y	DATE	datetime	User defined field of type Date
AOI_UDFDATE03	Y	DATE	datetime	User defined field of type Date
AOI_UDFDATE04	Y	DATE	datetime	User defined field of type Date
AOI_UDFDATE05	Y	DATE	datetime	User defined field of type Date
AOI_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOI_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOI_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOI_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOI_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOI_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order line.
AOI_ALLOWPREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether pre payments are allowed
AOI_PAYMENTNUMBER	Y	NUMBER(6,0)	numeric(6,0)	The number of expected payments
AOI_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
AOI_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	
AOI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AOI_UNSPSCCODE	Y	VARCHAR2(30)	nvarchar(30)	
AOI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERS		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORD_CODE	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORD_DESC	N	VARCHAR2(80)	nvarchar(80)	purchase order description.
ORD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ORD_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
ORD_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase order type (system code, see entity potp)
ORD_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
ORD_DATE	N	DATE	datetime	purchase order date.
ORD_DUE	N	DATE	datetime	delivery due date.
ORD_APPROV	Y	DATE	datetime	date purchase order approved.
ORD_STATUS	N	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
ORD_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
ORD_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved purchase order.
ORD_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ORD_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ORD_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
ORD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total order value.
ORD_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
ORD_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
ORD_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel number of originator of purchase order.
ORD_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
ORD_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order has been printed.
ORD_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ORD_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.
ORD_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
ORD_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
ORD_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point code.
ORD_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
ORD_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ORD_REVISID	Y	DATE	datetime	date purchase order revised.
ORD_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ORD_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.

ORD_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ORD_INTERFACE	Y	DATE	datetime	date purchase order was created by financial interface.
ORD_BLANKETRELEASE	Y	NUMBER	int	blanket order release (sequence) number.
ORD_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ORD_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ORD_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ORD_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ORD_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
ORD_CREDITCARD	Y	NUMBER	int	credit card # (7i Buy)
ORD_CONTROLNO	Y	VARCHAR2(64)	nvarchar(64)	7i Buy control #
ORD_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (7i Buy)
ORD_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether po has been transmitted to 7i Buy or not.
ORD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORD_CREATED	Y	DATE	datetime	Creation timestamp
ORD_UPDATED	Y	DATE	datetime	Update timestamp
ORD_ACD	Y	NUMBER	bigint	financial interface
ORD_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ORD_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ORD_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ORD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

ORD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORD_UDFDATE01	Y	DATE	datetime	User defined field of type date
ORD_UDFDATE02	Y	DATE	datetime	User defined field of type date
ORD_UDFDATE03	Y	DATE	datetime	User defined field of type date
ORD_UDFDATE04	Y	DATE	datetime	User defined field of type date
ORD_UDFDATE05	Y	DATE	datetime	User defined field of type date
ORD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORD_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
ORD_REVISIONREASON	Y	VARCHAR2(240)	nvarchar(240)	The PO revision reason
ORD_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order.
ORD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORD_CONVERTTOASN	Y	VARCHAR2(1)	nvarchar(1)	
ORD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERSINTERFACE		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
POI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
POI_CREATE	Y	DATE	datetime	date interface transaction created.
POI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
POI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of order number in source system.
POI_LINESOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of order line number in source system.
POI_CODE	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
POI_DESC	Y	VARCHAR2(80)	nvarchar(80)	purchase order description.
POI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
POI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp).
POI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (system code, see entity potp).
POI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
POI_STORECODE	Y	VARCHAR2(15)	nvarchar(15)	store code.
POI_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	personnel code of originator of purchase order.
POI_AUTHORISER	Y	VARCHAR2(255)	nvarchar(255)	username of person who is to authorize purchase order.
POI_STATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
POI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
POI_PRINTED	Y	DATE	datetime	value is + if purchase order has been printed.
POI_DATE	Y	DATE	datetime	purchase order date.
POI_DUE	Y	DATE	datetime	purchase order delivery due date.
POI_APPROV	Y	DATE	datetime	date purchase order approved.
POI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
POI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
POI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total value of purchase order in suppliers currency.
POI_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
POI_DISCOUNTPERC	Y	NUMBER(4,1)	numeric(4,1)	discount percentage.
POI_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
POI_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
POI_MAILTOSITE	Y	VARCHAR2(17)	nvarchar(17)	not used.
POI_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.
POI_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
POI_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
POI_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point code.
POI_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
POI_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.

POI_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
POI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
POI_POLINERTYPE	Y	VARCHAR2(24)	nvarchar(24)	purchase item type (system code, see entity rltp).
POI_PARTCODE	Y	VARCHAR2(30)	nvarchar(30)	part code.
POI_WONUMBER	Y	VARCHAR2(30)	nvarchar(30)	event number.
POI_WOACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	activity number.
POI_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure.
POI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
POI_LINEDUE	Y	DATE	datetime	order line delivery due date.
POI_LINECURR	Y	VARCHAR2(3)	nvarchar(3)	order line currency code.
POI_LINEEXCH	Y	NUMBER(24,12)	numeric(24,12)	order line exchange rate.
POI_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity ordered in issue unit if measure.
POI_LINEPRICE	Y	NUMBER(24,6)	numeric(24,6)	order line price per issue unit of measure in suppliers currency.
POI_LINEDISCPERC	Y	NUMBER(15,2)	numeric(15,2)	order line discount percentage.
POI_LINETAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
POI_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
POI_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
POI_POLINERTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity rltp).
POI_PARTDESC	Y	VARCHAR2(80)	nvarchar(80)	part description.
POI_BLANKETRELEASE	Y	NUMBER	int	blanket order release (sequence) number.
POI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
POI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
POI_PARTCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
POI_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
POI_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
POI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
POI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AOD_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AOD_CODE	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
AOD_DESC	Y	VARCHAR2(80)	nvarchar(80)	purchase order description.
AOD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AOD_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
AOD_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (system code, see entity potp)
AOD_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
AOD_DATE	Y	DATE	datetime	purchase order date.
AOD_DUE	Y	DATE	datetime	delivery due date.
AOD_APPROV	Y	DATE	datetime	date purchase order approved.
AOD_STATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
AOD_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
AOD_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved purchase order.
AOD_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
AOD_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
AOD_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
AOD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total order value.
AOD_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AOD_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AOD_ORIGIN	Y	VARCHAR2(24)	nvarchar(15)	personnel number of originator of purchase order.
AOD_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
AOD_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order has been printed.
AOD_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
AOD_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.

AOD_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
AOD_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
AOD_FOBPOINT	Y	VARCHAR2(45)	nvarchar(30)	fob point code.
AOD_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
AOD_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
AOD_REVISED	Y	DATE	datetime	date purchase order revised.
AOD_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
AOD_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
AOD_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
AOD_INTERFACE	Y	DATE	datetime	date purchase order was created by financial interface.
AOD_BLANKETRELEASE	Y	NUMBER	int	blanket order release (sequence) number.
AOD_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
AOD_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
AOD_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
AOD_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
AOD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AOD_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
AOD_CREDITCARD	Y	NUMBER	int	credit card # (7i Buy)
AOD_CONTROLNO	Y	VARCHAR2(64)	nvarchar(64)	7i Buy control #
AOD_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (7i Buy)
AOD_IPTTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether po has been transmitted to 7i Buy or not.
AOD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AOD_CREATED	Y	DATE	datetime	Creation timestamp
AOD_UPDATED	Y	DATE	datetime	Update timestamp
AOD_ACD	Y	NUMBER	bigint	financial interface
AOD_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
AOD_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
AOD_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
AOD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AOD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AOD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AOD_UDFDATE01	Y	DATE	datetime	User defined field of type date
AOD_UDFDATE02	Y	DATE	datetime	User defined field of type date
AOD_UDFDATE03	Y	DATE	datetime	User defined field of type date
AOD_UDFDATE04	Y	DATE	datetime	User defined field of type date
AOD_UDFDATE05	Y	DATE	datetime	User defined field of type date
AOD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AOD_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
AOD_REVISIONREASON	Y	VARCHAR2(240)	nvarchar(240)	The PO revision reason
AOD_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order.
AOD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AOD_CONVERTTOASN	Y	VARCHAR2(1)	nvarchar(1)	
AOD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERTERMS		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORT_CODE	N	VARCHAR2(30)	nvarchar(30)	order term code.
ORT_DESC	N	VARCHAR2(80)	nvarchar(80)	order term description.
ORT_TYPE	N	VARCHAR2(4)	nvarchar(4)	order term type (user code, see entity otpp).
ORT_RTYPE	N	VARCHAR2(4)	nvarchar(4)	order term type (system code, see entity otpp).
ORT_ORG	N	VARCHAR2(15)	nvarchar(15)	order term organization
ORT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORT_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
ORT_STCODE	Y	VARCHAR2(80)	nvarchar(80)	the standard code of the order term.
ORT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERTRACKING		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OTR_TRACKID	N	NUMBER(12,0)	int	tracking id number
OTR_TRACKTYPE	N	VARCHAR2(4)	nvarchar(4)	tracking type
OTR_ORDER	N	VARCHAR2(30)	nvarchar(30)	purchase order
OTR_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
OTR_ORDERLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
OTR_SHIPNUM	Y	VARCHAR2(30)	nvarchar(30)	unique identifier for this shipment
OTR_RELEASENUM	Y	NUMBER(4,0)	numeric(4,0)	release number of the purchase order
OTR_CONTROLNUM	Y	VARCHAR2(30)	nvarchar(30)	stores the po confirmation code
OTR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code
OTR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
OTR_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
OTR_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
OTR_ORDDATE	Y	DATE	datetime	purchase order creation date

OTR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	item price
OTR_NOTES	Y	VARCHAR2(2000)	nvarchar(2000)	text notes returned by supplier
OTR_TRACKINGID	Y	VARCHAR2(50)	nvarchar(50)	stores the carrier tracking identification number
OTR_CARRIER	Y	VARCHAR2(50)	nvarchar(50)	carrier name
OTR_CARRIERURL	Y	VARCHAR2(255)	nvarchar(255)	url to follow the shipment
OTR_SCHESHIPDATE	Y	DATE	datetime	shipping date
OTR_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
OTR_ORDEREDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity ordered
OTR_CANCELLEDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity cancelled
OTR_RETURNEDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity returned
OTR_SHIPMENTQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity shipped
OTR_BACKORDEREDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity backordered
OTR_SHIPCHARGES	Y	NUMBER(24,6)	numeric(24,6)	shipping charges
OTR_TAX	Y	NUMBER(24,6)	numeric(24,6)	taxes
OTR_GENDATE	Y	DATE	datetime	creation date
OTR_PARTDESC	Y	VARCHAR2(2000)	nvarchar(2000)	7i part description
OTR_TRANSTERMS	Y	VARCHAR2(30)	nvarchar(30)	contractual code used to describe the point where delivery occurs (goods ownership is transferred) in a contract of sale.
OTR_TRANSMETHOD	Y	VARCHAR2(30)	nvarchar(30)	identifies the general type of carrier transportation used to deliver goods.
OTR_HAZARDMATL	Y	VARCHAR2(1)	nvarchar(1)	used to classify the contents of shipment as a whole for safety purpose
OTR_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	describes how the freight cost for a shipment of goods should be billed.
OTR_CATREF	Y	VARCHAR2(50)	nvarchar(50)	supplier part reference of the 7i part ordered
OTR_EXTCHARGES	Y	NUMBER(24,6)	numeric(24,6)	additional shipping charges applied to the whole shipment, addition to the shipping charges for each item.
OTR_EXTCHRGDESC	Y	VARCHAR2(2000)	nvarchar(2000)	description of the extra charges
OTR_TRACKINGURL	Y	VARCHAR2(255)	nvarchar(255)	url to track shipment
OTR_FROM_CONTACTNAME	Y	VARCHAR2(80)	nvarchar(80)	supplier contacts name
OTR_FROM_CONTACTTITLE	Y	VARCHAR2(64)	nvarchar(64)	supplier contacts title
OTR_FROM_CONTACTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	supplier contacts email address
OTR_FROM_CONTACTPHONE	Y	VARCHAR2(50)	nvarchar(50)	supplier contacts phone
OTR_FROM_CONTACTTEXT	Y	VARCHAR2(50)	nvarchar(50)	supplier contacts phone extension number
OTR_FROM_CONTACTFAX	Y	VARCHAR2(50)	nvarchar(50)	supplier contacts fax number
OTR_FROM_ADDR1	Y	VARCHAR2(64)	nvarchar(64)	suppliers address line 1
OTR_FROM_ADDR2	Y	VARCHAR2(64)	nvarchar(64)	suppliers address line 2
OTR_FROM_ADDR3	Y	VARCHAR2(64)	nvarchar(64)	suppliers address line 3
OTR_FROM_CITY	Y	VARCHAR2(20)	nvarchar(20)	suppliers city
OTR_FROM_STATE	Y	VARCHAR2(30)	nvarchar(30)	suppliers state
OTR_FROM_ZIP	Y	VARCHAR2(10)	nvarchar(10)	suppliers zip code
OTR_FROM_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	suppliers country
OTR_FROM_PHONE	Y	VARCHAR2(50)	nvarchar(50)	suppliers phone number
OTR_FROM_EXT	Y	VARCHAR2(50)	nvarchar(50)	suppliers phone extension number
OTR_FROM_FAX	Y	VARCHAR2(50)	nvarchar(50)	suppliers extension number
OTR_FROM_URL	Y	VARCHAR2(255)	nvarchar(255)	suppliers url
OTR_TO_CONTACTNAME	Y	VARCHAR2(80)	nvarchar(80)	buyer contacts name
OTR_TO_CONTACTTITLE	Y	VARCHAR2(64)	nvarchar(64)	buyer contacts title
OTR_TO_CONTACTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	buyer contacts e-mail
OTR_TO_CONTACTPHONE	Y	VARCHAR2(50)	nvarchar(50)	buyer contacts phone number
OTR_TO_CONTACTTEXT	Y	VARCHAR2(50)	nvarchar(50)	buyer contacts extension
OTR_TO_CONTACTFAX	Y	VARCHAR2(50)	nvarchar(50)	buyer contacts fax number
OTR_TO_ADDR1	Y	VARCHAR2(64)	nvarchar(64)	buyers address line1
OTR_TO_ADDR2	Y	VARCHAR2(64)	nvarchar(64)	buyers address line2
OTR_TO_ADDR3	Y	VARCHAR2(64)	nvarchar(64)	buyers address line3
OTR_TO_CITY	Y	VARCHAR2(20)	nvarchar(20)	buyers city
OTR_TO_STATE	Y	VARCHAR2(30)	nvarchar(30)	buyers state
OTR_TO_ZIP	Y	VARCHAR2(10)	nvarchar(10)	buyers zip code
OTR_TO_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	buyers country

OTR_TO_PHONE	Y	VARCHAR2(50)	nvarchar(50)	buyers phone
OTR_TO_EXT	Y	VARCHAR2(50)	nvarchar(50)	buyers extension
OTR_TO_FAX	Y	VARCHAR2(50)	nvarchar(50)	buyers fax number
OTR_TO_URL	Y	VARCHAR2(255)	nvarchar(255)	buyers url
OTR_CNTRCTCURRENCY	Y	VARCHAR2(3)	nvarchar(3)	the currency on contract between buyer and supplier
OTR_VENDORCURRENCY	Y	VARCHAR2(3)	nvarchar(3)	suppliers currency
OTR_INTMDCURRENCY	Y	VARCHAR2(3)	nvarchar(3)	intermediate currency (e.g. euro, in case both vendor currency and contract currency are euro currencies, or other similar case),
OTR_SHIPNOTES	Y	VARCHAR2(2000)	nvarchar(2000)	notes concerning the content of conversations or agreements instead of describing an item or transaction.
OTR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OTR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OTR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDERTRACKING_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AOT_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AOT_TRACKID	Y	NUMBER(12,0)	int	tracking id number
AOT_TRACKTYPE	Y	VARCHAR2(4)	nvarchar(4)	tracking type
AOT_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
AOT_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
AOT_ORDERLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
AOT_SHIPNUM	Y	VARCHAR2(30)	nvarchar(30)	unique identifier for this shipment
AOT_RELEASENUM	Y	NUMBER(4,0)	numeric(4,0)	release number of the purchase order
AOT_CONTROLNUM	Y	VARCHAR2(30)	nvarchar(30)	stores the po confirmation code
AOT_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code
AOT_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
AOT_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
AOT_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
AOT_ORDDATE	Y	DATE	datetime	purchase order creation date
AOT_PRICE	Y	NUMBER(24,6)	numeric(24,6)	item price
AOT_NOTES	Y	VARCHAR2(2000)	nvarchar(2000)	text notes returned by supplier
AOT_TRACKINGID	Y	VARCHAR2(50)	nvarchar(50)	stores the carrier tracking identification number
AOT_CARRIER	Y	VARCHAR2(50)	nvarchar(50)	carrier name
AOT_CARRIERURL	Y	VARCHAR2(255)	nvarchar(255)	url to follow the shipment
AOT_SCHESHIPDATE	Y	DATE	datetime	shipping date
AOT_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
AOT_ORDEREDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity ordered
AOT_CANCELLEDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity cancelled
AOT_RETURNEDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity returned
AOT_SHIPMENTQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity shipped
AOT_BACKORDEREDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity backordered
AOT_SHIPCHARGES	Y	NUMBER(24,6)	numeric(24,6)	shipping charges
AOT_TAX	Y	NUMBER(24,6)	numeric(24,6)	taxes
AOT_GENDATE	Y	DATE	datetime	creation date
AOT_PARTDESC	Y	VARCHAR2(2000)	nvarchar(2000)	7i part description
AOT_TRANS TERMS	Y	VARCHAR2(30)	nvarchar(30)	contractual code used to describe the point where delivery occurs (goods ownership is transferred) in a contract of sale.
AOT_TRANS METHOD	Y	VARCHAR2(30)	nvarchar(30)	identifies the general type of carrier transportation used to deliver goods.
AOT_HAZARDMATL	Y	VARCHAR2(1)	nvarchar(1)	used to classify the contents of shipment as a whole for safety purpose
AOT_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	describes how the freight cost for a shipment of goods should be billed.
AOT_CATREF	Y	VARCHAR2(50)	nvarchar(50)	supplier part reference of the 7i part ordered
AOT_EXTCHARGES	Y	NUMBER(24,6)	numeric(24,6)	additional shipping charges applied to the whole shipment, addition to the shipping charges for each item.
AOT_EXTCHRGDESC	Y	VARCHAR2(2000)	nvarchar(2000)	description of the extra charges
AOT_TRACKINGURL	Y	VARCHAR2(255)	nvarchar(255)	url to track shipment
AOT_FROM_CONTACTNAME	Y	VARCHAR2(80)	nvarchar(80)	supplier contacts name
AOT_FROM_CONTACTTITLE	Y	VARCHAR2(64)	nvarchar(64)	supplier contacts title

AOT_FROM_CONTACTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	supplier contacts email address
AOT_FROM_CONTACTPHONE	Y	VARCHAR2(50)	nvarchar(50)	supplier contacts phone
AOT_FROM_CONTACTTEXT	Y	VARCHAR2(50)	nvarchar(50)	supplier contacts phone extension number
AOT_FROM_CONTACTFAX	Y	VARCHAR2(50)	nvarchar(50)	supplier contacts fax number
AOT_FROM_ADDR1	Y	VARCHAR2(64)	nvarchar(64)	suppliers address line 1
AOT_FROM_ADDR2	Y	VARCHAR2(64)	nvarchar(64)	suppliers address line 2
AOT_FROM_ADDR3	Y	VARCHAR2(64)	nvarchar(64)	suppliers address line 3
AOT_FROM_CITY	Y	VARCHAR2(20)	nvarchar(20)	suppliers city
AOT_FROM_STATE	Y	VARCHAR2(30)	nvarchar(30)	suppliers state
AOT_FROM_ZIP	Y	VARCHAR2(10)	nvarchar(10)	suppliers zip code
AOT_FROM_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	suppliers country
AOT_FROM_PHONE	Y	VARCHAR2(50)	nvarchar(50)	suppliers phone number
AOT_FROM_EXT	Y	VARCHAR2(50)	nvarchar(50)	suppliers phone extension number
AOT_FROM_FAX	Y	VARCHAR2(50)	nvarchar(50)	suppliers extension number
AOT_FROM_URL	Y	VARCHAR2(255)	nvarchar(255)	suppliers url
AOT_TO_CONTACTNAME	Y	VARCHAR2(80)	nvarchar(80)	buyer contacts name
AOT_TO_CONTACTTITLE	Y	VARCHAR2(64)	nvarchar(64)	buyer contacts title
AOT_TO_CONTACTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	buyer contacts e-mail
AOT_TO_CONTACTPHONE	Y	VARCHAR2(50)	nvarchar(50)	buyer contacts phone number
AOT_TO_CONTACTTEXT	Y	VARCHAR2(50)	nvarchar(50)	buyer contacts extension
AOT_TO_CONTACTFAX	Y	VARCHAR2(50)	nvarchar(50)	buyer contacts fax number
AOT_TO_ADDR1	Y	VARCHAR2(64)	nvarchar(64)	buyers address line1
AOT_TO_ADDR2	Y	VARCHAR2(64)	nvarchar(64)	buyers address line2
AOT_TO_ADDR3	Y	VARCHAR2(64)	nvarchar(64)	buyers address line3
AOT_TO_CITY	Y	VARCHAR2(20)	nvarchar(20)	buyers city
AOT_TO_STATE	Y	VARCHAR2(30)	nvarchar(30)	buyers state
AOT_TO_ZIP	Y	VARCHAR2(10)	nvarchar(10)	buyers zip code
AOT_TO_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	buyers country
AOT_TO_PHONE	Y	VARCHAR2(50)	nvarchar(50)	buyers phone
AOT_TO_EXT	Y	VARCHAR2(50)	nvarchar(50)	buyers extension
AOT_TO_FAX	Y	VARCHAR2(50)	nvarchar(50)	buyers fax number
AOT_TO_URL	Y	VARCHAR2(255)	nvarchar(255)	buyers url
AOT_CNTRCTCURRENCY	Y	VARCHAR2(3)	nvarchar(3)	the currency on contract between buyer and supplier
AOT_VENDORCURRENCY	Y	VARCHAR2(3)	nvarchar(3)	suppliers currency
AOT_INTMDCURRENCY	Y	VARCHAR2(3)	nvarchar(3)	intermediate currency (e.g. euro, in case both vendor currency and contract currency are euro currencies, or other similar case),
AOT_SHIPNOTES	Y	VARCHAR2(2000)	nvarchar(2000)	notes concerning the content of conversations or agreements instead of describing an item or transaction.
AOT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AOT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AOT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDREVISIONS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORR_ORDER	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORR_REVISION	N	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ORR_REVISID	Y	DATE	datetime	date purchase order revision created.
ORR_REVISIDORDER	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order was revised after new version had been created.
ORR_REVISIDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who revised purchase order.
ORR_DESC	Y	VARCHAR2(80)	nvarchar(80)	purchase order description.
ORR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ORR_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
ORR_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
ORR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
ORR_DATE	Y	DATE	datetime	order date.
ORR_DUE	Y	DATE	datetime	delivery due date.

ORR_APPROV	Y	DATE	datetime	date purchase order approved.
ORR_STATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
ORR_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
ORR_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized purchase order.
ORR_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ORR_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ORR_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
ORR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	order price
ORR_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
ORR_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
ORR_ORIGIN	Y	VARCHAR2(24)	nvarchar(24)	personnel number of originator of purchase order.
ORR_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ORR_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if order has been printed.
ORR_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ORR_MAILTOSITE	Y	VARCHAR2(17)	nvarchar(17)	site mail.
ORR_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.
ORR_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
ORR_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
ORR_FOBPOINT	Y	VARCHAR2(45)	nvarchar(45)	fob point code.
ORR_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ORR_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
ORR_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ORR_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ORR_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ORR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ORR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ORR_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORR_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (7i Buy)
ORR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORR_CREDITCARD	Y	NUMBER	int	credit card # (7i Buy)
ORR_CONTROLNO	Y	VARCHAR2(64)	nvarchar(64)	7i Buy control #
ORR_BLANKETRELEASE	Y	NUMBER	int	blanket order release (sequence) number.
ORR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ORR_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether po has been transmitted to 7i Buy or not.
ORR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ORR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORR_UDFDATE01	Y	DATE	datetime	User defined field of type date
ORR_UDFDATE02	Y	DATE	datetime	User defined field of type date
ORR_UDFDATE03	Y	DATE	datetime	User defined field of type date
ORR_UDFDATE04	Y	DATE	datetime	User defined field of type date
ORR_UDFDATE05	Y	DATE	datetime	User defined field of type date
ORR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORR_REVISIONREASON	Y	VARCHAR2(240)	nvarchar(240)	The PO revision reason
ORR_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
ORR_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order.
ORR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ORR_INTERFACE	Y	DATE	datetime	date purchase order was created by financial interface.
ORR_CREATED	Y	DATE	datetime	record creation timestamp
ORR_UPDATED	Y	DATE	datetime	update date
ORR_ACD	Y	NUMBER	bigint	account details code.
ORR_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ORR_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ORR_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ORR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORDREVISIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARO_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ARO_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ARO_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ARO_REVISID	Y	DATE	datetime	date purchase order revision created.
ARO_REVISIDORDER	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order was revised after new version had been created.
ARO_REVISIDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who revised purchase order.
ARO_DESC	Y	VARCHAR2(80)	nvarchar(80)	purchase order description.
ARO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ARO_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
ARO_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
ARO_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
ARO_DATE	Y	DATE	datetime	order date.
ARO_DUE	Y	DATE	datetime	delivery due date.

ARO_APPROV	Y	DATE	datetime	date purchase order approved.
ARO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
ARO_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
ARO_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized purchase order.
ARO_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ARO_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ARO_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
ARO_PRICE	Y	NUMBER(24,6)	numeric(24,6)	order price
ARO_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
ARO_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
ARO_ORIGIN	Y	VARCHAR2(24)	nvarchar(24)	personnel number of originator of purchase order.
ARO_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ARO_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if order has been printed.
ARO_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ARO_MAILTOSITE	Y	VARCHAR2(17)	nvarchar(17)	site mail.
ARO_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.
ARO_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
ARO_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
ARO_FOBPOINT	Y	VARCHAR2(45)	nvarchar(45)	fob point code.
ARO_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ARO_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
ARO_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ARO_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ARO_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ARO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ARO_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ARO_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ARO_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (7i Buy)
ARO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ARO_CREDITCARD	Y	NUMBER	int	credit card # (7i Buy)
ARO_CONTROLNO	Y	VARCHAR2(64)	nvarchar(64)	7i Buy control #
ARO_BLANKETRELEASE	Y	NUMBER	int	blanket order release (sequence) number.
ARO_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ARO_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether po has been transmitted to 7i Buy or not.
ARO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ARO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARO_UDFDATE01	Y	DATE	datetime	User defined field of type date
ARO_UDFDATE02	Y	DATE	datetime	User defined field of type date
ARO_UDFDATE03	Y	DATE	datetime	User defined field of type date
ARO_UDFDATE04	Y	DATE	datetime	User defined field of type date
ARO_UDFDATE05	Y	DATE	datetime	User defined field of type date
ARO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARO_REVISIONREASON	Y	VARCHAR2(240)	nvarchar(240)	The PO revision reason
ARO_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
ARO_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order.
ARO_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ARO_INTERFACE	Y	DATE	datetime	date purchase order was created by financial interface.
ARO_CREATED	Y	DATE	datetime	record creation timestamp
ARO_UPDATED	Y	DATE	datetime	update date
ARO_ACD	Y	NUMBER	bigint	account details code.
ARO_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ARO_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ARO_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ARO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGANIZATION		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORG_CODE	N	VARCHAR2(15)	nvarchar(15)	organization code
ORG_DESC	Y	VARCHAR2(80)	nvarchar(80)	organization description
ORG_CURR	Y	VARCHAR2(3)	nvarchar(3)	organization currency
ORG_COMMON	N	VARCHAR2(1)	nvarchar(1)	flag indicating if org is common
ORG_CODEREF	Y	VARCHAR2(50)	nvarchar(50)	code reference for interfaces
ORG_BOOKID	Y	VARCHAR2(30)	nvarchar(30)	book id for interfaces
ORG_MATCHLTA	Y	NUMBER(24,6)	numeric(24,6)	invoice match absolute
ORG_MATCHLTP	Y	NUMBER(5,2)	numeric(5,2)	invoice match percentage
ORG_TIMEZONE	Y	NUMBER	numeric(4,1)	time zone
ORG_LATITUDE	Y	NUMBER	numeric(24,6)	latitude coordinate for the organizations physical location
ORG_LONGITUDE	Y	NUMBER	numeric(24,6)	longitude coordinate for the organizations physical location
ORG_EXTERNALORG	Y	VARCHAR2(30)	nvarchar(30)	7i Buy organization - provides latitude and longitude settings for 7i Buy organizations in the dashboard globe
ORG_INVQTYTOL	Y	NUMBER(7,2)	numeric(7,2)	total quantity in inventory

ORG_DUNSNUM	Y	VARCHAR2(30)	nvarchar(30)	duns number assigned to the company
ORG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORG_CREATED	Y	DATE	datetime	Creation timestamp
ORG_UPDATED	Y	DATE	datetime	Update timestamp
ORG_LOCALE	Y	VARCHAR2(10)	nvarchar(10)	Locale of organization
ORG_DEPMETHOD	Y	VARCHAR2(4)	nvarchar(4)	The depreciation method.
ORG_DEPRMETHOD	Y	VARCHAR2(4)	nvarchar(4)	The system code of the depreciation method.
ORG_SEGMENTVALUE	Y	VARCHAR2(30)	nvarchar(30)	Segment value
ORG_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ORG_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORG_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORG_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORG_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORG_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ORG_UDFDATE01	Y	DATE	datetime	User defined field of type date
ORG_UDFDATE02	Y	DATE	datetime	User defined field of type date
ORG_UDFDATE03	Y	DATE	datetime	User defined field of type date
ORG_UDFDATE04	Y	DATE	datetime	User defined field of type date
ORG_UDFDATE05	Y	DATE	datetime	User defined field of type date
ORG_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORG_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORG_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORG_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORG_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ORG_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
ORG_STREAMPLUSPROJECT	Y	VARCHAR2(8)	nvarchar(8)	The streamplus project of the organization
ORG_CALGROUPCODE	Y	VARCHAR2(15)	nvarchar(15)	The calender group of the organization.
ORG_CALGROUPORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the calender group of the organization.
ORG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORG_REQUESTRECALCDEP	Y	VARCHAR2(1)	nvarchar(1)	
ORG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGANIZATIONAPPPARMS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OAP_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
OAP_APPLICATION	N	VARCHAR2(32)	nvarchar(32)	application name for dashboard interface
OAP_PARMNAME	N	VARCHAR2(32)	nvarchar(32)	parameter name
OAP_PARMVALUE	Y	VARCHAR2(256)	nvarchar(256)	parameter value
OAP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OAP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OAP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGANIZATIONOPTIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OPA_CODE	N	VARCHAR2(8)	nvarchar(8)	The organization option code

OPA_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization option organization
OPA_SYSTEM	N	VARCHAR2(1)	nvarchar(1)	The organization option system flag
OPA_DESC	Y	VARCHAR2(2000)	nvarchar(2000)	The organization option description
OPA_COMMENT	N	VARCHAR2(750)	nvarchar(750)	The organization option comment
OPA_FIXED	Y	VARCHAR2(1)	nvarchar(1)	The organization option fixed flag
OPA_MODULE	Y	VARCHAR2(12)	nvarchar(12)	The organization option module
OPA_TYPE	Y	VARCHAR2(4)	nvarchar(4)	The organization option type
OPA_VALIDVALUES	Y	VARCHAR2(2000)	nvarchar(2000)	The organization option valid values
OPA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGLOCATION	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OGL_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization Code
OGL_BODGROUP	N	VARCHAR2(8)	nvarchar(8)	BOD Group
OGL_ENTERPRISELOCATION	Y	VARCHAR2(80)	nvarchar(80)	Enterprise Location
OGL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OGL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OGL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGOPTIONSNOTALLOWED	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OON_OPTION	N	VARCHAR2(8)	nvarchar(8)	
OON_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGSTRUCTURE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OZS_CODE	N	VARCHAR2(15)	nvarchar(15)	The organization code.
OZS_PARENT	Y	VARCHAR2(15)	nvarchar(15)	The parent organization code.
OZS_SEQ	Y	NUMBER(3,0)	numeric(3,0)	The sequence.
OZS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OZS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OZS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGTABCOLUMNS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OTC_TABLE	N	VARCHAR2(30)	nvarchar(30)	table name
OTC_COLUMN	N	VARCHAR2(30)	nvarchar(30)	column name
OTC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OTC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OTC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORGYEARS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OYE_PK	N	NUMBER	int	The system generated primary key.
OYE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization.
OYE_START	Y	DATE	datetime	The start date of the fiscal year.
OYE_END	Y	DATE	datetime	The end date of the fiscal year.
OYE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
OYE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OYE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORIGINATORS	BASE			

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ORI_CODE	N	VARCHAR2(24)	nvarchar(24)	code of document originator.
ORI_DESC	N	VARCHAR2(80)	nvarchar(80)	description/name of document originator.
ORI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ORI_ORG	N	VARCHAR2(15)	nvarchar(15)	originator org
ORI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ORI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ORI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ORI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORLREVISIONS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OLR_ORDER	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
OLR_ORDLINE	N	NUMBER(8,0)	numeric(8,0)	purchase order line number.
OLR_REVISION	N	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
OLR_REVISED	Y	DATE	datetime	date order line revised.
OLR_REVISEDLINE	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order line was revised after new version had been created.
OLR_REVISEDDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who revised purchase order line.
OLR_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
OLR_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
OLR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
OLR_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
OLR_DUE	Y	DATE	datetime	delivery due date.
OLR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	unit price in purchase unit of measure and suppliers currency..
OLR_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
OLR_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
OLR_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity ordered in issue unit of measure.
OLR_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in issue unit of measure.
OLR_RECVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date.
OLR_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced to-date in issue unit of measure.
OLR_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
OLR_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
OLR_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
OLR_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contractor number.
OLR_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
OLR_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
OLR_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
OLR_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
OLR_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
OLR_INVVALUE	Y	NUMBER(24,6)	numeric(24,6)	total value invoiced to-date.
OLR_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
OLR_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
OLR_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order line is awaiting delivery.
OLR_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
OLR_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
OLR_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (system code, see entity rlst).
OLR_STATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (user code, see entity rlst).
OLR_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
OLR_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number.
OLR_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
OLR_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
OLR_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
OLR_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
OLR_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision

OLR_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task quantity
OLR_TRADE	Y	VARCHAR2(15)	nvarchar(15)	task trade
OLR_RECVTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	received task quantity
OLR_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
OLR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
OLR_ORDER_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
OLR_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
OLR_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if part inspection is required
OLR_EXCHFIX	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if exchange rate is fixed
OLR_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2
OLR_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
OLR_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra charges/discounts
OLR_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
OLR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OLR_DCKRECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received on dock
OLR_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
OLR_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
OLR_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
OLR_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer code
OLR_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Part code of manufacturer
OLR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
OLR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

OLR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
OLR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
OLR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
OLR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
OLR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
OLR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
OLR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OLR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OLR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OLR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OLR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
OLR_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order line.
OLR_ALLOWPREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether pre payments are allowed
OLR_PAYMENTNUMBER	Y	NUMBER(6,0)	numeric(6,0)	The number of expected payments
OLR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	
OLR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
OLR_ACD	Y	NUMBER	bigint	account details code.
OLR_INTERFACE	Y	DATE	datetime	date order line created by financial interface.
OLR_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether cancelled po has been transmitted to 7i Buy or not.
OLR_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	indicates if current price has been obtained from 7i Buy
OLR_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
OLR_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code
OLR_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IPProcure
OLR_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
OLR_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	
OLR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OLR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ORLREVISIONS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ARL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ARL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
ARL_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ARL_REVISED	Y	DATE	datetime	date order line revised.
ARL_REVISEDLINE	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order line was revised after new version had been created.
ARL_REVISEDDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who revised purchase order line.
ARL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
ARL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ARL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
ARL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ARL_DUE	Y	DATE	datetime	delivery due date.
ARL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	unit price in purchase unit of measure and suppliers currency..
ARL_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
ARL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
ARL_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity ordered in issue unit of measure.
ARL_RECQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in issue unit of measure.
ARL_RECVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date.
ARL_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced to-date in issue unit of measure.
ARL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
ARL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ARL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ARL_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contractor number.
ARL_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.

ARL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ARL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ARL_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ARL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
ARL_INVVALUE	Y	NUMBER(24,12)	numeric(24,6)	total value invoiced to-date.
ARL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
ARL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
ARL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order line is awaiting delivery.
ARL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
ARL_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
ARL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (system code, see entity rlst).
ARL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (user code, see entity rlst).
ARL_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ARL_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number.
ARL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ARL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ARL_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
ARL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
ARL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
ARL_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task quantity
ARL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	task trade
ARL_RECVTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	received task quantity
ARL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ARL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ARL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ARL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ARL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if part inspection is required
ARL_EXCHFIX	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if exchange rate is fixed
ARL_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2
ARL_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
ARL_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra charges/discounts
ARL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
ARL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ARL_DCKRECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received on dock
ARL_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ARL_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
ARL_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
ARL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer code
ARL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Part code of manufacturer
ARL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ARL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ARL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ARL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ARL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ARL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ARL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARL_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	The package tracking number of the purchase order line.
ARL_ALLOWPREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether pre payments are allowed
ARL_PAYMENTNUMBER	Y	NUMBER(6,0)	numeric(6,0)	The number of expected payments
ARL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ARL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ARL_ACD	Y	NUMBER	bigint	account details code.
ARL_INTERFACE	Y	DATE	datetime	date order line created by financial interface.
ARL_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether cancelled po has been transmitted to 7i Buy or not.
ARL_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	indicates if current price has been obtained from 7i Buy
ARL_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ARL_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code
ARL_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IProcure
ARL_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
ARL_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	
ARL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R50XCOPY

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OXC_SESSION	N	VARCHAR2(30)	nvarchar(30)	session id
OXC_OLD OBJ	N	VARCHAR2(30)	nvarchar(30)	old object code
OXC_OLD OBJ ORG	N	VARCHAR2(15)	nvarchar(15)	old object organization
OXC_NEW OBJ	Y	VARCHAR2(30)	nvarchar(30)	new object code
OXC_NEW OBJ ORG	Y	VARCHAR2(15)	nvarchar(15)	new object organization

OXC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
OXC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
OXC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPACKAGE MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PKG_CODE	N	VARCHAR2(30)	nvarchar(30)	
PKG_DESC	N	VARCHAR2(80)	nvarchar(80)	
PKG_ORG	N	VARCHAR2(15)	nvarchar(15)	
PKG_NOTE	Y	VARCHAR2(4000)	nvarchar(4000)	
PKG_STATUS	N	VARCHAR2(4)	nvarchar(4)	
PKG_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
PKG_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
PKG_CREATED	Y	DATE	datetime	Creation timestamp
PKG_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
PKG_UPDATED	Y	DATE	datetime	Update timestamp
PKG_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
PKG_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PKG_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKG_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PKG_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PKG_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PKG_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PKG_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PKG_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

PKG_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKG_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKG_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKG_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKG_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKG_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKG_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKG_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKG_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PKG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PKG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PACKAGELINES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
PKL_PACKAGE	N	VARCHAR2(30)	nvarchar(30)	
PKL_HELDITEM	N	VARCHAR2(30)	nvarchar(30)	
PKL_QTY	N	NUMBER(24,6)	numeric(24,6)	
PKL_RETURNQTY	Y	NUMBER(24,6)	numeric(24,6)	
PKL_RETURNEDQTY	Y	NUMBER(24,6)	numeric(24,6)	
PKL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	
PKL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PKL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	
PKL_REQ	Y	VARCHAR2(30)	nvarchar(30)	
PKL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	
PKL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	
PKL_ACT	Y	NUMBER(8,0)	numeric(8,0)	
PKL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
PKL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PKL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PKL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PKL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PKL_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
PKL_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
PKL_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
PKL_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
PKL_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
PKL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PKL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PKL_PRINTQTY	Y	NUMBER(24,6)	numeric(24,6)	
PKL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PKL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPACKINGSLIP		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PSL_DOCK	N	VARCHAR2(30)	nvarchar(30)	dock code
PSL_LINE	N	NUMBER(8,0)	numeric(8,0)	dock line
PSL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
PSL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
PSL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
PSL_PART	Y	VARCHAR2(30)	nvarchar(30)	part
PSL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PSL_MANLOT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer lot #
PSL_MANLOTEXP	Y	DATE	datetime	manufacturer lot expiration date
PSL_SUPPLIERREF	Y	VARCHAR2(50)	nvarchar(50)	catalog reference #
PSL_DELUOM	Y	VARCHAR2(30)	nvarchar(30)	delivery uom
PSL_DELTQTY	Y	NUMBER(24,6)	numeric(24,6)	delivery qty
PSL_RECQTY	Y	NUMBER(24,6)	numeric(24,6)	received quantity
PSL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor
PSL_COMMENT	Y	VARCHAR2(45)	nvarchar(45)	comment
PSL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PSL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PSL_BIN	Y	VARCHAR2(15)	nvarchar(15)	
PSL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPACKINGSLIP_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APS_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
APS_DOCK	Y	VARCHAR2(30)	nvarchar(30)	dock code
APS_LINE	Y	NUMBER(8,0)	numeric(8,0)	dock line
APS_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
APS_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line

APS_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
APS_PART	Y	VARCHAR2(30)	nvarchar(30)	part
APS_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
APS_MANLOT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer lot #
APS_MANLOTEXP	Y	DATE	datetime	manufacturer lot expiration date
APS_SUPPLIERREF	Y	VARCHAR2(50)	nvarchar(50)	catalog reference #
APS_DELUOM	Y	VARCHAR2(30)	nvarchar(30)	delivery uom
APS_DELQTY	Y	NUMBER(24,6)	numeric(24,6)	delivery qty
APS_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	received quantity
APS_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor
APS_COMMENT	Y	VARCHAR2(45)	nvarchar(45)	comment
APS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APS_BIN	Y	VARCHAR2(15)	nvarchar(15)	
APS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PAGECACHE	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PGC_USERGROUP	N	VARCHAR2(12)	nvarchar(12)	User group
PGC_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function
PGC_TABNAME	Y	VARCHAR2(6)	nvarchar(6)	Tab name
PGC_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	System entity
PGC_JSPFILE	Y	VARCHAR2(30)	nvarchar(30)	JSP file for this screen
PGC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PGC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PGC_LAYOUTTYPE	N	VARCHAR2(1)	nvarchar(1)	
PGC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PAGELAYOUT	DATASPY			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PLO_USERGROUP	Y	VARCHAR2(12)	nvarchar(12)	Owning user group
PLO_PAGENAME	Y	VARCHAR2(40)	nvarchar(40)	function based name of page
PLO_ELEMENTID	Y	VARCHAR2(80)	nvarchar(80)	Unique field element ID in form
PLO_ELEMENTTYPE	Y	VARCHAR2(2)	nvarchar(2)	Type of element: B block, F field, G grid
PLO_PRESENTINJSP	Y	VARCHAR2(1)	nvarchar(1)	Include in JSP download: S system required, Y yes, N no
PLO_ATTRIBUTE	Y	VARCHAR2(1)	nvarchar(1)	Current field attribute: S system required, R required, O optional, P protected, H hidden
PLO_FIELDCONTAINER	Y	VARCHAR2(20)	nvarchar(20)	Unique identifier for field container
PLO_FIELDGROUP	Y	NUMBER(4,0)	numeric(4,0)	Unique ID for field grouping (fields in same group move together)
PLO_POSITIONINGGROUP	Y	NUMBER(4,0)	numeric(4,0)	Position order inside field group
PLO_FIELDCONTTYPE	Y	NUMBER(4,0)	numeric(4,0)	Type of field container
PLO_TABINDEX	Y	NUMBER(4,0)	numeric(4,0)	Tab order index for fields only. Calculated based on PLO_FIELDCONTAINER, PLO_FIELDGROUP and PLO_POSITIONINGGROUP
PLO_SYSTEMATTRIBUTE	Y	VARCHAR2(1)	nvarchar(1)	System defined attribute. Cannot be customized.
PLO_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	changed by user or not
PLO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PLO_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
PLO_MEFLAG	Y	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used
PLO_DEFAULTVALUE	Y	VARCHAR2(1000)	nvarchar(1000)	Default value. To be populated by user
PLO_PARENTPAGE	Y	VARCHAR2(40)	nvarchar(40)	The parent page.
PLO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PLO_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5PARTCONDITIONTEMPLATE	EQUIPMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PCT_CODE	N	VARCHAR2(30)	nvarchar(30)	The part condition template code.

PCT_ORG	N	VARCHAR2(15)	nvarchar(15)	The part condition template organization.
PCT_DESC	N	VARCHAR2(80)	nvarchar(80)	The part condition template description.
PCT_SUFFIXSEPARATOR	Y	VARCHAR2(1)	nvarchar(1)	Separator used between code and suffix.
PCT_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not Used Flag
PCT_CREATED	Y	DATE	datetime	record creation timestamp
PCT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PCT_UPDATED	Y	DATE	datetime	Update time stamp
PCT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PCT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPARTCTPLCONDITIONS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PTC_TEMPLATE	N	VARCHAR2(30)	nvarchar(30)	The part condition template the condition belongs to.
PTC_TEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the part condition template the condition belongs to.
PTC_CONDITION	N	VARCHAR2(20)	nvarchar(20)	The code of the part template condition.
PTC_DESC	N	VARCHAR2(80)	nvarchar(80)	The part template condition description.
PTC_SUFFIXCODE	Y	VARCHAR2(1)	nvarchar(1)	The suffix which will be used to create the actual part code.
PTC_RTNTOSTORECONDLIST	Y	VARCHAR2(210)	nvarchar(210)	A list of possible conditions when returning a conditioned part to store.
PTC_RTNTOSTORECONDDFAULT	Y	VARCHAR2(20)	nvarchar(20)	The default condition when returning a conditioned part to store.
PTC_RTNTOREPAIRCONDLIST	Y	VARCHAR2(210)	nvarchar(210)	A list of possible conditions when returning a conditioned part for repair.
PTC_RTNTOREPAIRCONDDFAULT	Y	VARCHAR2(20)	nvarchar(20)	The default condition when returning a conditioned part for repair.
PTC_RCVREPAIRCONDLIST	Y	VARCHAR2(210)	nvarchar(210)	A list of possible conditions when receiving a repaired conditioned part.
PTC_RCVREPAIRCONDDFAULT	Y	VARCHAR2(20)	nvarchar(20)	The default condition when receiving a repaired conditioned part.
PTC_PREVENTISSUE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether issues should be prevented.
PTC_ORDERABLE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the condition can be used on a purchase order.
PTC_CREATED	Y	DATE	datetime	record creation timestamp
PTC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PTC_UPDATED	Y	DATE	datetime	Update time stamp
PTC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PTC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PTC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PTC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTEVALUATIONLIST

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PEL_EVALCODE	N	VARCHAR2(30)	nvarchar(30)	Part Evaluation Code
PEL_PART	N	VARCHAR2(30)	nvarchar(30)	Part Code
PEL_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	Part Organization
PEL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Part List System Status
PEL_SCF1	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 1
PEL_SCF2	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 2
PEL_SCF3	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 3
PEL_SCF4	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 4
PEL_SCF5	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 5
PEL_SCF6	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 6
PEL_SCF7	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 7
PEL_SCF8	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 8
PEL_SCF9	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 9
PEL_SCF10	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 10
PEL_SCF11	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 11
PEL_SCF12	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 12
PEL_SCF13	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 13

PEL_SCF14	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 14
PEL_SCF15	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 15
PEL_SCF16	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 16
PEL_SCF17	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 17
PEL_SCF18	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 18
PEL_SCF19	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 19
PEL_SCF20	Y	VARCHAR2(40)	nvarchar(40)	Selection Custom Field 20
PEL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PEL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PEL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTEVALUATIONS

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PEN_CODE	N	VARCHAR2(30)	nvarchar(30)	Part Evaluation Code
PEN_DESC	N	VARCHAR2(80)	nvarchar(80)	Part Evaluation Description
PEN_ORG	N	VARCHAR2(15)	nvarchar(15)	Part Evaluation Organization
PEN_STATUS	N	VARCHAR2(4)	nvarchar(4)	Part Evaluation Status
PEN_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Part Evaluation System Status
PEN_MANUFACTDESC	Y	VARCHAR2(80)	nvarchar(80)	Potential Manufacturer
PEN_MANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	Potential Model Number
PEN_SEARCH_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	Criteria Manufacturer
PEN_SEARCH_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Criteria Part Number Of Manufacturer
PEN_SEARCH_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Criteria Class
PEN_SEARCH_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Criteria Class Org
PEN_SEARCH_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	Criteria Commodity
PEN_SEARCH_SECCOMMODITY	Y	VARCHAR2(15)	nvarchar(15)	Criteria Secondary Commodity
PEN_SEARCH_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag
PEN_SELECTIONCRITERIAUPDATE	Y	DATE	datetime	Update timestamp
PEN_LISTLASTREFRESHED	Y	DATE	datetime	List Last Refreshed Date
PEN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PEN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PEN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTFAILURES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFA_CODE	N	VARCHAR2(30)	nvarchar(30)	Part Failure Code /Auto-Generated Code/Surrogate Key
PFA_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order
PFA_PART	N	VARCHAR2(30)	nvarchar(30)	Part Code
PFA_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	Part Organization
PFA_QUANTITY	N	NUMBER(24,6)	numeric(24,6)	Quantity
PFA_DATE	N	DATE	datetime	Date
PFA_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Asset ID
PFA_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Asset Organization
PFA_REQM	Y	VARCHAR2(8)	nvarchar(8)	Problem Code
PFA_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	Failure Code
PFA_ACTION	Y	VARCHAR2(8)	nvarchar(8)	Action Code
PFA_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	Cause Code
PFA_FAILURE_NOTES	Y	VARCHAR2(2000)	nvarchar(2000)	Failure Notes
PFA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFA_PARTLOCATION	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
PFA_UPDATED	Y	DATE	datetime	T.B.D.
PFA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFA_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
PFA_FAILUREMODE	Y	VARCHAR2(8)	nvarchar(8)	

PFA_SYMPTOM	Y	VARCHAR2(8)	nvarchar(8)	
PFA_TACTICALCAUSE	Y	VARCHAR2(8)	nvarchar(8)	
PFA_HUMANFACTOR	Y	VARCHAR2(8)	nvarchar(8)	
PFA_WORKMANSHIP	Y	VARCHAR2(8)	nvarchar(8)	
PFA_HUMANOVERSIGHT	Y	VARCHAR2(8)	nvarchar(8)	
PFA_METHODOFDETECTION	Y	VARCHAR2(8)	nvarchar(8)	
PFA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPARTGHG	GREEN			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PGG_PART	N	VARCHAR2(30)	nvarchar(30)	Part code
PGG_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	Part organization
PGG_GHG	N	VARCHAR2(30)	nvarchar(30)	Green house gas code
PGG_EMISSION	N	NUMBER(24,6)	numeric(24,6)	Emission code
PGG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PGG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PGG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPARTINTERFACE	ASSET TRACKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PIN_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
PIN_CREATE	Y	DATE	datetime	date interface transaction created.
PIN_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
PIN_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
PIN_INVITEMFLAG	Y	VARCHAR2(1)	nvarchar(1)	flag which identifies that part is or is not an inventory item.
PIN_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
PIN_DESC	Y	VARCHAR2(255)	nvarchar(255)	part description.
PIN_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category code.
PIN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PIN_UOM	Y	VARCHAR2(30)	nvarchar(30)	issue unit of measure code.
PIN_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	code of preferred supplier.
PIN_PREFSUPPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of preferred supplier per purchase unit of measure in suppliers currency.
PIN_BYASSET	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by asset/serial number.
PIN_BASEPRICE	Y	NUMBER(24,6)	numeric(24,6)	base price of part per issue unit of measure in local currency.
PIN_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	average price of part per issue unit of measure in local currency.
PIN_LASTPRICE	Y	NUMBER(24,6)	numeric(24,6)	average price paid for part per issue unit of measure in local currency.
PIN_STDPRI	Y	NUMBER(24,6)	numeric(24,6)	standard price of part per issue unit of measure in local currency.
PIN_PREFUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code of preferred supplier.
PIN_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	primary commodity code.
PIN_SUBCOMMODITY	Y	VARCHAR2(15)	nvarchar(15)	secondary commodity code.
PIN_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
PIN_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
PIN_BYLOT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by lot number.
PIN_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code.
PIN_TRACKRTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (system code, see entity ptrk).
PIN_TRACKTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (user code, see entity ptrk).
PIN_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
PIN_QTY	Y	NUMBER(24,6)	numeric(24,6)	current stock level in issue unit of measure.
PIN_MINLEV	Y	NUMBER(24,6)	numeric(24,6)	minimum (safety) stock level in issue unit of measure.
PIN_FORINV	Y	NUMBER(24,6)	numeric(24,6)	quantity outstanding invoicing in issue unit of measure.
PIN_ORDLEV	Y	NUMBER(24,6)	numeric(24,6)	re-order level in issue unit of measure.
PIN_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	re-order quantity in issue unit of measure..
PIN_ORDUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure.
PIN_STOCKTAKE	Y	DATE	datetime	date of last stocktake.

PIN_PREFSTORE	Y	VARCHAR2(15)	nvarchar(15)	code of preferred store.
PIN_PREFPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of preferred supplier in suppliers currency.
PIN_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	replenishment lead time (in days).
PIN_CONSIGNMENT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is owned by supplier until issued.
PIN_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
PIN_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
PIN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PIN_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
PIN_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PIN_REPAIRABLE	Y	VARCHAR2(1)	nvarchar(1)	+ indicates part can be repaired, "-" indicates normal parts.
PIN_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
PIN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPARTMFGS MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
MFP_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
MFP_PRIMARY	N	VARCHAR2(1)	nvarchar(1)	value is + if manufacturer is primary manufacturer of part.
MFP_MANUFACTURER	N	VARCHAR2(24)	nvarchar(24)	manufacturer code.
MFP_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	manufacturer part number.
MFP_MANUFACTDRAW	Y	VARCHAR2(20)	nvarchar(20)	manufacturer drawing number.
MFP_FACILITY	Y	VARCHAR2(10)	nvarchar(10)	facility code.
MFP_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
MFP_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
MFP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
MFP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
MFP_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out Of Service Flag
MFP_UPDATED	Y	DATE	datetime	Update timestamp
MFP_SQLIDENTITY	Y	NUMBER	int identity	Surrogate key
MFP_DOCUMOTO_BOOKID	Y	VARCHAR2(100)	nvarchar(100)	The Documoto book ID
MFP_DOCUMOTO_PART	Y	VARCHAR2(100)	nvarchar(100)	The Documoto part code
MFP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RSPARTNERINBOUND INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PIB_PARTNER	N	VARCHAR2(128)	nvarchar(128)	Partner
PIB_DOCUMENTTYPE	N	VARCHAR2(128)	nvarchar(128)	Document type
PIB_ENABLED	Y	VARCHAR2(1)	nvarchar(1)	Enabled flag
PIB_PROCESSOR	Y	VARCHAR2(128)	nvarchar(128)	Processor
PIB_QUEUENAME	Y	VARCHAR2(60)	nvarchar(60)	Queue name
PIB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PIB_INSEQ	Y	VARCHAR2(1)	nvarchar(1)	Whether or not the involved inbound documents are processed sequentially(+) or with multi-threads(-).
PIB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PIB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPARTNERS CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PNR_CODE	N	VARCHAR2(128)	nvarchar(128)	Partner Code
PNR_DESC	N	VARCHAR2(80)	nvarchar(80)	Name or description of the partner
PNR_ID	N	VARCHAR2(128)	nvarchar(128)	Partners business ID code, such as DUM+4 code
PNR_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	A flag to indicate if the partner is current active. If set to false (-), there will be no integration data exchange to the partner
PNR_DEFORG	Y	VARCHAR2(15)	nvarchar(15)	Default Infor EAM organization of the partner
PNR_USERID	Y	VARCHAR2(255)	nvarchar(255)	The User ID assigned to this partner to used to communicate with Infor EAM Extended
PNR_PASSWORD	Y	VARCHAR2(512)	nvarchar(512)	The password for pnr_userid
PNR_PROCESSOR	Y	VARCHAR2(128)	nvarchar(128)	A code to be used by integration program

PNR_EWSUSERID	Y	VARCHAR2(255)	nvarchar(255)	A Infor EAM Extended user ID that the partner can use to run Infor EAM Extended Web services
PNR_EWSPASSWORD	Y	VARCHAR2(512)	nvarchar(512)	The password for pnr_ewsuserid
PNR_RESPONSEURL	Y	VARCHAR2(1000)	nvarchar(1000)	A default URL used to send messages to that partner
PNR_RESPONSEUSERID	Y	VARCHAR2(255)	nvarchar(255)	A User ID to be used for sending messages to the URL (pnr_responseurl)
PNR_RESPONSEPASSWORD	Y	VARCHAR2(512)	nvarchar(512)	The password for pnr_responseuserid
PNR_RESPONSEPROCESSOR	Y	VARCHAR2(128)	nvarchar(128)	The code to indicate a customized program for sending messages to the partner
PNR_DELRETRYLIMIT	Y	NUMBER(16,0)	numeric(16,0)	When delivering a message to the partner fails, the number of retries attempted by the system
PNR_DELRETRYINTERVAL	Y	NUMBER(24,6)	numeric(24,6)	Interval between retries
PNR_INBOUNDQUEUE	Y	VARCHAR2(60)	nvarchar(60)	Queue name for inbound messages
PNR_OUTBOUNDQUEUE	Y	VARCHAR2(60)	nvarchar(60)	Queue name for outbound messages
PNR_RETRYQUEUE	Y	VARCHAR2(60)	nvarchar(60)	Queue name for other messages
PNR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PNR_RETRYTIME01	Y	NUMBER(38,0)	numeric(38,0)	Retry time 1
PNR_RETRYTIME02	Y	NUMBER(38,0)	numeric(38,0)	Retry time 2
PNR_RETRYTIME03	Y	NUMBER(38,0)	numeric(38,0)	Retry time 3
PNR_RETRYTIME04	Y	NUMBER(38,0)	numeric(38,0)	Retry time 4
PNR_RETRYTIME05	Y	NUMBER(38,0)	numeric(38,0)	Retry time 5
PNR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PNR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTNERSUBSCRIPTIONS

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PSB_PARTNER	N	VARCHAR2(128)	nvarchar(128)	Partner code. Link to R5PARTNERS.PNR_CODE
PSB_EVENT	N	VARCHAR2(32)	nvarchar(32)	A Databridge or other messaging event name the partner is subscribing
PSB_ENABLED	N	VARCHAR2(1)	nvarchar(1)	Is this subscription currently active
PSB_DOCUMENTTYPE	N	VARCHAR2(128)	nvarchar(128)	The document type of the subscription
PSB_URL	Y	VARCHAR2(1000)	nvarchar(1000)	The specific URL to be used to send messages of this subscription to the partner. If not specified, the R5PARTNERS.PNR_RESPONSEURL will be
PSB_USER	Y	VARCHAR2(255)	nvarchar(255)	The User ID for sending messages of this subscription to PSB_URL
PSB_PASSWORD	Y	VARCHAR2(512)	nvarchar(512)	The password for PSB_USER
PSB_PROCESSOR	Y	VARCHAR2(128)	nvarchar(128)	A code to identify a customized program for sending the messages of the subscription
PSB_QUEUENAME	Y	VARCHAR2(60)	nvarchar(60)	number of times this record has been updated
PSB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PSB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PSB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTPART

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PAP_PARTA	N	VARCHAR2(30)	nvarchar(30)	part code of part for which alternative exists.
PAP_PARTB	N	VARCHAR2(30)	nvarchar(30)	part code of alternative part.
PAP_COMPAT	N	VARCHAR2(1)	nvarchar(1)	value is + if full compatibility (2-way), otherwise half compatibility. (1-way).
PAP_PARTA_ORG	N	VARCHAR2(15)	nvarchar(15)	part a organization
PAP_PARTB_ORG	N	VARCHAR2(15)	nvarchar(15)	part b organization
PAP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PAP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PAP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTPRICES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPR_PART	N	VARCHAR2(30)	nvarchar(30)	part code
PPR_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
PPR_ORG	N	VARCHAR2(15)	nvarchar(15)	organization
PPR_BASEPRICE	Y	NUMBER(24,6)	numeric(24,6)	base price
PPR_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	average price
PPR_LASTPRICE	Y	NUMBER(24,6)	numeric(24,6)	last price paid for part per issue unit of measure in local currency.

PPR_STDPRI	Y	NUMBER(24,6)	numeric(24,6)	standard price of part per issue unit of measure in local currency.
PPR_PRICE	Y	VARCHAR2(4)	nvarchar(4)	price type
PPR_CREDIT	Y	NUMBER(24,6)	numeric(24,6)	credit from invoice
PPR_CORE	Y	NUMBER(24,6)	numeric(24,6)	core price of the repairable part.
PPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPR_CUSTAND	Y	NUMBER(24,6)	numeric(24,6)	
PPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PAR_CODE	N	VARCHAR2(30)	nvarchar(30)	part code. unique identification.
PAR_DESC	N	VARCHAR2(255)	nvarchar(255)	part description.
PAR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	part classification code.
PAR_UOM	N	VARCHAR2(30)	nvarchar(30)	issue unit of measure code.
PAR_BYASSET	N	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by asset/serial number.
PAR_BYLOT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by lot number.
PAR_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	object category code.
PAR_BASEPRICE	Y	NUMBER(24,6)	numeric(24,6)	base price of part per issue unit of measure in local currency.
PAR_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	average of part per issue unit of measure in local currency.
PAR_LASTPRICE	Y	NUMBER(24,6)	numeric(24,6)	last price paid for part per issue unit of measure in local currency.
PAR_STDPRI	Y	NUMBER(24,6)	numeric(24,6)	standard price of part per issue unit of measure in local currency.
PAR_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	code of preferred supplier of part.
PAR_PREFSUPPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of preferred supplier per purchase unit of measure in suppliers currency.
PAR_PREFUOM	Y	VARCHAR2(30)	nvarchar(30)	issue unit of measure code.
PAR_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	primary commodity code.
PAR_SUBCOMMODITY	Y	VARCHAR2(15)	nvarchar(15)	secondary commodity code.
PAR_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
PAR_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
PAR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
PAR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
PAR_INTERFACE	Y	DATE	datetime	date part record created by financial interface.
PAR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is no longer used.
PAR_TRACKTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (user code, see entity ptrk).
PAR_TRACKRTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (system code, see entity ptrk).
PAR_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code.
PAR_WARDAYS	Y	NUMBER(5,0)	numeric(5,0)	number of days of warranty.
PAR_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
PAR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PAR_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
PAR_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if inspection is required
PAR_INSMETHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method
PAR_CODESTRUCTURE	Y	VARCHAR2(255)	nvarchar(255)	code structure
PAR_COREVALUE	Y	NUMBER(24,6)	numeric(24,6)	core value of the part.
PAR_REPAIRABLE	Y	VARCHAR2(1)	nvarchar(1)	+ indicates part can be repaired, "-" indicates normal parts.
PAR_CREATED	Y	DATE	datetime	creation date
PAR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
PAR_UPDATED	Y	DATE	datetime	update date
PAR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PAR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PAR_SAVEHISTORY	N	VARCHAR2(1)	nvarchar(1)	Indicates whether the part should be added to the Part dimension and to the Parts Daily Snapshot dimension.
PAR_CALSTANDARD	Y	VARCHAR2(1)	nvarchar(1)	Whether the part can be used as a calibration standard.
PAR_PREVENTREORDERS	Y	VARCHAR2(1)	nvarchar(1)	Prevent re-order flag
PAR_FUGITIVEEMISSIONGAS	Y	VARCHAR2(1)	nvarchar(1)	Fugitive Emission Gas Flag

PAR_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	System Level
PAR_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Assembly Level
PAR_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Component Level
PAR_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
PAR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PAR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PAR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PAR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PAR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PAR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PAR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PAR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PAR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PAR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PAR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PAR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PAR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PAR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PAR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PAR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PAR_KIT	Y	VARCHAR2(1)	nvarchar(1)	The part kit flag
PAR_SAFETYREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a safety review is required.
PAR_SAFETYREVIEWED	Y	DATE	datetime	Date of safety reviewed signature.
PAR_SAFETYREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of safety reviewed signature.
PAR_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of safety reviewed signature.

PAR_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of safety reviewed signature.
PAR_TRACKBYCONDITION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate the part is tracked by condition.
PAR_PARENTPART	Y	VARCHAR2(30)	nvarchar(30)	The parent part the conditioned part belongs to.
PAR_CONDITIONTPL	Y	VARCHAR2(30)	nvarchar(30)	The part condition template belonging to the part.
PAR_CONDITIONTPL_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part condition template organization belonging to the part.
PAR_CONDITION	Y	VARCHAR2(20)	nvarchar(20)	The condition of the part.
PAR_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	Long description
PAR_DOCUMOTO_BOOKID	Y	VARCHAR2(100)	nvarchar(100)	The Documoto book ID
PAR_DOCUMOTO_PART	Y	VARCHAR2(100)	nvarchar(100)	The Documoto part code
PAR_IMPORTANCE	Y	VARCHAR2(8)	nvarchar(8)	The importance of the part.
PAR_MATERIALTYPE	Y	VARCHAR2(8)	nvarchar(8)	The material type of the part.
PAR_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
PAR_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
PAR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PAR_PROFILEPICTURE	Y	VARCHAR2(30)	nvarchar(30)	
PAR_AVAILABLEFORCUS	Y	VARCHAR2(1)	nvarchar(1)	
PAR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTSINTERFACE

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PAI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
PAI_CREATED	Y	DATE	datetime	date interface transaction created
PAI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system details
PAI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of source system details
PAI_INTERFACE	Y	DATE	datetime	creation date of record.
PAI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	code identifying action taken at time of posting
PAI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, tktp)
PAI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number
PAI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
PAI_SESSIONID	Y	NUMBER	int	identification of user logon session
PAI_USER	Y	VARCHAR2(255)	nvarchar(255)	the Infor EAM user identification
PAI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
PAI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
PAI_DESC	Y	VARCHAR2(255)	nvarchar(255)	part description
PAI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of part
PAI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	class organization
PAI_BYASSET	Y	VARCHAR2(1)	nvarchar(1)	part tracked by asset
PAI_BYLOT	Y	VARCHAR2(1)	nvarchar(1)	part is tracked by lot
PAI_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	part is not in use
PAI_REPAIRABLE	Y	VARCHAR2(1)	nvarchar(1)	indicator if part is a repairable spare.
PAI_COREVALUE	Y	NUMBER(24,6)	numeric(24,6)	core value of repairable spare.
PAI_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure
PAI_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category of part
PAI_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code
PAI_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code
PAI_SUBCOMMODITY	Y	VARCHAR2(15)	nvarchar(15)	sub commodity code
PAI_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	indicator if part has to undergo inspection upon receipt.
PAI_INSPECTMETHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method
PAI_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code
PAI_TRACKTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (nost, trq, tprq)
PAI_WARDAYS	Y	NUMBER(5,0)	numeric(5,0)	number of warranty days
PAI_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	preferred supplier
PAI_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
PAI_BUYER	Y	VARCHAR2(255)	nvarchar(255)	Buyer

PAI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier for catalogue information (not preferred)
PAI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
PAI_CATREF	Y	VARCHAR2(50)	nvarchar(50)	catalogue supplier reference
PAI_CATGROSS	Y	NUMBER(24,6)	numeric(24,6)	gross price on catalogue
PAI_CATVENDORPARTDESC	Y	VARCHAR2(80)	nvarchar(80)	vendor part description
PAI_CATCURR	Y	VARCHAR2(3)	nvarchar(3)	catalogue currency
PAI_CATMINORDQTY	Y	NUMBER(24,6)	numeric(24,6)	catalogue minimum order quantity
PAI_CATPURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure for preferred supplier
PAI_CATMULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor for purchase unit
PAI_CATTAX	Y	VARCHAR2(20)	nvarchar(20)	catalogue tax code
PAI_CATLEADTIME	Y	NUMBER(10,0)	numeric(10,0)	no of days before part can be delivered
PAI_CATEXPDATE	Y	DATE	datetime	catalogue expiration date
PAI_CATREPAIRPRICE	Y	NUMBER(24,6)	numeric(24,6)	repair price for repairable spares
PAI_CATREPAIRNUMBER	Y	VARCHAR2(50)	nvarchar(50)	supplier repair part number
PAI_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code for stock information
PAI_STOCKCLASS	Y	VARCHAR2(8)	nvarchar(8)	stock class.
PAI_STOCKMINQTY	Y	NUMBER(24,6)	numeric(24,6)	minimum quantity of parts in stock.
PAI_STOCKREORDLEVEL	Y	NUMBER(24,6)	numeric(24,6)	re-order level of parts in stock
PAI_STOCKORDQTY	Y	NUMBER(24,6)	numeric(24,6)	order quantity of parts in stock
PAI_STOCKONDEMAND	Y	VARCHAR2(1)	nvarchar(1)	stock on demand flag
PAI_STOCKABCCCLASS	Y	VARCHAR2(1)	nvarchar(1)	stock abc class
PAI_STOCKPREFSTORE	Y	VARCHAR2(4)	nvarchar(4)	stock preferred store
PAI_STOCKPREFSUPP	Y	VARCHAR2(30)	nvarchar(30)	stock preferred supplier
PAI_STOCKPREFSUPP_ORG	Y	VARCHAR2(15)	nvarchar(15)	stock preferred supplier org
PAI_STOCKOUTS	Y	VARCHAR2(1)	nvarchar(1)	flag for stock outs
PAI_STOCKCONSIGNMENT	Y	VARCHAR2(1)	nvarchar(1)	flag for consignment parts
PAI_STOCKBIN	Y	VARCHAR2(15)	nvarchar(15)	bin code for stock entries
PAI_STOCKBINDESC	Y	VARCHAR2(80)	nvarchar(80)	bin description
PAI_STOCKLOT	Y	VARCHAR2(12)	nvarchar(12)	lot code for stock entries
PAI_STOCKQTY	Y	NUMBER(24,6)	numeric(24,6)	number of parts in stock, for rapid stock entry
PAI_PRICETYPE	Y	VARCHAR2(4)	nvarchar(4)	price type
PAI_PRICESTANDARD	Y	NUMBER(24,6)	numeric(24,6)	standard price
PAI_PRICEAVERAGE	Y	NUMBER(24,6)	numeric(24,6)	average price
PAI_PRICELAST	Y	NUMBER(24,6)	numeric(24,6)	last price
PAI_PROFILE	Y	VARCHAR2(1)	nvarchar(1)	flag for profile creation
PAI_PROFPROFILE	Y	VARCHAR2(30)	nvarchar(30)	profile code
PAI_PROFMRC	Y	VARCHAR2(15)	nvarchar(15)	mrc code on profile
PAI_PROFCLASS	Y	VARCHAR2(8)	nvarchar(8)	profile class
PAI_PROFMANU	Y	VARCHAR2(24)	nvarchar(24)	profile manufacturer
PAI_PROFMODEL	Y	VARCHAR2(30)	nvarchar(30)	profile manufacturer model
PAI_PROFREVISION	Y	VARCHAR2(10)	nvarchar(10)	profile manufacturer revision number
PAI_PROFVAR1	Y	VARCHAR2(30)	nvarchar(30)	profile variable 1
PAI_PROFVAR2	Y	VARCHAR2(30)	nvarchar(30)	profile variable 2
PAI_PROFVAR3	Y	VARCHAR2(30)	nvarchar(30)	profile variable 3
PAI_PROFVAR4	Y	VARCHAR2(30)	nvarchar(30)	profile variable 4
PAI_PROFVAR5	Y	VARCHAR2(30)	nvarchar(30)	profile variable 5
PAI_PROFVAR6	Y	VARCHAR2(30)	nvarchar(30)	profile variable 6
PAI_PROFDETACH	Y	VARCHAR2(1)	nvarchar(1)	flag for detaching profiles
PAI_MFPMANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer code (on manufacturer tab)
PAI_MFPPRIMARY	Y	VARCHAR2(1)	nvarchar(1)	primary manufacturer
PAI_MFPMANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	manufacturer part
PAI_MFPMANUFACTDRAW	Y	VARCHAR2(20)	nvarchar(20)	drawing number
PAI_OLDMANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	old manufacturer part
PAI_INSERTSUPPLIER	Y	VARCHAR2(1)	nvarchar(1)	indicate to insert supplier information (suppliers tab) when transaction type is "u" (update)

PAI_INSERTMANUFACT	Y	VARCHAR2(1)	nvarchar(1)	indicate to insert manufacturer information (manufacturers tab) when transaction type is "r" (remove)
PAI_INSERTSTOCK	Y	VARCHAR2(1)	nvarchar(1)	Should a stock record be created
PAI_TECHPROMPT1	Y	VARCHAR2(8)	nvarchar(8)	code of 1st custom property.
PAI_TECHVALUE1	Y	VARCHAR2(40)	nvarchar(40)	value of 10th custom property.
PAI_TECHPROMPT2	Y	VARCHAR2(8)	nvarchar(8)	code of 2nd custom property.
PAI_TECHVALUE2	Y	VARCHAR2(40)	nvarchar(40)	value of 2nd custom property.
PAI_TECHPROMPT3	Y	VARCHAR2(8)	nvarchar(8)	code of 3rd custom property.
PAI_TECHVALUE3	Y	VARCHAR2(40)	nvarchar(40)	value of 3rd custom property.
PAI_TECHPROMPT4	Y	VARCHAR2(8)	nvarchar(8)	code of 4th custom property.
PAI_TECHVALUE4	Y	VARCHAR2(40)	nvarchar(40)	value of 4th custom property.
PAI_TECHPROMPT5	Y	VARCHAR2(8)	nvarchar(8)	code of 5th custom property.
PAI_TECHVALUE5	Y	VARCHAR2(40)	nvarchar(40)	value of 5th custom property.
PAI_TECHPROMPT6	Y	VARCHAR2(8)	nvarchar(8)	code of 6th custom property.
PAI_TECHVALUE6	Y	VARCHAR2(40)	nvarchar(40)	value of 6th custom property.
PAI_TECHPROMPT7	Y	VARCHAR2(8)	nvarchar(8)	code of 7th custom property.
PAI_TECHVALUE7	Y	VARCHAR2(40)	nvarchar(40)	value of 7th custom property.
PAI_TECHPROMPT8	Y	VARCHAR2(8)	nvarchar(8)	code of 8th custom property.
PAI_TECHVALUE8	Y	VARCHAR2(40)	nvarchar(40)	value of 8th custom property.
PAI_TECHPROMPT9	Y	VARCHAR2(8)	nvarchar(8)	code of 9th custom property.
PAI_TECHVALUE9	Y	VARCHAR2(40)	nvarchar(40)	value of 9th custom property.
PAI_TECHPROMPT10	Y	VARCHAR2(8)	nvarchar(8)	code of 10th custom property.
PAI_TECHVALUE10	Y	VARCHAR2(40)	nvarchar(40)	value of 10th custom property.
PAI_TECHPROMPT11	Y	VARCHAR2(8)	nvarchar(8)	code of 11th custom property.
PAI_TECHVALUE11	Y	VARCHAR2(40)	nvarchar(40)	value of 11th custom property.
PAI_TECHPROMPT12	Y	VARCHAR2(8)	nvarchar(8)	code of 12th custom property.
PAI_TECHVALUE12	Y	VARCHAR2(40)	nvarchar(40)	value of 12th custom property.
PAI_TECHPROMPT13	Y	VARCHAR2(8)	nvarchar(8)	code of 13th custom property.
PAI_TECHVALUE13	Y	VARCHAR2(40)	nvarchar(40)	value of 13th custom property.
PAI_TECHPROMPT14	Y	VARCHAR2(8)	nvarchar(8)	code of 14th custom property.
PAI_TECHVALUE14	Y	VARCHAR2(40)	nvarchar(40)	value of 14th custom property.
PAI_TECHPROMPT15	Y	VARCHAR2(8)	nvarchar(8)	code of 15th custom property.
PAI_TECHVALUE15	Y	VARCHAR2(40)	nvarchar(40)	value of 15th custom property.
PAI_TECHPROMPT16	Y	VARCHAR2(8)	nvarchar(8)	code of 16th custom property.
PAI_TECHVALUE16	Y	VARCHAR2(40)	nvarchar(40)	value of 16th custom property.
PAI_TECHPROMPT17	Y	VARCHAR2(8)	nvarchar(8)	code of 18th custom property.
PAI_TECHVALUE17	Y	VARCHAR2(40)	nvarchar(40)	value of 17th custom property.
PAI_TECHPROMPT18	Y	VARCHAR2(8)	nvarchar(8)	code of 17th custom property.
PAI_TECHVALUE18	Y	VARCHAR2(40)	nvarchar(40)	value of 18th custom property.
PAI_TECHPROMPT19	Y	VARCHAR2(8)	nvarchar(8)	code of 19th custom property.
PAI_TECHVALUE19	Y	VARCHAR2(40)	nvarchar(40)	value of 19th custom property.
PAI_TECHPROMPT20	Y	VARCHAR2(8)	nvarchar(8)	code of 20th custom property.
PAI_TECHVALUE20	Y	VARCHAR2(40)	nvarchar(40)	value of 20th custom property.
PAI_STOCKDEFAULTBIN	Y	VARCHAR2(15)	nvarchar(15)	The default bin of a store/part combination
PAI_STOCKMAXQTY	Y	NUMBER(24,6)	numeric(24,6)	The maximum quantity in store.
PAI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTSUNDERWARRANTY		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PUW_PK	N	NUMBER	numeric(18,0)	The PK of the parts under warranty record
PUW_PART	Y	VARCHAR2(30)	nvarchar(30)	The part under warranty
PUW_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization under warranty
PUW_TRANS	Y	VARCHAR2(30)	nvarchar(30)	The issue transaction that initiated this record
PUW_TRANSLINE	Y	NUMBER(8,0)	numeric(8,0)	The issue transaction line that initiated this record
PUW_DAYS	Y	NUMBER(5,0)	numeric(5,0)	The number of days since the previous issue

PUW_WARDAYS	Y	NUMBER(5,0)	numeric(5,0)	The number of warranty days
PUW_PWPPK	Y	NUMBER	numeric(18,0)	Pointer to a record in the partwarrantyclaim part table
PUW_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record is active
PUW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PUW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PUW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTWARRANTYCLAIMPARTS		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWP_PK	N	NUMBER	numeric(18,0)	The system generated primary key of the claim line
PWP_PARTCLAIM	Y	VARCHAR2(30)	nvarchar(30)	The part claim the record belongs to
PWP_PART	N	VARCHAR2(30)	nvarchar(30)	The part of the claim line
PWP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	The part organization of the claim line
PWP_QTY	N	NUMBER(18,0)	numeric(18,0)	The number of parts on the claim line
PWP_IMPORTED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record was inserted using the import feature
PWP_REIMBURSEMENTTYPE	N	VARCHAR2(8)	nvarchar(8)	The reimbursement type of the claim line
PWP_CLAIMCASHAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The cash amount of the claim line
PWP_CLAIMREPLACEMENTQTY	Y	NUMBER(18,0)	numeric(18,0)	The replacement quantity of the claim line
PWP_SETTLEMENTCASHAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The cash amount of the claim line
PWP_SETTLEMENTREPLACEMENTQTY	Y	NUMBER(18,0)	numeric(18,0)	The settled replacement quantity of the claim line
PWP_SETTLEMENTRECEIVINGSTORE	Y	VARCHAR2(30)	nvarchar(30)	The store the replacement part(s) will be received in
PWP_SETTLEMENTRECEIVINGBIN	Y	VARCHAR2(15)	nvarchar(15)	The bin the replacement part(s) will be received in
PWP_SETTLEMENTRECEIVINGLOT	Y	VARCHAR2(12)	nvarchar(12)	The lot the replacement part(s) will be received in
PWP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PWP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PARTWARRANTYCLAIMS		PARTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWA_CODE	N	VARCHAR2(30)	nvarchar(30)	The unique code of the part warranty claim
PWA_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the part warranty claim
PWA_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization the part warranty claim belongs to
PWA_WARRANTY	Y	VARCHAR2(30)	nvarchar(30)	The warranty document associated to the part warranty claim
PWA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the part warranty claim
PWA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The class organization of the part warranty claim
PWA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier of the part warranty claim
PWA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The supplier organization of the part warranty claim
PWA_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the part warranty claim
PWA_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the part warranty claim
PWA_RMA	Y	VARCHAR2(30)	nvarchar(30)	The Return Merchandise Authorization of the part warranty claim
PWA_FILED	N	DATE	datetime	The date the part warranty claim was filed
PWA_APPROVED	Y	DATE	datetime	The date the part warranty claim was approved
PWA_RESOLVED	Y	DATE	datetime	The date the part warranty claim was resolved
PWA_REPORTED	Y	DATE	datetime	The date the part warranty claim was reported
PWA_CREATED	Y	DATE	datetime	The date the part claim was created
PWA_UPDATED	Y	DATE	datetime	The date the part warranty claim was last updated
PWA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PWA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PWA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PWA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PWA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PWA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PWA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PWA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWA_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	
PWA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PASSWORDS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWD_USER	N	VARCHAR2(255)	nvarchar(255)	user.
PWD_PASSWORD	N	VARCHAR2(50)	nvarchar(50)	encrypted user password.
PWD_LASTUSED	N	DATE	datetime	date the password was last used.
PWD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PWD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PATTERNEQUIPMENT

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PEQ_MP	N	VARCHAR2(30)	nvarchar(30)	The identifier of a maintenance pattern

PEQ_MP_ORG	N	VARCHAR2(15)	nvarchar(15)	The maintenance pattern organization
PEQ_REVISION	N	NUMBER(4,0)	numeric(4,0)	The revision of the maintenance pattern equipment
PEQ_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment of the maintenance pattern equipment
PEQ_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The equipment organization of the maintenance pattern equipment
PEQ_ORG	N	VARCHAR2(15)	nvarchar(15)	The work order organization of the maintenance pattern equipment
PEQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The status of the maintenance pattern equipment
PEQ_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department of the maintenance pattern equipment
PEQ_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the maintenance pattern equipment
PEQ_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The location organization of the maintenance pattern equipment
PEQ_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code of the maintenance pattern equipment
PEQ_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The person who should perform the maintenance pattern work order
PEQ_DEACTIVE	Y	DATE	datetime	The date the maintenance pattern equipment deactivates
PEQ_DORMSTART	Y	DATE	datetime	The dormant period start date of the maintenance pattern equipment
PEQ_DORMEND	Y	DATE	datetime	The dormant period end date of the maintenance pattern equipment
PEQ_DORMREUSE	Y	VARCHAR2(1)	nvarchar(1)	Whether the dormant period should be reused every year
PEQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PEQ_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	schedule group
PEQ_SET	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
PEQ_CREATED	Y	DATE	datetime	T.B.D.
PEQ_UPDATED	Y	DATE	datetime	T.B.D.
PEQ_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	T.B.D.
PEQ_INCLUDENONCONFORMITIES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether nonconformities should be created for the created MP work order.
PEQ_DUENONCONFORMITIESONLY	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether only due nonconformities should be created for the created MP work order.
PEQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PEQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PATTERNSEQUENCES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PSQ_PK	N	NUMBER(38,0)	numeric(38,0)	Primary Key Code
PSQ_REVISION	N	NUMBER(4,0)	numeric(4,0)	The revision of the maintenance pattern sequence
PSQ_MP	N	VARCHAR2(30)	nvarchar(30)	The identifier of a maintenance pattern
PSQ_MP_ORG	N	VARCHAR2(15)	nvarchar(15)	The maintenance pattern organization
PSQ_SEQUENCE	N	NUMBER(8,0)	numeric(8,0)	The sequence of the maintenance pattern sequence
PSQ_STANDWORK	N	VARCHAR2(20)	nvarchar(20)	The standard work order of the maintenance pattern sequence
PSQ_WODESC	N	VARCHAR2(80)	nvarchar(80)	The work order description of the maintenance pattern sequence
PSQ_SEQTYPE	Y	VARCHAR2(4)	nvarchar(4)	The sequence type of the maintenance pattern sequence
PSQ_FREQ	Y	NUMBER(5,0)	numeric(5,0)	The frequency of the maintenance pattern sequence
PSQ_PERIODUOM	Y	VARCHAR2(4)	nvarchar(4)	The period unit of measure of the maintenance pattern sequence
PSQ_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not Used Flag
PSQ_METER	Y	NUMBER(24,6)	numeric(24,6)	The meter of the maintenance pattern sequence
PSQ_METER2	Y	NUMBER(24,6)	numeric(24,6)	The second meter of the maintenance pattern sequence
PSQ_OKWINDOW	Y	NUMBER(3,0)	numeric(3,0)	The ok window of the maintenance pattern sequence
PSQ_NEARWINDOW	Y	NUMBER(3,0)	numeric(3,0)	The near window of the maintenance pattern sequence
PSQ_GENWINDOW	Y	NUMBER(3,0)	numeric(3,0)	The generate window of the maintenance pattern sequence
PSQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PSQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PSQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PDLMLANG

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PDL_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
PDL_LINE	N	NUMBER	int	line number.
PDL_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
PDL_TEXT	Y	VARCHAR2(80)	nvarchar(80)	text/description.

PDL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PDL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PDL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERFORMANCEFORMULAS

T.B.D.

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFF_CODE	N	VARCHAR2(30)	nvarchar(30)	
PFF_DESC	N	VARCHAR2(80)	nvarchar(80)	
PFF_ORG	N	VARCHAR2(15)	nvarchar(15)	
PFF_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
PFF_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PFF_STATUS	N	VARCHAR2(4)	nvarchar(4)	
PFF_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
PFF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
PFF_CREATED	Y	DATE	datetime	Creation timestamp
PFF_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
PFF_UPDATED	Y	DATE	datetime	Update timestamp
PFF_DATEAPPROVED	Y	DATE	datetime	
PFF_CONDITIONRATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_CAPACITYRATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_CAPACITYCODE	Y	VARCHAR2(8)	nvarchar(8)	
PFF_MTBFRATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_MAXALLOWFAILSPERYEAR	Y	NUMBER(18,0)	numeric(18,0)	
PFF_INCLUDECHILDREN	Y	VARCHAR2(1)	nvarchar(1)	
PFF_USAGEBASED	Y	VARCHAR2(1)	nvarchar(1)	
PFF_ATUSAGEPERDAY	Y	NUMBER(24,6)	numeric(24,6)	
PFF_ATUSAGEPERDAYUOM	Y	VARCHAR2(30)	nvarchar(30)	
PFF_MTTRRATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_MAXALLOWABLEREPAIRHOURS	Y	NUMBER(24,6)	numeric(24,6)	
PFF_REPAIRTIMECALCULATION	Y	VARCHAR2(4)	nvarchar(4)	
PFF_USEDOWNTIMEHRSIFPRESENT	Y	VARCHAR2(1)	nvarchar(1)	
PFF_VARIABLE1RATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_VARIABLE1QUERY	Y	VARCHAR2(8)	nvarchar(8)	
PFF_BESTACCEPTABLERESULT1	Y	NUMBER(24,6)	numeric(24,6)	
PFF_WORSTACCEPTABLERESULT1	Y	NUMBER(24,6)	numeric(24,6)	
PFF_VARIABLE2RATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_VARIABLE2QUERY	Y	VARCHAR2(8)	nvarchar(8)	
PFF_BESTACCEPTABLERESULT2	Y	NUMBER(24,6)	numeric(24,6)	
PFF_WORSTACCEPTABLERESULT2	Y	NUMBER(24,6)	numeric(24,6)	
PFF_VARIABLE3RATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_VARIABLE3QUERY	Y	VARCHAR2(8)	nvarchar(8)	
PFF_BESTACCEPTABLERESULT3	Y	NUMBER(24,6)	numeric(24,6)	
PFF_WORSTACCEPTABLERESULT3	Y	NUMBER(24,6)	numeric(24,6)	
PFF_VARIABLE4RATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_VARIABLE4QUERY	Y	VARCHAR2(8)	nvarchar(8)	
PFF_BESTACCEPTABLERESULT4	Y	NUMBER(24,6)	numeric(24,6)	
PFF_WORSTACCEPTABLERESULT4	Y	NUMBER(24,6)	numeric(24,6)	
PFF_VARIABLE5RATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_VARIABLE5QUERY	Y	VARCHAR2(8)	nvarchar(8)	
PFF_BESTACCEPTABLERESULT5	Y	NUMBER(24,6)	numeric(24,6)	
PFF_WORSTACCEPTABLERESULT5	Y	NUMBER(24,6)	numeric(24,6)	
PFF_VARIABLE6RATINGWEIGHT	Y	NUMBER(7,6)	numeric(7,6)	
PFF_VARIABLE6QUERY	Y	VARCHAR2(8)	nvarchar(8)	
PFF_BESTACCEPTABLERESULT6	Y	NUMBER(24,6)	numeric(24,6)	

PFF_WORSTACCEPTBLERESULT6	Y	NUMBER(24,6)	numeric(24,6)	
PFF_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PFF_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PFF_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PFF_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PFF_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PFF_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PFF_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PFF_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PFF_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PFF_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PFF_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PFF_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PFF_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PFF_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PFF_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PFF_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PFF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PFF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERIODENDTOTALS

PURCHASING - OBSOLETE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PET_STORE	Y	VARCHAR2(15)	nvarchar(15)	not used.
PET_PART	Y	VARCHAR2(30)	nvarchar(30)	not used.

PET_PERIOD	Y	VARCHAR2(10)	nvarchar(10)	not used.
PET_PERIODYEAR	Y	NUMBER(4,0)	numeric(4,0)	not used.
PET_PERIODSEQNO	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ADJNEGQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ADJNEGAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ADJPOSQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ADJPOSAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ISSUEQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ISSUEAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_RETURNQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_RETURNAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_RECEIVEQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_RECEIVEAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_POSINVOICEAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_NEGINVOICEAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_TRANSRECVQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_TRANSRECVAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_TRANSSHIPQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_TRANSSHIPAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ENDQTY	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_ENDAMT	Y	NUMBER(24,6)	numeric(24,6)	not used.
PET_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	not used.
PET_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PET_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERIODS	BUDGETS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACP_END	N	DATE	datetime	end date of budget period.
ACP_PERIOD	N	VARCHAR2(4)	nvarchar(4)	budget period code.
ACP_SEQNO	N	NUMBER(2,0)	numeric(2,0)	budget period sequence number.
ACP_START	N	DATE	datetime	start date of budget period.
ACP_YEAR	N	VARCHAR2(8)	nvarchar(8)	budget term code.
ACP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMENTITIES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRE_PERMIT	N	VARCHAR2(12)	nvarchar(12)	permit code.
PRE_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (user code).
PRE_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code (system code).
PRE_TYPE	Y	VARCHAR2(4)	nvarchar(4)	permit type (user code, value *).
PRE_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	permit type (system code, value *).
PRE_CODE	N	VARCHAR2(50)	nvarchar(50)	object or category code.
PRE_MAND	N	VARCHAR2(1)	nvarchar(1)	value is + of permit is mandatory.
PRE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRE_PERMIT_ORG	N	VARCHAR2(15)	nvarchar(15)	The permit organization.
PRE_AUTOCREATEPTW	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a permit to work should be created automatically.
PRE_LOTOREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a lockout-tagout is required.
PRE_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the permits also apply to equipment children.
PRE_DELETEPENDING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are pending deletes.
PRE_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	The associated activity, only applicable for permits belonging to a standard work order.
PRE_PTWTYPE	Y	VARCHAR2(8)	nvarchar(8)	The permit to work type.

PRE_TYPEOFWORK	Y	VARCHAR2(8)	nvarchar(8)	The type of work.
PRE_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority.
PRE_RISK	Y	VARCHAR2(8)	nvarchar(8)	The risk code.
PRE_ISOLATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	The isolation type.
PRE_CREATED	Y	DATE	datetime	record creation timestamp
PRE_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PRE_UPDATED	Y	DATE	datetime	User defined field of type Number
PRE_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PRE_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
PRE_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
PRE_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
PRE_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
PRE_REVIEWTRIGGER	Y	VARCHAR2(8)	nvarchar(8)	Trigger of reviewed signature.
PRE_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRE_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRE_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRE_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRE_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRE_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRE_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PRE_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PRE_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PRE_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PRE_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PRE_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number

PRE_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
PRE_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
PRE_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
PRE_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
PRE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMENTITIES_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APT_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
APT_PERMIT	Y	VARCHAR2(12)	nvarchar(12)	permit code.
APT_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (user code).
APT_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
APT_TYPE	Y	VARCHAR2(4)	nvarchar(4)	permit type (user code, value *).
APT_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	permit type (system code, value *).
APT_CODE	Y	VARCHAR2(50)	nvarchar(50)	object or category code.
APT_MAND	Y	VARCHAR2(1)	nvarchar(1)	value is + of permit is mandatory.
APT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APT_PERMIT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The permit organization.
APT_AUTOCREATEPTW	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a permit to work should be created automatically.
APT_LOTOREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a lockout-tagout is required.
APT_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the permits also apply to equipment children.
APT_DELETEPENDING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are pending deletes.
APT_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	The associated activity, only applicable for permits belonging to a standard work order.
APT_PTWTYPE	Y	VARCHAR2(4)	nvarchar(4)	The permit to work type.
APT_TYPEOFWORK	Y	VARCHAR2(4)	nvarchar(4)	The type of work.
APT_PRIORITY	Y	VARCHAR2(4)	nvarchar(4)	The priority.
APT_RISK	Y	VARCHAR2(4)	nvarchar(4)	The risk code.
APT_ISOLATIONTYPE	Y	VARCHAR2(4)	nvarchar(4)	The isolation type.
APT_CREATED	Y	DATE	datetime	record creation timestamp
APT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
APT_UPDATED	Y	DATE	datetime	Update time stamp
APT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
APT_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
APT_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
APT_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
APT_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
APT_REVIEWTRIGGER	Y	VARCHAR2(8)	nvarchar(8)	Trigger of reviewed signature.
APT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

APT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
APT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
APT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
APT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
APT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
APT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
APT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPERMEVENTS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PEV_CODE	N	VARCHAR2(34)	nvarchar(34)	permit number. unique identification.
PEV_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number.
PEV_PERMIT	N	VARCHAR2(12)	nvarchar(12)	permit code.
PEV_DATE	Y	DATE	datetime	date permit was printed.
PEV_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	value is + if permit is active.
PEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PEV_PERMIT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The permit organization.
PEV_PERMITREV	Y	NUMBER(4,0)	numeric(4,0)	The permit revision.
PEV_AUTOCREATEPTW	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a permit to work should be created automatically.
PEV_LOTOREQUIRED	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a lockout-tagout is required.
PEV_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	The associated activity, only applicable for permits belonging to a standard work order.
PEV_PTW	Y	VARCHAR2(30)	nvarchar(30)	The created permit to work code.
PEV_PTWTYPE	Y	VARCHAR2(8)	nvarchar(8)	The permit to work type.
PEV_TYPEOFWORK	Y	VARCHAR2(8)	nvarchar(8)	The type of work.
PEV_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority.
PEV_RISK	Y	VARCHAR2(8)	nvarchar(8)	The risk code.
PEV_ISOLATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	The isolation type.
PEV_VALIDUNTIL	Y	DATE	datetime	Date until when the permit is valid.
PEV_DELETEPENDING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are pending deletes.
PEV_MAND	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the permit is required.

PEV_CREATED	Y	DATE	datetime	record creation timestamp
PEV_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PEV_UPDATED	Y	DATE	datetime	Update time stamp
PEV_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PEV_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
PEV_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
PEV_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
PEV_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
PEV_SOURCEENTITY	Y	VARCHAR2(4)	nvarchar(4)	The source entity (like OBJ or PART) used to copy this data from.
PEV_SOURCECODE	Y	VARCHAR2(30)	nvarchar(30)	The source code (like object or part code) used to copy this data from.
PEV_SOURCEORG	Y	VARCHAR2(15)	nvarchar(15)	The source organization (like object or part organization) used to copy this data from.
PEV_SOURCEUPDATED	Y	DATE	datetime	The date the source record was last updated.
PEV_SOURCEUPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the source record.
PEV_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related work order.
PEV_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PEV_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PEV_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PEV_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PEV_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PEV_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PEV_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PEV_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PEV_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PEV_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PEV_UDFDATE05	Y	DATE	datetime	User defined field of type Date

PEV_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PEV_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PEV_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PEV_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PEV_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PEV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPERMEVENTS_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AEM_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AEM_CODE	Y	VARCHAR2(34)	nvarchar(34)	permit number. unique identification.
AEM_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
AEM_PERMIT	Y	VARCHAR2(12)	nvarchar(12)	permit code.
AEM_DATE	Y	DATE	datetime	date permit was printed.
AEM_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if permit is active.
AEM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AEM_PERMIT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The permit organization.
AEM_PERMITREV	Y	NUMBER(4,0)	numeric(4,0)	The permit revision.
AEM_AUTOCREATEPTW	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a permit to work should be created automatically.
AEM_LOTOREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a lockout-tagout is required.
AEM_ACTIVITY	Y	NUMBER(8,0)	numeric(8,0)	The associated activity, only applicable for permits belonging to a standard work order.
AEM_PTW	Y	VARCHAR2(30)	nvarchar(30)	The created permit to work code.
AEM_PTWTYPE	Y	VARCHAR2(8)	nvarchar(8)	The permit to work type.
AEM_TYPEOFWORK	Y	VARCHAR2(8)	nvarchar(8)	The type of work.
AEM_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority.
AEM_RISK	Y	VARCHAR2(8)	nvarchar(8)	The risk code.
AEM_ISOLATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	The isolation type.
AEM_VALIDUNTIL	Y	DATE	datetime	Date until when the permit is valid.
AEM_DELETEPENDING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are pending deletes.
AEM_MAND	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the permit is required.
AEM_CREATED	Y	DATE	datetime	record creation timestamp
AEM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
AEM_UPDATED	Y	DATE	datetime	Update time stamp
AEM_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
AEM_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
AEM_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
AEM_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
AEM_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
AEM_SOURCEENTITY	Y	VARCHAR2(4)	nvarchar(4)	The source entity (like OBJ or PART) used to copy this data from.
AEM_SOURCECODE	Y	VARCHAR2(30)	nvarchar(30)	The source code (like object or part code) used to copy this data from.
AEM_SOURCEORG	Y	VARCHAR2(15)	nvarchar(15)	The source organization (like object or part organization) used to copy this data from.
AEM_SOURCEUPDATED	Y	DATE	datetime	The date the source record was last updated.
AEM_SOURCEUPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the source record.
AEM_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related work order.
AEM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AEM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AEM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AEM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
AEM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
AEM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
AEM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
AEM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
AEM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AEM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AEM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMISSIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRM_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	code of function that users of user group have access to.
PRM_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
PRM_SELECT	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to query records in this function.
PRM_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to update records in this function.
PRM_INSERT	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to insert records in this function.
PRM_DELETE	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to delete records in this function.
PRM_PRINTER	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to spool report output to printer.
PRM_SCREEN	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to preview report output on screen.
PRM_PRFILE	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to spool report output to file.
PRM_LOCAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if users are allowed to spool report output to their local printer.
PRM_DEFQUERY	Y	VARCHAR2(8)	nvarchar(8)	default query
PRM_OVERRULE	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if user can override default query
PRM_INPUT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if user can input records that do not comply with the default query

PRM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRM_CREATED	Y	DATE	datetime	Creation timestamp
PRM_UPDATED	Y	DATE	datetime	Update timestamp
PRM_SECURITYDDSPYID	Y	NUMBER(14,0)	numeric(14,0)	This is the dataspuid that will be applied to all the users in this group for this function
PRM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMITS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRT_CODE	N	VARCHAR2(12)	nvarchar(12)	permit code. unique identification.
PRT_DESC	N	VARCHAR2(80)	nvarchar(80)	permit description.
PRT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PRT_ORG	N	VARCHAR2(15)	nvarchar(15)	permit organization
PRT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PRT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRT_REVISION	N	NUMBER(4,0)	numeric(4,0)	The permit revision.
PRT_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The user status of the permit.
PRT_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the permit.
PRT_AUTOCREATEPTW	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a permit to work should be created automatically.
PRT_LOTOREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a lockout-tagout is required.
PRT_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not Used Flag
PRT_PTWTTYPE	Y	VARCHAR2(8)	nvarchar(8)	The permit to work type.
PRT_TYPEOFWORK	Y	VARCHAR2(8)	nvarchar(8)	The type of work.
PRT_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority.
PRT_RISK	Y	VARCHAR2(8)	nvarchar(8)	The risk code.
PRT_ISOLATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	The isolation type.
PRT_REVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a review is required.
PRT_CREATED	Y	DATE	datetime	record creation timestamp
PRT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PRT_UPDATED	Y	DATE	datetime	Update time stamp
PRT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PRT_REQUESTED	Y	DATE	datetime	The date the permit was requested.
PRT_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who requested the permit.
PRT_APPROVED	Y	DATE	datetime	The date the permit was approved.
PRT_APPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who approved the permit.
PRT_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The reason for the new revision of the permit.
PRT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PRT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PRT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PRT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PRT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PRT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PRT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMITTOWORK		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PTW_CODE	N	VARCHAR2(30)	nvarchar(30)	The permit to work unique code.
PTW_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the permit to work.
PTW_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the permit to work.
PTW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment of the permit to work.
PTW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment of the permit to work.
PTW_TYPE	N	VARCHAR2(8)	nvarchar(8)	The type of the permit to work.
PTW_MRC	N	VARCHAR2(15)	nvarchar(15)	The department of the permit to work.
PTW_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the permit to work.
PTW_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the permit to work.
PTW_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
PTW_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
PTW_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
PTW_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the permit to work.
PTW_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the location of the permit to work.
PTW_LOCATIONNOTE	Y	VARCHAR2(1000)	nvarchar(1000)	The location note of the permit to work.
PTW_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the permit to work.
PTW_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the permit to work.
PTW_TYPEOFWORK	Y	VARCHAR2(8)	nvarchar(8)	The type of work involved with the permit to work.
PTW_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	The priority of the permit to work.
PTW_RISK	N	VARCHAR2(8)	nvarchar(8)	The risk code involved with the permit to work.
PTW_LOCKOUTBOX	Y	VARCHAR2(30)	nvarchar(30)	The lockout box of the permit to work.
PTW_LOCKOUTBOX_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the lockout box of the permit to work.

PTW_UNASSESSEDCONFLICTS	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are unassessed conflicts.
PTW_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order related to the permit to work.
PTW_ACT	Y	NUMBER(8,0)	numeric(8,0)	The activity of the permit to work.
PTW_PERMIT	Y	VARCHAR2(12)	nvarchar(12)	The permit belonging to the permit to work.
PTW_PERMIT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the permit belonging to the permit to work,
PTW_PERMITREV	Y	NUMBER(4,0)	numeric(4,0)	The permit revision belonging to the permit to work.
PTW_REPLACESPTW	Y	VARCHAR2(30)	nvarchar(30)	The permit to work code which replaces this permit to work.
PTW_REPLACEDBYPTW	Y	VARCHAR2(30)	nvarchar(30)	The permit to work code which replaced this permit to work.
PTW_CREATED	Y	DATE	datetime	record creation timestamp
PTW_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PTW_REQUESTED	Y	DATE	datetime	The date the permit to work was requested.
PTW_REQUESTEDBY	Y	VARCHAR2(15)	nvarchar(15)	The user who requested the permit to work.
PTW_UPDATED	Y	DATE	datetime	Update time stamp
PTW_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PTW_PREPARED	Y	DATE	datetime	The date the permit to work was prepared.
PTW_PREPAREDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who prepared the permit to work.
PTW_RESPONSIBLE	Y	VARCHAR2(255)	nvarchar(255)	The responsible person of the permit to work.
PTW_HOLDER	Y	VARCHAR2(30)	nvarchar(30)	The holder of the permit to work.
PTW_ISOLATED	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the permit to work is isolated.
PTW_DATEREQUIRED	Y	DATE	datetime	The date the permit to work is required.
PTW_DURATION	Y	NUMBER(24,6)	numeric(24,6)	The duration in hours of the permit to work.
PTW_EXTENSION	Y	NUMBER(24,6)	numeric(24,6)	The permit to work extension in hours.
PTW_VALIDUNTIL	Y	DATE	datetime	The date and time until the permit to work is valid.
PTW_DURATIONTOTAL	Y	NUMBER(24,6)	numeric(24,6)	The total duration in hours of the permit to work.
PTW_EXTENSIONCOUNT	Y	NUMBER(6,0)	numeric(6,0)	The number of extensions.
PTW_SUSPENSIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The reason of the suspension.
PTW_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PTW_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PTW_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PTW_NOTE	Y	VARCHAR2(1000)	nvarchar(1000)	
PTW_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	
PTW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PTW_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTW_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTW_UDFDATE06	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE07	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE08	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE09	Y	DATE	datetime	User defined field of type Date
PTW_UDFDATE10	Y	DATE	datetime	User defined field of type Date
PTW_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTW_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
PTW_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
PTW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMITTOWORKCONFLICTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWC_PTW	N	VARCHAR2(30)	nvarchar(30)	The permit to work code.
PWC_CONFLICTINGPTW	N	VARCHAR2(30)	nvarchar(30)	The conflicting permit to work code.
PWC_RESOLUTION	Y	VARCHAR2(8)	nvarchar(8)	The resolution to resolved the conflict.
PWC_CREATED	Y	DATE	datetime	record creation timestamp
PWC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PWC_UPDATED	Y	DATE	datetime	Update time stamp
PWC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PWC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PWC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PWC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PWC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PWC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PWC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

PWC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PWC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERMITTOWORKLOTO	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWL_PK	N	VARCHAR2(30)	nvarchar(30)	The unique code of the permit to work lockout-tagout.
PWL_PTW	N	VARCHAR2(30)	nvarchar(30)	The permit to work the lockout-tagout belongs to.
PWL_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	The sequence.
PWL_ISOLATIONMETHOD	N	VARCHAR2(20)	nvarchar(20)	The isolation method of the permit to work lockout-tagout.
PWL_ISOLATIONMETHODREV	N	NUMBER(4,0)	numeric(4,0)	The isolation method revision of the permit to work lockout-tagout.
PWL_ISOLATIONSTEP	N	VARCHAR2(1)	nvarchar(1)	The isolation step of the permit to work lockout-tagout.
PWL_ISOLATIONPOINT	Y	VARCHAR2(30)	nvarchar(30)	The isolation point of the permit to work lockout-tagout.
PWL_ISOLATIONPOINT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The isolation point organization of the permit to work lockout-tagout.
PWL_ISOLATIONPOINTREV	Y	NUMBER(4,0)	numeric(4,0)	The isolation point revision of the permit to work lockout-tagout.
PWL_ISOLATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	The isolation type of the permit to work lockout-tagout.
PWL_ENERGYSOURCE	Y	VARCHAR2(8)	nvarchar(8)	The energy source of the permit to work lockout-tagout.
PWL_LOCATIONNOTE	Y	VARCHAR2(1000)	nvarchar(1000)	The location note of the permit to work lockout-tagout.
PWL_NUMBERTAGS	Y	NUMBER(6,0)	numeric(6,0)	The number of tags associated to the permit to work lockout-tagout.
PWL_RESIDUALENERGY	Y	VARCHAR2(8)	nvarchar(8)	The residual energy of the permit to work lockout-tagout.
PWL_RESIDUALENERGY2	Y	VARCHAR2(8)	nvarchar(8)	The second residual energy of the permit to work lockout-tagout.
PWL_NOTE	Y	VARCHAR2(1000)	nvarchar(1000)	Some free text belonging to the permit to work lockout-tagout.
PWL_KEY	Y	VARCHAR2(1000)	nvarchar(1000)	The key references of the permit to work lockout-tagout.
PWL_CREATED	Y	DATE	datetime	record creation timestamp
PWL_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PWL_UPDATED	Y	DATE	datetime	Update time stamp
PWL_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PWL_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
PWL_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
PWL_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	name of the user of reviewed signature.
PWL_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
PWL_VALIDUNTIL	Y	DATE	datetime	The date and time until the permit to work lockout-tagout is valid.
PWL_DELETEPENDING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is a pending delete.
PWL_SOURCEENTITY	Y	VARCHAR2(4)	nvarchar(4)	The source entity (like OBJ) used to copy this data from.
PWL_SOURCECODE	Y	VARCHAR2(30)	nvarchar(30)	The source code (like object code) used to copy this data from.
PWL_SOURCEORG	Y	VARCHAR2(15)	nvarchar(15)	The source organization (like object organization) used to copy this data from.
PWL_SOURCEDATE	Y	DATE	datetime	the date the source record was last updated.
PWL_SOURCEBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the source record.
PWL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PWL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PWL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PWL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PWL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PWL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PWL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PWL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PWL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PWL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PWL_TAGHEADER	Y	VARCHAR2(25)	nvarchar(25)	The tag header of the permit to work lock out tag out record.
PWL_TAGLINE1	Y	VARCHAR2(60)	nvarchar(60)	First tag line comment of the permit to work lock out tag out record.
PWL_TAGLINE2	Y	VARCHAR2(80)	nvarchar(80)	Second tag line comment of the permit to work lock out tag out record.
PWL_TAGLINE3	Y	VARCHAR2(150)	nvarchar(150)	Third tag line comment of the permit to work lock out tag out record.
PWL_TAGLINE4	Y	VARCHAR2(150)	nvarchar(150)	Fourth tag line comment of the permit to work lock out tag out record.
PWL_COMPLETE	Y	VARCHAR2(1)	nvarchar(1)	
PWL_UNABLETOCOMPLETE	Y	VARCHAR2(8)	nvarchar(8)	
PWL_REPLACESLOTO	Y	VARCHAR2(30)	nvarchar(30)	
PWL_STEPNUMBER	Y	NUMBER(6,0)	numeric(6,0)	
PWL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPERMITTOWORKSETUP

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PTS_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization.
PTS_RISK	N	VARCHAR2(8)	nvarchar(8)	The risk code.
PTS_INITIALDURATION	N	NUMBER(24,6)	numeric(24,6)	The initial duration.
PTS_MAXEXTENSIONS	N	NUMBER(6,0)	numeric(6,0)	The maximum number of extensions.
PTS_MAXEXTENSIONDURATION	N	NUMBER(24,6)	numeric(24,6)	The maximum extension duration.
PTS_MAXTOTALDURATION	N	NUMBER(24,6)	numeric(24,6)	The maximum total duration.
PTS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PTS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PTS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PTS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PTS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PTS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PTS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PTS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PTS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PTS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERCODESTRUCT

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRL_CODE	N	VARCHAR2(15)	nvarchar(15)	personnel code
PRL_LEVEL1	N	VARCHAR2(30)	nvarchar(30)	personnel property
PRL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERSONNEL		WORK		
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
PER_CODE	N	VARCHAR2(15)	nvarchar(15)	personnel code. unique identification.
PER_DESC	N	VARCHAR2(80)	nvarchar(80)	personnel name.
PER_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PER_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
PER_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
PER_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	value is + if personnel code is no longer used.
PER_CAPACITY	Y	NUMBER(24,6)	numeric(24,6)	average availability per person (default=1).
PER_ORG	N	VARCHAR2(15)	nvarchar(15)	personnel organization
PER_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PER_EMAILADDRESS	Y	VARCHAR2(255)	nvarchar(255)	email address
PER_NOTIFICATIONPREF	Y	VARCHAR2(4)	nvarchar(4)	notification preference
PER_USER	Y	VARCHAR2(255)	nvarchar(255)	user associated to personnel record
PER_CREATED	Y	DATE	datetime	creation date
PER_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
PER_UPDATED	Y	DATE	datetime	update date
PER_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PER_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PER_FLEETCUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	The fleet customer.
PER_FLEETCUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
PER_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code.
PER_DRIVERSLICENSE	Y	VARCHAR2(30)	nvarchar(30)	The drivers license.
PER_PHONE	Y	VARCHAR2(50)	nvarchar(50)	The phone number.
PER_PARENT	Y	VARCHAR2(15)	nvarchar(15)	The actual person that this historic person points to.
PER_SCHEDULINGSESSIONID	Y	VARCHAR2(20)	nvarchar(20)	Scheduling Session
PER_SCHEDULINGTYPE	Y	VARCHAR2(4)	nvarchar(4)	Scheduling Session Type
PER_CUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
PER_CUSTOMER_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
PER_ALIAS	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
PER_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
PER_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
PER_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PER_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PER_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PER_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PER_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PER_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PER_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PER_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PER_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PER_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PER_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PER_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PER_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PER_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PER_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PER_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PER_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PER_JOBTITLE	Y	VARCHAR2(50)	nvarchar(50)	Job Title
PER_SUPERVISOR	Y	VARCHAR2(30)	nvarchar(30)	Supervisor
PER_HIREDATE	Y	DATE	datetime	Hire Date
PER_BIRTHDATE	Y	DATE	datetime	Date of Birth
PER_TERMINATEDDATE	Y	DATE	datetime	Terminated Date
PER_PAYROLLNO	Y	VARCHAR2(30)	nvarchar(30)	Payroll No.
PER_SECURITYBADGENO	Y	VARCHAR2(30)	nvarchar(30)	Security Badge No.
PER_ADDRESS	Y	VARCHAR2(50)	nvarchar(50)	Address
PER_CITY	Y	VARCHAR2(20)	nvarchar(20)	City
PER_STATE	Y	VARCHAR2(30)	nvarchar(30)	State
PER_ZIP	Y	VARCHAR2(10)	nvarchar(10)	Zip Code
PER_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	Country
PER_EMERGENCYCONTACT	Y	VARCHAR2(50)	nvarchar(50)	Emergency Contact
PER_EMERGENCYCONTACTPHNO	Y	VARCHAR2(50)	nvarchar(50)	Emergency Contact Phone No.
PER_MOBILEPHONENO	Y	VARCHAR2(50)	nvarchar(50)	Mobile Phone No.
PER_HOMEPHONENO	Y	VARCHAR2(50)	nvarchar(50)	Home Phone No.
PER_URL	Y	VARCHAR2(1000)	nvarchar(1000)	URL
PER_FAX	Y	VARCHAR2(50)	nvarchar(50)	The fax number of the employee
PER_INITIALS	Y	VARCHAR2(3)	nvarchar(3)	The initials/abbreviation of the employee
PER_TRADEPERSON	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the employee should be considered a trade.
PER_WORKSPACEOCCUPANT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the employee is a work space occupant.
PER_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PER_PROFILEPICTURE	Y	VARCHAR2(30)	nvarchar(30)	
PER_DETERMINESCREWLOCATION	Y	VARCHAR2(1)	nvarchar(1)	
PER_STARTINGXCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
PER_STARTINGYCOORDINATE	Y	NUMBER(24,6)	numeric(24,6)	
PER_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERSONNELQUALIFICATIONS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PQU_PERSON	N	VARCHAR2(15)	nvarchar(15)	Personnel code

PQU_QUALIFICATION	N	VARCHAR2(20)	nvarchar(20)	Qualification code
PQU_PURPOSE	Y	VARCHAR2(80)	nvarchar(80)	Purpose
PQU_HOURS	Y	NUMBER(5,1)	numeric(5,1)	Hours unit
PQU_CEU	Y	NUMBER(5,1)	numeric(5,1)	Course equivalent units
PQU_COURSESTART	Y	DATE	datetime	Course start date
PQU_COURSEFINISH	Y	DATE	datetime	Course finish date
PQU_COURSECOST	Y	NUMBER(24,6)	numeric(24,6)	Cost for the course
PQU_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	Currency associated with course cost
PQU_COURSECOMPLETED	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether the course is completed or not
PQU_CERTIFICATION	Y	VARCHAR2(20)	nvarchar(20)	Certification
PQU_CERTIFICATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	Certification type
PQU_QUALIFICATIONSTART	N	DATE	datetime	Qualification start date
PQU_DURATION	Y	NUMBER(4,0)	numeric(4,0)	Duration for the Qualification
PQU_DURATIONUOM	Y	VARCHAR2(10)	nvarchar(10)	Unit of measure for Duration
PQU_EXPIRATION	Y	DATE	datetime	Expiration for the Qualification
PQU_COMMENTS	Y	VARCHAR2(80)	nvarchar(80)	Comments for the Qualification
PQU_TEMPDISQUALIFIED	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether the qualification is temporarily disqualified
PQU_UPDATED	Y	DATE	datetime	update timestamp
PQU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PQU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PQU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PERTYPES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PET_TYPE	N	VARCHAR2(4)	nvarchar(4)	personnel type
PET_PERSON	N	VARCHAR2(15)	nvarchar(15)	personnel code
PET_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PET_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PICKLISTPARTS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PIP_PICKLIST	N	VARCHAR2(30)	nvarchar(30)	pick list number.
PIP_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
PIP_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity requested.
PIP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
PIP_ISSUEQTY	Y	NUMBER(24,6)	numeric(24,6)	issue quantity
PIP_PARPRICE	Y	NUMBER(24,6)	numeric(24,6)	part price
PIP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PIP_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	The material list related to a part on the pick list
PIP_MATLINE	Y	NUMBER(8,0)	numeric(8,0)	The material list line related to a part on the pick list
PIP_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer code
PIP_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
PIP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PIP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PIP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PIP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PIP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PIP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PIP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PIP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PIP_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PIP_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PIP_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PIP_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PIP_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PIP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PIP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PIP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PIP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PIP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PIP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PICKLISTPARTS_ARCHIVE				
Archiving				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APD_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
APD_PICKLIST	Y	VARCHAR2(30)	nvarchar(30)	pick list number.
APD_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
APD_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity requested.
APD_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
APD_ISSUEQTY	Y	NUMBER(24,6)	numeric(24,6)	issue quantity
APD_PARPRICE	Y	NUMBER(24,6)	numeric(24,6)	part price
APD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APD_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	The material list related to a part on the pick list
APD_MATLINE	Y	NUMBER(8,0)	numeric(8,0)	The material list line related to a part on the pick list
APD_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer part number
APD_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	manufacturer code
APD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

APD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
APD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Checkbox
APD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Checkbox
APD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Checkbox
APD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Checkbox
APD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Checkbox
APD_UDFDATE01	Y	DATE	datetime	User defined field of type Date
APD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
APD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
APD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
APD_UDFDATE05	Y	DATE	datetime	User defined field of type Date
APD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
APD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPICKLISTS		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PIC_CODE	N	VARCHAR2(30)	nvarchar(30)	pick list number. unique identification.
PIC_DESC	N	VARCHAR2(80)	nvarchar(80)	event description.
PIC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
PIC_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
PIC_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
PIC_OBRTP	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
PIC_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.

PIC_REQUIRED	N	DATE	datetime	date parts are required.
PIC_ORIGIN	Y	VARCHAR2(255)	nvarchar(255)	personnel number of originator of pick list.
PIC_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
PIC_TRANSACTION	Y	VARCHAR2(30)	nvarchar(30)	transaction number assigned to pick list when parts issued to event.
PIC_PRINTDATE	Y	DATE	datetime	date pick list was printed.
PIC_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
PIC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	pick tix class
PIC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PIC_STATUS	N	VARCHAR2(4)	nvarchar(4)	pick tix status
PIC_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	pick tix r status (system)
PIC_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
PIC_PERSON	Y	VARCHAR2(15)	nvarchar(15)	person for whom pick tix is for
PIC_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier of pick tix
PIC_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
PIC_AUTH	Y	VARCHAR2(255)	nvarchar(255)	pick tix authorizer
PIC_APPROV	Y	DATE	datetime	pick tix approver
PIC_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	default authorizer
PIC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PIC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PIC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPICKLISTS_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
API_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
API_CODE	Y	VARCHAR2(30)	nvarchar(30)	pick list number. unique identification.
API_DESC	Y	VARCHAR2(80)	nvarchar(80)	event description.
API_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
API_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
API_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
API_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
API_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
API_REQUIRED	Y	DATE	datetime	date parts are required.
API_ORIGIN	Y	VARCHAR2(255)	nvarchar(255)	personnel number of originator of pick list.
API_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
API_TRANSACTION	Y	VARCHAR2(30)	nvarchar(30)	transaction number assigned to pick list when parts issued to event.
API_PRINTDATE	Y	DATE	datetime	date pick list was printed.
API_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
API_CLASS	Y	VARCHAR2(8)	nvarchar(8)	pick tix class
API_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
API_STATUS	Y	VARCHAR2(4)	nvarchar(4)	pick tix status
API_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	pick tix r status (system)
API_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
API_PERSON	Y	VARCHAR2(15)	nvarchar(15)	person for whom pick tix is for
API_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier of pick tix
API_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
API_AUTH	Y	VARCHAR2(255)	nvarchar(255)	pick tix authorizer
API_APPROV	Y	DATE	datetime	pick tix approver
API_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	default authorizer
API_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
API_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
API_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPINGCLASS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

PCS_CODE	N	VARCHAR2(20)	nvarchar(20)	pipng class
PCS_DESC	N	VARCHAR2(80)	nvarchar(80)	description
PCS_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
PCS_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PCS_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision
PCS_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	r status (system)
PCS_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	status
PCS_MATERIAL	Y	VARCHAR2(20)	nvarchar(20)	material standard
PCS_MATERIALREV	Y	NUMBER(4,0)	numeric(4,0)	material standard revision
PCS_DESIGN	Y	VARCHAR2(45)	nvarchar(45)	design code
PCS_CORROSION	Y	NUMBER	numeric(24,6)	corrosion allowance
PCS_DTEMPMIN	Y	NUMBER	numeric(6,2)	design temp min
PCS_DTEMPMAX	Y	NUMBER	numeric(6,2)	design temp max
PCS_CREATED	Y	DATE	datetime	created
PCS_USER	Y	VARCHAR2(255)	nvarchar(255)	by user
PCS_UPDATED	Y	DATE	datetime	updated
PCS_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	by user
PCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PIPINGOBJECTS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
POB_PIPING	Y	VARCHAR2(20)	nvarchar(20)	pipng
POB_PIPINGREV	Y	NUMBER(4,0)	numeric(4,0)	pipng revision
POB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
POB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
POB_MATSELECTION	Y	VARCHAR2(45)	nvarchar(45)	material selection
POB_DESIGN	Y	VARCHAR2(45)	nvarchar(45)	design
POB_UPDATED	Y	VARCHAR2(1)	nvarchar(1)	updated
POB_CORROSION	Y	NUMBER	numeric(24,6)	corrosion
POB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
POB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
POB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMFORECASTEQUIPLIST		PM Forecasting		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFL_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	Session ID
PFL_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Selected flag
PFL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code
PFL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
PFL_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent object code
PFL_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent code organization
PFL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMFORECASTPARAMS		PM Forecasting		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFP_CODE	N	VARCHAR2(30)	nvarchar(30)	Parameters Key / Surrogate Key
PFP_USER	Y	VARCHAR2(255)	nvarchar(255)	User ID
PFP_PARAMETER	Y	VARCHAR2(10)	nvarchar(10)	Parameter Name
PFP_DEFPARAM	Y	VARCHAR2(1)	nvarchar(1)	Default Parameter List
PFP_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	Session ID

PFP_STARTDATE	N	DATE	datetime	Forecast Start Date
PFP_ENDDATE	N	DATE	datetime	Forecast End Date
PFP_OBJECTS	Y	VARCHAR2(310)	nvarchar(310)	Equipment list
PFP_OBTYPES	Y	VARCHAR2(50)	nvarchar(50)	Equipment Types list
PFP_OBCLASSES	Y	VARCHAR2(90)	nvarchar(90)	Equipment classes list
PFP_TOPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Top Level Equipment
PFP_TOPLEVEL_ORG	Y	VARCHAR2(15)	nvarchar(15)	Top Level Organization
PFP_CATEGORIES	Y	VARCHAR2(310)	nvarchar(310)	Categories list
PFP_CRITICALITIES	Y	VARCHAR2(90)	nvarchar(90)	Criticalities list
PFP_PMSCHEDULES	Y	VARCHAR2(210)	nvarchar(210)	PM Schedules list
PFP_PMCLASSES	Y	VARCHAR2(90)	nvarchar(90)	PM Classes
PFP_NESTED	Y	VARCHAR2(210)	nvarchar(210)	Nesting Reference list
PFP_PRIORITIES	Y	VARCHAR2(90)	nvarchar(90)	Priorities list
PFP_JOBTYPES	Y	VARCHAR2(90)	nvarchar(90)	Work Order Types list
PFP_EVENT_ORG	N	VARCHAR2(15)	nvarchar(15)	Work Order Organization
PFP_EVENT_CLASSES	Y	VARCHAR2(90)	nvarchar(90)	Work Order Classes list
PFP_MRCS	Y	VARCHAR2(160)	nvarchar(160)	Departments list
PFP_LOCATIONS	Y	VARCHAR2(310)	nvarchar(310)	Locations list
PFP_PERSONS	Y	VARCHAR2(160)	nvarchar(160)	Assigned Persons list
PFP_COSTCODES	Y	VARCHAR2(310)	nvarchar(310)	Cost codes list
PFP_SCHEDGRPS	Y	VARCHAR2(310)	nvarchar(310)	Supervisors list
PFP_PARENTPYPE	Y	VARCHAR2(4)	nvarchar(4)	Parent Equipment Type
PFP_WORKHOURS	N	NUMBER(4,2)	numeric(4,2)	Work Hours
PFP_MIN_FREQ	N	NUMBER(3,0)	numeric(3,0)	Minimum PM Frequency
PFP_INC_CHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Include Children
PFP_WORKORDER_BGCOLOR	N	VARCHAR2(6)	nvarchar(6)	Work Order Background Color
PFP_ACTDUEDT_BGCOLOR	N	VARCHAR2(6)	nvarchar(6)	Actual Due Date Background Color
PFP_FORECASTPM_BGCOLOR	N	VARCHAR2(6)	nvarchar(6)	Forecast PM Background Color
PFP_WEEKEND_BGCOLOR	N	VARCHAR2(6)	nvarchar(6)	Weekend Background Color
PFP_LKDPMDUEDT_TXTCOLOR	N	VARCHAR2(6)	nvarchar(6)	Locked PM Text Color
PFP_CAL_DAY	N	VARCHAR2(30)	nvarchar(30)	Calendar Day Text
PFP_YEAR_DSG	N	VARCHAR2(1)	nvarchar(1)	Year Designator
PFP_QTR_DSG	N	VARCHAR2(1)	nvarchar(1)	Quarterly Designator
PFP_MONTH_DSG	N	VARCHAR2(1)	nvarchar(1)	Monthly Designator
PFP_WEEK_DSG	N	VARCHAR2(1)	nvarchar(1)	Weekly Designator
PFP_DAILY_DSG	N	VARCHAR2(1)	nvarchar(1)	Daily Designator
PFP_BACKFILLING	Y	VARCHAR2(1)	nvarchar(1)	Back Filling
PFP_FORWARDFILLING	Y	VARCHAR2(1)	nvarchar(1)	Forward Filling
PFP_SESSION_APRV	Y	VARCHAR2(1)	nvarchar(1)	Session Approval
PFP_FORECASTING	Y	VARCHAR2(1)	nvarchar(1)	Forecast Started flag
PFP_CREATED	Y	DATE	datetime	Created Date
PFP_ENABLECHILDEQUIPTAB	Y	VARCHAR2(1)	nvarchar(1)	Enable Child Equipment Tab
PFP_SCREENHSPPLIT	Y	NUMBER(3,0)	numeric(3,0)	Horizontal Screen Split
PFP_PAGESIZE	N	NUMBER(2,0)	numeric(2,0)	Page Size
PFP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMFORECASTPARENTREF	PM Forecasting			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFR_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	Session id
PFR_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Parent equipment code
PFR_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Parent equipment organization
PFR_CHILD	Y	VARCHAR2(30)	nvarchar(30)	Child equipment code

PFR_CHILD_ORG	Y	VARCHAR2(15)	nvarchar(15)	Child equipment organization
PFR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMFORECASTPREVIEW

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFV_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	Session ID
PFV_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Flag to tell if the record is selected
PFV_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment code
PFV_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment organization
PFV_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Parent code of the Equipment
PFV_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Parent organization of the equipment
PFV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMFORECASTRESLOAD

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFT_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	PM Forecasting session id.
PFT_TRADE	N	VARCHAR2(15)	nvarchar(15)	Activity trade. No foreign key since this is a temp table the user does not modify.
PFT_DATE	N	DATE	datetime	Activity date
PFT_HOURS	N	NUMBER	numeric(24,6)	Estimated hours
PFT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMFORECASTWARNING

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFW_PPSPK	N	NUMBER(12,0)	numeric(12,0)	Forecast id (pps_pk)
PFW_WARNTYPE	N	VARCHAR2(1)	nvarchar(1)	Type of warning
PFW_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Warning message text
PFW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMPLANSESSION

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPS_PK	N	NUMBER(12,0)	numeric(12,0)	A sequence number used as key
PPS_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	Session id
PPS_PPOPK	Y	NUMBER	int	PM object record primary key
PPS_PMREVISION	Y	NUMBER(4,0)	numeric(4,0)	Pm revision
PPS_DUEWEEKOFMONTH	Y	VARCHAR2(2)	nvarchar(2)	Due date week of month
PPS_DUEDAYOFWEEK	Y	NUMBER(1,0)	numeric(1,0)	Due date day of week
PPS_LOCKED	Y	VARCHAR2(1)	nvarchar(1)	Flag if the PM is locked
PPS_DUEDATE	Y	DATE	datetime	PM due date
PPS_NESTINGREF	Y	VARCHAR2(20)	nvarchar(20)	PM nesting reference
PPS_IGNOREFREQWARNING	Y	VARCHAR2(1)	nvarchar(1)	Flag if ignore frequency warning
PPS_IGNORERANGEWARNING	Y	VARCHAR2(1)	nvarchar(1)	Flag if ignore due date out of forecast range warning
PPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMPSESSIONDATES

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

PPD_LINE	N	NUMBER(12,0)	numeric(12,0)	Line id
PPD_PPSPK	N	NUMBER(12,0)	numeric(12,0)	Forecast id (pps_pk)
PPD_DUEDATE	N	DATE	datetime	Due date
PPD_WORKORDER	Y	VARCHAR2(30)	nvarchar(30)	Work order number
PPD_ISCALDATE	Y	VARCHAR2(1)	nvarchar(1)	Flag if perform on day is used
PPD_ISPROJECTED	Y	VARCHAR2(1)	nvarchar(1)	Flag if the due date is projected or actual
PPD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PPD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMPSESSIONLINES

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPL_LINE	N	NUMBER(12,0)	numeric(12,0)	A sequence number used as key
PPL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment code
PPL_OBJJORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment org
PPL_PPM	Y	VARCHAR2(20)	nvarchar(20)	PPM code
PPL_NESTINGREF	Y	VARCHAR2(20)	nvarchar(20)	Nesting reference
PPL_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	Forecast session id
PPL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMRESOURCES

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PMR_PPM	N	VARCHAR2(20)	nvarchar(20)	PMSchedule Code
PMR_PPMREVISION	N	NUMBER(4,0)	numeric(4,0)	PMSchedule Revision
PMR_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment Code
PMR_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Organization
PMR_RESOURCE	N	VARCHAR2(80)	nvarchar(80)	Resource Code
PMR_OPERATIONSEQ	N	NUMBER(8,0)	numeric(8,0)	Operational Sequence
PMR_COOLDOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Cool Down Time
PMR_WARMUPTIME	Y	NUMBER(7,2)	numeric(7,2)	Warmup Time
PMR_DOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Down Time
PMR_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active(+ for yes, - for no)
PMR_OFFSET	Y	VARCHAR2(1)	nvarchar(1)	Offset(+ for checked, - for not checked)
PMR_OFFSETVALUE	Y	NUMBER(7,2)	numeric(7,2)	Offset Value
PMR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PMR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PMR_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
PMR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PMRESOURCESAUDIT

PM Forecasting

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRA_PPM	Y	VARCHAR2(20)	nvarchar(20)	PMSchedule Code
PRA_PPMREVISION	Y	NUMBER(4,0)	numeric(4,0)	PMSchedule Revision
PRA_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment Code
PRA_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
PRA_RESOURCE	Y	VARCHAR2(80)	nvarchar(80)	Resource Code
PRA_OPERATIONSEQ	Y	NUMBER(8,0)	numeric(8,0)	Operational Sequence
PRA_COOLDOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Cool Down Time
PRA_WARMUPTIME	Y	NUMBER(7,2)	numeric(7,2)	Warmup Time
PRA_DOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Down Time
PRA_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active (+ for yes, - for no)
PRA_OFFSET	Y	VARCHAR2(1)	nvarchar(1)	Offset(+ for checked, - for not checked)

PRA_OFFSETVALUE	Y	NUMBER(7,2)	numeric(7,2)	Offset Value
PRA_ACTION	Y	VARCHAR2(3)	nvarchar(3)	type of action(insert/update/delete)
PRA_MODIFIEDBY	Y	VARCHAR2(255)	nvarchar(255)	Record Modified By
PRA_DATEMODIFIED	Y	DATE	datetime	Record Modified Date
PRA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5POINTCONDITIONS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
POC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
POC_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
POC_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user, see entity obtp).
POC_POINT	N	VARCHAR2(30)	nvarchar(30)	identification of inspection point on object.
POC_POINTTYPE	N	VARCHAR2(30)	nvarchar(30)	type of inspection point.
POC_CONDITION	N	VARCHAR2(4)	nvarchar(4)	inspection condition code.
POC_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
POC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
POC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
POC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
POC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5POINTS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
POI_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
POI_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
POI_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
POI_POINT	N	VARCHAR2(30)	nvarchar(30)	identification of inspection point on object.
POI_DESC	N	VARCHAR2(80)	nvarchar(80)	description of inspection point on object.
POI_POINTTYPE	N	VARCHAR2(30)	nvarchar(30)	type of inspection point.
POI_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
POI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
POI_CREATED	Y	DATE	datetime	Creation timestamp
POI_UPDATED	Y	DATE	datetime	Update timestamp
POI_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

POI_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POI_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POI_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POI_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POI_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POI_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POI_UDFDATE01	Y	DATE	datetime	User defined field of type Date
POI_UDFDATE02	Y	DATE	datetime	User defined field of type Date
POI_UDFDATE03	Y	DATE	datetime	User defined field of type Date
POI_UDFDATE04	Y	DATE	datetime	User defined field of type Date
POI_UDFDATE05	Y	DATE	datetime	User defined field of type Date
POI_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POI_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POI_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POI_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POI_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
POI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5POINTTYPES		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PTP_CODE	N	VARCHAR2(30)	nvarchar(30)	type of inspection point. unique identification.
PTP_DESC	N	VARCHAR2(80)	nvarchar(80)	description of type of inspection point.
PTP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PTP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PTP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PTP_CREATED	Y	DATE	datetime	Creation timestamp
PTP_UPDATED	Y	DATE	datetime	Update timestamp
PTP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PTP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5POLICIES		ASSET MANAGEMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
POL_CODE	N	VARCHAR2(30)	nvarchar(30)	The policy code.
POL_ORG	N	VARCHAR2(15)	nvarchar(15)	The policy organization.
POL_DESC	N	VARCHAR2(80)	nvarchar(80)	The policy description.
POL_STATEMENT	N	VARCHAR2(4000)	nvarchar(4000)	The statement describing the policy.
POL_APPROVEDBY	Y	VARCHAR2(15)	nvarchar(15)	The user who approved the policy.
POL_DATEAPPROVED	Y	DATE	datetime	The date the policy was approved.
POL_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the policy is still in use.
POL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

POL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
POL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
POL_UDFDATE01	Y	DATE	datetime	User defined field of type date
POL_UDFDATE02	Y	DATE	datetime	User defined field of type date
POL_UDFDATE03	Y	DATE	datetime	User defined field of type date
POL_UDFDATE04	Y	DATE	datetime	User defined field of type date
POL_UDFDATE05	Y	DATE	datetime	User defined field of type date
POL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
POL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
POL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
POL_RANKINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
POL_RANKINGORG	Y	VARCHAR2(15)	nvarchar(15)	
POL_RANKINGREVISION	Y	NUMBER(4,0)	numeric(4,0)	
POL_LOCKRANKINGVALUES	Y	VARCHAR2(1)	nvarchar(1)	
POL_RANKINGINDEX	Y	VARCHAR2(8)	nvarchar(8)	
POL_RANKINGSCORE	Y	NUMBER(24,6)	numeric(24,6)	
POL_VALUESLASTCALCULATED	Y	DATE	datetime	
POL_SURVEYLASTUPDATED	Y	DATE	datetime	
POL_REFRESHEVERY	Y	NUMBER(2,0)	numeric(2,0)	
POL_REFRESHEVERYUNIT	Y	VARCHAR2(10)	nvarchar(10)	
POL_NEXTREFRESH	Y	DATE	datetime	
POL_REFRESHSEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	

POL_CALCULATIONERROR	Y	VARCHAR2(1)	nvarchar(1)	
POL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMACTDETAILS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PAD_CODE	N	VARCHAR2(45)	nvarchar(45)	ppm activity details code
PAD_RTYPE	N	VARCHAR2(4)	nvarchar(4)	ppm activity detail r type
PAD_DESC	Y	VARCHAR2(80)	nvarchar(80)	ppm activity details description
PAD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PAD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PAD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMACTS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPA_PPM	N	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.
PPA_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
PPA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
PPA_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration of activity in days.
PPA_EST	Y	NUMBER(12,2)	numeric(12,2)	estimate of number of hours required for activity.
PPA_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
PPA_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	material list code.
PPA_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people required for activity.
PPA_START	N	NUMBER(3,0)	numeric(3,0)	identifies start date activity, relative to target date of ppm job (1=start on target date).
PPA_SPECIAL	N	VARCHAR2(1)	nvarchar(1)	value is + if job may be done on special days.
PPA_HIRE	N	VARCHAR2(1)	nvarchar(1)	value is + is activity is to be purchased as a service.
PPA_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
PPA_QTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
PPA_UOM	Y	VARCHAR2(30)	nvarchar(30)	task uom
PPA_ACTION	Y	VARCHAR2(45)	nvarchar(45)	action
PPA_WHAT	Y	VARCHAR2(45)	nvarchar(45)	what
PPA_WHERE	Y	VARCHAR2(45)	nvarchar(45)	where
PPA_HOW	Y	VARCHAR2(45)	nvarchar(45)	how
PPA_CONDITION	Y	VARCHAR2(45)	nvarchar(45)	condition
PPA_RPC	Y	VARCHAR2(4)	nvarchar(4)	reason for repair code
PPA_WAP	Y	VARCHAR2(4)	nvarchar(4)	work accomplished code
PPA_TPF	Y	VARCHAR2(4)	nvarchar(4)	technician part failure code
PPA_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer/supplier code
PPA_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
PPA_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
PPA_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code
PPA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PPA_NOTE	Y	VARCHAR2(256)	nvarchar(256)	The PM activities notes
PPA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PPA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PPA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PPA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PPA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PPA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PPA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPA_UDFNNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
PPA_UDFNNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
PPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPA_LABORTYPE	Y	VARCHAR2(4)	nvarchar(4)	
PPA_LABORRTYPE	Y	VARCHAR2(4)	nvarchar(4)	
PPA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
PPA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMCALENDARS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPC_PPM	N	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.
PPC_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
PPC_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
PPC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
PPC_DATE	N	DATE	datetime	date on which ppm job is due. (this overrides the frequency of the pm schedule when the next ppm job is created)
PPC_REUSE	N	VARCHAR2(1)	nvarchar(1)	value is + if ppm job must be yearly, on the same date (otherwise a one-off).
PPC_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
PPC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
PPC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PPC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

PPC_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
PPC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMOBJECTS	WORK

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
PPO_PK	N	NUMBER	int	primary key.
PPO_PPM	N	VARCHAR2(20)	nvarchar(20)	ppm code.
PPO_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
PPO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
PPO_OBTYP	N	VARCHAR2(4)	nvarchar(4)	user type of object.
PPO_OBRYP	N	VARCHAR2(4)	nvarchar(4)	system type of object.
PPO_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
PPO_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc code.
PPO_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	costcode code.
PPO_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	route code.
PPO_DUE	Y	DATE	datetime	due date of object.
PPO_METUOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure of meter.
PPO_METERDUE	Y	NUMBER(24,6)	numeric(24,6)	meter reading of object due.
PPO_FREQ	Y	NUMBER(8,0)	numeric(8,0)	frequency in days.
PPO_METER	Y	NUMBER(24,6)	numeric(24,6)	meter interval.
PPO_ISSTYP	N	VARCHAR2(1)	nvarchar(1)	issue type (+ for fixed or - for variable).
PPO_FIXED	Y	VARCHAR2(1)	nvarchar(1)	see ppo_isstype.
PPO_DEACTIV	Y	DATE	datetime	date of object deactivate.
PPO_CHANGED	N	VARCHAR2(1)	nvarchar(1)	whether current record has been changed.
PPO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class
PPO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PPO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
PPO_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
PPO_ORG	N	VARCHAR2(15)	nvarchar(15)	organization
PPO_PACKAGE	Y	VARCHAR2(24)	nvarchar(24)	work package
PPO_PERSON	Y	VARCHAR2(15)	nvarchar(15)	person assigned to the pm job.
PPO_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	PPM period UOM
PPO_METERDUE2	Y	NUMBER(24,6)	numeric(24,6)	Second meter due
PPO_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	Second meter UOM
PPO_METER2	Y	NUMBER(24,6)	numeric(24,6)	Second meter
PPO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PPO_DORMSTART	Y	DATE	datetime	The dormant period start date
PPO_DORMEND	Y	DATE	datetime	The dormant period end date
PPO_DORMREUSE	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the dormant period is also valid for next year. Default will be -.
PPO_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	schedule group
PPO_SET	Y	VARCHAR2(4)	nvarchar(4)	The set of the PM equipment.
PPO_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of From point based on the equipment starting point
PPO_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for From Point
PPO_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of From Point
PPO_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	The position of To point based on the equipment starting point
PPO_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	Reference description for To Point
PPO_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	The detailed geographical description of To Point
PPO_LOCKEDBYSESSION	Y	NUMBER(18,0)	numeric(18,0)	locking Session id?
PPO_PERFORMONWEEK	Y	VARCHAR2(1)	nvarchar(1)	week of the month on which to perform PM
PPO_PERFORMONDAY	Y	NUMBER(1,0)	numeric(1,0)	day of the week on which to perform PM
PPO_SETID	Y	NUMBER(8,0)	numeric(8,0)	The set ID, used in linear work breakdown
PPO_INCLUDENONCONFORMITIES	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether nonconformities should be created for the created PM work order.
PPO_DUENONCONFORMITIESONLY	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine whether only due nonconformities should be created for the created PM work order.
PPO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

[illegible]

PPO_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE06	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE07	Y	DATE	datetime	User defined field of type Checkbox
PPO_UDFDATE08	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE09	Y	DATE	datetime	User defined field of type Date
PPO_UDFDATE10	Y	DATE	datetime	User defined field of type Date
PPO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPO_UDFNNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
PPO_UDFNNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
PPO_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	
PPO_COPYUDFSTOWO	Y	VARCHAR2(1)	nvarchar(1)	
PPO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMPLAN	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PMP_CODE	N	VARCHAR2(6)	nvarchar(6)	ppm plan code
PMP_DESC	N	VARCHAR2(80)	nvarchar(80)	ppm plan description
PMP_ORG	N	VARCHAR2(15)	nvarchar(15)	ppm plan organization
PMP_CLASS	Y	VARCHAR2(8)	nvarchar(8)	ppm plan class
PMP_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PMP_OBJECTCLASS	Y	VARCHAR2(8)	nvarchar(8)	object classification code.
PMP_OBJECTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	object classification code organization
PMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PMP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPM_CODE	N	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule. unique identification.
PPM_DESC	N	VARCHAR2(80)	nvarchar(80)	description of planned preventive maintenance schedule.
PPM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PPM_ISSTYPE	N	VARCHAR2(1)	nvarchar(1)	value is + if re-issue based on date due (fixed), - if re-issue based on date completed (variable).
PPM_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration of each ppm job in days.
PPM_FREQ	Y	NUMBER(8,0)	numeric(8,0)	period/frequency of ppm in days.
PPM_METER	Y	NUMBER(24,6)	numeric(24,6)	meter interval value.
PPM_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure code.
PPM_NESTED	Y	VARCHAR2(20)	nvarchar(20)	nesting reference: identifier (not a ppm) to link coinciding ppm schedules.
PPM_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	priority code (user code, see entity jbpr).
PPM_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	job type (user code, see entity jbtp).
PPM_SPECIAL	N	VARCHAR2(1)	nvarchar(1)	value is + if work may be done on special days.

PPM_OKWINDOW	Y	NUMBER(3,0)	numeric(3,0)	percentage for ok window.
PPM_NEARWINDOW	Y	NUMBER(3,0)	numeric(3,0)	percentage for near window.
PPM_GENWINDOW	Y	NUMBER(3,0)	numeric(3,0)	percentage for release window.
PPM_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision of pm, material list, task or rout.
PPM_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	status of revision.
PPM_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	user status of revision.
PPM_ORG	N	VARCHAR2(15)	nvarchar(15)	ppm organization
PPM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PPM_PACKAGE	Y	VARCHAR2(1)	nvarchar(1)	work package
PPM_PLAN	Y	VARCHAR2(6)	nvarchar(6)	ppm plan
PPM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
PPM_ESTWORKLOAD	Y	NUMBER(9,4)	numeric(9,4)	estimated work load
PPM_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Class associated to work order
PPM_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization associated with work order class field
PPM_NESTEDPMSSTATUS	Y	VARCHAR2(4)	nvarchar(4)	User-defined Completed code for PPM when PPM job is Completed.
PPM_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	PPM period UOM
PPM_NESTEDTOLMIN	Y	NUMBER(5,0)	numeric(5,0)	Nesting buffer (back)
PPM_NESTEDTOLMAX	Y	NUMBER(5,0)	numeric(5,0)	Nesting buffer (forward)
PPM_NESTEDTOLMETMIN	Y	NUMBER(5,0)	numeric(5,0)	Nesting buffer (back) for meter 1
PPM_NESTEDTOLMETMAX	Y	NUMBER(5,0)	numeric(5,0)	Nesting buffer (forward) for meter 1
PPM_NESTEDTOLMET2MIN	Y	NUMBER(5,0)	numeric(5,0)	Nesting buffer (back) for meter 2
PPM_NESTEDTOLMET2MAX	Y	NUMBER(5,0)	numeric(5,0)	Nesting buffer (forward) for meter 2
PPM_METER2	Y	NUMBER(24,6)	numeric(24,6)	Second meter
PPM_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	Second meter UOM
PPM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PPM_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	schedule group
PPM_PERFORMONWEEK	Y	VARCHAR2(1)	nvarchar(1)	week of the month on which to perform PM
PPM_PERFORMONDAY	Y	NUMBER(1,0)	numeric(1,0)	day of the week on which to perform PM
PPM_PRODPRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
PPM_REQUESTEDSTARTDATEBUFFER	Y	NUMBER(4,0)	numeric(4,0)	Requested Start Date Buffer
PPM_REQUESTEDENDDATEBUFFER	Y	NUMBER(4,0)	numeric(4,0)	Requested End Date Buffer
PPM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

PPM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PPM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_SAFETYREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a safety review is required.
PPM_SAFETYREVIEWED	Y	DATE	datetime	Date of safety reviewed signature.
PPM_SAFETYREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of safety reviewed signature.
PPM_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of safety reviewed signature.
PPM_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of safety reviewed signature.
PPM_PERMITREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a permit review is required.
PPM_PERMITREVIEWED	Y	DATE	datetime	Date of permit reviewed signature.
PPM_PERMITREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of permit reviewed signature.
PPM_PERMITREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of permit reviewed signature.
PPM_PERMITREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of permit reviewed signature.
PPM_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
PPM_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
PPM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPM_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

PPM_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PPM_UDFDATE06	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE07	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE08	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE09	Y	DATE	datetime	User defined field of type Date
PPM_UDFDATE10	Y	DATE	datetime	User defined field of type Date
PPM_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PPM_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PPM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PPMTOOLS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PPT_PPM	N	VARCHAR2(20)	nvarchar(20)	ppm code.
PPT_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
PPT_ACT	N	NUMBER(8,0)	numeric(8,0)	activity code.
PPT_TOOL	N	VARCHAR2(12)	nvarchar(12)	tool code.
PPT_HOURS	N	NUMBER(12,2)	numeric(12,2)	hours of tool usage.
PPT_QTY	N	NUMBER(24,6)	numeric(24,6)	tool quantity.
PPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRECAUTIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PCA_CODE	N	VARCHAR2(30)	nvarchar(30)	The precaution code.
PCA_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the precaution
PCA_REVISION	N	NUMBER(4,0)	numeric(4,0)	The revision of the precaution.
PCA_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the precaution.
PCA_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the precaution.
PCA_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the precaution.
PCA_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Not Used Flag
PCA_TIMING	Y	VARCHAR2(8)	nvarchar(8)	The timing of the precaution.
PCA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the precaution.
PCA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the precaution.
PCA_REVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether the precaution needs review.
PCA_CREATED	Y	DATE	datetime	record creation timestamp
PCA_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PCA_UPDATED	Y	DATE	datetime	Update time stamp
PCA_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PCA_REQUESTED	Y	DATE	datetime	The date the precaution was requested.
PCA_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who requested the precaution.

PCA_APPROVED	Y	DATE	datetime	The date the precaution was approved.
PCA_APPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who approved the precaution.
PCA_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The reason for the new revision of the precaution.
PCA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PCA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PCA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PCA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PCA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PCA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PCA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PCA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PCA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PCA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PCA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PCA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PCA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PCA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PCA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PCA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PCA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PCA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PCA_RESPONSIBILITY	Y	VARCHAR2(8)	nvarchar(8)	
PCA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PREDECESSORS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PDS_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
PDS_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number
PDS_PRED	Y	NUMBER	numeric(3,0)	predecessor number
PDS_PREDEVENT	Y	VARCHAR2(30)	nvarchar(30)	predecessor event code
PDS_PREDACT	Y	NUMBER(8,0)	numeric(8,0)	predecessor activity number
PDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPREFERENCES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRF_CODE	N	VARCHAR2(12)	nvarchar(12)	preference code.
PRF_NR	N	NUMBER	int	preference sequence number.
PRF_DEFAULT	N	VARCHAR2(1)	nvarchar(1)	value is + if preference has been switched on, otherwise off.
PRF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPREFILTERLOOKUP

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PFE_PAGENAME	N	VARCHAR2(40)	nvarchar(40)	function based name of page
PFE_ELEMENTID	N	VARCHAR2(80)	nvarchar(80)	Unique field element ID in form
PFE_FILTERSTRXML	Y	VARCHAR2(2000)	nvarchar(2000)	an xml string defines the filter condition
PFE_USERFILTER	Y	VARCHAR2(2000)	nvarchar(2000)	This is the free text sql statement users can type which is a where clause. Will be appended after the dataspy where clause
PFE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PFE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PFE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPRICECODES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRI_CODE	N	VARCHAR2(4)	nvarchar(4)	price code. unique identification.
PRI_DESC	N	VARCHAR2(80)	nvarchar(80)	description of price code.
PRI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PRI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PRI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRI_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating record is not used
PRI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPRICING

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRC_DEST	N	VARCHAR2(4)	nvarchar(4)	pricing code relating to destination of items issued.
PRC_ORIG	N	VARCHAR2(4)	nvarchar(4)	pricing code relating to origin of items.
PRC_TRANSTYPE	N	VARCHAR2(8)	nvarchar(8)	the storeroom transaction class for which this price adoption is used.
PRC_PERCENT	N	NUMBER	numeric(24,6)	percentage of base price to be charged; 100 = no adjustment from base price.
PRC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRC_TRANSTYPE_ORG	N	VARCHAR2(15)	nvarchar(15)	organization of the storeroom transaction class for which this price adoption is used
PRC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPRINTERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRN_CODE	N	NUMBER	int	Ilm number of the printer

PRN_PRINTERTYPE	N	VARCHAR2(30)	nvarchar(30)	the printer type
PRN_DESC	Y	VARCHAR2(80)	nvarchar(80)	the printer description
PRN_LPSUSER	Y	VARCHAR2(255)	nvarchar(255)	lps user of the printer
PRN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRINTERTYPES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PNT_CODE	N	VARCHAR2(30)	nvarchar(30)	the printer type
PNT_DESC	Y	VARCHAR2(80)	nvarchar(80)	the printer type description
PNT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PNT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PNT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRINTERUSERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PNU_CODE	N	NUMBER	int	the printer lln number
PNU_USER	N	VARCHAR2(255)	nvarchar(255)	user assigned to this printer
PNU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PNU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PNU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRINTLABELS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PNL_CODE	N	VARCHAR2(30)	nvarchar(30)	a unique id generated using timestamp and sessionid
PNL_LPSIP	Y	VARCHAR2(30)	nvarchar(30)	print server ip address
PNL_LPSPORT	Y	NUMBER	int	print server port number
PNL_FORMAT	Y	VARCHAR2(30)	nvarchar(30)	file name of the label
PNL_PRINTERNO	Y	NUMBER	int	printer lln number
PNL_QUERY	Y	VARCHAR2(4000)	varchar(4000)	sql statement to specify the data to be printed
PNL_POSTSQL	Y	VARCHAR2(4000)	varchar(4000)	sql statement to perform after the label is printed
PNL_TIMESTAMP	Y	DATE	datetime	timestamp of this record.
PNL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PNL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PNL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROCESSLOCK

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PLK_CODE	N	VARCHAR2(128)	nvarchar(128)	Key for the table, representing a startup process name.
PLK_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description of the startup process.
PLK_LOCKTIME	Y	DATE	datetime	Time a process acquires a lock on the record.
PLK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PLK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PLK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRODREQRESOURCES

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRR_PK	N	NUMBER	int	unique Code Primary Key
PRR_PRODUCTIONREQUEST	N	VARCHAR2(30)	nvarchar(30)	Production Request Code
PRR_PRODUCTIONREQUESTREV	N	NUMBER(4,0)	numeric(4,0)	Production Request Revision
PRR_PRODUCTIONREQUEST_ORG	N	VARCHAR2(15)	nvarchar(15)	Production Request Organization
PRR_RESOURCE	N	VARCHAR2(80)	nvarchar(80)	Resource Code
PRR_OPERATIONSEQ	N	NUMBER(8,0)	numeric(8,0)	Operational Sequence

PRR_COOLDOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Cool Down Time
PRR_WARMUPTIME	Y	NUMBER(7,2)	numeric(7,2)	Warmup Time
PRR_DOWNTIME	Y	NUMBER(7,2)	numeric(7,2)	Down Time
PRR_OFFSET	Y	VARCHAR2(1)	nvarchar(1)	Offset(+ for checked, - for not checked)
PRR_OFFSETVALUE	Y	NUMBER(7,2)	numeric(7,2)	Offset Value
PRR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRODUCTIONPRIORITY

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PDP_CODE	N	VARCHAR2(256)	nvarchar(256)	Production Priority Code
PDP_DESC	N	VARCHAR2(1024)	nvarchar(1024)	Production Priority Description
PDP_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active (+ for yes, - for no)
PDP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PDP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PDP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRODUCTIONREQUESTS

PRODUCTION REQUESTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRQ_CODE	N	VARCHAR2(30)	nvarchar(30)	Production Request Code
PRQ_REVISION	N	NUMBER(4,0)	numeric(4,0)	Production Request Revision
PRQ_DESC	N	VARCHAR2(80)	nvarchar(80)	Production Request Description
PRQ_ORG	N	VARCHAR2(15)	nvarchar(15)	Production Request Organization
PRQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class Code
PRQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Organization
PRQ_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
PRQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Production Request Status
PRQ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Production Request R Status
PRQ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order Code
PRQ_CREATED	Y	DATE	datetime	Created Date
PRQ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
PRQ_PRODREQUESTSTART	Y	DATE	datetime	Production Request Start Date
PRQ_PRODREQUESTEND	Y	DATE	datetime	Production Request End Date
PRQ_PRODUCTIONSTART	Y	DATE	datetime	Production Order Start Date
PRQ_PRODUCTIONEND	Y	DATE	datetime	Production Order End Date
PRQ_PRIORITY	Y	VARCHAR2(256)	nvarchar(256)	Production Priority
PRQ_PRODUCTIONORDER	Y	VARCHAR2(80)	nvarchar(80)	Production Order Code
PRQ_ENTERPRISELOCATION	Y	VARCHAR2(80)	nvarchar(80)	Enterprise Location
PRQ_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
PRQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRQ_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	T.B.D.
PRQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRODUCTVERSION

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PVS_PRODUCTCODE	N	VARCHAR2(10)	nvarchar(10)	Product code or database code: EXTENDED, FORMS, MOBILE, DATABRIDGE, 7i BUY, DATABASE
PVS_PRODUCTDESC	Y	VARCHAR2(80)	nvarchar(80)	Product description to display as Infor EAM Extended, Infor EAM, etc
PVS_VERSION	N	VARCHAR2(20)	nvarchar(20)	Version number (as #.#.#)
PVS_BUILD	Y	VARCHAR2(20)	nvarchar(20)	Build number
PVS_PATCH	Y	VARCHAR2(20)	nvarchar(20)	patch number
PVS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PVS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

PVS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PRODUCTVERSIONHISTORY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PVH_PRODUCTCODE	N	VARCHAR2(10)	nvarchar(10)	Product updated/patched
PVH_CHANGED	N	DATE	datetime	datetime change was applied.
PVH_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of patch/release
PVH_VERSION	Y	VARCHAR2(20)	nvarchar(20)	Version number (as #.#.#)
PVH_BUILD	Y	VARCHAR2(20)	nvarchar(20)	Build number
PVH_PATCH	Y	VARCHAR2(20)	nvarchar(20)	patch number
PVH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PVH_BUILDDATE	Y	VARCHAR2(20)	nvarchar(20)	development build timestamp of this product version
PVH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PVH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROJAUTHUSER

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PAU_PROJECT	N	VARCHAR2(20)	nvarchar(20)	Project code.
PAU_USER	N	VARCHAR2(255)	nvarchar(255)	List of users who are not expired.
PAU_APPROVER	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether the user has the privileges to update and approve budget information on the Budgets tab of the Projects form (JMPROJ), and whether the user can approve requisitions and purchase orders for the selected project.
PAU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PAU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PAU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROJBUDCLASSES

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PCL_PROJECT	N	VARCHAR2(20)	nvarchar(20)	project code.
PCL_PROJBUD	N	VARCHAR2(20)	nvarchar(20)	project budget code.
PCL_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	budgetary amount.
PCL_DESC	Y	VARCHAR2(80)	nvarchar(80)	Budget code description
PCL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
PCL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PCL_COSTAREA	Y	VARCHAR2(8)	nvarchar(8)	Cost area
PCL_COSTCENTER	Y	VARCHAR2(8)	nvarchar(8)	Indicates a section or department within an organization to which costs are associated.
PCL_ACCOUNT	Y	VARCHAR2(8)	nvarchar(8)	Indicates a group of general ledger account segments used within your organization's financial
PCL_ETC	Y	NUMBER(24,6)	numeric(24,6)	Estimate to complete
PCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PCL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system details
PCL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of source system details
PCL_INTERFACE	Y	DATE	datetime	date requisition created by financial interface.
PCL_CREATED	Y	DATE	datetime	Creation timestamp
PCL_UPDATED	Y	DATE	datetime	Update timestamp
PCL_SUBACCOUNT	Y	VARCHAR2(8)	nvarchar(8)	The sub account of a budget class belonging to a particular project
PCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROJBUDCODES

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PBC_CODE	N	VARCHAR2(20)	nvarchar(20)	project budget code. unique identification.
PBC_DESC	N	VARCHAR2(80)	nvarchar(80)	description of project budget code.
PBC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PBC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PBC_COSTAREA	Y	VARCHAR2(8)	nvarchar(8)	Cost area

PBC_COSTCENTER	Y	VARCHAR2(8)	nvarchar(8)	Indicates a section or department within an organization to which costs are associated.
PBC_ACCOUNT	Y	VARCHAR2(8)	nvarchar(8)	Indicates a group of general ledger account segments used within your organizations financial statements/books that are directly related to the manner in which company organizes its books, e.g., salary, current assets, and capital expenses.
PBC_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	Select to indicate whether to copy the default budget code to the list of budgets when setting up your project if you have selected to link default budget codes to your project.
PBC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PBC_SUBACCOUNT	Y	VARCHAR2(8)	nvarchar(8)	The sub account of a project budget class
PBC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PBC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROJECTCOSTGRID

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PCG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROJECTS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRJ_CODE	N	VARCHAR2(20)	nvarchar(20)	project code.
PRJ_DESC	N	VARCHAR2(80)	nvarchar(80)	project description.
PRJ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PRJ_STATUS	N	VARCHAR2(4)	nvarchar(4)	project status (user code, see entity prst).
PRJ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	project status (system code, see entity prst).
PRJ_PARENT	Y	VARCHAR2(20)	nvarchar(20)	parent project code.
PRJ_COORDIN	Y	VARCHAR2(15)	nvarchar(15)	personnel number of coordinator.
PRJ_BUDDATE	Y	DATE	datetime	date when current budget was set.
PRJ_APPROV	Y	DATE	datetime	date project approved.
PRJ_ESTSTART	Y	DATE	datetime	estimated start date.
PRJ_ESTEND	Y	DATE	datetime	estimated completion date.
PRJ_ACTSTART	Y	DATE	datetime	actual start date.
PRJ_ACTEND	Y	DATE	datetime	actual completion date.
PRJ_ACTBUD	Y	NUMBER(24,6)	numeric(24,6)	current budget amount.
PRJ_ORIGBUD	Y	NUMBER(24,6)	numeric(24,6)	original budget amount.
PRJ_ESTLAB	Y	NUMBER(24,6)	numeric(24,6)	estimated internal labor costs.
PRJ_ESTHIRLAB	Y	NUMBER(24,6)	numeric(24,6)	estimated hired labor costs.
PRJ_ESTMAT	Y	NUMBER(24,6)	numeric(24,6)	estimated stocked materials costs.
PRJ_ESTSERV	Y	NUMBER(24,6)	numeric(24,6)	estimated fixed price services costs.
PRJ_ESTDIRM	Y	NUMBER(24,6)	numeric(24,6)	estimated direct materials cost.
PRJ_SHUTDOWN	Y	VARCHAR2(30)	nvarchar(30)	shutdown code.
PRJ_SDJOBSCREATED	Y	VARCHAR2(1)	nvarchar(1)	value is + if standard jobs have been created for shutdown objects.
PRJ_ESTTOOL	Y	NUMBER(24,6)	numeric(24,6)	estimated tool cost.
PRJ_ORG	N	VARCHAR2(15)	nvarchar(15)	project organization
PRJ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PRJ_CREATED	Y	DATE	datetime	creation date
PRJ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
PRJ_UPDATED	Y	DATE	datetime	update date
PRJ_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PRJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRJ_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system details
PRJ_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of source system details
PRJ_INTERFACE	Y	DATE	datetime	date requisition created by financial interface.
PRJ_CAPITALPLANNINGREQUEST	Y	VARCHAR2(30)	nvarchar(30)	Capital planning request code
PRJ_CAPITALPLANNINGREQUEST_ORG	Y	VARCHAR2(15)	nvarchar(15)	Capital planning request organization
PRJ_PLANFORIMPROVEMENTNO	Y	VARCHAR2(15)	nvarchar(15)	Plan for Improvement No.
PRJ_PRECONSTRUCTIONRISKASMT	Y	VARCHAR2(1)	nvarchar(1)	Preconstruction Risk Assessment
PRJ_DESIGNCRITERIA	Y	VARCHAR2(8)	nvarchar(8)	Design Criteria

PRJ_EXTERNALPONO	Y	VARCHAR2(15)	nvarchar(15)	External Purchase Order No.
PRJ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
PRJ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRJ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRJ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRJ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRJ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PRJ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PRJ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PRJ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PRJ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PRJ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PRJ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRJ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRJ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRJ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRJ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PRJ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRJ_CUDESIGNPROJECT	Y	VARCHAR2(1)	nvarchar(1)	
PRJ_CUDESIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	
PRJ_CUDESIGNRTYPE	Y	VARCHAR2(8)	nvarchar(8)	
PRJ_CUDESIGNEVENT	Y	VARCHAR2(30)	nvarchar(30)	
PRJ_MRC	Y	VARCHAR2(15)	nvarchar(15)	
PRJ_APPCUESTIMATE	Y	VARCHAR2(30)	nvarchar(30)	
PRJ_APPCUESTIMATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	

PRJ_APPINPROGCESTIMATE	Y	VARCHAR2(30)	nvarchar(30)	
PRJ_APPINPROGCESTIMATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PRJ_APPASBUILTCESTIMATE	Y	VARCHAR2(30)	nvarchar(30)	
PRJ_APPASBUILTCESTIMATE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
PRJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROMPTVALUES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PMV_PROMPT	N	VARCHAR2(8)	nvarchar(8)	prompt
PMV_ASPECT	N	VARCHAR2(30)	nvarchar(30)	aspect code
PMV_CODE	N	VARCHAR2(40)	nvarchar(40)	code
PMV_SEQNO	N	NUMBER(4,0)	numeric(4,0)	sequence #
PMV_VALUE	Y	VARCHAR2(40)	nvarchar(40)	value
PMV_NVALUE	Y	NUMBER	numeric(24,6)	numeric value
PMV_DVALUE	Y	DATE	datetime	date value
PMV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PMV_UPDATED	Y	DATE	datetime	Record update timestamp
PMV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PMV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROMPTWEBSERVICES	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWS_PROCESSGROUP	N	NUMBER(3,0)	numeric(3,0)	web service prompt process group
PWS_WSPRMCODE	N	VARCHAR2(6)	nvarchar(6)	web service prompt code
PWS_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	Function
PWS_TAB	Y	VARCHAR2(6)	nvarchar(6)	Tab
PWS_ACTIONCODE	Y	VARCHAR2(10)	nvarchar(10)	Action code
PWS_WEBSERVICE	Y	VARCHAR2(200)	nvarchar(200)	web service
PWS_ORGXPATH	Y	VARCHAR2(200)	nvarchar(200)	Oranization xpath
PWS_UPDATED	Y	DATE	datetime	Update timestamp
PWS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PWS_WSTITLE	Y	VARCHAR2(200)	nvarchar(200)	web service title
PWS_CFKEYCODE	Y	VARCHAR2(200)	nvarchar(200)	custom field key field code
PWS_TOPBLOCKTITLE	Y	VARCHAR2(255)	nvarchar(255)	Title for the top block in the WSPE
PWS_BOTTOMBLOCKTITLE	Y	VARCHAR2(255)	nvarchar(255)	Title for the bottom block in the WSPE
PWS_CFBLOCKTITLE	Y	VARCHAR2(255)	nvarchar(255)	Title for the custom fields block in the WSPE
PWS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROPERTIES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRO_CODE	N	VARCHAR2(8)	nvarchar(8)	custom property code. unique identification.
PRO_TYPE	N	VARCHAR2(4)	nvarchar(4)	date type (character, numeric, date, code+description, entity).
PRO_TEXT	N	VARCHAR2(80)	nvarchar(80)	custom property description.
PRO_MIN	Y	VARCHAR2(80)	nvarchar(80)	minimum value.
PRO_MAX	Y	VARCHAR2(80)	nvarchar(80)	maximum value.
PRO_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
PRO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRO_CREATED	Y	DATE	datetime	Creation timestamp
PRO_UPDATED	Y	DATE	datetime	Update timestamp
PRO_INCLUDEINGRIDS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the property can be included in grids
PRO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PROPERTYVALUES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PRV_PROPERTY	N	VARCHAR2(8)	nvarchar(8)	custom property code.
PRV_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
PRV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
PRV_CODE	Y	VARCHAR2(255)	nvarchar(255)	custom property code.
PRV_SEQNO	Y	NUMBER(38,0)	numeric(38,0)	sequence number of entry in lov table for code+description type custom property.
PRV_VALUE	Y	VARCHAR2(80)	nvarchar(80)	custom property character value.
PRV_NVALUE	Y	NUMBER	numeric(24,6)	custom property numericvalue.
PRV_DVALUE	Y	DATE	datetime	custom property date value.
PRV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PRV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PRV_CREATED	Y	DATE	datetime	Creation timestamp
PRV_UPDATED	Y	DATE	datetime	Update timestamp
PRV_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of use
PRV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PRV_SQLIDENTITY	Y		bigint	Identity column for SQL Server
R5PROPERTYVALUES_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
APV_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
APV_PROPERTY	Y	VARCHAR2(8)	nvarchar(8)	custom property code.
APV_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
APV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
APV_CODE	Y	VARCHAR2(100)	nvarchar(100)	custom property code.
APV_SEQNO	Y	NUMBER(38,0)	numeric(38,0)	sequence number of entry in lov table for code+description type custom property.
APV_VALUE	Y	VARCHAR2(40)	nvarchar(40)	custom property character value.
APV_NVALUE	Y	NUMBER	numeric(24,6)	custom property numericvalue.
APV_DVALUE	Y	DATE	datetime	custom property date value.
APV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
APV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
APV_CREATED	Y	DATE	datetime	Creation timestamp
APV_UPDATED	Y	DATE	datetime	Update timestamp
APV_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of use
APV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
APV_SQLIDENTITY	Y		bigint	Identity column for SQL Server
R5PSCATEGORIES		CONTACT CENTER		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PSC_CODE	N	VARCHAR2(30)	nvarchar(30)	Provider/Service Category Code
PSC_ORG	N	VARCHAR2(15)	nvarchar(15)	Provider/Service Category Organization
PSC_DESC	Y	VARCHAR2(80)	nvarchar(80)	Provider/Service Category Description
PSC_TYPE	Y	VARCHAR2(4)	nvarchar(4)	Type To Indicate Whether It Is Provider Or Service Category
PSC_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	System Type To Indicate Whether It Is Provider Or Service Category
PSC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not Used Flag To Indicate The Record Is Active Or Not
PSC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
PSC_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	Street Address 1
PSC_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	Street Address 2
PSC_CITY	Y	VARCHAR2(20)	nvarchar(20)	City
PSC_STATE	Y	VARCHAR2(30)	nvarchar(30)	State
PSC_ZIP	Y	VARCHAR2(10)	nvarchar(10)	Zip Code
PSC_CONTACT	Y	VARCHAR2(80)	nvarchar(80)	Contact Name
PSC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class Code
PSC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class Organization

PSC_PRIMARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Primary Phone
PSC_SECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Secondary Phone
PSC_TERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Third Phone
PSC_PRIMARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Primary Fax
PSC_SECONDARYFAX	Y	VARCHAR2(50)	nvarchar(50)	Secondary Fax
PSC_EMAILFAX	Y	VARCHAR2(180)	nvarchar(180)	Email Fax
PSC_PRIMARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Primary Email
PSC_SECONDARYEMAIL	Y	VARCHAR2(255)	nvarchar(255)	Secondary Email
PSC_NPRIMARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Primary Phone with Number Only Value
PSC_NSECONDARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Secondary Phone with Number Only Value
PSC_NTERTIARYPHONE	Y	VARCHAR2(50)	nvarchar(50)	Contact Tertiary Phone with Number Only Value
PSC_PCMETHOD	Y	VARCHAR2(4)	nvarchar(4)	Preferred Contact Method
PSC_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier.
PSC_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The supplier organization.
PSC_PROVIDERCONVERTED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the provider has been converted to a supplier.
PSC_SERVICEREQUESTPORTAL	Y	VARCHAR2(1)	nvarchar(1)	The service request portal.
PSC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSPTWEVENTLOG

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PTL_PK	N	VARCHAR2(30)	nvarchar(30)	The unique key of the permit to work event log.
PTL_PTW	Y	VARCHAR2(30)	nvarchar(30)	The permit to work the event log belongs to.
PTL_EVENTTYPE	Y	VARCHAR2(8)	nvarchar(8)	The event type of the permit to work event log.
PTL_DATE	Y	DATE	datetime	The date of the permit to work event log.
PTL_FROMSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The original permit to work status belonging to the event log.
PTL_TOSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The new permit to work status belonging to the event log.
PTL_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
PTL_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
PTL_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
PTL_EXTENSION	Y	NUMBER(24,6)	numeric(24,6)	The extension of the permit to work event log.
PTL_SUSPENSIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	The suspension reason belonging to the event log.
PTL_NOTES	Y	VARCHAR2(2000)	nvarchar(2000)	Notes belonging to the permit to work event log.
PTL_CREATED	Y	DATE	datetime	record creation timestamp
PTL_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
PTL_UPDATED	Y	DATE	datetime	Update time stamp
PTL_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PTL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char

PTL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(30)	User defined field of type Char
PTL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
PTL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
PTL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
PTL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
PTL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
PTL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
PTL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
PTL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PTL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PTL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PULLDOWNMENU	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PDM_LEVEL1	Y	VARCHAR2(1)	nvarchar(1)	f=forms, r=reports, g=graphs, s=setup
PDM_LEVEL2	Y	VARCHAR2(1)	nvarchar(1)	always +.
PDM_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
PDM_LINE	N	NUMBER	int	pulldown menu slot number.
PDM_MENU	Y	VARCHAR2(24)	nvarchar(24)	menu sequence number (first level).
PDM_ITEM	Y	VARCHAR2(3)	nvarchar(3)	menu item sequence number (second level).
PDM_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function code.
PDM_PROC	Y	VARCHAR2(1)	nvarchar(1)	value is + if option is a procedure.
PDM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PDM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PDM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PUMPS	FUEL			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PUM_DEPOT	N	VARCHAR2(30)	nvarchar(30)	The depot of the pump
PUM_DEPOT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization for the depot of the pump
PUM_CODE	N	VARCHAR2(30)	nvarchar(30)	The pump code
PUM_DESC	N	VARCHAR2(80)	nvarchar(80)	The pump description
PUM_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Not used flag
PUM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

PUM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PUM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PURCHASEINTERFACE		PURCHASING		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PUI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
PUI_CREATED	Y	DATE	datetime	date interface transaction created
PUI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system details
PUI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of source system details
PUI_INTERFACE	Y	DATE	datetime	creation date of record.
PUI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	code identifying action taken at time of posting
PUI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, tktp)
PUI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number
PUI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
PUI_SESSIONID	Y	NUMBER	int	identification of user logon session
PUI_USER	Y	VARCHAR2(255)	nvarchar(255)	the user identification
PUI_ORDER	Y	VARCHAR2(30)	nvarchar(30)	the order number/code
PUI_ORDER_REF	Y	VARCHAR2(45)	nvarchar(45)	the cross reference for purchase orders
PUI_DESC	Y	VARCHAR2(80)	nvarchar(80)	order description
PUI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	order class
PUI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code
PUI_DUE	Y	DATE	datetime	order due date
PUI_APPROV	Y	DATE	datetime	date of order approval
PUI_STATUS	Y	VARCHAR2(4)	nvarchar(4)	user status of the order (dost)
PUI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency of the order header
PUI_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	originator of the order
PUI_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code
PUI_BUYER	Y	VARCHAR2(255)	nvarchar(255)	buyer code (r5users)
PUI_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment term code
PUI_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight term code
PUI_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship via term code
PUI_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point term code
PUI_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	default authorizer
PUI_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	order delivery address
PUI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of order header
PUI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of order header class
PUI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of order supplier
PUI_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number
PUI_LINEREQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number
PUI_LINEREQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number
PUI_LINEPART	Y	VARCHAR2(30)	nvarchar(30)	this can be a new part if desc is entered
PUI_LINENEWPART	Y	VARCHAR2(1)	nvarchar(1)	indicates new part has to be created
PUI_LINEPARTDESC	Y	VARCHAR2(80)	nvarchar(80)	new part desc
PUI_LINEPRICE	Y	NUMBER(24,6)	numeric(24,6)	unit price
PUI_LINECURRE	Y	VARCHAR2(3)	nvarchar(3)	order line currency
PUI_LINEEXCH	Y	NUMBER(24,12)	numeric(24,12)	order line exchange rate
PUI_LINEORDQTY	Y	NUMBER(24,6)	numeric(24,6)	order line quantity
PUI_LINECOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	order line costcode
PUI_LINEDUE	Y	DATE	datetime	order line due date
PUI_LINEPROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code
PUI_LINEPROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code
PUI_LINEOBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code (only for pd material)
PUI_LINEOBJECTORG	Y	VARCHAR2(15)	nvarchar(15)	object organization code
PUI_LINEEVENT	Y	VARCHAR2(30)	nvarchar(30)	event code

PUI_LINEACT	Y	NUMBER(8,0)	numeric(8,0)	activity line number
PUI_LINEPURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure
PUI_LINEPARTUOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure of part
PUI_LINETYPE	Y	VARCHAR2(4)	nvarchar(4)	order line type
PUI_LINESTATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status
PUI_LINEACTIVE	Y	VARCHAR2(1)	nvarchar(1)	identifier if order line is active or not
PUI_LINEMULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion for purchase uom to part uom
PUI_LINETAX	Y	VARCHAR2(20)	nvarchar(20)	primary tax code
PUI_LINETAX2	Y	VARCHAR2(20)	nvarchar(20)	secondary tax code
PUI_LINEREF	Y	VARCHAR2(50)	nvarchar(50)	reference for part
PUI_LINETASK	Y	VARCHAR2(20)	nvarchar(20)	task code
PUI_LINETASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision number
PUI_LINETASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task quantity
PUI_LINETRADE	Y	VARCHAR2(15)	nvarchar(15)	order line trade code
PUI_LINEDELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	order line delivery address
PUI_LINEPART_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization of the order line part
PUI_LINEINSPECT	Y	VARCHAR2(1)	nvarchar(1)	identifier for inspection
PUI_LINEEXCHFIX	Y	VARCHAR2(1)	nvarchar(1)	identifier for freezing exchange rate
PUI_LINEBYASSET	Y	VARCHAR2(1)	nvarchar(1)	new part to be created is a by-asset part
PUI_CREVENT	Y	VARCHAR2(1)	nvarchar(1)	create work order flag
PUI_CRACT	Y	VARCHAR2(1)	nvarchar(1)	create activity flag
PUI_LINEMRC	Y	VARCHAR2(15)	nvarchar(15)	mrc code
PUI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5PVDDESCRIPTIONS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PVD_PROPERTY	N	VARCHAR2(8)	nvarchar(8)	custom property code.
PVD_VALUE	N	VARCHAR2(80)	nvarchar(80)	custom property lov code (code of code+description property).
PVD_DESC	Y	VARCHAR2(80)	nvarchar(80)	custom property lov description (description of code+description property).
PVD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PVD_UPDATED	Y	DATE	datetime	Update timestamp
PVD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PVD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUALIFICATIONS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
QUA_CODE	N	VARCHAR2(20)	nvarchar(20)	Qualification code
QUA_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description for the qualification
QUA_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization for the qualification
QUA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class for the qualification
QUA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of class for the qualification
QUA_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	The default is +
QUA_TRAINRECORD	Y	VARCHAR2(1)	nvarchar(1)	The default is -
QUA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
QUA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
QUA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUERIES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
QUE_CODE	N	VARCHAR2(8)	nvarchar(8)	query code. unique identification.
QUE_TEXT	N	VARCHAR2(4000)	nvarchar(4000)	query text : sql*plus statement.
QUE_NORMAL	Y	VARCHAR2(1)	nvarchar(1)	flag indicating query is used for normal purposes
QUE_ASSET	Y	VARCHAR2(1)	nvarchar(1)	flag indicating query is used for asset tracking
QUE_INBOX	Y	VARCHAR2(1)	nvarchar(1)	flag indicating query is used for inbox calculations

QUE_KPI	Y	VARCHAR2(1)	nvarchar(1)	flag indicating query is used for kpi calculations
QUE_LOOKUP	Y	VARCHAR2(1)	nvarchar(1)	query lookup phrase
QUE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
QUE_UPDATED	Y	DATE	datetime	Update timestamp
QUE_CHART	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the query can be used for charts.
QUE_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the query.
QUE_NOTE	Y	VARCHAR2(4000)	nvarchar(4000)	The note of the query.
QUE_EQUIPMENTRANKING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the query can be used for equipment ranking.
QUE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
QUE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUERYFIELD	DATASPY			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
DQF_DDSPYID	N	NUMBER(14,0)	numeric(14,0)	indicate which dataspy this field belongs to.
DQF_FIELDID	N	NUMBER(14,0)	numeric(14,0)	identifier of a field.
DQF_COLUMNWIDTH	N	VARCHAR2(10)	nvarchar(10)	column display width
DQF_COLUMNORDER	Y	NUMBER	int	column display order
DQF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
DQF_VIEWTYPE	N	VARCHAR2(8)	nvarchar(8)	view type (list view , portlet view or lov)
DQF_UPDATED	Y	DATE	datetime	Update time stamp
DQF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
DQF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUOTATIONS	QUOTATIONS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
QUO_CODE	N	VARCHAR2(30)	nvarchar(30)	quotation number. unique identification.
QUO_SEQNO	N	VARCHAR2(2)	nvarchar(2)	sequential number within quotation number, value 1 for first supplier to whom quotation is to be sent
QUO_DESC	N	VARCHAR2(80)	nvarchar(80)	quotation description.
QUO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
QUO_STATUS	N	VARCHAR2(4)	nvarchar(4)	quotation status (user code, see entity dost).
QUO_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	quotation status (system code, see entity dost).
QUO_TYPE	N	VARCHAR2(4)	nvarchar(4)	quotation type (user code, see entity qutp).
QUO_RTYPE	N	VARCHAR2(4)	nvarchar(4)	quotation type (system code, see entity qutp).
QUO_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
QUO_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
QUO_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
QUO_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved this quotation.
QUO_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel number of originator of quotation.
QUO_DOCREF	Y	VARCHAR2(30)	nvarchar(30)	document reference of quotation received.
QUO_DATE	N	DATE	datetime	quotation date.
QUO_DUE	Y	DATE	datetime	date reply is due.
QUO_RECV	Y	DATE	datetime	date on which the reply to this quotation was received.
QUO_EXPIR	Y	DATE	datetime	date quotation is valid to.
QUO_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	suppliers lead time in days.
QUO_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	total price of quotation.
QUO_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
QUO_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
QUO_RATING	Y	VARCHAR2(4)	nvarchar(4)	qualitative rating of quotation.
QUO_SCORE	Y	NUMBER(2,0)	numeric(2,0)	quantitative rating of quotation.
QUO_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if quotation has been printed.
QUO_ORDER	Y	VARCHAR2(30)	nvarchar(30)	number of purchase order generated from this quotation.
QUO_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
QUO_BLANKET	Y	VARCHAR2(30)	nvarchar(30)	number of blanked order generated from this quotation.
QUO_ORG	N	VARCHAR2(15)	nvarchar(15)	quotation organization

QUO_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
QUO_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
QUO_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
QUO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
QUO_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
QUO_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
QUO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
QUO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
QUO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUOTATIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AQO_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AQO_CODE	Y	VARCHAR2(30)	nvarchar(30)	quotation number. unique identification.
AQO_SEQNO	Y	VARCHAR2(2)	nvarchar(2)	sequential number within quotation number, value 1 for first supplier to whom quotation is to be sent
AQO_DESC	Y	VARCHAR2(80)	nvarchar(80)	quotation description.
AQO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AQO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	quotation status (user code, see entity dost).
AQO_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	quotation status (system code, see entity dost).
AQO_TYPE	Y	VARCHAR2(4)	nvarchar(4)	quotation type (user code, see entity qutp).
AQO_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	quotation type (system code, see entity qutp).
AQO_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
AQO_LANG	Y	VARCHAR2(2)	nvarchar(2)	language code.
AQO_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
AQO_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved this quotation.
AQO_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	personnel number of originator of quotation.
AQO_DOCREF	Y	VARCHAR2(30)	nvarchar(30)	document reference of quotation received.
AQO_DATE	Y	DATE	datetime	quotation date.
AQO_DUE	Y	DATE	datetime	date reply is due.
AQO_RECV	Y	DATE	datetime	date on which the reply to this quotation was received.
AQO_EXPIR	Y	DATE	datetime	date quotation is valid to.
AQO_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	suppliers lead time in days.
AQO_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	total price of quotation.
AQO_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AQO_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AQO_RATING	Y	VARCHAR2(4)	nvarchar(4)	qualitative rating of quotation.
AQO_SCORE	Y	NUMBER(2,0)	numeric(2,0)	quantitative rating of quotation.
AQO_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if quotation has been printed.
AQO_ORDER	Y	VARCHAR2(30)	nvarchar(30)	number of purchase order generated from this quotation.
AQO_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
AQO_BLANKET	Y	VARCHAR2(30)	nvarchar(30)	number of blanked order generated from this quotation.
AQO_ORG	Y	VARCHAR2(15)	nvarchar(15)	quotation organization
AQO_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
AQO_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
AQO_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
AQO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AQO_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
AQO_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
AQO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AQO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AQO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUOTLINES

QUOTATIONS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

QUL_QUOTATION	N	VARCHAR2(30)	nvarchar(30)	quotation number.
QUL_SEQNO	N	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QUL_LINE	N	NUMBER(8,0)	numeric(8,0)	quotation line number.
QUL_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
QUL_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
QUL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
QUL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
QUL_CATREF	Y	VARCHAR2(50)	nvarchar(50)	suppliers reference number of part.
QUL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
QUL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
QUL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
QUL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
QUL_REQPERS	Y	NUMBER(8,0)	numeric(8,0)	number of people requested.
QUL_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people offered.
QUL_REQQTY	N	NUMBER(24,6)	numeric(24,6)	quantity requested.
QUL_QUOTQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity offered.
QUL_QUOTUOM	Y	VARCHAR2(30)	nvarchar(30)	quotation unit of measure code.
QUL_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time in days.
QUL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total price as quoted by supplier.
QUL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
QUL_EXPIR	Y	DATE	datetime	date price quoted is valid to.
QUL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
QUL_MULQUOT	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from quotation to issue unit of measure.
QUL_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
QUL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
QUL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
QUL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation line currency to dual currency.
QUL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
QUL_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task quantity
QUL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
QUL_QUOTTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	quoted task quantity
QUL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
QUL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
QUL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating inspection is required
QUL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
QUL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
QUL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUOTLINES_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AQL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AQL_QUOTATION	Y	VARCHAR2(30)	nvarchar(30)	quotation number.
AQL_SEQNO	Y	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
AQL_LINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number.
AQL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
AQL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
AQL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
AQL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
AQL_CATREF	Y	VARCHAR2(50)	nvarchar(50)	suppliers reference number of part.
AQL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
AQL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
AQL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
AQL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
AQL_REQPERS	Y	NUMBER(8,0)	numeric(8,0)	number of people requested.

AQL_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people offered.
AQL_REQQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity requested.
AQL_QUOTQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity offered.
AQL_QUOTUOM	Y	VARCHAR2(40)	nvarchar(30)	quotation unit of measure code.
AQL_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time in days.
AQL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total price as quoted by supplier.
AQL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
AQL_EXPIR	Y	DATE	datetime	date price quoted is valid to.
AQL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
AQL_MULQUOT	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from quotation to issue unit of measure.
AQL_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
AQL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
AQL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
AQL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation line currency to dual currency.
AQL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
AQL_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task quantity
AQL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
AQL_QUOTTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	quoted task quantity
AQL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
AQL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
AQL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating inspection is required
AQL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AQL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AQL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5QUOTTASKS QUOTATIONS - OBSOLETE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
QUT_QUOTATION	N	VARCHAR2(30)	nvarchar(30)	quotation number.
QUT_SEQNO	N	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QUT_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade code.
QUT_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
QUT_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
QUT_LINE	N	NUMBER(8,0)	numeric(8,0)	line number of text.
QUT_TEXT	N	VARCHAR2(70)	nvarchar(70)	free-format text.
QUT_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
QUT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
QUT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
QUT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5R4FUNCTIONS BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
XFN_R5FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	new function mnemonic.
XFN_R4FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	old function mnemonic.
XFN_SYSTEM	Y	VARCHAR2(1)	nvarchar(1)	r for rapier, m for mcs-ii.
XFN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
XFN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RCMFAILUREMITIGATION EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFM_CODE	N	VARCHAR2(30)	nvarchar(30)	
RFM_ORG	N	VARCHAR2(15)	nvarchar(15)	
RFM_OBJECT	N	VARCHAR2(35)	nvarchar(35)	
RFM_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	
RFM_FAILUREMODE	N	VARCHAR2(30)	nvarchar(30)	

RFM_MITIGATIONTYPE	Y	VARCHAR2(8)	nvarchar(8)	
RFM_MITIGATIONPROBABILITY	Y	VARCHAR2(30)	nvarchar(30)	
RFM_MITIGATIONPROBABILITY_PC	Y	NUMBER(5,2)	numeric(5,2)	
RFM_MITIGATIONAPPLIED	Y	VARCHAR2(1)	nvarchar(1)	
RFM_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
RFM_PPM	Y	VARCHAR2(20)	nvarchar(20)	
RFM_PPM_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RFM_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	
RFM_FREQ	Y	NUMBER(8,0)	numeric(8,0)	
RFM_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	
RFM_METER	Y	NUMBER(24,6)	numeric(24,6)	
RFM_METUOM	Y	VARCHAR2(30)	nvarchar(30)	
RFM_METER2	Y	NUMBER(24,6)	numeric(24,6)	
RFM_METUOM2	Y	VARCHAR2(30)	nvarchar(30)	
RFM_MAINTENANCEPATTERN	Y	VARCHAR2(30)	nvarchar(30)	
RFM_MAINTENANCEPATTERN_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RFM_MAINTENANCEPATTERN_REV	Y	NUMBER(4,0)	numeric(4,0)	
RFM_PPMPPLAN	Y	VARCHAR2(6)	nvarchar(6)	
RFM_PPMPPLAN_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RFM_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	
RFM_CASE	Y	VARCHAR2(30)	nvarchar(30)	
RFM_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	
RFM_MITIGATION_COST	Y	NUMBER(24,6)	numeric(24,6)	
RFM_RECURRINGMITIGATION_COST	Y	NUMBER(24,6)	numeric(24,6)	
RFM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
RFM_CREATED	Y	DATE	datetime	Creation timestamp
RFM_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
RFM_UPDATED	Y	DATE	datetime	Update timestamp
RFM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

RFM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFM_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RFM_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RFM_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RFM_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RFM_UDFDATE05	Y	DATE	datetime	User defined field of type Date
RFM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RFM_LASTSAVED	Y	DATE	datetime	Timestamp of last update
RFM_SOURCE	Y	VARCHAR2(30)	nvarchar(30)	
RFM_SOURCE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RFM_SOURCE_TYPE	Y	VARCHAR2(4)	nvarchar(4)	
RFM_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
RFM_RPN	Y	NUMBER(24,6)	numeric(24,6)	
RFM_UNMITIGATED_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
RFM_UNMITIGATED_RPN	Y	NUMBER(24,6)	numeric(24,6)	
RFM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RCMSTRUCTURE		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCM_OBJECT	N	VARCHAR2(35)	nvarchar(35)	Reference to the selected equipment
RCM_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Reference to the selected equipment organization
RCM_PROJECT	Y	VARCHAR2(8)	nvarchar(8)	Reference to the selected RCM Project
RCM_CODE	N	VARCHAR2(30)	nvarchar(30)	Primary key of the record
RCM_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Parent record id
RCM_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	Sequence
RCM_PROBABILITY	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected Probability
RCM_CONSEQUENCECAT	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected Consequence Category
RCM_CONSEQUENCE	Y	VARCHAR2(30)	nvarchar(30)	Reference to the selected Consequence
RCM_LEVELTYPE	Y	VARCHAR2(8)	nvarchar(8)	Type of record. FUNS is function. FUNF is functional failure. FUNC is consequence. FAIL is failure mode.
RCM_RPN	Y	NUMBER(6,0)	numeric(6,0)	The Risk priority Number of the equipment
RCM_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The risk level of the equipment
RCM_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
RCM_NODEDESC	Y	VARCHAR2(300)	nvarchar(300)	Description of the node
RCM_ICON	Y	VARCHAR2(30)	nvarchar(30)	Icon
RCM_ICONPATH	Y	VARCHAR2(100)	nvarchar(100)	Icon path
RCM_UPDATED	Y	DATE	datetime	Date record was updated
RCM_CREATED	Y	DATE	datetime	Date record was created
RCM_UPDATEDY	Y	VARCHAR2(30)	nvarchar(30)	User that updated the record
RCM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the record
RCM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RCM_SQLIDENTITY	Y	int identity	Identity column for SQL Server

R5RCMTEMPLATEEQUIPCLASSES		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
REC_PK	N	VARCHAR2(30)	nvarchar(30)	
REC_RCMTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	
REC_RCMTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	
REC_RCMTEMPLATE_REVISION	N	NUMBER(4,0)	numeric(4,0)	
REC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
REC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
REC_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
REC_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
REC_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
REC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
REC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
REC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
REC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
REC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
REC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

REC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
REC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
REC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RCMTEMPLATES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCT_CODE	N	VARCHAR2(30)	nvarchar(30)	
RCT_REVISION	N	NUMBER(4,0)	numeric(4,0)	
RCT_ORG	N	VARCHAR2(15)	nvarchar(15)	
RCT_DESC	N	VARCHAR2(80)	nvarchar(80)	
RCT_STATUS	N	VARCHAR2(4)	nvarchar(4)	
RCT_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	
RCT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
RCT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RCT_RCMPROJECT	N	VARCHAR2(8)	nvarchar(8)	
RCT_RCMLEVEL	N	VARCHAR2(8)	nvarchar(8)	
RCT_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	
RCT_REVIEWREQUIRED	Y	DATE	datetime	
RCT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
RCT_CREATED	Y	DATE	datetime	Creation timestamp
RCT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
RCT_UPDATED	Y	DATE	datetime	Update timestamp
RCT_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	not used flag
RCT_NOTE	Y	VARCHAR2(2000)	nvarchar(2000)	
RCT_RISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
RCT_RISKPRIORITYNUMBER	Y	NUMBER(24,6)	numeric(24,6)	
RCT_UNMITIGATEDRISKLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
RCT_UNMITIGATEDRPN	Y	NUMBER(24,6)	numeric(24,6)	
RCT_RISKCONSEQUENCECOST	Y	NUMBER(24,6)	numeric(24,6)	
RCT_FAILUREPROBPERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
RCT_BLACKSWAN	Y	VARCHAR2(1)	nvarchar(1)	
RCT_BLACKSWANCOST	Y	NUMBER(24,6)	numeric(24,6)	
RCT_REQUESTEDBY	Y	VARCHAR2(255)	nvarchar(255)	
RCT_REQUESTED	Y	DATE	datetime	
RCT_APPROVEDBY	Y	VARCHAR2(255)	nvarchar(255)	
RCT_APPROVED	Y	DATE	datetime	
RCT_REVISIONREASON	Y	VARCHAR2(2000)	nvarchar(2000)	
RCT_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

RCT_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCT_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCT_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCT_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCT_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCT_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCT_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RCT_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RCT_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RCT_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RCT_UDFDATE05	Y	DATE	datetime	User defined field of type Date
RCT_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCT_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCT_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCT_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCT_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCT_LASTSAVED	Y	DATE	datetime	Timestamp of last update
RCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RCODES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCO_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code.
RCO_RCODE	N	VARCHAR2(4)	nvarchar(4)	code.
RCO_DESC	N	VARCHAR2(80)	nvarchar(80)	description of code.
RCO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCO_TEXTCODE	Y	VARCHAR2(12)	nvarchar(12)	text code
RCO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RCO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5READINGS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
REA_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code.
REA_DATE	Y	DATE	datetime	date and time of meter reading.
REA_READING	N	NUMBER(24,6)	numeric(24,6)	current meter reading.
REA_OBTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
REA_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
REA_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.

REA_DIFF	Y	NUMBER(24,6)	numeric(24,6)	difference between last reading and current reading.
REA_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
REA_CALCUM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code of calculated values.
REA_RECORDED	Y	DATE	datetime	date reading recorded.
REA_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
REA_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
REA_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
REA_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
REA_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
REA_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
REA_CODE	N	VARCHAR2(30)	nvarchar(30)	unique identifier of readings record
REA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
REA_CREATED	Y	DATE	datetime	Creation timestamp
REA_UPDATED	Y	DATE	datetime	Update timestamp
REA_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent reading record
REA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	User defined field of type Number
REA_RELATEDEVENT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D
REA_TYPE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the reading is of type Difference or Absolute
REA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
REA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

REA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
REA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
REA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
REA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
REA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
REA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5READINGSINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
REI_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
REI_CREATED	Y	DATE	datetime	date interface transaction created.
REI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
REI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
REI_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code.
REI_DATE	Y	DATE	datetime	date interface transaction created.
REI_READING	Y	NUMBER(24,6)	numeric(24,6)	reading value.
REI_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
REI_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
REI_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
REI_DIFF	Y	NUMBER(24,6)	numeric(24,6)	difference between last reading and current reading.
REI_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
REI_CALCUCOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code for calculated values.
REI_RECORDED	Y	DATE	datetime	date reading recorded.
REI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
REI_SESSIONID	Y	NUMBER	int	identification of user logon session (generated by database).
REI_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
REI_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
REI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
REI_USER	Y	VARCHAR2(255)	nvarchar(255)	user code
REI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
REI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RECINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
TRI_CREATE	Y	DATE	datetime	date interface transaction created.
TRI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TRI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TRI_CODE	Y	VARCHAR2(30)	nvarchar(30)	transaction number.
TRI_DESC	Y	VARCHAR2(80)	nvarchar(80)	transaction description.
TRI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TRI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity
TRI_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
TRI_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
TRI_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized transaction.
TRI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	transaction status code (system code, entity dost).
TRI_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if transaction has been printed.
TRI_DATE	Y	DATE	datetime	date transaction occurred.
TRI_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.

TRI_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
TRI_QTY	Y	NUMBER(24,6)	numeric(24,6)	transaction quantity in issue unit of measure.
TRI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	transaction price per issue init of measure in local currency.
TRI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
TRI_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
TRI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
TRI_ACT	Y	NUMBER(8,0)	numeric(8,0)	event activity
TRI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REDUCTIONS

PURCHASING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RED_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
RED_LINE	N	NUMBER(8,0)	numeric(8,0)	reduction line number.
RED_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
RED_TYPE	Y	VARCHAR2(4)	nvarchar(4)	type of discount (user code, entity ditp).
RED_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of discount (system code, entity ditp).
RED_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
RED_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
RED_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
RED_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
RED_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RED_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RED_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REGIONACTUALTEMPS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RAT_REGION	N	VARCHAR2(30)	nvarchar(30)	Region Code
RAT_REGION_ORG	N	VARCHAR2(15)	nvarchar(15)	Region Organization
RAT_DATE	N	DATE	datetime	Date
RAT_DAYOFYEAR	Y	NUMBER(3,0)	numeric(3,0)	Day Of Year
RAT_MONTH	Y	NUMBER(2,0)	numeric(2,0)	Month
RAT_DAY	Y	NUMBER(2,0)	numeric(2,0)	Day
RAT_YEAR	Y	NUMBER(4,0)	numeric(4,0)	Year
RAT_MINTEMPERATURE	N	NUMBER(6,3)	numeric(6,3)	Minimum Temperature
RAT_MAXTEMPERATURE	N	NUMBER(6,3)	numeric(6,3)	Maximum Temperature
RAT_AVGTEMPERATURE	N	NUMBER(6,3)	numeric(6,3)	Average Temperature
RAT_HEATINGDEGREEDAYS	N	NUMBER(6,3)	numeric(6,3)	Heating Degree Days
RAT_COOLINGDEGREEDAYS	N	NUMBER(6,3)	numeric(6,3)	Cooling Degree Days
RAT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RAT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RAT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REGIONHISTORICALTEMPS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RHT_REGION	N	VARCHAR2(30)	nvarchar(30)	Region Code
RHT_REGION_ORG	N	VARCHAR2(15)	nvarchar(15)	Region Organization
RHT_DAYOFYEAR	N	NUMBER(3,0)	numeric(3,0)	Day Of Year
RHT_DAY	Y	NUMBER(2,0)	numeric(2,0)	Day
RHT_MONTH	Y	NUMBER(2,0)	numeric(2,0)	Month
RHT_MINTEMPERATURE	Y	NUMBER(6,3)	numeric(6,3)	Minimum Temperature
RHT_MAXTEMPERATURE	Y	NUMBER(6,3)	numeric(6,3)	Maximum Temperature
RHT_AVGTEMPERATURE	Y	NUMBER(6,3)	numeric(6,3)	Average Temperature
RHT_HEATINGDEGREEDAYS	Y	NUMBER(6,3)	numeric(6,3)	Heating Degree Days
RHT_COOLINGDEGREEDAYS	Y	NUMBER(6,3)	numeric(6,3)	Cooling Degree Days

RHT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RHT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RHT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REGIONS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RGN_CODE	N	VARCHAR2(30)	nvarchar(30)	Region Code
RGN_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
RGN_DESC	Y	VARCHAR2(80)	nvarchar(80)	Region Description
RGN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class
RGN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	ClassOrg
RGN_POSTALCODE	Y	VARCHAR2(50)	nvarchar(50)	Postal code
RGN_REFERENCEPOINT	Y	NUMBER(6,3)	numeric(6,3)	Degree Day Reference Point
RGN_TEMPUOM	Y	VARCHAR2(1)	nvarchar(1)	Temperature in Fahrenheit or Celsius
RGN_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out of Service
RGN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
RGN_ACTUALTEMPSOURCE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D
RGN_ACTUALTEMPURL	Y	VARCHAR2(255)	nvarchar(255)	T.B.D
RGN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RGN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REJECTREASONS	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RJR_CODE	N	VARCHAR2(15)	nvarchar(15)	code of reason for return to supplier. unique identification.
RJR_DESC	N	VARCHAR2(80)	nvarchar(80)	description of reason for return to supplier.
RJR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
RJR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
RJR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RJR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RJR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELATEDMETERREADINGS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RMR_EVENT	N	VARCHAR2(30)	nvarchar(30)	
RMR_UOM	N	VARCHAR2(30)	nvarchar(30)	
RMR_INITIALMETERREADING	Y	NUMBER(24,6)	numeric(24,6)	
RMR_LASTMETERREADING	Y	NUMBER(24,6)	numeric(24,6)	
RMR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RMR_LASTSAVED	Y	DATE	datetime	Timestamp of last update
RMR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITY	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
REL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The object
REL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The object organization
REL_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type
REL_EVENT	N	VARCHAR2(30)	nvarchar(30)	The work order
REL_CODE1	Y	VARCHAR2(8)	nvarchar(8)	The primary failure code
REL_CODE2	Y	VARCHAR2(8)	nvarchar(8)	The secondary failure code
REL_SEQNO	Y	NUMBER	numeric(38,0)	The sequence number
REL_DAYS	Y	NUMBER(24,6)	numeric(24,6)	The days between failure
REL_DATE	Y	DATE	datetime	The date
REL_MTBF	Y	NUMBER(30,10)	numeric(30,10)	The mean time between failures
REL_MIN	Y	NUMBER(30,10)	numeric(30,10)	The minimum days between failure

REL_MAX	Y	NUMBER(30,10)	numeric(30,10)	The maximum days between failure
REL_STDDEV	Y	NUMBER(30,10)	numeric(30,10)	The standard deviation
REL_AVGSLOPE	Y	NUMBER(30,10)	numeric(30,10)	The average slope
REL_LASTSLOPE	Y	NUMBER(30,10)	numeric(30,10)	The last slope
REL_LAPLACE	Y	NUMBER(30,10)	numeric(30,10)	The Laplace value
REL_WEIBULL_SHAPE	Y	NUMBER(30,10)	numeric(30,10)	The Weibull shape parameter
REL_WEIBULL_SCALE	Y	NUMBER(30,10)	numeric(30,10)	The Weibull scale parameter
REL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(30,10)	number of times this record has been updated
REL_WEIBULL_CORR	Y	NUMBER	numeric(30,10)	The Weibull correlation
REL_CA_SLOPE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
REL_CA_INTERCEPT	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
REL_AVGSLOPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative average slope.
REL_LASTSLOPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative last slope.
REL_WEIBULL_SHAPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Weibull shape parameter.
REL_WEIBULL_SCALE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Weibull scale parameter.
REL_WEIBULL_CORR_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Weibull correlation
REL_CA_SLOPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Crow Amsaa slope value.
REL_CA_INTERCEPT_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Crow Amsaa intercept value.
REL_CA_SLOPE_IEC	Y	NUMBER(30,10)	numeric(30,10)	The Crow Amsaa IEC slope value.
REL_CA_INTERCEPT_IEC	Y	NUMBER(30,10)	numeric(30,10)	The Crow Amsaa IEC intercept value.
REL_DAYS_CUM	Y	NUMBER(24,6)	numeric(24,6)	The number cumulative days.
REL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
REL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYPF	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RPL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
RPL_PART	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
RPL_PARTLOCATION	N	VARCHAR2(80)	nvarchar(80)	T.B.D.
RPL_TYPE	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
RPL_FAILURECODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_CODE1	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
RPL_CODE2	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
RPL_SEQNO	Y	NUMBER	numeric(18,0)	T.B.D.
RPL_DAYS	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
RPL_DATE	Y	DATE	datetime	T.B.D.
RPL_MTBFB	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_MIN	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_MAX	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_STDDEV	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_AVGSLOPE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_LASTSLOPE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_LAPLACE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_WEIBULL_SHAPE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_WEIBULL_SCALE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_WEIBULL_CORR	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_CA_SLOPE	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_CA_INTERCEPT	Y	NUMBER(30,10)	numeric(30,10)	T.B.D.
RPL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RPL_AVGSLOPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative average slope.
RPL_LASTSLOPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative last slope.

RPL_WEIBULL_SHAPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Weibull shape parameter.
RPL_WEIBULL_SCALE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Weibull scale parameter.
RPL_WEIBULL_CORR_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Weibull correlation
RPL_CA_SLOPE_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Crow Amsaa slope value.
RPL_CA_INTERCEPT_CUMUL	Y	NUMBER(30,10)	numeric(30,10)	The cumulative Crow Amsaa intercept value.
RPL_CA_SLOPE_IEC	Y	NUMBER(30,10)	numeric(30,10)	The Crow Amsaa IEC slope value.
RPL_CA_INTERCEPT_IEC	Y	NUMBER(30,10)	numeric(30,10)	The Crow Amsaa IEC intercept value.
RPL_DAYS_CUM	Y	NUMBER(24,6)	numeric(24,6)	The number cumulative days.
RPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RPL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGANSWER	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRW_PK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking answer pk
RRW_LEVELPK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking answer question pk
RRW_CODE	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking answer code
RRW_DESC	N	VARCHAR2(80)	nvarchar(80)	The reliability ranking answer description
RRW_VALUE	N	NUMBER(24,6)	numeric(24,6)	The reliability ranking answer value
RRW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRW_YES	Y	VARCHAR2(1)	nvarchar(1)	
RRW_NO	Y	VARCHAR2(1)	nvarchar(1)	
RRW_FINDING	Y	VARCHAR2(4)	nvarchar(4)	
RRW_OK	Y	VARCHAR2(1)	nvarchar(1)	
RRW_REPAIRSNEEDED	Y	VARCHAR2(1)	nvarchar(1)	
RRW_RESOLUTION	Y	VARCHAR2(8)	nvarchar(8)	
RRW_GOOD	Y	VARCHAR2(1)	nvarchar(1)	
RRW_POOR	Y	VARCHAR2(1)	nvarchar(1)	
RRW_ADJUSTED	Y	VARCHAR2(1)	nvarchar(1)	
RRW_NONCONFORMITY	Y	VARCHAR2(1)	nvarchar(1)	
RRW_SEVERITY	Y	VARCHAR2(8)	nvarchar(8)	
RRW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGLEVELS	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRL_PK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking level pk
RRL_RELIABILITYRANKING	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking code
RRL_ORG	N	VARCHAR2(15)	nvarchar(15)	The reliability ranking organization
RRL_REVISION	N	NUMBER(4,0)	numeric(4,0)	The reliability ranking revision
RRL_PARENT	Y	VARCHAR2(30)	nvarchar(30)	The reliability ranking level parent
RRL_CODE	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking level code
RRL_DESC	N	VARCHAR2(80)	nvarchar(80)	The reliability ranking level description
RRL_QUESTIONLEVEL	Y	VARCHAR2(1)	nvarchar(1)	The reliability ranking level question flag
RRL_QUESTION	Y	VARCHAR2(255)	nvarchar(255)	The reliability ranking level question
RRL_SEQ	Y	NUMBER(4,0)	numeric(4,0)	The reliability ranking level sequence
RRL_FORMULA	Y	VARCHAR2(2000)	nvarchar(2000)	The reliability ranking level formula
RRL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRL_NUMERIC	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the value should be a number.
RRL_INTEGER	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the value should be an integer.
RRL_MIN	Y	NUMBER(24,6)	numeric(24,6)	The minimum numeric value.
RRL_MAX	Y	NUMBER(24,6)	numeric(24,6)	The maximum numeric value.
RRL_CALCULATED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a query should be used to calculate the answer value.
RRL_QUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	The query used to calculate the answer value.
RRL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RRL_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	
RRL_CHECKLISTTYPE	Y	VARCHAR2(8)	nvarchar(8)	
RRL_ALLOWOPERATORCHECKLIST	Y	VARCHAR2(1)	nvarchar(1)	
RRL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGNORMS	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRN_PK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking normalization pk
RRN_LEVELPK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking normalization level pk
RRN_MINVALUE	N	NUMBER(24,6)	numeric(24,6)	The reliability ranking normalization minimum value
RRN_MAXVALUE	N	NUMBER(24,6)	numeric(24,6)	The reliability ranking normalization maximum value
RRN_VALUE	N	NUMBER(24,6)	numeric(24,6)	The reliability ranking normalization value
RRN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGQUESTS	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRQ_LEVELPK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking question description level pk
RRQ_LANG	N	VARCHAR2(2)	nvarchar(2)	The reliability ranking question description language
RRQ_QUESTION	N	VARCHAR2(255)	nvarchar(255)	The reliability ranking question description question
RRQ_TRANS	Y	VARCHAR2(1)	nvarchar(1)	The reliability ranking question description translated flag
RRQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGRANKS	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRR_PK	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking rank pk
RRR_RELIABILITYRANKING	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking code
RRR_ORG	N	VARCHAR2(15)	nvarchar(15)	The reliability ranking organization
RRR_REVISION	N	NUMBER(4,0)	numeric(4,0)	The reliability ranking revision
RRR_MINVALUE	N	NUMBER(24,6)	numeric(24,6)	The reliability ranking rank minimum value
RRR_MAXVALUE	N	NUMBER(24,6)	numeric(24,6)	The reliability ranking rank maximum value
RRR_RRINDEX	Y	VARCHAR2(8)	nvarchar(8)	The reliability ranking rank index
RRR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRR_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	
RRR_COLOR	Y	VARCHAR2(6)	nvarchar(6)	
RRR_ICON	Y	VARCHAR2(30)	nvarchar(30)	
RRR_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	
RRR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGS	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRK_CODE	N	VARCHAR2(30)	nvarchar(30)	The reliability ranking code
RRK_ORG	N	VARCHAR2(15)	nvarchar(15)	The reliability ranking organization
RRK_REVISION	N	NUMBER(4,0)	numeric(4,0)	The reliability ranking revision
RRK_DESC	N	VARCHAR2(80)	nvarchar(80)	The reliability ranking description
RRK_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The reliability ranking class
RRK_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The reliability ranking class organization
RRK_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	The reliability ranking system status
RRK_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	The reliability ranking user status
RRK_CREATED	Y	DATE	datetime	Creation timestamp

RRK_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
RRK_SETUPLASTUPDATED	Y	DATE	datetime	The reliability ranking setup last updated
RRK_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	The reliability ranking out of service flag
RRK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRK_TYPE	N	VARCHAR2(8)	nvarchar(8)	The user type of the reliability ranking.
RRK_RTYPE	N	VARCHAR2(8)	nvarchar(8)	The system type of the reliability ranking.
RRK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRK_CONDITIONPROTOCOL	Y	VARCHAR2(8)	nvarchar(8)	
RRK_CONDSORESTART	Y	NUMBER(24,6)	numeric(24,6)	
RRK_CONDSOREEND	Y	NUMBER(24,6)	numeric(24,6)	
RRK_CONDSORETHRESHOLD	Y	NUMBER(24,6)	numeric(24,6)	
RRK_DECAYCURVE	Y	VARCHAR2(30)	nvarchar(30)	
RRK_DECAYCURVE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RRK_TRACKHISTORY	Y	VARCHAR2(1)	nvarchar(1)	
RRK_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RRK_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RRK_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RRK_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RRK_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RRK_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RRK_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RRK_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RRK_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RRK_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RRK_UDFDATE05	Y	DATE	datetime	User defined field of type Date

RRK_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RRK_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RRK_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RRK_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RRK_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RRK_PRECISION	Y	NUMBER(1,0)	numeric(1,0)	
RRK_PERFORMANCEFORMULA	Y	VARCHAR2(30)	nvarchar(30)	
RRK_PERFORMANCEFORMULA_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RRK_CORRSCORERANKING	Y	VARCHAR2(30)	nvarchar(30)	
RRK_CORRSCORERANKING_ORG	Y	VARCHAR2(15)	nvarchar(15)	
RRK_CORRSCORERANKINGREV	Y	NUMBER(4,0)	numeric(4,0)	
RRK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGVALOBJ	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RVO_RRVPK	N	VARCHAR2(30)	nvarchar(30)	The objects survey batch pk
RVO_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The object survey batch object
RVO_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The object survey batch object organization
RVO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RVO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RVO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RELIABILITYRANKINGVALUES	R5RELIABILITYRANKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRV_PK	N	VARCHAR2(30)	nvarchar(30)	The survey batch pk
RRV_ORG	N	VARCHAR2(15)	nvarchar(15)	The survey batch organization
RRV_DESC	N	VARCHAR2(80)	nvarchar(80)	The survey batch description
RRV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The survey batch class
RRV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The survey batch class organization
RRV_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The survey batch category
RRV_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The survey batch object
RRV_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The survey batch object organization
RRV_RELIABILITYRANKING	Y	VARCHAR2(30)	nvarchar(30)	The survey batch reliability ranking code
RRV_RELIABILITYRANKING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The survey batch reliability ranking organization
RRV_RELIABILITYRANKINGREV	Y	NUMBER(4,0)	numeric(4,0)	The survey batch reliability ranking revision
RRV_RELIABILITYRANKINGINDEX	Y	VARCHAR2(8)	nvarchar(8)	The survey batch reliability ranking index
RRV_RELIABILITYRANKINGSCORE	Y	NUMBER(24,6)	numeric(24,6)	The survey batch reliability ranking score
RRV_INCLUDECHILDREN	Y	VARCHAR2(1)	nvarchar(1)	The survey batch include children flag
RRV_CREATED	Y	DATE	datetime	Creation timestamp
RRV_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
RRV_VALUESLASTCALCULATED	Y	DATE	datetime	The survey batch last calculated
RRV_SURVEYLASTUPDATED	Y	DATE	datetime	The survey batch last updated
RRV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REMEMBER	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RMB_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	code of function referred on menus.
RMB_ITEM	N	VARCHAR2(61)	nvarchar(61)	name of field in which the first to be remembered value resides.
RMB_ITEM2	Y	VARCHAR2(32)	nvarchar(32)	name of field in which the second to be remembered value resides (used if a concatenated key needs to be remembered).
RMB_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity to be remembered (system code).
RMB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RMB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RMB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPAIRBINS	MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RPB_PK	N	NUMBER	int	primary key of table, sequence generated.
RPB_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition code.
RPB_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
RPB_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code.
RPB_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
RPB_PART	N	VARCHAR2(30)	nvarchar(30)	part code
RPB_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization code
RPB_BIN	N	VARCHAR2(15)	nvarchar(15)	bin
RPB_LOT	N	VARCHAR2(12)	nvarchar(12)	lot
RPB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
RPB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization code.
RPB_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity assigned.
RPB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RPB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RPB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPACPARMS	BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RBP_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	code of screen function.
RBP_LINE	N	NUMBER(8,0)	numeric(8,0)	parameter line number.
RBP_ITEMNAME	Y	VARCHAR2(40)	nvarchar(40)	name of the field (as used in the screen) associated with this parameter.
RBP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RBP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RBP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPCILD	BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCD_ID	Y	NUMBER	int	Hierarchical query ID
RCD_RECTYPE	Y	VARCHAR2(10)	nvarchar(10)	Type of record (i.e. location, object or event)
RCD_SW	Y	VARCHAR2(63)	nvarchar(63)	Start With value from hierarchical query
RCD_PCODEV	Y	VARCHAR2(63)	nvarchar(63)	Hierarchical parent string value
RCD_PCODEN	Y	VARCHAR2(63)	nvarchar(63)	Hierarchical parent numeric value
RCD_PORG	Y	VARCHAR2(63)	nvarchar(63)	Organization of the parent code
RCD_CCODEV	Y	VARCHAR2(30)	nvarchar(30)	String hierarchical query result
RCD_CCODEN	Y	NUMBER	float	Numerical hierarchical query result
RCD_CORG	Y	VARCHAR2(30)	nvarchar(30)	Organization of the hierarchical query result
RCD_LEVEL	Y	NUMBER	int	Hierarchical query result level
RCD_TIMESTAMP	Y	DATE	datetime	Current Datetime
RCD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RCD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPNUM	BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RPN_LINE	Y	NUMBER(2,0)	numeric(2,0)	line number.
RPN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RPN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPOPTIONS	BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

ROP_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	code of report function.
ROP_PARAMETER	N	VARCHAR2(20)	nvarchar(20)	parameter name, e.g. sel_option.
ROP_SEQNO	N	NUMBER(2,0)	numeric(2,0)	parameter sequence number.
ROP_VALUE	Y	VARCHAR2(24)	nvarchar(24)	parameter value.
ROP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ROP_UPDATED	Y	DATE	datetime	Update timestamp
ROP_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
ROP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ROP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPORTFIELDS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFL_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function mnemonic for a report
RFL_LINE	N	NUMBER(3,0)	numeric(3,0)	Line number for a field. This should be incremented each time similar to bot_number field in r5boilertexts table
RFL_BOTNUMBER	N	NUMBER(3,0)	numeric(3,0)	This field is used to get label for a field
RFL_FIELD	N	VARCHAR2(300)	nvarchar(300)	This is the field defined in the use case for a report. For ex. E.evt_code
				Datatype of a field and system will format the field based on the data type. For ex. C for text, D for Date, DT for Datetime, A for Amount, N for
RFL_DATATYPE	N	VARCHAR2(2)	nvarchar(2)	Number,
RFL_SHOWFIELD	Y	VARCHAR2(1)	nvarchar(1)	when this field is set 0 then user will not see this field in the list of available fields. Fields defined for subtotal and Total should be set to 0
RFL_WIDTH	Y	NUMBER(8,0)	numeric(8,0)	Column width for a field
RFL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
RFL_UPDATED	Y	DATE	datetime	System updated Date field which should be updated by trigger
RFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPORTFILTERS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFL_USER	N	VARCHAR2(255)	nvarchar(255)	The D7I user
RFL_FUNC	N	VARCHAR2(6)	nvarchar(6)	The function name
RFL_NAME	N	VARCHAR2(8)	nvarchar(8)	The name of the set of parameters
RFL_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	Whether this set of parameters is the default
RFL_PARAM1	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 1
RFL_PARAM2	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 2
RFL_PARAM3	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 3
RFL_PARAM4	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 4
RFL_PARAM5	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 5
RFL_PARAM6	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 6
RFL_PARAM7	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 7
RFL_PARAM8	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 8
RFL_PARAM9	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 9
RFL_PARAM10	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 10
RFL_PARAM11	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 11
RFL_PARAM12	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 12
RFL_PARAM13	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 13
RFL_PARAM14	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 14
RFL_PARAM15	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 15
RFL_PARAM16	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 16
RFL_PARAM17	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 17
RFL_PARAM18	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 18
RFL_PARAM19	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 19
RFL_PARAM20	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 20
RFL_PARAM21	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 21
RFL_PARAM22	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 22
RFL_PARAM23	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 23

RFI_PARAM24	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 25
RFI_PARAM25	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 26
RFI_PARAM26	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 27
RFI_PARAM27	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 28
RFI_PARAM28	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 29
RFI_PARAM29	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 30
RFI_PARAM30	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 31
RFI_CHKBOX1	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 1
RFI_CHKBOX2	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 2
RFI_CHKBOX3	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 3
RFI_CHKBOX4	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 4
RFI_CHKBOX5	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 5
RFI_CHKBOX6	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 6
RFI_RADIO	Y	VARCHAR2(24)	nvarchar(24)	Value for the radio button
RFI_ORG	Y	VARCHAR2(15)	nvarchar(15)	Value for the organization
RFI_FROMDATE	Y	DATE	datetime	Value for the from date.
RFI_TODATE	Y	DATE	datetime	Value for the to date.
RFI_CHKBOX7	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 7
RFI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RFI_UPDATED	Y	DATE	datetime	Update timestamp
RFI_VISFLDS	Y	VARCHAR2(200)	nvarchar(200)	List of visible fields on the report. For example 1,2,3,6,9,10,11,12
RFI_ORDERBY	Y	VARCHAR2(80)	nvarchar(80)	List of order by fields. For example 1,2,3
RFI_ORDERTYPE	Y	VARCHAR2(80)	nvarchar(80)	Sort type for Order by fields an For example A,D,A where A means ascending and D means descending
RFI_GROUPBY	Y	VARCHAR2(80)	nvarchar(80)	Group by clause
RFI_CHKBOX8	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 8
RFI_CHKBOX9	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 9
RFI_CHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 10
RFI_CHKBOX11	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 11
RFI_CHKBOX12	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 12
RFI_CHKBOX13	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 13
RFI_CHKBOX14	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 14
RFI_CHKBOX15	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 15
RFI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFI_PARAM31	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 31
RFI_PARAM32	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 32
RFI_PARAM33	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 33
RFI_PARAM34	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 34
RFI_PARAM35	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 35
RFI_PARAM36	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 36
RFI_PARAM37	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 37
RFI_PARAM38	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 38
RFI_PARAM39	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 39
RFI_PARAM40	Y	VARCHAR2(80)	nvarchar(80)	Value for parameter 40
RFI_CHKBOX16	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 16
RFI_CHKBOX17	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 17
RFI_CHKBOX18	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 18
RFI_CHKBOX19	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 19
RFI_CHKBOX20	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 20
RFI_CHKBOX21	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 21
RFI_CHKBOX22	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 22
RFI_CHKBOX23	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 23
RFI_CHKBOX24	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 24
RFI_CHKBOX25	Y	VARCHAR2(1)	nvarchar(1)	Value for checkbox parameter 25
RFI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPORTFUNCTIONS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFN_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function
RFN_FIELDORDER	Y	VARCHAR2(300)	nvarchar(300)	Field order
RFN_GROUPBY	Y	VARCHAR2(80)	nvarchar(80)	Group by
RFN_ORDERBY	Y	VARCHAR2(80)	nvarchar(80)	Order by
RFN_ORDERTYPE	Y	VARCHAR2(80)	nvarchar(80)	Order type
RFN_FROMCLAUSE	Y	VARCHAR2(500)	varchar(500)	From clause
RFN_WHERECLAUSE1	Y	VARCHAR2(4000)	varchar(4000)	Where clause 1
RFN_WHERECLAUSE2	Y	VARCHAR2(4000)	varchar(4000)	where clause 2
RFN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
RFN_UPDATED	Y	DATE	datetime	Update time stamp
RFN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFN_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5REPORTGROUPBY		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RGP_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function mnemonic for a report
RGP_LINE	N	NUMBER(3,0)	numeric(3,0)	Line Number
RGP_GROUPFIELDS	N	VARCHAR2(80)	nvarchar(80)	This is a list of group by fields for a report supported for subtotal and stored as a list of fields separated by comma. For example 1,2,3
RGP_DEFAULT	N	VARCHAR2(1)	nvarchar(1)	only one row should be set to 1 for a given function, rest of all should be 0
RGP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
RGP_UPDATED	Y	DATE	datetime	System updated Date field which should be updated by trigger
RGP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RGP_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5REPORTSUBTOTAL		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RST_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function mnemonic for a report
RST_GROUPLINE	N	NUMBER(3,0)	numeric(3,0)	FK to R5REPORTGROUPBY (RGP_CODE)
RST_LINE	N	NUMBER(3,0)	numeric(3,0)	Line number for a field. This should be incremented each time similar to bot_number field in r5boilertexts table
RST_BOTNUMBER	N	NUMBER(3,0)	numeric(3,0)	This field is used to get label for a field
RST_FIELD	N	VARCHAR2(300)	nvarchar(300)	This is the field defined in the use case for a report. For ex. e.evt_code
RST_DATATYPE	N	VARCHAR2(2)	nvarchar(2)	Datatype of a field and system will format the field based on the data type. For ex. A for Amount, N for Number
RST_WIDTH	Y	NUMBER(8,0)	numeric(8,0)	Column width for a field
RST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RST_UPDATED	Y	DATE	datetime	System updated Date field which should be updated by trigger
RST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RST_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5REPORTTABPARAMMAP		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RPM_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	The function/screen
RPM_TAB	N	VARCHAR2(6)	nvarchar(6)	The tab on the screen
RPM_KEYFIELD	N	VARCHAR2(30)	nvarchar(30)	The key field
RPM_REPPARAM	Y	VARCHAR2(20)	nvarchar(20)	The report parameter
RPM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RPM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RPM_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5REPPARMS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PMT_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	code or report function, e.g. orcatl.

PMT_LINE	N	NUMBER(8,0)	numeric(8,0)	sequence number.
PMT_PARAMETER	N	VARCHAR2(20)	nvarchar(20)	name of parameter as defined in the report.
PMT_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
PMT_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	entity subtype code (system code).
PMT_DATATYPE	N	VARCHAR2(2)	nvarchar(2)	data type of parameter (character, date, numeric, etc).
PMT_LENGTH	Y	NUMBER(4,0)	numeric(4,0)	display length of parameter.
PMT_FORMAT	Y	VARCHAR2(20)	nvarchar(20)	format mask.
PMT_DEFAULT	Y	VARCHAR2(30)	nvarchar(30)	default value of parameter.
PMT_FIXED	N	VARCHAR2(1)	nvarchar(1)	value is + if parameter is a fixed value, not editable.
PMT_MANDATORY	N	VARCHAR2(1)	nvarchar(1)	value is + if report parameter is mandatory.
PMT_UPPER	Y	VARCHAR2(1)	nvarchar(1)	value is + if parameter is to be entered in uppercase.
PMT_OPTIONS	Y	NUMBER(2,0)	numeric(2,0)	number of options, datatype=rb
PMT_REMEMBER	Y	VARCHAR2(1)	nvarchar(1)	value is + if parameter is to be remembered.
PMT_TEST	Y	VARCHAR2(24)	nvarchar(24)	for making report book file (used by development only).
PMT_QUERY	Y	VARCHAR2(8)	nvarchar(8)	code of sql query statement.
PMT_LOVFUNCTION	Y	VARCHAR2(6)	nvarchar(6)	code of function that provides list of values for parameter.
PMT_PROPERTY	Y	VARCHAR2(8)	nvarchar(8)	Used for lov on work order custom field report parameters.
PMT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
PMT_EWSLOVDEF	Y	VARCHAR2(200)	nvarchar(200)	Extended lookup query definition
PMT_BOTTEXT	Y	VARCHAR2(80)	nvarchar(80)	Label text
PMT_UPDATED	Y	DATE	datetime	Update timestamp
PMT_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
PMT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PMT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REPPRINTFLAG

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RPF_DESTYPE	Y	VARCHAR2(10)	nvarchar(10)	redundant
RPF_VALUE	Y	VARCHAR2(1)	nvarchar(1)	redundant
RPF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	redundant
RPF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RPF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQCLASSES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCL_CLASS	N	VARCHAR2(8)	nvarchar(8)	object classification code.
RCL_REQM	N	VARCHAR2(8)	nvarchar(8)	requirement code.
RCL_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
RCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCL_CREATED	Y	DATE	datetime	Creation timestamp
RCL_UPDATED	Y	DATE	datetime	Update timestamp
RCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUIRCODES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RQM_CODE	N	VARCHAR2(8)	nvarchar(8)	requirement code. unique identification.
RQM_DESC	N	VARCHAR2(80)	nvarchar(80)	requirement description.
RQM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	requirement classification code.
RQM_GEN	N	VARCHAR2(1)	nvarchar(1)	value is + if requirement is general, i.e. applies to all object classifications.
RQM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
RQM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RQM_CREATED	Y	DATE	datetime	Creation timestamp
RQM_UPDATED	Y	DATE	datetime	Update timestamp

RQM_PARTFAILURE	Y	VARCHAR2(1)	nvarchar(1)	Part Failure Flag
RQM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
RQM_ENABLEWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
RQM_GROUP	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
RQM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RQM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUISINTERFACE MATERIALS

Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
RUI_TRANSID	N	NUMBER	bigint	transaction code
RUI_CREATED	Y	DATE	datetime	created date
RUI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	user defined
RUI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source the row is originated from.
RUI_INTERFACE	Y	DATE	datetime	creation date of record
RUI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type
RUI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type
RUI_TRANSGROUP	Y	NUMBER	int	transaction group
RUI_TRANSORGID	Y	NUMBER	bigint	id of the originating transaction
RUI_SESSIONID	Y	NUMBER	int	session id
RUI_USER	Y	VARCHAR2(255)	nvarchar(255)	session id
RUI_CODE	Y	VARCHAR2(30)	nvarchar(30)	requisition number
RUI_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of requisition
RUI_CLASS	Y	VARCHAR2(8)	nvarchar(8)	requisition class
RUI_DATE	Y	DATE	datetime	requisition creation date
RUI_REQSTATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition status
RUI_AUTH	Y	VARCHAR2(255)	nvarchar(255)	requisition approved by
RUI_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	requisition originator
RUI_FROMENTITY	Y	VARCHAR2(4)	nvarchar(4)	from entity
RUI_FROMTYPE	Y	VARCHAR2(4)	nvarchar(4)	from type
RUI_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	from code
RUI_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	to entity
RUI_TOTYPE	Y	VARCHAR2(4)	nvarchar(4)	to type
RUI_TOCODE	Y	VARCHAR2(30)	nvarchar(30)	to code
RUI_REQTYPE	Y	VARCHAR2(4)	nvarchar(4)	requisition type
RUI_REQEVENT	Y	VARCHAR2(30)	nvarchar(30)	requisition event
RUI_REQACT	Y	NUMBER(8,0)	numeric(8,0)	requisition activity
RUI_REQCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	requisition cost code
RUI_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	requisition is printed
RUI_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	default approver
RUI_REQACD	Y	NUMBER	int	requisition acd number
RUI_REQDELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	requisition delivery address
RUI_ORG	Y	VARCHAR2(15)	nvarchar(15)	requisition organization
RUI_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	requisition class organization
RUI_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
RUI_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number
RUI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
RUI_DUE	Y	DATE	datetime	due date
RUI_QUOTFLAG	Y	VARCHAR2(1)	nvarchar(1)	quotation indicator
RUI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price
RUI_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity
RUI_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measurement
RUI_RQLCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	requisition line cost code
RUI_RQLEVENT	Y	VARCHAR2(30)	nvarchar(30)	requisition line event
RUI_RQLACT	Y	NUMBER(8,0)	numeric(8,0)	requisition line activity

RUI_RQLSTATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition line status
RUI_RQLTYPE	Y	VARCHAR2(4)	nvarchar(4)	requisition line type
RUI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	internal use
RUI_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number
RUI_BUYER	Y	VARCHAR2(255)	nvarchar(255)	buyer
RUI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency
RUI_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line
RUI_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	manufacturer part
RUI_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
RUI_REF	Y	VARCHAR2(50)	nvarchar(50)	supplier reference
RUI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier
RUI_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code
RUI_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	part comes with warranty
RUI_EXPENSETYPE	Y	VARCHAR2(4)	nvarchar(4)	expense type
RUI_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
RUI_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task required quantity
RUI_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code
RUI_RQLDELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	requisition line delivery address
RUI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
RUI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
RUI_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	part needs to be inspected before receiving
RUI_REQ_REF	Y	VARCHAR2(45)	nvarchar(45)	requisition reference code
RUI_CRNEWPART	Y	VARCHAR2(1)	nvarchar(1)	create new part
RUI_CRJOB	Y	VARCHAR2(1)	nvarchar(1)	create job
RUI_CRACT	Y	VARCHAR2(1)	nvarchar(1)	create activity
RUI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
RUI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
RUI_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc code
RUI_NEWPARTDESC	Y	VARCHAR2(80)	nvarchar(80)	new part description
RUI_BYASSET	Y	VARCHAR2(1)	nvarchar(1)	new part being created is a by-asset part
RUI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUISITIONS	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
REQ_CODE	N	VARCHAR2(30)	nvarchar(30)	requisition number. unique identification.
REQ_DESC	N	VARCHAR2(80)	nvarchar(80)	requisition description.
REQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
REQ_DATE	N	DATE	datetime	requisition date.
REQ_STATUS	N	VARCHAR2(4)	nvarchar(4)	requisition status (user code, see entity rqst).
REQ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	requisition status (system code, see entity rqst).
REQ_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized requisition.
REQ_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel number of originator of requisition.
REQ_FROMENTITY	N	VARCHAR2(4)	nvarchar(4)	identifies entity where parts are supplied from : supplier or store (user code).
REQ_FROMRENTITY	N	VARCHAR2(4)	nvarchar(4)	identifies entity where parts are supplied from : supplier or store (system code).
REQ_FROMTYPE	N	VARCHAR2(4)	nvarchar(4)	from entity type code (user code) : *.
REQ_FROMRTYPE	N	VARCHAR2(4)	nvarchar(4)	from entity type code (system code) : *.
REQ_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	identifies where parts are moved from : which supplier, which store.
REQ_TOENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code of store entity (user code).
REQ_TORENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code of store entity (system code).
REQ_TOTYPE	N	VARCHAR2(4)	nvarchar(4)	to entity type code (user code) : *.
REQ_TORTYPE	N	VARCHAR2(4)	nvarchar(4)	to entity type code (system code) : *.
REQ_TOCODE	N	VARCHAR2(30)	nvarchar(30)	store code.
REQ_TYPE	N	VARCHAR2(4)	nvarchar(4)	requisition type (user code, see entity rqtp).
REQ_RTYPE	N	VARCHAR2(4)	nvarchar(4)	requisition type (system code, see entity rqtp).

REQ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
REQ_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
REQ_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
REQ_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if requisition has been printed.
REQ_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
REQ_ACD	Y	NUMBER	bigint	account detail processing, financial interface
REQ_INTERFACE	Y	DATE	datetime	date requisition created by financial interface.
REQ_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
REQ_ORG	N	VARCHAR2(15)	nvarchar(15)	requisition organization
REQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
REQ_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
REQ_SOURCCECODE	Y	VARCHAR2(45)	nvarchar(45)	reference number
REQ_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	who entered the requisition
REQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
REQ_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	the reason for rejection
REQ_ORDER	Y	VARCHAR2(24)	nvarchar(24)	Order number of PO created by auto PO creation in sbreqf
REQ_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Order org of PO created by auto PO creation in sbreqf
REQ_SESSION	Y	NUMBER	int	Session number used by auto PO creation in sbreqf
REQ_REASON	Y	NUMBER	int	Result of auto PO creation in sbreqf
REQ_DATEAPPROVED	Y	DATE	datetime	timestamp of approval
REQ_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
REQ_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
REQ_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
REQ_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
REQ_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
REQ_RFQ	Y	VARCHAR2(30)	nvarchar(30)	rfq code
REQ_RFQ_ORG	Y	VARCHAR2(15)	nvarchar(15)	rfq organization
REQ_RFQREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	rfq required flag
REQ_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
REQ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

REQ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
REQ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REQ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REQ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REQ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REQ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
REQ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
REQ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
REQ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
REQ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
REQ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
REQ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REQ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REQ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REQ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REQ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
REQ_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
REQ_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
REQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
REQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUISITIONSINTERFACE

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RQI_TRANSID	Y	NUMBER	bigint	unique identification of interface transaction.
RQI_CREATE	Y	DATE	datetime	date interface transaction created.
RQI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
RQI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
RQI_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
RQI_DESC	Y	VARCHAR2(80)	nvarchar(80)	requisition description.
RQI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition status (system code, see entity rqst).
RQI_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
RQI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
RQI_QUOTEFLAG	Y	VARCHAR2(1)	nvarchar(1)	0=no price quotation, 1=price quotation before order, 2=only a price quotation.
RQI_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity requisitioned in issue unit of measure.
RQI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price per issue unit of measure in supplier currency.
RQI_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
RQI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
RQI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
RQI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
RQI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
RQI_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if requisition item is awaiting ordering/delivery.
RQI_CHILD	Y	VARCHAR2(1)	nvarchar(1)	value is + requisition line is a child record.
RQI_ADDDETAIL	Y	VARCHAR2(240)	nvarchar(240)	requisition item comments.
RQI_PARTDESC	Y	VARCHAR2(80)	nvarchar(80)	part description.
RQI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
RQI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUISITIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARQ_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code

ARQ_CODE	Y	VARCHAR2(30)	nvarchar(30)	requisition number. unique identification.
ARQ_DESC	Y	VARCHAR2(80)	nvarchar(80)	requisition description.
ARQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ARQ_DATE	Y	DATE	datetime	requisition date.
ARQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition status (user code, see entity rqst).
ARQ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition status (system code, see entity rqst).
ARQ_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized requisition.
ARQ_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	personnel number of originator of requisition.
ARQ_FROMENTITY	Y	VARCHAR2(4)	nvarchar(4)	identifies entity where parts are supplied from : supplier or store (user code).
ARQ_FROMRENTITY	Y	VARCHAR2(4)	nvarchar(4)	identifies entity where parts are supplied from : supplier or store (system code).
ARQ_FROMTYPE	Y	VARCHAR2(4)	nvarchar(4)	from entity type code (user code) : *.
ARQ_FROMRTYPE	Y	VARCHAR2(4)	nvarchar(4)	from entity type code (system code) : *.
ARQ_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	identifies where parts are moved from : which supplier, which store.
ARQ_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code of store entity (user code).
ARQ_TORENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code of store entity (system code).
ARQ_TOTYPE	Y	VARCHAR2(4)	nvarchar(4)	to entity type code (user code) : *.
ARQ_TORTYPE	Y	VARCHAR2(4)	nvarchar(4)	to entity type code (system code) : *.
ARQ_TOCODE	Y	VARCHAR2(30)	nvarchar(30)	store code.
ARQ_TYPE	Y	VARCHAR2(4)	nvarchar(4)	requisition type (user code, see entity rqtp).
ARQ_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	requisition type (system code, see entity rqtp).
ARQ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
ARQ_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ARQ_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
ARQ_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if requisition has been printed.
ARQ_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
ARQ_ACD	Y	NUMBER	bigint	account detail processing, financial interface
ARQ_INTERFACE	Y	DATE	datetime	date requisition created by financial interface.
ARQ_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ARQ_ORG	Y	VARCHAR2(15)	nvarchar(15)	requisition organization
ARQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ARQ_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
ARQ_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	reference number
ARQ_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	who entered the requisition
ARQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ARQ_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	the reason for rejection
ARQ_ORDER	Y	VARCHAR2(24)	nvarchar(24)	Order number of PO created by auto PO creation in sbreqf
ARQ_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Order org of PO created by auto PO creation in sbreqf
ARQ_SESSION	Y	NUMBER	int	Session number used by auto PO creation in sbreqf
ARQ_REASON	Y	NUMBER	int	Result of auto PO creation in sbreqf
ARQ_DATEAPPROVED	Y	DATE	datetime	timestamp of approval
ARQ_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
ARQ_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ARQ_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ARQ_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ARQ_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ARQ_RFQ	Y	VARCHAR2(30)	nvarchar(30)	rfq code
ARQ_RFQ_ORG	Y	VARCHAR2(15)	nvarchar(15)	rfq organization
ARQ_RFQREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	rfq required flag
ARQ_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
ARQ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ARQ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARQ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARQ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARQ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARQ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARQ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARQ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ARQ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ARQ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ARQ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ARQ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ARQ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARQ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARQ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARQ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARQ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARQ_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
ARQ_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
ARQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUISLINES		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RQL_REQ	N	VARCHAR2(30)	nvarchar(30)	requisition number.
RQL_REQLINE	N	NUMBER(8,0)	numeric(8,0)	requisition line number.
RQL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
RQL_DUE	Y	DATE	datetime	delivery due date.
RQL_QUOTFLAG	Y	VARCHAR2(1)	nvarchar(1)	0=no price quotation, 1=price quotation before order, 2=only a price quotation.
RQL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price per issue unit of measure in supplier currency.
RQL_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity to be requisitioned in issue unit of measure.

RQL_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
RQL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in issue unit of measure.
RQL_RECVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date in supplier currency.
RQL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
RQL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
RQL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
RQL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
RQL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity code.
RQL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition item status (user code, see entity rlst).
RQL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition item status (system code, see entity rlst).
RQL_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
RQL_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
RQL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
RQL_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	value is + if requisition item is awaiting ordering/delivery.
RQL_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number (recommended).
RQL_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
RQL_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
RQL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
RQL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
RQL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
RQL_ACD	Y	NUMBER	bigint	account details code.
RQL_INTERFACE	Y	DATE	datetime	date requisition line created by financial interface.
RQL_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number (recommended).
RQL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from requisition line currency to dual currency.
RQL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
RQL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	code of part used by manufacturer.
RQL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer.
RQL_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
RQL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
RQL_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code.
RQL_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	whether attached to warranty.
RQL_EXPENSETYPE	Y	VARCHAR2(4)	nvarchar(4)	expense type.
RQL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
RQL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
RQL_TASKQTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
RQL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	task trade
RQL_RECVTASKQTY	Y	NUMBER(10,2)	numeric(10,2)	received task quantity
RQL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
RQL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
RQL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
RQL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating inspection is required
RQL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
RQL_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	indicates if current price has been obtained from 7i Buy
RQL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RQL_REPAIRQTY	Y	NUMBER(24,6)	numeric(24,6)	Quantity to be repaired
RQL_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
RQL_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
RQL_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
RQL_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
RQL_IPLASTUPDATE	Y	DATE	datetime	Date price and lead time were updated from 7iBuy
RQL_IPUPDATESTATUS	Y	VARCHAR2(1)	nvarchar(1)	Status of last price and lead time update from 7iBuy
RQL_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
RQL_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
RQL_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code

RQL_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IProcure
RQL_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
RQL_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
RQL_RFQ	Y	VARCHAR2(30)	nvarchar(30)	rfq code
RQL_RFQ_ORG	Y	VARCHAR2(15)	nvarchar(15)	rfq organization
RQL_RFQLINE	Y	NUMBER(8,0)	numeric(8,0)	rfq line number
RQL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RQL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RQL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RQL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RQL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RQL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RQL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RQL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RQL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RQL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RQL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
RQL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RQL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RQL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RQL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RQL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RQL_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
RQL_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	
RQL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RQL_UNSPSCCODE	Y	VARCHAR2(30)	nvarchar(30)	
RQL_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
RQL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REQUISLINES_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARI_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ARI_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
ARI_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ARI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ARI_DUE	Y	DATE	datetime	delivery due date.
ARI_QUOTFLAG	Y	VARCHAR2(1)	nvarchar(1)	0=no price quotation, 1=price quotation before order, 2=only a price quotation.
ARI_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price per issue unit of measure in supplier currency.
ARI_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be requisitioned in issue unit of measure.
ARI_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
ARI_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in issue unit of measure.
ARI_RECVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date in supplier currency.
ARI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
ARI_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ARI_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ARI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ARI_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity code.
ARI_STATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition item status (user code, see entity rlst).
ARI_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition item status (system code, see entity rlst).
ARI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
ARI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
ARI_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
ARI_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if requisition item is awaiting ordering/delivery.
ARI_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number (recommended).
ARI_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ARI_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
ARI_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
ARI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ARI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ARI_ACD	Y	NUMBER	bigint	account details code.
ARI_INTERFACE	Y	DATE	datetime	date requisition line created by financial interface.
ARI_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number (recommended).
ARI_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from requisition line currency to dual currency.
ARI_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ARI_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	code of part used by manufacturer.
ARI_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer.
ARI_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
ARI_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
ARI_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code.
ARI_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	whether attached to warranty.
ARI_EXPENSETYPE	Y	VARCHAR2(4)	nvarchar(4)	expense type.
ARI_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
ARI_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
ARI_TASKQTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
ARI_TRADE	Y	VARCHAR2(15)	nvarchar(15)	task trade
ARI_RECVTASKQTY	Y	NUMBER(10,2)	numeric(10,2)	received task quantity
ARI_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ARI_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ARI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization

ARI_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating inspection is required
ARI_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
ARI_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	indicates if current price has been obtained from 7i Buy
ARI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ARI_REPAIRQTY	Y	NUMBER(24,6)	numeric(24,6)	Quantity to be repaired
ARI_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ARI_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ARI_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	Column for GL Transfer flag
ARI_GLTRANSFER	Y	DATE	datetime	Column for Date of GL Transfer
ARI_IPLASTUPDATE	Y	DATE	datetime	Date price and lead time were updated from 7iBuy
ARI_IPUPDATESTATUS	Y	VARCHAR2(1)	nvarchar(1)	Status of last price and lead time update from 7iBuy
ARI_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ARI_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	Delivery address Attention
ARI_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	IP error code
ARI_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	Error message received from IProcure
ARI_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
ARI_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
ARI_RFQ	Y	VARCHAR2(30)	nvarchar(30)	rfq code
ARI_RFQ_ORG	Y	VARCHAR2(15)	nvarchar(15)	rfq organization
ARI_RFQLINE	Y	NUMBER(8,0)	numeric(8,0)	rfq line number
ARI_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ARI_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARI_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARI_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARI_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

ARI_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ARI_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ARI_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ARI_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ARI_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ARI_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ARI_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARI_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARI_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARI_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARI_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ARI_NOTE	Y	VARCHAR2(256)	nvarchar(256)	
ARI_LONGDESCRIPTION	Y	VARCHAR2(4000)	nvarchar(4000)	
ARI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARI_UNSPSCCODE	Y	VARCHAR2(30)	nvarchar(30)	
ARI_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
ARI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RESERVATIONS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RES_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number for which part is reserved.
RES_ACT	N	NUMBER(8,0)	numeric(8,0)	activity for which part is reserved.
RES_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
RES_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
RES_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
RES_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
RES_QTY	N	NUMBER(24,6)	numeric(24,6)	reserved quantity.
RES_ALLQTY	Y	NUMBER(24,6)	numeric(24,6)	allocated quantity.
RES_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number. not used.
RES_CRIT	N	VARCHAR2(1)	nvarchar(1)	value is + if material is critical to completion of activity.
RES_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status of reservation (user code, see entity rsst).
RES_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of reservation (system code, see entity rsst).
RES_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
RES_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RES_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RES_WOHEADEREQUIPMENT	Y	VARCHAR2(1)	nvarchar(1)	
RES_CREATED	Y	DATE	datetime	Creation timestamp
RES_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RESERVATIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ARE_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ARE_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number for which part is reserved.
ARE_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity for which part is reserved.
ARE_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ARE_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ARE_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ARE_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ARE_QTY	Y	NUMBER(24,6)	numeric(24,6)	reserved quantity.
ARE_ALLQTY	Y	NUMBER(24,6)	numeric(24,6)	allocated quantity.
ARE_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number. not used.
ARE_CRIT	Y	VARCHAR2(1)	nvarchar(1)	value is + if material is critical to completion of activity.
ARE_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status of reservation (user code, see entity rsst).
ARE_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status of reservation (system code, see entity rsst).

ARE_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ARE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ARE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ARE_WOHEADEREQUIPMENT	Y	VARCHAR2(1)	nvarchar(1)	
ARE_CREATED	Y	DATE	datetime	Creation timestamp
ARE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RESOURCES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RSS_CODE	N	VARCHAR2(80)	nvarchar(80)	Resource Code
RSS_DESC	N	VARCHAR2(1024)	nvarchar(1024)	Resource Description
RSS_ACCOUNTINGENTITY	Y	VARCHAR2(22)	nvarchar(22)	Accounting Entity
RSS_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active (+ for yes, - for no)
RSS_TYPE	Y	VARCHAR2(100)	nvarchar(100)	Resource Type
RSS_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
RSS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RSS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RET_TEMP	ASSET TRACKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RET_DATE	Y	DATE	datetime	date of reading.
RET_READING	Y	NUMBER(24,6)	numeric(24,6)	reading value.
RET_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
RET_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
RET_DIFF	Y	NUMBER(24,6)	numeric(24,6)	difference between current and previous reading.
RET_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
RET_RECORDED	Y	DATE	datetime	date reading recorded.
RET_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
RET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5REVCNTRLSETUP	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCS_PAGENAME	N	VARCHAR2(40)	nvarchar(40)	function based name of page
RCS_ELEMENTID	N	VARCHAR2(40)	nvarchar(40)	Unique field element ID in form
RCS_XPATH	Y	VARCHAR2(400)	nvarchar(400)	field xpath
RCS_PROTECTED	N	VARCHAR2(1)	nvarchar(1)	protected flag
RCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQCLAUSES	QUOTATIONS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFC_CODE	N	VARCHAR2(30)	nvarchar(30)	Describe RFQ Code (Quotation Code)
RFC_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFC_CLAUSE	N	VARCHAR2(8)	nvarchar(8)	Describes clauses
RFC_CREATED	Y	DATE	datetime	creation timestamp
RFC_UPDATED	Y	DATE	datetime	update timestamp
RFC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RFC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQLINERESPONSEMAPPING	QUOTATIONS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

RRM_QUOTID	N	VARCHAR2(30)	nvarchar(30)	Describes the quotation number
RRM_QUOTLINE	N	NUMBER(8,0)	numeric(8,0)	Describes the quotation line number
RRM_RFQ	N	VARCHAR2(30)	nvarchar(30)	Describes the rfq number
RRM_RFQ_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes the rfq org
RRM_RFQLINE	N	NUMBER(8,0)	numeric(8,0)	Describes the rfq line number
RRM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
RRM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQLINERESPONSES

QUOTATIONS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RLR_QUOTID	N	VARCHAR2(30)	nvarchar(30)	quotation number
RLR_QUOTLINE	N	NUMBER(8,0)	numeric(8,0)	quotation line number
RLR_RFQ	N	VARCHAR2(30)	nvarchar(30)	rfq code.
RLR_RFQ_ORG	N	VARCHAR2(15)	nvarchar(15)	rfq org.
RLR_RFQLINE	N	NUMBER(8,0)	numeric(8,0)	rfq line number
RLR_REF	Y	VARCHAR2(50)	nvarchar(50)	supplier catalog reference
RLR_NOTOFFERED	Y	VARCHAR2(1)	nvarchar(1)	not offered
RLR_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time
RLR_DUEDATE	Y	DATE	datetime	due date
RLR_PURQTY	N	NUMBER(24,6)	numeric(24,6)	purchase qty
RLR_REQQTY	Y	NUMBER(24,6)	numeric(24,6)	requested qty
RLR_MULTIPLY	N	NUMBER(10,4)	numeric(10,4)	conversion factor
RLR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price
RLR_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate
RLR_FREEZERATE	Y	VARCHAR2(1)	nvarchar(1)	freeze rate
RLR_CURR	N	VARCHAR2(3)	nvarchar(3)	currency field
RLR_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	uop field
RLR_STATUS	N	VARCHAR2(4)	nvarchar(4)	status field
RLR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	rstatus field
RLR_TYPE	Y	VARCHAR2(4)	nvarchar(4)	line type field
RLR_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	line rtype field
RLR_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code
RLR_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax code2
RLR_CREATED	Y	DATE	datetime	Record Created timestamp
RLR_UPDATED	Y	DATE	datetime	Record updated timestamp
RLR_SUMMARIZED	Y	VARCHAR2(1)	nvarchar(1)	Describes whether the quotation line has been summarized.
RLR_TASKQTY	Y	NUMBER(10,2)	numeric(10,2)	Task Quantity
RLR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
RLR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RLR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

RLR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RLR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RLR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RLR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RLR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RLR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
RLR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RLR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RLR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RLR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RLR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RLR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RLR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQLINES		QUOTATIONS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RLI_RFQ	N	VARCHAR2(30)	nvarchar(30)	Describes the RFQ code
RLI_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes the RFQ Org
RLI_RFQLINE	N	NUMBER(8,0)	numeric(8,0)	Describes the RFQ Line
RLI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Describes Work Order
RLI_ACT	Y	NUMBER(8,0)	numeric(8,0)	Describes Activity
RLI_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
RLI_TYPE	N	VARCHAR2(4)	nvarchar(4)	Describes the ServiceType/part type
RLI_RTYPE	N	VARCHAR2(4)	nvarchar(4)	system type code
RLI_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task for services
RLI_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task code revision
RLI_TASKQTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
RLI_UOM	Y	VARCHAR2(30)	nvarchar(30)	Units of Measurement
RLI_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade for services
RLI_QTY	N	NUMBER(24,6)	numeric(24,6)	Describes the Requested Quantity/Hours Requested for part/sevices resp
RLI_DUEDATE	N	DATE	datetime	Due Date
RLI_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	Delivery Address
RLI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
RLI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
RLI_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
RLI_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
RLI_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	inspect flag
RLI_CREATED	Y	DATE	datetime	Record Created timestamp
RLI_UPDATED	Y	DATE	datetime	Record Updated timestamp
RLI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RLI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RLI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQRESPONSES		QUOTATIONS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

RFR_QUOTID	N	VARCHAR2(30)	nvarchar(30)	Describes the quotation number
RFR_CODE	N	VARCHAR2(30)	nvarchar(30)	Describes the rfq code
RFR_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes the rfq Org
RFR_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	Describes the supplier code
RFR_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes the supplier org
RFR_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
RFR_STATUS	N	VARCHAR2(4)	nvarchar(4)	Describes the user status
RFR_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Describes the system status
RFR_REPLY	Y	DATE	datetime	Describes the reply date
RFR_EXPIRATION	Y	DATE	datetime	Describes the expiration date
RFR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Describes the class
RFR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Describes the class org
RFR_CURR	N	VARCHAR2(3)	nvarchar(3)	Describes the supplier currency
RFR_RECEIVED	Y	DATE	datetime	Date received
RFR_RECEIVEDBY	Y	VARCHAR2(255)	nvarchar(255)	Received By
RFR_PARTLINES	Y	NUMBER(8,0)	numeric(8,0)	Total part lines for the rfq
RFR_SERVICELINES	Y	NUMBER(8,0)	numeric(8,0)	Total service lines for the rfq
RFR_TOTALTAX	Y	NUMBER(24,6)	numeric(24,6)	Total tax of part and services on the quotation lines
RFR_PARTVALUE	Y	NUMBER(24,6)	numeric(24,6)	Total price of all part lines
RFR_SERVICEVALUE	Y	NUMBER(24,6)	numeric(24,6)	Total price of all service lines
RFR_CREATED	Y	DATE	datetime	Record Created timestamp
RFR_UPDATED	Y	DATE	datetime	Record updated timestamp
RFR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RFR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RFR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RFR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RFR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RFR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RFR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RFR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
RFR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

RFR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RFR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQSUPPLIERS

QUOTATIONS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFS_CODE	N	VARCHAR2(30)	nvarchar(30)	Describe RFQ Code (Quotation Code)
RFS_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFS_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	Describes Supplier
RFS_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes Supplier Org
RFS_CONTACT	Y	VARCHAR2(45)	nvarchar(45)	Describes Contact
RFS_PHONE	Y	VARCHAR2(45)	nvarchar(45)	Describes Phone
RFS_FAX	Y	VARCHAR2(45)	nvarchar(45)	Describes Fax
RFS_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	Describes Email
RFS_CREATED	Y	DATE	datetime	Describes created on date
RFS_UPDATED	Y	DATE	datetime	Describes updated on date
RFS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RFS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RFQUOTATIONS

QUOTATIONS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RFQ_CODE	N	VARCHAR2(30)	nvarchar(30)	Uniquely identifies request for quotations
RFQ_ORG	N	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFQ_DESC	N	VARCHAR2(80)	nvarchar(80)	Describes the RFQuotations
RFQ_STATUS	N	VARCHAR2(4)	nvarchar(4)	Describes the status of the upload. . U (Unfinished) . R (Ready to Send) . S (Sent to Supplier) . RQ (Receiving Quotations) . AQ (All Quotations Received) . C (Cancelled) . A (Awarded(Closed))
RFQ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	Describes the rstatus of the upload. . U (Unfinished) . R (Ready to Send) . S (Sent to Supplier) . RQ (Receiving Quotations) . AQ (All Quotations Received) . C (Cancelled) . A (Awarded(Closed))
RFQ_CURR	N	VARCHAR2(3)	nvarchar(3)	the currency
RFQ_STORE	Y	VARCHAR2(15)	nvarchar(15)	Describe the stores
RFQ_REQUESTEDBY	N	VARCHAR2(15)	nvarchar(15)	Employee name Requested for quotation..
RFQ_RESPONSEDUE	N	DATE	datetime	The date by when the suppliers should send in their quotes.
RFQ_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Describes project Name
RFQ_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	Budget related to a project
RFQ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Describes Work Order
RFQ_EVTACT	Y	NUMBER(8,0)	numeric(8,0)	Describes Activity
RFQ_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related WorkOrder
RFQ_BUYER	Y	VARCHAR2(255)	nvarchar(255)	Describes Buyer
RFQ_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	Delivery Address
RFQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Describes classes
RFQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Describes class organization
RFQ_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Describes Created By
RFQ_REQUESTEDDATE	Y	DATE	datetime	The Date requested for quotation.
RFQ_AWARDEDBY	Y	VARCHAR2(255)	nvarchar(255)	Describes Awarded BY
RFQ_AWARDEDDATE	Y	DATE	datetime	Awarded Date
RFQ_RESPONSEOPT	Y	VARCHAR2(1)	nvarchar(1)	Individual Lines/Sum Quantities
RFQ_PRINT	Y	VARCHAR2(1)	nvarchar(1)	Sum Quantities By Due Date
RFQ_AUTOPRINT	Y	VARCHAR2(1)	nvarchar(1)	The Auto-print RFQ checkbox if selected, prints the RFQ Report for the selected RFQ after Quotation and Quotation Lines have been created.
RFQ_TOTALVALUE	Y	NUMBER(24,6)	numeric(24,6)	Describes RFQ total value
RFQ_LASTTTOTALED	Y	DATE	datetime	DateTime when the totals were last calculated.

RFQ_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	Describes Ship Via
RFQ_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	Describes Payment Terms
RFQ_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	Describes Freight Terms
RFQ_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	Describes FOB Point
RFQ_PAYBYMETHODS	Y	VARCHAR2(15)	nvarchar(15)	Describes Pay by Method
RFQ_EMAILSUBJECT	Y	VARCHAR2(255)	nvarchar(255)	Describes Email subject Line
RFQ_EMAILTEXT	Y	VARCHAR2(1000)	nvarchar(1000)	Describes Emailtext
RFQ_CREATED	Y	DATE	datetime	Created on Date
RFQ_UPDATED	Y	DATE	datetime	Updated on Date
RFQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RFQ_REQUISITION	Y	VARCHAR2(30)	nvarchar(30)	requisition code
RFQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RFQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RISK	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RIS_PK	N	NUMBER	int	primary key
RIS_CODE	Y	VARCHAR2(8)	nvarchar(8)	risk focus
RIS_DESC	N	VARCHAR2(80)	nvarchar(80)	risk item
RIS_RISK	Y	VARCHAR2(8)	nvarchar(8)	risk code
RIS_REVISION	Y	NUMBER(4,0)	numeric(4,0)	revision
RIS_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
RIS_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
RIS_REVRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status (system)
RIS_REVSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status
RIS_TYPE	Y	VARCHAR2(1)	nvarchar(1)	risk type
RIS_PARENT	Y	NUMBER	int	parent code
RIS_NORMALIZE	Y	VARCHAR2(1)	nvarchar(1)	normalize
RIS_RANKLEVEL	Y	VARCHAR2(1)	nvarchar(1)	ranking level
RIS_RANKVALUE	Y	NUMBER	numeric(12,6)	ranking value
RIS_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
RIS_CREATED	Y	DATE	datetime	created
RIS_USER	Y	VARCHAR2(255)	nvarchar(255)	by user
RIS_UPDATED	Y	DATE	datetime	changed date
RIS_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	updated by user
RIS_FORMULA	Y	VARCHAR2(2000)	nvarchar(2000)	formula
RIS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RIS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RIS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RISKMATRIXCONSEQCOST	T.B.D.			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RCC_RMSCODE	N	VARCHAR2(30)	nvarchar(30)	
RCC_ORG	N	VARCHAR2(15)	nvarchar(15)	
RCC_CONSEQUENCE	N	VARCHAR2(30)	nvarchar(30)	
RCC_CONSEQUENCECOST	N	NUMBER(24,6)	numeric(24,6)	
RCC_BLACKSWAN	Y	VARCHAR2(1)	nvarchar(1)	
RCC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created this record
RCC_CREATED	Y	DATE	date	Creation timestamp
RCC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who updated the record
RCC_UPDATED	Y	DATE	date	Update timestamp
RCC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

RCC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RCC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
RCC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
RCC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
RCC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
RCC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
RCC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
RCC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
RCC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RCC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RCC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RISKMATRIXCONSEQUENCES

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RMC_CODE	N	VARCHAR2(30)	nvarchar(30)	Code
RMC_RMSCODE	N	VARCHAR2(30)	nvarchar(30)	code in r5riskmatrixsetup
RMC_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
RMC_SEVERITY	N	NUMBER(6,0)	numeric(6,0)	severity
RMC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created by user
RMC_CREATED	Y	DATE	datetime	Creation timestamp

RMC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
RMC_UPDATED	Y	DATE	datetime	update timestamp
RMC_ICON	Y	VARCHAR2(30)	nvarchar(30)	Icon
RMC_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	Icon location
RMC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type number
RMC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type number
RMC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type number
RMC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type number
RMC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type number
RMC_UDFDATE01	Y	DATE	datetime	User defined field of type date
RMC_UDFDATE02	Y	DATE	datetime	User defined field of type date
RMC_UDFDATE03	Y	DATE	datetime	User defined field of type date
RMC_UDFDATE04	Y	DATE	datetime	User defined field of type date
RMC_UDFDATE05	Y	DATE	datetime	User defined field of type date
RMC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type checkbox
RMC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type checkbox
RMC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type checkbox
RMC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type checkbox
RMC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type checkbox
RMC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RMC_STREAMPLUSVERSION	Y	VARCHAR2(30)	nvarchar(30)	The version of Streamplus
RMC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RMC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RISKMATRIXSETUP		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
RMS_CODE	N	VARCHAR2(30)	nvarchar(30)	Code
RMS_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
RMS_PROJECT	N	VARCHAR2(8)	nvarchar(8)	Project
RMS_TYPE	N	VARCHAR2(4)	nvarchar(4)	Type
RMS_THRESHOLD	Y	NUMBER(6,0)	numeric(6,0)	Rating / Threshold
RMS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
RMS_CREATED	Y	DATE	datetime	Creation timestamp
RMS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
RMS_UPDATED	Y	DATE	datetime	Date Updated
RMS_ICON	Y	VARCHAR2(30)	nvarchar(30)	Icon
RMS_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	Icon location
RMS_COLOR	Y	VARCHAR2(6)	nvarchar(6)	Color
RMS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
RMS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User definid field of type Char
RMS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User definid field of type Number
RMS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User definid field of type Number
RMS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User definid field of type Number
RMS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User definid field of type Number
RMS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User definid field of type Number
RMS_UDFDATE01	Y	DATE	datetime	User definid field of type Date
RMS_UDFDATE02	Y	DATE	datetime	User definid field of type Date
RMS_UDFDATE03	Y	DATE	datetime	User definid field of type Date
RMS_UDFDATE04	Y	DATE	datetime	User definid field of type Date
RMS_UDFDATE05	Y	DATE	datetime	User definid field of type Date

RMS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defin field of type Checkbox
RMS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defin field of type Checkbox
RMS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defin field of type Checkbox
RMS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defin field of type Checkbox
RMS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defin field of type Checkbox
RMS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RMS_STREAMPLUSVERSION	Y	VARCHAR2(30)	nvarchar(30)	The version of Streamplus
RMS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RMS_PROBABILITY_PERCENTAGE	Y	NUMBER(5,2)	numeric(5,2)	
RMS_BLACKSWAN	Y	VARCHAR2(1)	nvarchar(1)	
RMS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RISKNORM INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RNO_PK	N	NUMBER	int	primary key
RNO_MIN	N	NUMBER	numeric(24,6)	minimum value
RNO_MAX	N	NUMBER	numeric(24,6)	maximum value
RNO_NORM	N	NUMBER	numeric(24,6)	normalized value
RNO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RNO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RNO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RISKRANGE INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RRA_PK	Y	NUMBER	int	primary key
RRA_MIN	Y	NUMBER	numeric(24,6)	minimum value
RRA_MAX	Y	NUMBER	numeric(24,6)	maximum value
RRA_CRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	criticality
RRA_CREATED	Y	DATE	datetime	created
RRA_USER	Y	VARCHAR2(255)	nvarchar(255)	by user
RRA_UPDATED	Y	DATE	datetime	updated
RRA_UPDUSER	Y	VARCHAR2(255)	nvarchar(255)	by user
RRA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RRA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RRA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RMA EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RMA_CODE	N	VARCHAR2(24)	nvarchar(24)	return merchandise authorization number. unique identification.
RMA_ACCOUNT	N	VARCHAR2(24)	nvarchar(24)	return merchandise authorization account number.
RMA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
RMA_DATE	Y	DATE	datetime	date return merchandise authorization raised.
RMA_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
RMA_DESC	Y	VARCHAR2(80)	nvarchar(80)	return merchandise authorization description.
RMA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	return merchandise authorization status (user code, entity rmst).
RMA_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	return merchandise authorization status (system code, entity rmst).
RMA_CLDATE	Y	DATE	datetime	date return merchandise authorization closed.
RMA_ORG	N	VARCHAR2(15)	nvarchar(15)	rma organization
RMA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
RMA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
RMA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RMA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RMATRANS ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RMT_TRANS	N	VARCHAR2(30)	nvarchar(30)	transaction number.
RMT_LINE	N	NUMBER(8,0)	numeric(8,0)	transaction line number.
RMT_RMA	N	VARCHAR2(24)	nvarchar(24)	return merchandise authorization number.
RMT_ACCOUNT	N	VARCHAR2(24)	nvarchar(24)	return merchandise authorization account number.
RMT_ORG	N	VARCHAR2(15)	nvarchar(15)	rma organization
RMT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RMT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ROLES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ROL_CODE	N	VARCHAR2(30)	nvarchar(30)	The role to be used to create a user when login authentication is done by LDAP server.
ROL_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description of role
ROL_GROUP	Y	VARCHAR2(12)	nvarchar(12)	Default logon group
ROL_DEFAULTORG	Y	VARCHAR2(15)	nvarchar(15)	Default organization to assign to user.
ROL_LANG	Y	VARCHAR2(2)	nvarchar(2)	Language
ROL_SUCCESSMSGTIMEOUT	Y	NUMBER	numeric(4,0)	The time to display the message displayed on timeout.
ROL_LOCALE	Y	VARCHAR2(10)	nvarchar(10)	Determines the number format (i.e., use of decimals, commas, etc.) for all numeric fields
ROL_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department.
ROL_FIRSTFUNC	Y	VARCHAR2(6)	nvarchar(6)	The first function the user will be navigated to on logon.
ROL_EWSFIRSTFUNC	Y	VARCHAR2(6)	nvarchar(6)	Function that should be opened when this user logs on to Extended.
ROL_REQAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	Requisition approval limit.
ROL_REQAUTHAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	The amount of money for which the user will be able to create a Requisition.
ROL_INVAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	Invoice approval limit.
ROL_INVAPPLIMITNONPO	Y	NUMBER(24,6)	numeric(24,6)	Invoice approval limit for non purchase order based invoices.
ROL_PORDAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	PO approval limit
ROL_PORDAUTHAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	The amount of money for which the user will be allowed to create a PO.
ROL_PICAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	Pick list approval limit
ROL_BUYER	Y	VARCHAR2(1)	nvarchar(1)	Whether this user is a buyer.
ROL_APPROVER	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can approve.
ROL_REQUESTOR	Y	VARCHAR2(1)	nvarchar(1)	Select the checkbox to indicate the user or group is of type Requestor, meaning that only a limited number of functions can be accessed.
ROL_ROUTER	Y	VARCHAR2(1)	nvarchar(1)	Indicates the role the user can use to route work orders in Infor EAM on the Work order screening form (WDSCRN).
ROL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ROL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Whether this user is active.
ROL_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can use mobile
ROL_CONNECTOR	Y	VARCHAR2(1)	nvarchar(1)	Whether this user is a connector
ROL_BARCODE	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can use barcode
ROL_ANALYTICS	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can use analytics
ROL_ADVREPAUTHOR	Y	VARCHAR2(1)	nvarchar(1)	Is the user with this role a Cognos author
ROL_ADVREPCONSUMER	Y	VARCHAR2(1)	nvarchar(1)	Is the user with this role a Cognos consumer
ROL_MOBILEADM	Y	VARCHAR2(1)	nvarchar(1)	Is the user with this role a 7i Mobile Administrator
ROL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ROL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ROOTITEMS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ROT_REQM	N	VARCHAR2(8)	nvarchar(8)	parent requirement code.
ROT_SUGGEST	N	VARCHAR2(8)	nvarchar(8)	child requirement code.
ROT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ROT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ROT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ROUTEPOINTS		INSPECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

ROP_ROUTE	N	VARCHAR2(20)	nvarchar(20)	route code.
ROP_LINE	N	NUMBER(8,0)	numeric(8,0)	route line number.
ROP_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
ROP_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
ROP_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
ROP_POINT	N	VARCHAR2(30)	nvarchar(30)	identifies inspection point on object.
ROP_POINTTYPE	N	VARCHAR2(30)	nvarchar(30)	inspection point type.
ROP_LEVEL	Y	NUMBER(1,0)	numeric(1,0)	identifies level of object to be inspected.
ROP_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
ROP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ROP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ROP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ROUTES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ROU_CODE	N	VARCHAR2(20)	nvarchar(20)	route code. unique identification.
ROU_DESC	N	VARCHAR2(80)	nvarchar(80)	route description.
ROU_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	object category code.
ROU_TEMPLATE	N	VARCHAR2(1)	nvarchar(1)	value is + if route is a template route, otherwise route is a normal route.
ROU_CLASS	Y	VARCHAR2(8)	nvarchar(8)	route classification code.
ROU_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
ROU_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	status of revision.
ROU_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	user status of revision.
ROU_ORG	N	VARCHAR2(15)	nvarchar(15)	route organization
ROU_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ROU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ROU_LINKGISWO	Y	VARCHAR2(1)	nvarchar(1)	Indicates that the system will attach the GIS map as a linked document when work orders are released for the equipment or route.
ROU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ROU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5ROUTOBJECTS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ROB_ROUTE	N	VARCHAR2(20)	nvarchar(20)	route code.
ROB_LINE	N	NUMBER(8,0)	numeric(8,0)	route line number.
ROB_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
ROB_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
ROB_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
ROB_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
ROB_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
ROB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ROB_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	
ROB_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	
ROB_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	
ROB_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	
ROB_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	
ROB_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	
ROB_FROM_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	
ROB_FROM_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	
ROB_FROM_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	
ROB_TO_REFERENCE	Y	NUMBER(38,0)	numeric(38,0)	
ROB_TO_OFFSET	Y	NUMBER(24,6)	numeric(24,6)	
ROB_TO_OFFSET_DIRECTION	Y	VARCHAR2(8)	nvarchar(8)	
ROB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ROB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5RPTSERVERREQUEST		ANALYTICS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
RSR_REQUESTID	N	VARCHAR2(60)	nvarchar(60)	Report message request ID
RSR_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Report function code
RSR_TICKET	Y	VARCHAR2(255)	nvarchar(255)	FUS ticket number
RSR_PRINTERID	Y	NUMBER(38,0)	int	Printer ID
RSR_PRINTQUEUE	Y	VARCHAR2(255)	nvarchar(255)	Print queue name
RSR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
RSR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
RSR_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SAFETYMATRIX		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SFM_PK	N	VARCHAR2(30)	nvarchar(30)	
SFM_ORG	N	VARCHAR2(15)	nvarchar(15)	
SFM_HAZARD	N	VARCHAR2(30)	nvarchar(30)	
SFM_HAZARD_ORG	Y	VARCHAR2(15)	nvarchar(15)	
SFM_PRECAUTION	N	VARCHAR2(30)	nvarchar(30)	
SFM_PRECAUTION_ORG	Y	VARCHAR2(15)	nvarchar(15)	
SFM_TIMING	Y	VARCHAR2(8)	nvarchar(8)	
SFM_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	
SFM_HEALTHHAZARD	Y	VARCHAR2(8)	nvarchar(8)	
SFM_FLAMMABILITY	Y	VARCHAR2(8)	nvarchar(8)	
SFM_INSTABILITY	Y	VARCHAR2(8)	nvarchar(8)	
SFM_SPECIALHAZARDS	Y	VARCHAR2(8)	nvarchar(8)	
SFM_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
SFM_CREATED	Y	DATE	datetime2	Creation timestamp
SFM_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The User Who Updated The Record
SFM_UPDATED	Y	DATE	datetime2	Update timestamp
SFM_OBJCLASS	Y	VARCHAR2(8)	nvarchar(8)	
SFM_OBJCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
SFM_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	
SFM_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
SFM_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
SFM_APPLYTOCHILDREN	Y	VARCHAR2(1)	nvarchar(1)	
SFM_PPM	Y	VARCHAR2(20)	nvarchar(20)	
SFM_STANDARDWO	Y	VARCHAR2(20)	nvarchar(20)	
SFM_TASK	Y	VARCHAR2(20)	nvarchar(20)	
SFM_JOBPLAN	Y	VARCHAR2(20)	nvarchar(20)	
SFM_SAFETYREVIEWREQUIRED	Y	DATE	datetime2	
SFM_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	
SFM_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	
SFM_REVIEWED	Y	DATE	datetime2	
SFM_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	
SFM_REVIEWWTRIGGER	Y	VARCHAR2(8)	nvarchar(8)	
SFM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

SFM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SFM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SFM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SFM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SFM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SFM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SFM_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
SFM_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
SFM_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
SFM_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
SFM_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
SFM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SFM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SFM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SFM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SFM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SFM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SFM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SFM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSSCHEDGROUPS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCG_CODE	N	VARCHAR2(30)	nvarchar(30)	scheduling group code.
SCG_DESC	N	VARCHAR2(80)	nvarchar(80)	scheduling group description.
SCG_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
SCG_ORG	N	VARCHAR2(15)	nvarchar(15)	schedule group organization
SCG_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
SCG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCG_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
SCG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCG_PROFILEPICTURE	Y	VARCHAR2(30)	nvarchar(30)	
SCG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SCHEDULEDJOBS				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCI_CODE	N	VARCHAR2(30)	nvarchar(30)	This is primary key of the table.
SCI_JOBNAME	N	VARCHAR2(10)	nvarchar(10)	Defines job of this scheduled job.
SCI_SCHCODE	N	VARCHAR2(30)	nvarchar(30)	Defines Schedule of this scheduled Job FK to R5schedules.
SCI_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	Indicates whether scheduled job active or inactive.
SCI_BROKEN	N	VARCHAR2(1)	nvarchar(1)	Indicates whether job broken or not.
SCI_LASTRUN	Y	DATE	datetime	Date and time of the last job execution.
SCI_NEXTRUN	Y	DATE	datetime	Date and time of the next job execution.
SCI_UPDATECOUNT	Y	NUMBER(38,0)	int	number of times this record has been updated
SCI_SERVERID	Y	VARCHAR2(255)	nvarchar(255)	IP address of requesting server for java tasks
SCI_TYPE	N	VARCHAR2(1)	nvarchar(1)	Type of scheduled job
SCI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCI_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCHEDULEDJOBSLOCK				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SJL_CODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
SJL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SJL_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCHEDULES				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCH_CODE	N	VARCHAR2(30)	nvarchar(30)	This is primary key of the table.
SCH_NAME	N	VARCHAR2(10)	nvarchar(10)	User readable name of the schedule.
SCH_DESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	Text description of the schedule.
SCH_TYPE	N	VARCHAR2(1)	nvarchar(1)	Types of Schedule could be one of the following values: S = Simple (One time schedule) C = Cron Schedule
SCH_MONTH	Y	VARCHAR2(40)	nvarchar(40)	Defines schedule
SCH_DAYOFMONTH	Y	VARCHAR2(83)	nvarchar(83)	Defines schedule
SCH_DAYOFWEEK	Y	VARCHAR2(40)	nvarchar(40)	Defines schedule
SCH_HOUR	Y	VARCHAR2(40)	nvarchar(40)	Defines schedule
SCH_MINUTE	Y	VARCHAR2(40)	nvarchar(40)	Defines schedule
SCH_UPDATECOUNT	Y	NUMBER(38,0)	int	number of times this record has been updated
SCH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCH_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCREENCACHE				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SNC_USER	N	VARCHAR2(255)	nvarchar(255)	User for which the function is cached
SNC_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function cached
SNC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
SNC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SNC_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCREENFLOWGROUPS				
DATASPY				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SFG_SCREENFLOWCODE	Y	VARCHAR2(6)	nvarchar(6)	Screen Flow Record ID
SFG_USERGROUP	N	VARCHAR2(12)	nvarchar(12)	The User Group Associate to the Screen Flow
SFG_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	Sequence number for order of Screen Flow
SFG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SFG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SFG_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCREENFLOWS				
DATASPY				

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SFL_CODE	N	VARCHAR2(30)	nvarchar(30)	The Screen Flow Record ID
SFL_SCREENFLOWCODE	Y	VARCHAR2(6)	nvarchar(6)	The Screen associated to the Screen Flow
SFL_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	Sequence number of the screen that is grouped with the screen flow
SFL_SCREENNAME	Y	VARCHAR2(6)	nvarchar(6)	The Screen Name associated to the Screen Flow
SFL_ICON	Y	VARCHAR2(50)	nvarchar(50)	The Icon Associated to the Screen Flow
SFL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SFL_SEQUENCENAME	Y	VARCHAR2(25)	nvarchar(25)	Sequence Name
SFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCREENSUBTABS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SST_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function name
SST_TAB	Y	VARCHAR2(3)	nvarchar(3)	Tab name
SST_SUBTAB	N	VARCHAR2(3)	nvarchar(3)	Sub tab name
SST_SEQUENCE	Y	NUMBER(2,0)	numeric(2,0)	Sub tab sequence
SST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
SST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SST_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCWORKORDERCOST	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CWS_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
CWS_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	wo type
CWS_DATE	N	DATE	datetime	date stamp
CWS_COST	Y	NUMBER(24,6)	numeric(24,6)	ocst of the wo
CWS_COSTDEFCURR	Y	NUMBER(24,6)	numeric(24,6)	default currency
CWS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CWS_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SCWORKORDERSREPORTED	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
CWR_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
CWR_MRC	N	VARCHAR2(15)	nvarchar(15)	department
CWR_DATE	N	DATE	datetime	date stamp
CWR_WOSREPORTED	Y	NUMBER(10,0)	numeric(10,0)	Number of work orders reported
CWR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
CWR_SQLIDENTITY	Y		int identity	Identity column for SQL Server
RSSEQINSTALLMAPPING	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SIM_SEQUENCE	N	VARCHAR2(30)	nvarchar(30)	The sequence used for the current install parameter.
SIM_INSTALLPARAMETER	Y	VARCHAR2(8)	nvarchar(8)	The install parameter.
SIM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SIM_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5SERVICECATALOGUE	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCA_TASK	N	VARCHAR2(20)	nvarchar(20)	task
SCA_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier
SCA_DATE	Y	DATE	datetime	date
SCA_REF	Y	VARCHAR2(24)	nvarchar(24)	catalog reference
SCA_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency

SCA_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate
SCA_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price
SCA_UOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit
SCA_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code
SCA_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time
SCA_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor
SCA_EXPPURPR	Y	DATE	datetime	expiration date
SCA_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange to euro
SCA_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange from euro
SCA_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
SCA_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
SCA_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
SCA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICECATSERVICECODES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCS_CATEGORY_CODE	N	VARCHAR2(30)	nvarchar(30)	Service category
SCS_CATEGORY_ORG	N	VARCHAR2(15)	nvarchar(15)	Service category organization
SCS_SERVICECODE	N	VARCHAR2(30)	nvarchar(30)	Service code
SCS_SERVICECODE_ORG	N	VARCHAR2(15)	nvarchar(15)	Service code organization
SCS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
SCS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
SCS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
SCS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
SCS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
SCS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the service category and service code relationship
SCS_CREATED	Y	DATE	datetime	Date service category and service code relationship is created
SCS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that updated the service category and service code relationship
SCS_UPDATED	Y	DATE	datetime	Date service category and service code relationship is updated
SCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICECODEEQUIPCLASSES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ECL_PK	N	VARCHAR2(30)	nvarchar(30)	Primary key
ECL_SERVICECODE	N	VARCHAR2(30)	nvarchar(30)	Service code
ECL_SERVICECODE_ORG	N	VARCHAR2(15)	nvarchar(15)	Service code organization
ECL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Equipment class associated to the service code
ECL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment class organization associated to the service code
ECL_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Category associated to the service code
ECL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment associated to the service code
ECL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment organization associated to the service code
ECL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ECL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ECL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ECL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ECL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ECL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ECL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ECL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ECL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ECL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ECL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ECL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ECL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ECL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ECL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ECL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ECL_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that created the record
ECL_CREATED	Y	DATE	datetime	Date created
ECL_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	User that updated the record
ECL_UPDATED	Y	DATE	datetime	Date updated
ECL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ECL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ECL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICECODES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SRV_PK	N	VARCHAR2(30)	nvarchar(30)	system defined sequence
SRV_CODE	Y	VARCHAR2(30)	nvarchar(30)	service code
SRV_ORG	Y	VARCHAR2(15)	nvarchar(15)	service code org
SRV_DESC	N	VARCHAR2(80)	nvarchar(80)	description for service code
SRV_LEVEL1	Y	VARCHAR2(30)	nvarchar(30)	level1 for service code
SRV_OBJECT	N	VARCHAR2(30)	nvarchar(30)	system for service code
SRV_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	system org for service code
SRV_STANDWORK	N	VARCHAR2(20)	nvarchar(20)	standard work order for service code

SRV_RESPONSETIME	Y	NUMBER(8,0)	numeric(8,0)	response time for service code
SRV_COSTESTIMATE	Y	NUMBER(24,6)	numeric(24,6)	service code estimate cost
SRV_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	priority for service code
SRV_CUSTOMER	Y	VARCHAR2(1)	nvarchar(1)	customer code
SRV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SRV_BILLABLE	Y	VARCHAR2(1)	nvarchar(1)	Billable flag
SRV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SRV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICELOGS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LOG_ENTITY	N	VARCHAR2(4)	nvarchar(4)	log entity
LOG_RENTITY	N	VARCHAR2(4)	nvarchar(4)	log entity
LOG_ENTITYCODE	N	VARCHAR2(80)	nvarchar(80)	log entity code
LOG_ENTITYORG	N	VARCHAR2(15)	nvarchar(15)	log entity org
LOG_SEQUENCE	N	NUMBER	int	log sequence
LOG_TYPE	N	VARCHAR2(4)	nvarchar(4)	log type
LOG_RTTYPE	N	VARCHAR2(4)	nvarchar(4)	log typ
LOG_TIME	N	DATE	datetime	log time
LOG_OLDSTATUS	Y	VARCHAR2(4)	nvarchar(4)	old status for auto generated log
LOG_OLDRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	old status for auto generated log
LOG_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	new status for auto generated log
LOG_NEWRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	new status for auto generated log
LOG_RESPONSETIME	Y	NUMBER	int	total response time
LOG_COMMENTS	Y	VARCHAR2(2000)	nvarchar(2000)	comments entered by user during creation of log for service request
LOG_CORRTIME	Y	NUMBER	int	correction time in minutes
LOG_CLOSED	Y	VARCHAR2(1)	nvarchar(1)	uu
LOG_RESPONDED	Y	VARCHAR2(1)	nvarchar(1)	flag to check if service request has been responded to
LOG_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	log created by
LOG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LOG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LOG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICEPROBLEMCODES

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SPB_CODE	N	VARCHAR2(30)	nvarchar(30)	Service problem code
SPB_ORG	N	VARCHAR2(15)	nvarchar(15)	Service problem org
SPB_DESC	Y	VARCHAR2(80)	nvarchar(80)	Service problem desc
SPB_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Service problem class
SPB_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service problem class org
SPB_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	The standard work order
SPB_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Job priority
SPB_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Work order class
SPB_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work order class org
SPB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
SPB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment org
SPB_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag to indicate whether the record is active or not
SPB_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type
SPB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count of the record
SPB_TEMPFIXTURNAROUND	Y	NUMBER(10,2)	numeric(10,2)	The time taken to complete the work Temporarily.
SPB_TEMPTURNAROUNDUNIT	Y	VARCHAR2(20)	nvarchar(20)	Temporary turnaround unit in terms of minute(s), hour(s), day(s), week(s), month(s), year(s).
SPB_PERMFIXTURNAROUND	Y	NUMBER(10,2)	numeric(10,2)	The time taken to complete the work Permanently.
SPB_PERMTURNAROUNDUNIT	Y	VARCHAR2(20)	nvarchar(20)	Permanent turnaround unit in terms of minute(s), hour(s), day(s), week(s), month(s), year(s).
SPB_PENALTYFACTOR	Y	NUMBER(10,4)	numeric(10,4)	Penalty Factor $\hat{c}$ used to calculate Penalties

SPB_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPB_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPB_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPB_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPB_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPB_UDFDATE01	Y	DATE	datetime	User defined field of type date
SPB_UDFDATE02	Y	DATE	datetime	User defined field of type date
SPB_UDFDATE03	Y	DATE	datetime	User defined field of type date
SPB_UDFDATE04	Y	DATE	datetime	User defined field of type date
SPB_UDFDATE05	Y	DATE	datetime	User defined field of type date
SPB_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPB_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPB_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPB_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPB_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPB_EQPUSABILITY	Y	VARCHAR2(30)	nvarchar(30)	Equipment Usability Code
SPB_EQPUSABILITY_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment usability Organization
SPB_FORFOLLOWUP	Y	VARCHAR2(1)	nvarchar(1)	Indicates the service code is for follow-up
SPB_GENERAL	Y	VARCHAR2(1)	nvarchar(1)	Indicates the service code is for general use
SPB_FOLLOWUPSERVICECODE	Y	VARCHAR2(30)	nvarchar(30)	Follow-up service code
SPB_FOLLOWUPSERVICECODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Follow-up service code organization
SPB_FOLLOWUPTIMING	Y	VARCHAR2(4)	nvarchar(4)	Indicates when the follow-up service code is activated
SPB_WOSTATUS	Y	VARCHAR2(4)	nvarchar(4)	work order status for the follow-up work order
SPB_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task plan for the follow-up work order
SPB_JOBPLAN	Y	VARCHAR2(20)	nvarchar(20)	Job plan for the follow-up work order
SPB_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade for the follow-up work order
SPB_ESTHOURS	Y	NUMBER(10,2)	numeric(10,2)	Estimated hours for the follow-up work order
SPB_PEOPLEREQ	Y	NUMBER(8,0)	numeric(8,0)	People required for the follow-up work order
SPB_STDRESPTIME	Y	NUMBER(10,2)	numeric(10,2)	Standard response time
SPB_STDRESPTIMEUNIT	Y	VARCHAR2(20)	nvarchar(20)	Standard response time unit of measure
SPB_AUTOREQUESTCASE	Y	VARCHAR2(1)	nvarchar(1)	Indicates if a case must be created automatically
SPB_CASETYPE	Y	VARCHAR2(8)	nvarchar(8)	Type of the case
SPB_CASECLASS	Y	VARCHAR2(8)	nvarchar(8)	Class of the case
SPB_CASECLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class organization of the case
SPB_CASEPRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority of the case
SPB_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost code of the case
SPB_REGULATORY	Y	VARCHAR2(1)	nvarchar(1)	Case has regulatory requirements
SPB_CASEFOLLOWUPREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Indicates if case follow-up is required
SPB_HAZARDMATERIAL	Y	VARCHAR2(1)	nvarchar(1)	Case has hazardous material involved
SPB_TOTALESTCOST	Y	NUMBER(24,6)	numeric(24,6)	Total cost estimate for the case
SPB_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

SPB_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPB_AUTOCREATEWO	Y	VARCHAR2(1)	nvarchar(1)	Indicates if a work order must be created automatically
SPB_SERVICEREQUESTPORTAL	Y	VARCHAR2(1)	nvarchar(1)	Indicates if service code can be used on the service request portal
SPB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SPB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICEPROBLEMLAYERS		CONTACT CENTER		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SPL_SERVICEPROBLEM	Y	VARCHAR2(30)	nvarchar(30)	Service problem code
SPL_SERVICEPROBLEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	Service problem org
SPL_LAYER	Y	VARCHAR2(60)	nvarchar(60)	GIS layer code
SPL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update count of the record
SPL_MAP	Y	VARCHAR2(30)	nvarchar(30)	Map
SPL_MAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	Map organization
SPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SPL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SERVICEREQUESTS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SRQ_CODE	N	VARCHAR2(30)	nvarchar(30)	system generated service request code
SRQ_DESC	N	VARCHAR2(80)	nvarchar(80)	description for service code
SRQ_ORG	N	VARCHAR2(15)	nvarchar(15)	service request org
SRQ_CALLNAME	Y	VARCHAR2(80)	nvarchar(80)	caller name
SRQ_CALLPHONE	Y	VARCHAR2(50)	nvarchar(50)	caller phone
SRQ_CALLEMAIL	Y	VARCHAR2(255)	nvarchar(255)	caller email
SRQ_CUSTOMER	Y	VARCHAR2(30)	nvarchar(30)	customer code
SRQ_LEVEL1	Y	VARCHAR2(30)	nvarchar(30)	level1 code
SRQ_LEVEL2	Y	VARCHAR2(30)	nvarchar(30)	level2
SRQ_LEVEL3	Y	VARCHAR2(30)	nvarchar(30)	level3
SRQ_AREA	Y	VARCHAR2(50)	nvarchar(50)	area in which service request is generated for
SRQ_CONTNAME	Y	VARCHAR2(50)	nvarchar(50)	contact name for service request
SRQ_CONTPHONE	Y	VARCHAR2(50)	nvarchar(50)	contact phone for the service request
SRQ_CONTEMAIL	Y	VARCHAR2(255)	nvarchar(255)	contact email for service request
SRQ_SERVICECODE	Y	VARCHAR2(30)	nvarchar(30)	service code
SRQ_SERVICECODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	service code org
SRQ_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	system code
SRQ_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	system org
SRQ_RESPONSETIME	Y	NUMBER(8,0)	numeric(8,0)	response time for service code
SRQ_COSTESTIMATE	Y	NUMBER(24,6)	numeric(24,6)	cost estimate

SRQ_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	currency for cost estimate
SRQ_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	service request priority
SRQ_REFERENCE	Y	VARCHAR2(50)	nvarchar(50)	reference number
SRQ_TYPE	N	VARCHAR2(4)	nvarchar(4)	type
SRQ_RTYPE	N	VARCHAR2(4)	nvarchar(4)	type
SRQ_STATUS	N	VARCHAR2(4)	nvarchar(4)	status
SRQ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	status
SRQ_ASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	service request assigned to
SRQ_DUPLICATEPARENT	Y	VARCHAR2(30)	nvarchar(30)	duplicate service request number
SRQ_REPLICATEPARENT	Y	VARCHAR2(30)	nvarchar(30)	replicate service request number
SRQ_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	entered by
SRQ_CREATIONDATE	Y	DATE	datetime	creation date
SRQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SRQ_INFOTYPE	Y	VARCHAR2(4)	nvarchar(4)	information request type
SRQ_INFORTYPE	Y	VARCHAR2(4)	nvarchar(4)	information request type
SRQ_ENTEREDBYCALLER	Y	VARCHAR2(255)	nvarchar(255)	The caller ID of the caller who created the service request
SRQ_UPDATED	Y	DATE	datetime	Update timestamp
SRQ_CALCRESPONSETIME	Y	NUMBER(8,0)	numeric(8,0)	Total time between the time the service request is opened and the time it has been marked as Responded.
SRQ_REPORTED	Y	DATE	datetime	T.B.D.
SRQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	Class of the service request
SRQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization of the class of the service request
SRQ_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

SRQ_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFDATE01	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE02	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE03	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE04	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE05	Y	DATE	datetime	User defined field of type Date
SRQ_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
SRQ_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
SRQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SRQ_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SRQ_UDFDATE06	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE07	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE08	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE09	Y	DATE	datetime	User defined field of type Date
SRQ_UDFDATE10	Y	DATE	datetime	User defined field of type Date
SRQ_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SRQ_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

SRQ_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SRQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SESSIONS		EWS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SES_SESSIONID	N	NUMBER(10,0)	numeric(10,0)	Session code
SES_PRODUCTID	Y	NUMBER(3,0)	numeric(3,0)	Product code
SES_USER	Y	VARCHAR2(255)	nvarchar(255)	Code of user logged in
SES_SERVERID	Y	VARCHAR2(120)	nvarchar(120)	Server code
SES_LASTUPDATED	Y	DATE	datetime	Update timestamp
SES_REPORTLEVEL	Y	NUMBER(1,0)	numeric(1,0)	Report type
SES_UPDATECOUNT	Y	NUMBER(30,0)	numeric(38,0)	Number of times the record has been updated
SES_CREATED	Y	DATE	datetime	Record creation timestamp
SES_EXPIRES	N	DATE	datetime	The date and time the session expires.
SES_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SES_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SESSIONSTRUCTURES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SSS_SESSION	N	NUMBER	numeric(18,0)	The equipment configuration session code.
SSS_PARENT	N	VARCHAR2(200)	nvarchar(200)	The parent code of the session structure.
SSS_PARENT_ORG	N	VARCHAR2(15)	nvarchar(15)	The parent organization of the session structure.
SSS_PARENTTYPE	N	VARCHAR2(1)	nvarchar(1)	The parent type of the session structure.
SSS_CHILD	N	VARCHAR2(200)	nvarchar(200)	The child code of the session structure.
SSS_CHILD_ORG	N	VARCHAR2(15)	nvarchar(15)	The child organization of the session structure.
SSS_CHILDTYPE	N	VARCHAR2(1)	nvarchar(1)	The child type of the session structure.
SSS_CONFIGCODE	Y	VARCHAR2(30)	nvarchar(30)	The equipment configuration code.
SSS_CONFIGREVISION	Y	NUMBER(4,0)	numeric(4,0)	The equipment configuration organization.
SSS_DATE	Y	DATE	datetime	The date of the session structure.
SSS_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	The equipment system type.
SSS_ROLLUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether costs should rollup.
SSS_KIT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the child is a kit.
SSS_CHILD_DESC	Y	VARCHAR2(80)	nvarchar(80)	The child description of the session structure.
SSS_DESCLEFT	Y	VARCHAR2(300)	nvarchar(300)	The left part of the equipment configuration structure node description
SSS_DESCRIGHT	Y	VARCHAR2(300)	nvarchar(300)	The right part of the equipment configuration structure node description
SSS_QTY	Y	NUMBER(24,6)	numeric(24,6)	Part quantity
SSS_ICON	Y	VARCHAR2(30)	nvarchar(30)	The icon
SSS_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The icon path
SSS_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	User object type
SSS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SETCONSISTEQUIPMENT		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCE_SETCONSISTPK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the set or consist the equipment belongs to.
SCE_OBJECT	N	VARCHAR2(30)	nvarchar(30)	The equipment belonging to the set or consist.
SCE_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the equipment belonging to the set or consist.
SCE_SETPOSITION	Y	VARCHAR2(15)	nvarchar(15)	The position of the set within the consist.
SCE_CONSISTPOSITION	Y	VARCHAR2(15)	nvarchar(15)	The position of the equipment within the consist.
SCE_SETPK	Y	VARCHAR2(30)	nvarchar(30)	The primary key of the set belonging to a consist.
SCE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCE_REPLDEPT	Y	VARCHAR2(30)	nvarchar(30)	
SCE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SETSCONSISTS		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
SCN_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the set or consist.
SCN_CODE	N	VARCHAR2(30)	nvarchar(30)	The code of the set or consist.
SCN_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the set or consist.
SCN_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the set or consist.
SCN_TYPE	N	VARCHAR2(4)	nvarchar(4)	The user type of the set or consist.
SCN_RTYPE	N	VARCHAR2(4)	nvarchar(4)	System type to indicate whether the record is a set or a consist.
SCN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the set or consist.
SCN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the set or consist.
SCN_STARTDATE	Y	DATE	datetime	The start date of the period the consist is valid.
SCN_ENDDATE	Y	DATE	datetime	The end date of the period the consist is valid.
SCN_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

SCN_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCN_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCN_UDFDATE01	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE02	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE03	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE04	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE05	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE06	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE07	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE08	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE09	Y	DATE	datetime	User defined field of type Date
SCN_UDFDATE10	Y	DATE	datetime	User defined field of type Date
SCN_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCN_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the set or consist.
SCN_CREATED	Y	DATE	datetime	The date and time the set or consist was created.
SCN_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the set or consist.
SCN_UPDATED	Y	DATE	datetime	Date and time the set or consist was last updated.
SCN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SCN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SHFCREWS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SHC_SHIFT	N	VARCHAR2(4)	nvarchar(4)	
SHC_CREW	N	VARCHAR2(15)	nvarchar(15)	
SHC_CREW_ORG	N	VARCHAR2(15)	nvarchar(15)	
SHC_START	N	DATE	datetime	
SHC_END	Y	DATE	datetime	
SHC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SHC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
SHC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SHFDAYS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SHD_SHIFT	N	VARCHAR2(4)	nvarchar(4)	shift code.
SHD_DAY	N	NUMBER(3,0)	numeric(3,0)	day number in shift cycle.
SHD_TIME	N	NUMBER	numeric(7,2)	start time of this shift at this day in the shift cycle.
SHD_HOURS	N	NUMBER(5,2)	numeric(5,2)	number of hours worked in this shift at this day in the shift cycle.
SHD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SHD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SHD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SHFPERS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SHP_SHIFT	N	VARCHAR2(4)	nvarchar(4)	shift code.
SHP_PERSON	N	VARCHAR2(15)	nvarchar(15)	personnel number.
SHP_START	N	DATE	datetime	date person ends working in this shift.
SHP_END	N	DATE	datetime	date person starts working in this shift.
SHP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SHP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SHP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SHIFTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SHF_CODE	N	VARCHAR2(4)	nvarchar(4)	shift code. unique identification.
SHF_DESC	N	VARCHAR2(80)	nvarchar(80)	shift description.
SHF_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
SHF_LENGTH	N	NUMBER(3,0)	numeric(3,0)	number of days in shift roster.
SHF_START	Y	DATE	datetime	start date of shift pattern.
SHF_ORG	N	VARCHAR2(15)	nvarchar(15)	shift organization
SHF_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
SHF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SHF_UPDATED	Y	DATE	datetime	update timestamp
SHF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SHF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SHUTDOWNOBJECTS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SOB_SHUTDOWN	Y	VARCHAR2(30)	nvarchar(30)	shutdown code.
SOB_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
SOB_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
SOB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
SOB_DEPEND	N	VARCHAR2(1)	nvarchar(1)	value is + if child objects are included in the shutdown.
SOB_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	standard job code.
SOB_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
SOB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
SOB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SOB_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	
SOB_ROUTEREV	Y	NUMBER(4,0)	numeric(4,0)	
SOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SHUTDOWNS

PROJECTS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SDS_CODE	N	VARCHAR2(30)	nvarchar(30)	shutdown code. unique identification.
SDS_DESC	N	VARCHAR2(80)	nvarchar(80)	shutdown description.
SDS_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.

SDS_ORG	N	VARCHAR2(15)	nvarchar(15)	shutdown organization
SDS_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
SDS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SDS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SDS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SOAUOMS	BUS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SUO_CODE	N	VARCHAR2(80)	nvarchar(80)	Unique SOA UOM Code
SUO_DESC	N	VARCHAR2(1024)	nvarchar(1024)	Description
SUO_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Is Active (+ for yes, - for no)
SUO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SUO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SUO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STACK	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STC_SESSION	Y	VARCHAR2(12)	nvarchar(12)	unique session code of user logon.
STC_CALLED	Y	VARCHAR2(6)	nvarchar(6)	code of function previously called.
STC_LINE	Y	NUMBER(8,0)	numeric(8,0)	stack line number.
STC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STANDARDCREWRATES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCR_STANDARDCREW	N	VARCHAR2(15)	nvarchar(15)	
SCR_STANDARDCREW_ORG	N	VARCHAR2(15)	nvarchar(15)	
SCR_ORG	N	VARCHAR2(15)	nvarchar(15)	
SCR_MRC	N	VARCHAR2(15)	nvarchar(15)	
SCR_STARTDATE	N	DATE	datetime	
SCR_ENDDATE	Y	DATE	datetime	
SCR_HOURLYRATE	Y	NUMBER(8,2)	numeric(8,2)	
SCR_CUSTANDARDRATE	Y	NUMBER(8,2)	numeric(8,2)	
SCR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SCR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SCR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
SCR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
SCR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
SCR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
SCR_UDFDATE05	Y	DATE	datetime	User defined field of type Date

SCR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SCR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCR_LASTSAVED	Y	DATE	datetime	Timestamp of last update
SCR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STANDARDCREWS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCW_CODE	N	VARCHAR2(15)	nvarchar(15)	
SCW_ORG	N	VARCHAR2(15)	nvarchar(15)	
SCW_DESC	Y	VARCHAR2(80)	nvarchar(80)	
SCW_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
SCW_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	
SCW_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
SCW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCW_LASTSAVED	Y	DATE	datetime	Timestamp of last update
SCW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STANDTOOLS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WTD_STANDWORK	N	VARCHAR2(20)	nvarchar(20)	code of standing work order.
WTD_ACT	N	NUMBER(8,0)	numeric(8,0)	code of activity.
WTD_TOOL	N	VARCHAR2(12)	nvarchar(12)	code of the tool.
WTD_HOURS	N	NUMBER(12,2)	numeric(12,2)	number of hours tool is required.
WTD_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity of tools required.
WTD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WTD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WTD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STANDWACTS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WAC_STANDWORK	N	VARCHAR2(20)	nvarchar(20)	standard job code.
WAC_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
WAC_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
WAC_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration in days.
WAC_EST	Y	NUMBER(14,4)	numeric(14,4)	estimated hours required.
WAC_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
WAC_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	material list code.
WAC_SPECIAL	N	VARCHAR2(1)	nvarchar(1)	value is + if activity may be done on special days.
WAC_HIRE	N	VARCHAR2(1)	nvarchar(1)	value is + if activity is performed by contract labor.
WAC_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people required.
WAC_START	N	NUMBER(3,0)	numeric(3,0)	start date of activity, relative to target date of job.
WAC_QTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
WAC_UOM	Y	VARCHAR2(30)	nvarchar(30)	task uom
WAC_RPC	Y	VARCHAR2(4)	nvarchar(4)	reason for repair code
WAC_WAP	Y	VARCHAR2(4)	nvarchar(4)	work accomplished code
WAC_TPF	Y	VARCHAR2(4)	nvarchar(4)	technician part failure code
WAC_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer/supplier code
WAC_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
WAC_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
WAC_COMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code

WAC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WAC_CREATED	Y	DATE	datetime	Creation timestamp
WAC_UPDATED	Y	DATE	datetime	Update timestamp
WAC_NOTE	Y	VARCHAR2(256)	nvarchar(256)	The standard WO activities notes
WAC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WAC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WAC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WAC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WAC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WAC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WAC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
WAC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
WAC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
WAC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
WAC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
WAC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WAC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WAC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WAC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WAC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WAC_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
WAC_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
WAC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WAC_LABORTYPE	Y	VARCHAR2(4)	nvarchar(4)	
WAC_LABORRTYPE	Y	VARCHAR2(4)	nvarchar(4)	

WAC_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
WAC_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
WAC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STANDWORKS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STW_CODE	N	VARCHAR2(20)	nvarchar(20)	standard work order code. unique identification.
STW_DESC	Y	VARCHAR2(80)	nvarchar(80)	standard job description.
STW_CLASS	Y	VARCHAR2(8)	nvarchar(8)	standard job classification code.
STW_OBCLASS	Y	VARCHAR2(8)	nvarchar(8)	object classification code.
STW_DURATION	Y	NUMBER(8,0)	numeric(8,0)	duration of standard job in days.
STW_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type code (user code, see entity jbtp).
STW_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority code (user code, see entity jbpr).
STW_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
STW_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	job type code (system code, see entity jbtp).
STW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
STW_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code.
STW_ORG	N	VARCHAR2(15)	nvarchar(15)	standard job organization
STW_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
STW_OBCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	object class organization
STW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
STW_CREATED	Y	DATE	datetime	creation date
STW_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
STW_UPDATED	Y	DATE	datetime	update date
STW_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
STW_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Class associated to work order
STW_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization associated with work order class field
STW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STW_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of use
STW_TYPE	N	VARCHAR2(4)	nvarchar(4)	Related WO flag
STW_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

STW_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFDATE01	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE02	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE03	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE04	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE05	Y	DATE	datetime	User defined field of type Date
STW_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_SAFETYREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a safety review is required.
STW_SAFETYREVIEWED	Y	DATE	datetime	Date of safety reviewed signature.
STW_SAFETYREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of safety reviewed signature.
STW_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of safety reviewed signature.
STW_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of safety reviewed signature.
STW_PERMITREVIEWREQUIRED	Y	DATE	datetime	Flag to indicate whether a permit review is required.
STW_PERMITREVIEWED	Y	DATE	datetime	Date of permit reviewed signature.
STW_PERMITREVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of permit reviewed signature.
STW_PERMITREVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of permit reviewed signature.
STW_PERMITREVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of permit reviewed signature.
STW_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
STW_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	User defined field of type Char
STW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STW_UDFCHAR31	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR32	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR33	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR34	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR35	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR36	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR37	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR38	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR39	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR40	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR41	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR42	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR43	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR44	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR45	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFNUM06	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM07	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM08	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM09	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STW_UDFNUM10	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

STW_UDFDATE06	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE07	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE08	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE09	Y	DATE	datetime	User defined field of type Date
STW_UDFDATE10	Y	DATE	datetime	User defined field of type Date
STW_UDFCHKBOX06	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX07	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX08	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX09	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHKBOX10	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STW_UDFCHAR46	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR47	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR48	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR49	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR50	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR51	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR52	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR53	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR54	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_UDFCHAR55	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STATEFULCONFIG

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SFC_CODE	N	VARCHAR2(30)	nvarchar(30)	
SFC_UPDATED	Y	DATE	datetime	
SFC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
SFC_LASTSAVED	Y	DATE	datetime	
SFC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STOCK

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STO_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
STO_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
STO_FORINV	Y	NUMBER(24,6)	numeric(24,6)	quantity outstanding invoicing.
STO_MINLEV	Y	NUMBER(24,6)	numeric(24,6)	minimum (safety) stock level.
STO_ORDLEV	Y	NUMBER(24,6)	numeric(24,6)	re-order level.
STO_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	re-order quantity.
STO_STOCKTAKE	Y	DATE	datetime	date of last stocktake.
STO_PREFSTORE	Y	VARCHAR2(15)	nvarchar(15)	code of preferred store (for replenishment of stock).
STO_PREFPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of preferred supplier in purchase unit of measure.
STO_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	code of preferred supplier (for replenishment of stock).
STO_PREFUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure of preferred supplier.
STO_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time in days.
STO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
STO_QTY	Y	NUMBER(24,6)	numeric(24,6)	actual stock level.
STO_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	average price of part.
STO_LASTPRICE	Y	NUMBER(24,6)	numeric(24,6)	last price of part.
STO_STDPRI	Y	NUMBER(24,6)	numeric(24,6)	standard price of part.
STO_BASEPRICE	Y	NUMBER(24,6)	numeric(24,6)	base price of part. used as a basis for all transactions; can be last, average, or standard price, depending on the price type
STO_STOCKOUT	Y	VARCHAR2(1)	nvarchar(1)	value is + if stockouts of this item are to be recorded.
STO_CONSIGNMENT	Y	VARCHAR2(1)	nvarchar(1)	value is + if item is owned by supplier until it is used.
STO_ABCCCLASS	Y	VARCHAR2(1)	nvarchar(1)	abc classification
STO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization

STO_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
STO_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
STO_PRICETYPE	Y	VARCHAR2(4)	nvarchar(4)	price type
STO_CREDIT	Y	NUMBER(24,6)	numeric(24,6)	credit from invoices
STO_ONDEMAND	Y	VARCHAR2(1)	nvarchar(1)	flag indicating stock is ordered only for demand
STO_COREVALUE	Y	NUMBER(24,6)	numeric(24,6)	core value of parts at stock level.
STO_REPAIRQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be repaired
STO_VENDORQTY	Y	NUMBER(24,6)	numeric(24,6)	repairable quantity sent to vendor for repair.
STO_SHOPQTY	Y	NUMBER(24,6)	numeric(24,6)	repairable quantity at shop.
STO_REPMINQTY	Y	NUMBER(24,6)	numeric(24,6)	minimum number of repairable spares before automatic requisition can be created.
STO_REPPRICE	Y	NUMBER(24,6)	numeric(24,6)	internal repair price in local currency.
STO_REPLEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time for repair of part.
STO_REPPREFSUP	Y	VARCHAR2(30)	nvarchar(30)	repair preferred supplier.
STO_REPPREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	repair preferred supplier organization.
STO_REPMRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
STO_REPSTANDWORK	Y	VARCHAR2(20)	nvarchar(20)	standard work order.
STO_REPOBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
STO_REPOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization code.
STO_REPAIRTYPE	Y	VARCHAR2(1)	nvarchar(1)	- = internal, "+" = external
STO_DEFAULTBIN	Y	VARCHAR2(15)	nvarchar(15)	Default bin at issue
STO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STO_CREATED	Y	DATE	datetime	Creation timestamp
STO_UPDATED	Y	DATE	datetime	Update timestamp
STO_MAXQTY	Y	NUMBER(24,6)	numeric(24,6)	The maximum quantity in store.
STO_REPDEFAULTBIN	Y	VARCHAR2(15)	nvarchar(15)	The Default Repair Bin receives the Part after it is repaired.
STO_REPSTOCKMETHOD	Y	VARCHAR2(1)	nvarchar(1)	The Use Stock Method flag is used at the time of raising Requisitions or WO.
STO_REPAUTOASSIGN	Y	VARCHAR2(1)	nvarchar(1)	The Auto Assign flag is used at the time of raising Requisitions or WO.
STO_PRINTER	Y	VARCHAR2(12)	nvarchar(12)	Printer in use
STO_ISSUETEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for issue
STO_RECEIPTTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for receipt
STO_NONPOTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for non-po
STO_LABELDEFAULT	Y	VARCHAR2(3)	nvarchar(3)	Default label
STO_PREFMANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	Manufacture Code
STO_PREFMANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Manufacture Flag
STO_STRECEIPTTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Store to Store Receipt Template
STO_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

STO_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STO_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STO_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STO_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STO_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STO_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STO_UDFDATE01	Y	DATE	datetime	User defined field of type Date
STO_UDFDATE02	Y	DATE	datetime	User defined field of type Date
STO_UDFDATE03	Y	DATE	datetime	User defined field of type Date
STO_UDFDATE04	Y	DATE	datetime	User defined field of type Date
STO_UDFDATE05	Y	DATE	datetime	User defined field of type Date
STO_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STO_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STO_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STO_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STO_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STO_PREVENTISSUEDEFRTNBIN	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
STO_DEFAULTRETURNBIN	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
STO_PARTCONDITION	Y	VARCHAR2(20)	nvarchar(20)	The part condition.
STO_REORDERCONDITIONS	Y	VARCHAR2(210)	nvarchar(210)	The list of possible reorder conditions.
STO_CORERETURNTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for core returns.
STO_WARRANTYTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	The warranty template
STO_HELDITEMSPOTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STO_HELDITEMSNONPOTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STO_HELDITEMSSTKTRSTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STO_HELDITEMSRECEIPTTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STO_HELDITEMSTRSTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STO_HELDITEMSTOSTKTRSTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STO_CUSTANDARDPRICE	Y	NUMBER(24,6)	numeric(24,6)	
STO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STOCKOUTS		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SOU_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
SOU_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
SOU_DATE	N	DATE	datetime	date stockout occurred.
SOU_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
SOU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SOU_CODE	N	VARCHAR2(30)	nvarchar(30)	Surrogate Key
SOU_QUANTITY	Y	NUMBER(24,6)	numeric(24,6)	Stock Out Quantity
SOU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SOU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STOCKTAKEINTERFACE		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SKI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	transaction code
SKI_TRANSID	N	NUMBER	bigint	transaction id
SKI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	user defined
SKI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source the row is originated from
SKI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type
SKI_TRANSORGID	Y	NUMBER	bigint	id of the originating transaction
SKI_TRANSGROUP	Y	NUMBER	int	transaction group
SKI_SESSIONID	Y	NUMBER	int	session id
SKI_STTNO	Y	VARCHAR2(8)	nvarchar(8)	stocktake number
SKI_LINE	Y	NUMBER(8,0)	numeric(8,0)	stocktake line
SKI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
SKI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
SKI_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin code
SKI_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot code
SKI_PHYQTY	Y	NUMBER(24,6)	numeric(24,6)	physical (counted) quantity
SKI_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type, user code.
SKI_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type, system code.
SKI_SERIAL	Y	NUMBER	int	serial number
SKI_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code
SKI_STORE_ORG	Y	VARCHAR2(15)	nvarchar(15)	store organization
SKI_USER	Y	VARCHAR2(255)	nvarchar(255)	user code
SKI_CREATED	Y	DATE	datetime	created date
SKI_ERROR	Y	VARCHAR2(1)	nvarchar(1)	error flag
SKI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STOCKTAKELINES		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STL_TRANS	N	VARCHAR2(30)	nvarchar(30)	transaction number (stocktake number).
STL_LINE	N	NUMBER(8,0)	numeric(8,0)	sequence number of stocktake item.
STL_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
STL_BIN	N	VARCHAR2(15)	nvarchar(15)	bin location code.
STL_LOT	N	VARCHAR2(12)	nvarchar(12)	lot number.
STL_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
STL_EXPQTY	Y	NUMBER(24,6)	numeric(24,6)	expected quantity in stock at stocktake.
STL_PHYQTY	Y	NUMBER(24,6)	numeric(24,6)	physical quantity in stock at stocktake.
STL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (user code, see entity trtp).
STL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, value sttk).
STL_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
STL_UPDATERCOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STL_CREATED	Y	DATE	datetime	Creation timestamp
STL_UPDATED	Y	DATE	datetime	Update timestamp
STL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer code
STL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	manufacturer part number
STL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

STL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
STL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
STL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
STL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
STL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
STL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STOREDORDERING				
BASE				
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SOR_FUNC	N	VARCHAR2(6)	nvarchar(6)	function code.
SOR_USER	N	VARCHAR2(255)	nvarchar(255)	username code.
SOR_BLOCK	N	VARCHAR2(30)	nvarchar(30)	identification of block in form, e.g. b1.
SOR_CODE	N	VARCHAR2(12)	nvarchar(12)	sorting code defined by user.
SOR_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group code.
SOR_COLUMN1	Y	VARCHAR2(45)	nvarchar(45)	1st column to order by.
SOR_COLUMN2	Y	VARCHAR2(45)	nvarchar(45)	2nd column to order by.
SOR_COLUMN3	Y	VARCHAR2(45)	nvarchar(45)	3rd column to order by.
SOR_TYPE1	Y	VARCHAR2(4)	nvarchar(4)	sort type column 1: asc or desc.
SOR_TYPE2	Y	VARCHAR2(4)	nvarchar(4)	sort type column 2: asc or desc.
SOR_TYPE3	Y	VARCHAR2(4)	nvarchar(4)	sort type column 3: asc or desc.
SOR_STATEMENT	Y	VARCHAR2(2000)	nvarchar(2000)	resulting order by statement.
SOR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

SOR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SOR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSSTOREDQUERIES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SQU_FUNC	N	VARCHAR2(6)	nvarchar(6)	function code.
SQU_USER	N	VARCHAR2(255)	nvarchar(255)	username code.
SQU_DESC	N	VARCHAR2(80)	nvarchar(80)	description of query.
SQU_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group code.
SQU_STATEMENT	Y	VARCHAR2(2000)	nvarchar(2000)	query statement.
SQU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SQU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SQU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSSTORES

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STR_CODE	N	VARCHAR2(15)	nvarchar(15)	store code.
STR_DESC	N	VARCHAR2(80)	nvarchar(80)	store description.
STR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
STR_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time in days.
STR_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
STR_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (location type).
STR_PARENT	Y	VARCHAR2(15)	nvarchar(15)	parent store code.
STR_PRICECODE	Y	VARCHAR2(4)	nvarchar(4)	code identifying percentage of base price to be charged; 100 = no adjustment from base price.
STR_FACILITY	Y	VARCHAR2(10)	nvarchar(10)	facility code.
STR_AUTOAPPVSTATUS	Y	VARCHAR2(4)	nvarchar(4)	ill be pre-approved with this status.
STR_ORG	N	VARCHAR2(15)	nvarchar(15)	store organization
STR_COPY	Y	VARCHAR2(1)	nvarchar(1)	copy reorder detail s from parent store.
STR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
STR_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
STR_PRICETYPE	N	VARCHAR2(4)	nvarchar(4)	Price type. Default for sto_pricetype
STR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STR_CREATED	Y	DATE	datetime	Creation timestamp
STR_UPDATED	Y	DATE	datetime	Update timestamp
STR_AUTOPOSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Auto PO generate status
STR_RESERVEDPARTBUFFER	Y	NUMBER(4,1)	numeric(4,1)	How far into the funture, in days, should reserved parts be considered when reordering
STR_INTERNALLEADTIME	Y	NUMBER(4,1)	numeric(4,1)	Leadtime from Requisition creation until PO approval
STR_SUNDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Sunday is a work day or not.
STR_MONDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Monday is a work day or not.
STR_TUESDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Tuesday is a work day or not.
STR_WEDNESDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Wednesday is a work day or not.
STR_THURSDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Thursday is a work day or not.
STR_FRIDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Friday is a work day or not.
STR_SATURDAY	Y	VARCHAR2(1)	nvarchar(1)	The flag to indicate whether Saturday is a work day or not.
STR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Not used flag
STR_PRINTER	Y	VARCHAR2(12)	nvarchar(12)	Printer for this store
STR_PRINTSERVER	Y	VARCHAR2(80)	nvarchar(80)	Print server for this store
STR_ISSUETEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for issue
STR_RECEIPTTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for receipt
STR_NONPOTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Template for non-po
STR_SEGMENTVALUE	Y	VARCHAR2(30)	nvarchar(30)	Segment value
STR_STRCEIPTTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	Store to Store Receipt Template
STR_ENTERPRISELOCATION	Y	VARCHAR2(80)	nvarchar(80)	Enterprise location
STR_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change

STR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
STR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
STR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
STR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
STR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
STR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STR_TAX_PARTS	Y	VARCHAR2(20)	nvarchar(20)	The default tax code for part PO lines
STR_TAX_SERVICES	Y	VARCHAR2(20)	nvarchar(20)	The default tax code for service PO lines
STR_WARRANTYTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	The warranty template
STR_SYSTEM	Y	VARCHAR2(30)	nvarchar(30)	The system associated to the store.
STR_SYSTEM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the system associated to the store.
STR_HELDITEMSPOTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STR_HELDITEMSNONPOTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STR_HELDITEMSSTKTRSTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STR_HELDITEMSRECEIPTTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	

STR_HELDITEMSTRSTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STR_HELDITEMSTOSTKTRSTEMPLATE	Y	VARCHAR2(120)	nvarchar(120)	
STR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STR_DIRECTTOWODEFAULT	Y	VARCHAR2(1)	nvarchar(1)	
STR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STORESECURITY	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SSC_GROUP	N	VARCHAR2(12)	nvarchar(12)	User Group code
SSC_STORE	N	VARCHAR2(15)	nvarchar(15)	Store code
SSC_ISSUERETURN	Y	VARCHAR2(1)	nvarchar(1)	Permission to do Issues/Returns
SSC_STSISSUES	Y	VARCHAR2(1)	nvarchar(1)	Permission to do Store-to-Store Issue (From Store)
SSC_STSRCEIPTS	Y	VARCHAR2(1)	nvarchar(1)	Permission to do Store-to-Store Receipt (To Store)
SSC_PORECEIPTRETURNS	Y	VARCHAR2(1)	nvarchar(1)	Permission to do PO Receipts and Supplier Returns
SSC_PHYSINVENTORY	Y	VARCHAR2(1)	nvarchar(1)	Permission to do Physical Inventories
SSC_NONPORECEIPTS	Y	VARCHAR2(1)	nvarchar(1)	Permission to do Non-PO Receipts
SSC_CREATESTOCK	Y	VARCHAR2(1)	nvarchar(1)	Permission to create stock
SSC_UPDATESTOCK	Y	VARCHAR2(1)	nvarchar(1)	Permission to update stock
SSC_SCRAPSTOCK	Y	VARCHAR2(1)	nvarchar(1)	Permissions to scrap stock
SSC_UPDATED	Y	DATE	datetime	Update timestamp
SSC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
SSC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STORETAXES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STT_PK	N	VARCHAR2(30)	nvarchar(30)	The store-tax pk
STT_STORE	N	VARCHAR2(15)	nvarchar(15)	The store-tax store
STT_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	The store-tax commodity
STT_TAX	N	VARCHAR2(20)	nvarchar(20)	The store-tax tax
STT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5STRATEGIES	ASSET MANAGEMENT			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STG_CODE	N	VARCHAR2(30)	nvarchar(30)	The strategy code.
STG_ORG	N	VARCHAR2(15)	nvarchar(15)	The strategy organization.
STG_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the strategy.
STG_STATEMENT	N	VARCHAR2(4000)	nvarchar(4000)	The statement describing the strategy.
STG_POLICY	Y	VARCHAR2(30)	nvarchar(30)	The policy associated to the strategy.
STG_POLICY_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the policy associated to the strategy.
STG_APPROVEDBY	Y	VARCHAR2(15)	nvarchar(15)	The user who approved the strategy.
STG_DATEAPPROVED	Y	DATE	datetime	The date the strategy was approved.
STG_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating whether the strategy is still in use.
STG_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

STG_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
STG_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STG_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STG_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STG_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STG_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
STG_UDFDATE01	Y	DATE	datetime	User defined field of type date
STG_UDFDATE02	Y	DATE	datetime	User defined field of type date
STG_UDFDATE03	Y	DATE	datetime	User defined field of type date
STG_UDFDATE04	Y	DATE	datetime	User defined field of type date
STG_UDFDATE05	Y	DATE	datetime	User defined field of type date
STG_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STG_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STG_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STG_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STG_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
STG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STG_RANKINGCODE	Y	VARCHAR2(30)	nvarchar(30)	
STG_RANKINGORG	Y	VARCHAR2(15)	nvarchar(15)	
STG_RANKINGREVISION	Y	NUMBER(4,0)	numeric(4,0)	
STG_LOCKRANKINGVALUES	Y	VARCHAR2(1)	nvarchar(1)	
STG_RANKINGINDEX	Y	VARCHAR2(8)	nvarchar(8)	
STG_RANKINGSCORE	Y	NUMBER(24,6)	numeric(24,6)	
STG_VALUESLASTCALCULATED	Y	DATE	datetime	
STG_SURVEYLASTUPDATED	Y	DATE	datetime	
STG_REFRESHEVERY	Y	NUMBER(2,0)	numeric(2,0)	
STG_REFRESHEVERYUNIT	Y	VARCHAR2(10)	nvarchar(10)	
STG_NEXTREFRESH	Y	DATE	datetime	
STG_REFRESHSEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	
STG_CALCULATIONERROR	Y	VARCHAR2(1)	nvarchar(1)	
STG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSSTRUCTURES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
STC_CHILDTYPE	N	VARCHAR2(4)	nvarchar(4)	object type of child object (user code, see entity obtp).
STC_CHILDRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type of child object (system code, see entity obtp).
STC_CHILD	N	VARCHAR2(30)	nvarchar(30)	object code child object (user code, see entity obtp).
STC_PARENTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type of parent object.
STC_PARENTRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type of parent object (system code, see entity obtp).
STC_PARENT	N	VARCHAR2(30)	nvarchar(30)	object code of parent object.
STC_ROLLODOWN	N	VARCHAR2(1)	nvarchar(1)	value is + if child object is dependent on parent object.
STC_ROLLUP	N	VARCHAR2(1)	nvarchar(1)	value is + to rollup costs of child to parent.
STC_EQUIVALENT	N	VARCHAR2(1)	nvarchar(1)	value is + if only one asset per tag (= position).
STC_DOWNTIME	N	VARCHAR2(1)	nvarchar(1)	value is + to rollup downtime.
STC_CHILD_ORG	N	VARCHAR2(15)	nvarchar(15)	child object organization
STC_PARENT_ORG	N	VARCHAR2(15)	nvarchar(15)	parent object organization
STC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
STC_UPDATED	Y	DATE	datetime	Update timestamp
STC_SEQUENCE	Y	NUMBER(10,0)	numeric(10,0)	Sequence number
STC_MNBDEFINITION	Y	VARCHAR2(4)	nvarchar(4)	
STC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
STC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUMUSAGE MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
USG_MONTH	N	DATE	datetime	date of last day of month.
USG_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
USG_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
USG_TOTAL	N	NUMBER(24,6)	numeric(24,6)	usage + demand.
USG_DEMAND	N	NUMBER(24,6)	numeric(24,6)	total demand (sign + transfers to other stores) in the month.
USG_USAGE	N	NUMBER(24,6)	numeric(24,6)	total usage (issues - returns) of this stock item in the month.
USG_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
USG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
USG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
USG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPEVALCODES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVD_CODE	N	VARCHAR2(8)	nvarchar(8)	supplier evaluation code
EVD_DESC	N	VARCHAR2(80)	nvarchar(80)	supplier evaluation description
EVD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code
EVD_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating record is not used
EVD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
EVD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EVD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPEVALINES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVL_EVALUATION	N	VARCHAR2(30)	nvarchar(30)	evaluation
EVL_CLINE	N	NUMBER(8,0)	numeric(8,0)	line
EVL_RLINE	Y	NUMBER(8,0)	numeric(8,0)	line
EVL_WEIGHT	N	NUMBER(3,0)	numeric(3,0)	weight
EVL_VALUE	Y	NUMBER(4,0)	numeric(4,0)	value
EVL_CRITERIA	Y	VARCHAR2(45)	nvarchar(45)	evaluation criteria
EVL_RESPONSE	Y	VARCHAR2(45)	nvarchar(45)	response
EVL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

EVL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPEVALINES_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ASL_EVALUATION	Y	VARCHAR2(30)	nvarchar(30)	evaluation
ASL_CLINE	Y	NUMBER(8,0)	numeric(8,0)	line
ASL_RLINE	Y	NUMBER(8,0)	numeric(8,0)	line
ASL_WEIGHT	Y	NUMBER(3,0)	numeric(3,0)	weight
ASL_VALUE	Y	NUMBER(4,0)	numeric(4,0)	value
ASL_CRITERIA	Y	VARCHAR2(45)	nvarchar(45)	evaluation criteria
ASL_RESPONSE	Y	VARCHAR2(45)	nvarchar(45)	response
ASL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ASL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ASL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPEVALUATION MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
EVA_NO	N	VARCHAR2(30)	nvarchar(30)	evaluation number
EVA_DESC	N	VARCHAR2(80)	nvarchar(80)	description
EVA_DATE	N	DATE	datetime	date
EVA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	evaluation class
EVA_STATUS	N	VARCHAR2(4)	nvarchar(4)	status
EVA_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	r status (system)
EVA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier
EVA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number
EVA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	work order
EVA_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity code
EVA_RECEIPT	Y	VARCHAR2(30)	nvarchar(30)	receipt number
EVA_ENTEREDBY	N	VARCHAR2(255)	nvarchar(255)	entered by
EVA_USERGROUP	N	VARCHAR2(12)	nvarchar(12)	user group
EVA_CODE	N	VARCHAR2(8)	nvarchar(8)	evaluation code
EVA_RATING	Y	NUMBER(8,2)	numeric(8,2)	comprehensive rating
EVA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
EVA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
EVA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
EVA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
EVA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
EVA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPEVALUATION_ARCHIVE Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ASE_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ASE_NO	Y	VARCHAR2(30)	nvarchar(30)	evaluation number
ASE_DESC	Y	VARCHAR2(80)	nvarchar(80)	description
ASE_DATE	Y	DATE	datetime	date
ASE_CLASS	Y	VARCHAR2(8)	nvarchar(8)	evaluation class
ASE_STATUS	Y	VARCHAR2(4)	nvarchar(4)	status
ASE_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	r status (system)
ASE_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier
ASE_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number
ASE_EVENT	Y	VARCHAR2(30)	nvarchar(30)	work order
ASE_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity code

ASE_RECEIPT	Y	VARCHAR2(30)	nvarchar(30)	receipt number
ASE_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	entered by
ASE_USERGROUP	Y	VARCHAR2(12)	nvarchar(12)	user group
ASE_CODE	Y	VARCHAR2(8)	nvarchar(8)	evaluation code
ASE_RATING	Y	NUMBER(8,2)	numeric(8,2)	comprehensive rating
ASE_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ASE_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ASE_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ASE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ASE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ASE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPLIERACCOUNTNUMBERS	CONTACT CENTER			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SAN_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	Supplier
SAN_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	Supplier Organization
SAN_STORE	N	VARCHAR2(15)	nvarchar(15)	Store
SAN_IPACCOUNT	Y	VARCHAR2(30)	nvarchar(30)	7i Buy Account Number
SAN_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	Pay By Method
SAN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
SAN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SAN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPLIERSERVICECODEEXCL	QUOTATIONS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SSE_OSPPK	N	VARCHAR2(30)	nvarchar(30)	Primary key of an equipment supplier.
SSE_OSCPK	N	VARCHAR2(30)	nvarchar(30)	Primary key of an equipment service code.
SSE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SSE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SUPPLIERSERVICECODES	QUOTATIONS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SPS_COMPANY	N	VARCHAR2(30)	nvarchar(30)	The supplier providing the service code.
SPS_COMPANY_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the supplier providing the service code.
SPS_SERVICECODE	N	VARCHAR2(30)	nvarchar(30)	The service code associated to the supplier.
SPS_SERVICECODE_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the service code associated to the supplier.
SPS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
SPS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
SPS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
SPS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
SPS_UDFDATE03	Y	DATE	datetime	User defined field of type Date

SPS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
SPS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
SPS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
SPS_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record.
SPS_CREATED	Y	DATE	datetime	The date and time the record was created.
SPS_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the record.
SPS_UPDATED	Y	DATE	datetime	The date and time the record was updated.
SPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SYMPTOMCLASSES

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SYC_CLASS	N	VARCHAR2(8)	nvarchar(8)	
SYC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	
SYC_SYMPTOM	N	VARCHAR2(8)	nvarchar(8)	
SYC_CREATED	Y	DATE	datetime	Creation timestamp
SYC_UPDATED	Y	DATE	datetime	Update timestamp
SYC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SYC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SYC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SYMPTOMS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SYM_CODE	N	VARCHAR2(8)	nvarchar(8)	
SYM_DESC	N	VARCHAR2(80)	nvarchar(80)	
SYM_GEN	Y	VARCHAR2(1)	nvarchar(1)	
SYM_CREATED	Y	DATE	datetime	Creation timestamp
SYM_UPDATED	Y	DATE	datetime	Update timestamp
SYM_PARTFAILURE	Y	VARCHAR2(1)	nvarchar(1)	
SYM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
SYM_ENABLEWORKORDERS	Y	VARCHAR2(1)	nvarchar(1)	
SYM_GROUP	Y	VARCHAR2(80)	nvarchar(80)	
SYM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SYM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SYM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SYNCWSPSETUP

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SWS_TABLE	N	VARCHAR2(30)	nvarchar(30)	The table name.
SWS_ACTION	N	VARCHAR2(6)	nvarchar(6)	The action (ADD, SYNC or DELETE).
SWS_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the record is active.
SWS_PROMPT	N	VARCHAR2(80)	nvarchar(80)	The name of the WSP.
SWS_PROMPT2	Y	VARCHAR2(80)	nvarchar(80)	The name of the ADD or SYNC WSP
SWS_KEYFLD1	Y	VARCHAR2(30)	nvarchar(30)	The first key field.
SWS_KEYFLD1_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the first key field.
SWS_KEYFLD1_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the first key field.
SWS_KEYFLD2	Y	VARCHAR2(30)	nvarchar(30)	The second key field.
SWS_KEYFLD2_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the second key field.
SWS_KEYFLD2_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the second key field.

SWS_KEYFLD3	Y	VARCHAR2(30)	nvarchar(30)	The third key field.
SWS_KEYFLD3_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the third key field.
SWS_KEYFLD3_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the third key field.
SWS_KEYFLD4	Y	VARCHAR2(30)	nvarchar(30)	The fourth key field.
SWS_KEYFLD4_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the fourth key field.
SWS_KEYFLD4_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the fourth key field.
SWS_KEYFLD5	Y	VARCHAR2(30)	nvarchar(30)	The fifth key field.
SWS_KEYFLD5_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the fifth key field.
SWS_KEYFLD5_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the fifth key field.
SWS_KEYFLD6	Y	VARCHAR2(30)	nvarchar(30)	The sixth key field.
SWS_KEYFLD6_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the sixth key field.
SWS_KEYFLD6_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the sixth key field.
SWS_KEYFLD7	Y	VARCHAR2(30)	nvarchar(30)	The seventh key field.
SWS_KEYFLD7_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the seventh key field.
SWS_KEYFLD7_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the seventh key field.
SWS_KEYFLD8	Y	VARCHAR2(30)	nvarchar(30)	The eighth key field.
SWS_KEYFLD8_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the eighth key field.
SWS_KEYFLD8_DT	Y	VARCHAR2(2)	nvarchar(2)	The data type of the eighth key field.
SWS_KEYFLDDATE1	Y	VARCHAR2(30)	nvarchar(30)	The first date key field.
SWS_KEYFLDDATE1_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the first date key field.
SWS_KEYFLDDATE2	Y	VARCHAR2(30)	nvarchar(30)	The second date key field.
SWS_KEYFLDDATE2_SEQ	Y	NUMBER(8,0)	numeric(8,0)	The WSP sequence of the second date key field.
SWS_CONDITION	Y	VARCHAR2(4000)	nvarchar(4000)	The conition (and clause).
SWS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SWS_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	
SWS_TAB	Y	VARCHAR2(3)	nvarchar(3)	
SWS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SYNCWSPTEMP	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SWT_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the record.
SWT_KEYFLD1	Y	VARCHAR2(30)	nvarchar(30)	The first key field.
SWT_KEYFLD2	Y	VARCHAR2(30)	nvarchar(30)	The second key field.
SWT_KEYFLD3	Y	VARCHAR2(30)	nvarchar(30)	The third key field.
SWT_KEYFLD4	Y	VARCHAR2(30)	nvarchar(30)	The fourth key field.
SWT_KEYFLD5	Y	VARCHAR2(30)	nvarchar(30)	The fifth key field.
SWT_KEYFLD6	Y	VARCHAR2(30)	nvarchar(30)	The sixth key field.
SWT_KEYFLD7	Y	VARCHAR2(30)	nvarchar(30)	The seventh key field.
SWT_KEYFLD8	Y	VARCHAR2(30)	nvarchar(30)	The eighth key field.
SWT_KEYFLDDATE1	Y	VARCHAR2(30)	nvarchar(30)	The first date key field.
SWT_KEYFLDDATE2	Y	VARCHAR2(30)	nvarchar(30)	The second date key field.
SWT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SYSTEMNOTIFICATIONS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SNT_LANG	N	VARCHAR2(2)	nvarchar(2)	
SNT_MESSAGE	Y	VARCHAR2(512)	nvarchar(512)	
SNT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SNT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5SYSTEMWSPS	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SWP_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	The function for which automatic WSPs should be created.
SWP_TAB	Y	VARCHAR2(3)	nvarchar(3)	The tab for which automatic WSPs should be created.

SWP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SWP_WSPCODE	Y	VARCHAR2(5)	nvarchar(5)	
SWP_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	
SWP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TABNOPERM

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPN_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code
TPN_TAB	N	VARCHAR2(6)	nvarchar(6)	tab
TPN_NOSELECT	Y	VARCHAR2(1)	nvarchar(1)	no select
TPN_NOINSERT	Y	VARCHAR2(1)	nvarchar(1)	no insert
TPN_NODELETE	Y	VARCHAR2(1)	nvarchar(1)	no delete
TPN_NOUPDATE	Y	VARCHAR2(1)	nvarchar(1)	no update
TPN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TPN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TABPERMISSIONS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRP_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code.
TRP_TAB	N	VARCHAR2(6)	nvarchar(6)	function tab
TRP_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
TRP_VISIBLE	Y	VARCHAR2(1)	nvarchar(1)	flag indicates if tab should be displayed on form
TRP_SELECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicates if tab should be queryable on form
TRP_UPDATE	Y	VARCHAR2(1)	nvarchar(1)	flag indicates if tab should be updateable on form
TRP_INSERT	Y	VARCHAR2(1)	nvarchar(1)	flag indicates if tab should be insertable on form
TRP_DELETE	Y	VARCHAR2(1)	nvarchar(1)	flag indicates if tab should be deletable on form
TRP_SYSREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	User level system required flag
TRP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TRP_SEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	Order of appearance
TRP_SECURITYDDSPYID	Y	NUMBER(14,0)	numeric(14,0)	This is the dataspyid that will be applied to all the users in this group for this function tab
TRP_ALTERSAVE	Y	VARCHAR2(1)	nvarchar(1)	tab save mode
TRP_UPDATED	Y	DATE	datetime	Update time stamp
TRP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TANKPUMPS

FUEL

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPU_DEPOT	N	VARCHAR2(30)	nvarchar(30)	The depot of the tank/pump combination
TPU_DEPOT_ORG	N	VARCHAR2(15)	nvarchar(15)	The depot organization of the tank/pump combination
TPU_TANK	N	VARCHAR2(30)	nvarchar(30)	The tank realted toa pump within a depot
TPU_PUMP	N	VARCHAR2(30)	nvarchar(30)	The pump realted to a tank within a depot
TPU_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	Whether a tank/pump combination within a depot is active
TPU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TPU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPU_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	
TPU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TANKS

FUEL

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TAN_DEPOT	N	VARCHAR2(30)	nvarchar(30)	The depot the tank belongs to
TAN_DEPOT_ORG	N	VARCHAR2(15)	nvarchar(15)	The depot organization the tank belongs to
TAN_CODE	N	VARCHAR2(30)	nvarchar(30)	The identifier of a tank with a depot
TAN_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the tank

TAN_FUEL	N	VARCHAR2(30)	nvarchar(30)	The fuel in the tank
TAN_MAXVOLUME	Y	NUMBER(24,6)	numeric(24,6)	The maximum volume of the tank
TAN_QTY	Y	NUMBER(24,6)	numeric(24,6)	The quantity of fuel within the tank
TAN_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	The average price of the fuel within a tank
TAN_NOTUSED	N	VARCHAR2(1)	nvarchar(1)	Whether the tank is out of service
TAN_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TAN_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TAN_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TAN_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TAN_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TAN_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TAN_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TAN_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TAN_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TAN_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TAN_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TAN_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TAN_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TAN_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TAN_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TAN_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TAN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TAN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TAN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKCHECKLISTS		WORK		
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
TCH_CODE	N	VARCHAR2(30)	nvarchar(30)	Checklist Item
TCH_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task
TCH_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	Task Revision
TCH_DESC	N	VARCHAR2(80)	nvarchar(80)	Description
TCH_SEQUENCE	N	NUMBER(8,0)	numeric(8,0)	Sequence
TCH_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out of Service
TCH_UPDATED	Y	DATE	datetime	Date Updated
TCH_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Updated By
TCH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TCH_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of the task checklist.
TCH_REQUIREDTOCLOSE	Y	VARCHAR2(8)	nvarchar(8)	Flag to indicate whether this item should be answered before the related work order can be closed.
TCH_OBJECTLEVEL	Y	VARCHAR2(8)	nvarchar(8)	The equipment level of the task checklist.
TCH_OBJECTCLASS	Y	VARCHAR2(8)	nvarchar(8)	The equipment class of the task checklist.
TCH_OBJECTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The equipment class organization of the task checklist.
TCH_OBJECTCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The equipment category of the task checklist.
TCH_UOM	Y	VARCHAR2(30)	nvarchar(30)	The unit of measure of the task checklist.
TCH_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	The inspection aspect of the task checklist.
TCH_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	The inspection point type of the task checklist.
TCH_REPEATING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indictae whether this is a repeating task check list item.
TCH_FOLLOWUPTASK	Y	VARCHAR2(20)	nvarchar(20)	The followup task of the task checklist.
TCH_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	The material list of the task checklist.
TCH_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The system level of the task checklist.
TCH_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly level of the task checklist.
TCH_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component level of the task checklist.
TCH_COMPLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The component location of the task checklist.
TCH_CONDITION	Y	VARCHAR2(4)	nvarchar(4)	The condition of the task checklist.
TCH_POSSIBLEFINDINGS	Y	VARCHAR2(250)	nvarchar(250)	The list of possible findings of the task checklist.
TCH_FOLLOWUPJOB	Y	VARCHAR2(20)	nvarchar(20)	The followup job plan of the task plan checklist
TCH_PART	Y	VARCHAR2(30)	nvarchar(30)	The part of the task plan checklist
TCH_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization of the task plan checklist
TCH_PARTCONDITION	Y	VARCHAR2(20)	nvarchar(20)	The part condition of the task plan checklist
TCH_PARTCLASS	Y	VARCHAR2(8)	nvarchar(8)	The part class of the task plan checklist
TCH_PARTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part class organization of the task plan checklist
TCH_PARTCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The part category of the task plan checklist
TCH_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The color of the task checklist item.
TCH_REFERENCE	Y	VARCHAR2(45)	nvarchar(45)	The reference of the task checklist item
TCH_EQUIPFILTER	Y	VARCHAR2(500)	nvarchar(500)	
TCH_MINSLIDERVALUE	Y	NUMBER(24,0)	numeric(24,0)	
TCH_MAXSLIDERVALUE	Y	NUMBER(24,0)	numeric(24,0)	
TCH_SRCCALCULATEDVALUE	Y	VARCHAR2(1)	nvarchar(1)	
TCH_FORMULA	Y	VARCHAR2(2000)	nvarchar(2000)	
TCH_DIRECTION_OPTIONS	Y	VARCHAR2(200)	nvarchar(200)	
TCH_NOT_APPLICABLE_OPTIONS	Y	VARCHAR2(500)	nvarchar(500)	
TCH_CONDITION_OPTIONS	Y	VARCHAR2(500)	nvarchar(500)	
TCH_GROUP_LABEL	Y	VARCHAR2(8)	nvarchar(8)	
TCH_METRICFRACTIONSIDER	Y	VARCHAR2(1)	nvarchar(1)	
TCH_RESPONSIBILITY	Y	VARCHAR2(8)	nvarchar(8)	
TCH_MEASUREMENTRESP	Y	VARCHAR2(8)	nvarchar(8)	
TCH_HIDEFOLLOWUP	Y	VARCHAR2(1)	nvarchar(1)	
TCH_HIDELINEARFIELDS	Y	VARCHAR2(1)	nvarchar(1)	
TCH_ENABLENONCONFORMITIES	Y	VARCHAR2(1)	nvarchar(1)	
TCH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

TCH_FRACTIONS	Y	VARCHAR2(4)	nvarchar(4)	
TCH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKPLANJOBS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPJ_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the record
TPJ_TASK	N	VARCHAR2(20)	nvarchar(20)	The task plan the job plan belongs to
TPJ_TASKREV	N	NUMBER(4,0)	numeric(4,0)	The task revision the job plan belongs to
TPJ_JOBPLAN	N	VARCHAR2(20)	nvarchar(20)	The job plan associated to the task plan
TPJ_SEQ	N	NUMBER(4,0)	numeric(4,0)	The sequence in which to perform the job plans
TPJ_START	Y	NUMBER(3,0)	numeric(3,0)	The relative start date, not yet used
TPJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TPJ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKPRICES	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPR_TASK	N	VARCHAR2(20)	nvarchar(20)	task code.
TPR_REVISION	N	NUMBER(4,0)	numeric(4,0)	task revision
TPR_ORG	N	VARCHAR2(15)	nvarchar(15)	task organization
TPR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	task price
TPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKQUALIFICATIONS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TQU_TASK	N	VARCHAR2(20)	nvarchar(20)	Task code
TQU_REVISION	N	NUMBER(4,0)	numeric(4,0)	Revision
TQU_QUALIFICATION	N	VARCHAR2(20)	nvarchar(20)	Qualification code
TQU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TQU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TQU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TSK_CODE	N	VARCHAR2(20)	nvarchar(20)	task code.
TSK_DESC	N	VARCHAR2(80)	nvarchar(80)	task description.
TSK_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TSK_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision number.
TSK_REVRSTATUS	N	VARCHAR2(4)	nvarchar(4)	status of revision.
TSK_REVSTATUS	N	VARCHAR2(4)	nvarchar(4)	user status of revision.
TSK_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
TSK_HOURS	Y	NUMBER(14,4)	numeric(14,4)	hours to perform task
TSK_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure for task
TSK_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people required.
TSK_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	task commodity
TSK_BUYER	Y	VARCHAR2(255)	nvarchar(255)	task buyer
TSK_PRICE	Y	NUMBER(24,6)	numeric(24,6)	task price
TSK_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	preferred supplier
TSK_ORG	N	VARCHAR2(15)	nvarchar(15)	task organization
TSK_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
TSK_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
TSK_RPC	Y	VARCHAR2(4)	nvarchar(4)	reason for repair code

TSK_WAP	Y	VARCHAR2(4)	nvarchar(4)	work accomplished code
TSK_TPFL	Y	VARCHAR2(4)	nvarchar(4)	technician part failure code
TSK_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer/supplier code
TSK_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
TSK_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
TSK_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code
TSK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TSK_CREATED	Y	DATE	datetime	Creation timestamp
TSK_UPDATED	Y	DATE	datetime	Update timestamp
TSK_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
TSK_ACTIVECHECKLIST	Y	VARCHAR2(1)	nvarchar(1)	Field Active Checklist
TSK_ISOLATIONMETHOD	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this task is an isolation method.
TSK_CHECKLISTPERFBYREQ	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a checklist performed by signature is required.
TSK_CHECKLISTREVBYREQ	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a checklist reviewed by signature is required.
TSK_WOTYPE	Y	VARCHAR2(8)	nvarchar(8)	Type to use when a followup work order will be created.
TSK_WOCLASS	Y	VARCHAR2(8)	nvarchar(8)	Class to use when a followup work order will be created.
TSK_WOCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Class organization to use when a followup work order will be created.
TSK_WOSTATUS	Y	VARCHAR2(4)	nvarchar(4)	User status to use when a followup work order will be created.
TSK_WOPRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority to use when a followup work order will be created.
TSK_WODESC	Y	VARCHAR2(80)	nvarchar(80)	Description to use when a followup work order will be created.
TSK_OBJTYPE	Y	VARCHAR2(4)	nvarchar(4)	The object type associated to the task/job plan
TSK_OBJCLASS	Y	VARCHAR2(8)	nvarchar(8)	The object class of the task/job plan
TSK_OBJCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The object class organization of the task/job plan
TSK_MATLIST	Y	VARCHAR2(30)	nvarchar(30)	The associated material list
TSK_JOBPLAN	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is a job plan (+) or a task plan (-)
TSK_JOBPLANTYPE	Y	VARCHAR2(4)	nvarchar(4)	The type of job plan
TSK_MULTIPLETRADES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there are multiple planned trades associated
TSK_PLANNINGRECORDSEXIST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether planning records exist
TSK_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

TSK_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSK_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSK_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSK_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSK_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSK_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSK_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TSK_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TSK_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TSK_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TSK_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TSK_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSK_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSK_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSK_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSK_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSK_REUSABLE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this is job plan which can be used on multiple task plans
TSK_TYPE	Y	VARCHAR2(8)	nvarchar(8)	The type of task/job plan.
TSK_PLANNINGLEVEL	Y	VARCHAR2(4)	nvarchar(4)	Whether the planning is done on task level (TP) or job level (JP)
TSK_COMPOCATION	Y	VARCHAR2(80)	nvarchar(80)	The component location of the task/job plan
TSK_ENABLEENHANCEDPLANNING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the task allows enhanced planning
TSK_CASEMANAGEMENTCHECKLIST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the task has a case management checklist.
TSK_WORKSPACEMOVES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the task deals with work space moves.
TSK_TAGHEADER	Y	VARCHAR2(25)	nvarchar(25)	The tag header of the task.
TSK_TAGLINE1	Y	VARCHAR2(60)	nvarchar(60)	First tag line comment of the task.
TSK_TAGLINE2	Y	VARCHAR2(80)	nvarchar(80)	Second tag line comment of the task.
TSK_TAGLINE3	Y	VARCHAR2(150)	nvarchar(150)	Third tag line comment of the task.
TSK_TAGLINE4	Y	VARCHAR2(150)	nvarchar(150)	Fourth tag line comment of the task.
TSK_DEFAULTTAG	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the task has a default tag.
TSK_NONCONFORMITYCHECKLIST	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the task can be used to relate checklist item to a nonconformity.
TSK_VIEWONLYRESP	Y	VARCHAR2(8)	nvarchar(8)	
TSK_REVIEWRESP	Y	VARCHAR2(8)	nvarchar(8)	
TSK_PERFORMBYRESP	Y	VARCHAR2(8)	nvarchar(8)	
TSK_PERFORMBY2RESP	Y	VARCHAR2(8)	nvarchar(8)	
TSK_DISCONNECTED_CHKLIST	Y	VARCHAR2(1)	nvarchar(1)	
TSK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TSK_PERFORMEDBYWOSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
TSK_REVIEWEDBYWOSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
TSK_CHECKLISTREJECTEDWOSTATUS	Y	VARCHAR2(8)	nvarchar(8)	
TSK_PREVENTPERFORMEDBYSIGN	Y	VARCHAR2(1)	nvarchar(1)	
TSK_PREVENTREVIEWEDBYSIGN	Y	VARCHAR2(1)	nvarchar(1)	
TSK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKTOOLS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TTO_TASK	N	VARCHAR2(20)	nvarchar(20)	The task/job plan
TTO_REVISION	N	NUMBER(4,0)	numeric(4,0)	The revision of the task/job plan
TTO_TOOL	N	VARCHAR2(12)	nvarchar(12)	The tool associated to the task/job plan
TTO_HOURS	Y	NUMBER(12,2)	numeric(12,2)	The number of hours the tool is needed
TTO_QTY	Y	NUMBER(24,6)	numeric(24,6)	The number of tools needed
TTO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

TTO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TTO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TASKTRADES WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TAT_TASK	N	VARCHAR2(20)	nvarchar(20)	The task/job plan
TAT_REVISION	N	NUMBER(4,0)	numeric(4,0)	The revision of the task/job plan
TAT_TRADE	N	VARCHAR2(15)	nvarchar(15)	The trade associated to the task/job plan
TAT_HOURS	Y	NUMBER(14,4)	numeric(14,4)	The number of hours the trade is needed
TAT_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	The number of employees needed
TAT_HIRE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the trade should be hired
TAT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TAT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TAT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TAXCODERATES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCR_TAX	N	VARCHAR2(20)	nvarchar(20)	tax code.
TCR_RATE	N	VARCHAR2(30)	nvarchar(30)	tax rate code.
TCR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TCR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TCR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TAXES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TAX_CODE	N	VARCHAR2(20)	nvarchar(20)	tax code.
TAX_DESC	N	VARCHAR2(80)	nvarchar(80)	tax description.
TAX_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TAX_ORG	N	VARCHAR2(15)	nvarchar(15)	tax organization
TAX_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
TAX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TAX_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TAX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TAXRATES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TXR_CODE	N	VARCHAR2(30)	nvarchar(30)	tax rate code.
TXR_DESC	N	VARCHAR2(80)	nvarchar(80)	tax rate description.
TXR_RATE TYPE	Y	VARCHAR2(2)	nvarchar(2)	tax rate type.
TXR_INVCALC	N	VARCHAR2(1)	nvarchar(1)	value is + if tax amount is to be added to stock value when calculating last, average, and base price.
TXR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TXR_INCLUDESERVICETAX	Y	VARCHAR2(1)	nvarchar(1)	Include Service Taxes in WO Cost
TXR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TXR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TAXRATETYPES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TXT_CODE	N	VARCHAR2(2)	nvarchar(2)	tax rate type code.
TXT_DESC	N	VARCHAR2(80)	nvarchar(80)	tax rate type description.
TXT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TXT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TXT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TAXRATEVALUES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TXV_RATE	N	VARCHAR2(30)	nvarchar(30)	tax rate code.
TXV_START	N	DATE	datetime	date tax rate is valid from.
TXV_END	N	DATE	datetime	date tax rate is valid to.
TXV_PERCENT	Y	NUMBER	numeric(9,6)	tax rate percentage.
TXV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TXV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TXV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPBILLINES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TFB_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
TFB_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code.
TFB_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The vehicle.
TFB_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the vehicle.
TFB_ADJUSTMENT	Y	VARCHAR2(1)	nvarchar(1)	Whether the bill line is an adjustment.
TFB_FUEL	Y	NUMBER(24,6)	numeric(24,6)	The fuel charge.
TFB_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage charge.
TFB_USAGE	Y	NUMBER(24,6)	numeric(24,6)	The usage charge.
TFB_INSURANCE	Y	NUMBER(24,6)	numeric(24,6)	The insurance charge.
TFB_NONMAINTENANCE	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance charge.
TFB_MAINTENANCE	Y	NUMBER(24,6)	numeric(24,6)	The maintenance charge.
TFB_EXCEPTIONS	Y	NUMBER(24,6)	numeric(24,6)	The exceptions charge.
TFB_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	The total charge.
TFB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPBILLSUBLINES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TFS_PK	Y	VARCHAR2(30)	nvarchar(30)	System generated primary key.
TFS_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
TFS_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code.
TFS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The vehicle.
TFS_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the vehicle.
TFS_ADJUSTMENT	Y	VARCHAR2(1)	nvarchar(1)	Whether the bill sub line is an adjustment.
TFS_ADJPK	Y	VARCHAR2(30)	nvarchar(30)	The link to an adjustment record.
TFS_TICKET	Y	VARCHAR2(30)	nvarchar(30)	The fleet ticket.
TFS_READING	Y	NUMBER(24,6)	numeric(24,6)	The reading of the vehicle at time of billing.
TFS_FUEL	Y	NUMBER(24,6)	numeric(24,6)	The fuel charge.
TFS_FUELMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The fuel markup charge.
TFS_MILES	Y	NUMBER(24,6)	numeric(24,6)	The number of miles.
TFS_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	The mileage charge.
TFS_MILEAGEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The mileage markup charge.
TFS_HOURS	Y	NUMBER(24,6)	numeric(24,6)	The number of hours.
TFS_USAGE	Y	NUMBER(24,6)	numeric(24,6)	The usage charge.
TFS_USAGEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The usage markup charge.
TFS_INSURANCE	Y	NUMBER(24,6)	numeric(24,6)	The insurance charge.
TFS_INSURANCEMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The insurance markup charge.
TFS_REPAIR	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance charge.
TFS_LABORREP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance labor charge.
TFS_LABORREPMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance labor markup charge.
TFS_PARTSREP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance parts charge.
TFS_PARTSREPMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance parts markup charge.
TFS_CONTRLABORREP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance contract labor charge.
TFS_CONTRLABORREPMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The non maintenance contract labor markup charge.

TFS_MAINTENANCE	Y	NUMBER(24,6)	numeric(24,6)	The maintenance charge.
TFS_LABORMNT	Y	NUMBER(24,6)	numeric(24,6)	The maintenance labor charge.
TFS_LABORMNTMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The maintenance labor markup charge.
TFS_PARTSMNT	Y	NUMBER(24,6)	numeric(24,6)	The maintenance parts charge.
TFS_PARTSMNTMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The maintenance parts markup charge.
TFS_CONTRLABORMNT	Y	NUMBER(24,6)	numeric(24,6)	The maintenance contract labor charge.
TFS_CONTRLABORMNTMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The maintenance contract labor markup charge.
TFS_EXCEPTIONS	Y	NUMBER(24,6)	numeric(24,6)	The exceptions charge.
TFS_TOTAL	Y	NUMBER(24,6)	numeric(24,6)	The total charge.
TFS_DAYSILLED	Y	NUMBER(24,6)	numeric(24,6)	The number of days billed.
TFS_BILLINGCODE	Y	VARCHAR2(15)	nvarchar(15)	The billing code.
TFS_BILLINGCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
TFS_MARKUPCODE	Y	VARCHAR2(15)	nvarchar(15)	The markup code.
TFS_MARKUPCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
TFS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPBOOKEDHOURS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TBO_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
TBO_TEMPSSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The temp sub line pk.
TBO_ACD	Y	NUMBER	bigint	The acd number pointing to a booked hours record.
TBO_FLEETCHECKED	Y	VARCHAR2(1)	nvarchar(1)	Determines type of record.
TBO_FLEETMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The markup cost
TBO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPCOSTCODEERRORS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCE_USER	Y	VARCHAR2(255)	nvarchar(255)	The username.
TCE_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code.
TCE_NEWCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The new cost code
TCE_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	The entity.
TCE_PK	Y	VARCHAR2(40)	nvarchar(40)	The primary key of the record in error.
TCE_ERROR	Y	VARCHAR2(500)	nvarchar(500)	The error message.
TCE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPCOSTCODELINES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCL_USER	Y	VARCHAR2(255)	nvarchar(255)	The username.
TCL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code.
TCL_TYPE	Y	VARCHAR2(1)	nvarchar(1)	The type. T for Tickets, F for Translines, E for Events or A for Adjustments.
TCL_PK	Y	VARCHAR2(30)	nvarchar(30)	The primary key.
TCL_PK2	Y	NUMBER(38,0)	numeric(38,0)	The second column of the primary key.
TCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPCOSTCODES

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCC_USER	Y	VARCHAR2(255)	nvarchar(255)	The username.
TCC_COSTCODE	N	VARCHAR2(30)	nvarchar(30)	The cost code.
TCC_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the cost code.
TCC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the cost code.
TCC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the cost code.
TCC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	The not used flag of the cost code.
TCC_NEWCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The new cost code.
TCC_DATE	Y	DATE	datetime	The date the record was inserted.

TCC_TICKETS	Y	NUMBER(10,0)	numeric(10,0)	The # of tickets belonging to the cost code.
TCC_TRANSLINES	Y	NUMBER(10,0)	numeric(10,0)	The # of transaction lines belonging to the cost code.
TCC_EVENTS	Y	NUMBER(10,0)	numeric(10,0)	The # of work orders belonging to the cost code.
TCC_ADJUSTMENTS	Y	NUMBER(10,0)	numeric(10,0)	The # of adjustments belonging to the cost code.
TCC_TOTAL	Y	NUMBER(10,0)	numeric(10,0)	The total # of records belonging to the cost code.
TCC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPDOCKLINES MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TDL_DCKCODE	N	VARCHAR2(30)	nvarchar(30)	
TDL_LINE	N	NUMBER(8,0)	numeric(8,0)	
TDL_SELECT	Y	VARCHAR2(1)	nvarchar(1)	
TDL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	
TDL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
TDL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	
TDL_PART	Y	VARCHAR2(30)	nvarchar(30)	
TDL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	
TDL_QTY	Y	NUMBER(24,6)	numeric(24,6)	
TDL_ERRMESSAGE	Y	VARCHAR2(255)	nvarchar(255)	
TDL_QTYORDERED	Y	NUMBER(24,6)	numeric(24,6)	
TDL_QTYOUTSTANDING	Y	NUMBER(24,6)	numeric(24,6)	
TDL_BIN	Y	VARCHAR2(15)	nvarchar(15)	
TDL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPENXTICKET BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TET_TICKET	N	VARCHAR2(64)	nvarchar(64)	T.B.D.
TET_USER	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
TET_PROPERTY	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
TET_CREATED	Y	DATE	datetime	T.B.D.
TET_JSESSIONID	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
TET_TIMEOUT	Y	NUMBER(3,0)	numeric(3,0)	T.B.D.
TET_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TET_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPENXTICKET_ARCHIVE BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATK_TICKET	N	VARCHAR2(64)	nvarchar(64)	T.B.D.
ATK_USER	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
ATK_PROPERTY	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
ATK_CREATED	Y	DATE	datetime	T.B.D.
ATK_JSESSIONID	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
ATK_TIMEOUT	Y	NUMBER(3,0)	numeric(3,0)	T.B.D.
ATK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ATK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPGRAPH INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TMG_DATE	Y	DATE	datetime	date
TMG_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
TMG_POINT	Y	VARCHAR2(30)	nvarchar(30)	point
TMG_POINTTYPE	Y	VARCHAR2(30)	nvarchar(30)	point type
TMG_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	aspect code
TMG_VALUE	Y	NUMBER(24,6)	numeric(24,6)	value

TMG_SESSION	Y	VARCHAR2(25)	nvarchar(25)	session
TMG_NUM	Y	NUMBER	int	number
TMG_NAME	Y	VARCHAR2(10)	nvarchar(10)	name
TMG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TMG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPIMPENTITY

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TIE_CODE	Y	VARCHAR2(200)	nvarchar(200)	PK
TIE_SESSIONID	Y	NUMBER	int	SessionID
TIE_IMPORTTYPE	Y	VARCHAR2(50)	nvarchar(50)	Type
TIE_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
TIE_PARENT	Y	VARCHAR2(30)	nvarchar(30)	Parent record
TIE_MESSAGE	Y	VARCHAR2(500)	nvarchar(500)	Message
TIE_CREATED	Y	DATE	datetime	Creation timestamp
TIE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
TIE_GROUP	Y	VARCHAR2(60)	nvarchar(60)	User group
TIE_REIMPORT	Y	NUMBER(5,0)	numeric(5,0)	T.B.D. 1132
TIE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPJOBLINES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TJB_SESSIONID	Y	NUMBER	numeric(38,0)	Temporary work order session ID
TJB_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work order Number
TJB_PART	Y	VARCHAR2(30)	nvarchar(30)	Part code
TJB_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	Part organization
TJB_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store code
TJB_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Active flag
TJB_BYASSET	Y	VARCHAR2(1)	nvarchar(1)	By asset flag
TJB_QTY	Y	NUMBER(24,6)	numeric(24,6)	Repair part quantity
TJB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPLABORREQUISITIONS

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TLR_SESSIONID	N	VARCHAR2(30)	nvarchar(30)	The session this record belongs to.
TLR_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
TLR_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
TLR_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether a requisition line should be created.
TLR_ORG	Y	VARCHAR2(30)	nvarchar(30)	requisition organization
TLR_MRC	Y	VARCHAR2(15)	nvarchar(15)	department.
TLR_DESC	Y	VARCHAR2(80)	nvarchar(80)	requisition description.
TLR_STORE	Y	VARCHAR2(15)	nvarchar(15)	requisition store.
TLR_REQUESTEDBY	Y	VARCHAR2(15)	nvarchar(15)	user requesting the requisition.
TLR_ORDTYPE	Y	VARCHAR2(4)	nvarchar(4)	user order type.
TLR_ORDRTYPE	Y	VARCHAR2(4)	nvarchar(4)	system order type.
TLR_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price per issue unit of measure in supplier currency.
TLR_CURRENCY	Y	VARCHAR2(3)	nvarchar(3)	currency code.
TLR_TRADE	Y	VARCHAR2(15)	nvarchar(15)	task trade
TLR_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
TLR_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
TLR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
TLR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
TLR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object.
TLR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization.

TLR_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
TLR_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
TLR_DATE	Y	DATE	datetime	requisition date.
TLR_ERROR	Y	VARCHAR2(255)	nvarchar(255)	error message.
TLR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSTEMPLATECHARGEDEFS		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCD_PK	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
TCD_CONTRACTTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
TCD_CONTRACTTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
TCD_ORG	N	VARCHAR2(15)	nvarchar(15)	Invoicing Org.
TCD_INVOICINGDESCRIPTION	Y	VARCHAR2(80)	nvarchar(80)	Invoicing Description
TCD_INVOICE	Y	VARCHAR2(1)	nvarchar(1)	Invoice
TCD_INVOICECONDITIONAL	Y	VARCHAR2(1)	nvarchar(1)	Invoice Conditional
TCD_CATEGORY	N	VARCHAR2(4)	nvarchar(4)	Charge Category
TCD_LEVEL	N	VARCHAR2(4)	nvarchar(4)	Charge Level
TCD_SUBCATEGORY	N	VARCHAR2(30)	nvarchar(30)	Charge Subcategory
TCD_RATE	Y	NUMBER(24,6)	numeric(24,6)	Rate
TCD_ADJPERCBEFORE	Y	NUMBER(7,4)	numeric(7,4)	Adjustment % Before
TCD_ADJUNITPRICE	Y	NUMBER(24,6)	numeric(24,6)	Adjustment Unit Price
TCD_ADJTRANSACTION	Y	NUMBER(24,6)	numeric(24,6)	Adjustment Transaction
TCD_ADJPERCAFTER	Y	NUMBER(7,4)	numeric(7,4)	Adjustment % After
TCD_MINQTY	Y	NUMBER(24,6)	numeric(24,6)	Minimum Quantity
TCD_MINCHARGE	Y	NUMBER(24,6)	numeric(24,6)	Minimum Charge
TCD_MAXCHARGE	Y	NUMBER(24,6)	numeric(24,6)	Maximum Charge
TCD_FREEUPTO	Y	NUMBER(24,6)	numeric(24,6)	Free Up To
TCD_TAXABLE	Y	VARCHAR2(1)	nvarchar(1)	Taxable
TCD_USAGEUOM	Y	VARCHAR2(30)	nvarchar(30)	Usage UOM
TCD_CHARGEESTUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Charge Estimated Usage
TCD_ROLLOVER	Y	VARCHAR2(1)	nvarchar(1)	Rollover
TCD_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade
TCD_OCTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of Hours
TCD_OCRTYPE	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
TCD_PARTCLASS	Y	VARCHAR2(8)	nvarchar(8)	Part Class
TCD_PARTCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Part Class Org.
TCD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

TCD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TCD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TCD_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TCD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TCD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TCD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TCD_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TCD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TCD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TCD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPLATECLAUSES		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TCS_CONTRACTTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	Contract Template
TCS_CONTRACTTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TCS_CLAUSE	N	VARCHAR2(8)	nvarchar(8)	T.B.D.
TCS_SEQUENCE	N	NUMBER(9,0)	numeric(9,0)	T.B.D.
TCS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TCS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPLATEDISCOUNTS		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TDC_CODE	N	VARCHAR2(30)	nvarchar(30)	T.B.D.
TDC_CONTRACTTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	Contract Template
TDC_CONTRACTTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TDC_APPLYEACHINVOICE	N	VARCHAR2(1)	nvarchar(1)	Apply to Each Invoice
TDC_APPLYFULLAMOUNT	Y	VARCHAR2(1)	nvarchar(1)	Apply to Full Amount
TDC_MINVALUE	N	NUMBER(24,6)	numeric(24,6)	Minimum Value
TDC_CURRENCY	N	VARCHAR2(3)	nvarchar(3)	Currency code
TDC_PERCENTAGE	N	NUMBER(7,4)	numeric(7,4)	Discount %
TDC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TDC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPLATESALESPRICE		CONTRACTS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

TSC_PK	N	VARCHAR2(30)	nvarchar(30)	Primary key field
TSC_CONTRACTTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	Contract Template
TSC_CONTRACTTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TSC_RENTITY	N	VARCHAR2(4)	nvarchar(4)	Entity
TSC_CODE	N	VARCHAR2(50)	nvarchar(50)	Code
TSC_ORG	N	VARCHAR2(15)	nvarchar(15)	Organization
TSC_SALESPRICE	N	NUMBER(24,6)	numeric(24,6)	Sales Price
TSC_STARTDATE	N	DATE	datetime	Date Effective
TSC_ENDDATE	N	DATE	datetime	Date Expired
TSC_STORE	Y	VARCHAR2(15)	nvarchar(15)	Store
TSC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TSC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TSC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TSC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TSC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TSC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TSC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TSC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

TSC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TSC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TSC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPLATEWOCRITERIA	CONTRACTS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TWC_CONTRACTTEMPLATE	N	VARCHAR2(30)	nvarchar(30)	Contract Template
TWC_CONTRACTTEMPLATE_ORG	N	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TWC_MRC	N	VARCHAR2(15)	nvarchar(15)	Department
TWC_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	WO Type
TWC_CLASS	N	VARCHAR2(8)	nvarchar(8)	WO Class
TWC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	WO Class Org.
TWC_GROUPING	Y	VARCHAR2(50)	nvarchar(50)	Grouping
TWC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TWC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TWC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TWC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TWC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TWC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TWC_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TWC_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TWC_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TWC_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TWC_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TWC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

TWC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TWC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TWC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TWC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TWC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPLRFSEARCH

GIS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TLS_LRFID	N	NUMBER(38,0)	numeric(38,0)	References Lrf_Id Of R5Objlinearef
TLS_SESSIONID	N	NUMBER	numeric(38,0)	This is the session_id from the current session
TLS_DISTANCE	N	NUMBER(24,6)	numeric(24,6)	Distance from the start point. In Range UOM
TLS_CREATED	N	DATE	datetime	Creation timestamp
TLS_RECTYPE	Y	VARCHAR2(1)	nvarchar(1)	This column is essentially used to restrict search recursion
TLS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
TLS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPPREPOPCODE

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPU_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	system entity
TPU_STATENT	Y	VARCHAR2(4)	nvarchar(4)	system entity status code
TPU_FROMUCODE	Y	VARCHAR2(4)	nvarchar(4)	code status can be changed from.
TPU_TOUCODE	Y	VARCHAR2(4)	nvarchar(4)	code status can be changed to.

R5TEMPPRICEDIF

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TMP_SESSION	Y	VARCHAR2(12)	nvarchar(12)	ds in the temporary table belong to the current user.
TMP_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
TMP_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
TMP_PRICEDIFF	Y	NUMBER(24,6)	numeric(24,6)	difference between new standard price and old standard price (per issue unit of measure).
TMP_NEWPRICE	Y	NUMBER(24,6)	numeric(24,6)	new standard price (per issue unit of measure)..
TMP_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
TMP_TRANSRTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction r type (system)
TMP_ORG	Y	VARCHAR2(15)	nvarchar(15)	part code.
TMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPREPORTUDF

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TUD_FIELD	Y	VARCHAR2(50)	nvarchar(50)	T.B.D.
TUD_VALUE	Y	VARCHAR2(80)	nvarchar(80)	T.B.D.
TUD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPREPTICKET

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRT_TICKET	N	VARCHAR2(64)	nvarchar(64)	Ticket
TRT_EXPIRY	Y	DATE	datetime	Expiration date time of ticket
TRT_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	Report to run
TRT_USER	Y	VARCHAR2(255)	nvarchar(255)	R5user
TRT_PASSWORD	Y	VARCHAR2(50)	nvarchar(50)	Encrypted password
TRT_LANGUAGE	Y	VARCHAR2(2)	nvarchar(2)	Language
TRT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPREPXFER

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRX_SESSION	Y	NUMBER	int	The session id of the current D7i session
TRX_DATE	Y	DATE	datetime	Date stamp when row was inserted
TRX_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	The target report function that will use the data in this table
TRX_ROWID	Y	VARCHAR2(100)	nvarchar(100)	The row id of the selected record to be printed
TRX_DATA1	Y	VARCHAR2(100)	nvarchar(100)	Any data
TRX_DATA2	Y	VARCHAR2(100)	nvarchar(100)	Any data
TRX_DATA3	Y	VARCHAR2(100)	nvarchar(100)	Any data
TRX_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TRX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPREQSFORORDER

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRO_SESSIONID	N	NUMBER	int	The current session ID.
TRO_SEQUENCE	N	NUMBER(8,0)	numeric(8,0)	The sequence number.
TRO_REQ	N	VARCHAR2(30)	nvarchar(30)	Requisition number
TRO_ORG	N	VARCHAR2(15)	nvarchar(15)	Requisition organization
TRO_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	Requisition line number
TRO_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	Supplier
TRO_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	Supplier organization
TRO_STORE	N	VARCHAR2(15)	nvarchar(15)	Store
TRO_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	Originator
TRO_PART	Y	VARCHAR2(30)	nvarchar(30)	Part
TRO_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	Part organization
TRO_TASK	Y	VARCHAR2(20)	nvarchar(20)	Task
TRO_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	Task revision
TRO_BUYER	Y	VARCHAR2(255)	nvarchar(255)	Buyer
TRO_DUE	Y	DATE	datetime	Due date
TRO_QTY	N	NUMBER(24,6)	numeric(24,6)	Quantity
TRO_TASKQTY	Y	NUMBER(10,2)	numeric(10,2)	Units
TRO_PRICE	Y	NUMBER(24,6)	numeric(24,6)	Price
TRO_CURR	Y	VARCHAR2(3)	nvarchar(3)	Currency
TRO_EXCH	Y	NUMBER(24,12)	numeric(24,12)	Exchange rate
TRO_TYPE	N	VARCHAR2(4)	nvarchar(4)	Requisition line Type
TRO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work order number
TRO_ACT	Y	NUMBER(8,0)	numeric(8,0)	Activity number
TRO_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Project
TRO_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	Budget
TRO_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost code
TRO_UOM	Y	VARCHAR2(30)	nvarchar(30)	UOM
TRO_RTYPE	N	VARCHAR2(4)	nvarchar(4)	Requisition line system type
TRO_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	Conversion factor
TRO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Status
TRO_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	Blank order
TRO_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	Blank order line number
TRO_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade
TRO_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	Delivery address
TRO_QUOTFLAG	N	VARCHAR2(1)	nvarchar(1)	Quotation flag
TRO_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	Inspect flag
TRO_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select flag
TRO_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
TRO_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
TRO_DATE	Y	DATE	datetime	Date the temporary record was created
TRO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

TRO_REPPRICE	Y	NUMBER(24,6)	numeric(24,6)	Repair price
TRO_PRINTSUBID	Y	NUMBER(38,0)	numeric(38,0)	Random generated number for report record selection
TRO_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	quotation number
TRO_QUOT_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code of quotation
TRO_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	quotation line number
TRO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPRUNSQL

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRS_CODE	N	NUMBER(38,0)	numeric(38,0)	Code of record
TRS_USER	N	VARCHAR2(255)	nvarchar(255)	7i User running report
TRS_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Report function
TRS_SQL	N	VARCHAR2(2000)	nvarchar(2000)	Sql statement run by a job
TRS_RETRY	N	NUMBER	int	How many system tried to run sql
TRS_CREATED_DATE	N	DATE	datetime	Date a record is created
TRS_UPDATED_DATE	N	DATE	datetime	Update timestamp
TRS_ERRORTXT	Y	VARCHAR2(255)	nvarchar(255)	ErrorText if running trs_sql fails
TRS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
TRS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPSSABCA

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TSS_SESSIONID	N	NUMBER	numeric(38,0)	Session ID
TSS_STORE	N	VARCHAR2(15)	nvarchar(15)	Store Code
TSS_STORE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Store Org
TSS_PART	N	VARCHAR2(30)	nvarchar(30)	Part Code
TSS_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	Part Org
TSS_PRICETYPE	Y	VARCHAR2(4)	nvarchar(4)	Price Type
TSS_PRICE	Y	NUMBER(24,6)	numeric(24,6)	Price
TSS_QUANTITY	Y	NUMBER(24,6)	numeric(24,6)	Quantity
TSS_TOTVALUE	Y	NUMBER(24,6)	numeric(24,6)	Total Value
TSS_PERCENTVALUE	Y	NUMBER(24,6)	numeric(24,6)	Percent Value
TSS_CUM_PECENT	Y	NUMBER(24,6)	numeric(24,6)	Accumulated Percent Value
TSS_ABCCCLASS	Y	VARCHAR2(1)	nvarchar(1)	Value Base
TSS_SELECT	N	VARCHAR2(1)	nvarchar(1)	Usage Base
TSS_DATE	Y	DATE	datetime	Date of Transaction
TSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPSTRESS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TMS_MATERIAL	N	VARCHAR2(20)	nvarchar(20)	material code
TMS_MATERIALREV	N	NUMBER(4,0)	numeric(4,0)	material revision
TMS_TEMPERATURE	N	NUMBER	numeric(8,2)	temperature
TMS_STRESS	Y	NUMBER	numeric(24,6)	stress
TMS_TEMPCOEF	Y	NUMBER	numeric(24,6)	temperature coefficient
TMS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TMS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPTICKETEXCEPTIONS

FLEET

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TFX_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
TFX_TEMPSubLINE	Y	VARCHAR2(30)	nvarchar(30)	The temp sub line pk.
TFX_PK	Y	VARCHAR2(30)	nvarchar(30)	The PK of the ticket exception record.
TFX_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPTICKETS		FLEET		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TFT_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
TFT_TEMPSubLINE	Y	VARCHAR2(30)	nvarchar(30)	The temp sub line pk.
TFT_TICKET	Y	VARCHAR2(30)	nvarchar(30)	The ticket.
TFT_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5TEMPTRANSLINES		FLEET		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TTR_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
TTR_TEMPSubLINE	Y	VARCHAR2(30)	nvarchar(30)	The temp sub line pk.
TTR_TRANS	Y	VARCHAR2(30)	nvarchar(30)	The transaction.
TTR_TRANSLINE	Y	NUMBER(8,0)	numeric(8,0)	The transaction line.
TTR_FLEETCHECKED	Y	VARCHAR2(1)	nvarchar(1)	Determines type of record.
TTR_FLEETMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The markup cost
TTR_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5TEMPWMBWOG		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TEV_SESSIONID	N	NUMBER	int	connection session
TEV_CODE	N	VARCHAR2(30)	nvarchar(30)	Work order
TEV_STATUS	Y	VARCHAR2(8)	nvarchar(8)	Work order status
TEV_DESC	Y	VARCHAR2(80)	nvarchar(80)	Work order description
TEV_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
TEV_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment organization
TEV_PPM	Y	VARCHAR2(30)	nvarchar(30)	PM schedule
TEV_ISSTYPE	Y	VARCHAR2(4)	nvarchar(4)	PM type
TEV_TARGET	Y	DATE	datetime	Due date
TEV_PPOPK	Y	NUMBER	int	PM Objects table s primary key
TEV_SELECT	Y	VARCHAR2(1)	nvarchar(1)	WO selection flag (+, -)
TEV_PROCESSED	Y	VARCHAR2(1)	nvarchar(1)	WO processed flag (+, -, P).
TEV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TEV_FREQ	Y	NUMBER(8,0)	numeric(8,0)	Frequency of the PM.
TEV_CREATED	Y	DATE	datetime	Creation timestamp
TEV_PRINTSUBID	Y	NUMBER	numeric(38,0)	Print id
TEV_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department of the work order
TEV_STANDARDWORK	Y	VARCHAR2(20)	nvarchar(20)	The standard work order of the work order
TEV_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the work order
TEV_ERROR	Y	VARCHAR2(2000)	nvarchar(2000)	Error Messages Raised When Generate/Release Work Orders
TEV_PACKAGE	Y	VARCHAR2(24)	nvarchar(24)	Package
TEV_MP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
TEV_MP_SEQ	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
TEV_MP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
TEV_MP_REVISION	Y	NUMBER(4,0)	numeric(4,0)	T.B.D.
TEV_INKIT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the equipment sits in a kit
TEV_BYPASSED	Y	VARCHAR2(1)	nvarchar(1)	
TEV_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5TEMPWORKLOAD		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TWL_SESSIONID	Y	NUMBER	numeric(38,0)	Work Load Session ID
TWL_HOURS	Y	NUMBER(24,6)	numeric(24,6)	Hours
TWL_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department

TWL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade
TWL_DATE	Y	DATE	datetime	Date
TWL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPWORKLOADACTIVITIES		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLA_SESSIONID	Y	NUMBER	numeric(38,0)	Work Load Session ID
WLA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
WLA_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
WLA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade
WLA_NEWTRADE	Y	VARCHAR2(15)	nvarchar(15)	new Work Order Activity Trade
WLA_ACT	Y	NUMBER(8,0)	numeric(8,0)	Work Order Activity
WLA_REM	Y	NUMBER(24,6)	numeric(24,6)	Remaining Hours
WLA_DURATION	Y	NUMBER(8,0)	numeric(8,0)	Work Order Activity duration
WLA_START	Y	DATE	datetime	Work Order Start Date
WLA_NEWSTART	Y	DATE	datetime	New Work Order Start Date
WLA_ACTSTART	Y	DATE	datetime	Work Order Activity Start Date
WLA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPWORKLOADPARAMETERS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLP_SESSIONID	Y	NUMBER	numeric(38,0)	Work Load Session ID
WLP_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
WLP_PPM	Y	VARCHAR2(20)	nvarchar(20)	PPM Schedule
WLP_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Project
WLP_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	Project Budget
WLP_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
WLP_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
WLP_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	Location
WLP_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	Location Organization
WLP_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	Work Order Type
WLP_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority
WLP_TRADE	Y	VARCHAR2(15)	nvarchar(15)	Trade
WLP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Work Order Status
WLP_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	Reported By
WLP_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Assigned to
WLP_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	Assigned By
WLP_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
WLP_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Organization
WLP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By
WLP_CREATED	Y	DATE	datetime	Date created
WLP_STARTDATE	Y	DATE	datetime	Start Date
WLP_ENDDATE	Y	DATE	datetime	End Date
WLP_SCHEDWINDOW	Y	NUMBER(3,0)	numeric(3,0)	Schedule Window
WLP_SORTBY	Y	VARCHAR2(30)	nvarchar(30)	Sort By
WLP_LOCKED	Y	VARCHAR2(1)	nvarchar(1)	Locked
WLP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TEMPWORKLOADWORKORDERS		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLW_SESSIONID	Y	NUMBER	numeric(38,0)	Work Load Session ID
WLW_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Selected
WLW_SEQUENCE	Y	NUMBER(4,0)	numeric(4,0)	Sequence Number
WLW_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order

WLW_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Work Order Organization
WLW_EVENT_DESC	Y	VARCHAR2(80)	nvarchar(80)	Work Order Description
WLW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
WLW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
WLW_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	Location
WLW_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	Location Organization
WLW_PPM	Y	VARCHAR2(20)	nvarchar(20)	PPM
WLW_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Work Order Status
WLW_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	System Status
WLW_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	Work Order Type
WLW_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	Project
WLW_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	Project Budget
WLW_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Cost Code
WLW_MRC	Y	VARCHAR2(15)	nvarchar(15)	Department
WLW_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	Priority
WLW_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Assigned To
WLW_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	Assigned By
WLW_TARGET	Y	DATE	datetime	Target Date
WLW_NEWTARGET	Y	DATE	datetime	New Target Date
WLW_DURATION	Y	NUMBER(8,0)	numeric(8,0)	Duration
WLW_LOCKED	Y	VARCHAR2(1)	nvarchar(1)	Locked
WLW_MODIFIED	Y	VARCHAR2(1)	nvarchar(1)	Modified
WLW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TENANTSTATUS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPS_STATUS	N	VARCHAR2(32)	nvarchar(32)	The status of the tenant.
TPS_UPDATETIMESTAMP	N	DATE	datetime	The date and time the record was last updated.
TPS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TPS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TMPBUDGETDETAILS	BUDGETS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TBDT_SESSIONID	N	NUMBER	int	session id
TBDT_INDEX	N	VARCHAR2(150)	nvarchar(150)	index
TBDT_CODE	N	VARCHAR2(30)	nvarchar(30)	code
TBDT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TBDT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TMPLOCATIONS	BUDGETS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TLOC_SESSIONID	N	NUMBER	int	session id
TLOC_ELEMENT	N	VARCHAR2(30)	nvarchar(30)	element
TLOC_ELEMENT_ORG	N	VARCHAR2(15)	nvarchar(15)	element organization
TLOC_STRUCTURE	N	VARCHAR2(30)	nvarchar(30)	structure
TLOC_STRUCTURE_ORG	N	VARCHAR2(15)	nvarchar(15)	structure organization
TLOC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TLOC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TMPOBJECTS	BUDGETS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TOBJ_SESSIONID	N	NUMBER	int	session id
TOBJ_ELEMENT	N	VARCHAR2(30)	nvarchar(30)	element

TOBJ_ELEMENT_ORG	N	VARCHAR2(15)	nvarchar(15)	element organization
TOBJ_STRUCTURE	N	VARCHAR2(30)	nvarchar(30)	structure
TOBJ_STRUCTURE_ORG	N	VARCHAR2(15)	nvarchar(15)	structure organization
TOBJ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TOBJ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOLERANCE	INSPECTION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TOL_PRIORITY	N	VARCHAR2(8)	nvarchar(8)	priority
TOL_MIN	Y	NUMBER(4,0)	numeric(4,0)	minimum
TOL_MAX	Y	NUMBER(4,0)	numeric(4,0)	maximum
TOL_TOLERANCE	N	NUMBER(4,0)	numeric(4,0)	tolerance
TOL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TOL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TOL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLPLAN	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TPL_TOOL	N	VARCHAR2(12)	nvarchar(12)	Tool code
TPL_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work order number
TPL_ACT	N	NUMBER(8,0)	numeric(8,0)	Work order activity code
TPL_MRC	N	VARCHAR2(15)	nvarchar(15)	Department Code
TPL_QTY	N	NUMBER(24,6)	numeric(24,6)	Tool quantity
TPL_HOURS	N	NUMBER(12,2)	numeric(12,2)	Tool hours
TPL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TPL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TPL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLREQ	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TOR_TOOL	N	VARCHAR2(12)	nvarchar(12)	code of the tool.
TOR_EVENT	N	VARCHAR2(30)	nvarchar(30)	number of events.
TOR_ACT	N	NUMBER(8,0)	numeric(8,0)	number of activity.
TOR_MRC	N	VARCHAR2(15)	nvarchar(15)	mrc to which tool cost will be charged.
TOR_REQUIRED	N	DATE	datetime	date on which tool is required.
TOR_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity of tools required.
TOR_HOURS	N	NUMBER(12,2)	numeric(12,2)	number of hours tool is required.
TOR_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	scheduling project id
TOR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TOR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TOR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLREQ_ARCHIVE	Archiving			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATR_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ATR_TOOL	Y	VARCHAR2(12)	nvarchar(12)	code of the tool.
ATR_EVENT	Y	VARCHAR2(30)	nvarchar(30)	number of events.
ATR_ACT	Y	NUMBER(8,0)	numeric(8,0)	number of activity.
ATR_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc to which tool cost will be charged.
ATR_REQUIRED	Y	DATE	datetime	date on which tool is required.
ATR_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of tools required.
ATR_HOURS	Y	NUMBER(12,2)	numeric(12,2)	number of hours tool is required.
ATR_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	scheduling project id
ATR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

ATR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLS WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TOO_CODE	N	VARCHAR2(12)	nvarchar(12)	tool code. unique identification.
TOO_DESC	N	VARCHAR2(80)	nvarchar(80)	tool description.
TOO_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TOO_ORG	N	VARCHAR2(15)	nvarchar(15)	tool organization
TOO_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
TOO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TOO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TOO_AVAILABLEFORCUS	Y	VARCHAR2(1)	nvarchar(1)	
TOO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLUSAGE WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TOU_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
TOU_TOOL	N	VARCHAR2(12)	nvarchar(12)	tool code.
TOU_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number.
TOU_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
TOU_DATEBOOKED	Y	DATE	datetime	date tool usage reported.
TOU_DATEUSED	N	DATE	datetime	date tool used.
TOU_HOURS	N	NUMBER(12,2)	numeric(12,2)	number of hours tool has been used.
TOU_TARIFF	Y	NUMBER(24,6)	numeric(24,6)	hourly tariff for use of tool.
TOU_COST	Y	NUMBER(24,6)	numeric(24,6)	total cost of tool usage.
TOU_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of tool used.
TOU_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	for financial integration.
TOU_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tool interface columns.
TOU_TRANSORGID	Y	NUMBER	bigint	tool interface columns.
TOU_TRANSGROUP	Y	NUMBER	int	tool interface columns.
TOU_ACD	Y	NUMBER	bigint	account detail reference.
TOU_GLTRANSFER	Y	DATE	datetime	for financial integration.
TOU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TOU_ORIGHOURS	Y	NUMBER(12,2)	numeric(12,2)	To store the original tool usage in case the hours are set to zero, because the costs are divided among the related route objects. This only applies to the parent.
TOU_ROUTEREC	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is created to distribute the costs among child jobs.
TOU_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
TOU_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
TOU_SPLITUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Flag that tells how a tool usage record is to be split (for multi-equipment WOs only)
TOU_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
TOU_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
TOU_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
TOU_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
TOU_DESC	Y	VARCHAR2(80)	nvarchar(80)	
TOU_MISC	Y	VARCHAR2(1)	nvarchar(1)	
TOU_UNMATCHEDINVOICE	Y	VARCHAR2(45)	nvarchar(45)	
TOU_UNMATCHEDINVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
TOU_UNMATCHEDINVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	
TOU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TOU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLUSAGEINTERFACE DATA COLLECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

TUI_TRANSID	N	NUMBER	bigint	transfer id
TUI_CREATED	Y	DATE	datetime	date created
TUI_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	source system
TUI_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	source code
TUI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event
TUI_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity
TUI_MRC	Y	VARCHAR2(15)	nvarchar(15)	mrc to charge
TUI_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code
TUI_DATEUSED	Y	DATE	datetime	date used
TUI_QTY	Y	NUMBER(24,6)	numeric(24,6)	qty of tool used
TUI_HOURS	Y	NUMBER(12,2)	numeric(12,2)	hours tool used
TUI_TARIFF	Y	NUMBER(24,6)	numeric(24,6)	rate of tool
TUI_COST	Y	NUMBER(24,6)	numeric(24,6)	cost
TUI_TRANS	Y	VARCHAR2(4)	nvarchar(4)	transfer
TUI_SESSIONID	Y	NUMBER	int	session id
TUI_TRANSORGID	Y	NUMBER	bigint	transfer source id
TUI_TRANSGROUP	Y	NUMBER	int	transfer group
TUI_TRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	transfer type
TUI_USER	Y	VARCHAR2(255)	nvarchar(255)	user code
TUI_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
TUI_ACDALIAS	Y	VARCHAR2(45)	nvarchar(45)	Tool usage Account Code alias
TUI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOOLUSAGE_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATU_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ATU_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
ATU_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code.
ATU_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ATU_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ATU_DATEBOOKED	Y	DATE	datetime	date tool usage reported.
ATU_DATEUSED	Y	DATE	datetime	date tool used.
ATU_HOURS	Y	NUMBER(12,2)	numeric(12,2)	number of hours tool has been used.
ATU_TARIFF	Y	NUMBER(24,6)	numeric(24,6)	hourly tariff for use of tool.
ATU_COST	Y	NUMBER(24,6)	numeric(24,6)	total cost of tool usage.
ATU_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of tool used.
ATU_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	for financial integration.
ATU_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tool interface columns.
ATU_TRANSORGID	Y	NUMBER	bigint	tool interface columns.
ATU_TRANSGROUP	Y	NUMBER	int	tool interface columns.
ATU_ACD	Y	NUMBER	bigint	account detail reference.
ATU_GLTRANSFER	Y	DATE	datetime	for financial integration.
ATU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ATU_ORIGHOURS	Y	NUMBER(12,2)	numeric(12,2)	To store the original tool usage in case the hours are set to zero, because the costs are divided among the related route objects. This only applies to the parent.
ATU_ROUTEREC	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is created to distribute the costs among child jobs.
ATU_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ATU_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ATU_SPLITUSAGE	Y	VARCHAR2(1)	nvarchar(1)	Flag that tells how a tool usage record is to be split (for multi-equipment WOs only)
ATU_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
ATU_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
ATU_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
ATU_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
ATU_DESC	Y	VARCHAR2(80)	nvarchar(80)	

ATU_MISC	Y	VARCHAR2(1)	nvarchar(1)	
ATU_UNMATCHEDINVOICE	Y	VARCHAR2(45)	nvarchar(45)	
ATU_UNMATCHEDINVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ATU_UNMATCHEDINVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	
ATU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TOPKBARTICLES

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKA_KBARTICLE	N	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
TKA_KBARTICLE_ORG	N	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
TKA_LANG	N	VARCHAR2(2)	nvarchar(2)	Language
TKA_KBARTICLE_TITLE	Y	VARCHAR2(80)	nvarchar(80)	Knowledge Base Article Title
TKA_SEARCHCOUNT	Y	NUMBER(8,0)	numeric(8,0)	Search Count
TKA_RANKING	Y	NUMBER(3,0)	numeric(3,0)	Ranking
TKA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
TKA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKINGCTRL

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKC_INTERFACETYPE	Y	VARCHAR2(4)	nvarchar(4)	interface type (user code, see entity iftp).
TKC_INTERFACERTYPE	N	VARCHAR2(4)	nvarchar(4)	interface type (system code, see entity iftp).
TKC_COLUMN	Y	VARCHAR2(4)	nvarchar(4)	column code (user code, see entity ifcl).
TKC_RCOLUMN	Y	VARCHAR2(4)	nvarchar(4)	column code (system code, same as user code).
TKC_UPLOADCOLUMN	N	VARCHAR2(30)	nvarchar(30)	column name of upload column (as in destination api table).
TKC_DISPLAYSEQ	Y	NUMBER	int	sequential # that controls order of upload columns in list of values.
TKC_LENGTH	Y	NUMBER(4,0)	numeric(4,0)	length of upload column.
TKC_DATATYPE	Y	VARCHAR2(4)	nvarchar(4)	data type of upload column (user code, see entity datp).
TKC_DATARTYPE	Y	VARCHAR2(4)	nvarchar(4)	data type of upload column (user code, see entity datp).
TKC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKINGDATA

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKD_TRANSID	N	NUMBER	bigint	unique identification of tracking transaction.
TKD_CREATED	Y	DATE	datetime	date tracking transaction created.
TKD_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TKD_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TKD_TRANS	N	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
TKD_TRACKDATE	N	DATE	datetime	date tracking transaction entered.
TKD_PROMPTDATA1	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #1.
TKD_PROMPTDATA2	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #2.
TKD_PROMPTDATA3	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #3.
TKD_PROMPTDATA4	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #4.
TKD_PROMPTDATA5	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #5.
TKD_PROMPTDATA6	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #6.
TKD_PROMPTDATA7	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #7.
TKD_PROMPTDATA8	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #8.
TKD_PROMPTDATA9	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #9.
TKD_PROMPTDATA10	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #10.
TKD_PROMPTDATA11	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #11.
TKD_PROMPTDATA12	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #12.
TKD_PROMPTDATA13	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #13.

TKD_PROMPTDATA14	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #14.
TKD_PROMPTDATA15	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #15.
TKD_PROMPTDATA16	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #16.
TKD_PROMPTDATA17	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #17.
TKD_PROMPTDATA18	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #18.
TKD_PROMPTDATA19	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #19.
TKD_PROMPTDATA20	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #20.
TKD_PROMPTDATA21	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #21.
TKD_PROMPTDATA22	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #22.
TKD_PROMPTDATA23	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #23.
TKD_PROMPTDATA24	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #24.
TKD_PROMPTDATA25	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #25.
TKD_PROMPTDATA26	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #26.
TKD_PROMPTDATA27	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #27.
TKD_PROMPTDATA28	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #28.
TKD_PROMPTDATA29	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #29.
TKD_PROMPTDATA30	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #30.
TKD_PROMPTDATA31	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #31.
TKD_PROMPTDATA32	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #32.
TKD_PROMPTDATA33	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #33.
TKD_PROMPTDATA34	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #34.
TKD_PROMPTDATA35	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #35.
TKD_PROMPTDATA36	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #36.
TKD_PROMPTDATA37	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #37.
TKD_PROMPTDATA38	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #38.
TKD_PROMPTDATA39	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #39.
TKD_PROMPTDATA40	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #40.
TKD_PROMPTDATA41	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #41.
TKD_PROMPTDATA42	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #42.
TKD_PROMPTDATA43	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #43.
TKD_PROMPTDATA44	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #44.
TKD_PROMPTDATA45	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #45.
TKD_PROMPTDATA46	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #46.
TKD_PROMPTDATA47	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #47.
TKD_PROMPTDATA48	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #48.
TKD_PROMPTDATA49	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #49.
TKD_PROMPTDATA50	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #50.
TKD_SESSIONID	Y	NUMBER	int	session identification, unique to all tracking transactions uploaded in the same batch.
TKD_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	gives new, processed, error and retry.
TKD_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	value is + indicates record has been updated and ready to be processed.
TKD_PROMPTDATA51	Y	LONG	ntext	prompt data 51 for comments text
TKD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKD_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5TRACKINGDATATEMP

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKT_TRANSID	N	NUMBER	bigint	unique identification of tracking transaction.
TKT_CREATED	Y	DATE	datetime	date tracking transaction created.
TKT_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TKT_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TKT_USER	Y	VARCHAR2(255)	nvarchar(255)	username of person who recorded tracking transaction.
TKT_TRANS	N	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
TKT_TRACKDATE	N	DATE	datetime	date tracking transaction entered.
TKT_PROMPTDATA1	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #1.

TKT_PROMPTDATA2	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #2.
TKT_PROMPTDATA3	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #3.
TKT_PROMPTDATA4	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #4.
TKT_PROMPTDATA5	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #5.
TKT_PROMPTDATA6	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #6.
TKT_PROMPTDATA7	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #7.
TKT_PROMPTDATA8	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #8.
TKT_PROMPTDATA9	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #9.
TKT_PROMPTDATA10	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #10.
TKT_PROMPTDATA11	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #11.
TKT_PROMPTDATA12	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #12.
TKT_PROMPTDATA13	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #13.
TKT_PROMPTDATA14	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #14.
TKT_PROMPTDATA15	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #15.
TKT_PROMPTDATA16	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #16.
TKT_PROMPTDATA17	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #17.
TKT_PROMPTDATA18	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #18.
TKT_PROMPTDATA19	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #19.
TKT_PROMPTDATA20	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #20.
TKT_PROMPTDATA21	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #21.
TKT_PROMPTDATA22	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #22.
TKT_PROMPTDATA23	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #23.
TKT_PROMPTDATA24	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #24.
TKT_PROMPTDATA25	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #25.
TKT_PROMPTDATA26	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #26.
TKT_PROMPTDATA27	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #27.
TKT_PROMPTDATA28	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #28.
TKT_PROMPTDATA29	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #29.
TKT_PROMPTDATA30	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #30.
TKT_PROMPTDATA31	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #31.
TKT_PROMPTDATA32	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #32.
TKT_PROMPTDATA33	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #33.
TKT_PROMPTDATA34	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #34.
TKT_PROMPTDATA35	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #35.
TKT_PROMPTDATA36	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #36.
TKT_PROMPTDATA37	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #37.
TKT_PROMPTDATA38	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #38.
TKT_PROMPTDATA39	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #39.
TKT_PROMPTDATA40	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #40.
TKT_PROMPTDATA41	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #41.
TKT_PROMPTDATA42	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #42.
TKT_PROMPTDATA43	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #43.
TKT_PROMPTDATA44	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #44.
TKT_PROMPTDATA45	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #45.
TKT_PROMPTDATA46	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #46.
TKT_PROMPTDATA47	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #47.
TKT_PROMPTDATA48	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #48.
TKT_PROMPTDATA49	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #49.
TKT_PROMPTDATA50	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #50.
TKT_SESSIONID	Y	NUMBER	int	session identification, unique to all tracking transactions uploaded in the same batch.
TKT_PROMPTDATA51	Y	LONG	ntext	prompt data 51 for comments text
TKT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKINGLOVS

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKV_CODE	N	VARCHAR2(4)	nvarchar(4)	T.B.D.
TKV_SQL	Y	VARCHAR2(1000)	nvarchar(1000)	T.B.D.
TKV_UPDATED	Y	DATE	datetime	update timestamp
TKV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TKV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKINGPROMPTS	ASSET TRACKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKP_TRANS	N	VARCHAR2(4)	nvarchar(4)	type of tracking transaction.
TKP_TRANSSEQ	N	NUMBER	int	prompt sequence number (line number within tracking transaction definition).
TKP_PROMPT	N	VARCHAR2(18)	nvarchar(18)	description of prompt, as to appear on scanner.
TKP_DATATYPE	N	VARCHAR2(4)	nvarchar(4)	date type : a-lpha, n-um, f-ixed, c-omputed (system code, see entity datp)
TKP_FIXEDDATA	Y	VARCHAR2(255)	nvarchar(255)	value is + if prompt has a fixed value.
TKP_COMPUTEDATA	Y	VARCHAR2(2000)	nvarchar(2000)	computation rule for computed value.
TKP_UPLOADCOLUMN	Y	VARCHAR2(45)	nvarchar(45)	column name of upload column (as in destination api table).
TKP_INTERFACETYPE	Y	VARCHAR2(4)	nvarchar(4)	interface type (system code, see entity iftp).
TKP_OBTRANSTYPE	Y	VARCHAR2(4)	nvarchar(4)	action type : a-dd, u-pdate, r-eplace (user code, see entity oitp).
TKP_TRANSGROUP	Y	NUMBER	int	transaction group sequence number.
TKP_PROMPTSEQ	Y	NUMBER	int	prompt sequence number.
TKP_MINSIZE	Y	NUMBER	numeric(24,6)	minimum length of entered value (0 denotes entry is optional).
TKP_MAXSIZE	Y	NUMBER	numeric(24,6)	maximum length of entered value.
TKP_MATCHPATTERN	Y	VARCHAR2(60)	nvarchar(60)	pattern entered value must match to.
TKP_BRANCHCONDITION	Y	VARCHAR2(2)	nvarchar(2)	branch condition : >, <, =, >=, <= or !=.
TKP_BRANCHPATTERN	Y	VARCHAR2(60)	nvarchar(60)	sequence number of next prompt if entered value matches pattern.
TKP_BRANCHGOTO	Y	NUMBER	int	sequence number of prompt to go to if branch condition is successful.
TKP_DEFAULTPREVDATA	Y	VARCHAR2(1)	nvarchar(1)	value is + to default value from previous tracking transaction.
TKP_RETURNTOPROMPT	Y	NUMBER	int	sequence number of next prompt.
TKP_VALIDATEFILE	Y	VARCHAR2(100)	nvarchar(100)	filename of ascii-file containing the list of values for the prompt.
TKP_OBTRANSRTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity tktp).
TKP_INTERFACETYPE	Y	VARCHAR2(4)	nvarchar(4)	interface type (user code, see entity iftp).
TKP_DATATYPE	Y	VARCHAR2(4)	nvarchar(4)	data type : alpha, numeric, fixed or computed (user code, see entity datp).
TKP_COLUMN	Y	VARCHAR2(4)	nvarchar(4)	column code (user code, see entity ifcl).
TKP_RCOLUMN	Y	VARCHAR2(4)	nvarchar(4)	column code (system code, see entity ifcl).
TKP_VALIDATELOV	Y	VARCHAR2(1)	nvarchar(1)	value is + to validate entry against list of values sql statement.
TKP_ARCHIVECOLUMN	Y	VARCHAR2(45)	nvarchar(45)	column name of archive column (as in destination archived tracking transactions table).
TKP_ARCCOLUMN	Y	VARCHAR2(4)	nvarchar(4)	column code of archive column (user column, see entity ifcl).
TKP_ARCRCOLUMN	Y	VARCHAR2(4)	nvarchar(4)	column code of archive column (system column, see entity ifcl).
TKP_NOTONFILEFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + to only accept values that are not in the list of values ascii-file.
TKP_LOVOVERRIDEFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + to accept values that are not or are in the list of values ascii-file, after confirming override
TKP_SQLCODE	Y	VARCHAR2(4)	nvarchar(4)	list of values sql code (user code, see entity sqtp).
TKP_DATEFORMAT	Y	VARCHAR2(30)	nvarchar(30)	date format mask
TKP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TKP_UPDATED	Y	DATE	datetime	update timestamp
TKP_LOVID	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
TKP_EWSQUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	Query code used in prompt field lookup
TKP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKINGPROMPTSSQL	ASSET TRACKING			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKL_SQLCODE	N	VARCHAR2(4)	nvarchar(4)	code of list of values sql statement (user code, see entity sqtp).
TKL_RSQCODE	N	VARCHAR2(4)	nvarchar(4)	code of list of values sql statement (system code, see entity sqtp).

TKL_CREATED	N	DATE	datetime	date list of values sql statement created.
TKL_LOVSTMT	Y	VARCHAR2(2000)	nvarchar(2000)	sql statement (syntax).
TKL_DESCSTMT	Y	VARCHAR2(2000)	nvarchar(2000)	description of list of values sql statement.
TKL_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity from which the list of values is produced (system code).
TKL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	type identifying a subset of the entity from which a list of values is produced.
TKL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKINGREPORTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRE_REQID	N	NUMBER	numeric(38,0)	The system generated primary key.
TRE_CREATED	Y	DATE	datetime	date tracking transaction created.
TRE_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TRE_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TRE_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
TRE_TRACKDATE	Y	DATE	datetime	date tracking transaction entered.
TRE_PROMPTDATA1	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #1.
TRE_PROMPTDATA2	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #2.
TRE_PROMPTDATA3	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #3.
TRE_PROMPTDATA4	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #4.
TRE_PROMPTDATA5	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #5.
TRE_PROMPTDATA6	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #6.
TRE_PROMPTDATA7	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #7.
TRE_PROMPTDATA8	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #8.
TRE_PROMPTDATA9	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #9.
TRE_PROMPTDATA10	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #10.
TRE_PROMPTDATA11	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #11.
TRE_PROMPTDATA12	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #12.
TRE_PROMPTDATA13	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #13.
TRE_PROMPTDATA14	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #14.
TRE_PROMPTDATA15	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #15.
TRE_PROMPTDATA16	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #16.
TRE_PROMPTDATA17	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #17.
TRE_PROMPTDATA18	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #18.
TRE_PROMPTDATA19	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #19.
TRE_PROMPTDATA20	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #20.
TRE_PROMPTDATA21	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #21.
TRE_PROMPTDATA22	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #22.
TRE_PROMPTDATA23	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #23.
TRE_PROMPTDATA24	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #24.
TRE_PROMPTDATA25	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #25.
TRE_PROMPTDATA26	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #26.
TRE_PROMPTDATA27	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #27.
TRE_PROMPTDATA28	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #28.
TRE_PROMPTDATA29	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #29.
TRE_PROMPTDATA30	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #30.
TRE_PROMPTDATA31	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #31.
TRE_PROMPTDATA32	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #32.
TRE_PROMPTDATA33	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #33.
TRE_PROMPTDATA34	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #34.
TRE_PROMPTDATA35	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #35.
TRE_PROMPTDATA36	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #36.
TRE_PROMPTDATA37	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #37.
TRE_PROMPTDATA38	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #38.

TRE_PROMPTDATA39	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #39.
TRE_PROMPTDATA40	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #40.
TRE_PROMPTDATA41	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #41.
TRE_PROMPTDATA42	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #42.
TRE_PROMPTDATA43	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #43.
TRE_PROMPTDATA44	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #44.
TRE_PROMPTDATA45	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #45.
TRE_PROMPTDATA46	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #46.
TRE_PROMPTDATA47	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #47.
TRE_PROMPTDATA48	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #48.
TRE_PROMPTDATA49	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #49.
TRE_PROMPTDATA50	Y	VARCHAR2(255)	nvarchar(255)	data entered for prompt #50.
TRE_PROMPTDATA51	Y	VARCHAR2(4000)	nvarchar(4000)	prompt data 51 for comments text
TRE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRACKRETURNPROMPTS

DATA COLLECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TKR_TRANS	N	VARCHAR2(4)	nvarchar(4)	transaction code
TKR_PROMPTSEQ	N	NUMBER	int	prompt sequence
TKR_TARGETPROMPT	N	NUMBER	int	target prompt
TKR_TARGETSQL	Y	VARCHAR2(8)	nvarchar(8)	sql statement
TKR_UPDATED	Y	DATE	datetime	Update timestamp
TKR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated
TKR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TKR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRADEQUALIFICATIONS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRQ_TRADE	N	VARCHAR2(15)	nvarchar(15)	Trade code
TRQ_QUALIFICATION	N	VARCHAR2(20)	nvarchar(20)	Qualification code
TRQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TRQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRADERATES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRR_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code; * if rate applies to all mrcs.
TRR_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade code, or * if rate applies to all trades.
TRR_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code, or * if this is an internal tariff.
TRR_START	N	DATE	datetime	date trade rate is valid from.
TRR_END	N	DATE	datetime	date trade rate is valid to.
TRR_NTRATE	N	NUMBER	numeric(24,6)	normal time hourly labor rate.
TRR_OTRATE	Y	NUMBER	numeric(24,6)	overtime hourly labor rate.
TRR_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if rate is active (i.e. used for charging to work orders).
TRR_OCTYPE	N	VARCHAR2(4)	nvarchar(4)	defines user occupation type code.
TRR_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
TRR_ORG	N	VARCHAR2(15)	nvarchar(15)	trade organization
TRR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TRR_PERSON	N	VARCHAR2(15)	nvarchar(15)	personnel code of employee.
TRR_TAX	Y	VARCHAR2(20)	nvarchar(20)	The default tax code
TRR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

TRR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TRR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TRR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TRR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TRR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TRR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRR_CUSTANDARDRATE	Y	NUMBER(24,6)	numeric(24,6)	
TRR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRADES		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRD_CODE	N	VARCHAR2(15)	nvarchar(15)	trade code.
TRD_DESC	N	VARCHAR2(80)	nvarchar(80)	trade description.
TRD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TRD_ORG	N	VARCHAR2(15)	nvarchar(15)	trade organization
TRD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
TRD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

TRD_CREATED	Y	DATE	datetime	Creation timestamp
TRD_UPDATED	Y	DATE	datetime	Update timestamp
TRD_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
TRD_LASTSTATUSUPDATE	Y	DATE	datetime	timestamp of last status change
TRD_ABBREVIATION	Y	VARCHAR2(3)	nvarchar(3)	The abbreviation of the trade
TRD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRD_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TRD_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TRD_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TRD_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TRD_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TRD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRD_AVAILABLEFORCUS	Y	VARCHAR2(1)	nvarchar(1)	
TRD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSACTIONS		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRA_CODE	N	VARCHAR2(30)	nvarchar(30)	transaction header number.
TRA_DESC	N	VARCHAR2(80)	nvarchar(80)	transaction description.
TRA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TRA_TYPE	N	VARCHAR2(4)	nvarchar(4)	transaction type (user code, see entity trtp).
TRA_RTYPE	N	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity trtp).
TRA_ADVICE	Y	VARCHAR2(45)	nvarchar(45)	suppliers advice note number of goods receipt or goods return.
TRA_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized transaction.
TRA_DATE	N	DATE	datetime	transaction date.
TRA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
TRA_PRIDEST	Y	VARCHAR2(4)	nvarchar(4)	price code of destination store.
TRA_PRIORIG	Y	VARCHAR2(4)	nvarchar(4)	price code of originating store.
TRA_REQ	Y	VARCHAR2(30)	nvarchar(30)	purchase requisition number.
TRA_STATUS	N	VARCHAR2(4)	nvarchar(4)	transaction status (user code, see entity
TRA_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	transaction status (system code, see entity dost).
TRA_FROMENTITY	N	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved from : supplier, store, event (user code).
TRA_FROMRENTITY	N	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved from : supplier, store, event (system code).
TRA_FROMTYPE	N	VARCHAR2(4)	nvarchar(4)	type of entity where part moved from (user code).
TRA_FROMRTYPE	N	VARCHAR2(4)	nvarchar(4)	type of entity where part moved from (system code).
TRA_FROMCODE	N	VARCHAR2(30)	nvarchar(30)	code of store, supplier or event where material moved from.
TRA_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, event (user code).
TRA_TORENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, x event (user code).
TRA_TOTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved to (user code).
TRA_TORTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved to (system code).
TRA_TOCODE	Y	VARCHAR2(30)	nvarchar(30)	code of store, supplier or event where material moved to.
TRA_PRINTED	Y	VARCHAR2(1)	nchar(1)	value is + if transaction has been printed (goods receipt note, goods returned note).
TRA_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TRA_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TRA_INTERFACE	Y	DATE	datetime	date transaction created by financial interface.
TRA_ACD	Y	NUMBER	bigint	account details code.
TRA_ORG	N	VARCHAR2(15)	nvarchar(15)	transaction organization
TRA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification organization
TRA_TOCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	to code organization
TRA_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
TRA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
TRA_DCKCODE	Y	VARCHAR2(30)	nvarchar(30)	dock receipt code
TRA_DCKLINE	Y	NUMBER(8,0)	numeric(8,0)	dock receipt line
TRA_PERS	Y	VARCHAR2(15)	nvarchar(15)	user to whom issue is done
TRA_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether returned item transaction has been transmitted to 7i Buy or not.
TRA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TRA_CREATED	Y	DATE	datetime	Creation timestamp
TRA_UPDATED	Y	DATE	datetime	Update timestamp
TRA_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
TRA_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
TRA_ROUTEPARENT	Y	VARCHAR2(30)	nvarchar(30)	The job number of the route parent.
TRA_INVALLOCATION	Y	NUMBER	numeric(38,0)	Pointer to an invoice allocation record.
TRA_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
TRA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

TRA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TRA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TRA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TRA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TRA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TRA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSACTIONS_ARCHIVE

Archiving

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATA_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ATA_CODE	Y	VARCHAR2(30)	nvarchar(30)	transaction header number.
ATA_DESC	Y	VARCHAR2(80)	nvarchar(80)	transaction description.
ATA_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ATA_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (user code, see entity trtp).
ATA_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity trtp).
ATA_ADVICE	Y	VARCHAR2(45)	nvarchar(45)	suppliers advice note number of goods receipt or goods return.
ATA_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized transaction.
ATA_DATE	Y	DATE	datetime	transaction date.
ATA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.

ATA_PRIDEST	Y	VARCHAR2(4)	nvarchar(4)	price code of destination store.
ATA_PRIORIG	Y	VARCHAR2(4)	nvarchar(4)	price code of originating store.
ATA_REQ	Y	VARCHAR2(30)	nvarchar(30)	purchase requisition number.
ATA_STATUS	Y	VARCHAR2(4)	nvarchar(4)	transaction status (user code, see entity
ATA_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	transaction status (system code, see entity dost).
ATA_FROMENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved from : supplier, store, event (user code).
ATA_FROMRENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved from : supplier, store, event (system code).
ATA_FROMTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved from (user code).
ATA_FROMRTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved from (system code).
ATA_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	code of store, supplier or event where material moved from.
ATA_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, event (user code).
ATA_TORENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, x event (user code).
ATA_TOTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved to (user code).
ATA_TORTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved to (system code).
ATA_TOCODE	Y	VARCHAR2(30)	nvarchar(30)	code of store, supplier or event where material moved to.
ATA_PRINTED	Y	VARCHAR2(1)	nchar(1)	value is + if transaction has been printed (goods receipt note, goods returned note).
ATA_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ATA_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ATA_INTERFACE	Y	DATE	datetime	date transaction created by financial interface.
ATA_ACD	Y	NUMBER	bigint	account details code.
ATA_ORG	Y	VARCHAR2(15)	nvarchar(15)	transaction organization
ATA_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification organization
ATA_TOCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	to code organization
ATA_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
ATA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ATA_DCKCODE	Y	VARCHAR2(30)	nvarchar(30)	dock receipt code
ATA_DCKLINE	Y	NUMBER(8,0)	numeric(8,0)	dock receipt line
ATA_PERS	Y	VARCHAR2(15)	nvarchar(15)	user to whom issue is done
ATA_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether returned item transaction has been transmitted to 7i Buy or not.
ATA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ATA_CREATED	Y	DATE	datetime	Creation timestamp
ATA_UPDATED	Y	DATE	datetime	Update timestamp
ATA_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ATA_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ATA_ROUTEARENT	Y	VARCHAR2(30)	nvarchar(30)	The job number of the route parent.
ATA_INVALLOCATION	Y	NUMBER	numeric(38,0)	Pointer to an invoice allocation record.
ATA_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	Related Work Order
ATA_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

ATA_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATA_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATA_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATA_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATA_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATA_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATA_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ATA_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ATA_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ATA_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ATA_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ATA_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATA_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATA_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATA_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATA_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSFERLINES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TFL_TRANSFER	N	VARCHAR2(30)	nvarchar(30)	The system generated unique code of a transfer.
TFL_LINE	N	NUMBER	int	The transfer line sequence number.
TFL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The asset transferred.
TFL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class transferred.
TFL_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The category transferred.
TFL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The cost code transferred.
TFL_MANUFACT	Y	VARCHAR2(45)	nvarchar(45)	The manufacturer transferred.
TFL_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department transferred.
TFL_PART	Y	VARCHAR2(30)	nvarchar(30)	The part transferred.
TFL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	The part organization transferred.
TFL_PROFILE	Y	VARCHAR2(30)	nvarchar(30)	The profile transferred.
TFL_MANUFACTMODEL	Y	VARCHAR2(30)	nvarchar(30)	The manufacturer model transferred.
TFL_MANUFACTREVNUM	Y	VARCHAR2(10)	nvarchar(10)	The manufacturer revision transferred.
TFL_LOT	Y	VARCHAR2(12)	nvarchar(12)	The lot transferred.
TFL_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The assigned to person transferred.
TFL_CF	Y	NUMBER	int	The number of custom field records transferred.
TFL_CF_NOT	Y	NUMBER	int	The number of custom field records not transferred.
TFL_PARTS	Y	NUMBER	int	The number of associated part records transferred.
TFL_PARTS_NOT	Y	NUMBER	int	The number of associated part records not transferred.
TFL_PERMIT	Y	NUMBER	int	The number of associated permit records transferred.
TFL_PERMIT_NOT	Y	NUMBER	int	The number of associated permit records not transferred.

TFL_DOC	Y	NUMBER	int	The number of associated document records transferred.
TFL_DOC_NOT	Y	NUMBER	int	The number of associated document records not transferred.
TFL_WARRANTY	Y	NUMBER	int	The number of warranty records transferred.
TFL_WARRANTY_NOT	Y	NUMBER	int	The number of warranty records not transferred.
TFL_METER	Y	NUMBER	int	The number of logical meter records transferred.
TFL_METER_NOT	Y	NUMBER	int	The number of logical meter records not transferred.
TFL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TFL_SAFETY	Y	NUMBER(38,0)	numeric(38,0)	The number of safety records transferred
TFL_SAFETY_NOT	Y	NUMBER(38,0)	numeric(38,0)	The number of safety records not transferred
TFL_LOTO	Y	NUMBER(38,0)	numeric(38,0)	The number of loto records transferred
TFL_LOTO_NOT	Y	NUMBER(38,0)	numeric(38,0)	The number of loto records not transferred
TFL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TFL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSFERS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TFR_CODE	N	VARCHAR2(30)	nvarchar(30)	The system generated unique code of a transfer.
TFR_DESC	Y	VARCHAR2(80)	nvarchar(80)	The description of the transfer.
TFR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The asset transferred.
TFR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization from which the asset was transferred.
TFR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization to which the asset was transferred.
TFR_USER	Y	VARCHAR2(255)	nvarchar(255)	The user who originated the transfer.
TFR_DATE	Y	DATE	datetime	The date of the transfer.
TFR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TFR_TRANSACTION	Y	VARCHAR2(30)	nvarchar(30)	The transaction number.
TFR_ISSUETRANS	Y	VARCHAR2(30)	nvarchar(30)	The issue transaction code.
TFR_RECEIPTTRANS	Y	VARCHAR2(30)	nvarchar(30)	The receipt transaction code.
TFR_NEWSTORE	Y	VARCHAR2(15)	nvarchar(15)	The new store.
TFR_NEWBIN	Y	VARCHAR2(15)	nvarchar(15)	The new bin
TFR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TFR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSINTERFACE

ASSET TRACKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRN_TRANSID	N	NUMBER	bigint	unique identification of interface transaction.
TRN_SERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number of by-asset part.
TRN_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TRN_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TRN_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
TRN_TRANSGROUP	Y	NUMBER	int	tracking transaction group sequence number.
TRN_CODE	Y	VARCHAR2(30)	nvarchar(30)	transaction number. unique identification.
TRN_DESC	Y	VARCHAR2(80)	nvarchar(80)	transaction description.
TRN_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
TRN_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (user code, see entity trtp).
TRN_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity trtp).
TRN_ADVICE	Y	VARCHAR2(45)	nvarchar(45)	suppliers advise note reference.
TRN_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized transaction.
TRN_DATE	Y	DATE	datetime	date of transaction.
TRN_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
TRN_PRIDEST	Y	VARCHAR2(4)	nvarchar(4)	price code of destination store.
TRN_PRIORIG	Y	VARCHAR2(4)	nvarchar(4)	price code of originating store.
TRN_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
TRN_STATUS	Y	VARCHAR2(4)	nvarchar(4)	transaction status (user code, see entity dost).
TRN_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	transaction status (user code, see entity dost).

TRN_FROMENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved from : supplier, store, event (user code).
TRN_FROMRENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved from : supplier, store, event (system code).
TRN_FROMTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved from (user code).
TRN_FROMRTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved from (system code).
TRN_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	code of store, supplier or event where material moved from.
TRN_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, event (user code).
TRN_TORENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, event (system code).
TRN_TOTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved to (user code).
TRN_TORTYPE	Y	VARCHAR2(4)	nvarchar(4)	type of entity where part moved to (system code).
TRN_TOCODE	Y	VARCHAR2(45)	nvarchar(45)	code of store, supplier or event where material moved to.
TRN_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if transaction has been printed.
TRN_LINE	Y	NUMBER(8,0)	numeric(8,0)	transaction line number.
TRN_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
TRN_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
TRN_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
TRN_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
TRN_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
TRN_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
TRN_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
TRN_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
TRN_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
TRN_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
TRN_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
TRN_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
TRN_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
TRN_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
TRN_PRICE	Y	NUMBER(24,6)	numeric(24,6)	transaction unit price in local currency.
TRN_QTY	Y	NUMBER(24,6)	numeric(24,6)	transaction quantity in issue unit of measure.
TRN_STOCKPRICE	Y	NUMBER(24,6)	numeric(24,6)	stock price of part.
TRN_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor.
TRN_IO	Y	NUMBER	int	value is +1= stock receipts, 0= direct materials, -1= issues and returns.
TRN_ACD	Y	NUMBER	bigint	account details code.
TRN_RMA	Y	VARCHAR2(24)	nvarchar(24)	return merchandise authorization reference.
TRN_ACCOUNT	Y	VARCHAR2(24)	nvarchar(24)	return merchandise authorization account reference.
TRN_TRANS	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
TRN_SESSIONID	Y	NUMBER	int	session identification, unique to all tracking transactions uploaded in the same batch.
TRN_REJECTREASON	Y	VARCHAR2(15)	nvarchar(15)	reject reason code, reason for return of material to supplier (user x event (system code).
TRN_ORG	Y	VARCHAR2(15)	nvarchar(15)	transaction organization
TRN_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
TRN_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
TRN_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
TRN_TOCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	to code organization
TRN_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
TRN_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
TRN_RMA_ORG	Y	VARCHAR2(15)	nvarchar(15)	rma organization
TRN_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
TRN_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	event code alias
TRN_MANUFACTLOT	Y	VARCHAR2(12)	nvarchar(12)	manufacturer lot number
TRN_LOTEXPIR	Y	DATE	datetime	lot number expiration
TRN_PERS	Y	VARCHAR2(15)	nvarchar(15)	personnel
TRN_USEPUOM	Y	VARCHAR2(1)	nvarchar(1)	Whether the received quantity is defined in issue or purchase UOM
TRN_ACDALIAS	Y	VARCHAR2(45)	nvarchar(45)	Transaction Account Code alias
TRN_LINEACDALIAS	Y	VARCHAR2(45)	nvarchar(45)	Transaction line Account Code alias
TRN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSLINEASSETS		DATA COLLECTION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TLA_TRANSCODE	Y	VARCHAR2(30)	nvarchar(30)	transaction code
TLA_TRANSLINE	Y	NUMBER(5,0)	numeric(5,0)	transaction line
TLA_OBJDESC	Y	VARCHAR2(80)	nvarchar(80)	object description
TLA_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center
TLA_SERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial #
TLA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TLA_OBJCODE	Y	VARCHAR2(30)	nvarchar(30)	object code
TLA_OBJORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
TLA_OBJTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type
TLA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TLA_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5TRANSLINES		MATERIALS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRL_TRANS	N	VARCHAR2(30)	nvarchar(30)	transaction number.
TRL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (user code, see entity trtp).
TRL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity trtp).
TRL_LINE	N	NUMBER(8,0)	numeric(8,0)	transaction line number.
TRL_DATE	Y	DATE	datetime	date of transaction.
TRL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
TRL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
TRL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
TRL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
TRL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
TRL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
TRL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
TRL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
TRL_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
TRL_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
TRL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
TRL_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
TRL_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
TRL_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
TRL_PRICE	N	NUMBER(24,6)	numeric(24,6)	transaction price.
TRL_QTY	N	NUMBER(24,6)	numeric(24,6)	transaction quantity in issue unit of measure.
TRL_STOCKPRICE	Y	NUMBER(24,6)	numeric(24,6)	stock price.
TRL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
TRL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition, denormalisation.
TRL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor.
TRL_IO	Y	NUMBER	int	value is +1= stock receipts, 0= direct materials, -1= issues and returns.
TRL_ACD	Y	NUMBER	bigint	account details code.
TRL_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + if transaction has been transferred to the general ledger.
TRL_GLTRANSFER	Y	DATE	datetime	date on which transaction was transferred to the general ledger.
TRL_INTERFACE	Y	DATE	datetime	date transaction created by financial interface.
TRL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
TRL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
TRL_CONSIGNMENT	Y	VARCHAR2(1)	nvarchar(1)	value is + if item was owned by supplier at time of transaction.
TRL_CONSIGNSUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	code of supplier owning item at time of transaction.
TRL_REJECTREASON	Y	VARCHAR2(15)	nvarchar(15)	reject reason code, reason for return of material to supplier (user code, see entity rejrr).
TRL_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
TRL_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).

TRL_TRANSGROUP	Y	NUMBER	int	transaction group sequence number.
TRL_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	warranty
TRL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
TRL_CONSIGNSUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	consignment supplier organization
TRL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order number organization
TRL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part code organization
TRL_PICKLIST	Y	VARCHAR2(30)	nvarchar(30)	pick list code
TRL_DCKCODE	Y	VARCHAR2(30)	nvarchar(30)	dock receipt code
TRL_DCKLINE	Y	NUMBER(8,0)	numeric(8,0)	dock receipt line
TRL_ALLOCATE	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if quantity is allocated
TRL_REPAIRPRICE	Y	NUMBER(24,6)	numeric(24,6)	part repair price
TRL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
TRL_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	transaction type (user code,
TRL_PRINTQTY	Y	NUMBER	numeric(6,0)	the number to print
TRL_PRICEUPDATE	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether the price has changed
TRL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
				To store the original issued quantity in case the quantity is set to zero, because the costs are divided among the related route objects. This only
TRL_ORIGQTY	Y	NUMBER(24,6)	numeric(24,6)	applies to the parent.
TRL_ROUTEREC	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is created to distribute the costs among child jobs.
TRL_CREATED	Y	DATE	datetime	Creation timestamp
TRL_UPDATED	Y	DATE	datetime	Update timestamp
TRL_NEWMRC	Y	VARCHAR2(15)	nvarchar(15)	The new department for the new asset.
TRL_NEWCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The new cost code for the new asset.
TRL_NEWMANUFACT	Y	VARCHAR2(24)	nvarchar(24)	The new manufacturer for the new asset.
TRL_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	Average price at time of receipt.
TRL_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
TRL_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
TRL_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this transaction appeared.
TRL_FLEETCHECKED	Y	VARCHAR2(1)	nvarchar(1)	Whether this record has been checked before. - not yet checked, + checked, F Fuel, M Maintenance, N Non-maintenance.
TRL_FLEETMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The markup cost
TRL_SPLITTRANS	Y	VARCHAR2(1)	nvarchar(1)	Flag that tells how a transaction line is to be split (for multi-equipment WOs only)
TRL_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
TRL_ATTACHTO	Y	VARCHAR2(30)	nvarchar(30)	The parent object the transaction object should be attached to
TRL_ATTACHTO_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the parent object the transaction object should be attached to
TRL_ATTACH	Y	VARCHAR2(1)	nvarchar(1)	Should the object be attached to a parent
TRL_SCRAPOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The object to be scrapped
TRL_SCRAPOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the object to be scrapped
TRL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer code
TRL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Part code of manufacturer
TRL_LEAK	N	VARCHAR2(1)	nvarchar(1)	Leak code
TRL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

TRL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
TRL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
TRL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
TRL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
TRL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
TRL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
TRL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
TRL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
TRL_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
TRL_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
TRL_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
TRL_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
TRL_ISSUEDPART	Y	VARCHAR2(30)	nvarchar(30)	The conditioned part which was originally used when the returned part was issued.
TRL_CORERETURNPRINTQTY	Y	NUMBER(6,0)	numeric(6,0)	Number of labels to print when doing a core return.
TRL_POEXTRACHARGES	Y	NUMBER(24,6)	numeric(24,6)	The purchase order line extra charges
TRL_POTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The purchase order line tax amount
TRL_PARTLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The part location
TRL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
TRL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
TRL_PACKAGE	Y	VARCHAR2(30)	nvarchar(30)	
TRL_HELDITEM	Y	VARCHAR2(30)	nvarchar(30)	
TRL_CALOTHERCOST	Y	NUMBER(24,6)	numeric(24,6)	
TRL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRL_TAXJURISDICTION	Y	VARCHAR2(256)	nvarchar(256)	
TRL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSLINES_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ATL_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
ATL_TRANS	Y	VARCHAR2(30)	nvarchar(30)	transaction number.
ATL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (user code, see entity trtp).

ATL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	transaction type (system code, see entity trtp).
ATL_LINE	Y	NUMBER(8,0)	numeric(8,0)	transaction line number.
ATL_DATE	Y	DATE	datetime	date of transaction.
ATL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
ATL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ATL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ATL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ATL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ATL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ATL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
ATL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ATL_OBTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
ATL_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
ATL_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
ATL_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
ATL_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin location code.
ATL_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ATL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	transaction price.
ATL_QTY	Y	NUMBER(24,6)	numeric(24,6)	transaction quantity in issue unit of measure.
ATL_STOCKPRICE	Y	NUMBER(24,6)	numeric(24,6)	stock price.
ATL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ATL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition, denormalisation.
ATL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor.
ATL_IO	Y	NUMBER	int	value is +1= stock receipts, 0= direct materials, -1= issues and returns.
ATL_ACD	Y	NUMBER	bigint	account details code.
ATL_GLTRANSFERFLAG	Y	VARCHAR2(1)	nvarchar(1)	value is + if transaction has been transferred to the general ledger.
ATL_GLTRANSFER	Y	DATE	datetime	date on which transaction was transferred to the general ledger.
ATL_INTERFACE	Y	DATE	datetime	date transaction created by financial interface.
ATL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ATL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ATL_CONSIGNMENT	Y	VARCHAR2(1)	nvarchar(1)	value is + if item was owned by supplier at time of transaction.
ATL_CONSIGNSUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	code of supplier owning item at time of transaction.
ATL_REJECTREASON	Y	VARCHAR2(15)	nvarchar(15)	reject reason code, reason for return of material to supplier (user code, see entity rejrr).
ATL_TRANSORGID	Y	NUMBER	bigint	tracking transaction number of original transaction.
ATL_TRANSCODE	Y	VARCHAR2(4)	nvarchar(4)	tracking transaction type (user code, see entity tktp).
ATL_TRANSGROUP	Y	NUMBER	int	transaction group sequence number.
ATL_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	warranty
ATL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
ATL_CONSIGNSUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	consignment supplier organization
ATL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order number organization
ATL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part code organization
ATL_PICKLIST	Y	VARCHAR2(30)	nvarchar(30)	pick list code
ATL_DCKCODE	Y	VARCHAR2(30)	nvarchar(30)	dock receipt code
ATL_DCKLINE	Y	NUMBER(8,0)	numeric(8,0)	dock receipt line
ATL_ALLOCATE	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if quantity is allocated
ATL_REPAIRPRICE	Y	NUMBER(24,6)	numeric(24,6)	part repair price
ATL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
ATL_EVTALIAS	Y	VARCHAR2(45)	nvarchar(45)	transaction type (user code,
ATL_PRINTQTY	Y	NUMBER	numeric(6,0)	the number to print
ATL_PRICEUPDATE	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether the price has changed
ATL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ATL_ORIGQTY	Y	NUMBER(24,6)	numeric(24,6)	To store the original issued quantity in case the quantity is set to zero, because the costs are divided among the related route objects. This only applies to the parent.
ATL_ROUTEREC	Y	VARCHAR2(1)	nvarchar(1)	Whether the record is created to distribute the costs among child jobs.

ATL_CREATED	Y	DATE	datetime	Creation timestamp
ATL_UPDATED	Y	DATE	datetime	Update timestamp
ATL_NEWMRC	Y	VARCHAR2(15)	nvarchar(15)	The new department for the new asset.
ATL_NEWCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	The new cost code for the new asset.
ATL_NEWMANUFACT	Y	VARCHAR2(24)	nvarchar(24)	The new manufacturer for the new asset.
ATL_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	Average price at time of receipt.
ATL_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Category
ATL_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	Column for GL JE Source
ATL_BILLSUBLINE	Y	VARCHAR2(30)	nvarchar(30)	The bill sub line on which this transaction appeared.
ATL_FLEETCHECKED	Y	VARCHAR2(1)	nvarchar(1)	Whether this record has been checked before. - not yet checked, + checked, F Fuel, M Maintenance, N Non-maintenance.
ATL_FLEETMARKUP	Y	NUMBER(24,6)	numeric(24,6)	The markup cost
ATL_SPLITTRANS	Y	VARCHAR2(1)	nvarchar(1)	Flag that tells how a transaction line is to be split (for multi-equipment WOs only)
ATL_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
ATL_ATTACHTO	Y	VARCHAR2(30)	nvarchar(30)	The parent object the transaction object should be attached to
ATL_ATTACHTO_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the parent object the transaction object should be attached to
ATL_ATTACH	Y	VARCHAR2(1)	nvarchar(1)	Should the object be attached to a parent
ATL_SCRAPOBJECT	Y	VARCHAR2(30)	nvarchar(30)	The object to be scrapped
ATL_SCRAPOBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the object to be scrapped
ATL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer code
ATL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Part code of manufacturer
ATL_LEAK	Y	VARCHAR2(1)	nvarchar(1)	Leak code
ATL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
ATL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number

ATL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
ATL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
ATL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
ATL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
ATL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
ATL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
ATL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
ATL_INVOICE	Y	VARCHAR2(30)	nvarchar(30)	Invoice
ATL_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	Invoice Organization
ATL_INVOICE_REVISION	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
ATL_INVOICELINE	Y	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record
ATL_ISSUEDPART	Y	VARCHAR2(30)	nvarchar(30)	The conditioned part which was originally used when the returned part was issued.
ATL_CORERETURNPRINTQTY	Y	NUMBER(6,0)	numeric(6,0)	Number of labels to print when doing a core return.
ATL_POEXTRACHARGES	Y	NUMBER(24,6)	numeric(24,6)	The purchase order line extra charges
ATL_POTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The purchase order line tax amount
ATL_PARTLOCATION	Y	VARCHAR2(80)	nvarchar(80)	The part location
ATL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
ATL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
ATL_PACKAGE	Y	VARCHAR2(30)	nvarchar(30)	
ATL_HELDITEM	Y	VARCHAR2(30)	nvarchar(30)	
ATL_CALOTHERCOST	Y	NUMBER(24,6)	numeric(24,6)	
ATL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ATL_TAXJURISDICTION	Y	VARCHAR2(256)	nvarchar(256)	
ATL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSTOCK	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TST_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
TST_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
TST_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot number.
TST_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity in-transit
TST_REPAIRQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity to be repaired
TST_TORENTITY	N	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, event (system code).
TST_TOENTITY	Y	VARCHAR2(4)	nvarchar(4)	code of entity describing where material moved to : supplier, store, event (user code).
TST_TOCODE	N	VARCHAR2(30)	nvarchar(30)	code of destination entity
TST_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
TST_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
TST_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
TST_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
TST_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
TST_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
TST_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order number organization
TST_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part code organization
TST_OBJSTATUS	Y	VARCHAR2(4)	nvarchar(4)	object status
TST_OBJRSTATUS	Y	VARCHAR2(4)	nvarchar(4)	object r status (system status)
TST_ACT	Y	VARCHAR2(8)	nvarchar(8)	event activity
TST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TST_PRICE	Y	NUMBER(24,6)	numeric(24,6)	Used in SMRECV to retrieve the issue price belonging to the current receipt.
TST_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer code

TST_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	Part code of manufacturer
TST_PK	Y	NUMBER(20,0)	numeric(20,0)	The unique identifier of a transtock record.
TST_BIN	Y	VARCHAR2(15)	nvarchar(15)	
TST_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	
TST_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	
TST_PKEY	N	VARCHAR2(30)	nvarchar(30)	
TST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRANSTOCKFIFO

MATERIALS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TRF_PK	N	NUMBER(20,0)	numeric(20,0)	The unique identifier of a transtock fifo record.
TRF_TSTCODE	Y	NUMBER(20,0)	numeric(20,0)	The unique code pointing to a transtock record.
TRF_QTY	Y	NUMBER(24,6)	numeric(24,6)	The number of parts.
TRF_DATE	Y	DATE	datetime	The date which determines the order in which parts will be used.
TRF_PRICE	Y	NUMBER(24,6)	numeric(24,6)	The price of the part.
TRF_ORDER	Y	VARCHAR2(30)	nvarchar(30)	The purchase order the part was received on.
TRF_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the purchase order the part was received on.
TRF_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	The line of the purchase order the part was received on.
TRF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TRF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
TRF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5TRIGTEMP

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TMP_TABLE	Y	VARCHAR2(32)	nvarchar(32)	table name.
TMP_ACTION	Y	VARCHAR2(30)	nvarchar(30)	action (insert, update).
TMP_SESSIONID	Y	VARCHAR2(30)	nvarchar(30)	unique identification of user-logon process.
TMP_STOREVAL1	Y	VARCHAR2(24)	nvarchar(24)	stored value 1.
TMP_STOREVAL2	Y	VARCHAR2(24)	nvarchar(24)	stored value 2
TMP_STOREVAL3	Y	VARCHAR2(24)	nvarchar(24)	stored value 3
TMP_STOREVAL4	Y	VARCHAR2(24)	nvarchar(24)	stored value 4
TMP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TMP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UBUBAT

BUDGETS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
BUB_CODE	N	VARCHAR2(8)	nvarchar(8)	budget code.
BUB_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number.
BUB_PPM	Y	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule.
BUB_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	status code (system code).
BUB_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
BUB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
BUB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UCODES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UCO_ENTITY	N	VARCHAR2(4)	nvarchar(4)	user entity
UCO_RENTITY	N	VARCHAR2(4)	nvarchar(4)	system entity
UCO_CODE	N	VARCHAR2(8)	nvarchar(8)	user code corresponding to a unique, pre-defined code.
UCO_RCODE	N	VARCHAR2(4)	nvarchar(4)	predefined system code
UCO_SYSTEM	N	VARCHAR2(1)	nvarchar(1)	flag to indicate which user code has preference (per r-code).
UCO_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
UCO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated

UCO_CREATED	Y	DATE	datetime	Creation timestamp
UCO_UPDATED	Y	DATE	datetime	Update timestamp
UCO_TEXTCODE	Y	VARCHAR2(12)	nvarchar(12)	text code
UCO_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	not used flag
UCO_ICON	Y	VARCHAR2(30)	nvarchar(30)	The icon belonging to the user code.
UCO_ICONPATH	Y	VARCHAR2(1000)	nvarchar(1000)	The icon path belonging to the user code.
UCO_WEIGHT	Y	NUMBER(24,6)	numeric(24,6)	Weight to be used in priority calculations, oly for entity CPDW
UCO_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The color of the user code.
UCO_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	The user code category.
UCO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UCO_GISDISPATCHRANKING	Y	NUMBER(3,0)	numeric(3,0)	
UCO_CUADJUSTMENT	Y	NUMBER(24,6)	numeric(24,6)	
UCO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UDFSCREENFIELDS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
USF_SCREENNAME	N	VARCHAR2(6)	nvarchar(6)	Screen name
USF_FIELDNAME	N	VARCHAR2(60)	nvarchar(60)	field name
USF_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description of the field
USF_SEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	field sequence
USF_MAXLENGTH	Y	NUMBER(4,0)	numeric(4,0)	Max length of the field
USF_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	Total length of the number field
USF_SCALE	Y	NUMBER(1,0)	numeric(1,0)	Decimals of the number field
USF_FIELDLABEL	Y	VARCHAR2(255)	nvarchar(255)	Field label
USF_FIELDTYPE	Y	VARCHAR2(15)	nvarchar(15)	Field type
USF_PRIMARY	Y	VARCHAR2(1)	nvarchar(1)	Primary key field flag
USF_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out of service flag
USF_NULLABLE	Y	VARCHAR2(1)	nvarchar(1)	Is field nullable flag
USF_PARENTFIELD	Y	VARCHAR2(60)	nvarchar(60)	Parent field name
USF_LOOKUPSOURCE	Y	VARCHAR2(60)	nvarchar(60)	Lookup source field
USF_LOOKUPQUERY	Y	VARCHAR2(8)	nvarchar(8)	Lookup query code
USF_COMPUTEDDATA	Y	VARCHAR2(2000)	nvarchar(2000)	The field is a computed field
USF_UPPERCASE	Y	VARCHAR2(1)	nvarchar(1)	Upper case flag for the field value
USF_CREATED	Y	DATE	datetime	Date created
USF_UPDATED	Y	DATE	datetime	Date updated
USF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created By user
USF_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Updated By User
USF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
USF_GENERATED	Y	VARCHAR2(1)	nvarchar(1)	Specifies that the UDS field was auto generated (right now only description fields).
USF_RETRIEVEDVALUELOOKUP	Y	VARCHAR2(8)	nvarchar(8)	Retrieved value LOV query code.
USF_DROPPDOWN	Y	VARCHAR2(1)	nvarchar(1)	
USF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
USF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UDFSCREENS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
USC_SCREENNAME	N	VARCHAR2(6)	nvarchar(6)	Screen name
USC_DESC	Y	VARCHAR2(80)	nvarchar(80)	Screen description
USC_TABLENAME	Y	VARCHAR2(20)	nvarchar(20)	table name
USC_ISTAB	Y	VARCHAR2(1)	nvarchar(1)	Tab Screen flag
USC_PARENTSCREEN	Y	VARCHAR2(6)	nvarchar(6)	Parent screen name
USC_GENERATED	Y	VARCHAR2(1)	nvarchar(1)	Is the screen generated flag
USC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Out of service flag
USC_CREATED	Y	DATE	datetime	Date created

USC_UPDATED	Y	DATE	datetime	Date updated
USC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Created by user
USC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Updated by user
USC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
USC_ENTITY	Y	VARCHAR2(4)	nvarchar(4)	The user defined screen entity.
USC_ALLOWCOMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Not used.
USC_ALLOWDOCUMENTS	Y	VARCHAR2(1)	nvarchar(1)	Not used.
USC_TYPEENTITY	Y	VARCHAR2(4)	nvarchar(4)	
USC_STATUSENTITY	Y	VARCHAR2(4)	nvarchar(4)	
USC_CLASS	Y	VARCHAR2(1)	nvarchar(1)	
USC_ORGSECURITY	Y	VARCHAR2(1)	nvarchar(1)	
USC_AUTOGENERATEKEY	Y	VARCHAR2(1)	nvarchar(1)	
USC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
USC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UNAVAILABLEGRIDFIELDS	DATA	SPY		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UGF_USERGROUP	N	VARCHAR2(12)	nvarchar(12)	user group
UGF_GRIDNAME	N	VARCHAR2(40)	nvarchar(40)	grid name
UGF_FIELDID	N	VARCHAR2(60)	nvarchar(60)	identifier of a field.
UGF_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
UGF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UGF_SQLIDENTITY	Y		bigint	Identity column for SQL Server

R5UOMCONVERSION	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UOC_SITEUOM	N	VARCHAR2(30)	nvarchar(30)	site uom
UOC_BASEUOM	N	VARCHAR2(30)	nvarchar(30)	base uom
UOC_CONFACT	N	NUMBER	numeric(24,6)	conversion factor.
UOC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UOC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UOC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UOMS	MATERIALS			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UOM_CODE	N	VARCHAR2(30)	nvarchar(30)	unit of measure.
UOM_DESC	N	VARCHAR2(80)	nvarchar(80)	default description
UOM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	class of uom
UOM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	checked: unit of measure is not in use.
UOM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
UOM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UOM_CREATED	Y	DATE	datetime	Creation timestamp
UOM_UPDATED	Y	DATE	datetime	Update timestamp
UOM_SOAUOM	Y	VARCHAR2(80)	nvarchar(80)	SOA(Service Oriented Architecture) UOM Code
UOM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UOM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5URLPARAMETERS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
URL_USERFUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function code selected on the Screens screen to define a parameter
URL_TAB	N	VARCHAR2(6)	nvarchar(6)	Tab code selected on Screens - Custom Tabs tab to define a parameter
URL_PARAMETERNAME	N	VARCHAR2(30)	nvarchar(30)	Parameter name
URL_ALTERNATEPARAMETERNAME	Y	VARCHAR2(30)	nvarchar(30)	An alternate name for a parameter
URL_PARAMETERVALUE	Y	VARCHAR2(80)	nvarchar(80)	Value for the defined parameter name

URL_SYSTEM	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine if the parameter defined is a system parameter
URL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to determine if the parameter is still active
URL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
URL_USEFIELDVALUE	N	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the field value should be used.
URL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
URL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USAGE EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SUS_ID	N	VARCHAR2(30)	nvarchar(30)	transaction id
SUS_ACTION	N	VARCHAR2(80)	nvarchar(80)	the action being tracked
SUS_TYPE	N	VARCHAR2(500)	nvarchar(500)	the type of event associated to the action
SUS_SUBTYPE	Y	VARCHAR2(80)	nvarchar(80)	meta data about a navigation action
SUS_TARGET	Y	VARCHAR2(80)	nvarchar(80)	the target of the action for example the product id or user function name depending on the action took
SUS_TARGET_PARENT	Y	VARCHAR2(80)	nvarchar(80)	the system function if the target is the user function
SUS_TARGET_TAB	Y	VARCHAR2(6)	nvarchar(6)	the tab name if the target is the user function and is on a tab
SUS_USERID	N	VARCHAR2(255)	nvarchar(255)	the user that performed the action
SUS_TENANT	N	VARCHAR2(80)	nvarchar(80)	the tenant of the app server being used
SUS_SERVERID	N	VARCHAR2(120)	nvarchar(120)	the server id
SUS_SESSIONID	N	NUMBER(10,0)	numeric(10,0)	the session id as stored in r5sessions
SUS_USERAGENT	Y	VARCHAR2(500)	nvarchar(500)	the user agent used to make the request to the app server
SUS_PROCESSING_TIME	Y	NUMBER(10,2)	numeric(10,2)	how long did the event take?
SUS_ACTION_DATE	Y	DATE	datetime	when did the action occur?
SUS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SUS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
SUS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USEGRIDGISDEFAULT DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UGD_GRIDID	N	NUMBER(14,0)	numeric(14,0)	The grid id for which the GIS Filter applies.
UGD_USERID	N	VARCHAR2(255)	nvarchar(255)	The user for which the GIS Filter applies.
UGD_GISSERVICE	N	VARCHAR2(60)	nvarchar(60)	The map service for which the GIS Filter applies.
UGD_GISLAYER	N	VARCHAR2(60)	nvarchar(60)	The map layer for which the GIS Filter applies.
UGD_DATASPYID	Y	NUMBER(14,0)	numeric(14,0)	The unique GIS Filter identifier.
UGD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times the record has been updated.
UGD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UGD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USEGRIDSYSDEFAULT DATASPY

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
USD_GRIDID	N	NUMBER(14,0)	numeric(14,0)	id of a grid
USD_USERID	N	VARCHAR2(255)	nvarchar(255)	user id
USD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
USD_DATASPYID	Y	NUMBER(14,0)	numeric(14,0)	This is the default data spy id for the user
USD_DATASPYFILTER	Y	VARCHAR2(50)	nvarchar(50)	Filter on dataspy list
USD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
USD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERDEFINEDFIELDDEPENDENCIES BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UFD_RENTITY	N	VARCHAR2(4)	nvarchar(4)	system entity
UFD_PAGENAME	N	VARCHAR2(40)	nvarchar(40)	function based name of page
UFD_GRIDCACHE	Y	VARCHAR2(1)	nvarchar(1)	Grid cache
UFD_LAYOUTCACHE	Y	VARCHAR2(1)	nvarchar(1)	Pagelayout cache

UFD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UFD_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UFD_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERDEFINEDFIELDLOVVALS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UDL_RENTITY	N	VARCHAR2(4)	nvarchar(4)	Rentity that supports UDFs
UDL_FIELD	N	VARCHAR2(20)	nvarchar(20)	Field Id (associates with pagelayout)
UDL_CODE	N	VARCHAR2(80)	nvarchar(80)	Minimum value for a UDF field
UDL_DESC	Y	VARCHAR2(80)	nvarchar(80)	Maximum value for a UDF field
UDL_UPDATED	Y	DATE	datetime	Update timestamp
UDL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UDL_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	out of use
UDL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UDL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERDEFINEDFIELDSETUP

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UDF_RENTITY	N	VARCHAR2(4)	nvarchar(4)	Rentity that supports UDFs
UDF_FIELD	N	VARCHAR2(20)	nvarchar(20)	Field Id (associates with pagelayout)
UDF_MIN	Y	VARCHAR2(80)	nvarchar(80)	Minimum value for a UDF field
UDF_MAX	Y	VARCHAR2(80)	nvarchar(80)	Maximum value for a UDF field
UDF_PRINT	Y	VARCHAR2(1)	nvarchar(1)	Flag to tell whether or not a UDF prints on a report
UDF_UOM	Y	VARCHAR2(30)	nvarchar(30)	UOM value that can be assigned to Number or Integer numeric field
UDF_LOOKUPTYPE	Y	VARCHAR2(8)	nvarchar(8)	Lookup type for UDF text fields
UDF_LOOKUPVALIDATE	Y	VARCHAR2(1)	nvarchar(1)	Flag to tell whether or not to validate a value using the lookup
UDF_LOOKUPRENTITY	Y	VARCHAR2(4)	nvarchar(4)	Rentity to be used for a lookup on a UDF
UDF_DATETYPE	Y	VARCHAR2(4)	nvarchar(4)	Date display type
UDF_NUMBERTYPE	Y	VARCHAR2(4)	nvarchar(4)	Number display type
UDF_CURR	Y	VARCHAR2(3)	nvarchar(3)	Currency value that can be assigned to Currency numeric field
UDF_ENABLEFORADDONS	Y	VARCHAR2(1)	nvarchar(1)	Flag to tell add-on applications whether the UDF field should be shown or hidden
UDF_UPDATED	Y	DATE	datetime	Update timestamp
UDF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UDF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UDF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERFAVORITEKBARTICLES

CONTACT CENTER

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UFK_USER	N	VARCHAR2(255)	nvarchar(255)	User Code
UFK_KBARTICLE	N	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article Code
UFK_KBARTICLE_ORG	N	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
UFK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The Record Update Count
UFK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UFK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERFUNCTIONDEFS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UFN_FUNCTIONNAME	N	VARCHAR2(128)	nvarchar(128)	Name of function
UFN_DESCRIPTION	Y	VARCHAR2(1000)	nvarchar(1000)	Description
UFN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UFN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UFN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERGISMAPS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UGM_USER	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
UGM_MAP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
UGM_MAP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
UGM_MRC	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
UGM_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
UGM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UGM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UGM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERKPI		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KPU_CODE	N	VARCHAR2(24)	nvarchar(24)	The KPI/inbox code,
KPU_TYPE	N	VARCHAR2(1)	nvarchar(1)	The type of record, KPI or inbox.
KPU_USER	N	VARCHAR2(255)	nvarchar(255)	The user
KPU_SEQUENCE	N	VARCHAR2(4)	nvarchar(4)	The order in which the KPIs/inbox items should be displayed.
KPU_AUTOFRESH	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether an auto refresh should take place.
KPU_CREATED	Y	DATE	datetime	Timestamp the record was created.
KPU_UPDATED	Y	DATE	datetime	Timestamp the record was last updated.
KPU_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the record.
KPU_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record.
KPU_UPDATECOUNT	Y	VARCHAR2(38)	numeric(38,0)	number of times this record has been updated
KPU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KPU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERLINEARPREFERENCES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ULP_USERCODE	Y	VARCHAR2(255)	nvarchar(255)	Contains the userid of the user whose preferences are represented by the record
ULP_LOLINEARREF	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether linear references are visible in linear overview display or not
ULP_LOPOINTSOFINT	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether points of interest are visible in linear overview display or not
ULP_LORELATEDEQ	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether related equipment are visible in linear overview display or not
ULP_LORELATEDPART	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether related parts are visible in linear overview display or not
ULP_LODEFAULTCOLOR	Y	VARCHAR2(6)	nvarchar(6)	Contains the color to be displayed for the linear references
ULP_LODEFAULTFILTER	N	VARCHAR2(4)	nvarchar(4)	Contains the default filter for the linear overview display
ULP_LOINCLUDERELATED	Y	VARCHAR2(1)	nvarchar(1)	Indicates whether any related equipment should be included in the filtered display or not
ULP_CREATED	Y	DATE	datetime	Contains the time at which the record is created
ULP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Contains the userid of the user who created the record
ULP_UPDATED	Y	DATE	datetime	Contains the time at which the record was last modified
ULP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	Contains the userid of the last user who updated the record
ULP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ULP_LOROUTEANDSEGMENT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether route and segment data will be displayed in the linear overview.
ULP_CODE	N	VARCHAR2(30)	nvarchar(30)	The primary key of the user linear preference.
ULP_DESC	Y	VARCHAR2(80)	nvarchar(80)	The description of the user linear preference.
ULP_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	The default linear preference of the user.
ULP_HIDESEGMENTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether segment related data should be hidden.
ULP_HIDEROUES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether route related data should be hidden.
ULP_GROUPSEGMENTS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether segments should be grouped under the default type.
ULP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ULP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERLPFCLASSES		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UPC_USER	Y	VARCHAR2(255)	nvarchar(255)	The owner of the linear preference class.
UPC_CLASS	N	VARCHAR2(8)	nvarchar(8)	T.B.D. 113

UPC_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	The linear preferences class organization.
UPC_SEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	The sequence of the linear preference class.
UPC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UPC_LINEARPREFERENCE	N	VARCHAR2(30)	nvarchar(30)	The linear preference.
UPC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UPC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERLPFTYPES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LPT_LINEARPREFERENCE	N	VARCHAR2(30)	nvarchar(30)	The linear preference code the record belongs to.
LPT_TYPE	N	VARCHAR2(8)	nvarchar(8)	The user type.
LPT_RTYPE	N	VARCHAR2(8)	nvarchar(8)	The system type.
LPT_SEQUENCE	Y	NUMBER(3,0)	numeric(3,0)	The sequence.
LPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USEROBJECTS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UOB_OBJECTNAME	Y	VARCHAR2(128)	sysname	Name of database object in 7i application
UOB_OBJECTTYPE	Y	VARCHAR2(19)	nvarchar(31)	Type of database object in 7i application
UOB_OBJECTSUBTYPE	Y	VARCHAR2(106)	nvarchar(106)	Property of database object in 7i application
UOB_OBJ_XTYPE	Y	VARCHAR2(2)	nvarchar(2)	Object type in SQL Server
UOB_DATABASE	Y	VARCHAR2(10)	nvarchar(10)	Database type, e.g. Oracle or SQL Server
UOB_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UOB_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERORGANIZATION

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UOG_USER	N	VARCHAR2(255)	nvarchar(255)	user code
UOG_ORG	N	VARCHAR2(15)	nvarchar(15)	user organization
UOG_DEFAULT	Y	VARCHAR2(1)	nvarchar(1)	users default organization at login
UOG_COMMON	Y	VARCHAR2(1)	nvarchar(1)	flag indicating related organization is common or specific
UOG_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group code.
UOG_REQAPPVLIMIT	Y	NUMBER(24,6)	numeric(24,6)	requisition approval limit
UOG_REQAUTHAPPVLIMIT	Y	NUMBER(24,6)	numeric(24,6)	requisition creation limit
UOG_PORDAPPVLIMIT	Y	NUMBER(24,6)	numeric(24,6)	po approval limit
UOG_PORDAUTHAPPVLIMIT	Y	NUMBER(24,6)	numeric(24,6)	po creation limit
UOG_PICAPPVLIMIT	Y	NUMBER(24,6)	numeric(24,6)	pick list approval limit
UOG_INVAPPVLIMIT	Y	NUMBER(24,6)	numeric(24,6)	maximum money amount the user can approve invoices.
UOG_INVAPPVLIMITNONPO	Y	NUMBER(24,6)	numeric(24,6)	maximum money amount the user can approve non po invoices.
UOG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UOG_CREATED	Y	DATE	datetime	Creation timestamp
UOG_UPDATED	Y	DATE	datetime	Update timestamp
UOG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UOG_ROLE	N	VARCHAR2(30)	nvarchar(30)	
UOG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERPORTLET

ANALYTICS

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UPT_USER	N	VARCHAR2(255)	nvarchar(255)	user id
UPT_PORTLET	N	NUMBER	int	portlet id
UPT_TYPE	N	VARCHAR2(1)	nvarchar(1)	portlet type (l= list, g=graph, h=html)
UPT_ORDER	Y	NUMBER(6,0)	numeric(6,0)	position in container

UPT_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	Function code
UPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UPT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERPREFERENCES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
USP_USER	N	VARCHAR2(255)	nvarchar(255)	code of preference
USP_TYPE	N	VARCHAR2(4)	nvarchar(4)	ucode of the preference code.
USP_CODE	N	VARCHAR2(20)	nvarchar(20)	user to whom the preference belongs.
USP_VALUE	Y	VARCHAR2(256)	nvarchar(256)	value of preference or list of comma separated preference values.
USP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
USP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
USP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERPREFS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UPF_PREF	N	VARCHAR2(12)	nvarchar(12)	preference code.
UPF_USER	N	VARCHAR2(255)	nvarchar(255)	username.
UPF_VALUE	N	VARCHAR2(1)	nvarchar(1)	preference value.
UPF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UPF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UPF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERQAB	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UQA_USER	N	VARCHAR2(255)	nvarchar(255)	username.
UQA_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	function code.
UQA_LINE	Y	NUMBER(38,0)	numeric(38,0)	line number identifying order of functions on quick access bar.
UQA_TITLE	Y	VARCHAR2(80)	nvarchar(80)	title to be displayed for function on quick access bar button.
UQA_IMAGE	Y	VARCHAR2(30)	nvarchar(30)	filename icon file.
UQA_PATH	Y	VARCHAR2(500)	nvarchar(500)	directory path to icon file.
UQA_OPEN	Y	VARCHAR2(1)	nvarchar(1)	open form at logon
UQA_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UQA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UQA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERRESPONSIBILITIES	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
URS_USER	N	VARCHAR2(255)	nvarchar(255)	
URS_RESPONSIBILITY	N	VARCHAR2(8)	nvarchar(8)	
URS_RRESPONSIBILITY	Y	VARCHAR2(8)	nvarchar(8)	
URS_CREATED	Y	DATE	datetime	Creation timestamp
URS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
URS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERS	BASE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
USR_CODE	N	VARCHAR2(255)	nvarchar(255)	username. unique identification.
USR_DESC	N	VARCHAR2(80)	nvarchar(80)	name of user.
USR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
USR_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
USR_SYSMAN	N	VARCHAR2(1)	nvarchar(1)	value is + if user has system manager privileges.
USR_PASSWORD	N	VARCHAR2(50)	nvarchar(50)	password for user (minimum 6 characters).
USR_LASTFUNC	Y	VARCHAR2(6)	nvarchar(6)	code of last function used by user.

USR_FIRSTFUNC	Y	VARCHAR2(6)	nvarchar(6)	function code of first function to be displayed in direct selection field.
USR_GROUP	N	VARCHAR2(12)	nvarchar(12)	user group code.
USR_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
USR_PRINTER	Y	VARCHAR2(12)	nvarchar(12)	device/printer code.
USR_EXPPASS	N	DATE	datetime	date password expires.
USR_EXPUSER	N	DATE	datetime	date username expires.
USR_FACILITY	Y	VARCHAR2(10)	nvarchar(10)	facility code.
USR_REQAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	value up to which user is allowed to raise a requisition.
USR_REAUTHAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	value up to which user is allowed to approve a requisition.
USR_BUYER	N	VARCHAR2(1)	nvarchar(1)	value is + if this user is a buyer of purchaser orders.
USR_PORDAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	value up to which user is allowed to raise a purchase order.
USR_PORDAUTHAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	value up to which user is allowed to approve a purchase order.
USR_ROUTER	Y	VARCHAR2(1)	nvarchar(1)	value is + if this user is a router/screener of work requests.
USR_DATELOCKED	Y	DATE	datetime	date user was locked.
USR_VIOLATIONS	Y	NUMBER	int	number of consecutive login violations.
USR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
USR_APPROVER	Y	VARCHAR2(1)	nvarchar(1)	approver checkbox
USR_PICAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	users pick list approval limit
USR_EMAILADDRESS	Y	VARCHAR2(255)	nvarchar(255)	users email address
USR_NOTIFICATIONPREF	Y	VARCHAR2(4)	nvarchar(4)	users notification preference
USR_BROWSER	Y	VARCHAR2(255)	nvarchar(255)	users preferred internet browser
USR_INVAPPLIMIT	Y	NUMBER(24,6)	numeric(24,6)	maximum money amount the user can approve invoices.
USR_INVAPPLIMITNONPO	Y	NUMBER(24,6)	numeric(24,6)	maximum money amount the user can approve non po invoices.
USR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
USR_LOGIN	Y	VARCHAR2(1)	nvarchar(1)	Whether the user is allowed to login to D7i.
USR_REQUESTOR	N	VARCHAR2(1)	nvarchar(1)	A flag to indicate if the user is a requestor
USR_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	A flag to indicate if the user is active
USR_LOCALE	Y	VARCHAR2(10)	nvarchar(10)	Locale code to define numeric/date formatting
USR_SUCCESSMSGTIMEOUT	Y	NUMBER(4,0)	numeric(4,0)	Timeout in seconds for display of success messages. 0 is never display and -1 is display until user dismisses message.
USR_EWSFIRSTFUNC	Y	VARCHAR2(6)	nvarchar(6)	Start function in EWS of this user
USR_CREATED	Y	DATE	datetime	Creation timestamp
USR_UPDATED	Y	DATE	datetime	Update timestamp
USR_INBOXTAB	Y	VARCHAR2(4)	nvarchar(4)	default inbox tab name
USR_MOBILE	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can use mobile
USR_CONNECTOR	Y	VARCHAR2(1)	nvarchar(1)	Whether this user is a connector
USR_BARCODE	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can use barcode
USR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	User not used in any modile
USR_SESSIONTIMEOUT	Y	NUMBER(3,0)	numeric(3,0)	user session time out period (in minutes)
USR_ANALYTICS	Y	VARCHAR2(1)	nvarchar(1)	Whether this user can use analytics
USR_PROFESSIONAL	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate if user can run report author
USR_CONSUMER	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate if user can run consumer report
USR_SCREENDESIGNER	Y	VARCHAR2(1)	nvarchar(1)	flag to indicate whether user is allowed to change page layout
USR_508	Y	VARCHAR2(1)	nvarchar(1)	Will the user have extra accessibility features
USR_MOBILEADM	Y	VARCHAR2(1)	nvarchar(1)	Is the user a 7i Mobile Administrator
USR_EDITDATASPY	Y	VARCHAR2(1)	nvarchar(1)	user is allowed to edit dataspies flag
USR_ADVANCEDFILTERS	Y	VARCHAR2(1)	nvarchar(1)	Show Advanced Dataspy tab or not
USR_EDITOWNCOMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Allow Editing of Own Comments
USR_EDITOTHERSCOMMENTS	Y	VARCHAR2(1)	nvarchar(1)	Allow Editing of Others Comments
USR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

USR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
USR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
USR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
USR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
USR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
USR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
USR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
USR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
USR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
USR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
USR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
USR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
USR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
USR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
USR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
USR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
USR_ENXUSER	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
USR_GLOBALDATASPY	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
USR_DEFAULT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The default organization used on the start center.
USR_DEFAULT_CHART_TYPE	Y	VARCHAR2(24)	nvarchar(24)	The default chart type.
USR_DEFAULT_CHART_PERIOD	Y	VARCHAR2(1)	nvarchar(1)	The default value for the flag which indicates whether charts should show the period.
USR_DEFAULT_CHART_GROUPBY	Y	VARCHAR2(30)	nvarchar(30)	The default chart groupby clause.
USR_DEFAULT_CHART_SHOWYEAR	Y	VARCHAR2(1)	nvarchar(1)	The default value for the flag which indicates whether charts should show the year.
USR_DEFAULT_KPI_SIZE	Y	NUMBER(3,0)	numeric(3,0)	The default size of Key Performance Indicators.
USR_EXTERNCODE	Y	VARCHAR2(256)	nvarchar(256)	The alternative external user code
USR_CANCELDAILYSCHEDSESSION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user can cancel daily scheduling sessions
USR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	The supplier related to the user.
USR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the supplier related to the user.
USR_ALLOWSCREENCACHESETUP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user is allowed to setup screen cache .
USR_ALLOWCREATEIMPORTUTILTEMP	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user is allowed to create import utility templates.
USR_ALLOWVIEWINGAUDITTRAIL	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user is allowed to view audit trails.

USR_ENABLESCREENCACHEDECK	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user has screen cache deck enabled.
USR_ENABLETRANSITIONANIMATIONS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user has transition animations enabled.
USR_DEFAULT_CHART_STATE	Y	VARCHAR2(1)	nvarchar(1)	the default chart state of the user.
USR_DEFAULTSTORE	Y	VARCHAR2(15)	nvarchar(15)	The default store of the user.
USR_ALLOWMOBILESETTINGS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user is allowed to maintain mobile settings.
USR_ARCGIS_USERCODE	Y	VARCHAR2(255)	nvarchar(255)	
USR_ARCGIS_PASSWORD	Y	VARCHAR2(500)	nvarchar(500)	
USR_ALLOWVIEWINGPRIVATECASES	Y	VARCHAR2(1)	nvarchar(1)	Select to enable the user to view private notebook screen records
USR_MOBILEFIRSTSCREEN	Y	VARCHAR2(6)	nvarchar(6)	
USR_ALLOWCONTAINSSEARCH	Y	VARCHAR2(1)	nvarchar(1)	Select to enable the user to access the Contains and Does Not Contain operators when using Dataspy filters to search
USR_ALLOWUPDATEFIELD	Y	VARCHAR2(1)	nvarchar(1)	
USR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
USR_PROFILEPICTURE	Y	VARCHAR2(30)	nvarchar(30)	
USR_MOBILEAUTOSYNC	Y	NUMBER(3,0)	numeric(3,0)	
USR_ENABLEBIOMETRICS	Y	VARCHAR2(1)	nvarchar(1)	
USR_DUXFIRSTFUNC	Y	VARCHAR2(6)	nvarchar(6)	
USR_MOBILEAPP	Y	VARCHAR2(8)	nvarchar(8)	
USR_ALLOWMOBILESYNCONFIG	Y	VARCHAR2(1)	nvarchar(1)	
USR_ENABLEMOBILERESTOREUSER	Y	VARCHAR2(1)	nvarchar(1)	
USR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERSTRUCTUREPREFERENCES

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UST_USERCODE	N	VARCHAR2(255)	nvarchar(255)	The user the preferences belong to.
UST_EQUIPCODE	Y	NUMBER(2,0)	numeric(2,0)	The sequence of the equipment code.
UST_EQUIPDESC	Y	NUMBER(2,0)	numeric(2,0)	The sequence of the equipment description.
UST_EQUIPORG	Y	NUMBER(2,0)	numeric(2,0)	The sequence of the equipment organization.
UST_EQUIPTYPECODE	Y	NUMBER(2,0)	numeric(2,0)	The sequence of the equipment type.
UST_EQUIPTYPEDESC	Y	NUMBER(2,0)	numeric(2,0)	The sequence of the equipment type description.
UST_SORTOPTION	Y	VARCHAR2(1)	nvarchar(1)	The sort order of the records displayed.
UST_SHOW_ICON	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the icon should be displayed.
UST_SHOW_VMRS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the vmrs code should be displayed.
UST_SHOW_PART	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the part should be displayed.
UST_SHOW_WORKSPACE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the workspace should be displayed.
UST_CREATED	Y	DATE	datetime	Timestamp the record was created.
UST_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record.
UST_UPDATED	Y	DATE	datetime	Timestamp the record was last updated.
UST_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the record.
UST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERTABCOLUMNNS

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UTC_TABLENAME	Y	VARCHAR2(30)	sysname	Name of column in 7i application table
UTC_COLUMNNAME	Y	VARCHAR2(30)	sysname	Name of column in 7i application table
UTC_DATATYPE	Y	VARCHAR2(106)	nvarchar(106)	Datatype of column in 7i application table
UTC_OBJ_XTYPE	Y	VARCHAR2(2)	nvarchar(2)	Object type in SQL Server database
UTC_COL_XTYPE	Y	NUMBER	int	Column type in SQL Server database
UTC_COLLATION	Y	VARCHAR2(100)	sysname	Collation in SQL Server database
UTC_ISID	Y	VARCHAR2(1)	nvarchar(1)	Object in SQL Server database
UTC_DATABASE	Y	VARCHAR2(10)	nvarchar(10)	Database type, e.g. Oracle or SQL Server
UTC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UTC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERVIEWS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UVW_CODE	N	VARCHAR2(30)	nvarchar(30)	The code of the user view.
UVW_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the user view.
UVW_NAME	N	VARCHAR2(30)	nvarchar(30)	The name of the user view.
UVW_NOTE	Y	VARCHAR2(4000)	nvarchar(4000)	The note of the user view.
UVW_STMT	N	VARCHAR2(4000)	nvarchar(4000)	The actual view statement.
UVW_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the user view is active.
UVW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UVW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UVW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERWIDGET		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WGT_WIDGETID	N	VARCHAR2(30)	nvarchar(30)	The id of the widget.
WGT_USER	N	VARCHAR2(255)	nvarchar(255)	The userid the widget belongs to.
WGT_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	The user function of the widget.
WGT_TAB	Y	VARCHAR2(6)	nvarchar(6)	The tab widget belongs to.
WGT_TYPE	N	VARCHAR2(8)	nvarchar(8)	The type of widget.
WGT_CONTAINER	N	VARCHAR2(20)	nvarchar(20)	The container the widget belongs in.
WGT_POSITION	N	NUMBER(4,0)	numeric(4,0)	The position in the container the widget is in.
WGT_CREATED	Y	DATE	datetime	record creation timestamp
WGT_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
WGT_UPDATED	Y	DATE	datetime	update date
WGT_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
WGT_HEIGHT	Y	NUMBER(6,0)	numeric(6,0)	The height of the widget.
WGT_COLOR	Y	VARCHAR2(6)	nvarchar(6)	The header color of the widget.
WGT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WGT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WGT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERWIDGETCHART		EQUIPMENT		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UWC_WIDGETID	N	VARCHAR2(30)	nvarchar(30)	
UWC_QUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	
UWC_WIDGETTITLE	Y	VARCHAR2(80)	nvarchar(80)	
UWC_LABELXAXIS	Y	VARCHAR2(80)	nvarchar(80)	
UWC_LABELYAXIS	Y	VARCHAR2(80)	nvarchar(80)	
UWC_CREATED	Y	DATE	datetime	Creation timestamp
UWC_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
UWC_UPDATED	Y	DATE	datetime	
UWC_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who updated this record
UWC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UWC_LASTSAVED	Y	DATE	datetime	Timestamp of last update
UWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5USERWIDGETGRID		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UWG_WIDGETID	N	VARCHAR2(30)	nvarchar(30)	The id of the base widget.
UWG_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	The user function of the grid.
UWG_GRIDNAME	N	VARCHAR2(40)	nvarchar(40)	The name of the grid.
UWG_GRIDID	N	NUMBER(14,0)	numeric(14,0)	The id of the grid.
UWG_DATASPYID	N	NUMBER(14,0)	numeric(14,0)	The id of the dataspy to use for the grid query.

UWG_ROWS	Y	NUMBER(2,0)	numeric(2,0)	The number of rows to display in the grid.
UWG_COLUMNS	Y	NUMBER(2,0)	numeric(2,0)	The number of columns to display in the grid.
UWG_CREATED	Y	DATE	datetime	record creation timestamp
UWG_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
UWG_UPDATED	Y	DATE	datetime	update date
UWG_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
UWG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UWG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UWG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSUSERWIDGETKPI

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UWK_WIDGETID	N	VARCHAR2(30)	nvarchar(255)	The id of the base widget.
UWK_HOMECODE	N	VARCHAR2(24)	nvarchar(24)	The KPI code / id.
UWK_HOMETYPE	N	VARCHAR2(1)	nvarchar(1)	Type of KPI.
UWK_CREATED	Y	DATE	datetime	record creation timestamp
UWK_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
UWK_UPDATED	Y	DATE	datetime	update date
UWK_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
UWK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UWK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UWK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSUSERWIDGETLAYOUT

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UWL_USER	N	VARCHAR2(255)	nvarchar(255)	The userid the widget belongs to.
UWL_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	The user function of the layout.
UWL_LINE	N	NUMBER(2,0)	numeric(2,0)	The number of columns in the layout.
UWL_TYPE	N	VARCHAR2(8)	nvarchar(8)	The type of widget layout.
UWL_CREATED	Y	DATE	datetime	record creation timestamp
UWL_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
UWL_UPDATED	Y	DATE	datetime	update date
UWL_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
UWL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UWL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UWL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSUTILITYINVLINES

GREEN

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UIL_INVOICE	N	VARCHAR2(45)	nvarchar(45)	Invoice Code
UIL_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	Invoice Organization
UIL_SEQUENCE	N	NUMBER(6,0)	numeric(6,0)	Line
UIL_CYCLE	Y	NUMBER(6,0)	numeric(6,0)	Cycle
UIL_FROMDATE	N	DATE	datetime	From Date
UIL_TODATE	N	DATE	datetime	To Date
UIL_METER	Y	VARCHAR2(20)	nvarchar(20)	Meter
UIL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment
UIL_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Organization
UIL_COMMODITY	N	VARCHAR2(15)	nvarchar(15)	Commodity
UIL_RATECODE	Y	VARCHAR2(8)	nvarchar(8)	Rate Code
UIL_PREV_READING	Y	NUMBER(18,6)	numeric(18,6)	Start Reading
UIL_CURR_READING	Y	NUMBER(18,6)	numeric(18,6)	End Reading
UIL_AMOUNT	N	NUMBER(24,6)	numeric(24,6)	Amount
UIL_QUANTITY	N	NUMBER(18,6)	numeric(18,6)	Usage

UIL_UOM	N	VARCHAR2(30)	nvarchar(30)	Unit of measure
UIL_CORR_FACTOR	N	NUMBER(18,6)	numeric(18,6)	Correction Factor
UIL_MULTIPLIER	N	NUMBER(18,6)	numeric(18,6)	Multiplier
UIL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
UIL_METERTYPE	Y	VARCHAR2(4)	nvarchar(4)	Meter Type
UIL_PEAKDEMAND	Y	NUMBER(18,6)	numeric(18,6)	Peak Demand
UIL_BILLEDDEMAND	Y	NUMBER(18,6)	numeric(18,6)	Billed Demand
UIL_POWERFACTOR	Y	NUMBER(4,1)	numeric(4,1)	Power Factor
UIL_SERVICECHARGE	Y	NUMBER(24,6)	numeric(24,6)	Service Charge
UIL_UNITCHARGE	Y	NUMBER(24,6)	numeric(24,6)	Unit Charge
UIL_LOADFACTOR	Y	NUMBER(4,1)	numeric(4,1)	Load Factor
UIL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
UIL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
UIL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
UIL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
UIL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
UIL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
UIL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
UIL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
UIL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
UIL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
UIL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
UIL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
UIL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
UIL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

UIL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
UIL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
UIL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UIL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UTILITYINVLINES_ARCHIVE	ARCHIVE			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AUI_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	
AUI_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	
AUI_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	
AUI_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	
AUI_CYCLE	Y	NUMBER(6,0)	numeric(6,0)	
AUI_FROMDATE	Y	DATE	datetime	
AUI_TODATE	Y	DATE	datetime	
AUI_METER	Y	VARCHAR2(20)	nvarchar(20)	
AUI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
AUI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
AUI_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	
AUI_RATECODE	Y	VARCHAR2(8)	nvarchar(8)	
AUI_PREV_READING	Y	NUMBER(18,6)	numeric(18,6)	
AUI_CURR_READING	Y	NUMBER(18,6)	numeric(18,6)	
AUI_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	
AUI_QUANTITY	Y	NUMBER(18,6)	numeric(18,6)	
AUI_UOM	Y	VARCHAR2(30)	nvarchar(30)	
AUI_CORR_FACTOR	Y	NUMBER(18,6)	numeric(18,6)	
AUI_MULTIPLIER	Y	NUMBER(18,6)	numeric(18,6)	
AUI_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AUI_METERTYPE	Y	VARCHAR2(4)	nvarchar(4)	
AUI_PEAKDEMAND	Y	NUMBER(18,6)	numeric(18,6)	
AUI_BILLEDDEMAND	Y	NUMBER(18,6)	numeric(18,6)	
AUI_POWERFACTOR	Y	NUMBER(4,1)	numeric(4,1)	
AUI_SERVICECHARGE	Y	NUMBER(24,6)	numeric(24,6)	
AUI_UNITCHARGE	Y	NUMBER(24,6)	numeric(24,6)	
AUI_LOADFACTOR	Y	NUMBER(4,1)	numeric(4,1)	
AUI_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AUI_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AUI_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AUI_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AUI_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AUI_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AUI_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AUI_UDFDATE01	Y	DATE	datetime	User defined field of type Date
AUI_UDFDATE02	Y	DATE	datetime	User defined field of type Date
AUI_UDFDATE03	Y	DATE	datetime	User defined field of type Date
AUI_UDFDATE04	Y	DATE	datetime	User defined field of type Date
AUI_UDFDATE05	Y	DATE	datetime	User defined field of type Date
AUI_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AUI_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AUI_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AUI_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AUI_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AUI_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AUI_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5UTILITYRATES		GREEN		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
UTR_DATE	Y	DATE	datetime	Date for which this utility rate record is valid
UTR_INVOICE	Y	VARCHAR2(45)	nvarchar(45)	The invoice this utility rate record belongs to
UTR_INVOICE_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the invoice this utility rate record belongs to
UTR_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	A sequence number, part of the pk
UTR_CURR	Y	VARCHAR2(12)	nvarchar(12)	Code of currency used
UTR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code
UTR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization code
UTR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
UTR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization code
UTR_METER	Y	VARCHAR2(20)	nvarchar(20)	meter code
UTR_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	commodity code
UTR_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure
UTR_RATECODE	Y	VARCHAR2(15)	nvarchar(15)	Rate code applied by supplier to this utility invoice line
UTR_BILLBASED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this record is based on an actual bill (invoice)
UTR_CALCULATEDAVERAGE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this record is a calculated average, based on other utility rate records
UTR_AVGCONSUMPTION	Y	NUMBER(24,6)	numeric(24,6)	The average daily consumption
UTR_RATE	Y	NUMBER(24,6)	numeric(24,6)	The rate
UTR_INDEXED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicated whether a gas index record has already been created
UTR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
UTR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
UTR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5VIOLATIONS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

VIO_USER	N	VARCHAR2(255)	nvarchar(255)	user which causes the access violation
VIO_PASSWORD	Y	VARCHAR2(50)	nvarchar(50)	password used which causes the access violation
VIO_DATE	N	DATE	datetime	data on which the access violations occurred
VIO_OSUSER	Y	VARCHAR2(255)	nvarchar(255)	os user from which the access violations occurred
VIO_OSMACHINE	Y	VARCHAR2(64)	nvarchar(64)	machine name from which the access violations occurred
VIO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
VIO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
VIO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WALLTHICKNESS

INSPECTION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WTH_PIPING	N	VARCHAR2(20)	nvarchar(20)	pipng code
WTH_PIPINGREV	N	NUMBER(4,0)	numeric(4,0)	pipng revision
WTH_NOMSIZEINCH	N	NUMBER	int	pipe size (inches)
WTH_SCHEDULE	N	VARCHAR2(10)	nvarchar(10)	schedule
WTH_NOMWALL	Y	NUMBER	numeric(24,6)	wall thickness
WTH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WTH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WTH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARCLAIMACTIVITIES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WCA_CLAIM	N	VARCHAR2(30)	nvarchar(30)	The warranty claim the activity belongs to
WCA_ACT	N	NUMBER(8,0)	numeric(8,0)	The activity belong to the warranty claim
WCA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WCA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARCLAIMLINES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLN_PK	N	NUMBER	numeric(18,0)	The primary key of the warranty claim line
WLN_CLAIM	N	VARCHAR2(30)	nvarchar(30)	The warranty claim the line belongs to
WLN_ACT	N	NUMBER(8,0)	numeric(8,0)	The activity of the warranty claim line
WLN_TYPE	N	VARCHAR2(4)	nvarchar(4)	The type of the warranty claim line
WLN_DESC	Y	VARCHAR2(80)	nvarchar(80)	The description of the warranty claim line
WLN_AMOUNT	Y	NUMBER(24,6)	numeric(24,6)	The amount of the warranty claim line
WLN_NOTE	Y	VARCHAR2(2000)	nvarchar(2000)	A longer description of the warranty claim line
WLN_INCLUDE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the line should be included
WLN_SYSTEM	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the line was created by the system
WLN_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WLN_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WLN_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARCLAIMS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WCL_CODE	N	VARCHAR2(30)	nvarchar(30)	warranty claim number. unique identifier.
WCL_DESC	N	VARCHAR2(80)	nvarchar(80)	warranty claim description.
WCL_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
WCL_WARRANTY	Y	VARCHAR2(30)	nvarchar(30)	warranty document.
WCL_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure.
WCL_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object number.
WCL_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
WCL_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
WCL_OPEN	Y	VARCHAR2(1)	nvarchar(1)	Whether claim is open or not.
WCL_FILED	Y	DATE	datetime	date claim filed.

WCL_RESOLVED	Y	DATE	datetime	date warranty claim resolved.
WCL_CLAIMAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	amount originally claimed.
WCL_CLOSEAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	amount agreed/settled.
WCL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
WCL_ORG	N	VARCHAR2(15)	nvarchar(15)	warranty claim organization
WCL_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	failureusage of claim object.
WCL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	warranty supplier.
WCL_COMMISS	Y	DATE	datetime	commissioning date of object on the claim.
WCL_EVTCOMMISS	Y	VARCHAR2(8)	nvarchar(30)	work order used to install the object
WCL_TOPPARENT	Y	VARCHAR2(30)	nvarchar(30)	top parent object
WCL_TOPOBTYPE	Y	VARCHAR2(4)	nvarchar(4)	top parent object user type
WCL_TOPOBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	top parent object type
WCL_TOPUSAGE	Y	NUMBER(9,2)	numeric(9,2)	top parent usage
WCL_REQ	Y	VARCHAR2(30)	nvarchar(30)	claim requisition
WCL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	claim requisition line
WCL_EVTREPORTED	Y	DATE	datetime	date reported for the claim event.
WCL_REF	Y	VARCHAR2(50)	nvarchar(50)	claim reference
WCL_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
WCL_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object code organization
WCL_TOPPARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	top parent organization
WCL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
WCL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WCL_CREATED	Y	DATE	datetime	Creation timestamp
WCL_UPDATED	Y	DATE	datetime	Update timestamp
WCL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Status of the claim
WCL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Rstatus of the claim
WCL_APPROV	Y	DATE	datetime	Date the claim was approved
WCL_LABCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Internal labor charges originally claimed
WCL_MATCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Stocked material charges originally claimed
WCL_HIRCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Hired labor charges originally claimed
WCL_DMACCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Direct material purchase charges originally claimed
WCL_SERVICECLAIM	Y	NUMBER(24,6)	numeric(24,6)	Services charges originally claimed
WCL_TOOLCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Tool charges originally claimed
WCL_OTHERCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Total other charges originally claimed
WCL_LABCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for internal labor.
WCL_MATCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for stocked materials
WCL_HIRCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for hired/contract labor.
WCL_DMACLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for direct material purchases
WCL_SERVICECLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for services
WCL_TOOLCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for tool usages
WCL_OTHERCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Total other charges settled
WCL_ACT	Y	NUMBER(8,0)	numeric(8,0)	The activity of the warranty claim
WCL_RMA	Y	VARCHAR2(30)	nvarchar(30)	Return Merchandise Authorization
WCL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

WCL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WCL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WCL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WCL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WCL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WCL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WCL_UDFDATE01	Y	DATE	datetime	User defined field of type Date
WCL_UDFDATE02	Y	DATE	datetime	User defined field of type Date
WCL_UDFDATE03	Y	DATE	datetime	User defined field of type Date
WCL_UDFDATE04	Y	DATE	datetime	User defined field of type Date
WCL_UDFDATE05	Y	DATE	datetime	User defined field of type Date
WCL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WCL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WCL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WCL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WCL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WCL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WCL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARCLAIMS_ARCHIVE		Archiving		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWC_ARCHIVE	Y	NUMBER(38,0)	numeric(38,0)	Archive code
AWC_CODE	Y	VARCHAR2(30)	nvarchar(30)	warranty claim number. unique identifier.
AWC_DESC	Y	VARCHAR2(80)	nvarchar(80)	warranty claim description.
AWC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
AWC_WARRANTY	Y	VARCHAR2(30)	nvarchar(30)	warranty document.
AWC_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure.
AWC_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object number.
AWC_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
AWC_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
AWC_OPEN	Y	VARCHAR2(1)	nvarchar(1)	Whether claim is open or not.
AWC_FILED	Y	DATE	datetime	date claim filed.
AWC_RESOLVED	Y	DATE	datetime	date warranty claim resolved.
AWC_CLAIMAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	amount originally claimed.
AWC_CLOSEAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	amount agreed/settled.
AWC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.

AWC_ORG	Y	VARCHAR2(15)	nvarchar(15)	warranty claim organization
AWC_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	failureusage of claim object.
AWC_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	warranty supplier.
AWC_COMMISS	Y	DATE	datetime	commissioning date of object on the claim.
AWC_EVTCOMMISS	Y	VARCHAR2(8)	nvarchar(30)	work order used to install the object
AWC_TOPPARENT	Y	VARCHAR2(30)	nvarchar(30)	top parent object
AWC_TOPOBTYPE	Y	VARCHAR2(4)	nvarchar(4)	top parent object user type
AWC_TOPOBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	top parent object type
AWC_TOPUSAGE	Y	NUMBER(9,2)	numeric(9,2)	top parent usage
AWC_REQ	Y	VARCHAR2(30)	nvarchar(30)	claim requisition
AWC_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	claim requisition line
AWC_EVREPORTED	Y	DATE	datetime	date reported for the claim event.
AWC_REF	Y	VARCHAR2(50)	nvarchar(50)	claim reference
AWC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
AWC_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
AWC_TOPPARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	top parent organization
AWC_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
AWC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWC_CREATED	Y	DATE	datetime	Creation timestamp
AWC_UPDATED	Y	DATE	datetime	Update timestamp
AWC_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Status of the claim
AWC_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Rstatus of the claim
AWC_APPROV	Y	DATE	datetime	Date the claim was approved
AWC_LABCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Internal labor charges originally claimed
AWC_MATCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Stocked material charges originally claimed
AWC_HIRCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Hired labor charges originally claimed
AWC_DMACCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Direct material purchase charges originally claimed
AWC_SERVICECLAIM	Y	NUMBER(24,6)	numeric(24,6)	Services charges originally claimed
AWC_TOOLCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Tool charges originally claimed
AWC_OTHERCLAIM	Y	NUMBER(24,6)	numeric(24,6)	Total other charges originally claimed
AWC_LABCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for internal labor.
AWC_MATCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for stocked materials
AWC_HIRCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for hired/contract labor.
AWC_DMACCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for direct material purchases
AWC_SERVICECLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for services
AWC_TOOLCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Charges settled for tool usages
AWC_OTHERCLOSE	Y	NUMBER(24,6)	numeric(24,6)	Total other charges settled
AWC_ACT	Y	NUMBER(8,0)	numeric(8,0)	The activity of the warranty claim
AWC_RMA	Y	VARCHAR2(30)	nvarchar(30)	Return Merchandise Authorization
AWC_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

AWC_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
AWC_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AWC_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AWC_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AWC_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AWC_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
AWC_UDFDATE01	Y	DATE	datetime	User defined field of type Checkbox
AWC_UDFDATE02	Y	DATE	datetime	User defined field of type Checkbox
AWC_UDFDATE03	Y	DATE	datetime	User defined field of type Checkbox
AWC_UDFDATE04	Y	DATE	datetime	User defined field of type Checkbox
AWC_UDFDATE05	Y	DATE	datetime	User defined field of type Checkbox
AWC_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AWC_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AWC_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AWC_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AWC_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
AWC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARCOMPONENTS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WCM_PK	N	VARCHAR2(30)	nvarchar(30)	The system generated primary key.
WCM_WARRANTY	N	VARCHAR2(30)	nvarchar(30)	The warranty document.
WCM_SYSLEVEL	N	VARCHAR2(30)	nvarchar(30)	The system part of the VMRS code.
WCM_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The assembly part of the VMRS code.
WCM_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	The component part of the VMRS code.
WCM_UPDATED	Y	DATE	datetime	update timestamp
WCM_REASONFORREPAIR	Y	VARCHAR2(4)	nvarchar(4)	Reason for Repair description from REPC entity for component
WCM_WORKACCOMPLISHED	Y	VARCHAR2(4)	nvarchar(4)	Work accomplished description from WACC entity for warranty component
WCM_USECOSTCOVERAGEVALUES	Y	VARCHAR2(1)	nvarchar(1)	If this value is checked then need to get cost coverage values from Warranty Header screen
WCM_LABORCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Labor charge for warranty component
WCM_HIREDLABORCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Hired Labor charge for warranty component
WCM_SERVICECHARGE	Y	NUMBER(5,2)	numeric(5,2)	Service charge for warranty component
WCM_STOCKITEMSCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Stock Item for warranty component
WCM_DIRECTPURCHASECHARGE	Y	NUMBER(5,2)	numeric(5,2)	Direct purchase charge for warranty component
WCM_TOOLCHARGE	Y	NUMBER(5,2)	numeric(5,2)	Tools usage charge for Warranty component
WCM_FIXEDLABORRATE	Y	NUMBER(24,6)	numeric(24,6)	Fixed Labor rate for warranty component
WCM_FIXEDLABORAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Fixed Labor amount for warranty component
WCM_FIXEDSTOCKAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Fixed stock amount for warranty component
WCM_MAXLABORAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Maximum Labor amount for warranty component

WCM_MAXSTOCKAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	Maximum stock amount for warranty component
WCM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WCM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WCM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARCOVERAGES

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WCV_WARRANTY	Y	VARCHAR2(30)	nvarchar(30)	warranty document code.
WCV_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
WCV_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
WCV_OBRTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
WCV_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure (uom).
WCV_DURATION	N	NUMBER(9,2)	numeric(9,2)	duration covered by warranty (in uom).
WCV_EXPIRATION	Y	NUMBER(9,2)	numeric(9,2)	usage/reading at which warranty expires (in uom).
WCV_EXPIRATIONDATE	Y	DATE	datetime	date at which warranty is predicted to expire.
WCV_NEARTHRESHOLD	Y	NUMBER(24,6)	numeric(24,6)	usage/reading at which warranty is about to expire.
WCV_STARTUSAGE	Y	NUMBER(24,6)	numeric(24,6)	usage/reading at which warranty commences (in uom).
WCV_SEQNO	N	NUMBER	int	sequence number of warranty coverage.
WCV_ACTIVE	N	VARCHAR2(1)	nvarchar(1)	whether warranty coverage is active or not.
WCV_STARTDATE	Y	DATE	datetime	startdate of warranty coverage.
WCV_RECORDED	Y	DATE	datetime	date the record war recorded.
WCV_USER	Y	VARCHAR2(255)	nvarchar(255)	user who create the record.
WCV_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
WCV_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WCV_CREATED	Y	DATE	datetime	Creation timestamp
WCV_UPDATED	Y	DATE	datetime	Update timestamp
WCV_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WCV_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WARRANTYPARTS

EQUIPMENT

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WRP_WARRANTY	N	VARCHAR2(30)	nvarchar(30)	The warranty document the part belongs to
WRP_PART	N	VARCHAR2(30)	nvarchar(30)	The part on the warranty
WRP_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	The part organization on the warranty
WRP_WARDAYS	N	NUMBER(5,0)	numeric(5,0)	The number of days the part falls under warranty
WRP_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the part warranty is still active
WRP_REIMBURSEMENTTYPE	N	VARCHAR2(8)	nvarchar(8)	The reimbursement type
WRP_CREATED	Y	DATE	datetime	The date the record was created
WRP_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who created the record
WRP_UPDATED	Y	DATE	datetime	The date the record was last updated
WRP_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the record
WRP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WRP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WRP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WBWPKK

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TWP_SESSION	N	VARCHAR2(20)	nvarchar(20)	session
TWP_JOB	N	VARCHAR2(30)	nvarchar(30)	job
TWP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
TWP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WEBSERVICEMAPPING

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

WSG_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	Function
WSG_TAB	Y	VARCHAR2(6)	nvarchar(6)	TBD
WSG_WSNAME	Y	VARCHAR2(200)	nvarchar(200)	Web Service name
WSG_ACTION	Y	VARCHAR2(10)	nvarchar(10)	Action code
WSG_INTERFACECODE	Y	VARCHAR2(6)	nvarchar(10)	TBD
WSG_PACKAGENAME	Y	VARCHAR2(200)	nvarchar(200)	TBD
WSG_ORGXPATH	Y	VARCHAR2(200)	nvarchar(200)	Organization xpath
WSG_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
WSG_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSG_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WEIBULL

R5RELIABILITYRANKING

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WEI_SEQNO	Y	NUMBER		The Weibull sequence
WEI_VALUE	Y	NUMBER		The Weibull value
WEI_RANK	Y	NUMBER		The Weibull rank
WEI_DATE	Y	DATE		The Weibull date
WEI_X	Y	NUMBER		The Weibull x value
WEI_Y	Y	NUMBER		The Weibull y value

R5WIZARD

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WIZ_FUNCTION	N	VARCHAR2(6)	nvarchar(6)	the function name of the wizard.
WIZ_PAGE	N	NUMBER	int	current page number in the wizard.
WIZ_SEQNO	N	NUMBER	int	wizard sequence number
WIZ_NEXTPAGE	Y	NUMBER	int	next page number in the wizard.
WIZ_BLOCK	N	VARCHAR2(30)	nvarchar(30)	the block the wizard record belongs to.
WIZ_COLUMN	N	VARCHAR2(30)	nvarchar(30)	the column the wizard record belongs to.
WIZ_REQUIRED	N	VARCHAR2(1)	nvarchar(1)	flag to indicate whether a value should be specified.
WIZ_SYSTEM	N	VARCHAR2(1)	nvarchar(1)	flag to indicate whether a certain column is required within the wizard.
WIZ_HIDE	N	VARCHAR2(1)	nvarchar(1)	flag to determine whether the current column can be hidden in the wizard.
WIZ_FINISH	N	VARCHAR2(1)	nvarchar(1)	flag to determine whether this is the last question of the wizard.
WIZ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WIZ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WIZ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WOLABORSCHEDDAYPATTERN

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SDP_SESSIONID	N	NUMBER	numeric(18,0)	Session ID
SDP_PATTERNNUM	N	NUMBER	numeric(18,0)	T.B.D.
SDP_PATTERNDESC	Y	VARCHAR2(200)	nvarchar(200)	T.B.D.
SDP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SDP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5WOLABORSCHEDEMP

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLO_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	Session ID
WLO_PERSON	N	VARCHAR2(15)	nvarchar(15)	Employee
WLO_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select All
WLO_RELATED	Y	VARCHAR2(1)	nvarchar(1)	Related WO flag
WLO_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WLO_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WLO_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WOLABORSCHDEQUIP	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLE_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	Session ID
WLE_OBJECT	N	VARCHAR2(30)	nvarchar(30)	Equipment
WLE_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	Equipment Org
WLE_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select All
WLE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WLE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WLE_SQLIDENTITY	Y		int identity	Identity column for SQL Server
R5WOLABORSCHEDPARAMS	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WLS_CODE	N	VARCHAR2(30)	nvarchar(30)	Parameters Key / Surrogate Key
WLS_USER	Y	VARCHAR2(255)	nvarchar(255)	User ID
WLS_PARAMETER	Y	VARCHAR2(10)	nvarchar(10)	Parameter Name
WLS_DEFPARAM	Y	VARCHAR2(1)	nvarchar(1)	Default Parameter List
WLS_SESSIONID	Y	NUMBER(18,0)	numeric(18,0)	Session ID
WLS_WOSCHEDSTARTDATE	Y	DATE	datetime	Work Order Schedule Start Date
WLS_WOSCHEDENDDATE	Y	DATE	datetime	Work Order Schedule End Date
WLS_CREATED	Y	DATE	datetime	Creation Date Stamp
WLS_EVENT_ORG	N	VARCHAR2(15)	nvarchar(15)	Work Order Org.
WLS_WORKORDER	Y	VARCHAR2(30)	nvarchar(30)	Work Order
WLS_WOMRC	Y	VARCHAR2(160)	nvarchar(160)	Work Order Department
WLS_WOPMSCHEDULE	Y	VARCHAR2(20)	nvarchar(20)	WO PM Schedule
WLS_WOPROJECT	Y	VARCHAR2(20)	nvarchar(20)	WO Project
WLS_WOPROJBUD	Y	VARCHAR2(20)	nvarchar(20)	WO Project Budget
WLS_WOOBJECT	Y	VARCHAR2(30)	nvarchar(30)	WO Equipment
WLS_WOOBJECTORG	Y	VARCHAR2(15)	nvarchar(15)	WO Equipment Org
WLS_WOLOC	Y	VARCHAR2(30)	nvarchar(30)	WO Location
WLS_WOLOCORG	Y	VARCHAR2(15)	nvarchar(15)	WO Location Org
WLS_WOJOBTYPE	Y	VARCHAR2(90)	nvarchar(90)	WO Job Type
WLS_WOPRIORITY	Y	VARCHAR2(90)	nvarchar(90)	Work Order Priority
WLS_WOSTATUS	Y	VARCHAR2(50)	nvarchar(50)	Work Order Status
WLS_WOREPORTEDBY	Y	VARCHAR2(15)	nvarchar(15)	WO Reported by
WLS_WOASSIGNEDBY	Y	VARCHAR2(30)	nvarchar(30)	WO Assigned by
WLS_WOASSIGNEDTO	Y	VARCHAR2(15)	nvarchar(15)	WO Assigned To
WLS_WOCLASS	Y	VARCHAR2(90)	nvarchar(90)	WO Class
WLS_WOCLASSORG	Y	VARCHAR2(15)	nvarchar(15)	WO Class Org.
WLS_WOCRITICALITY	Y	VARCHAR2(90)	nvarchar(90)	Work Order Criticality
WLS_WOSHIFT	Y	VARCHAR2(4)	nvarchar(4)	WO Shift
WLS_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	Equipment
WLS_OBJORG	Y	VARCHAR2(15)	nvarchar(15)	Equipment Org.
WLS_OBJTYPE	Y	VARCHAR2(4)	nvarchar(4)	Equip. Type
WLS_OBJSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Equip. Status
WLS_OBJCLASS	Y	VARCHAR2(8)	nvarchar(8)	Equip. Class
WLS_OBJCLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Equip. Class Org.
WLS_OBJCATEGORY	Y	VARCHAR2(30)	nvarchar(30)	Equip. Category
WLS_OBJCOSTCODE	Y	VARCHAR2(30)	nvarchar(30)	Equip. Cost Code
WLS_OBJMRC	Y	VARCHAR2(15)	nvarchar(15)	Equip. Department
WLS_OBJPARENT	Y	VARCHAR2(310)	nvarchar(310)	Parent Equip.
WLS_OBJPARENTORG	Y	VARCHAR2(15)	nvarchar(15)	Parent Equip. Org.
WLS_OBJLOC	Y	VARCHAR2(30)	nvarchar(30)	Equipment Location
WLS_OBJLOCORG	Y	VARCHAR2(15)	nvarchar(15)	Equip. Location Org.
WLS_ACTTRADE	Y	VARCHAR2(15)	nvarchar(15)	Activity Trade

WLS_ACTTASK	Y	VARCHAR2(20)	nvarchar(20)	Activity Task
WLS_ACTSTARTDATE	Y	DATE	datetime	Activity Start Date
WLS_ACTENDDATE	Y	DATE	datetime	Activity End Date
WLS_EMPMRC	Y	VARCHAR2(15)	nvarchar(15)	Employee Department
WLS_EMPCLASS	Y	VARCHAR2(8)	nvarchar(8)	Employee class
WLS_EMPCLASSORG	Y	VARCHAR2(15)	nvarchar(15)	Employee Class Org.
WLS_EMPTRADE	Y	VARCHAR2(15)	nvarchar(15)	Employee Trade
WLS_EMPSHIFT	Y	VARCHAR2(4)	nvarchar(4)	Employee Shift
WLS_EMPCREW	Y	VARCHAR2(15)	nvarchar(15)	Employee Crew Code
WLS_EMPCREWORG	Y	VARCHAR2(15)	nvarchar(15)	Crew Org.
WLS_UNSCHEDCOLOR	N	VARCHAR2(6)	nvarchar(6)	Unscheduled Color
WLS_LIGHTLYSCHDCOLOR	N	VARCHAR2(6)	nvarchar(6)	Lightly Scheduled (% Scheduled < Threshold) Color
WLS_MODERATELYSCHDCOLOR	N	VARCHAR2(6)	nvarchar(6)	Moderately Scheduled (% Scheduled >= Threshold) Color
WLS_FULLYSCHDCOLOR	N	VARCHAR2(6)	nvarchar(6)	Fully Scheduled (% Scheduled = 100) Color
WLS_OVERSCHDCOLOR	N	VARCHAR2(6)	nvarchar(6)	Over Scheduled (% Scheduled > 100) Color
WLS_THRESHOLDPERCENT	Y	NUMBER(2,0)	numeric(2,0)	Threshold Percent Between Lightly / Moderately Scheduled
WLS_GENAVAILTHROUGH	N	DATE	datetime	Generate Availability Through
WLS_SCHEDULING	Y	VARCHAR2(1)	nvarchar(1)	Is Schedule started
WLS_SCHEDULINGSTARTDATE	Y	DATE	datetime	Scheduling Start Date
WLS_UPDATED	Y	DATE	datetime	Last Updated Date
WLS_LISTLASTREFRESHED	Y	DATE	datetime	List Last Refreshed Date
WLS_DATA LASTGEN	Y	DATE	datetime	T.B.D.
WLS_MP	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
WLS_MP_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
WLS_MP_SEQ	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
WLS_CAMPAIGN	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
WLS_CAMPAIGN_LINE	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
WLS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Update Count
WLS_OBJINCLUDECHILDREN	Y	VARCHAR2(1)	nvarchar(1)	Include children flag
WLS_ALLOWACTSONDIFFSESSION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether it is allowed to have an activity on multiple sessions
WLS_SKIPEQUIPSELECTIONPROCESS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the equipment selection process should be skipped
WLS_MAXCALCPRIORITY	Y	NUMBER(24,6)	numeric(24,6)	The maximum calculated priority
WLS_OPERATIONALSTATUS	Y	VARCHAR2(30)	nvarchar(30)	The equipment operational user status
WLS_SHIFTSCHEULING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether scheduling should be done per shift
WLS_SHIFTSTART	Y	DATE	datetime	The start date of the shift
WLS_SHIFTDURATION	Y	NUMBER(4,2)	numeric(4,2)	The shift duration
WLS_AUTOSELECTACTIVITY	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether activities will be selected automatically
WLS_EXCLUDEDURATION	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the duration should be excluded.
WLS_EXCLUDEPEOPLEREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the people required should be excluded.
WLS_CONSIST	Y	VARCHAR2(30)	nvarchar(30)	The consist.
WLS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WLS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WOLABORSCHEDPERIODPATTERN

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SPT_SESSIONID	N	NUMBER	numeric(18,0)	Session ID
SPT_PATTERNNUM	N	NUMBER	numeric(18,0)	T.B.D.
SPT_PATTERNDESC	Y	VARCHAR2(2000)	nvarchar(2000)	T.B.D.
SPT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SPT_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

R5WOLABORSCHEDPERSONPERIOD

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SPP_SESSIONID	N	NUMBER	numeric(18,0)	Session ID

SPP_PERSON	N	VARCHAR2(15)	nvarchar(15)	T.B.D.
SPP_PERIODPATTERN	Y	NUMBER	numeric(18,0)	T.B.D.
SPP_SHIFTS	Y	VARCHAR2(100)	nvarchar(100)	T.B.D.
SPP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SPP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update

RSWOLABORSCHEDSTEMP	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
SCT_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	Session ID
SCT_CODE	N	NUMBER(38,0)	numeric(38,0)	T.B.D.
SCT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	Work Order
SCT_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity code
SCT_PERSON	Y	VARCHAR2(15)	nvarchar(15)	Employee
SCT_DATE	Y	DATE	datetime	T.B.D.
SCT_HOURS	Y	NUMBER(24,6)	numeric(24,6)	Number of Hours
SCT_RELATED	Y	VARCHAR2(1)	nvarchar(1)	Related WO flag
SCT_ACSCODE	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
SCT_MRC	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
SCT_TRADE	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
SCT_STARTTIME	Y	NUMBER(38,0)	numeric(38,0)	T.B.D.
SCT_ENDTIME	Y	NUMBER(38,0)	numeric(38,0)	T.B.D.
SCT_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
SCT_FROZEN	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
SCT_COMMENT	Y	VARCHAR2(60)	nvarchar(60)	T.B.D.
SCT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	T.B.D.
SCT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	T.B.D.
SCT_MODIFIED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
SCT_DELETED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
SCT_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
SCT_SQLIDENTITY	Y		int identity	Identity column for SQL Server

RSWOLABORSCHEDWO	WORK			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
LSW_SESSIONID	N	NUMBER(18,0)	numeric(18,0)	Session ID
LSW_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work Order
LSW_ACT	N	NUMBER(8,0)	numeric(8,0)	activity code
LSW_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Select All
LSW_HRSREM	Y	NUMBER(24,6)	numeric(24,6)	Number of hours remaining
LSW_STATUS	Y	VARCHAR2(4)	nvarchar(4)	User status
LSW_NEWSTATUS	Y	VARCHAR2(4)	nvarchar(4)	T.B.D.
LSW_PPLREM	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
LSW_ACTHRSREM	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
LSW_ACTPPLREQ	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
LSW_PREVSCHEDHRS	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
LSW_PREVSCHEDPPL	Y	NUMBER(8,0)	numeric(8,0)	T.B.D.
LSW_TOTALSCHEDHRS	Y	NUMBER(24,6)	numeric(24,6)	T.B.D.
LSW_LASTSCHEDDATE	Y	DATE	datetime	T.B.D.
LSW_MATAVAIL	Y	DATE	datetime	T.B.D.
LSW_RELATED	Y	VARCHAR2(1)	nvarchar(30)	Related WO flag
LSW_IGNORE	Y	VARCHAR2(1)	nvarchar(30)	T.B.D.
LSW_ESIGNUSER	Y	VARCHAR2(255)	nvarchar(255)	T.B.D.
LSW_ESIGNTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
LSW_ESIGNDATE	Y	DATE	datetime	T.B.D.
LSW_ESIGNCERTIFYNUM	Y	VARCHAR2(20)	nvarchar(20)	T.B.D.

LSW_ESIGNCERTIFYTYPE	Y	VARCHAR2(8)	nvarchar(8)	T.B.D.
LSW_ACTCOMPLETED	Y	VARCHAR2(1)	nvarchar(1)	T.B.D.
LSW_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
LSW_CONTNEXTSHIFT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether to continue the next shift
LSW_DUEPERC	Y	NUMBER(3,0)	numeric(3,0)	Due percentage
LSW_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
LSW_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WOREPAIRS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WOR_PK	N	NUMBER	numeric(18,0)	Primary key
WOR_EVENT	N	VARCHAR2(30)	nvarchar(30)	Work order number
WOR_ACT	N	NUMBER(8,0)	numeric(8,0)	Work order activity code
WOR_RPC	N	VARCHAR2(4)	nvarchar(4)	Reason for repair
WOR_WAP	Y	VARCHAR2(4)	nvarchar(4)	Work accomplished
WOR_TPF	Y	VARCHAR2(4)	nvarchar(4)	Technical part failure
WOR_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	Manufacturer Code
WOR_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	System level
WOR_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Assembly level
WOR_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	Component level
WOR_COMLOCATION	Y	VARCHAR2(80)	nvarchar(80)	Component location
WOR_WARRANTY	Y	VARCHAR2(1)	nvarchar(1)	Flag to tell whether include warranty claim or not
WOR_COMPLETED	Y	VARCHAR2(1)	nvarchar(1)	Flag to tell whether work order repair completed or not
WOR_PERCOMPLETE	Y	NUMBER(3,0)	numeric(3,0)	Percentage completed
WOR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WOR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WOR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WOR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WOR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WOR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WOR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WOR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WOR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WOR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WOR_UDFDATE01	Y	DATE	datetime	User defined field of type Date
WOR_UDFDATE02	Y	DATE	datetime	User defined field of type Date
WOR_UDFDATE03	Y	DATE	datetime	User defined field of type Date
WOR_UDFDATE04	Y	DATE	datetime	User defined field of type Date
WOR_UDFDATE05	Y	DATE	datetime	User defined field of type Date
WOR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WOR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WOR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WOR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WOR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WOR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WOR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WOR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKLOAD

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WRK_DATE	N	DATE	datetime	date on which labor is required.
WRK_HOURS	Y	NUMBER	numeric(24,6)	number of labor hours required at this date..
WRK_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
WRK_TRADE	N	VARCHAR2(15)	nvarchar(15)	trade code.

WRK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WRK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WRK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKPACKAGES

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WPK_CODE	N	VARCHAR2(24)	nvarchar(24)	work package code
WPK_DESC	N	VARCHAR2(80)	nvarchar(80)	work package description
WPK_ORG	N	VARCHAR2(15)	nvarchar(15)	work package organization
WPK_JOBTYPE	N	VARCHAR2(8)	nvarchar(8)	work package job type
WPK_STATUS	N	VARCHAR2(4)	nvarchar(4)	work package status
WPK_MRC	N	VARCHAR2(15)	nvarchar(15)	work package mrc
WPK_CLASS	Y	VARCHAR2(8)	nvarchar(8)	work package class
WPK_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	work package class organization
WPK_JOBCLASS	Y	VARCHAR2(8)	nvarchar(8)	work package job class
WPK_JOBCLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	work package job class organization
WPK_PPMTYPE	N	VARCHAR2(1)	nvarchar(1)	work package ppm type
WPK_TRADE	N	VARCHAR2(15)	nvarchar(15)	work package trade
WPK_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	work package parent object
WPK_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	work package parent object organization
WPK_LASTEVENT	Y	VARCHAR2(30)	nvarchar(30)	last event created by work package
WPK_DUEDATE	N	DATE	datetime	next date work package will be generated
WPK_FREQ	N	NUMBER(8,0)	numeric(8,0)	frequency of work package. ppms attached must have matching frequency.
WPK_DURATION	N	NUMBER(8,0)	numeric(8,0)	work package duration
WPK_ESTWORKLOAD	Y	NUMBER(12,2)	numeric(12,2)	work package estimated work load
WPK_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of people required for work package
WPK_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating work package has been removed from a ppm plan
WPK_PERIODUOM	Y	VARCHAR2(10)	nvarchar(10)	PPM period UOM
WPK_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WPK_PERFORMONWEEK	Y	VARCHAR2(1)	nvarchar(1)	week of the month on which to perform PM
WPK_PERFORMONDAY	Y	NUMBER(1,0)	numeric(1,0)	day of the week on which to perform PM
WPK_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WPK_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKSAFETY

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
KSF_PK	N	VARCHAR2(30)	nvarchar(30)	The unique code of the safety record.
KSF_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	The system entity to which the safety record belongs.
KSF_CODE	Y	VARCHAR2(50)	nvarchar(50)	The work order or permit to work code this safety record belongs to.
KSF_HAZARD	Y	VARCHAR2(30)	nvarchar(30)	The hazard of the safety record.
KSF_HAZARD_ORG	Y	VARCHAR2(15)	nvarchar(15)	The hazard organization of the safety record.
KSF_HAZARDREV	Y	NUMBER(4,0)	numeric(4,0)	The hazard revision of the safety record.
KSF_PRECAUTION	Y	VARCHAR2(30)	nvarchar(30)	The precaution of the safety record.
KSF_PRECAUTION_ORG	Y	VARCHAR2(15)	nvarchar(15)	The precaution organization of the safety record.
KSF_PRECAUTIONREV	Y	NUMBER(4,0)	numeric(4,0)	The precaution revision of the safety record.
KSF_TIMING	Y	VARCHAR2(8)	nvarchar(8)	The timing code of the safety record.
KSF_VALIDUNTIL	Y	DATE	datetime	Date and time until which the safety record is valid.
KSF_DELETEPENDING	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether there is a pending delete.
KSF_SEQUENCE	Y	NUMBER(6,0)	numeric(6,0)	The sequence.
KSF_HEALTHHAZARD	Y	VARCHAR2(8)	nvarchar(8)	The health hazard code of the safety record.
KSF_FLAMMABILITY	Y	VARCHAR2(8)	nvarchar(8)	The flammability code of the safety record.
KSF_INSTABILITY	Y	VARCHAR2(8)	nvarchar(8)	The instability code of the safety record.
KSF_SPECIALHAZARDS	Y	VARCHAR2(8)	nvarchar(8)	The special hazards code of the safety record.
KSF_CREATED	Y	DATE	datetime	record creation timestamp

KSF_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	user who created this record
KSF_UPDATED	Y	DATE	datetime	Update time stamp
KSF_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
KSF_REVIEWED	Y	DATE	datetime	Date of reviewed signature.
KSF_REVIEWEDBY	Y	VARCHAR2(255)	nvarchar(255)	User of reviewed signature.
KSF_REVIEWEDNAME	Y	VARCHAR2(80)	nvarchar(80)	Name of the user of reviewed signature.
KSF_REVIEWEDTYPE	Y	VARCHAR2(4)	nvarchar(4)	Type of reviewed signature.
KSF_SOURCEENTITY	Y	VARCHAR2(4)	nvarchar(4)	The source entity (like OBJ or PART) used to copy this data from.
KSF_SOURCECODE	Y	VARCHAR2(30)	nvarchar(30)	The source code (like object or part code) used to copy this data from.
KSF_SOURCEORG	Y	VARCHAR2(15)	nvarchar(15)	The source organization (like object or part organization) used to copy this data from.
KSF_SOURCEUPDATED	Y	DATE	datetime	The date the source record was last updated.
KSF_SOURCEUPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	The user who last updated the source record.
KSF_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
KSF_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
KSF_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
KSF_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
KSF_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
KSF_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
KSF_UDFDATE01	Y	DATE	datetime	User defined field of type Date
KSF_UDFDATE02	Y	DATE	datetime	User defined field of type Date
KSF_UDFDATE03	Y	DATE	datetime	User defined field of type Date
KSF_UDFDATE04	Y	DATE	datetime	User defined field of type Date
KSF_UDFDATE05	Y	DATE	datetime	User defined field of type Date
KSF_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
KSF_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number

KSF_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
KSF_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
KSF_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Number
KSF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
KSF_PRECAUTIONAPPLIED	Y	VARCHAR2(1)	nvarchar(1)	
KSF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
KSF_RESPONSIBILITY	Y	VARCHAR2(8)	nvarchar(8)	
KSF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKSPACEEMPLOYEES

WORKSPACES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WKE_WORKSPACE_NUMBER	N	VARCHAR2(30)	nvarchar(30)	The primary key of a work space.
WKE_PERSON	N	VARCHAR2(15)	nvarchar(15)	An employee using the work space.
WKE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WKE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKSPACEMOVECHILDREN

WORKSPACES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WMC_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the record.
WMC_WORKSPACEMOVE	N	VARCHAR2(30)	nvarchar(30)	The work space move the children belong to.
WMC_RENTITY	N	VARCHAR2(4)	nvarchar(4)	The entity of the child.
WMC_CODE	N	VARCHAR2(30)	nvarchar(30)	The code of the child.
WMC_ORG	Y	VARCHAR2(30)	nvarchar(30)	The organization of the child.
WMC_QTY	Y	NUMBER(24,6)	numeric(24,6)	The number of children.
WMC_EPAPK	Y	VARCHAR2(30)	nvarchar(30)	The pointer to an associated parts record.
WMC_SELECT	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate this child should be part of the actual move.
WMC_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WMC_METER	Y	VARCHAR2(20)	nvarchar(20)	
WMC_METER_UOM	Y	VARCHAR2(30)	nvarchar(30)	
WMC_INITIAL_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	
WMC_FINAL_MILEAGE	Y	NUMBER(24,6)	numeric(24,6)	
WMC_MOVESTARTTIME	Y	DATE	datetime	
WMC_MOVEENDTIME	Y	DATE	datetime	
WMC_INITIAL_FUELLEVEL	Y	VARCHAR2(8)	nvarchar(8)	
WMC_FINAL_FUELLEVEL	Y	VARCHAR2(8)	nvarchar(8)	
WMC_SINGLEMOVESTATUS	Y	VARCHAR2(8)	nvarchar(8)	
WMC_SINGLEMOVESTATUS	Y	VARCHAR2(8)	nvarchar(8)	
WMC_ASSIGNTO	Y	VARCHAR2(15)	nvarchar(15)	
WMC_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WMC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKSPACEMOVES

WORKSPACES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WKM_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the work space move.
WKM_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the work space move.
WKM_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the work space move.
WKM_STATUS	N	VARCHAR2(4)	nvarchar(4)	The user status of the work space move.
WKM_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	The system status of the work space move.
WKM_FROM_WORKSPACEPK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the from work space.
WKM_TO_WORKSPACEPK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the to work space.
WKM_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order associated to the work space move.
WKM_ACT	Y	NUMBER(8,0)	numeric(8,0)	The activity associated to the work space move.
WKM_NOTES	Y	VARCHAR2(1000)	nvarchar(1000)	The notes belonging to the work space move.
WKM_FROM_CAMPUS	Y	VARCHAR2(30)	nvarchar(30)	The campus the work space is moving from.

WKM_FROM_CAMPUS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the campus the work space is moving from.
WKM_FROM_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	The building the work space is moving from.
WKM_FROM_BUILDING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the building the work space is moving from.
WKM_FROM_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	The floor the work space is moving from.
WKM_FROM_FLOOR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the floor the work space is moving from.
WKM_FROM_ROOM	Y	VARCHAR2(30)	nvarchar(30)	The room the work space is moving from.
WKM_FROM_ROOM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the room the work space is moving from.
WKM_TO_CAMPUS	Y	VARCHAR2(30)	nvarchar(30)	The campus the work space is moving to.
WKM_TO_CAMPUS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the campus the work space is moving to.
WKM_TO_BUILDING	Y	VARCHAR2(30)	nvarchar(30)	The building the work space is moving to.
WKM_TO_BUILDING_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the building the work space is moving to.
WKM_TO_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	The floor the work space is moving to.
WKM_TO_FLOOR_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the floor the work space is moving to.
WKM_TO_ROOM	Y	VARCHAR2(30)	nvarchar(30)	The room the work space is moving to.
WKM_TO_ROOM_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the room the work space is moving to.
WKM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WKM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKM_UDFDATE01	Y	DATE	datetime	T.B.D. 1132
WKM_UDFDATE02	Y	DATE	datetime	User defined field of type Checkbox
WKM_UDFDATE03	Y	DATE	datetime	User defined field of type Checkbox

WKM_UDFDATE04	Y	DATE	datetime	User defined field of type Checkbox
WKM_UDFDATE05	Y	DATE	datetime	User defined field of type Checkbox
WKM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKM_EQUIPMENTMOVE	Y	VARCHAR2(1)	nvarchar(1)	
WKM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WKM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WORKSPACES

WORKSPACES

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WKS_PK	N	VARCHAR2(30)	nvarchar(30)	The primary key of the work space.
WKS_CODE	N	VARCHAR2(30)	nvarchar(30)	The code of the work space.
WKS_DESC	N	VARCHAR2(80)	nvarchar(80)	The description of the work space.
WKS_ORG	N	VARCHAR2(15)	nvarchar(15)	The organization of the work space.
WKS_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department of the work space.
WKS_STATUS	Y	VARCHAR2(4)	nvarchar(4)	The user status of the work space.
WKS_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	The system status of the work space.
WKS_TYPE	Y	VARCHAR2(4)	nvarchar(4)	The user type of the work space.
WKS_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	The system type of the work space.
WKS_CLASS	Y	VARCHAR2(8)	nvarchar(8)	The class of the work space.
WKS_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the class of the work space.
WKS_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	The location of the work space.
WKS_FLOOR	Y	VARCHAR2(30)	nvarchar(30)	The floor of the work space.
WKS_SEATINGDESIGNATION	Y	VARCHAR2(30)	nvarchar(30)	The seating designation of the work space.
WKS_FLOORAREA	Y	NUMBER(24,6)	numeric(24,6)	The floor area of the work space.
WKS_FLOORAREAUOM	Y	VARCHAR2(30)	nvarchar(30)	The floor area unit of measure of the work space.
WKS_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the work space is out of service.
WKS_MULTIPLEEMPLOYEES	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the work space houses multiple employees.
WKS_PERSON	Y	VARCHAR2(15)	nvarchar(15)	The employee of the work space.
WKS_OBJPARENT	Y	VARCHAR2(30)	nvarchar(30)	The equipment parent of the work space.
WKS_OBJPARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment parent of the work space.
WKS_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char

WKS_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
WKS_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKS_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKS_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKS_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKS_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
WKS_UDFDATE01	Y	DATE	datetime	User defined field of type Date
WKS_UDFDATE02	Y	DATE	datetime	User defined field of type Date
WKS_UDFDATE03	Y	DATE	datetime	User defined field of type Date
WKS_UDFDATE04	Y	DATE	datetime	User defined field of type Date
WKS_UDFDATE05	Y	DATE	datetime	User defined field of type Date
WKS_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKS_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKS_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKS_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKS_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
WKS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WKS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WKS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WPPERSONS

WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WPP_PACKAGE	N	VARCHAR2(24)	nvarchar(24)	work package code
WPP_PERSON	N	VARCHAR2(15)	nvarchar(15)	personnel code of employee to be scheduled for work package
WPP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WPP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WPP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WRCALA

CALIBRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WRC_SESSION	Y	VARCHAR2(30)	nvarchar(30)	The session number.
WRC_MRC	Y	VARCHAR2(15)	nvarchar(15)	The department.
WRC_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	The equipment.
WRC_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	The organization of the equipment.
WRC_RECNO	Y	NUMBER(4,0)	numeric(4,0)	The record number.
WRC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	The work order.
WRC_DONE	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether calculations are done.
WRC_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSDUP

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WDU_CODE	N	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.
WDU_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
WDU_TIME	Y	DATE	datetime	Time the first transaction is processed.
WDU_TYPE	Y	VARCHAR2(32)	nvarchar(32)	Type of transaction

WDU_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
WDU_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WDU_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSDUP1 INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WD1_CODE	N	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.
WD1_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
WD1_TIME	Y	DATE	datetime	Time the first transaction is processed.
WD1_TYPE	Y	VARCHAR2(32)	nvarchar(32)	Type of transaction
WD1_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WD1_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WD1_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSDUP2 INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WD2_CODE	N	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.
WD2_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
WD2_TIME	Y	DATE	datetime	Time the first transaction is processed.
WD2_TYPE	Y	VARCHAR2(32)	nvarchar(32)	Type of transaction
WD2_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WD2_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WD2_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSEVENTBUFFER INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WEF_CODE	N	VARCHAR2(60)	nvarchar(60)	Base event sequence number
WEF_EVENT	Y	VARCHAR2(32)	nvarchar(32)	Base event name
WEF_DATE	Y	DATE	datetime	The time the event is created
WEF_USER	Y	VARCHAR2(255)	nvarchar(255)	The Extended user that generated the event.
WEF_PROCESSOR	Y	VARCHAR2(80)	nvarchar(80)	The event processing component pointer
WEF_PARAM1	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 1
WEF_PARAM2	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 2
WEF_PARAM3	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 3
WEF_PARAM4	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 4
WEF_PARAM5	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 5
WEF_PARAM6	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 6
WEF_PARAM7	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 7
WEF_PARAM8	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 8
WEF_PARAM9	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 9
WEF_PARAM10	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 10
WEF_PARAM11	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 11
WEF_PARAM12	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 12
WEF_PARAM13	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 13
WEF_PARAM14	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 14
WEF_PARAM15	Y	VARCHAR2(120)	nvarchar(120)	Event parameter 15
WEF_STATUS	Y	VARCHAR2(512)	nvarchar(512)	Processing status message
WEF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
WEF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WEF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSEVENTS INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSE_CODE	N	VARCHAR2(32)	nvarchar(32)	Event ID

WSE_DESC	Y	VARCHAR2(80)	nvarchar(80)	Event description
WSE_BASE_EVENT	Y	VARCHAR2(32)	nvarchar(32)	The base event from which the event is derived.
WSE_FILTER_PROCESSOR	Y	VARCHAR2(40)	nvarchar(40)	The processor that filters this event.
WSE_MSG_TEMPLATE	Y	CLOB	ntext	The event message template to generate the event message from the base event.
WSE_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	The standard record update count.
WSE_MEKEY	Y	VARCHAR2(10)	nvarchar(10)	String with list of availability flags for each edition
WSE_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSE_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMESSAGELINES	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WML_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	
WML_LINE	N	NUMBER(8,0)	numeric(8,0)	
WML_CONTENT	Y	VARCHAR2(2000)	nvarchar(2000)	
WML_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WML_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WML_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMESSAGELINES_ARCHIVE	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWL_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	
AWL_LINE	N	NUMBER(8,0)	numeric(8,0)	
AWL_CONTENT	Y	VARCHAR2(2000)	nvarchar(2000)	
AWL_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWL_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWL_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMESSAGES	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSM_MSGIND	N	VARCHAR2(60)	nvarchar(60)	Message index ID
WSM_TEXT	Y	CLOB	ntext	Message text
WSM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WSM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSM_S3FILENAME	Y	VARCHAR2(256)	nvarchar(256)	
WSM_OFFSETSTART	Y	NUMBER(8,0)	numeric(8,0)	
WSM_OFFSETEND	Y	NUMBER(8,0)	numeric(8,0)	
WSM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMESSAGESTATUS	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSS_CODE	N	VARCHAR2(60)	nvarchar(60)	Key for a message status record
WSS_DESC	Y	VARCHAR2(80)	nvarchar(80)	Message description
WSS_TYPE	Y	VARCHAR2(4)	nvarchar(4)	Message processing type
WSS_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	Message processing system type
WSS_CONTEXTID	Y	VARCHAR2(256)	nvarchar(256)	The context identification
WSS_CORRELATIONID	Y	VARCHAR2(256)	nvarchar(256)	Correlation ID
WSS_PARTNER	Y	VARCHAR2(128)	nvarchar(128)	Partner code
WSS_REQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing status
WSS_REQ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing system status
WSS_REQ_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Processing status message
WSS_RSP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivery status
WSS_RSP_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivery system status
WSS_RSP_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Delivery status message
WSS_DOCUMENT	Y	VARCHAR2(128)	nvarchar(128)	Document name carried in the request message

WSS_RSP_DOCUMENT	Y	VARCHAR2(128)	nvarchar(128)	Response document name
WSS_TIME	Y	DATE	datetime	Message time
WSS_REQ_TIME	Y	DATE	datetime	Processing time
WSS_RSP_TIME	Y	DATE	datetime	Delivery time
WSS_RETRY	Y	VARCHAR2(1)	nvarchar(1)	+ or "-"
WSS_RETRY_COUNT	Y	NUMBER(4,0)	numeric(4,0)	Remaining retry count
WSS_RETRY_TIME	Y	DATE	datetime	Retry time
WSS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization associated with the message
WSS_REQ_MSGIND	Y	VARCHAR2(60)	nvarchar(60)	Index to the request message record
WSS_RSP_MSGIND	Y	VARCHAR2(60)	nvarchar(60)	Index to the response message
WSS_REDELIVER_COUNT	Y	NUMBER(4,0)	numeric(4,0)	Remaining redelivery count
WSS_REDELIVER_TIME	Y	DATE	datetime	Next re-deliver time
WSS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	umber of times this record has been updated.
WSS_CONFIRMBOBOD_STATUSCODE	Y	VARCHAR2(2)	nvarchar(2)	Status code
WSS_CONFIRMBOBOD_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Message
WSS_RETRYSUSPEND	Y	VARCHAR2(1)	nvarchar(1)	Retry or suspend flag
WSS_RETRYQUEUEUTIME	Y	DATE	datetime	
WSS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSS_S3ARCHIVED	Y	VARCHAR2(1)	nvarchar(1)	
WSS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMESSAGESTATUS_ARCHIVE	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server dataty	Column description
AWS_CODE	N	VARCHAR2(60)	nvarchar(60)	Key for a message status record
AWS_DESC	Y	VARCHAR2(80)	nvarchar(80)	Message description
AWS_TYPE	Y	VARCHAR2(4)	nvarchar(4)	Message processing type
AWS_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	Message processing system type
AWS_CONTEXTID	Y	VARCHAR2(256)	nvarchar(256)	The context identification
AWS_CORRELATIONID	Y	VARCHAR2(256)	nvarchar(256)	Correlation ID
AWS_PARTNER	Y	VARCHAR2(128)	nvarchar(128)	Partner code
AWS_REQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing status
AWS_REQ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing system status
AWS_REQ_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Processing status message
AWS_RSP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivery status
AWS_RSP_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivery system status
AWS_RSP_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Delivery status message
AWS_DOCUMENT	Y	VARCHAR2(128)	nvarchar(128)	Document name carried in the request message
AWS_RSP_DOCUMENT	Y	VARCHAR2(128)	nvarchar(128)	Response document name
AWS_TIME	Y	DATE	datetime	Message time
AWS_REQ_TIME	Y	DATE	datetime	Processing time
AWS_RSP_TIME	Y	DATE	datetime	Delivery time
AWS_ORG	Y	VARCHAR2(15)	nvarchar(15)	Organization associated with the message
AWS_REQ_MSGIND	Y	VARCHAR2(60)	nvarchar(60)	Index to the request message record
AWS_RSP_MSGIND	Y	VARCHAR2(60)	nvarchar(60)	Index to the response message
AWS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Standard update count.
AWS_CONFIRMBOBOD_STATUSCODE	Y	VARCHAR2(2)	nvarchar(2)	Status code
AWS_CONFIRMBOBOD_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Message
AWS_RETRYSUSPEND	Y	VARCHAR2(1)	nvarchar(1)	Retry or suspend flag
AWS_RETRYQUEUEUTIME	Y	DATE	datetime	
AWS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWS_S3ARCHIVED	Y	VARCHAR2(1)	nvarchar(1)	
AWS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMESSAGES_ARCHIVE INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWM_MSGIND	N	VARCHAR2(60)	nvarchar(60)	Message index ID
AWM_TEXT	Y	CLOB	ntext	Message text
AWM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWM_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWM_S3FILENAME	Y	VARCHAR2(256)	nvarchar(256)	
AWM_OFFSETSTART	Y	NUMBER(8,0)	numeric(8,0)	
AWM_OFFSETEND	Y	NUMBER(8,0)	numeric(8,0)	
AWM_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSMSGPARTS

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSP_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	Message ID
WSP_PART	N	VARCHAR2(60)	nvarchar(60)	Message part ID
WSP_MSG_TEXT	Y	CLOB	ntext	Message part text
WSP_TIME	Y	DATE	datetime	Time the message is processed
WSP_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing status
WSP_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing system status
WSP_STATUS_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Processing error message
WSP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WSP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSPNOTALLOWED

BASE

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WPA_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	The screen this record applies to.
WPA_TAB	Y	VARCHAR2(6)	nvarchar(6)	The tab of the screen.
WPA_ACTION	Y	VARCHAR2(10)	nvarchar(10)	The action not allowed (ADD,DELETE,GET,SYNC).
WPA_ALLTABS	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether this record applies to all tabs of the defined screen.
WPA_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WPA_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSPRETURNPROMPTS

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WPR_WSPCODE	N	VARCHAR2(6)	nvarchar(6)	TBD
WPR_SOURCESEQ	N	NUMBER(8,0)	numeric(8,0)	TBD
WPR_TARGETSEQ	N	NUMBER(8,0)	numeric(8,0)	TBD
WPR_QUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	Code of query used
WPR_UPDATED	Y	DATE	datetime	Update timestamp
WPR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
WPR_MOBILEQUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	Mobile Sql Query Code
WPR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WPR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSPROMPTFIELDS

INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSF_WSPMTCODE	N	VARCHAR2(6)	nvarchar(6)	WS prompt code
WSF_PROCESSGROUP	Y	NUMBER(3,0)	numeric(3,0)	Process group
WSF_LINE	N	NUMBER(8,0)	numeric(8,0)	Sequence number
WSF_FIELD	Y	VARCHAR2(60)	nvarchar(60)	Field id
WSF_FIELDLABEL	Y	VARCHAR2(255)	nvarchar(255)	Field label
WSF_NEXTLINE	Y	NUMBER(8,0)	numeric(8,0)	Next sequence
WSF_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	System type
WSF_TYPE	Y	VARCHAR2(4)	nvarchar(4)	Field type

WSF_MAXLENGTH	Y	NUMBER(8,0)	numeric(8,0)	Maximum length
WSF_MINLENGTH	Y	NUMBER(8,0)	numeric(8,0)	Minimum length
WSF_DUPPREVVALUE	Y	VARCHAR2(1)	nvarchar(1)	Duplicate previous value
WSF_BRANCHCOND	Y	VARCHAR2(20)	nvarchar(20)	Branch condition
WSF_BRANCHPATTERN	Y	VARCHAR2(60)	nvarchar(60)	Branch pattern
WSF_BRANCHGOTO	Y	NUMBER(8,0)	numeric(8,0)	Branch goto
WSF_RETRIEVEFROMGROUP	Y	NUMBER(3,0)	numeric(3,0)	Retrieve from group
WSF_RETRIEVEFIELD	Y	VARCHAR2(50)	nvarchar(50)	Retrieve field id
WSF_DESTWEBSERVICE	Y	VARCHAR2(200)	nvarchar(200)	Query web service
WSF_RETRIEVEXPath	Y	VARCHAR2(200)	nvarchar(200)	Retrieve xpath
WSF_DESTXPath	Y	VARCHAR2(200)	nvarchar(200)	Query xpath
WSF_FIELDXPath	Y	VARCHAR2(200)	nvarchar(200)	Field xpath
WSF_FIXEDDATA	Y	VARCHAR2(80)	nvarchar(80)	Fixed data value
WSF_COMPUTEDDATA	Y	VARCHAR2(1000)	nvarchar(1000)	Computed data
WSF_PATTERN	Y	VARCHAR2(60)	nvarchar(60)	pattern
WSF_SQLQUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	Query code for lookup
WSF_DISPLAYTYPE	Y	VARCHAR2(1)	nvarchar(1)	Display type
WSF_UNMAPPED	Y	VARCHAR2(1)	nvarchar(1)	Unmapped flag
WSF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
WSF_UPDATED	Y	DATE	datetime	Update timestamp
WSF_MOBILEQUERYCODE	Y	VARCHAR2(8)	nvarchar(8)	Code of query used by mobile
WSF_ISCONTROLOG	Y	VARCHAR2(1)	nvarchar(1)	TBD
WSF_ISCLASS	Y	VARCHAR2(1)	nvarchar(1)	a flag to indicate if the field is class field
WSF_ISCLASSORG	Y	VARCHAR2(1)	nvarchar(1)	a flag to indicate if the field is class org field
WSF_ISCATEGORY	Y	VARCHAR2(1)	nvarchar(1)	a flag to indicate if the field is category field
WSF_SYSTEMFIELDTYPE	Y	VARCHAR2(1)	nvarchar(1)	system field type.
WSF_CUSTOMFIELDID	Y	VARCHAR2(40)	nvarchar(40)	Field for holding the Id of custom field.
WSF_CLEARPREVVALUES	Y	VARCHAR2(1)	nvarchar(1)	Clear previous values flag
WSF_TAGNAME	Y	VARCHAR2(60)	nvarchar(60)	an alias that identifies a field in a grid
WSF_PRIMARYKEY	Y	VARCHAR2(1)	nvarchar(1)	Primary key field flag
WSF_PRECISION	Y	NUMBER(2,0)	numeric(2,0)	Total length of the number field
WSF_SCALE	Y	NUMBER(1,0)	numeric(1,0)	Number of decimal of the number field
WSF_UPPERCASE	Y	VARCHAR2(1)	nvarchar(1)	Upper case flag of the field value
WSF_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSF_RESPONSEXPath	Y	VARCHAR2(200)	nvarchar(200)	
WSF_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSPROMPTS		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WST_CODE	N	VARCHAR2(6)	nvarchar(6)	PK column
WST_DESC	Y	VARCHAR2(80)	nvarchar(80)	Description
WST_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	Flag indicating record is not used
WST_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	Number of times this record has been updated
WST_UPDATED	Y	DATE	datetime	Update timestamp
WST_FUNCTION	Y	VARCHAR2(6)	nvarchar(6)	function name
WST_TAB	Y	VARCHAR2(6)	nvarchar(6)	tablename
WST_SYSTEM	Y	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the web service prompt is created by the system.
WST_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WST_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSREQHIST		INTEGRATION		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSQ_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	Message ID
WSQ_PROCESS	N	VARCHAR2(30)	nvarchar(30)	Process run ID

WSQ_TIME	Y	DATE	datetime	Time the message is processed
WSQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing status
WSQ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing system status
WSQ_STATUS_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Processing error message
WSQ_DATAAREA	Y	NUMBER(8,0)	numeric(8,0)	Data Area - This field shows a data area or sub data area from a block within an XML message
WSQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WSQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSREQHIST_ARCHIVE INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWQ_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	Message ID
AWQ_PROCESS	N	VARCHAR2(30)	nvarchar(30)	Process run ID
AWQ_TIME	Y	DATE	datetime	Time the message is processed
AWQ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing status
AWQ_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Processing system status
AWQ_STATUS_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Processing error message
AWQ_DATAAREA	Y	NUMBER(8,0)	numeric(8,0)	Data area sequence.
AWQ_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWQ_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWQ_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSREQUIREDFIELDS INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
PWR_PAGENAME	Y	VARCHAR2(6)	nvarchar(6)	page name
PWR_TABNAME	Y	VARCHAR2(3)	nvarchar(3)	tab name
PWR_WEBSERVICE	Y	VARCHAR2(200)	nvarchar(200)	web service name
PWR_REQFIELDS	Y	VARCHAR2(1000)	nvarchar(1000)	required field list
PWR_KEYFIELDS	Y	VARCHAR2(200)	nvarchar(200)	key field list
PWR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
PWR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSRSPHIST INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
WSR_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	Message ID
WSR_PROCESS	N	VARCHAR2(30)	nvarchar(30)	Process run ID
WSR_TIME	Y	DATE	datetime	Time the message is processed
WSR_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivering status
WSR_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivering system status
WSR_STATUS_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Delivering error message
WSR_DATAAREA	Y	NUMBER(8,0)	numeric(8,0)	Data Area - This field shows a data area or sub data area from a block within an XML message
WSR_ADDRESS	Y	VARCHAR2(1000)	nvarchar(1000)	Delivery address - This field shows the actual URL or other destination specification when the message is delivered
WSR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
WSR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
WSR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5WSRSPHIST_ARCHIVE INTEGRATION

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
AWR_MESSAGE	N	VARCHAR2(60)	nvarchar(60)	Message ID
AWR_PROCESS	N	VARCHAR2(30)	nvarchar(30)	Process run ID
AWR_TIME	Y	DATE	datetime	Time the message is processed
AWR_STATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivering status
AWR_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	Delivering system status
AWR_STATUS_MESSAGE	Y	VARCHAR2(1000)	nvarchar(1000)	Delivering error message

AWR_DATAAREA	Y	NUMBER(8,0)	numeric(8,0)	Data area sequence
AWR_ADDRESS	Y	VARCHAR2(1000)	nvarchar(1000)	Actual delivery address
AWR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
AWR_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
AWR_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5XMLTRANSTATUS	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
XTS_SEQNUM	N	NUMBER	int	databridge transaction sequence number
XTS_CREATE	Y	DATE	datetime	date that transaction was initiated.
XTS_TRANTYPE	Y	VARCHAR2(16)	nvarchar(16)	databridge transaction type
XTS_TABLE	Y	VARCHAR2(32)	nvarchar(32)	main table involved in transaction
XTS_KEYFLD1	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTS_KEYFLD2	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTS_KEYFLD3	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTS_KEYFLD4	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTS_KEYFLD5	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTS_KEYFLDDATE1	Y	DATE	datetime	key field data needed by databridge to locate the transaction details
XTS_KEYFLDDATE2	Y	DATE	datetime	key field data needed by databridge to locate the transaction details
XTS_DATAFLD1	Y	VARCHAR2(80)	nvarchar(80)	data needed by databridge driver to complete the transaction
XTS_DATAFLD2	Y	VARCHAR2(80)	nvarchar(80)	data needed by databridge driver to complete the transaction
XTS_DATAFLD3	Y	VARCHAR2(80)	nvarchar(80)	data needed by databridge driver to complete the transaction
XTS_MESSAGE	Y	VARCHAR2(500)	nvarchar(500)	message generated while processing databridge transactions
XTS_RETRY	Y	NUMBER	int	databridge number of retries for transaction.
XTS_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
XTS_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
XTS_ORIG_MESSAGEID	Y	VARCHAR2(60)	nvarchar(60)	Message ID for the Originating message that causes the event.
XTS_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
XTS_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5XMLTRANSTATUSHIST	INTEGRATION			
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
XTH_SEQNUM	N	NUMBER	int	databridge transaction sequence number
XTH_CREATE	Y	DATE	datetime	date that transaction was initiated.
XTH_TRANTYPE	Y	VARCHAR2(16)	nvarchar(16)	databridge transaction type
XTH_TABLE	Y	VARCHAR2(32)	nvarchar(32)	main table involved in transaction
XTH_KEYFLD1	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTH_KEYFLD2	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTH_KEYFLD3	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTH_KEYFLD4	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTH_KEYFLD5	Y	VARCHAR2(80)	nvarchar(80)	key field data needed by databridge to locate the transaction details
XTH_KEYFLDDATE1	Y	DATE	datetime	key field data needed by databridge to locate the transaction details
XTH_KEYFLDDATE2	Y	DATE	datetime	key field data needed by databridge to locate the transaction details
XTH_DATAFLD1	Y	VARCHAR2(80)	nvarchar(80)	data needed by databridge driver to complete the transaction
XTH_DATAFLD2	Y	VARCHAR2(80)	nvarchar(80)	data needed by databridge driver to complete the transaction
XTH_DATAFLD3	Y	VARCHAR2(80)	nvarchar(80)	data needed by databridge driver to complete the transaction
XTH_MESSAGE	Y	VARCHAR2(500)	nvarchar(500)	message generated while processing databridge transactions
XTH_ARCHIVE	Y	DATE	datetime	date that transaction was completed and moved from the outbound queue to the queue history.
XTH_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
XTH_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization code
XTH_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
XTH_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5YEARLYINFLATIONPERCENT WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
YIP_YEAR	N	NUMBER(4,0)	numeric(4,0)	
YIP_COUNTRY	N	VARCHAR2(8)	nvarchar(8)	
YIP_CURRENCY	N	VARCHAR2(3)	nvarchar(3)	
YIP_INFLATIONPERCENTAGE	Y	NUMBER(8,3)	numeric(8,3)	
YIP_COSTINDEX1	Y	NUMBER(24,6)	numeric(24,6)	
YIP_COSTINDEX2	Y	NUMBER(24,6)	numeric(24,6)	
YIP_COSTINDEX3	Y	NUMBER(24,6)	numeric(24,6)	
YIP_COSTINDEX4	Y	NUMBER(24,6)	numeric(24,6)	
YIP_COSTINDEX5	Y	NUMBER(24,6)	numeric(24,6)	
YIP_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	User defined field of type Char
YIP_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
YIP_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
YIP_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
YIP_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
YIP_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	User defined field of type Number
YIP_UDFDATE01	Y	DATE	datetime2	User defined field of type Date
YIP_UDFDATE02	Y	DATE	datetime2	User defined field of type Date
YIP_UDFDATE03	Y	DATE	datetime2	User defined field of type Date
YIP_UDFDATE04	Y	DATE	datetime2	User defined field of type Date
YIP_UDFDATE05	Y	DATE	datetime2	User defined field of type Date
YIP_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
YIP_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
YIP_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
YIP_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox

YIP_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	User defined field of type Checkbox
YIP_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
YIP_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
YIP_SQLIDENTITY	Y		int identity	Identity column for SQL Server

R5YEARS		BUDGETS		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
ACY_CAL	Y	VARCHAR2(2)	nvarchar(2)	calendar code.
ACY_DESC	N	VARCHAR2(80)	nvarchar(80)	budget term description.
ACY_END	N	DATE	datetime	end date of budget term.
ACY_START	N	DATE	datetime	start date of budget term.
ACY_YEAR	N	VARCHAR2(8)	nvarchar(8)	budget term code.
ACY_ORG	N	VARCHAR2(15)	nvarchar(15)	calendar organization
ACY_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	number of times this record has been updated
ACY_LASTSAVED	Y	DATE	datetime2	Timestamp of last update
ACY_SQLIDENTITY	Y		int identity	Identity column for SQL Server

TICKETS		BASE		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
TICKET_ID	Y	VARCHAR2(64)	nvarchar(64)	dummy column for ticket id in portal database
EXPIRES	Y	DATE	datetime	dummy column expiration date of ticket
PARM1	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE1	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM2	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE2	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM3	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE3	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM4	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE4	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM5	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE5	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM6	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE6	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM7	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE7	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM8	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE8	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM9	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE9	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database
PARM10	Y	VARCHAR2(32)	nvarchar(32)	dummy column for parameter in portal database
VALUE10	Y	VARCHAR2(256)	nvarchar(256)	dummy column for parameter value in portal database

TP_WOGEN_DPM_ASSETSTRUCTURE		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBJECTCODE	Y	VARCHAR2(30)		Equipment Code
OBJECTORG	Y	VARCHAR2(15)		Equipment Organization

TP_WOGEN_DPM_LOCATIONSTRUCTURE		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description
OBJECTCODE	Y	VARCHAR2(30)		Equipment Code
OBJECTORG	Y	VARCHAR2(15)		Equipment Organization

TP_WOGEN_FV_ASSETSTRUCTURE		WORK		
Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

OBJECTCODE	Y	VARCHAR2(30)	Equipment Code
OBJECTORG	Y	VARCHAR2(15)	Equipment Organization

TP_WOGEN_FV_LOCATIONSTRUCTURE WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

OBJECTCODE	Y	VARCHAR2(30)		Equipment Code

OBJECTORG	Y	VARCHAR2(15)		Equipment Organization

TP_WOGEN_OT_ASSETSTRUCTURE WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

OBJECTCODE	Y	VARCHAR2(30)		Equipment Code

OBJECTORG	Y	VARCHAR2(15)		Equipment Organization

TP_WOGEN_OT_LOCATIONSTRUCTURE WORK

Column name	Nullable	Oracle datatype	SQL Server datatype	Column description

OBJECTCODE	Y	VARCHAR2(30)		Equipment Code

OBJECTORG	Y	VARCHAR2(15)		Equipment Organization

Chapter 4 Primary key definitions

COR_INBOX_ENTRY		COR_INBOX_ENTRY_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_INBOX_HEADERS		COR_INBOX_HEADERS_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_OUTBOX_ENTRY		COR_OUTBOX_ENTRY_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_OUTBOX_HEADERS		COR_OUTBOX_HEADERS_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_PROPERTY		COR_PROPERTY_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
ESB_INBOUND_DUPLICATE		ESB_INBOUND_DUPLICATE_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_MESSAGE_ID	1	VARCHAR2(250)	nvarchar(250) T.B.D.
ESB_PREVIOUS_VERSION_MEDIATION		ESB_PRE_VER_MEDIATION_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint T.B.D.
ESB_VARIATION_ID_MEDIATION		ESB_VAR_ID_MEDIATION_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint T.B.D.
R5ACCOUNTDETAIL		R5PRIK_ACD	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACD_CODE	1	NUMBER	int account details code. unique sequential number.
ACD_ACCOUNTED	2	VARCHAR2(2)	nvarchar(2) To indicate whether row is DR or CR.
R5ACDPARAMS		R5PRIK_ADP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ADP_SEGMENT	1	VARCHAR2(30)	nvarchar(30) account detail segment column name.
R5ACTCHECKLISTS		R5PRIK_ACK	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACK_CODE	1	VARCHAR2(30)	nvarchar(30) T.B.D.
R5ACTCLASSES		R5PRIK_ACL	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACL_CLASS	1	VARCHAR2(8)	nvarchar(8) class code
ACL_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15) organization code
ACL_ACTION	3	VARCHAR2(8)	nvarchar(8) action code
R5ACTIONCODES		R5PRIK_ACC	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACC_CODE	1	VARCHAR2(8)	nvarchar(8) action code
R5ACTIVEQUEUELIST		R5PRIK_AQT	
Column name	Position	Oracle datatype	SQL Server datat Column description
AQT_CODE	1	VARCHAR2(60)	nvarchar(60) List code
R5ACTIVITIES		R5PRIK_ACT	

Column name	Position	Oracle datatype	SQL Server datat	Column description
ACT_EVENT	1	VARCHAR2(30)	nvarchar(30)	event code
ACT_ACT	2	NUMBER(8,0)	numeric(8,0)	activity sequence number
R5ACTQUALIFICATIONS				
R5PRIK_AQU				
Column name	Position	Oracle datatype	SQL Server datat	Column description
AQU_EVENT	1	VARCHAR2(30)	nvarchar(30)	Event code
AQU_ACTIVITY	2	NUMBER(8,0)	numeric(8,0)	Activity
AQU_QUALIFICATION	3	VARCHAR2(20)	nvarchar(20)	Qualification code
AQU_SOURCE	4	VARCHAR2(1)	nvarchar(1)	Value are: Trade, Task, Ad Hoc
R5ACTSCHEDULES				
R5PRIK_ACS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ACS_CODE	1	VARCHAR2(30)	nvarchar(30)	Schedule code
R5ADDETAILS				
R5PRIK_ADD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ADD_CODE	1	VARCHAR2(255)	nvarchar(255)	unique code of entity
ADD_RENTITY	2	VARCHAR2(4)	nvarchar(4)	obj, cat, part, sup, job etc
ADD_TYPE	3	VARCHAR2(4)	nvarchar(4)	type of origin of the line (category or otherwise).
ADD_LANG	4	VARCHAR2(2)	nvarchar(2)	language
ADD_LINE	5	NUMBER(12,0)	numeric(12,0)	number of text line.
R5ADDETAILSINTERFACE				
R5PRIK_ADI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ADI_TRANSID	1	NUMBER	bigint	transaction id
R5ADDITIONALCHARGE				
R5PRIK_ADC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ADC_EVENT	1	VARCHAR2(30)	nvarchar(30)	Event code for this charge
ADC_ACT	2	NUMBER(8,0)	numeric(8,0)	Activity number for this charge
ADC_LINE	3	NUMBER	int	Line number
R5ADDPROPERTIES				
R5PRIK_APR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APR_PROPERTY	1	VARCHAR2(8)	nvarchar(8)	custom property code.
APR_RENTITY	2	VARCHAR2(4)	nvarchar(4)	entity code (system code).
APR_CLASS	3	VARCHAR2(8)	nvarchar(8)	entity classification code.
APR_CLASS_ORG	4	VARCHAR2(15)	nvarchar(15)	classification code organization
R5ADDRESS				
R5PRIK_ADR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ADR_CODE	1	VARCHAR2(50)	nvarchar(50)	code of parent data
ADR_RENTITY	2	VARCHAR2(4)	nvarchar(4)	rentity of parent data
ADR_RTYPE	3	VARCHAR2(4)	nvarchar(4)	type of address m, d or i
R5ADJUSTMENTS				
R5PRIK_ADJ				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ADJ_CODE	1	VARCHAR2(30)	nvarchar(30)	Adjustment
ADJ_ORG	2	VARCHAR2(15)	nvarchar(15)	Organization
R5AGREEMENTS				
R5PRIK_AGR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
AGR_CODE	1	VARCHAR2(30)	nvarchar(30)	agreement number. unique identification.
R5ALERTDATAOBJ				
R5PRIK_ADO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ADO_PK	1	NUMBER(38,0)	numeric(38,0)	The system generated primary key.
R5ALERTGENERATEWO				
R5PRIK_AGW				
Column name	Position	Oracle datatype	SQL Server datat	Column description

AGW_ALERT 1 VARCHAR2(30) nvarchar(30)

R5ALERTGRIDDATA R5PRIK_AGD

Column name	Position	Oracle datatype	SQL Server datat	Column description
AGD_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the grid data record.

R5ALERTGRIDPARAMS R5PRIK_AGP

Column name	Position	Oracle datatype	SQL Server datat	Column description
AGP_ALERT	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
AGP_PARAM	2	VARCHAR2(50)	nvarchar(50)	Identifies the parameter being used by the grid specified in the alert management definition.

R5ALERTIONPULSE R5PRIK_ALI

Column name	Position	Oracle datatype	SQL Server datat	Column description
ALI_ALERT	1	VARCHAR2(30)	nvarchar(30)	The alert code the ion pulse record belongs to.

R5ALERTMAIL R5PRIK_ALM

Column name	Position	Oracle datatype	SQL Server datat	Column description
ALM_ALERT	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.
ALM_TEMPLATE	2	VARCHAR2(18)	nvarchar(18)	Identifies the email content and recipient for an email alert.

R5ALERTS R5PRIK_ALT

Column name	Position	Oracle datatype	SQL Server datat	Column description
ALT_CODE	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

R5ALERTSQL R5PRIK_ALS

Column name	Position	Oracle datatype	SQL Server datat	Column description
ALS_ALERT	1	VARCHAR2(30)	nvarchar(30)	Alert Management System
ALS_RTYPE	2	VARCHAR2(4)	nvarchar(4)	Indicates whether the code is executed prior to or following alert evaluation.

R5ALERTWO R5PRIK_ALW

Column name	Position	Oracle datatype	SQL Server datat	Column description
ALW_ALERT	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

R5ALERTWOFIELDMAPPING R5PRIK_AWF

Column name	Position	Oracle datatype	SQL Server datat	Column description
AWF_ALERT	1	VARCHAR2(30)	nvarchar(30)	The alert code the work order column belongs to.
AWF_WOFIELD	2	VARCHAR2(30)	nvarchar(30)	The column which should get a value from the alert grid, when creating the alert work order.

R5ALLTEXTS R5PRIK_ATX

Column name	Position	Oracle datatype	SQL Server datat	Column description
ATX_CODE	1	VARCHAR2(30)	nvarchar(30)	text code
ATX_TEXTTYPE	2	VARCHAR2(4)	nvarchar(4)	type of text string: boilertetxs, help text, etc
ATX_LANG	3	VARCHAR2(2)	nvarchar(2)	language

R5ALTERNATESCREENFLOWS R5PRIK_ASF

Column name	Position	Oracle datatype	SQL Server datat	Column description
ASF_CODE	1	VARCHAR2(30)	nvarchar(30)	Alternate Flow Code/Auto Number

R5ALTERNATEUOMS R5PRIK_AUM

Column name	Position	Oracle datatype	SQL Server datat	Column description
AUM_CODE	1	VARCHAR2(30)	nvarchar(30)	
AUM_PARENTUOM	2	VARCHAR2(30)	nvarchar(30)	

R5APMSCENARIOCAMPAIGN R5PRIK_APC

Column name	Position	Oracle datatype	SQL Server datat	Column description
APC_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
APC_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
APC_CAMPAIGN	3	VARCHAR2(30)	nvarchar(30)	
APC_CAMPAIGN_ORG	4	VARCHAR2(15)	nvarchar(15)	

R5APMSCENARIOEQUIPMENT R5PRIK_AEQ

Column name	Position	Oracle datatype	SQL Server datat	Column description
AEQ_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
AEQ_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
AEQ_EQUIPMENT	3	VARCHAR2(30)	nvarchar(30)	
AEQ_EQUIPMENT_ORG	4	VARCHAR2(15)	nvarchar(15)	
R5APMSCENARIOPROJECTS				
		R5PRIK_API		
Column name	Position	Oracle datatype	SQL Server datat	Column description
API_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
API_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
API_PROJECT	3	VARCHAR2(20)	nvarchar(20)	
R5APMSCENARIOS				
		R5PRIK_ASR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASR_CODE	1	VARCHAR2(30)	nvarchar(30)	
ASR_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5APMSCENARIOWORKORDER				
		R5PRIK_APW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APW_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
APW_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
APW_EVENT	3	VARCHAR2(30)	nvarchar(30)	
R5APMSNONCONFORMITIES				
		R5PRIK_APN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APN_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
APN_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
APN_NONCONFORMITY	3	VARCHAR2(30)	nvarchar(30)	
R5APMSPMSCHEDULE				
		R5PRIK_ASH		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASH_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
ASH_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
ASH_PMSCHEDULE	3	VARCHAR2(20)	nvarchar(20)	
R5APPROVELISTS				
		R5PRIK_APL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APL_CODE	1	VARCHAR2(8)	nvarchar(8)	approval list code.
R5APPROVEUSERS				
		R5PRIK_APU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APU_LIST	1	VARCHAR2(8)	nvarchar(8)	approval list.
APU_USER	2	VARCHAR2(255)	nvarchar(255)	user.
R5ARCHIVERESULTS				
		R5PRIK_ARE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARE_PK	1	NUMBER(38,0)	numeric(38,0)	The unique identifier of a result record. New sequence sSarchiveresults is used to populate a value into this column.
R5ARCHIVES				
		R5PRIK_ARC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARC_CODE	1	NUMBER(38,0)	numeric(38,0)	The unique identifier of an archive. New sequence sSarchives is used to populate a value into this column.
R5ARCTRAKDATA				
		R5PRIK_ATD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ATD_TRANSORGID	1	NUMBER	bigint	transid
R5ARRANGEMENTS				
		R5PRIK_ARR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARR_CODE	1	VARCHAR2(12)	nvarchar(12)	arrangement code. must be unique.
R5ARRJOBS				
		R5PRIK_AJO		

Column name	Position	Oracle datatype	SQL Server datat	Column description
AJO_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code.
AJO_MRC	2	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
AJO_OBJTYPE	3	VARCHAR2(8)	nvarchar(8)	job type code (user code).
AJO_OBJCLASS	4	VARCHAR2(8)	nvarchar(8)	object classification code.
AJO_OBJCLASS_ORG	5	VARCHAR2(15)	nvarchar(15)	object classification code organization
R5ARRPARTS				
R5PRIK_APA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APA_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code.
APA_PARCLASS	2	VARCHAR2(8)	nvarchar(8)	part classification code.
APA_PARCLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	part classification code organization
R5ARRPRICES				
R5PRIK_ARP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARP_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code
ARP_ORG	2	VARCHAR2(15)	nvarchar(15)	organization
R5ASPECTPOINTS				
R5PRIK_APO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APO_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object code.
APO_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
APO_OBTYP	3	VARCHAR2(4)	nvarchar(4)	object type (user code)
APO_ASPECT	4	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
APO_POINT	5	VARCHAR2(30)	nvarchar(30)	inspection point number.
APO_POINTTYPE	6	VARCHAR2(30)	nvarchar(30)	inspection point type.
R5ASPECTPROMPTS				
R5PRIK_APM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APM_ASPECT	1	VARCHAR2(30)	nvarchar(30)	aspect code
APM_SEQ	2	NUMBER(2,0)	numeric(2,0)	sequence
R5ASPECTS				
R5PRIK_ASP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASP_CODE	1	VARCHAR2(30)	nvarchar(30)	code of inspection aspect.
R5ASPECTTOLERANCE				
R5PRIK_AST				
Column name	Position	Oracle datatype	SQL Server datat	Column description
AST_PK	1	VARCHAR2(30)	nvarchar(30)	Unique key of the tolerance record
R5ASPECTUOMS				
R5PRIK_ASU				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASU_ASPECT	1	VARCHAR2(30)	nvarchar(30)	The aspect of the aspect/uom combination.
ASU_UOM	2	VARCHAR2(30)	nvarchar(30)	The unit of measure of the aspect/uom combination.
R5ASSETCLASSDEFCAPACITIES				
R5PRIK_CCP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CCP_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
CCP_CAPACITYCODE	2	VARCHAR2(8)	nvarchar(8)	
CCP_EFFECTIVE	3	DATE	datetime	
R5ASSETCLASSDEFCOST				
R5PRIK_COS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
COS_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
COS_ORG	2	VARCHAR2(15)	nvarchar(15)	
COS_COSTTYPE	3	VARCHAR2(8)	nvarchar(8)	
R5ASSETCLASSDEFFAULTCOST				
R5PRIK_ACF				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ACF_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
ACF_ORG	2	VARCHAR2(15)	nvarchar(15)	

ACF_FAILUREMODECOSTTYPE	3	VARCHAR2(8)	nvarchar(8)	
R5ASSETCLASSDEFINITION				
		R5PRIK_OCD		
Column name	Position	Oracle datatype	SQL Server datat Column description	
OCD_PK	1	VARCHAR2(30)	nvarchar(30)	
R5ASSETCLASSDEFUSAGES				
		R5PRIK_ADU		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ADU_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
ADU_UOM	2	VARCHAR2(30)	nvarchar(30)	
R5ASSETINVENTORYPARAMS				
		R5PRIK_AIP		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AIP_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of the set of asset inventory parameters.
R5ASSETINVENTORYRESULTS				
		R5PRIK_AIR		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AIR_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	The session id.
AIR_OBJ	2	VARCHAR2(30)	nvarchar(30)	The asset code.
AIR_OBJ_ORG	3	VARCHAR2(15)	nvarchar(15)	The organization of the asset.
R5ATTRIBUTESETDEF				
		R5PRIK_ASD		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ASD_CODE	1	VARCHAR2(30)	nvarchar(30)	Attribute set definition code
R5AUDATTRIBS				
		R5PRIK_AAT		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AAT_CODE	1	NUMBER	int	attribute number used to fetch text
R5AUDITPK				
		R5PRIK_APK		
Column name	Position	Oracle datatype	SQL Server datat Column description	
APK_TABLE	1	VARCHAR2(30)	nvarchar(30)	name of to be audited table.
APK_SEQNO	2	NUMBER	int	sequence number.
R5AUTH				
	R	5PRIK_AUT		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AUT_GROUP	1	VARCHAR2(12)	nvarchar(12)	code of user group allowed to undertake status change.
AUT_USER	2	VARCHAR2(255)	nvarchar(255)	username of person allowed to undertake status change.
AUT_ENTITY	3	VARCHAR2(4)	nvarchar(4)	entity code (user code).
AUT_STATUS	4	VARCHAR2(4)	nvarchar(4)	code status can be changed from.
AUT_STATNEW	5	VARCHAR2(4)	nvarchar(4)	code status can be changed to.
R5AUTOWOS				
		R5PRIK_AWO		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AWO_SESSION	1	NUMBER	numeric(18,0)	
R5AVAILABILITY				
		R5PRIK_AVL		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AVL_DATE	1	DATE	datetime	date
AVL_MRC	2	VARCHAR2(15)	nvarchar(15)	mrc
AVL_TRADE	3	VARCHAR2(15)	nvarchar(15)	trade
R5BARCODELABELS				
		R5PRIK_BCL		
Column name	Position	Oracle datatype	SQL Server datat Column description	
BCL_LABEL	1	NUMBER	int	label.
BCL_SESSID	2	VARCHAR2(12)	nvarchar(12)	session identification.
BCL_ESCAPE	3	VARCHAR2(8)	nvarchar(8)	e.g. intmpb=part, bin for intermec.
BCL_COLUMN	4	VARCHAR2(25)	nvarchar(25)	column in base table, e.g. par_desc.
R5BARCODEREADERS				
		R5PRIK_BCR		
Column name	Position	Oracle datatype	SQL Server datat Column description	

BCR_CODE	1	VARCHAR2(4)	nvarchar(4)	code of bar code reader.
R5BARCODESTTK				
R5PRIK_BCK				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BCK_SERIAL	1	NUMBER	int	order in which lines are read
BCK_READER	2	VARCHAR2(4)	nvarchar(4)	bar code reader, previously pen id
BCK_STOCKTAKE	3	VARCHAR2(8)	nvarchar(8)	stock take identifier
R5BARCODETRANS				
R5PRIK_BCT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BCT_SERIAL	1	NUMBER	int	order in which lines are read
BCT_READER	2	VARCHAR2(4)	nvarchar(4)	bar code reader, previously pen id
R5BARESC				
R5PRIK_BCE				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BCE_LINE	1	NUMBER	int	sequential number identifying print order of columns on barcode label.
BCE_ESCAPE	2	VARCHAR2(8)	nvarchar(8)	defines which details are to be printed to which type of barcode printer, e.g., intmpb=part, bin for intermec
BCE_COLUMN	3	VARCHAR2(25)	nvarchar(25)	name of (base-table) column to be printed on barcode label.
R5BBNOTICES				
R5PRIK_BBN				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BBN_CODE	1	VARCHAR2(30)	nvarchar(30)	Bulletin Board Notice Code /Auto-generated code
BBN_ORG	2	VARCHAR2(15)	nvarchar(15)	Bulletin Board Notice Org
R5BILLINGADJUSTMENTS				
R5PRIK_FBA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FBA_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key.
R5BINS				
R5PRIK_BIN				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BIN_STORE	1	VARCHAR2(15)	nvarchar(15)	store code.
BIN_CODE	2	VARCHAR2(15)	nvarchar(15)	bin location code.
R5BINSTOCK				
R5PRIK_BIS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BIS_STORE	1	VARCHAR2(15)	nvarchar(15)	store code.
BIS_PART	2	VARCHAR2(30)	nvarchar(30)	part code.
BIS_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization
BIS_BIN	4	VARCHAR2(15)	nvarchar(15)	bin location code.
BIS_LOT	5	VARCHAR2(12)	nvarchar(12)	lot number.
R5BLANKETORDCLAUSES				
R5PRIK_BLC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BLC_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	blanket order number.
BLC_CLAUSE	2	VARCHAR2(8)	nvarchar(8)	clause code.
R5BLANKETORDERS				
R5PRIK_BLO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BLO_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	unique sequence number identifier
R5BLANKETORDLINES				
R5PRIK_BLL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BLL_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	blanket order number
BLL_BLANKETLINE	2	NUMBER(8,0)	numeric(8,0)	order line number
R5BLANKETORDUSERS				
R5PRIK_BLU				
Column name	Position	Oracle datatype	SQL Server datat	Column description
BLU_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	blanket order number
BLU_USER	2	VARCHAR2(255)	nvarchar(255)	user
R5BOILERTEXTS				
R5PRIK_BOT				

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BOT_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function, e.g. bmsr1 (also reports
BOT_NUMBER	2	NUMBER(4,0)	numeric(4,0)	serial no, 1=title, 2=1st field, etc
BOT_LANG	3	VARCHAR2(2)	nvarchar(2)	language code.
R5BOOKEDHOURS		R5PRIK_BOO		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BOO_CODE	1	VARCHAR2(30)	nvarchar(30)	PK column
R5BOOKEDHOURSINTERFACE		R5PRIK_BOI		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BOI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5BUDGETAMOUNTS		R5PRIK_BDA		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BDA_CODE	1	VARCHAR2(8)	nvarchar(30)	budget code.
BDA_VERSION	2	NUMBER(3,0)	numeric(3,0)	version number.
R5BUDGETDETAILS		R5PRIK_BDT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BDT_CODE	1	VARCHAR2(30)	nvarchar(30)	budget code.
R5BUDGETGROUPS		R5PRIK_BGR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BGR_CODE	1	VARCHAR2(5)	nvarchar(5)	budget group code.
R5BUDGETITEMS		R5PRIK_BIT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BIT_GROUP	1	VARCHAR2(5)	nvarchar(5)	budget group code
BIT_CODE	2	VARCHAR2(30)	nvarchar(30)	instance of the groups entity
BIT_CODE_ORG	3	VARCHAR2(15)	nvarchar(15)	budget organization
R5BUDGETS		R5PRIK_BUD		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BUD_CODE	1	VARCHAR2(17)	nvarchar(17)	budget code.
BUD_YEAR	2	VARCHAR2(8)	nvarchar(8)	budget term code.
R5BUDGETSTRUCTURE		R5PRIK_BUS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BUS_CODE	1	VARCHAR2(17)	nvarchar(17)	budget code.
R5BUILDINGLAYOUT		R5PRIK_BLY		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BLY_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of a building layout.
R5BURANKINGVALUESCLASSES		R5PRIK_BRC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BRC_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CALCEVENTS		R5PRIK_CEV		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CEV_EVENT	1	VARCHAR2(30)	nvarchar(30)	job number.
CEV_INCREMENT	2	NUMBER(4,0)	numeric(4,0)	sequential line number within job number, for incremental charges.
R5CALCEVTLINES		R5PRIK_CEL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CEL_EVENT	1	VARCHAR2(30)	nvarchar(30)	job number.
CEL_INCREMENT	2	NUMBER(4,0)	numeric(4,0)	value is + if additional (incremental) charges may be calculated for the job.
CEL_LINE	3	NUMBER(8,0)	numeric(8,0)	sequential line number within job number, for incremental charges.
R5CALENDARS		R5PRIK_CAL		

R5CALGROUPS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CAL_CODE	1	VARCHAR2(2)	nvarchar(2) calendar code.
R5CALLERS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CLG_CODE	1	VARCHAR2(8)	nvarchar(8) calibration group code
R5CAMPAIGNEVENTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CGE_CAMPAIGN	1	VARCHAR2(30)	nvarchar(30) Campaign Code
CGE_CAMPAIGN_ORG	2	VARCHAR2(15)	nvarchar(15) Campaign Code Organization
CGE_LINE	3	NUMBER(8,0)	numeric(8,0) Campaign Event
R5CAMPAIGNOBJECTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CGO_CAMPAIGN	1	VARCHAR2(30)	nvarchar(30) Campaign Code
CGO_CAMPAIGN_ORG	2	VARCHAR2(15)	nvarchar(15) Campaign Code Organization
CGO_OBJECT	3	VARCHAR2(30)	nvarchar(30) Equipment
CGO_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15) Equipment Organization
R5CAMPAIGNS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CAM_CODE	1	VARCHAR2(30)	nvarchar(30) Campaign Code
CAM_ORG	2	VARCHAR2(15)	nvarchar(15) Campaign Code Organization
R5CAPITALPLANNINGREQUESTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CPR_CODE	1	VARCHAR2(30)	nvarchar(30) Code
CPR_ORG	2	VARCHAR2(15)	nvarchar(15) Organization
R5CASEMANAGEMENT			
Column name	Position	Oracle datatype	SQL Server datat Column description
CSM_CODE	1	VARCHAR2(30)	nvarchar(30) Unique ID of case
R5CASEMANAGEMENTEVENTLOG			
Column name	Position	Oracle datatype	SQL Server datat Column description
CML_CODE	1	VARCHAR2(30)	nvarchar(30) The primary key of the log event record.
R5CASEMANAGEMENTTASKS			
Column name	Position	Oracle datatype	SQL Server datat Column description
TCM_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key of the case task
R5CASETASKS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CTA_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key of the case task
R5CATALOGREFERENCES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CRF_PART	1	VARCHAR2(30)	nvarchar(30) part code.
CRF_PART_ORG	2	VARCHAR2(15)	nvarchar(15) part organization
CRF_SUPPLIER	3	VARCHAR2(30)	nvarchar(30) supplier code
CRF_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15) supplier organization
CRF_REFERENCE	5	VARCHAR2(50)	nvarchar(50) reference
R5CATALOGUE			
Column name	Position	Oracle datatype	SQL Server datat Column description
CAT_PART	1	VARCHAR2(30)	nvarchar(30) part code.

CAT_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
CAT_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	supplier code
CAT_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	supplier organization

R5CAUSECLASSES		R5PRIK_CAC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CAC_CLASS	1	VARCHAR2(8)	nvarchar(8)	classification code.
CAC_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	classification code organization
CAC_CAUSE	3	VARCHAR2(8)	nvarchar(8)	cause code

R5CAUSES		R5PRIK_CAU		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CAU_CODE	1	VARCHAR2(8)	nvarchar(8)	cause code. unique identification.

R5CCTRCALGROUPPERIODS		R5PRIK_CGP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CGP_PERIOD	1	VARCHAR2(30)	nvarchar(30)	Period name
CGP_GROUPCODE	2	VARCHAR2(15)	nvarchar(15)	Calendar group code
CGP_GROUPORG	3	VARCHAR2(15)	nvarchar(15)	Calendar group org

R5CCTRCALGROUPS		R5PRIK_CGR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CGR_CODE	1	VARCHAR2(15)	nvarchar(15)	Calendar Group Code
CGR_ORG	2	VARCHAR2(15)	nvarchar(15)	Calendar Group Organization

R5CHANGEDCANVASES		R5PRIK_CHC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CHC_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code.
CHC_USER	2	VARCHAR2(255)	nvarchar(255)	username.
CHC_CANVAS	3	VARCHAR2(20)	nvarchar(20)	canvas name.

R5CHANGEDCOLUMNS		R5PRIK_CHO		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CHO_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code.
CHO_USER	2	VARCHAR2(255)	nvarchar(255)	username of person who changed list layout.
CHO_BLOCK	3	VARCHAR2(15)	nvarchar(15)	identification of block in list view.
CHO_ITEM	4	VARCHAR2(30)	nvarchar(30)	identification of field in list view.

R5CHANGENOTICE		R5PRIK_CNH		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CNH_CODE	1	VARCHAR2(24)	nvarchar(24)	change notice number.

R5CHANGENOTICELINES		R5PRIK_CNL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CNL_CN	1	VARCHAR2(24)	nvarchar(24)	change notice number
CNL_CNLINE	2	NUMBER(30,0)	numeric(30,0)	change notice line number

R5CHARGEDEFSEQUENCE		R5PRIK_CDS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CDS_CATEGORY	1	VARCHAR2(4)	nvarchar(4)	T.B.D.
CDS_SUBCATEGORY	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
CDS_LEVEL	3	VARCHAR2(4)	nvarchar(4)	T.B.D.
CDS_SEQUENCE	4	NUMBER(3,0)	numeric(3,0)	T.B.D.

R5CHILDWORKS		R5PRIK_CHW		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CHW_PARENTSTWO	1	VARCHAR2(20)	nvarchar(20)	parent standard wo code
CHW_CHILDSTWO	2	VARCHAR2(20)	nvarchar(20)	child standard wo code
CHW_SEQ	3	NUMBER(3,0)	numeric(3,0)	sequence
CHW_STEP	4	NUMBER(3,0)	numeric(3,0)	step

R5CLASSES		R5PRIK_CLS	
Column name	Position	Oracle datatype	SQL Server datat Column description
CLS_ENTITY	1	VARCHAR2(4)	nvarchar(4) to which entity class belongs
CLS_CODE	2	VARCHAR2(8)	nvarchar(8) code of class
CLS_ORG	3	VARCHAR2(15)	nvarchar(15) class organization
R5CLASSLINEARREFS		R5PRIK_CLR	
Column name	Position	Oracle datatype	SQL Server datat Column description
CLR_ID	1	NUMBER(38,0)	numeric(38,0) The surrogate key of this table
R5CLOSEDPERIODS		R5PRIK_CLP	
Column name	Position	Oracle datatype	SQL Server datat Column description
CLP_CLOSED	1	DATE	datetime a valid closing date for a period.
CLP_ENTERED	2	DATE	datetime date when closing date was entered.
R5CLOSINGCODEHIERARCHY		R5PRIK_CCH	
Column name	Position	Oracle datatype	SQL Server datat Column description
CCH_PARENTCLOSINGCODE	1	VARCHAR2(8)	nvarchar(8) T.B.D.
CCH_PARENTCLOSINGCODETYPE	2	VARCHAR2(4)	nvarchar(4) T.B.D.
CCH_CHILDCLOSINGCODE	3	VARCHAR2(8)	nvarchar(8) T.B.D.
CCH_CHILDCLOSINGCODETYPE	4	VARCHAR2(4)	nvarchar(4) T.B.D.
R5CMDFUELTYPES		R5PRIK_CFL	
Column name	Position	Oracle datatype	SQL Server datat Column description
CFL_PK	1	VARCHAR2(30)	nvarchar(30) Surrogate key. Value provided by a sequence.
R5CNLOCATIONS		R5PRIK_CNC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CNC_CN	1	VARCHAR2(24)	nvarchar(24) change notice.
CNC_OBJECT	2	VARCHAR2(30)	nvarchar(30) the locations.
CNC_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) location organization
R5CODESTRUCTURE		R5PRIK_CSR	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSR_CODE	1	VARCHAR2(30)	nvarchar(30) code structure code
R5CODESTRUCTURECLASSES		R5PRIK_CSL	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSL_CODE	1	VARCHAR2(30)	nvarchar(30)
CSL_RENTITY	2	VARCHAR2(4)	nvarchar(4)
CSL_CLASS	3	VARCHAR2(8)	nvarchar(8)
CSL_CLASS_ORG	4	VARCHAR2(15)	nvarchar(15)
R5COMMANDS		R5PRIK_COD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CMD_CODE	1	VARCHAR2(4)	nvarchar(4) command code.
R5COMMODITIES		R5PRIK_CMD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CMD_CODE	1	VARCHAR2(15)	nvarchar(15) commodity code
R5COMMODITYCO2EMISSION		R5PRIK_CCE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CCE_DATE	1	DATE	datetime timestamp of the record
CCE_OBJECT	2	VARCHAR2(30)	nvarchar(30) object code
CCE_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) object organization code
CCE_COMMODITY	4	VARCHAR2(15)	nvarchar(15) commodity code
CCE_TYPE	5	VARCHAR2(4)	nvarchar(4) The type of co2 emission (UtilityBill/Fuel)
R5COMPANIES		R5PRIK_COM	
Column name	Position	Oracle datatype	SQL Server datat Column description

COM_CODE	1	VARCHAR2(30)	nvarchar(30)	code of supplier.
COM_ORG	2	VARCHAR2(15)	nvarchar(15)	supplier organization

R5COMPATIBLEUNITSLABOR

R5PRIK_CLB

Column name	Position	Oracle datatype	SQL Server datat	Column description
CLB_PK	1	VARCHAR2(30)	nvarchar(30)	

R5COMPATIBLEUNITSLIBRARY

R5PRIK_CUL

Column name	Position	Oracle datatype	SQL Server datat	Column description
CUL_CODE	1	VARCHAR2(30)	nvarchar(30)	
CUL_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5COMPCOMMODITIES

R5PRIK_CCM

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCM_COMPANY	1	VARCHAR2(30)	nvarchar(30)	company/supplier code
CCM_COMPANY_ORG	2	VARCHAR2(15)	nvarchar(15)	supplier organization
CCM_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	commodity code

R5COMPCONTACTS

R5PRIK_CCO

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCO_COMPANY	1	VARCHAR2(30)	nvarchar(30)	supplier code.
CCO_COMPANY_ORG	2	VARCHAR2(15)	nvarchar(15)	supplier organization
CCO_CONTLINE	3	NUMBER(8,0)	numeric(8,0)	sequence number.

R5COMPFUELMIX

R5PRIK_CFM

Column name	Position	Oracle datatype	SQL Server datat	Column description
CFM_SUPPLIER	1	VARCHAR2(30)	nvarchar(30)	Supplier Code
CFM_SUPPLIER_ORG	2	VARCHAR2(15)	nvarchar(15)	Supplier Organization
CFM_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	Commodity Code
CFM_TYPE	4	VARCHAR2(8)	nvarchar(8)	Fuel Type
CFM_FROMDATE	5	DATE	datetime	From Date

R5CONCLAUSES

R5PRIK_CCL

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCL_CODE	1	VARCHAR2(8)	nvarchar(8)	code of clause.

R5CONDISCOUNTS

R5PRIK_CDI

Column name	Position	Oracle datatype	SQL Server datat	Column description
CDI_PK	1	NUMBER(38,0)	numeric(30,0)	pk column

R5CONDITIONS

R5PRIK_CND

Column name	Position	Oracle datatype	SQL Server datat	Column description
CND_CODE	1	VARCHAR2(4)	nvarchar(4)	inspection condition.

R5CONDSOREMATRIXSETUP

R5PRIK_CMS

Column name	Position	Oracle datatype	SQL Server datat	Column description
CMS_PK	1	NUMBER(30,0)	numeric(30,0)	The primary key of the record.

R5CONFIGSETTINGS

R5PRIK_CFS

Column name	Position	Oracle datatype	SQL Server datat	Column description
CFS_CODE	1	VARCHAR2(20)	nvarchar(20)	Configuration code for 7i Mobile settings
CFS_GROUP	2	VARCHAR2(12)	nvarchar(12)	Configuration user group for 7i Mobile settings
CFS_USER	3	VARCHAR2(255)	nvarchar(255)	Configuration user ID for 7i Mobile settings
CFS_COMPTYPE	4	VARCHAR2(20)	nvarchar(20)	Configuration type for 7i Mobile settings
CFS_CONFIG	5	NUMBER	int	Configuration flag for 7i Mobile settings
CFS_DESK	6	VARCHAR2(1)	nvarchar(1)	indicates if Mobile client is a FullVGA(desktop) version or 1/4VGA(Pocket PC) version

R5CONFT

R5PRIK_CXX

Column name	Position	Oracle datatype	SQL Server datat	Column description
CXX_CONTYPE	1	VARCHAR2(8)	nvarchar(8)	class of contract; comments of class and related clauses are copied to comments of contract.
CXX_CONTYPE_ORG	2	VARCHAR2(15)	nvarchar(15)	contract class organization

CXX_LANG	3 VARCHAR2(2)	nvarchar(2)	language: contract prompts should be specified in this language.

R5CONNLOCK			
R5PRIK_CLK			
Column name	Position	Oracle datatype	SQL Server datat Column description
CLK_OPERATIONID	1	VARCHAR2(128)	nvarchar(128) Unique client label. use OPSSYNC for Analytics

R5CONPARTS			
R5PRIK_CPA			
Column name	Position	Oracle datatype	SQL Server datat Column description
CPA_CONTRACT	1	VARCHAR2(30)	nvarchar(30) contract
CPA_PART	2	VARCHAR2(30)	nvarchar(30) part
CPA_PART_ORG	3	VARCHAR2(15)	nvarchar(15) part organization

R5CONTACTCENTEROPTIONS			
R5PRIK_COP			
Column name	Position	Oracle datatype	SQL Server datat Column description
COP_ORG	1	VARCHAR2(15)	nvarchar(15) Organization

R5CONTACTINFO			
R5PRIK_CTI			
Column name	Position	Oracle datatype	SQL Server datat Column description
CTI_CODE	1	VARCHAR2(30)	nvarchar(30) Contact Code /Auto-Generated Code/Surrogate Key

R5CONTACTINFOOBJECTS			
R5PRIK_CIO			
Column name	Position	Oracle datatype	SQL Server datat Column description
CIO_CONTACTINFO	1	VARCHAR2(30)	nvarchar(30) Contact Info Code
CIO_OBJECT	2	VARCHAR2(30)	nvarchar(30) Equipment Code
CIO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) Equipment Organization

R5CONTACTRECORDOBJECTS			
R5PRIK_CRO			
Column name	Position	Oracle datatype	SQL Server datat Column description
CRO_CTRCODE	1	VARCHAR2(30)	nvarchar(30) Contact Center Code
CRO_CTR_ORG	2	VARCHAR2(15)	nvarchar(15) Contact Center Organization
CRO_OBJECT	3	VARCHAR2(30)	nvarchar(30) Equipment code
CRO_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15) Equipment Organization

R5CONTACTRECORDS			
R5PRIK_CTR			
Column name	Position	Oracle datatype	SQL Server datat Column description
CTR_CODE	1	VARCHAR2(30)	nvarchar(30) Contact record code/Auto-generated code
CTR_ORG	2	VARCHAR2(15)	nvarchar(15) Contact record org

R5CONTRACTADJUSTMENTS			
R5PRIK_CAD			
Column name	Position	Oracle datatype	SQL Server datat Column description
CAD_PK	1	VARCHAR2(30)	nvarchar(30) Primary key field for the Contract Adjustment. Value is System generated.

R5CONTRACTCHARGEDEFS			
R5PRIK_CCD			
Column name	Position	Oracle datatype	SQL Server datat Column description
CCD_PK	1	VARCHAR2(30)	nvarchar(30) Primary key field. Value is System generated.

R5CONTRACTCLAUSES			
R5PRIK_CCS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CCS_CONTRACT	1	VARCHAR2(30)	nvarchar(30) Contract
CCS_CONTRACTREVISION	2	NUMBER(8,0)	numeric(8,0) Contract Revision
CCS_CONTRACT_ORG	3	VARCHAR2(15)	nvarchar(15) Organization
CCS_CLAUSE	4	VARCHAR2(8)	nvarchar(8) Contract Clause

R5CONTRACTCOMMODITIES			
R5PRIK_CTC			
Column name	Position	Oracle datatype	SQL Server datat Column description
CTC_CONTRACT	1	VARCHAR2(30)	nvarchar(30) Contract
CTC_CONTRACTREVISION	2	NUMBER(8,0)	numeric(8,0) Contract Revision
CTC_CONTRACT_ORG	3	VARCHAR2(15)	nvarchar(15) Commodity Org.
CTC_COMMODITY	4	VARCHAR2(15)	nvarchar(15) Commodity

R5CONTRACTDISCOUNTS	R5PRIK_CDC

R5CONTRACTITEMS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CDC_CODE	1	VARCHAR2(30)	nvarchar(30) Discount code
R5CONTRACTORSIGNOFF			
Column name	Position	Oracle datatype	SQL Server datat Column description
CIT_CODE	1	VARCHAR2(30)	nvarchar(30) Contract Item
R5CONTRACTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CON_CODE	1	VARCHAR2(30)	nvarchar(30) code of contract; system generated.
R5CONTRACTSALESPRICE			
Column name	Position	Oracle datatype	SQL Server datat Column description
CSP_PK	1	VARCHAR2(30)	nvarchar(30) Primary key field
R5CONTRACTTEMPLATES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CTP_CODE	1	VARCHAR2(30)	nvarchar(30) Contract Template
CTP_ORG	2	VARCHAR2(15)	nvarchar(15) Organization
R5CONTRACTWOCCRITERIA			
Column name	Position	Oracle datatype	SQL Server datat Column description
CWC_CONTRACT	1	VARCHAR2(30)	nvarchar(30) Contract
CWC_CONTRACTREVISION	2	NUMBER(8,0)	numeric(8,0) Contract revision
CWC_CONTRACT_ORG	3	VARCHAR2(15)	nvarchar(15) Contract Organization
CWC_MRC	4	VARCHAR2(15)	nvarchar(15) Department
CWC_JOBTYPE	5	VARCHAR2(8)	nvarchar(8) WO Type
CWC_CLASS	6	VARCHAR2(8)	nvarchar(8) T.B.D.
CWC_CLASS_ORG	7	VARCHAR2(15)	nvarchar(15) T.B.D.
R5CONTYPECLAUSES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CCY_CONTYPE	1	VARCHAR2(8)	nvarchar(8) should be in r5classes
CCY_LINE	2	NUMBER(8,0)	numeric(8,0) sequence number indicating order in which clauses are presented.
CCY_CONTYPE_ORG	3	VARCHAR2(15)	nvarchar(15) contract class organization
R5CONVUOM			
Column name	Position	Oracle datatype	SQL Server datat Column description
CNV_PART	1	VARCHAR2(30)	nvarchar(30) part code.
CNV_PART_ORG	2	VARCHAR2(15)	nvarchar(15) part organization
CNV_SUPPLIER	3	VARCHAR2(30)	nvarchar(30) supplier code.
CNV_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15) supplier organization
CNV_UOMFROM	5	VARCHAR2(30)	nvarchar(30) unit of measure to convert from.
CNV_UOMTO	6	VARCHAR2(30)	nvarchar(30) unit of measure to convert to.
R5COPYBLDTPLDEFLIST			
Column name	Position	Oracle datatype	SQL Server datat Column description
BDL_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Session ID
BDL_SEQUENCE	2	NUMBER(8,0)	numeric(8,0) Sequence Number
R5COPYBLDTPLDEFPARAMETERS			
Column name	Position	Oracle datatype	SQL Server datat Column description
BDP_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Auto Code (surrogate key)
R5COSTCODES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CST_CODE	1	VARCHAR2(30)	nvarchar(30) unique cost code

R5CREDITBALANCECHANGES		R5PRIK_CBC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CBC_PK	1	NUMBER	numeric(18,0) The primary key of the credit balance change.
R5CREDITCARDS		R5PRIK_CRD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRD_CODE	1	NUMBER	int credit card code
R5CREDITCARDUSERS		R5PRIK_CCU	
Column name	Position	Oracle datatype	SQL Server datat Column description
CCU_CODE	1	NUMBER	int credit card code
CCU_USER	2	VARCHAR2(255)	nvarchar(255) user code
R5CREWEMPLOYEES		R5PRIK_CRE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRE_PK	1	NUMBER(38,0)	numeric(38,0) PK column
R5CREWS		R5PRIK_CRW	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRW_CODE	1	VARCHAR2(15)	nvarchar(15) Crew code
CRW_ORG	2	VARCHAR2(15)	nvarchar(15) Organization code
R5CRITINDEX		R5PRIK_CRX	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRX_PK	1	NUMBER	int primary key
R5CUACCOUNTINGCODES		R5PRIK_CUA	
Column name	Position	Oracle datatype	SQL Server datat Column description
CUA_CODE	1	VARCHAR2(30)	nvarchar(30)
CUA_ORG	2	VARCHAR2(15)	nvarchar(15)
R5CUESTIMATECOMPATIBLEUNITS		R5PRIK_CEC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CEC_CUESTIMATE	1	VARCHAR2(30)	nvarchar(30)
CEC_CUESTIMATE_ORG	2	VARCHAR2(15)	nvarchar(15)
CEC_SEQUENCENUMBER	3	NUMBER(8,0)	numeric(8,0)
R5CUESTIMATEFERCUNITS		R5PRIK_CEF	
Column name	Position	Oracle datatype	SQL Server datat Column description
CEF_PK	1	VARCHAR2(30)	nvarchar(30)
R5CUESTIMATES		R5PRIK_CUE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CUE_CODE	1	VARCHAR2(30)	nvarchar(30)
CUE_ORG	2	VARCHAR2(15)	nvarchar(15)
R5CUESTIMATESUPPLIERS		R5PRIK_CES	
Column name	Position	Oracle datatype	SQL Server datat Column description
CES_CUESTIMATE	1	VARCHAR2(30)	nvarchar(30)
CES_CUESTIMATE_ORG	2	VARCHAR2(15)	nvarchar(15)
CES_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)
CES_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)
R5CUESTIMATEWORKPOINTS		R5PRIK_CWP	
Column name	Position	Oracle datatype	SQL Server datat Column description
CWP_CUESTIMATE	1	VARCHAR2(30)	nvarchar(30)
CWP_CUESTIMATE_ORG	2	VARCHAR2(15)	nvarchar(15)
CWP_WORKPOINT	3	VARCHAR2(30)	nvarchar(30)
R5CUFIXEDASSETCODES		R5PRIK_CFC	

Column name	Position	Oracle datatype	SQL Server datat	Column description
CFC_CODE	1	VARCHAR2(30)	nvarchar(30)	
CFC_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5CULIBRARYCHILDREN				
R5PRIK_CUC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUC_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CULIBRARYPARTS				
R5PRIK_CUP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUP_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CULIBRARYSERVICES				
R5PRIK_CSV				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CSV_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CULIBRARYTOOLS				
R5PRIK_CLT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CLT_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CUOVERHEADCODES				
R5PRIK_CUO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUO_CODE	1	VARCHAR2(30)	nvarchar(30)	
CUO_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5CURRENCIES				
R5PRIK_CUR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUR_CODE	1	VARCHAR2(3)	nvarchar(3)	currency code. unique identification.
R5CUSTOMERCONTRACTS				
R5PRIK_CCT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CCT_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of the contract.
CCT_REVISION	2	NUMBER(8,0)	numeric(8,0)	The revision number of the contract.
CCT_ORG	3	VARCHAR2(15)	nvarchar(15)	The organization of the contract.
R5CUSTOMERINVOICEDetails				
R5PRIK_CID				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CID_INVOICE	1	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CID_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization to which this record belongs.
CID_INVOICE_REVISION	3	NUMBER(8,0)	numeric(8,0)	The invoice revision of the customer invoice detail record.
CID_INVOICELINE	4	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record.
R5CUSTOMERINVOICEERRORS				
R5PRIK_CIE				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CIE_INVOICE	1	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CIE_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	The invoice organization to which this record belongs.
CIE_INVOICE_REVISION	3	NUMBER(8,0)	numeric(8,0)	The invoice revision to which this record belongs.
CIE_INVOICELINE	4	NUMBER(8,0)	numeric(8,0)	The invoice line to which this record belongs.
CIE_ERROR	5	NUMBER(2,0)	numeric(2,0)	The error number of the customer invoice error record.
R5CUSTOMERINVOICEITEMS				
R5PRIK_CII				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CII_PK	1	VARCHAR2(30)	nvarchar(30)	The unique code of the customer invoice item record.
R5CUSTOMERINVOICERUNNING				
R5PRIK_CIR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CIR_DATE	1	DATE	datetime	Date and time the create customer invoices process started.
R5CUSTOMERINVOICES				
R5PRIK_CIV				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CIV_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of the customer invoice.

CIV_ORG	2 VARCHAR2(15)	nvarchar(15)	Organization
CIV_REVISION	3 NUMBER(8,0)	numeric(8,0)	Revision

R5CUSTOMERRENTALS

R5PRIK_CRT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CRT_CODE	1	VARCHAR2(30)	nvarchar(30)	Customer Rental
CRT_ORG	2	VARCHAR2(15)	nvarchar(15)	Organization

R5CUSTOMERREQUESTHISTORY

R5PRIK_CRH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CRH_PK	1	VARCHAR2(30)	nvarchar(30)	Surrogate Key

R5CUSTOMERSURVEYANSWERS

R5PRIK_CSA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSA_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey answer.

R5CUSTOMERSURVEYEVENTS

R5PRIK_SEV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SEV_PK	1	VARCHAR2(50)	nvarchar(50)	The primary key of the customer survey event.

R5CUSTOMERSURVEYQUESTIONS

R5PRIK_CSQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSQ_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey question.

R5CUSTOMERSURVEYRESPONSES

R5PRIK_SER

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SER_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the response record.

R5CUSTOMERSURVEYS

R5PRIK_CSU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSU_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey.
CSU_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the customer survey.

R5CUSTOMERSURVEYTRIGGERS

R5PRIK_SVT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SVT_SURVEY	1	VARCHAR2(30)	nvarchar(30)	The survey the customer survey trigger belongs to.
SVT_SURVEY_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the survey the customer survey trigger belongs to.
SVT_ENTITY	3	VARCHAR2(4)	nvarchar(4)	The entity of the customer survey trigger.
SVT_STATUS	4	VARCHAR2(4)	nvarchar(4)	The status of the customer survey trigger.
SVT_EMAILSOURCE	5	VARCHAR2(4)	nvarchar(4)	The email source of the customer survey trigger.

R5CUSTOMFIELDATTRIBUTES

R5PRIK_CFA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CFA_PK	1	VARCHAR2(30)	nvarchar(30)	

R5CUSTOMTEXTS

R5PRIK_CTT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CTT_POOL	1	VARCHAR2(12)	nvarchar(12)	pool code
CTT_LANG	2	VARCHAR2(2)	nvarchar(2)	language
CTT_LENGTH	3	NUMBER(3,0)	numeric(3,0)	text length

R5DASHBOARDCONFIGS

R5PRIK_DBC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DBC_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group
DBC_USER	2	VARCHAR2(255)	nvarchar(255)	user

R5DATABRIDGEERRORS

R5PRIK_DBE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DBE_TRANSID	1	NUMBER	int	Primary column for the table.

R5DATABRIDGESTATUS

R5PRIK_DBS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DBS_KEYFIELD	1	VARCHAR2(20)	nvarchar(20)	primary key field
R5DATACONVCUSTOMSTMTS				
		R5PRIK_DCC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCC_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload the custom statement belongs to.
DCC_SEQID	2	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping the custom sql statement(s) pertain to.
DCC_OPERATIONRTYPE	3	VARCHAR2(4)	nvarchar(4)	Identifies the operation the custom statement belongs to, i.e. [C]onvert or [R]ollback.
DCC_STMTRTYPE	4	VARCHAR2(4)	nvarchar(4)	Determines when during the table process the custom statement should be executed, i.e. Before Statement(BS), Before Row(BR), After Row(AR), After Statement(AS)
R5DATACONVERSION				
		R5PRIK_DTC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DTC_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the uploaded dataset.
R5DATACONVEXPRESSIONS				
		R5PRIK_DXP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXP_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload the expression belongs to.
DXP_SEQID	2	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this expression belongs to.
DXP_DESTFIELD	3	VARCHAR2(30)	nvarchar(30)	Identifies the destination field the expression result will be stored.
R5DATACONVLIST				
		R5PRIK_DCT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCT_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product from which the table will be uploaded.
DCT_DESTTABLE	2	VARCHAR2(30)	nvarchar(30)	Defines the name of the staging table that will be constructed for the uploading source table.
R5DATACONVLOG				
		R5PRIK_DLG		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DLG_ID	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the logging record.
R5DATACONVOPTION				
		R5PRIK_DON		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DON_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product the option pertains to.
DON_OPTION	2	VARCHAR2(30)	nvarchar(30)	Uniquely identifies the option.
R5DATACONVOPTIONTEXT				
		R5PRIK_DXT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXT_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product the option description pertains to.
DXT_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the option the description pertains to.
DXT_LANG	3	VARCHAR2(2)	nvarchar(2)	Identifies the language the option description appears in.
R5DATACONVPROD				
		R5PRIK_DCP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCP_PRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the support product.
R5DATACONVSEQ				
		R5PRIK_DSQ		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSQ_SEQID	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the table mapping.
R5DATACONVSEQCUSTOM				
		R5PRIK_DSC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSC_SEQID	1	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping the sql statement(s) pertain to.
DSC_OPERATIONRTYPE	2	VARCHAR2(4)	nvarchar(4)	Identifies the operation the statement belongs to, i.e. [C]onvert or [R]ollback.
DSC_STMTRTYPE	3	VARCHAR2(4)	nvarchar(4)	Determines when during the table process the custom statement should be executed, i.e. Before Statement(BS), Before Row(BR), After Row(AR), After Statement(AS)
R5DATACONVSEQDETAILS				
		R5PRIK_DSD		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSD_SEQID	1	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this expression belongs to.
DSD_DESTFIELD	2	VARCHAR2(30)	nvarchar(30)	Identifies the destination field the expression result will be stored.
R5DATACONVSEQGENERATOR				
		R5PRIK_DSG		
Column name	Position	Oracle datatype	SQL Server datatype	Column description

DSG_TABLE	1	VARCHAR2(30)	nvarchar(30)	Along with dsg_field, identifies the table and field that will hold the generated sequence value.
DSG_FIELD	2	VARCHAR2(30)	nvarchar(30)	Along with dsg_table, identifies the table and field that will hold the generated sequence value.

R5DATACONVSUBEXPS		R5PRIK_DSX		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DSX_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Defines the upload this substring expression pertains to.
DSX_SEQID	2	NUMBER(38,0)	numeric(38,0)	Defines the table mapping sequence this substring expression pertains to.
DSX_DESTFIELD	3	VARCHAR2(30)	nvarchar(30)	Identifies the field the resultant expression value will be stored into.
DSX_ORDER	4	NUMBER(2,0)	numeric(2,0)	Defines the order of this substring expression relative to the others to be concatenated for the same destination field (ie. dsx_destfield).

R5DATACONVSUBEXPSETUP		R5PRIK_DSS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DSS_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product this definition exists for
DSS_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this setup pertains to.

R5DATACONVSUMDETAILS		R5PRIK_DSL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DSL_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload this summary information pertains to.
DSL_SOURCETABLE	2	VARCHAR2(30)	nvarchar(30)	Identifies the table this summary information pertains to.
DSL_RTTYPE	3	VARCHAR2(4)	nvarchar(4)	Identifies the operation this summary information pertains to, i.e. [C]onversion or [P]reliminary analysis

R5DATACONVSUMMARY		R5PRIK_DSU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DSU_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload this information pertains to.
DSU_SOURCETABLE	2	VARCHAR2(30)	nvarchar(30)	Identifies the source table this upload information pertains to.

R5DATACONVXREFDEFAULT		R5PRIK_DXD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DXD_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product this default cross-reference information pertains to.
DXD_OPTION	2	VARCHAR2(30)	nvarchar(30)	See comment for r5dataconvxrefvalue.d xv_option
DXD_SRCVALUE1	3	VARCHAR2(100)	nvarchar(100)	See comment for r5dataconvxrefvalue.d xv_srcvalue1

R5DATACONVXREFSETUP		R5PRIK_DXS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DXS_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the source product this setup pertains to.
DXS_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this setup pertains to.

R5DATACONVXREFVALUE		R5PRIK_DXV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DXV_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload this cross-reference information pertains to.
DXV_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this cross-reference information pertains to.
DXV_SRCVALUE1	3	VARCHAR2(100)	nvarchar(100)	Identifies a key field value in the source table that equates to the key field value in the destination table.

R5DATALAKEDELETE		R5PRIK_DKD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DKD_SEQNUM	1	NUMBER	numeric(38,0)	

R5DATALAKETABLESNOTALLOWED		R5PRIK_DLT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DLT_TABLE	1	VARCHAR2(30)	nvarchar(30)	

R5DCEQUIPMENTSELECTION		R5PRIK_DCE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DCE_PK	1	VARCHAR2(30)	nvarchar(30)	

R5DDDATASPY		R5PRIK_DDS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DDS_DDSPYID	1	NUMBER(14,0)	numeric(14,0)	a unique id of the dataspy

R5DDFIELD		R5PRIK_DDF		
Column name	Position	Oracle datatype	SQL Server datat	Column description

DDF_FIELDID	1	NUMBER(14,0)	numeric(14,0)	a unique id of the field

R5DDSPYFILTERGROUPS

R5PRIK_DFG

Column name	Position	Oracle datatype	SQL Server datat	Column description
DFG_DDSPYID	1	NUMBER(14,0)	numeric(14,0)	
DFG_GROUP	2	VARCHAR2(12)	nvarchar(12)	

R5DDVALUE

R5PRIK_DDV

Column name	Position	Oracle datatype	SQL Server datat	Column description
DDV_CODE	1	VARCHAR2(30)	nvarchar(30)	a value code, such as c, which needs to be mapped to an internationalized description, such as closed.
DDV_MAPID	2	NUMBER	int	a unique id of the mapping

R5DEBCODESTRUCT

R5PRIK_DCS

Column name	Position	Oracle datatype	SQL Server datat	Column description
DCS_CUSTOMER	1	VARCHAR2(30)	nvarchar(30)	customer/debtor
DCS_CODESTRUCTURE	2	VARCHAR2(100)	nvarchar(100)	code structure for debtors

R5DEBTORS

R5PRIK_DEB

Column name	Position	Oracle datatype	SQL Server datat	Column description
DEB_CODE	1	VARCHAR2(30)	nvarchar(30)	debtor code.

R5DECAYCURVE

R5PRIK_DCR

Column name	Position	Oracle datatype	SQL Server datat	Column description
DCR_CODE	1	VARCHAR2(30)	nvarchar(30)	
DCR_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5DECAYCURVEMARKOVMATRIX

R5PRIK_DMM

Column name	Position	Oracle datatype	SQL Server datat	Column description
DMM_PK	1	VARCHAR2(30)	nvarchar(30)	

R5DECAYCURVEPOINTS

R5PRIK_CPD

Column name	Position	Oracle datatype	SQL Server datat	Column description
CPD_POINT	1	VARCHAR2(30)	nvarchar(30)	

R5DEFAULTPAGELAYOUT

R5PRIK_PLD

Column name	Position	Oracle datatype	SQL Server datat	Column description
PLD_PAGENAME	1	VARCHAR2(40)	nvarchar(40)	function based name of page
PLD_ELEMENTID	2	VARCHAR2(40)	nvarchar(40)	Unique field element ID in form

R5DEFERREDACT

R5PRIK_DFA

Column name	Position	Oracle datatype	SQL Server datat	Column description
DFA_CODE	1	VARCHAR2(30)	nvarchar(30)	Unique deferred activity code

R5DELADDRESSES

R5PRIK_DAD

Column name	Position	Oracle datatype	SQL Server datat	Column description
DAD_CODE	1	VARCHAR2(20)	nvarchar(20)	delivery address code

R5DELIVERYADDRESSORGS

R5PRIK_DAO

Column name	Position	Oracle datatype	SQL Server datat	Column description
DAO_DELADDRESS	1	VARCHAR2(20)	nvarchar(20)	
DAO_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5DEPARTMENTSECURITY

R5PRIK_DSE

Column name	Position	Oracle datatype	SQL Server datat	Column description
DSE_USER	1	VARCHAR2(255)	nvarchar(255)	User Code
DSE_MRC	2	VARCHAR2(15)	nvarchar(15)	Department Code

R5DEPARTMENTSTRUCTURE

R5PRIK_DPS

Column name	Position	Oracle datatype	SQL Server datat	Column description
DPS_CODE	1	VARCHAR2(30)	nvarchar(30)	Auto-Generated Surrogate Key

R5DEPOTS				R5PRIK_DEP
Column name	Position	Oracle datatype	SQL Server datat	Column description
DEP_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the depot
DEP_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the depot
R5DESCRIPTIONS				R5PRIK_DES
Column name	Position	Oracle datatype	SQL Server datat	Column description
DES_RENTITY	1	VARCHAR2(4)	nvarchar(4)	system entity
DES_CODE	2	VARCHAR2(255)	nvarchar(255)	code of entity instance
DES_ORG	3	VARCHAR2(15)	nvarchar(15)	description organization
DES_LANG	4	VARCHAR2(2)	nvarchar(2)	language
DES_RTYPE	5	VARCHAR2(4)	nvarchar(4)	system predefined code
R5DEVICES				R5PRIK_DEV
Column name	Position	Oracle datatype	SQL Server datat	Column description
DEV_CODE	1	VARCHAR2(12)	nvarchar(12)	a code for the device
R5DIACONVERSION				R5PRIK_DCO
Column name	Position	Oracle datatype	SQL Server datat	Column description
DCO_NOMSIZEINCH	1	NUMBER	numeric(24,6)	pipe size (inches)
DCO_PIPING	2	VARCHAR2(20)	nvarchar(20)	piping code
DCO_PIPINGREV	3	NUMBER(4,0)	numeric(4,0)	piping code revision
R5DIAGNOSTICS				R5PRIK_DIA
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIA_CODE	1	VARCHAR2(8)	nvarchar(8)	unique code
R5DIAGUSAGES				R5PRIK_DIU
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIU_DIAG	1	VARCHAR2(8)	nvarchar(8)	diagnostic code
DIU_OBJECT	2	VARCHAR2(30)	nvarchar(30)	object code
DIU_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	object organization
DIU_REQM	4	VARCHAR2(8)	nvarchar(8)	requirement code
R5DISCREPANCIES				R5PRIK_DSP
Column name	Position	Oracle datatype	SQL Server datat	Column description
DSP_SESSIONID	1	VARCHAR2(30)	nvarchar(30)	The session ID
DSP_GISOBJID	2	VARCHAR2(30)	nvarchar(30)	The GIS object ID
DSP_MODIFIEDBY	3	VARCHAR2(1)	nvarchar(1)	The user who modified the record.
R5DISPATCHES				R5PRIK_SWD
Column name	Position	Oracle datatype	SQL Server datat	Column description
SWD_CODE	1	VARCHAR2(30)	nvarchar(30)	unique dispatch number
R5DISPATCHEVENTS				R5PRIK_DIW
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIW_PK	1	VARCHAR2(30)	nvarchar(30)	
R5DOCBODY				R5PRIK_DOB
Column name	Position	Oracle datatype	SQL Server datat	Column description
NAME	1	VARCHAR2(256)	nvarchar(256)	document name
R5DOCENTITIES				R5PRIK_DAE
Column name	Position	Oracle datatype	SQL Server datat	Column description
DAE_DOCUMENT	1	VARCHAR2(30)	nvarchar(30)	document code
DAE_CODE	2	VARCHAR2(255)	nvarchar(255)	code of entity linked to the documents
DAE_RENTITY	3	VARCHAR2(4)	nvarchar(4)	entity code
R5DOCKLINES				R5PRIK_DKL
Column name	Position	Oracle datatype	SQL Server datat	Column description
DKL_DCKCODE	1	VARCHAR2(30)	nvarchar(30)	dock receipt

DKL_LINE 2 NUMBER(8,0) numeric(8,0) dock line

R5DOCKRECEIPTS

R5PRIK_DCK

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCK_CODE	1	VARCHAR2(30)	nvarchar(30)	on-dock receipt code

R5DOCMATRIX

R5PRIK_DMx

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMX_WARRANTY	1	VARCHAR2(30)	nvarchar(30)	warranty code.
DMX_RCOLUMN	2	VARCHAR2(4)	nvarchar(4)	column name.
DMX_VALUE	3	VARCHAR2(24)	nvarchar(24)	user entered value.

R5DOCSIZES

R5PRIK_DSZ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSZ_CODE	1	VARCHAR2(4)	nvarchar(4)	document size code.

R5DOCTYPES

PRIK_DOT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DOT_EXT	1	VARCHAR2(10)	nvarchar(10)	extension

R5DOCUMENTS

R5PRIK_DOC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DOC_CODE	1	VARCHAR2(30)	nvarchar(30)	unique code of document

R5DRIVERCTRL

R5PRIK_DRV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DRV_CODE	1	VARCHAR2(10)	nvarchar(10)	code of interface driver.
DRV_QUEUE	2	VARCHAR2(2)	nvarchar(2)	number of batch queue in which interface driver runs.

R5DUALCONVHEADER

R5PRIK_DCH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCH_BATCH	1	NUMBER(6,0)	numeric(6,0)	unique batch number.

R5DUXLAYOUT

R5PRIK_DXL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXL_USERGROUP	1	VARCHAR2(12)	nvarchar(12)	
DXL_PAGENAME	2	VARCHAR2(40)	nvarchar(40)	
DXL_ELEMENTID	3	VARCHAR2(60)	nvarchar(60)	

R5DWBUDGETKEYS

R5PRIK_KBU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
KBU_CODE	1	VARCHAR2(30)	nvarchar(30)	Budget code

R5DWBUDGETS

R5PRIK_ZBU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZBU_KEY	1	NUMBER	int	Budget surrogate key

R5DWDATAMARTDIMENSIONS

R5PRIK_DMD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMD_DMTTABLE	1	VARCHAR2(30)	nvarchar(30)	Data mart table name
DMD_DIMTABLE	2	VARCHAR2(30)	nvarchar(30)	Dimension table name

R5DWDATAMARTS

R5PRIK_DMT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMT_TABLE	1	VARCHAR2(30)	nvarchar(30)	Name of physical fact table or view corresponding to the data mart

R5DWDATE

R5PRIK_DWD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DWD_DATEKEY	1	NUMBER(38,0)	numeric(38,0)	key of the dw date table

R5DWDATES

R5PRIK_ZDT

Column name	Position	Oracle datatype	SQL Server datat	Column description
ZDT_KEY	1	NUMBER	int	Date surrogate key
R5DWDIMENSIONFIELDS				
		R5PRIK_DMF		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DMF_FIELD	1	VARCHAR2(30)	nvarchar(30)	Dimension attribute physical field name
R5DWDIMENSIONS				
		R5PRIK_DIM		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIM_TABLE	1	VARCHAR2(30)	nvarchar(30)	Name of physical dimension table or view
R5DWENTITIES				
		R5PRIK_ZEN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZEN_KEY	1	NUMBER(38,0)	numeric(38,0)	Entity surrogate key
R5DWETLDATAMARTS				
		R5PRIK_ETL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ETL_DIMTABLE	1	VARCHAR2(30)	nvarchar(30)	ETL Dimension table
ETL_DMTTABLE	2	VARCHAR2(30)	nvarchar(30)	ETL Data-mart table
ETL_MODULE	3	VARCHAR2(8)	nvarchar(8)	ETL module
R5DWETLRUNERRORLOG				
		R5PRIK_ELG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ELG_RUNNUMBER	1	NUMBER	numeric(38,0)	Run number
ELG_SEQUENCE	2	NUMBER	numeric(38,0)	Sequence number for each error
R5DWETLRUNLOG				
		R5PRIK_RLG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
RLG_RUNNUMBER	1	NUMBER	int	Run number
R5DWETLRUNLOGDETAIL				
		R5PRIK_LGD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LGD_LOGRUNNUMBER	1	NUMBER	int	Run number
LGD_SEQUENCE	2	NUMBER	int	Sequence number for each step in an ETL run
R5DWFACTFIELDS				
		R5PRIK_FFL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FFL_FIELD	1	VARCHAR2(30)	nvarchar(30)	Name of fact field in physical fact table or view
R5DWINDEXES				
		R5PRIK_IDX		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IDX_INDEXNAME	1	VARCHAR2(30)	nvarchar(30)	Index name
R5DWMATLTRANSTYPES				
		R5PRIK_ZMT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZMT_KEY	1	NUMBER	int	Material transaction type surrogate key
R5DWMETASTATUSES				
		R5PRIK_DMS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DMS_TABLE	1	VARCHAR2(30)	nvarchar(30)	Name of table containing the status field to be tracked
DMS_FIELD	2	VARCHAR2(30)	nvarchar(30)	Name of the status field
R5DWMETERS				
		R5PRIK_ZME		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZME_KEY	1	NUMBER(38,0)	int	Meter surrogate key
R5DWMRCS				
		R5PRIK_ZMR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZMR_KEY	1	NUMBER	int	MRC surrogate key
R5DWOBJECTKEYS				
		R5PRIK_KOB		

Column name	Position	Oracle datatype	SQL Server datat	Column description
KOB_CODE	1	VARCHAR2(30)	nvarchar(30)	Object code
KOB_ORGCODE	2	VARCHAR2(15)	nvarchar(15)	Object organization code
R5DWOBJECTS				
R5PRIK_ZOB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOB_KEY	1	NUMBER	int	Object surrogate key
R5DWOCUPATIONTYPES				
R5PRIK_ZOT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOT_KEY	1	NUMBER	int	Occupation type surrogate key
R5DWORDERLINETYPES				
R5PRIK_ZOL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOL_KEY	1	NUMBER	int	Order line type surrogate key
R5DWORG				
R5PRIK_DWO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
DWO_ORGKEY	1	NUMBER(38,0)	numeric(38,0)	table key
R5DWORGANIZATIONS				
R5PRIK_ZOR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOR_KEY	1	NUMBER	int	Organization surrogate key
R5DWPARTCLASSES				
R5PRIK_ZPC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPC_KEY	1	NUMBER	int	Part class surrogate key
R5DWPARTS				
R5PRIK_ZPA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPA_KEY	1	NUMBER	int	Part surrogate key
R5DWPERSONNEL				
R5PRIK_ZPE				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPE_KEY	1	NUMBER	int	Personnel surrogate key
R5DWPURCHASEORDERKEYS				
R5PRIK_KPO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
KPO_CODE	1	VARCHAR2(30)	nvarchar(30)	Purchase order code
KPO_ORGCODE	2	VARCHAR2(15)	nvarchar(15)	Purchase order organization code
R5DWPURCHASEORDERS				
R5PRIK_ZPO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPO_KEY	1	NUMBER	int	Purchase order surrogate key
R5DWRUNCTRL				
R5PRIK_DWC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
DWC_RUNCTRLKEY	1	NUMBER(38,0)	numeric(38,0)	table key
R5DWRUNLOG				
R5PRIK_DWL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
DWL_RUNLOGKEY	1	NUMBER(38,0)	numeric(38,0)	the table key
R5DWSERVICEREQUESTKEYS				
R5PRIK_KSR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
KSR_CODE	1	VARCHAR2(30)	nvarchar(30)	Service request code
R5DWSERVICEREQUESTS				
R5PRIK_ZSR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZSR_KEY	1	NUMBER	int	Service request surrogate key

R5DWSTATUSES		R5PRIK_ZST	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZST_KEY	1	NUMBER(38,0)	numeric(38,0) Status surrogate key
R5DWSTORES		R5PRIK_ZSO	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZSO_KEY	1	NUMBER	int Store surrogate key
R5DWSUPPLIERKEYS		R5PRIK_KSU	
Column name	Position	Oracle datatype	SQL Server datat Column description
KSU_CODE	1	VARCHAR2(30)	nvarchar(30) Supplier code
KSU_ORGCODE	2	VARCHAR2(15)	nvarchar(15) Supplier organization code
R5DWSUPPLIERS		R5PRIK_ZSU	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZSU_KEY	1	NUMBER	int Supplier surrogate key
R5DWTMPINVENTORYTURNS		R5PRIK_ZTI	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZTI_DATEKEY	1	NUMBER	int Foreign key to the date dimension
ZTI_STOREKEY	2	NUMBER	int Foreign key to the stores dimension
ZTI_ORGKEY	3	NUMBER	int Foreign key to the organizations dimension
ZTI_PARTCLASSKEY	4	NUMBER	int Foreign key to the part classes dimension
R5DWTMPPARTS		R5PRIK_ZTP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZTP_PART	1	VARCHAR2(30)	nvarchar(30) Part code
ZTP_PARTORG	2	VARCHAR2(15)	nvarchar(15) Organization of part
ZTP_STORE	3	VARCHAR2(15)	nvarchar(15) Store
ZTP_STOREORG	4	VARCHAR2(15)	nvarchar(15) Organization of store
R5DWTMPSTORESDAILYSNAP		R5PRIK_ZTS	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZTS_STOREKEY	1	NUMBER	int Foreign key to the stores dimension
ZTS_ORGKEY	2	NUMBER	int Foreign key to the organizations dimension
ZTS_PARTCLASSKEY	3	NUMBER	int Foreign key to the part classes dimension
R5DWTRADES		R5PRIK_ZTR	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZTR_KEY	1	NUMBER	int Trade surrogate key
R5DWUOMS		R5PRIK_ZUMT	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZUM_KEY	1	NUMBER(38,0)	int UOM surrogate key
R5DWWARRANTYCLAIMS		R5PRIK_ZWC	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZWC_KEY	1	NUMBER	int Warranty claim surrogate key
R5DWWORKORDERKEYS		R5PRIK_KWO	
Column name	Position	Oracle datatype	SQL Server datat Column description
KWO_CODE	1	VARCHAR2(30)	nvarchar(30) Work order code
R5DWWORKORDERS		R5PRIK_ZWO	
Column name	Position	Oracle datatype	SQL Server datat Column description
ZWO_KEY	1	NUMBER	int Work order surrogate key
R5ECSESSIONDETAILS		R5PRIK_CSD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSD_PK	1	NUMBER	numeric(18,0) The primary key of the record.

R5ECSESSIONEQUIPMENT		R5PRIK_CSE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSE_DETAILPK	1	NUMBER	numeric(18,0) The primary key of the associated equipment configuration session detail record.
CSE_COUNT	2	NUMBER(6,0)	numeric(6,0) Sequence number.
R5ECSESSIONWARNINGS		R5PRIK_CSW	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSW_PK	1	NUMBER	numeric(18,0) The primary key of the warning record.
R5EDITIONBACKREPS		R5PRIK_EBR	
Column name	Position	Oracle datatype	SQL Server datat Column description
EBR_FUNCTION	1	VARCHAR2(6)	nvarchar(6) Function
EBR_MEFLAG	2	VARCHAR2(1)	nvarchar(1) Edition for which this record is used
R5EDITIONFILTERS		R5PRIK_EDF	
Column name	Position	Oracle datatype	SQL Server datat Column description
EDF_CODE	1	VARCHAR2(40)	nvarchar(40) Edition filter code
EDF_TYPE	2	VARCHAR2(1)	nvarchar(1) Tpye of edition filter
EDF_MEFLAG	3	VARCHAR2(1)	nvarchar(1) Edition for which this record is used
R5ELECREC		R5PRIK_ELR	
Column name	Position	Oracle datatype	SQL Server datat Column description
ELR_ENTITY	1	VARCHAR2(4)	nvarchar(4) user entity code for which the electronic record is created.
ELR_STATUS	2	VARCHAR2(4)	nvarchar(4) the original status of the entity
ELR_NEWSTATUS	3	VARCHAR2(4)	nvarchar(4) the new status of the entity.
R5ELECSIGN		R5PRIK_ELS	
Column name	Position	Oracle datatype	SQL Server datat Column description
ELS_CODE	1	VARCHAR2(30)	nvarchar(30) code of the signed record
R5ELECTRICITYDATA		R5PRIK_OED	
Column name	Position	Oracle datatype	SQL Server datat Column description
OED_OBJECT	1	VARCHAR2(30)	nvarchar(30) Equipment
OED_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) Equipment organization
OED_DATERECORDED	3	DATE	datetime Date the electricity data was recorded
R5EMPLOYEEORGCHANGE		R5PRIK_EOC	
Column name	Position	Oracle datatype	SQL Server datat Column description
EOC_PERSON	1	VARCHAR2(15)	nvarchar(15) The employee who changed organization.
EOC_DATE	2	DATE	datetime The date the employee was transferred.
R5ENERGYPREFERENCES		R5PRIK_EPR	
Column name	Position	Oracle datatype	SQL Server datat Column description
EPR_OBJECT	1	VARCHAR2(30)	nvarchar(30) T.B.D.
EPR_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) T.B.D.
EPR_COMMODITY	3	VARCHAR2(15)	nvarchar(15) T.B.D.
R5ENERGYSTARBUILDINGS		R5PRIK_ESB	
Column name	Position	Oracle datatype	SQL Server datat Column description
ESB_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100) The customer ID.
ESB_BUILDINGID	2	VARCHAR2(100)	nvarchar(100) ID of the building.
R5ENERGYSTARRATINGALERTS		R5PRIK_ESL	
Column name	Position	Oracle datatype	SQL Server datat Column description
ESL_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100) T.B.D.
ESL_OBJECT	2	VARCHAR2(30)	nvarchar(30) T.B.D.
ESL_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) T.B.D.
R5ENERGYSTARRATINGS		R5PRIK_ESD	
Column name	Position	Oracle datatype	SQL Server datat Column description
ESD_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100) T.B.D.

ESD_OBJECT	2 VARCHAR2(30)	nvarchar(30)	T.B.D.
ESD_OBJECT_ORG	3 VARCHAR2(15)	nvarchar(15)	T.B.D.
ESD_ENDINGYEAR	4 NUMBER(4,0)	numeric(4,0)	T.B.D.
ESD_ENDINGMONTH	5 NUMBER(2,0)	numeric(2,0)	T.B.D.

R5ENERGYSTARREADINGS

R5PRIK_ESR

Column name	Position	Oracle datatype	SQL Server datat	Column description
ESR_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESR_OBJECT	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESR_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESR_UOM	4	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESR_DATE	5	DATE	datetime	T.B.D.

R5ENERGYSTARSETUP

R5PRIK_ESS

Column name	Position	Oracle datatype	SQL Server datat	Column description
ESS_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_BUILDINGID	2	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_METERID	3	VARCHAR2(100)	nvarchar(100)	T.B.D.

R5ENERGYSTARTXNS

R5PRIK_ESX

Column name	Position	Oracle datatype	SQL Server datat	Column description
ESX_TXNID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.

R5ENERGYTARGETS

R5PRIK_EGT

Column name	Position	Oracle datatype	SQL Server datat	Column description
EGT_OBJECTIVE	1	VARCHAR2(30)	nvarchar(30)	The objective.
EGT_OBJECTIVE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the objective.
EGT_SCOPE	3	VARCHAR2(4)	nvarchar(4)	The scope of the energy target.
EGT_ACTIVITY	4	VARCHAR2(4)	nvarchar(4)	The activity of the energy target.
EGT_EMISSIONSOURCE	5	VARCHAR2(4)	nvarchar(4)	The emission source of the energy target.

R5ENTAPPHEADER

R5PRIK_EAH

Column name	Position	Oracle datatype	SQL Server datat	Column description
EAH_PK	1	NUMBER	int	primary key.

R5ENTITIES

R5PRIK_ENT

Column name	Position	Oracle datatype	SQL Server datat	Column description
ENT_RENTITY	1	VARCHAR2(4)	nvarchar(4)	code indicating the type of entity.

R5ENTITYATTRIBUTESETS

R5PRIK_ESE

Column name	Position	Oracle datatype	SQL Server datat	Column description
ESE_RENTITY	1	VARCHAR2(4)	nvarchar(4)	System entity for the attribute set
ESE_ENTITYCODE	2	VARCHAR2(200)	nvarchar(200)	Code representing the record having the given system entity
ESE_ATTRIBUTESETDEF	3	VARCHAR2(30)	nvarchar(30)	Link to the attribute set defined in attribute set definition table
ESE_NAME	4	VARCHAR2(256)	nvarchar(256)	Name representing this entity attribute set record

R5ENTITYINDICATORS

R5PRIK_EIN

Column name	Position	Oracle datatype	SQL Server datat	Column description
EIN_ENTITY	1	VARCHAR2(4)	nvarchar(4)	entity code of object entity (user code).
EIN_CODE	2	VARCHAR2(30)	nvarchar(30)	object code.
EIN_CODE_ORG	3	VARCHAR2(15)	nvarchar(15)	object code organization
EIN_INDICATOR	4	VARCHAR2(4)	nvarchar(4)	performance indicator code.

R5ENTITYPARTS

R5PRIK_EPA

Column name	Position	Oracle datatype	SQL Server datat	Column description
EPA_PK	1	VARCHAR2(30)	nvarchar(30)	T.B.D.

R5ENTITYSAFETY

R5PRIK_ESF

Column name	Position	Oracle datatype	SQL Server datat	Column description
ESF_PK	1	VARCHAR2(30)	nvarchar(30)	The priiamy key of the entity safety record.

R5ENTITYSALESPRICES		R5PRIK_ESP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ESP_PK	1	VARCHAR2(30)	nvarchar(30) Primary key field
R5ENTITYTABLES		R5PRIK_ETT	
Column name	Position	Oracle datatype	SQL Server datat Column description
ETT_RENTITY	1	VARCHAR2(4)	nvarchar(4) entity
R5EOQTEMP		R5PRIK_EOQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
EOQ_SESSIONID	1	NUMBER(38,0)	numeric(38,0) Session ID
EOQ_STORE	2	VARCHAR2(15)	nvarchar(15) store code
EOQ_PART	3	VARCHAR2(30)	nvarchar(30) part code
EOQ_PART_ORG	4	VARCHAR2(15)	nvarchar(15) part organization
R5EQUIPCOMMODITYDATA		R5PRIK_ECD	
Column name	Position	Oracle datatype	SQL Server datat Column description
ECD_OBJECT	1	VARCHAR2(30)	nvarchar(30) The object
ECD_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The object organization
ECD_COMMODITY	3	VARCHAR2(15)	nvarchar(15) The commodity
R5EQUIPCONFIGMPS		R5PRIK_ECM	
Column name	Position	Oracle datatype	SQL Server datat Column description
ECM_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment code to maintain
ECM_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The organizatio of the equipment to maintain
ECM_MP	3	VARCHAR2(30)	nvarchar(30) The code of the maintenance pattern
ECM_MP_ORG	4	VARCHAR2(15)	nvarchar(15) the organization of the maintenance pattern
R5EQUIPCONFIGPMS		R5PRIK_EGP	
Column name	Position	Oracle datatype	SQL Server datat Column description
EGP_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment code to maintain
EGP_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The organizatio of the equipment to maintain
EGP_PPM	3	VARCHAR2(20)	nvarchar(20) The unique code of a Periodic Preventive Maintenance schedule
R5EQUIPCONFIGSESSIONS		R5PRIK_EGS	
Column name	Position	Oracle datatype	SQL Server datat Column description
EGS_CODE	1	VARCHAR2(30)	nvarchar(30) The primary key of the session.
R5EQUIPCONFIGSTRUCTURES		R5PRIK_ECS	
Column name	Position	Oracle datatype	SQL Server datat Column description
ECS_PK	1	NUMBER	numeric(18,0) The primary key of the structure record.
R5EQUIPEVALUATIONLIST		R5PRIK_EEL	
Column name	Position	Oracle datatype	SQL Server datat Column description
EEL_EVALCODE	1	VARCHAR2(30)	nvarchar(30) The identifier of the equipment evaluation
EEL_OBJECT	2	VARCHAR2(30)	nvarchar(30) The old equipment
EEL_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) The old equipment organization
R5EQUIPEVALUATIONS		R5PRIK_EEV	
Column name	Position	Oracle datatype	SQL Server datat Column description
EEV_CODE	1	VARCHAR2(30)	nvarchar(30) The identifier of the equipment evaluation
R5EQUIPFUNCTIONLEVELS		R5PRIK_EFL	
Column name	Position	Oracle datatype	SQL Server datat Column description
EFL_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key of the record
R5EQUIPMENTQUALIFICATIONS		R5PRIK_EQU	
Column name	Position	Oracle datatype	SQL Server datat Column description
EQU_OBJCODE	1	VARCHAR2(30)	nvarchar(30)
EQU_OBJORG	2	VARCHAR2(15)	nvarchar(15)
EQU_QUALIFICATION	3	VARCHAR2(20)	nvarchar(20)

EQU_QUALIFICATIONSTART 4 DATE datetime

R5EQUIPMENTRANKINGHISTORY

R5PRIK_ERH

Column name	Position	Oracle datatype	SQL Server datat	Column description
ERH_PK	1	VARCHAR2(30)	nvarchar(30)	

R5EQUIPMENTRANKINGS

R5PRIK_EQR

Column name	Position	Oracle datatype	SQL Server datat	Column description
EQR_RANKINGCODE	1	VARCHAR2(30)	nvarchar(30)	The ranking code.
EQR_RANKINGORG	2	VARCHAR2(15)	nvarchar(15)	The ranking organization.
EQR_RANKINGREVISION	3	NUMBER(4,0)	numeric(4,0)	The ranking revision
EQR_OBJCODE	4	VARCHAR2(30)	nvarchar(30)	The equipment code related to the ranking.
EQR_OBJORG	5	VARCHAR2(15)	nvarchar(15)	The equipment organization related to the ranking.

R5EQUIPMENTSTRUCTUREDETAIL

R5PRIK_STD

Column name	Position	Oracle datatype	SQL Server datat	Column description
STD_SESSION	1	NUMBER	numeric(18,0)	The session id.
STD_PARENT	2	VARCHAR2(200)	nvarchar(200)	The parent code.
STD_PARENT_ORG	3	VARCHAR2(15)	nvarchar(15)	The parent organization.
STD_PARENTTYPE	4	VARCHAR2(1)	nvarchar(1)	The parent type.
STD_CHILD	5	VARCHAR2(200)	nvarchar(200)	The child code.
STD_CHILD_ORG	6	VARCHAR2(15)	nvarchar(15)	The child organization.
STD_CHILDTYPE	7	VARCHAR2(1)	nvarchar(1)	The child type.

R5EQUIPMENTUSABILITIES

R5PRIK_EUB

Column name	Position	Oracle datatype	SQL Server datat	Column description
EUB_EQPUSABILITY	1	VARCHAR2(30)	nvarchar(30)	Equipment Usability
EUB_ORG	2	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization

R5ERRSOURCE

R5PRIK_ERS

Column name	Position	Oracle datatype	SQL Server datat	Column description
ERS_SOURCE	1	VARCHAR2(32)	nvarchar(32)	name of procedure, form etc.
ERS_TYPE	2	VARCHAR2(4)	nvarchar(4)	indicates whether procedure, etc.
ERS_NUMBER	3	NUMBER(4,0)	numeric(4,0)	serial number of error

R5ERRTEXTS

R5PRIK_ERT

Column name	Position	Oracle datatype	SQL Server datat	Column description
ERT_CODE	1	VARCHAR2(12)	nvarchar(12)	identifier of error message
ERT_LANG	2	VARCHAR2(2)	nvarchar(2)	language.

R5ESTIMATEEVENTLOGS

R5PRIK_EEG

Column name	Position	Oracle datatype	SQL Server datat	Column description
EEG_PK	1	VARCHAR2(30)	nvarchar(30)	

R5EVALCRITERIA

R5PRIK_EVC

Column name	Position	Oracle datatype	SQL Server datat	Column description
EVC_CODE	1	VARCHAR2(8)	nvarchar(8)	evaluation criteria code
EVC_LINE	2	NUMBER(8,0)	numeric(8,0)	line

R5EVALRESPONSES

R5PRIK_EVR

Column name	Position	Oracle datatype	SQL Server datat	Column description
EVR_CODE	1	VARCHAR2(8)	nvarchar(8)	evaluation code
EVR_CLINE	2	NUMBER(8,0)	numeric(8,0)	evaluation line
EVR_RLINE	3	NUMBER(8,0)	numeric(8,0)	line

R5EVALUATIONCUSTOMFLDPARAMS

R5PRIK_ECP

Column name	Position	Oracle datatype	SQL Server datat	Column description
ECP_EVALCODE	1	VARCHAR2(30)	nvarchar(30)	evaluation code
ECP_EVALTYPE	2	VARCHAR2(1)	nvarchar(1)	evaluation type
ECP_PROPERTY	3	VARCHAR2(8)	nvarchar(8)	Property

R5EVENTACCOMPLISHMENTS		R5PRIK_EAC	
Column name	Position	Oracle datatype	SQL Server datat Column description
EAC_PK	1	VARCHAR2(30)	nvarchar(30)
R5EVENTASPECTS		R5PRIK_EAS	
Column name	Position	Oracle datatype	SQL Server datat Column description
EAS_ASPECT	1	VARCHAR2(30)	nvarchar(30) inspection aspect code.
EAS_EVENT	2	VARCHAR2(30)	nvarchar(30) event number of inspection job..
R5EVENTCOST		R5PRIK_EVO	
Column name	Position	Oracle datatype	SQL Server datat Column description
EVO_EVENT	1	VARCHAR2(30)	nvarchar(30) The work order
R5EVENTCOSTS		R5PRIK_ECT	
Column name	Position	Oracle datatype	SQL Server datat Column description
ECT_EVENT	1	VARCHAR2(30)	nvarchar(30) Work Order
ECT_OBJECT	2	VARCHAR2(30)	nvarchar(30) Equipment
ECT_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) Equipment org
R5EVENTEQUIPREPLACEMENT		R5PRIK_EER	
Column name	Position	Oracle datatype	SQL Server datat Column description
EER_EVENT	1	VARCHAR2(30)	nvarchar(30)
EER_OBJECT	2	VARCHAR2(30)	nvarchar(30)
EER_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)
R5EVENTOBJECTS		R5PRIK_EOB	
Column name	Position	Oracle datatype	SQL Server datat Column description
EOB_EVENT	1	VARCHAR2(30)	nvarchar(30) event code
EOB_OBJECT	2	VARCHAR2(30)	nvarchar(30) object code
EOB_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) object organization
R5EVENTPOINTS		R5PRIK_EPO	
Column name	Position	Oracle datatype	SQL Server datat Column description
EPO_CODE	1	VARCHAR2(30)	nvarchar(30) event point code
R5EVENTRESOURCES		R5PRIK_ERE	
Column name	Position	Oracle datatype	SQL Server datat Column description
ERE_EVENT	1	VARCHAR2(30)	nvarchar(30) Work Order Code
ERE_RESOURCE	2	VARCHAR2(80)	nvarchar(80) Resource Code
R5EVENTS		R5PRIK_EVT	
Column name	Position	Oracle datatype	SQL Server datat Column description
EVT_CODE	1	VARCHAR2(30)	nvarchar(30) unique event code
R5EVENTSIGNATURE		R5PRIK_ETS	
Column name	Position	Oracle datatype	SQL Server datat Column description
ETS_EVENT	1	VARCHAR2(30)	nvarchar(30) work order number
R5EVENTSINTERFACE		R5PRIK_EVI	
Column name	Position	Oracle datatype	SQL Server datat Column description
EVI_TRANSID	1	NUMBER	bigint unique identification of interface transaction.
R5EVENTS_LASTSTATUSUPDATE		R5PRIK_ELU	
Column name	Position	Oracle datatype	SQL Server datat Column description
ELU_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key
R5EVENTTYPEFILTER		R5PRIK_ETF	
Column name	Position	Oracle datatype	SQL Server datat Column description
ETF_CODE	1	VARCHAR2(30)	nvarchar(30) event type filter code
R5EVTINSTRUMENTS		R5PRIK_EIS	

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EIS_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
EIS_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The equipment.
EIS_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The equipment organization.
R5EVTSTANDARDS				
R5PRIK_EST				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
EST_PK	1	NUMBER	int	The system generated primary key.
R5EVTSYSTEMS				
R5PRIK_ESY				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESY_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
ESY_SYSTEM	2	VARCHAR2(30)	nvarchar(30)	The system.
ESY_SYSTEM_ORG	3	VARCHAR2(15)	nvarchar(15)	The system organization.
R5EVTTESTPOINTS				
R5PRIK_ETP				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ETP_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
ETP_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The equipment.
ETP_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The equipment organization.
ETP_SEQ	4	NUMBER(4,0)	numeric(4,0)	The sequence number.
R5EXCEPTIONS				
R5PRIK_EXC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
EXC_DATE	1	DATE	datetime	date to which this exception applies.
EXC_PERSON	2	VARCHAR2(15)	nvarchar(15)	person code
EXC_TIME	3	NUMBER(38,0)	numeric(38,0)	Start Time
R5EXCHRATES				
R5PRIK_CRR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CRR_CODE	1	VARCHAR2(30)	nvarchar(30)	unique identifier for exchange rate
R5EXPORT				
R5PRIK_EXP				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
EXP_CODE	1	VARCHAR2(30)	nvarchar(30)	a unique id generated using timestamp and sessionid
R5EXPORTDATA				
R5PRIK_EPD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
EPD_SESSIONID	1	NUMBER	numeric(18,0)	
EPD_LINE	2	NUMBER(18,0)	numeric(18,0)	
R5EXPORTFILTERS				
R5PRIK_EFI				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
EFI_USER	1	VARCHAR2(255)	nvarchar(255)	7i user
EFI_FUNC	2	VARCHAR2(6)	nvarchar(6)	7i function
EFI_NAME	3	VARCHAR2(8)	nvarchar(8)	Name of filter
R5EXPORTSELECTIONS				
R5PRIK_EPS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
EPS_SESSIONID	1	NUMBER	numeric(18,0)	
EPS_GROUP	2	VARCHAR2(60)	nvarchar(60)	
R5EXTCHARGES				
R5PRIK_ECH				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ECH_CODE	1	VARCHAR2(8)	nvarchar(8)	sequence
ECH_INVORD_CODE	2	VARCHAR2(45)	nvarchar(45)	purchase order code
ECH_INVORD_ORG	3	VARCHAR2(15)	nvarchar(15)	purchase order organization
ECH_INVORD_LINE	4	NUMBER	int	purchase order line
ECH_INVORD	5	VARCHAR2(1)	nvarchar(1)	flag indicating if extra charges/discounts should be included in part price updates
R5EXTENSIBLEFRAMEWORK				
R5PRIK_EFR				

Column name	Position	Oracle datatype	SQL Server datat	Column description
EFR_NAME	1	VARCHAR2(80)	nvarchar(30)	The name of the extensible framework.
R5EXTINVLINES				
		RSPRIK_EIL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EIL_INVOICE	1	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIL_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization
EIL_LINE	3	NUMBER(8,0)	numeric(8,0)	external invoice line number.
R5EXTINVOICES				
		RSPRIK_EIV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EIV_CODE	1	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIV_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization
R5EXTMENULANG				
		RSPRIK_EML		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EML_EXTMENU	1	VARCHAR2(30)	nvarchar(30)	menu sequence number
EML_LANG	2	VARCHAR2(2)	nvarchar(2)	language of text
R5EXTMENUS				
		RSPRIK_EMN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EMN_CODE	1	VARCHAR2(30)	nvarchar(30)	menu sequence number
R5EXTTARIFFS				
		RSPRIK_ETA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ETA_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code.
ETA_TRADE	2	VARCHAR2(15)	nvarchar(15)	trade code.
ETA_TYPE	3	VARCHAR2(4)	nvarchar(4)	user type.
ETA_ORG	4	VARCHAR2(15)	nvarchar(15)	organization code
R5FACILITIES				
		RSPRIK_FAC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FAC_CODE	1	VARCHAR2(10)	nvarchar(10)	facility code.
R5FAILURECLASSES				
		RSPRIK_FCA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FCA_CLASS	1	VARCHAR2(8)	nvarchar(8)	object classification code.
FCA_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	classification code organization
FCA_FAILURE	3	VARCHAR2(8)	nvarchar(8)	failure code.
R5FAILURES				
		RSPRIK_FAL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FAL_CODE	1	VARCHAR2(8)	nvarchar(8)	component that failed, i.e. case, elec, seal.
R5FIELDFILTERCLASS				
		RSPRIK_FLC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLC_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function
FLC_CLASS	2	VARCHAR2(8)	nvarchar(8)	Class
FLC_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	Class Organization
R5FIELDFILTERTYPE				
		RSPRIK_FFT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FFT_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	T.B.D.
FFT_TYPE	2	VARCHAR2(8)	nvarchar(8)	T.B.D.
FFT_RTTYPE	3	VARCHAR2(4)	nvarchar(4)	T.B.D.
R5FIELDFILTERWOBJTYPE				
		RSPRIK_FFW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FFW_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	T.B.D.
FFW_TYPE	2	VARCHAR2(4)	nvarchar(4)	T.B.D.

R5FIFO	R	5PRIK_FIF		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FIF_PK	1	NUMBER	int	Primary key column. Given a value using new sequence s5fifo
R5FILTERLINES		R5PRIK_FLL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLL_PK	1	VARCHAR2(30)	nvarchar(30)	refers to table r5filters
FLL_LINE	2	NUMBER	int	line number of statement in filter.
R5FILTERS		R5PRIK_FIL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FIL_FUNC	1	VARCHAR2(6)	nvarchar(6)	function e.g. bnmrcs
FIL_USER	2	VARCHAR2(255)	nvarchar(255)	user code
FIL_BLOCK	3	VARCHAR2(30)	nvarchar(30)	the block, e.g. b1.
FIL_CODE	4	VARCHAR2(12)	nvarchar(12)	filter code as defined by user
R5FILTERTABCOLUMNS		R5PRIK_FTC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FTC_TABLE	1	VARCHAR2(30)	nvarchar(30)	table
FTC_COLUMN	2	VARCHAR2(30)	nvarchar(30)	column
R5FILTERTABLES		R5PRIK_FTA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FTA_TABLE	1	VARCHAR2(30)	nvarchar(30)	table
R5FINCLASSES		R5PRIK_FCL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FCL_CLASS	1	VARCHAR2(8)	nvarchar(8)	object classification code.
FCL_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	classification code organization
FCL_FIND	3	VARCHAR2(4)	nvarchar(4)	finding code.
R5FINDINGS		R5PRIK_FND		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FND_CODE	1	VARCHAR2(4)	nvarchar(4)	inspection finding code.
R5FINDPROFILE		R5PRIK_FPF		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FPF_CODE	1	VARCHAR2(30)	nvarchar(30)	object code.
FPF_PROFILE_ORG	2	VARCHAR2(15)	nvarchar(15)	profile organization
R5FIRSTACT		R5PRIK_FACT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ACT_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
R5FIXEDPAYMENTS		R5PRIK_FPA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FPA_AGREEMENT	1	VARCHAR2(30)	nvarchar(30)	agreement number.
FPA_LINE	2	NUMBER(8,0)	numeric(8,0)	fixed payment line number (within agreement).
R5FLDFILTEROPRCHECKLIST		R5PRIK_FFO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FFO_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	The function/screen
FFO_OBJ_CLASS	2	VARCHAR2(8)	nvarchar(8)	The object class
FFO_OBJ_CLASS_ORG	3	VARCHAR2(30)	nvarchar(30)	The object class organization
FFO_TASK	4	VARCHAR2(20)	nvarchar(20)	The task plan
R5FLDSNOTCHANGEABLE		R5PRIK_FNC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FNC_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	the name of the function
FNC_FIELD	2	VARCHAR2(30)	nvarchar(30)	field name

R5FLEETAUTH		R5PRIK_FAU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FAU_GROUP	1	VARCHAR2(12)	nvarchar(12)	The user group.
FAU_TICKETTYPE	2	VARCHAR2(4)	nvarchar(4)	The ticket type.
R5FLEETBILLINGCODES		R5PRIK_FBC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FBC_CODE	1	VARCHAR2(15)	nvarchar(15)	The billing code.
FBC_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
R5FLEETBILLINGRATES		R5PRIK_FBR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FBR_BILLINGCODE	1	VARCHAR2(15)	nvarchar(15)	The billing code.
FBR_BILLINGCODE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the billing code.
FBR_STARTDATE	3	DATE	datetime	The start date.
FBR_ORG	4	VARCHAR2(15)	nvarchar(15)	organization code
R5FLEETBILLINGSCHEDULES		R5PRIK_FSC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FSC_PERIODENDDATE	1	DATE	datetime	The period end date.
R5FLEETBILLINES		R5PRIK_FBL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FBL_BILL	1	VARCHAR2(30)	nvarchar(30)	The fleet bill.
FBL_COSTCODE	2	VARCHAR2(30)	nvarchar(30)	The cost code.
FBL_OBJECT	3	VARCHAR2(30)	nvarchar(30)	The vehicle.
FBL_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15)	The organization of the vehicle.
FBL_ADJUSTMENT	5	VARCHAR2(1)	nvarchar(1)	Whether the bill line is an adjustment.
R5FLEETBILLS		R5PRIK_FBI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FBI_CODE	1	VARCHAR2(30)	nvarchar(30)	The system generated bill code.
R5FLEETBILLSUBLINES		R5PRIK_FBS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FBS_PK	1	VARCHAR2(30)	nvarchar(30)	System generated primary key.
R5FLEETBOOKLABOR		R5PRIK_FLB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLB_EVENT	1	VARCHAR2(30)	nvarchar(30)	Work Order
FLB_ACT	2	NUMBER(8,0)	numeric(8,0)	Activity
FLB_PERSON	3	VARCHAR2(15)	nvarchar(15)	Employee
FLB_SHIFTSCHEDULESESSION	4	NUMBER(18,0)	numeric(18,0)	The shift scheduling session
FLB_MECHANICWORKBENCH	5	VARCHAR2(1)	nvarchar(1)	Flag to indicate whether the is a mechanic workbench involved
R5FLEETCUSTOMERCODES		R5PRIK_FCD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FCD_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key.
R5FLEETCUSTOMERS		R5PRIK_FCU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FCU_CODE	1	VARCHAR2(30)	nvarchar(30)	The fleet customer code.
FCU_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the fleet customer.
R5FLEETEXCEPTIONS		R5PRIK_FEX		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FEX_CODE	1	VARCHAR2(30)	nvarchar(30)	The exception code.
FEX_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the exception.
R5FLEETFUELCLASSES		R5PRIK_FFC		
Column name	Position	Oracle datatype	SQL Server datat	Column description

FFC_CLASS	1 VARCHAR2(8)	nvarchar(8)	The part class.
FFC_CLASS_ORG	2 VARCHAR2(15)	nvarchar(15)	The organization of the part class.

R5FLEETMARKUPCODES			
	RSPRIK_FMC		
Column name	Position	Oracle datatype	SQL Server datat Column description
FMC_CODE	1	VARCHAR2(15)	nvarchar(15) The markup code.
FMC_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the markup code.

R5FLEETMARKUPRATES			
	RSPRIK_FMR		
Column name	Position	Oracle datatype	SQL Server datat Column description
FMR_MARKUPCODE	1	VARCHAR2(15)	nvarchar(15) The markup code.
FMR_MARKUPCODE_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the markup code.
FMR_STARTDATE	3	DATE	datetime The start date.
FMR_ORG	4	VARCHAR2(15)	nvarchar(15) organization code

R5FLEETPARAMETERS			
	RSPRIK_FPR		
Column name	Position	Oracle datatype	SQL Server datat Column description
FPR_PK	1	VARCHAR2(1)	nvarchar(1) Primary key.

R5FLEETTICKETEXCEPTIONS			
	RSPRIK_FTE		
Column name	Position	Oracle datatype	SQL Server datat Column description
FTE_PK	1	VARCHAR2(30)	nvarchar(30) The system generated primary key.

R5FLEETTICKETS			
	RSPRIK_FTI		
Column name	Position	Oracle datatype	SQL Server datat Column description
FTI_CODE	1	VARCHAR2(30)	nvarchar(30) The system generated ticket code.

R5FLEETWOTYPES			
	RSPRIK_FWT		
Column name	Position	Oracle datatype	SQL Server datat Column description
FWT_WOTYPE	1	VARCHAR2(8)	nvarchar(8) The work order type.

R5FLEXSQL			
	RSPRIK_FLX		
Column name	Position	Oracle datatype	SQL Server datat Column description
FLX_TABLE	1	VARCHAR2(32)	varchar(32) table name.
FLX_TRIGGER	2	VARCHAR2(32)	varchar(32) identification of trigger event that executes this statement.
FLX_SEQ	3	NUMBER	numeric(38,0) sequence number of flex-sql statement (within table/trigger).

R5FLEXTABLES			
	RSPRIK_FLT		
Column name	Position	Oracle datatype	SQL Server datat Column description
FLT_TABLE	1	VARCHAR2(32)	nvarchar(32) table name.

R5FLEXTABLESNOTALLOWED			
	RSPRIK_FXT		
Column name	Position	Oracle datatype	SQL Server datat Column description
FXT_TABLE	1	VARCHAR2(30)	nvarchar(30)

R5FORGETME			
	RSPRIK_FGM		
Column name	Position	Oracle datatype	SQL Server datat Column description
FGM_PK	1	VARCHAR2(30)	nvarchar(30)

R5FORGETMEERRORS			
	RSPRIK_FME		
Column name	Position	Oracle datatype	SQL Server datat Column description
FME_CODE	1	VARCHAR2(30)	nvarchar(30)
FME_STATEMENT	2	NUMBER(4,0)	numeric(4,0)

R5FORMLINKPARMS			
	RSPRIK_FLP		
Column name	Position	Oracle datatype	SQL Server datat Column description
FLP_CALLING	1	VARCHAR2(6)	nvarchar(6) calling function
FLP_CALLED	2	VARCHAR2(6)	nvarchar(6) function called
FLP_FROMFIELD	3	VARCHAR2(40)	nvarchar(40) field from which function is called

R5FUELINVENTORY			
	RSPRIK_FIN		

Column name	Position	Oracle datatype	SQL Server datat	Column description
FIN_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel physical inventory record
R5FUELINVENTORYADJUSTMENTS				
RSPRIK_FIA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FIA_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel inventory adjustment record
R5FUELINVENTORYTANKS				
RSPRIK_FIT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FIT_FUELINVENTORY	1	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel physical inventory record
FIT_LINE	2	NUMBER(8,0)	numeric(8,0)	The line number
R5FUELISSUES				
RSPRIK_FLI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLI_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel issue record
R5FUELRECEIPTS				
RSPRIK_FLR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLR_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel receipt record
R5FUELS				
RSPRIK_FUE				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUE_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel
R5FUNCTIONS				
RSPRIK_FUN				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUN_CODE	1	VARCHAR2(6)	nvarchar(6)	function that background report will be called from.
R5FUNCTIONTABGRIDS				
RSPRIK_FTG				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FTG_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	
FTG_TAB	2	VARCHAR2(6)	nvarchar(6)	
FTG_GRIDID	3	NUMBER(14,0)	numeric(14,0)	
R5FUNCTIONTABS				
RSPRIK_FTB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FTB_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code
FTB_TAB	2	VARCHAR2(6)	nvarchar(6)	tab name
R5FUNCTIONUSERTABS				
RSPRIK_FUB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUB_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function name
FUB_TAB	2	VARCHAR2(6)	nvarchar(6)	Tab name
R5FUNCUSERS				
RSPRIK_FUS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUS_USER	1	VARCHAR2(255)	nvarchar(255)	user
FUS_FUNCTION	2	VARCHAR2(6)	nvarchar(6)	function referred on menus.
R5FUNCVIEWMAP				
RSPRIK_FVM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FVM_FUNCVIEW	1	VARCHAR2(50)	nvarchar(50)	view
FVM_GROUP	2	VARCHAR2(12)	nvarchar(12)	User group
R5FUNNOPERM				
RSPRIK_FPN				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FPN_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function
R5FUTUREDUPPLICATES				
RSPRIK_FDP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FDP_PPOPK	1	NUMBER	int	The primary key of the related ppm objects table.

FDP_SEQNO	2	NUMBER(4,0)	numeric(4,0)	The sequence number.

R5GENPRODREQPARAM	R5PRIK_GPP

Column name	Position	Oracle datatype	SQL Server datat	Column description
GPP_CODE	1	VARCHAR2(30)	nvarchar(30)	Generate Production Request Parameter Code

R5GENPRODREQWO	R5PRIK_GPW

Column name	Position	Oracle datatype	SQL Server datat	Column description
GPW_SESSIONID	1	NUMBER	numeric(18,0)	SessionId (unique)
GPW_EVENT	2	VARCHAR2(30)	nvarchar(30)	Work Order Code

R5GISDATAMAPS	R5PRIK_GMP

Column name	Position	Oracle datatype	SQL Server datat	Column description
GMP_MAPPINGID	1	NUMBER(38,0)	numeric(38,0)	Unique mapping id(sequence) for the mapping

R5GISMAPPARAMETERS	R5PRIK_GSP

Column name	Position	Oracle datatype	SQL Server datat	Column description
GSP_MAPCODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
GSP_MAP_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.
GSP_PARAM	3	VARCHAR2(8)	nvarchar(8)	T.B.D.

R5GISMAPS	R5PRIK_GSM

Column name	Position	Oracle datatype	SQL Server datat	Column description
GSM_CODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
GSM_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.

R5GLCODECOMBINATIONS	R5PRIK_GLC

Column name	Position	Oracle datatype	SQL Server datat	Column description
GLC_CODECOMBINATIONID	1	NUMBER(15,0)	numeric(15,0)	key field identifying the account combination.

R5GLINTERFACE	R5PRIK_GLI

Column name	Position	Oracle datatype	SQL Server datat	Column description
GLI_TRANSID	1	NUMBER	int	unique identification of interface transaction.

R5GLINTERFACEHIST	R5PRIK_GLH

Column name	Position	Oracle datatype	SQL Server datat	Column description
GLH_TRANSID	1	NUMBER	int	the key identifier for the transaction.

R5GLPROCESSDEF	R5PRIK_GPD

Column name	Position	Oracle datatype	SQL Server datat	Column description
GPD_CODE	1	VARCHAR2(20)	nvarchar(20)	the code representing the general ledger process.

R5GLREFERENCES	R5PRIK_GLF

Column name	Position	Oracle datatype	SQL Server datat	Column description
GLF_PROCESS	1	VARCHAR2(20)	nvarchar(20)	general ledger process code.
GLF_GROUP	2	VARCHAR2(20)	nvarchar(20)	group value for general ledger process.
GLF_JECATEGORY	3	VARCHAR2(25)	varchar(25)	as defined in oracle financials.
GLF_SETOFBOOKSID	4	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_JESOURCE	5	VARCHAR2(25)	varchar(25)	as defined in oracle financials.

R5GLREFERENCECTRL	R5PRIK_GRC

Column name	Position	Oracle datatype	SQL Server datat	Column description
GRC_RSCOLUMN	1	VARCHAR2(30)	nvarchar(30)	r5glreferences column name

R5GL_CODE_COMBINATIONS	R5PRIK_GCC

Column name	Position	Oracle datatype	SQL Server datat	Column description
CODE_COMBINATION_ID	1	NUMBER(15,0)	numeric(15,0)	no longer used.

R5GRAPHPARMS	R5PRIK_GPM

Column name	Position	Oracle datatype	SQL Server datat	Column description
GPM_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	unique functioncode not null

R5GRAPHPORTLET				
		R5PRIK_GPH		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GPH_CODE	1	NUMBER	int	unique id
R5GREENHOUSEGASES				
		R5PRIK_GHG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GHG_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the greenhouse gas
R5GRID				
	R	SPRIK_GRD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GRD_GRIDID	1	NUMBER(14,0)	numeric(14,0)	a unique id of the grid
R5GRIDFIELD				
		R5PRIK_GFD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GFD_FIELDID	1	NUMBER(14,0)	numeric(14,0)	identifier of a field.
GFD_GRIDID	2	NUMBER(14,0)	numeric(14,0)	identify the grid this field belongs to
GFD_OCCURRENCE	3	NUMBER(3,0)	numeric(3,0)	Indicates which component query the field is in
R5GRIDPARAM				
		R5PRIK_GDP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GDP_GRIDID	1	NUMBER(14,0)	numeric(14,0)	Grid Id
GDP_PARAM	2	VARCHAR2(50)	nvarchar(50)	Parameter
R5GRIDWIDGET				
		R5PRIK_GWG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GWG_WIDGETID	1	VARCHAR2(30)	nvarchar(30)	The widget id.
R5GROUPS				
		R5PRIK_UGR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
UGR_CODE	1	VARCHAR2(12)	nvarchar(12)	code of user group.
R5GROUPSEVALCODES				
		R5PRIK_GSE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
GSE_UGRCODE	1	VARCHAR2(12)	nvarchar(12)	user group
GSE_EVDCODE	2	VARCHAR2(8)	nvarchar(8)	evaluation code
R5HAZARDPRECAUTIONS				
		R5PRIK_HZP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HZP_HAZARD	1	VARCHAR2(30)	nvarchar(30)	The hazard code.
HZP_HAZARD_ORG	2	VARCHAR2(15)	nvarchar(15)	The hazard organization.
HZP_REVISION	3	NUMBER(4,0)	numeric(4,0)	The hazard revision number.
HZP_PRECAUTION	4	VARCHAR2(30)	nvarchar(30)	The precaution to protect against the hazard.
HZP_PRECAUTION_ORG	5	VARCHAR2(15)	nvarchar(15)	The precaution organization to protect against the hazard.
R5HAZARDS				
		R5PRIK_HAZ		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HAZ_CODE	1	VARCHAR2(30)	nvarchar(30)	The hazard code.
HAZ_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the hazard.
HAZ_REVISION	3	NUMBER(4,0)	numeric(4,0)	The hazard revision.
R5HELPTXTS				
		R5PRIK_HEL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HEL_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code, or attrib if field help is defined at attribute level.
HEL_ITEM	2	VARCHAR2(24)	nvarchar(24)	identifies field (and, if necessary, block) to which help text entry applies, e.g., b1.usr_code
HEL_LANG	3	VARCHAR2(2)	nvarchar(2)	language code.
R5HIDDENDATASPIES				
		R5PRIK_HDS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HDS_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group
HDS_DATASPYID	2	NUMBER(14,0)	numeric(14,0)	unique id of the dataspy

R5HOME	R	5PRIK_HOM		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HOM_CODE	1	VARCHAR2(24)	nvarchar(24)	inbox code
HOM_TYPE	2	VARCHAR2(1)	nvarchar(1)	kpi type
R5HOMEGROUPS		R5PRIK_HMG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HMG_HOMCODE	1	VARCHAR2(24)	nvarchar(24)	inbox code
HMG_HOMTYPE	2	VARCHAR2(1)	nvarchar(1)	inbox type
HMG_GROUP	3	VARCHAR2(12)	nvarchar(12)	user group
R5HOMEUSERS		R5PRIK_HMU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HMU_HOMCODE	1	VARCHAR2(24)	nvarchar(24)	inbox code
HMU_HOMTYPE	2	VARCHAR2(1)	nvarchar(1)	inbox type
HMU_USER	3	VARCHAR2(255)	nvarchar(255)	user code
HMU_SEQ	4	NUMBER(4,0)	numeric(4,0)	sequence
R5HYPERLINK		R5PRIK_HYP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HYP_PK	1	NUMBER(8,0)	numeric(8,0)	Primary key
R5HYPERLINKURLPARAMETERS		R5PRIK_HUP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
HUP_HYPERLINKPK	1	NUMBER(8,0)	numeric(8,0)	The primary key of the hyperlink.
HUP_USERFUNCTION	2	VARCHAR2(6)	nvarchar(6)	The user function.
HUP_TAB	3	VARCHAR2(6)	nvarchar(6)	The tab.
HUP_PARAMETERNAME	4	VARCHAR2(30)	nvarchar(30)	The parameter name.
R5IESINTERESTCENTERS		R5PRIK_ENI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ENI_CODE	1	VARCHAR2(30)	nvarchar(30)	interest center code
R5IESREPOSITORIES		R5PRIK_ENS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ENS_CODE	1	VARCHAR2(30)	nvarchar(30)	repository code
R5IESREPOSITORYCOLUMNS		R5PRIK_ENC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ENC_REPOSITORYID	1	VARCHAR2(30)	nvarchar(30)	the repository associated to this column
ENC_COLUMNNAME	2	VARCHAR2(30)	nvarchar(30)	the column name of some target repository table
R5IMPORTEXPORTEGRPSTATUS		R5PRK_IMG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IMG_SESSIONID	1	NUMBER	numeric(38,0)	Sessionid for the import Process
IMG_GROUP	2	VARCHAR2(60)	nvarchar(60)	Import Export Group
R5IMPORTEXPORSTATUS		R5PRIK_IES		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IES_SESSIONID	1	NUMBER	numeric(38,0)	Unique Sessionid
R5IMPORTRCMTEMPLATEHISTORY		R5PRIK_IRH		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IRH_OBJECT	1	VARCHAR2(35)	nvarchar(35)	
IRH_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	
IRH_TEMPLATE	3	VARCHAR2(30)	nvarchar(30)	
IRH_TEMPLATE_ORG	4	VARCHAR2(15)	nvarchar(15)	
IRH_TEMPLATE_REVISION	5	NUMBER(4,0)	numeric(4,0)	
R5INDICATORS		R5PRIK_IND		

Column name	Position	Oracle datatype	SQL Server datatype	Column description
IND_CODE	1	VARCHAR2(4)	nvarchar(4)	performance indicator code. unique identification.
R5INFORMATION				
		R5PRIK_INF		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
INF_LEVEL1	1	VARCHAR2(30)	nvarchar(30)	property for which information is created
INF_TYPE	2	VARCHAR2(4)	nvarchar(4)	type of information
R5INSPECTEQUIPDATA				
		R5PRIK_IED		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IED_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object
IED_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
R5INSTALL				
		R5PRIK_INS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
INS_CODE	1	VARCHAR2(8)	nvarchar(8)	code of installation parameter.
R5INTERFACE				
		R5PRIK_INT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
INT_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5INTGPLANORGITEM				
		R5PRIK_IPI		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPI_ORG	1	VARCHAR2(15)	nvarchar(15)	Organization Code
R5INTGPLANSTATUS				
		R5PRIK_IPS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPS_WOTYPE	1	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
IPS_NEWSTATUS	2	VARCHAR2(8)	nvarchar(8)	New WorkOrder Status
IPS_OLDSTATUS	3	VARCHAR2(8)	nvarchar(8)	Old WorkOrder Status
R5INTGPLANWOTYPES				
		R5PRIK_IPW		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPW_WOTYPE	1	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
R5INVALSTRUCTURES				
		R5PRIK_IST		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IST_RCHILD	1	VARCHAR2(4)	nvarchar(4)	object type of child object (system code).
IST_RPARENT	2	VARCHAR2(4)	nvarchar(4)	2: child is already attached to a parent of this type.
IST_NEWRPARENT	3	VARCHAR2(4)	nvarchar(4)	object type of new parent to which child object is to be linked (system code).
R5INVDISTRIBUTIONS				
		R5PRIK_IVD		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IVD_INVOICE	1	VARCHAR2(45)	nvarchar(45)	invoice number
IVD_LINE	2	NUMBER(8,0)	numeric(8,0)	invoice line number
IVD_ORG	3	VARCHAR2(15)	nvarchar(15)	invoice organization
IVD_CCID	4	NUMBER(15,0)	numeric(15,0)	accounting flexfield
IVD_TYPE	5	VARCHAR2(4)	nvarchar(4)	user type of extra invoice cost
R5INVESTMENTPLANEQUIPMENT				
		R5PRIK_IEQ		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IEQ_INVESTMENTPLANNING	1	VARCHAR2(30)	nvarchar(30)	
IEQ_INVESTMENTPLANNINGREV	2	NUMBER(4,0)	numeric(4,0)	
IEQ_INVESTMENTPLANNING_ORG	3	VARCHAR2(15)	nvarchar(15)	
IEQ_OBJECT	4	VARCHAR2(30)	nvarchar(30)	
IEQ_OBJECT_ORG	5	VARCHAR2(15)	nvarchar(15)	
R5INVESTMENTPLANNING				
		R5PRIK_INP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
INP_CODE	1	VARCHAR2(30)	nvarchar(30)	
INP_REVISION	2	NUMBER(4,0)	numeric(4,0)	

INP_ORG	3 VARCHAR2(15)	nvarchar(15)

Column name	Position	Oracle datatype	SQL Server datat	Column description
IPQ_INVESTMENTPLANNING	1	VARCHAR2(30)	nvarchar(30)	
IPQ_INVESTMENTPLANNING_ORG	2	VARCHAR2(15)	nvarchar(15)	
IPQ_INVESTMENTPLANNINGREV	3	NUMBER(4,0)	numeric(4,0)	
IPQ_CAPITALPLANNINGREQUEST	4	VARCHAR2(30)	nvarchar(30)	
IPQ_CAPITALPLANNINGREQUEST_ORG	5	VARCHAR2(15)	nvarchar(15)	

Column name	Position	Oracle datatype	SQL Server datat	Column description
INR_CODE	1	VARCHAR2(30)	nvarchar(30)	

Column name	Position	Oracle datatype	SQL Server data	Column description
INA_PK	1	NUMBER	numeric(38,0)	The system generated primary key, using new sequence s5invoiceallocations

Column name	Position	Oracle datatype	SQL Server datatype	Column description
IVL_INVOICE	1	VARCHAR2(45)	nvarchar(45)	invoice code
IVL_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization
IVL_INVLIN	3	NUMBER(8,0)	numeric(8,0)	invoice line number.

Column name	Position	Oracle datatype	SQL Server data	Column description
INV_CODE	1	VARCHAR2(45)	nvarchar(45)	code identifying the invoice.
INV_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization

Column name	Position	Oracle datatype	SQL Server datat	Column description
IUC_INVOICE	1	VARCHAR2(45)	nvarchar(45)	
IUC_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	
IUC_LINE	3	NUMBER(8,0)	numeric(8,0)	

Column name	Position	Oracle datatype	SQL Server data	Column description
IUA_INVOICE	1	VARCHAR2(45)	nvarchar(45)	The code of the supplier invoice.
IUA_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the supplier invoice.
IUA_SEQUENCE	3	NUMBER(6,0)	numeric(6,0)	The utility line number of the customer invoice.
IUA_MESSAGEID	4	NUMBER(2,0)	numeric(2,0)	The message id of the invoice utility audit record.

Column name	Position	Oracle datatype	SQL Server datat	Column description
CNN_CONNECTIONNAME	1	VARCHAR2(30)	nvarchar(30)	connection name entered by user
CNN_UPDUSER	2	VARCHAR2(255)	nvarchar(255)	user created by

R5IPFUNCTIONS		R5PRIK_IPF	
Column name	Position	Oracle datatype	SQL Server datat Column description
IPF_CODE	1	NUMBER(2,0)	numeric(2,0) 7i Buy function

Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPG_GROUP	1	VARCHAR2(12)	nvarchar(12)	group
IPG_PERMISSION	2	NUMBER(38,0)	numeric(38,0)	permission

Column name	Position	Oracle datatype	SQL Server data	Column description
IPP_CODE	1	NUMBER(38,0)	numeric(38,0)	code

R5IPVENDORORDERTERMS R5PRIK_IPT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPT_CODE	1	NUMBER	int	vendor order term code
IPT_TERM	2	VARCHAR2(30)	nvarchar(30)	acceptable order terms
R5IPVENDORS				
R5PRIK_IPV				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPV_CODE	1	NUMBER	int	7i Buy vendor code
R5ISOLATIONPOINTS				
R5PRIK_ISP				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ISP_CODE	1	VARCHAR2(30)	nvarchar(30)	The isolation point code
ISP_ORG	2	VARCHAR2(15)	nvarchar(15)	The isolation point organization.
ISP_REVISION	3	NUMBER(4,0)	numeric(4,0)	The isolation point revision.
R5ISSUEDCORES				
R5PRIK_ISC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ISC_PK	1	NUMBER	numeric(18,0)	The primary key of the issued cores record.
R5ISSUES				
R5PRIK_ISS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ISS_PK	1	NUMBER	int	Primary key column. Given a value using new sequence s5fifo
R5ITEMS				
R5PRIK_ITM				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ITM_CODE	1	VARCHAR2(80)	nvarchar(80)	unique Item Code
R5JMPROJ				
R5PRIK_JMP				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JMP_PK	1	VARCHAR2(30)	nvarchar(30)	primary key / sessionid
R5JOB LINES				
R5PRIK_JBL				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JBL_EVENT	1	VARCHAR2(30)	nvarchar(30)	job code.
JBL_PART	2	VARCHAR2(30)	nvarchar(30)	part code.
JBL_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization code.
R5JOBPARAMVALUE				
R5PRIK_JPV				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JPV_CODE	1	VARCHAR2(30)	nvarchar(30)	This is primary key of the table.
JPV_LINE	2	NUMBER(8,0)	numeric(8,0)	This is primary key of the table. Value should be greater then 0.
R5JOBS				
R5PRIK_JOB				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JOB_NAME	1	VARCHAR2(10)	nvarchar(10)	This is primary key of the table. User readable name of the job
R5JOBTYPEAUTH				
R5PRIK_JTA				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JTA_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group code.
JTA_JOBTYPE	2	VARCHAR2(8)	nvarchar(8)	job type (user code, entity jbtp).
JTA_STATUS	3	VARCHAR2(8)	nvarchar(8)	Authorization for the jobtype
R5JOINTEFFICIENCY				
R5PRIK_JEF				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JEF_PIPING	1	VARCHAR2(20)	nvarchar(20)	pipng code
JEF_PIPINGREV	2	NUMBER(4,0)	numeric(4,0)	pipng revision
JEF_NOMSIZEMM	3	NUMBER	numeric(24,6)	pipe size (mm)
R5JSPFIELDS				
R5PRIK_JFD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
JFD_JSPFILE	1	VARCHAR2(30)	nvarchar(30)	TBD

R5KBARTICLEDETAILS		R5PRIK_KBD	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KBD_KBARTICLE	1	VARCHAR2(30)	nvarchar(30) Knowledge Base Code
KBD_KBARTICLE_ORG	2	VARCHAR2(15)	nvarchar(15) Knowledge Base Org
KBD_LANG	3	VARCHAR2(2)	nvarchar(2) Language Code
R5KBARTICLES		R5PRIK_KBA	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KBA_CODE	1	VARCHAR2(30)	nvarchar(30) Knowledge Base Code /Auto-Generated Code
KBA_ORG	2	VARCHAR2(15)	nvarchar(15) Knowledge Base Org
R5KEYLOCKS		R5PRIK_KEL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KEL_KEY	1	VARCHAR2(30)	nvarchar(30) The number of the key
KEL_KEY_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the key
KEL_CODE	3	VARCHAR2(30)	nvarchar(30) The primary key of the lock
R5KEYS		R	5PRIK_KEY
Column name	Position	Oracle datatype	SQL Server datatype Column description
KEY_CODE	1	VARCHAR2(30)	nvarchar(30) The primary key of the key
KEY_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the key
R5KEYTRANSACTIONS		R5PRIK_KTR	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KTR_PK	1	NUMBER	numeric(18,0) The primary key of the key/ring
R5KITPARTS		R5PRIK_BKP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
BKP_CODE	1	VARCHAR2(30)	nvarchar(30) T.B.D.
R5KITS		R	5PRIK_BKS
Column name	Position	Oracle datatype	SQL Server datatype Column description
BKS_SESSIONID	1	NUMBER(18,0)	numeric(18,0) T.B.D.
R5KITTEMPLATES		R5PRIK_KTT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KTT_KITTEMPLATE	1	VARCHAR2(30)	nvarchar(30) The kit template code
KTT_KITTEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15) The kit template organization
KTT_PART	3	VARCHAR2(30)	nvarchar(30) the kit template part
KTT_PART_ORG	4	VARCHAR2(15)	nvarchar(15) The kit template part organization
R5KPIHISTORY		R5PRIK_KPH	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KPH_HOMCODE	1	VARCHAR2(24)	nvarchar(24) home code
KPH_HOMTYPE	2	VARCHAR2(1)	nvarchar(1) home type
KPH_UPDDATE	3	DATE	datetime date updated
R5KPISTRUCTURE		R5PRIK_KPT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KPT_PARENT	1	VARCHAR2(24)	nvarchar(24) kpi parent code
KPT_PARENTTYPE	2	VARCHAR2(1)	nvarchar(1) kpi parent type
KPT_CHILD	3	VARCHAR2(24)	nvarchar(24) kpi component
KPT_CHILDTYPE	4	VARCHAR2(1)	nvarchar(1) kpi type
R5LABELFORMATS		R5PRIK_LBL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
LBL_CODE	1	VARCHAR2(30)	nvarchar(30) label code
LBL_CLASS	2	VARCHAR2(8)	nvarchar(8) the class the label belongs to
LBL_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15) the class organization
R5LANGINST		R5PRIK_LIN	

R5LANGUAGES			
Column name	Position	Oracle datatype	SQL Server datat Column description
LIN_CODE	1	VARCHAR2(2)	nvarchar(2) language code. unique identification.
R5LASTVALS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CPL_ATTR	1	VARCHAR2(32)	nvarchar(32) name of table column where last value is used.
CPL_RENTITY	2	VARCHAR2(4)	nvarchar(4) entity code where last value is used (system code).
R5LINEARDIRECTIONS			
Column name	Position	Oracle datatype	SQL Server datat Column description
LDR_DIRECTION	1	VARCHAR2(8)	nvarchar(8) The linear direction (like North).
R5LINEARREFCLASSES			
Column name	Position	Oracle datatype	SQL Server datat Column description
LRC_ENTITY	1	VARCHAR2(4)	nvarchar(4) The entity of the linear reference record
LRC_CLASS	2	VARCHAR2(8)	nvarchar(8) The class the linear reference record belongs to
LRC_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15) The class organization the linear reference record belongs to
LRC_LINEARREF_CLASS	4	VARCHAR2(8)	nvarchar(8) The class of the linear reference record
LRC_LINEARREF_CLASS_ORG	5	VARCHAR2(15)	nvarchar(15) The class organization of the linear reference record
R5LOCALE			
Column name	Position	Oracle datatype	SQL Server datat Column description
LOC_CODE	1	VARCHAR2(10)	nvarchar(10) Locale identifier
R5LOCALEHOTKEYS			
Column name	Position	Oracle datatype	SQL Server datat Column description
LHK_LOCALE	1	VARCHAR2(10)	nvarchar(10) The locale the hot key applies to
LHK_CODE	2	VARCHAR2(30)	nvarchar(30) The identifier of a hot key
R5LOCKOUTBOXES			
Column name	Position	Oracle datatype	SQL Server datat Column description
LOX_CODE	1	VARCHAR2(30)	nvarchar(30) The lockout box code.
LOX_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the lockout box.
R5LONGDESCRIPTIONS			
Column name	Position	Oracle datatype	SQL Server datat Column description
LDS_ENTITY	1	VARCHAR2(4)	nvarchar(4) The entity belonging to the long description.
LDS_CODE	2	VARCHAR2(100)	nvarchar(100) The code belonging to the long description.
LDS_LANG	3	VARCHAR2(2)	nvarchar(2) The language belonging to the long description.
R5LOTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
LOT_CODE	1	VARCHAR2(12)	nvarchar(12) lot number. unique identification.
R5MAILATTRIBS			
Column name	Position	Oracle datatype	SQL Server datat Column description
MAA_PK	1	VARCHAR2(30)	nvarchar(30) PK column
R5MAILCONDITIONS			
Column name	Position	Oracle datatype	SQL Server datat Column description
MAC_PK	1	VARCHAR2(30)	nvarchar(30) T.B.D.
R5MAILEVENTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
MAE_CODE	1	VARCHAR2(30)	nvarchar(30) code of mailevent.
R5MAILPARAMETERS			

Column name	Position	Oracle datatype	SQL Server datat	Column description
MAP_ATTRIBPK	1	VARCHAR2(30)	nvarchar(30)	To be pk of mail attrib
MAP_PARAMETER	2	NUMBER(2,0)	numeric(2,0)	number of parameters.
R5MAILTABLESNOTALLOWED				
R5PRIK_MLT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MLT_TABLE	1	VARCHAR2(30)	nvarchar(30)	
R5MAILTEMPLATE				
R5PRIK_MAT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MAT_CODE	1	VARCHAR2(18)	nvarchar(18)	mail template code.
R5MAINISOLATIONBLOCKS				
R5PRIK_MIB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MIB_BLOCKID	1	NUMBER(18,0)	numeric(18,0)	
R5MAINISOLATIONDEPBLOCKS				
R5PRIK_MID				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MID_BLOCKID	1	NUMBER(18,0)	numeric(18,0)	
MID_DEPBLOCKID	2	NUMBER(18,0)	numeric(18,0)	
R5MAINISOLATIONMAINS				
R5PRIK_MIP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MIP_MAINID	1	VARCHAR2(30)	nvarchar(30)	
R5MAINISOLATIONVALVES				
R5PRIK_MIV				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MIV_VALVEID	1	VARCHAR2(30)	nvarchar(30)	
R5MAINTENANCEPATTERNS				
R5PRIK_MTP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MTP_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the maintenance pattern
MTP_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the maintenance pattern
MTP_REVISION	3	NUMBER(4,0)	numeric(4,0)	The revision of the maintenance pattern
R5MANAGEDFILE				
R5PRIK_FMT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FMT_TICKET	1	VARCHAR2(16)	nvarchar(16)	This is primary key of the table - MD5 digest of the file name.
FMT_SEQNUM	2	NUMBER	int	This is used only in sequences of the files. For individual file this should be set to -1.
R5MANAGEDFILESEQUENCE				
R5PRIK_FMS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FMS_TICKET	1	VARCHAR2(16)	nvarchar(16)	This is foreign key of the table - MD5 digest of the file name.
R5MANUFACTURERINTERFACE				
R5PRIK_MFI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MFI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5MANUFACTURERS				
R5PRIK_MFG				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MFG_CODE	1	VARCHAR2(24)	nvarchar(24)	manufacturer code.
R5MAPSCONSENT				
R5PRIK_MCT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MCT_APPID	1	VARCHAR2(30)	nvarchar(30)	
MCT_USERID	2	VARCHAR2(255)	nvarchar(255)	
MCT_DEVICEID	3	VARCHAR2(80)	nvarchar(80)	
MCT_PRODUCT	4	VARCHAR2(15)	nvarchar(15)	
R5MATERIALSTANDARDS				
R5PRIK_MST				
Column name	Position	Oracle datatype	SQL Server datat	Column description

MST_CODE	1 VARCHAR2(20)	nvarchar(20)	material standard
MST_REVISION	2 NUMBER(4,0)	numeric(4,0)	revision

R5MATLISTS		R5PRIK_MTL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MTL_CODE	1	VARCHAR2(20)	nvarchar(20) material list code.
MTL_REVISION	2	NUMBER(4,0)	numeric(4,0) revision number.

R5MATLPARTS		R5PRIK_MLP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MLP_MATLIST	1	VARCHAR2(20)	nvarchar(20) material list code.
MLP_MATLREV	2	NUMBER(4,0)	numeric(4,0) revision number.
MLP_LINE	3	NUMBER(8,0)	numeric(8,0) line number of part on material list.

R5MENUS		R5PRIK_MEN	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MEN_GROUP	1	VARCHAR2(12)	nvarchar(12) user group code.
MEN_CALLING	2	VARCHAR2(6)	nvarchar(6) code of function that is calling.
MEN_CALLED	3	VARCHAR2(6)	nvarchar(6) code of function that is called.

R5METERS		R5PRIK_MET	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MET_CODE	1	VARCHAR2(20)	nvarchar(20) meter code. unique identification.

R5METHODS		R5PRIK_MTH	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MTH_CODE	1	VARCHAR2(8)	nvarchar(8) inspection method code. unique identification.

R5MGADMINISTRATOR		R5PRIK_TPA	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPA_SQLIDENTITY	1	NUMBER(10,0)	int identity Unique record identifier for this record

R5MGCUSTOMFIELD		R5PRIK_TPC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPC_SQLIDENTITY	1	NUMBER(10,0)	int identity Unique record identifier for this record

R5MGPROVISIONINGCONFIG		R5PRIK_TPK	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPK_NAME	1	VARCHAR2(64)	nvarchar(64) The name of this tenant provisioning setting

R5MGSNAPSHOT		R5PRIK_SNS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SNS_TENANTID	1	VARCHAR2(32)	nvarchar(32)
SNS_OPERATION	2	VARCHAR2(1)	nvarchar(1)

R5MGTENANT		R5PRIK_TPT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPT_SQLIDENTITY	1	NUMBER(10,0)	int identity Unique record identifier for this record

R5MINMAXFORMPARAM		R5PRIK_FOP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FOP_FORMULA	1	VARCHAR2(8)	nvarchar(8) formula id
FOP_PARAMETER	2	VARCHAR2(8)	nvarchar(8) parameter

R5MINMAXFORMULAS		R5PRIK_MMF	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MMF_CODE	1	VARCHAR2(8)	nvarchar(8) formula id

R5MINMAXPARAMETERS		R5PRIK_MMP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MMP_CODE	1	VARCHAR2(8)	nvarchar(8) parameter

R5MINORITYGROUPS		R5PRIK_MNG	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MNG_CODE	1	VARCHAR2(4)	nvarchar(4) minority group code. unique identification.
R5MOBILECONFIGS		R5PRIK_MCF	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MCF_CODE	1	VARCHAR2(80)	nvarchar(80) Mobile Configuration Code
MCF_RCODE	2	VARCHAR2(20)	nvarchar(20) Mobile Configuration System Code
MCF_CONFIG	3	NUMBER	int Mobile Configuration Flag
MCF_DESK	4	VARCHAR2(1)	nvarchar(1) Mobile Configuration Desktop version
R5MOBILEDATABLOCKS		R5PRIK_MDB	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MDB_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Request ID from Client.
MDB_BLOCKID	2	NUMBER	int Block number
R5MOBILEDBSYNC		R5PRIK_MDS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MDS_SYNCID	1	NUMBER(38,0)	numeric(38,0)
R5MOBILEENTITYSETUP		R5PRIK_MBE	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MBE_ENTITY	1	VARCHAR2(4)	nvarchar(4)
R5MOBILEEVENTSYNC		R5PRIK_MES	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MES_REQUESTID	1	VARCHAR2(30)	nvarchar(30) Mobile sync request id
MES_EVENT	2	VARCHAR2(30)	nvarchar(30) Mobile sync Work Order
R5MOBILEFILTEREDOBJECTS		R5PRIK_MFO	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MFO_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Timestamp when the record is generated in table
MFO_OBJECT	2	VARCHAR2(30)	nvarchar(30) Equipment Number to be downloaded to Mobile device
MFO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) Equipment Organization
R5MOBILEFILTEREDPTW		R5PRIK_MFT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MFT_SESSIONID	1	VARCHAR2(30)	nvarchar(30)
MFT_CODE	2	VARCHAR2(30)	nvarchar(30)
R5MOBILEFILTEREDWOS		R5PRIK_MFW	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MFW_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Current Mobile data sync session ID
MFW_EVENT	2	VARCHAR2(30)	nvarchar(30) Work Order number to be downloaded to Mobile device
R5MOBILEGRIDLOCK		R5PRIK_MGL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MGL_GRIDNAME	1	VARCHAR2(20)	nvarchar(20) Mobile sync lock grid name
MGL_SYNCCONFIG	2	VARCHAR2(200)	nvarchar(200) Mobile sync lock Sync Config
MGL_ORGCONFIG	3	VARCHAR2(200)	nvarchar(200) Mobile sync lock Organization Config
R5MOBILELBSDATA		R5PRIK_LBS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
LBS_DEVICEID	1	VARCHAR2(100)	nvarchar(100) Device ID
LBS_DATE	2	DATE	datetime Creation Date
R5MOBILENOTEBOOKEMAILS		R5PRIK_MNE	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MNE_CODE	1	VARCHAR2(30)	nvarchar(30)

R5MOBILENOTEBOOKREFERENCES		R5PRIK_MNR	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNR_MOBILENOTEBOOK	1	VARCHAR2(30)	nvarchar(30)
MNR_REF_MOBILENOTEBOOK	2	VARCHAR2(30)	nvarchar(30)
R5MOBILENOTEBOOKS		R5PRIK_MNB	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNB_CODE	1	VARCHAR2(30)	nvarchar(30)
R5MOBILENOTICES		R5PRIK_MNT	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNT_CODE	1	VARCHAR2(20)	nvarchar(20)
MNT_APPID	2	VARCHAR2(20)	nvarchar(20)
R5MOBILEPNREGISTRY		R5PRIK_MPN	
Column name	Position	Oracle datatype	SQL Server datat Column description
MPN_APPID	1	VARCHAR2(30)	nvarchar(30) EAM mobile app id (EAMConnected/EAMDisconnected/EAMforiPhone)
MPN_DEVICEID	2	VARCHAR2(80)	nvarchar(80) mobile device id
R5MOBILEQUERIES		R5PRIK_MQR	
Column name	Position	Oracle datatype	SQL Server datat Column description
MQR_GRIDNAME	1	VARCHAR2(50)	nvarchar(50)
MQR_TABLENNAME	2	VARCHAR2(100)	nvarchar(100)
MQR_VERSION	3	VARCHAR2(20)	nvarchar(20)
R5MOBILESYNCBLOCKS		R5PRIK_MSB	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSB_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Mobile Sync information request id
MSB_BLOCKID	2	NUMBER	int Mobile Sync information block id
R5MOBILESYNDELETE		R5PRIK_MSD	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSD_PK	1	NUMBER(38,0)	numeric(38,0) Mobile Sync Delete record primary key fields
R5MOBILESYNSTATUS		R5PRIK_MSS	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSS_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Request ID from Clinet
R5MOBILESYNCTIME		R5PRIK_MSM	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSM_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Mobile sync time request id
MSM_GRIDNAME	2	VARCHAR2(20)	nvarchar(20) Mobile sync time grid name
R5MOBILEUSERCONFIGS		R5PRIK_MUC	
Column name	Position	Oracle datatype	SQL Server datat Column description
MUC_USER	1	VARCHAR2(255)	nvarchar(255) Mobile Configuration for user
MUC_GROUP	2	VARCHAR2(12)	nvarchar(12) Mobile Configuration for User Group
MUC_CODE	3	VARCHAR2(80)	nvarchar(80) Mobile Configuration Code
MUC_DESK	4	VARCHAR2(1)	nvarchar(1) Mobile Configuration Desktop Version
R5MPACTIVITIES		R5PRIK_MPA	
Column name	Position	Oracle datatype	SQL Server datat Column description
MPA_MPPROJ	1	VARCHAR2(20)	nvarchar(20) code of mp scheduling project.
MPA_EVENT	2	VARCHAR2(30)	nvarchar(30) job number.
MPA_ACT	3	NUMBER(8,0)	numeric(8,0) activity number.
R5MPACTSCHEDULES		R5PRIK_MSA	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSA_MPPROJ	1	VARCHAR2(20)	nvarchar(20) scheduling project
MSA_EVENT	2	VARCHAR2(30)	nvarchar(30) event code
MSA_ACT	3	NUMBER(8,0)	numeric(8,0) activity number

MSA_PERSON	4 VARCHAR2(15)	nvarchar(15)	resource code
MSA_DATE	5 DATE	datetime	scheduled date

R5MPASSIGNEDSUPPLIERS

RSPRIK_MAS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MAS_EVENT	1	VARCHAR2(30)	nvarchar(30)	Work Order Number
MAS_ACT	2	NUMBER(8,0)	numeric(8,0)	Work Order Activity
MAS_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	Supplier
MAS_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	Supplier Organization
MAS_SCHED	5	DATE	datetime	Scheduled Date

R5MPEQUIPMENT

RSPRIK_MEQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MEQ_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MEQ_CODE	2	VARCHAR2(30)	nvarchar(30)	object code
MEQ_ORG	3	VARCHAR2(15)	nvarchar(15)	organization code

R5MPEVENTS

RSPRIK_MPE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPE_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPE_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.

R5MPOBJECTS

RSPRIK_MPO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPO_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPO_OBJECT	2	VARCHAR2(30)	nvarchar(30)	object code.
MPO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	object organization

R5MPPERSACT

RSPRIK_MPS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPS_PERSON	1	VARCHAR2(15)	nvarchar(15)	personnel code of person assigned to activity.
MPS_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.
MPS_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
MPS_DATE	4	DATE	datetime	date person is assigned to work on activity.

R5MPPERSONNEL

RSPRIK_MPP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPP_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project id
MPP_CODE	2	VARCHAR2(15)	nvarchar(15)	personnel code

R5MPPRIORITIES

RSPRIK_MPR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPR_UPRIOR	1	VARCHAR2(8)	nvarchar(8)	priority code (user code, see entity jbpr).
MPR_RPRIOR	2	VARCHAR2(8)	nvarchar(8)	corresponding microsoft project priority code.

R5MPPROJECTS

RSPRIK_MPJ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPJ_CODE	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project. unique identification.

R5MPSCHEGROUPS

RSPRIK_MPG

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPG_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPG_RENTITY	2	VARCHAR2(4)	nvarchar(4)	entity for which group selection was requested: object, project, or mrc (system code).
MPG_CODE	3	VARCHAR2(30)	nvarchar(30)	code of object, project or maintenance responsibility centre.

R5MPSUPPLIER

RSPRIK_MSPT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MSP_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MSP_CODE	2	VARCHAR2(30)	nvarchar(30)	supplier code

R5MPTOOL

RSPRIK_MTO

Column name	Position	Oracle datatype	SQL Server datat	Column description
MTO_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MTO_CODE	2	VARCHAR2(12)	nvarchar(12)	tool code
R5MPTOOLACTIVITIES				
R5PRIK_TOA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
TOA_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
TOA_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.
TOA_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
TOA_PART	4	VARCHAR2(30)	nvarchar(30)	part code.
TOA_PART_ORG	5	VARCHAR2(15)	nvarchar(15)	part organization
R5MPTRADE				
R5PRIK_MTD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MTD_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MTD_CODE	2	VARCHAR2(15)	nvarchar(15)	trade code
R5MRCGISMAPS				
R5PRIK_MGM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MGM_MRC	1	VARCHAR2(15)	nvarchar(15)	T.B.D.
MGM_MAP	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
MGM_MAP_ORG	3	VARCHAR2(15)	nvarchar(15)	T.B.D.
R5MRCS				
R 5PRIK_MRC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MRC_CODE	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5MRCTOOLS				
R5PRIK_MRT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MRT_MRC	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
MRT_TOOL	2	VARCHAR2(12)	nvarchar(12)	tool code.
MRT_ORG	3	VARCHAR2(15)	nvarchar(15)	mrc tool organization
R5MSGSERVERREQUEST				
R5PRIK_MSQ				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MSQ_REQUESTID	1	VARCHAR2(60)	nvarchar(60)	Message request ID
R5NCSETUPSTATUSDEP				
R5PRIK_NSD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NSD_ORG	1	VARCHAR2(15)	nvarchar(15)	The organization the record belongs to.
NSD_NCSTATUS	2	VARCHAR2(4)	nvarchar(4)	The observation status which initiates the automatic nonconformity status change.
R5NONCONFORMITIES				
R5PRIK_NCF				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NCF_CODE	1	VARCHAR2(30)	nvarchar(30)	The nonconformity code.
R5NONCONFORMITYSELCRITERIA				
R5PRIK_NCS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NCS_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the record.
R5NONCONFORMITYSETUP				
R5PRIK_NCP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NCP_ORG	1	VARCHAR2(15)	nvarchar(15)	The organization the nonconformity setup record belongs to.
R5NONCONFORMITYTYPEASPECTS				
R5PRIK_NTA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NTA_ASPECT	1	VARCHAR2(30)	nvarchar(30)	Inspection Aspect
NTA_NONCONFORMITYTYPE_CODE	2	VARCHAR2(30)	nvarchar(30)	Nonconformity Type applicable to the Inspection Aspect
NTA_NONCONFORMITYTYPE_ORG	3	VARCHAR2(15)	nvarchar(15)	Nonconformity Type Org. applicable to the Inspection Aspect
R5NONCONFORMITYTYPEEMRS				
R5PRIK_NTE				

R5NONCONFORMITYTYPEMATTYPE			
R5PRIK_MTS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
NTE_PK	1	VARCHAR2(30)	nvarchar(30) The system generated primary key of the record.
R5NONCONFORMITYTYPEPARTS			
R5PRIK_NTP			
Column name	Position	Oracle datatype	SQL Server datatype Column description
MTS_NONCONFORMITYTYPE	1	VARCHAR2(30)	nvarchar(30) The nonconformity type.
MTS_NONCONFORMITYTYPE_ORG	2	VARCHAR2(15)	nvarchar(15) The nonconformity type organization.
MTS_MATERIALTYPE	3	VARCHAR2(8)	nvarchar(15) A Material type related to the nonconformity type.
R5NONCONFORMITYTYPES			
R5PRIK_NCT			
Column name	Position	Oracle datatype	SQL Server datatype Column description
NCT_CODE	1	VARCHAR2(30)	nvarchar(30) The nonconformity type.
NCT_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the nonconformity type.
R5NONCONFORMOBSERVATIONS			
R5PRIK_NCO			
Column name	Position	Oracle datatype	SQL Server datatype Column description
NCO_PK	1	VARCHAR2(30)	nvarchar(30) The system generated primary key of the nonconformity observation record.
R5OBJACTUALCONSUMPTION			
R5PRIK_OAC			
Column name	Position	Oracle datatype	SQL Server datatype Column description
OAC_OBJECT	1	VARCHAR2(30)	nvarchar(30) Equipment Code
OAC_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) Equipment Organization
OAC_COMMODITY	3	VARCHAR2(15)	nvarchar(15) Commodity Code
OAC_DATE	4	DATE	datetime To Date
R5OBJDEPRECIATION			
R5PRIK_ODP			
Column name	Position	Oracle datatype	SQL Server datatype Column description
ODP_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment code.
ODP_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the equipment.
ODP_DEPTYPE	3	VARCHAR2(4)	nvarchar(4) The depreciation type.
ODP_MODE	4	VARCHAR2(1)	nvarchar(1) The mode of depreciation.
ODP_PERIOD	5	NUMBER	numeric(38,0) The period number.
R5OBJDEPTYPES			
R5PRIK_OBD			
Column name	Position	Oracle datatype	SQL Server datatype Column description
OBD_PK	1	NUMBER	numeric(18,0) The primary key of the object depreciation type record
R5OBJDESIGNCONSUMPTION			
R5PRIK_ODC			
Column name	Position	Oracle datatype	SQL Server datatype Column description
ODC_OBJECT	1	VARCHAR2(30)	nvarchar(30) Equipment Code
ODC_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) Equipment Organization
ODC_COMMODITY	3	VARCHAR2(15)	nvarchar(15) Commodity Code
ODC_FROMDATE	4	DATE	datetime From Date
R5OBJECTASPECTS			
R5PRIK_OBA			
Column name	Position	Oracle datatype	SQL Server datatype Column description
OBA_OBJECT	1	VARCHAR2(30)	nvarchar(30) object code.
OBA_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) object organization
OBA_OBTYP	3	VARCHAR2(4)	nvarchar(4) object type (user code, see entity obtp).
OBA_ASPECT	4	VARCHAR2(30)	nvarchar(30) inspection aspect code.
R5OBJECTAUDITS			
R5PRIK_OAD			
Column name	Position	Oracle datatype	SQL Server datatype Column description
OAD_BATCHNAME	1	VARCHAR2(20)	nvarchar(20) object audit batch code.

R5OBJECTCAPACITIES		R5PRIK_OCP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCF_OBJECT	1	VARCHAR2(30)	nvarchar(30)
OCF_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)
OCF_CAPACITYCODE	3	VARCHAR2(8)	nvarchar(8)
OCF_EFFECTIVE	4	DATE	datetime
R5OBJECTIVES		R5PRIK_OJV	
Column name	Position	Oracle datatype	SQL Server datat Column description
OJV_CODE	1	VARCHAR2(30)	nvarchar(30) The objective code.
OJV_ORG	2	VARCHAR2(15)	nvarchar(15) The objective organization.
R5OBJECTLOTO		R5PRIK_OLO	
Column name	Position	Oracle datatype	SQL Server datat Column description
OLO_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the lockout-tagout record.
R5OBJECTS		R5PRIK_OBJ	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBJ_CODE	1	VARCHAR2(30)	nvarchar(30) object code.
OBJ_ORG	2	VARCHAR2(15)	nvarchar(15) object organization
R5OBJECTSDM		R5PRIK_SDM	
Column name	Position	Oracle datatype	SQL Server datat Column description
SDM_CODE	1	VARCHAR2(30)	nvarchar(30) Service Delivery Map code. Auto-Generated code
R5OBJECTSERVICECODES		R5PRIK_OSC	
Column name	Position	Oracle datatype	SQL Server datat Column description
OSC_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record
R5OBJECTSINTERFACE		R5PRIK_OBI	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBI_TRANSID	1	NUMBER	bigint unique identification of interface transaction.
R5OBJECTSUPPLIERS		R5PRIK_OSP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OSP_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record.
R5OBJECTSURVEY		R5PRIK_OBS	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBS_OBJECT	1	VARCHAR2(30)	nvarchar(30) The survey object
OBS_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The survey object organization
OBS_TYPE	3	VARCHAR2(1)	nvarchar(1) The survey type
OBS_LEVELPK	4	VARCHAR2(30)	nvarchar(30) The survey question pk
R5OBJECTUPDATE		R5PRIK_OUP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OUP_PK	1	NUMBER	numeric(18,0) The primary key of the object update record
R5OBJLINEARREF		R5PRIK_LRF	
Column name	Position	Oracle datatype	SQL Server datat Column description
LRF_ID	1	NUMBER(38,0)	numeric(38,0) The surrogate key of this table, populated by sequence number S5LRF
R5OBJMAP		R5PRIK_OMP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OMP_MAPID	1	NUMBER(38,0)	numeric(38,0) Code of the GIS map for the selected equipment or route.
R5OBJMAPPLAYER		R5PRIK_OML	
Column name	Position	Oracle datatype	SQL Server datat Column description
OML_MAPID	1	NUMBER(38,0)	numeric(38,0) Code of the GIS map for the selected equipment or route.
OML_VISIBLELAYER	2	VARCHAR2(60)	nvarchar(60) GIS map layer that will be visible when equipment or route map is viewed.

R5OBJRESOURCES		R5PRIK_OR5	
Column name	Position	Oracle datatype	SQL Server datat Column description
ORS_OBJECT	1	VARCHAR2(30)	nvarchar(30) Equipment Code
ORS_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) Equipment Organization
ORS_RESOURCE	3	VARCHAR2(80)	nvarchar(80) Resource Code
R5OBJTESTPOINTS		R5PRIK_OTP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OTP_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment.
OTP_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The equipment organization.
OTP_SET	3	VARCHAR2(4)	nvarchar(4) The set of the object test point.
OTP_SEQ	4	NUMBER(4,0)	numeric(4,0) The sequence number.
R5OBJUNITS		R5PRIK_OBU	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBU_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment code.
OBU_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the equipment.
OBU_YEARPK	3	NUMBER	int The reference to a fiscal year.
R5OBJUSAGEDEFS		R5PRIK_OUD	
Column name	Position	Oracle datatype	SQL Server datat Column description
UD_OBJECT	1	VARCHAR2(30)	nvarchar(30) object code.
UD_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) object organization
UD_UOM	3	VARCHAR2(30)	nvarchar(30) unit of measure code.
R5OPCALCQUEUE		R5PRIK_OCQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCQ_ID	1	NUMBER	int Identifies calc request. Primary key
R5OPCHARTS		R5PRIK_OCH	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCH_ID	1	NUMBER(38,0)	numeric(38,0) Chart ID
R5OPCOMMENTS		R5PRIK_OCM	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCM_VARID	1	NUMBER(38,0)	numeric(38,0) Identifies the Variable thats being commented
OCM_DATESTAMP	2	DATE	datetime Date of Comment
R5OPERATORCHECKLISTS		R5PRIK_OCK	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCK_CODE	1	VARCHAR2(30)	nvarchar(30) Operator Check List Code
R5OPFILES		R5PRIK_OGF	
Column name	Position	Oracle datatype	SQL Server datat Column description
OGF_ID	1	NUMBER	int Identifies each file entry. Primary key
R5OPGRAPHCORR		R5PRIK_OGC	
Column name	Position	Oracle datatype	SQL Server datat Column description
OGC_ID	1	NUMBER	int Primary key value of correlation graph
R5OPGRAPHTS		R5PRIK_OGT	
Column name	Position	Oracle datatype	SQL Server datat Column description
OGT_ID	1	NUMBER	int Primary key value of correlation graph
R5OPLIMITS		R5PRIK_OPL	
Column name	Position	Oracle datatype	SQL Server datat Column description
OPL_VARID	1	NUMBER(38,0)	numeric(38,0) Variable for which the limits apply
OPL_MTH	2	NUMBER(2,0)	int Month in year
R5OPLOOKUPTABLES		R5PRIK_OLT	

Column name	Position	Oracle datatype	SQL Server datat	Column description
OLT_ID	1	NUMBER	int	Analytics - T.B.D.
R5OPREPORTS				
		R5PRIK_ORP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ORP_ID	1	NUMBER(38,0)	numeric(38,0)	Report ID
R5OPREPORTVARS				
		R5PRIK_ORV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ORV_REPORTID	1	NUMBER(38,0)	numeric(38,0)	Report ID
ORV_VARID	2	NUMBER(38,0)	numeric(38,0)	Report ID
R5OPSERVERLOG				
		R5PRIK_OSL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OSL_ID	1	NUMBER(38,0)	numeric(38,0)	Server log code
R5OPSYMBOLS				
		R5PRIK_OSY		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OSY_ID	1	NUMBER(38,0)	numeric(38,0)	primary key id
R5OPSYNCBLOCK				
		R5PRIK_OPB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OPB_BLOCKID	1	NUMBER(24,0)	numeric(24,0)	Surrogate primarykey
R5OPSYNCDEL				
		R5PRIK_SDL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
SDL_SYNCKEY	1	NUMBER(24,0)	numeric(24,0)	Surrogate primarykey
R5OPTIMIZEDSCHEDULES				
		R5PRIK_OPS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OPS_CODE	1	VARCHAR2(30)	nvarchar(30)	
OPS_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5OPUNITS				
		R5PRIK_OUN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OUN_ID	1	NUMBER(38,0)	numeric(38,0)	Primary key
R5OPVARATTRIBUTES				
		R5PRIK_OAT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OAT_ID	1	NUMBER(38,0)	numeric(38,0)	Attribute ID
R5OPVARDATA				
		R5PRIK_ODT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ODT_ID	1	NUMBER(24,0)	numeric(24,0)	pk
R5OPVARDEPENDENCIES				
		R5PRIK_OVV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OVV_VARID	1	NUMBER(38,0)	numeric(38,0)	Variable node in dependency tree.
OVV_PARENTID	2	NUMBER(38,0)	numeric(38,0)	Parent nodes of Variable node in dependency tree.
R5OPVAREQ				
		R5PRIK_OEQ		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OEQ_VARID	1	NUMBER(38,0)	numeric(38,0)	Variable ID
OEQ_DATESTAMP	2	DATE	datetime	Date when the equation becomes effective
R5OPVARIABLES				
		R5PRIK_OVD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OVD_ID	1	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
R5OPVARSYMBOL				
		R5PRIK_OVS		
Column name	Position	Oracle datatype	SQL Server datat	Column description

OVS_ID	1 NUMBER	int	primary key (surrogate)

R5ORDCLASEREVS

R5PRIK_OCR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OCR_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
OCR_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
OCR_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	clause code.
OCR_REVISION	4	NUMBER(4,0)	numeric(4,0)	purchase order revision number.

R5ORDCLAUSES

R5PRIK_ORC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORC_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORC_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORC_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	clause code.

R5ORDERLINES

R5PRIK_ORL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORL_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORL_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORL_ORDLIN	3	NUMBER(8,0)	numeric(8,0)	purchase order line number.

R5ORDERS

R5PRIK_ORD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORD_CODE	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORD_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization

R5ORDERTERMS

R5PRIK_ORT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORT_CODE	1	VARCHAR2(30)	nvarchar(30)	order term code.

R5ORDERTRACKING

R5PRIK_OTR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OTR_TRACKID	1	NUMBER(12,0)	int	tracking id number
OTR_ORDER	2	VARCHAR2(30)	nvarchar(30)	purchase order
OTR_ORDER_ORG	3	VARCHAR2(15)	nvarchar(15)	purchase order organization

R5ORDREVISIONS

R5PRIK_ORR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORR_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORR_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORR_REVISION	3	NUMBER(4,0)	numeric(4,0)	purchase order revision number.

R5ORGANIZATION

R5PRIK_ORG

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORG_CODE	1	VARCHAR2(15)	nvarchar(15)	organization code

R5ORGANIZATIONAPPPARMS

R5PRIK_OAP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OAP_ORG	1	VARCHAR2(15)	nvarchar(15)	organization code
OAP_APPLICATION	2	VARCHAR2(32)	nvarchar(32)	application name for dashboard interface
OAP_PARAMNAME	3	VARCHAR2(32)	nvarchar(32)	parameter name

R5ORGANIZATIONOPTIONS

R5PRIK_OPA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OPA_CODE	1	VARCHAR2(8)	nvarchar(8)	The organization option code
OPA_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization option organization
OPA_SYSTEM	3	VARCHAR2(1)	nvarchar(1)	The organization option system flag

R5ORGLOCATION

R5PRIK_OGL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OGL_ORG	1	VARCHAR2(15)	nvarchar(15)	Organization Code

OGL_BODGROUP 2 VARCHAR2(8) nvarchar(8) BOD Group

R5ORGOPTIONSNOTALLOWED R5PRIK_OON

Column name	Position	Oracle datatype	SQL Server datat	Column description
OON_OPTION	1	VARCHAR2(8)	nvarchar(8)	

R5ORGSTRUCTURE R5PRIK_OZS

Column name	Position	Oracle datatype	SQL Server datat	Column description
OZS_CODE	1	VARCHAR2(15)	nvarchar(15)	The organization code.

R5ORGTABCOLUMNS R5PRIK_OTC

Column name	Position	Oracle datatype	SQL Server datat	Column description
OTC_TABLE	1	VARCHAR2(30)	nvarchar(30)	table name
OTC_COLUMN	2	VARCHAR2(30)	nvarchar(30)	column name

R5ORGYEARS R5PRIK_OYE

Column name	Position	Oracle datatype	SQL Server datat	Column description
OYE_PK	1	NUMBER	int	The system generated primary key.

R5ORIGINATORS R5PRIK_ORI

Column name	Position	Oracle datatype	SQL Server datat	Column description
ORI_CODE	1	VARCHAR2(24)	nvarchar(24)	code of document originator.

R5ORLREVISIONS R5PRIK_OLR

Column name	Position	Oracle datatype	SQL Server datat	Column description
OLR_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
OLR_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
OLR_REVISION	3	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
OLR_ORDLINE	4	NUMBER(8,0)	numeric(8,0)	purchase order line number.

R5OXCOPY R5PRIK_OXC

Column name	Position	Oracle datatype	SQL Server datat	Column description
OXC_SESSION	1	VARCHAR2(30)	nvarchar(30)	session id
OXC_OLD OBJ	2	VARCHAR2(30)	nvarchar(30)	old object code
OXC_OLD OBJORG	3	VARCHAR2(15)	nvarchar(15)	old object organization

R5PACKAGE R5PRIK_PKG

Column name	Position	Oracle datatype	SQL Server datat	Column description
PKG_CODE	1	VARCHAR2(30)	nvarchar(30)	

R5PACKAGELINES R5PRIK_PKL

Column name	Position	Oracle datatype	SQL Server datat	Column description
PKL_PACKAGE	1	VARCHAR2(30)	nvarchar(30)	
PKL_HELDITEM	2	VARCHAR2(30)	nvarchar(30)	

R5PACKINGSLIP R5PRIK_PSL

Column name	Position	Oracle datatype	SQL Server datat	Column description
PSL_DOCK	1	VARCHAR2(30)	nvarchar(30)	dock code
PSL_LINE	2	NUMBER(8,0)	numeric(8,0)	dock line

R5PARTCONDITIONTEMPLATE R5PRIK_PCT

Column name	Position	Oracle datatype	SQL Server datat	Column description
PCT_CODE	1	VARCHAR2(30)	nvarchar(30)	The part condition template code.
PCT_ORG	2	VARCHAR2(15)	nvarchar(15)	The part condition template organization.

R5PARTCTPLCONDITIONS R5PRIK_PTC

Column name	Position	Oracle datatype	SQL Server datat	Column description
PTC_TEMPLATE	1	VARCHAR2(30)	nvarchar(30)	The part condition template the condition belongs to.
PTC_TEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the part condition template the condition belongs to.
PTC_CONDITION	3	VARCHAR2(20)	nvarchar(20)	The code of the part template condition.

R5PARTEVALUATIONLIST		R5PRIK_PEL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PEL_EVALCODE	1	VARCHAR2(30)	nvarchar(30)	Part Evaluation Code
PEL_PART	2	VARCHAR2(30)	nvarchar(30)	Part Code
PEL_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	Part Organization
R5PARTEVALUATIONS		R5PRIK_PEN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PEN_CODE	1	VARCHAR2(30)	nvarchar(30)	Part Evaluation Code
R5PARTFAILURES		R5PRIK_PFA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PFA_CODE	1	VARCHAR2(30)	nvarchar(30)	Part Failure Code /Auto-Generated Code/Surrogate Key
R5PARTGHG		R5PRIK_PGG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PGG_PART	1	VARCHAR2(30)	nvarchar(30)	Part code
PGG_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	Part organization
PGG_GHG	3	VARCHAR2(30)	nvarchar(30)	Green house gas code
R5PARTNERINBOUND		R5PRIK_PIB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PIB_PARTNER	1	VARCHAR2(128)	nvarchar(128)	Partner
PIB_DOCUMENTTYPE	2	VARCHAR2(128)	nvarchar(128)	Document type
R5PARTNERS		R5PRIK_PNR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PNR_CODE	1	VARCHAR2(128)	nvarchar(128)	Partner Code
R5PARTNERSUBSCRIPTIONS		R5PRIK_PSB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PSB_PARTNER	1	VARCHAR2(128)	nvarchar(128)	Partner code. Link to R5PARTNERS.PNR_CODE
PSB_EVENT	2	VARCHAR2(32)	nvarchar(32)	A Databridge or other messaging event name the partner is subscribing
PSB_DOCUMENTTYPE	3	VARCHAR2(128)	nvarchar(128)	The document type of the subscription
R5PARTPART		R5PRIK_PAP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PAP_PARTA	1	VARCHAR2(30)	nvarchar(30)	part code of part for which alternative exists.
PAP_PARTA_ORG	2	VARCHAR2(15)	nvarchar(15)	part a organization
PAP_PARTB	3	VARCHAR2(30)	nvarchar(30)	part code of alternative part.
PAP_PARTB_ORG	4	VARCHAR2(15)	nvarchar(15)	part b organization
R5PARTPRICES		R5PRIK_PPR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PPR_PART	1	VARCHAR2(30)	nvarchar(30)	part code
PPR_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
PPR_ORG	3	VARCHAR2(15)	nvarchar(15)	organization
R5PARTS		R5PRIK_PAR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PAR_CODE	1	VARCHAR2(30)	nvarchar(30)	part code. unique identification.
PAR_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
R5PARTSINTERFACE		R5PRIK_PAI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PAI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5PARTSUNDERWARRANTY		R5PRIK_PUW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PUW_PK	1	NUMBER	numeric(18,0)	The PK of the parts under warranty record

R5PARTWARRANTYCLAIMPARTS		R5PRIK_PWP	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWP_PK	1	NUMBER	numeric(18,0) The system generated primary key of the claim line
R5PARTWARRANTYCLAIMS		R5PRIK_PWA	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWA_CODE	1	VARCHAR2(30)	nvarchar(30) The unique code of the part warranty claim
R5PASSWORDS		R5PRIK_PWD	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWD_USER	1	VARCHAR2(255)	nvarchar(255) user.
PWD_PASSWORD	2	VARCHAR2(50)	nvarchar(50) encrypted user password.
PWD_LASTUSED	3	DATE	datetime date the password was last used.
R5PATTERNEQUIPMENT		R5PRIK_PEQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
PEQ_MP	1	VARCHAR2(30)	nvarchar(30) The identifier of a maintenance pattern
PEQ_MP_ORG	2	VARCHAR2(15)	nvarchar(15) The maintenance pattern organization
PEQ_REVISION	3	NUMBER(4,0)	numeric(4,0) The revision of the maintenance pattern equipment
PEQ_OBJECT	4	VARCHAR2(30)	nvarchar(30) The equipment of the maintenance pattern equipment
PEQ_OBJECT_ORG	5	VARCHAR2(15)	nvarchar(15) The equipment organization of the maintenance pattern equipment
R5PATTERNSEQUENCES		R5PRIK_PSQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
PSQ_PK	1	NUMBER(38,0)	numeric(38,0) Primary Key Code
PSQ_REVISION	2	NUMBER(4,0)	numeric(4,0) The revision of the maintenance pattern sequence
R5PDMLANG		R5PRIK_PDL	
Column name	Position	Oracle datatype	SQL Server datat Column description
PDL_GROUP	1	VARCHAR2(12)	nvarchar(12) user group code.
PDL_LINE	2	NUMBER	int line number.
PDL_LANG	3	VARCHAR2(2)	nvarchar(2) language code.
R5PERFORMANCEFORMULAS		R5PRIK_PFF	
Column name	Position	Oracle datatype	SQL Server datat Column description
PFF_CODE	1	VARCHAR2(30)	nvarchar(30)
PFF_ORG	2	VARCHAR2(15)	nvarchar(15)
R5PERIODS		R5PRIK_ACP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACP_YEAR	1	VARCHAR2(8)	nvarchar(8) budget term code.
ACP_PERIOD	2	VARCHAR2(4)	nvarchar(4) budget period code.
R5PERMENTITIES		R5PRIK_PRE	
Column name	Position	Oracle datatype	SQL Server datat Column description
PRE_PERMIT	1	VARCHAR2(12)	nvarchar(12) permit code.
PRE_PERMIT_ORG	2	VARCHAR2(15)	nvarchar(15) The permit organization.
PRE_CODE	3	VARCHAR2(50)	nvarchar(50) object or category code.
PRE_RENTITY	4	VARCHAR2(4)	nvarchar(4) entity code (system code).
R5PERMEVENTS		R5PRIK_PEV	
Column name	Position	Oracle datatype	SQL Server datat Column description
PEV_CODE	1	VARCHAR2(34)	nvarchar(34) permit number. unique identification.
R5PERMISSIONS		R5PRIK_PRM	
Column name	Position	Oracle datatype	SQL Server datat Column description
PRM_FUNCTION	1	VARCHAR2(6)	nvarchar(6) code of function that users of user group have access to.
PRM_GROUP	2	VARCHAR2(12)	nvarchar(12) user group code.
R5PERMITS		R5PRIK_PRT	
Column name	Position	Oracle datatype	SQL Server datat Column description

PRT_CODE	1	VARCHAR2(12)	nvarchar(12)	permit code. unique identification.
PRT_ORG	2	VARCHAR2(15)	nvarchar(15)	permit organization
PRT_REVISION	3	NUMBER(4,0)	numeric(4,0)	The permit revision.

R5PERMITTOWORK		R5PRIK_PTW		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PTW_CODE	1	VARCHAR2(30)	nvarchar(30)	The permit to work unique code.

R5PERMITTOWORKCONFLICTS		R5PRIK_PWC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PWC_PTW	1	VARCHAR2(30)	nvarchar(30)	The permit to work code.
PWC_CONFLICTINGPTW	2	VARCHAR2(30)	nvarchar(30)	The conflicting permit to work code.

R5PERMITTOWORKLOTO		R5PRIK_PWL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PWL_PK	1	VARCHAR2(30)	nvarchar(30)	The unique code of the permit to work lockout-tagout.

R5PERMITTOWORKSETUP		R5PRIK_PTS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PTS_ORG	1	VARCHAR2(15)	nvarchar(15)	The organization.
PTS_RISK	2	VARCHAR2(8)	nvarchar(8)	The risk code.

R5PERCODESTRUCT		R5PRIK_PRL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PRL_CODE	1	VARCHAR2(15)	nvarchar(15)	personnel code
PRL_LEVEL1	2	VARCHAR2(30)	nvarchar(30)	personnel property

R5PERSONNEL		R5PRIK_PER		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PER_CODE	1	VARCHAR2(15)	nvarchar(15)	personnel code. unique identification.

R5PERSONNELQUALIFICATIONS		R5PRIK_PQU		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PQU_PERSON	1	VARCHAR2(15)	nvarchar(15)	Personnel code
PQU_QUALIFICATION	2	VARCHAR2(20)	nvarchar(20)	Qualification code
PQU_QUALIFICATIONSTART	3	DATE	datetime	Qualification start date

R5PERTYPES		R5PRIK_PET		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PET_PERSON	1	VARCHAR2(15)	nvarchar(15)	personnel code
PET_TYPE	2	VARCHAR2(4)	nvarchar(4)	personnel type

R5PICKLISTPARTS		R5PRIK_PIP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PIP_PICKLIST	1	VARCHAR2(30)	nvarchar(30)	pick list number.
PIP_PART	2	VARCHAR2(30)	nvarchar(30)	part code.
PIP_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization

R5PICKLISTS		R5PRIK_PIC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PIC_CODE	1	VARCHAR2(30)	nvarchar(30)	pick list number. unique identification.

R5PIPINGCLASS		R5PRIK_PCS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PCS_CODE	1	VARCHAR2(20)	nvarchar(20)	piping class
PCS_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision

R5PMFORECASTEQUIPLIST		R5PRIK_PFL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PFL_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID
PFL_OBJECT	2	VARCHAR2(30)	nvarchar(30)	object code

PFL_OBJECT_ORG	3 VARCHAR2(15)	nvarchar(15)	object organization

R5PMFORECASTPARAMS	R5PRIK_PFP

Column name	Position	Oracle datatype	SQL Server data	Column description
PFP_CODE	1	VARCHAR2(30)	nvarchar(30)	Parameters Key / Surrogate Key

R5PMFORECASTPREVIEW	R5PRIK_PFV

Column name	Position	Oracle datatype	SQL Server data	Column description
PFV_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID
PFV_OBJECT	2	VARCHAR2(30)	nvarchar(30)	Equipment code
PFV_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	Equipment organization

R5PMFORECASTWARNING	R5PRIK_PFW

Column name	Position	Oracle datatype	SQL Server data	Column description
PFW_PPSPK	1	NUMBER(12,0)	numeric(12,0)	Forecast id (pps_pk)
PFW_WARNTYPE	2	VARCHAR2(1)	nvarchar(1)	Type of warning

R5PMPLANSSESSION	R5PRIK_PPS

Column name	Position	Oracle datatype	SQL Server data	Column description
PPS_PK	1	NUMBER(12,0)	numeric(12,0)	A sequence number used as key

R5PMPSESSIONDATES	R5PRIK_PPD

Column name	Position	Oracle datatype	SQL Server data	Column description
PPD_LINE	1	NUMBER(12,0)	numeric(12,0)	Line id
PPD_PPSPK	2	NUMBER(12,0)	numeric(12,0)	Forecast id (pps_pk)
PPD_DUEDATE	3	DATE	datetime	Due date

R5PMPSESSIONLINES	R5PRIK_PPL

Column name	Position	Oracle datatype	SQL Server data	Column description
PPL_LINE	1	NUMBER(12,0)	numeric(12,0)	A sequence number used as key

R5PMRESOURCES	R5PRIK_PMR

Column name	Position	Oracle datatype	SQL Server data	Column description
PMR_PPM	1	VARCHAR2(20)	nvarchar(20)	PMSchedule Code
PMR_PPMREVISION	2	NUMBER(4,0)	numeric(4,0)	PMSchedule Revision
PMR_OBJECT	3	VARCHAR2(30)	nvarchar(30)	Equipment Code
PMR_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15)	Equipment Organization
PMR_RESOURCE	5	VARCHAR2(80)	nvarchar(80)	Resource Code

R5POINTS	R5PRIK_POI

Column name	Position	Oracle datatype	SQL Server data	Column description
POI_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object code.
POI_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
POI_OBTYP	3	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
POI_POINT	4	VARCHAR2(30)	nvarchar(30)	identification of inspection point on object.
POI_POINTTYPE	5	VARCHAR2(30)	nvarchar(30)	type of inspection point.

R5POINTTYPES	R5PRIK_PTP

Column name	Position	Oracle datatype	SQL Server data	Column description
PTP_CODE	1	VARCHAR2(30)	nvarchar(30)	type of inspection point. unique identification.

R5POLICIES	R5PRIK_POL

Column name	Position	Oracle datatype	SQL Server data	Column description
POL_CODE	1	VARCHAR2(30)	nvarchar(30)	The policy code.
POL_ORG	2	VARCHAR2(15)	nvarchar(15)	The policy organization.

R5PPMACTDETAILS	R5PRIK_PAD

Column name	Position	Oracle datatype	SQL Server data	Column description
PAD_CODE	1	VARCHAR2(45)	nvarchar(45)	ppm activity details code
PAD_RTYPE	2	VARCHAR2(4)	nvarchar(4)	ppm activity detail r type

R5PPMACTS		R5PRIK_PPA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PPA_PPM	1	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.
PPA_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.
PPA_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
R5PPMCALENDARS		R5PRIK_PPC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PPC_PPM	1	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.
PPC_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.
PPC_OBJECT	3	VARCHAR2(30)	nvarchar(30)	object code.
PPC_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15)	object organization
PPC_DATE	5	DATE	datetime	date on which ppm job is due. (this overrides the frequency of the pm schedule when the next ppm job is created)
R5PPMOBJECTS		R5PRIK_PPO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PPO_PK	1	NUMBER	int	primary key.
PPO_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.
R5PPMPLAN		R5PRIK_PMP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PMP_CODE	1	VARCHAR2(6)	nvarchar(6)	ppm plan code
R5PPMS		R	5PRIK_PPM	
Column name	Position	Oracle datatype	SQL Server datat	Column description
PPM_CODE	1	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule. unique identification.
PPM_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision of pm, material list, task or rout.
R5PPMTOOLS		R5PRIK_PPT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PPT_PPM	1	VARCHAR2(20)	nvarchar(20)	ppm code.
PPT_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.
PPT_ACT	3	NUMBER(8,0)	numeric(8,0)	activity code.
PPT_TOOL	4	VARCHAR2(12)	nvarchar(12)	tool code.
R5PRECAUTIONS		R5PRIK_PCA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PCA_CODE	1	VARCHAR2(30)	nvarchar(30)	The precaution code.
PCA_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the precaution
PCA_REVISION	3	NUMBER(4,0)	numeric(4,0)	The revision of the precaution.
R5PREFERENCES		R5PRIK_PRF		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRF_CODE	1	VARCHAR2(12)	nvarchar(12)	preference code.
R5PREFILTERLOOKUP		R5PRIK_PFE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PFE_PAGENAME	1	VARCHAR2(40)	nvarchar(40)	function based name of page
PFE_ELEMENTID	2	VARCHAR2(80)	nvarchar(80)	Unique field element ID in form
R5PRICECODES		R5PRIK_PRI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRI_CODE	1	VARCHAR2(4)	nvarchar(4)	price code. unique identification.
R5PRICING		R5PRIK_PRC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRC_TRANSTYPE	1	VARCHAR2(8)	nvarchar(8)	the storeroom transaction class for which this price adoption is used.
PRC_TRANSTYPE_ORG	2	VARCHAR2(15)	nvarchar(15)	organization of the storeroom transaction class for which this price adoption is used
PRC_ORIG	3	VARCHAR2(4)	nvarchar(4)	pricing code relating to origin of items.
PRC_DEST	4	VARCHAR2(4)	nvarchar(4)	pricing code relating to destination of items issued.

R5PRINTERS				R5PRIK_PRN
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRN_CODE	1	NUMBER	int	llm number of the printer
R5PRINTERTYPES				R5PRIK_PNT
Column name	Position	Oracle datatype	SQL Server datat	Column description
PNT_CODE	1	VARCHAR2(30)	nvarchar(30)	the printer type
R5PRINTERUSERS				R5PRIK_PNU
Column name	Position	Oracle datatype	SQL Server datat	Column description
PNU_CODE	1	NUMBER	int	the printer llm number
PNU_USER	2	VARCHAR2(255)	nvarchar(255)	user assigned to this printer
R5PRINTLABELS				R5PRIK_PNL
Column name	Position	Oracle datatype	SQL Server datat	Column description
PNL_CODE	1	VARCHAR2(30)	nvarchar(30)	a unique id generated using timestamp and sessionid
R5PROCESSLOCK				R5PRIK_PLK
Column name	Position	Oracle datatype	SQL Server datat	Column description
PLK_CODE	1	VARCHAR2(128)	nvarchar(128)	Key for the table, representing a startup process name.
R5PRODREQRESOURCES				R5PRIK_PRR
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRR_PK	1	NUMBER	int	unique Code Primary Key
R5PRODUCTIONPRIORITY				R5PRIK_PDP
Column name	Position	Oracle datatype	SQL Server datat	Column description
PDP_CODE	1	VARCHAR2(256)	nvarchar(256)	Production Priority Code
R5PRODUCTIONREQUESTS				R5PRIK_PRQ
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRQ_CODE	1	VARCHAR2(30)	nvarchar(30)	Production Request Code
PRQ_REVISION	2	NUMBER(4,0)	numeric(4,0)	Production Request Revision
PRQ_ORG	3	VARCHAR2(15)	nvarchar(15)	Production Request Organization
R5PRODUCTVERSION				R5PRIK_PVS
Column name	Position	Oracle datatype	SQL Server datat	Column description
PVS_PRODUCTCODE	1	VARCHAR2(10)	nvarchar(10)	Product code or database code: EXTENDED, FORMS, MOBILE, DATABRIDGE, 7i BUY, DATABASE
R5PRODUCTVERSIONHISTORY				R5PRIK_PVH
Column name	Position	Oracle datatype	SQL Server datat	Column description
PVH_PRODUCTCODE	1	VARCHAR2(10)	nvarchar(10)	Product updated/patched
PVH_CHANGED	2	DATE	datetime	datetime change was applied.
R5PROJAUTHUSER				R5PRIK_PAU
Column name	Position	Oracle datatype	SQL Server datat	Column description
PAU_PROJECT	1	VARCHAR2(20)	nvarchar(20)	Project code.
PAU_USER	2	VARCHAR2(255)	nvarchar(255)	List of users who are not expired.
R5PROJBUDCLASSES				R5PRIK_PCL
Column name	Position	Oracle datatype	SQL Server datat	Column description
PCL_PROJECT	1	VARCHAR2(20)	nvarchar(20)	project code.
PCL_PROJBUD	2	VARCHAR2(20)	nvarchar(20)	project budget code.
R5PROJBUDCODES				R5PRIK_PBC
Column name	Position	Oracle datatype	SQL Server datat	Column description
PBC_CODE	1	VARCHAR2(20)	nvarchar(20)	project budget code. unique identification.
R5PROJECTS				R5PRIK_PRJ
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRJ_CODE	1	VARCHAR2(20)	nvarchar(20)	project code.

R5PROMPTVALUES		R5PRIK_PMV	
Column name	Position	Oracle datatype	SQL Server datat Column description
PMV_PROMPT	1	VARCHAR2(8)	nvarchar(8) prompt
PMV_ASPECT	2	VARCHAR2(30)	nvarchar(30) aspect code
PMV_CODE	3	VARCHAR2(40)	nvarchar(40) code
PMV_SEQNO	4	NUMBER(4,0)	numeric(4,0) sequence #
R5PROMPTWEBSERVICES		R5PRIK_PWS	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWS_PROCESGROUP	1	NUMBER(3,0)	numeric(3,0) web service prompt process group
PWS_WSPRMCODE	2	VARCHAR2(6)	nvarchar(6) web service prompt code
R5PROPERTIES		R5PRIK_PRO	
Column name	Position	Oracle datatype	SQL Server datat Column description
PRO_CODE	1	VARCHAR2(8)	nvarchar(8) custom property code. unique identification.
R5PSCATEGORIES		R5PRIK_PSC	
Column name	Position	Oracle datatype	SQL Server datat Column description
PSC_CODE	1	VARCHAR2(30)	nvarchar(30) Provider/Service Category Code
PSC_ORG	2	VARCHAR2(15)	nvarchar(15) Provider/Service Category Organization
R5PTWEVENTLOG		R5PRIK_PTL	
Column name	Position	Oracle datatype	SQL Server datat Column description
PTL_PK	1	VARCHAR2(30)	nvarchar(30) The unique key of the permit to work event log.
R5PULLDOWNMENU		R5PRIK_PDM	
Column name	Position	Oracle datatype	SQL Server datat Column description
PDM_GROUP	1	VARCHAR2(12)	nvarchar(12) user group code.
PDM_LINE	2	NUMBER	int pulldown menu slot number.
R5PUMPS		R5PRIK_PUM	
Column name	Position	Oracle datatype	SQL Server datat Column description
PUM_DEPOT	1	VARCHAR2(30)	nvarchar(30) The depot of the pump
PUM_DEPOT_ORG	2	VARCHAR2(15)	nvarchar(15) The organization for the depot of the pump
PUM_CODE	3	VARCHAR2(30)	nvarchar(30) The pump code
R5PURCHASEINTERFACE		R5PRIK_PUI	
Column name	Position	Oracle datatype	SQL Server datat Column description
PUI_TRANSID	1	NUMBER	bigint unique identification of interface transaction.
R5PVDESCRIPTIONS		R5PRIK_PVD	
Column name	Position	Oracle datatype	SQL Server datat Column description
PVD_PROPERTY	1	VARCHAR2(8)	nvarchar(8) custom property code.
PVD_VALUE	2	VARCHAR2(80)	nvarchar(80) custom property lov code (code of code+description property).
R5QUALIFICATIONS		R5PRIK_QUA	
Column name	Position	Oracle datatype	SQL Server datat Column description
QUA_CODE	1	VARCHAR2(20)	nvarchar(20) Qualification code
R5QUERIES		R5PRIK_QUE	
Column name	Position	Oracle datatype	SQL Server datat Column description
QUE_CODE	1	VARCHAR2(8)	nvarchar(8) query code. unique identification.
R5QUERYFIELD		R5PRIK_QDF	
Column name	Position	Oracle datatype	SQL Server datat Column description
QDF_FIELDID	1	NUMBER(14,0)	numeric(14,0) identifier of a field.
QDF_DDSPYID	2	NUMBER(14,0)	numeric(14,0) indicate which dataspy this field belongs to.
QDF_VIEWTYPE	3	VARCHAR2(8)	nvarchar(8) view type (list view , portlet view or lov)
R5QUOTATIONS		R5PRIK_QUO	

Column name	Position	Oracle datatype	SQL Server datatype	Column description
QUO_CODE	1	VARCHAR2(30)	nvarchar(30)	quotation number. unique identification.
QUO_SEQNO	2	VARCHAR2(2)	nvarchar(2)	sequential number within quotation number, value 1 for first supplier to whom quotation is to be sent
R5QUOTLINES				
R5PRIK_QUL				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
QUL_QUOTATION	1	VARCHAR2(30)	nvarchar(30)	quotation number.
QUL_SEQNO	2	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QUL_LINE	3	NUMBER(8,0)	numeric(8,0)	quotation line number.
R5QUOTTASKS				
R5PRIK_QUT				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
QUT_QUOTATION	1	VARCHAR2(30)	nvarchar(30)	quotation number.
QUT_SEQNO	2	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QUT_EVENT	3	VARCHAR2(30)	nvarchar(30)	job number.
QUT_ACT	4	NUMBER(8,0)	numeric(8,0)	activity number.
QUT_LINE	5	NUMBER(8,0)	numeric(8,0)	line number of text.
R5RCMFAILUREMITIGATION				
R5PRIK_RFM				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RFM_CODE	1	VARCHAR2(30)	nvarchar(30)	
R5RCMSTRUCTURE				
R5PRIK_RCM				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCM_OBJECT	1	VARCHAR2(35)	nvarchar(35)	Reference to the selected equipment
RCM_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	Reference to the selected equipment organization
RCM_CODE	3	VARCHAR2(30)	nvarchar(30)	Primary key of the record
R5RCMTEMPLATEEQUIPCLASSES				
R5PRIK_REC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
REC_PK	1	VARCHAR2(30)	nvarchar(30)	
R5RCMTEMPLATES				
R5PRIK_RCT				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCT_CODE	1	VARCHAR2(30)	nvarchar(30)	
RCT_ORG	2	VARCHAR2(15)	nvarchar(15)	
RCT_REVISION	3	NUMBER(4,0)	numeric(4,0)	
R5RCODES				
R5PRIK_RCO				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCO_RENTITY	1	VARCHAR2(4)	nvarchar(4)	entity code.
RCO_RCODE	2	VARCHAR2(4)	nvarchar(4)	code.
R5READINGS				
R5PRIK_REA				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
REA_CODE	1	VARCHAR2(30)	nvarchar(30)	unique identifier of readings record
R5READINGSINTERFACE				
R5PRIK_REI				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
REI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5REDUCTIONS				
R5PRIK_RED				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RED_PART	1	VARCHAR2(30)	nvarchar(30)	part code.
RED_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
RED_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	supplier code.
RED_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	supplier organization
RED_LINE	5	NUMBER(8,0)	numeric(8,0)	reduction line number.
R5REGIONACTUALTEMPS				
R5PRIK_RAT				
Column name	Position	Oracle datatype	SQL Server datatype	Column description

RAT_REGION	1	VARCHAR2(30)	nvarchar(30)	Region Code
RAT_REGION_ORG	2	VARCHAR2(15)	nvarchar(15)	Region Organization
RAT_DATE	3	DATE	datetime	Date

R5REGIONHISTORICALTEMPS		R5PRIK_RHT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RHT_REGION	1	VARCHAR2(30)	nvarchar(30)	Region Code
RHT_REGION_ORG	2	VARCHAR2(15)	nvarchar(15)	Region Organization
RHT_DAYOFYEAR	3	NUMBER(3,0)	numeric(3,0)	Day Of Year

R5REGIONS		R5PRIK_RGN		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RGN_CODE	1	VARCHAR2(30)	nvarchar(30)	Region Code
RGN_ORG	2	VARCHAR2(15)	nvarchar(15)	Organization

R5REJECTREASONS		R5PRIK_RJR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RJR_CODE	1	VARCHAR2(15)	nvarchar(15)	code of reason for return to supplier. unique identification.

R5RELATEDMETERREADINGS		R5PRIK_RMR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RMR_EVENT	1	VARCHAR2(30)	nvarchar(30)	
RMR_UOM	2	VARCHAR2(30)	nvarchar(30)	

R5RELIABILITY		R5PRIK_REL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
REL_OBJECT	1	VARCHAR2(30)	nvarchar(30)	The object
REL_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	The object organization
REL_TYPE	3	VARCHAR2(4)	nvarchar(4)	The type
REL_EVENT	4	VARCHAR2(30)	nvarchar(30)	The work order

R5RELIABILITYPF		R5PRIK_RPL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RPL_OBJECT	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.
RPL_PART	3	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	T.B.D.
RPL_PARTLOCATION	5	VARCHAR2(80)	nvarchar(80)	T.B.D.
RPL_TYPE	6	VARCHAR2(4)	nvarchar(4)	T.B.D.
RPL_FAILURECODE	7	VARCHAR2(30)	nvarchar(30)	T.B.D.

R5RELIABILITYRANKINGANSWER		R5PRIK_RRW		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRW_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking answer pk

R5RELIABILITYRANKINGLEVELS		R5PRIK_RRL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRL_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking level pk

R5RELIABILITYRANKINGNORMS		R5PRIK_RRN		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRN_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking normalization pk

R5RELIABILITYRANKINGQUESTS		R5PRIK_RRQ		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRQ_LEVELPK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking question description level pk
RRQ_LANG	2	VARCHAR2(2)	nvarchar(2)	The reliability ranking question description language

R5RELIABILITYRANKINGRANKS		R5PRIK_RRR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRR_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking rank pk

R5RELIABILITYRANKINGS		R5PRIK_RRK	
Column name	Position	Oracle datatype	SQL Server datat Column description
RRK_CODE	1	VARCHAR2(30)	nvarchar(30) The reliability ranking code
RRK_ORG	2	VARCHAR2(15)	nvarchar(15) The reliability ranking organization
RRK_REVISION	3	NUMBER(4,0)	numeric(4,0) The reliability ranking revision
R5RELIABILITYRANKINGVALOBJ		R5PRIK_RVO	
Column name	Position	Oracle datatype	SQL Server datat Column description
RVO_RRVPK	1	VARCHAR2(30)	nvarchar(30) The objects survey batch pk
RVO_OBJECT	2	VARCHAR2(30)	nvarchar(30) The object survey batch object
RVO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) The object survey batch object organization
R5RELIABILITYRANKINGVALUES		R5PRIK_RRV	
Column name	Position	Oracle datatype	SQL Server datat Column description
RRV_PK	1	VARCHAR2(30)	nvarchar(30) The survey batch pk
R5REMEMBER		R5PRIK_RMB	
Column name	Position	Oracle datatype	SQL Server datat Column description
RMB_FUNCTION	1	VARCHAR2(6)	nvarchar(6) code of function referred on menus.
RMB_RENTITY	2	VARCHAR2(4)	nvarchar(4) entity to be remembered (system code).
RMB_ITEM	3	VARCHAR2(61)	nvarchar(61) name of field in which the first to be remembered value resides.
R5REPAIRBINS		R5PRIK_RPB	
Column name	Position	Oracle datatype	SQL Server datat Column description
RPB_PK	1	NUMBER	int primary key of table, sequence generated.
R5REPBACKPARMS		R5PRIK_RBP	
Column name	Position	Oracle datatype	SQL Server datat Column description
RBP_FUNCTION	1	VARCHAR2(6)	nvarchar(6) code of screen function.
RBP_LINE	2	NUMBER(8,0)	numeric(8,0) parameter line number.
R5REPOPTIONS		R5PRIK_ROP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ROP_FUNCTION	1	VARCHAR2(6)	nvarchar(6) code of report function.
ROP_PARAMETER	2	VARCHAR2(20)	nvarchar(20) parameter name, e.g. sel_option.
ROP_SEQNO	3	NUMBER(2,0)	numeric(2,0) parameter sequence number.
R5REPORTFIELDS		R5PRIK_RFL	
Column name	Position	Oracle datatype	SQL Server datat Column description
RFL_FUNCTION	1	VARCHAR2(6)	nvarchar(6) Function mnemonic for a report
RFL_LINE	2	NUMBER(3,0)	numeric(3,0) Line number for a field. This should be incremented each time similar to bot_number field in r5boilertexts table
R5REPORTFILTERS		R5PRIK_RFI	
Column name	Position	Oracle datatype	SQL Server datat Column description
RFI_USER	1	VARCHAR2(255)	nvarchar(255) The D7I user
RFI_FUNC	2	VARCHAR2(6)	nvarchar(6) The function name
RFI_NAME	3	VARCHAR2(8)	nvarchar(8) The name of the set of parameters
R5REPORTFUNCTIONS		R5PRIK_RFN	
Column name	Position	Oracle datatype	SQL Server datat Column description
RFN_FUNCTION	1	VARCHAR2(6)	nvarchar(6) Function
R5REPORTGROUPBY		R5PRIK_RGP	
Column name	Position	Oracle datatype	SQL Server datat Column description
RGF_FUNCTION	1	VARCHAR2(6)	nvarchar(6) Function mnemonic for a report
RGF_LINE	2	NUMBER(3,0)	numeric(3,0) Line Number
R5REPORTSUBTOTAL		R5PRIK_RST	
Column name	Position	Oracle datatype	SQL Server datat Column description
RST_FUNCTION	1	VARCHAR2(6)	nvarchar(6) Function mnemonic for a report

RST_GROUPLINE	2	NUMBER(3,0)	numeric(3,0)	FK to R5REPORTGROUPBY (RGP_CODE)
RST_LINE	3	NUMBER(3,0)	numeric(3,0)	Line number for a field. This should be incremented each time similar to bot_number field in r5boilertexts table

R5REPORTTABPARAMMAP

R5PRIK_RPM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RPM_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	The function/screen
RPM_TAB	2	VARCHAR2(6)	nvarchar(6)	The tab on the screen
RPM_KEYFIELD	3	VARCHAR2(30)	nvarchar(30)	The key field

R5REPPARMS

R5PRIK_PMT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PMT_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	code or report function, e.g. orcatl.
PMT_PARAMETER	2	VARCHAR2(20)	nvarchar(20)	name of parameter as defined in the report.

R5REQCLASSES

R5PRIK_RCL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCL_CLASS	1	VARCHAR2(8)	nvarchar(8)	object classification code.
RCL_REQM	2	VARCHAR2(8)	nvarchar(8)	requirement code.
RCL_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	classification code organization

R5REQUIRCODES

R5PRIK_RQM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RQM_CODE	1	VARCHAR2(8)	nvarchar(8)	requirement code. unique identification.

R5REQUISINTERFACE

R5PRIK_RUI

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RUI_TRANSID	1	NUMBER	bigint	transaction code

R5REQUISITIONS

R5PRIK_REQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
REQ_CODE	1	VARCHAR2(30)	nvarchar(30)	requisition number. unique identification.

R5REQUISLINES

R5PRIK_RQL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RQL_REQ	1	VARCHAR2(30)	nvarchar(30)	requisition number.
RQL_REQLINE	2	NUMBER(8,0)	numeric(8,0)	requisition line number.

R5RESERVATIONS

R5PRIK_RES

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RES_EVENT	1	VARCHAR2(30)	nvarchar(30)	job number for which part is reserved.
RES_ACT	2	NUMBER(8,0)	numeric(8,0)	activity for which part is reserved.
RES_PART	3	VARCHAR2(30)	nvarchar(30)	part code.
RES_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	part organization
RES_STORE	5	VARCHAR2(15)	nvarchar(15)	store code.

R5RESOURCES

R5PRIK_RSS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RSS_CODE	1	VARCHAR2(80)	nvarchar(80)	Resource Code

R5REVCNTRLSETUP

R5PRIK_RCS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCS_PAGENAME	1	VARCHAR2(40)	nvarchar(40)	function based name of page
RCS_ELEMENTID	2	VARCHAR2(40)	nvarchar(40)	Unique field element ID in form

R5RFQCLAUSES

R5PRIK_RFC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RFC_CODE	1	VARCHAR2(30)	nvarchar(30)	Describe RFQ Code (Quotation Code)
RFC_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFC_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	Describes clauses

R5RFQLINERESPONSEMAPPING

R5PRIK_RRM

Column name	Position	Oracle datatype	SQL Server datat	Column description
RRM_QUOTID	1	VARCHAR2(30)	nvarchar(30)	Describes the quotation number
RRM_QUOTLINE	2	NUMBER(8,0)	numeric(8,0)	Describes the quotation line number
RRM_RFQ	3	VARCHAR2(30)	nvarchar(30)	Describes the rfq number
RRM_RFQ_ORG	4	VARCHAR2(15)	nvarchar(15)	Describes the rfq org
RRM_RFQLINE	5	NUMBER(8,0)	numeric(8,0)	Describes the rfq line number
R5RFQLINERESPONSES				
R5PRIK_RLR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RLR_QUOTID	1	VARCHAR2(30)	nvarchar(30)	quotation number
RLR_QUOTLINE	2	NUMBER(8,0)	numeric(8,0)	quotation line number
R5RFQLINES				
R5PRIK_RLI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RLI_RFQ	1	VARCHAR2(30)	nvarchar(30)	Describes the RFQ code
RLI_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes the RFQ Org
RLI_RFQLINE	3	NUMBER(8,0)	numeric(8,0)	Describes the RFQ Line
R5RFQRESPONSES				
R5PRIK_RFR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RFR_QUOTID	1	VARCHAR2(30)	nvarchar(30)	Describes the quotation number
R5RFQSUPPLIERS				
R5PRIK_RFS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RFS_CODE	1	VARCHAR2(30)	nvarchar(30)	Describe RFQ Code (Quotation Code)
RFS_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFS_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	Describes Supplier
RFS_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	Describes Supplier Org
R5RFQUOTATIONS				
R5PRIK_RFQ				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RFQ_CODE	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies request for quotations
RFQ_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes Organization.
R5RISK				
R5PRIK_RIS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RIS_PK	1	NUMBER	int	primary key
R5RISKMATRIXCONSEQCOST				
R5PRIK_RCC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RCC_RMSCODE	1	VARCHAR2(30)	nvarchar(30)	
RCC_ORG	2	VARCHAR2(15)	nvarchar(15)	
RCC_CONSEQUENCE	3	VARCHAR2(30)	nvarchar(30)	
R5RISKMATRIXCONSEQUENCES				
R5PRIK_RMC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RMC_CODE	1	VARCHAR2(30)	nvarchar(30)	Code
RMC_RMSCODE	2	VARCHAR2(30)	nvarchar(30)	code in r5riskmatrixsetup
R5RISKMATRIXSETUP				
R5PRIK_RMS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RMS_CODE	1	VARCHAR2(30)	nvarchar(30)	Code
R5RISKNORM				
R5PRIK_RNO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RNO_PK	1	NUMBER	int	primary key
RNO_NORM	2	NUMBER	numeric(24,6)	normalized value
R5RMA				
R5 PRIK_RMA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RMA_CODE	1	VARCHAR2(24)	nvarchar(24)	return merchandise authorization number. unique identification.

RMA_ACCOUNT	2 VARCHAR2(24)	nvarchar(24)	return merchandise authorization account number.
RMA_ORG	3 VARCHAR2(15)	nvarchar(15)	rma organization

R5RMATRANS		RSPRIK_RMT	
Column name	Position Oracle datatype	SQL Server datatype	Column description
RMT_RMA	1 VARCHAR2(24)	nvarchar(24)	return merchandise authorization number.
RMT_ACCOUNT	2 VARCHAR2(24)	nvarchar(24)	return merchandise authorization account number.
RMT_ORG	3 VARCHAR2(15)	nvarchar(15)	rma organization
RMT_TRANS	4 VARCHAR2(30)	nvarchar(30)	transaction number.
RMT_LINE	5 NUMBER(8,0)	numeric(8,0)	transaction line number.

R5ROLES		RSPRIK_ROL	
Column name	Position Oracle datatype	SQL Server datatype	Column description
ROL_CODE	1 VARCHAR2(30)	nvarchar(30)	The role to be used to create a user when login authentication is done by LDAP server.

R5ROOTITEMS		RSPRIK_ROT	
Column name	Position Oracle datatype	SQL Server datatype	Column description
ROT_REQM	1 VARCHAR2(8)	nvarchar(8)	parent requirement code.
ROT_SUGGEST	2 VARCHAR2(8)	nvarchar(8)	child requirement code.

R5ROUTEPOINTS		RSPRIK_ROP2	
Column name	Position Oracle datatype	SQL Server datatype	Column description
ROP_ROUTE	1 VARCHAR2(20)	nvarchar(20)	route code.
ROP_LINE	2 NUMBER(8,0)	numeric(8,0)	route line number.

R5ROUTES		RSPRIK_ROU	
Column name	Position Oracle datatype	SQL Server datatype	Column description
ROU_CODE	1 VARCHAR2(20)	nvarchar(20)	route code. unique identification.
ROU_REVISION	2 NUMBER(4,0)	numeric(4,0)	revision number.

R5ROUTOBJECTS		RSPRIK_ROB	
Column name	Position Oracle datatype	SQL Server datatype	Column description
ROB_ROUTE	1 VARCHAR2(20)	nvarchar(20)	route code.
ROB_REVISION	2 NUMBER(4,0)	numeric(4,0)	revision number.
ROB_LINE	3 NUMBER(8,0)	numeric(8,0)	route line number.

R5RPTSERVERREQUEST		RSPRIK_RSR	
Column name	Position Oracle datatype	SQL Server datatype	Column description
RSR_REQUESTID	1 VARCHAR2(60)	nvarchar(60)	Report message request ID

R5SAFETYMATRIX		RSPRIK_SFM	
Column name	Position Oracle datatype	SQL Server datatype	Column description
SFM_PK	1 VARCHAR2(30)	nvarchar(30)	
SFM_ORG	2 VARCHAR2(15)	nvarchar(15)	

R5SCHEDGROUPS		RSPRIK_SCG	
Column name	Position Oracle datatype	SQL Server datatype	Column description
SCG_CODE	1 VARCHAR2(30)	nvarchar(30)	scheduling group code.

R5SCHEDULEDJOBS		RSPRIK_SCI	
Column name	Position Oracle datatype	SQL Server datatype	Column description
SCI_CODE	1 VARCHAR2(30)	nvarchar(30)	This is primary key of the table.

R5SCHEDULEDJOBSLOCK		RSPRIK_SJL	
Column name	Position Oracle datatype	SQL Server datatype	Column description
SJL_CODE	1 VARCHAR2(30)	nvarchar(30)	T.B.D.

R5SCHEDULES		RSPRIK_SCH	
Column name	Position Oracle datatype	SQL Server datatype	Column description
SCH_CODE	1 VARCHAR2(30)	nvarchar(30)	This is primary key of the table.

R5SCREENCACHE		R5PRIK_SNC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SNC_USER	1	VARCHAR2(255)	nvarchar(255) User for which the function is cached
SNC_FUNCTION	2	VARCHAR2(6)	nvarchar(6) Function cached
R5SCREENFLOWGROUPS		R5PRIK_SFG	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SFG_SEQUENCE	1	NUMBER(6,0)	numeric(6,0) Sequence number for order of Screen Flow
SFG_USERGROUP	2	VARCHAR2(12)	nvarchar(12) The User Group Associate to the Screen Flow
R5SCREENFLOWS		R5PRIK_SFL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SFL_CODE	1	VARCHAR2(30)	nvarchar(30) The Screen Flow Record ID
R5SCWORKORDERCOST		R5PRIK_CWS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
CWS_ORG	1	VARCHAR2(15)	nvarchar(15) organization code
CWS_JOBTYPE	2	VARCHAR2(8)	nvarchar(8) wo type
CWS_DATE	3	DATE	datetime date stamp
R5SCWORKORDERSREPORTED		R5PRIK_CWR	
Column name	Position	Oracle datatype	SQL Server datatype Column description
CWR_ORG	1	VARCHAR2(15)	nvarchar(15) organization code
CWR_MRC	2	VARCHAR2(15)	nvarchar(15) department
CWR_DATE	3	DATE	datetime date stamp
R5SEQINSTALLMAPPING		R5PRIK_SIM	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SIM_SEQUENCE	1	VARCHAR2(30)	nvarchar(30) The sequence used for the current install parameter.
R5SERVICECATALOGUE		R5PRIK_SCA	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCA_TASK	1	VARCHAR2(20)	nvarchar(20) task
SCA_SUPPLIER	2	VARCHAR2(30)	nvarchar(30) supplier
SCA_SUPPLIER_ORG	3	VARCHAR2(15)	nvarchar(15) supplier organization
R5SERVICECATSERVICECODES		R5PRIK_SCS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCS_CATEGORY_CODE	1	VARCHAR2(30)	nvarchar(30) Service category
SCS_CATEGORY_ORG	2	VARCHAR2(15)	nvarchar(15) Service category organization
SCS_SERVICECODE	3	VARCHAR2(30)	nvarchar(30) Service code
SCS_SERVICECODE_ORG	4	VARCHAR2(15)	nvarchar(15) Service code organization
R5SERVICECODEEQUIPCLASSES		R5PRIK_ECL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
ECL_PK	1	VARCHAR2(30)	nvarchar(30) Primary key
R5SERVICECODES		R5PRIK_SRV	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SRV_PK	1	VARCHAR2(30)	nvarchar(30) system defined sequence
R5SERVICELOGS		R5PRIK_LOG	
Column name	Position	Oracle datatype	SQL Server datatype Column description
LOG_ENTITY	1	VARCHAR2(4)	nvarchar(4) log entity
LOG_RENTITY	2	VARCHAR2(4)	nvarchar(4) log entity
LOG_ENTITYCODE	3	VARCHAR2(80)	nvarchar(80) log entity code
LOG_ENTITYORG	4	VARCHAR2(15)	nvarchar(15) log entity org
LOG_SEQUENCE	5	NUMBER	int log sequence
R5SERVICEPROBLEMCODES		R5PRIK_SPB	
Column name	Position	Oracle datatype	SQL Server datatype Column description

SPB_CODE	1 VARCHAR2(30)	nvarchar(30)	Service problem code
SPB_ORG	2 VARCHAR2(15)	nvarchar(15)	Service problem org

R5SERVICEREQUESTS		R5PRIK_SRQ	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SRQ_CODE	1	VARCHAR2(30)	nvarchar(30) system generated service request code

R5SESSIONS		R5PRIK_SES	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SES_SESSIONID	1	NUMBER(10,0)	numeric(10,0) Session code

R5SESSIONSTRUCTURES		R5PRIK_SSS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SSS_SESSION	1	NUMBER	numeric(18,0) The equipment configuration session code.
SSS_PARENT	2	VARCHAR2(200)	nvarchar(200) The parent code of the session structure.
SSS_PARENT_ORG	3	VARCHAR2(15)	nvarchar(15) The parent organization of the session structure.
SSS_PARENTTYPE	4	VARCHAR2(1)	nvarchar(1) The parent type of the session structure.
SSS_CHILD	5	VARCHAR2(200)	nvarchar(200) The child code of the session structure.
SSS_CHILD_ORG	6	VARCHAR2(15)	nvarchar(15) The child organization of the session structure.
SSS_CHILDTYPE	7	VARCHAR2(1)	nvarchar(1) The child type of the session structure.

R5SETCONSISTEQUIPMENT		R5PRIK_SCE	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCE_SETCONSISTPK	1	VARCHAR2(30)	nvarchar(30) The primary key of the set or consist the equipment belongs to.
SCE_OBJECT	2	VARCHAR2(30)	nvarchar(30) The equipment belonging to the set or consist.
SCE_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) The organization of the equipment belonging to the set or consist.

R5SETCONSISTS		R5PRIK_SCN	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCN_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the set or consist.

R5SHFCREWS		R5PRIK_SHC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SHC_SHIFT	1	VARCHAR2(4)	nvarchar(4)
SHC_CREW	2	VARCHAR2(15)	nvarchar(15)
SHC_CREW_ORG	3	VARCHAR2(15)	nvarchar(15)
SHC_START	4	DATE	datetime

R5SHFDAYS		R5PRIK_SHD	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SHD_SHIFT	1	VARCHAR2(4)	nvarchar(4) shift code.
SHD_DAY	2	NUMBER(3,0)	numeric(3,0) day number in shift cycle.
SHD_TIME	3	NUMBER	numeric(7,2) start time of this shift at this day in the shift cycle.

R5SHFPERS		R5PRIK_SHP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SHP_SHIFT	1	VARCHAR2(4)	nvarchar(4) shift code.
SHP_PERSON	2	VARCHAR2(15)	nvarchar(15) personnel number.
SHP_START	3	DATE	datetime date person ends working in this shift.
SHP_END	4	DATE	datetime date person starts working in this shift.

R5SHIFTS		R5PRIK_SHF	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SHF_CODE	1	VARCHAR2(4)	nvarchar(4) shift code. unique identification.

R5SHUTDOWNs		R5PRIK_SDS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SDS_CODE	1	VARCHAR2(30)	nvarchar(30) shutdown code. unique identification.

R5SOAUOMS		R5PRIK_SUO	
Column name	Position	Oracle datatype	SQL Server datatype Column description

SUO_CODE 1 VARCHAR2(80) nvarchar(80) Unique SOA UOM Code

R5STANDARDCREWRATES R5PRIK_SCR

Column name	Position	Oracle datatype	SQL Server datat	Column description
SCR_STANDARDCREW	1	VARCHAR2(15)	nvarchar(15)	
SCR_STANDARDCREW_ORG	2	VARCHAR2(15)	nvarchar(15)	
SCR_ORG	3	VARCHAR2(15)	nvarchar(15)	
SCR_MRC	4	VARCHAR2(15)	nvarchar(15)	
SCR_STARTDATE	5	DATE	datetime	

R5STANDARDCREWS R5PRIK_SCW

Column name	Position	Oracle datatype	SQL Server datat	Column description
SCW_CODE	1	VARCHAR2(15)	nvarchar(15)	
SCW_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5STANDTOOLS R5PRIK_WTD

Column name	Position	Oracle datatype	SQL Server datat	Column description
WTD_STANDWORK	1	VARCHAR2(20)	nvarchar(20)	code of standing work order.
WTD_ACT	2	NUMBER(8,0)	numeric(8,0)	code of activity.
WTD_TOOL	3	VARCHAR2(12)	nvarchar(12)	code of the tool.

R5STANDWACTS R5PRIK_WAC

Column name	Position	Oracle datatype	SQL Server datat	Column description
WAC_STANDWORK	1	VARCHAR2(20)	nvarchar(20)	standard job code.
WAC_ACT	2	NUMBER(8,0)	numeric(8,0)	activity number.

R5STANDWORKS R5PRIK_STW

Column name	Position	Oracle datatype	SQL Server datat	Column description
STW_CODE	1	VARCHAR2(20)	nvarchar(20)	standard work order code. unique identification.

R5STATEFULCONFIG R5PRIK_SFC

Column name	Position	Oracle datatype	SQL Server datat	Column description
SFC_CODE	1	VARCHAR2(30)	nvarchar(30)	

R5STOCK R5PRIK_STO

Column name	Position	Oracle datatype	SQL Server datat	Column description
STO_PART	1	VARCHAR2(30)	nvarchar(30)	part code.
STO_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
STO_STORE	3	VARCHAR2(15)	nvarchar(15)	store code.

R5STOCKOUTS R5PRIK_SOU

Column name	Position	Oracle datatype	SQL Server datat	Column description
SOU_CODE	1	VARCHAR2(30)	nvarchar(30)	Surrogate Key

R5STOCKTAKEINTERFACE R5PRIK_SKI

Column name	Position	Oracle datatype	SQL Server datat	Column description
SKI_TRANSID	1	NUMBER	bigint	transaction id

R5STOCKTAKELINES R5PRIK_STL

Column name	Position	Oracle datatype	SQL Server datat	Column description
STL_TRANS	1	VARCHAR2(30)	nvarchar(30)	transaction number (stocktake number).
STL_LINE	2	NUMBER(8,0)	numeric(8,0)	sequence number of stocktake item.

R5STOREDORDERING R5PRIK_SOR

Column name	Position	Oracle datatype	SQL Server datat	Column description
SOR_FUNC	1	VARCHAR2(6)	nvarchar(6)	function code.
SOR_USER	2	VARCHAR2(255)	nvarchar(255)	username code.
SOR_BLOCK	3	VARCHAR2(30)	nvarchar(30)	identification of block in form, e.g. b1.
SOR_CODE	4	VARCHAR2(12)	nvarchar(12)	sorting code defined by user.

R5STOREDQUERIES R5PRIK_SQU

R5STORES			
R5PRIK_STR			
Column name	Position	Oracle datatype	SQL Server datat Column description
SQU_FUNC	1	VARCHAR2(6)	nvarchar(6) function code.
SQU_USER	2	VARCHAR2(255)	nvarchar(255) username code.
SQU_DESC	3	VARCHAR2(80)	nvarchar(80) description of query.
R5STORESECURITY			
R5PRIK_SSC			
Column name	Position	Oracle datatype	SQL Server datat Column description
STR_CODE	1	VARCHAR2(15)	nvarchar(15) store code.
R5STORETAXES			
R5PRIK_STT			
Column name	Position	Oracle datatype	SQL Server datat Column description
STT_PK	1	VARCHAR2(30)	nvarchar(30) The store-tax pk
R5STRATEGIES			
R5PRIK_STG			
Column name	Position	Oracle datatype	SQL Server datat Column description
STG_CODE	1	VARCHAR2(30)	nvarchar(30) The strategy code.
STG_ORG	2	VARCHAR2(15)	nvarchar(15) The strategy organization.
R5STRUCTURES			
R5PRIK_STC			
Column name	Position	Oracle datatype	SQL Server datat Column description
STC_CHILD	1	VARCHAR2(30)	nvarchar(30) object code child object (user code, see entity obtp).
STC_CHILD_ORG	2	VARCHAR2(15)	nvarchar(15) child object organization
STC_PARENT	3	VARCHAR2(30)	nvarchar(30) object code of parent object.
STC_PARENT_ORG	4	VARCHAR2(15)	nvarchar(15) parent object organization
R5SUMUSAGE			
R5PRIK_USG			
Column name	Position	Oracle datatype	SQL Server datat Column description
USG_MONTH	1	DATE	datetime date of last day of month.
USG_STORE	2	VARCHAR2(15)	nvarchar(15) store code.
USG_PART	3	VARCHAR2(30)	nvarchar(30) part code.
USG_PART_ORG	4	VARCHAR2(15)	nvarchar(15) part organization
R5SUPPEVALCODES			
R5PRIK_EVD			
Column name	Position	Oracle datatype	SQL Server datat Column description
EVD_CODE	1	VARCHAR2(8)	nvarchar(8) supplier evaluation code
R5SUPPEVALINES			
R5PRIK_EVL			
Column name	Position	Oracle datatype	SQL Server datat Column description
EVL_EVALUATION	1	VARCHAR2(30)	nvarchar(30) evaluation
EVL_CLINE	2	NUMBER(8,0)	numeric(8,0) line
R5SUPPEVALUATION			
R5PRIK_EVA			
Column name	Position	Oracle datatype	SQL Server datat Column description
EVA_NO	1	VARCHAR2(30)	nvarchar(30) evaluation number
R5SUPPLIERACCOUNTNUMBERS			
R5PRIK_SAN			
Column name	Position	Oracle datatype	SQL Server datat Column description
SAN_SUPPLIER	1	VARCHAR2(30)	nvarchar(30) Supplier
SAN_SUPPLIER_ORG	2	VARCHAR2(15)	nvarchar(15) Supplier Organization
SAN_STORE	3	VARCHAR2(15)	nvarchar(15) Store
R5SUPPLIERSERVICECODEEXCL			
R5PRIK_SSE			
Column name	Position	Oracle datatype	SQL Server datat Column description
SSE_OSPPK	1	VARCHAR2(30)	nvarchar(30) Primary key of an equipment supplier.
SSE_OSCPK	2	VARCHAR2(30)	nvarchar(30) Primary key of an equipment service code.

R5SUPPLIERSERVICECODES		R5PRIK_SPS	
Column name	Position	Oracle datatype	SQL Server datat Column description
SPS_COMPANY	1	VARCHAR2(30)	nvarchar(30) The supplier providing the service code.
SPS_COMPANY_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the supplier providing the service code.
SPS_SERVICECODE	3	VARCHAR2(30)	nvarchar(30) The service code associated to the supplier.
SPS_SERVICECODE_ORG	4	VARCHAR2(15)	nvarchar(15) The organization of the service code associated to the supplier.
R5SYMPTOMCLASSES		R5PRIK_SYC	
Column name	Position	Oracle datatype	SQL Server datat Column description
SYC_CLASS	1	VARCHAR2(8)	nvarchar(8)
SYC_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)
SYC_SYMPTOM	3	VARCHAR2(8)	nvarchar(8)
R5SYMPTOMS		R5PRIK_SYM	
Column name	Position	Oracle datatype	SQL Server datat Column description
SYM_CODE	1	VARCHAR2(8)	nvarchar(8)
R5SYNCWSPSETUP		R5PRIK_SWS	
Column name	Position	Oracle datatype	SQL Server datat Column description
SWS_TABLE	1	VARCHAR2(30)	nvarchar(30) The table name.
SWS_ACTION	2	VARCHAR2(6)	nvarchar(6) The action (ADD, SYNC or DELETE).
SWS_PROMPT	3	VARCHAR2(80)	nvarchar(80) The name of the WSP.
R5SYNCWSPTEMP		R5PRIK_SWT	
Column name	Position	Oracle datatype	SQL Server datat Column description
SWT_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record.
R5SYSTEMNOTIFICATIONS		R5PRIK_SNT	
Column name	Position	Oracle datatype	SQL Server datat Column description
SNT_LANG	1	VARCHAR2(2)	nvarchar(2)
R5TABNOPERM		R5PRIK_TPN	
Column name	Position	Oracle datatype	SQL Server datat Column description
TPN_FUNCTION	1	VARCHAR2(6)	nvarchar(6) function code
TPN_TAB	2	VARCHAR2(6)	nvarchar(6) tab
R5TABPERMISSIONS		R5PRIK_TRP	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRP_FUNCTION	1	VARCHAR2(6)	nvarchar(6) function code.
TRP_GROUP	2	VARCHAR2(12)	nvarchar(12) user group code.
TRP_TAB	3	VARCHAR2(6)	nvarchar(6) function tab
R5TANKPUMPS		R5PRIK_TPU	
Column name	Position	Oracle datatype	SQL Server datat Column description
TPU_DEPOT	1	VARCHAR2(30)	nvarchar(30) The depot of the tank/pump combination
TPU_DEPOT_ORG	2	VARCHAR2(15)	nvarchar(15) The depot organization of the tank/pump combination
TPU_TANK	3	VARCHAR2(30)	nvarchar(30) The tank realted toa pump within a depot
TPU_PUMP	4	VARCHAR2(30)	nvarchar(30) The pump realted to a tank within a depot
R5TANKS		R5PRIK_TAN	
Column name	Position	Oracle datatype	SQL Server datat Column description
TAN_DEPOT	1	VARCHAR2(30)	nvarchar(30) The depot the tank belongs to
TAN_DEPOT_ORG	2	VARCHAR2(15)	nvarchar(15) The depot organization the tank belongs to
TAN_CODE	3	VARCHAR2(30)	nvarchar(30) The identifier of a tank with a depot
R5TASKCHECKLISTS		R5PRIK_TCH	
Column name	Position	Oracle datatype	SQL Server datat Column description
TCH_CODE	1	VARCHAR2(30)	nvarchar(30) Checklist Item
R5TASKPLANJOBS		R5PRIK_TPJ	
Column name	Position	Oracle datatype	SQL Server datat Column description

TPJ_PK	1 VARCHAR2(30)	nvarchar(30)	The primary key of the record

R5TASKPRICES	R5PRIK_TPR

Column name	Position	Oracle datatype	SQL Server datat	Column description
TPR_TASK	1	VARCHAR2(20)	nvarchar(20)	task code.
TPR_REVISION	2	NUMBER(4,0)	numeric(4,0)	task revision
TPR_ORG	3	VARCHAR2(15)	nvarchar(15)	task organization

R5TASKQUALIFICATIONS	R5PRIK_TQU

Column name	Position	Oracle datatype	SQL Server datat	Column description
TQU_TASK	1	VARCHAR2(20)	nvarchar(20)	Task code
TQU_REVISION	2	NUMBER(4,0)	numeric(4,0)	Revision
TQU_QUALIFICATION	3	VARCHAR2(20)	nvarchar(20)	Qualification code

R5TASKS	R5PRIK_TSK

Column name	Position	Oracle datatype	SQL Server datat	Column description
TSK_CODE	1	VARCHAR2(20)	nvarchar(20)	task code.
TSK_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.

R5TASKTOOLS	R5PRIK_TTO

Column name	Position	Oracle datatype	SQL Server datat	Column description
TTO_TASK	1	VARCHAR2(20)	nvarchar(20)	The task/job plan
TTO_REVISION	2	NUMBER(4,0)	numeric(4,0)	The revision of the task/job plan
TTO_TOOL	3	VARCHAR2(12)	nvarchar(12)	The tool associated to the task/job plan

R5TASKTRADES	R5PRIK_TAT

Column name	Position	Oracle datatype	SQL Server datat	Column description
TAT_TASK	1	VARCHAR2(20)	nvarchar(20)	The task/job plan
TAT_REVISION	2	NUMBER(4,0)	numeric(4,0)	The revision of the task/job plan
TAT_TRADE	3	VARCHAR2(15)	nvarchar(15)	The trade associated to the task/job plan

R5TAXCODERATES	R5PRIK_TCR

Column name	Position	Oracle datatype	SQL Server datat	Column description
TCR_TAX	1	VARCHAR2(20)	nvarchar(20)	tax code.
TCR_RATE	2	VARCHAR2(30)	nvarchar(30)	tax rate code.

R5TAXES	R5PRIK_TAX

Column name	Position	Oracle datatype	SQL Server datat	Column description
TAX_CODE	1	VARCHAR2(20)	nvarchar(20)	tax code.

R5TAXRATES	R5PRIK_TXR

Column name	Position	Oracle datatype	SQL Server datat	Column description
TXR_CODE	1	VARCHAR2(30)	nvarchar(30)	tax rate code.

R5TAXRATETYPES	R5PRIK_TXT

Column name	Position	Oracle datatype	SQL Server datat	Column description
TXT_CODE	1	VARCHAR2(2)	nvarchar(2)	tax rate type code.

R5TAXRATEVALUES	R5PRIK_TXV

Column name	Position	Oracle datatype	SQL Server datat	Column description
TXV_RATE	1	VARCHAR2(30)	nvarchar(30)	tax rate code.
TXV_START	2	DATE	datetime	date tax rate is valid from.

R5TEMPCOSTCODES	R5PRIK_TCC

Column name	Position	Oracle datatype	SQL Server datat	Column description
TCC_COSTCODE	1	VARCHAR2(30)	nvarchar(30)	The cost code.

R5TEMPOCKLINES	R5PRIK_TDL

Column name	Position	Oracle datatype	SQL Server datat	Column description
TDL_DCKCODE	1	VARCHAR2(30)	nvarchar(30)	
TDL_LINE	2	NUMBER(8,0)	numeric(8,0)	

RSTEMPENXTICKET		RSPRIK_TET		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TET_TICKET	1	VARCHAR2(64)	nvarchar(64)	T.B.D.
RSTEMPENXTICKET_ARCHIVE		RSPRIK_ATK		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ATK_TICKET	1	VARCHAR2(64)	nvarchar(64)	T.B.D.
RSTEMPLABORREQUISITIONS		RSPRIK_TLR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TLR_SESSIONID	1	VARCHAR2(30)	nvarchar(30)	The session this record belongs to.
TLR_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.
TLR_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
RSTEMPLATECHARGEDEFS		RSPRIK_TCD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TCD_PK	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
RSTEMPLATECLAUSES		RSPRIK_TCS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TCS_CONTRACTTEMPLATE	1	VARCHAR2(30)	nvarchar(30)	Contract Template
TCS_CONTRACTTEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TCS_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	T.B.D.
RSTEMPLATEDISCOUNTS		RSPRIK_TDC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TDC_CODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
RSTEMPLATESALESPRICE		RSPRIK_TSC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TSC_PK	1	VARCHAR2(30)	nvarchar(30)	Primary key field
RSTEMPLATEWOCRITERIA		RSPRIK_TWC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TWC_CONTRACTTEMPLATE	1	VARCHAR2(30)	nvarchar(30)	Contract Template
TWC_CONTRACTTEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TWC_MRC	3	VARCHAR2(15)	nvarchar(15)	Department
TWC_JOBTYPE	4	VARCHAR2(8)	nvarchar(8)	WO Type
TWC_CLASS	5	VARCHAR2(8)	nvarchar(8)	WO Class
TWC_CLASS_ORG	6	VARCHAR2(15)	nvarchar(15)	WO Class Org.
RSTEMPREPTICKET		RSPRIK_TRT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRT_TICKET	1	VARCHAR2(64)	nvarchar(64)	Ticket
RSTEMPREQSFORORDER		RSPRIK_TRO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRO_SESSIONID	1	NUMBER	int	The current session ID.
TRO_SEQUENCE	2	NUMBER(8,0)	numeric(8,0)	The sequence number.
RSTEMPRUNSQL		RSPRIK_TRS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRS_CODE	1	NUMBER(38,0)	numeric(38,0)	Code of record
RSTEMPSSABCA		RSPRIK_TSS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TSS_SESSIONID	1	NUMBER	numeric(38,0)	Session ID
TSS_STORE	2	VARCHAR2(15)	nvarchar(15)	Store Code
TSS_PART	3	VARCHAR2(30)	nvarchar(30)	Part Code
TSS_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	Part Org

R5TEMPSTRESS				
R5PRIK_TMS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TMS_MATERIAL	1	VARCHAR2(20)	nvarchar(20)	material code
TMS_MATERIALREV	2	NUMBER(4,0)	numeric(4,0)	material revision
TMS_TEMPERATURE	3	NUMBER	numeric(8,2)	temperature
R5TEMPWMBWOG				
R5PRIK_TEV				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TEV_SESSIONID	1	NUMBER	int	connection session
TEV_CODE	2	VARCHAR2(30)	nvarchar(30)	Work order
R5TOOLPLAN				
R5PRIK_TPL				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TPL_TOOL	1	VARCHAR2(12)	nvarchar(12)	Tool code
TPL_EVENT	2	VARCHAR2(30)	nvarchar(30)	Work order number
TPL_ACT	3	NUMBER(8,0)	numeric(8,0)	Work order activity code
TPL_MRC	4	VARCHAR2(15)	nvarchar(15)	Department Code
R5TOOLREQ				
R5PRIK_TOR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TOR_TOOL	1	VARCHAR2(12)	nvarchar(12)	code of the tool.
TOR_EVENT	2	VARCHAR2(30)	nvarchar(30)	number of events.
TOR_ACT	3	NUMBER(8,0)	numeric(8,0)	number of activity.
TOR_MRC	4	VARCHAR2(15)	nvarchar(15)	mrc to which tool cost will be charged.
TOR_REQUIRED	5	DATE	datetime	date on which tool is required.
R5TOOLS				
R5PRIK_TOO				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TOO_CODE	1	VARCHAR2(12)	nvarchar(12)	tool code. unique identification.
R5TOOLUSAGE				
R5PRIK_TOU				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TOU_MRC	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
TOU_TOOL	2	VARCHAR2(12)	nvarchar(12)	tool code.
TOU_EVENT	3	VARCHAR2(30)	nvarchar(30)	event number.
TOU_ACT	4	NUMBER(8,0)	numeric(8,0)	activity number.
TOU_DATEUSED	5	DATE	datetime	date tool used.
R5TOOLUSAGEINTERFACE				
R5PRIK_TUI				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TUI_TRANSID	1	NUMBER	bigint	transfer id
R5TOPKBARTICLES				
R5PRIK_TKA				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TKA_KBARTICLE	1	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
TKA_KBARTICLE_ORG	2	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
TKA_LANG	3	VARCHAR2(2)	nvarchar(2)	Language
R5TRACKINGCTRL				
R5PRIK_TKC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TKC_INTERFACETYPE	1	VARCHAR2(4)	nvarchar(4)	interface type (system code, see entity iftp).
TKC_UPLOADCOLUMN	2	VARCHAR2(30)	nvarchar(30)	column name of upload column (as in destination api table).
R5TRACKINGDATA				
R5PRIK_TKD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TKD_TRANSID	1	NUMBER	bigint	unique identification of tracking transaction.
R5TRACKINGDATATEMP				
R5PRIK_TKT				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
TKT_TRANSID	1	NUMBER	bigint	unique identification of tracking transaction.

R5TRACKINGLOVS				R5PRIK_TKV
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKV_CODE	1	VARCHAR2(4)	nvarchar(4)	T.B.D.
R5TRACKINGPROMPTS				R5PRIK_TKP
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKP_TRANS	1	VARCHAR2(4)	nvarchar(4)	type of tracking transaction.
TKP_TRANSSEQ	2	NUMBER	int	prompt sequence number (line number within tracking transaction definition).
R5TRACKINGPROMPTSSQL				R5PRIK_TKL
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKL_SQLCODE	1	VARCHAR2(4)	nvarchar(4)	code of list of values sql statement (user code, see entity sqtp).
R5TRACKINGREPORTS				R5PRIK_TRE
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRE_REQID	1	NUMBER	numeric(38,0)	The system generated primary key.
R5TRACKRETURNPROMPTS				R5PRIK_TKR
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKR_TRANS	1	VARCHAR2(4)	nvarchar(4)	transaction code
TKR_PROMPTSEQ	2	NUMBER	int	prompt sequence
TKR_TARGETPROMPT	3	NUMBER	int	target prompt
R5TRADEQUALIFICATIONS				R5PRIK_TRQ
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRQ_TRADE	1	VARCHAR2(15)	nvarchar(15)	Trade code
TRQ_QUALIFICATION	2	VARCHAR2(20)	nvarchar(20)	Qualification code
R5TRADERATES				R5PRIK_TRR
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRR_MRC	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code; * if rate applies to all mrcls.
TRR_TRADE	2	VARCHAR2(15)	nvarchar(15)	trade code, or * if rate applies to all trades.
TRR_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	supplier code, or * if this is an internal tariff.
TRR_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	supplier organization
TRR_PERSON	5	VARCHAR2(15)	nvarchar(15)	personnel code of employee.
TRR_ORG	6	VARCHAR2(15)	nvarchar(15)	trade organization
TRR_START	7	DATE	datetime	date trade rate is valid from.
TRR_OCTYPE	8	VARCHAR2(4)	nvarchar(4)	defines user occupation type code.
R5TRADES				R5PRIK_TRD
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRD_CODE	1	VARCHAR2(15)	nvarchar(15)	trade code.
R5TRANSACTIONS				R5PRIK_TRA
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRA_CODE	1	VARCHAR2(30)	nvarchar(30)	transaction header number.
R5TRANSFERLINES				R5PRIK_TFL
Column name	Position	Oracle datatype	SQL Server datat	Column description
TFL_TRANSFER	1	VARCHAR2(30)	nvarchar(30)	The system generated unique code of a transfer.
TFL_LINE	2	NUMBER	int	The transfer line sequence number.
R5TRANSFERS				R5PRIK_TFR
Column name	Position	Oracle datatype	SQL Server datat	Column description
TFR_CODE	1	VARCHAR2(30)	nvarchar(30)	The system generated unique code of a transfer.
R5TRANSINTERFACE				R5PRIK_TRN
Column name	Position	Oracle datatype	SQL Server datat	Column description
TRN_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.

R5TRANSLINES		R5PRIK_TRL	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRL_TRANS	1	VARCHAR2(30)	nvarchar(30) transaction number.
TRL_LINE	2	NUMBER(8,0)	numeric(8,0) transaction line number.
R5TRANSTOCK		R5PRIK_TST	
Column name	Position	Oracle datatype	SQL Server datat Column description
TST_PKEY	1	VARCHAR2(30)	nvarchar(30)
R5TRANSTOCKFIFO		R5PRIK_TRF	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRF_PK	1	NUMBER(20,0)	numeric(20,0) The unique identifier of a transtock fifo record.
R5UBUBAT		R5PRIK_BUB	
Column name	Position	Oracle datatype	SQL Server datat Column description
BUB_CODE	1	VARCHAR2(8)	nvarchar(8) budget code.
BUB_EVENT	2	VARCHAR2(30)	nvarchar(30) event number.
R5UCODES		R5PRIK_UCO	
Column name	Position	Oracle datatype	SQL Server datat Column description
UCO_ENTITY	1	VARCHAR2(4)	nvarchar(4) user entity
UCO_CODE	2	VARCHAR2(8)	nvarchar(8) user code corresponding to a unique, pre-defined code.
R5UDFSCREENFIELDS		R5PRIK_USF	
Column name	Position	Oracle datatype	SQL Server datat Column description
USF_SCREENNAME	1	VARCHAR2(6)	nvarchar(6) Screen name
USF_FIELDNAME	2	VARCHAR2(60)	nvarchar(60) field name
R5UDFSCREENS		R5PRIK_USC	
Column name	Position	Oracle datatype	SQL Server datat Column description
USC_SCREENNAME	1	VARCHAR2(6)	nvarchar(6) Screen name
R5UNAVAILABLEGRIDFIELDS		R5PRIK_UGF	
Column name	Position	Oracle datatype	SQL Server datat Column description
UGF_GRIDNAME	1	VARCHAR2(40)	nvarchar(40) grid name
UGF_USERGROUP	2	VARCHAR2(12)	nvarchar(12) user group
UGF_FIELDDID	3	VARCHAR2(60)	nvarchar(60) identifier of a field.
R5UOMCONVERSION		R5PRIK_UOC	
Column name	Position	Oracle datatype	SQL Server datat Column description
UOC_SITEUOM	1	VARCHAR2(30)	nvarchar(30) site uom
UOC_BASEUOM	2	VARCHAR2(30)	nvarchar(30) base uom
R5UOMS		R5PRIK_UOM	
Column name	Position	Oracle datatype	SQL Server datat Column description
UOM_CODE	1	VARCHAR2(30)	nvarchar(30) unit of measure.
R5URLPARAMETERS		R5PRIK_URL	
Column name	Position	Oracle datatype	SQL Server datat Column description
URL_USERFUNCTION	1	VARCHAR2(6)	nvarchar(6) Function code selected on the Screens screen to define a parameter
URL_TAB	2	VARCHAR2(6)	nvarchar(6) Tab code selected on Screens - Custom Tabs tab to define a parameter
URL_PARAMETERNAME	3	VARCHAR2(30)	nvarchar(30) Parameter name
R5USAGE		R5PRIK_SUS	
Column name	Position	Oracle datatype	SQL Server datat Column description
SUS_ID	1	VARCHAR2(30)	nvarchar(30) transaction id
R5USEGRIDISDEFAULT		R5PRIK_UGD	
Column name	Position	Oracle datatype	SQL Server datat Column description
UGD_GRIDID	1	NUMBER(14,0)	numeric(14,0) The grid id for which the GIS Filter applies.
UGD_USERID	2	VARCHAR2(255)	nvarchar(255) The user for which the GIS Filter applies.

UGD_GISSERVICE	3 VARCHAR2(60)	nvarchar(60)	The map service for which the GIS Filter applies.
UGD_GISLAYER	4 VARCHAR2(60)	nvarchar(60)	The map layer for which the GIS Filter applies.

R5USERDEFINEDFIELDDEPENDENCIES		R5PRIK_U	FD
Column name	Position	Oracle datatype	SQL Server datat Column description
UFD_RENTITY	1	VARCHAR2(4)	nvarchar(4) system entity
UFD_PAGENAME	2	VARCHAR2(40)	nvarchar(40) function based name of page

R5USERDEFINEDFIELDLOVVALS		R5PRIK_UDL	
Column name	Position	Oracle datatype	SQL Server datat Column description
UDL_RENTITY	1	VARCHAR2(4)	nvarchar(4) Rentity that supports UDFs
UDL_FIELD	2	VARCHAR2(20)	nvarchar(20) Field Id (associates with pagelayout)
UDL_CODE	3	VARCHAR2(80)	nvarchar(80) Minimum value for a UDF field

R5USERDEFINEDFIELDSETUP		R5PRIK_UDF	
Column name	Position	Oracle datatype	SQL Server datat Column description
UDF_RENTITY	1	VARCHAR2(4)	nvarchar(4) Rentity that supports UDFs
UDF_FIELD	2	VARCHAR2(20)	nvarchar(20) Field Id (associates with pagelayout)

R5USERFAVORITEKBARTICLES		R5PRIK_UFK	
Column name	Position	Oracle datatype	SQL Server datat Column description
UFK_USER	1	VARCHAR2(255)	nvarchar(255) User Code
UFK_KBARTICLE	2	VARCHAR2(30)	nvarchar(30) Knowledge Base Article Code
UFK_KBARTICLE_ORG	3	VARCHAR2(15)	nvarchar(15) Knowledge Base Article Org

R5USERFUNCTIONDEFS		R5PRIK_UFN	
Column name	Position	Oracle datatype	SQL Server datat Column description
UFN_FUNCTIONNAME	1	VARCHAR2(128)	nvarchar(128) Name of function

R5USERKPI		R5PRIK_KPU	
Column name	Position	Oracle datatype	SQL Server datat Column description
KPU_CODE	1	VARCHAR2(24)	nvarchar(24) The KPI/inbox code,
KPU_TYPE	2	VARCHAR2(1)	nvarchar(1) The type of record, KPI or inbox.
KPU_USER	3	VARCHAR2(255)	nvarchar(255) The user
KPU_SEQUENCE	4	VARCHAR2(4)	nvarchar(4) The order in which the KPIs/inbox items should be displayed.

R5USERLINEARPREFERENCES		R5PRIK_ULP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ULP_CODE	1	VARCHAR2(30)	nvarchar(30) The primary key of the user linear preference.

R5USERLPFCLASSES		R5PRIK_UPC	
Column name	Position	Oracle datatype	SQL Server datat Column description
UPC_LINEARPREFERENCE	1	VARCHAR2(30)	nvarchar(30) The linear preference.
UPC_CLASS	2	VARCHAR2(8)	nvarchar(8) T.B.D. 113
UPC_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15) The linear preferences class organization.

R5USERLPFTYPES		R5PRIK_LPT	
Column name	Position	Oracle datatype	SQL Server datat Column description
LPT_LINEARPREFERENCE	1	VARCHAR2(30)	nvarchar(30) The linear preference code the record belongs to.
LPT_TYPE	2	VARCHAR2(8)	nvarchar(8) The user type.

R5USERORGANIZATION		R5PRIK_UOG	
Column name	Position	Oracle datatype	SQL Server datat Column description
UOG_USER	1	VARCHAR2(255)	nvarchar(255) user code
UOG_ORG	2	VARCHAR2(15)	nvarchar(15) user organization
UOG_ROLE	3	VARCHAR2(30)	nvarchar(30)

R5USERPORTLET		R5PRIK_UPT	
Column name	Position	Oracle datatype	SQL Server datat Column description
UPT_USER	1	VARCHAR2(255)	nvarchar(255) user id
UPT_PORTLET	2	NUMBER	int portlet id

UPT_TYPE	3 VARCHAR2(1)	nvarchar(1)	portlet type (l= list, g=graph, h=html)
UPT_FUNCTION	4 VARCHAR2(6)	nvarchar(6)	Function code

R5USERPREFERENCES		RSPRIK_USP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
USP_USER	1	VARCHAR2(255)	nvarchar(255) code of preference
USP_TYPE	2	VARCHAR2(4)	nvarchar(4) ucode of the preference code.
USP_CODE	3	VARCHAR2(20)	nvarchar(20) user to whom the preference belongs.

R5USERPREFS		RSPRIK_UPF	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UPF_PREF	1	VARCHAR2(12)	nvarchar(12) preference code.
UPF_USER	2	VARCHAR2(255)	nvarchar(255) username.

R5USERQAB		RSPRIK_UQA	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UQA_USER	1	VARCHAR2(255)	nvarchar(255) username.
UQA_FUNCTION	2	VARCHAR2(6)	nvarchar(6) function code.

R5USERRESPONSIBILITIES		RSPRIK_URS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
URS_USER	1	VARCHAR2(255)	nvarchar(255)
URS_RESPONSIBILITY	2	VARCHAR2(8)	nvarchar(8)

R5USERS		RSPRIK_USR	
Column name	Position	Oracle datatype	SQL Server datatype Column description
USR_CODE	1	VARCHAR2(255)	nvarchar(255) username. unique identification.

R5USERSTRUCTUREPREFERENCES		RSPRIK_UST	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UST_USERCODE	1	VARCHAR2(255)	nvarchar(255) The user the preferences belong to.

R5USERVIEWS		RSPRIK_UVW	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UVW_CODE	1	VARCHAR2(30)	nvarchar(30) The code of the user view.

R5USERWIDGET		RSPRIK_WGT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WGT_WIDGETID	1	VARCHAR2(30)	nvarchar(30) The id of the widget.

R5USERWIDGETCHART		RSPRIK_UWC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UWC_WIDGETID	1	VARCHAR2(30)	nvarchar(30)

R5USERWIDGETGRID		RSPRIK_UWG	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UWG_WIDGETID	1	VARCHAR2(30)	nvarchar(30) The id of the base widget.

R5USERWIDGETKPI		RSPRIK_UWK	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UWK_WIDGETID	1	VARCHAR2(30)	nvarchar(255) The id of the base widget.

R5USERWIDGETLAYOUT		RSPRIK_UWL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UWL_USER	1	VARCHAR2(255)	nvarchar(255) The userid the widget belongs to.
UWL_FUNCTION	2	VARCHAR2(6)	nvarchar(6) The user function of the layout.
UWL_LINE	3	NUMBER(2,0)	numeric(2,0) The number of columns in the layout.

R5UTILITYINVLINES		RSPRIK_UIL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
UIL_INVOICE	1	VARCHAR2(45)	nvarchar(45) Invoice Code

UIL_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	Invoice Organization
UIL_SEQUENCE	3	NUMBER(6,0)	numeric(6,0)	Line

R5WALLTHICKNESS

R5PRIK_WTH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WTH_PIPING	1	VARCHAR2(20)	nvarchar(20)	piping code
WTH_PIPINGREV	2	NUMBER(4,0)	numeric(4,0)	piping revision
WTH_NOMSIZEINCH	3	NUMBER	int	pipe size (inches)
WTH_SCHEDULE	4	VARCHAR2(10)	nvarchar(10)	schedule

R5WARCLAIMACTIVITIES

R5PRIK_WCA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCA_CLAIM	1	VARCHAR2(30)	nvarchar(30)	The warranty claim the activity belongs to
WCA_ACT	2	NUMBER(8,0)	numeric(8,0)	The activity belong to the warranty claim

R5WARCLAIMLINES

R5PRIK_WLN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WLN_PK	1	NUMBER	numeric(18,0)	The primary key of the warranty claim line

R5WARCLAIMS

R5PRIK_WCL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCL_CODE	1	VARCHAR2(30)	nvarchar(30)	warranty claim number. unique identifier.

R5WARCOMPONENTS

R5PRIK_WCM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCM_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key.

R5WARCOVERAGES

R5PRIK_WCV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCV_SEQNO	1	NUMBER	int	sequence number of warranty coverage.

R5WARRANTYPARTS

R5PRIK_WRP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WRP_WARRANTY	1	VARCHAR2(30)	nvarchar(30)	The warranty document the part belongs to
WRP_PART	2	VARCHAR2(30)	nvarchar(30)	The part on the warranty
WRP_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	The part organization on the warranty

R5WBWKPK

R5PRIK_TWP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TWP_SESSION	1	VARCHAR2(20)	nvarchar(20)	session
TWP_JOB	2	VARCHAR2(30)	nvarchar(30)	job

R5WIZARD

R5PRIK_WIZ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WIZ_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	the function name of the wizard.
WIZ_PAGE	2	NUMBER	int	current page number in the wizard.
WIZ_SEQNO	3	NUMBER	int	wizard sequence number

R5WOLABORSCHEDDAYPATTERN

R5PRIK_SDP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SDP_SESSIONID	1	NUMBER	numeric(18,0)	Session ID
SDP_PATTERNNUM	2	NUMBER	numeric(18,0)	T.B.D.

R5WOLABORSCHEDEMP

R5PRIK_WLO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WLO_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID
WLO_PERSON	2	VARCHAR2(15)	nvarchar(15)	Employee

R5WOLABORSCHDEQUIP

R5PRIK_WLE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WLE_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID

WLE_OBJECT	2 VARCHAR2(30)	nvarchar(30)	Equipment
WLE_OBJECT_ORG	3 VARCHAR2(15)	nvarchar(15)	Equipment Org

R5WOLABORSCHEDPARAMS		R5PRIK_WLS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WLS_CODE	1	VARCHAR2(30)	nvarchar(30) Parameters Key / Surrogate Key

R5WOLABORSCHEDPERIODPATTERN		R5PRIK_SPT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SPT_SESSIONID	1	NUMBER	numeric(18,0) Session ID
SPT_PATTERNNUM	2	NUMBER	numeric(18,0) T.B.D.

R5WOLABORSCHEDPERSONPERIOD		R5PRIK_SPP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SPP_SESSIONID	1	NUMBER	numeric(18,0) Session ID
SPP_PERSON	2	VARCHAR2(15)	nvarchar(15) T.B.D.

R5WOLABORSCHEDSCHEDTEMP		R5PRIK_SCT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCT_SESSIONID	1	NUMBER(18,0)	numeric(18,0) Session ID
SCT_CODE	2	NUMBER(38,0)	numeric(38,0) T.B.D.

R5WOLABORSCHEDWO		R5PRIK_LSW	
Column name	Position	Oracle datatype	SQL Server datatype Column description
LSW_SESSIONID	1	NUMBER(18,0)	numeric(18,0) Session ID
LSW_EVENT	2	VARCHAR2(30)	nvarchar(30) Work Order
LSW_ACT	3	NUMBER(8,0)	numeric(8,0) activity code

R5WOREPAIRS		R5PRIK_WOR	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WOR_PK	1	NUMBER	numeric(18,0) Primary key

R5WORKLOAD		R5PRIK_WRK	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WRK_DATE	1	DATE	datetime date on which labor is required.
WRK_MRC	2	VARCHAR2(15)	nvarchar(15) maintenance responsibility centre code.
WRK_TRADE	3	VARCHAR2(15)	nvarchar(15) trade code.

R5WORKPACKAGES		R5PRIK_WPK	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WPK_CODE	1	VARCHAR2(24)	nvarchar(24) work package code

R5WORKSAFETY		R5PRIK_KSF	
Column name	Position	Oracle datatype	SQL Server datatype Column description
KSF_PK	1	VARCHAR2(30)	nvarchar(30) The unique code of the safety record.

R5WORKSPACEEMPLOYEES		R5PRIK_WKE	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WKE_WORKSPACE_NUMBER	1	VARCHAR2(30)	nvarchar(30) The primary key of a work space.
WKE_PERSON	2	VARCHAR2(15)	nvarchar(15) An employee using the work space.

R5WORKSPACEMOVECHILDREN		R5PRIK_WMC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WMC_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record.

R5WORKSPACEMOVES		R5PRIK_WKM	
Column name	Position	Oracle datatype	SQL Server datatype Column description
WKM_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the work space move.

R5WORKSPACES		R5PRIK_WKS	
Column name	Position	Oracle datatype	SQL Server datatype Column description

WKS_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the work space.

R5WPPERSONS

R5PRIK_WPP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WPP_PACKAGE	1	VARCHAR2(24)	nvarchar(24)	work package code
WPP_PERSON	2	VARCHAR2(15)	nvarchar(15)	personnel code of employee to be scheduled for work package

R5WSDUP

R5PRIK_WDU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WDU_CODE	1	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.

R5WSDUP1

R5PRIK_WD1

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WD1_CODE	1	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.

R5WSDUP2

R5PRIK_WD2

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WD2_CODE	1	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.

R5WSEVENTBUFFER

R5PRIK_WEF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WEF_CODE	1	VARCHAR2(60)	nvarchar(60)	Base event sequence number

R5WSEVENTS

R5PRIK_WSE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSE_CODE	1	VARCHAR2(32)	nvarchar(32)	Event ID

R5WSMESSAGELINES

R5PRIK_WML

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WML_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	
WML_LINE	2	NUMBER(8,0)	numeric(8,0)	

R5WSMESSAGELINES_ARCHIVE

R5PRIK_AWL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWL_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	
AWL_LINE	2	NUMBER(8,0)	numeric(8,0)	

R5WSMESSAGES

R5PRIK_WSM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSM_MSGIND	1	VARCHAR2(60)	nvarchar(60)	Message index ID

R5WSMESSAGESTATUS

R5PRIK_WSS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSS_CODE	1	VARCHAR2(60)	nvarchar(60)	Key for a message status record

R5WSMESSAGESTATUS_ARCHIVE

R5PRIK_AWS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWS_CODE	1	VARCHAR2(60)	nvarchar(60)	Key for a message status record

R5WSMESSAGES_ARCHIVE

R5PRIK_AWM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWM_MSGIND	1	VARCHAR2(60)	nvarchar(60)	Message index ID

R5WSMSGPARTS

R5PRIK_WSP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSP_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
WSP_PART	2	VARCHAR2(60)	nvarchar(60)	Message part ID

R5WSPRETURNPROMPTS

R5PRIK_WPR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WPR_WSPCODE	1	VARCHAR2(6)	nvarchar(6)	TBD

WPR_SOURCESEQ	2	NUMBER(8,0)	numeric(8,0)	TBD
WPR_TARGETSEQ	3	NUMBER(8,0)	numeric(8,0)	TBD

R5WSPROMPTFIELDS

R5PRIK_WSF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSF_WSPMTCODE	1	VARCHAR2(6)	nvarchar(6)	WS prompt code
WSF_LINE	2	NUMBER(8,0)	numeric(8,0)	Sequence number

R5WSPROMPTS

R5PRIK_WST

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WST_CODE	1	VARCHAR2(6)	nvarchar(6)	PK column

R5WSREQHIST

R5PRIK_WSQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSQ_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
WSQ_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5WSREQHIST_ARCHIVE

R5PRIK_AWQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWQ_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
AWQ_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5WSRSPHIST

R5PRIK_WSR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSR_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
WSR_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5WSRSPHIST_ARCHIVE

R5PRIK_AWR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWR_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
AWR_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5XMLTRANSTATUS

R5PRIK_XTS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
XTS_SEQNUM	1	NUMBER	int	databridge transaction sequence number

R5XMLTRANSTATUSHIST

R5PRIK_XTH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
XTH_SEQNUM	1	NUMBER	int	databridge transaction sequence number

R5YEARLYINFLATIONPERCENT

R5PRIK_YIP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
YIP_YEAR	1	NUMBER(4,0)	numeric(4,0)	
YIP_COUNTRY	2	VARCHAR2(8)	nvarchar(8)	
YIP_CURRENCY	3	VARCHAR2(3)	nvarchar(3)	

R5YEARS

R5PRIK_ACY

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ACY_YEAR	1	VARCHAR2(8)	nvarchar(8)	budget term code.

Primary keys that have been replaced by a unique key in SQL Server:

r5prik_acs	r5prik_fba	r5prik_obi
r5prik_add	r5prik_fcd	r5prik_ocq
r5prik_add	r5prik_fcd	r5prik_otp
r5prik_adi	r5prik_fif	r5prik_odt
r5prik_are	r5prik_fte	r5prik_odt
r5prik_aut	r5prik_fte	r5prik_ogc
r5prik_bdt	r5prik_gph	r5prik_ogt
r5prik_boi	r5prik_hpt	r5prik_omp
r5prik_cdi	r5prik_ina	r5prik_osl

r5prik_dbe	r5prik_iss	r5prik_osl
r5prik_dds	r5prik_lrf	r5prik_oum
r5prik_eah	r5prik_lrf	r5prik_oum
r5prik_epo	r5prik_mae	r5prik_ovd
r5prik_est	r5prik_mfi	r5prik_pai
r5prik_esy	r5prik_mtl	r5prik_pev
r5prik_evi	r5prik_oat	r5prik_pui
r5prik_fba	r5prik_oat	r5prik_rea

Chapter 5 Foreign key definitions

COR_INBOX_HEADERS	COR_INBOX_HEADERS_COR_IN_FK1			
Column name	Parent	Primary key	Parent column	Column description
C_INBOX_ID	COR_INBOX_ENTRY	COR_INBOX_ENTRY_PK	C_ID	Primary key - all of the provided database schemas have this set as auto-increment
COR_OUTBOX_HEADERS	COR_OUTBOX_HEADERS_COR_OU_FK1			
Column name	Parent	Primary key	Parent column	Column description
C_OUTBOX_ID	COR_OUTBOX_ENTRY	COR_OUTBOX_ENTRY_PK	C_ID	Primary key - all of the provided database schemas have this set as auto-increment
R5ACDPARAMS	R5FOK1_ADP			
Column name	Parent	Primary key	Parent column	Column description
ADP_QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5ACTCHECKLISTS	R5FOK10_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_CASETASK	R5CASEMANAGEMENTTASKS	R5PRIK_TCM	TCM_CODE	Primary key of the case task
R5ACTCHECKLISTS	R5FOK12_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5ACTCHECKLISTS	R5FOK13_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5ACTCHECKLISTS	R5FOK2_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ACK_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ACTCHECKLISTS	R5FOK3_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ACTCHECKLISTS	R5FOK4_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_FOLLOWUPACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
ACK_FOLLOWUPEVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5ACTCHECKLISTS	R5FOK5_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_LOTO	R5PERMITTOWORKLOTO	R5PRIK_PWL	PWL_PK	The unique code of the permit to work lockout-tagout.
R5ACTCHECKLISTS	R5FOK6_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5ACTCHECKLISTS	R5FOK7_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_PARENTKEY	R5ACTCHECKLISTS	R5PRIK_ACK	ACK_CODE	T.B.D.
R5ACTCHECKLISTS	R5FOK8_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_FINDING	R5FINDINGS	R5PRIK_FND	FND_CODE	inspection finding code.

R5ACTCHECKLISTS	R5FOK9_ACK			
Column name	Parent	Primary key	Parent column	Column description
ACK_FROMJOBPLAN	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
ACK_FROMJOBPLANREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5ACTCLASSES	R5FOK1_ACL			
Column name	Parent	Primary key	Parent column	Column description
ACL_ACTION	R5ACTIONCODES	R5PRIK_ACC	ACC_CODE	action code
R5ACTIVITIES	R5FOK10_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_DEFERREDORIGACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
ACT_DEFERREDORIGWO	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5ACTIVITIES	R5FOK11_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
ACT_PARENT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
R5ACTIVITIES	R5FOK12_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5ACTIVITIES	R5FOK13_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5ACTIVITIES	R5FOK14_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_RECORDEDDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5ACTIVITIES	R5FOK1_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5ACTIVITIES	R5FOK2_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
ACT_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5ACTIVITIES	R5FOK3_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
ACT_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5ACTIVITIES	R5FOK4_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5ACTIVITIES	R5FOK6_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_MATLIST	R5MATLISTS	R5PRIK_MTL	MTL_CODE	material list code.
ACT_MATLREV	R5MATLISTS	R5PRIK_MTL	MTL_REVISION	revision number.
R5ACTIVITIES	R5FOK7_ACT			

R5ACTIVITIES	R5FOK9_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5ACTIVITIES	R5FOKA_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
ACT_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5ACTIVITIES	R5FOKB_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ACTIVITIES	R5FOKB_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5ACTIVITIES	R5FOKC_ACT			
Column name	Parent	Primary key	Parent column	Column description
ACT_RELATEDWO	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5ACTQUALIFICATIONS	R5FOK1_AQU			
Column name	Parent	Primary key	Parent column	Column description
AQU_ACTIVITY	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
AQU_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5ACTQUALIFICATIONS	R5FOK2_AQU			
Column name	Parent	Primary key	Parent column	Column description
AQU_QUALIFICATION	R5QUALIFICATIONS	R5PRIK_QUA	QUA_CODE	Qualification code
R5ACTSCHEDULES	R5FOK1_ACS			
Column name	Parent	Primary key	Parent column	Column description
ACS_ACTIVITY	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
ACS_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5ACTSCHEDULES	R5FOK2_ACS			
Column name	Parent	Primary key	Parent column	Column description
ACS_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5ACTSCHEDULES	R5FOK3_ACS			
Column name	Parent	Primary key	Parent column	Column description
ACS_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5ACTSCHEDULES	R5FOK4_ACS			
Column name	Parent	Primary key	Parent column	Column description
ACS_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ACS_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ACTSCHEDULES	R5FOK5_ACS			
Column name	Parent	Primary key	Parent column	Column description
ACS_RESPONSIBLE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5ACTSCHEDULES	R5FOK6_ACS			
Column name	Parent	Primary key	Parent column	Column description
ACS_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.

R5ADDEDETAILS	R5FOK1_ADD			
Column name	Parent	Primary key	Parent column	Column description
ADD_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5ADDEDETAILS	R5FOK2_ADD			
Column name	Parent	Primary key	Parent column	Column description
ADD_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ADDEDETAILS	R5FOK3_ADD			
Column name	Parent	Primary key	Parent column	Column description
ADD_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ADDEDETAILS	R5FOK4_ADD			
Column name	Parent	Primary key	Parent column	Column description
ADD_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ADDITIONALCHARGE	R5FOK1_ADC			
Column name	Parent	Primary key	Parent column	Column description
ADC_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
ADC_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5ADDITIONALCHARGE	R5FOK2_ADC			
Column name	Parent	Primary key	Parent column	Column description
ADC_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5ADDITIONALCHARGE	R5FOK3_ADC			
Column name	Parent	Primary key	Parent column	Column description
ADC_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5ADDPROPERTIES	R5FOK1_APR			
Column name	Parent	Primary key	Parent column	Column description
APR_CLASS	R5CLASSES	R5UNQ1_CLS	CLS_CODE	code of class
APR_CLASS_ORG	R5CLASSES	R5UNQ1_CLS	CLS_ORG	class organization
APR_RENTITY	R5CLASSES	R5UNQ1_CLS	CLS_RENTITY	to which entity class belongs
R5ADDPROPERTIES	R5FOK2_APR			
Column name	Parent	Primary key	Parent column	Column description
APR_PROPERTY	R5PROPERTIES	R5PRIK_PRO	PRO_CODE	custom property code. unique identification.
R5ADDPROPERTIES	R5FOK3_APR			
Column name	Parent	Primary key	Parent column	Column description
APR_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ADDRESS	R5FOK1_ADR			
Column name	Parent	Primary key	Parent column	Column description
ADR_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ADJUSTMENTS	R5FOK1_ADJ			
Column name	Parent	Primary key	Parent column	Column description
ADJ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ADJUSTMENTS	R5FOK2_ADJ			
Column name	Parent	Primary key	Parent column	Column description
ADJ_STWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.

R5AGREEMENTS	R5FOK1_AGR			
Column name	Parent	Primary key	Parent column	Column description
AGR_ARRANGEMENT	R5ARRANGEMENTS	R5PRIK_ARR	ARR_CODE	arrangement code. must be unique.
R5AGREEMENTS	R5FOK2_AGR			
Column name	Parent	Primary key	Parent column	Column description
AGR_DEBTOR	R5DEBTORS	R5PRIK_DEB	DEB_CODE	debtor code.
R5AGREEMENTS	R5FOK3_AGR			
Column name	Parent	Primary key	Parent column	Column description
AGR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
AGR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5AGREEMENTS	R5FOK4_AGR			
Column name	Parent	Primary key	Parent column	Column description
AGR_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5AGREEMENTS	R5FOK5_AGR			
Column name	Parent	Primary key	Parent column	Column description
AGR_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5AGREEMENTS	R5FOK6_AGR			
Column name	Parent	Primary key	Parent column	Column description
AGR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ALERTEXCEPTIONS	R5FOK1_ALX			
Column name	Parent	Primary key	Parent column	Column description
ALX_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTGENERATEWO	R5FOK1_AGW			
Column name	Parent	Primary key	Parent column	Column description
AGW_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTGRIDPARAMS	R5FOK1_AGP			
Column name	Parent	Primary key	Parent column	Column description
AGP_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTHISTORY	R5FOK1_ALH			
Column name	Parent	Primary key	Parent column	Column description
ALH_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTIONPULSE	R5FOK1_ALI			
Column name	Parent	Primary key	Parent column	Column description
ALI_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTMAIL	R5FOK1_ALM			
Column name	Parent	Primary key	Parent column	Column description
ALM_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTMAIL	R5FOK2_ALM			
Column name	Parent	Primary key	Parent column	Column description
ALM_TEMPLATE	R5MAILTEMPLATE	R5PRIK_MAT	MAT_CODE	mail template code.
R5ALERTS	R5FOK1_ALT			
Column name	Parent	Primary key	Parent column	Column description

ALT_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid
R5ALERTS	R5FOK2_ALT			
Column name	Parent	Primary key	Parent column	Column description
ALT_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ALERTS	R5FOK3_ALT			
Column name	Parent	Primary key	Parent column	Column description
ALT_VALUEFIELDID	R5DDFIELD	R5PRIK_DDF	DDF_FIELDID	a unique id of the field
R5ALERTS	R5FOK4_ALT			
Column name	Parent	Primary key	Parent column	Column description
ALT_CODEFIELDID	R5DDFIELD	R5PRIK_DDF	DDF_FIELDID	a unique id of the field
R5ALERTS	R5FOK5_ALT			
Column name	Parent	Primary key	Parent column	Column description
ALT_ORGFIELDID	R5DDFIELD	R5PRIK_DDF	DDF_FIELDID	a unique id of the field
R5ALERTSQL	R5FOK1_ALS			
Column name	Parent	Primary key	Parent column	Column description
ALS_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTTEXTPARAMS	R5FOK1_ATP			
Column name	Parent	Primary key	Parent column	Column description
ATP_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTTEXTPARAMS	R5FOK2_ATP			
Column name	Parent	Primary key	Parent column	Column description
ATP_TEMPLATE	R5MAILTEMPLATE	R5PRIK_MAT	MAT_CODE	mail template code.
R5ALERTTWO	R5FOK1_ALW			
Column name	Parent	Primary key	Parent column	Column description
ALW_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALERTTWO	R5FOK2_ALW			
Column name	Parent	Primary key	Parent column	Column description
ALW_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5ALERTTWO	R5FOK3_ALW			
Column name	Parent	Primary key	Parent column	Column description
ALW_WORKORDERORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ALERTWOFIELDMAPPING	R5FOK1_AWF			
Column name	Parent	Primary key	Parent column	Column description
AWF_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5ALTERNATESCREENFLOWS	R5FOK1_ASF			
Column name	Parent	Primary key	Parent column	Column description
ASF_SCREENFLOWCODE	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5ALTERNATEUOMS	R5FOK1_AUM			
Column name	Parent	Primary key	Parent column	Column description
AUM_PARENTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5APMSCENARIOCAMPAIGN	R5FOK1_APC			

Column name	Parent	Primary key	Parent column	Column description
APC_APMSCENARIO	R5APMSCENARIOS	R5PRIK_ASR	ASR_CODE	
APC_APMSCENARIO_ORG	R5APMSCENARIOS	R5PRIK_ASR	ASR_ORG	
R5APMSCENARIOCAMPAIGN	R5FOK2_APC			
Column name	Parent	Primary key	Parent column	Column description
APC_CAMPAIGN	R5CAMPAIGNS	R5PRIK_CAM	CAM_CODE	Campaign Code
APC_CAMPAIGN_ORG	R5CAMPAIGNS	R5PRIK_CAM	CAM_ORG	Campaign Code Organization
R5APMSCENARIOEQUIPMENT	R5FOK1_AEQ			
Column name	Parent	Primary key	Parent column	Column description
AEQ_APMSCENARIO	R5APMSCENARIOS	R5PRIK_ASR	ASR_CODE	
AEQ_APMSCENARIO_ORG	R5APMSCENARIOS	R5PRIK_ASR	ASR_ORG	
R5APMSCENARIOEQUIPMENT	R5FOK2_AEQ			
Column name	Parent	Primary key	Parent column	Column description
AEQ_EQUIPMENT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
AEQ_EQUIPMENT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5APMSCENARIOPROJECTS	R5FOK1_APJ			
Column name	Parent	Primary key	Parent column	Column description
APJ_APMSCENARIO	R5APMSCENARIOS	R5PRIK_ASR	ASR_CODE	
APJ_APMSCENARIO_ORG	R5APMSCENARIOS	R5PRIK_ASR	ASR_ORG	
R5APMSCENARIOPROJECTS	R5FOK2_APJ			
Column name	Parent	Primary key	Parent column	Column description
APJ_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5APMSCENARIOS	R5FOK1_ASR			
Column name	Parent	Primary key	Parent column	Column description
ASR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5APMSCENARIOS	R5FOK2_ASR			
Column name	Parent	Primary key	Parent column	Column description
ASR_COUNTRY	R5YEARLYINFLATIONPERCENT	R5PRIK_YIP	YIP_COUNTRY	
ASR_CURRENCY	R5YEARLYINFLATIONPERCENT	R5PRIK_YIP	YIP_CURRENCY	
ASR_YEAR	R5YEARLYINFLATIONPERCENT	R5PRIK_YIP	YIP_YEAR	
R5APMSCENARIOWORKORDER	R5FOK1_APW			
Column name	Parent	Primary key	Parent column	Column description
APW_APMSCENARIO	R5APMSCENARIOS	R5PRIK_ASR	ASR_CODE	
APW_APMSCENARIO_ORG	R5APMSCENARIOS	R5PRIK_ASR	ASR_ORG	
R5APMSCENARIOWORKORDER	R5FOK2_APW			
Column name	Parent	Primary key	Parent column	Column description
APW_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5APMSNONCONFORMITIES	R5FOK1_APN			
Column name	Parent	Primary key	Parent column	Column description
APN_APMSCENARIO	R5APMSCENARIOS	R5PRIK_ASR	ASR_CODE	
APN_APMSCENARIO_ORG	R5APMSCENARIOS	R5PRIK_ASR	ASR_ORG	
R5APMSNONCONFORMITIES	R5FOK2_APN			
Column name	Parent	Primary key	Parent column	Column description
APN_NONCONFORMITY	R5NONCONFORMITIES	R5PRIK_NCF	NCF_CODE	The nonconformity code.

R5APMSPMSCHEDULE	R5FOK1_ASH			
Column name	Parent	Primary key	Parent column	Column description
ASH_APMSCENARIOS	R5APMSCENARIOS	R5PRIK_ASR	ASR_CODE	
ASH_APMSCENARIO_ORG	R5APMSCENARIOS	R5PRIK_ASR	ASR_ORG	
R5APPROVELISTS	R5FOK1_APL			
Column name	Parent	Primary key	Parent column	Column description
APL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5APPROVEUSERS	R5FOK1_APU			
Column name	Parent	Primary key	Parent column	Column description
APU_LIST	R5APPROVELISTS	R5PRIK_APL	APL_CODE	approval list code.
R5APPROVEUSERS	R5FOK2_APU			
Column name	Parent	Primary key	Parent column	Column description
APU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ARRANGEMENTS	R5FOK1_ARR			
Column name	Parent	Primary key	Parent column	Column description
ARR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ARRJOBS	R5FOK1_AJO			
Column name	Parent	Primary key	Parent column	Column description
AJO_ARRANGEMENT	R5ARRANGEMENTS	R5PRIK_ARR	ARR_CODE	arrangement code. must be unique.
R5ARRPARTS	R5FOK1_APA			
Column name	Parent	Primary key	Parent column	Column description
APA_ARRANGEMENT	R5ARRANGEMENTS	R5PRIK_ARR	ARR_CODE	arrangement code. must be unique.
R5ARRPRICES	R5FOK1_ARP			
Column name	Parent	Primary key	Parent column	Column description
ARP_ARRANGEMENT	R5ARRANGEMENTS	R5PRIK_ARR	ARR_CODE	arrangement code. must be unique.
R5ARRPRICES	R5FOK2_ARP			
Column name	Parent	Primary key	Parent column	Column description
ARP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASPECTPOINTS	R5FOK10_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_MAXFORMULA	R5MINMAXFORMULAS	R5PRIK_MMF	MMF_CODE	formula id
R5ASPECTPOINTS	R5FOK3_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_MAXSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5ASPECTPOINTS	R5FOK4_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_METHOD	R5METHODS	R5PRIK_MTH	MTH_CODE	inspection method code. unique identification.
R5ASPECTPOINTS	R5FOK6_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_MINSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5ASPECTPOINTS	R5FOK7_APO			

R5ASPECTPOINTS	R5FOK8_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ASPECTPOINTS	R5FOK9_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_OBJECT	R5POINTS	R5PRIK_POI	POI_OBJECT	object code.
APO_OBJECT_ORG	R5POINTS	R5PRIK_POI	POI_OBJECT_ORG	object organization
APO_OBTYP	R5POINTS	R5PRIK_POI	POI_OBTYP	object type (user code, see entity obtp).
APO_POINT	R5POINTS	R5PRIK_POI	POI_POINT	identification of inspection point on object.
APO_POINTTYPE	R5POINTS	R5PRIK_POI	POI_POINTTYPE	type of inspection point.
R5ASPECTPOINTS	R5FOK9_APO			
Column name	Parent	Primary key	Parent column	Column description
APO_MINFORMULA	R5MINMAXFORMULAS	R5PRIK_MMF	MMF_CODE	formula id
R5ASPECTPROMPTS	R5FOK01_APM			
Column name	Parent	Primary key	Parent column	Column description
APM_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5ASPECTPROMPTS	R5FOK02_APM			
Column name	Parent	Primary key	Parent column	Column description
APM_PROMPT	R5PROPERTIES	R5PRIK_PRO	PRO_CODE	custom property code. unique identification.
R5ASPECTTOLERANCE	R5FOK1_AST			
Column name	Parent	Primary key	Parent column	Column description
AST_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5ASPECTTOLERANCE	R5FOK2_AST			
Column name	Parent	Primary key	Parent column	Column description
AST_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASPECTTOLERANCE	R5FOK3_AST			
Column name	Parent	Primary key	Parent column	Column description
AST_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
AST_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ASPECTTOLERANCE	R5FOK4_AST			
Column name	Parent	Primary key	Parent column	Column description
AST_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ASPECTTOLERANCE	R5FOK5_AST			
Column name	Parent	Primary key	Parent column	Column description
AST_NONCONFORMITYTYPE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
AST_NONCONFORMITYTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5ASPECTTOLERANCE	R5FOK6_AST			
Column name	Parent	Primary key	Parent column	Column description
AST_POINTTYPE	R5POINTTYPES	R5PRIK_PTP	PTP_CODE	type of inspection point. unique identification.
R5ASPECTUOMS	R5FOK1_ASU			
Column name	Parent	Primary key	Parent column	Column description
ASU_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ASPECTUOMS	R5FOK2_ASU			
Column name	Parent	Primary key	Parent column	Column description

ASU_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5ASSETCLASSDEFCAPACITIES	R5FOK1_CCP			
Column name	Parent	Primary key	Parent column	Column description
CCP_OCDPK	R5ASSETCLASSDEFINITION	R5PRIK_OCD	OCD_PK	
R5ASSETCLASSDEFCOST	R5FOK1_COS			
Column name	Parent	Primary key	Parent column	Column description
COS_OCDPK	R5ASSETCLASSDEFINITION	R5PRIK_OCD	OCD_PK	
R5ASSETCLASSDEFCOST	R5FOK2_COS			
Column name	Parent	Primary key	Parent column	Column description
COS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASSETCLASSDEFCOST	R5FOK3_COS			
Column name	Parent	Primary key	Parent column	Column description
COS_ATUSAGEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ASSETCLASSDEFCOST	R5FOK4_COS			
Column name	Parent	Primary key	Parent column	Column description
COS_STANDARDWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5ASSETCLASSDEFFAULTCOST	R5FOK1_ACF			
Column name	Parent	Primary key	Parent column	Column description
ACF_OCDPK	R5ASSETCLASSDEFINITION	R5PRIK_OCD	OCD_PK	
R5ASSETCLASSDEFFAULTCOST	R5FOK2_ACF			
Column name	Parent	Primary key	Parent column	Column description
ACF_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASSETCLASSDEFINITION	R5FOK1_OCD			
Column name	Parent	Primary key	Parent column	Column description
OCD_CLASS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASSETCLASSDEFINITION	R5FOK2_OCD			
Column name	Parent	Primary key	Parent column	Column description
OCD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASSETCLASSDEFINITION	R5FOK3_OCD			
Column name	Parent	Primary key	Parent column	Column description
OCD_PERFORMANCEFORMULA	R5PERFORMANCEFORMULAS	R5PRIK_PFF	PFF_CODE	
OCD_PERFORMANCEFORMULA_ORG	R5PERFORMANCEFORMULAS	R5PRIK_PFF	PFF_ORG	
R5ASSETCLASSDEFUSAGES	R5FOK1_ADU			
Column name	Parent	Primary key	Parent column	Column description
ADU_OCDPK	R5ASSETCLASSDEFINITION	R5PRIK_OCD	OCD_PK	
R5ASSETCLASSDEFUSAGES	R5FOK2_ADU			
Column name	Parent	Primary key	Parent column	Column description
ADU_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ASSETINVENTORYPARAMS	R5FOK1_AIP			
Column name	Parent	Primary key	Parent column	Column description
AIP_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5ASSETINVENTORYPARAMS	R5FOK2_AIP			
Column name	Parent	Primary key	Parent column	Column description
AIP_OBJ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ASSETINVENTORYPARAMS	R5FOK3_AIP			
Column name	Parent	Primary key	Parent column	Column description
AIP_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5ASSETINVENTORYPARAMS	R5FOK4_AIP			
Column name	Parent	Primary key	Parent column	Column description
AIP_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5ASSETINVENTORYPARAMS	R5FOK5_AIP			
Column name	Parent	Primary key	Parent column	Column description
AIP_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5ASSETINVENTORYPARAMS	R5FOK6_AIP			
Column name	Parent	Primary key	Parent column	Column description
AIP_PARENT_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5AUDVALUES	R5FOK1_AVA			
Column name	Parent	Primary key	Parent column	Column description
AVA_ATTRIBUTE	R5AUDATTRIBS	R5PRIK_AAT	AAT_CODE	attribute number used to fetch text
R5AUTH	R5FOK1_AUT			
Column name	Parent	Primary key	Parent column	Column description
AUT_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5AUTH	R5FOK2_AUT			
Column name	Parent	Primary key	Parent column	Column description
AUT_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5AUTH	R5FOK3_AUT			
Column name	Parent	Primary key	Parent column	Column description
AUT_ENTITY	R5ENTITIES	R5UNQ1_ENT	ENT_ENTITY	code of entity.
R5AVAILABILITY	R5FOK1_AVL			
Column name	Parent	Primary key	Parent column	Column description
AVL_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5AVAILABILITY	R5FOK2_AVL			
Column name	Parent	Primary key	Parent column	Column description
AVL_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5BARCODEREADERS	R5FOK1_BCR			
Column name	Parent	Primary key	Parent column	Column description
BCR_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5BBNOTICES	R5FOK1_BBN			
Column name	Parent	Primary key	Parent column	Column description
BBN_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5BBNOTICES	R5FOK2_BBN			
Column name	Parent	Primary key	Parent column	Column description
BBN_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5BNOTICES	R5FOK3_BBN			
Column name	Parent	Primary key	Parent column	Column description
BBN_KBARTICLE	R5KBARTICLES	R5PRIK_KBA	KBA_CODE	Knowledge Base Code /Auto-Generated Code
BBN_KBARTICLE_ORG	R5KBARTICLES	R5PRIK_KBA	KBA_ORG	Knowledge Base Org
R5BILLINGADJUSTMENTS	R5FOK1_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_ORIGINALBILL	R5FLEETBILLS	R5PRIK_FBI	FBI_CODE	The system generated bill code.
R5BILLINGADJUSTMENTS	R5FOK2_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_TICKET	R5FLEETTICKETS	R5PRIK_FTI	FTI_CODE	The system generated ticket code.
R5BILLINGADJUSTMENTS	R5FOK3_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5BILLINGADJUSTMENTS	R5FOK4_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_BILLSUBLINE	R5FLEETBILLSUBLINES	R5PRIK_FBS	FBS_PK	System generated primary key.
R5BILLINGADJUSTMENTS	R5FOK5_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_BILLSUBLINE2	R5FLEETBILLSUBLINES	R5PRIK_FBS	FBS_PK	System generated primary key.
R5BILLINGADJUSTMENTS	R5FOK6_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_EXCEPTION	R5FLEETEXCEPTIONS	R5PRIK_FEX	FEX_CODE	The exception code.
FBA_EXCEPTION_ORG	R5FLEETEXCEPTIONS	R5PRIK_FEX	FEX_ORG	The organization of the exception.
R5BILLINGADJUSTMENTS	R5FOK7_FBA			
Column name	Parent	Primary key	Parent column	Column description
FBA_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5BINS	R5FOK1_BIN			
Column name	Parent	Primary key	Parent column	Column description
BIN_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5BINSTOCK	R5FOK1_BIS			
Column name	Parent	Primary key	Parent column	Column description
BIS_PART	R5STOCK	R5PRIK_STO	STO_PART	part code.
BIS_PART_ORG	R5STOCK	R5PRIK_STO	STO_PART_ORG	part organization
BIS_STORE	R5STOCK	R5PRIK_STO	STO_STORE	store code.
R5BINSTOCK	R5FOK2_BIS			
Column name	Parent	Primary key	Parent column	Column description
BIS_BIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
BIS_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5BINSTOCK	R5FOK3_BIS			
Column name	Parent	Primary key	Parent column	Column description
BIS_LOT	R5LOTS	R5PRIK_LOT	LOT_CODE	lot number. unique identification.
R5BLANKETORDCLAUSES	R5FOK1_BLC			

Column name	Parent	Primary key	Parent column	Column description
BLC_BLANKETORDER	R5BLANKETORDERS	R5PRIK_BLO	BLO_BLANKETORDER	unique sequence number identifier
R5BLANKETORDCLAUSES	R5FOK2_BLC			
Column name	Parent	Primary key	Parent column	Column description
BLC_CLAUSE	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5BLANKETORDERS	R5FOK1_BLO			
Column name	Parent	Primary key	Parent column	Column description
BLO_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5BLANKETORDERS	R5FOK2_BLO			
Column name	Parent	Primary key	Parent column	Column description
BLO_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
BLO_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5BLANKETORDERS	R5FOK3_BLO			
Column name	Parent	Primary key	Parent column	Column description
BLO_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5BLANKETORDERS	R5FOK4_BLO			
Column name	Parent	Primary key	Parent column	Column description
BLO_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5BLANKETORDERS	R5FOK5_BLO			
Column name	Parent	Primary key	Parent column	Column description
BLO_LASTORD	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
BLO_LASTORD_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5BLANKETORDERS	R5FOK6_BLO			
Column name	Parent	Primary key	Parent column	Column description
BLO_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5BLANKETORDLINES	R5FOK1_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
BLL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5BLANKETORDLINES	R5FOK2_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5BLANKETORDLINES	R5FOK3_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_QUOTATION	R5QUOTLINES	R5PRIK_QUL	QUL_QUOTATION	quotation number.
BLL_QUOTELINE	R5QUOTLINES	R5PRIK_QUL	QUL_LINE	quotation line number.
BLL_SEQNO	R5QUOTLINES	R5PRIK_QUL	QUL_SEQNO	quotation sequence number.
R5BLANKETORDLINES	R5FOK4_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_BLANKETORDER	R5BLANKETORDERS	R5PRIK_BLO	BLO_BLANKETORDER	unique sequence number identifier
R5BLANKETORDLINES	R5FOK5_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code

R5BLANKETORDLINES	R5FOK6_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_LASTORD	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
BLL_LASTORD_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5BLANKETORDLINES	R5FOK7_BLL			
Column name	Parent	Primary key	Parent column	Column description
BLL_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5BLANKETORDUSERS	R5FOK1_BLU			
Column name	Parent	Primary key	Parent column	Column description
BLU_BLANKETORDER	R5BLANKETORDERS	R5PRIK_BLO	BLO_BLANKETORDER	unique sequence number identifier
R5BLANKETORDUSERS	R5FOK2_BLU			
Column name	Parent	Primary key	Parent column	Column description
BLU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5BOILERTEXTS	R5FOK1_BOT			
Column name	Parent	Primary key	Parent column	Column description
BOT_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5BOILERTEXTS	R5FOK2_BOT			
Column name	Parent	Primary key	Parent column	Column description
BOT_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5BOOKEDHOURS	R5FOK2_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5BOOKEDHOURS	R5FOK3_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5BOOKEDHOURS	R5FOK4_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5BOOKEDHOURS	R5FOK5_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
BOO_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
BOO_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5BOOKEDHOURS	R5FOK6_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_CURRENTCREW	R5CREWS	R5PRIK_CRW	CRW_CODE	Crew code
BOO_CURRENTCREW_ORG	R5CREWS	R5PRIK_CRW	CRW_ORG	Organization code
R5BOOKEDHOURS	R5FOK7_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_BILLSUBLINE	R5FLEETBILLSUBLINES	R5PRIK_FBS	FBS_PK	System generated primary key.
R5BOOKEDHOURS	R5FOK8_BOO			
Column name	Parent	Primary key	Parent column	Column description

BOO_CREW	R5CREWS	R5PRIK_CRW	CRW_CODE	Crew code
BOO_CREW_ORG	R5CREWS	R5PRIK_CRW	CRW_ORG	Organization code
R5BOOKEDHOURS	R5FOK9_BOO			
Column name	Parent	Primary key	Parent column	Column description
BOO_CORRECTION_REF	R5BOOKEDHOURS	R5PRIK_BOO	BOO_CODE	PK column
R5BUDGETAMOUNTS	R5FOK1_BDA			
Column name	Parent	Primary key	Parent column	Column description
BDA_CODE	R5BUDGETDETAILS	R5PRIK_BDT	BDT_CODE	budget code.
R5BUDGETDETAILS	R5FOK10_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_PERIOD	R5PERIODS	R5PRIK_ACP	ACP_PERIOD	budget period code.
BDT_YEAR	R5PERIODS	R5PRIK_ACP	ACP_YEAR	budget term code.
R5BUDGETDETAILS	R5FOK11_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5BUDGETDETAILS	R5FOK12_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5BUDGETDETAILS	R5FOK13_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_COSTCODEGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK14_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_PROJECTGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK1_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5BUDGETDETAILS	R5FOK2_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
BDT_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5BUDGETDETAILS	R5FOK3_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
BDT_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5BUDGETDETAILS	R5FOK4_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_MRCGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK5_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_OBJECTGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK6_BDT			

Column name	Parent	Primary key	Parent column	Column description
BDT_LOCATIONGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK7_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_COSTTYPEGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK8_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_JOBTYPEGR	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETDETAILS	R5FOK9_BDT			
Column name	Parent	Primary key	Parent column	Column description
BDT_BUDGET	R5BUDGETS	R5PRIK_BUD	BUD_CODE	budget code.
BDT_YEAR	R5BUDGETS	R5PRIK_BUD	BUD_YEAR	budget term code.
R5BUDGETGROUPS	R5FOK1_BGR			
Column name	Parent	Primary key	Parent column	Column description
BGR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5BUDGETITEMS	R5FOK1_BIT			
Column name	Parent	Primary key	Parent column	Column description
BIT_GROUP	R5BUDGETGROUPS	R5PRIK_BGR	BGR_CODE	budget group code.
R5BUDGETS	R5FOK1_BUD			
Column name	Parent	Primary key	Parent column	Column description
BUD_YEAR	R5YEARS	R5PRIK_ACY	ACY_YEAR	budget term code.
R5BUDGETS	R5FOK2_BUD			
Column name	Parent	Primary key	Parent column	Column description
BUD_CODE	R5BUDGETSTRUCTURE	R5PRIK_BUS	BUS_CODE	budget code.
R5BUDGETS	R5FOK3_BUD			
Column name	Parent	Primary key	Parent column	Column description
BUD_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5BUDGETS	R5FOK4_BUD			
Column name	Parent	Primary key	Parent column	Column description
BUD_KEEPER	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5BUDGETS	R5FOK5_BUD			
Column name	Parent	Primary key	Parent column	Column description
BUD_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5BUDGETSTRUCTURE	R5FOK1_BUS			
Column name	Parent	Primary key	Parent column	Column description
BUS_CAL	R5CALENDARS	R5PRIK_CAL	CAL_CODE	calendar code.
R5BUDGETSTRUCTURE	R5FOK2_BUS			
Column name	Parent	Primary key	Parent column	Column description
BUS_PARENT	R5BUDGETSTRUCTURE	R5PRIK_BUS	BUS_CODE	budget code.
R5BUDGETSTRUCTURE	R5FOK3_BUS			
Column name	Parent	Primary key	Parent column	Column description
BUS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5BURANKINGVALUESCLASSES	R5FOK1_BRC			
Column name	Parent	Primary key	Parent column	Column description
BRC_RRVPK	R5RELIABILITYRANKINGVALUES	R5PRIK_RRV	RRV_PK	The survey batch pk
R5BURANKINGVALUESCLASSES	R5FOK2_BRC			
Column name	Parent	Primary key	Parent column	Column description
BRC_OBJECT_CODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
BRC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CALCEVENTS	R5FOK1_CEV			
Column name	Parent	Primary key	Parent column	Column description
CEV_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CALCEVENTS	R5FOK2_CEV			
Column name	Parent	Primary key	Parent column	Column description
CEV_AGREEMENT	R5AGREEMENTS	R5PRIK_AGR	AGR_CODE	agreement number. unique identification.
R5CALCEVENTS	R5FOK3_CEV			
Column name	Parent	Primary key	Parent column	Column description
CEV_DEBTOR	R5DEBTORS	R5PRIK_DEB	DEB_CODE	debtor code.
R5CALCEVENTS	R5FOK4_CEV			
Column name	Parent	Primary key	Parent column	Column description
CEV_ORIGIN	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CALCEVTLINES	R5FOK1_CEL			
Column name	Parent	Primary key	Parent column	Column description
CEL_EVENT	R5CALCEVENTS	R5PRIK_CEV	CEV_EVENT	job number.
CEL_INCREMENT	R5CALCEVENTS	R5PRIK_CEV	CEV_INCREMENT	sequential line number within job number, for incremental charges
R5CALGROUPS	R5FOK1_CLG			
Column name	Parent	Primary key	Parent column	Column description
CLG_CONTRACTOR	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CLG_CONTRACTOR_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CALGROUPS	R5FOK2_CLG			
Column name	Parent	Primary key	Parent column	Column description
CLG_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
CLG_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5CALLERS	R5FOK1_CLL			
Column name	Parent	Primary key	Parent column	Column description
CLL_CUSTOMER	R5DEBTORS	R5PRIK_DEB	DEB_CODE	debtor code.
R5CALLERS	R5FOK2_CLL			
Column name	Parent	Primary key	Parent column	Column description
CLL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CAMPAIGNEVENTS	R5FOK10_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_ACT_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5CAMPAIGNEVENTS	R5FOK1_CGE			
Column name	Parent	Primary key	Parent column	Column description

CGE_CAMPAIGN	R5CAMPAIGNS	R5PRIK_CAM	CAM_CODE	Campaign Code
CGE_CAMPAIGN_ORG	R5CAMPAIGNS	R5PRIK_CAM	CAM_ORG	Campaign Code Organization

R5CAMPAIGNEVENTS	R5FOK2_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_PRD_PRIORITY	R5PRODUCTIONPRIORITY	R5PRIK_PDP	PDP_CODE	Production Priority Code

R5CAMPAIGNEVENTS	R5FOK4_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_REQM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.

R5CAMPAIGNEVENTS	R5FOK5_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.

R5CAMPAIGNEVENTS	R5FOK6_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
CGE_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.

R5CAMPAIGNEVENTS	R5FOK7_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5CAMPAIGNEVENTS	R5FOK8_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_ORIGIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5CAMPAIGNEVENTS	R5FOK9_CGE			
Column name	Parent	Primary key	Parent column	Column description
CGE_SCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.

R5CAMPAIGNOBJECTS	R5FOK1_CGO			
Column name	Parent	Primary key	Parent column	Column description
CGO_CAMPAIGN	R5CAMPAIGNS	R5PRIK_CAM	CAM_CODE	Campaign Code
CGO_CAMPAIGN_ORG	R5CAMPAIGNS	R5PRIK_CAM	CAM_ORG	Campaign Code Organization

R5CAMPAIGNOBJECTS	R5FOK2_CGO			
Column name	Parent	Primary key	Parent column	Column description
CGO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CGO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5CAMPAIGNOBJECTS	R5FOK3_CGO			
Column name	Parent	Primary key	Parent column	Column description
CGO_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code

R5CAMPAIGNS	R5FOK1_CAM			
Column name	Parent	Primary key	Parent column	Column description
CAM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5CAMPAIGNS	R5FOK2_CAM			
Column name	Parent	Primary key	Parent column	Column description
CAM_COORDIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5CAMPAIGNS	R5FOK3_CAM			

Column name	Parent	Primary key	Parent column	Column description
CAM_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
CAM_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.
R5CAMPAIGNS	R5FOK4_CAM			
Column name	Parent	Primary key	Parent column	Column description
CAM_ENTEREDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CAPITALPLANNINGREQUESTS	R5FOK10_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_OBJECTIVE	R5OBJECTIVES	R5PRIK_OJV	OJV_CODE	The objective code.
CPR_OBJECTIVE_ORG	R5OBJECTIVES	R5PRIK_OJV	OJV_ORG	The objective organization.
R5CAPITALPLANNINGREQUESTS	R5FOK1_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CPR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CAPITALPLANNINGREQUESTS	R5FOK2_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CAPITALPLANNINGREQUESTS	R5FOK3_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_AUTHORIZEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CAPITALPLANNINGREQUESTS	R5FOK4_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CAPITALPLANNINGREQUESTS	R5FOK5_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_REQUESTEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CAPITALPLANNINGREQUESTS	R5FOK6_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5CAPITALPLANNINGREQUESTS	R5FOK7_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CAPITALPLANNINGREQUESTS	R5FOK8_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_DEFAULTAUTHORIZER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CAPITALPLANNINGREQUESTS	R5FOK9_CPR			
Column name	Parent	Primary key	Parent column	Column description
CPR_SCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5CASEMANAGEMENT	R5FOK01_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CASEMANAGEMENT	R5FOK02_CSM			

Column name	Parent	Primary key	Parent column	Column description
CSM_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CSM_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CASEMANAGEMENT	R5FOK03_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5CASEMANAGEMENT	R5FOK04_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CSM_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CASEMANAGEMENT	R5FOK05_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
CSM_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5CASEMANAGEMENT	R5FOK06_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5CASEMANAGEMENT	R5FOK07_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_PARENT	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5CASEMANAGEMENT	R5FOK08_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_CAMPAIGN	R5CAMPAIGNS	R5PRIK_CAM	CAM_CODE	Campaign Code
CSM_CAMPAIGN_ORG	R5CAMPAIGNS	R5PRIK_CAM	CAM_ORG	Campaign Code Organization
R5CASEMANAGEMENT	R5FOK10_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_WORKORDER	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CASEMANAGEMENT	R5FOK11_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_PERMITTOWORK	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5CASEMANAGEMENT	R5FOK12_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.
R5CASEMANAGEMENT	R5FOK13_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5CASEMANAGEMENT	R5FOK14_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_REQUESTEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASEMANAGEMENT	R5FOK15_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_RESPONSIBLE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5CASEMANAGEMENT	R5FOK16_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_PREPAREDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASEMANAGEMENT	R5FOK17_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASEMANAGEMENT	R5FOK18_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_INCIDENTREQUEST	R5CONTACTRECORDS	R5PRIK_CTR	CTR_CODE	Contact record code/Auto-generated code
CSM_INCIDENTREQUEST_ORG	R5CONTACTRECORDS	R5PRIK_CTR	CTR_ORG	Contact record org
R5CASEMANAGEMENT	R5FOK19_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_STANDARDWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5CASEMANAGEMENT	R5FOK20_CSM			
Column name	Parent	Primary key	Parent column	Column description
CSM_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5CASEMANAGEMENTEVENTLOG	R5FOK1_CML			
Column name	Parent	Primary key	Parent column	Column description
CML_CASECODE	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5CASEMANAGEMENTTASKS	R5FOK1_TCM			
Column name	Parent	Primary key	Parent column	Column description
TCM_CASEMANAGEMENT	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5CASEMANAGEMENTTASKS	R5FOK2_TCM			
Column name	Parent	Primary key	Parent column	Column description
TCM_RESPONSIBLE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASEMANAGEMENTTASKS	R5FOK3_TCM			
Column name	Parent	Primary key	Parent column	Column description
TCM_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASEMANAGEMENTTASKS	R5FOK4_TCM			
Column name	Parent	Primary key	Parent column	Column description
TCM_STANDARDWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5CASEMANAGEMENTTASKS	R5FOK5_TCM			
Column name	Parent	Primary key	Parent column	Column description
TCM_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5CASEMANAGEMENTTASKS	R5FOK6_TCM			
Column name	Parent	Primary key	Parent column	Column description
TCM_CHKLST_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
TCM_CHKLST_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5CASETASKS	R5FOK1_CTA			
Column name	Parent	Primary key	Parent column	Column description
CTA_SERVICECODE	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
CTA_SERVICECODE_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org

R5CASETASKS	R5FOK2_CTA			
Column name	Parent	Primary key	Parent column	Column description
CTA_RESPONSIBLE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASETASKS	R5FOK3_CTA			
Column name	Parent	Primary key	Parent column	Column description
CTA_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CASETASKS	R5FOK4_CTA			
Column name	Parent	Primary key	Parent column	Column description
CTA_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5CASETASKS	R5FOK8_CTA			
Column name	Parent	Primary key	Parent column	Column description
CTA_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5CATALOGREFERENCES	R5FOK1_CRF			
Column name	Parent	Primary key	Parent column	Column description
CRF_PART	R5CATALOGUE	R5PRIK_CAT	CAT_PART	part code.
CRF_PART_ORG	R5CATALOGUE	R5PRIK_CAT	CAT_PART_ORG	part organization
CRF_SUPPLIER	R5CATALOGUE	R5PRIK_CAT	CAT_SUPPLIER	supplier code
CRF_SUPPLIER_ORG	R5CATALOGUE	R5PRIK_CAT	CAT_SUPPLIER_ORG	supplier organization
R5CATALOGUE	R5FOK1_CAT			
Column name	Parent	Primary key	Parent column	Column description
CAT_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CAT_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CATALOGUE	R5FOK2_CAT			
Column name	Parent	Primary key	Parent column	Column description
CAT_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CAT_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CATALOGUE	R5FOK3_CAT			
Column name	Parent	Primary key	Parent column	Column description
CAT_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5CATALOGUE	R5FOK4_CAT			
Column name	Parent	Primary key	Parent column	Column description
CAT_PURUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5CATALOGUE	R5FOK5_CAT			
Column name	Parent	Primary key	Parent column	Column description
CAT_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CAUSECLASSES	R5FOK1_CAC			
Column name	Parent	Primary key	Parent column	Column description
CAC_CAUSE	R5CAUSES	R5PRIK_CAU	CAU_CODE	cause code. unique identification.
R5CCTRCALGROUPPERIODS	R5FOK01_CGP			
Column name	Parent	Primary key	Parent column	Column description
CGP_GROUPCODE	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_CODE	Calendar Group Code
CGP_GROUPORG	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_ORG	Calendar Group Organization
R5CCTRCALGROUPS	R5FOK01_CGR			

Column name	Parent	Primary key	Parent column	Column description
CGR_PARENT	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_CODE	Calendar Group Code
CGR_PARENT_ORG	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_ORG	Calendar Group Organization
R5CHANGENOTICE	R5FOK1_CNH			
Column name	Parent	Primary key	Parent column	Column description
CNH_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5CHANGENOTICE	R5FOK3_CNH			
Column name	Parent	Primary key	Parent column	Column description
CNH_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CHANGENOTICELINES	R5FOK1_CNL			
Column name	Parent	Primary key	Parent column	Column description
CNL_OLDPART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CNL_OLDPART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CHANGENOTICELINES	R5FOK2_CNL			
Column name	Parent	Primary key	Parent column	Column description
CNL_NEWPART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CNL_NEWPART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CHILDWORKS	R5FOK1_CHW			
Column name	Parent	Primary key	Parent column	Column description
CHW_PARENTSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5CHILDWORKS	R5FOK2_CHW			
Column name	Parent	Primary key	Parent column	Column description
CHW_CHILDSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5CLASSES	R5FOK1_CLS			
Column name	Parent	Primary key	Parent column	Column description
CLS_ENTITY	R5ENTITIES	R5UNQ1_ENT	ENT_ENTITY	code of entity.
R5CLASSES	R5FOK2_CLS			
Column name	Parent	Primary key	Parent column	Column description
CLS_RENTITYCODE	R5ENTITIES	R5UNQ1_ENT	ENT_ENTITY	code of entity.
R5CLASSLINEARREFS	R5FOK1_CLR			
Column name	Parent	Primary key	Parent column	Column description
CLR_CLASS	R5CLASSES	R5PRIK_CLS	CLS_CODE	code of class
CLR_CLASS_ORG	R5CLASSES	R5PRIK_CLS	CLS_ORG	class organization
CLR_ENTITY	R5CLASSES	R5PRIK_CLS	CLS_ENTITY	to which entity class belongs
R5CLASSLINEARREFS	R5FOK2_CLR			
Column name	Parent	Primary key	Parent column	Column description
CLR_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CLR_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CLASSLINEARREFS	R5FOK3_CLR			
Column name	Parent	Primary key	Parent column	Column description
CLR_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CLASSLINEARREFS	R5FOK4_CLR			
Column name	Parent	Primary key	Parent column	Column description

CLR_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5CLOSINGCODEHIERARCHY	R5FOK1_CCH

Column name	Parent	Primary key	Parent column	Column description
CCH_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CCH_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5CMDFUELTYPES	R5FOK1_CFL

Column name	Parent	Primary key	Parent column	Column description
CFL_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code

R5CMDFUELTYPES	R5FOK2_CFL

Column name	Parent	Primary key	Parent column	Column description
CFL_GHG	R5GREENHOUSEGASES	R5PRIK_GHG	GHG_CODE	The identifier of the greenhouse gas

R5CNHIST	R5FOK1_CNI

Column name	Parent	Primary key	Parent column	Column description
CNI_CN	R5CHANGENOTICE	R5PRIK_CNH	CNH_CODE	change notice number.

R5CNLOCATIONS	R5FOK1_CNC

Column name	Parent	Primary key	Parent column	Column description
CNC_CN	R5CHANGENOTICE	R5PRIK_CNH	CNH_CODE	change notice number.

R5CNLOCATIONS	R5FOK2_CNC

Column name	Parent	Primary key	Parent column	Column description
CNC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CNC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5CODESTRUCTURE	R5FOK1_CSR

Column name	Parent	Primary key	Parent column	Column description
CSR_ENTITY	R5ENTITIES	R5UNQ1_ENT	ENT_ENTITY	code of entity.

R5CODESTRUCTURECLASSES	R5FOK1_CSL

Column name	Parent	Primary key	Parent column	Column description
CSL_CODE	R5CODESTRUCTURE	R5PRIK_CSR	CSR_CODE	code structure code

R5COMMODITIES	R5FOK1_CMD

Column name	Parent	Primary key	Parent column	Column description
CMD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5COMPANIES	R5FOK1_COM

Column name	Parent	Primary key	Parent column	Column description
COM_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5COMPANIES	R5FOK2_COM

Column name	Parent	Primary key	Parent column	Column description
COM_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.

R5COMPANIES	R5FOK4_COM

Column name	Parent	Primary key	Parent column	Column description
COM_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5COMPANIES	R5FOK5_COM

Column name	Parent	Primary key	Parent column	Column description
COM_PARENT	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.

COM_PARENT_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5COMPANIES	R5FOK6_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_MINORITYGROUP	R5MINORITYGROUPS	R5PRIK_MNG	MNG_CODE	minority group code. unique identification.
R5COMPANIES	R5FOK7_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_PAYMENTTERMS	R5ORDERTERMS	R5PRIK_ORT	ORT_CODE	order term code.
R5COMPANIES	R5FOK8_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_FREIGHTTERMS	R5ORDERTERMS	R5PRIK_ORT	ORT_CODE	order term code.
R5COMPANIES	R5FOK9_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_SHIPVIA	R5ORDERTERMS	R5PRIK_ORT	ORT_CODE	order term code.
R5COMPANIES	R5FOKA_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_FOBPOINT	R5ORDERTERMS	R5PRIK_ORT	ORT_CODE	order term code.
R5COMPANIES	R5FOKB_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_IPVENDOR	R5IPVENDORS	R5PRIK_IPV	IPV_CODE	7i Buy vendor code
R5COMPANIES	R5FOKC_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_PAYBYMETHOD	R5ORDERTERMS	R5PRIK_ORT	ORT_CODE	order term code.
R5COMPANIES	R5FOKD_COM			
Column name	Parent	Primary key	Parent column	Column description
COM_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5COMPATIBLEUNITSLABOR	R5FOK1_CLB			
Column name	Parent	Primary key	Parent column	Column description
CLB_COMPATIBLEUNIT	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CLB_COMPATIBLEUNIT_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5COMPATIBLEUNITSLABOR	R5FOK2_CLB			
Column name	Parent	Primary key	Parent column	Column description
CLB_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5COMPATIBLEUNITSLABOR	R5FOK3_CLB			
Column name	Parent	Primary key	Parent column	Column description
CLB_STANDARDCREW	R5STANDARDCREWS	R5PRIK_SCW	SCW_CODE	
CLB_STANDARDCREW_ORG	R5STANDARDCREWS	R5PRIK_SCW	SCW_ORG	
R5COMPATIBLEUNITSLIBRARY	R5FOK1_CUL			
Column name	Parent	Primary key	Parent column	Column description
CUL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5COMPATIBLEUNITSLIBRARY	R5FOK2_CUL			
Column name	Parent	Primary key	Parent column	Column description
CUL_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.

R5COMPATIBLEUNITSLIBRARY	R5FOK3_CUL			
Column name	Parent	Primary key	Parent column	Column description
CUL_ACCOUNTINGCODE	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_CODE	
CUL_ACCOUNTINGCODE_ORG	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_ORG	
R5COMPATIBLEUNITSLIBRARY	R5FOK4_CUL			
Column name	Parent	Primary key	Parent column	Column description
CUL_FIXEDASSETCODE	R5CUFIXEDASSETCODES	R5PRIK_CFC	CFC_CODE	
CUL_FIXEDASSETCODE_ORG	R5CUFIXEDASSETCODES	R5PRIK_CFC	CFC_ORG	
R5COMPCOMMODITIES	R5FOK1_CCM			
Column name	Parent	Primary key	Parent column	Column description
CCM_COMPANY	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CCM_COMPANY_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5COMPCOMMODITIES	R5FOK2_CCM			
Column name	Parent	Primary key	Parent column	Column description
CCM_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5COMPCONTACTS	R5FOK3_CCO			
Column name	Parent	Primary key	Parent column	Column description
CCO_COMPANY	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CCO_COMPANY_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5COMPFUELMIX	R5FOK1_CFM			
Column name	Parent	Primary key	Parent column	Column description
CFM_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CFM_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5COMPFUELMIX	R5FOK2_CFM			
Column name	Parent	Primary key	Parent column	Column description
CFM_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5CONCLAUSES	R5FOK1_CCL			
Column name	Parent	Primary key	Parent column	Column description
CCL_PARENT	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5CONCLAUSES	R5FOK3_CCL			
Column name	Parent	Primary key	Parent column	Column description
CCL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONDISCOUNTS	R5FOK1_CDI			
Column name	Parent	Primary key	Parent column	Column description
CDI_CONTRACT	R5CONTRACTS	R5PRIK_CON	CON_CODE	code of contract; system generated.
R5CONDISCOUNTS	R5FOK2_CDI			
Column name	Parent	Primary key	Parent column	Column description
CDI_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CDI_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CONDSCOREMATRIXSETUP	R5FOK1_CMS			
Column name	Parent	Primary key	Parent column	Column description
CMS_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5CONDSCOREMATRIXSETUP	R5FOK2_CMS			
Column name	Parent	Primary key	Parent column	Column description
CMS_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CONFT	R5FOK1_CXX			
Column name	Parent	Primary key	Parent column	Column description
CXX_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5CONPARTS	R5FOK1_CPA			
Column name	Parent	Primary key	Parent column	Column description
CPA_CONTRACT	R5CONTRACTS	R5PRIK_CON	CON_CODE	code of contract; system generated.
R5CONPARTS	R5FOK2_CPA			
Column name	Parent	Primary key	Parent column	Column description
CPA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CPA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CONPARTS	R5FOK3_CPA			
Column name	Parent	Primary key	Parent column	Column description
CPA_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CPA_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CONPARTS	R5FOK4_CPA			
Column name	Parent	Primary key	Parent column	Column description
CPA_PURUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5CONTACTCENTERATTRIBUTES	R5FOK1_COA			
Column name	Parent	Primary key	Parent column	Column description
COA_ORG	R5CONTACTCENTEROPTIONS	R5PRIK_COP	COP_ORG	Organization
R5CONTACTCENTERATTRIBUTES	R5FOK2_COA			
Column name	Parent	Primary key	Parent column	Column description
COA_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
COA_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5CONTACTCENTEROPTIONS	R5FOK1_COP			
Column name	Parent	Primary key	Parent column	Column description
COP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTACTCENTEROPTIONS	R5FOK2_COP			
Column name	Parent	Primary key	Parent column	Column description
COP_DEFWOORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTACTINFO	R5FOK1_CTI			
Column name	Parent	Primary key	Parent column	Column description
CTI_EMPLOYEE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CONTACTINFO	R5FOK2_CTI			
Column name	Parent	Primary key	Parent column	Column description
CTI_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CTI_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CONTACTINFO	R5FOK3_CTI			
Column name	Parent	Primary key	Parent column	Column description
CTI_CAMPUS	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.

CTI_CAMPUS_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTINFO	R5FOK4_CTI			
Column name	Parent	Primary key	Parent column	Column description
CTI_BUILDING	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTI_BUILDING_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTINFO	R5FOK5_CTI			
Column name	Parent	Primary key	Parent column	Column description
CTI_FLOOR	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTI_FLOOR_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTINFO	R5FOK6_CTI			
Column name	Parent	Primary key	Parent column	Column description
CTI_ROOM	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTI_ROOM_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTINFOOBJECTS	R5FOK1_CIO			
Column name	Parent	Primary key	Parent column	Column description
CIO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CIO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDOBJECTS	R5FOK1_CRO			
Column name	Parent	Primary key	Parent column	Column description
CRO_CTRCODE	R5CONTACTRECORDS	R5PRIK_CTR	CTR_CODE	Contact record code/Auto-generated code
CRO_CTR_ORG	R5CONTACTRECORDS	R5PRIK_CTR	CTR_ORG	Contact record org
R5CONTACTRECORDOBJECTS	R5FOK2_CRO			
Column name	Parent	Primary key	Parent column	Column description
CRO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CRO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK10_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_KBARTICLE	R5KBARTICLES	R5PRIK_KBA	KBA_CODE	Knowledge Base Code /Auto-Generated Code
CTR_KBARTICLE_ORG	R5KBARTICLES	R5PRIK_KBA	KBA_ORG	Knowledge Base Org
R5CONTACTRECORDS	R5FOK11_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_EMPLOYEE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CONTACTRECORDS	R5FOK12_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5CONTACTRECORDS	R5FOK13_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CONTACTRECORDS	R5FOK14_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_EQPUSABILITY	R5EQUIPMENTUSABILITIES	R5PRIK_EUB	EUB_EQPUSABILITY	Equipment Usability
CTR_EQPUSABILITYORG	R5EQUIPMENTUSABILITIES	R5PRIK_EUB	EUB_ORG	Equipment Usability Organization
R5CONTACTRECORDS	R5FOK15_CTR			

Column name	Parent	Primary key	Parent column	Column description
CTR_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTR_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK16_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CTR_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CONTACTRECORDS	R5FOK17_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_CASE	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5CONTACTRECORDS	R5FOK18_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_DUPLICATECASE	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5CONTACTRECORDS	R5FOK19_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_DUPLICATEREQUEST	R5CONTACTRECORDS	R5PRIK_CTR	CTR_CODE	Contact record code/Auto-generated code
CTR_DUPLICATEREQUEST_ORG	R5CONTACTRECORDS	R5PRIK_CTR	CTR_ORG	Contact record org
R5CONTACTRECORDS	R5FOK1_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTACTRECORDS	R5FOK20_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_RECURRINGREQUEST	R5CONTACTRECORDS	R5PRIK_CTR	CTR_CODE	Contact record code/Auto-generated code
CTR_RECURRINGREQUEST_ORG	R5CONTACTRECORDS	R5PRIK_CTR	CTR_ORG	Contact record org
R5CONTACTRECORDS	R5FOK21_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_CAMPUS	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTR_CAMPUS_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK22_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_BUILDING	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTR_BUILDING_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK23_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_FLOOR	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTR_FLOOR_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK24_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_ROOM	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTR_ROOM_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK25_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_FOLLOWUPEVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code

R5CONTACTRECORDS	R5FOK26_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_WORKSPACE	R5WORKSPACES	R5PRIK_WKS	WKS_PK	The primary key of the work space.
R5CONTACTRECORDS	R5FOK2_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5CONTACTRECORDS	R5FOK3_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_PROVIDER	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
CTR_PROVIDER_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5CONTACTRECORDS	R5FOK4_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_SERVICECATEGORY	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
CTR_SERVICECATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5CONTACTRECORDS	R5FOK5_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
CTR_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5CONTACTRECORDS	R5FOK6_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CTR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTACTRECORDS	R5FOK7_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CONTACTRECORDS	R5FOK8_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_CONTACTINFOID	R5CONTACTINFO	R5PRIK_CTI	CTI_CODE	Contact Code /Auto-Generated Code/Surrogate Key
R5CONTACTRECORDS	R5FOK9_CTR			
Column name	Parent	Primary key	Parent column	Column description
CTR_ADDRESSALIAS	R5CONTACTINFO	R5PRIK_CTI	CTI_CODE	Contact Code /Auto-Generated Code/Surrogate Key
R5CONTRACTADJUSTMENTS	R5FOK1_CAD			
Column name	Parent	Primary key	Parent column	Column description
CAD_ADJUSTMENT	R5ADJUSTMENTS	R5PRIK_ADJ	ADJ_CODE	Adjustment
CAD_ADJUSTMENT_ORG	R5ADJUSTMENTS	R5PRIK_ADJ	ADJ_ORG	Organization
R5CONTRACTADJUSTMENTS	R5FOK2_CAD			
Column name	Parent	Primary key	Parent column	Column description
CAD_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CONTRACTADJUSTMENTS	R5FOK3_CAD			
Column name	Parent	Primary key	Parent column	Column description
CAD_INVOICE	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_CODE	The unique code of the customer invoice.
CAD_INVOICE_ORG	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_ORG	Organization
CAD_INVOICE_REVISION	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_REVISION	Revision

R5CONTRACTADJUSTMENTS	R5FOK4_CAD			
Column name	Parent	Primary key	Parent column	Column description
CAD_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CONTRACTADJUSTMENTS	R5FOK5_CAD			
Column name	Parent	Primary key	Parent column	Column description
CAD_CONTRACTITEM	R5CONTRACTITEMS	R5PRIK_CIT	CIT_CODE	Contract Item
R5CONTRACTCHARGEDEFS	R5FOK2_CCD			
Column name	Parent	Primary key	Parent column	Column description
CCD_CONTRACTITEM	R5CONTRACTITEMS	R5PRIK_CIT	CIT_CODE	Contract Item
R5CONTRACTCHARGEDEFS	R5FOK3_CCD			
Column name	Parent	Primary key	Parent column	Column description
CCD_INVOICINGORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTRACTCHARGEDEFS	R5FOK4_CCD			
Column name	Parent	Primary key	Parent column	Column description
CCD_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CONTRACTCHARGEDEFS	R5FOK5_CCD			
Column name	Parent	Primary key	Parent column	Column description
CCD_USAGEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5CONTRACTCHARGEDEFS	R5FOK6_CCD			
Column name	Parent	Primary key	Parent column	Column description
CCD_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5CONTRACTCHARGEDEFS	R5FOK7_CCD			
Column name	Parent	Primary key	Parent column	Column description
CCD_UTILITYBILLSOURCE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CCD_UTILITYBILLSOURCE_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CONTRACTCLAUSES	R5FOK1_CCS			
Column name	Parent	Primary key	Parent column	Column description
CCS_CONTRACT	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_CODE	The unique code of the contract.
CCS_CONTRACTREVISION	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_REVISION	The revision number of the contract.
CCS_CONTRACT_ORG	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_ORG	The organization of the contract.
R5CONTRACTCLAUSES	R5FOK2_CCS			
Column name	Parent	Primary key	Parent column	Column description
CCS_CLAUSE	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5CONTRACTCOMMODITIES	R5FOK1_CTC			
Column name	Parent	Primary key	Parent column	Column description
CTC_CONTRACT	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_CODE	The unique code of the contract.
CTC_CONTRACTREVISION	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_REVISION	The revision number of the contract.
CTC_CONTRACT_ORG	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_ORG	The organization of the contract.
R5CONTRACTCOMMODITIES	R5FOK2_CTC			
Column name	Parent	Primary key	Parent column	Column description
CTC_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5CONTRACTITEMS	R5FOK1_CIT			
Column name	Parent	Primary key	Parent column	Column description

CIT_CONTRACT	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_CODE	The unique code of the contract.
CIT_CONTRACTREVISION	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_REVISION	The revision number of the contract.
CIT_CONTRACT_ORG	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_ORG	The organization of the contract.

R5CONTRACTITEMS	R5FOK2_CIT			
Column name	Parent	Primary key	Parent column	Column description
CIT_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CIT_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5CONTRACTITEMS	R5FOK3_CIT			
Column name	Parent	Primary key	Parent column	Column description
CIT_INVOICINGORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5CONTRACTITEMS	R5FOK4_CIT			
Column name	Parent	Primary key	Parent column	Column description
CIT_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.

R5CONTRACTITEMS	R5FOK5_CIT			
Column name	Parent	Primary key	Parent column	Column description
CIT_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
CIT_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization

R5CONTRACTITEMS	R5FOK6_CIT			
Column name	Parent	Primary key	Parent column	Column description
CIT_USAGEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.

R5CONTRACTITEMS	R5FOK7_CIT			
Column name	Parent	Primary key	Parent column	Column description
CIT_SALESTAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.

R5CONTRACTORSIGNOFF	R5FOK1_CSO			
Column name	Parent	Primary key	Parent column	Column description
CSO_PERMITTOWORKCODE	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.

R5CONTRACTS	R5FOK1_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CON_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5CONTRACTS	R5FOK2_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.

R5CONTRACTS	R5FOK3_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5CONTRACTS	R5FOK4_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.

R5CONTRACTS	R5FOK5_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_OWNNCONTACT	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5CONTRACTS	R5FOK6_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_COPY	R5CONTRACTS	R5PRIK_CON	CON_CODE	code of contract; system generated.
R5CONTRACTS	R5FOK7_CON			
Column name	Parent	Primary key	Parent column	Column description
CON_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTRACTSALESPRICE	R5FOK1_CSP			
Column name	Parent	Primary key	Parent column	Column description
CSP_CONTRACT	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_CODE	The unique code of the contract.
CSP_CONTRACTREVISION	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_REVISION	The revision number of the contract.
CSP_CONTRACT_ORG	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_ORG	The organization of the contract.
R5CONTRACTSALESPRICE	R5FOK2_CSP			
Column name	Parent	Primary key	Parent column	Column description
CSP_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5CONTRACTSALESPRICE	R5FOK3_CSP			
Column name	Parent	Primary key	Parent column	Column description
CSP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTRACTSALESPRICE	R5FOK4_CSP			
Column name	Parent	Primary key	Parent column	Column description
CSP_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5CONTRACTTEMPLATES	R5FOK1_CTP			
Column name	Parent	Primary key	Parent column	Column description
CTP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CONTRACTWOCRITERIA	R5FOK1_CWC			
Column name	Parent	Primary key	Parent column	Column description
CWC_CONTRACT	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_CODE	The unique code of the contract.
CWC_CONTRACTREVISION	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_REVISION	The revision number of the contract.
CWC_CONTRACT_ORG	R5CUSTOMERCONTRACTS	R5PRIK_CCT	CCT_ORG	The organization of the contract.
R5CONTRACTWOCRITERIA	R5FOK2_CWC			
Column name	Parent	Primary key	Parent column	Column description
CWC_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5CONTYPECLAUSES	R5FOK1_CCY			
Column name	Parent	Primary key	Parent column	Column description
CCY_CLAUS	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5CONVUOM	R5FOK1_CNV			
Column name	Parent	Primary key	Parent column	Column description
CNV_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CNV_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CONVUOM	R5FOK2_CNV			
Column name	Parent	Primary key	Parent column	Column description
CNV_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CNV_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CONVUOM	R5FOK3_CNV			

Column name	Parent	Primary key	Parent column	Column description
CNV_UOMFROM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5CONVUOM	R5FOK4_CNV			
Column name	Parent	Primary key	Parent column	Column description
CNV_UOMTO	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5CONVUOM	R5FOK5_CNV			
Column name	Parent	Primary key	Parent column	Column description
CNV_PART	R5CATALOGUE	R5PRIK_CAT	CAT_PART	part code.
CNV_PART_ORG	R5CATALOGUE	R5PRIK_CAT	CAT_PART_ORG	part organization
CNV_SUPPLIER	R5CATALOGUE	R5PRIK_CAT	CAT_SUPPLIER	supplier code
CNV_SUPPLIER_ORG	R5CATALOGUE	R5PRIK_CAT	CAT_SUPPLIER_ORG	supplier organization
R5COPYBLDTPLDEFLIST	R5FOK1_BDL			
Column name	Parent	Primary key	Parent column	Column description
BDL_SESSIONID	R5COPYBLDTPLDEFPARAMETERS	R5PRIK_BDP	BDP_SESSIONID	Auto Code (surrogate key)
R5COSTCODES	R5FOK1_CST			
Column name	Parent	Primary key	Parent column	Column description
CST_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5COSTCODES	R5FOK2_CST			
Column name	Parent	Primary key	Parent column	Column description
CST_FLEETCUSTOMER	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_CODE	The fleet customer code.
CST_FLEETCUSTOMER_ORG	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_ORG	The organization of the fleet customer.
R5CREDITBALANCECHANGES	R5FOK1_CBC			
Column name	Parent	Primary key	Parent column	Column description
CBC_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CBC_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CREDITCARDS	R5FOK1_CRD			
Column name	Parent	Primary key	Parent column	Column description
CRD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CREDITCARDUSERS	R5FOK1_CCU			
Column name	Parent	Primary key	Parent column	Column description
CCU_CODE	R5CREDITCARDS	R5PRIK_CRD	CRD_CODE	credit card code
R5CREDITCARDUSERS	R5FOK2_CCU			
Column name	Parent	Primary key	Parent column	Column description
CCU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CREWEMPLOYEES	R5FOK1_CRE			
Column name	Parent	Primary key	Parent column	Column description
CRE_CREW	R5CREWS	R5PRIK_CRW	CRW_CODE	Crew code
CRE_CREW_ORG	R5CREWS	R5PRIK_CRW	CRW_ORG	Organization code
R5CREWEMPLOYEES	R5FOK2_CRE			
Column name	Parent	Primary key	Parent column	Column description
CRE_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CREWS	R5FOK1_CRW			
Column name	Parent	Primary key	Parent column	Column description

CRW_SCHEDGROUP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5CREWS	R5FOK2_CRW			
Column name	Parent	Primary key	Parent column	Column description
CRW_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CREWS	R5FOK3_CRW			
Column name	Parent	Primary key	Parent column	Column description
CRW_PROFILEPICTURE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5CREWS	R5FOK4_CRW			
Column name	Parent	Primary key	Parent column	Column description
CRW_STDCREW	R5STANDARDCREWS	R5PRIK_SCW	SCW_CODE	
CRW_STDCREW_ORG	R5STANDARDCREWS	R5PRIK_SCW	SCW_ORG	
R5CREWS	R5FOK5_CRW			
Column name	Parent	Primary key	Parent column	Column description
CRW_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CRW_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CRITINDEX	R5FOK2_CRX			
Column name	Parent	Primary key	Parent column	Column description
CRX_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CRITINDEX	R5FOK3_CRX			
Column name	Parent	Primary key	Parent column	Column description
CRX_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CUACCOUNTINGCODES	R5FOK1_CUA			
Column name	Parent	Primary key	Parent column	Column description
CUA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUESTIMATECOMPATIBLEUNITS	R5FOK1_CEC			
Column name	Parent	Primary key	Parent column	Column description
CEC_CUESTIMATE	R5CUESTIMATEWORKPOINTS	R5PRIK_CWP	CWP_CUESTIMATE	
CEC_CUESTIMATE_ORG	R5CUESTIMATEWORKPOINTS	R5PRIK_CWP	CWP_CUESTIMATE_ORG	
CEC_WORKPOINT	R5CUESTIMATEWORKPOINTS	R5PRIK_CWP	CWP_WORKPOINT	
R5CUESTIMATECOMPATIBLEUNITS	R5FOK2_CEC			
Column name	Parent	Primary key	Parent column	Column description
CEC_COMPATIBLEUNIT	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CEC_COMPATIBLEUNIT_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5CUESTIMATECOMPATIBLEUNITS	R5FOK3_CEC			
Column name	Parent	Primary key	Parent column	Column description
CEC_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CEC_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUESTIMATECOMPATIBLEUNITS	R5FOK4_CEC			
Column name	Parent	Primary key	Parent column	Column description
CEC_ACCOUNTINGCODE	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_CODE	
CEC_ACCOUNTINGCODE_ORG	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_ORG	
R5CUESTIMATEFERCUNITS	R5FOK1_CEF			
Column name	Parent	Primary key	Parent column	Column description

CEF_CUESTIMATE	R5CUESTIMATES	R5PRIK_CUE	CUE_CODE	
CEF_CUESTIMATE_ORG	R5CUESTIMATES	R5PRIK_CUE	CUE_ORG	
R5CUESTIMATES	R5FOK1_CUE			
Column name	Parent	Primary key	Parent column	Column description
CUE_MRC	R5MRC	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5CUESTIMATES	R5FOK2_CUE			
Column name	Parent	Primary key	Parent column	Column description
CUE_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUESTIMATES	R5FOK3_CUE			
Column name	Parent	Primary key	Parent column	Column description
CUE_CUDESIGNPROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5CUESTIMATES	R5FOK4_CUE			
Column name	Parent	Primary key	Parent column	Column description
CUE_CUDESIGNEVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CUESTIMATESUPPLIERS	R5FOK1_CES			
Column name	Parent	Primary key	Parent column	Column description
CES_CUESTIMATE	R5CUESTIMATES	R5PRIK_CUE	CUE_CODE	
CES_CUESTIMATE_ORG	R5CUESTIMATES	R5PRIK_CUE	CUE_ORG	
R5CUESTIMATESUPPLIERS	R5FOK2_CES			
Column name	Parent	Primary key	Parent column	Column description
CES_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CES_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUESTIMATEWORKPOINTS	R5FOK1_CWP			
Column name	Parent	Primary key	Parent column	Column description
CWP_CUESTIMATE	R5CUESTIMATEWORKPOINTS	R5PRIK_CWP	CWP_CUESTIMATE	
CWP_CUESTIMATE_ORG	R5CUESTIMATEWORKPOINTS	R5PRIK_CWP	CWP_CUESTIMATE_ORG	
CWP_FROMWORKPOINT	R5CUESTIMATEWORKPOINTS	R5PRIK_CWP	CWP_WORKPOINT	
R5CUESTIMATEWORKPOINTS	R5FOK2_CWP			
Column name	Parent	Primary key	Parent column	Column description
CWP_CUESTIMATE	R5CUESTIMATES	R5PRIK_CUE	CUE_CODE	
CWP_CUESTIMATE_ORG	R5CUESTIMATES	R5PRIK_CUE	CUE_ORG	
R5CUESTIMATEWORKPOINTS	R5FOK3_CWP			
Column name	Parent	Primary key	Parent column	Column description
CWP_CHILDCUDESIGNWO	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CUESTIMATEWORKPOINTS	R5FOK4_CWP			
Column name	Parent	Primary key	Parent column	Column description
CWP_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CWP_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUESTIMATEWORKPOINTS	R5FOK5_CWP			
Column name	Parent	Primary key	Parent column	Column description
CWP_ACCOUNTINGCODE	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_CODE	
CWP_ACCOUNTINGCODE_ORG	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_ORG	
R5CUESTIMATEWORKPOINTS	R5FOK6_CWP			

Column name	Parent	Primary key	Parent column	Column description
CWP_FIXEDASSETCODE	R5CUFIXEDASSETCODES	R5PRIK_CFC	CFC_CODE	
CWP_FIXEDASSETCODE_ORG	R5CUFIXEDASSETCODES	R5PRIK_CFC	CFC_ORG	
R5CUFIXEDASSETCODES	R5FOK1_CFC			
Column name	Parent	Primary key	Parent column	Column description
CFC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUFIXEDASSETCODES	R5FOK2_CFC			
Column name	Parent	Primary key	Parent column	Column description
CFC_CUACCOUNTINGCODE	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_CODE	
CFC_CUACCOUNTINGCODE_ORG	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_ORG	
R5CULIBRARYCHILDREN	R5FOK1_CUC			
Column name	Parent	Primary key	Parent column	Column description
CUC_COMPATIBLEUNIT	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CUC_COMPATIBLEUNIT_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5CULIBRARYCHILDREN	R5FOK2_CUC			
Column name	Parent	Primary key	Parent column	Column description
CUC_CHILDCU	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CUC_CHILDCU_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5CULIBRARYCHILDREN	R5FOK3_CUC			
Column name	Parent	Primary key	Parent column	Column description
CUC_ACCOUNTINGCODE	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_CODE	
CUC_ACCOUNTINGCODE_ORG	R5CUACCOUNTINGCODES	R5PRIK_CUA	CUA_ORG	
R5CULIBRARYCHILDREN	R5FOK4_CUC			
Column name	Parent	Primary key	Parent column	Column description
CUC_FIXEDASSETCODE	R5CUFIXEDASSETCODES	R5PRIK_CFC	CFC_CODE	
CUC_FIXEDASSETCODE_ORG	R5CUFIXEDASSETCODES	R5PRIK_CFC	CFC_ORG	
R5CULIBRARYPARTS	R5FOK1_CUP			
Column name	Parent	Primary key	Parent column	Column description
CUP_COMPATIBLEUNIT	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CUP_COMPATIBLEUNIT_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5CULIBRARYPARTS	R5FOK2_CUP			
Column name	Parent	Primary key	Parent column	Column description
CUP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
CUP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5CULIBRARYPARTS	R5FOK3_CUP			
Column name	Parent	Primary key	Parent column	Column description
CUP_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5CULIBRARYSERVICES	R5FOK1_CSV			
Column name	Parent	Primary key	Parent column	Column description
CSV_COMPATIBLEUNIT	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CSV_COMPATIBLEUNIT_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5CULIBRARYSERVICES	R5FOK3_CSV			
Column name	Parent	Primary key	Parent column	Column description
CSV_STANDARDCREW	R5STANDARDCREWS	R5PRIK_SCW	SCW_CODE	

CSV_STANDARDCREW_ORG	R5STANDARDCREWS	R5PRIK_SCW	SCW_ORG	
R5CULIBRARYSERVICES	R5FOK4_CSV			
Column name	Parent	Primary key	Parent column	Column description
CSV_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5CULIBRARYTOOLS	R5FOK1_CLT			
Column name	Parent	Primary key	Parent column	Column description
CLT_COMPATIBLEUNIT	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_CODE	
CLT_COMPATIBLEUNIT_ORG	R5COMPATIBLEUNITSLIBRARY	R5PRIK_CUL	CUL_ORG	
R5CULIBRARYTOOLS	R5FOK2_CLT			
Column name	Parent	Primary key	Parent column	Column description
CLT_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5CUOVERHEADCODES	R5FOK1_CUO			
Column name	Parent	Primary key	Parent column	Column description
CUO_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUSTOMERCONTRACTS	R5FOK1_CCT			
Column name	Parent	Primary key	Parent column	Column description
CCT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUSTOMERCONTRACTS	R5FOK2_CCT			
Column name	Parent	Primary key	Parent column	Column description
CCT_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CCT_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUSTOMERCONTRACTS	R5FOK3_CCT			
Column name	Parent	Primary key	Parent column	Column description
CCT_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
CCT_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5CUSTOMERCONTRACTS	R5FOK4_CCT			
Column name	Parent	Primary key	Parent column	Column description
CCT_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CUSTOMERCONTRACTS	R5FOK5_CCT			
Column name	Parent	Primary key	Parent column	Column description
CCT_DEFAULTINVORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUSTOMERCONTRACTS	R5FOK6_CCT			
Column name	Parent	Primary key	Parent column	Column description
CCT_INVOICINGCURRENCY	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5CUSTOMERINVOICEDetails	R5FOK1_CID			
Column name	Parent	Primary key	Parent column	Column description
CID_INVOICE	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_CODE	The unique code of the customer invoice.
CID_INVOICE_ORG	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_ORG	Organization
CID_INVOICE_REVISION	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_REVISION	Revision
R5CUSTOMERINVOICEDetails	R5FOK2_CID			
Column name	Parent	Primary key	Parent column	Column description
CID_INVOICEITEM	R5CUSTOMERINVOICEITEMS	R5PRIK_CII	CII_PK	The unique code of the customer invoice item record.

R5CUSTOMERINVOICEDetails	R5FOK3_CID			
Column name	Parent	Primary key	Parent column	Column description
CID_CONTRACTCHARGEDEF	R5CONTRACTCHARGEDEFS	R5PRIK_CCD	CCD_PK	Primary key field. Value is System generated.
R5CUSTOMERINVOICEDetails	R5FOK4_CID			
Column name	Parent	Primary key	Parent column	Column description
CID_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CUSTOMERINVOICEITEMS	R5FOK1_CII			
Column name	Parent	Primary key	Parent column	Column description
CII_INVOICE	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_CODE	The unique code of the customer invoice.
CII_INVOICE_ORG	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_ORG	Organization
CII_INVOICE_REVISION	R5CUSTOMERINVOICES	R5PRIK_CIV	CIV_REVISION	Revision
R5CUSTOMERINVOICES	R5FOK1_CIV			
Column name	Parent	Primary key	Parent column	Column description
CIV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUSTOMERINVOICES	R5FOK2_CIV			
Column name	Parent	Primary key	Parent column	Column description
CIV_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CIV_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUSTOMERINVOICES	R5FOK3_CIV			
Column name	Parent	Primary key	Parent column	Column description
CIV_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CUSTOMERRENTALS	R5FOK10_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5CUSTOMERRENTALS	R5FOK11_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_SUPPLIER1	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CRT_SUPPLIER1ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUSTOMERRENTALS	R5FOK12_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_SUPPLIER2	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CRT_SUPPLIER2ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUSTOMERRENTALS	R5FOK13_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_SUPPLIER3	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CRT_SUPPLIER3ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUSTOMERRENTALS	R5FOK1_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUSTOMERRENTALS	R5FOK2_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CRT_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5CUSTOMERRENTALS	R5FOK3_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_RETURNEDOBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
CRT_RETURNEDOBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5CUSTOMERRENTALS	R5FOK4_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
CRT_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5CUSTOMERRENTALS	R5FOK5_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_ISSUEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5CUSTOMERRENTALS	R5FOK6_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
CRT_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5CUSTOMERRENTALS	R5FOK7_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5CUSTOMERRENTALS	R5FOK8_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5CUSTOMERRENTALS	R5FOK9_CRT			
Column name	Parent	Primary key	Parent column	Column description
CRT_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5CUSTOMERREQUESTHISTORY	R5FOK1_CRH			
Column name	Parent	Primary key	Parent column	Column description
CRH_CALLCENTERCODE	R5CONTACTRECORDS	R5PRIK_CTR	CTR_CODE	Contact record code/Auto-generated code
CRH_CALLCENTER_ORG	R5CONTACTRECORDS	R5PRIK_CTR	CTR_ORG	Contact record org
R5CUSTOMERSURVEYANSWERS	R5FOK1_CSA			
Column name	Parent	Primary key	Parent column	Column description
CSA_QUESTION_CODE	R5CUSTOMERSURVEYQUESTIONS	R5PRIK_CSQ	CSQ_CODE	The primary key of the customer survey question.
R5CUSTOMERSURVEYQUESTIONS	R5FOK1_CSQ			
Column name	Parent	Primary key	Parent column	Column description
CSQ_SURVEY	R5CUSTOMERSURVEYS	R5PRIK_CSU	CSU_CODE	The primary key of the customer survey.
CSQ_SURVEY_ORG	R5CUSTOMERSURVEYS	R5PRIK_CSU	CSU_ORG	The organization of the customer survey.
R5CUSTOMERSURVEYRESPONSES	R5FOK1_SER			
Column name	Parent	Primary key	Parent column	Column description
SER_CUSTOMERSURVEYEVENT	R5CUSTOMERSURVEYEVENTS	R5PRIK_SEV	SEV_PK	The primary key of the customer survey event.
R5CUSTOMERSURVEYRESPONSES	R5FOK2_SER			
Column name	Parent	Primary key	Parent column	Column description
SER_QUESTION	R5CUSTOMERSURVEYQUESTIONS	R5PRIK_CSQ	CSQ_CODE	The primary key of the customer survey question.
R5CUSTOMERSURVEYRESPONSES	R5FOK3_SER			
Column name	Parent	Primary key	Parent column	Column description

SER_ANSWER	R5CUSTOMERSURVEYANSWERS	R5PRIK_CSA	CSA_CODE	The primary key of the customer survey answer.
R5CUSTOMERSURVEYS	R5FOK1_CSU			
Column name	Parent	Primary key	Parent column	Column description
CSU_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5CUSTOMERSURVEYTRIGGERS	R5FOK1_SVT			
Column name	Parent	Primary key	Parent column	Column description
SVT_SURVEY	R5CUSTOMERSURVEYS	R5PRIK_CSU	CSU_CODE	The primary key of the customer survey.
SVT_SURVEY_ORG	R5CUSTOMERSURVEYS	R5PRIK_CSU	CSU_ORG	The organization of the customer survey.
R5CUSTOMFIELDATTRIBUTES	R5FOK1_CFA			
Column name	Parent	Primary key	Parent column	Column description
CFA_CLASS	R5ADDPROPERTIES	R5PRIK_APR	APR_CLASS	entity classification code.
CFA_CLASS_ORG	R5ADDPROPERTIES	R5PRIK_APR	APR_CLASS_ORG	classification code organization
CFA_PROPERTY	R5ADDPROPERTIES	R5PRIK_APR	APR_PROPERTY	custom property code.
CFA_RENTITY	R5ADDPROPERTIES	R5PRIK_APR	APR_RENTITY	entity code (system code).
R5CUSTOMFIELDATTRIBUTES	R5FOK2_CFA			
Column name	Parent	Primary key	Parent column	Column description
CFA_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CUSTOMFIELDATTRIBUTES	R5FOK3_CFA			
Column name	Parent	Primary key	Parent column	Column description
CFA_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5CYCLECOUNT	R5FOK3_CCC			
Column name	Parent	Primary key	Parent column	Column description
CCC_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DATACONVCUSTOMSTMTS	R5FOK1_DCC			
Column name	Parent	Primary key	Parent column	Column description
DCC_UPCODE	R5DATACONVERSION	R5PRIK_DTC	DTC_UPCODE	Uniquely identifies the uploaded dataset.
R5DATACONVCUSTOMSTMTS	R5FOK2_DCC			
Column name	Parent	Primary key	Parent column	Column description
DCC_SEQID	R5DATACONVSEQ	R5PRIK_DSQ	DSQ_SEQID	Uniquely identifies the table mapping.
R5DATACONVERSION	R5FOK1_DTC			
Column name	Parent	Primary key	Parent column	Column description
DTC_SRCPRODUCTID	R5DATACONVPROD	R5PRIK_DCP	DCP_PRODUCTID	Uniquely identifies the support product.
R5DATACONVEXPRESSIONS	R5FOK1_DXP			
Column name	Parent	Primary key	Parent column	Column description
DXP_UPCODE	R5DATACONVERSION	R5PRIK_DTC	DTC_UPCODE	Uniquely identifies the uploaded dataset.
R5DATACONVEXPRESSIONS	R5FOK2_DXP			
Column name	Parent	Primary key	Parent column	Column description
DXP_SEQID	R5DATACONVSEQ	R5PRIK_DSQ	DSQ_SEQID	Uniquely identifies the table mapping.
R5DATACONVEXTDEF	R5FOK1_DED			
Column name	Parent	Primary key	Parent column	Column description
DED_SRCPRODUCTID	R5DATACONVLIST	R5PRIK_DCT	DCT_SRCPRODUCTID	Identifies the product from which the table will be uploaded.
DED_SRCTABLE	R5DATACONVLIST	R5PRIK_DCT	DCT_DESTTABLE	Defines the name of the tagging table that will be constructed for the uploading source table

R5DATACONVLST	R5FOK1_DCT			
Column name	Parent	Primary key	Parent column	Column description
DCT_SRCPRODUCTID	R5DATACONVPROD	R5PRIK_DCP	DCP_PRODUCTID	Uniquely identifies the support product.
R5DATACONVLOG	R5FOK1_DLG			
Column name	Parent	Primary key	Parent column	Column description
DLG_UPCODE	R5DATACONVERSION	R5PRIK_DTC	DTC_UPCODE	Uniquely identifies the uploaded dataset.
R5DATACONVLOGDETAILS	R5FOK1_DLD			
Column name	Parent	Primary key	Parent column	Column description
DLD_LOGID	R5DATACONVLOG	R5PRIK_DLG	DLG_ID	Uniquely identifies the logging record.
R5DATACONVOPTION	R5FOK1_DON			
Column name	Parent	Primary key	Parent column	Column description
DON_SRCPRODUCTID	R5DATACONVPROD	R5PRIK_DCP	DCP_PRODUCTID	Uniquely identifies the support product.
R5DATACONVOPTIONTEXT	R5FOK1_DXT			
Column name	Parent	Primary key	Parent column	Column description
DXT_OPTION	R5DATACONVOPTION	R5PRIK_DON	DON_OPTION	Uniquely identifies the option.
DXT_SRCPRODUCTID	R5DATACONVOPTION	R5PRIK_DON	DON_SRCPRODUCTID	Identifies the product the option pertains to.
R5DATACONVOPTIONTEXT	R5FOK2_DXT			
Column name	Parent	Primary key	Parent column	Column description
DXT_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5DATACONVSEQ	R5FOK1_DSQ			
Column name	Parent	Primary key	Parent column	Column description
DSQ_SRCPRODUCTID	R5DATACONVPROD	R5PRIK_DCP	DCP_PRODUCTID	Uniquely identifies the support product.
R5DATACONVSEQCUSTOM	R5FOK1_DSC			
Column name	Parent	Primary key	Parent column	Column description
DSC_SEQID	R5DATACONVSEQ	R5PRIK_DSQ	DSQ_SEQID	Uniquely identifies the table mapping.
R5DATACONVSEQDETAILS	R5FOK1_DSD			
Column name	Parent	Primary key	Parent column	Column description
DSD_SEQID	R5DATACONVSEQ	R5PRIK_DSQ	DSQ_SEQID	Uniquely identifies the table mapping.
R5DATACONVSUBEXPS	R5FOK1_DSX			
Column name	Parent	Primary key	Parent column	Column description
DSX_DESTFIELD	R5DATACONVEXPRESSIONS	R5PRIK_DXP	DXP_DESTFIELD	Identifies the destination field the expression result will be stored.
DSX_SEQID	R5DATACONVEXPRESSIONS	R5PRIK_DXP	DXP_SEQID	Identifies the table mapping sequence this expression belongs to.
DSX_UPCODE	R5DATACONVEXPRESSIONS	R5PRIK_DXP	DXP_UPCODE	Identifies the upload the expression belongs to.
R5DATACONVSUBEXPSETUP	R5FOK1_DSS			
Column name	Parent	Primary key	Parent column	Column description
DSS_OPTION	R5DATACONVOPTION	R5PRIK_DON	DON_OPTION	Uniquely identifies the option.
DSS_SRCPRODUCTID	R5DATACONVOPTION	R5PRIK_DON	DON_SRCPRODUCTID	Identifies the product the option pertains to.
R5DATACONVSUBEXPSETUP	R5FOK2_DSS			
Column name	Parent	Primary key	Parent column	Column description
DSS_SEQID	R5DATACONVSEQ	R5PRIK_DSQ	DSQ_SEQID	Uniquely identifies the table mapping.
R5DATACONVSUMDETAILS	R5FOK1_DSL			
Column name	Parent	Primary key	Parent column	Column description
DSL_SOURCETABLE	R5DATACONVSUMMARY	R5PRIK_DSU	DSU_SOURCETABLE	Identifies the source table this upload information pertains to.

DSL_UPCODE	R5DATACONVSUMMARY	R5PRIK_DSU	DSU_UPCODE	Identifies the upload this information pertains to.

R5DATACONVSUMMARY	R5FOK1_DSU			
Column name	Parent	Primary key	Parent column	Column description
DSU_UPCODE	R5DATACONVERSION	R5PRIK_DTC	DTC_UPCODE	Uniquely identifies the uploaded dataset.

R5DATACONVXREFDEFAULT	R5FOK1_DXD			
Column name	Parent	Primary key	Parent column	Column description
DXD_OPTION	R5DATACONVOPTION	R5PRIK_DON	DON_OPTION	Uniquely identifies the option.
DXD_SRCPRODUCTID	R5DATACONVOPTION	R5PRIK_DON	DON_SRCPRODUCTID	Identifies the product the option pertains to.

R5DATACONVXREFSETUP	R5FOK1_DXS			
Column name	Parent	Primary key	Parent column	Column description
DXS_OPTION	R5DATACONVOPTION	R5PRIK_DON	DON_OPTION	Uniquely identifies the option.
DXS_SRCPRODUCTID	R5DATACONVOPTION	R5PRIK_DON	DON_SRCPRODUCTID	Identifies the product the option pertains to.

R5DATACONVXREFSETUP	R5FOK2_DXS			
Column name	Parent	Primary key	Parent column	Column description
DXS_SEQID	R5DATACONVSEQ	R5PRIK_DSQ	DSQ_SEQID	Uniquely identifies the table mapping.

R5DATACONVXREFVALUE	R5FOK1_DXV			
Column name	Parent	Primary key	Parent column	Column description
DXV_UPCODE	R5DATACONVERSION	R5PRIK_DTC	DTC_UPCODE	Uniquely identifies the uploaded dataset.

R5DATAUPLOADERERRORS	R5FOK1_DUE			
Column name	Parent	Primary key	Parent column	Column description
DUE_UPCODE	R5DATACONVERSION	R5PRIK_DTC	DTC_UPCODE	Uniquely identifies the uploaded dataset.

R5DCEQUIPMENTSELECTION	R5FOK1_DCE			
Column name	Parent	Primary key	Parent column	Column description
DCE_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
DCE_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5DCEQUIPMENTSELECTION	R5FOK2_DCE			
Column name	Parent	Primary key	Parent column	Column description
DCE_DECAYCURVE	R5DECAYCURVE	R5PRIK_DCR	DCR_CODE	
DCE_DECAYCURVE_ORG	R5DECAYCURVE	R5PRIK_DCR	DCR_ORG	

R5DDDATASPY	R5FOK1_DDS			
Column name	Parent	Primary key	Parent column	Column description
DDS_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid

R5DDDATASPY	R5FOK2_DDS			
Column name	Parent	Primary key	Parent column	Column description
DDS_OWNER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5DDDATASPY	R5FOK3_DDS			
Column name	Parent	Primary key	Parent column	Column description
DDS_UPDATEBYUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5DDSPYFILTERGROUPS	R5FOK1_DFG			
Column name	Parent	Primary key	Parent column	Column description
DFG_DDSPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy

R5DDSPYFILTERGROUPS	R5FOK2_DFG			

Column name	Parent	Primary key	Parent column	Column description
DFG_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5DDVALUE	R5FOK1_DDV			
Column name	Parent	Primary key	Parent column	Column description
DDV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DEBCODESTRUCT	R5FOK1_DCS			
Column name	Parent	Primary key	Parent column	Column description
DCS_CUSTOMER	R5DEBTORS	R5PRIK_DEB	DEB_CODE	debtor code.
R5DEBTORS	R5FOK1_DEB			
Column name	Parent	Primary key	Parent column	Column description
DEB_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5DEBTORS	R5FOK2_DEB			
Column name	Parent	Primary key	Parent column	Column description
DEB_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5DEBTORS	R5FOK3_DEB			
Column name	Parent	Primary key	Parent column	Column description
DEB_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DECAYCURVE	R5FOK1_DCR			
Column name	Parent	Primary key	Parent column	Column description
DCR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DECAYCURVEMARKOVMATRIX	R5FOK1_DMM			
Column name	Parent	Primary key	Parent column	Column description
DMM_DECAYCURVE	R5DECAYCURVE	R5PRIK_DCR	DCR_CODE	
DMM_DECAYCURVE_ORG	R5DECAYCURVE	R5PRIK_DCR	DCR_ORG	
R5DECAYCURVEPOINTS	R5FOK1_CPD			
Column name	Parent	Primary key	Parent column	Column description
CPD_DCCODE	R5DECAYCURVE	R5PRIK_DCR	DCR_CODE	
CPD_DCORG	R5DECAYCURVE	R5PRIK_DCR	DCR_ORG	
R5DEFERREDACT	R5FOK10_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5DEFERREDACT	R5FOK11_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5DEFERREDACT	R5FOK1_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DEFERREDACT	R5FOK2_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5DEFERREDACT	R5FOK3_DFA			
Column name	Parent	Primary key	Parent column	Column description

DFA_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5DEFERREDACT	R5FOK4_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
DFA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5DEFERREDACT	R5FOK5_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5DEFERREDACT	R5FOK6_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_MATLIST	R5MATLISTS	R5PRIK_MTL	MTL_CODE	material list code.
DFA_MATLREV	R5MATLISTS	R5PRIK_MTL	MTL_REVISION	revision number.
R5DEFERREDACT	R5FOK7_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
DFA_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5DEFERREDACT	R5FOK8_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
DFA_WO	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5DEFERREDACT	R5FOK9_DFA			
Column name	Parent	Primary key	Parent column	Column description
DFA_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5DELIVERYADDRESSORGS	R5FOK1_DAO			
Column name	Parent	Primary key	Parent column	Column description
DAO_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5DELIVERYADDRESSORGS	R5FOK2_DAO			
Column name	Parent	Primary key	Parent column	Column description
DAO_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DEPARTMENTSECURITY	R5FOK1_DSE			
Column name	Parent	Primary key	Parent column	Column description
DSE_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DEPARTMENTSECURITY	R5FOK3_DSE			
Column name	Parent	Primary key	Parent column	Column description
DSE_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5DEPARTMENTSTRUCTURE	R5FOK1_DPS			
Column name	Parent	Primary key	Parent column	Column description
DPS_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5DEPARTMENTSTRUCTURE	R5FOK2_DPS			
Column name	Parent	Primary key	Parent column	Column description
DPS_PROVIDER	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
DPS_PROVIDER_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization

R5DEPARTMENTSTRUCTURE	R5FOK3_DPS			
Column name	Parent	Primary key	Parent column	Column description
DPS_SERVICECATEGORY	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
DPS_SERVICECATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5DEPARTMENTSTRUCTURE	R5FOK4_DPS			
Column name	Parent	Primary key	Parent column	Column description
DPS_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
DPS_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5DEPARTMENTSTRUCTURE	R5FOK5_DPS			
Column name	Parent	Primary key	Parent column	Column description
DPS_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
DPS_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5DEPOTS	R5FOK1_DEP			
Column name	Parent	Primary key	Parent column	Column description
DEP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DEPOTS	R5FOK2_DEP			
Column name	Parent	Primary key	Parent column	Column description
DEP_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
DEP_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5DESCRIPTIONS	R5FOK1_DES			
Column name	Parent	Primary key	Parent column	Column description
DES_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5DESCRIPTIONS	R5FOK2_DES			
Column name	Parent	Primary key	Parent column	Column description
DES_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5DETAILAUDIT	R5FOK1_DTA			
Column name	Parent	Primary key	Parent column	Column description
DTA_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5DETAILAUDIT	R5FOK2_DTA			
Column name	Parent	Primary key	Parent column	Column description
DTA_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5DETAILAUDIT	R5FOK3_DTA			
Column name	Parent	Primary key	Parent column	Column description
DTA_DELUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DETAILAUDIT	R5FOK4_DTA			
Column name	Parent	Primary key	Parent column	Column description
DTA_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DEVICES	R5FOK1_DEV			
Column name	Parent	Primary key	Parent column	Column description
DEV_CATEGORY	R5DEVICES	R5PRIK_DEV	DEV_CODE	a code for the device
R5DEVICES	R5FOK5_DEV			
Column name	Parent	Primary key	Parent column	Column description
DEV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5DIACONVERSION	R5FOK1_DCO			
Column name	Parent	Primary key	Parent column	Column description
DCO_PIPING	R5PIPINGCLASS	R5PRIK_PCS	PCS_CODE	piping class
DCO_PIPINGREV	R5PIPINGCLASS	R5PRIK_PCS	PCS_REVISION	revision
R5DIAGUSAGES	R5FOK1_DIU			
Column name	Parent	Primary key	Parent column	Column description
DIU_DIAG	R5DIAGNOSTICS	R5PRIK_DIA	DIA_CODE	unique code
R5DIAGUSAGES	R5FOK2_DIU			
Column name	Parent	Primary key	Parent column	Column description
DIU_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
DIU_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5DIAGUSAGES	R5FOK3_DIU			
Column name	Parent	Primary key	Parent column	Column description
DIU_REQM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5DISPATCHES	R5FOK1_SWD			
Column name	Parent	Primary key	Parent column	Column description
SWD_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5DISPATCHES	R5FOK2_SWD			
Column name	Parent	Primary key	Parent column	Column description
SWD_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5DISPATCHES	R5FOK3_SWD			
Column name	Parent	Primary key	Parent column	Column description
SWD_ORIGIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DISPATCHES	R5FOK4_SWD			
Column name	Parent	Primary key	Parent column	Column description
SWD_ASSIGNED	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DISPATCHES	R5FOK5_SWD			
Column name	Parent	Primary key	Parent column	Column description
SWD_ACTION	R5ACTIONCODES	R5PRIK_ACC	ACC_CODE	action code
R5DISPATCHES	R5FOK6_SWD			
Column name	Parent	Primary key	Parent column	Column description
SWD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DISPATCHEVENTS	R5FOK1_DIW			
Column name	Parent	Primary key	Parent column	Column description
DIW_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
DIW_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5DISPATCHEVENTS	R5FOK2_DIW			
Column name	Parent	Primary key	Parent column	Column description
DIW_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DISPATCHEVENTS	R5FOK3_DIW			
Column name	Parent	Primary key	Parent column	Column description
DIW_CREW	R5CREWS	R5PRIK_CRW	CRW_CODE	Crew code

DIW_CREW_ORG	R5CREWS	R5PRIK_CRW	CRW_ORG	Organization code
R5DOCBODY	R5FOK1_DOB			
Column name	Parent	Primary key	Parent column	Column description
DOB_CODE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5DOCENTITIES	R5FOK1_DAE			
Column name	Parent	Primary key	Parent column	Column description
DAE_DOCUMENT	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5DOCENTITIES	R5FOK2_DAE			
Column name	Parent	Primary key	Parent column	Column description
DAE_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5DOCKLINES	R5FOK1_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_DCKCODE	R5DOCKRECEIPTS	R5PRIK_DCK	DCK_CODE	on-dock receipt code
R5DOCKLINES	R5FOK2_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
DKL_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
DKL_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5DOCKLINES	R5FOK3_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
DKL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5DOCKLINES	R5FOK4_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_REJREASON	R5REJECTREASONS	R5PRIK_RJR	RJR_CODE	code of reason for return to supplier. unique identification.
R5DOCKLINES	R5FOK5_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_INSPECTOR	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DOCKLINES	R5FOK7_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5DOCKLINES	R5FOK8_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DOCKLINES	R5FOK9_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DOCKLINES	R5FOKA_DKL			
Column name	Parent	Primary key	Parent column	Column description
DKL_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5DOCKRECEIPTS	R5FOK1_DCK			
Column name	Parent	Primary key	Parent column	Column description

DCK_RECEIVER	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DOCKRECEIPTS	R5FOK2_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
DCK_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5DOCKRECEIPTS	R5FOK3_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
DCK_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5DOCKRECEIPTS	R5FOK4_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5DOCKRECEIPTS	R5FOK5_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DOCKRECEIPTS	R5FOK6_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_DOCKID	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5DOCKRECEIPTS	R5FOK7_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DOCKRECEIPTS	R5FOK8_DCK			
Column name	Parent	Primary key	Parent column	Column description
DCK_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DOCMATRIX	R5FOK1_DMX			
Column name	Parent	Primary key	Parent column	Column description
DMX_WARRANTY	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5DOCUMENTS	R5FOK1_DOC			
Column name	Parent	Primary key	Parent column	Column description
DOC_ORIGIN	R5ORIGINATORS	R5PRIK_ORI	ORI_CODE	code of document originator.
R5DOCUMENTS	R5FOK2_DOC			
Column name	Parent	Primary key	Parent column	Column description
DOC_SIZE	R5DOCSIZES	R5PRIK_DSZ	DSZ_CODE	document size code.
R5DOCUMENTS	R5FOK3_DOC			
Column name	Parent	Primary key	Parent column	Column description
DOC_PARENT	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5DOCUMENTS	R5FOK4_DOC			
Column name	Parent	Primary key	Parent column	Column description
DOC_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
DOC_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5DOCUMENTS	R5FOK5_DOC			
Column name	Parent	Primary key	Parent column	Column description

DOC_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5DOCUMENTS	R5FOK6_DOC			
Column name	Parent	Primary key	Parent column	Column description
DOC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5DOCUMENTS	R5FOK7_DOC			
Column name	Parent	Primary key	Parent column	Column description
DOC_LOCKUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5DSCHAVAIL	R5FOK1_SHA			
Column name	Parent	Primary key	Parent column	Column description
SHA_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5DSCHAVAIL	R5FOK2_SHA			
Column name	Parent	Primary key	Parent column	Column description
SHA_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.
R5DSCHAVAIL	R5FOK3_SHA			
Column name	Parent	Primary key	Parent column	Column description
SHA_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5DSCHAVAIL	R5FOK4_SHA			
Column name	Parent	Primary key	Parent column	Column description
SHA_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5DUALCONVHEADER	R5FOK1_DCH			
Column name	Parent	Primary key	Parent column	Column description
DCH_OLDCURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5DUALCONVHEADER	R5FOK2_DCH			
Column name	Parent	Primary key	Parent column	Column description
DCH_NEWCURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5DUALCONVHEADER	R5FOK3_DCH			
Column name	Parent	Primary key	Parent column	Column description
DCH_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
DCH_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5DUALCONVLINES	R5FOK1_DCL			
Column name	Parent	Primary key	Parent column	Column description
DCL_BATCH	R5DUALCONVHEADER	R5PRIK_DCH	DCH_BATCH	unique batch number.
R5DWAVAILLABORDAILYSNAP	R5FOK1_ZLA			
Column name	Parent	Primary key	Parent column	Column description
ZLA_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWAVAILLABORDAILYSNAP	R5FOK2_ZLA			
Column name	Parent	Primary key	Parent column	Column description
ZLA_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWAVAILLABORDAILYSNAP	R5FOK3_ZLA			
Column name	Parent	Primary key	Parent column	Column description
ZLA_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key

R5DWAVAILLABORDAILYSNAP	R5FOK4_ZLA			
Column name	Parent	Primary key	Parent column	Column description
ZLA_TRADEKEY	R5DWTRADES	R5PRIK_ZTR	ZTR_KEY	Trade surrogate key
R5DWDATAMARTDIMENSIONS	R5FOK1_DMD			
Column name	Parent	Primary key	Parent column	Column description
DMD_DMTTABLE	R5DWDATAMARTS	R5PRIK_DMT	DMT_TABLE	Name of physical fact table or view corresponding to the data mart
R5DWDATAMARTDIMENSIONS	R5FOK2_DMD			
Column name	Parent	Primary key	Parent column	Column description
DMD_DIMTABLE	R5WDIMENSIONS	R5PRIK_DIM	DIM_TABLE	Name of physical dimension table or view
R5WDIMENSIONFIELDS	R5FOK1_DMF			
Column name	Parent	Primary key	Parent column	Column description
DMF_DIMTABLE	R5WDIMENSIONS	R5PRIK_DIM	DIM_TABLE	Name of physical dimension table or view
R5DWFACTFIELDS	R5FOK1_FFL			
Column name	Parent	Primary key	Parent column	Column description
FFL_DMTTABLE	R5DWDATAMARTS	R5PRIK_DMT	DMT_TABLE	Name of physical fact table or view corresponding to the data mart
R5DWLABORDAILYSNAP	R5FOK1_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWLABORDAILYSNAP	R5FOK2_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_WOKEY	R5DWWORKORDERS	R5PRIK_ZWO	ZWO_KEY	Work order surrogate key
R5DWLABORDAILYSNAP	R5FOK3_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_PERSONNELKEY	R5DWPERSONNEL	R5PRIK_ZPE	ZPE_KEY	Personnel surrogate key
R5DWLABORDAILYSNAP	R5FOK4_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_TRADEKEY	R5DWTRADES	R5PRIK_ZTR	ZTR_KEY	Trade surrogate key
R5DWLABORDAILYSNAP	R5FOK5_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key
R5DWLABORDAILYSNAP	R5FOK6_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_OCTYPEKEY	R5DWOCCUPATIONTYPES	R5PRIK_ZOT	ZOT_KEY	Occupation type surrogate key
R5DWLABORDAILYSNAP	R5FOK7_ZLB			
Column name	Parent	Primary key	Parent column	Column description
ZLB_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK1_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK2_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key

R5DWMATLTRANSDAILYSNAP	R5FOK3_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK4_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_MATLTRANSTYPEKEY	R5DWMATLTRANSTYPES	R5PRIK_ZMT	ZMT_KEY	Material transaction type surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK5_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_FROMSTOREKEY	R5DWSTORES	R5PRIK_ZSO	ZSO_KEY	Store surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK6_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_TOSTOREKEY	R5DWSTORES	R5PRIK_ZSO	ZSO_KEY	Store surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK7_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_FROMSUPPLIERKEY	R5DWSUPPLIERS	R5PRIK_ZSU	ZSU_KEY	Supplier surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK8_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_TOSUPPLIERKEY	R5DWSUPPLIERS	R5PRIK_ZSU	ZSU_KEY	Supplier surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOK9_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_FROMWOKEY	R5DWWORKORDERS	R5PRIK_ZWO	ZWO_KEY	Work order surrogate key
R5DWMATLTRANSDAILYSNAP	R5FOKA_ZMS			
Column name	Parent	Primary key	Parent column	Column description
ZMS_TOWOKEY	R5DWWORKORDERS	R5PRIK_ZWO	ZWO_KEY	Work order surrogate key
R5DWMETERSDAILYSNAP	R5FOK1_ZMR			
Column name	Parent	Primary key	Parent column	Column description
ZMR_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWMETERSDAILYSNAP	R5FOK2_ZMR			
Column name	Parent	Primary key	Parent column	Column description
ZMR_METERKEY	R5DWMETERS	R5PRIK_ZME	ZME_KEY	Meter surrogate key
R5DWMETERSDAILYSNAP	R5FOK3_ZMR			
Column name	Parent	Primary key	Parent column	Column description
ZMR_OBJECTKEY	R5DWOBJECTS	R5PRIK_ZOB	ZOB_KEY	Object surrogate key
R5DWMETERSDAILYSNAP	R5FOK4_ZMR			
Column name	Parent	Primary key	Parent column	Column description
ZMR_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWMETERSDAILYSNAP	R5FOK5_ZMR			
Column name	Parent	Primary key	Parent column	Column description
ZMR_UOMKEY	R5DWUOMS	R5PRIK_ZUM	ZUM_KEY	UOM surrogate key
R5DWOBJECTROLLUPDAILYSNAP	R5FOK1_ZVT			
Column name	Parent	Primary key	Parent column	Column description

ZVT_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWOBJECTROLLUPDAILYSNAP	R5FOK2_ZVT			
Column name	Parent	Primary key	Parent column	Column description
ZVT_OBJECTKEY	R5DWOBJECTS	R5PRIK_ZOB	ZOB_KEY	Object surrogate key
R5DWORGFAC	R5FOK01_DWF			
Column name	Parent	Primary key	Parent column	Column description
DWF_ORGKEY	R5DWORG	R5PRIK_DWO	DWO_ORGKEY	table key
R5DWORGFAC	R5FOK02_DWF			
Column name	Parent	Primary key	Parent column	Column description
DWF_DATEKEY	R5DWDATE	R5PRIK_DWD	DWD_DATEKEY	key of the dw date table
R5DWPARTSDAILYSNAP	R5FOK1_ZAS			
Column name	Parent	Primary key	Parent column	Column description
ZAS_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPARTSDAILYSNAP	R5FOK2_ZAS			
Column name	Parent	Primary key	Parent column	Column description
ZAS_PARTKEY	R5DWPARTS	R5PRIK_ZPA	ZPA_KEY	Part surrogate key
R5DWPARTSTRANSDAILYSNAP	R5FOK1_ZPT			
Column name	Parent	Primary key	Parent column	Column description
ZPT_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPARTSTRANSDAILYSNAP	R5FOK2_ZPT			
Column name	Parent	Primary key	Parent column	Column description
ZPT_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWPARTSTRANSDAILYSNAP	R5FOK3_ZPT			
Column name	Parent	Primary key	Parent column	Column description
ZPT_PARTKEY	R5DWPARTS	R5PRIK_ZPA	ZPA_KEY	Part surrogate key
R5DWPARTSTRANSDAILYSNAP	R5FOK4_ZPT			
Column name	Parent	Primary key	Parent column	Column description
ZPT_SUPPLIERKEY	R5DWSUPPLIERS	R5PRIK_ZSU	ZSU_KEY	Supplier surrogate key
R5DWPARTSTRANSDAILYSNAP	R5FOK5_ZPT			
Column name	Parent	Primary key	Parent column	Column description
ZPT_POKEY	R5DWPURCHASEORDERS	R5PRIK_ZPO	ZPO_KEY	Purchase order surrogate key
R5DWPARTSTRANSDAILYSNAP	R5FOK6_ZPT			
Column name	Parent	Primary key	Parent column	Column description
ZPT_ORDERLINETYPEKEY	R5DWORDERLINETYPES	R5PRIK_ZOL	ZOL_KEY	Order line type surrogate key
R5DWPOACCUMSNAP	R5FOK1_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_DATECREATEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPOACCUMSNAP	R5FOK2_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_DATEDUEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPOACCUMSNAP	R5FOK3_ZPS			

Column name	Parent	Primary key	Parent column	Column description
ZPS_DATEAPPROVEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPOACCUMSNAP	R5FOK4_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_POKEY	R5DWPURCHASEORDERS	R5PRIK_ZPO	ZPO_KEY	Purchase order surrogate key
R5DWPOACCUMSNAP	R5FOK5_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_ORGKEY	R5DWWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWPOACCUMSNAP	R5FOK6_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_SUPPLIERKEY	R5DWSUPPLIERS	R5PRIK_ZSU	ZSU_KEY	Supplier surrogate key
R5DWPOACCUMSNAP	R5FOK7_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_STOREKEY	R5DWSTORES	R5PRIK_ZSO	ZSO_KEY	Store surrogate key
R5DWPOACCUMSNAP	R5FOK8_ZPS			
Column name	Parent	Primary key	Parent column	Column description
ZPS_DATERECEIVEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPOLINESDAILYSNAP	R5FOK1_ZPL			
Column name	Parent	Primary key	Parent column	Column description
ZPL_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWPOLINESDAILYSNAP	R5FOK2_ZPL			
Column name	Parent	Primary key	Parent column	Column description
ZPL_ORGKEY	R5DWWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWPOLINESDAILYSNAP	R5FOK3_ZPL			
Column name	Parent	Primary key	Parent column	Column description
ZPL_PARTCLASSKEY	R5DWPARTCLASSES	R5PRIK_ZPC	ZPC_KEY	Part class surrogate key
R5DWPOLINESDAILYSNAP	R5FOK4_ZPL			
Column name	Parent	Primary key	Parent column	Column description
ZPL_SUPPLIERKEY	R5DWSUPPLIERS	R5PRIK_ZSU	ZSU_KEY	Supplier surrogate key
R5DWPOLINESDAILYSNAP	R5FOK5_ZPL			
Column name	Parent	Primary key	Parent column	Column description
ZPL_POKEY	R5DWPURCHASEORDERS	R5PRIK_ZPO	ZPO_KEY	Purchase order surrogate key
R5DWPOLINESDAILYSNAP	R5FOK6_ZPL			
Column name	Parent	Primary key	Parent column	Column description
ZPL_STOREKEY	R5DWSTORES	R5PRIK_ZSO	ZSO_KEY	Store surrogate key
R5DWSTATUSDAILYSNAP	R5FOK1_ZSC			
Column name	Parent	Primary key	Parent column	Column description
ZSC_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWSTATUSDAILYSNAP	R5FOK2_ZSC			
Column name	Parent	Primary key	Parent column	Column description
ZSC_ORGKEY	R5DWWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key

R5DWSTATUSDAILYSNAP	R5FOK3_ZSC			
Column name	Parent	Primary key	Parent column	Column description
ZSC_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key
R5DWSTATUSDAILYSNAP	R5FOK4_ZSC			
Column name	Parent	Primary key	Parent column	Column description
ZSC_ENTITYKEY	R5DWENTITIES	R5PRIK_ZEN	ZEN_KEY	Entity surrogate key
R5DWSTATUSDAILYSNAP	R5FOK5_ZSC			
Column name	Parent	Primary key	Parent column	Column description
ZSC_FROMSTATUSKEY	R5DWSTATUSES	R5PRIK_ZST	ZST_KEY	Status surrogate key
R5DWSTATUSDAILYSNAP	R5FOK6_ZSC			
Column name	Parent	Primary key	Parent column	Column description
ZSC_TOSTATUSKEY	R5DWSTATUSES	R5PRIK_ZST	ZST_KEY	Status surrogate key
R5DWSTORESDAILYSNAP	R5FOK1_ZSS			
Column name	Parent	Primary key	Parent column	Column description
ZSS_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWSTORESDAILYSNAP	R5FOK2_ZSS			
Column name	Parent	Primary key	Parent column	Column description
ZSS_STOREKEY	R5DWSTORES	R5PRIK_ZSO	ZSO_KEY	Store surrogate key
R5DWSTORESDAILYSNAP	R5FOK3_ZSS			
Column name	Parent	Primary key	Parent column	Column description
ZSS_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWSTORESDAILYSNAP	R5FOK4_ZSS			
Column name	Parent	Primary key	Parent column	Column description
ZSS_PARTCLASSKEY	R5DWPARTCLASSES	R5PRIK_ZPC	ZPC_KEY	Part class surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK1_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_DATEREPORTEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK2_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_DATEFILEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK3_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_DATERESOLVEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK4_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_CLAIMKEY	R5DWWARRANTYCLAIMS	R5PRIK_ZWC	ZWC_KEY	Warranty claim surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK5_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_OBJECTKEY	R5DWOBJECTS	R5PRIK_ZOB	ZOB_KEY	Object surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK6_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_SUPPLIERKEY	R5DWSUPPLIERS	R5PRIK_ZSU	ZSU_KEY	Supplier surrogate key

R5DWWARCLAIMSACCUMSNAP	R5FOK7_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_ORGKEY	R5DWORKORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWWARCLAIMSACCUMSNAP	R5FOK8_ZCS			
Column name	Parent	Primary key	Parent column	Column description
ZCS_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key
R5DWWOACCUMSNAP	R5FOK1_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_WODATECREATEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOACCUMSNAP	R5FOK2_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_SRDATEREQUESTEDKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOACCUMSNAP	R5FOK3_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_SCHEDSTARTDATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOACCUMSNAP	R5FOK4_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_SCHEDCOMPDATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOACCUMSNAP	R5FOK5_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_ACTUALSTARTDATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOACCUMSNAP	R5FOK6_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_ACTUALCOMPDATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOACCUMSNAP	R5FOK7_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_WOKEY	R5DWORKORDERS	R5PRIK_ZWO	ZWO_KEY	Work order surrogate key
R5DWWOACCUMSNAP	R5FOK8_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_ORGKEY	R5DWORKORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWWOACCUMSNAP	R5FOK9_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key
R5DWWOACCUMSNAP	R5FOKA_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_OBJECTKEY	R5DWOBJECTS	R5PRIK_ZOB	ZOB_KEY	Object surrogate key
R5DWWOACCUMSNAP	R5FOKB_ZWS			
Column name	Parent	Primary key	Parent column	Column description
ZWS_SRKEY	R5DWSERVICEREQUESTS	R5PRIK_ZSR	ZSR_KEY	Service request surrogate key
R5DWWOCOSTDAILYSNAP	R5FOK1_ZWT			
Column name	Parent	Primary key	Parent column	Column description

ZWT_DATEKEY	R5DWDATES	R5PRIK_ZDT	ZDT_KEY	Date surrogate key
R5DWWOCOSTDAILYSNAP	R5FOK2_ZWT			
Column name	Parent	Primary key	Parent column	Column description
ZWT_WOKEY	R5DWORKORDERS	R5PRIK_ZWO	ZWO_KEY	Work order surrogate key
R5DWWOCOSTDAILYSNAP	R5FOK3_ZWT			
Column name	Parent	Primary key	Parent column	Column description
ZWT_BUDGETKEY	R5DWBUDGETS	R5PRIK_ZBU	ZBU_KEY	Budget surrogate key
R5DWWOCOSTDAILYSNAP	R5FOK4_ZWT			
Column name	Parent	Primary key	Parent column	Column description
ZWT_ORGKEY	R5DWORGANIZATIONS	R5PRIK_ZOR	ZOR_KEY	Organization surrogate key
R5DWWOCOSTDAILYSNAP	R5FOK5_ZWT			
Column name	Parent	Primary key	Parent column	Column description
ZWT_MRCKEY	R5DWMRCS	R5PRIK_ZMR	ZMR_KEY	MRC surrogate key
R5DWWOCOSTDAILYSNAP	R5FOK6_ZWT			
Column name	Parent	Primary key	Parent column	Column description
ZWT_OBJECTKEY	R5DWOBJECTS	R5PRIK_ZOB	ZOB_KEY	Object surrogate key
R5ECSESSIONDETAILS	R5FOK1_CSD			
Column name	Parent	Primary key	Parent column	Column description
CSD_PARENTPK	R5ECSESSIONDETAILS	R5PRIK_CSD	CSD_PK	The primary key of the record.
R5ECSESSIONDETAILS	R5FOK2_CSD			
Column name	Parent	Primary key	Parent column	Column description
CSD_SESSION	R5EQUIPCONFIGSESSIONS	R5PRIK_EGS	EGS_CODE	The primary key of the session.
R5ECSESSIONEQUIPMENT	R5FOK1_CSE			
Column name	Parent	Primary key	Parent column	Column description
CSE_DETAILPK	R5ECSESSIONDETAILS	R5PRIK_CSD	CSD_PK	The primary key of the record.
R5ECSESSIONEQUIPMENT	R5FOK2_CSE			
Column name	Parent	Primary key	Parent column	Column description
CSE_SESSION	R5EQUIPCONFIGSESSIONS	R5PRIK_EGS	EGS_CODE	The primary key of the session.
R5ECSESSIONWARNINGS	R5FOK1_CSW			
Column name	Parent	Primary key	Parent column	Column description
CSW_SESSION	R5EQUIPCONFIGSESSIONS	R5PRIK_EGS	EGS_CODE	The primary key of the session.
R5ECSESSIONWARNINGS	R5FOK2_CSW			
Column name	Parent	Primary key	Parent column	Column description
CSW_DETAILPK	R5ECSESSIONDETAILS	R5PRIK_CSD	CSD_PK	The primary key of the record.
R5ELECARCHIVE	R5FOK3_ELA			
Column name	Parent	Primary key	Parent column	Column description
ELA_ENTORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ELECSIGN	R5FOK3_ELS			
Column name	Parent	Primary key	Parent column	Column description
ELS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ELECTRICITYDATA	R5FOK1_OED			

Column name	Parent	Primary key	Parent column	Column description
OED_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OED_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EMPLOYEEORGCHANGE	R5FOK1_EOC			
Column name	Parent	Primary key	Parent column	Column description
EOC_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EMPLOYEEORGCHANGE	R5FOK2_EOC			
Column name	Parent	Primary key	Parent column	Column description
EOC_OLDORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5EMPLOYEEORGCHANGE	R5FOK3_EOC			
Column name	Parent	Primary key	Parent column	Column description
EOC_NEWORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5EMPLOYEEORGCHANGE	R5FOK4_EOC			
Column name	Parent	Primary key	Parent column	Column description
EOC_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ENERGYSTARREADINGS	R5FOK1_ESR			
Column name	Parent	Primary key	Parent column	Column description
ESR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ESR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ENERGYSTARREADINGS	R5FOK2_ESR			
Column name	Parent	Primary key	Parent column	Column description
ESR_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ENERGYSTARSETUP	R5FOK1_ESS			
Column name	Parent	Primary key	Parent column	Column description
ESS_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ESS_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ENERGYSTARSETUP	R5FOK2_ESS			
Column name	Parent	Primary key	Parent column	Column description
ESS_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ENERGYSTARSETUP	R5FOK3_ESS			
Column name	Parent	Primary key	Parent column	Column description
ESS_METERUNIT	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ENERGYTARGETS	R5FOK1_EGT			
Column name	Parent	Primary key	Parent column	Column description
EGT_OBJECTIVE	R5OBJECTIVES	R5PRIK_OJV	OJV_CODE	The objective code.
EGT_OBJECTIVE_ORG	R5OBJECTIVES	R5PRIK_OJV	OJV_ORG	The objective organization.
R5ENTAPPHEADER	R5FOK1_EAH			
Column name	Parent	Primary key	Parent column	Column description
EAH_APPLIST	R5APPROVELISTS	R5PRIK_APL	APL_CODE	approval list code.
R5ENTAPPHEADER	R5FOK2_EAH			
Column name	Parent	Primary key	Parent column	Column description
EAH_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5ENTAPPLISTS	R5FOK1_EAL			
Column name	Parent	Primary key	Parent column	Column description
EAL_PK	R5ENTAPPHEADER	R5PRIK_EAH	EAH_PK	primary key.
R5ENTAPPLISTS	R5FOK2_EAL			
Column name	Parent	Primary key	Parent column	Column description
EAL_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ENTAPPLISTS	R5FOK3_EAL			
Column name	Parent	Primary key	Parent column	Column description
EAL_APPRUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ENTITIES	R5FOK1_ENT			
Column name	Parent	Primary key	Parent column	Column description
ENT_TYPENT	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ENTITIES	R5FOK2_ENT			
Column name	Parent	Primary key	Parent column	Column description
ENT_STATENT	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ENTITYATTRIBUTESETS	R5FOK1_ESE			
Column name	Parent	Primary key	Parent column	Column description
ESE_ATTRIBUTESETDEF	R5ATTRIBUTESETDEF	R5PRIK_ASD	ASD_CODE	Attribute set definition code
R5ENTITYINDICATORS	R5FOK1_EIN			
Column name	Parent	Primary key	Parent column	Column description
EIN_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ENTITYINDICATORS	R5FOK2_EIN			
Column name	Parent	Primary key	Parent column	Column description
EIN_INDICATOR	R5INDICATORS	R5PRIK_IND	IND_CODE	performance indicator code. unique identification.
R5ENTITYINDICATORS	R5FOK3_EIN			
Column name	Parent	Primary key	Parent column	Column description
EIN_CODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EIN_CODE_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ENTITYPARTS	R5FOK1_EPA			
Column name	Parent	Primary key	Parent column	Column description
EPA_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
EPA_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5ENTITYPARTS	R5FOK2_EPA			
Column name	Parent	Primary key	Parent column	Column description
EPA_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ENTITYPARTS	R5FOK3_EPA			
Column name	Parent	Primary key	Parent column	Column description
EPA_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ENTITYSALESPRICES	R5FOK1_ESP			
Column name	Parent	Primary key	Parent column	Column description
ESP_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5ENTITYSALESPRICES	R5FOK2_ESP			

Column name	Parent	Primary key	Parent column	Column description
ESP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ENTITYSALESPRICES	R5FOK3_ESP			
Column name	Parent	Primary key	Parent column	Column description
ESP_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5ENTITYTABLES	R5FOK1_ETT			
Column name	Parent	Primary key	Parent column	Column description
ETT_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5EQQTEMP	R5FOK1_EOQ			
Column name	Parent	Primary key	Parent column	Column description
EOQ_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
EOQ_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5EQQTEMP	R5FOK2_EOQ			
Column name	Parent	Primary key	Parent column	Column description
EOQ_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5EQUIPCOMMODITYDATA	R5FOK1_ECD			
Column name	Parent	Primary key	Parent column	Column description
ECD_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ECD_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPCOMMODITYDATA	R5FOK2_ECD			
Column name	Parent	Primary key	Parent column	Column description
ECD_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5EQUIPCONFIGMPS	R5FOK1_ECM			
Column name	Parent	Primary key	Parent column	Column description
ECM_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ECM_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPCONFIGPMS	R5FOK1_EGP			
Column name	Parent	Primary key	Parent column	Column description
EGP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EGP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPCONFIGSESSIONS	R5FOK1_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5EQUIPCONFIGSESSIONS	R5FOK2_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_EQUIPCONFIG_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
EGS_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
R5EQUIPCONFIGSESSIONS	R5FOK3_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5EQUIPCONFIGSESSIONS	R5FOK4_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.

EGS_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPCONFIGSESSIONS	R5FOK5_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5EQUIPCONFIGSESSIONS	R5FOK6_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EQUIPCONFIGSESSIONS	R5FOK7_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5EQUIPCONFIGSESSIONS	R5FOK8_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_COMMLOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EGS_COMMLOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPCONFIGSESSIONS	R5FOK9_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_COMMCOSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5EQUIPCONFIGSESSIONS	R5FOKA_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_COMMPERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EQUIPCONFIGSESSIONS	R5FOKB_EGS			
Column name	Parent	Primary key	Parent column	Column description
EGS_COMMSCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5EQUIPCONFIGSTRUCTURES	R5FOK1_ECS			
Column name	Parent	Primary key	Parent column	Column description
ECS_PARENT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ECS_PARENT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPCONFIGSTRUCTURES	R5FOK2_ECS			
Column name	Parent	Primary key	Parent column	Column description
ECS_CHILD	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ECS_CHILD_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPEVALUATIONLIST	R5FOK1_EEL			
Column name	Parent	Primary key	Parent column	Column description
EEL_EVALCODE	R5EQUIPEVALUATIONS	R5PRIK_EEV	EEV_CODE	The identifier of the equipment evaluation
R5EQUIPEVALUATIONLIST	R5FOK2_EEL			
Column name	Parent	Primary key	Parent column	Column description
EEL_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EEL_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPEVALUATIONLIST	R5FOK3_EEL			
Column name	Parent	Primary key	Parent column	Column description
EEL_CAPITALPLANNINGREQUEST	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_CODE	Code
EEL_CAPITALPLANNINGREQUEST_ORG	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_ORG	Organization

R5EQUIPEVALUATIONS	R5FOK01_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5EQUIPEVALUATIONS	R5FOK02_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_COMMODITY1	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5EQUIPEVALUATIONS	R5FOK03_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_COMMODITY2	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5EQUIPEVALUATIONS	R5FOK04_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_COMMODITY3	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5EQUIPEVALUATIONS	R5FOK05_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_COMMODITY4	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5EQUIPEVALUATIONS	R5FOK06_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_COMMODITY5	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5EQUIPEVALUATIONS	R5FOK07_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_DESIGNUSAGEUOM1	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EQUIPEVALUATIONS	R5FOK08_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_DESIGNUSAGEUOM2	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EQUIPEVALUATIONS	R5FOK09_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_DESIGNUSAGEUOM3	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EQUIPEVALUATIONS	R5FOK10_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_DESIGNUSAGEUOM4	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EQUIPEVALUATIONS	R5FOK11_EEV			
Column name	Parent	Primary key	Parent column	Column description
EEV_DESIGNUSAGEUOM5	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EQUIPFUNCTIONLEVELS	R5FOK2_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_PARENT	R5EQUIPFUNCTIONLEVELS	R5PRIK_EFL	EFL_CODE	Primary key of the record
R5EQUIPFUNCTIONLEVELS	R5FOK3_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_CONSEQUENCECATEGORY	R5RISKMATRIXSETUP	R5PRIK_RMS	RMS_CODE	Code
R5EQUIPFUNCTIONLEVELS	R5FOK4_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_PROBLEM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.

R5EQUIPFUNCTIONLEVELS	R5FOK5_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_FAILURE	R5FAILURES	R5PRIK_FAL	FAL_CODE	component that failed, i.e. case, elec, seal.
R5EQUIPFUNCTIONLEVELS	R5FOK6_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_CAUSE	R5CAUSES	R5PRIK_CAU	CAU_CODE	cause code. unique identification.
R5EQUIPFUNCTIONLEVELS	R5FOK7_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_ACTION	R5ACTIONCODES	R5PRIK_ACC	ACC_CODE	action code
R5EQUIPFUNCTIONLEVELS	R5FOK8_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_STANDARDWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5EQUIPFUNCTIONLEVELS	R5FOK9_EFL			
Column name	Parent	Primary key	Parent column	Column description
EFL_SYMPTOM	R5SYMPTOMS	R5PRIK_SYM	SYM_CODE	
R5EQUIPMENTQUALIFICATIONS	R5FOK1_EQU			
Column name	Parent	Primary key	Parent column	Column description
EQU_OBJCODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EQU_OBJORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPMENTQUALIFICATIONS	R5FOK2_EQU			
Column name	Parent	Primary key	Parent column	Column description
EQU_QUALIFICATION	R5QUALIFICATIONS	R5PRIK_QUA	QUA_CODE	Qualification code
R5EQUIPMENTRANKINGHISTORY	R5FOK1_ERH			
Column name	Parent	Primary key	Parent column	Column description
ERH_OBJCODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ERH_OBJORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPMENTRANKINGS	R5FOK1_EQR			
Column name	Parent	Primary key	Parent column	Column description
EQR_OBJCODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EQR_OBJORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EQUIPMENTRANKINGS	R5FOK2_EQR			
Column name	Parent	Primary key	Parent column	Column description
EQR_RANKINGCODE	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
EQR_RANKINGORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
EQR_RANKINGREVISION	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
R5EQUIPMENTRANKINGS	R5FOK3_EQR			
Column name	Parent	Primary key	Parent column	Column description
EQR_CORRSCORERANKING	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
EQR_CORRSCORERANKINGREV	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
EQR_CORRSCORERANKING_ORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
R5EQUIPMENTUSABILITIES	R5FOK1_EUB			
Column name	Parent	Primary key	Parent column	Column description
EUB_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5ERRTEXTS	R5FOK1_ERT			
Column name	Parent	Primary key	Parent column	Column description
ERT_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5ESTIMATEEVENTLOGS	R5FOK1_EEG			
Column name	Parent	Primary key	Parent column	Column description
EEG_CUESTIMATE	R5CUESTIMATES	R5PRIK_CUE	CUE_CODE	
EEG_CUESTIMATE_ORG	R5CUESTIMATES	R5PRIK_CUE	CUE_ORG	
R5EVALCRITERIA	R5FOK1_EVC			
Column name	Parent	Primary key	Parent column	Column description
EVC_CODE	R5SUPPEVALCODES	R5PRIK_EVD	EVD_CODE	supplier evaluation code
R5EVALRESPONSES	R5FOK1_EVR			
Column name	Parent	Primary key	Parent column	Column description
EVR_CLINE	R5EVALCRITERIA	R5PRIK_EVC	EVC_LINE	line
EVR_CODE	R5EVALCRITERIA	R5PRIK_EVC	EVC_CODE	evaluation criteria code
R5EVALUATIONCUSTOMFLDPARAMS	R5FOK1_ECP			
Column name	Parent	Primary key	Parent column	Column description
ECP_PROPERTY	R5PROPERTIES	R5PRIK_PRO	PRO_CODE	custom property code. unique identification.
R5EVENTACCOMPLISHMENTS	R5FOK10_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_NONCONFORMITY	R5NONCONFORMITIES	R5PRIK_NCF	NCF_CODE	The nonconformity code.
R5EVENTACCOMPLISHMENTS	R5FOK11_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_OBSERVATION	R5NONCONFORMOBSERVATIONS	R5PRIK_NCO	NCO_PK	The system generated primary key of the nonconformity observation record.
R5EVENTACCOMPLISHMENTS	R5FOK1_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
EAC_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5EVENTACCOMPLISHMENTS	R5FOK2_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_SYMPTOM	R5SYMPTOMS	R5PRIK_SYM	SYM_CODE	
R5EVENTACCOMPLISHMENTS	R5FOK3_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_PROBLEM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5EVENTACCOMPLISHMENTS	R5FOK4_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_FAILURE	R5FAILURES	R5PRIK_FAL	FAL_CODE	component that failed, i.e. case, elec, seal.
R5EVENTACCOMPLISHMENTS	R5FOK5_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_CAUSE	R5CAUSES	R5PRIK_CAU	CAU_CODE	cause code. unique identification.
R5EVENTACCOMPLISHMENTS	R5FOK6_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_ACTION	R5ACTIONCODES	R5PRIK_ACC	ACC_CODE	action code

R5EVENTACCOMPLISHMENTS	R5FOK7_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVENTACCOMPLISHMENTS	R5FOK8_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_CREW	R5CREWS	R5PRIK_CRW	CRW_CODE	Crew code
EAC_CREW_ORG	R5CREWS	R5PRIK_CRW	CRW_ORG	Organization code
R5EVENTACCOMPLISHMENTS	R5FOK9_EAC			
Column name	Parent	Primary key	Parent column	Column description
EAC_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EVENTASPECTS	R5FOK1_EAS			
Column name	Parent	Primary key	Parent column	Column description
EAS_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5EVENTEQUIPREPLACEMENT	R5FOK1_EER			
Column name	Parent	Primary key	Parent column	Column description
EER_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EER_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVENTEQUIPREPLACEMENT	R5FOK2_EER			
Column name	Parent	Primary key	Parent column	Column description
EER_ACTIVITY	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
EER_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5EVENTEQUIPREPLACEMENT	R5FOK3_EER			
Column name	Parent	Primary key	Parent column	Column description
EER_BIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
EER_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5EVENTEQUIPREPLACEMENT	R5FOK4_EER			
Column name	Parent	Primary key	Parent column	Column description
EER_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
EER_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5EVENTEQUIPREPLACEMENT	R5FOK5_EER			
Column name	Parent	Primary key	Parent column	Column description
EER_NEWOBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EER_NEWOBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVENTEQUIPREPLACEMENT	R5FOK6_EER			
Column name	Parent	Primary key	Parent column	Column description
EER_FROMBIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
EER_FROMSTORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5EVENTOBJECTS	R5FOK1_EOB			
Column name	Parent	Primary key	Parent column	Column description
EOB_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EOB_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVENTOBJECTS	R5FOK2_EOB			
Column name	Parent	Primary key	Parent column	Column description

EOB_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVENTPOINTS	R5FOK10_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVENTPOINTS	R5FOK11_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_INSPECTOR	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EVENTPOINTS	R5FOK12_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5EVENTPOINTS	R5FOK13_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5EVENTPOINTS	R5FOK1_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVENTPOINTS	R5FOK3_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_JOB	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVENTPOINTS	R5FOK5_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_MAXSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5EVENTPOINTS	R5FOK6_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_METHOD	R5METHODS	R5PRIK_MTH	MTH_CODE	inspection method code. unique identification.
R5EVENTPOINTS	R5FOK8_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_MINSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5EVENTPOINTS	R5FOK9_EPO			
Column name	Parent	Primary key	Parent column	Column description
EPO_STWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5EVENTRESOURCES	R5FOK1_ERE			
Column name	Parent	Primary key	Parent column	Column description
ERE_RESOURCE	R5RESOURCES	R5PRIK_RSS	RSS_CODE	Resource Code
R5EVENTRESOURCES	R5FOK2_ERE			
Column name	Parent	Primary key	Parent column	Column description
ERE_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVENTS	R5FOK10_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_METUOM2	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVENTS	R5FOK11_EVT			

Column name	Parent	Primary key	Parent column	Column description
EVT_SERVICECATEGORY	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
EVT_SERVICECATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5EVENTS	R5FOK12_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_EQUIPMENTUSABILITY	R5EQUIPMENTUSABILITIES	R5PRIK_EUB	EUB_EQPUSABILITY	Equipment Usability
EVT_EQUIPMENTUSABILITY_ORG	R5EQUIPMENTUSABILITIES	R5PRIK_EUB	EUB_ORG	Equipment Usability Organization
R5EVENTS	R5FOK13_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PRODUCTIONREQUEST	R5PRODUCTIONREQUESTS	R5PRIK_PRQ	PRQ_CODE	Production Request Code
EVT_PRODUCTIONREQUESTREV	R5PRODUCTIONREQUESTS	R5PRIK_PRQ	PRQ_REVISION	Production Request Revision
EVT_PRODUCTIONREQUEST_ORG	R5PRODUCTIONREQUESTS	R5PRIK_PRQ	PRQ_ORG	Production Request Organization
R5EVENTS	R5FOK14_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_MP_REV	R5PATTERNSEQUENCES	R5PRIK_PSQ	PSQ_REVISION	The revision of the maintenance pattern sequence
EVT_PSQPK	R5PATTERNSEQUENCES	R5PRIK_PSQ	PSQ_PK	Primary Key Code
R5EVENTS	R5FOK15_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ORIGACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
EVT_ORIGWO	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5EVENTS	R5FOK16_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
EVT_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5EVENTS	R5FOK17_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_CASEMANAGEMENT	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5EVENTS	R5FOK18_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_CASEMANAGEMENTTASK	R5CASEMANAGEMENTTASKS	R5PRIK_TCM	TCM_CODE	Primary key of the case task
R5EVENTS	R5FOK19_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ORIGCASEMANAGEMENT	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5EVENTS	R5FOK1_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5EVENTS	R5FOK20_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_DUPCASEMANAGEMENT	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5EVENTS	R5FOK21_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_CONTACTRECORD	R5CONTACTRECORDS	R5PRIK_CTR	CTR_CODE	Contact record code/Auto-generated code
EVT_CONTACTRECORD_ORG	R5CONTACTRECORDS	R5PRIK_CTR	CTR_ORG	Contact record org

R5EVENTS	R5FOK22_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5EVENTS	R5FOK23_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5EVENTS	R5FOK2_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EVT_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVENTS	R5FOK3_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5EVENTS	R5FOK4_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
EVT_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.
R5EVENTS	R5FOK5_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EVT_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVENTS	R5FOK6_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PPM	R5PPMS	R5PRIK_PPM	PPM_CODE	code of planned preventive maintenance schedule. unique identification.
EVT_PPMREV	R5PPMS	R5PRIK_PPM	PPM_REVISION	revision of pm, material list, task or rout.
R5EVENTS	R5FOK7_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_METER	R5METERS	R5PRIK_MET	MET_CODE	meter code. unique identification.
R5EVENTS	R5FOK9_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PARENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVENTS	R5FOKA_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ORIGIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EVENTS	R5FOKB_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_REQM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5EVENTS	R5FOKC_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ACTION	R5ACTIONCODES	R5PRIK_ACC	ACC_CODE	action code
R5EVENTS	R5FOKD_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.

R5EVENTS	R5FOKE_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.
R5EVENTS	R5FOKF_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_SCREENER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5EVENTS	R5FOKG_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ROUTEDFROM	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5EVENTS	R5FOKH_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_METUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVENTS	R5FOKI_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ENTEREDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5EVENTS	R5FOKJ_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ROUTE	R5ROUTES	R5PRIK_ROU	ROU_CODE	route code. unique identification.
EVT_ROUTEREV	R5ROUTES	R5PRIK_ROU	ROU_REVISION	revision number.
R5EVENTS	R5FOKK_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_CAUSE	R5CAUSES	R5PRIK_CAU	CAU_CODE	cause code. unique identification.
R5EVENTS	R5FOKL_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_FAILURE	R5FAILURES	R5PRIK_FAL	FAL_CODE	component that failed, i.e. case, elec, seal.
R5EVENTS	R5FOKM_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_SERVICEREQUEST	R5SERVICEREQUESTS	R5PRIK_SRQ	SRQ_CODE	system generated service request code
R5EVENTS	R5FOKO_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_CN	R5CHANGENOTICE	R5PRIK_CNH	CNH_CODE	change notice number.
R5EVENTS	R5FOKP_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5EVENTS	R5FOKQ_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_SCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5EVENTS	R5FOKR_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_TRIGEVT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVENTS	R5FOKS_EVT			

R5EVENTS	R5FOKT_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PACKAGE	R5WORKPACKAGES	R5PRIK_WPK	WPK_CODE	work package code
R5EVENTS	R5FOKT_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EVENTS	R5FOKU_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_FIRSTBILL	R5FLEETBILLS	R5PRIK_FBI	FBI_CODE	The system generated bill code.
R5EVENTS	R5FOKV_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_PROVIDER	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
EVT_PROVIDER_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5EVENTS	R5FOKW_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
EVT_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5EVENTS	R5FOKX_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_ALERT	R5ALERTS	R5PRIK_ALT	ALT_CODE	Uniquely identifies an alert definition.
R5EVENTS	R5FOKY_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_CAMPAIGN	R5CAMPAIGNEVENTS	R5PRIK_CGE	CGE_CAMPAIGN	Campaign Code
EVT_CAMPAIGN_LINE	R5CAMPAIGNEVENTS	R5PRIK_CGE	CGE_LINE	Campaign Event
EVT_CAMPAIGN_ORG	R5CAMPAIGNEVENTS	R5PRIK_CGE	CGE_CAMPAIGN_ORG	Campaign Code Organization
R5EVENTS	R5FOKZ_EVT			
Column name	Parent	Primary key	Parent column	Column description
EVT_FACILITY	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EVT_FACILITY_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVTINSTRUMENTS	R5FOK1_EIS			
Column name	Parent	Primary key	Parent column	Column description
EIS_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVTINSTRUMENTS	R5FOK2_EIS			
Column name	Parent	Primary key	Parent column	Column description
EIS_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EIS_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVTSTANDARDS	R5FOK1_EST			
Column name	Parent	Primary key	Parent column	Column description
EST_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVTSTANDARDS	R5FOK2_EST			
Column name	Parent	Primary key	Parent column	Column description
EST_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
EST_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5EVTSTANDARDS	R5FOK3_EST			

Column name	Parent	Primary key	Parent column	Column description
EST_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
EST_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVTSTANDARDS	R5FOK4_EST			
Column name	Parent	Primary key	Parent column	Column description
EST_LOT	R5LOTS	R5PRIK_LOT	LOT_CODE	lot number. unique identification.
R5EVTSYSTEMS	R5FOK1_ESY			
Column name	Parent	Primary key	Parent column	Column description
ESY_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVTSYSTEMS	R5FOK2_ESY			
Column name	Parent	Primary key	Parent column	Column description
ESY_SYSTEM	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ESY_SYSTEM_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVTTESTPOINTS	R5FOK1_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5EVTTESTPOINTS	R5FOK2_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ETP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5EVTTESTPOINTS	R5FOK3_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_TESTPOINTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVTTESTPOINTS	R5FOK4_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_STANDARDUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVTTESTPOINTS	R5FOK5_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_OUTPUTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVTTESTPOINTS	R5FOK6_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_STANDARDUOMAL	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EVTTESTPOINTS	R5FOK7_ETP			
Column name	Parent	Primary key	Parent column	Column description
ETP_OUTPUTUOMAL	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5EXCEPTIONS	R5FOK1_EXC			
Column name	Parent	Primary key	Parent column	Column description
EXC_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5EXCHRATES	R5FOK1_CRR			
Column name	Parent	Primary key	Parent column	Column description
CRR_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5EXCHRATES	R5FOK2_CRR			

Column name	Parent	Primary key	Parent column	Column description
CRR_ORGCURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5EXPORTFILTERS	R5FOK1_EFI			
Column name	Parent	Primary key	Parent column	Column description
EFI_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5EXPORTFILTERS	R5FOK2_EFI			
Column name	Parent	Primary key	Parent column	Column description
EFI_FUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5EXTENSIBLEFRAMEWORK	R5FOK1_EFR			
Column name	Parent	Primary key	Parent column	Column description
EFR_USERFUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5EXTINVLINES	R5FOK1_EIL			
Column name	Parent	Primary key	Parent column	Column description
EIL_INVOICE	R5EXTINVOICES	R5PRIK_EIV	EIV_CODE	external invoice number.
EIL_INVOICE_ORG	R5EXTINVOICES	R5PRIK_EIV	EIV_ORG	invoice organization
R5EXTINVOICES	R5FOK1_EIV			
Column name	Parent	Primary key	Parent column	Column description
EIV_DEBTOR	R5DEBTORS	R5PRIK_DEB	DEB_CODE	debtor code.
R5EXTINVOICES	R5FOK4_EIV			
Column name	Parent	Primary key	Parent column	Column description
EIV_ORIGIN	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5EXTMENULANG	R5FOK1_EML			
Column name	Parent	Primary key	Parent column	Column description
EML_EXTMENU	R5EXTMENUS	R5PRIK_EMN	EMN_CODE	menu sequence number
R5EXTMENULANG	R5FOK2_EML			
Column name	Parent	Primary key	Parent column	Column description
EML_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5EXTMENUS	R5FOK1_EMN			
Column name	Parent	Primary key	Parent column	Column description
EMN_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5EXTMENUS	R5FOK2_EMN			
Column name	Parent	Primary key	Parent column	Column description
EMN_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5EXTTARIFFS	R5FOK1_ETA			
Column name	Parent	Primary key	Parent column	Column description
ETA_ARRANGEMENT	R5ARRANGEMENTS	R5PRIK_ARR	ARR_CODE	arrangement code. must be unique.
R5EXTTARIFFS	R5FOK2_ETA			
Column name	Parent	Primary key	Parent column	Column description
ETA_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5EXTTARIFFS	R5FOK3_ETA			
Column name	Parent	Primary key	Parent column	Column description
ETA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5FACILITIES	R5FOK2_FAC			
Column name	Parent	Primary key	Parent column	Column description
FAC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5FAILURECLASSES	R5FOK1_FCA			
Column name	Parent	Primary key	Parent column	Column description
FCA_FAILURE	R5FAILURES	R5PRIK_FAL	FAL_CODE	component that failed, i.e. case, elec, seal.
R5FIELDFILTERCLASS	R5FOK1_FLC			
Column name	Parent	Primary key	Parent column	Column description
FLC_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FIELDFILTERTYPE	R5FOK1_FFT			
Column name	Parent	Primary key	Parent column	Column description
FFT_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FIELDFILTERWOBJTYPE	R5FOK1_FFW			
Column name	Parent	Primary key	Parent column	Column description
FFW_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FIFO	R5FOK1_FIF			
Column name	Parent	Primary key	Parent column	Column description
FIF_PART	R5STOCK	R5PRIK_STO	STO_PART	part code.
FIF_PART_ORG	R5STOCK	R5PRIK_STO	STO_PART_ORG	part organization
FIF_STORE	R5STOCK	R5PRIK_STO	STO_STORE	store code.
R5FIFO	R5FOK2_FIF			
Column name	Parent	Primary key	Parent column	Column description
FIF_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
FIF_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
FIF_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5FILTERS	R5FOK1_FIL			
Column name	Parent	Primary key	Parent column	Column description
FIL_FUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FILTERS	R5FOK2_FIL			
Column name	Parent	Primary key	Parent column	Column description
FIL_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5FINCLASSES	R5FOK1_FCL			
Column name	Parent	Primary key	Parent column	Column description
FCL_FIND	R5FINDINGS	R5PRIK_FND	FND_CODE	inspection finding code.
R5FIXEDPAYMENTS	R5FOK1_FPA			
Column name	Parent	Primary key	Parent column	Column description
FPA_AGREEMENT	R5AGREEMENTS	R5PRIK_AGR	AGR_CODE	agreement number. unique identification.
R5FLDFILTEROPRCHECKLIST	R5FOK1_FFO			
Column name	Parent	Primary key	Parent column	Column description
FFO_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FLEETAUTH	R5FOK1_FAU			
Column name	Parent	Primary key	Parent column	Column description

FAU_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5FLEETBILLINGCODES	R5FOK1_FBC			
Column name	Parent	Primary key	Parent column	Column description
FBC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5FLEETBILLINGRATES	R5FOK1_FBR			
Column name	Parent	Primary key	Parent column	Column description
FBR_BILLINGCODE	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_CODE	The billing code.
FBR_BILLINGCODE_ORG	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_ORG	The organization of the billing code.
R5FLEETBILLINES	R5FOK1_FBL			
Column name	Parent	Primary key	Parent column	Column description
FBL_BILL	R5FLEETBILLS	R5PRIK_FBI	FBI_CODE	The system generated bill code.
R5FLEETBILLINES	R5FOK2_FBL			
Column name	Parent	Primary key	Parent column	Column description
FBL_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5FLEETBILLINES	R5FOK3_FBL			
Column name	Parent	Primary key	Parent column	Column description
FBL_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
FBL_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5FLEETBILLS	R5FOK1_FBI			
Column name	Parent	Primary key	Parent column	Column description
FBI_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5FLEETBILLS	R5FOK2_FBI			
Column name	Parent	Primary key	Parent column	Column description
FBI_PERIODENDDATE	R5FLEETBILLINGSCHEDULES	R5PRIK_FSC	FSC_PERIODENDDATE	The period end date.
R5FLEETBILLS	R5FOK3_FBI			
Column name	Parent	Primary key	Parent column	Column description
FBI_FLEETCUSTOMER	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_CODE	The fleet customer code.
FBI_FLEETCUSTOMER_ORG	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_ORG	The organization of the fleet customer.
R5FLEETBILLSUBLINES	R5FOK1_FBS			
Column name	Parent	Primary key	Parent column	Column description
FBS_ADJUSTMENT	R5FLEETBILLINES	R5PRIK_FBL	FBL_ADJUSTMENT	Whether the bill line is an adjustment.
FBS_BILL	R5FLEETBILLINES	R5PRIK_FBL	FBL_BILL	The fleet bill.
FBS_COSTCODE	R5FLEETBILLINES	R5PRIK_FBL	FBL_COSTCODE	The cost code.
FBS_OBJECT	R5FLEETBILLINES	R5PRIK_FBL	FBL_OBJECT	The vehicle.
FBS_OBJECT_ORG	R5FLEETBILLINES	R5PRIK_FBL	FBL_OBJECT_ORG	The organization of the vehicle.
R5FLEETBILLSUBLINES	R5FOK2_FBS			
Column name	Parent	Primary key	Parent column	Column description
FBS_TICKET	R5FLEETTICKETS	R5PRIK_FTI	FTI_CODE	The system generated ticket code.
R5FLEETBILLSUBLINES	R5FOK3_FBS			
Column name	Parent	Primary key	Parent column	Column description
FBS_ADJPK	R5BILLINGADJUSTMENTS	R5PRIK_FBA	FBA_PK	The system generated primary key.
R5FLEETBILLSUBLINES	R5FOK4_FBS			
Column name	Parent	Primary key	Parent column	Column description

FBS_BILLINGCODE	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_CODE	The billing code.
FBS_BILLINGCODE_ORG	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_ORG	The organization of the billing code.
R5FLEETBILLSUBLINES	R5FOK5_FBS			
Column name	Parent	Primary key	Parent column	Column description
FBS_MARKUPCODE	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_CODE	The markup code.
FBS_MARKUPCODE_ORG	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_ORG	The organization of the markup code.
R5FLEETBOOKLABOR	R5FOK1_FLB			
Column name	Parent	Primary key	Parent column	Column description
FLB_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5FLEETBOOKLABOR	R5FOK2_FLB			
Column name	Parent	Primary key	Parent column	Column description
FLB_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5FLEETBOOKLABOR	R5FOK3_FLB			
Column name	Parent	Primary key	Parent column	Column description
FLB_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5FLEETBOOKLABOR	R5FOK4_FLB			
Column name	Parent	Primary key	Parent column	Column description
FLB_ACSCODE	R5ACTSCHEDULES	R5PRIK_ACS	ACS_CODE	Schedule code
R5FLEETCUSTOMERCODES	R5FOK1_FCD			
Column name	Parent	Primary key	Parent column	Column description
FCD_FLEETCUSTOMER	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_CODE	The fleet customer code.
FCD_FLEETCUSTOMER_ORG	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_ORG	The organization of the fleet customer.
R5FLEETCUSTOMERCODES	R5FOK2_FCD			
Column name	Parent	Primary key	Parent column	Column description
FCD_BILLINGCODE	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_CODE	The billing code.
FCD_BILLINGCODE_ORG	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_ORG	The organization of the billing code.
R5FLEETCUSTOMERCODES	R5FOK3_FCD			
Column name	Parent	Primary key	Parent column	Column description
FCD_MARKUPCODE	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_CODE	The markup code.
FCD_MARKUPCODE_ORG	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_ORG	The organization of the markup code.
R5FLEETCUSTOMERS	R5FOK1_FCU			
Column name	Parent	Primary key	Parent column	Column description
FCU_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5FLEETEXCEPTIONS	R5FOK1_FEX			
Column name	Parent	Primary key	Parent column	Column description
FEX_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5FLEETEXCEPTIONS	R5FOK2_FEX			
Column name	Parent	Primary key	Parent column	Column description
FEX_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5FLEETMARKUPCODES	R5FOK1_FMC			
Column name	Parent	Primary key	Parent column	Column description
FMC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5FLEETMARKUPRATES	R5FOK1_FMR			
Column name	Parent	Primary key	Parent column	Column description
FMR_MARKUPCODE	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_CODE	The markup code.
FMR_MARKUPCODE_ORG	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_ORG	The organization of the markup code.
R5FLEETTICKETEXCEPTIONS	R5FOK1_FTE			
Column name	Parent	Primary key	Parent column	Column description
FTE_TICKET	R5FLEETTICKETS	R5PRIK_FTI	FTI_CODE	The system generated ticket code.
R5FLEETTICKETEXCEPTIONS	R5FOK2_FTE			
Column name	Parent	Primary key	Parent column	Column description
FTE_EXCEPTION	R5FLEETEXCEPTIONS	R5PRIK_FEX	FEX_CODE	The exception code.
FTE_EXCEPTION_ORG	R5FLEETEXCEPTIONS	R5PRIK_FEX	FEX_ORG	The organization of the exception.
R5FLEETTICKETEXCEPTIONS	R5FOK3_FTE			
Column name	Parent	Primary key	Parent column	Column description
FTE_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5FLEETTICKETEXCEPTIONS	R5FOK4_FTE			
Column name	Parent	Primary key	Parent column	Column description
FTE_BILLSUBLINE	R5FLEETBILLSUBLINES	R5PRIK_FBS	FBS_PK	System generated primary key.
R5FLEETTICKETS	R5FOK1_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5FLEETTICKETS	R5FOK2_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_FLEETCUSTOMER	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_CODE	The fleet customer code.
FTI_FLEETCUSTOMER_ORG	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_ORG	The organization of the fleet customer.
R5FLEETTICKETS	R5FOK3_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5FLEETTICKETS	R5FOK4_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
FTI_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5FLEETTICKETS	R5FOK5_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5FLEETTICKETS	R5FOK6_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5FLEETTICKETS	R5FOK7_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_BILLINGCODE	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_CODE	The billing code.
FTI_BILLINGCODE_ORG	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_ORG	The organization of the billing code.
R5FLEETTICKETS	R5FOK8_FTI			
Column name	Parent	Primary key	Parent column	Column description

FTI_MARKUPCODE	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_CODE	The markup code.
FTI_MARKUPCODE_ORG	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_ORG	The organization of the markup code.

R5FLEETTICKETS	R5FOK9_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_BILLSUBLINE	R5FLEETBILLSUBLINES	R5PRIK_FBS	FBS_PK	System generated primary key.

R5FLEETTICKETS	R5FOKA_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_ISSUEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5FLEETTICKETS	R5FOKB_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_RETURNEDTO	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5FLEETTICKETS	R5FOKC_FTI			
Column name	Parent	Primary key	Parent column	Column description
FTI_RECVOBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
FTI_RECVOBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5FORGETMEERRORS	R5FOK1_FME			
Column name	Parent	Primary key	Parent column	Column description
FME_CODE	R5FORGETME	R5PRIK_FGM	FGM_PK	

R5FORMLINKPARMS	R5FOK1_FLP			
Column name	Parent	Primary key	Parent column	Column description
FLP_CALLING	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.

R5FORMLINKPARMS	R5FOK2_FLP			
Column name	Parent	Primary key	Parent column	Column description
FLP_CALLED	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.

R5FUELINVENTORYADJUSTMENTS	R5FOK1_FIA			
Column name	Parent	Primary key	Parent column	Column description
FIA_FUELINVENTORY	R5FUELINVENTORY	R5PRIK_FIN	FIN_CODE	The identifier of the fuel physical inventory record

R5FUELINVENTORYADJUSTMENTS	R5FOK2_FIA			
Column name	Parent	Primary key	Parent column	Column description
FIA_DEPOT	R5TANKS	R5PRIK_TAN	TAN_DEPOT	The depot the tank belongs to
FIA_DEPOT_ORG	R5TANKS	R5PRIK_TAN	TAN_DEPOT_ORG	The depot organization the tank belongs to
FIA_TANK	R5TANKS	R5PRIK_TAN	TAN_CODE	The identifier of a tank with a depot

R5FUELINVENTORYTANKS	R5FOK1_FIT			
Column name	Parent	Primary key	Parent column	Column description
FIT_FUELINVENTORY	R5FUELINVENTORY	R5PRIK_FIN	FIN_CODE	The identifier of the fuel physical inventory record

R5FUELISSUES	R5FOK1_FLI			
Column name	Parent	Primary key	Parent column	Column description
FLI_DEPOT	R5PUMPS	R5PRIK_PUM	PUM_DEPOT	The depot of the pump
FLI_DEPOT_ORG	R5PUMPS	R5PRIK_PUM	PUM_DEPOT_ORG	The organization for the depot of the pump
FLI_PUMP	R5PUMPS	R5PRIK_PUM	PUM_CODE	The pump code

R5FUELISSUES	R5FOK2_FLI			
Column name	Parent	Primary key	Parent column	Column description
FLI_FUEL	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel

R5FUELISSUES	R5FOK3_FLI			
Column name	Parent	Primary key	Parent column	Column description
FLI_VEHICLE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
FLI_VEHICLE_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5FUELISSUES	R5FOK4_FLI			
Column name	Parent	Primary key	Parent column	Column description
FLI_ISSUEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5FUELISSUES	R5FOK5_FLI			
Column name	Parent	Primary key	Parent column	Column description
FLI_READING_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5FUELISSUES	R5FOK6_FLI			
Column name	Parent	Primary key	Parent column	Column description
FLI_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5FUELRECEIPTS	R5FOK1_FLR			
Column name	Parent	Primary key	Parent column	Column description
FLR_DEPOT	R5TANKS	R5PRIK_TAN	TAN_DEPOT	The depot the tank belongs to
FLR_DEPOT_ORG	R5TANKS	R5PRIK_TAN	TAN_DEPOT_ORG	The depot organization the tank belongs to
FLR_TANK	R5TANKS	R5PRIK_TAN	TAN_CODE	The identifier of a tank with a depot
R5FUELRECEIPTS	R5FOK2_FLR			
Column name	Parent	Primary key	Parent column	Column description
FLR_FUEL	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5FUELRECEIPTS	R5FOK3_FLR			
Column name	Parent	Primary key	Parent column	Column description
FLR_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
FLR_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5FUELS	R5FOK1_FUE			
Column name	Parent	Primary key	Parent column	Column description
FUE_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5FUELS	R5FOK2_FUE			
Column name	Parent	Primary key	Parent column	Column description
FUE_BLENDFUEL1	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5FUELS	R5FOK3_FUE			
Column name	Parent	Primary key	Parent column	Column description
FUE_BLENDFUEL2	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5FUELS	R5FOK4_FUE			
Column name	Parent	Primary key	Parent column	Column description
FUE_BLENDFUEL3	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5FUELS	R5FOK5_FUE			
Column name	Parent	Primary key	Parent column	Column description
FUE_BLENDFUEL4	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5FUELS	R5FOK6_FUE			
Column name	Parent	Primary key	Parent column	Column description

FUE_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5FUNCTIONS	R5FOK1_FUN			
Column name	Parent	Primary key	Parent column	Column description
FUN_DEVICE	R5DEVICES	R5PRIK_DEV	DEV_CODE	a code for the device
R5FUNCTIONS	R5FOK2_FUN			
Column name	Parent	Primary key	Parent column	Column description
FUN_APPLICATION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNCTIONS	R5FOK3_FUN			
Column name	Parent	Primary key	Parent column	Column description
FUN_BACKGROUNDREP	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNCTIONS	R5FOK4_FUN			
Column name	Parent	Primary key	Parent column	Column description
FUN_COMMAND	R5COMMANDS	R5PRIK_COD	CMD_CODE	command code.
R5FUNCTIONS	R5FOK5_FUN			
Column name	Parent	Primary key	Parent column	Column description
FUN_POPUPFUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNCTIONTABGRIDS	R5FOK1_FTG			
Column name	Parent	Primary key	Parent column	Column description
FTG_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNCTIONTABS	R5FOK1_FTB			
Column name	Parent	Primary key	Parent column	Column description
FTB_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNCTIONTABS	R5FOK2_FTB			
Column name	Parent	Primary key	Parent column	Column description
FTB_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5FUNCTIONUSERTABS	R5FOK1_FUB			
Column name	Parent	Primary key	Parent column	Column description
FUB_FUNCTION	R5FUNCTIONTABS	R5PRIK_FTB	FTB_FUNCTION	function code
FUB_TAB	R5FUNCTIONTABS	R5PRIK_FTB	FTB_TAB	tab name
R5FUNCTIONUSERTABS	R5FOK2_FUB			
Column name	Parent	Primary key	Parent column	Column description
FUB_REPORT	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNCVIEWMAP	R5FOK1_FVM			
Column name	Parent	Primary key	Parent column	Column description
FVM_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5FUNCVIEWMAP	R5FOK2_FVM			
Column name	Parent	Primary key	Parent column	Column description
FVM_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5FUNNOPERM	R5FOK1_FPN			
Column name	Parent	Primary key	Parent column	Column description
FPN_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.

R5GISMAPPARAMETERS	R5FOK1_GSP			
Column name	Parent	Primary key	Parent column	Column description
GSP_PARAM	R5INSTALL	R5PRIK_INS	INS_CODE	code of installation parameter.
R5GISMAPPARAMETERS	R5FOK2_GSP			
Column name	Parent	Primary key	Parent column	Column description
GSP_MAPCODE	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
GSP_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5GISMAPS	R5FOK1_GSM			
Column name	Parent	Primary key	Parent column	Column description
GSM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5GISUGPREFERENCES	R5FOK1_GUP			
Column name	Parent	Primary key	Parent column	Column description
GUP_UGRCODE	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5GISUGPREFERENCES	R5FOK2_GUP			
Column name	Parent	Primary key	Parent column	Column description
GUP_PROFILE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
GUP_PROFILE_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5GISUGPREFERENCES	R5FOK3_GUP			
Column name	Parent	Primary key	Parent column	Column description
GUP_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
GUP_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5GISVISIBLELAYER	R5FOK1_GVL			
Column name	Parent	Primary key	Parent column	Column description
GVL_CODE	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5GISVISIBLELAYER	R5FOK2_GVL			
Column name	Parent	Primary key	Parent column	Column description
GVL_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
GVL_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5GLREFERENCES	R5FOK1_GLF			
Column name	Parent	Primary key	Parent column	Column description
GLF_PROCESS	R5GLPROCESSDEF	R5PRIK_GPD	GPD_CODE	the code representing the general ledger process.
R5GRAPHPARMS	R5FOK1_GPM			
Column name	Parent	Primary key	Parent column	Column description
GPM_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5GRIDFIELD	R5FOK1_GFD			
Column name	Parent	Primary key	Parent column	Column description
GFD_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid
R5GRIDFIELD	R5FOK2_GFD			
Column name	Parent	Primary key	Parent column	Column description
GFD_FIELDID	R5DDFIELD	R5PRIK_DDF	DDF_FIELDID	a unique id of the field
R5GRIDPARAM	R5FOK1_GDP			
Column name	Parent	Primary key	Parent column	Column description
GDP_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid

R5GRIDWIDGET	R5FOK1_GWG			
Column name	Parent	Primary key	Parent column	Column description
GWG_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5GRIDWIDGET	R5FOK2_GWG			
Column name	Parent	Primary key	Parent column	Column description
GWG_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid
R5GRIDWIDGET	R5FOK3_GWG			
Column name	Parent	Primary key	Parent column	Column description
GWG_DATASPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5GROUPS	R5FOK1_UGR			
Column name	Parent	Primary key	Parent column	Column description
UGR_MRC	R5MRCs	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5GROUPS	R5FOK2_UGR			
Column name	Parent	Primary key	Parent column	Column description
UGR_PRINTER	R5DEVICES	R5PRIK_DEV	DEV_CODE	a code for the device
R5GROUPS	R5FOK3_UGR			
Column name	Parent	Primary key	Parent column	Column description
UGR_FORSTORE_BIN	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5GROUPS	R5FOK4_UGR			
Column name	Parent	Primary key	Parent column	Column description
UGR_FORSTORE_PART	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5GROUPS	R5FOK5_UGR			
Column name	Parent	Primary key	Parent column	Column description
UGR_FORSTORE_INV	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5GROUPS	R5FOK6_UGR			
Column name	Parent	Primary key	Parent column	Column description
UGR_FORDATASPY	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5GROUPSEVALCODES	R5FOK1_GSE			
Column name	Parent	Primary key	Parent column	Column description
GSE_UGRCODE	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5GROUPSEVALCODES	R5FOK2_GSE			
Column name	Parent	Primary key	Parent column	Column description
GSE_EVDCODE	R5SUPPEVALCODES	R5PRIK_EVD	EVD_CODE	supplier evaluation code
R5HAZARDPRECAUTIONS	R5FOK1_HZP			
Column name	Parent	Primary key	Parent column	Column description
HZP_HAZARD	R5HAZARDS	R5PRIK_HAZ	HAZ_CODE	The hazard code.
HZP_HAZARD_ORG	R5HAZARDS	R5PRIK_HAZ	HAZ_ORG	The organization of the hazard.
HZP_REVISION	R5HAZARDS	R5PRIK_HAZ	HAZ_REVISION	The hazard revision.
R5HAZARDS	R5FOK1_HAZ			
Column name	Parent	Primary key	Parent column	Column description
HAZ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5HELPTXTS	R5FOK1_HEL			
Column name	Parent	Primary key	Parent column	Column description
HEL_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5HIDDENDATASPIES	R5FOK1_HDS			
Column name	Parent	Primary key	Parent column	Column description
HDS_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5HIDDENDATASPIES	R5FOK2_HDS			
Column name	Parent	Primary key	Parent column	Column description
HDS_DATASPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5HOME	R5FOK1_HOM			
Column name	Parent	Primary key	Parent column	Column description
HOM_SQLCODE	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5HOME	R5FOK2_HOM			
Column name	Parent	Primary key	Parent column	Column description
HOM_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5HOME	R5FOK3_HOM			
Column name	Parent	Primary key	Parent column	Column description
HOM_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5HOME	R5FOK4_HOM			
Column name	Parent	Primary key	Parent column	Column description
HOM_EWSFUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5HOME	R5FOK5_HOM			
Column name	Parent	Primary key	Parent column	Column description
HOM_EWSDATASPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5HOMEGROUPS	R5FOK1_HMG			
Column name	Parent	Primary key	Parent column	Column description
HMG_HOMCODE	R5HOME	R5PRIK_HOM	HOM_CODE	inbox code
HMG_HOMTYPE	R5HOME	R5PRIK_HOM	HOM_TYPE	kpi type
R5HOMEGROUPS	R5FOK2_HMG			
Column name	Parent	Primary key	Parent column	Column description
HMG_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5HOMEUSERS	R5FOK1_HMU			
Column name	Parent	Primary key	Parent column	Column description
HMU_HOMCODE	R5HOME	R5PRIK_HOM	HOM_CODE	inbox code
HMU_HOMTYPE	R5HOME	R5PRIK_HOM	HOM_TYPE	kpi type
R5HOMEUSERS	R5FOK2_HMU			
Column name	Parent	Primary key	Parent column	Column description
HMU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5HYPERLINK	R5FOK1_HYP			
Column name	Parent	Primary key	Parent column	Column description
HYP_DATASPY	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5HYPERLINKURLPARAMETERS	R5FOK1_HUP			

Column name	Parent	Primary key	Parent column	Column description
HUP_HYPERLINKPK	R5HYPERLINK	R5PRIK_HYP	HYP_PK	Primary key
R5HYPERLINKURLPARAMETERS	R5FOK2_HUP			
Column name	Parent	Primary key	Parent column	Column description
HUP_PARAMETERNAME	R5URLPARAMETERS	R5PRIK_URL	URL_PARAMETERNAME	Parameter name
HUP_TAB	R5URLPARAMETERS	R5PRIK_URL	URL_TAB	Tab code selected on Screens - Custom Tabs tab to define a parameter
HUP_USERFUNCTION	R5URLPARAMETERS	R5PRIK_URL	URL_USERFUNCTION	Function code selected on the Screens screen to define a parameter
R5IESREPOSITORIES	R5FOK1_ENS			
Column name	Parent	Primary key	Parent column	Column description
ENS_USERFUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5IESREPOSITORIES	R5FOK2_ENS			
Column name	Parent	Primary key	Parent column	Column description
ENS_INTERESTCENTER	R5IESINTERESTCENTERS	R5PRIK_ENI	ENI_CODE	interest center code
R5IESREPOSITORYCOLUMNS	R5FOK1_ENC			
Column name	Parent	Primary key	Parent column	Column description
ENC_REPOSITORYID	R5IESREPOSITORIES	R5PRIK_ENS	ENS_CODE	repository code
R5IMPORTEXPORTGRPSTATUS	R5FOK1_IMG			
Column name	Parent	Primary key	Parent column	Column description
IMG_SESSIONID	R5IMPORTEXPORTSTATUS	R5PRIK_IES	IES_SESSIONID	Unique Sessionid
R5IMPORTEXPORTSTATUS	R5FOK1_IES			
Column name	Parent	Primary key	Parent column	Column description
IES_USERID	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5IMPORTRCMTEMPLATEHISTORY	R5FOK1_IRH			
Column name	Parent	Primary key	Parent column	Column description
IRH_TEMPLATE	R5RCMTEMPLATES	R5PRIK_RCT	RCT_CODE	
IRH_TEMPLATE_ORG	R5RCMTEMPLATES	R5PRIK_RCT	RCT_ORG	
IRH_TEMPLATE_REVISION	R5RCMTEMPLATES	R5PRIK_RCT	RCT_REVISION	
R5INDICATORS	R5FOK1_IND			
Column name	Parent	Primary key	Parent column	Column description
IND_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5INDICATORVALUES	R5FOK1_IDV			
Column name	Parent	Primary key	Parent column	Column description
IDV_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5INDICATORVALUES	R5FOK2_IDV			
Column name	Parent	Primary key	Parent column	Column description
IDV_INDICATOR	R5INDICATORS	R5PRIK_IND	IND_CODE	performance indicator code. unique identification.
R5INSPECTEQUIPDATA	R5FOK1_IED			
Column name	Parent	Primary key	Parent column	Column description
IED_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
IED_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5INSPECTEQUIPDATA	R5FOK2_IED			
Column name	Parent	Primary key	Parent column	Column description
IED_PIPING	R5PIPINGCLASS	R5PRIK_PCS	PCS_CODE	pipng class

IED_PIPINGREV	R5PIPINGCLASS	R5PRIK_PCS	PCS_REVISION	revision
R5INSPECTEQUIPDATA	R5FOK3_IED			
Column name	Parent	Primary key	Parent column	Column description
IED_MATERIAL	R5MATERIALSTANDARDS	R5PRIK_MST	MST_CODE	material standard
IED_MATERIALREV	R5MATERIALSTANDARDS	R5PRIK_MST	MST_REVISION	revision
R5INTERFACEERRORS	R5FOK1_INE			
Column name	Parent	Primary key	Parent column	Column description
INE_TRANSID	R5INTERFACE	R5PRIK_INT	INT_TRANSID	unique identification of interface transaction.
R5INVESTMENTPLANEQUIPMENT	R5FOK1_IEQ			
Column name	Parent	Primary key	Parent column	Column description
IEQ_INVESTMENTPLANNING	R5INVESTMENTPLANNING	R5PRIK_INP	INP_CODE	
IEQ_INVESTMENTPLANNINGREV	R5INVESTMENTPLANNING	R5PRIK_INP	INP_REVISION	
IEQ_INVESTMENTPLANNING_ORG	R5INVESTMENTPLANNING	R5PRIK_INP	INP_ORG	
R5INVESTMENTPLANEQUIPMENT	R5FOK2_IEQ			
Column name	Parent	Primary key	Parent column	Column description
IEQ_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
IEQ_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5INVESTMENTPLANEQUIPMENT	R5FOK3_IEQ			
Column name	Parent	Primary key	Parent column	Column description
IEQ_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5INVESTMENTPLANEQUIPMENT	R5FOK4_IEQ			
Column name	Parent	Primary key	Parent column	Column description
IEQ_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5INVESTMENTPLANNING	R5FOK1_INP			
Column name	Parent	Primary key	Parent column	Column description
INP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5INVESTMENTPLANNING	R5FOK2_INP			
Column name	Parent	Primary key	Parent column	Column description
INP_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5INVESTMENTPLANNING	R5FOK3_INP			
Column name	Parent	Primary key	Parent column	Column description
INP_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5INVESTMENTPLANNINGREQUESTS	R5FOK1_IPQ			
Column name	Parent	Primary key	Parent column	Column description
IPQ_INVESTMENTPLANNING	R5INVESTMENTPLANNING	R5PRIK_INP	INP_CODE	
IPQ_INVESTMENTPLANNINGREV	R5INVESTMENTPLANNING	R5PRIK_INP	INP_REVISION	
IPQ_INVESTMENTPLANNING_ORG	R5INVESTMENTPLANNING	R5PRIK_INP	INP_ORG	
R5INVESTMENTPLANNINGREQUESTS	R5FOK2_IPQ			
Column name	Parent	Primary key	Parent column	Column description
IPQ_CAPITALPLANNINGREQUEST	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_CODE	Code
IPQ_CAPITALPLANNINGREQUEST_ORG	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_ORG	Organization
R5INVESTMENTPLANNINGRESULT	R5FOK1_INR			
Column name	Parent	Primary key	Parent column	Column description

INR_INVESTMENTPLANNING	R5INVESTMENTPLANNING	R5PRIK_INP	INP_CODE
INR_INVESTMENTPLANNINGREV	R5INVESTMENTPLANNING	R5PRIK_INP	INP_REVISION
INR_INVESTMENTPLANNING_ORG	R5INVESTMENTPLANNING	R5PRIK_INP	INP_ORG

R5INVESTMENTPLANNINGRESULT	R5FOK2_INR			
Column name	Parent	Primary key	Parent column	Column description
INR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
INR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5INVESTMENTPLANNINGRESULT	R5FOK3_INR			
Column name	Parent	Primary key	Parent column	Column description
INR_CAPITALPLANNINGREQUEST	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_CODE	Code
INR_CAPITALPLANNINGREQUEST_ORG	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_ORG	Organization

R5INVOICEALLOCATIONS	R5FOK1_INA			
Column name	Parent	Primary key	Parent column	Column description
INA_INVLINE	R5INVOICELINES	R5PRIK_IVL	IVL_INVLINE	invoice line number.
INA_INVOICE	R5INVOICELINES	R5PRIK_IVL	IVL_INVOICE	invoice code
INA_INVOICE_ORG	R5INVOICELINES	R5PRIK_IVL	IVL_INVOICE_ORG	invoice organization

R5INVOICELINES	R5FOK1_IVL			
Column name	Parent	Primary key	Parent column	Column description
IVL_INVOICE	R5INVOICES	R5PRIK_INV	INV_CODE	code identifying the invoice.
IVL_INVOICE_ORG	R5INVOICES	R5PRIK_INV	INV_ORG	invoice organization

R5INVOICELINES	R5FOK2_IVL			
Column name	Parent	Primary key	Parent column	Column description
IVL_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
IVL_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
IVL_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.

R5INVOICELINES	R5FOK3_IVL			
Column name	Parent	Primary key	Parent column	Column description
IVL_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5INVOICES	R5FOK1_INV			
Column name	Parent	Primary key	Parent column	Column description
INV_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
INV_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5INVOICES	R5FOK2_INV			
Column name	Parent	Primary key	Parent column	Column description
INV_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5INVOICES	R5FOK3_INV			
Column name	Parent	Primary key	Parent column	Column description
INV_ORG	R5INVOICES	R5PRIK_INV	INV_ORG	invoice organization
INV_PARENT	R5INVOICES	R5PRIK_INV	INV_CODE	code identifying the invoice.

R5INVOICES	R5FOK4_INV			
Column name	Parent	Primary key	Parent column	Column description
INV_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5INVOICEUNMATCHEDLINES	R5FOK1_IUC			
Column name	Parent	Primary key	Parent column	Column description

IUC_INVOICE	R5INVOICES	R5PRIK_INV	INV_CODE	code identifying the invoice.
IUC_INVOICE_ORG	R5INVOICES	R5PRIK_INV	INV_ORG	invoice organization
R5INVOICEUNMATCHEDLINES	R5FOK2_IUC			
Column name	Parent	Primary key	Parent column	Column description
IUC_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
IUC_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
IUC_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5INVOICEUNMATCHEDLINES	R5FOK3_IUC			
Column name	Parent	Primary key	Parent column	Column description
IUC_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
IUC_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5INVOICEUTILITYAUDIT	R5FOK1_IUA			
Column name	Parent	Primary key	Parent column	Column description
IUA_INVOICE	R5INVOICES	R5PRIK_INV	INV_CODE	code identifying the invoice.
IUA_INVOICE_ORG	R5INVOICES	R5PRIK_INV	INV_ORG	invoice organization
R5IPGROUPPERMISSIONS	R5FOK1_IPG			
Column name	Parent	Primary key	Parent column	Column description
IPG_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5IPGROUPPERMISSIONS	R5FOK2_IPG			
Column name	Parent	Primary key	Parent column	Column description
IPG_PERMISSION	R5IPPERMISSIONS	R5PRIK_IPP	IPP_CODE	code
R5IPPERMISSIONS	R5FOK1_IPP			
Column name	Parent	Primary key	Parent column	Column description
IPP_FUNCTION	R5IPFUNCTIONS	R5PRIK_IPF	IPF_CODE	7i Buy function
R5IPPERMISSIONS	R5FOK2_IPP			
Column name	Parent	Primary key	Parent column	Column description
IPP_MNEMONIC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5IPVENDORORDERTERMS	R5FOK1_IPT			
Column name	Parent	Primary key	Parent column	Column description
IPT_CODE	R5IPVENDORS	R5PRIK_IPV	IPV_CODE	7i Buy vendor code
R5IPVENDORORDERTERMS	R5FOK2_IPT			
Column name	Parent	Primary key	Parent column	Column description
IPT_TERM	R5ORDERTERMS	R5PRIK_ORT	ORT_CODE	order term code.
R5IPVENDORS	R5FOK1_IPV			
Column name	Parent	Primary key	Parent column	Column description
IPV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5IPVENDORS	R5FOK2_IPV			
Column name	Parent	Primary key	Parent column	Column description
IPV_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5IPVENDORS	R5FOK3_IPV			
Column name	Parent	Primary key	Parent column	Column description
IPV_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.

R5ISOLATIONPOINTS	R5FOK1_ISP			
Column name	Parent	Primary key	Parent column	Column description
ISP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ISOLATIONPOINTS	R5FOK2_ISP			
Column name	Parent	Primary key	Parent column	Column description
ISP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ISP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ISOLATIONPOINTS	R5FOK3_ISP			
Column name	Parent	Primary key	Parent column	Column description
ISP_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ISP_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ISSUES	R5FOK1_ISS			
Column name	Parent	Primary key	Parent column	Column description
ISS_PART	R5STOCK	R5PRIK_STO	STO_PART	part code.
ISS_PART_ORG	R5STOCK	R5PRIK_STO	STO_PART_ORG	part organization
ISS_STORE	R5STOCK	R5PRIK_STO	STO_STORE	store code.
R5ISSUES	R5FOK2_ISS			
Column name	Parent	Primary key	Parent column	Column description
ISS_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5JOBLINES	R5FOK1_JBL			
Column name	Parent	Primary key	Parent column	Column description
JBL_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5JOBLINES	R5FOK2_JBL			
Column name	Parent	Primary key	Parent column	Column description
JBL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
JBL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5JOBLINES	R5FOK3_JBL			
Column name	Parent	Primary key	Parent column	Column description
JBL_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
JBL_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.
R5JOBLINES	R5FOK4_JBL			
Column name	Parent	Primary key	Parent column	Column description
JBL_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5JOBPARAM	R5FOK1_JPR			
Column name	Parent	Primary key	Parent column	Column description
JPR_NAME	R5JOBS	R5PRIK_JOB	JOB_NAME	This is primary key of the table. User readable name of the job
R5JOBPARAMVALUE	R5FOK1_JPV			
Column name	Parent	Primary key	Parent column	Column description
JPV_CODE	R5SCHEDULEDJOBS	R5PRIK_SCJ	SCJ_CODE	This is primary key of the table.
R5JOBTPEAUTH	R5FOK1_JTA			
Column name	Parent	Primary key	Parent column	Column description
JTA_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5JOINTEFFICIENCY	R5FOK1_JEF			

Column name	Parent	Primary key	Parent column	Column description
JEF_PIPING	R5PIPINGCLASS	R5PRIK_PCS	PCS_CODE	piping class
JEF_PIPINGREV	R5PIPINGCLASS	R5PRIK_PCS	PCS_REVISION	revision
R5KBACROSSREFERENCE	R5FOK1_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_SERVICECATEGORY	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
KRF_SERVICECATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5KBACROSSREFERENCE	R5FOK2_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
KRF_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5KBACROSSREFERENCE	R5FOK3_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5KBACROSSREFERENCE	R5FOK4_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_PROVIDER	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
KRF_PROVIDER_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5KBACROSSREFERENCE	R5FOK5_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
KRF_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5KBACROSSREFERENCE	R5FOK6_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_KBARTICLE	R5KBARTICLES	R5PRIK_KBA	KBA_CODE	Knowledge Base Code /Auto-Generated Code
KRF_KBARTICLE_ORG	R5KBARTICLES	R5PRIK_KBA	KBA_ORG	Knowledge Base Org
R5KBACROSSREFERENCE	R5FOK7_KRF			
Column name	Parent	Primary key	Parent column	Column description
KRF_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
KRF_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5KBARTICLEDETAILS	R5FOK1_KBD			
Column name	Parent	Primary key	Parent column	Column description
KBD_KBARTICLE	R5KBARTICLES	R5PRIK_KBA	KBA_CODE	Knowledge Base Code /Auto-Generated Code
KBD_KBARTICLE_ORG	R5KBARTICLES	R5PRIK_KBA	KBA_ORG	Knowledge Base Org
R5KBARTICLEDETAILS	R5FOK2_KBD			
Column name	Parent	Primary key	Parent column	Column description
KBD_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5KBARTICLES	R5FOK1_KBA			
Column name	Parent	Primary key	Parent column	Column description
KBA_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
KBA_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5KBARTICLES	R5FOK2_KBA			
Column name	Parent	Primary key	Parent column	Column description
KBA_PROVIDER	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code

KBA_PROVIDER_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5KBARTICLES	R5FOK3_KBA			
Column name	Parent	Primary key	Parent column	Column description
KBA_SERVICECATEGORY	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
KBA_SERVICECATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5KBARTICLES	R5FOK4_KBA			
Column name	Parent	Primary key	Parent column	Column description
KBA_DOCUMENT	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5KBARTICLES	R5FOK5_KBA			
Column name	Parent	Primary key	Parent column	Column description
KBA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
KBA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5KEYLOCKS	R5FOK1_KEL			
Column name	Parent	Primary key	Parent column	Column description
KEL_KEY	R5KEYS	R5PRIK_KEY	KEY_CODE	The primary key of the key
KEL_KEY_ORG	R5KEYS	R5PRIK_KEY	KEY_ORG	The organization of the key
R5KEYLOCKS	R5FOK2_KEL			
Column name	Parent	Primary key	Parent column	Column description
KEL_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
KEL_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5KEYLOCKS	R5FOK3_KEL			
Column name	Parent	Primary key	Parent column	Column description
KEL_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5KEYS	R5FOK1_KEY			
Column name	Parent	Primary key	Parent column	Column description
KEY_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5KEYS	R5FOK2_KEY			
Column name	Parent	Primary key	Parent column	Column description
KEY_PARENT	R5KEYS	R5PRIK_KEY	KEY_CODE	The primary key of the key
KEY_PARENT_ORG	R5KEYS	R5PRIK_KEY	KEY_ORG	The organization of the key
R5KEYS	R5FOK3_KEY			
Column name	Parent	Primary key	Parent column	Column description
KEY_RING	R5KEYS	R5PRIK_KEY	KEY_CODE	The primary key of the key
KEY_RING_ORG	R5KEYS	R5PRIK_KEY	KEY_ORG	The organization of the key
R5KEYS	R5FOK4_KEY			
Column name	Parent	Primary key	Parent column	Column description
KEY_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
KEY_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5KEYS	R5FOK5_KEY			
Column name	Parent	Primary key	Parent column	Column description
KEY_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5KEYTRANSACTIONS	R5FOK1_KTR			
Column name	Parent	Primary key	Parent column	Column description

KTR_KEY	R5KEYS	R5PRIK_KEY	KEY_CODE	The primary key of the key
KTR_KEY_ORG	R5KEYS	R5PRIK_KEY	KEY_ORG	The organization of the key

R5KEYTRANSACTIONS	R5FOK2_KTR			
Column name	Parent	Primary key	Parent column	Column description
KTR_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5KEYTRANSACTIONS	R5FOK3_KTR			
Column name	Parent	Primary key	Parent column	Column description
KTR_PARENT	R5KEYTRANSACTIONS	R5PRIK_KTR	KTR_PK	The primary key of the key/ring

R5KITPARTS	R5FOK1_BKP			
Column name	Parent	Primary key	Parent column	Column description
BKP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
BKP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization

R5KITPARTS	R5FOK2_BKP			
Column name	Parent	Primary key	Parent column	Column description
BKP_LOT	R5LOTS	R5PRIK_LOT	LOT_CODE	lot number. unique identification.

R5KITPARTS	R5FOK3_BKP			
Column name	Parent	Primary key	Parent column	Column description
BKP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
BKP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5KITS	R5FOK1_BKS			
Column name	Parent	Primary key	Parent column	Column description
BKS_KITPART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
BKS_KITPART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization

R5KITS	R5FOK2_BKS			
Column name	Parent	Primary key	Parent column	Column description
BKS_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.

R5KITS	R5FOK3_BKS			
Column name	Parent	Primary key	Parent column	Column description
BKS_KITBIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
BKS_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.

R5KITTEMPLATES	R5FOK1_KTT			
Column name	Parent	Primary key	Parent column	Column description
KTT_KITTEMPLATE	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
KTT_KITTEMPLATE_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization

R5KITTEMPLATES	R5FOK2_KTT			
Column name	Parent	Primary key	Parent column	Column description
KTT_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
KTT_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization

R5KPIHISTORY	R5FOK1_KPH			
Column name	Parent	Primary key	Parent column	Column description
KPH_HOMCODE	R5HOME	R5PRIK_HOM	HOM_CODE	inbox code
KPH_HOMTYPE	R5HOME	R5PRIK_HOM	HOM_TYPE	kpi type

R5KPISCORES	R5FOK1_KPS			

Column name	Parent	Primary key	Parent column	Column description
KPS_HOMCODE	RSHOME	R5PRIK_HOM	HOM_CODE	inbox code
KPS_HOMTYPE	RSHOME	R5PRIK_HOM	HOM_TYPE	kpi type
R5KPISTRUCTURE	R5FOK1_KPT			
Column name	Parent	Primary key	Parent column	Column description
KPT_PARENT	RSHOME	R5PRIK_HOM	HOM_CODE	inbox code
KPT_PARENTTYPE	RSHOME	R5PRIK_HOM	HOM_TYPE	kpi type
R5KPISTRUCTURE	R5FOK2_KPT			
Column name	Parent	Primary key	Parent column	Column description
KPT_CHILD	RSHOME	R5PRIK_HOM	HOM_CODE	inbox code
KPT_CHILDTYPE	RSHOME	R5PRIK_HOM	HOM_TYPE	kpi type
R5LABELFORMATS	R5FOK1_LBL			
Column name	Parent	Primary key	Parent column	Column description
LBL_PRINTERTYPE	R5PRINTERTYPES	R5PRIK_PNT	PNT_CODE	the printer type
R5LINEARREFCLASSES	R5FOK1_LRC			
Column name	Parent	Primary key	Parent column	Column description
LRC_CLASS	R5CLASSES	R5PRIK_CLS	CLS_CODE	code of class
LRC_CLASS_ORG	R5CLASSES	R5PRIK_CLS	CLS_ORG	class organization
LRC_ENTITY	R5CLASSES	R5PRIK_CLS	CLS_ENTITY	to which entity class belongs
R5LINEARREFCLASSES	R5FOK2_LRC			
Column name	Parent	Primary key	Parent column	Column description
LRC_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5LOCALEHOTKEYS	R5FOK1_LHK			
Column name	Parent	Primary key	Parent column	Column description
LHK_LOCALE	R5LOCALE	R5PRIK_LOC	LOC_CODE	Locale identifier
R5LOCKOUTBOXES	R5FOK1_LOX			
Column name	Parent	Primary key	Parent column	Column description
LOX_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5LOCKOUTBOXES	R5FOK2_LOX			
Column name	Parent	Primary key	Parent column	Column description
LOX_PTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5LOTS	R5FOK1_LOT			
Column name	Parent	Primary key	Parent column	Column description
LOT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5LOTS	R5FOK2_LOT			
Column name	Parent	Primary key	Parent column	Column description
LOT_BUILDKITTRANS	R5TRANSACTIONS	R5PRIK_TRA	TRA_CODE	transaction header number.
R5LOTS	R5FOK3_LOT			
Column name	Parent	Primary key	Parent column	Column description
LOT_BREAKUPKITTRANS	R5TRANSACTIONS	R5PRIK_TRA	TRA_CODE	transaction header number.
R5MAILATTRIBS	R5FOK1_MAA			
Column name	Parent	Primary key	Parent column	Column description
MAA_TEMPLATE	R5MAILTEMPLATE	R5PRIK_MAT	MAT_CODE	mail template code.

R5MAILCONDITIONS	R5FOK1_MAC			
Column name	Parent	Primary key	Parent column	Column description
MAC_ATTRIBPK	R5MAILATTRIBS	R5PRIK_MAA	MAA_PK	PK column
R5MAILEVENTS	R5FOK1_MAE			
Column name	Parent	Primary key	Parent column	Column description
MAE_TEMPLATE	R5MAILTEMPLATE	R5PRIK_MAT	MAT_CODE	mail template code.
R5MAILPARAMETERS	R5FOK1_MAP			
Column name	Parent	Primary key	Parent column	Column description
MAP_ATTRIBPK	R5MAILATTRIBS	R5PRIK_MAA	MAA_PK	PK column
R5MAILTEMPLATE	R5FOK1_MAT			
Column name	Parent	Primary key	Parent column	Column description
MAT_REPORT	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5MAINISOLATIONDEPBLOCKS	R5FOK1_MID			
Column name	Parent	Primary key	Parent column	Column description
MID_BLOCKID	R5MAINISOLATIONBLOCKS	R5PRIK_MIB	MIB_BLOCKID	
R5MAINISOLATIONDEPBLOCKS	R5FOK2_MID			
Column name	Parent	Primary key	Parent column	Column description
MID_DEPBLOCKID	R5MAINISOLATIONBLOCKS	R5PRIK_MIB	MIB_BLOCKID	
R5MAINISOLATIONMAINS	R5FOK1_MIP			
Column name	Parent	Primary key	Parent column	Column description
MIP_BLOCKID	R5MAINISOLATIONBLOCKS	R5PRIK_MIB	MIB_BLOCKID	
R5MAINISOLATIONVALVES	R5FOK1_MIV			
Column name	Parent	Primary key	Parent column	Column description
MIV_BLOCKID1	R5MAINISOLATIONBLOCKS	R5PRIK_MIB	MIB_BLOCKID	
R5MAINISOLATIONVALVES	R5FOK2_MIV			
Column name	Parent	Primary key	Parent column	Column description
MIV_BLOCKID2	R5MAINISOLATIONBLOCKS	R5PRIK_MIB	MIB_BLOCKID	
R5MAINTENANCEPATTERNS	R5FOK1_MTP			
Column name	Parent	Primary key	Parent column	Column description
MTP_METUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MAINTENANCEPATTERNS	R5FOK2_MTP			
Column name	Parent	Primary key	Parent column	Column description
MTP_METUOM2	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MAINTENANCEPATTERNS	R5FOK3_MTP			
Column name	Parent	Primary key	Parent column	Column description
MTP_SCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5MANUFACTURERS	R5FOK1_MFG			
Column name	Parent	Primary key	Parent column	Column description
MFG_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
MFG_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5MANUFACTURERS	R5FOK2_MFG			

Column name	Parent	Primary key	Parent column	Column description
MFG_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MATERIALSTANDARDS	R5FOK1_MST			
Column name	Parent	Primary key	Parent column	Column description
MST_TEMPUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MATERIALSTANDARDS	R5FOK2_MST			
Column name	Parent	Primary key	Parent column	Column description
MST_STRESSUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MATERIALSTANDARDS	R5FOK3_MST			
Column name	Parent	Primary key	Parent column	Column description
MST_SMYSUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MATERIALSTANDARDS	R5FOK4_MST			
Column name	Parent	Primary key	Parent column	Column description
MST_SMUTSUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MATERIALSTANDARDS	R5FOK5_MST			
Column name	Parent	Primary key	Parent column	Column description
MST_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MATERIALSTANDARDS	R5FOK6_MST			
Column name	Parent	Primary key	Parent column	Column description
MST_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MATLISTS	R5FOK1_MTL			
Column name	Parent	Primary key	Parent column	Column description
MTL_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
MTL_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5MATLISTS	R5FOK2_MTL			
Column name	Parent	Primary key	Parent column	Column description
MTL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MATLPARTS	R5FOK1_MLP			
Column name	Parent	Primary key	Parent column	Column description
MLP_MATLIST	R5MATLISTS	R5PRIK_MTL	MTL_CODE	material list code.
MLP_MATLREV	R5MATLISTS	R5PRIK_MTL	MTL_REVISION	revision number.
R5MATLPARTS	R5FOK2_MLP			
Column name	Parent	Primary key	Parent column	Column description
MLP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
MLP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5MATLPARTS	R5FOK3_MLP			
Column name	Parent	Primary key	Parent column	Column description
MLP_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MATLPARTS	R5FOK4_MLP			
Column name	Parent	Primary key	Parent column	Column description
MLP_CODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MLP_CODE_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5MENUS	R5FOK1_MEN			
Column name	Parent	Primary key	Parent column	Column description
MEN_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5MENUS	R5FOK2_MEN			
Column name	Parent	Primary key	Parent column	Column description
MEN_CALLING	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5MENUS	R5FOK3_MEN			
Column name	Parent	Primary key	Parent column	Column description
MEN_CALLED	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5METERS	R5FOK2_MET			
Column name	Parent	Primary key	Parent column	Column description
MET_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5METERS	R5FOK3_MET			
Column name	Parent	Primary key	Parent column	Column description
MET_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MGADMINISTRATOR	FK_TPT_TPA_IDENTITY			
Column name	Parent	Primary key	Parent column	Column description
TPA_TENANTIDENTITY	R5MGTENANT	R5PRIK_TPT	TPT_SQLIDENTITY	Unique record identifier for this record
R5MGCUSTOMFIELD	FK_TPT_TPC_IDENTITY			
Column name	Parent	Primary key	Parent column	Column description
TPC_TENANTIDENTITY	R5MGTENANT	R5PRIK_TPT	TPT_SQLIDENTITY	Unique record identifier for this record
R5MINMAXFORMPARAM	R5FOK1_FOP			
Column name	Parent	Primary key	Parent column	Column description
FOP_FORMULA	R5MINMAXFORMULAS	R5PRIK_MMF	MMF_CODE	formula id
R5MINMAXFORMPARAM	R5FOK2_FOP			
Column name	Parent	Primary key	Parent column	Column description
FOP_PARAMETER	R5MINMAXPARAMETERS	R5PRIK_MMP	MMP_CODE	parameter
R5MINMAXFORMPARAM	R5FOK3_FOP			
Column name	Parent	Primary key	Parent column	Column description
FOP_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MINMAXPARAMETERS	R5FOK1_MMP			
Column name	Parent	Primary key	Parent column	Column description
MMP_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5MOBILEDBSYNC	R5FOK1_MDS			
Column name	Parent	Primary key	Parent column	Column description
MDS_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MOBILEDBSYNC	R5FOK2_MDS			
Column name	Parent	Primary key	Parent column	Column description
MDS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MOBILEENTITYSETUP	R5FOK1_MBE			
Column name	Parent	Primary key	Parent column	Column description
MBE_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.

R5MOBILELBSDATA	R5FOK1_LBS			
Column name	Parent	Primary key	Parent column	Column description
LBS_EMPLOYEE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5MOBILELBSDATA	R5FOK2_LBS			
Column name	Parent	Primary key	Parent column	Column description
LBS_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MOBILELBSDATA	R5FOK3_LBS			
Column name	Parent	Primary key	Parent column	Column description
LBS_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
LBS_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILELBSDATA	R5FOK4_LBS			
Column name	Parent	Primary key	Parent column	Column description
LBS_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5MOBILENOTEBOOKEMAILS	R5FOK1_MNE			
Column name	Parent	Primary key	Parent column	Column description
MNE_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5MOBILENOTEBOOKEMAILS	R5FOK2_MNE			
Column name	Parent	Primary key	Parent column	Column description
MNE_MOBILENOTEBOOK	R5MOBILENOTEBOOKS	R5PRIK_MNB	MNB_CODE	
R5MOBILENOTEBOOKREFERENCES	R5FOK1_MNR			
Column name	Parent	Primary key	Parent column	Column description
MNR_MOBILENOTEBOOK	R5MOBILENOTEBOOKS	R5PRIK_MNB	MNB_CODE	
R5MOBILENOTEBOOKREFERENCES	R5FOK2_MNR			
Column name	Parent	Primary key	Parent column	Column description
MNR_REF_MOBILENOTEBOOK	R5MOBILENOTEBOOKS	R5PRIK_MNB	MNB_CODE	
R5MOBILENOTEBOOKS	R5FOK1_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MOBILENOTEBOOKS	R5FOK2_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MNB_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILENOTEBOOKS	R5FOK3_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_NCTTYPE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
MNB_NCTTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5MOBILENOTEBOOKS	R5FOK4_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_LEVEL1	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MNB_LEVEL1_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILENOTEBOOKS	R5FOK5_MNB			
Column name	Parent	Primary key	Parent column	Column description

MNB_LEVEL2	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MNB_LEVEL2_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILENOTEBOOKS	R5FOK6_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_LEVEL3	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MNB_LEVEL3_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILENOTEBOOKS	R5FOK7_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_LEVEL4	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MNB_LEVEL4_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILENOTEBOOKS	R5FOK8_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_LEVEL3A	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MNB_LEVEL3A_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MOBILENOTEBOOKS	R5FOK9_MNB			
Column name	Parent	Primary key	Parent column	Column description
MNB_NONCONFORMITY_OBSERVATION	R5NONCONFORMOBSERVATIONS	R5PRIK_NCO	NCO_PK	The system generated primary key of the nonconformity observation record.
R5MOBILEPNREGISTRY	R5FOK1_MPN			
Column name	Parent	Primary key	Parent column	Column description
MPN_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MOBILEPNREGISTRY	R5FOK2_MPN			
Column name	Parent	Primary key	Parent column	Column description
MPN_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MOBILEPNREGISTRY	R5FOK3_MPN			
Column name	Parent	Primary key	Parent column	Column description
MPN_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MPACTIVITIES	R5FOK2_MPA			
Column name	Parent	Primary key	Parent column	Column description
MPA_EVENT	R5MPEVENTS	R5PRIK_MPE	MPE_EVENT	job number.
MPA_MPPROJ	R5MPEVENTS	R5PRIK_MPE	MPE_MPPROJ	code of mp scheduling project.
R5MPEVENTS	R5FOK2_MPE			
Column name	Parent	Primary key	Parent column	Column description
MPE_MPPROJ	R5MPPROJECTS	R5PRIK_MPJ	MPJ_CODE	code of mp scheduling project. unique identification.
R5MPOBJECTS	R5FOK1_MPO			
Column name	Parent	Primary key	Parent column	Column description
MPO_MPPROJ	R5MPPROJECTS	R5PRIK_MPJ	MPJ_CODE	code of mp scheduling project. unique identification.
R5MPOBJECTS	R5FOK2_MPO			
Column name	Parent	Primary key	Parent column	Column description
MPO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
MPO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5MPPERSACT	R5FOK1_MPS			
Column name	Parent	Primary key	Parent column	Column description
MPS_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5MPPERSACT	R5FOK2_MPS			
Column name	Parent	Primary key	Parent column	Column description
MPS_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
MPS_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5MPTOOLACTIVITIES	R5FOK1_TOA			
Column name	Parent	Primary key	Parent column	Column description
TOA_ACT	R5MPACTIVITIES	R5PRIK_MPA	MPA_ACT	activity number.
TOA_EVENT	R5MPACTIVITIES	R5PRIK_MPA	MPA_EVENT	job number.
TOA_MPPROJ	R5MPACTIVITIES	R5PRIK_MPA	MPA_MPPROJ	code of mp scheduling project.
R5MPTOOLS	R5FOK1_MPT			
Column name	Parent	Primary key	Parent column	Column description
MPT_MPPROJ	R5MPPROJECTS	R5PRIK_MPJ	MPJ_CODE	code of mp scheduling project. unique identification.
R5MRCGISMAPS	R5FOK1_MGM			
Column name	Parent	Primary key	Parent column	Column description
MGM_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5MRCGISMAPS	R5FOK2_MGM			
Column name	Parent	Primary key	Parent column	Column description
MGM_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
MGM_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5MRCS	R5FOK1_MRC			
Column name	Parent	Primary key	Parent column	Column description
MRC_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5MRCS	R5FOK2_MRC			
Column name	Parent	Primary key	Parent column	Column description
MRC_SCHEDGROUP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5MRCS	R5FOK3_MRC			
Column name	Parent	Primary key	Parent column	Column description
MRC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MRCTOOLS	R5FOK1_MRT			
Column name	Parent	Primary key	Parent column	Column description
MRT_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5MRCTOOLS	R5FOK2_MRT			
Column name	Parent	Primary key	Parent column	Column description
MRT_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5MRCTOOLS	R5FOK3_MRT			
Column name	Parent	Primary key	Parent column	Column description
MRT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5MSGSERVERREQUEST	R5FOK1_MSQ			
Column name	Parent	Primary key	Parent column	Column description
MSQ_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5MSGSERVERREQUEST	R5FOK2_MSQ			
Column name	Parent	Primary key	Parent column	Column description

MSQ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5NCSETUPSTATUSDEP	R5FOK1_NSD			
Column name	Parent	Primary key	Parent column	Column description
NSD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5NONCONFORMITIES	R5FOK1_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
NCF_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5NONCONFORMITIES	R5FOK2_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
NCF_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5NONCONFORMITIES	R5FOK3_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_SOURCEOBSERVATION	R5NONCONFORMOBSERVATIONS	R5PRIK_NCO	NCO_PK	The system generated primary key of the nonconformity observation record.
R5NONCONFORMITIES	R5FOK4_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
NCF_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5NONCONFORMITIES	R5FOK5_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_NCTTYPE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
NCF_NCTTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5NONCONFORMITIES	R5FOK7_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_CPR	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_CODE	Code
NCF_CPR_ORG	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_ORG	Organization
R5NONCONFORMITIES	R5FOK8_NCF			
Column name	Parent	Primary key	Parent column	Column description
NCF_MERGEDINTO	R5NONCONFORMITIES	R5PRIK_NCF	NCF_CODE	The nonconformity code.
R5NONCONFORMITYSELCRITERIA	R5FOK1_NCS			
Column name	Parent	Primary key	Parent column	Column description
NCS_NCTTYPE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
NCS_NCTTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5NONCONFORMITYSELCRITERIA	R5FOK2_NCS			
Column name	Parent	Primary key	Parent column	Column description
NCS_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
NCS_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5NONCONFORMITYSELCRITERIA	R5FOK3_NCS			
Column name	Parent	Primary key	Parent column	Column description
NCS_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5NONCONFORMITYSETUP	R5FOK1_NCP			
Column name	Parent	Primary key	Parent column	Column description

NCP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5NONCONFORMITYTYPEASPECTS	R5FOK1_NTA			
Column name	Parent	Primary key	Parent column	Column description
NTA_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5NONCONFORMITYTYPEASPECTS	R5FOK2_NTA			
Column name	Parent	Primary key	Parent column	Column description
NTA_NONCONFORMITYTYPE_CODE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
NTA_NONCONFORMITYTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5NONCONFORMITYTYPEEMRS	R5FOK1_NTE			
Column name	Parent	Primary key	Parent column	Column description
NTE_NONCONFORMITYTYPE_CODE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
NTE_NONCONFORMITYTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5NONCONFORMITYTYPEEMATTTYPE	R5FOK1_MTS			
Column name	Parent	Primary key	Parent column	Column description
MTS_NONCONFORMITYTYPE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
MTS_NONCONFORMITYTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5NONCONFORMITYTYPEPARTS	R5FOK1_NTP			
Column name	Parent	Primary key	Parent column	Column description
NTP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
NTP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5NONCONFORMITYTYPEPARTS	R5FOK2_NTP			
Column name	Parent	Primary key	Parent column	Column description
NTP_NONCONFORMITYTYPE_CODE	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_CODE	The nonconformity type.
NTP_NONCONFORMITYTYPE_ORG	R5NONCONFORMITYTYPES	R5PRIK_NCT	NCT_ORG	The organization of the nonconformity type.
R5NONCONFORMITYTYPES	R5FOK1_NCT			
Column name	Parent	Primary key	Parent column	Column description
NCT_STANDARDWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5NONCONFORMOBSERVATIONS	R5FOK1_NCO			
Column name	Parent	Primary key	Parent column	Column description
NCO_CODE	R5NONCONFORMITIES	R5PRIK_NCF	NCF_CODE	The nonconformity code.
R5NONCONFORMOBSERVATIONS	R5FOK2_NCO			
Column name	Parent	Primary key	Parent column	Column description
NCO_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
NCO_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5NONCONFORMOBSERVATIONS	R5FOK3_NCO			
Column name	Parent	Primary key	Parent column	Column description
NCO_WORKORDER	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5NONCONFORMOBSERVATIONS	R5FOK5_NCO			
Column name	Parent	Primary key	Parent column	Column description
NCO_ACKNOWLEDGEDSOURCEOBSERV	R5NONCONFORMOBSERVATIONS	R5PRIK_NCO	NCO_PK	The system generated primary key of the nonconformity observation record.
R5OBJACTUALCONSUMPTION	R5FOK1_OAC			
Column name	Parent	Primary key	Parent column	Column description
OAC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.

OAC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJACTUALCONSUMPTION	R5FOK2_OAC			
Column name	Parent	Primary key	Parent column	Column description
OAC_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5OBJACTUALCONSUMPTION	R5FOK3_OAC			
Column name	Parent	Primary key	Parent column	Column description
OAC_DESIGNUSAGEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJDEPRECIATION	R5FOK1_ODP			
Column name	Parent	Primary key	Parent column	Column description
ODP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ODP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJDEPRECIATION	R5FOK2_ODP			
Column name	Parent	Primary key	Parent column	Column description
ODP_PARENT	R5OBJDEPTYPES	R5PRIK_OBD	OBD_PK	The primary key of the object depreciation type record
R5OBJDEPTYPES	R5FOK1_OBD			
Column name	Parent	Primary key	Parent column	Column description
OBD_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OBD_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJDESIGNCONSUMPTION	R5FOK1_ODC			
Column name	Parent	Primary key	Parent column	Column description
ODC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ODC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJDESIGNCONSUMPTION	R5FOK2_ODC			
Column name	Parent	Primary key	Parent column	Column description
ODC_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5OBJDESIGNCONSUMPTION	R5FOK3_ODC			
Column name	Parent	Primary key	Parent column	Column description
ODC_DESIGNUSAGEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJDESIGNCONSUMPTION	R5FOK4_ODC			
Column name	Parent	Primary key	Parent column	Column description
ODC_PARENTUTLBILLOBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ODC_PARENTUTLBILLOBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTASPECTS	R5FOK1_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OBA_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTASPECTS	R5FOK2_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5OBJECTASPECTS	R5FOK3_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_METHOD	R5METHODS	R5PRIK_MTH	MTH_CODE	inspection method code. unique identification.

R5OBJECTASPECTS	R5FOK4_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJECTASPECTS	R5FOK5_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_MINSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5OBJECTASPECTS	R5FOK6_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_MINFORMULA	R5MINMAXFORMULAS	R5PRIK_MMF	MMF_CODE	formula id
R5OBJECTASPECTS	R5FOK7_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_MAXSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5OBJECTASPECTS	R5FOK8_OBA			
Column name	Parent	Primary key	Parent column	Column description
OBA_MAXFORMULA	R5MINMAXFORMULAS	R5PRIK_MMF	MMF_CODE	formula id
R5OBJECTAUDITERRORES	R5FOK1_OAE			
Column name	Parent	Primary key	Parent column	Column description
OAE_BATCHNAME	R5OBJECTAUDITS	R5PRIK_OAD	OAD_BATCHNAME	object audit batch code.
R5OBJECTAUDITLINES	R5FOK1_OAL			
Column name	Parent	Primary key	Parent column	Column description
OAL_BATCHNAME	R5OBJECTAUDITS	R5PRIK_OAD	OAD_BATCHNAME	object audit batch code.
R5OBJECTCAPACITIES	R5FOK1_OCP			
Column name	Parent	Primary key	Parent column	Column description
OCP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OCP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTIVES	R5FOK1_OJV			
Column name	Parent	Primary key	Parent column	Column description
OJV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5OBJECTIVES	R5FOK2_OJV			
Column name	Parent	Primary key	Parent column	Column description
OJV_STRATEGY	R5STRATEGIES	R5PRIK_STG	STG_CODE	The strategy code.
OJV_STRATEGY_ORG	R5STRATEGIES	R5PRIK_STG	STG_ORG	The strategy organization.
R5OBJECTIVES	R5FOK3_OJV			
Column name	Parent	Primary key	Parent column	Column description
OJV_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJECTIVES	R5FOK4_OJV			
Column name	Parent	Primary key	Parent column	Column description
OJV_APPROVEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5OBJECTIVES	R5FOK5_OJV			
Column name	Parent	Primary key	Parent column	Column description
OJV_RANKINGCODE	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
OJV_RANKINGORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
OJV_RANKINGREVISION	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision

R5OBJECTLOTO	R5FOK1_OLO			
Column name	Parent	Primary key	Parent column	Column description
OLO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OLO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTRISK	R5FOK1_OBR			
Column name	Parent	Primary key	Parent column	Column description
OBR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OBR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTRISK	R5FOK2_OBR			
Column name	Parent	Primary key	Parent column	Column description
OBR_RISK	R5RISK	R5UNQ1_RIS	RIS_CODE	risk focus
OBR_RISKREV	R5RISK	R5UNQ1_RIS	RIS_REVISION	revision
R5OBJECTRISK	R5FOK3_OBR			
Column name	Parent	Primary key	Parent column	Column description
OBR_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5OBJECTRISK	R5FOK4_OBR			
Column name	Parent	Primary key	Parent column	Column description
OBR_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5OBJECTS	R5FOK10_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_FUEL	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5OBJECTS	R5FOK11_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PROFILEPICTURE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5OBJECTS	R5FOK12_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PERFORMANCEFORMULA	R5PERFORMANCEFORMULAS	R5PRIK_PFF	PFF_CODE	
OBJ_PERFORMANCEFORMULA_ORG	R5PERFORMANCEFORMULAS	R5PRIK_PFF	PFF_ORG	
R5OBJECTS	R5FOK13_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_UNMITIGATED_RISKLEVEL	R5RISKMATRIXSETUP	R5PRIK_RMS	RMS_CODE	Code
R5OBJECTS	R5FOK1_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5OBJECTS	R5FOK2_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
OBJ_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5OBJECTS	R5FOK4_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5OBJECTS	R5FOK8_OBJ			

R5OBJECTS	R5FOK9_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5OBJECTS	R5FOKB_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PRIMARYUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJECTS	R5FOKC_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5OBJECTS	R5FOKD_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_CN	R5CHANGENOTICE	R5PRIK_CNH	CNH_CODE	change notice number.
R5OBJECTS	R5FOKE_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_BIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
OBJ_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5OBJECTS	R5FOKF_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_LOT	R5LOTS	R5PRIK_LOT	LOT_CODE	lot number. unique identification.
R5OBJECTS	R5FOKG_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5OBJECTS	R5FOKH_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_OUTPUTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJECTS	R5FOKI_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_FLEETCUSTOMER	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_CODE	The fleet customer code.
OBJ_FLEETCUSTOMER_ORG	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_ORG	The organization of the fleet customer.
R5OBJECTS	R5FOKJ_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_BILLINGCODE	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_CODE	The billing code.
OBJ_BILLINGCODE_ORG	R5FLEETBILLINGCODES	R5PRIK_FBC	FBC_ORG	The organization of the billing code.
R5OBJECTS	R5FOKK_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_MARKUPCODE	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_CODE	The markup code.
OBJ_MARKUPCODE_ORG	R5FLEETMARKUPCODES	R5PRIK_FMC	FMC_ORG	The organization of the markup code.
R5OBJECTS	R5FOKL_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_CALGROUP	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_CODE	Calendar Group Code
OBJ_CALGROUPORG	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_ORG	Calendar Group Organization

R5OBJECTS	R5FOKM_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_FLOORAREAUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5OBJECTS	R5FOKN_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_REGION	R5REGIONS	R5PRIK_RGN	RGN_CODE	Region Code
OBJ_REGION_ORG	R5REGIONS	R5PRIK_RGN	RGN_ORG	Organization
R5OBJECTS	R5FOKO_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_GISMAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
OBJ_GISMAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5OBJECTS	R5FOKP_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_RELIABILITYRANKING	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
OBJ_RELIABILITYRANKINGREV	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
OBJ_RELIABILITYRANKING_ORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
R5OBJECTS	R5FOKQ_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_RENTALTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
OBJ_RENTALTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5OBJECTS	R5FOKR_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
OBJ_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5OBJECTS	R5FOKS_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
OBJ_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5OBJECTS	R5FOKT_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_DRIVER	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5OBJECTS	R5FOKU_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PERFORMANCEMANAGER	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5OBJECTS	R5FOKV_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_CONFIGSTWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5OBJECTS	R5FOKW_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_RESCALOWNER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5OBJECTS	R5FOKX_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_WORKSPACE	R5WORKSPACES	R5PRIK_WKS	WKS_PK	The primary key of the work space.

R5OBJECTS	R5FOKY_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_PRIMARYSYSTEM	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OBJ_PRIMARYSYSTEM_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTS	R5FOKZ_OBJ			
Column name	Parent	Primary key	Parent column	Column description
OBJ_RESCALOWNERLIST	R5APPROVELISTS	R5PRIK_APL	APL_CODE	approval list code.
R5OBJECTSDM	R5FOK1_SDM			
Column name	Parent	Primary key	Parent column	Column description
SDM_SERVICECATEGORY	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
SDM_SERVICECATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5OBJECTSDM	R5FOK2_SDM			
Column name	Parent	Primary key	Parent column	Column description
SDM_SERVICEPROBLEM	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
SDM_SERVICEPROBLEM_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5OBJECTSDM	R5FOK3_SDM			
Column name	Parent	Primary key	Parent column	Column description
SDM_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5OBJECTSDM	R5FOK4_SDM			
Column name	Parent	Primary key	Parent column	Column description
SDM_PROVIDER	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
SDM_PROVIDER_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5OBJECTSDM	R5FOK5_SDM			
Column name	Parent	Primary key	Parent column	Column description
SDM_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SDM_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTSDM	R5FOK6_SDM			
Column name	Parent	Primary key	Parent column	Column description
SDM_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
SDM_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5OBJECTSERVICECODES	R5FOK1_OSC			
Column name	Parent	Primary key	Parent column	Column description
OSC_PARENT	R5OBJECTSERVICECODES	R5PRIK_OSC	OSC_PK	The primary key of the record
R5OBJECTSERVICECODES	R5FOK2_OSC			
Column name	Parent	Primary key	Parent column	Column description
OSC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OSC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTSERVICECODES	R5FOK3_OSC			
Column name	Parent	Primary key	Parent column	Column description
OSC_SERVICECODE	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
OSC_SERVICECODE_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5OBJECTSUPPLIERS	R5FOK1_OSP			
Column name	Parent	Primary key	Parent column	Column description

OSP_PARENT	R5OBJECTSUPPLIERS	R5PRIK_OSP	OSP_PK	The primary key of the record.
R5OBJECTSUPPLIERS	R5FOK2_OSP			
Column name	Parent	Primary key	Parent column	Column description
OSP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OSP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJECTSUPPLIERS	R5FOK3_OSP			
Column name	Parent	Primary key	Parent column	Column description
OSP_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
OSP_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5OBJECTSURVEY	R5FOK1_OBS			
Column name	Parent	Primary key	Parent column	Column description
OBS_LEVELPK	R5RELIABILITYRANKINGLEVELS	R5PRIK_RRL	RRL_PK	The reliability ranking level pk
R5OBJECTSURVEY	R5FOK2_OBS			
Column name	Parent	Primary key	Parent column	Column description
OBS_ANSWERPK	R5RELIABILITYRANKINGANSWER	R5PRIK_RRW	RRW_PK	The reliability ranking answer pk
R5OBJECTSURVEY	R5FOK3_OBS			
Column name	Parent	Primary key	Parent column	Column description
OBS_CALCULATEDANSWER	R5RELIABILITYRANKINGANSWER	R5PRIK_RRW	RRW_PK	The reliability ranking answer pk
R5OBJLINEARREF	R5FOK1_LRF			
Column name	Parent	Primary key	Parent column	Column description
LRF_OBJCODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
LRF_OBJORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJLINEARREF	R5FOK2_LRF			
Column name	Parent	Primary key	Parent column	Column description
LRF_RE_OBJCODE	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
LRF_RE_OBJORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5OBJLINEARREF	R5FOK3_LRF			
Column name	Parent	Primary key	Parent column	Column description
LRF_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
LRF_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5OBJLINEARREF	R5FOK4_LRF			
Column name	Parent	Primary key	Parent column	Column description
LRF_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5OBJLINEARREF	R5FOK5_LRF			
Column name	Parent	Primary key	Parent column	Column description
LRF_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5OBJMAP	R5FOK1_OMP			
Column name	Parent	Primary key	Parent column	Column description
OMP_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
OMP_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5OBJRESOURCES	R5FOK1_ORS			
Column name	Parent	Primary key	Parent column	Column description
ORS_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.

ORS_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5OBJRESOURCES	R5FOK2_ORS			
Column name	Parent	Primary key	Parent column	Column description
ORS_RESOURCE	R5RESOURCES	R5PRIK_RSS	RSS_CODE	Resource Code

R5OBJTESTPOINTS	R5FOK1_OTP			
Column name	Parent	Primary key	Parent column	Column description
OTP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OTP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5OBJTESTPOINTS	R5FOK2_OTP			
Column name	Parent	Primary key	Parent column	Column description
OTP_TESTPOINTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.

R5OBJTESTPOINTS	R5FOK3_OTP			
Column name	Parent	Primary key	Parent column	Column description
OTP_OUTPUTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.

R5OBJUNITS	R5FOK1_OBU			
Column name	Parent	Primary key	Parent column	Column description
OBU_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OBU_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5OBJUNITS	R5FOK2_OBU			
Column name	Parent	Primary key	Parent column	Column description
OBU_YEARPK	R5ORGYEARS	R5PRIK_OYE	OYE_PK	The system generated primary key.

R5OBJUSAGEDEFS	R5FOK1_OUD			
Column name	Parent	Primary key	Parent column	Column description
OUD_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OUD_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5OBJUSAGEDEFS	R5FOK2_OUD			
Column name	Parent	Primary key	Parent column	Column description
OUD_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.

R5OBJUSAGEDEFS	R5FOK3_OUD			
Column name	Parent	Primary key	Parent column	Column description
OUD_METER	R5METERS	R5PRIK_MET	MET_CODE	meter code. unique identification.

R5OPCHARTS	R5FOK1_OCH			
Column name	Parent	Primary key	Parent column	Column description
OCH_REPORTID	R5OPREPORTS	R5PRIK_ORP	ORP_ID	Report ID

R5OPCOMMENTS	R5FOK1_OCM			
Column name	Parent	Primary key	Parent column	Column description
OCM_VARID	R5OPVARIABLES	R5PRIK_OVD	OVD_ID	Analytics - T.B.D.

R5OPERATORCHECKLISTS	R5FOK1_OCK			
Column name	Parent	Primary key	Parent column	Column description
OCK_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
OCK_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5OPERATORCHECKLISTS	R5FOK2_OCK			

Column name	Parent	Primary key	Parent column	Column description
OCK_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
OCK_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5OPERATORCHECKLISTS	R5FOK3_OCK			
Column name	Parent	Primary key	Parent column	Column description
OCK_RECORDEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5OPGRAPHCORR	R5FOK1_OGC			
Column name	Parent	Primary key	Parent column	Column description
OGC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5OPGRAPHTS	R5FOK1_OGT			
Column name	Parent	Primary key	Parent column	Column description
OGT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5OPLIMITS	R5FOK1_OPL			
Column name	Parent	Primary key	Parent column	Column description
OPL_VARID	R5OPVARIABLES	R5PRIK_OVD	OVD_ID	Analytics - T.B.D.
R5OPREPORTS	R5FOK1_ORP			
Column name	Parent	Primary key	Parent column	Column description
ORP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5OPREPORTVARS	R5FOK1_ORV			
Column name	Parent	Primary key	Parent column	Column description
ORV_REPORTID	R5OPREPORTS	R5PRIK_ORP	ORP_ID	Report ID
R5OPTIMIZEDSCHEDULES	R5FOK1_OPS			
Column name	Parent	Primary key	Parent column	Column description
OPS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5OPVARDATA	R5FOK1_ODT			
Column name	Parent	Primary key	Parent column	Column description
ODT_VARID	R5OPVARIABLES	R5PRIK_OVD	OVD_ID	Analytics - T.B.D.
R5OPVARDEPENDENCIES	R5FOK1_OVV			
Column name	Parent	Primary key	Parent column	Column description
OVV_PARENTID	R5OPVARIABLES	R5PRIK_OVD	OVD_ID	Analytics - T.B.D.
R5OPVAREQ	R5FOK1_OEQ			
Column name	Parent	Primary key	Parent column	Column description
OEQ_VARID	R5OPVARIABLES	R5PRIK_OVD	OVD_ID	Analytics - T.B.D.
R5OPVARIABLES	R5FOK1_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_DDSPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5OPVARIABLES	R5FOK2_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5OPVARIABLES	R5FOK3_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR1ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID

R5OPVARIABLES	R5FOK4_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR2ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID
R5OPVARIABLES	R5FOK5_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR3ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID
R5OPVARIABLES	R5FOK6_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR4ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID
R5OPVARIABLES	R5FOK7_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR5ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID
R5OPVARIABLES	R5FOK8_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR6ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID
R5OPVARIABLES	R5FOK9_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_ATTR0ID	R5OPVARATTRIBUTES	R5PRIK_OAT	OAT_ID	Attribute ID
R5OPVARIABLES	R5FOKA_OVD			
Column name	Parent	Primary key	Parent column	Column description
OVD_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid
R5OPVARSYMBOL	R5FOK1_OVS			
Column name	Parent	Primary key	Parent column	Column description
OVS_VARID	R5OPVARIABLES	R5PRIK_OVD	OVD_ID	Analytics - T.B.D.
R5OPVARSYMBOL	R5FOK2_OVS			
Column name	Parent	Primary key	Parent column	Column description
OVS_SYMBOLID	R5OPSYMBOLS	R5PRIK_OSY	OSY_ID	primary key id
R5ORDCLAUSES	R5FOK1_ORC			
Column name	Parent	Primary key	Parent column	Column description
ORC_CLAUSE	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5ORDCLAUSES	R5FOK2_ORC			
Column name	Parent	Primary key	Parent column	Column description
ORC_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
ORC_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5ORDERLINES	R5FOK1_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
ORL_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5ORDERLINES	R5FOK2_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5ORDERLINES	R5FOK3_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5ORDERLINES	R5FOK4_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
ORL_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5ORDERLINES	R5FOK5_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
ORL_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.
R5ORDERLINES	R5FOK6_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5ORDERLINES	R5FOK7_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_CONTRACT	R5CONTRACTS	R5PRIK_CON	CON_CODE	code of contract; system generated.
R5ORDERLINES	R5FOK8_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_PURUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5ORDERLINES	R5FOK9_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
ORL_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5ORDERLINES	R5FOKA_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
ORL_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.
R5ORDERLINES	R5FOKB_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
ORL_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5ORDERLINES	R5FOKC_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5ORDERLINES	R5FOKD_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5ORDERLINES	R5FOKE_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_RELATEDWO	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5ORDERLINES	R5FOKF_ORL			
Column name	Parent	Primary key	Parent column	Column description

ORL_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5ORDERLINES	R5FOKG_ORL			
Column name	Parent	Primary key	Parent column	Column description
ORL_QUOTID	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTID	quotation number
ORL_QUOTLINE	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTLINE	quotation line number
R5ORDERS	R5FOK1_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
ORD_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5ORDERS	R5FOK2_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_CONTRACT	R5CONTRACTS	R5PRIK_CON	CON_CODE	code of contract; system generated.
R5ORDERS	R5FOK3_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_ORIGIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5ORDERS	R5FOK4_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5ORDERS	R5FOK5_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ORDERS	R5FOK6_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5ORDERS	R5FOK7_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ORDERS	R5FOK8_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_DFLTAUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5ORDERS	R5FOK9_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_BLANKETORDER	R5BLANKETORDERS	R5PRIK_BLO	BLO_BLANKETORDER	unique sequence number identifier
R5ORDERS	R5FOKA_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5ORDERS	R5FOKB_ORD			
Column name	Parent	Primary key	Parent column	Column description
ORD_CREDITCARD	R5CREDITCARDS	R5PRIK_CRD	CRD_CODE	credit card code
R5ORDERTERMS	R5FOK1_ORT			
Column name	Parent	Primary key	Parent column	Column description
ORT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5ORGANIZATION	R5FOK1_ORG			
Column name	Parent	Primary key	Parent column	Column description
ORG_LOCALE	R5LOCALE	R5PRIK_LOC	LOC_CODE	Locale identifier
R5ORGANIZATION	R5FOK2_ORG			
Column name	Parent	Primary key	Parent column	Column description
ORG_CALGROUPCODE	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_CODE	Calendar Group Code
ORG_CALGROUPORG	R5CCTRCALGROUPS	R5PRIK_CGR	CGR_ORG	Calendar Group Organization
R5ORGANIZATIONAPPPARMS	R5FOK01_OAP			
Column name	Parent	Primary key	Parent column	Column description
OAP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ORGANIZATIONOPTIONS	R5FOK1_OPA			
Column name	Parent	Primary key	Parent column	Column description
OPA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ORGLOCATION	R5FOK1_OGL			
Column name	Parent	Primary key	Parent column	Column description
OGL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ORGSTRUCTURE	R5FOK1_OZS			
Column name	Parent	Primary key	Parent column	Column description
OZS_CODE	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ORGSTRUCTURE	R5FOK2_OZS			
Column name	Parent	Primary key	Parent column	Column description
OZS_PARENT	R5ORGSTRUCTURE	R5PRIK_OZS	OZS_CODE	The organization code.
R5ORGYEARS	R5FOK1_OYE			
Column name	Parent	Primary key	Parent column	Column description
OYE_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ORIGINATORS	R5FOK1_ORI			
Column name	Parent	Primary key	Parent column	Column description
ORI_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ORLREVISIONS	R5FOK1_OLR			
Column name	Parent	Primary key	Parent column	Column description
OLR_QUOTID	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTID	quotation number
OLR_QUOTLINE	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTLINE	quotation line number
R5PACKAGE	R5FOK1_PKG			
Column name	Parent	Primary key	Parent column	Column description
PKG_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PACKAGELINES	R5FOK1_PKL			
Column name	Parent	Primary key	Parent column	Column description
PKL_PACKAGE	R5PACKAGE	R5PRIK_PKG	PKG_CODE	
R5PACKINGSLIP	R5FOK1_PSL			
Column name	Parent	Primary key	Parent column	Column description
PSL_DOCK	R5DOCKRECEIPTS	R5PRIK_DCK	DCK_CODE	on-dock receipt code

R5PACKINGSLIP	R5FOK2_PSL			
Column name	Parent	Primary key	Parent column	Column description
PSL_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
PSL_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
PSL_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5PACKINGSLIP	R5FOK3_PSL			
Column name	Parent	Primary key	Parent column	Column description
PSL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PSL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PACKINGSLIP	R5FOK4_PSL			
Column name	Parent	Primary key	Parent column	Column description
PSL_DELUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5PAGECACHE	R5FOK1_PGC			
Column name	Parent	Primary key	Parent column	Column description
PGC_USERGROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5PAGECACHE	R5FOK2_PGC			
Column name	Parent	Primary key	Parent column	Column description
PGC_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5PARTCONDITIONTEMPLATE	R5FOK1_PCT			
Column name	Parent	Primary key	Parent column	Column description
PCT_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PARTCONDITIONTEMPLATE	R5FOK2_PCT			
Column name	Parent	Primary key	Parent column	Column description
PCT_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PARTCTPLCONDITIONS	R5FOK1_PTC			
Column name	Parent	Primary key	Parent column	Column description
PTC_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PARTCTPLCONDITIONS	R5FOK2_PTC			
Column name	Parent	Primary key	Parent column	Column description
PTC_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PARTCTPLCONDITIONS	R5FOK3_PTC			
Column name	Parent	Primary key	Parent column	Column description
PTC_TEMPLATE	R5PARTCONDITIONTEMPLATE	R5PRIK_PCT	PCT_CODE	The part condition template code.
PTC_TEMPLATE_ORG	R5PARTCONDITIONTEMPLATE	R5PRIK_PCT	PCT_ORG	The part condition template organization.
R5PARTEVALUATIONLIST	R5FOK01_PEL			
Column name	Parent	Primary key	Parent column	Column description
PEL_EVALCODE	R5PARTEVALUATIONS	R5PRIK_PEN	PEN_CODE	Part Evaluation Code
R5PARTEVALUATIONLIST	R5FOK02_PEL			
Column name	Parent	Primary key	Parent column	Column description
PEL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PEL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTEVALUATIONS	R5FOK01_PEN			
Column name	Parent	Primary key	Parent column	Column description

PEN_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PARTEVALUATIONS	R5FOK02_PEN			
Column name	Parent	Primary key	Parent column	Column description
PEN_SEARCH_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5PARTEVALUATIONS	R5FOK03_PEN			
Column name	Parent	Primary key	Parent column	Column description
PEN_SEARCH_SECCOMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5PARTFAILURES	R5FOK1_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5PARTFAILURES	R5FOK2_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PFA_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTFAILURES	R5FOK3_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PFA_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PARTFAILURES	R5FOK4_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_REQM	R5REQUIRECODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5PARTFAILURES	R5FOK5_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_FAILURE	R5FAILURES	R5PRIK_FAL	FAL_CODE	component that failed, i.e. case, elec, seal.
R5PARTFAILURES	R5FOK6_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_ACTION	R5ACTIONCODES	R5PRIK_ACC	ACC_CODE	action code
R5PARTFAILURES	R5FOK7_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_CAUSE	R5CAUSES	R5PRIK_CAU	CAU_CODE	cause code. unique identification.
R5PARTFAILURES	R5FOK8_PFA			
Column name	Parent	Primary key	Parent column	Column description
PFA_SYMPTOM	R5SYMPTOMS	R5PRIK_SYM	SYM_CODE	
R5PARTGHG	R5FOK1_PGG			
Column name	Parent	Primary key	Parent column	Column description
PGG_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PGG_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTGHG	R5FOK2_PGG			
Column name	Parent	Primary key	Parent column	Column description
PGG_GHG	R5GREENHOUSEGASES	R5PRIK_GHG	GHG_CODE	The identifier of the greenhouse gas
R5PARTMFGS	R5FOK1_MFP			
Column name	Parent	Primary key	Parent column	Column description

MFP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
MFP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTMFGS	R5FOK2_MFP			
Column name	Parent	Primary key	Parent column	Column description
MFP_FACILITY	R5FACILITIES	R5PRIK_FAC	FAC_CODE	facility code.
R5PARTMFGS	R5FOK3_MFP			
Column name	Parent	Primary key	Parent column	Column description
MFP_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5PARTNERS	R5FOK1_PNR			
Column name	Parent	Primary key	Parent column	Column description
PNR_DEFORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PARTNERS	R5FOK2_PNR			
Column name	Parent	Primary key	Parent column	Column description
PNR_EWSUSERID	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PARTNERSUBSCRIPTIONS	R5FOK1_PSB			
Column name	Parent	Primary key	Parent column	Column description
PSB_PARTNER	R5PARTNERS	R5PRIK_PNR	PNR_CODE	Partner Code
R5PARTPART	R5FOK1_PAP			
Column name	Parent	Primary key	Parent column	Column description
PAP_PARTA	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PAP_PARTA_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTPART	R5FOK2_PAP			
Column name	Parent	Primary key	Parent column	Column description
PAP_PARTB	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PAP_PARTB_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTPRICES	R5FOK1_PPR			
Column name	Parent	Primary key	Parent column	Column description
PPR_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PPR_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTPRICES	R5FOK2_PPR			
Column name	Parent	Primary key	Parent column	Column description
PPR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PARTS	R5FOK10_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_CONDITIONTPL	R5PARTCONDITIONTEMPLATE	R5PRIK_PCT	PCT_CODE	The part condition template code.
PAR_CONDITIONTPL_ORG	R5PARTCONDITIONTEMPLATE	R5PRIK_PCT	PCT_ORG	The part condition template organization.
R5PARTS	R5FOK11_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_CONDITION	R5PARTCTPLCONDITIONS	R5PRIK_PTC	PTC_CONDITION	The code of the part template condition.
PAR_CONDITIONTPL	R5PARTCTPLCONDITIONS	R5PRIK_PTC	PTC_TEMPLATE	The part condition template the condition belongs to.
PAR_CONDITIONTPL_ORG	R5PARTCTPLCONDITIONS	R5PRIK_PTC	PTC_TEMPLATE_ORG	The organization of the part condition template the condition belongs to.
R5PARTS	R5FOK12_PAR			
Column name	Parent	Primary key	Parent column	Column description

PAR_PROFILEPICTURE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5PARTS	R5FOK1_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5PARTS	R5FOK2_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5PARTS	R5FOK3_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_SUBCOMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5PARTS	R5FOK4_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5PARTS	R5FOK5_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PARTS	R5FOK7_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5PARTS	R5FOK8_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_INSMETHOD	R5METHODS	R5PRIK_MTH	MTH_CODE	inspection method code. unique identification.
R5PARTS	R5FOK9_PAR			
Column name	Parent	Primary key	Parent column	Column description
PAR_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
PAR_PARENTPART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
R5PARTSUNDERWARRANTY	R5FOK1_PUW			
Column name	Parent	Primary key	Parent column	Column description
PUW_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PUW_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTSUNDERWARRANTY	R5FOK2_PUW			
Column name	Parent	Primary key	Parent column	Column description
PUW_TRANS	R5TRANSLINES	R5PRIK_TRL	TRL_TRANS	transaction number.
PUW_TRANSLINE	R5TRANSLINES	R5PRIK_TRL	TRL_LINE	transaction line number.
R5PARTSUNDERWARRANTY	R5FOK3_PUW			
Column name	Parent	Primary key	Parent column	Column description
PUW_PWPPK	R5PARTWARRANTYCLAIMPARTS	R5PRIK_PWP	PWP_PK	The system generated primary key of the claim line
R5PARTWARRANTYCLAIMPARTS	R5FOK1_PWP			
Column name	Parent	Primary key	Parent column	Column description
PWP_PARTCLAIM	R5PARTWARRANTYCLAIMS	R5PRIK_PWA	PWA_CODE	The unique code of the part warranty claim
R5PARTWARRANTYCLAIMPARTS	R5FOK2_PWP			
Column name	Parent	Primary key	Parent column	Column description

PWP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PWP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5PARTWARRANTYCLAIMS	R5FOK1_PWA			
Column name	Parent	Primary key	Parent column	Column description
PWA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PARTWARRANTYCLAIMS	R5FOK2_PWA			
Column name	Parent	Primary key	Parent column	Column description
PWA_WARRANTY	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5PARTWARRANTYCLAIMS	R5FOK3_PWA			
Column name	Parent	Primary key	Parent column	Column description
PWA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
PWA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5PASSWORDS	R5FOK1_PWD			
Column name	Parent	Primary key	Parent column	Column description
PWD_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PATTERNEQUIPMENT	R5FOK1_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_MP	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_CODE	The identifier of the maintenance pattern
PEQ_MP_ORG	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_ORG	The organization of the maintenance pattern
PEQ_REVISION	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_REVISION	The revision of the maintenance pattern
R5PATTERNEQUIPMENT	R5FOK2_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PEQ_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PATTERNEQUIPMENT	R5FOK3_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PATTERNEQUIPMENT	R5FOK4_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5PATTERNEQUIPMENT	R5FOK5_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PEQ_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PATTERNEQUIPMENT	R5FOK6_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5PATTERNEQUIPMENT	R5FOK7_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PATTERNEQUIPMENT	R5FOK8_PEQ			
Column name	Parent	Primary key	Parent column	Column description
PEQ_SCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.

R5PATTERNSEQUENCES	R5FOK1_PSQ			
Column name	Parent	Primary key	Parent column	Column description
PSQ_MP	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_CODE	The identifier of the maintenance pattern
PSQ_MP_ORG	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_ORG	The organization of the maintenance pattern
PSQ_REVISION	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_REVISION	The revision of the maintenance pattern
R5PATTERNSEQUENCES	R5FOK2_PSQ			
Column name	Parent	Primary key	Parent column	Column description
PSQ_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5PDMLANG	R5FOK1_PDL			
Column name	Parent	Primary key	Parent column	Column description
PDL_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.
R5PERFORMANCEFORMULAS	R5FOK1_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PERFORMANCEFORMULAS	R5FOK4_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_VARIABLE1QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5PERFORMANCEFORMULAS	R5FOK5_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_VARIABLE2QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5PERFORMANCEFORMULAS	R5FOK6_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_VARIABLE3QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5PERFORMANCEFORMULAS	R5FOK7_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_VARIABLE4QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5PERFORMANCEFORMULAS	R5FOK8_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_VARIABLE5QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5PERFORMANCEFORMULAS	R5FOK9_PFF			
Column name	Parent	Primary key	Parent column	Column description
PFF_VARIABLE6QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5PERIODS	R5FOK1_ACP			
Column name	Parent	Primary key	Parent column	Column description
ACP_YEAR	R5YEARS	R5PRIK_ACY	ACY_YEAR	budget term code.
R5PERMENTITIES	R5FOK2_PRE			
Column name	Parent	Primary key	Parent column	Column description
PRE_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5PERMEVENTS	R5FOK1_PEV			
Column name	Parent	Primary key	Parent column	Column description
PEV_PERMIT	R5PERMITS	R5PRIK_PRT	PRT_CODE	permit code. unique identification.
PEV_PERMITREV	R5PERMITS	R5PRIK_PRT	PRT_REVISION	The permit revision.

PEV_PERMIT_ORG	R5PERMITS	R5PRIK_PRT	PRT_ORG	permit organization
R5PERMEVENTS	R5FOK2_PEV			
Column name	Parent	Primary key	Parent column	Column description
PEV_PTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PERMISSIONS	R5FOK1_PRM			
Column name	Parent	Primary key	Parent column	Column description
PRM_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5PERMISSIONS	R5FOK2_PRM			
Column name	Parent	Primary key	Parent column	Column description
PRM_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5PERMISSIONS	R5FOK3_PRM			
Column name	Parent	Primary key	Parent column	Column description
PRM_SECURITYDDSPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5PERMITS	R5FOK1_PRT			
Column name	Parent	Primary key	Parent column	Column description
PRT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PERMITTOWORK	R5FOK1_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PERMITTOWORK	R5FOK2_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PTW_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PERMITTOWORK	R5FOK3_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5PERMITTOWORK	R5FOK4_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PTW_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PERMITTOWORK	R5FOK5_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_LOCKOUTBOX	R5LOCKOUTBOXES	R5PRIK_LOX	LOX_CODE	The lockout box code.
PTW_LOCKOUTBOX_ORG	R5LOCKOUTBOXES	R5PRIK_LOX	LOX_ORG	The organization of the lockout box.
R5PERMITTOWORK	R5FOK6_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5PERMITTOWORK	R5FOK7_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_PERMIT	R5PERMITS	R5PRIK_PRT	PRT_CODE	permit code. unique identification.
PTW_PERMITREV	R5PERMITS	R5PRIK_PRT	PRT_REVISION	The permit revision.
PTW_PERMIT_ORG	R5PERMITS	R5PRIK_PRT	PRT_ORG	permit organization

R5PERMITTOWORK	R5FOK8_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_REPLACESPTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PERMITTOWORK	R5FOK9_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_REPLACEDBYPTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PERMITTOWORK	R5FOKA_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_REQUESTEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PERMITTOWORK	R5FOKB_PTW			
Column name	Parent	Primary key	Parent column	Column description
PTW_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PERMITTOWORKCONFLICTS	R5FOK1_PWC			
Column name	Parent	Primary key	Parent column	Column description
PWC_PTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PERMITTOWORKCONFLICTS	R5FOK2_PWC			
Column name	Parent	Primary key	Parent column	Column description
PWC_CONFLICTINGPTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PERMITTOWORKKLOTO	R5FOK1_PWL			
Column name	Parent	Primary key	Parent column	Column description
PWL_PTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PERMITTOWORKKLOTO	R5FOK2_PWL			
Column name	Parent	Primary key	Parent column	Column description
PWL_ISOLATIONMETHOD	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
PWL_ISOLATIONMETHODREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5PERMITTOWORKKLOTO	R5FOK3_PWL			
Column name	Parent	Primary key	Parent column	Column description
PWL_ISOLATIONPOINT	R5ISOLATIONPOINTS	R5PRIK_ISP	ISP_CODE	The isolation point code
PWL_ISOLATIONPOINTREV	R5ISOLATIONPOINTS	R5PRIK_ISP	ISP_REVISION	The isolation point revision.
PWL_ISOLATIONPOINT_ORG	R5ISOLATIONPOINTS	R5PRIK_ISP	ISP_ORG	The isolation point organization.
R5PERMITTOWORKSETUP	R5FOK1_PTS			
Column name	Parent	Primary key	Parent column	Column description
PTS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PERCODESTRUCT	R5FOK1_PRL			
Column name	Parent	Primary key	Parent column	Column description
PRL_CODE	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PERSONNEL	R5FOK1_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_PROFILEPICTURE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5PERSONNEL	R5FOK2_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.

R5PERSONNEL	R5FOK3_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5PERSONNEL	R5FOK4_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PERSONNEL	R5FOK5_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PERSONNEL	R5FOK6_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_FLEETCUSTOMER	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_CODE	The fleet customer code.
PER_FLEETCUSTOMER_ORG	R5FLEETCUSTOMERS	R5PRIK_FCU	FCU_ORG	The organization of the fleet customer.
R5PERSONNEL	R5FOK7_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5PERSONNEL	R5FOK8_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_PARENT	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PERSONNEL	R5FOK9_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_CUSTOMER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
PER_CUSTOMER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5PERSONNEL	R5FOKA_PER			
Column name	Parent	Primary key	Parent column	Column description
PER_SUPERVISOR	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.
R5PERSONNELQUALIFICATIONS	R5FOK1_PQU			
Column name	Parent	Primary key	Parent column	Column description
PQU_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PERSONNELQUALIFICATIONS	R5FOK2_PQU			
Column name	Parent	Primary key	Parent column	Column description
PQU_QUALIFICATION	R5QUALIFICATIONS	R5PRIK_QUA	QUA_CODE	Qualification code
R5PERTYPES	R5FOK1_PET			
Column name	Parent	Primary key	Parent column	Column description
PET_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PICKLISTPARTS	R5FOK1_PIP			
Column name	Parent	Primary key	Parent column	Column description
PIP_PICKLIST	R5PICKLISTS	R5PRIK_PIC	PIC_CODE	pick list number. unique identification.
R5PICKLISTPARTS	R5FOK2_PIP			
Column name	Parent	Primary key	Parent column	Column description
PIP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
PIP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization

R5PICKLISTS	R5FOK1_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
PIC_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5PICKLISTS	R5FOK2_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_ORIGIN	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PICKLISTS	R5FOK3_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PIC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PICKLISTS	R5FOK4_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5PICKLISTS	R5FOK5_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5PICKLISTS	R5FOK6_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PICKLISTS	R5FOK7_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
PIC_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5PICKLISTS	R5FOK8_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PICKLISTS	R5FOK9_PIC			
Column name	Parent	Primary key	Parent column	Column description
PIC_DFLTAUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PIPINGCLASS	R5FOK1_PCS			
Column name	Parent	Primary key	Parent column	Column description
PCS_MATERIAL	R5MATERIALSTANDARDS	R5PRIK_MST	MST_CODE	material standard
PCS_MATERIALREV	R5MATERIALSTANDARDS	R5PRIK_MST	MST_REVISION	revision
R5PIPINGCLASS	R5FOK2_PCS			
Column name	Parent	Primary key	Parent column	Column description
PCS_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PIPINGCLASS	R5FOK3_PCS			
Column name	Parent	Primary key	Parent column	Column description
PCS_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PMRESOURCES	R5FOK1_PMR			
Column name	Parent	Primary key	Parent column	Column description
PMR_RESOURCE	R5RESOURCES	R5PRIK_RSS	RSS_CODE	Resource Code

R5PMRESOURCES	R5FOK2_PMR			
Column name	Parent	Primary key	Parent column	Column description
PMR_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PMR_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PMRESOURCES	R5FOK3_PMR			
Column name	Parent	Primary key	Parent column	Column description
PMR_PPM	R5PPMS	R5PRIK_PPM	PPM_CODE	code of planned preventive maintenance schedule. unique identification.
PMR_PPMREVISION	R5PPMS	R5PRIK_PPM	PPM_REVISION	revision of pm, material list, task or rout.
R5POINTCONDITIONS	R5FOK1_POC			
Column name	Parent	Primary key	Parent column	Column description
POC_OBJECT	R5POINTS	R5PRIK_POI	POI_OBJECT	object code.
POC_OBJECT_ORG	R5POINTS	R5PRIK_POI	POI_OBJECT_ORG	object organization
POC_OBTYP	R5POINTS	R5PRIK_POI	POI_OBTYP	object type (user code, see entity obtp).
POC_POINT	R5POINTS	R5PRIK_POI	POI_POINT	identification of inspection point on object.
POC_POINTTYPE	R5POINTS	R5PRIK_POI	POI_POINTTYPE	type of inspection point.
R5POINTCONDITIONS	R5FOK2_POC			
Column name	Parent	Primary key	Parent column	Column description
POC_CONDITION	R5CONDITIONS	R5PRIK_CND	CND_CODE	inspection condition.
R5POINTCONDITIONS	R5FOK3_POC			
Column name	Parent	Primary key	Parent column	Column description
POC_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5POINTCONDITIONS	R5FOK4_POC			
Column name	Parent	Primary key	Parent column	Column description
POC_ASPECT	R5ASPECTPOINTS	R5PRIK_APO	APO_ASPECT	inspection aspect code.
POC_OBJECT	R5ASPECTPOINTS	R5PRIK_APO	APO_OBJECT	object code.
POC_OBJECT_ORG	R5ASPECTPOINTS	R5PRIK_APO	APO_OBJECT_ORG	object organization
POC_OBTYP	R5ASPECTPOINTS	R5PRIK_APO	APO_OBTYP	object type (user code)
POC_POINT	R5ASPECTPOINTS	R5PRIK_APO	APO_POINT	inspection point number.
POC_POINTTYPE	R5ASPECTPOINTS	R5PRIK_APO	APO_POINTTYPE	inspection point type.
R5POINTS	R5FOK1_POI			
Column name	Parent	Primary key	Parent column	Column description
POI_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
POI_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5POINTS	R5FOK2_POI			
Column name	Parent	Primary key	Parent column	Column description
POI_POINTTYPE	R5POINTTYPES	R5PRIK_PTP	PTP_CODE	type of inspection point. unique identification.
R5POLICIES	R5FOK1_POL			
Column name	Parent	Primary key	Parent column	Column description
POL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5POLICIES	R5FOK2_POL			
Column name	Parent	Primary key	Parent column	Column description
POL_APPROVEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5POLICIES	R5FOK3_POL			
Column name	Parent	Primary key	Parent column	Column description

POL_RANKINGCODE	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
POL_RANKINGORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
POL_RANKINGREVISION	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision

R5PPMACTS	R5FOK1_PPA			
Column name	Parent	Primary key	Parent column	Column description
PPA_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.

R5PPMACTS	R5FOK4_PPA			
Column name	Parent	Primary key	Parent column	Column description
PPA_PPM	R5PPMS	R5PRIK_PPM	PPM_CODE	code of planned preventive maintenance schedule. unique identification.
PPA_REVISION	R5PPMS	R5PRIK_PPM	PPM_REVISION	revision of pm, material list, task or rout.

R5PPMACTS	R5FOK5_PPA			
Column name	Parent	Primary key	Parent column	Column description
PPA_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.

R5PPMACTS	R5FOK6_PPA			
Column name	Parent	Primary key	Parent column	Column description
PPA_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.

R5PPMACTS	R5FOK7_PPA			
Column name	Parent	Primary key	Parent column	Column description
PPA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
PPA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5PPMCALENDARS	R5FOK1_PPC			
Column name	Parent	Primary key	Parent column	Column description
PPC_PPM	R5PPMS	R5PRIK_PPM	PPM_CODE	code of planned preventive maintenance schedule. unique identification.
PPC_REVISION	R5PPMS	R5PRIK_PPM	PPM_REVISION	revision of pm, material list, task or rout.

R5PPMCALENDARS	R5FOK2_PPC			
Column name	Parent	Primary key	Parent column	Column description
PPC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PPC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5PPMOBJECTS	R5FOK10_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_METUOM2	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.

R5PPMOBJECTS	R5FOK11_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_SCHEDGRP	R5SCHEDGROUPS	R5PRIK_SCG	SCG_CODE	scheduling group code.

R5PPMOBJECTS	R5FOK12_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.

R5PPMOBJECTS	R5FOK1_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_PPM	R5PPMS	R5PRIK_PPM	PPM_CODE	code of planned preventive maintenance schedule. unique identification.
PPO_REVISION	R5PPMS	R5PRIK_PPM	PPM_REVISION	revision of pm, material list, task or rout.

R5PPMOBJECTS	R5FOK2_PPO			
Column name	Parent	Primary key	Parent column	Column description

PPO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PPO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PPMOBJECTS	R5FOK3_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
PPO_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5PPMOBJECTS	R5FOK4_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5PPMOBJECTS	R5FOK5_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5PPMOBJECTS	R5FOK6_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_METUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5PPMOBJECTS	R5FOK7_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PPMOBJECTS	R5FOK8_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_PACKAGE	R5WORKPACKAGES	R5PRIK_WPK	WPK_CODE	work package code
R5PPMOBJECTS	R5FOK9_PPO			
Column name	Parent	Primary key	Parent column	Column description
PPO_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PPMPLAN	R5FOK1_PMP			
Column name	Parent	Primary key	Parent column	Column description
PMP_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PPMS	R5FOK1_PPM			
Column name	Parent	Primary key	Parent column	Column description
PPM_METUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5PPMS	R5FOK3_PPM			
Column name	Parent	Primary key	Parent column	Column description
PPM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PPMS	R5FOK4_PPM			
Column name	Parent	Primary key	Parent column	Column description
PPM_PLAN	R5PPMPLAN	R5PRIK_PMP	PMP_CODE	ppm plan code
R5PPMS	R5FOK5_PPM			
Column name	Parent	Primary key	Parent column	Column description
PPM_METUOM2	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5PPMS	R5FOK6_PPM			
Column name	Parent	Primary key	Parent column	Column description
PPM_PRODPRRIORITY	R5PRODUCTIONPRIORITY	R5PRIK_PDP	PDP_CODE	Production Priority Code

R5PPMTOOLS	R5FOK1_PPT			
Column name	Parent	Primary key	Parent column	Column description
PPT_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5PPMTOOLS	R5FOK2_PPT			
Column name	Parent	Primary key	Parent column	Column description
PPT_ACT	R5PPMACTS	R5PRIK_PPA	PPA_ACT	activity number.
PPT_PPM	R5PPMACTS	R5PRIK_PPA	PPA_PPM	planned preventive maintenance code.
PPT_REVISION	R5PPMACTS	R5PRIK_PPA	PPA_REVISION	revision number.
R5PRECAUTIONS	R5FOK1_PCA			
Column name	Parent	Primary key	Parent column	Column description
PCA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PRICING	R5FOK1_PRC			
Column name	Parent	Primary key	Parent column	Column description
PRC_ORIG	R5PRICECODES	R5PRIK_PRI	PRI_CODE	price code. unique identification.
R5PRICING	R5FOK2_PRC			
Column name	Parent	Primary key	Parent column	Column description
PRC_DEST	R5PRICECODES	R5PRIK_PRI	PRI_CODE	price code. unique identification.
R5PRINTERS	R5FOK1_PRN			
Column name	Parent	Primary key	Parent column	Column description
PRN_PRINTERTYPE	R5PRINTERTYPES	R5PRIK_PNT	PNT_CODE	the printer type
R5PRINTERUSERS	R5FOK1_PNU			
Column name	Parent	Primary key	Parent column	Column description
PNU_CODE	R5PRINTERS	R5PRIK_PRN	PRN_CODE	Ilm number of the printer
R5PRINTERUSERS	R5FOK2_PNU			
Column name	Parent	Primary key	Parent column	Column description
PNU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5PRODREQRESOURCES	R5FOK1_PRR			
Column name	Parent	Primary key	Parent column	Column description
PRR_RESOURCE	R5RESOURCES	R5PRIK_RSS	RSS_CODE	Resource Code
R5PRODREQRESOURCES	R5FOK2_PRR			
Column name	Parent	Primary key	Parent column	Column description
PRR_PRODUCTIONREQUEST	R5PRODUCTIONREQUESTS	R5PRIK_PRQ	PRQ_CODE	Production Request Code
PRR_PRODUCTIONREQUESTREV	R5PRODUCTIONREQUESTS	R5PRIK_PRQ	PRQ_REVISION	Production Request Revision
PRR_PRODUCTIONREQUEST_ORG	R5PRODUCTIONREQUESTS	R5PRIK_PRQ	PRQ_ORG	Production Request Organization
R5PRODUCTIONREQUESTS	R5FOK1_PRQ			
Column name	Parent	Primary key	Parent column	Column description
PRQ_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5PROJBUDCLASSES	R5FOK1_PCL			
Column name	Parent	Primary key	Parent column	Column description
PCL_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5PROJBUDCLASSES	R5FOK2_PCL			
Column name	Parent	Primary key	Parent column	Column description

PCL_PROJBUD	R5PROJBUDCODES	R5PRIK_PBC	PBC_CODE	project budget code. unique identification.
R5PROJECTS	R5FOK1_PRJ			
Column name	Parent	Primary key	Parent column	Column description
PRJ_PARENT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5PROJECTS	R5FOK2_PRJ			
Column name	Parent	Primary key	Parent column	Column description
PRJ_COORDIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5PROJECTS	R5FOK4_PRJ			
Column name	Parent	Primary key	Parent column	Column description
PRJ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5PROJECTS	R5FOK5_PRJ			
Column name	Parent	Primary key	Parent column	Column description
PRJ_CAPITALPLANNINGREQUEST	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_CODE	Code
PRJ_CAPITALPLANNINGREQUEST_ORG	R5CAPITALPLANNINGREQUESTS	R5PRIK_CPR	CPR_ORG	Organization
R5PROJECTS	R5FOK6_PRJ			
Column name	Parent	Primary key	Parent column	Column description
PRJ_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5PROJECTS	R5FOK7_PRJ			
Column name	Parent	Primary key	Parent column	Column description
PRJ_CUDESIGNEVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5PROMPTVALUES	R5FOK1_PMV			
Column name	Parent	Primary key	Parent column	Column description
PMV_PROMPT	R5PROPERTIES	R5PRIK_PRO	PRO_CODE	custom property code. unique identification.
R5PROMPTVALUES	R5FOK2_PMV			
Column name	Parent	Primary key	Parent column	Column description
PMV_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5PROMPTWEBSERVICES	R5FOK1_PWS			
Column name	Parent	Primary key	Parent column	Column description
PWS_WSPRMCODE	R5WSPROMPTS	R5PRIK_WST	WST_CODE	PK column
R5PROPERTIES	R5FOK2_PRO			
Column name	Parent	Primary key	Parent column	Column description
PRO_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5PROPERTYVALUES	R5FOK1_PRV			
Column name	Parent	Primary key	Parent column	Column description
PRV_PROPERTY	R5PROPERTIES	R5PRIK_PRO	PRO_CODE	custom property code. unique identification.
R5PROPERTYVALUES	R5FOK2_PRV			
Column name	Parent	Primary key	Parent column	Column description
PRV_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5PSCATEGORIES	R5FOK1_PSC			
Column name	Parent	Primary key	Parent column	Column description
PSC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5PSCATEGORIES	R5FOK2_PSC			
Column name	Parent	Primary key	Parent column	Column description
PSC_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
PSC_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5PTWEVENTLOG	R5FOK1_PTL			
Column name	Parent	Primary key	Parent column	Column description
PTL_PTW	R5PERMITTOWORK	R5PRIK_PTW	PTW_CODE	The permit to work unique code.
R5PULLDOWNMENU	R5FOK1_PDM			
Column name	Parent	Primary key	Parent column	Column description
PDM_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5PULLDOWNMENU	R5FOK2_PDM			
Column name	Parent	Primary key	Parent column	Column description
PDM_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5PUMPS	R5FOK1_PUM			
Column name	Parent	Primary key	Parent column	Column description
PUM_DEPOT	R5DEPOTS	R5PRIK_DEP	DEP_CODE	The identifier of the depot
PUM_DEPOT_ORG	R5DEPOTS	R5PRIK_DEP	DEP_ORG	The organization of the depot
R5QUALIFICATIONS	R5FOK1_QUA			
Column name	Parent	Primary key	Parent column	Column description
QUA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5QUERYFIELD	R5FOK1_DQF			
Column name	Parent	Primary key	Parent column	Column description
DQF_FIELDID	R5DDFIELD	R5PRIK_DDF	DDF_FIELDID	a unique id of the field
R5QUERYFIELD	R5FOK2_DQF			
Column name	Parent	Primary key	Parent column	Column description
DQF_DDSPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5QUOTATIONS	R5FOK1_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_ORIGIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5QUOTATIONS	R5FOK2_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5QUOTATIONS	R5FOK3_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5QUOTATIONS	R5FOK5_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
QUO_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5QUOTATIONS	R5FOK6_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5QUOTATIONS	R5FOK7_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
QUO_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5QUOTATIONS	R5FOK8_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5QUOTATIONS	R5FOK9_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5QUOTATIONS	R5FOKA_QUO			
Column name	Parent	Primary key	Parent column	Column description
QUO_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5QUOTLINES	R5FOK1_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_QUOTUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5QUOTLINES	R5FOK2_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
QUL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5QUOTLINES	R5FOK3_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
QUL_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.
R5QUOTLINES	R5FOK4_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5QUOTLINES	R5FOK5_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
QUL_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5QUOTLINES	R5FOK6_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_PURUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5QUOTLINES	R5FOK7_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_QUOTATION	R5QUOTATIONS	R5PRIK_QUO	QUO_CODE	quotation number. unique identification.
QUL_SEQNO	R5QUOTATIONS	R5PRIK_QUO	QUO_SEQNO	sequential number within quotation number, value 1 for first supplier to whom quotation is to be sen
R5QUOTLINES	R5FOK8_QUL			
Column name	Parent	Primary key	Parent column	Column description
QUL_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5QUOTLINES	R5FOK9_QUL			
Column name	Parent	Primary key	Parent column	Column description

QUL_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5QUOTTASKS	R5FOK2_QUT			
Column name	Parent	Primary key	Parent column	Column description
QUT_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
QUT_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5QUOTTASKS	R5FOK3_QUT			
Column name	Parent	Primary key	Parent column	Column description
QUT_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5RCMFAILUREMITIGATION	R5FOK10_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_CASE	R5CASEMANAGEMENT	R5PRIK_CSM	CSM_CODE	Unique ID of case
R5RCMFAILUREMITIGATION	R5FOK11_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5RCMFAILUREMITIGATION	R5FOK1_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5RCMFAILUREMITIGATION	R5FOK3_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_FAILUREMODE	R5EQUIPFUNCTIONLEVELS	R5PRIK_EFL	EFL_CODE	Primary key of the record
R5RCMFAILUREMITIGATION	R5FOK4_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_MITIGATIONPROBABILITY	R5RISKMATRIXSETUP	R5PRIK_RMS	RMS_CODE	Code
R5RCMFAILUREMITIGATION	R5FOK6_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_PPM	R5PPMS	R5PRIK_PPM	PPM_CODE	code of planned preventive maintenance schedule. unique identification.
RFM_PPMREV	R5PPMS	R5PRIK_PPM	PPM_REVISION	revision of pm, material list, task or rout.
R5RCMFAILUREMITIGATION	R5FOK7_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_MAINTENANCEPATTERN	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_CODE	The identifier of the maintenance pattern
RFM_MAINTENANCEPATTERN_ORG	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_ORG	The organization of the maintenance pattern
RFM_MAINTENANCEPATTERN_REV	R5MAINTENANCEPATTERNS	R5PRIK_MTP	MTP_REVISION	The revision of the maintenance pattern
R5RCMFAILUREMITIGATION	R5FOK8_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_PPMPLAN	R5PPMPLAN	R5PRIK_PMP	PMP_CODE	ppm plan code
R5RCMFAILUREMITIGATION	R5FOK9_RFM			
Column name	Parent	Primary key	Parent column	Column description
RFM_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.
R5RCMTEMPLATEEQUIPCLASSES	R5FOK1_REC			
Column name	Parent	Primary key	Parent column	Column description
REC_RCMTEMPLATE	R5RCMTEMPLATES	R5PRIK_RCT	RCT_CODE	
REC_RCMTEMPLATE_ORG	R5RCMTEMPLATES	R5PRIK_RCT	RCT_ORG	
REC_RCMTEMPLATE_REVISION	R5RCMTEMPLATES	R5PRIK_RCT	RCT_REVISION	

R5RCMTEMPLATEEQUIPCLASSES	R5FOK2_REC			
Column name	Parent	Primary key	Parent column	Column description
REC_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
REC_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5RCMTEMPLATES	R5FOK1_RCT			
Column name	Parent	Primary key	Parent column	Column description
RCT_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5RCMTEMPLATES	R5FOK2_RCT			
Column name	Parent	Primary key	Parent column	Column description
RCT_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RCMTEMPLATES	R5FOK3_RCT			
Column name	Parent	Primary key	Parent column	Column description
RCT_UPDATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RCMTEMPLATES	R5FOK4_RCT			
Column name	Parent	Primary key	Parent column	Column description
RCT_REQUESTEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RCMTEMPLATES	R5FOK5_RCT			
Column name	Parent	Primary key	Parent column	Column description
RCT_APPROVEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RCODES	R5FOK1_RCO			
Column name	Parent	Primary key	Parent column	Column description
RCO_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5READINGS	R5FOK1_REA			
Column name	Parent	Primary key	Parent column	Column description
REA_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
REA_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5READINGS	R5FOK2_REA			
Column name	Parent	Primary key	Parent column	Column description
REA_METER	R5METERS	R5PRIK_MET	MET_CODE	meter code. unique identification.
R5READINGS	R5FOK3_REA			
Column name	Parent	Primary key	Parent column	Column description
REA_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5READINGS	R5FOK4_REA			
Column name	Parent	Primary key	Parent column	Column description
REA_PARENT	R5READINGS	R5PRIK_REA	REA_CODE	unique identifier of readings record
R5REDUCTIONS	R5FOK1_RED			
Column name	Parent	Primary key	Parent column	Column description
RED_PART	R5CATALOGUE	R5PRIK_CAT	CAT_PART	part code.
RED_PART_ORG	R5CATALOGUE	R5PRIK_CAT	CAT_PART_ORG	part organization
RED_SUPPLIER	R5CATALOGUE	R5PRIK_CAT	CAT_SUPPLIER	supplier code
RED_SUPPLIER_ORG	R5CATALOGUE	R5PRIK_CAT	CAT_SUPPLIER_ORG	supplier organization
R5REGIONACTUALTEMPS	R5FOK1_RAT			

Column name	Parent	Primary key	Parent column	Column description
RAT_REGION	R5REGIONS	R5PRIK_RGN	RGN_CODE	Region Code
RAT_REGION_ORG	R5REGIONS	R5PRIK_RGN	RGN_ORG	Organization
R5REGIONHISTORICALTEMPS	R5FOK1_RHT			
Column name	Parent	Primary key	Parent column	Column description
RHT_REGION	R5REGIONS	R5PRIK_RGN	RGN_CODE	Region Code
RHT_REGION_ORG	R5REGIONS	R5PRIK_RGN	RGN_ORG	Organization
R5REGIONS	R5FOK1_RGN			
Column name	Parent	Primary key	Parent column	Column description
RGN_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5RELATEDMETERREADINGS	R5FOK1_RMR			
Column name	Parent	Primary key	Parent column	Column description
RMR_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5RELATEDMETERREADINGS	R5FOK2_RMR			
Column name	Parent	Primary key	Parent column	Column description
RMR_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5RELIABILITYRANKINGANSWER	R5FOK1_RRW			
Column name	Parent	Primary key	Parent column	Column description
RRW_LEVELPK	R5RELIABILITYRANKINGLEVELS	R5PRIK_RRL	RRL_PK	The reliability ranking level pk
R5RELIABILITYRANKINGLEVELS	R5FOK1_RRL			
Column name	Parent	Primary key	Parent column	Column description
RRL_ORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
RRL_RELIABILITYRANKING	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
RRL_REVISION	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
R5RELIABILITYRANKINGLEVELS	R5FOK2_RRL			
Column name	Parent	Primary key	Parent column	Column description
RRL_PARENT	R5RELIABILITYRANKINGLEVELS	R5PRIK_RRL	RRL_PK	The reliability ranking level pk
R5RELIABILITYRANKINGLEVELS	R5FOK3_RRL			
Column name	Parent	Primary key	Parent column	Column description
RRL_QUERYCODE	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5RELIABILITYRANKINGLEVELS	R5FOK4_RRL			
Column name	Parent	Primary key	Parent column	Column description
RRL_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5RELIABILITYRANKINGNORMS	R5FOK1_RRN			
Column name	Parent	Primary key	Parent column	Column description
RRN_LEVELPK	R5RELIABILITYRANKINGLEVELS	R5PRIK_RRL	RRL_PK	The reliability ranking level pk
R5RELIABILITYRANKINGQUESTS	R5FOK1_RRQ			
Column name	Parent	Primary key	Parent column	Column description
RRQ_LEVELPK	R5RELIABILITYRANKINGLEVELS	R5PRIK_RRL	RRL_PK	The reliability ranking level pk
R5RELIABILITYRANKINGQUESTS	R5FOK2_RRQ			
Column name	Parent	Primary key	Parent column	Column description
RRQ_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.

R5RELIABILITYRANKINGRANKS	R5FOK1_RRR			
Column name	Parent	Primary key	Parent column	Column description
RRR_ORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
RRR_RELIABILITYRANKING	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
RRR_REVISION	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
R5RELIABILITYRANKINGS	R5FOK1_RRK			
Column name	Parent	Primary key	Parent column	Column description
RRK_DECAYCURVE	R5DECAYCURVE	R5PRIK_DCR	DCR_CODE	
RRK_DECAYCURVE_ORG	R5DECAYCURVE	R5PRIK_DCR	DCR_ORG	
R5RELIABILITYRANKINGS	R5FOK2_RRK			
Column name	Parent	Primary key	Parent column	Column description
RRK_PERFORMANCEFORMULA	R5PERFORMANCEFORMULAS	R5PRIK_PFF	PFF_CODE	
RRK_PERFORMANCEFORMULA_ORG	R5PERFORMANCEFORMULAS	R5PRIK_PFF	PFF_ORG	
R5RELIABILITYRANKINGS	R5FOK3_RRK			
Column name	Parent	Primary key	Parent column	Column description
RRK_CORRSCORERANKING	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
RRK_CORRSCORERANKINGREV	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
RRK_CORRSCORERANKING_ORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
R5RELIABILITYRANKINGVALOBJ	R5FOK1_RVO			
Column name	Parent	Primary key	Parent column	Column description
RVO_RRVPK	R5RELIABILITYRANKINGVALUES	R5PRIK_RRV	RRV_PK	The survey batch pk
R5RELIABILITYRANKINGVALOBJ	R5FOK2_RVO			
Column name	Parent	Primary key	Parent column	Column description
RVO_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
RVO_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5RELIABILITYRANKINGVALUES	R5FOK1_RRV			
Column name	Parent	Primary key	Parent column	Column description
RRV_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
RRV_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5RELIABILITYRANKINGVALUES	R5FOK2_RRV			
Column name	Parent	Primary key	Parent column	Column description
RRV_RELIABILITYRANKING	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
RRV_RELIABILITYRANKINGREV	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision
RRV_RELIABILITYRANKING_ORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
R5RELIABILITYRANKINGVALUES	R5FOK3_RRV			
Column name	Parent	Primary key	Parent column	Column description
RRV_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RELIABILITYRANKINGVALUES	R5FOK4_RRV			
Column name	Parent	Primary key	Parent column	Column description
RRV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5REPAIRBINS	R5FOK1_RPB			
Column name	Parent	Primary key	Parent column	Column description
RPB_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
RPB_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.

R5REPAIRBINS	R5FOK2_RPB			
Column name	Parent	Primary key	Parent column	Column description
RPB_BIN	R5BINSTOCK	R5PRIK_BIS	BIS_BIN	bin location code.
RPB_LOT	R5BINSTOCK	R5PRIK_BIS	BIS_LOT	lot number.
RPB_PART	R5BINSTOCK	R5PRIK_BIS	BIS_PART	part code.
RPB_PART_ORG	R5BINSTOCK	R5PRIK_BIS	BIS_PART_ORG	part organization
RPB_STORE	R5BINSTOCK	R5PRIK_BIS	BIS_STORE	store code.
R5REPAIRBINS	R5FOK3_RPB			
Column name	Parent	Primary key	Parent column	Column description
RPB_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5REPBACPARMS	R5FOK1_RBP			
Column name	Parent	Primary key	Parent column	Column description
RBP_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPOPTIONS	R5FOK1_ROP			
Column name	Parent	Primary key	Parent column	Column description
ROP_FUNCTION	R5REPPARMS	R5PRIK_PMT	PMT_FUNCTION	code or report function, e.g. orcatl.
ROP_PARAMETER	R5REPPARMS	R5PRIK_PMT	PMT_PARAMETER	name of parameter as defined in the report.
R5REPORTFIELDS	R5FOK1_RFL			
Column name	Parent	Primary key	Parent column	Column description
RFL_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPORTFILTERS	R5FOK1_RFI			
Column name	Parent	Primary key	Parent column	Column description
RFI_FUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPORTFILTERS	R5FOK2_RFI			
Column name	Parent	Primary key	Parent column	Column description
RFI_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5REPORTFUNCTIONS	R5FOK1_RFN			
Column name	Parent	Primary key	Parent column	Column description
RFN_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPORTGROUPBY	R5FOK1_RGP			
Column name	Parent	Primary key	Parent column	Column description
RGP_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPORTSUBTOTAL	R5FOK1_RST			
Column name	Parent	Primary key	Parent column	Column description
RST_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPORTTABPARAMMAP	R5FOK1_RPM			
Column name	Parent	Primary key	Parent column	Column description
RPM_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPPARMS	R5FOK1_PMT			
Column name	Parent	Primary key	Parent column	Column description
PMT_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REPPARMS	R5FOK2_PMT			
Column name	Parent	Primary key	Parent column	Column description

PMT_QUERY	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5REPPARMS	R5FOK3_PMT			
Column name	Parent	Primary key	Parent column	Column description
PMT_LOVFUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5REQCLASSES	R5FOK1_RCL			
Column name	Parent	Primary key	Parent column	Column description
RCL_REQM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5REQUISITIONS	R5FOK10_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_RFQ	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_CODE	Uniquely identifies request for quotations
REQ_RFQ_ORG	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_ORG	Describes Organization.
R5REQUISITIONS	R5FOK1_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_ORIGIN	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5REQUISITIONS	R5FOK2_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5REQUISITIONS	R5FOK3_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_ENTEREDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5REQUISITIONS	R5FOK4_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5REQUISITIONS	R5FOK5_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
REQ_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5REQUISITIONS	R5FOK6_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_DFLTAUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5REQUISITIONS	R5FOK7_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5REQUISITIONS	R5FOK8_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5REQUISITIONS	R5FOK9_REQ			
Column name	Parent	Primary key	Parent column	Column description
REQ_RELATEDWO	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5REQUISLINES	R5FOK1_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.

RQL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5REQUISLINES	R5FOK2_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5REQUISLINES	R5FOK3_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5REQUISLINES	R5FOK4_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
RQL_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.
R5REQUISLINES	R5FOK5_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
RQL_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5REQUISLINES	R5FOK6_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_REQ	R5REQUISITIONS	R5PRIK_REQ	REQ_CODE	requisition number. unique identification.
R5REQUISLINES	R5FOK7_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_BLANKETORDER	R5BLANKETORDERS	R5PRIK_BLO	BLO_BLANKETORDER	unique sequence number identifier
R5REQUISLINES	R5FOK8_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5REQUISLINES	R5FOK9_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5REQUISLINES	R5FOKA_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
RQL_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5REQUISLINES	R5FOKB_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5REQUISLINES	R5FOKC_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5REQUISLINES	R5FOKD_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
RQL_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5REQUISLINES	R5FOKE_RQL			

R5REQUISLINES	R5FOKF_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5REQUISLINES	R5FOKF_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5REQUISLINES	R5FOKG_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_RELATEDWO	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5REQUISLINES	R5FOKH_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_RFQ	R5RFQLINES	R5PRIK_RLI	RLI_RFQ	Describes the RFQ code
RQL_RFQLINE	R5RFQLINES	R5PRIK_RLI	RLI_RFQLINE	Describes the RFQ Line
RQL_RFQ_ORG	R5RFQLINES	R5PRIK_RLI	RLI_ORG	Describes the RFQ Org
R5REQUISLINES	R5FOKI_RQL			
Column name	Parent	Primary key	Parent column	Column description
RQL_QUOTID	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTID	quotation number
RQL_QUOTLINE	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTLINE	quotation line number
R5RESERVATIONS	R5FOK2_RES			
Column name	Parent	Primary key	Parent column	Column description
RES_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
RES_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5RESERVATIONS	R5FOK3_RES			
Column name	Parent	Primary key	Parent column	Column description
RES_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
RES_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.
R5RFQCLAUSES	R5FOK1_RFC			
Column name	Parent	Primary key	Parent column	Column description
RFC_CODE	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_CODE	Uniquely identifies request for quotations
RFC_ORG	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_ORG	Describes Organization.
R5RFQCLAUSES	R5FOK2_RFC			
Column name	Parent	Primary key	Parent column	Column description
RFC_CLAUSE	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5RFQLINERESPONSEMAPPING	R5FOK1_RRM			
Column name	Parent	Primary key	Parent column	Column description
RRM_QUOTID	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTID	quotation number
RRM_QUOTLINE	R5RFQLINERESPONSES	R5PRIK_RLR	RLR_QUOTLINE	quotation line number
R5RFQLINERESPONSEMAPPING	R5FOK2_RRM			
Column name	Parent	Primary key	Parent column	Column description
RRM_RFQ	R5RFQLINES	R5PRIK_RLI	RLI_RFQ	Describes the RFQ code
RRM_RFQLINE	R5RFQLINES	R5PRIK_RLI	RLI_RFQLINE	Describes the RFQ Line
RRM_RFQ_ORG	R5RFQLINES	R5PRIK_RLI	RLI_ORG	Describes the RFQ Org
R5RFQLINERESPONSES	R5FOK1_RLR			
Column name	Parent	Primary key	Parent column	Column description
RLR_QUOTID	R5RFQRESPONSES	R5PRIK_RFR	RFR_QUOTID	Describes the quotation number

R5RFQLINERESPONSES	R5FOK2_RLR			
Column name	Parent	Primary key	Parent column	Column description
RLR_RFQ	R5RFQLINES	R5PRIK_RLI	RLI_RFQ	Describes the RFQ code
RLR_RFQLINE	R5RFQLINES	R5PRIK_RLI	RLI_RFQLINE	Describes the RFQ Line
RLR_RFQ_ORG	R5RFQLINES	R5PRIK_RLI	RLI_ORG	Describes the RFQ Org
R5RFQLINES	R5FOK1_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_ORG	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_ORG	Describes Organization.
RLI_RFQ	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_CODE	Uniquely identifies request for quotations
R5RFQLINES	R5FOK2_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5RFQLINES	R5FOK3_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
RLI_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5RFQLINES	R5FOK4_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5RFQLINES	R5FOK5_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5RFQLINES	R5FOK6_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code
R5RFQLINES	R5FOK7_RLI			
Column name	Parent	Primary key	Parent column	Column description
RLI_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
RLI_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5RFQRESPONSES	R5FOK1_RFR			
Column name	Parent	Primary key	Parent column	Column description
RFR_CODE	R5RFQSUPPLIERS	R5PRIK_RFS	RFS_CODE	Describe RFQ Code (Quotation Code)
RFR_ORG	R5RFQSUPPLIERS	R5PRIK_RFS	RFS_ORG	Describes Organization.
RFR_SUPPLIER	R5RFQSUPPLIERS	R5PRIK_RFS	RFS_SUPPLIER	Describes Supplier
RFR_SUPPLIER_ORG	R5RFQSUPPLIERS	R5PRIK_RFS	RFS_SUPPLIER_ORG	Describes Supplier Org
R5RFQRESPONSES	R5FOK2_RFR			
Column name	Parent	Primary key	Parent column	Column description
RFR_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5RFQRESPONSES	R5FOK3_RFR			
Column name	Parent	Primary key	Parent column	Column description
RFR_RECEIVEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RFQSUPPLIERS	R5FOK1_RFS			
Column name	Parent	Primary key	Parent column	Column description

RFS_CODE	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_CODE	Uniquely identifies request for quotations Describes Organization.
RFS_ORG	R5RFQUOTATIONS	R5PRIK_RFQ	RFQ_ORG	

R5RFQSUPPLIERS	R5FOK2_RFS			
Column name	Parent	Primary key	Parent column	Column description
RFS_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
RFS_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5RFQUOTATIONS	R5FOK10_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_DELADDRESS	R5DELADDRESSES	R5PRIK_DAD	DAD_CODE	delivery address code

R5RFQUOTATIONS	R5FOK11_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_CREATEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5RFQUOTATIONS	R5FOK12_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_AWARDEDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5RFQUOTATIONS	R5FOK13_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_REQUISITION	R5REQUISITIONS	R5PRIK_REQ	REQ_CODE	requisition number. unique identification.

R5RFQUOTATIONS	R5FOK1_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5RFQUOTATIONS	R5FOK2_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.

R5RFQUOTATIONS	R5FOK3_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_REQUESTEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5RFQUOTATIONS	R5FOK4_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_PROJECT	R5PROJECTS	R5PRIK_PRJ	PRJ_CODE	project code.

R5RFQUOTATIONS	R5FOK5_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
RFQ_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.

R5RFQUOTATIONS	R5FOK6_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code

R5RFQUOTATIONS	R5FOK7_RFQ			
Column name	Parent	Primary key	Parent column	Column description
RFQ_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
RFQ_EVTACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number

R5RFQUOTATIONS	R5FOK9_RFQ			

Column name	Parent	Primary key	Parent column	Column description
RFQ_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RISK	R5FOK1_RIS			
Column name	Parent	Primary key	Parent column	Column description
RIS_PARENT	R5RISK	R5PRIK_RIS	RIS_PK	primary key
R5RISK	R5FOK2_RIS			
Column name	Parent	Primary key	Parent column	Column description
RIS_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RISK	R5FOK3_RIS			
Column name	Parent	Primary key	Parent column	Column description
RIS_UPDUSER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5RISKMATRIXCONSEQCOST	R5FOK1_RCC			
Column name	Parent	Primary key	Parent column	Column description
RCC_CONSEQUENCE	R5RISKMATRIXCONSEQUENCES	R5PRIK_RMC	RMC_CODE	Code
RCC_RMSCODE	R5RISKMATRIXCONSEQUENCES	R5PRIK_RMC	RMC_RMSCODE	code in r5riskmatrixsetup
R5RISKMATRIXCONSEQCOST	R5FOK2_RCC			
Column name	Parent	Primary key	Parent column	Column description
RCC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5RISKMATRIXCONSEQUENCES	R5FOK1_RMC			
Column name	Parent	Primary key	Parent column	Column description
RMC_RMSCODE	R5RISKMATRIXSETUP	R5PRIK_RMS	RMS_CODE	Code
R5RISKNORM	R5FOK1_RNO			
Column name	Parent	Primary key	Parent column	Column description
RNO_PK	R5RISK	R5PRIK_RIS	RIS_PK	primary key
R5ROOTITEMS	R5FOK1_ROT			
Column name	Parent	Primary key	Parent column	Column description
ROT_REQM	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5ROOTITEMS	R5FOK2_ROT			
Column name	Parent	Primary key	Parent column	Column description
ROT_SUGGEST	R5REQUIRCODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.
R5ROUTEPOINTS	R5FOK1_ROP2			
Column name	Parent	Primary key	Parent column	Column description
ROP_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ROP_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ROUTES	R5FOK2_ROU			
Column name	Parent	Primary key	Parent column	Column description
ROU_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5ROUTEOBJECTS	R5FOK1_ROB			
Column name	Parent	Primary key	Parent column	Column description
ROB_REVISION	R5ROUTES	R5PRIK_ROU	ROU_REVISION	revision number.
ROB_ROUTE	R5ROUTES	R5PRIK_ROU	ROU_CODE	route code. unique identification.
R5ROUTEOBJECTS	R5FOK2_ROB			

Column name	Parent	Primary key	Parent column	Column description
ROB_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ROB_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5ROUTOBJECTS	R5FOK3_ROB			
Column name	Parent	Primary key	Parent column	Column description
ROB_FROM_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5ROUTOBJECTS	R5FOK4_ROB			
Column name	Parent	Primary key	Parent column	Column description
ROB_TO_REFERENCE	R5OBJLINEARREF	R5PRIK_LRF	LRF_ID	The surrogate key of this table, populated by sequence number S5LRF
R5RPTSERVERREQUEST	R5FOK1_RSR			
Column name	Parent	Primary key	Parent column	Column description
RSR_REQUESTID	R5MSGSERVERREQUEST	R5PRIK_MSQ	MSQ_REQUESTID	Message request ID
R5RPTSERVERREQUEST	R5FOK3_RSR			
Column name	Parent	Primary key	Parent column	Column description
RSR_PRINTERID	R5PRINTERS	R5PRIK_PRN	PRN_CODE	Ilm number of the printer
R5SAFETYMATRIX	R5FOK1_SFM			
Column name	Parent	Primary key	Parent column	Column description
SFM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SAFETYMATRIX	R5FOK4_SFM			
Column name	Parent	Primary key	Parent column	Column description
SFM_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SFM_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5SAFETYMATRIX	R5FOK6_SFM			
Column name	Parent	Primary key	Parent column	Column description
SFM_STANDARDWO	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5SCHEDGROUPS	R5FOK1_SCG			
Column name	Parent	Primary key	Parent column	Column description
SCG_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SCHEDGROUPS	R5FOK2_SCG			
Column name	Parent	Primary key	Parent column	Column description
SCG_PROFILEPICTURE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5SCHEDULEDJOBS	R5FOK1_SCJ			
Column name	Parent	Primary key	Parent column	Column description
SCJ_JOBNAME	R5JOBS	R5PRIK_JOB	JOB_NAME	This is primary key of the table. User readable name of the job
R5SCHEDULEDJOBS	R5FOK2_SCJ			
Column name	Parent	Primary key	Parent column	Column description
SCJ_SCHCODE	R5SCHEDULES	R5PRIK_SCH	SCH_CODE	This is primary key of the table.
R5SCHEDULEDJOBS	R5FOK3_SCJ			
Column name	Parent	Primary key	Parent column	Column description
SCJ_CODE	R5SCHEDULEDJOBSLOCK	R5PRIK_SJL	SJL_CODE	T.B.D.
R5SCREENCACHE	R5FOK1_SNC			
Column name	Parent	Primary key	Parent column	Column description

SNC_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5SCREENCACHE	R5FOK2_SNC			
Column name	Parent	Primary key	Parent column	Column description
SNC_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5SCREENFLOWGROUPS	R5FOK1_SFG			
Column name	Parent	Primary key	Parent column	Column description
SFG_USERGROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5SCREENFLOWS	R5FOK1_SFL			
Column name	Parent	Primary key	Parent column	Column description
SFL_SCREENFLOWCODE	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5SCREENFLOWS	R5FOK2_SFL			
Column name	Parent	Primary key	Parent column	Column description
SFL_SCREENNAME	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5SCREENSUBTABS	R5FOK1_SST			
Column name	Parent	Primary key	Parent column	Column description
SST_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5SERVICECATALOGUE	R5FOK2_SCA			
Column name	Parent	Primary key	Parent column	Column description
SCA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
SCA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5SERVICECATALOGUE	R5FOK3_SCA			
Column name	Parent	Primary key	Parent column	Column description
SCA_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5SERVICECATALOGUE	R5FOK4_SCA			
Column name	Parent	Primary key	Parent column	Column description
SCA_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5SERVICECATALOGUE	R5FOK5_SCA			
Column name	Parent	Primary key	Parent column	Column description
SCA_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5SERVICECATSERVICECODES	R5FOK1_SCS			
Column name	Parent	Primary key	Parent column	Column description
SCS_CATEGORY_CODE	R5PSCATEGORIES	R5PRIK_PSC	PSC_CODE	Provider/Service Category Code
SCS_CATEGORY_ORG	R5PSCATEGORIES	R5PRIK_PSC	PSC_ORG	Provider/Service Category Organization
R5SERVICECATSERVICECODES	R5FOK2_SCS			
Column name	Parent	Primary key	Parent column	Column description
SCS_SERVICECODE	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
SCS_SERVICECODE_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5SERVICECODEEQUIPCLASSES	R5FOK2_ECL			
Column name	Parent	Primary key	Parent column	Column description
ECL_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
ECL_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5SERVICECODEEQUIPCLASSES	R5FOK3_ECL			

Column name	Parent	Primary key	Parent column	Column description
ECL_SERVICECODE	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
ECL_SERVICECODE_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5SERVICECODES	R5FOK1_SRV			
Column name	Parent	Primary key	Parent column	Column description
SRV_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SERVICECODES	R5FOK2_SRV			
Column name	Parent	Primary key	Parent column	Column description
SRV_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SRV_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5SERVICECODES	R5FOK3_SRV			
Column name	Parent	Primary key	Parent column	Column description
SRV_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5SERVICELOGS	R5FOK1_LOG			
Column name	Parent	Primary key	Parent column	Column description
LOG_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5SERVICELOGS	R5FOK2_LOG			
Column name	Parent	Primary key	Parent column	Column description
LOG_ENTEREDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5SERVICEPROBLEMCODES	R5FOK1_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SERVICEPROBLEMCODES	R5FOK2_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5SERVICEPROBLEMCODES	R5FOK3_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SPB_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5SERVICEPROBLEMCODES	R5FOK4_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_EQPUSABILITY	R5EQUIPMENTUSABILITIES	R5PRIK_EUB	EUB_EQPUSABILITY	Equipment Usability
SPB_EQPUSABILITY_ORG	R5EQUIPMENTUSABILITIES	R5PRIK_EUB	EUB_ORG	Equipment Usability Organization
R5SERVICEPROBLEMCODES	R5FOK5_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_FOLLOWUPSERVICECODE	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
SPB_FOLLOWUPSERVICECODE_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5SERVICEPROBLEMCODES	R5FOK8_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5SERVICEPROBLEMCODES	R5FOK9_SPB			
Column name	Parent	Primary key	Parent column	Column description
SPB_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code

R5SERVICEPROBLEMLAYERS	R5FOK1_SPL			
Column name	Parent	Primary key	Parent column	Column description
SPL_SERVICEPROBLEM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SERVICEPROBLEMLAYERS	R5FOK2_SPL			
Column name	Parent	Primary key	Parent column	Column description
SPL_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
SPL_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5SERVICEREQUESTS	R5FOK2_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SERVICEREQUESTS	R5FOK3_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_CUSTOMER	R5DEBTORS	R5PRIK_DEB	DEB_CODE	debtor code.
R5SERVICEREQUESTS	R5FOK4_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SRQ_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5SERVICEREQUESTS	R5FOK5_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_ASSIGNEDTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5SERVICEREQUESTS	R5FOK6_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_DUPLICATEPARENT	R5SERVICEREQUESTS	R5PRIK_SRQ	SRQ_CODE	system generated service request code
R5SERVICEREQUESTS	R5FOK7_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_REPLICATEPARENT	R5SERVICEREQUESTS	R5PRIK_SRQ	SRQ_CODE	system generated service request code
R5SERVICEREQUESTS	R5FOK8_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_ENTEREDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5SERVICEREQUESTS	R5FOK9_SRQ			
Column name	Parent	Primary key	Parent column	Column description
SRQ_CURRENCY	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5SESSIONS	R5FOKB_SES			
Column name	Parent	Primary key	Parent column	Column description
SES_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5SETCONSISTEQUIPMENT	R5FOK1_SCE			
Column name	Parent	Primary key	Parent column	Column description
SCE_SETCONSISTPK	R5SETSCONSISTS	R5PRIK_SCN	SCN_PK	The primary key of the set or consist.
R5SETCONSISTEQUIPMENT	R5FOK2_SCE			
Column name	Parent	Primary key	Parent column	Column description
SCE_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SCE_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization

R5SETCONSISEQUIPMENT	R5FOK3_SCE			
Column name	Parent	Primary key	Parent column	Column description
SCE_SETPK	R5SETSCONSISTS	R5PRIK_SCN	SCN_PK	The primary key of the set or consist.
R5SETSCONSISTS	R5FOK1_SCN			
Column name	Parent	Primary key	Parent column	Column description
SCN_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SHFCREWS	R5FOK1_SHC			
Column name	Parent	Primary key	Parent column	Column description
SHC_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.
R5SHFCREWS	R5FOK2_SHC			
Column name	Parent	Primary key	Parent column	Column description
SHC_CREW	R5CREWS	R5PRIK_CRW	CRW_CODE	Crew code
SHC_CREW_ORG	R5CREWS	R5PRIK_CRW	CRW_ORG	Organization code
R5SHFDAYS	R5FOK2_SHD			
Column name	Parent	Primary key	Parent column	Column description
SHD_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.
R5SHFPERS	R5FOK1_SHP			
Column name	Parent	Primary key	Parent column	Column description
SHP_SHIFT	R5SHIFTS	R5PRIK_SHF	SHF_CODE	shift code. unique identification.
R5SHFPERS	R5FOK2_SHP			
Column name	Parent	Primary key	Parent column	Column description
SHP_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5SHIFTS	R5FOK1_SHF			
Column name	Parent	Primary key	Parent column	Column description
SHF_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5SHUTDOWNOBJECTS	R5FOK1_SOB			
Column name	Parent	Primary key	Parent column	Column description
SOB_SHUTDOWN	R5SHUTDOWNS	R5PRIK_SDS	SDS_CODE	shutdown code. unique identification.
R5SHUTDOWNOBJECTS	R5FOK2_SOB			
Column name	Parent	Primary key	Parent column	Column description
SOB_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
SOB_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5SHUTDOWNOBJECTS	R5FOK3_SOB			
Column name	Parent	Primary key	Parent column	Column description
SOB_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5SHUTDOWNOBJECTS	R5FOK4_SOB			
Column name	Parent	Primary key	Parent column	Column description
SOB_PROJBUD	R5PROJBUDCODES	R5PRIK_PBC	PBC_CODE	project budget code. unique identification.
R5SHUTDOWNOBJECTS	R5FOK5_SOB			
Column name	Parent	Primary key	Parent column	Column description
SOB_ROUTE	R5ROUTES	R5PRIK_ROU	ROU_CODE	route code. unique identification.
SOB_ROUTEREV	R5ROUTES	R5PRIK_ROU	ROU_REVISION	revision number.

R5SHUTDOWNS	R5FOK1_SDS			
Column name	Parent	Primary key	Parent column	Column description
SDS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5STANDARDCREWRATES	R5FOK1_SCR			
Column name	Parent	Primary key	Parent column	Column description
SCR_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5STANDARDCREWRATES	R5FOK2_SCR			
Column name	Parent	Primary key	Parent column	Column description
SCR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5STANDARDCREWRATES	R5FOK3_SCR			
Column name	Parent	Primary key	Parent column	Column description
SCR_STANDARDCREW	R5STANDARDCREWS	R5PRIK_SCW	SCW_CODE	
SCR_STANDARDCREW_ORG	R5STANDARDCREWS	R5PRIK_SCW	SCW_ORG	
R5STANDARDCREWS	R5FOK1_SCW			
Column name	Parent	Primary key	Parent column	Column description
SCW_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5STANDTOOLS	R5FOK1_WTD			
Column name	Parent	Primary key	Parent column	Column description
WTD_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5STANDTOOLS	R5FOK2_WTD			
Column name	Parent	Primary key	Parent column	Column description
WTD_ACT	R5STANDWACTS	R5PRIK_WAC	WAC_ACT	activity number.
WTD_STANDWORK	R5STANDWACTS	R5PRIK_WAC	WAC_STANDWORK	standard job code.
R5STANDWACTS	R5FOK1_WAC			
Column name	Parent	Primary key	Parent column	Column description
WAC_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5STANDWACTS	R5FOK4_WAC			
Column name	Parent	Primary key	Parent column	Column description
WAC_STANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5STANDWACTS	R5FOK5_WAC			
Column name	Parent	Primary key	Parent column	Column description
WAC_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5STANDWACTS	R5FOK6_WAC			
Column name	Parent	Primary key	Parent column	Column description
WAC_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5STANDWACTS	R5FOK7_WAC			
Column name	Parent	Primary key	Parent column	Column description
WAC_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
WAC_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5STANDWORKS	R5FOK2_STW			
Column name	Parent	Primary key	Parent column	Column description
STW_REQM	R5REQUIRECODES	R5PRIK_RQM	RQM_CODE	requirement code. unique identification.

R5STANDWORKS	R5FOK3_STW			
Column name	Parent	Primary key	Parent column	Column description
STW_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5STOCK	R5FOK1_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
STO_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5STOCK	R5FOK2_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5STOCK	R5FOK4_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_PREFUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5STOCK	R5FOK5_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_PREFSUP	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
STO_PREFSUP_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5STOCK	R5FOK6_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_REPPREFSUP	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
STO_REPPREFSUP_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5STOCK	R5FOK7_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_REPMRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5STOCK	R5FOK8_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_REPOBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
STO_REPOBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5STOCK	R5FOK9_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_REPSTANDWORK	R5STANDWORKS	R5PRIK_STW	STW_CODE	standard work order code. unique identification.
R5STOCK	R5FOKA_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_DEFAULTBIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
STO_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5STOCK	R5FOKB_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_REPDEFAULTBIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
STO_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5STOCK	R5FOKC_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_PRINTER	R5DEVICES	R5PRIK_DEV	DEV_CODE	a code for the device

R5STOCK	R5FOKD_STO			
Column name	Parent	Primary key	Parent column	Column description
STO_PREFMANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5STOCKOUTS	R5FOK1_SOU			
Column name	Parent	Primary key	Parent column	Column description
SOU_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5STOCKOUTS	R5FOK2_SOU			
Column name	Parent	Primary key	Parent column	Column description
SOU_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
SOU_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5STOCKTAKELINES	R5FOK1_STL			
Column name	Parent	Primary key	Parent column	Column description
STL_TRANS	R5TRANSACTIONS	R5PRIK_TRA	TRA_CODE	transaction header number.
R5STOCKTAKELINES	R5FOK2_STL			
Column name	Parent	Primary key	Parent column	Column description
STL_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5STOREDORDERING	R5FOK1_SOR			
Column name	Parent	Primary key	Parent column	Column description
SOR_FUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5STOREDORDERING	R5FOK2_SOR			
Column name	Parent	Primary key	Parent column	Column description
SOR_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5STOREDQUERIES	R5FOK1_SQU			
Column name	Parent	Primary key	Parent column	Column description
SQU_FUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5STOREDQUERIES	R5FOK2_SQU			
Column name	Parent	Primary key	Parent column	Column description
SQU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5STORES	R5FOK1_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_PARENT	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5STORES	R5FOK2_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_PRICECODE	R5PRICECODES	R5PRIK_PRI	PRI_CODE	price code. unique identification.
R5STORES	R5FOK3_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_LOCATION	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
STR_LOCATION_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5STORES	R5FOK4_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_FACILITY	R5FACILITIES	R5PRIK_FAC	FAC_CODE	facility code.
R5STORES	R5FOK5_STR			

R5STORES	R5FOK6_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5STORES	R5FOK7_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_PRINTER	R5DEVICES	R5PRIK_DEV	DEV_CODE	a code for the device
R5STORES	R5FOK8_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_TAX_PARTS	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5STORES	R5FOK9_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_TAX_SERVICES	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5STORES	R5FOK10_STR			
Column name	Parent	Primary key	Parent column	Column description
STR_SYSTEM	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
STR_SYSTEM_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5STORESECURITY	R5FOK11_STR			
Column name	Parent	Primary key	Parent column	Column description
SSC_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5STORESECURITY	R5FOK12_STR			
Column name	Parent	Primary key	Parent column	Column description
SSC_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5STORETAXES	R5FOK13_STR			
Column name	Parent	Primary key	Parent column	Column description
STT_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5STORETAXES	R5FOK14_STR			
Column name	Parent	Primary key	Parent column	Column description
STT_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5STORETAXES	R5FOK15_STR			
Column name	Parent	Primary key	Parent column	Column description
STT_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5STRATEGIES	R5FOK16_STR			
Column name	Parent	Primary key	Parent column	Column description
STG_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5STRATEGIES	R5FOK17_STR			
Column name	Parent	Primary key	Parent column	Column description
STG_APPROVEDBY	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5STRATEGIES	R5FOK18_STR			
Column name	Parent	Primary key	Parent column	Column description
STG_POLICY	R5POLICIES	R5PRIK_POL	POL_CODE	The policy code.
STG_POLICY_ORG	R5POLICIES	R5PRIK_POL	POL_ORG	The policy organization.
R5STRATEGIES	R5FOK19_STR			
Column name	Parent	Primary key	Parent column	Column description

STG_RANKINGCODE	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_CODE	The reliability ranking code
STG_RANKINGORG	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_ORG	The reliability ranking organization
STG_RANKINGREVISION	R5RELIABILITYRANKINGS	R5PRIK_RRK	RRK_REVISION	The reliability ranking revision

R5SUMUSAGE	R5FOK1_USG			
Column name	Parent	Primary key	Parent column	Column description
USG_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
USG_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization

R5SUMUSAGE	R5FOK2_USG			
Column name	Parent	Primary key	Parent column	Column description
USG_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.

R5SUPPEVALINES	R5FOK1_EVL			
Column name	Parent	Primary key	Parent column	Column description
EVL_EVALUATION	R5SUPPEVALUATION	R5PRIK_EVA	EVA_NO	evaluation number

R5SUPPEVALUATION	R5FOK1_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
EVA_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5SUPPEVALUATION	R5FOK2_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
EVA_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization

R5SUPPEVALUATION	R5FOK3_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
EVA_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code

R5SUPPEVALUATION	R5FOK4_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_RECEIPT	R5TRANSACTIONS	R5PRIK_TRA	TRA_CODE	transaction header number.

R5SUPPEVALUATION	R5FOK5_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_ENTEREDBY	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5SUPPEVALUATION	R5FOK6_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_USERGROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.

R5SUPPEVALUATION	R5FOK7_EVA			
Column name	Parent	Primary key	Parent column	Column description
EVA_CODE	R5SUPPEVALCODES	R5PRIK_EVD	EVD_CODE	supplier evaluation code

R5SUPPLIERACCOUNTNUMBERS	R5FOK1_SAN			
Column name	Parent	Primary key	Parent column	Column description
SAN_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
SAN_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5SUPPLIERACCOUNTNUMBERS	R5FOK2_SAN			
Column name	Parent	Primary key	Parent column	Column description

SAN_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5SUPPLIERSERVICECODEEXCL	R5FOK1_SSE			
Column name	Parent	Primary key	Parent column	Column description
SSE_OSPPK	R5OBJECTSUPPLIERS	R5PRIK_OSP	OSP_PK	The primary key of the record.
R5SUPPLIERSERVICECODEEXCL	R5FOK2_SSE			
Column name	Parent	Primary key	Parent column	Column description
SSE_OSCPK	R5OBJECTSERVICECODES	R5PRIK_OSC	OSC_PK	The primary key of the record
R5SUPPLIERSERVICECODES	R5FOK1_SPS			
Column name	Parent	Primary key	Parent column	Column description
SPS_COMPANY	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
SPS_COMPANY_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5SUPPLIERSERVICECODES	R5FOK2_SPS			
Column name	Parent	Primary key	Parent column	Column description
SPS_SERVICECODE	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_CODE	Service problem code
SPS_SERVICECODE_ORG	R5SERVICEPROBLEMCODES	R5PRIK_SPB	SPB_ORG	Service problem org
R5SYMPTOMCLASSES	R5FOK1_SYC			
Column name	Parent	Primary key	Parent column	Column description
SYC_SYMPTOM	R5SYMPTOMS	R5PRIK_SYM	SYM_CODE	
R5SYSTEMNOTIFICATIONS	R5FOK1_SNT			
Column name	Parent	Primary key	Parent column	Column description
SNT_LANG	R5LANGUAGES	R5PRIK_LAN	LAN_CODE	language code. unique identification.
R5SYSTEMWSPS	R5FOK1_SWP			
Column name	Parent	Primary key	Parent column	Column description
SWP_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5TABNOPERM	R5FOK1_TPN			
Column name	Parent	Primary key	Parent column	Column description
TPN_FUNCTION	R5FUNCTIONTABS	R5PRIK_FTB	FTB_FUNCTION	function code
TPN_TAB	R5FUNCTIONTABS	R5PRIK_FTB	FTB_TAB	tab name
R5TABPERMISSIONS	R5FOK1_TRP			
Column name	Parent	Primary key	Parent column	Column description
TRP_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5TABPERMISSIONS	R5FOK2_TRP			
Column name	Parent	Primary key	Parent column	Column description
TRP_FUNCTION	R5PERMISSIONS	R5PRIK_PRM	PRM_FUNCTION	code of function that users of user group have access to.
TRP_GROUP	R5PERMISSIONS	R5PRIK_PRM	PRM_GROUP	user group code.
R5TABPERMISSIONS	R5FOK3_TRP			
Column name	Parent	Primary key	Parent column	Column description
TRP_FUNCTION	R5FUNCTIONTABS	R5PRIK_FTB	FTB_FUNCTION	function code
TRP_TAB	R5FUNCTIONTABS	R5PRIK_FTB	FTB_TAB	tab name
R5TABPERMISSIONS	R5FOK4_TRP			
Column name	Parent	Primary key	Parent column	Column description
TRP_SECURITYDDSPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy

R5TANKPUMPS	R5FOK1_TPU			
Column name	Parent	Primary key	Parent column	Column description
TPU_DEPOT	R5TANKS	R5PRIK_TAN	TAN_DEPOT	The depot the tank belongs to
TPU_DEPOT_ORG	R5TANKS	R5PRIK_TAN	TAN_DEPOT_ORG	The depot organization the tank belongs to
TPU_TANK	R5TANKS	R5PRIK_TAN	TAN_CODE	The identifier of a tank with a depot
R5TANKPUMPS	R5FOK2_TPU			
Column name	Parent	Primary key	Parent column	Column description
TPU_DEPOT	R5PUMPS	R5PRIK_PUM	PUM_DEPOT	The depot of the pump
TPU_DEPOT_ORG	R5PUMPS	R5PRIK_PUM	PUM_DEPOT_ORG	The organization for the depot of the pump
TPU_PUMP	R5PUMPS	R5PRIK_PUM	PUM_CODE	The pump code
R5TANKS	R5FOK1_TAN			
Column name	Parent	Primary key	Parent column	Column description
TAN_DEPOT	R5DEPOTS	R5PRIK_DEP	DEP_CODE	The identifier of the depot
TAN_DEPOT_ORG	R5DEPOTS	R5PRIK_DEP	DEP_ORG	The organization of the depot
R5TANKS	R5FOK2_TAN			
Column name	Parent	Primary key	Parent column	Column description
TAN_FUEL	R5FUELS	R5PRIK_FUE	FUE_CODE	The identifier of the fuel
R5TASKCHECKLISTS	R5FOK1_TCH			
Column name	Parent	Primary key	Parent column	Column description
TCH_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
TCH_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5TASKCHECKLISTS	R5FOK2_TCH			
Column name	Parent	Primary key	Parent column	Column description
TCH_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5TASKCHECKLISTS	R5FOK3_TCH			
Column name	Parent	Primary key	Parent column	Column description
TCH_ASPECT	R5ASPECTS	R5PRIK_ASP	ASP_CODE	code of inspection aspect.
R5TASKPLANJOBS	R5FOK1_TPJ			
Column name	Parent	Primary key	Parent column	Column description
TPJ_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
TPJ_TASKREV	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
R5TASKPRICES	R5FOK1_TPR			
Column name	Parent	Primary key	Parent column	Column description
TPR_REVISION	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
TPR_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
R5TASKPRICES	R5FOK2_TPR			
Column name	Parent	Primary key	Parent column	Column description
TPR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TASKQUALIFICATIONS	R5FOK1_TQU			
Column name	Parent	Primary key	Parent column	Column description
TQU_REVISION	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
TQU_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
R5TASKQUALIFICATIONS	R5FOK2_TQU			
Column name	Parent	Primary key	Parent column	Column description

TQU_QUALIFICATION	R5QUALIFICATIONS	R5PRIK_QUA	QUA_CODE	Qualification code
R5TASKS	R5FOK1_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5TASKS	R5FOK2_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5TASKS	R5FOK3_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_BUYER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5TASKS	R5FOK4_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_PREFSUP	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
TSK_PREFSUP_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5TASKS	R5FOK5_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5TASKS	R5FOK6_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TASKS	R5FOK7_TSK			
Column name	Parent	Primary key	Parent column	Column description
TSK_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5TASKTOOLS	R5FOK1_TTO			
Column name	Parent	Primary key	Parent column	Column description
TTO_REVISION	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
TTO_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
R5TASKTOOLS	R5FOK2_TTO			
Column name	Parent	Primary key	Parent column	Column description
TTO_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5TASKTRADES	R5FOK1_TAT			
Column name	Parent	Primary key	Parent column	Column description
TAT_REVISION	R5TASKS	R5PRIK_TSK	TSK_REVISION	revision number.
TAT_TASK	R5TASKS	R5PRIK_TSK	TSK_CODE	task code.
R5TASKTRADES	R5FOK2_TAT			
Column name	Parent	Primary key	Parent column	Column description
TAT_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5TAXCODERATES	R5FOK1_TCR			
Column name	Parent	Primary key	Parent column	Column description
TCR_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5TAXCODERATES	R5FOK2_TCR			
Column name	Parent	Primary key	Parent column	Column description

TCR_RATE	R5TAXRATES	R5PRIK_TXR	TXR_CODE	tax rate code.
R5TAXES	R5FOK1_TAX			
Column name	Parent	Primary key	Parent column	Column description
TAX_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TAXRATES	R5FOK1_TXR			
Column name	Parent	Primary key	Parent column	Column description
TXR_RATETYPE	R5TAXRATETYPES	R5PRIK_TXT	TXT_CODE	tax rate type code.
R5TAXRATEVALUES	R5FOK1_TXV			
Column name	Parent	Primary key	Parent column	Column description
TXV_RATE	R5TAXRATES	R5PRIK_TXR	TXR_CODE	tax rate code.
R5TEMPCOSTCODEERRORS	R5FOK1_TCE			
Column name	Parent	Primary key	Parent column	Column description
TCE_COSTCODE	R5TEMPCOSTCODES	R5PRIK_TCC	TCC_COSTCODE	The cost code.
R5TEMPCOSTCODELINES	R5FOK1_TCL			
Column name	Parent	Primary key	Parent column	Column description
TCL_COSTCODE	R5TEMPCOSTCODES	R5PRIK_TCC	TCC_COSTCODE	The cost code.
R5TEMPLATECHARGEDEFS	R5FOK1_TCD			
Column name	Parent	Primary key	Parent column	Column description
TCD_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
TCD_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5TEMPLATECHARGEDEFS	R5FOK2_TCD			
Column name	Parent	Primary key	Parent column	Column description
TCD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TEMPLATECHARGEDEFS	R5FOK3_TCD			
Column name	Parent	Primary key	Parent column	Column description
TCD_USAGEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5TEMPLATECHARGEDEFS	R5FOK4_TCD			
Column name	Parent	Primary key	Parent column	Column description
TCD_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5TEMPLATECLAUSES	R5FOK1_TCS			
Column name	Parent	Primary key	Parent column	Column description
TCS_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
TCS_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5TEMPLATECLAUSES	R5FOK2_TCS			
Column name	Parent	Primary key	Parent column	Column description
TCS_CLAUSE	R5CONCLAUSES	R5PRIK_CCL	CCL_CODE	code of clause.
R5TEMPLATEDISCOUNTS	R5FOK1_TDC			
Column name	Parent	Primary key	Parent column	Column description
TDC_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
TDC_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5TEMPLATEDISCOUNTS	R5FOK2_TDC			
Column name	Parent	Primary key	Parent column	Column description

TDC_CURRENCY	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.
R5TEMPLATESALESPRICE	R5FOK1_TSC			
Column name	Parent	Primary key	Parent column	Column description
TSC_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
TSC_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5TEMPLATESALESPRICE	R5FOK2_TSC			
Column name	Parent	Primary key	Parent column	Column description
TSC_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5TEMPLATESALESPRICE	R5FOK3_TSC			
Column name	Parent	Primary key	Parent column	Column description
TSC_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TEMPLATESALESPRICE	R5FOK4_TSC			
Column name	Parent	Primary key	Parent column	Column description
TSC_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5TEMPLATEWOCRITERIA	R5FOK1_TWC			
Column name	Parent	Primary key	Parent column	Column description
TWC_CONTRACTTEMPLATE	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_CODE	Contract Template
TWC_CONTRACTTEMPLATE_ORG	R5CONTRACTTEMPLATES	R5PRIK_CTP	CTP_ORG	Organization
R5TEMPLATEWOCRITERIA	R5FOK2_TWC			
Column name	Parent	Primary key	Parent column	Column description
TWC_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5TEMPREQSFORORDER	R5FOK1_TRO			
Column name	Parent	Primary key	Parent column	Column description
TRO_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
TRO_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5TEMPRUNSQL	R5FOK1_TRS			
Column name	Parent	Primary key	Parent column	Column description
TRS_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5TEMPSTRESS	R5FOK1_TMS			
Column name	Parent	Primary key	Parent column	Column description
TMS_MATERIAL	R5MATERIALSTANDARDS	R5PRIK_MST	MST_CODE	material standard
TMS_MATERIALREV	R5MATERIALSTANDARDS	R5PRIK_MST	MST_REVISION	revision
R5TOOLPLAN	R5FOK1_TPL			
Column name	Parent	Primary key	Parent column	Column description
TPL_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
TPL_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5TOOLPLAN	R5FOK2_TPL			
Column name	Parent	Primary key	Parent column	Column description
TPL_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5TOOLPLAN	R5FOK3_TPL			
Column name	Parent	Primary key	Parent column	Column description
TPL_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.

R5TOOLREQ	R5FOK1_TOR			
Column name	Parent	Primary key	Parent column	Column description
TOR_TOOL	R5TOOLS	R5PRIK_TOO	TOO_CODE	tool code. unique identification.
R5TOOLREQ	R5FOK2_TOR			
Column name	Parent	Primary key	Parent column	Column description
TOR_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
TOR_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5TOOLREQ	R5FOK3_TOR			
Column name	Parent	Primary key	Parent column	Column description
TOR_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5TOOLS	R5FOK1_TOO			
Column name	Parent	Primary key	Parent column	Column description
TOO_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TOOLUSAGE	R5FOK1_TOU			
Column name	Parent	Primary key	Parent column	Column description
TOU_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5TOOLUSAGE	R5FOK2_TOU			
Column name	Parent	Primary key	Parent column	Column description
TOU_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
TOU_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5TRACKINGPROMPTS	R5FOK1_TKP			
Column name	Parent	Primary key	Parent column	Column description
TKP_SQLCODE	R5TRACKINGPROMPTSSQL	R5PRIK_TKL	TKL_SQLCODE	code of list of values sql statement (user code, see entity sqtp).
R5TRACKINGPROMPTS	R5FOK2_TKP			
Column name	Parent	Primary key	Parent column	Column description
TKP_EWSQUERYCODE	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5TRACKRETURNPROMPTS	R5FOKD_TKR			
Column name	Parent	Primary key	Parent column	Column description
TKR_TARGETSQL	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5TRADEQUALIFICATIONS	R5FOK1_TRQ			
Column name	Parent	Primary key	Parent column	Column description
TRQ_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5TRADEQUALIFICATIONS	R5FOK2_TRQ			
Column name	Parent	Primary key	Parent column	Column description
TRQ_QUALIFICATION	R5QUALIFICATIONS	R5PRIK_QUA	QUA_CODE	Qualification code
R5TRADERATES	R5FOK1_TRR			
Column name	Parent	Primary key	Parent column	Column description
TRR_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5TRADERATES	R5FOK2_TRR			
Column name	Parent	Primary key	Parent column	Column description
TRR_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5TRADERATES	R5FOK3_TRR			

Column name	Parent	Primary key	Parent column	Column description
TRR_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
TRR_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5TRADERATES	R5FOK4_TRR			
Column name	Parent	Primary key	Parent column	Column description
TRR_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TRADERATES	R5FOK5_TRR			
Column name	Parent	Primary key	Parent column	Column description
TRR_TAX	R5TAXES	R5PRIK_TAX	TAX_CODE	tax code.
R5TRADES	R5FOK1_TRD			
Column name	Parent	Primary key	Parent column	Column description
TRD_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TRANSACTIONS	R5FOK1_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_ORDER	R5ORDERS	R5PRIK_ORD	ORD_CODE	purchase order number.
TRA_ORDER_ORG	R5ORDERS	R5PRIK_ORD	ORD_ORG	purchase order organization
R5TRANSACTIONS	R5FOK2_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_AUTH	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5TRANSACTIONS	R5FOK4_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_REQ	R5REQUISITIONS	R5PRIK_REQ	REQ_CODE	requisition number. unique identification.
R5TRANSACTIONS	R5FOK5_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5TRANSACTIONS	R5FOK6_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_DCKCODE	R5DOCKLINES	R5PRIK_DKL	DKL_DCKCODE	dock receipt
TRA_DCKLINE	R5DOCKLINES	R5PRIK_DKL	DKL_LINE	dock line
R5TRANSACTIONS	R5FOK7_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_DCKCODE	R5DOCKRECEIPTS	R5PRIK_DCK	DCK_CODE	on-dock receipt code
R5TRANSACTIONS	R5FOK8_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_PERS	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5TRANSACTIONS	R5FOK9_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_ROUTEPARENT	R5TRANSACTIONS	R5PRIK_TRA	TRA_CODE	transaction header number.
R5TRANSACTIONS	R5FOKA_TRA			
Column name	Parent	Primary key	Parent column	Column description
TRA_INVALLOCATION	R5INVOICEALLOCATIONS	R5PRIK_INA	INA_PK	The system generated primary key, using new sequence s5invoiceallocations
R5TRANSLINEASSETS	R5FOK1_TLA			

R5TRANSLINES	R5FOK1_TRL			
Column name	Parent	Primary key	Parent column	Column description
TLA_MRC	R5MRC5	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5TRANSLINES	R5FOK2_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
TRL_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5TRANSLINES	R5FOK4_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_BIN	R5BINS	R5PRIK_BIN	BIN_CODE	bin location code.
TRL_STORE	R5BINS	R5PRIK_BIN	BIN_STORE	store code.
R5TRANSLINES	R5FOK5_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_PROJBUD	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJBUD	project budget code.
TRL_PROJECT	R5PROJBUDCLASSES	R5PRIK_PCL	PCL_PROJECT	project code.
R5TRANSLINES	R5FOK7_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
TRL_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5TRANSLINES	R5FOK8_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_COSTCODE	R5COSTCODES	R5PRIK_CST	CST_CODE	unique cost code
R5TRANSLINES	R5FOK9_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_TRANS	R5TRANSACTIONS	R5PRIK_TRA	TRA_CODE	transaction header number.
R5TRANSLINES	R5FOKA_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
TRL_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
TRL_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5TRANSLINES	R5FOKB_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
TRL_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.
R5TRANSLINES	R5FOKC_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_CONSIGNSUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
TRL_CONSIGNSUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5TRANSLINES	R5FOKD_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_REJECTREASON	R5REJECTREASONS	R5PRIK_RJR	RJR_CODE	code of reason for return to supplier. unique identification.
R5TRANSLINES	R5FOKE_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_PICKLIST	R5PICKLISTS	R5PRIK_PIC	PIC_CODE	pick list number. unique identification.

R5TRANSLINES	R5FOKE_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_DCKCODE	R5DOCKLINES	R5PRIK_DKL	DKL_DCKCODE	dock receipt
TRL_DCKLINE	R5DOCKLINES	R5PRIK_DKL	DKL_LINE	dock line
R5TRANSLINES	R5FOKF_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5TRANSLINES	R5FOKG_TRL			
Column name	Parent	Primary key	Parent column	Column description
TRL_BILLSUBLINE	R5FLEETBILLSUBLINES	R5PRIK_FBS	FBS_PK	System generated primary key.
R5TRANSTOCK	R5FOK1_TST			
Column name	Parent	Primary key	Parent column	Column description
TST_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
TST_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5TRANSTOCK	R5FOK2_TST			
Column name	Parent	Primary key	Parent column	Column description
TST_LOT	R5LOTS	R5PRIK_LOT	LOT_CODE	lot number. unique identification.
R5TRANSTOCK	R5FOK3_TST			
Column name	Parent	Primary key	Parent column	Column description
TST_ORDER	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER	purchase order number.
TST_ORDER_ORG	R5ORDERLINES	R5PRIK_ORL	ORL_ORDER_ORG	purchase order organization
TST_ORDLINE	R5ORDERLINES	R5PRIK_ORL	ORL_ORDLINE	purchase order line number.
R5TRANSTOCK	R5FOK4_TST			
Column name	Parent	Primary key	Parent column	Column description
TST_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
TST_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.
R5TRANSTOCK	R5FOK5_TST			
Column name	Parent	Primary key	Parent column	Column description
TST_STORE	R5STORES	R5PRIK_STR	STR_CODE	store code.
R5TRANSTOCK	R5FOK6_TST			
Column name	Parent	Primary key	Parent column	Column description
TST_MANUFACTURER	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5UCODES	R5FOK1_UCO			
Column name	Parent	Primary key	Parent column	Column description
UCO_RCODE	R5RCODES	R5PRIK_RCO	RCO_RCODE	code.
UCO_RENTITY	R5RCODES	R5PRIK_RCO	RCO_RENTITY	entity code.
R5UDFSCREENFIELDS	R5FOK1_USF			
Column name	Parent	Primary key	Parent column	Column description
USF_SCREENNAME	R5UDFSCREENS	R5PRIK_USC	USC_SCREENNAME	Screen name
R5UOMCONVERSION	R5FOK1_UOC			
Column name	Parent	Primary key	Parent column	Column description
UOC_SITEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5UOMCONVERSION	R5FOK2_UOC			

Column name	Parent	Primary key	Parent column	Column description
UOC_BASEUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5UOMS	R5FOK1_UOM			
Column name	Parent	Primary key	Parent column	Column description
UOM_SOAUOM	R5SOAUOMS	R5PRIK_SUO	SUO_CODE	Unique SOA UOM Code
R5URLPARAMETERS	R5FOK1_URL			
Column name	Parent	Primary key	Parent column	Column description
URL_USERFUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5USEGRIDGISDEFAULT	R5FOK1_UGD			
Column name	Parent	Primary key	Parent column	Column description
UGD_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid
R5USEGRIDGISDEFAULT	R5FOK2_UGD			
Column name	Parent	Primary key	Parent column	Column description
UGD_USERID	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USEGRIDGISDEFAULT	R5FOK3_UGD			
Column name	Parent	Primary key	Parent column	Column description
UGD_DATASPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5USEGRIDSYSDEFAULT	R5FOK1_USD			
Column name	Parent	Primary key	Parent column	Column description
USD_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid
R5USEGRIDSYSDEFAULT	R5FOK2_USD			
Column name	Parent	Primary key	Parent column	Column description
USD_USERID	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USEGRIDSYSDEFAULT	R5FOK3_USD			
Column name	Parent	Primary key	Parent column	Column description
USD_DATASPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy
R5USERDEFINEDFIELDLOVVALS	R5FOK1_UDL			
Column name	Parent	Primary key	Parent column	Column description
UDL_FIELD	R5USERDEFINEDFIELDSETUP	R5PRIK_UDF	UDF_FIELD	Field Id (associates with pagelayout)
UDL_RENTITY	R5USERDEFINEDFIELDSETUP	R5PRIK_UDF	UDF_RENTITY	Rentity that supports UDFs
R5USERDEFINEDFIELDSETUP	R5FOK1_UDF			
Column name	Parent	Primary key	Parent column	Column description
UDF_RENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5USERDEFINEDFIELDSETUP	R5FOK2_UDF			
Column name	Parent	Primary key	Parent column	Column description
UDF_LOOKUPRENTITY	R5ENTITIES	R5PRIK_ENT	ENT_RENTITY	code indicating the type of entity.
R5USERDEFINEDFIELDSETUP	R5FOK3_UDF			
Column name	Parent	Primary key	Parent column	Column description
UDF_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5USERDEFINEDFIELDSETUP	R5FOK4_UDF			
Column name	Parent	Primary key	Parent column	Column description
UDF_CURR	R5CURRENCIES	R5PRIK_CUR	CUR_CODE	currency code. unique identification.

R5USERFAVORITEKBARTICLES	R5FOK1_UFK			
Column name	Parent	Primary key	Parent column	Column description
UFK_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERFAVORITEKBARTICLES	R5FOK2_UFK			
Column name	Parent	Primary key	Parent column	Column description
UFK_KBARTICLE	R5KBARTICLES	R5PRIK_KBA	KBA_CODE	Knowledge Base Code /Auto-Generated Code
UFK_KBARTICLE_ORG	R5KBARTICLES	R5PRIK_KBA	KBA_ORG	Knowledge Base Org
R5USERGISMAPS	R5FOK1_UGM			
Column name	Parent	Primary key	Parent column	Column description
UGM_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERGISMAPS	R5FOK2_UGM			
Column name	Parent	Primary key	Parent column	Column description
UGM_MAP	R5GISMAPS	R5PRIK_GSM	GSM_CODE	T.B.D.
UGM_MAP_ORG	R5GISMAPS	R5PRIK_GSM	GSM_ORG	T.B.D.
R5USERGISMAPS	R5FOK3_UGM			
Column name	Parent	Primary key	Parent column	Column description
UGM_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5USERKPI	R5FOK1_KPU			
Column name	Parent	Primary key	Parent column	Column description
KPU_CODE	R5HOME	R5PRIK_HOM	HOM_CODE	inbox code
KPU_TYPE	R5HOME	R5PRIK_HOM	HOM_TYPE	kpi type
R5USERKPI	R5FOK2_KPU			
Column name	Parent	Primary key	Parent column	Column description
KPU_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERLINEARPREFERENCES	R5FOK1_ULP			
Column name	Parent	Primary key	Parent column	Column description
ULP_USERCODE	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERLPFCLASSES	R5FOK1_UPC			
Column name	Parent	Primary key	Parent column	Column description
UPC_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERLPFCLASSES	R5FOK2_UPC			
Column name	Parent	Primary key	Parent column	Column description
UPC_LINEARPREFERENCE	R5USERLINEARPREFERENCES	R5PRIK_ULP	ULP_CODE	The primary key of the user linear preference.
R5USERLPFTYPES	R5FOK1_LPT			
Column name	Parent	Primary key	Parent column	Column description
LPT_LINEARPREFERENCE	R5USERLINEARPREFERENCES	R5PRIK_ULP	ULP_CODE	The primary key of the user linear preference.
R5USERORGANIZATION	R5FOK1_UOG			
Column name	Parent	Primary key	Parent column	Column description
UOG_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERORGANIZATION	R5FOK2_UOG			
Column name	Parent	Primary key	Parent column	Column description
UOG_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

R5USERORGANIZATION	R5FOK3_UOG			
Column name	Parent	Primary key	Parent column	Column description
UOG_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5USERPORTLET	R5FOK1_UPT			
Column name	Parent	Primary key	Parent column	Column description
UPT_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERPREFERENCES	R5FOK1_USP			
Column name	Parent	Primary key	Parent column	Column description
USP_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERPREFS	R5FOK1_UPF			
Column name	Parent	Primary key	Parent column	Column description
UPF_PREF	R5PREFERENCES	R5PRIK_PRF	PRF_CODE	preference code.
R5USERPREFS	R5FOK2_UPF			
Column name	Parent	Primary key	Parent column	Column description
UPF_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERQAB	R5FOK1_UQA			
Column name	Parent	Primary key	Parent column	Column description
UQA_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5USERQAB	R5FOK2_UQA			
Column name	Parent	Primary key	Parent column	Column description
UQA_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERRESPONSIBILITIES	R5FOK1_URS			
Column name	Parent	Primary key	Parent column	Column description
URS_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERS	R5FOK10_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_PROFILEPICTURE	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5USERS	R5FOK11_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_DUXFIRSTFUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5USERS	R5FOK1_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5USERS	R5FOK2_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_PRINTER	R5DEVICES	R5PRIK_DEV	DEV_CODE	a code for the device
R5USERS	R5FOK3_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_GROUP	R5GROUPS	R5PRIK_UGR	UGR_CODE	code of user group.
R5USERS	R5FOK4_USR			
Column name	Parent	Primary key	Parent column	Column description

USR_LANG	R5LANGINST	R5PRIK_LIN	LIN_CODE	language code. unique identification.

R5USERS	R5FOK5_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_LASTFUNC	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.

R5USERS	R5FOK6_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_FACILITY	R5FACILITIES	R5PRIK_FAC	FAC_CODE	facility code.

R5USERS	R5FOK7_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_LOCALE	R5LOCALE	R5PRIK_LOC	LOC_CODE	Locale identifier

R5USERS	R5FOK8_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
USR_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization

R5USERS	R5FOK9_USR			
Column name	Parent	Primary key	Parent column	Column description
USR_DEFAULTSTORE	R5STORES	R5PRIK_STR	STR_CODE	store code.

R5USERSTRUCTUREPREFERENCES	R5FOK1_UST			
Column name	Parent	Primary key	Parent column	Column description
UST_USERCODE	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5USERWIDGET	R5FOK1_WGT			
Column name	Parent	Primary key	Parent column	Column description
WGT_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.

R5USERWIDGET	R5FOK2_WGT			
Column name	Parent	Primary key	Parent column	Column description
WGT_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.

R5USERWIDGETCHART	R5FOK1_UWC			
Column name	Parent	Primary key	Parent column	Column description
UWC_WIDGETID	R5USERWIDGET	R5PRIK_WGT	WGT_WIDGETID	The id of the widget.

R5USERWIDGETGRID	R5FOK1_UWG			
Column name	Parent	Primary key	Parent column	Column description
UWG_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.

R5USERWIDGETGRID	R5FOK2_UWG			
Column name	Parent	Primary key	Parent column	Column description
UWG_GRIDID	R5GRID	R5PRIK_GRD	GRD_GRIDID	a unique id of the grid

R5USERWIDGETGRID	R5FOK3_UWG			
Column name	Parent	Primary key	Parent column	Column description
UWG_DATASPYID	R5DDDATASPY	R5PRIK_DDS	DDS_DDSPYID	a unique id of the dataspy

R5USERWIDGETKPI	R5FOK1_UWK			
Column name	Parent	Primary key	Parent column	Column description
UWK_HOMECODE	R5HOME	R5PRIK_HOM	HOM_CODE	inbox code
UWK_HOMETYPE	R5HOME	R5PRIK_HOM	HOM_TYPE	kpi type

R5USERWIDGETLAYOUT	R5FOK1_UWL			
Column name	Parent	Primary key	Parent column	Column description
UWL_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5USERWIDGETLAYOUT	R5FOK2_UWL			
Column name	Parent	Primary key	Parent column	Column description
UWL_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5UTILITYINVLINES	R5FOK1_UIL			
Column name	Parent	Primary key	Parent column	Column description
UIL_INVOICE	R5INVOICES	R5PRIK_INV	INV_CODE	code identifying the invoice.
UIL_INVOICE_ORG	R5INVOICES	R5PRIK_INV	INV_ORG	invoice organization
R5UTILITYINVLINES	R5FOK2_UIL			
Column name	Parent	Primary key	Parent column	Column description
UIL_METER	R5METERS	R5PRIK_MET	MET_CODE	meter code. unique identification.
R5UTILITYINVLINES	R5FOK3_UIL			
Column name	Parent	Primary key	Parent column	Column description
UIL_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
UIL_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5UTILITYINVLINES	R5FOK4_UIL			
Column name	Parent	Primary key	Parent column	Column description
UIL_COMMODITY	R5COMMODITIES	R5PRIK_CMD	CMD_CODE	commodity code
R5UTILITYINVLINES	R5FOK5_UIL			
Column name	Parent	Primary key	Parent column	Column description
UIL_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5WALLTHICKNESS	R5FOK1_WTH			
Column name	Parent	Primary key	Parent column	Column description
WTH_PIPING	R5PIPINGCLASS	R5PRIK_PCS	PCS_CODE	pipng class
WTH_PIPINGREV	R5PIPINGCLASS	R5PRIK_PCS	PCS_REVISION	revision
R5WARCLAIMACTIVITIES	R5FOK1_WCA			
Column name	Parent	Primary key	Parent column	Column description
WCA_CLAIM	R5WARCLAIMS	R5PRIK_WCL	WCL_CODE	warranty claim number. unique identifier.
R5WARCLAIMLINES	R5FOK1_WLN			
Column name	Parent	Primary key	Parent column	Column description
WLN_ACT	R5WARCLAIMACTIVITIES	R5PRIK_WCA	WCA_ACT	The activity belong to the waranty claim
WLN_CLAIM	R5WARCLAIMACTIVITIES	R5PRIK_WCA	WCA_CLAIM	The warranty claim the activity belongs to
R5WARCLAIMS	R5FOK1_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
WCL_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5WARCLAIMS	R5FOK2_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_WARRANTY	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5WARCLAIMS	R5FOK3_WCL			

R5WARCLAIMS	R5FOK4_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5WARCLAIMS	R5FOK5_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_EVENT	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5WARCLAIMS	R5FOK6_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_SUPPLIER	R5COMPANIES	R5PRIK_COM	COM_CODE	code of supplier.
WCL_SUPPLIER_ORG	R5COMPANIES	R5PRIK_COM	COM_ORG	supplier organization
R5WARCLAIMS	R5FOK7_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_EVTCOMMISS	R5EVENTS	R5PRIK_EVT	EVT_CODE	unique event code
R5WARCLAIMS	R5FOK8_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_TOPPARENT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
WCL_TOPPARENT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5WARCLAIMS	R5FOK9_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_REQ	R5REQUISLINES	R5PRIK_RQL	RQL_REQ	requisition number.
WCL_REQLINE	R5REQUISLINES	R5PRIK_RQL	RQL_REQLINE	requisition line number.
R5WARCLAIMS	R5FOK10_WCL			
Column name	Parent	Primary key	Parent column	Column description
WCL_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5WARCOMPONENTS	R5FOK11_WCM			
Column name	Parent	Primary key	Parent column	Column description
WCM_WARRANTY	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5WARCOVERAGES	R5FOK12_WCV			
Column name	Parent	Primary key	Parent column	Column description
WCV_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
WCV_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5WARCOVERAGES	R5FOK13_WCV			
Column name	Parent	Primary key	Parent column	Column description
WCV_WARRANTY	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5WARCOVERAGES	R5FOK14_WCV			
Column name	Parent	Primary key	Parent column	Column description
WCV_UOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5WARCOVERAGES	R5FOK15_WCV			
Column name	Parent	Primary key	Parent column	Column description
WCV_OBJECT	R5OBJUSAGEDEFS	R5PRIK_OUD	OUD_OBJECT	object code.
WCV_OBJECT_ORG	R5OBJUSAGEDEFS	R5PRIK_OUD	OUD_OBJECT_ORG	object organization
WCV_UOM	R5OBJUSAGEDEFS	R5PRIK_OUD	OUD_UOM	unit of measure code.
R5WARCOVERAGES	R5FOK16_WCV			
Column name	Parent	Primary key	Parent column	Column description

WCV_USER	R5USERS	R5PRIK_USR	USR_CODE	username. unique identification.
R5WARRANTYPARTS	R5FOK1_WRP			
Column name	Parent	Primary key	Parent column	Column description
WRP_WARRANTY	R5DOCUMENTS	R5PRIK_DOC	DOC_CODE	unique code of document
R5WARRANTYPARTS	R5FOK2_WRP			
Column name	Parent	Primary key	Parent column	Column description
WRP_PART	R5PARTS	R5PRIK_PAR	PAR_CODE	part code. unique identification.
WRP_PART_ORG	R5PARTS	R5PRIK_PAR	PAR_ORG	part organization
R5WIZARD	R5FOK1_WIZ			
Column name	Parent	Primary key	Parent column	Column description
WIZ_FUNCTION	R5FUNCTIONS	R5PRIK_FUN	FUN_CODE	function that background report will be called from.
R5WOREPAIRS	R5FOK01_WOR			
Column name	Parent	Primary key	Parent column	Column description
WOR_ACT	R5ACTIVITIES	R5PRIK_ACT	ACT_ACT	activity sequence number
WOR_EVENT	R5ACTIVITIES	R5PRIK_ACT	ACT_EVENT	event code
R5WOREPAIRS	R5FOK02_WOR			
Column name	Parent	Primary key	Parent column	Column description
WOR_MANUFACT	R5MANUFACTURERS	R5PRIK_MFG	MFG_CODE	manufacturer code.
R5WORKPACKAGES	R5FOK1_WPK			
Column name	Parent	Primary key	Parent column	Column description
WPK_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5WORKPACKAGES	R5FOK2_WPK			
Column name	Parent	Primary key	Parent column	Column description
WPK_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5WORKPACKAGES	R5FOK3_WPK			
Column name	Parent	Primary key	Parent column	Column description
WPK_TRADE	R5TRADES	R5PRIK_TRD	TRD_CODE	trade code.
R5WORKPACKAGES	R5FOK4_WPK			
Column name	Parent	Primary key	Parent column	Column description
WPK_OBJECT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
WPK_OBJECT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5WORKSAFETY	R5FOK1_KSF			
Column name	Parent	Primary key	Parent column	Column description
KSF_HAZARD	R5HAZARDS	R5PRIK_HAZ	HAZ_CODE	The hazard code.
KSF_HAZARDREV	R5HAZARDS	R5PRIK_HAZ	HAZ_REVISION	The hazard revision.
KSF_HAZARD_ORG	R5HAZARDS	R5PRIK_HAZ	HAZ_ORG	The organization of the hazard.
R5WORKSAFETY	R5FOK2_KSF			
Column name	Parent	Primary key	Parent column	Column description
KSF_PRECAUTION	R5PRECAUTIONS	R5PRIK_PCA	PCA_CODE	The precaution code.
KSF_PRECAUTIONREV	R5PRECAUTIONS	R5PRIK_PCA	PCA_REVISION	The revision of the precaution.
KSF_PRECAUTION_ORG	R5PRECAUTIONS	R5PRIK_PCA	PCA_ORG	The organization of the precaution
R5WORKSPACEEMPLOYEES	R5FOK1_WKE			
Column name	Parent	Primary key	Parent column	Column description

WKE_WORKSPACE_NUMBER	R5WORKSPACES	R5PRIK_WKS	WKS_PK	The primary key of the work space.
R5WORKSPACEEMPLOYEES	R5FOK2_WKE			
Column name	Parent	Primary key	Parent column	Column description
WKE_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5WORKSPACEMOVECHILDREN	R5FOK1_WMC			
Column name	Parent	Primary key	Parent column	Column description
WMC_WORKSPACEMOVE	R5WORKSPACEMOVES	R5PRIK_WKM	WKM_PK	The primary key of the work space move.
R5WORKSPACEMOVECHILDREN	R5FOK2_WMC			
Column name	Parent	Primary key	Parent column	Column description
WMC_ASSIGNTO	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5WORKSPACEMOVES	R5FOK1_WKM			
Column name	Parent	Primary key	Parent column	Column description
WKM_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5WORKSPACEMOVES	R5FOK2_WKM			
Column name	Parent	Primary key	Parent column	Column description
WKM_FROM_WORKSPACEPK	R5WORKSPACES	R5PRIK_WKS	WKS_PK	The primary key of the work space.
R5WORKSPACEMOVES	R5FOK3_WKM			
Column name	Parent	Primary key	Parent column	Column description
WKM_TO_WORKSPACEPK	R5WORKSPACES	R5PRIK_WKS	WKS_PK	The primary key of the work space.
R5WORKSPACES	R5FOK1_WKS			
Column name	Parent	Primary key	Parent column	Column description
WKS_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code
R5WORKSPACES	R5FOK2_WKS			
Column name	Parent	Primary key	Parent column	Column description
WKS_MRC	R5MRCS	R5PRIK_MRC	MRC_CODE	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5WORKSPACES	R5FOK3_WKS			
Column name	Parent	Primary key	Parent column	Column description
WKS_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.
R5WORKSPACES	R5FOK4_WKS			
Column name	Parent	Primary key	Parent column	Column description
WKS_OBJPARENT	R5OBJECTS	R5PRIK_OBJ	OBJ_CODE	object code.
WKS_OBJPARENT_ORG	R5OBJECTS	R5PRIK_OBJ	OBJ_ORG	object organization
R5WORKSPACES	R5FOK5_WKS			
Column name	Parent	Primary key	Parent column	Column description
WKS_FLOORAREAUOM	R5UOMS	R5PRIK_UOM	UOM_CODE	unit of measure.
R5WPPERSONS	R5FOK1_WPP			
Column name	Parent	Primary key	Parent column	Column description
WPP_PACKAGE	R5WORKPACKAGES	R5PRIK_WPK	WPK_CODE	work package code
R5WPPERSONS	R5FOK2_WPP			
Column name	Parent	Primary key	Parent column	Column description
WPP_PERSON	R5PERSONNEL	R5PRIK_PER	PER_CODE	personnel code. unique identification.

R5WSPRETURNPROMPTS	R5FOK1_WPR			
Column name	Parent	Primary key	Parent column	Column description
WPR_QUERYCODE	R5QUERIES	R5PRIK_QUE	QUE_CODE	query code. unique identification.
R5WSPRETURNPROMPTS	R5FOK2_WPR			
Column name	Parent	Primary key	Parent column	Column description
WPR_SOURCESEQ	R5WSPROMPTFIELDS	R5PRIK_WSF	WSF_LINE	Sequence number
WPR_WSPCODE	R5WSPROMPTFIELDS	R5PRIK_WSF	WSF_WSPMTCODE	WS prompt code
R5WSPRETURNPROMPTS	R5FOK3_WPR			
Column name	Parent	Primary key	Parent column	Column description
WPR_TARGETSEQ	R5WSPROMPTFIELDS	R5PRIK_WSF	WSF_LINE	Sequence number
WPR_WSPCODE	R5WSPROMPTFIELDS	R5PRIK_WSF	WSF_WSPMTCODE	WS prompt code
R5YEARS	R5FOK1_ACY			
Column name	Parent	Primary key	Parent column	Column description
ACY_CAL	R5CALENDARS	R5PRIK_CAL	CAL_CODE	calendar code.
R5YEARS	R5FOK2_ACY			
Column name	Parent	Primary key	Parent column	Column description
ACY_ORG	R5ORGANIZATION	R5PRIK_ORG	ORG_CODE	organization code

Chapter 6 Views

R5ACTORL

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ACT_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity code
ACT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job code
ACT_LASTSAVED	Y	DATE	datetime2	
ACT_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order
ACT_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ACT_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
EVT_ORG	Y	VARCHAR2(15)	nvarchar(15)	event organization

R5APPHIST

Column name	Null	Oracle datatype	SQL Server datatype	Column description
EAH_APPDATE	Y	DATE	datetime	date of approval.
EAH_APPLIST	Y	VARCHAR2(8)	nvarchar(8)	approval list.
EAH_CODE	N	VARCHAR2(30)	nvarchar(30)	approval code.
EAH_DATE	Y	DATE	datetime	date approved.
EAH_ENTITY	N	VARCHAR2(4)	nvarchar(4)	entity that was approved.
EAH_REASON	Y	VARCHAR2(2000)	nvarchar(2000)	reason of approval
EAH_RENTITY	N	VARCHAR2(4)	nvarchar(4)	rentity that was approved.
EAH_REVISION	N	NUMBER(4,0)	numeric(4,0)	revision of entity.
EAH_USER	Y	VARCHAR2(255)	nvarchar(255)	user
EAL_APPROVED	Y	VARCHAR2(1)	nvarchar(1)	approval of entity.
EAL_APPRUSER	Y	VARCHAR2(255)	nvarchar(255)	user approved.
EAL_APPRUSERNAME	Y	VARCHAR2(80)	nvarchar(80)	user name approved.
EAL_DATE	Y	DATE	datetime	name of the user who should approve or reject the revision.
EAL_DRILLDOWN	Y	VARCHAR2(1)	nvarchar(1)	hyperlink to wmppps, wmmatl, wntask or wmrout.
EAL_FINISHED	Y	VARCHAR2(1)	nvarchar(1)	whether new revision has already been approved or rejected by any user.
EAL_LASTSAVED	Y	DATE	datetime2	
EAL_ORIGIN	Y	VARCHAR2(1)	nvarchar(1)	whether this record originated by itself.
EAL_PK	N	NUMBER	int	primary key belonging to a certain revision.
EAL_REJECTED	Y	VARCHAR2(1)	nvarchar(1)	whether the revision is rejected by the user.
EAL_REJECTREASON	Y	VARCHAR2(2000)	nvarchar(2000)	reason the revision is rejected by the user.
EAL_RESP	Y	VARCHAR2(25)	nvarchar(25)	responsibility of the current user.
EAL_SEQ	Y	NUMBER(2,0)	numeric(2,0)	sequence number of current user.
EAL_USER	Y	VARCHAR2(255)	nvarchar(255)	user who should approve or reject the revision.
EAL_USERNAME	Y	VARCHAR2(80)	nvarchar(80)	name of the user who should approve or reject the revision.

R5ASSETS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ASS_BIN	Y	VARCHAR2(15)	nvarchar(15)	bin code
ASS_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	category code.
ASS_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ASS_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ASS_CODE	N	VARCHAR2(30)	nvarchar(30)	object code.
ASS_COMMISS	Y	DATE	datetime	date object commissioned into service.
ASS_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	value is + if object is dependent on parent.
ASS_DESC	N	VARCHAR2(80)	nvarchar(80)	object description.
ASS_LASTSAVED	Y	DATE	datetime2	
ASS_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
ASS_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
ASS_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot code
ASS_LTYPE	Y	VARCHAR2(4)	nvarchar(4)	location object type (system code).
ASS_MANUFACT	Y	VARCHAR2(45)	nvarchar(45)	manufacturer code.
ASS_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
ASS_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
ASS_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent object code.
ASS_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent code organization
ASS_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ASS_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ASS_POSITION	Y	VARCHAR2(30)	nvarchar(30)	position object code.
ASS_POSITION_ORG	Y	VARCHAR2(15)	nvarchar(15)	position organization
ASS_PTYPE	Y	VARCHAR2(4)	nvarchar(4)	position object type (system code).
ASS_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	object status code (system code).
ASS_SERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number.
ASS_STATUS	N	VARCHAR2(4)	nvarchar(4)	object status code (user code).
ASS_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ASS_TAG	Y	VARCHAR2(24)	nvarchar(24)	tag code.
ASS_TYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code).
ASS_WITHDRAW	Y	DATE	datetime	date object withdrawn from service.

R5ATTRIBLOVS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ALV_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ALV_CLASS_DESC	Y	VARCHAR2(80)	nvarchar(80)	classification description.
ALV_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization

ALV_LASTSAVED	Y	DATE	datetime2	
ALV_LISTTYPE	Y	VARCHAR2(1)	nchar(1)	indicates whether list of valid values is defined at property, entity, or classification level.
ALV_MAX	Y	VARCHAR2(80)	nvarchar(80)	maximum value.
ALV_MIN	Y	VARCHAR2(80)	nvarchar(80)	minimum value.
ALV_PROPERTY	N	VARCHAR2(8)	nvarchar(8)	custom property code.
ALV_PROTYPE	N	VARCHAR2(4)	nvarchar(4)	data type: alphanumeric, numeric, date, code+description, entity.
ALV_PRO_DESC	N	VARCHAR2(80)	nvarchar(80)	custom property description.
ALV_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code (system code).
ALV_RENT_DESC	N	VARCHAR2(80)	nvarchar(80)	entity description.

R5AUDITABLES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
TABLE_NAME	N	VARCHAR2(30)	nvarchar(30)	table name.

R5BACKLOG

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ACT_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity sequence number
ACT_ACTUAL	Y	NUMBER	numeric(25,6)	actual hours related to activity
ACT_EST	Y	NUMBER	numeric(24,6)	estimated hours
ACT_EVENT	N	VARCHAR2(30)	nvarchar(30)	event code
ACT_REM	Y	NUMBER	numeric(24,6)	estimated number of hours remaining for the activity.
ACT_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	applicable shift patter
ACT_START	Y	DATE	datetime	start date
ACT_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade associated with this activity.
EVT_DESC	N	VARCHAR2(80)	nvarchar(80)	event/job description.
EVT_FREQ	Y	NUMBER(8,0)	numeric(8,0)	period/frequency of planned preventive maintenance job in days.
EVT_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type
EVT_LASTSAVED	Y	DATE	datetime2	
EVT_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
EVT_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
EVT_METER	Y	NUMBER(24,6)	numeric(24,6)	meter code.
EVT_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure code.
EVT_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
EVT_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	
EVT_OBJCRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	object criticality code.
EVT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
EVT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
EVT_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).

EVT_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
EVT_ORG	N	VARCHAR2(15)	nvarchar(15)	event organization
EVT_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	personnel number of originator of job.
EVT_PERSON	Y	VARCHAR2(15)	nvarchar(15)	assigned to
EVT_PPM	Y	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule.
EVT_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	job priority.
EVT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
EVT_REPORTED	Y	DATE	datetime	date on and time at which work was reported.
EVT_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code.
EVT_ROUTEPA	Y	VARCHAR2(30)	nvarchar(30)	
EVT_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	event status (system code, see entity evst).
EVT_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	value is + if work is safety related.
EVT_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	schedule group
EVT_STATUS	N	VARCHAR2(4)	nvarchar(4)	event status (user code, see entity evst).
EVT_WARRANTY	N	VARCHAR2(1)	nvarchar(1)	value is + if work is warranty related.
MRC_SCHEDGROUP	Y	VARCHAR2(30)	nvarchar(30)	maintenance responsibility center scheduled group code.

R5BUDGETDETAILITEMS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
BDTI_BUDGET	Y	VARCHAR2(17)	nvarchar(17)	budget code
BDTI_CODE	N	VARCHAR2(30)	nvarchar(30)	instance of the groups entity
BDTI_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	
BDTI_JOBTYPE	Y	VARCHAR2(30)	nvarchar(8)	job type
BDTI_LASTSAVED	Y	DATE	datetime2	
BDTI_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code
BDTI_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
BDTI_MRC	Y	VARCHAR2(30)	nvarchar(15)	maintenance responsibility center
BDTI_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code
BDTI_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
BDTI_PERIOD	Y	VARCHAR2(4)	nvarchar(4)	budget period
BDTI_PROJECT	Y	VARCHAR2(30)	nvarchar(20)	
BDTI_YEAR	N	VARCHAR2(8)	nvarchar(8)	budget year

ZWT_WOCODE Y VARCHAR2(30) nvarchar(30)

R5CATEGORIES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CAT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.

CAT_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
CAT_CODE	N	VARCHAR2(30)	nvarchar(30)	category code.
CAT_DESC	N	VARCHAR2(80)	nvarchar(80)	category description.
CAT_LASTSAVED	Y	DATE	datetime2	
CAT_MANUFACT	Y	VARCHAR2(45)	nvarchar(45)	manufacturer code.
CAT_ORG	N	VARCHAR2(15)	nvarchar(15)	category organization
CAT_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
CAT_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
CAT_SERIALNO	Y	VARCHAR2(30)	nvarchar(30)	serial number.
CAT_TYPE	N	VARCHAR2(4)	nvarchar(4)	object type (c for categories).

R5CUSTATTRIBS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PRO_CLASS	N	VARCHAR2(8)	nvarchar(8)	entity classification code.
PRO_CLASS_ORG	N	VARCHAR2(15)	nvarchar(15)	classification code organization
PRO_CODE	N	VARCHAR2(8)	nvarchar(8)	custom property code.
PRO_LASTSAVED	Y	DATE	datetime2	
PRO_LINE	Y	NUMBER(8,0)	numeric(8,0)	sequence number of property within entity and classification.
PRO_LIST	Y	VARCHAR2(1)	nchar(1)	value is + if list of values is available for property.
PRO_LISTVALID	Y	VARCHAR2(1)	nchar(1)	value is + if value of property is validated against list of values.
PRO_OVERWRITE	Y	VARCHAR2(1)	nchar(1)	value is + if value of property can be updated.
PRO_RENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code (system code).
PRO_REQUIRED	Y	VARCHAR2(1)	nchar(1)	value is + if value for property is required.
PRO_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure associated with property value.

R5DEVATEGORIES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
DEV_CODE	N	VARCHAR2(12)	nvarchar(12)	code of device.
DEV_DESC	N	VARCHAR2(80)	nvarchar(80)	description of device category.
DEV_DRIVER	Y	VARCHAR2(20)	nvarchar(20)	driver for the device.
DEV_LASTSAVED	Y	DATE	datetime2	
DEV_MODE	Y	VARCHAR2(10)	nvarchar(10)	mode of device: bitmap or character.
DEV_ORIENTATION	Y	VARCHAR2(10)	nvarchar(10)	orientation of the device: landscape or portrait.
DEV_RTYPE	N	VARCHAR2(4)	nvarchar(4)	the reports destination type
DEV_SPECIAL	Y	VARCHAR2(1)	nvarchar(1)	checked: special.
DEV_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of device.

R5DUALCONVERSION

Column name	Null	Oracle datatype	SQL Server datatype	Column description
DCH_BATCH	N	NUMBER(6,0)	numeric(6,0)	batch number.
DCH_DATE	N	DATE	datetime	the date of conversion.
DCH_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
DCH_NEWCURR	N	VARCHAR2(3)	nvarchar(3)	new currency (eur).
DCH_OLDCURR	N	VARCHAR2(3)	nvarchar(3)	old currency.
DCH_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier.
DCH_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
DCH_TYPE	N	VARCHAR2(1)	nvarchar(1)	b for base conversion; c for catalogue conversion.
DCL_COLUMN1	Y	VARCHAR2(30)	nvarchar(30)	column name 1
DCL_COLUMN2	Y	VARCHAR2(30)	nvarchar(30)	column name 2
DCL_COLUMN3	Y	VARCHAR2(30)	nvarchar(30)	column name 3
DCL_COLUMN4	Y	VARCHAR2(30)	nvarchar(30)	column name 4
DCL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
DCL_PK	N	VARCHAR2(100)	nvarchar(100)	primary key value.
DCL_TABLE	N	VARCHAR2(30)	nvarchar(30)	table.
DCL_VALUE1	Y	NUMBER(24,6)	numeric(24,6)	value 1
DCL_VALUE2	Y	NUMBER(24,6)	numeric(24,6)	value 2
DCL_VALUE3	Y	NUMBER(24,6)	numeric(24,6)	value 3
DCL_VALUE4	Y	NUMBER(24,6)	numeric(24,6)	value 4

R5EVENTCODES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
EVC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
EVC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
EVC_CODE	Y	VARCHAR2(8)	nvarchar(8)	event code.
EVC_DESC	Y	VARCHAR2(80)	nvarchar(80)	description of event code.
EVC_GEN	Y	VARCHAR2(1)	nvarchar(1)	value is + if event code applies to all object classifications.
EVC_LASTSAVED	Y	DATE	datetime2	
EVC_TYPE	Y	VARCHAR2(1)	nvarchar(1)	type of event code.

R5EVTACT

Column name	Null	Oracle datatype	SQL Server datatype	Column description
EAT_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
EAT_COMPLETED	Y	DATE	datetime	date job completed.
EAT_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
EAT_DESC	N	VARCHAR2(80)	nvarchar(80)	job description.
EAT_DURATION	N	NUMBER(8,0)	numeric(8,0)	duration of activity in days.

EAT_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	
EAT_EST	Y	NUMBER	numeric(24,6)	total estimated hours for activity.
EAT_EVENT	N	VARCHAR2(30)	nvarchar(30)	code of event: system generated.
EAT_EVENT_ORG	N	VARCHAR2(15)	nvarchar(15)	event organization
EAT_HIRE	N	VARCHAR2(1)	nvarchar(1)	value is + if activity is to be purchased as a service.
EAT_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code, see entity jbtp).
EAT_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	location code.
EAT_LOCATION_ORG	Y	VARCHAR2(15)	nvarchar(15)	location organization
EAT_MATLIST	Y	VARCHAR2(20)	nvarchar(20)	material list code.
EAT_MATLREV	Y	NUMBER(4,0)	numeric(4,0)	material list revision number.
EAT_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility code.
EAT_NT	Y	NUMBER	numeric(24,6)	number of hours booked in normal time.
EAT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
EAT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
EAT_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
EAT_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
EAT_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
EAT_ORDERED	Y	VARCHAR2(1)	nvarchar(1)	value is + if activity has been ordered as a service.
EAT_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
EAT_OT	Y	NUMBER	numeric(24,6)	number of hours booked in overtime.
EAT_PERSONS	Y	NUMBER(8,0)	numeric(8,0)	number of persons.
EAT_PPM	Y	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance schedule.
EAT_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	ppm revision number.
EAT_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
EAT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
EAT_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	job status (system code, see entity evst).
EAT_START	Y	DATE	datetime	start date of activity.
EAT_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.

R5EVT COST

Column name	Null	Oracle datatype	SQL Server datatype	Column description
EC_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code.
EC_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	cause code.
EC_COMPLETED	Y	DATE	datetime	date on which work was completed.
EC_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
EC_DESC	N	VARCHAR2(80)	nvarchar(80)	job description.
EC_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.
EC_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	failure code.

EC_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	reading of meter at time of failure.
EC_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code, see entity jbtp).
EC_LASTSAVED	Y	DATE	datetime2	
EC_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure code.
EC_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
EC_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
EC_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
EC_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code.

R5EXTINVLHOW

Column name	Null	Oracle datatype	SQL Server datatype	Column description
EIW_AGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number.
EIW_DATE	N	DATE	datetime	external invoice date.
EIW_DEBTOR	N	VARCHAR2(30)	nvarchar(30)	debtor code.
EIW_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event/job number.
EIW_EVENTINCREMENT	Y	NUMBER(4,0)	numeric(4,0)	value is + if charge is incremental (i.e. more than one for event).
EIW_INVOICE	N	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIW_INVOICE_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization
EIW_LINE	N	NUMBER(8,0)	numeric(8,0)	external invoice line number.
EIW_PAYMENTAGREEMENT	Y	VARCHAR2(30)	nvarchar(30)	agreement number of fixed payment.
EIW_PAYMENTLINE	Y	NUMBER(8,0)	numeric(8,0)	line number of fixed payment on agreement.
EIW_PRICE	N	NUMBER(24,6)	numeric(24,6)	charge amount.
EIW_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	external invoice status (system code, see entity eist).
EIW_STATUS	N	VARCHAR2(4)	nvarchar(4)	external invoice status (user code, see entity eist).

R5GLREFCTRLVIEW

Column name	Null	Oracle datatype	SQL Server datatype	Column description
GLF_GROUP	N	VARCHAR2(20)	nvarchar(20)	the group value for the general ledger process.
GLF_JECATEGORY	N	VARCHAR2(25)	varchar(25)	
GLF_JESOURCE	N	VARCHAR2(25)	varchar(25)	
GLF_LASTSAVED	Y	DATE	datetime2	
GLF_PROCESS	N	VARCHAR2(20)	nvarchar(20)	the code representing the general ledger process.
GLF_SETOFBOOKSID	N	NUMBER(15,0)	numeric(15,0)	
GLF_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
GRC_DATATYPE	Y	VARCHAR2(1)	nvarchar(1)	d=date, n=number, c=character
GRC_DISPLAYNAME	Y	VARCHAR2(30)	nvarchar(30)	column name from gl_interface
GRC_DISPLAYSEQ	Y	NUMBER	int	identifies the order in which the gl fields are displayed in form ymgllrf.
GRC_LENGTH	Y	NUMBER(4,0)	numeric(4,0)	length of gl field.

GRC_R5COLUMN	N	VARCHAR2(30)	nvarchar(30)	r5glreferences column name

R5INVLINESVIEW

Column name	Null	Oracle datatype	SQL Server datatype	Column description
INV_CODE	N	VARCHAR2(45)	nvarchar(45)	code identifying the invoice.
INV_DATE	N	DATE	datetime	date invoice was raised by supplier.
INV_ORG	N	VARCHAR2(15)	nvarchar(15)	invoice organization
INV_STATUS	N	VARCHAR2(4)	nvarchar(4)	current status.
INV_TYPE	N	VARCHAR2(4)	nvarchar(4)	type of invoice
IVL_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
IVL_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	unit price discount amount.
IVL_INVLIN	N	NUMBER(8,0)	numeric(8,0)	invoice line number.
IVL_INVQTY	N	NUMBER(24,6)	numeric(24,6)	invoice line quantity.
IVL_INVVALUE	N	NUMBER(24,6)	numeric(24,6)	value invoiced.
IVL_LASTSAVED	Y	DATE	datetime2	
IVL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
IVL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
IVL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	order line number.
IVL_PRICE	N	NUMBER(24,6)	numeric(24,6)	invoice line price
IVL_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra charges-discounts
IVL_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
ORD_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer
ORD_DATE	N	DATE	datetime	purchase order date.
ORD_STATUS	N	VARCHAR2(4)	nvarchar(4)	status of order.
ORD_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
ORD_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
ORD_STATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (user code).

R5IPBATCHITEMASSOC

Column name	Null	Oracle datatype	SQL Server datatype	Column description
DESCRIPTION	Y	VARCHAR2(255)	nvarchar(255)	part description
MANUFACTPARTNUM	Y	VARCHAR2(50)	nvarchar(50)	part number of manufacturer
MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
MP2ITEMID	Y	VARCHAR2(47)	nvarchar(47)	part code
MP2VENDORID	Y	VARCHAR2(30)	nvarchar(30)	supplier code
MP2VENDORNAME	Y	VARCHAR2(80)	nvarchar(80)	supplier name
PARTORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PAR_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	

PAR_AVAILABLEFORCUS	Y	VARCHAR2(1)		
PAR_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	average of part per issue unit of measure in local currency.
PAR_BASEPRICE	Y	NUMBER(24,6)	numeric(24,6)	base price of part per issue unit of measure in local currency
PAR_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer
PAR_BYASSET	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by asset/serial number.
PAR_BYLOT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by lot number.
PAR_CALSTANDARD	Y	VARCHAR2(1)	nvarchar(1)	
PAR_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	object category code.
PAR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	part classification code.
PAR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PAR_CODE	Y	VARCHAR2(30)	nvarchar(30)	part code.
PAR_CODESTRUCTURE	Y	VARCHAR2(255)	nvarchar(255)	code structure
PAR_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	primary commodity code
PAR_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
PAR_CONDITION	Y	VARCHAR2(20)		
PAR_CONDITIONTPL	Y	VARCHAR2(30)		
PAR_CONDITIONTPL_ORG	Y	VARCHAR2(15)		
PAR_COREVALUE	Y	NUMBER(24,6)	numeric(24,6)	core value of the part
PAR_CREATED	Y	DATE	datetime	creation date
PAR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
PAR_DESC	Y	VARCHAR2(255)	nvarchar(255)	part description
PAR_DOCUMOTO_BOOKID	Y	VARCHAR2(100)		
PAR_DOCUMOTO_PART	Y	VARCHAR2(100)		
PAR_FUGITIVEEMISSIONGAS	Y	VARCHAR2(1)	nvarchar(1)	
PAR_IMPORTANCE	Y	VARCHAR2(8)		
PAR_INSMETHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method
PAR_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if inspection is required
PAR_INTERFACE	Y	DATE	datetime	date part record created by financial interface
PAR_KIT	Y	VARCHAR2(1)		
PAR_LASTPRICE	Y	NUMBER(24,6)	numeric(24,6)	last price paid for part per issue unit of measure in local currency
PAR_LASTSAVED	Y	DATE		
PAR_LASTSTATUSUPDATE	Y	DATE		
PAR_LONGDESCRIPTION	Y	VARCHAR2(4000)		
PAR_MATERIALTYPE	Y	VARCHAR2(8)		
PAR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is no longer used
PAR_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PAR_PARENTPART	Y	VARCHAR2(30)		
PAR_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	code of preferred supplier of part

PAR_PREFSUPPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of preferred supplier per purchase unit of measure in suppliers currency.
PAR_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
PAR_PREFUOM	Y	VARCHAR2(30)	nvarchar(30)	issue unit of measure code
PAR_PREVENTREORDERS	Y	VARCHAR2(1)	nvarchar(1)	
PAR_PROFILEPICTURE	Y	VARCHAR2(30)		
PAR_REPAIRABLE	Y	VARCHAR2(1)	nvarchar(1)	value is + indicates part can be repaired, - indicates normal parts.
PAR_SAFETYREVIEWED	Y	DATE		
PAR_SAFETYREVIEWEDBY	Y	VARCHAR2(255)		
PAR_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)		
PAR_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)		
PAR_SAFETYREVIEWREQUIRED	Y	DATE		
PAR_SAVEHISTORY	Y	VARCHAR2(1)	nvarchar(1)	
PAR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system
PAR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details
PAR_STDPRICE	Y	NUMBER(24,6)	numeric(24,6)	standard price of part per issue unit of measure in local currency
PAR_SUBCOMMODITY	Y	VARCHAR2(15)	nvarchar(15)	secondary commodity code
PAR_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
PAR_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code
PAR_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code
PAR_TRACKBYCONDITION	Y	VARCHAR2(1)		
PAR_TRACKRTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (system code, see entity ptrk)
PAR_TRACKTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (user code, see entity ptrk)
PAR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	

PAR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)	
PAR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)	
PAR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)	
PAR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)	
PAR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)	
PAR_UDFDATE01	Y	DATE	datetime	
PAR_UDFDATE02	Y	DATE	datetime	
PAR_UDFDATE03	Y	DATE	datetime	
PAR_UDFDATE04	Y	DATE	datetime	
PAR_UDFDATE05	Y	DATE	datetime	
PAR_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)	
PAR_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)	
PAR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UOM	Y	VARCHAR2(30)	nvarchar(30)	issue unit of measure code.
PAR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
PAR_UPDATED	Y	DATE	datetime	update date
PAR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PAR_WARDAYS	Y	NUMBER(5,0)	numeric(5,0)	number of days of warranty
UOG_USER	Y	VARCHAR2(255)	nvarchar(255)	user code
VENDORITEMNUM	Y	VARCHAR2(50)	nvarchar(50)	iprocure vendor item code

R5IPCANCELODERLINES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CUSTOMERNUM	N	VARCHAR2(255)	nvarchar(255)	customer number
DESCRIPTION	N	VARCHAR2(255)	nvarchar(255)	part description
FROM_LOCATIONID	N	VARCHAR2(255)	nvarchar(255)	from location code
ITEMID	N	NUMBER(8,0)	numeric(8,0)	order line number
ITEMNUM	Y	VARCHAR2(30)	nvarchar(30)	part code
ITEMORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ORDERDATE	N	DATE	datetime	order date
ORDORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORD_ROWID	Y	ROWID	int	rowid column from source table
ORL_LASTSAVED	Y	DATE	datetime2	
ORL_ROWID	Y	ROWID	int	rowid column from source table
POCONFIRMATIONNUM	Y	VARCHAR2(30)	nvarchar(30)	purchase order confirmation code
PONUM	N	VARCHAR2(30)	nvarchar(30)	purchase order number
QUANTITYCANCELED	Y	NUMBER	numeric(25,6)	quantity cancelled
QUANTITYORDERED	N	NUMBER(24,6)	numeric(24,6)	quantity to be ordered in issue unit of measure
REASON	Y	CLOB	nvarchar(4000)	reason code
TO_LOCATIONID	Y	VARCHAR2(255)	nvarchar(255)	vendor name
VENDORID	N	VARCHAR2(30)	nvarchar(30)	supplier code
VENDORORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization

R5IPCOMPANIESPRICEUPDATES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CAT_LASTSAVED	Y	DATE	datetime2	
CAT_ROWID	Y	ROWID	int	row id
COM_ACCOUNTCODE	Y	VARCHAR2(50)		
COM_BUYER	Y	VARCHAR2(255)	nvarchar(255)	buyer for this company or site.
COM_CAPACITY	Y	NUMBER(5,2)	numeric(5,2)	capacity of suppliers for planning
COM_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
COM_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
COM_CODE	N	VARCHAR2(30)	nvarchar(30)	code of supplier.
COM_CONTACT	Y	VARCHAR2(45)	nvarchar(45)	primary contact; separate table too
COM_COSTCENTER	Y	VARCHAR2(50)		
COM_CREATED	Y	DATE	datetime	
COM_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
COM_CUSTOMER	Y	VARCHAR2(1)		

COM_DESC	N	VARCHAR2(80)	nvarchar(80)	supplier name.
COM_EDINO	Y	VARCHAR2(20)	nvarchar(20)	edi #
COM_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	supplier email address
COM_FAX	Y	VARCHAR2(45)	nvarchar(45)	fax number.
COM_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point for this vendor site.
COM_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies how freight charges will be paid.
COM_GROUPPURCHASINGORG1	Y	VARCHAR2(8)		
COM_GROUPPURCHASINGORG2	Y	VARCHAR2(8)		
COM_INTERFACE	Y	DATE	datetime	financial interface
COM_IPACCOUNT	Y	VARCHAR2(30)	nvarchar(30)	account number of the iprocure vendor
COM_IPRESPONSE	Y	VARCHAR2(1)	nvarchar(1)	indicates if the supplier provides current price and availability information
COM_IPVENDOR	Y	NUMBER	int	iprocure vendor code
COM_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
COM_LASTSAVED	Y	DATE		
COM_LASTSTATUSUPDATE	Y	DATE		
COM_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time (in days).
COM_MAXORD	Y	NUMBER(24,6)	numeric(24,6)	maximum order value for this supplier.
COM_MINORD	Y	NUMBER(24,6)	numeric(24,6)	minimum order value for this supplier.
COM_MINORITYGROUP	Y	VARCHAR2(4)	nvarchar(4)	special interest group that may get tax incentives, awards, etc.
COM_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	company used/not used flag
COM_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
COM_OURCONT	Y	VARCHAR2(15)	nvarchar(15)	personnel code of our contact
COM_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent company to this site. leave null if this site is the parent.
COM_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent supplier organization
COM_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (iprocure)
COM_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies payment terms for purchases.
COM_PEOPLE	Y	VARCHAR2(1)	nvarchar(1)	meaning company can supply manpower
COM_PHONE	Y	VARCHAR2(45)	nvarchar(45)	phone number.
COM_PURCHASESITE	Y	VARCHAR2(1)	nvarchar(1)	indicates that this company can be assigned an order or rfq.
COM_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	code that uniquely identifies ship-via methods.
COM_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	financial interface
COM_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	financial interface
COM_STATUS	Y	VARCHAR2(4)	nvarchar(4)	supplier status.
COM_TAX	Y	VARCHAR2(20)		
COM_TYPE1099	Y	VARCHAR2(10)	nvarchar(10)	type 1099 code.
COM_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	
COM_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	
COM_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	

COM_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)
COM_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)
COM_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)
COM_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)
COM_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)
COM_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)
COM_UDFDATE01	Y	DATE	datetime
COM_UDFDATE02	Y	DATE	datetime
COM_UDFDATE03	Y	DATE	datetime
COM_UDFDATE04	Y	DATE	datetime
COM_UDFDATE05	Y	DATE	datetime
COM_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)

COM_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)	
COM_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	
COM_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	
COM_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	
COM_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
COM_UPDATED	Y	DATE	datetime	
DEFAULTDESCRIPTION	Y	VARCHAR2(2000)	nvarchar(2000)	default description
DEFAULTVENDOR	Y	NUMBER	int	default vendor
DTL_ROWID	Y	ROWID	int	row id
LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time (in days).
MP2ITEMID	Y	VARCHAR2(36)	nvarchar(76)	part code
UNITCOST	Y	NUMBER(24,6)	numeric(24,6)	unit cost
UOG_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group code.
UOG_USER	N	VARCHAR2(255)	nvarchar(255)	user code
UOW	Y	VARCHAR2(200)	nvarchar(4000)	uow
VENDORITEMNUM	Y	VARCHAR2(50)	nvarchar(50)	iprocare vendor item code

RSIPORDERLINEAVAIL

Column name	Null	Oracle datatype	SQL Server datatype	Column description
COMPANYNAME	N	VARCHAR2(255)	nvarchar(255)	company name
FROM_LOCATIONID	N	VARCHAR2(255)	nvarchar(255)	from location code
ORL_LASTSAVED	Y	DATE	datetime2	
ORL_ROWID	Y	ROWID	int	rowid column from source table
SHIPTO_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
SHIPTO_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
SHIPTO_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
SHIPTO_CITY	Y	VARCHAR2(20)	nvarchar(20)	shipping address city
SHIPTO_STATE	Y	VARCHAR2(30)	nvarchar(30)	shipping address state
SHIPTO_ZIP	Y	VARCHAR2(10)	nvarchar(10)	shipping address zip code
SITENAME	N	VARCHAR2(255)	nvarchar(255)	name of organization
TO_LOCATIONID	Y	VARCHAR2(255)	nvarchar(255)	to location code

RSIPORDERLINES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
COSTCENTER	Y	VARCHAR2(30)	nvarchar(30)	
DESCRIPTION	Y	VARCHAR2(4000)	nvarchar(2255)	part description
DUE DATE	Y	VARCHAR2(10)	nvarchar(50)	due date
ITEMCOMMENTS	Y	CLOB	nvarchar(4000)	purchase order description

MP2ITEMID	N	NUMBER(8,0)	numeric(8,0)	part code
ORD_ROWID	Y	ROWID		rowid
ORL_LASTSAVED	Y	DATE	datetime2	
QUANTITYREQUESTED	Y	NUMBER	numeric(38,16)	quantity requested
TOTAL	Y	NUMBER	numeric(38,6)	total
UNITCOST	N	NUMBER(24,6)	numeric(24,6)	unit cost
UOP	Y	VARCHAR2(30)	nvarchar(30)	unit of purchase
USERITEMNUM	Y	VARCHAR2(30)	nvarchar(30)	part code
VENDORITEMNUM	Y	VARCHAR2(50)	nvarchar(50)	iprocare vendor item number

RSIPORDERPRICEUPDATES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CAT_ROWID	Y	ROWID	int	row id
DEFAULTDESCRIPTION	Y	VARCHAR2(2000)	nvarchar(2000)	default description
DEFAULTVENDOR	Y	NUMBER	int	default vendor
DTL_ROWID	Y	ROWID	int	row id
LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time
MP2ITEMID	Y	VARCHAR2(36)	nvarchar(76)	part code
ORD_ACD	Y	NUMBER	bigint	
ORD_APPROV	Y	DATE	datetime	date purchase order approved.
ORD_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	
ORD_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved purchase order.
ORD_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ORD_BLANKETRELEASE	Y	NUMBER	int	blanket order release (sequence) number.
ORD_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ORD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ORD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ORD_CODE	N	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORD_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ORD_CONTROLNO	Y	VARCHAR2(64)	nvarchar(64)	iprocare control #
ORD_CONVERTTOASN	Y	VARCHAR2(1)		
ORD_CREATED	Y	DATE	datetime	
ORD_CREDITCARD	Y	NUMBER	int	credit card # (iprocare)
ORD_CURR	N	VARCHAR2(3)	nvarchar(3)	currency code.
ORD_DATE	N	DATE	datetime	purchase order date.
ORD_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ORD_DESC	N	VARCHAR2(80)	nvarchar(80)	purchase order description.
ORD_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.

ORD_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
ORD_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ORD_DUE	N	DATE	datetime	delivery due date.
ORD_EXCH	N	NUMBER(24,12)	numeric(24,12)	exchange rate.
ORD_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ORD_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ORD_FOBPOINT	Y	VARCHAR2(30)	nvarchar(30)	fob point code.
ORD_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
ORD_INTERFACE	Y	DATE	datetime	date purchase order was created by financial interface.
ORD_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	indicates whether po has been transmitted to iprocure or not
ORD_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	
ORD_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	
ORD_LASTSAVED	Y	DATE		
ORD_LASTSTATUSUPDATE	Y	DATE	datetime	
ORD_ORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORD_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel number of originator of purchase order.
ORD_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)		
ORD_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (iprocure)
ORD_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.
ORD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total order value.
ORD_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order has been printed.
ORD_REVISIED	Y	DATE	datetime	date purchase order revised.
ORD_REVISION	Y	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
ORD_REVISIONREASON	Y	VARCHAR2(240)		
ORD_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
ORD_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase order type (system code, see entity potp)
ORD_SHIPVIA	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
ORD_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system.
ORD_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details.
ORD_STATUS	N	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
ORD_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
ORD_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
ORD_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
ORD_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp)
ORD_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	

ORD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFDATE01	Y	DATE	datetime
ORD_UDFDATE02	Y	DATE	datetime
ORD_UDFDATE03	Y	DATE	datetime
ORD_UDFDATE04	Y	DATE	datetime
ORD_UDFDATE05	Y	DATE	datetime
ORD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)
ORD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)

ORD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)	
ORD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	
ORD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	
ORD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
ORD_UPDATED	Y	DATE	datetime	
ORL_LASTSAVED	Y	DATE	datetime2	
ORL_ORDLINE	N	NUMBER(8,0)	numeric(8,0)	order line
UNITCOST	N	NUMBER(24,6)	numeric(24,6)	unit cost
UOG_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group
UOG_USER	N	VARCHAR2(255)	nvarchar(255)	user code
UOW	Y	VARCHAR2(200)	nvarchar(4000)	uow
VENDORITEMNUM	Y	VARCHAR2(50)	nvarchar(50)	iprocure vendor item code

R5IPORDERS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ACCOUNTNUM	Y	VARCHAR2(30)	nvarchar(30)	account code
ACKREQUIRED	Y	VARCHAR2(1)	nvarchar(1)	flag indicating acknowledgement required
BILL_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
BILL_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
BILL_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
BILL_ATTENTIONOF	Y	VARCHAR2(255)	nvarchar(255)	attention of
BILL_CITY	Y	VARCHAR2(20)	nvarchar(20)	city
BILL_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
BILL_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address
BILL_EXT	Y	VARCHAR2(50)	nvarchar(50)	phone number extension
BILL_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
BILL_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone number
BILL_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
BILL_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
BUYER	Y	VARCHAR2(255)	nvarchar(255)	buyer code
BUYER_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
BUYER_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
BUYER_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
BUYER_CITY	Y	VARCHAR2(20)	nvarchar(20)	buyer address, city
BUYER_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
BUYER_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address
BUYER_EXT	Y	VARCHAR2(50)	nvarchar(50)	phone number extension
BUYER_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number

BUYER_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone number
BUYER_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
BUYER_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
CLAUSE	Y	VARCHAR2(4000)	nvarchar(3)	clause description
CONFIRM_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
CONFIRM_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
CONFIRM_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
CONFIRM_ATTENTIONOF	Y	VARCHAR2(255)	nvarchar(255)	attention of
CONFIRM_CITY	Y	VARCHAR2(20)	nvarchar(20)	city
CONFIRM_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
CONFIRM_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address
CONFIRM_EXT	Y	VARCHAR2(50)	nvarchar(50)	phone number extension
CONFIRM_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
CONFIRM_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone number
CONFIRM_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
CONFIRM_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
CREDITCARD	Y	VARCHAR2(35)	nvarchar(35)	credit card # (iprocure)
CREDITFOUR	Y	VARCHAR2(4)	nvarchar(4)	last four digits of credit card number
CREDIT_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
CREDIT_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
CREDIT_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
CREDIT_ATTENTIONOF	Y	VARCHAR2(255)	nvarchar(255)	buyer name
CREDIT_CITY	Y	VARCHAR2(20)	nvarchar(20)	shipping address, city
CREDIT_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	shipping address, country
CREDIT_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address
CREDIT_EXT	Y	VARCHAR2(50)	nvarchar(50)	phone number extension
CREDIT_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
CREDIT_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone number
CREDIT_STATE	Y	VARCHAR2(30)	nvarchar(30)	shipping address, state
CREDIT_ZIP	Y	VARCHAR2(10)	nvarchar(10)	shipping address, zip code
CUSTOMERNAME	N	VARCHAR2(255)	nvarchar(255)	customer name
DELI_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
DELI_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
DELI_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
DELI_ATTENTIONOF	Y	VARCHAR2(255)	nvarchar(255)	attention of
DELI_CITY	Y	VARCHAR2(20)	nvarchar(20)	city
DELI_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
DELI_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address

DELI_EXT	Y	VARCHAR2(50)	nvarchar(50)	phone number extension
DELI_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
DELI_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone number
DELI_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
DELI_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
EXCHANGERATE	N	NUMBER(24,12)	numeric(24,12)	exchange rate
EXPIRATION	Y	VARCHAR2(10)	nvarchar(50)	expiration of credit card
MAIL_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	address line 1
MAIL_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	address line 2
MAIL_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	address line 3
MAIL_CITY	Y	VARCHAR2(20)	nvarchar(20)	city
MAIL_COUNTRY	Y	VARCHAR2(30)	nvarchar(30)	country code
MAIL_EMAIL	Y	VARCHAR2(256)	nvarchar(256)	email address
MAIL_EXT	Y	VARCHAR2(50)	nvarchar(50)	phone number extension
MAIL_FAX	Y	VARCHAR2(50)	nvarchar(50)	fax number
MAIL_PHONE	Y	VARCHAR2(50)	nvarchar(50)	phone number
MAIL_STATE	Y	VARCHAR2(30)	nvarchar(30)	state or province code
MAIL_ZIP	Y	VARCHAR2(10)	nvarchar(10)	postal code
MP2CURRENCY	N	VARCHAR2(3)	nvarchar(3)	currency
MP2VENDORNAME	Y	VARCHAR2(255)	nvarchar(255)	supplier name
NAMEONCARD	Y	VARCHAR2(60)	nvarchar(60)	name on credit card
NOTES	Y	CLOB	nvarchar(4000)	iprocure comment
ORDERDATE	Y	DATE	datetime2	order date
ORD_LASTSAVED	Y	DATE	datetime2	
ORD_ROWID	Y	ROWID	int	row id
ORIGINATOR	N	VARCHAR2(15)	nvarchar(15)	
PODESC	N	VARCHAR2(80)	nvarchar(80)	purchase order description
PONUM	N	VARCHAR2(30)	nvarchar(30)	purchase order #
POSTATUS	N	VARCHAR2(255)	nvarchar(255)	purchase order status
POTYPE	N	VARCHAR2(255)	nvarchar(255)	purchase order type
PURCHASINGCENTER	N	VARCHAR2(80)	nvarchar(80)	purchasing center
RELEASENUM	Y	NUMBER	numeric(4,0)	release number
SHIPVIACODENUM	Y	VARCHAR2(30)	nvarchar(30)	
SITENAME	N	VARCHAR2(255)	nvarchar(255)	name of organization
VALIDATEBEFORESUBMIT	Y	VARCHAR2(1)	nvarchar(1)	validate before submit
VENDORNUM	Y	NUMBER	int	vendor number

R5IPPARTSPRICEUPDATES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CAT_LASTSAVED	Y	DATE	datetime2	
CAT_ROWID	Y	ROWID	int	rowid column from source table
DEFAULTDESCRIPTION	Y	VARCHAR2(2000)	nvarchar(2000)	catalogue description
DEFAULTVENDOR	Y	NUMBER	int	default vendor
DTL_ROWID	Y	ROWID	int	rowid column from source table
LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time of part (in days)
MP2ITEMID	Y	VARCHAR2(36)	nvarchar(76)	part code
PAR_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
PAR_AVAILABLEFORCUS	Y	VARCHAR2(1)		
PAR_AVGPRICE	Y	NUMBER(24,6)	numeric(24,6)	average of part per issue unit of measure in local currency.
PAR_BASEPRICE	Y	NUMBER(24,6)	numeric(24,6)	base price of part per issue unit of measure in local currency
PAR_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer
PAR_BYASSET	N	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by asset/serial number.
PAR_BYLOT	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is tracked by lot number.
PAR_CALSTANDARD	Y	VARCHAR2(1)	nvarchar(1)	
PAR_CATEGORY	Y	VARCHAR2(30)	nvarchar(30)	object category code.
PAR_CLASS	Y	VARCHAR2(8)	nvarchar(8)	part classification code.
PAR_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
PAR_CODE	N	VARCHAR2(30)	nvarchar(30)	part code
PAR_CODESTRUCTURE	Y	VARCHAR2(255)	nvarchar(255)	code structure
PAR_COMMODITY	Y	VARCHAR2(15)	nvarchar(15)	primary commodity code
PAR_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
PAR_CONDITION	Y	VARCHAR2(20)		
PAR_CONDITIONTPL	Y	VARCHAR2(30)		
PAR_CONDITIONTPL_ORG	Y	VARCHAR2(15)		
PAR_COREVALUE	Y	NUMBER(24,6)	numeric(24,6)	core value of the part
PAR_CREATED	Y	DATE	datetime	creation date
PAR_CREATEDBY	Y	VARCHAR2(255)	nvarchar(255)	inserted by user
PAR_DESC	N	VARCHAR2(255)	nvarchar(255)	part description
PAR_DOCUMOTO_BOOKID	Y	VARCHAR2(100)		
PAR_DOCUMOTO_PART	Y	VARCHAR2(100)		
PAR_FUGITIVEEMISSIONGAS	Y	VARCHAR2(1)	nvarchar(1)	
PAR_IMPORTANCE	Y	VARCHAR2(8)		
PAR_INSMETHOD	Y	VARCHAR2(8)	nvarchar(8)	inspection method
PAR_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if inspection is required
PAR_INTERFACE	Y	DATE	datetime	date part record created by financial interface
PAR_KIT	Y	VARCHAR2(1)		

PAR_LASTPRICE	Y	NUMBER(24,6)	numeric(24,6)	last price paid for part per issue unit of measure in local currency
PAR_LASTSAVED	Y	DATE		
PAR_LASTSTATUSUPDATE	Y	DATE		
PAR_LONGDESCRIPTION	Y	VARCHAR2(4000)		
PAR_MATERIALTYPE	Y	VARCHAR2(8)		
PAR_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	value is + if part is no longer used
PAR_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
PAR_PARENTPART	Y	VARCHAR2(30)		
PAR_PREFSUP	Y	VARCHAR2(30)	nvarchar(30)	code of preferred supplier of part
PAR_PREFSUPPRICE	Y	NUMBER(24,6)	numeric(24,6)	price of preferred supplier per purchase unit of measure in suppliers currency.
PAR_PREFSUP_ORG	Y	VARCHAR2(15)	nvarchar(15)	preferred supplier organization
PAR_PREFUOM	Y	VARCHAR2(30)	nvarchar(30)	issue unit of measure code
PAR_PREVENTREORDERS	Y	VARCHAR2(1)	nvarchar(1)	
PAR_PROFILEPICTURE	Y	VARCHAR2(30)		
PAR_REPAIRABLE	Y	VARCHAR2(1)	nvarchar(1)	+ indicates part can be repaired, "-" indicates normal parts.
PAR_SAFETYREVIEWED	Y	DATE		
PAR_SAFETYREVIEWEDBY	Y	VARCHAR2(255)		
PAR_SAFETYREVIEWEDNAME	Y	VARCHAR2(80)		
PAR_SAFETYREVIEWEDTYPE	Y	VARCHAR2(4)		
PAR_SAFETYREVIEWREQUIRED	Y	DATE		
PAR_SAVEHISTORY	N	VARCHAR2(1)	nvarchar(1)	
PAR_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	unique identification of details in source system
PAR_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	identification of source system of details
PAR_STDPRI	Y	NUMBER(24,6)	numeric(24,6)	standard price of part per issue unit of measure in local currency
PAR_SUBCOMMODITY	Y	VARCHAR2(15)	nvarchar(15)	secondary commodity code
PAR_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	
PAR_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code
PAR_TOOL	Y	VARCHAR2(12)	nvarchar(12)	tool code
PAR_TRACKBYCONDITION	Y	VARCHAR2(1)		
PAR_TRACKRTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (system code, see entity ptrk)
PAR_TRACKTYPE	Y	VARCHAR2(4)	nvarchar(4)	part tracking method (user code, see entity ptrk)
PAR_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	
PAR_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	

PAR_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)
PAR_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)
PAR_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)
PAR_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)
PAR_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)
PAR_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)
PAR_UDFDATE01	Y	DATE	datetime
PAR_UDFDATE02	Y	DATE	datetime
PAR_UDFDATE03	Y	DATE	datetime
PAR_UDFDATE04	Y	DATE	datetime
PAR_UDFDATE05	Y	DATE	datetime
PAR_UDFNOTE01	Y	VARCHAR2(2000)	nvarchar(2000)
PAR_UDFNOTE02	Y	VARCHAR2(2000)	nvarchar(2000)
PAR_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)
PAR_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)
PAR_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)

PAR_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)	
PAR_UOM	N	VARCHAR2(30)	nvarchar(30)	issue unit of measure code.
PAR_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)	
PAR_UPDATED	Y	DATE	datetime	update date
PAR_UPDATEDBY	Y	VARCHAR2(255)	nvarchar(255)	updated by user
PAR_WARDAYS	Y	NUMBER(5,0)	numeric(5,0)	number of days of warranty
UNITCOST	Y	NUMBER(24,6)	numeric(24,6)	net price of part per purchase unit of measure in supplier currency.
UOG_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group code
UOG_USER	N	VARCHAR2(255)	nvarchar(255)	user code
UOW	Y	VARCHAR2(200)	nvarchar(4000)	purchase unit of measure
VENDORITEMNUM	Y	VARCHAR2(50)	nvarchar(50)	iprocure vendor item code

R5IPREQLINEAVAIL

Column name	Null	Oracle datatype	SQL Server datatype	Column description
COMPANYNAME	N	VARCHAR2(255)	nvarchar(255)	company name
FROM_LOCATIONID	N	VARCHAR2(255)	nvarchar(255)	from location code
RQL_LASTSAVED	Y	DATE	datetime2	
RQL_ROWID	Y	ROWID	int	rowid column from source table
SHIPTO_ADDRESS1	Y	VARCHAR2(64)	nvarchar(64)	shipping address line 1
SHIPTO_ADDRESS2	Y	VARCHAR2(64)	nvarchar(64)	shipping address line 2
SHIPTO_ADDRESS3	Y	VARCHAR2(64)	nvarchar(64)	shipping address line 3
SHIPTO_CITY	Y	VARCHAR2(20)	nvarchar(20)	shipping address city
SHIPTO_STATE	Y	VARCHAR2(30)	nvarchar(30)	shipping address state
SHIPTO_ZIP	Y	VARCHAR2(10)	nvarchar(10)	shipping address zip code
SITENAME	N	VARCHAR2(255)	nvarchar(255)	name of organization
TO_LOCATIONID	Y	VARCHAR2(255)	nvarchar(255)	to location code

R5IPREQUISITIONPRICEUPDATES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CAT_ROWID	Y	ROWID	int	row id
DEFAULTDESCRIPTION	Y	VARCHAR2(2000)	nvarchar(2000)	default description
DEFAULTVENDOR	Y	NUMBER	int	default vendor
DTL_ROWID	Y	ROWID	int	row id
LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time
MP2ITEMID	Y	VARCHAR2(36)	nvarchar(76)	part code
REQ_ACD	Y	NUMBER	bigint	account detail processing, financial interface
REQ_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.

REQ_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who authorized requisition.
REQ_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
REQ_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
REQ_CODE	N	VARCHAR2(30)	nvarchar(30)	requisition number. unique identification.
REQ_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
REQ_DATE	N	DATE	datetime	requisition date.
REQ_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
REQ_DESC	N	VARCHAR2(80)	nvarchar(80)	requisition description.
REQ_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver.
REQ_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	who entered the requisition
REQ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
REQ_FROMCODE	Y	VARCHAR2(30)	nvarchar(30)	identifies where parts are moved from : which supplier, which store.
REQ_FROMCODE_ORG	Y	VARCHAR2(15)	nvarchar(15)	from code organization
REQ_FROMENTITY	N	VARCHAR2(4)	nvarchar(4)	identifies entity where parts are supplied from : supplier or store (user code).
REQ_FROMRENTITY	N	VARCHAR2(4)	nvarchar(4)	identifies entity where parts are supplied from : supplier or store (system code).
REQ_FROMRTYPE	N	VARCHAR2(4)	nvarchar(4)	from r type (system)
REQ_FROMTYPE	N	VARCHAR2(4)	nvarchar(4)	from type
REQ_INTERFACE	Y	DATE	datetime	date requisition created by financial interface.
REQ_LASTSAVED	Y	DATE	datetime2	
REQ_ORG	N	VARCHAR2(15)	nvarchar(15)	requisition organization
REQ_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel number of originator of requisition.
REQ_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	printed flag
REQ_REJECTREASON	Y	VARCHAR2(240)	nvarchar(240)	the reason for rejection
REQ_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	requisition status (system code, see entity rqst).
REQ_RTYPE	N	VARCHAR2(4)	nvarchar(4)	requisition type (system code, see entity rqtp).
REQ_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	reference number
REQ_STATUS	N	VARCHAR2(4)	nvarchar(4)	requisition status (user code, see entity rqst).
REQ_TOCODE	N	VARCHAR2(30)	nvarchar(30)	store code.
REQ_TOENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code of store entity (user code).
REQ_TORENTITY	N	VARCHAR2(4)	nvarchar(4)	entity code of store entity (system code).
REQ_TORTYPE	N	VARCHAR2(4)	nvarchar(4)	to r type (system)
REQ_TOTYPE	N	VARCHAR2(4)	nvarchar(4)	to type
REQ_TYPE	N	VARCHAR2(4)	nvarchar(4)	requisition type (user code, see entity rqtp).
RQL_REQLINE	N	NUMBER(8,0)	numeric(8,0)	requisition line number.
UNITCOST	Y	NUMBER(24,6)	numeric(24,6)	net price of part per purchase unit of measure in supplier currency
UOG_GROUP	Y	VARCHAR2(12)	nvarchar(12)	user group
UOG_USER	N	VARCHAR2(255)	nvarchar(255)	user code
UOW	Y	VARCHAR2(200)	nvarchar(4000)	uow

VENDORITEMNUM	Y	VARCHAR2(50)	nvarchar(50)	vendor item number

R5IPRETURNITEMS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
CUSTOMERNUM	N	VARCHAR2(255)	nvarchar(255)	customer number
DESCRIPTION	N	VARCHAR2(255)	nvarchar(255)	part description
FROM_LOCATIONID	N	VARCHAR2(255)	nvarchar(255)	customer name
ITEMID	Y	NUMBER(8,0)	numeric(8,0)	order line number
ITEMNUM	Y	VARCHAR2(30)	nvarchar(30)	part code
ITEMORG	Y	VARCHAR2(15)	nvarchar(15)	part organization code
ORDERDATE	N	DATE	datetime	order date
ORDORG	N	VARCHAR2(15)	nvarchar(15)	purchase order organization
POCONFIRMATIONNUM	Y	VARCHAR2(30)	nvarchar(30)	purchase order confirmation code
PONUM	Y	VARCHAR2(30)	nvarchar(30)	purchase order number
QUANTITYRETURNED	N	NUMBER(24,6)	numeric(24,6)	quantity returned
REASON	Y	VARCHAR2(15)	nvarchar(15)	reject reason code, reason for return of material to supplier (user code, see entity rej).
TO_LOCATIONID	Y	VARCHAR2(255)	nvarchar(255)	vendor name
TRA_ROWID	Y	ROWID	int	rowid column from source table
TRL_LASTSAVED	Y	DATE	datetime2	
VENDORID	N	VARCHAR2(30)	nvarchar(30)	supplier name
VENDORORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization

R5IPVENDORSVW

Column name	Null	Oracle datatype	SQL Server datatype	Column description
VENDORLASTSAVED	Y	DATE	datetime2	
VENDORNAME	Y	VARCHAR2(255)	nvarchar(255)	vendor name
VENDORNOTES	Y	VARCHAR2(4000)	nvarchar(4000)	vendor notes
VENDORNUM	N	NUMBER	int	vendor number
VENDORURL	Y	VARCHAR2(255)	nvarchar(255)	vendor url

R5ISSMAT

Column name	Null	Oracle datatype	SQL Server datatype	Column description
TRL_ACT	Y	NUMBER(8,0)	numeric(8,0)	
TRL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	
TRL_PART	Y	VARCHAR2(30)	nvarchar(30)	
TRL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	
TRL_STORE	Y	VARCHAR2(15)	nvarchar(15)	

R5JOBACT

Column name	Null	Oracle datatype	SQL Server datatype	Column description
JBA_ACT	N	NUMBER(8,0)	numeric(8,0)	activity number.
JBA_ASMLEVEL	Y	VARCHAR2(30)	nvarchar(30)	assembly level code
JBA_ASSET	Y	VARCHAR2(30)	nvarchar(30)	object code..
JBA_ASSET_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
JBA_ASSTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
JBA_COMPLEVEL	Y	VARCHAR2(30)	nvarchar(30)	component level code
JBA_ENDDATE	Y	DATE	datetime	end date of the activity.
JBA_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number.
JBA_HOURS	Y	NUMBER	numeric(24,6)	estimated number of hours remaining for the activity.
JBA_LASTSAVED	Y	DATE	datetime2	
JBA_MANUFACT	Y	VARCHAR2(24)	nvarchar(24)	manufacturer
JBA_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
JBA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
JBA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
JBA_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
JBA_ORG	N	VARCHAR2(15)	nvarchar(15)	organization code
JBA_PPM	Y	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule.
JBA_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	revision number.
JBA_RPC	Y	VARCHAR2(4)	nvarchar(4)	reason for repair code
JBA_STARTDATE	Y	DATE	datetime	start date of the activity.
JBA_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
JBA_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
JBA_SYSLEVEL	Y	VARCHAR2(30)	nvarchar(30)	system level code
JBA_TPF	Y	VARCHAR2(4)	nvarchar(4)	technician part failure code
JBA_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
JBA_WAP	Y	VARCHAR2(4)	nvarchar(4)	work accomplished code

R5JOBACTS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ACT_ACT	N	NUMBER(8,0)		activity sequence number
ACT_ACTUAL	Y	NUMBER		actual normal and overtime hours booked for activity.
ACT_ASMLEVEL	Y	VARCHAR2(30)		assembly level code
ACT_COMPLEVEL	Y	VARCHAR2(30)		component level code
ACT_DURATION	N	NUMBER(8,0)		duration in days
ACT_EST	Y	NUMBER		estimated hours
ACT_EVENT	N	VARCHAR2(30)		event code

ACT_MANUFACT	Y	VARCHAR2(24)	manufacturer
ACT_PERSONS	Y	NUMBER(8,0)	number of persons required
ACT_REM	Y	NUMBER	remaining hours
ACT_RPC	Y	VARCHAR2(4)	reason for repair code
ACT_SHIFT	Y	VARCHAR2(4)	applicable shift pattern
ACT_START	Y	DATE	start date
ACT_SYSLEVEL	Y	VARCHAR2(30)	system level code
ACT_TPF	Y	VARCHAR2(4)	technician part failure code
ACT_TRADE	Y	VARCHAR2(15)	trade
ACT_WAP	Y	VARCHAR2(4)	work accomplished code
EVT_DESC	N	VARCHAR2(80)	description, comment
EVT_DURATION	N	NUMBER(8,0)	duration
EVT_JOBTYPE	Y	VARCHAR2(8)	new type of job
EVT_LASTSAVED	Y	DATE	
EVT_LOCATION	Y	VARCHAR2(30)	location code
EVT_LOCATION_ORG	Y	VARCHAR2(15)	location organization
EVT_MRC	N	VARCHAR2(15)	mrc
EVT_OBJCRITICALITY	Y	VARCHAR2(8)	criticality at time of the work
EVT_OBJECT	Y	VARCHAR2(30)	object code
EVT_OBJECT_ORG	Y	VARCHAR2(15)	object organization
EVT_OBRTYPE	Y	VARCHAR2(4)	system object type
EVT_OBTTYPE	Y	VARCHAR2(4)	user object type
EVT_ORG	N	VARCHAR2(15)	event organization
EVT_ORIGIN	Y	VARCHAR2(15)	originator
EVT_PARENT	Y	VARCHAR2(30)	parent of job
EVT_PPM	Y	VARCHAR2(20)	ppm code
EVT_PPMREV	Y	NUMBER(4,0)	revision number
EVT_PRIORITY	Y	VARCHAR2(8)	job priority
EVT_PROJECT	Y	VARCHAR2(20)	project code
EVT_REPORTED	Y	DATE	date/time reported
EVT_REQM	Y	VARCHAR2(8)	requirement code
EVT_ROUTEparent	Y	VARCHAR2(30)	
EVT_RSTATUS	N	VARCHAR2(4)	corresponding system status
EVT_SAFETY	Y	VARCHAR2(1)	safety implied because of work
EVT_SCHEDGRP	Y	VARCHAR2(30)	
EVT_STATUS	N	VARCHAR2(4)	status of event (user defined)
EVT_TARGET	Y	DATE	target date
EVT_WARRANTY	N	VARCHAR2(1)	value is + if work is warranty related.

R5LABCOST

Column name	Null	Oracle datatype	SQL Server datatype	Column description
LC_COST	Y	NUMBER	numeric(38,6)	total labor cost.
LC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
LC_HOURS	Y	NUMBER	numeric(38,6)	total number of hours booked.

R5LOADAVAIL

Column name	Null	Oracle datatype	SQL Server datatype	Column description
LAV_AVAIL	Y	NUMBER	numeric(24,6)	number of labor hours available.
LAV_DATE	Y	DATE	datetime	date when the labor hours are required.
LAV_LOAD	Y	NUMBER	numeric(24,6)	number of labor hours required.
LAV_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
LAV_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.

R5LOCATIONS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
LOC_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
LOC_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
LOC_CODE	N	VARCHAR2(30)	nvarchar(30)	code of location.
LOC_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	value is + if child location is dependent on parent (always + for lower level locations).
LOC_DESC	N	VARCHAR2(80)	nvarchar(80)	location description.
LOC_LASTSAVED	Y	DATE	datetime2	
LOC_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
LOC_NOTUSED	Y	VARCHAR2(1)	nvarchar(1)	
LOC_ORG	N	VARCHAR2(15)	nvarchar(15)	location organization
LOC_PARENT	Y	VARCHAR2(30)	nvarchar(30)	parent location code.
LOC_PARENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	parent location organization
LOC_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	location status code (system code).
LOC_STATUS	N	VARCHAR2(4)	nvarchar(4)	location status code (user code).
LOC_TYPE	N	VARCHAR2(4)	nvarchar(4)	location object type.

R5MATCOST

Column name	Null	Oracle datatype	SQL Server datatype	Column description
MC_COST	Y	NUMBER	float	total materials cost.
MC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.

R5MATRETURN

Column name	Null	Oracle datatype	SQL Server datatype	Column description
RC_COST	Y	NUMBER	numeric(38,6)	total cost of material returns.
RC_EVENT	N	VARCHAR2(30)	nvarchar(30)	job number.

R5MPTASKS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
MTK_ACT	Y	NUMBER	numeric(8,0)	activity
MTK_ACTNOTE	Y	VARCHAR2(250)	nvarchar(250)	
MTK_COMPLETE	Y	NUMBER	numeric(3,0)	percentage of activity completed after adjusting schedule in mp
MTK_DUR	Y	NUMBER(8,0)	numeric(8,0)	duration of job (in days) before adjusting schedule in mp
MTK_END	Y	DATE	datetime	
MTK_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number
MTK_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	type of job (user code, see entity jbtp)
MTK_LASTSAVED	Y	DATE	datetime2	
MTK_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	scheduling project id
MTK_MRC	Y	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code
MTK_NAME	Y	VARCHAR2(152)	nvarchar(120)	description of job
MTK_NOTE	Y	LONG	ntext	event comments
MTK_OBJECT	Y	VARCHAR2(46)	nvarchar(46)	object code
MTK_PERSONS	Y	NUMBER	numeric(8,0)	number of people required for activity after adjusting schedule in mp
MTK_PRED	Y	VARCHAR2(200)	nvarchar(200)	task predecessors string
MTK_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	priority of job before adjusting schedule in mp
MTK_RESINITIALS	Y	VARCHAR2(500)	nvarchar(500)	resource code string
MTK_RESOURCES	Y	VARCHAR2(1000)	nvarchar(1000)	resource names string
MTK_START	Y	DATE	datetime	target date of job before adjusting schedule in mp
MTK_STATUS	Y	VARCHAR2(4)	nvarchar(4)	job status (user code, see entity evst)
MTK_TRADE	Y	VARCHAR2(98)	nvarchar(98)	trade
MTK_WORK	Y	NUMBER	numeric(24,6)	estimated number of hours of activity after adjusting schedule in mp

R5OBHIST

Column name	Null	Oracle datatype	SQL Server datatype	Column description
EVT_CLASS	Y	VARCHAR2(8)	nvarchar(8)	
EVT_CN	Y	VARCHAR2(24)	nvarchar(24)	
EVT_CODE	N	VARCHAR2(30)	nvarchar(30)	
EVT_CREATED	Y	DATE	datetime	
EVT_DEPEND	Y	VARCHAR2(1)	nvarchar(1)	
EVT_DOWNTIMEHRS	Y	NUMBER	numeric(24,6)	
EVT_FROMGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	

EVT_FROMPOINT	Y	NUMBER(24,6)	numeric(24,6)	
EVT_FROMREFDESC	Y	VARCHAR2(80)	nvarchar(80)	
EVT_LASTSAVED	Y	DATE	datetime2	
EVT_LOCATION	Y	VARCHAR2(30)	nvarchar(30)	
EVT_MAXCOST	Y	NUMBER(24,6)	numeric(24,6)	
EVT_MPPROJ	Y	VARCHAR2(20)	nvarchar(20)	
EVT_MULTIEQUIP	Y	VARCHAR2(1)	nvarchar(1)	
EVT_OBJCRITICALITY	Y	VARCHAR2(8)	nvarchar(8)	
EVT_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	
EVT_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	
EVT_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	
EVT_PERSON	Y	VARCHAR2(15)	nvarchar(15)	
EVT_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	
EVT_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	
EVT_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	
EVT_REOPENED	Y	VARCHAR2(1)	nvarchar(1)	
EVT_REQUESTEND	Y	DATE	datetime	
EVT_REQUESTSTART	Y	DATE	datetime	
EVT_ROUTE	Y	VARCHAR2(20)	nvarchar(20)	
EVT_ROUTESTATUS	Y	VARCHAR2(4)	nvarchar(4)	
EVT_SAFETY	Y	VARCHAR2(1)	nvarchar(1)	
EVT_SCHEND	Y	DATE	datetime	
EVT_SCHEDGRP	Y	VARCHAR2(30)	nvarchar(30)	
EVT_SERVICEREQUEST	Y	VARCHAR2(30)	nvarchar(30)	
EVT_SHIFT	Y	VARCHAR2(4)	nvarchar(4)	
EVT_STANDWORK	Y	VARCHAR2(20)	nvarchar(20)	
EVT_START	Y	DATE	datetime	
EVT_TOGEOREF	Y	VARCHAR2(1000)	nvarchar(1000)	
EVT_TOPOINT	Y	NUMBER(24,6)	numeric(24,6)	
EVT_TOREFDESC	Y	VARCHAR2(80)	nvarchar(80)	
EVT_TRIGEVEN	Y	VARCHAR2(30)	nvarchar(30)	
OH_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code.
OH_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	cause code.
OH_COMPLETED	Y	DATE	datetime	date on which event was completed.
OH_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
OH_DATE	Y	DATE	datetime	date on which event was completed.
OH_DESC	N	VARCHAR2(80)	nvarchar(80)	event description.
OH_DOWNTIME	Y	NUMBER	numeric(24,6)	number of hours of downtime incurred as a result of this event.

OH_ENTEREDBY	Y	VARCHAR2(255)	nvarchar(255)	username of person who created the event.
OH_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number.
OH_EVENTTYPE	N	VARCHAR2(4)	nvarchar(4)	event type (user code, see entity evtp).
OH_EVENT_ORG	N	VARCHAR2(15)	nvarchar(15)	event organization
OH_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	failure code.
OH_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	reading of meter at time of failure.
OH_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code, see entity jbtp).
OH_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure.
OH_MRC	N	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
OH_OBJECT	N	VARCHAR2(30)	nvarchar(30)	object code.
OH_OBJECT_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
OH_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OH_ORIGIN	Y	VARCHAR2(15)	nvarchar(15)	personnel number of originator.
OH_PARENT	Y	VARCHAR2(30)	nvarchar(30)	
OH_PPM	Y	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.
OH_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	ppm revision number.
OH_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code.
OH_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	event status code (system code, see entity evst).
OH_RTYPE	N	VARCHAR2(4)	nvarchar(4)	event type (system code, see entity evtp).
OH_STATUS	N	VARCHAR2(4)	nvarchar(4)	event status code (user code, see entity evst).
OH_TARGET	Y	DATE	datetime	target date.
OH_TRACKED	Y	DATE	datetime	date event created by asset tracking work orders interface.
OH_WARRANTY	N	VARCHAR2(1)	nvarchar(1)	value is + if object was covered by warranty when event was created.

R5OBJCATASPECTS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
OBA_ASPECT	Y	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
OBA_LASTSAVED	Y	DATE	datetime2	
OBA_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object or category code.
OBA_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
OBA_OBRTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp, c if category).
OBA_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp, c if category).

R5OBJOBS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
OJ_ACTION	Y	VARCHAR2(8)	nvarchar(8)	action code.
OJ_CAUSE	Y	VARCHAR2(8)	nvarchar(8)	cause code.
OJ_DATE	Y	DATE	datetime	target date of job.

OJ_DESC	Y	VARCHAR2(80)	nvarchar(80)	job description.
OJ_EVENT	Y	VARCHAR2(30)	nvarchar(30)	job number.
OJ_EVENTTYPE	Y	VARCHAR2(4)	nvarchar(4)	event type (user code, see entity evtp).
OJ_EVENT_ORG	Y	VARCHAR2(15)	nvarchar(15)	event organization
OJ_FAILURE	Y	VARCHAR2(8)	nvarchar(8)	failure code.
OJ_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	reading of meter at time of failure.
OJ_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code, see entity jbtp).
OJ_LASTSAVED	Y	DATE	datetime2	
OJ_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure.
OJ_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
OJ_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object or
OJ_OBTTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OJ_REQM	Y	VARCHAR2(8)	nvarchar(8)	requirement code.

R5ONORDER

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ONO_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ONO_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ONO_QTY	Y	NUMBER	numeric(38,6)	quantity awaiting delivery on purchase orders.
ONO_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.

R5ONORDER_DETAILS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ONOD_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ONOD_DUE	Y	DATE	datetime	delivery due date.
ONOD_LASTSAVED	Y	DATE	datetime2	
ONOD_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ONOD_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ONOD_ORDLINE	Y	NUMBER	numeric(8,0)	purchase order line number.
ONOD_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ONOD_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ONOD_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
ONOD_QTY	Y	NUMBER	numeric(26,6)	quantity outstanding delivery.
ONOD_QUOTFLAG	Y	VARCHAR2(1)	nvarchar(1)	0=no price quotation, 1=price quotation before order, 2=only a price quotation.
ONOD_RENTITY	Y	VARCHAR2(4)	nvarchar(4)	entity code.
ONOD_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
ONOD_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ONOD_STORE	Y	VARCHAR2(30)	nvarchar(30)	store code.

ONOD_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type.

R5ONREPREQ

Column name	Null	Oracle datatype	SQL Server datatype	Column description
RPR_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
RPR_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization code
RPR_QTY	Y	NUMBER	numeric(38,12)	sum of quantities of requisition lines to be requisitioned in issue unit of measure
RPR_STORE	N	VARCHAR2(30)	nvarchar(30)	store code

R5ONREQUI

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ORE_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ORE_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ORE_QTY	Y	NUMBER	numeric(38,6)	quantity awaiting delivery on requisitions.
ORE_STORE	N	VARCHAR2(30)	nvarchar(30)	store code.

R5ORDCLAUSES_REVISIONS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ORC_ACT_REV	Y	NUMBER(4,0)	numeric(4,0)	
ORC_CLAUSE	Y	VARCHAR2(8)	nvarchar(8)	clause code.
ORC_LASTSAVED	Y	DATE	datetime2	
ORC_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORC_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORC_REVISION	Y	NUMBER	numeric(4,0)	purchase order revision number.

R5ORDERLINESDESC

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ORDERBUYER	Y	VARCHAR2(255)		buyer
ORDERDATE	Y	DATE		order date
ORDERDESC	Y	VARCHAR2(255)		order description
ORDERSTATUS	Y	VARCHAR2(4)		status
ORLINVQTY	Y	NUMBER		quantity invoiced
ORLORDQTY	Y	NUMBER		quantity issued
ORLRCVQTY	Y	NUMBER		quantity received
ORLSCRAPQTY	Y	NUMBER		scrap quantity
ORL_ACT	Y	NUMBER(8,0)		activity
ORL_CONTRACT	Y	VARCHAR2(30)		contract
ORL_CURR	Y	VARCHAR2(3)		currency

ORL_DUE	Y	DATE	due date
ORL_EVENT	Y	VARCHAR2(30)	event
ORL_INVVALUE	Y	NUMBER(24,6)	value invoiced
ORL_LANGUAGE	Y	VARCHAR2(2)	language
ORL_LASTSAVED	Y	DATE	
ORL_MULTIPLY	Y	NUMBER(10,4)	conversion factor
ORL_ORDER	Y	VARCHAR2(30)	purchase order
ORL_ORDER_ORG	Y	VARCHAR2(15)	purchase order organization
ORL_ORDLINE	Y	NUMBER(8,0)	purchase order line
ORL_PART	Y	VARCHAR2(30)	part
ORL_PARTTASK_DESC	Y	VARCHAR2(255)	part or task description
ORL_PART_ORG	Y	VARCHAR2(15)	part organization
ORL_PRICE	Y	NUMBER(24,6)	price
ORL_PURUOM	Y	VARCHAR2(30)	purchase unit of measure
ORL_RECVVALUE	Y	NUMBER(24,6)	value received
ORL_REQ	Y	VARCHAR2(30)	requisition
ORL_REQLINE	Y	NUMBER(8,0)	requisition line
ORL_STATUS	Y	VARCHAR2(4)	status
ORL_STORE	Y	VARCHAR2(15)	store
ORL_SUPPLIER	Y	VARCHAR2(30)	supplier
ORL_SUPPLIER_ORG	Y	VARCHAR2(15)	supplier organization
ORL_TASK	Y	VARCHAR2(20)	task code
ORL_TYPE	Y	VARCHAR2(4)	order line type

R5ORDERLINES_REVISIONS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ORL_ACD	Y	NUMBER	bigint	
ORL_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
ORL_ACTIVE	Y	VARCHAR2(1)	nvarchar(1)	value is + if awaiting delivery.
ORL_ACT_REV	Y	NUMBER(4,0)	numeric(4,0)	
ORL_ADD	Y	VARCHAR2(128)	nvarchar(124)	not used.
ORL_ALLOWPREPAYMENT	Y	VARCHAR2(1)	nvarchar(1)	
ORL_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	
ORL_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number.
ORL_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ORL_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ORL_CONTRACTDISCOUNT	Y	NUMBER	numeric(38,6)	
ORL_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.

ORL_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
ORL_DCKRECVQTY	Y	NUMBER(24,6)	numeric(24,6)	
ORL_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ORL_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ORL_DUE	Y	DATE	datetime	delivery due date.
ORL_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
ORL_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
ORL_EXCHFIX	Y	VARCHAR2(1)	nvarchar(1)	flag indicating if exchange rate is fixed
ORL_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ORL_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ORL_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	
ORL_INTERFACE	Y	DATE	datetime	
ORL_INVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity invoiced to-date in issue unit of measure.
ORL_INVVALUE	Y	NUMBER(24,6)	numeric(24,6)	value invoiced to-date in suppliers currency.
ORL_IPCURRPRICE	Y	VARCHAR2(1)	nvarchar(1)	
ORL_IPERROR	Y	NUMBER(3,0)	numeric(3,0)	
ORL_IPERRORMESSAGE	Y	VARCHAR2(2000)	nvarchar(2000)	
ORL_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	
ORL_LASTSAVED	Y	DATE	datetime2	
ORL_MANUFACTPART	Y	VARCHAR2(50)	nvarchar(50)	
ORL_MANUFACTURER	Y	VARCHAR2(24)	nvarchar(24)	
ORL_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
ORL_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORL_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORL_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line number.
ORL_ORDQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity ordered in issue unit of measure.
ORL_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	
ORL_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
ORL_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
ORL_PAYMENTNUMBER	Y	NUMBER(6,0)	numeric(6,0)	
ORL_PRICE	Y	NUMBER(24,6)	numeric(24,6)	unit price, or total price of fixed price service.
ORL_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
ORL_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
ORL_PURUOM	Y	VARCHAR2(30)	nvarchar(30)	purchase unit of measure code.
ORL_QUOTID	Y	VARCHAR2(30)	nvarchar(30)	
ORL_QUOTLINE	Y	NUMBER(8,0)	numeric(8,0)	
ORL_RECVQTY	Y	NUMBER(24,6)	numeric(24,6)	quantity received to-date in issue unit of measure.
ORL_RECVTASKQTY	Y	NUMBER(24,6)	numeric(24,6)	received task quantity

ORL_RECVALUE	Y	NUMBER(24,6)	numeric(24,6)	value received to-date in suppliers currency.
ORL_REF	Y	VARCHAR2(50)	nvarchar(50)	catalogue reference code.
ORL_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	
ORL_REQ	Y	VARCHAR2(30)	nvarchar(30)	requisition number.
ORL_REQLINE	Y	NUMBER(8,0)	numeric(8,0)	requisition line number.
ORL_REVISION	Y	NUMBER	numeric(4,0)	purchase order revision number.
ORL_RSTATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (system code, see entity rlst).
ORL_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
ORL_SCRAPQTY	Y	NUMBER(24,6)	numeric(24,6)	scrap quantity
ORL_SOURCECODE	Y	VARCHAR2(45)	nvarchar(45)	
ORL_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	
ORL_STATUS	Y	VARCHAR2(4)	nvarchar(4)	order line status (user code, see entity rlst).
ORL_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
ORL_SUBTOTAL	Y	NUMBER	numeric(38,6)	
ORL_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
ORL_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ORL_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code
ORL_TASKQTY	Y	NUMBER(24,6)	numeric(24,6)	task quantity
ORL_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task code revision
ORL_TAX	Y	VARCHAR2(20)	nvarchar(20)	tax code.
ORL_TAX2	Y	VARCHAR2(20)	nvarchar(20)	tax 2
ORL_TOTAL	Y	NUMBER	numeric(38,6)	
ORL_TOTEXTRA	Y	NUMBER(24,6)	numeric(24,6)	total extra charges-discounts
ORL_TOTTAXAMOUNT	Y	NUMBER(24,6)	numeric(24,6)	total tax amount
ORL_TRADE	Y	VARCHAR2(15)	nvarchar(15)	task trade
ORL_TYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
ORL_UDFCHAR01	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	
ORL_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	

ORL_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)
ORL_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)
ORL_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)
ORL_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)
ORL_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)
ORL_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)
ORL_UDFDATE01	Y	DATE	datetime
ORL_UDFDATE02	Y	DATE	datetime
ORL_UDFDATE03	Y	DATE	datetime
ORL_UDFDATE04	Y	DATE	datetime
ORL_UDFDATE05	Y	DATE	datetime
ORL_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)
ORL_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)
ORL_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)
ORL_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)
ORL_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)

R5ORDERS_REVISIONS

Column name	Nulla	l Oracle datatype	SQL Server datatype	Column description
ORD_ACD	Y	NUMBER	bigint	
ORD_ACT_REV	Y	NUMBER(4,0)	numeric(4,0)	not used.

ORD_ADD	Y	VARCHAR2(87)	nvarchar(85)	not used.
ORD_APPROV	Y	DATE	datetime	date purchase order approved.
ORD_ATTENTIONTO	Y	VARCHAR2(80)	nvarchar(80)	
ORD_AUTH	Y	VARCHAR2(255)	nvarchar(255)	username of person who approved purchase order.
ORD_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number.
ORD_BLANKETRELEASE	Y	NUMBER	int	
ORD_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
ORD_CLASS	Y	VARCHAR2(8)	nvarchar(8)	classification code.
ORD_CLASS_ORG	Y	VARCHAR2(15)	nvarchar(15)	classification code organization
ORD_CODE	Y	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORD_CONTRACT	Y	VARCHAR2(30)	nvarchar(30)	contract number.
ORD_CONTROLNO	Y	VARCHAR2(64)	nvarchar(64)	
ORD_CREATED	Y	DATE	datetime	
ORD_CREDITCARD	Y	NUMBER	int	
ORD_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
ORD_DATE	Y	DATE	datetime	purchase order date.
ORD_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
ORD_DESC	Y	VARCHAR2(80)	nvarchar(80)	purchase order description.
ORD_DFLTAUTH	Y	VARCHAR2(255)	nvarchar(255)	username of default approver of purchase order.
ORD_DISCOUNT	Y	NUMBER(24,6)	numeric(24,6)	discount amount.
ORD_DISCPERC	Y	NUMBER	numeric(24,6)	discount percentage.
ORD_DUE	Y	DATE	datetime	delivery due date.
ORD_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
ORD_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
ORD_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
ORD_FOBPOINT	Y	VARCHAR2(45)	nvarchar(45)	fob point code.
ORD_FREIGHTTERMS	Y	VARCHAR2(30)	nvarchar(30)	freight terms code.
ORD_INTERFACE	Y	DATE	datetime	
ORD_IPTRANSMITTED	Y	VARCHAR2(1)	nvarchar(1)	
ORD_JECATEGORY	Y	VARCHAR2(25)	nvarchar(25)	
ORD_JESOURCE	Y	VARCHAR2(25)	nvarchar(25)	
ORD_LASTSAVED	Y	DATE	datetime2	
ORD_LASTSTATUSUPDATE	Y	DATE	datetime	
ORD_ORG	Y	VARCHAR2(15)	nvarchar(15)	organization
ORD_ORIGIN	Y	VARCHAR2(24)	nvarchar(24)	personnel number of originator of purchase order.
ORD_PACKAGETRACKINGNUMBER	Y	VARCHAR2(80)	nvarchar(80)	
ORD_PAYBYMETHOD	Y	VARCHAR2(30)	nvarchar(30)	pay by method (iprocure)
ORD_PAYMENTTERMS	Y	VARCHAR2(30)	nvarchar(30)	payment terms code.

ORD_PRICE	Y	NUMBER(24,6)	numeric(24,6)	total order value in suppliers currency.
ORD_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if purchase order has been printed.
ORD_REVISION	Y	DATE	datetime	
ORD_REVISIONREASON	Y	NUMBER	numeric(4,0)	purchase order revision number.
ORD_RSTATUS	Y	VARCHAR2(240)	nvarchar(240)	
ORD_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (system code, see entity dost).
ORD_SHIPVIA	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (system code, see entity potp).
ORD_SOURCECODE	Y	VARCHAR2(30)	nvarchar(30)	ship-via code.
ORD_SOURCESYSTEM	Y	VARCHAR2(45)	nvarchar(45)	
ORD_STATUS	Y	VARCHAR2(45)	nvarchar(45)	
ORD_STORE	Y	VARCHAR2(4)	nvarchar(4)	purchase order status (user code, see entity dost).
ORD_SUPPLIER	Y	VARCHAR2(15)	nvarchar(15)	store code.
ORD_SUPPLIER_ORG	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
ORD_TYPE	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
ORD_UDFCHAR01	Y	VARCHAR2(4)	nvarchar(4)	purchase order type (user code, see entity potp).
ORD_UDFCHAR02	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR03	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR04	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR05	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR06	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR07	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR08	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR09	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR10	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR11	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR12	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR13	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR14	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR15	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR16	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR17	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR18	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR19	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR20	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR21	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR22	Y	VARCHAR2(80)	nvarchar(80)	
ORD_UDFCHAR23	Y	VARCHAR2(80)	nvarchar(80)	

ORD_UDFCHAR24	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR25	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR26	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR27	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR28	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR29	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHAR30	Y	VARCHAR2(80)	nvarchar(80)
ORD_UDFCHKBOX01	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX02	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX03	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX04	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFCHKBOX05	Y	VARCHAR2(1)	nvarchar(1)
ORD_UDFDATE01	Y	DATE	datetime
ORD_UDFDATE02	Y	DATE	datetime
ORD_UDFDATE03	Y	DATE	datetime
ORD_UDFDATE04	Y	DATE	datetime
ORD_UDFDATE05	Y	DATE	datetime
ORD_UDFNUM01	Y	NUMBER(24,6)	numeric(24,6)
ORD_UDFNUM02	Y	NUMBER(24,6)	numeric(24,6)
ORD_UDFNUM03	Y	NUMBER(24,6)	numeric(24,6)
ORD_UDFNUM04	Y	NUMBER(24,6)	numeric(24,6)
ORD_UDFNUM05	Y	NUMBER(24,6)	numeric(24,6)
ORD_UPDATECOUNT	Y	NUMBER(38,0)	numeric(38,0)
ORD_UPDATED	Y	DATE	datetime

R5ORDREALLOC

Column name	Null	Oracle datatype	SQL Server datatype	Column description
ORA_ACT	Y	NUMBER(8,0)	numeric(8,0)	event activity
ORA_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event code
ORA_EVENT_ORG	N	VARCHAR2(15)	nvarchar(15)	event organization
ORA_HOLDQTY	Y	NUMBER	numeric(38,6)	hold quantity
ORA_ISSUEQTY	Y	NUMBER	numeric(38,6)	issue quantity
ORA_LOT	Y	VARCHAR2(12)	nvarchar(12)	lot
ORA_ORDER	Y	VARCHAR2(30)	nvarchar(30)	purchase order code
ORA_ORDER_ORG	Y	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORA_ORDLINE	Y	NUMBER(8,0)	numeric(8,0)	purchase order line
ORA_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
ORA_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization

ORA_RECVQTY	Y	NUMBER	numeric(38,6)	received quantity

R5PARTISSUED

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PAI_ACT	Y	NUMBER(8,0)	numeric(8,0)	part action.
PAI_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
PAI_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
PAI_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PAI_STOCK	Y	NUMBER	numeric(38,6)	quantity of part issued to event.

R5PARTOBJECTS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PAO_LASTSAVED	Y	DATE	datetime2	
PAO_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
PAO_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
PAO_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
PAO_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PAO_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity of part associated with object.
PAO_RTYPE	Y	VARCHAR2(4)	nvarchar(4)	object type (system code, see entity obtp).
PAO_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.

R5PARTORDERED

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PAO_DIRECT	Y	NUMBER	numeric(38,16)	quantity of part ordered for event (quantity in purchase unit of measure).
PAO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
PAO_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
PAO_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization

R5PARTTRANSACTION

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PAT_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number
PAT_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
PAT_PART	Y	VARCHAR2(30)	nvarchar(30)	part code
PAT_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part code organization
PAT_QTY	Y	NUMBER	numeric(38,6)	transaction quantity in issue unit of measure.
PAT_UOM	N	VARCHAR2(30)	nvarchar(30)	issue unit of measure code.

R5PARTUSAGE

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PU_DATE	Y	DATE	datetime	date part issued to event.
PU_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
PU_FAILUREUSAGE	Y	NUMBER(24,6)	numeric(24,6)	reading of meter at time of failure.
PU_JOB_TYPE	Y	VARCHAR2(8)	nvarchar(8)	
PU_METUOM	Y	VARCHAR2(30)	nvarchar(30)	meter unit of measure.
PU_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
PU_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
PU_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
PU_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
PU_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PU_PRICE	Y	NUMBER(24,6)	numeric(24,6)	base price at which part was issued.
PU_QTY	Y	NUMBER	numeric(38,6)	quantity issued.

R5PICKLISTANDPARTS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PAR_DESC	Y	VARCHAR2(255)	nvarchar(255)	part description.
PAR_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.
PIC_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
PIC_CODE	N	VARCHAR2(30)	nvarchar(30)	pick list number.
PIC_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
PIC_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
PIC_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
PIC_ORIGIN	Y	VARCHAR2(255)	nvarchar(255)	personnel number of originator of pick list.
PIC_PRINTDATE	Y	DATE	datetime	date pick list was printed.
PIC_PRINTED	Y	VARCHAR2(1)	nvarchar(1)	value is + if pick list has been printed.
PIC_REQUIRED	N	DATE	datetime	date part is required.
PIC_RSTATUS	N	VARCHAR2(4)	nvarchar(4)	pick tix r status (system)
PIC_STATUS	N	VARCHAR2(4)	nvarchar(4)	pick tix status
PIC_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
PIP_LASTSAVED	Y	DATE	datetime2	
PIP_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
PIP_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
PIP_QTY	Y	NUMBER(24,6)	numeric(24,6)	quantity requested.

R5PPMPLANOBJECTS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
OBJ_CODE	N	VARCHAR2(30)	nvarchar(30)	object code.

OBJ_OBTYP	N	VARCHAR2(4)	nvarchar(4)	user type of object.
OBJ_ORG	N	VARCHAR2(15)	nvarchar(15)	object organization
OBJ_PLAN	Y	VARCHAR2(6)	nvarchar(6)	ppm plan
PPO_ORG	N	VARCHAR2(15)	nvarchar(15)	

R5PPMWINDOWS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PPW_EVENT	N	VARCHAR2(30)	nvarchar(30)	event number of ppm job.
PPW_GENDATE	Y	VARCHAR2(1)	nvarchar(1)	value is + if date-based ppm job is currently within release window.
PPW_GENVAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if meter-based ppm job is currently within release window.
PPW_GENVAL2	Y	VARCHAR2(1)	nvarchar(1)	
PPW_JOBTYPE	Y	VARCHAR2(8)	nvarchar(8)	job type (user code, see entity jbtp).
PPW_LASTSAVED	Y	DATE	datetime2	
PPW_METER	Y	NUMBER	numeric(24,6)	reading at which ppm job becomes due.
PPW_NEARDATE	Y	VARCHAR2(1)	varchar(1)	value is + if date-based ppm job is currently within near window.
PPW_NEARVAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if meter-based ppm job is currently within near window.
PPW_NEARVAL2	Y	VARCHAR2(1)	nvarchar(1)	
PPW_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
PPW_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object organization
PPW_OBTYP	Y	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
PPW_OKDATE	Y	VARCHAR2(1)	nvarchar(1)	value is + if date-based ppm job is currently within ok window.
PPW_OKVAL	Y	VARCHAR2(1)	nvarchar(1)	value is + if meter-based ppm job is currently within ok window.
PPW_OKVAL2	Y	VARCHAR2(1)	nvarchar(1)	
PPW_PPM	Y	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule.
PPW_PPMREV	Y	NUMBER(4,0)	numeric(4,0)	revision number.
PPW_PRIORITY	Y	VARCHAR2(8)	nvarchar(8)	priority code (user code, see entity jbpr).
PPW_STATUS	N	VARCHAR2(4)	nvarchar(4)	job status (user code, see entity evst).
PPW_TARGET	Y	DATE	datetime	target date of ppm job.

R5PROMPTLOVS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
PLV_APM_DESC	N	VARCHAR2(80)	nvarchar(80)	apm description
PLV_ASPECT	N	VARCHAR2(30)	nvarchar(30)	aspect code
PLV_ASP_DESC	N	VARCHAR2(80)	nvarchar(80)	aspect description
PLV_MAX	Y	VARCHAR2(80)	nvarchar(80)	maximum value.
PLV_MIN	Y	VARCHAR2(80)	nvarchar(80)	minimum value.
PLV_PROMPT	Y	VARCHAR2(8)	nvarchar(8)	property
PLV_PROTYPE	N	VARCHAR2(4)	nvarchar(4)	prompt type

R5QUOTLIN2

Column name	Null	Oracle datatype	SQL Server datatype	Column description
QL2_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
QL2_DESC	N	VARCHAR2(80)	nvarchar(80)	quotation description.
QL2_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
QL2_EXCHFROMDUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from dual currency to home currency.
QL2_EXCHTODUAL	Y	NUMBER(24,12)	numeric(24,12)	exchange rate from quotation currency to dual currency.
QL2_EXPIR	Y	DATE	datetime	date price quoted is valid to.
QL2_LEADTIME	Y	NUMBER(4,1)	numeric(4,1)	lead time in days.
QL2_ORG	N	VARCHAR2(15)	nvarchar(15)	quotation organization
QL2_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel number of originator of quotation.
QL2_QUOTATION	N	VARCHAR2(30)	nvarchar(30)	quotation number.
QL2_RATE	Y	NUMBER	numeric(38,14)	rate for this quotation item.
QL2_RATING	Y	VARCHAR2(4)	nvarchar(4)	rating (quantitative rating).
QL2_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
QL2_SCORE	Y	NUMBER(2,0)	numeric(2,0)	score (qualitative rating).
QL2_SEQNO	N	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QL2_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.
QL2_SUPPLIER	N	VARCHAR2(30)	nvarchar(30)	supplier code.
QL2_SUPPLIER_ORG	N	VARCHAR2(15)	nvarchar(15)	supplier organization
QL2_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
QL2_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).

R5REQSFORJOB

Column name	Null	Oracle datatype	SQL Server datatype	Column description
RFJ_LASTSAVED	Y	DATE	datetime2	
RFJ_MRC	Y	VARCHAR2(30)	nvarchar(30)	mrc where parts are moved from
RFJ_ORG	N	VARCHAR2(15)	nvarchar(15)	requisition organization
RFJ_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
RFJ_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
RFJ_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity to be requisitioned in issue unit of measure.
RFJ_REQ	N	VARCHAR2(30)	nvarchar(30)	requisition number.
RFJ_REQLINE	N	NUMBER(8,0)	numeric(8,0)	requisition line number.
RFJ_STATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition item status (user code, see entity rlst).
RFJ_STORE	N	VARCHAR2(30)	nvarchar(30)	store code.
RFJ_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).
RFJ_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.

R5REQSFORORDER

Column name	Null	Oracle datatype	SQL Server datatype	Column description
RFO_ACT	Y	NUMBER(8,0)	numeric(8,0)	activity number.
RFO_BLANKETLINE	Y	NUMBER(8,0)	numeric(8,0)	blanket order line number (recommended).
RFO_BLANKETORDER	Y	VARCHAR2(30)	nvarchar(30)	blanket order number (recommended).
RFO_BUYER	Y	VARCHAR2(255)	nvarchar(255)	username of buyer.
RFO_COSTCODE	Y	VARCHAR2(30)	nvarchar(30)	cost code.
RFO_CURR	Y	VARCHAR2(3)	nvarchar(3)	currency code.
RFO_DELADDRESS	Y	VARCHAR2(20)	nvarchar(20)	delivery address
RFO_DUE	Y	DATE	datetime	delivery due date.
RFO_EVENT	Y	VARCHAR2(30)	nvarchar(30)	event number.
RFO_EXCH	Y	NUMBER(24,12)	numeric(24,12)	exchange rate.
RFO_INSPECT	Y	VARCHAR2(1)	nvarchar(1)	flag indicating inspection is required
RFO_LASTSAVED	Y	DATE	datetime2	
RFO_MULTIPLY	Y	NUMBER(10,4)	numeric(10,4)	conversion factor from purchase to issue unit of measure.
RFO_ORG	N	VARCHAR2(15)	nvarchar(15)	organization
RFO_ORIGIN	N	VARCHAR2(15)	nvarchar(15)	personnel code of originator of requisition.
RFO_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
RFO_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part organization
RFO_PRICE	Y	NUMBER(24,6)	numeric(24,6)	price per issue unit of measure in supplier currency.
RFO_PROJBUD	Y	VARCHAR2(20)	nvarchar(20)	project budget code.
RFO_PROJECT	Y	VARCHAR2(20)	nvarchar(20)	project code.
RFO_QTY	N	NUMBER(24,6)	numeric(24,6)	quantity requisitioned in issue unit of measure.
RFO_QUOTFLAG	Y	VARCHAR2(1)	nvarchar(1)	quotation flag
RFO_RELATEDWO	Y	VARCHAR2(30)	nvarchar(30)	
RFO_REQ	N	VARCHAR2(30)	nvarchar(30)	requisition number.
RFO_REQLINE	N	NUMBER(8,0)	numeric(8,0)	requisition line number.
RFO_RTYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (system code, see entity pltp).
RFO_STATUS	Y	VARCHAR2(4)	nvarchar(4)	requisition line status (user code, see entity rlst).
RFO_STORE	N	VARCHAR2(30)	nvarchar(30)	store code.
RFO_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
RFO_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier organization
RFO_TASK	Y	VARCHAR2(20)	nvarchar(20)	task code.
RFO_TASKQTY	Y	NUMBER(10,2)	numeric(10,2)	task quantity
RFO_TASKREV	Y	NUMBER(4,0)	numeric(4,0)	task revision
RFO_TRADE	Y	VARCHAR2(15)	nvarchar(15)	trade code.
RFO_TYPE	N	VARCHAR2(4)	nvarchar(4)	purchase item type (user code, see entity pltp).

RFO_UOM	Y	VARCHAR2(30)	nvarchar(30)	unit of measure code.

R5RESERVED

Column name	Null	Oracle datatype	SQL Server datatype	Column description
RES_PART	N	VARCHAR2(30)	nvarchar(30)	part code.
RES_PART_ORG	N	VARCHAR2(15)	nvarchar(15)	part organization
RES_QTY	Y	NUMBER	numeric(38,6)	reserved quantity.
RES_STORE	N	VARCHAR2(15)	nvarchar(15)	store code.

R5SELECTTEXT

Column name	Null	Oracle datatype	SQL Server datatype	Column description
SLT_CHANGED	Y	VARCHAR2(1)	nvarchar(1)	date text changed.
SLT_LANG	N	VARCHAR2(2)	nvarchar(2)	language code.
SLT_LENGTH	N	NUMBER(3,0)	numeric(3,0)	text length.
SLT_POOL	N	VARCHAR2(12)	nvarchar(12)	text code.
SLT_TEXT	N	VARCHAR2(255)	nvarchar(255)	boiler text.

R5STOCKISSUED

Column name	Null	Oracle datatype	SQL Server datatype	Column description
STI_STORE	Y	VARCHAR2(15)	nvarchar(15)	store code.
STI_VALUE	Y	NUMBER	numeric(38,6)	value issued.

R5TOOLCOST

Column name	Null	Oracle datatype	SQL Server datatype	Column description
TC_COST	Y	NUMBER	numeric(38,6)	cost code.
TC_EVENT	N	VARCHAR2(30)	nvarchar(30)	number of events.
TC_HOURS	Y	NUMBER	numeric(38,2)	number of hours tool is required.

R5TOOLSUSED

Column name	Null	Oracle datatype	SQL Server datatype	Column description
TLU_ACT	N	NUMBER(8,0)	numeric(8,0)	number of activity
TLU_COST	Y	NUMBER	numeric(38,6)	cost of tool
TLU_EVENT	N	VARCHAR2(30)	nvarchar(30)	number of events.
TLU_QTY	Y	NUMBER	numeric(38,8)	quantity of tools required.
TLU_RATE	Y	NUMBER	numeric(38,6)	rate of tool
TLU_TOOL	N	VARCHAR2(12)	nvarchar(12)	code of tool

R5TRANRES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
TRS_PART	Y	VARCHAR2(30)	nvarchar(30)	part code.
TRS_PART_ORG	Y	VARCHAR2(15)	nvarchar(15)	part code organization
TRS_QTY	Y	NUMBER	numeric(38,12)	quantity in transit.
TRS_STORE	Y	VARCHAR2(30)	nvarchar(30)	store code.

R5USER_JOBS

Column name	Null	Oracle datatype	SQL Server datatype	Column description
JOB	N	NUMBER		corresponds to column in user_jobs table.
THIS_DATE	Y	DATE		corresponds to column in user_jobs table.
WHAT	Y	VARCHAR2(4000)		corresponds to column in user_jobs table.

R5WARRANTIES

Column name	Null	Oracle datatype	SQL Server datatype	Column description
WAR_DESC	N	VARCHAR2(80)	nvarchar(80)	warranty document description.
WAR_EXPIRATION	Y	DATE	datetime	date warranty expires.
WAR_ID	Y	VARCHAR2(30)	nvarchar(30)	warranty document code.
WAR_LASTSAVED	Y	DATE	datetime2	
WAR_OBJECT	Y	VARCHAR2(30)	nvarchar(30)	object code.
WAR_OBJECT_ORG	Y	VARCHAR2(15)	nvarchar(15)	object code organization
WAR_OBTTYPE	N	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
WAR_START	Y	DATE	datetime	data warranty starts.
WAR_SUPPLIER	Y	VARCHAR2(30)	nvarchar(30)	supplier code.
WAR_SUPPLIER_ORG	Y	VARCHAR2(15)	nvarchar(15)	supplier code organization

Chapter 7 Constraint definitions

COR_INBOX_ENTRY

Constraint name	Where clause
COR_INBOX_ENTRY_NN01	C_XML IS NOT NULL
COR_INBOX_ENTRY_NN02	C_TENANT_ID IS NOT NULL
COR_INBOX_ENTRY_NN03	C_MESSAGE_PRIORITY IS NOT NULL
COR_INBOX_ENTRY_NN04	C_CREATED_DATE_TIME IS NOT NULL
COR_INBOX_ENTRY_NN05	C_WAS_PROCESSED IS NOT NULL

COR_INBOX_HEADERS

Constraint name	Where clause
COR_INBOX_HEADERS_NN01	C_INBOX_ID IS NOT NULL
COR_INBOX_HEADERS_NN02	C_HEADER_KEY IS NOT NULL
COR_INBOX_HEADERS_NN03	C_HEADER_VALUE IS NOT NULL

COR_OUTBOX_ENTRY

Constraint name	Where clause
COR_OUTBOX_ENTRY_NN01	C_XML IS NOT NULL
COR_OUTBOX_ENTRY_NN02	C_TENANT_ID IS NOT NULL
COR_OUTBOX_ENTRY_NN03	C_MESSAGE_PRIORITY IS NOT NULL
COR_OUTBOX_ENTRY_NN04	C_CREATED_DATE_TIME IS NOT NULL
COR_OUTBOX_ENTRY_NN05	C_WAS_PROCESSED IS NOT NULL

COR_OUTBOX_HEADERS

Constraint name	Where clause
COR_OUTBOX_HEADERS_NN01	C_OUTBOX_ID IS NOT NULL
COR_OUTBOX_HEADERS_NN02	C_HEADER_KEY IS NOT NULL
COR_OUTBOX_HEADERS_NN03	C_HEADER_VALUE IS NOT NULL

COR_PROPERTY

Constraint name	Where clause
COR_PROPERTY_NN01	C_PROPERTY_NAME IS NOT NULL
COR_PROPERTY_NN02	C_PROPERTY_VALUE IS NOT NULL

R5ACCOUNTDETAIL

Constraint name	Where clause
R5CHK1_ACD	acd_rentity IN ('REQ','REQL','PORL','TRAN','EVNT','BOOK','OBJ', 'PORD','INV','INVO','TRL','TOOL','CREN','ADJU','CUES','CUCU')
R5CHK2_ACD	acd_accounted in ('CR','DR','*', 'TP')

R5ACDPARAMS

Constraint name	Where clause
RKCHK1_ADP	adp_required IN ('+', '-')

R5ACTCHECKLISTS

Constraint name	Where clause
R5CHK10_ACK	ack_metricfractionslider IN ('-', '+')
R5CHK11_ACK	ack_hidefollowup IN ('-', '+')
R5CHK12_ACK	ack_hidelinearfields IN ('-', '+')
R5CHK13_ACK	ack_enablenonconformities IN ('-', '+')
R5CHK1_ACK	ack_completed IN ('+', '-')
R5CHK2_ACK	ack_yes IN ('+', '-')
R5CHK3_ACK	ack_no IN ('+', '-')
R5CHK4_ACK	ack_reading IN ('+', '-')
R5CHK5_ACK	ack_finaloccurrence IN ('+', '-')
R5CHK6_ACK	ack_followup IN ('+', '-')
R5CHK7_ACK	ack_ok IN ('+', '-')
R5CHK8_ACK	ack_repairsneeded IN ('+', '-')
R5CHK9_ACK	ack_tolerancernonconformity IN ('+', '-')

R5ACTIONCODES

Constraint name	Where clause
R5CHK1_ACC	acc_gen IN ('+', '-')

R5CHK2_ACC	(acc_class IS NULL AND acc_class_org IS NULL) OR (acc_class IS NOT NULL AND acc_class_org IS NOT NULL)
R5CHK3_ACC	acc_notused IN ('+', '-')
R5CHK4_ACC	acc_enableworkorders IN ('+', '-')

R5ACTIVITIES

Constraint name	Where clause
R5CHK10_ACT	(act_percomplete >=0) AND (act_percomplete <=100)
R5CHK11_ACT	act_defermaintenance IN ('+', '-')
R5CHK12_ACT	act_deferredirectmats IN ('+', '-')
R5CHK13_ACT	act_rejectperformedby IN ('+', '-')
R5CHK14_ACT	act_rejectperformedby2 IN ('+', '-')
R5CHK1_ACT	act_time >= 00.00
R5CHK2_ACT	act_est >= 0 AND act_est <= 9999999999.99
R5CHK3_ACT	act_duration >= 1
R5CHK4_ACT	act_persons >= 1
R5CHK5_ACT	act_special IN ('+', '-')
R5CHK6_ACT	act_hire IN ('+', '-')
R5CHK7_ACT	act_fixh IN ('+', '-')
R5CHK8_ACT	act_minhours IN ('+', '-')
R5CHK9_ACT	act_nt >= 0 AND act_nt <= 9999999999.99
R5CHKA_ACT	act_ot >= 0 AND act_ot <= 9999999999.99
R5CHKB_ACT	act_ordered IN ('+', '-')
R5CHKD_ACT	act_rem >= 0 AND act_rem <= 9999999999.99
R5CHKE_ACT	act_completed IN ('+', '-')
R5CHKF_ACT	act_qty >= 0
R5CHKG_ACT	(act_supplier IS NULL AND act_supplier_org IS NULL) OR (act_supplier IS NOT NULL AND act_supplier_org IS NOT NULL)
R5CHKH_ACT	(act_order IS NULL AND act_order_org IS NULL) OR (act_order IS NOT NULL AND act_order_org IS NOT NULL)
R5CHKI_ACT	(act_class IS NULL AND act_class_org IS NULL) OR (act_class IS NOT NULL AND act_class_org IS NOT NULL)
R5CHKJ_ACT	act_warranty IN ('-', '+')

R5ACTQUALIFICATIONS

Constraint name	Where clause
R5CHK1_AQU	aqu_source IN ('T', 'K', 'A')
R5CHK2_AQU	aqu_removed IN ('-', '+')

R5ACTSCHEDULES

Constraint name	Where clause
R5CHK1_ACS	acs_hours >= 0
R5CHK2_ACS	acs_frozen IN ('+', '-')
R5CHK3_ACS	acs_starttime BETWEEN 0 AND 86399
R5CHK4_ACS	acs_endtime BETWEEN 0 AND 86399
R5CHK5_ACS	(acs_object IS NULL AND acs_object_org IS NULL) OR (acs_object IS NOT NULL AND acs_object_org IS NOT NULL)

R5ADDETAILS

Constraint name	Where clause
R5CHK1_ADD	add_print IN ('+', '-')
R5CHK2_ADD	add_line >= 1 AND add_line <= 999999999999

R5ADDITIONALCHARGE

Constraint name	Where clause
R5CHK1_ADC	adc_qty <> 0
R5CHK2_ADC	adc_unitprice > 0

R5ADDPROPERTIES

Constraint name	Where clause
R5CHK1_APR	apr_list IN ('-', 'P', 'E', 'C', 'T')
R5CHK2_APR	apr_listvalid IN ('-', '+')

R5CHK3_APR	apr_required IN ('-', '+')
R5CHK4_APR	apr_nonupdat IN ('-', '+')
R5CHK5_APR	(apr_class IS NULL AND apr_class_org IS NULL) OR (apr_class IS NOT NULL AND apr_class_org IS NOT NULL)

R5ADDRESS

Constraint name	Where clause
R5CHK1_ADR	adr_rtype IN ('M', 'D', 'I', 'S')

R5ADJUSTMENTS

Constraint name	Where clause
R5CHK1_ADJ	adj_udfchkbox01 IN ('+', '-')
R5CHK2_ADJ	adj_udfchkbox02 IN ('+', '-')
R5CHK3_ADJ	adj_udfchkbox03 IN ('+', '-')
R5CHK4_ADJ	adj_udfchkbox04 IN ('+', '-')
R5CHK5_ADJ	adj_udfchkbox05 IN ('+', '-')

R5AGREEMENTS

Constraint name	Where clause
R5CHK1_AGR	(agr_class IS NULL AND agr_class_org IS NULL) OR (agr_class IS NOT NULL AND agr_class_org IS NOT NULL)
R5CHK2_AGR	(agr_object IS NULL AND agr_object_org IS NULL) OR (agr_object IS NOT NULL AND agr_object_org IS NOT NULL)

R5ALERTEXCEPTIONS

Constraint name	Where clause
R5CHK1_ALX	alx_withinvalues IN ('+', '-')
R5CHK2_ALX	alx_withinvalues = '-' or (alx_withinvalues = '+' and alx_minvalue is not null and alx_maxvalue is not null)
R5CHK3_ALX	alx_delay >= 0

R5ALERTHISTORY

Constraint name	Where clause
R5CHK1_ALH	alh_rtype IN ('EV', 'BS', 'AS', 'EA', 'WA', 'IP')

R5ALERTMAIL

Constraint name	Where clause
R5CHK1_ALM	alm_delay >= 0

R5ALERTS

Constraint name	Where clause
R5CHK10_ALT	alt_enableionpulse IN ('+', '-')
R5CHK11_ALT	alt_enablegeneratowo IN ('+', '-')
R5CHK1_ALT	alt_active IN ('+', '-')
R5CHK2_ALT	alt_useminmax IN ('+', '-')
R5CHK3_ALT	alt_withinvalues IN ('+', '-')
R5CHK4_ALT	alt_withinvalues = '-' OR (alt_withinvalues = '+' AND alt_minvalue IS NOT NULL AND alt_maxvalue IS NOT NULL)
R5CHK5_ALT	alt_enablewo IN ('+', '-')
R5CHK6_ALT	alt_enablemail IN ('+', '-')
R5CHK7_ALT	alt_active = '-' OR (alt_active = '+' AND alt_dataspaid IS NOT NULL AND alt_nexteval IS NOT NULL)
R5CHK8_ALT	alt_inprogress IN ('+', '-')
R5CHK9_ALT	alt_freq >= 1 AND alt_freq <= 99999999

R5ALERTSQL

Constraint name	Where clause
R5CHK1_ALS	als_rtype IN ('A', 'B', 'C')
R5CHK2_ALS	als_abortonfailure IN ('+', '-')
R5CHK3_ALS	als_active IN ('+', '-')
R5CHK4_ALS	als_active = '-' or (als_active = '+' and als_stmt is not null)
R5CHK5_ALS	als_includepreview IN ('+', '-')

R5ALERTTEXTPARAMS

Constraint name	Where clause
R5CHK1_ATP	atp_fieldid is not null or atp_value is not null
R5CHK2_ATP	atp_parameter between 1 and 15
R5CHK3_ATP	atp_rtype IN ('M', 'C', 'D')
R5CHK4_ATP	atp_includerecipient IN ('+', '-')
R5CHK5_ATP	(atp_fieldid is null and atp_value is not null) or (atp_fieldid is not null and atp_value is null)

R5ALERTWO

Constraint name	Where clause
R5CHK1_ALW	alw_delay >= 0
R5CHK2_ALW	alw_includenonconformities IN ('+', '-')
R5CHK3_ALW	alw_duenonconformitiesonly IN ('+', '-')

R5APMSCENARIOS

Constraint name	Where clause
R5CHK1_ASR	asr_udfchkbox01 IN ('+', '-')
R5CHK2_ASR	asr_udfchkbox02 IN ('+', '-')
R5CHK3_ASR	asr_udfchkbox03 IN ('+', '-')
R5CHK4_ASR	asr_udfchkbox04 IN ('+', '-')
R5CHK5_ASR	asr_udfchkbox05 IN ('+', '-')

R5APPROVELISTS

Constraint name	Where clause
R5CHK01_APL	apl_rcapprovers IN('+', '-')
R5CHK02_APL	apl_reservationcalendar_owners IN('+', '-')

R5ARCHIVES

Constraint name	Where clause
R5CHK1_ARC	arc_stop IN ('+', '-')
R5CHK2_ARC	arc_inprogress IN ('+', '-')
R5CHK3_ARC	arc_scheduled IN ('+', '-')

R5ARRANGEMENTS

Constraint name	Where clause
R5CHK1_ARR	ARR_CUSTOM_TARIFF IN ('+', NULL)
R5CHK2_ARR	ARR_MAT_SPECIFIC IN ('+', NULL)
R5CHK3_ARR	(arr_class IS NULL AND arr_class_org IS NULL) OR (arr_class IS NOT NULL AND arr_class_org IS NOT NULL)

R5ARRPRICES

Constraint name	Where clause
R5CHK1_ARP	arp_add_price >= 0 AND arp_add_price <= 999999999999999999.999999

R5ASPECTPOINTS

Constraint name	Where clause
R5CHK10_APO	apo_udfchkbox04 IN ('+', '-')
R5CHK11_APO	apo_udfchkbox05 IN ('+', '-')
R5CHK1_APO	apo_min < apo_nominal
R5CHK2_APO	apo_max > apo_nominal
R5CHK3_APO	apo_maxextr > apo_max
R5CHK4_APO	apo_minextr < apo_min
R5CHK5_APO	apo_max >= apo_min
R5CHK6_APO	apo_maxextr >= apo_minextr
R5CHK7_APO	apo_udfchkbox01 IN ('+', '-')
R5CHK8_APO	apo_udfchkbox03 IN ('+', '-')
R5CHK9_APO	apo_udfchkbox02 IN ('+', '-')

R5ASPECTPROMPTS

Constraint name	Where clause

R5CHK1_APM	apm_display IN ('-', '+')
R5CHK2_APM	apm_mandatory IN ('-', '+')
R5CHK3_APM	apm_print IN ('-', '+')
R5CHK4_APM	apm_case IN ('-', '+')
R5CHK5_APM	apm_notused IN ('-', '+')

R5ASPECTS

Constraint name	Where clause
R5CHK1_ASP	asp_notused IN ('-', '+')
R5CHK2_ASP	asp_random IN ('-', '+')
R5CHK3_ASP	asp_udfchkbox01 IN ('+', '-')
R5CHK4_ASP	asp_udfchkbox02 IN ('+', '-')
R5CHK5_ASP	asp_udfchkbox03 IN ('+', '-')
R5CHK6_ASP	asp_udfchkbox04 IN ('+', '-')
R5CHK7_ASP	asp_udfchkbox05 IN ('+', '-')

R5ASPECTTOLERANCE

Constraint name	Where clause
R5CHK1_AST	ast_measurement IN ('+', '-')
R5CHK2_AST	ast_createnonconformity IN ('+', '-')

R5ASSETCLASSDEFCOST

Constraint name	Where clause
R5CHK1_COS	cos_udfchkbox01 IN ('+', '-')
R5CHK2_COS	cos_udfchkbox02 IN ('+', '-')
R5CHK3_COS	cos_udfchkbox03 IN ('+', '-')
R5CHK4_COS	cos_udfchkbox04 IN ('+', '-')
R5CHK5_COS	cos_udfchkbox05 IN ('+', '-')
R5CHK6_COS	cos_adjustinterval IN ('+', '-')

R5ASSETCLASSDEFFAULTCOST

Constraint name	Where clause
R5CHK1_ACF	acf_udfchkbox01 IN ('+', '-')
R5CHK2_ACF	acf_udfchkbox02 IN ('+', '-')
R5CHK3_ACF	acf_udfchkbox03 IN ('+', '-')
R5CHK4_ACF	acf_udfchkbox04 IN ('+', '-')
R5CHK5_ACF	acf_udfchkbox05 IN ('+', '-')

R5ASSETCLASSDEFINITION

Constraint name	Where clause
R5CHK1_OCD	ocd_udfchkbox01 IN ('+', '-')
R5CHK2_OCD	ocd_udfchkbox02 IN ('+', '-')
R5CHK3_OCD	ocd_udfchkbox03 IN ('+', '-')
R5CHK4_OCD	ocd_udfchkbox04 IN ('+', '-')
R5CHK5_OCD	ocd_udfchkbox05 IN ('+', '-')
R5CHK6_OCD	ocd_autocreateclasslevel IN ('+', '-')
R5CHK7_OCD	ocd_autocreatecatlevel IN ('+', '-')
R5CHK8_OCD	ocd_autocreates IN ('+', '-')

R5ASSETCLASSDEFUSAGES

Constraint name	Where clause
R5CHK1_ADU	adu_udfchkbox01 IN ('+', '-')
R5CHK2_ADU	adu_udfchkbox02 IN ('+', '-')
R5CHK3_ADU	adu_udfchkbox03 IN ('+', '-')
R5CHK4_ADU	adu_udfchkbox04 IN ('+', '-')
R5CHK5_ADU	adu_udfchkbox05 IN ('+', '-')

R5ASSETINVENTORYPARAMS

Constraint name	Where clause
R5CHK1_AIP	aip_blind_inventory IN ('+', '-')
R5CHK2_AIP	aip_defparam IN ('+', '-')
R5CHK3_AIP	aip_move_wo IN ('+', '-')
R5CHK4_AIP	aip_update_physical_location IN ('+', '-')

R5ASSETINVENTORYRESULTS

Constraint name	Where clause
R5CHK1_AIR	air_disposition IN ('+', '-')

R5ATTRIBUTESETDEF

Constraint name	Where clause
R5CHK1_ASD	asd_type IN ('R', 'H')

R5AUTH

Constraint name	Where clause
R5CHK1_AUT	aut_type IN ('+', '-')

R5AVAILABILITY

Constraint name	Where clause
R5CHK1_AVL	avl_ownhours >= 0
R5CHK2_AVL	avl_hirhours >= 0
R5CHK3_AVL	avl_nethours >= 0
R5CHK4_AVL	avl_nethired >= 0
R5CHK5_AVL	avl_ownhours >= avl_nethours
R5CHK6_AVL	avl_hirhours >= avl_nethired
R5CHK7_AVL	avl_special IN ('+', '-')

R5BNOTICES

Constraint name	Where clause
R5CHK01_BBN	bbn_importance IN ('H', 'N', 'L')

R5BINS

Constraint name	Where clause
R5CHK1_BIN	bin_forstock IN ('+', '-')
R5CHK2_BIN	bin_forhelditems IN ('+', '-')

R5BINSTOCK

Constraint name	Where clause
R5CHK1_BIS	BIS_QTY >= 0 AND BIS_QTY <= 999999999999999999.999999
R5CHK2_BIS	bis_repairqty >= 0

R5BLANKETORDERS

Constraint name	Where clause
R5CHK1_BLO	blo_start <= blo_end
R5CHK2_BLO	blo_maxamount >= 0 AND blo_maxamount <= 999999999999999999.999999
R5CHK3_BLO	blo_curamountrel >= 0 AND blo_curamountrel <= 999999999999999999.999999
R5CHK4_BLO	blo_numreleased >= 0 AND blo_numreleased <= 999999999999999999.999999
R5CHK5_BLO	blo_rstatus IN ('A', 'R', 'U', 'C')
R5CHK6_BLO	blo_rstatus <> 'A' OR (blo_rstatus = 'A' AND (blo_maxamount IS NOT NULL OR (blo_start IS NOT NULL AND blo_end IS NOT NULL)))
R5CHK7_BLO	blo_start <= blo_lastreleased
R5CHK8_BLO	blo_lastreleased <= blo_end
R5CHK9_BLO	blo_exch >= 0.000001 AND blo_exch <= 999999999999999999.999999999999
R5CHKA_BLO	blo_approveorder IN ('+', '-')
R5CHKB_BLO	(blo_class IS NULL AND blo_class_org IS NULL) OR (blo_class IS NOT NULL AND blo_class_org IS NOT NULL)
R5CHKC_BLO	(blo_lastord IS NULL AND blo_lastord_org IS NULL) OR (blo_lastord IS NOT NULL AND blo_lastord_org IS NOT NULL)

R5BLANKETORDLINES

Constraint name	Where clause
R5CHK1_BLL	bll_maxlineamount >= 0 AND bll_maxlineamount <= 999999999999999999.999999
R5CHK2_BLL	bll_curamountrel >= 0 AND bll_curamountrel <= 999999999999999999.999999
R5CHK3_BLL	bll_curqtyrel >= 0 AND bll_curqtyrel <= 999999999999999999.999999

R5CHK4_BLL	bll_uomprice >= 0 AND bll_uomprice <= 99999999999999999999.999999
R5CHK5_BLL	bll_numreleased >= 0 AND bll_numreleased <= 99999999999999999999.999999
R5CHK6_BLL	(bll_maxlineqty IS NOT NULL OR bll_maxlineamount IS NOT NULL) AND NOT (bll_maxlineqty IS NOT NULL AND bll_maxlineamount IS NOT NULL)
R5CHK7_BLL	bll_uomprice <= bll_maxlineamount
R5CHK8_BLL	bll_exch >= 0.000001 AND bll_exch <= 999999999999.999999999999
R5CHK9_BLL	(bll_part IS NULL AND bll_part_org IS NULL) OR (bll_part IS NOT NULL AND bll_part_org IS NOT NULL)
R5CHKA_BLL	(bll_lastord IS NULL AND bll_lastord_org IS NULL) OR (bll_lastord IS NOT NULL AND bll_lastord_org IS NOT NULL)
R5CHKB_BLL	BLL_INSPECT IN ('+', '-')

R5BOOKEDHOURS

Constraint name	Where clause
R5CHK2_BOO	boo_rate >= 0
R5CHK3_BOO	(boo_act IS NOT NULL AND boo_event IS NOT NULL) OR (boo_person IS NOT NULL)
R5CHK4_BOO	boo_correction IN ('+', '-')
R5CHK5_BOO	boo_fleetchecked IN ('-', '+', 'M', 'I', 'C', 'N')

R5BUDGETAMOUNTS

Constraint name	Where clause
R5CHK1_BDA	bda_option IN ('P', 'T', 'B')

R5BUDGETDETAILS

Constraint name	Where clause
R5CHK1_BDT	bdt_level >= 1 AND bdt_level <= 6
R5CHK2_BDT	bdt_amount >= 0 AND bdt_amount <= 99999999999999999999.999999
R5CHK3_BDT	bdt_original >= 0 AND bdt_original <= 99999999999999999999.999999
R5CHK4_BDT	(bdt_object IS NULL AND bdt_object_org IS NULL) OR (bdt_object IS NOT NULL AND bdt_object_org IS NOT NULL)
R5CHK5_BDT	(bdt_location IS NULL AND bdt_location_org IS NULL) OR (bdt_location IS NOT NULL AND bdt_location_org IS NOT NULL)

R5BUDGETGROUPS

Constraint name	Where clause
R5CHK1_BGR	bgr_rentity IN ('MRC', 'LOC', 'JBTP', 'OBJ', 'CSTP', 'CSTC', 'PROJ')

R5BUDGETITEMS

Constraint name	Where clause
R5CHK1_BIT	bit_start <= bit_end

R5BUDGETS

Constraint name	Where clause
R5CHK1_BUD	bud_amount >= 0 AND bud_amount <= 99999999999999999999.999999
R5CHK2_BUD	bud_original >= 0 AND bud_original <= 99999999999999999999.999999

R5BUDGETSTRUCTURE

Constraint name	Where clause
R5CHK1_BUS	bus_peri BETWEEN 1 AND 6
R5CHK2_BUS	bus_loc BETWEEN 1 AND 6
R5CHK3_BUS	bus_mrc BETWEEN 1 AND 6
R5CHK4_BUS	bus_obj BETWEEN 1 AND 6
R5CHK5_BUS	bus_jbtp BETWEEN 1 AND 6
R5CHK6_BUS	bus_cstp BETWEEN 1 AND 6
R5CHK7_BUS	bus_cstc BETWEEN 1 AND 6
R5CHK8_BUS	bus_proj BETWEEN 1 AND 6

R5BURANKINGVALUESCLASSES

Constraint name	Where clause
R5CHK1_BRC	brc_udfchkbox01 IN ('+', '-')

R5CHK2_BRC	brc_udfchkbox02 IN ('+', '-')
R5CHK3_BRC	brc_udfchkbox03 IN ('+', '-')
R5CHK4_BRC	brc_udfchkbox04 IN ('+', '-')
R5CHK5_BRC	brc_udfchkbox05 IN ('+', '-')

R5CALCEVENTS

Constraint name	Where clause
R5CHK1_CEV	CEV_INCREMENTABLE IN ('+', NULL)

R5CALCEVTLINES

Constraint name	Where clause
R5CHK2_CEL	(cel_part IS NULL AND cel_part_org IS NULL) OR (cel_part IS NOT NULL AND cel_part_org IS NOT NULL)

R5CALENDARS

Constraint name	Where clause
R5CHK1_CAL	cal_periods >= 0 AND cal_periods <= 52
R5CHK2_CAL	(cal_class IS NULL AND cal_class_org IS NULL) OR (cal_class IS NOT NULL AND cal_class_org IS NOT NULL)

R5CALLERS

Constraint name	Where clause
R5CHK01_CLL	cll_notused IN ('+', '-')

R5CAMPAIGNEVENTS

Constraint name	Where clause
R5CHK10_CGE	cge_udfchkbox10 IN ('+', '-')
R5CHK1_CGE	cge_survey IN ('-', '+')
R5CHK2_CGE	cge_safety IN ('-', '+')
R5CHK6_CGE	cge_udfchkbox06 IN ('+', '-')
R5CHK7_CGE	cge_udfchkbox07 IN ('+', '-')
R5CHK8_CGE	cge_udfchkbox08 IN ('+', '-')
R5CHK9_CGE	cge_udfchkbox09 IN ('+', '-')

R5CAMPAIGNOBJECTS

Constraint name	Where clause
R5CHK1_CGO	cgo_status IN ('NE', 'P', 'F', 'WC')

R5CAMPAIGNS

Constraint name	Where clause
R5CHK1_CAM	cam_survey IN ('-', '+')

R5CAPITALPLANNINGREQUESTS

Constraint name	Where clause
R5CHK1_CPR	cpr_green IN ('-', '+')

R5CASEMANAGEMENT

Constraint name	Where clause
R5CHK1_CSM	csm_regulatory IN ('+', '-')
R5CHK2_CSM	csm_followuprequired IN ('+', '-')
R5CHK3_CSM	csm_hazardmaterial IN ('+', '-')
R5CHK4_CSM	csm_calcostrefreshreq IN ('+', '-')
R5CHK5_CSM	csm_udfchkbox01 IN ('+', '-')
R5CHK6_CSM	csm_udfchkbox02 IN ('+', '-')
R5CHK7_CSM	csm_udfchkbox03 IN ('+', '-')
R5CHK8_CSM	csm_udfchkbox04 IN ('+', '-')
R5CHK9_CSM	csm_udfchkbox05 IN ('+', '-')

R5CASEMANAGEMENTEVENTLOG

Constraint name	Where clause


```
R5CHK1_CHW      CHW_SEQ > 0 AND CHW_SEQ <= 999
R5CHK2_CHW      CHW_STEP > 0 AND CHW_STEP <= 999
R5CHK3_CHW      ( CHW_TRIGSTEP IS NULL   AND CHW_TRIGSEQ  IS NULL
                  AND CHW_NEWSTATUS IS NULL   AND CHW_NEWRSTATUS IS NULL )
                  OR ( CHW_TRIGSTEP IS NOT NULL AND CHW_TRIGSEQ  IS NOT NULL
                  AND CHW_NEWSTATUS IS NOT NULL AND CHW_NEWRSTATUS IS NOT NULL )
```

R5CLASSES

Constraint name	Where clause
R5CHK1_CLS	cls_notused IN ('+', '-')

R5CLASSLINEARREFS

Constraint name	Where clause
R5CHK1_CLR	clr_rtype IN ('LRS', 'RP')
R5CHK2_CLR	(clr_linearref_class IS NULL AND clr_linearref_class_org IS NULL) OR (clr_linearref_class IS NOT NULL AND clr_linearref_class_org IS NOT NULL)
R5CHK3_CLR	clr_applytochildren IN ('+', '-')
R5CHK4_CLR	clr_displayonoverview IN ('+', '-')
R5CHK5_CLR	clr_udfchkbox01 IN ('+', '-')
R5CHK6_CLR	clr_udfchkbox02 IN ('+', '-')
R5CHK7_CLR	clr_udfchkbox03 IN ('+', '-')
R5CHK8_CLR	clr_udfchkbox04 IN ('+', '-')
R5CHK9_CLR	clr_udfchkbox05 IN ('+', '-')

R5CMDFUELTYPES

Constraint name	Where clause
R5CHK1 CFL	cfl fromdate <= cfl todate

R5CODESTRUCTURE

Constraint name	Where clause
R5CHK1_ESR	csr_notused IN ('+', '-')

R5CODESTRUCTURECLASSES

Constraint name	Where clause
R5CHK01_CSL	csl_applytochildren IN ('+', '-')
R5CHK02_CSL	csl_udfchkbox01 IN ('+', '-')
R5CHK03_CSL	csl_udfchkbox02 IN ('+', '-')
R5CHK04_CSL	csl_udfchkbox03 IN ('+', '-')
R5CHK05_CSL	csl_udfchkbox04 IN ('+', '-')
R5CHK06_CSL	csl_udfchkbox05 IN ('+', '-')

R5COMMODITIES

Constraint name	Where clause
R5CHK1_CMD	(cmd_class IS NULL AND cmd_class_org IS NULL) OR (cmd_class IS NOT NULL AND cmd_class_org IS NOT NULL)
R5CHK2_CMD	cmd_notused IN ('+', '-')
R5CHK3_CMD	cmd_udfchkbox01 IN ('+', '-')
R5CHK4_CMD	cmd_udfchkbox02 IN ('+', '-')
R5CHK5_CMD	cmd_udfchkbox03 IN ('+', '-')
R5CHK6_CMD	cmd_udfchkbox04 IN ('+', '-')
R5CHK7_CMD	cmd_udfchkbox05 IN ('+', '-')

R5COMPANIES

Constraint name	Where clause
R5CHK1_COM	com_leadtime >= 0 AND com_leadtime <= 999.9
R5CHK2_COM	com_minord >= 0 AND com_minord <= 999999999999999999.999999
R5CHK3_COM	com_maxord >= 0.000001 AND com_maxord <= 999999999999999999.999999
R5CHK4_COM	com_minord <= com_maxord
R5CHK5_COM	com_purchasesite IN ('-', '+')
R5CHK6_COM	com_notused IN ('-', '+')
R5CHK7_COM	com_capacity >= 0 AND com_capacity <= 100
R5CHK8_COM	com_people IN ('+', '-')

Constraint name	Where clause
R5CHK10_COP	cop_showspc IN ('+', '-')
R5CHK11_COP	cop_showsupplier IN ('+', '-')
R5CHK12_COP	cop_chkduplicateopenreq IN ('+', '-')
R5CHK13_COP	cop_chkrecurringclosedreq IN ('+', '-')
R5CHK14_COP	cop_includepmworkorders IN ('+', '-')
R5CHK1_COP	cop_closeable IN ('-', '+')
R5CHK2_COP	cop_copycustomerinfo IN ('+', '-')
R5CHK3_COP	cop_newcustomerallowed IN ('-', '+')
R5CHK4_COP	cop_spcvalidation IN('S', 'D', 'M')
R5CHK5_COP	cop_eventtypefilter IN('+', '-')
R5CHK6_COP	cop_woduplicatecheck IN('+', '-')
R5CHK7_COP	cop_woheaderobjonly IN('+', '-')
R5CHK8_COP	cop_matchsc IN('+', '-')
R5CHK9_COP	cop_matchspc IN('+', '-')

R5CONTACTINFO

Constraint name	Where clause
R5CHK01_CTI	cti_udfchkbox01 IN ('+', '-')
R5CHK02_CTI	cti_udfchkbox02 IN ('+', '-')
R5CHK03_CTI	cti_udfchkbox03 IN ('+', '-')
R5CHK04_CTI	cti_udfchkbox04 IN ('+', '-')
R5CHK05_CTI	cti_udfchkbox05 IN ('+', '-')

R5CONTACTINFOOBJECTS

Constraint name	Where clause
R5CHK1_CIO	cio_defaultequipment IN ('+', '-')

R5CONTACTRECORDS

Constraint name	Where clause
R5CHK1_CTR	ctr_copynotetowo IN ('+', '-')
R5CHK2_CTR	ctr_autocreawo IN ('+', '-')
R5CHK3_CTR	ctr_attacheddocs IN ('+', '-')
R5CHK4_CTR	ctr_minor IN ('+', '-')

R5CONTRACTCHARGEDEFS

Constraint name	Where clause
R5CHK1_CCD	ccd_invoice IN ('+', '-')
R5CHK2_CCD	ccd_invoiceconditional IN ('+', '-')
R5CHK3_CCD	ccd_taxable IN ('+', '-')
R5CHK4_CCD	ccd_chargeestusage IN ('+', '-')
R5CHK5_CCD	ccd_rollover IN ('+', '-')
R5CHK6_CCD	ccd_submetered IN ('+', '-')
R5CHK7_CCD	ccd_usefloorarea IN ('+', '-')

R5CONTRACTDISCOUNTS

Constraint name	Where clause
R5CHK1_CDC	cdc_applyeachinvoice IN ('+', '-')
R5CHK2_CDC	cdc_applyfullamount IN ('+', '-')

R5CONTRACTITEMS

Constraint name	Where clause
R5CHK1_CIT	cit_fixedexchrate IN ('+', '-')
R5CHK2_CIT	cit_exerciseoption IN ('+', '-')

R5CONTRACTS

Constraint name	Where clause
R5CHK1_CON	con_start <= con_end
R5CHK2_CON	con_renew > con_start
R5CHK3_CON	con_own IN ('+', '-')
R5CHK4_CON	(con_class IS NULL AND con_class_org IS NULL) OR (con_class IS NOT NULL AND con_class_org IS NOT NULL)

R5CONTRACTTEMPLATES

Constraint name	Where clause
R5CHK1_CTP	ctp_udfchkbox01 IN ('+', '-')
R5CHK2_CTP	ctp_udfchkbox02 IN ('+', '-')
R5CHK3_CTP	ctp_udfchkbox03 IN ('+', '-')
R5CHK4_CTP	ctp_udfchkbox04 IN ('+', '-')
R5CHK5_CTP	ctp_udfchkbox05 IN ('+', '-')

R5CONTYPECLAUSES

Constraint name	Where clause
R5CHK1_CCY	ccy_line >= 1 AND ccy_line <= 99999999

R5CONVUOM

Constraint name	Where clause
R5CHK1_CNV	cnv_multiply > 0.0

R5COSTCODES

Constraint name	Where clause
R5CHK1_CST	cst_notused IN ('+', '-')
R5CHK2_CST	(cst_class IS NULL AND cst_class_org IS NULL) OR (cst_class IS NOT NULL AND cst_class_org IS NOT NULL)
R5CHK3_CST	cst_nonbillable IN ('+', '-')
R5CHK4_CST	cst_udfchkbox01 IN ('+', '-')
R5CHK5_CST	cst_udfchkbox02 IN ('+', '-')
R5CHK6_CST	cst_udfchkbox03 IN ('+', '-')
R5CHK7_CST	cst_udfchkbox04 IN ('+', '-')
R5CHK8_CST	cst_udfchkbox05 IN ('+', '-')

R5CREDITCARDS

Constraint name	Where clause
R5CHK1_CRD	crd_active in ('+', '-')
R5CHK2_CRD	(crd_class IS NULL AND crd_class_org IS NULL) OR (crd_class IS NOT NULL AND crd_class_org IS NOT NULL)

R5CREDITCARDUSERS

Constraint name	Where clause
R5CHK1_CCU	ccu_default in ('+', '-')

R5CRITINDEX

Constraint name	Where clause
R5CHK1_CRX	crx_notused IN ('+', '-')

R5CUACCOUNTINGCODES

Constraint name	Where clause
R5CHK1_CUA	cua_udfchkbox01 IN ('+', '-')
R5CHK2_CUA	cua_udfchkbox02 IN ('+', '-')
R5CHK3_CUA	cua_udfchkbox03 IN ('+', '-')
R5CHK4_CUA	cua_udfchkbox04 IN ('+', '-')
R5CHK5_CUA	cua_udfchkbox05 IN ('+', '-')
R5CHK6_CUA	cua_capex IN ('+', '-')
R5CHK7_CUA	cua_notused IN ('+', '-')

R5CUESTIMATECOMPATIBLEUNIT

Constraint name	Where clause
R5CHK1_CEC	cec_udfchkbox01 IN ('+', '-')
R5CHK2_CEC	cec_udfchkbox02 IN ('+', '-')
R5CHK3_CEC	cec_udfchkbox03 IN ('+', '-')
R5CHK4_CEC	cec_udfchkbox04 IN ('+', '-')
R5CHK5_CEC	cec_udfchkbox05 IN ('+', '-')

R5CUESTIMATES

Constraint name	Where clause
R5CHK1_CUE	cue_udfchkbox01 IN ('+', '-')
R5CHK2_CUE	cue_udfchkbox02 IN ('+', '-')
R5CHK3_CUE	cue_udfchkbox03 IN ('+', '-')
R5CHK4_CUE	cue_udfchkbox04 IN ('+', '-')
R5CHK5_CUE	cue_udfchkbox05 IN ('+', '-')

R5CUESTIMATESUPPLIERS

Constraint name	Where clause
R5CHK1_CES	ces_udfchkbox01 IN ('+', '-')
R5CHK2_CES	ces_udfchkbox02 IN ('+', '-')
R5CHK3_CES	ces_udfchkbox03 IN ('+', '-')
R5CHK4_CES	ces_udfchkbox04 IN ('+', '-')
R5CHK5_CES	ces_udfchkbox05 IN ('+', '-')

R5CUESTIMATEWORKPOINTS

Constraint name	Where clause
R5CHK1_CWP	cwp_span IN ('+', '-')
R5CHK2_CWP	cwp_spanlength >= 0
R5CHK3_CWP	cwp_contributiontotal >= 0
R5CHK4_CWP	cwp_contributionpercentage >= 0 and cwp_contributionpercentage <= 100.00
R5CHK5_CWP	cwp_udfchkbox01 IN ('+', '-')
R5CHK6_CWP	cwp_udfchkbox02 IN ('+', '-')
R5CHK7_CWP	cwp_udfchkbox03 IN ('+', '-')
R5CHK8_CWP	cwp_udfchkbox04 IN ('+', '-')
R5CHK9_CWP	cwp_udfchkbox05 IN ('+', '-')

R5CUFIXEDASSETCODES

Constraint name	Where clause
R5CHK1_CFC	cfc_udfchkbox01 IN ('+', '-')
R5CHK2_CFC	cfc_udfchkbox02 IN ('+', '-')
R5CHK3_CFC	cfc_udfchkbox03 IN ('+', '-')
R5CHK4_CFC	cfc_udfchkbox04 IN ('+', '-')
R5CHK5_CFC	cfc_udfchkbox05 IN ('+', '-')
R5CHK6_CFC	cfc_notused IN ('+', '-')

R5CULIBRARYCHILDREN

Constraint name	Where clause
R5CHK1_CUC	cuc_udfchkbox01 IN ('+', '-')
R5CHK2_CUC	cuc_udfchkbox02 IN ('+', '-')
R5CHK3_CUC	cuc_udfchkbox03 IN ('+', '-')
R5CHK4_CUC	cuc_udfchkbox04 IN ('+', '-')
R5CHK5_CUC	cuc_udfchkbox05 IN ('+', '-')
R5CHK6_CUC	cuc_quantity >- 0

R5CULIBRARYPARTS

Constraint name	Where clause
R5CHK1_CUP	cup_udfchkbox01 IN ('+', '-')
R5CHK2_CUP	cup_udfchkbox02 IN ('+', '-')
R5CHK3_CUP	cup_udfchkbox03 IN ('+', '-')
R5CHK4_CUP	cup_udfchkbox04 IN ('+', '-')
R5CHK5_CUP	cup_udfchkbox05 IN ('+', '-')
R5CHK6_CUP	cup_performreservation IN ('+', '-')

R5CULIBRARYSERVICES

Constraint name	Where clause
R5CHK1_CSV	csv_udfchkbox01 IN ('+', '-')
R5CHK2_CSV	csv_udfchkbox02 IN ('+', '-')
R5CHK3_CSV	csv_udfchkbox03 IN ('+', '-')
R5CHK4_CSV	csv_udfchkbox04 IN ('+', '-')
R5CHK5_CSV	csv_udfchkbox05 IN ('+', '-')

R5CULIBRARYTOOLS

Constraint name	Where clause
R5CHK1_CLT	clt_udfchkbox01 IN ('+', '-')
R5CHK2_CLT	clt_udfchkbox02 IN ('+', '-')
R5CHK3_CLT	clt_udfchkbox03 IN ('+', '-')
R5CHK4_CLT	clt_udfchkbox04 IN ('+', '-')
R5CHK5_CLT	clt_udfchkbox05 IN ('+', '-')
R5CHK6_CLT	clt_hoursrequired >= 0
R5CHK7_CLT	clt_rateoverride >= 0

R5CUOVERHEADCODES

Constraint name	Where clause
R5CHK1_CUO	cuo_notused IN ('+', '-')
R5CHK2_CUO	cuo_udfchkbox01 IN ('+', '-')
R5CHK3_CUO	cuo_udfchkbox02 IN ('+', '-')
R5CHK4_CUO	cuo_udfchkbox03 IN ('+', '-')
R5CHK5_CUO	cuo_udfchkbox04 IN ('+', '-')
R5CHK6_CUO	cuo_udfchkbox05 IN ('+', '-')

R5CURRENCIES

Constraint name	Where clause
R5CHK1_CUR	cur_notused IN ('-', '+')
R5CHK2_CUR	(cur_class IS NULL AND cur_class_org IS NULL) OR (cur_class IS NOT NULL AND cur_class_org IS NOT NULL)

R5CUSTOM

Constraint name	Where clause
R5CHK1_CUS	cus_objects = UPPER(cus_objects)

R5CUSTOMERCONTRACTS

Constraint name	Where clause
R5CHK1_CCT	cct_emailinvoice IN ('+', '-')

R5CUSTOMERINVOICEDetails

Constraint name	Where clause
R5CHK1_CID	cid_taxable IN ('+', '-')

R5CUSTOMERINVOICEITEMS

Constraint name	Where clause
R5CHK1_CII	cii_errorfound IN ('+', '-')

R5CUSTOMERINVOICES

Constraint name	Where clause
R5CHK1_CIV	civ_emailinvoice IN ('+', '-')
R5CHK2_CIV	civ_requestregenerate IN ('+', '-')

R5CUSTOMERRENTALS

Constraint name	Where clause
R5CHK1_CRT	crt_emailinvoice IN ('+', '-')
R5CHK2_CRT	crt_private IN('+', '-')
R5CHK3_CRT	crt_allday IN('+', '-')

R5CUSTOMERSURVEYEVENTS

Constraint name	Where clause
R5CHK1_SEV	sev_surveytaken IN ('+', '-')

R5CUSTOMERSURVEYQUESTIONS

Constraint name	Where clause
R5CHK1_CSQ	csq_notused IN ('+', '-')

R5CUSTOMERSURVEYS

Constraint name	Where clause
R5CHK01_CSU	(csu_class IS NULL AND csu_class_org IS NULL) OR

	(csu_class IS NOT NULL AND csu_class_org IS NOT NULL)
R5CHK03_CSU	csu_udfchkbox01 IN('+' , '-')
R5CHK04_CSU	csu_udfchkbox02 IN('+' , '-')
R5CHK05_CSU	csu_udfchkbox03 IN('+' , '-')
R5CHK06_CSU	csu_udfchkbox04 IN('+' , '-')
R5CHK07_CSU	csu_udfchkbox05 IN('+' , '-')

R5CUSTOMERSURVEYTRIGGERS

Constraint name	Where clause
R5CHK1_SVT	svt_notused IN ('+' , '-')

R5DATABRIDGESTATUS

Constraint name	Where clause
R5CHK1_DBS	dbb_refreshpnstatus IN ('+' , '-')
R5CHK2_DBS	dbb_refreshtran IN ('+' , '-')

R5DATACONVCUSTOMSTMTS

Constraint name	Where clause
R5CHK1_DCC	dcc_operationrty IN ('C', 'R', 'P')
R5CHK2_DCC	dcc_stmtrty IN ('BS', 'BR', 'AR', 'AS')
R5CHK3_DCC	dcc_active IN ('+' , '-')

R5DATACONVERSION

Constraint name	Where clause
R5CHK1_DTC	dct_cvstop IN ('+' , '-')
R5CHK2_DTC	dct_cvinprogress IN ('+' , '-')
R5CHK3_DTC	dct_cvscheduled IN ('+' , '-')
R5CHK4_DTC	dct_optionsreviewed IN ('+' , '-')
R5CHK5_DTC	dct_udf2udf IN ('+' , '-')
R5CHK6_DTC	dct_pmactbyinstr IN ('+' , '-')

R5DATACONVEXPRESSIONS

Constraint name	Where clause
R5CHK1_DXP	dxp_locked IN ('+' , '-')
R5CHK2_DXP	dxp_active IN ('+' , '-')
R5CHK3_DXP	dxp_chkspecchar IN ('+' , '-')

R5DATACONVLIST

Constraint name	Where clause
R5CHK1_DCT	dct_destexists IN ('+' , '-')
R5CHK2_DCT	dct_required IN ('+' , '-')

R5DATACONVLOG

Constraint name	Where clause
R5CHK1_DLG	dlg_skip IN ('+' , '-')
R5CHK2_DLG	dlg_rtype IN ('C', 'P')

R5DATACONVSEQ

Constraint name	Where clause
R5CHK1_DSQ	dsq_ignorepk IN ('+' , '-')
R5CHK3_DSQ	dsq_updatecvtotals IN ('+' , '-')

R5DATACONVSEQCUSTOM

Constraint name	Where clause
R5CHK1_DSC	dsc_operationrty IN ('C', 'R', 'P')
R5CHK2_DSC	dsc_stmtrty IN ('BS', 'BR', 'AR', 'AS')

R5DATACONVSEQDETAILS

Constraint name	Where clause
R5CHK1_DSD	dsd_locked IN ('+' , '-')
R5CHK2_DSD	dsd_chkspecchar IN ('+' , '-')

R5DATACONVSUMDETAILS

Constraint name	Where clause
R5CHK1_DSL	dsl_rtype IN ('C', 'P')
R5CHK2_DSL	dsl_include IN ('+', '-')

R5DATACONVSUMMARY

Constraint name	Where clause
R5CHK1_DSU	dsu_cvskip IN ('+', '-')

R5DATACONVXREFDEFAULT

Constraint name	Where clause
R5CHK1_DXD	dxd_skip IN ('+', '-')

R5DATACONVXREFVALUE

Constraint name	Where clause
R5CHK1_DXV	dxv_skip IN ('+', '-')

R5DCEQUIPMENTSELECTION

Constraint name	Where clause
R5CHK1_DCE	dce_includewithdrawn IN ('+', '-')
R5CHK2_DCE	dce_includeoutofservice IN ('+', '-')
R5CHK3_DCE	dce_includelinear IN ('+', '-')
R5CHK4_DCE	dce_udfchkbox01 IN ('+', '-')
R5CHK5_DCE	dce_udfchkbox02 IN ('+', '-')
R5CHK6_DCE	dce_udfchkbox03 IN ('+', '-')
R5CHK7_DCE	dce_udfchkbox04 IN ('+', '-')
R5CHK8_DCE	dce_udfchkbox05 IN ('+', '-')

R5DDDATASPY

Constraint name	Where clause
R5CHK1_DDS	dds_autorun IN ('+', '-')
R5CHK2_DDS	dds_scope IN ('+', '-')
R5CHK3_DDS	dds_defaultflag IN ('+', '-')
R5CHK4_DDS	dds_updateable IN ('+', '-')
R5CHK5_DDS	dds_type IN ('UD', 'SD', 'SF', 'XF')
R5CHK6_DDS	dds_globaldataspy IN ('+', '-')

R5DDFIELD

Constraint name	Where clause
R5CHK1_DDF	ddf_datatype IN ('VARCHAR', 'NUMBER', 'DATE', 'LONG', 'CURRENCY', 'DATETIME', 'MIXVARCHAR', 'DECIMAL', 'DURATION', 'TSMIDNIGHT', 'CHKBOOLEAN', 'DEPENDENT', 'CLOB')

R5DEBTORS

Constraint name	Where clause
R5CHK1_DEB	(deb_class IS NULL AND deb_class_org IS NULL) OR (deb_class IS NOT NULL AND deb_class_org IS NOT NULL)

R5DECAYCURVE

Constraint name	Where clause
R5CHK1_DCR	dcr_markovchains IN ('+', '-')
R5CHK2_DCR	dcr_linearassetflag IN ('+', '-')
R5CHK3_DCR	dcr_udfchkbox01 IN ('+', '-')
R5CHK4_DCR	dcr_udfchkbox02 IN ('+', '-')
R5CHK5_DCR	dcr_udfchkbox03 IN ('+', '-')
R5CHK6_DCR	dcr_udfchkbox04 IN ('+', '-')
R5CHK7_DCR	dcr_udfchkbox05 IN ('+', '-')
R5CHK8_DCR	dcr_processrunning IN ('+', '-')

R5DECAYCURVEMARKOVMATRIX

Constraint name	Where clause
R5CHK1_DMM	dmm_udfchkbox01 IN ('+', '-')
R5CHK2_DMM	dmm_udfchkbox02 IN ('+', '-')
R5CHK3_DMM	dmm_udfchkbox03 IN ('+', '-')

R5CHK4_DMM	dmm_udfchkbbox04 IN ('+', '-')
R5CHK5_DMM	dmm_udfchkbbox05 IN ('+', '-')
R5CHK6_DMM	dmm_generated IN ('+', '-')

R5DECAYCURVEPOINTS

Constraint name	Where clause
R5CHK1_CPD	cpd_udfchkbbox01 IN ('+', '-')
R5CHK2_CPD	cpd_udfchkbbox02 IN ('+', '-')
R5CHK3_CPD	cpd_udfchkbbox03 IN ('+', '-')
R5CHK4_CPD	cpd_udfchkbbox04 IN ('+', '-')
R5CHK5_CPD	cpd_udfchkbbox05 IN ('+', '-')
R5CHK6_CPD	cpd_autogenerated IN ('+', '-')

R5DEFAULTPAGELAYOUT

Constraint name	Where clause
R5CHK1_PLD	pld_elementtype IN ('F', 'B', 'G', 'LB', 'P')
R5CHK2_PLD	pld_attribute IN ('O', 'P', 'H', 'R', 'S', 'N', 'C')
R5CHK3_PLD	pld_presentinjsp IN ('S', 'Y', 'N')

R5DEFERREDCT

Constraint name	Where clause
R5CHK1_DFA	dfa_qty >= 0
R5CHK2_DFA	dfa_est >= 0 AND dfa_est <= 9999999999.99
R5CHK3_DFA	dfa_duration >= 1
R5CHK4_DFA	dfa_persons >= 1
R5CHK5_DFA	dfa_hire IN ('+', '-')
R5CHK6_DFA	dfa_est <= 24 * dfa_duration * dfa_persons
R5CHK7_DFA	(dfa_supplier IS NULL AND dfa_supplier_org IS NULL) OR (dfa_supplier IS NOT NULL AND dfa_supplier_org IS NOT NULL)
R5CHK8_DFA	(dfa_percomplete >= 0) AND (dfa_percomplete <= 100)

R5DELADDRESSES

Constraint name	Where clause
R5CHK1_DAD	dad_notused IN ('-', '+')
R5CHK2_DAD	dad_validforallorgs in ('+', '-')

R5DEPOTS

Constraint name	Where clause
R5CHK1_DEP	dep_external IN ('-', '+')
R5CHK2_DEP	dep_notused IN ('-', '+')
R5CHK3_DEP	dep_allownegqty IN ('-', '+')
R5CHK4_DEP	dep_allowoverqty IN ('-', '+')

R5DESCRIPTIONS

Constraint name	Where clause
R5CHK1_DES	des_trans IN ('+', '-')

R5DEVICES

Constraint name	Where clause
R5CHK1_DEV	dev_special IN ('+', '-')
R5CHK2_DEV	dev_catflag IN ('+', '-')
R5CHK3_DEV	dev_mode IN('Character', 'Bitmap', 'Default')
R5CHK4_DEV	dev_orientation IN('Landscape', 'Portrait', 'Default')
R5CHK5_DEV	dev_notused IN ('+', '-')

R5DIAGNOSTICS

Constraint name	Where clause
R5CHK1_DIA	(dia_class IS NULL AND dia_class_org IS NULL) OR (dia_class IS NOT NULL AND dia_class_org IS NOT NULL)

R5DISPATCHES

Constraint name	Where clause

R5CHK1_SWD	swd_start >= swd_reported
R5CHK2_SWD	swd_end >= swd_start
R5CHK3_SWD	(swd_class IS NULL AND swd_class_org IS NULL) OR (swd_class IS NOT NULL AND swd_class_org IS NOT NULL)

R5DOCENTITIES

Constraint name	Where clause
R5CHK1_DAE	dae_copytwo IN ('-', '+')
R5CHK2_DAE	dae_printtwo IN ('-', '+')
R5CHK3_DAE	dae_copytopo IN ('-', '+')
R5CHK4_DAE	dae_printtopo IN ('-', '+')
R5CHK5_DAE	dae_createcopytwo IN ('+', '-')

R5DOCKLINES

Constraint name	Where clause
R5CHK1_DKL	dkl_recvqty >= 0 AND dkl_recvqty <= 9999999999999999.999999
R5CHK2_DKL	dkl_countqty >= 0 AND dkl_countqty <= 9999999999999999.999999
R5CHK3_DKL	dkl_inspectedqty >= 0 AND dkl_inspectedqty <= 9999999999999999.999999
R5CHK4_DKL	dkl_insprejqty >= 0 AND dkl_insprejqty <= 9999999999999999.999999
R5CHK5_DKL	dkl_direct IN ('E','S')
R5CHK6_DKL	dkl_counted IN ('+', '-')
R5CHK7_DKL	dkl_retnqty >= 0 AND dkl_retnqty <= 9999999999999999.999999
R5CHK8_DKL	dkl_inspect IN ('-', '+')

R5DOCKRECEIPTS

Constraint name	Where clause
R5CHK1_DCK	(dck_class IS NULL AND dck_class_org IS NULL) OR (dck_class IS NOT NULL AND dck_class_org IS NOT NULL)
R5CHK2_DCK	dck_udfchkbbox01 IN ('+', '-')
R5CHK3_DCK	dck_udfchkbbox02 IN ('+', '-')
R5CHK4_DCK	dck_udfchkbbox03 IN ('+', '-')
R5CHK5_DCK	dck_udfchkbbox04 IN ('+', '-')
R5CHK6_DCK	dck_udfchkbbox05 IN ('+', '-')

R5DOCUMENTS

Constraint name	Where clause
R5CHK1_DOC	doc_code <> doc_parent
R5CHK2_DOC	doc_pages > 0
R5CHK3_DOC	doc_warranty IN ('+', '-')
R5CHK4_DOC	(doc_class IS NULL AND doc_class_org IS NULL) OR (doc_class IS NOT NULL AND doc_class_org IS NOT NULL)
R5CHK5_DOC	(doc_supplier IS NULL AND doc_supplier_org IS NULL) OR (doc_supplier IS NOT NULL AND doc_supplier_org IS NOT NULL)
R5CHK6_DOC	doc_notused IN ('+', '-')
R5CHK7_DOC	doc_isprofilepicture IN ('+', '-')
R5CHK8_DOC	doc_ismobilelog IN ('+', '-')

R5DRIVERCTRL

Constraint name	Where clause
R5CHK1_DRV	drv_action IN ('+', '-')

R5DUALCONVHEADER

Constraint name	Where clause
R5CHK1_DCH	dch_type IN ('B', 'C')

R5DWDATAMARTS

Constraint name	Where clause
R5CHK1_DMT	dmt_grain IN ('TR','PS','AS')

R5DWDIMENSIONS

Constraint name	Where clause
R5CHK1_DIM	dim_tabletype IN ('T','V')

R5CHK2_DIM dim_createkeysequence IN ('+', '-')

R5DWETLRUNCTRL

Constraint name	Where clause
R5CHK1_RUN	run_loadflag IN ('-', '+')
R5CHK2_RUN	run_loadtype IN ('F', 'I')
R5CHK3_RUN	run_purgeflag IN ('-', '+')
R5CHK4_RUN	run_repair IN ('-', '+')

R5DWFACTFIELDS

Constraint name	Where clause
R5CHK1_FFL	ffl_additivity IN ('A', 'N', 'S')

R5DWINDEXES

Constraint name	Where clause
R5CHK1_IDX	idx_indectype IN ('B', 'N', 'U')

R5DWRUNCTRL

Constraint name	Where clause
R5CHK01_DWC	dwc_runctrlop IN ('U', 'P', 'N')

R5ELECREC

Constraint name	Where clause
R5CHK1_ELR	elr_signature IN ('+', '-')

R5EMPLOYEEORGCHANGE

Constraint name	Where clause
R5CHK1_EOC	eoc_inprogress IN ('+', '-')

R5ENERGYSTARTXNS

Constraint name	Where clause
R5CHK1_ESX	esx_status IN ('Sent', 'Completed')
R5CHK2_ESX	esx_srvname IN ('RES', 'MMReq')

R5ENTAPPHEADER

Constraint name	Where clause
R5CHK1_EAH	eah_rentity IN ('PPM', 'TASK', 'ROUT', 'MATL', RISK', 'CRIT', 'OCRR', 'MSTD', 'PPCL', 'JBPL')

R5ENTAPPLISTS

Constraint name	Where clause
R5CHK1_EAL	eal_rentity IN ('PPM', 'TASK', 'ROUT', 'MATL', RISK', 'CRIT', 'OCRR', 'MSTD', 'PPCL', 'JBPL')
R5CHK2_EAL	eal_approved IN ('-', '+')
R5CHK3_EAL	eal_rejected IN ('-', '+')
R5CHK4_EAL	eal_drilldown IN ('-', '+')
R5CHK5_EAL	eal_finished IN ('-', '+')
R5CHK6_EAL	eal_origin IN ('-', '+')

R5ENTITIES

Constraint name	Where clause
R5CHK1_ENT	ent_multilang IN ('+', '-')
R5CHK2_ENT	ent_classif IN ('+', '-')
R5CHK3_ENT	(ent_typed LIKE '%TP') OR ent_typed = '*'
R5CHK4_ENT	(ent_statent LIKE '%ST') OR ent_statent = '*'
R5CHK5_ENT	ent_ftaudit IN ('-', '+')
R5CHK6_ENT	ent_caaudit IN ('-', '+')

R5ENTITYINDICATORS

Constraint name	Where clause
R5CHK1_EIN	(ein_target BETWEEN ein_worst AND ein_best) OR (ein_target BETWEEN ein_best AND ein_worst)

RSENTITYPARTS

Constraint name	Where clause
R5CHK1_EPA	epa_qty >= 0.0 AND epa_qty <= 9999999999999999.999999

RSENTITYSAFETY

Constraint name	Where clause
R5CHK1_ESF	esf_applytochildren IN ('+', '-')
R5CHK2_ESF	esf_deletdepending IN ('+', '-')

RSENTITYSALESPRICES

Constraint name	Where clause
R5CHK1_ESP	esp_udfchkbox01 IN ('+', '-')
R5CHK2_ESP	esp_udfchkbox02 IN ('+', '-')
R5CHK3_ESP	esp_udfchkbox03 IN ('+', '-')
R5CHK4_ESP	esp_udfchkbox04 IN ('+', '-')
R5CHK5_ESP	esp_udfchkbox05 IN ('+', '-')

RSENTITYTABLES

Constraint name	Where clause
R5CHK1_ETT	ett_mos IN ('-', '+')

R5EQTEMP

Constraint name	Where clause
R5CHK1_EOQ	eoq_calquantity >= 0
R5CHK2_EOQ	eoq_newquantity >= 0

R5EQUIPCONFIGSESSIONS

Constraint name	Where clause
R5CHK1_EGS	egs_parentdependent IN ('+', '-')
R5CHK2_EGS	egs_parentcostrollup IN ('+', '-')

R5EQUIPFUNCTIONLEVELS

Constraint name	Where clause
R5CHK1_EFL	efl_leveltype IN ('FUNS','FUNF','FUNC','FAIL')

R5EQUIPMENTQUALIFICATIONS

Constraint name	Where clause
R5CHK1_EQU	equ_coursecompleted IN('+', '-')
R5CHK2_EQU	equ_tempdisqualified IN('+', '-')

R5EQUIPMENTRANKINGHISTORY

Constraint name	Where clause
R5CHK1_ERH	erh_udfchkbox01 IN ('+', '-')
R5CHK2_ERH	erh_udfchkbox02 IN ('+', '-')
R5CHK3_ERH	erh_udfchkbox03 IN ('+', '-')
R5CHK4_ERH	erh_udfchkbox04 IN ('+', '-')
R5CHK5_ERH	erh_udfchkbox05 IN ('+', '-')

R5EQUIPMENTRANKINGS

Constraint name	Where clause
R5CHK1_EQR	eqr_default IN ('+', '-')
R5CHK2_EQR	eqr_lockrankingvalues IN ('+', '-')
R5CHK3_EQR	eqr_udfchkbox01 IN ('+', '-')
R5CHK4_EQR	eqr_udfchkbox02 IN ('+', '-')
R5CHK5_EQR	eqr_udfchkbox03 IN ('+', '-')
R5CHK6_EQR	eqr_udfchkbox04 IN ('+', '-')
R5CHK7_EQR	eqr_udfchkbox05 IN ('+', '-')

R5EQUIPMENTUSABILITIES

Constraint name	Where clause
R5CHK1_EUB	eub_notused IN ('+', '-')

R5EVALCRITERIA

Constraint name	Where clause
R5CHK1_EVC	evc_weight BETWEEN 0 AND 100

R5EVALUATIONCUSTOMFLDPARAM S

Constraint name	Where clause
R5CHK1_ECP	ecp_evaltype IN ('E', 'P')

R5EVENTACCOMPLISHMENTS

Constraint name	Where clause
R5CHK1_EAC	eac_udfchkbox01 IN ('+', '-')
R5CHK2_EAC	eac_udfchkbox02 IN ('+', '-')
R5CHK3_EAC	eac_udfchkbox03 IN ('+', '-')
R5CHK4_EAC	eac_udfchkbox04 IN ('+', '-')
R5CHK5_EAC	eac_udfchkbox05 IN ('+', '-')

R5EVENTEQUIPREPLACEMENT

Constraint name	Where clause
R5CHK1_EER	eer_udfchkbox01 IN ('+', '-')
R5CHK2_EER	eer_udfchkbox02 IN ('+', '-')
R5CHK3_EER	eer_udfchkbox03 IN ('+', '-')
R5CHK4_EER	eer_udfchkbox04 IN ('+', '-')
R5CHK5_EER	eer_udfchkbox05 IN ('+', '-')

R5EVENTOBJECTS

Constraint name	Where clause
R5CHK1_EOB	eob_level >= 0
R5CHK2_EOB	eob_rollup IN ('+', '-')
R5CHK3_EOB	eob_downtime IN ('+', '-')

R5EVENTPOINTS

Constraint name	Where clause
R5CHK1_EPO	epo_line BETWEEN 1 AND 99999999
R5CHK2_EPO	epo_create IN ('+', '-')

R5EVENTRESOURCES

Constraint name	Where clause
R5CHK1_ERE	ere_active IN ('-', '+')
R5CHK2_ERE	ere_offset IN ('-', '+')

R5EVENTS

Constraint name	Where clause
R5CHK1_EVT	evt_duration >= 1
R5CHK2_EVT	evt_isstype IN ('F', 'V', 'D')
R5CHK3_EVT	evt_fixed IN ('F', 'V', 'D')
R5CHK4_EVT	evt_printed IN ('+', '-')
R5CHK5_EVT	evt_warranty IN ('+', '-')
R5CHK6_EVT	evt_safety IN ('+', '-')
R5CHK7_EVT	evt_reopened IN ('+', '-')
R5CHK8_EVT	(evt_class IS NULL AND evt_class_org IS NULL) OR (evt_class IS NOT NULL AND evt_class_org IS NOT NULL)
R5CHK9_EVT	(evt_object IS NULL AND evt_object_org IS NULL) OR (evt_object IS NOT NULL AND evt_object_org IS NOT NULL)
R5CHKA_EVT	(evt_location IS NULL AND evt_location_org IS NULL) OR (evt_location IS NOT NULL AND evt_location_org IS NOT NULL)
R5CHKB_EVT	EVT_MASTERCAL IN ('+', '-')
R5CHKC_EVT	EVT_STEP > 0 AND EVT_STEP <= 999
R5CHKD_EVT	EVT_SEQ > 0 AND EVT_SEQ <= 999
R5CHKE_EVT	evt_print IN ('+', '-')
R5CHKF_EVT	evt_billable IN ('-', '+')
R5CHKG_EVT	evt_calstatus IN ('P', 'F', 'PF', 'PR', 'I')
R5CHKH_EVT	evt_multiequip IN ('+', '-')

R5CHKI_EVT	evt_performonweek IN ('1','2','3','4','L')
R5CHKJ_EVT	evt_performonday IN ('0','1','2','3','4','5','6')
R5CHKK_EVT	evt_outputcalctype IN ('MANL', 'LINR', 'SQRT')
R5CHKM_EVT	evt_lockout IN ('+', '-')
R5CHKN_EVT	evt_personalprotectiveequip IN ('+', '-')
R5CHKO_EVT	evt_confinedspace IN ('+', '-')
R5CHKP_EVT	evt_statementofcond IN ('+', '-')
R5CHKQ_EVT	evt_buildmaintprogram IN ('+', '-')
R5CHKR_EVT	evt_hipaaconfidentiality IN ('+', '-')
R5CHKS_EVT	evt_preservecalcpriority IN ('+', '-')
R5CHKT_EVT	evt_udfchkbox06 IN ('+', '-')
R5CHKU_EVT	evt_udfchkbox07 IN ('+', '-')
R5CHKV_EVT	evt_udfchkbox08 IN ('+', '-')
R5CHKW_EVT	evt_udfchkbox09 IN ('+', '-')
R5CHKX_EVT	evt_udfchkbox10 IN ('+', '-')

R5EVTINSTRUMENTS

Constraint name	Where clause
R5CHK1_EIS	eis_instype IN ('A', 'I', 'O')

R5EVTTESTPOINTS

Constraint name	Where clause
R5CHK1_ETP	etp_status IN ('P', 'F', 'N', 'R')
R5CHK2_ETP	etp_statusal IN ('P', 'F', 'N', 'R')
R5CHK3_ETP	etp_notused IN ('-', '+')
R5CHK4_ETP	etp_outputcalctype IN ('MANL', 'LINR', 'SQRT')
R5CHK5_ETP	etp_udfchkbox01 IN ('+', '-')
R5CHK6_ETP	etp_udfchkbox02 IN ('+', '-')
R5CHK7_ETP	etp_udfchkbox03 IN ('+', '-')
R5CHK8_ETP	etp_udfchkbox04 IN ('+', '-')
R5CHK9_ETP	etp_udfchkbox05 IN ('+', '-')

R5EXCEPTIONS

Constraint name	Where clause
R5CHK1_EXC	exc_hours >= 0 AND exc_hours <= 24

R5EXCHRATES

Constraint name	Where clause
R5CHK1_CRR	crr_exch >= 0.000001 AND crr_exch <= 99999999999.99999999999
R5CHK2_CRR	crr_active IN ('+', '-')
R5CHK3_CRR	crr_start <= crr_end

R5EXTENSIBLEFRAMEWORK

Constraint name	Where clause
R5CHK01_EFR	efr_active IN ('+', '-')

R5EXTMENUS

Constraint name	Where clause
R5CHK1_EMN	emn_type IN ('M', 'F', 'S')
R5CHK2_EMN	emn_transit IN ('+', '-')
R5CHK3_EMN	emn_duxmobile IN ('+', '-')

R5FACILITIES

Constraint name	Where clause
R5CHK1_FAC	(fac_class IS NULL AND fac_class_org IS NULL) OR (fac_class IS NOT NULL AND fac_class_org IS NOT NULL)

R5FAILURES

Constraint name	Where clause
R5CHK1_FAL	fal_gen IN ('+', '-')
R5CHK2_FAL	fal_notused IN ('+', '-')
R5CHK3_FAL	fal_enableworkorders IN ('+', '-')

R5FIELDFILTERTYPE

Constraint name	Where clause
R5CHK1_FFT	fft_defaultscreentype IN ('+', '-')

R5FINDINGS

Constraint name	Where clause
R5CHK1_FND	fnd_gen IN ('+', '-')
R5CHK2_FND	(fnd_class IS NULL AND fnd_class_org IS NULL) OR (fnd_class IS NOT NULL AND fnd_class_org IS NOT NULL)

R5FIXEDPAYMENTS

Constraint name	Where clause
R5CHK1_FPA	(fpa_class IS NULL AND fpa_class_org IS NULL) OR (fpa_class IS NOT NULL AND fpa_class_org IS NOT NULL)

R5FLDFILTEROPRCHECKLIST

Constraint name	Where clause
R5CHK1_FFO	ffo_defaultscreentype IN ('+', '-')

R5FLEETAUTH

Constraint name	Where clause
R5CHK1_FAU	fau_insert IN ('+', '-')
R5CHK2_FAU	fau_update IN ('+', '-')
R5CHK3_FAU	fau_delete IN ('+', '-')

R5FLEETBILLINGCODES

Constraint name	Where clause
R5CHK1_FBC	fbc_notused IN ('+', '-')

R5FLEETBILLINGRATES

Constraint name	Where clause
R5CHK1_FBR	fbr_usagecharge >= 0
R5CHK2_FBR	fbr_mileagecharge >= 0
R5CHK3_FBR	fbr_insurancecharge >= 0
R5CHK4_FBR	fbr_usagertype IN ('H', 'P')

R5FLEETBILLINGSCHEDULES

Constraint name	Where clause
R5CHK1_FSC	fsc_billed IN ('+', '-')
R5CHK2_FSC	fsc_billinginprogress IN ('-', '+')

R5FLEETBILLINES

Constraint name	Where clause
R5CHK1_FBL	fbl_adjustment IN ('+', '-')

R5FLEETBILLS

Constraint name	Where clause
R5CHK1_FBI	fbi_printbill IN ('-', '+')

R5FLEETBILLSUBLINES

Constraint name	Where clause
R5CHK1_FBS	fbs_adjustment IN ('+', '-')

R5FLEETCUSTOMERCODES

Constraint name	Where clause
R5CHK1_FCD	fcd_labormnt IN ('+', '-')
R5CHK2_FCD	fcd_contractlabormnt IN ('+', '-')
R5CHK3_FCD	fcd_partsmnt IN ('+', '-')
R5CHK4_FCD	fcd_laborrep IN ('+', '-')
R5CHK5_FCD	fcd_contractlaborrep IN ('+', '-')

R5CHK6_FCD	fcd_partsrep IN ('+', '-')
R5CHK7_FCD	fcd_fuel IN ('+', '-')
R5CHK8_FCD	fcd_mileage IN ('+', '-')
R5CHK9_FCD	fcd_usage IN ('+', '-')
R5CHKA_FCD	fcd_insurance IN ('+', '-')
R5CHKB_FCD	fcd_exceptions IN ('+', '-')

R5FLEETCUSTOMERS

Constraint name	Where clause
R5CHK1_FCU	fcu_notused IN ('+', '-')
R5CHK2_FCU	fcu_billable IN ('+', '-')
R5CHK3_FCU	fcu_billnocharge IN ('+', '-')
R5CHK4_FCU	fcu_labormnt IN ('+', '-')
R5CHK5_FCU	fcu_contractlabormnt IN ('+', '-')
R5CHK6_FCU	fcu_partsmnt IN ('+', '-')
R5CHK7_FCU	fcu_laborrep IN ('+', '-')
R5CHK8_FCU	fcu_contractlaborrep IN ('+', '-')
R5CHK9_FCU	fcu_partsrep IN ('+', '-')
R5CHKA_FCU	fcu_fuel IN ('+', '-')
R5CHKB_FCU	fcu_mileage IN ('+', '-')
R5CHKC_FCU	fcu_usage IN ('+', '-')
R5CHKD_FCU	fcu_insurance IN ('+', '-')
R5CHKE_FCU	fcu_exceptions IN ('+', '-')

R5FLEETEXCEPTIONS

Constraint name	Where clause
R5CHK1_FEX	fex_notused IN ('+', '-')

R5FLEETMARKUPCODES

Constraint name	Where clause
R5CHK1_FMC	fmc_notused IN ('+', '-')

R5FLEETPARAMETERS

Constraint name	Where clause
R5CHK1_FPR	fpr_minhoursbilled >= 0
R5CHK2_FPR	fpr_offshifthours >= 0
R5CHK3_FPR	fpr_rounding IN (15, 30, 60)
R5CHK4_FPR	fpr_updpm IN ('I', 'R', 'B')
R5CHK5_FPR	fpr_updcstc_pool IN ('+', '-')
R5CHK6_FPR	fpr_updcstc_loaner IN ('+', '-')
R5CHK7_FPR	fpr_updcstc_assign IN ('+', '-')
R5CHK8_FPR	fpr_promptnobilling IN ('+', '-')

R5FLEETTICKETEXCEPTIONS

Constraint name	Where clause
R5CHK1_FTE	fte_extracharge IN ('-', '+')

R5FLEETTICKETS

Constraint name	Where clause
R5CHK1_FTI	fti_issuefuellevel BETWEEN 0 AND 1
R5CHK2_FTI	fti_returnfuellevel BETWEEN 0 AND 1
R5CHK3_FTI	Fti_reopened IN ('-', '+')

R5FLEETWOTYPES

Constraint name	Where clause
R5CHK1_FWT	fw_t_maintenance IN ('+', '-')

R5FLEXSQL

Constraint name	Where clause
R5CHK1_FLX	flx_abortonfailure IN ('+', '-')
R5CHK2_FLX	flx_reversereturn IN ('+', '-')
R5CHK3_FLX	flx_active IN ('+', '-')
R5CHK4_FLX	flx_mustexist IN ('+', '-')

R5CHK5_FLX flx_mobile IN ('+', '-')

R5FOREIGNENTITY

Constraint name	Where clause
R5CHK1_FEN	fen_orgfield IN ('+', '-')
R5CHK2_FEN	fen_allowdrillback IN ('+', '-')

R5FUELS

Constraint name	Where clause
R5CHK1_FUE	fue_blended IN ('-', '+')
R5CHK2_FUE	(0 < fue_blendperc1) AND (fue_blendperc1 < 100)
R5CHK3_FUE	(fue_blendperc1 IS NULL AND fue_blendfuel1 IS NULL) OR (fue_blendperc1 IS NOT NULL AND fue_blendfuel1 IS NOT NULL)
R5CHK4_FUE	(0 < fue_blendperc2) AND (fue_blendperc2 < 100)
R5CHK5_FUE	(fue_blendperc2 IS NULL AND fue_blendfuel2 IS NULL) OR (fue_blendperc2 IS NOT NULL AND fue_blendfuel2 IS NOT NULL)
R5CHK6_FUE	(0 < fue_blendperc3) AND (fue_blendperc3 < 100)
R5CHK7_FUE	(fue_blendperc3 IS NULL AND fue_blendfuel3 IS NULL) OR (fue_blendperc3 IS NOT NULL AND fue_blendfuel3 IS NOT NULL)
R5CHK8_FUE	(0 < fue_blendperc4) AND (fue_blendperc4 < 100)
R5CHK9_FUE	(fue_blendperc4 IS NULL AND fue_blendfuel4 IS NULL) OR (fue_blendperc4 IS NOT NULL AND fue_blendfuel4 IS NOT NULL)
R5CHKA_FUE	(0 < fue_blendperc5) AND (fue_blendperc5 < 100)
R5CHKB_FUE	(fue_blendperc5 IS NULL AND fue_blendfuel5 IS NULL) OR (fue_blendperc5 IS NOT NULL AND fue_blendfuel5 IS NOT NULL)
R5CHKC_FUE	fue_notused IN ('-', '+')

R5FUNCTIONS

Constraint name	Where clause
R5CHK10_FUN	fun_advrept IN ('+', '-')
R5CHK11_FUN	fun_fieldfiltertype IN ('+', '-')
R5CHK12_FUN	fun_fieldfilterclass IN ('+', '-')
R5CHK13_FUN	fun_fieldfilterwoobjtype IN ('+', '-')
R5CHK14_FUN	fun_fieldfilterchecklist IN ('+', '-')
R5CHK15_FUN	fun_splitviewdisplay IN ('S', 'G', 'M')
R5CHK16_FUN	fun_reservationcalendar IN ('+', '-')
R5CHK17_FUN	fun_sunday IN ('+', '-')
R5CHK18_FUN	fun_monday IN ('+', '-')
R5CHK19_FUN	fun_tuesday IN ('+', '-')
R5CHK1_FUN	fun_subtype IN ('B', 'C', 'D', 'G', 'L', 'M', 'N', 'O', 'P', 'Q', 'R', 'S', 'X')
R5CHK20_FUN	fun_wednesday IN ('+', '-')
R5CHK21_FUN	fun_thursday IN ('+', '-')
R5CHK22_FUN	fun_friday IN ('+', '-')
R5CHK23_FUN	fun_saturday IN ('+', '-')
R5CHK2_FUN	fun_mode IN ('Character', 'Bitmap')
R5CHK3_FUN	fun_background IN ('-', '+')
R5CHK4_FUN	fun_orientation IN ('Portrait', 'Landscape')
R5CHK5_FUN	fun_dirsel IN ('-', '+')
R5CHK6_FUN	fun_system IN ('+', '-')
R5CHK7_FUN	fun_class NOT IN ('HOST', 'UREP', 'UEXT') AND fun_system = '+' OR fun_system = '-'
R5CHK8_FUN	fun_displayap IN ('+', '-')
R5CHK9_FUN	fun_displayft IN ('+', '-')
R5CHKA_FUN	fun_descchanged IN ('+', '-')
R5CHKB_FUN	fun_rs IN ('+', '-')
R5CHKC_FUN	fun_ewsreport IN ('-', '+')
R5CHKD_FUN	fun_prddatasrc IN ('-', '+')

R5FUNCTIONTABS

Constraint name	Where clause
R5CHK1_FTB	INSTR(ftb_tab, ',', 1, 1) = 0
R5CHK2_FTB	ftb_product IN ('B', 'W', 'M')

R5FUNCTIONUSERTABS

Constraint name	Where clause
R5CHK1_FUB	fub_type in ('H', 'R')
R5CHK2_FUB	fub_issecure in ('+', '-')
R5GENPRODREQPARAM	
Constraint name	Where clause
R5CHK1_GPP	gpp_defparam IN ('+', '-')
R5CHK2_GPP	gpp_groupby in ('N', 'E', 'R')
R5CHK3_GPP	gpp_incwowithnores in ('+', '-')
R5GENPRODUCTREQUEST	
Constraint name	Where clause
R5CHK1_GPR	gpr_offset IN ('-', '+')
R5GISDATAMAPS	
Constraint name	Where clause
R5CHK1_GMP	gmp_action IN ('C', 'M')
R5CHK2_GMP	gmp_owner IN ('D', 'G')
R5CHK3_GMP	gmp_source IN ('B', 'D', 'G')
R5CHK4_GMP	gmp_lrs IN ('-', '+')
R5GISUGPREFERENCES	
Constraint name	Where clause
R5CHK1_GUP	gup_default IN ('+', '-')
R5CHK2_GUP	gup_autocreate IN ('+', '-')
R5GREENHOUSEGASES	
Constraint name	Where clause
R5CHK1_GHG	ghg_notused IN ('-', '+')
R5GRID	
Constraint name	Where clause
R5CHK1_GRD3	grd_portletflag IN ('-', '+')
R5CHK2_GRD	grd_tab IN ('+', '-')
R5CHK3_GRD	grd_gridtype IN (1, 2, 3, 4, 5, 6, 7, 8)
R5CHK4_GRD	grd_distinct IN ('+', '-')
R5CHK5_GRD	grd_commitflag IN ('M', 'N', 'S')
R5CHK6_GRD	grd_noscreendesigner IN ('+', '-')
R5CHK7_GRD	grd_gisdatafilter IN ('+', '-')
R5CHK8_GRD	grd_giswofieldmap IN ('+', '-')
R5GRIDFIELD	
Constraint name	Where clause
R5CHK1_GFD	gfd_controltype IN ('CHECKBOX', 'RADIOBUTTON', 'BUTTON', TEXT', 'LINK', 'SELECT', 'IMG', 'DIV', 'SPAN', 'HIDDEN', 'STATIC')
R5CHK2_GFD	gfd_aggfunc IN ('SUM', 'AVG', 'COUNT', 'MAX', 'MIN')
R5CHK3_GFD	gfd_fieldtype IN ('n', 'o', 'l', 'm', 'e', 'j')
R5CHK4_GFD	gfd_headerlocation IN ('c', 'd', 'h1', 'h2', 'h3', 'n')
R5GROUPS	
Constraint name	Where clause
R5CHK1_UGR	ugr_corrbook IN ('+', '-')
R5CHK2_UGR	(ugr_class IS NULL AND ugr_class_org IS NULL) OR (ugr_class IS NOT NULL AND ugr_class_org IS NOT NULL)
R5CHK3_UGR	ugr_requestor IN ('+', '-')
R5CHK4_UGR	ugr_mobileapp IN ('FW', 'MR', 'AM')
R5HAZARDS	
Constraint name	Where clause
R5CHK1_HAZ	haz_notused IN ('+', '-')
R5HELPTXTS	
Constraint name	Where clause

R5CHK1_HEL hel_changed IN ('+', '-')

R5HOME

Constraint name	Where clause
R5CHK1_HOM	hom_type IN ('+', '-', 'C')
R5CHK2_HOM	hom_gen IN ('+', '-')
R5CHK4_HOM	hom_history IN ('+', '-')
R5CHK5_HOM	hom_notused IN ('+', '-')
R5CHK6_HOM	hom_rolluptype IN ('N', 'A', 'S')

R5HOMEGROUPS

Constraint name	Where clause
R5CHK1_HMG	hmg_autofresh IN ('+', '-')

R5HOMEUSERS

Constraint name	Where clause
R5CHK1_HMU	hmu_autofresh IN ('+', '-')

R5HYPERLINK

Constraint name	Where clause
R5CHK1_HYP	hyp_performexactquery IN ('+', '-')

R5IESINTERESTCENTERS

Constraint name	Where clause
R5CHK1_ENI	eni_notused IN ('+', '-')

R5IESREPOSITORIES

Constraint name	Where clause
R5CHK1_ENS	ens_notused IN ('+', '-')
R5CHK2_ENS	ens_isincremental IN ('+', '-')
R5CHK3_ENS	ens_ispopup IN ('+', '-')

R5IESREPOSITORYCOLUMNS

Constraint name	Where clause
R5CHK1_ENC	enc_isjspkeyfield IN ('+', '-')
R5CHK2_ENC	enc_hiddenfromsearchresults IN ('+', '-')

R5IMPORTEXPORTSTATUS

Constraint name	Where clause
R5CHK1_IES	ies_includeemail IN ('+', '-')
R5CHK2_IES	ies_preview IN ('+', '-')

R5IMPORTRCMTEMPLATEHISTORY

Constraint name	Where clause
R5CHK1_IRH	irh_importprobabilities IN ('+', '-')
R5CHK2_IRH	irh_importconsequences IN ('+', '-')
R5CHK3_IRH	irh_importmitigation IN ('+', '-')

R5INDICATORS

Constraint name	Where clause
R5CHK1_IND	ind_min <= ind_max
R5CHK2_IND	(ind_class IS NULL AND ind_class_org IS NULL) OR (ind_class IS NOT NULL AND ind_class_org IS NOT NULL)

R5INSPECTEQUIPDATA

Constraint name	Where clause
R5CHK1_IED	ied_changed IN ('-', '+')
R5CHK2_IED	ied_nominaloduom IN ('M', 'I')

R5INSTALL

Constraint name	Where clause
R5CHK1_INS	ins_fixed IN ('+', '-')

R5CHK2_INS	ins_module IN ('BASE', 'WORK', 'PURCHASING', URL', 'BARCODE', 'FINANCIALS', 'MATERIALS', 'EXTENDED', 'GIS', 'INTERNAL')

R5INVDISTRIBUTIONS

Constraint name	Where clause
R5CHK1_IVD	ivd_rtype IN ('POT', 'PRT')

R5INVESTMENTPLANEQUIPMENT

Constraint name	Where clause
R5CHK1_IEQ	ieq_planpriority <= 2147483647
R5CHK2_IEQ	ieq_priorityoverride >= 1 AND ieq_priorityoverride <= 2147483647
R5CHK3_IEQ	ieq_agebasedonusage IN ('+', '-')
R5CHK4_IEQ	ieq_udfchkbox01 IN ('+', '-')
R5CHK6_IEQ	ieq_udfchkbox03 IN ('+', '-')
R5CHK7_IEQ	ieq_udfchkbox04 IN ('+', '-')
R5CHK8_IEQ	ieq_udfchkbox05 IN ('+', '-')

R5INVESTMENTPLANNING

Constraint name	Where clause
R5CHK10_INP	inp_udfchkbox05 IN ('+', '-')
R5CHK11_INP	inp_startingbudget >= 0
R5CHK12_INP	(inp_class IS NULL AND inp_class_org IS NULL) OR (inp_class IS NOT NULL AND inp_class_org IS NOT NULL)
R5CHK1_INP	inp_allowearlyinvestments IN ('+', '-')
R5CHK2_INP	inp_allowbudgetrollover IN ('+', '-')
R5CHK3_INP	inp_notused IN ('+', '-')
R5CHK4_INP	inp_includeequipcriticality IN ('+', '-')
R5CHK5_INP	inp_includeequipmentrisk IN ('+', '-')
R5CHK6_INP	inp_udfchkbox01 IN ('+', '-')
R5CHK7_INP	inp_udfchkbox02 IN ('+', '-')
R5CHK8_INP	inp_udfchkbox03 IN ('+', '-')
R5CHK9_INP	inp_udfchkbox04 IN ('+', '-')

R5INVESTMENTPLANNINGREQUES TS

Constraint name	Where clause
R5CHK1_IPQ	ipq_udfchkbox01 IN ('+', '-')
R5CHK2_IPQ	ipq_udfchkbox02 IN ('+', '-')
R5CHK3_IPQ	ipq_udfchkbox03 IN ('+', '-')
R5CHK4_IPQ	ipq_udfchkbox04 IN ('+', '-')
R5CHK5_IPQ	ipq_udfchkbox05 IN ('+', '-')

R5INVOICEALLOCATIONS

Constraint name	Where clause
R5CHK_INA	ina_active IN ('+', '-')

R5INVOICELINES

Constraint name	Where clause
R5CHK1_IVL	ivl_invqty >= 0 AND ivl_invqty <= 999999999999999999.999999
R5CHK2_IVL	ivl_invline >=1 AND ivl_invline <= 99999999
R5CHK3_IVL	ivl_invvalue >= 0 AND ivl_invvalue <= 999999999999999999.999999
R5CHK4_IVL	ivl_price >= 0 AND ivl_price <= 999999999999999999.999999
R5CHK6_IVL	ivl_discount >= 0 AND ivl_discount <= 999999999999999999.999999
R5CHK7_IVL	ivl_exch >= 0.000001 AND ivl_exch <= 999999999999999999.9999999999

R5INVOICES

Constraint name	Where clause
R5CHK1_INV	inv_rtype IN ('I', 'D', 'C', 'N', 'M')
R5CHK2_INV	inv_exch >= 0.000001 AND inv_exch <= 999999999999999999.9999999999
R5CHK3_INV	inv_vat >= 0 AND inv_vat <= 999999999999999999.999999
R5CHK4_INV	inv_discount >= 0 AND inv_discount <= 999999999999999999.999999
R5CHK5_INV	inv_total >= 0 AND inv_total <= 999999999999999999.999999
R5CHK6_INV	inv_charge >= 0 AND inv_charge <= 999999999999999999.999999

R5CHK7_INV	inv_vat < inv_total
R5CHK8_INV	(inv_class IS NULL AND inv_class_org IS NULL) OR (inv_class IS NOT NULL AND inv_class_org IS NOT NULL)
R5CHK9_INV	(inv_parent IS NULL AND inv_parent_org IS NULL) OR (inv_parent IS NOT NULL AND inv_parent_org IS NOT NULL)

R5INVOICEUNMATCHEDLINES

Constraint name	Where clause
R5CHK1_IUC	iuc_udfchkbox01 IN ('+', '-')
R5CHK2_IUC	iuc_udfchkbox02 IN ('+', '-')
R5CHK3_IUC	iuc_udfchkbox03 IN ('+', '-')
R5CHK4_IUC	iuc_udfchkbox04 IN ('+', '-')
R5CHK5_IUC	iuc_udfchkbox05 IN ('+', '-')

R5IPCONNINFO

Constraint name	Where clause
R5CHK1_CNN	cnn_allpartssent IN ('-', '+')
R5CHK2_CNN	cnn_retrieveerror IN ('-', '+')

R5ISOLATIONPOINTS

Constraint name	Where clause
R5CHK1_ISP	isp_notused IN ('+', '-')
R5CHK2_ISP	isp_isolated IN ('+', '-')

R5JOBBLINES

Constraint name	Where clause
R5CHK1_JBL	jbl_qty >= 0
R5CHK2_JBL	jbl_recvqty >= 0
R5CHK3_JBL	jbl_scrapqty >= 0
R5CHK4_JBL	jbl_active IN ('+', '-')

R5JOBTYPEAUTH

Constraint name	Where clause
R5CHK1_JTA	jta_insert IN ('+', '-')
R5CHK2_JTA	jta_update IN ('+', '-')
R5CHK3_JTA	jta_delete IN ('+', '-')

R5KEYLOCKS

Constraint name	Where clause
R5CHK1_KEL	kel_notused IN ('+', '-')

R5KEYS

Constraint name	Where clause
R5CHK1_KEY	key_lost IN ('+', '-')
R5CHK2_KEY	key_notused IN ('+', '-')

R5KITPARTS

Constraint name	Where clause
R5CHK1_BKP	bkp_select IN ('+', '-')

R5KPISCORES

Constraint name	Where clause
R5CHK1_KPS	kps_score >= 0 AND kps_score <= 10

R5KPISTRUCTURE

Constraint name	Where clause
R5CHK1_KPT	kpt_weight <= 100

R5LABELFORMATS

Constraint name	Where clause
R5CHK1_LBL	lbl_filename = LOWER(lbl_filename)

R5LANGUAGES

Constraint name	Where clause
R5CHK1_LAN	(lan_class IS NULL AND lan_class_org IS NULL) OR (lan_class IS NOT NULL AND lan_class_org IS NOT NULL)
R5CHK2_LAN	lan_installed IN ('-', '+')
R5CHK3_LAN	lan_available IN ('-', '+')

R5LOCKOUTBOXES

Constraint name	Where clause
R5CHK1_LOX	lox_notused IN ('+', '-')
R5CHK2_LOX	lox_inuse IN ('+', '-')

R5LONGDESCRIPTIONS

Constraint name	Where clause
R5CHK1_LDS	lds_trans IN ('+', '-')

R5LOTS

Constraint name	Where clause
R5CHK1_LOT	(lot_class IS NULL AND lot_class_org IS NULL) OR (lot_class IS NOT NULL AND lot_class_org IS NOT NULL)

R5MAILATTRIBS

Constraint name	Where clause
R5CHK1_MAA	maa_active IN ('-', '+')

R5MAILEVENTS

Constraint name	Where clause
R5CHK1_MAE	mae_send IN ('+', '-')
R5CHK2_MAE	mae_rstatus IN ('N', 'S', 'E')
R5CHK3_MAE	mae_ptfsend IN ('+', '-')

R5MAILPARAMETERS

Constraint name	Where clause
R5CHK1_MAP	map_parameter BETWEEN 1 AND 15

R5MAILTEMPLATE

Constraint name	Where clause
R5CHK1_MAT	mat_pushnotification IN ('+', '-')
R5CHK2_MAT	mat_email IN ('+', '-')
R5CHK3_MAT	mat_notebookemails IN ('+', '-')

R5MAINTENANCEPATTERNS

Constraint name	Where clause
R5CHK1_MTP	mtp_mptype IN ('R', 'O')
R5CHK2_MTP	mtp_releasetype IN ('AD', 'AV', 'ED')
R5CHK3_MTP	mtp_releasetype2 IN ('AD', 'AV', 'ED')
R5CHK4_MTP	mtp_allowduplicatemo IN ('+', '-')

R5MANUFACTURERINTERFACE

Constraint name	Where clause
R5CHK1_MFI	mfi_deletecat IN ('+', '-')
R5CHK2_MFI	mfi_deletemfp IN ('+', '-')

R5MANUFACTURERS

Constraint name	Where clause
R5CHK1_MFG	(mfg_class IS NULL AND mfg_class_org IS NULL) OR (mfg_class IS NOT NULL AND mfg_class_org IS NOT NULL)
R5CHK2_MFG	(mfg_supplier IS NULL AND mfg_supplier_org IS NULL) OR (mfg_supplier IS NOT NULL AND mfg_supplier_org IS NOT NULL)
R5CHK3_MFG	mfg_notused IN ('-', '+')

R5MATERIALSTANDARDS

Constraint name	Where clause
R5CHK1_MST	(mst_class IS NULL AND mst_class_org IS NULL) OR (mst_class IS NOT NULL AND mst_class_org IS NOT NULL)
R5CHK2_MST	mst_notused IN ('+', '-')
R5MATLISTS	
Constraint name	Where clause
R5CHK2_MTL	(mtl_class IS NULL AND mtl_class_org IS NULL) OR (mtl_class IS NOT NULL AND mtl_class_org IS NOT NULL)
R5MATLPARTS	
Constraint name	Where clause
R5CHK1_MLP	mlp_qty >= 0 AND mlp_qty <= 999999999999999999.999999
R5CHK2_MLP	mlp_reserv IN ('+', '-')
R5CHK3_MLP	mlp_crit IN ('+', '-')
R5CHK5_MLP	mlp_direct IN ('+', '-')
R5CHK6_MLP	NOT (mlp_code IS NULL AND mlp_obrtype IS NOT NULL) AND NOT (mlp_code IS NOT NULL AND mlp_obrtype IS NULL)
R5CHK7_MLP	(mlp_code IS NULL AND mlp_code_org IS NULL) OR (mlp_code IS NOT NULL AND mlp_code_org IS NOT NULL)
R5MENUS	
Constraint name	Where clause
R5CHK1_MEN	(1 <= men_line) AND (men_line <= 99999999)
R5METERS	
Constraint name	Where clause
R5CHK1_MET	met_max >= met_last
R5CHK2_MET	met_min <= met_last
R5CHK3_MET	(met_class IS NULL AND met_class_org IS NULL) OR (met_class IS NOT NULL AND met_class_org IS NOT NULL)
R5CHK4_MET	(met_object IS NULL AND met_object_org IS NULL) OR (met_object IS NOT NULL AND met_object_org IS NOT NULL)
R5METHODS	
Constraint name	Where clause
R5CHK1_MTH	(mth_class IS NULL AND mth_class_org IS NULL) OR (mth_class IS NOT NULL AND mth_class_org IS NOT NULL)
R5MINMAXFORMULAS	
Constraint name	Where clause
R5CHK1_MMF	(mmf_class IS NULL AND mmf_class_org IS NULL) OR (mmf_class IS NOT NULL AND mmf_class_org IS NOT NULL)
R5MOBILEDBSYNC	
Constraint name	Where clause
R5CHK1_MDS	mds_download IN ('+', '-')
R5MOBILENOTEBOOKREFERENCES	
Constraint name	Where clause
R5CHK1_MNR	mnr_copied IN ('+', '-')
R5MOBILENOTEBOOKS	
Constraint name	Where clause
R5CHK01_MNB	(mnb_ncfclass IS NULL AND mnb_ncfclass_org IS NULL) OR (mnb_ncfclass IS NOT NULL AND mnb_ncfclass_org IS NOT NULL)
R5CHK02_MNB	mnb_private IN ('+', '-')
R5CHK03_MNB	mnb_history IN ('+', '-')
R5CHK04_MNB	mnb_defect IN ('+', '-')

R5CHK05_MNB	mnbn_udfchkbox01 IN ('+', '-')
R5CHK06_MNB	mnbn_udfchkbox02 IN ('+', '-')
R5CHK07_MNB	mnbn_udfchkbox03 IN ('+', '-')
R5CHK08_MNB	mnbn_udfchkbox04 IN ('+', '-')
R5CHK09_MNB	mnbn_udfchkbox05 IN ('+', '-')
R5CHK10_MNB	(mnbn_class IS NULL AND mnbn_class_org IS NULL) OR (mnbn_class IS NOT NULL AND mnbn_class_org IS NOT NULL)

R5MPACTSCHEDULES

Constraint name	Where clause
R5CHK1_MSA	msa_hours >=0
R5CHK2_MSA	msa_starttime >=0
R5CHK3_MSA	msa_endtime >=0

R5MPPERSACT

Constraint name	Where clause
R5CHK1_MPS	mps_hours >= 0 AND mps_hours <= 24

R5MPPROJECTS

Constraint name	Where clause
R5CHK1_MPJ	mpj_personnel IN ('-', '+')
R5CHK2_MPJ	mpj_auxilobj IN ('-', '+')
R5CHK3_MPJ	mpj_supplier IN ('-', '+')
R5CHK4_MPJ	mpj_tool IN ('-', '+')

R5MRCS

Constraint name	Where clause
R5CHK1_MRC	mrc_capacity >= 0 AND mrc_capacity <= 100
R5CHK2_MRC	(mrc_class IS NULL AND mrc_class_org IS NULL) OR (mrc_class IS NOT NULL AND mrc_class_org IS NOT NULL)
R5CHK3_MRC	mrc_notused IN ('+', '-')
R5CHK4_MRC	mrc_availableforbus IN ('+', '-')

R5MSGSERVERREQUEST

Constraint name	Where clause
R5CHK1_MSQ	msq_synchronous IN ('-', '+')

R5NONCONFORMITIES

Constraint name	Where clause
R5CHK01_NCF	ncf_udfchkbox01 IN ('+', '-')
R5CHK02_NCF	ncf_udfchkbox02 IN ('+', '-')
R5CHK03_NCF	ncf_udfchkbox03 IN ('+', '-')
R5CHK04_NCF	ncf_udfchkbox04 IN ('+', '-')
R5CHK05_NCF	ncf_udfchkbox05 IN ('+', '-')
R5CHK06_NCF	ncf_observationoverride IN ('+', '-')

R5NONCONFORMITYSETUP

Constraint name	Where clause
R5CHK10_NCP	ncc_copyobservationudfs IN ('+', '-')
R5CHK1_NCP	ncc_protectheader IN ('+', '-')
R5CHK2_NCP	ncc_includecondition IN ('+', '-')
R5CHK3_NCP	ncc_protectobsdataonhdr IN ('+', '-')
R5CHK4_NCP	ncc_massacknowledgeallowed IN ('+', '-')
R5CHK5_NCP	ncc_copyseverity IN ('+', '-')
R5CHK6_NCP	ncc_copyintensity IN ('+', '-')
R5CHK7_NCP	ncc_copysize IN ('+', '-')
R5CHK8_NCP	ncc_copyimportance IN ('+', '-')
R5CHK9_NCP	ncc_copynextinspdateoverride IN ('+', '-')

R5NONCONFORMITYTYPEEMRS

Constraint name	Where clause
R5CHK01_NTE	nte_udfchkbox01 IN ('+', '-')
R5CHK02_NTE	nte_udfchkbox02 IN ('+', '-')

R5CHK03_NTE	nte_udfchkbox03 IN ('+', '-')
R5CHK04_NTE	nte_udfchkbox04 IN ('+', '-')
R5CHK05_NTE	nte_udfchkbox05 IN ('+', '-')

R5NONCONFORMITYTYPEPARTS

Constraint name	Where clause
R5CHK1_NTP	ntp_udfchkbox01 IN ('+', '-')
R5CHK2_NTP	ntp_udfchkbox02 IN ('+', '-')
R5CHK3_NTP	ntp_udfchkbox03 IN ('+', '-')
R5CHK4_NTP	ntp_udfchkbox04 IN ('+', '-')
R5CHK5_NTP	ntp_udfchkbox05 IN ('+', '-')

R5NONCONFORMITYTYPES

Constraint name	Where clause
R5CHK1_NCT	(nct_class IS NULL AND nct_class_org IS NULL) OR (nct_class IS NOT NULL AND nct_class_org IS NOT NULL)
R5CHK2_NCT	nct_general IN ('+', '-')
R5CHK3_NCT	(nct_nonconformity_class IS NULL AND nct_nonconformity_class_org IS NULL) OR (nct_nonconformity_class IS NOT NULL AND nct_nonconformity_class_org IS NOT NULL)
R5CHK4_NCT	nct_notused IN ('+', '-')
R5CHK5_NCT	nct_udfchkbox01 IN ('+', '-')
R5CHK6_NCT	nct_udfchkbox02 IN ('+', '-')
R5CHK7_NCT	nct_udfchkbox03 IN ('+', '-')
R5CHK8_NCT	nct_udfchkbox04 IN ('+', '-')
R5CHK9_NCT	nct_udfchkbox05 IN ('+', '-')

R5NONCONFORMOBSERVATIONS

Constraint name	Where clause
R5CHK1_NCO	nco_udfchkbox01 IN ('+', '-')
R5CHK2_NCO	nco_udfchkbox02 IN ('+', '-')
R5CHK3_NCO	nco_udfchkbox03 IN ('+', '-')
R5CHK4_NCO	nco_udfchkbox04 IN ('+', '-')
R5CHK5_NCO	nco_udfchkbox05 IN ('+', '-')

R5OBJACTUALCONSUMPTION

Constraint name	Where clause
R5CHK01_OAC	oac_loadfactor >= 0 AND oac_loadfactor <= 100

R5OBJDEPTYPES

Constraint name	Where clause
R5CHK1_OBD	obd_estlifeuom IN ('D', 'W', 'M', 'Q', 'Y')

R5OBJDESIGNCONSUMPTION

Constraint name	Where clause
R5CHK01_ODC	odc_defaultloadfactor >= 0 AND odc_defaultloadfactor <= 100
R5CHK02_ODC	odc_rangelow >= 0 AND odc_rangelow <= 100
R5CHK03_ODC	odc_rangehigh >= 0 AND odc_rangehigh <= 100
R5CHK04_ODC	odc_rangelow2 >= 0 AND odc_rangelow2 <= 100
R5CHK05_ODC	odc_rangehigh2 >= 0 AND odc_rangehigh2 <= 100
R5CHK06_ODC	odc_rangelow3 >= 0 AND odc_rangelow3 <= 100
R5CHK07_ODC	odc_rangehigh3 >= 0 AND odc_rangehigh3 <= 100
R5CHK08_ODC	odc_rangelow4 >= 0 AND odc_rangelow4 <= 100
R5CHK09_ODC	odc_rangehigh4 >= 0 AND odc_rangehigh4 <= 100
R5CHK10_ODC	odc_rangelow5 >= 0 AND odc_rangelow5 <= 100
R5CHK11_ODC	odc_rangehigh5 >= 0 AND odc_rangehigh5 <= 100
R5CHK12_ODC	odc_rangelow6 >= 0 AND odc_rangelow6 <= 100
R5CHK13_ODC	odc_rangehigh6 >= 0 AND odc_rangehigh6 <= 100
R5CHK14_ODC	odc_rangelow7 >= 0 AND odc_rangelow7 <= 100
R5CHK15_ODC	odc_rangehigh7 >= 0 AND odc_rangehigh7 <= 100
R5CHK16_ODC	odc_rangelow8 >= 0 AND odc_rangelow8 <= 100
R5CHK17_ODC	odc_rangehigh8 >= 0 AND odc_rangehigh8 <= 100
R5CHK18_ODC	odc_rangelow9 >= 0 AND odc_rangelow9 <= 100
R5CHK19_ODC	odc_rangehigh9 >= 0 AND odc_rangehigh9 <= 100

R5CHK20_ODC	odc_rangelow10 >= 0 AND odc_rangelow10 <= 100
R5CHK21_ODC	odc_rangehigh10 >= 0 AND odc_rangehigh10 <= 100

R5OBJECTASPECTS

Constraint name	Where clause
R5CHK10_OBA	oba_udfcheckbox04 IN ('+', '-')
R5CHK11_OBA	oba_udfcheckbox05 IN ('+', '-')
R5CHK1_OBA	oba_min < oba_nominal
R5CHK2_OBA	oba_max > oba_nominal
R5CHK3_OBA	oba_maxextr > oba_max
R5CHK4_OBA	oba_minextr < oba_min
R5CHK5_OBA	oba_max >= oba_min
R5CHK6_OBA	oba_maxextr >= oba_minextr
R5CHK7_OBA	oba_udfcheckbox01 IN ('+', '-')
R5CHK8_OBA	oba_udfcheckbox02 IN ('+', '-')
R5CHK9_OBA	oba_udfcheckbox03 IN ('+', '-')

R5OBJECTAUDITS

Constraint name	Where clause
R5CHK1_OAD	oad_testparents IN ('+', '-')

R5OBJECTCAPACITIES

Constraint name	Where clause
R5CHK1_OCP	ocp_udfcheckbox01 IN ('+', '-')
R5CHK2_OCP	ocp_udfcheckbox02 IN ('+', '-')
R5CHK3_OCP	ocp_udfcheckbox03 IN ('+', '-')
R5CHK4_OCP	ocp_udfcheckbox04 IN ('+', '-')
R5CHK5_OCP	ocp_udfcheckbox05 IN ('+', '-')

R5OBJECTLOTO

Constraint name	Where clause
R5CHK1_OLO	olo_isolationstep IN ('+', '-')
R5CHK2_OLO	olo_deletdepending IN ('+', '-')

R5OBJECTS

Constraint name	Where clause
R5CHK01_OBJ	obj_configuseparentcode IN('+', '-')
R5CHK02_OBJ	obj_blackswan IN('+', '-')
R5CHK10_OBJ	obj_linkgiswo IN ('-', '+')
R5CHK13_OBJ	obj_fcicalculation IN ('+', '-')
R5CHK1_OBJ	obj_withdraw >= obj_commiss
R5CHK2_OBJ	obj_depend IN ('+', '-')
R5CHK5_OBJ	obj_production IN ('+', '-')
R5CHK6_OBJ	obj_notused IN ('+', '-')
R5CHK7_OBJ	obj_safety IN ('+', '-')
R5CHK8_OBJ	(obj_class IS NULL AND obj_class_org IS NULL) OR (obj_class IS NOT NULL AND obj_class_org IS NOT NULL)
R5CHK9_OBJ	(obj_location IS NULL AND obj_location_org IS NULL) OR (obj_location IS NOT NULL AND obj_location_org IS NOT NULL)
R5CHKA_OBJ	(obj_position IS NULL AND obj_position_org IS NULL) OR (obj_position IS NOT NULL AND obj_position_org IS NOT NULL)
R5CHKB_OBJ	(obj_parent IS NULL AND obj_parent_org IS NULL) OR (obj_parent IS NOT NULL AND obj_parent_org IS NOT NULL)
R5CHKC_OBJ	(obj_order IS NULL AND obj_order_org IS NULL) OR (obj_order IS NOT NULL AND obj_order_org IS NOT NULL)
R5CHKD_OBJ	(obj_part IS NULL AND obj_part_org IS NULL) OR (obj_part IS NOT NULL AND obj_part_org IS NOT NULL)
R5CHKG_OBJ	obj_gisprofile IN ('+', '-')
R5CHKH_OBJ	obj_loop IN ('-', '+')
R5CHKI_OBJ	obj_instrument IN ('-', '+')
R5CHKJ_OBJ	obj_devicetoltype IN ('A', 'P')
R5CHKK_OBJ	obj_instrumenttype IN ('A', 'I', 'O')
R5CHKL_OBJ	obj_lengthuom IN('FEET', 'KILOMETERS', 'METERS', 'MILES')

R5CHKM_OBJ	obj_linearrefuom IN('FEET', 'KILOMETERS', 'METERS', 'MILES')
R5CHKN_OBJ	(obj_linearrefprecision >= 0 AND obj_linearrefprecision < 7)
R5CHKO_OBJ	obj_vehicle IN ('+', '-')
R5CHKP_OBJ	obj_sdmpresent IN ('+', '-')
R5CHKQ_OBJ	obj_sdmpath IN ('+', '-')
R5CHKR_OBJ	obj_billable IN ('+', '-')
R5CHKS_OBJ	obj_gasindex IN ('+', '-')
R5CHKT_OBJ	obj_resource IN ('-', '+')
R5CHKU_OBJ	obj_resourcepresent IN ('-', '+')
R5CHKV_OBJ	obj_reliabilityrankinglocked IN ('-', '+')
R5CHKW_OBJ	obj_outputcalctype IN ('MANL', 'LINR', 'SQRT')
R5CHKX_OBJ	obj_rental IN ('+', '-')
R5CHKY_OBJ	obj_contract IN ('+', '-')
R5CHKZ_OBJ	obj_facility IN ('+', '-')

R5OBJECTSDM

Constraint name	Where clause
R5CHK1_SDM	sdm_mrc_check IN ('+', '-')
R5CHK2_SDM	sdm_provider_check IN ('+', '-')
R5CHK3_SDM	sdm_servicecategory_check IN ('+', '-')
R5CHK4_SDM	sdm_serviceproblem_check IN ('+', '-')
R5CHK5_SDM	sdm_supplier_check IN ('+', '-')

R5OBJECTSERVICECODES

Constraint name	Where clause
R5CHK1_osc	osc_applytochildren IN ('+', '-')
R5CHK2_osc	osc_skipthislevel IN ('+', '-')

R5OBJECTSUPPLIERS

Constraint name	Where clause
R5CHK1_osp	osp_applytochildren IN ('+', '-')
R5CHK2_osp	osp_skipthislevel IN ('+', '-')

R5OBJECTSURVEY

Constraint name	Where clause
R5CHK1_OBS	obs_type IN ('O', 'S', 'J', 'T', 'P')

R5OBJLINEARREF

Constraint name	Where clause
R5CHK10_LRF	lrf_applytorouterow IN ('+', '-')
R5CHK2_LRF	lrf_udfchkbbox01 IN ('+', '-')
R5CHK3_LRF	lrf_udfchkbbox02 IN ('+', '-')
R5CHK4_LRF	lrf_udfchkbbox03 IN ('+', '-')
R5CHK5_LRF	lrf_udfchkbbox04 IN ('+', '-')
R5CHK6_LRF	lrf_udfchkbbox05 IN ('+', '-')
R5CHK7_LRF	lrf_branch_point IN ('+', '-')
R5CHK8_LRF	lrf_linear_reftype IN ('S', 'R', 'O', 'I')
R5CHK9_LRF	lrf_pointreference IN ('+', '-')

R5OBJMAP

Constraint name	Where clause
R5CHK2_OMP	omp_type in (0, 1)

R5OBJMAPACETATES

Constraint name	Where clause
R5CHK1_OMA	oma_type IN (0, 1)

R5OBJMAPLABELS

Constraint name	Where clause
R5CHK1_OLB	olb_type IN (0, 1)

R5OBJRESOURCES

Constraint name	Where clause

R5CHK1_ORs ors_active IN ('-', '+')

R5OBJRESOURCEAUDIT

Constraint name	Where clause
R5CHK1_ERA	era_active IN ('-', '+')

R5OBJTESTPOINTS

Constraint name	Where clause
R5CHK1_OTP	otp_devicetoltype IN ('A', 'P')

R5OBJUSAGEDEFS

Constraint name	Where clause
R5CHK1_OUD	oud_standardlife >= 0 AND oud_standardlife <= 9999999999999999.999999
R5CHK2_OUD	oud_dfltdailyusg >= 0 AND oud_dfltdailyusg <= 9999999999999999.999999
R5CHK3_OUD	oud_calcdailyusg >= 0 AND oud_calcdailyusg <= 9999999999999999.999999
R5CHK4_OUD	oud_totalpurged >= 0 AND oud_totalpurged <= 9999999999999999.999999
R5CHK5_OUD	oud_totalstored >= 0 AND oud_totalstored <= 9999999999999999.999999
R5CHK6_OUD	oud_totpurcur >= 0 AND oud_totpurcur <= 9999999999999999.999999
R5CHK7_OUD	oud_totstrcur >= 0 AND oud_totstrcur <= 9999999999999999.999999
R5CHK8_OUD	oud_totpurprv >= 0 AND oud_totpurprv <= 9999999999999999.999999
R5CHK9_OUD	oud_totstrprv >= 0 AND oud_totstrprv <= 9999999999999999.999999
R5CHKA_OUD	oud_recalc IN ('+', '-')
R5CHKB_OUD	oud_parent IN ('+', '-')
R5CHKC_OUD	oud_child IN ('+', '-')
R5CHKD_OUD	oud_savedays >= 0 AND oud_savedays <= 99999999
R5CHKE_OUD	oud_updownmeter IN ('+', '-')

R5OPCALCQUEUE

Constraint name	Where clause
RRNN1_OCQ	OCQ_FACILITY IS NOT NULL
RRNN2_OCQ	OCQ_DATESTART IS NOT NULL
RRNN3_OCQ	OCQ_DATEEND IS NOT NULL

R5OPCHARTS

Constraint name	Where clause
R5CHK1_OCH	och_server IN (0, 1)

R5OPERATORCHECKLISTS

Constraint name	Where clause
R5CHK1_OCK	ock_udfchkbbox01 IN ('+', '-')
R5CHK2_OCK	ock_udfchkbbox02 IN ('+', '-')

R5OPFILES

Constraint name	Where clause
RRNN1_OGF	OGF_FILENAME IS NOT NULL
RRNN2_OGF	OGF_FILEDATA IS NOT NULL

R5OPGRAPHCORR

Constraint name	Where clause
R5CHK1_OGC	ogc_ispublic IN ('-', '+')

R5OPLIMITS

Constraint name	Where clause
R5CHK1_OPL	(opl_mth >=1 AND opl_mth <= 12)

R5OPREPORTS

Constraint name	Where clause
R5CHK1_ORP	orp_type IN ('D', 'R')
R5CHK2_ORP	orp_public IN (0, 1)

R5OPSERVERLOG

Constraint name	Where clause
RRNN01_OSL	OSL_DATESTAMP IS NOT NULL

RRNN02_OSL	OSL_FACILITY IS NOT NULL
RRNN03_OSL	OSL_SEVERITY IS NOT NULL

R5OPTIMIZEDSCHEDULES

Constraint name	Where clause
R5CHK1_OPS	ops_udfchkbbox01 IN ('+', '-')
R5CHK2_OPS	ops_udfchkbbox02 IN ('+', '-')
R5CHK3_OPS	ops_udfchkbbox03 IN ('+', '-')
R5CHK4_OPS	ops_udfchkbbox04 IN ('+', '-')
R5CHK5_OPS	ops_udfchkbbox05 IN ('+', '-')
R5CHK6_OPS	ops_useroaddistance IN ('+', '-')

R5OPVARATTRIBUTES

Constraint name	Where clause
R5CHK1_OAT	oat_type IN(1,2,3)

R5OPVARIABLES

Constraint name	Where clause
R5CHK1_OVD	ovd_varscope IN(1,2,3)
R5CHK2_OVD	ovd_delflag IN(NULL,1)
R5CHK3_OVD	ovd_modified IN(0,1)
R5CHK4_OVD	ovd_facttype IN(0,1,2)
R5CHK5_OVD	ovd_storerresult IN(0,1)

R5ORDERLINES

Constraint name	Where clause
R5CHK1_ORL	orl_ordqty >= 0 AND orl_ordqty <= 999999999999999999.999999
R5CHK2_ORL	orl_price >= 0 AND orl_price <= 999999999999999999.999999
R5CHK3_ORL	orl_ordline >= 1 AND orl_ordline <= 99999999
R5CHK4_ORL	orl_exch >= 0.000001 AND orl_exch <= 999999999999999999.9999999999
R5CHK5_ORL	orl_recvqty >= 0 AND orl_recvqty <= 999999999999999999.999999
R5CHK7_ORL	orl_recvvalue >= 0 AND orl_recvvalue <= 999999999999999999.999999
R5CHK8_ORL	orl_active IN ('+', '-')
R5CHK9_ORL	orl_taskqty >= 0
R5CHKA_ORL	orl_recvtaskqty >= 0
R5CHKB_ORL	(orl_part IS NULL AND orl_part_org IS NULL) OR (orl_part IS NOT NULL AND orl_part_org IS NOT NULL)
R5CHKC_ORL	orl_inspect IN ('+', '-')
R5CHKD_ORL	orl_dckrecvqty >= 0 AND orl_dckrecvqty <= 999999999999999999.999999
R5CHKE_ORL	ORL_EXCHFIF IN ('+', '-')
R5CHKF_ORL	orl_iptransmitted in ('-', '+')
R5CHKG_ORL	orl_ipcurrprice in ('-', '+')

R5ORDERS

Constraint name	Where clause
R5CHK1_ORD	ord_due >= ord_date
R5CHK2_ORD	ord_exch >= 0.000001 AND ord_exch <= 999999999999999999.9999999999
R5CHK3_ORD	ord_printed IN ('+', '-')
R5CHK4_ORD	ord_revision >= 0
R5CHK5_ORD	(ord_class IS NULL AND ord_class_org IS NULL) OR (ord_class IS NOT NULL AND ord_class_org IS NOT NULL)
R5CHK6_ORD	ord_iptransmitted in ('-', '+')
R5CHK7_ORD	ord_converttoasn in ('-', '+')

R5ORDERTERMS

Constraint name	Where clause
R5CHK1_ORT	ort_notused in ('+', '-')

R5ORGANIZATION

Constraint name	Where clause
R5CHK1_ORG	org_common IN ('-', '+')
R5CHK2_ORG	org_requestrecalcdep IN ('-', '+')

R5ORGANIZATIONOPTIONS

Constraint name	Where clause
R5CHK1_OPA	opa_type IN ('CHAR', 'CODE', 'NUM', 'URL')

R5ORGLOCATION

Constraint name	Where clause
R5CHK01_OGL	ogl_bodgroup IN ('A', 'M', 'P', 'W')

R5ORIGINATORS

Constraint name	Where clause
R5CHK1_ORI	(ori_class IS NULL AND ori_class_org IS NULL) OR (ori_class IS NOT NULL AND ori_class_org IS NOT NULL)

R5ORLREVISIONS

Constraint name	Where clause
R5CHK1_OLR	olr_inspect IN ('+', '-')

R5PACKAGE

Constraint name	Where clause
R5CHK1_PKG	pkg_udfchkbox01 IN ('+', '-')
R5CHK2_PKG	pkg_udfchkbox02 IN ('+', '-')
R5CHK3_PKG	pkg_udfchkbox03 IN ('+', '-')
R5CHK4_PKG	pkg_udfchkbox04 IN ('+', '-')
R5CHK5_PKG	pkg_udfchkbox05 IN ('+', '-')

R5PACKAGELINES

Constraint name	Where clause
R5CHK1_PKL	pkl_udfchkbox01 IN ('+', '-')
R5CHK2_PKL	pkl_udfchkbox02 IN ('+', '-')
R5CHK3_PKL	pkl_udfchkbox03 IN ('+', '-')
R5CHK4_PKL	pkl_udfchkbox04 IN ('+', '-')
R5CHK5_PKL	pkl_udfchkbox05 IN ('+', '-')

R5PACKINGSLIP

Constraint name	Where clause
R5CHK1_PSL	psl_delqty >= 0 AND psl_delqty <= 999999999999999999.999999
R5CHK2_PSL	psl_recvqty >= 0 AND psl_recvqty <= 999999999999999999.999999

R5PAGECACHE

Constraint name	Where clause
R5CHK1_PGC	pgc_layouttype IN ('W', 'M')

R5PAGELAYOUT

Constraint name	Where clause
R5CHK1_PLO	plo_elementtype IN ('F', 'B', 'G', 'LB', 'P')
R5CHK2_PLO	plo_attribute IN ('O', 'P', 'H', 'R', 'S', 'C')
R5CHK3_PLO	plo_presentinjsp IN ('S', 'V', 'N')

R5PARTCONDITIONTEMPLATE

Constraint name	Where clause
R5CHK1_PCT	pct_notused IN ('+', '-')

R5PARTCTPLCONDITIONS

Constraint name	Where clause
R5CHK1_PTC	ptc_orderable IN ('+', '-')
R5CHK2_PTC	ptc_preventissue IN ('+', '-')

R5PARTEVALUATIONS

Constraint name	Where clause
R5CHK01_PEN	pen_search_notused IN ('+', '-')

R5PARTMFGS

R5CHK3_PSQ	psq_freq > 0
R5CHK4_PSQ	psq_perioduom IN ('D', 'M', 'Q', 'W', 'Y')
R5CHK5_PSQ	psq_meter >= 1
R5CHK6_PSQ	psq_meter2 >= 1
R5CHK7_PSQ	(psq_okwindow >= 0 AND psq_okwindow <= 100)
R5CHK8_PSQ	(psq_nearwindow >= 0 AND psq_nearwindow <= 100)
R5CHK9_PSQ	(psq_genwindow >= 0 AND psq_genwindow <= 100)

R5PERFORMANCEFORMULAS

Constraint name	Where clause
R5CHK1_PFF	pff_includechildren IN ('+', '-')
R5CHK2_PFF	pff_usagebased IN ('+', '-')
R5CHK3_PFF	pff_usedowntimehrsifpresent IN ('+', '-')
R5CHK4_PFF	pff_udfchkbox01 IN ('+', '-')
R5CHK5_PFF	pff_udfchkbox02 IN ('+', '-')
R5CHK6_PFF	pff_udfchkbox03 IN ('+', '-')
R5CHK7_PFF	pff_udfchkbox04 IN ('+', '-')
R5CHK8_PFF	pff_udfchkbox05 IN ('+', '-')

R5PERIODS

Constraint name	Where clause
R5CHK1_ACP	acp_start <= acp_end
R5CHK2_ACP	acp_seqno BETWEEN 1 AND 99

R5PERMENTITIES

Constraint name	Where clause
R5CHK1_PRE	pre_mand IN ('+', '-')

R5PERMEVENTS

Constraint name	Where clause
R5CHK1_PEV	pev_active IN ('+', '-')
R5CHK2_PEV	pev_deletdepending IN ('+', '-')

R5PERMITS

Constraint name	Where clause
R5CHK1_PRT	(prt_class IS NULL AND prt_class_org IS NULL) OR (prt_class IS NOT NULL AND prt_class_org IS NOT NULL)

R5PERMITTOWORK

Constraint name	Where clause
R5CHK10_PTW	ptw_udfchkbox08 IN ('+', '-')
R5CHK11_PTW	ptw_udfchkbox09 IN ('+', '-')
R5CHK12_PTW	ptw_udfchkbox10 IN ('+', '-')
R5CHK1_PTW	ptw_unassessedconflicts IN ('+', '-')
R5CHK2_PTW	ptw_isolated IN ('+', '-')
R5CHK3_PTW	ptw_udfchkbox01 IN ('+', '-')
R5CHK4_PTW	ptw_udfchkbox02 IN ('+', '-')
R5CHK5_PTW	ptw_udfchkbox03 IN ('+', '-')
R5CHK6_PTW	ptw_udfchkbox04 IN ('+', '-')
R5CHK7_PTW	ptw_udfchkbox05 IN ('+', '-')
R5CHK8_PTW	ptw_udfchkbox06 IN ('+', '-')
R5CHK9_PTW	ptw_udfchkbox07 IN ('+', '-')

R5PERMITTOWORKLOTO

Constraint name	Where clause
R5CHK1_PWL	pwl_isolationstep IN ('+', '-')
R5CHK2_PWL	pwl_deletdepending IN ('+', '-')

R5PERSONNEL

Constraint name	Where clause
R5CHK1_PER	per_notused IN ('-', '+')
R5CHK2_PER	(per_class IS NULL AND per_class_org IS NULL) OR

	(per_class IS NOT NULL AND per_class_org IS NOT NULL)
R5CHK3_PER	per_tradesperson IN ('+', '-')
R5CHK4_PER	per_workspaceoccupant IN ('+', '-')
R5CHK5_PER	per_determinescrewlocation IN ('+', '-')

R5PERSONNELQUALIFICATIONS

Constraint name	Where clause
R5CHK1_PQU	pqu_tempdisqualified IN ('-', '+')

R5PICKLISTPARTS

Constraint name	Where clause
R5CHK1_PIP	pip_qty > 0
R5CHK3_PIP	pip_parprice >= 0
R5CHK4_PIP	pip_udfchkbox01 IN ('+', '-')
R5CHK5_PIP	pip_udfchkbox02 IN ('+', '-')
R5CHK6_PIP	pip_udfchkbox03 IN ('+', '-')
R5CHK7_PIP	pip_udfchkbox04 IN ('+', '-')
R5CHK8_PIP	pip_udfchkbox05 IN ('+', '-')

R5PICKLISTS

Constraint name	Where clause
R5CHK1_PIC	(pic_class IS NULL AND pic_class_org IS NULL) OR (pic_class IS NOT NULL AND pic_class_org IS NOT NULL)

R5PIPINGCLASS

Constraint name	Where clause
R5CHK1_PCS	(pcs_class IS NULL AND pcs_class_org IS NULL) OR (pcs_class IS NOT NULL AND pcs_class_org IS NOT NULL)

R5PMFORECASTPARAMS

Constraint name	Where clause
R5CHK1_PFP	pfp_defparam IN ('+', '-')
R5CHK2_PFP	pfp_inc_children IN ('+', '-')
R5CHK3_PFP	pfp_backfilling IN ('+', '-')
R5CHK4_PFP	pfp_session_aprv IN ('+', '-')
R5CHK5_PFP	pfp_enablechildequiptab IN ('+', '-')

R5PMRESOURCES

Constraint name	Where clause
R5CHK1_PMR	pmr_active IN ('-', '+')
R5CHK2_PMR	pmr_offset IN ('-', '+')

R5POINTS

Constraint name	Where clause
R5CHK1_POI	poi_udfchkbox01 IN ('+', '-')
R5CHK2_POI	poi_udfchkbox02 IN ('+', '-')
R5CHK3_POI	poi_udfchkbox03 IN ('+', '-')
R5CHK4_POI	poi_udfchkbox04 IN ('+', '-')
R5CHK5_POI	poi_udfchkbox05 IN ('+', '-')

R5POINTTYPES

Constraint name	Where clause
R5CHK1_PTP	(ptp_class IS NULL AND ptp_class_org IS NULL) OR (ptp_class IS NOT NULL AND ptp_class_org IS NOT NULL)

R5POLICIES

Constraint name	Where clause
R5CHK1_POL	pol_notused IN ('+', '-')

R5PPMACTS

Constraint name	Where clause

R5CHK1_PPA	ppa_est >= 0 AND ppa_est <= 9999999999.99
R5CHK3_PPA	ppa_duration >=1
R5CHK4_PPA	ppa_persons >=1
R5CHK5_PPA	ppa_start >= 0
R5CHK6_PPA	ppa_special IN ('+', '-')
R5CHK7_PPA	ppa_hire IN ('+', '-')
R5CHK8_PPA	ppa_qty >= 0

R5PPMCALENDARS

Constraint name	Where clause
R5CHK1_PPC	ppc_reuse IN ('+', '-')

R5PPMOBJECTS

Constraint name	Where clause
R5CHK10_PPO	ppo_performonday IN ('0', '1','2','3','4','5','6')
R5CHK11_PPO	ppo_duenonconformitiesonly IN ('+', '-')
R5CHK12_PPO	ppo_includenonconformities IN ('+', '-')
R5CHK13_PPO	ppo_copyudfstowo IN ('+', '-')
R5CHK14_PPO	ppo_udfchkbox01 IN ('+', '-')
R5CHK15_PPO	ppo_udfchkbox02 IN ('+', '-')
R5CHK16_PPO	ppo_udfchkbox03 IN ('+', '-')
R5CHK17_PPO	ppo_udfchkbox04 IN ('+', '-')
R5CHK18_PPO	ppo_udfchkbox05 IN ('+', '-')
R5CHK19_PPO	ppo_udfchkbox06 IN ('+', '-')
R5CHK1_PPO	ppo_isstype IN ('F', 'V', 'D')
R5CHK20_PPO	ppo_udfchkbox07 IN ('+', '-')
R5CHK21_PPO	ppo_udfchkbox08 IN ('+', '-')
R5CHK22_PPO	ppo_udfchkbox09 IN ('+', '-')
R5CHK23_PPO	ppo_udfchkbox10 IN ('+', '-')
R5CHK2_PPO	ppo_changed IN ('+', '-')
R5CHK3_PPO	ppo_freq > 0
R5CHK4_PPO	ppo_meter BETWEEN 1 AND 9999999999999999.999999
R5CHK5_PPO	(ppo_class IS NULL AND ppo_class_org IS NULL) OR (ppo_class IS NOT NULL AND ppo_class_org IS NOT NULL)
R5CHK6_PPO	(ppo_location IS NULL AND ppo_location_org IS NULL) OR (ppo_location IS NOT NULL AND ppo_location_org IS NOT NULL)
R5CHK8_PPO	ppo_fixed IN ('F', 'V', 'D')
R5CHK9_PPO	ppo_performonweek IN ('1','2','3','4','L')

R5PPMPLAN

Constraint name	Where clause
R5CHK1_PMP	(pmp_class IS NULL AND pmp_class_org IS NULL) OR (pmp_class IS NOT NULL AND pmp_class_org IS NOT NULL)
R5CHK2_PMP	(pmp_objectclass IS NULL AND pmp_objectclass_org IS NULL) OR (pmp_objectclass IS NOT NULL AND pmp_objectclass_org IS NOT NULL)

R5PPMS

Constraint name	Where clause
R5CHK10_PPM	ppm_package IN ('+', '-')
R5CHK11_PPM	(ppm_woclass IS NULL AND ppm_woclass_org IS NULL) OR (ppm_woclass IS NOT NULL AND ppm_woclass_org IS NOT NULL)
R5CHK12_PPM	ppm_performonweek IN ('1','2','3','4','L')
R5CHK13_PPM	ppm_performonday IN ('0', '1','2','3','4','5','6')
R5CHK14_PPM	ppm_udfchkbox06 IN ('+', '-')
R5CHK15_PPM	ppm_udfchkbox07 IN ('+', '-')
R5CHK16_PPM	ppm_udfchkbox08 IN ('+', '-')
R5CHK17_PPM	ppm_udfchkbox09 IN ('+', '-')
R5CHK18_PPM	ppm_udfchkbox10 IN ('+', '-')
R5CHK1_PPM	ppm_duration > 0
R5CHK2_PPM	ppm_freq > 0
R5CHK3_PPM	ppm_meter >= 1 AND ppm_meter <= 9999999999999999.999999
R5CHK4_PPM	ppm_isstype IN ('F', 'V', 'D')

R5CHK5_PPM	ppm_special IN ('+', '-')
R5CHK6_PPM	ppm_okwindow >= 0 AND ppm_okwindow <= 100
R5CHK7_PPM	ppm_nearwindow >= 0 AND ppm_nearwindow <= 100
R5CHK8_PPM	ppm_genwindow >= 0 AND ppm_genwindow <= 100
R5CHK9_PPM	(ppm_class IS NULL AND ppm_class_org IS NULL) OR (ppm_class IS NOT NULL AND ppm_class_org IS NOT NULL)

R5PRECAUTIONS

Constraint name	Where clause
R5CHK1_PCA	pca_notused IN ('+', '-')

R5PREFERENCES

Constraint name	Where clause
R5CHK1_PRF	prf_default IN ('+', '-')

R5PRICECODES

Constraint name	Where clause
R5CHK1_PRI	(pri_class IS NULL AND pri_class_org IS NULL) OR (pri_class IS NOT NULL AND pri_class_org IS NOT NULL)

R5PRICING

Constraint name	Where clause
R5CHK1_PRC	prc_percent >= 0 AND prc_percent <= 9999

R5PRODREQRESOURCES

Constraint name	Where clause
R5CHK1_PRR	prr_offset IN ('-', '+')

R5PRODUCTIONPRIORITY

Constraint name	Where clause
R5CHK1_PDP	pdp_active IN ('-', '+')

R5PROJBUDCLASSES

Constraint name	Where clause
R5CHK1_PCL	pcl_amount >= 0.0 AND pcl_amount <= 9999999999999999.999999

R5PROJBUDCODES

Constraint name	Where clause
R5CHK1_PBC	(pbc_class IS NULL AND pbc_class_org IS NULL) OR (pbc_class IS NOT NULL AND pbc_class_org IS NOT NULL)

R5PROJECTS

Constraint name	Where clause
R5CHK1_PRJ	prj_actstart <= prj_actend
R5CHK2_PRJ	prj_eststart <= prj_estend
R5CHK3_PRJ	prj_actbud >= 0 AND prj_actbud <= 9999999999999999.999999
R5CHK4_PRJ	prj_estlab >= 0 AND prj_estlab <= 9999999999999999.999999
R5CHK5_PRJ	prj_estserv >= 0 AND prj_estserv <= 9999999999999999.999999
R5CHK6_PRJ	prj_estmat >= 0 AND prj_estmat <= 9999999999999999.999999
R5CHK7_PRJ	prj_estdirm >= 0 AND prj_estdirm <= 9999999999999999.999999
R5CHK8_PRJ	(prj_actbud IS NULL AND prj_buddate IS NULL) OR (prj_actbud IS NOT NULL AND prj_buddate IS NOT NULL)
R5CHK9_PRJ	prj_sdjobscreated IN ('+', '-')
R5CHKA_PRJ	(prj_class IS NULL AND prj_class_org IS NULL) OR (prj_class IS NOT NULL AND prj_class_org IS NOT NULL)
R5CHKB_PRJ	prj_preconstructionriskasmnt IN ('+', '-')
R5CHKC_PRJ	prj_udfchkbbox01 IN ('+', '-')
R5CHKD_PRJ	prj_udfchkbbox02 IN ('+', '-')
R5CHKE_PRJ	prj_udfchkbbox03 IN ('+', '-')
R5CHKF_PRJ	prj_udfchkbbox04 IN ('+', '-')

R5CHKG_PRJ	prj_udfchkbbox05 IN ('+', '-')
R5CHKH_PRJ	prj_cudesignproject IN ('+', '-')

R5PROPERTIES

Constraint name	Where clause
R5CHK1_PRO	pro_type IN ('DATE', 'NUM', 'CHAR', RENT', 'CODE' , 'DATI')
R5CHK2_PRO	pro_includeingrids IN ('+', '-')

R5PSCATEGORIES

Constraint name	Where clause
R5CHK1_PSC	psc_notused IN ('+', '-')
R5CHK2_PSC	psc_servicerequestportal IN ('+', '-')

R5PUMPS

Constraint name	Where clause
R5CHK1_PUM	pum_notused IN ('-', '+')

R5QUALIFICATIONS

Constraint name	Where clause
R5CHK1_QUA	qua_active IN ('-', '+')

R5QUERIES

Constraint name	Where clause
R5CHK1_QUE	que_normal IN ('+', '-')
R5CHK2_QUE	que_asset IN ('+', '-')
R5CHK3_QUE	que_inbox IN ('+', '-')
R5CHK4_QUE	que_kpi IN ('+', '-')
R5CHK5_QUE	que_lookup IN ('-', '+')
R5CHK6_QUE	que_chart IN ('+', '-')
R5CHK7_QUE	que_equipmentranking IN ('-', '+')

R5QUERYFIELD

Constraint name	Where clause
R5CHK1_DQF	dqf_viewtype IN ('LIST', 'PORTLET', 'LOV')

R5QUOTATIONS

Constraint name	Where clause
R5CHK1_QUO	quo_due >= quo_date
R5CHK2_QUO	quo_total >= 0.0
R5CHK3_QUO	quo_leadtime >= 0 AND quo_leadtime <= 999.9
R5CHK4_QUO	quo_score >= 0 AND quo_score <= 99
R5CHK5_QUO	quo_printed IN ('+', '-')
R5CHK6_QUO	(quo_class IS NULL AND quo_class_org IS NULL) OR (quo_class IS NOT NULL AND quo_class_org IS NOT NULL)
R5CHK7_QUO	(quo_order IS NULL AND quo_order_org IS NULL) OR (quo_order IS NOT NULL AND quo_order_org IS NOT NULL)

R5QUOTLINES

Constraint name	Where clause
R5CHK1_QUL	QUL_REQQTY >= 0 AND QUL_REQQTY <= 9999999999999999.999999
R5CHK2_QUL	qul_persons >= 0 AND qul_persons <= 99999999
R5CHK3_QUL	qul_reqpers >= 0 AND qul_reqpers <= 99999999
R5CHK4_QUL	qul_quotqty >= 0 AND qul_quotqty <= 9999999999999999.999999
R5CHK5_QUL	qul_price >= 0 AND qul_price <= 9999999999999999.999999
R5CHK6_QUL	qul_leadtime >= 0 AND qul_leadtime <= 999.9
R5CHK7_QUL	QUL_MULTIPLY >= 0 AND QUL_MULTIPLY <= 999999.9999
R5CHKF_QUL	qul_taskqty >= 0
R5CHKG_QUL	qul_quottaskqty >= 0
R5CHKH_QUL	(qul_part IS NULL AND qul_part_org IS NULL) OR (qul_part IS NOT NULL AND qul_part_org IS NOT NULL)
R5CHKI_QUL	QUL_INSPECT IN ('+', '-')

R5QUOTTASKS

Constraint name	Where clause
R5CHK1_QUT	qut_line >= 1 AND qut_line <= 99999999

R5RCMFAILUREMITIGATION

Constraint name	Where clause
R5CHK1_RFM	rfm_mitigationapplied IN ('+', '-')
R5CHK2_RFM	rfm_udfchkbox01 IN ('+', '-')
R5CHK3_RFM	rfm_udfchkbox02 IN ('+', '-')
R5CHK4_RFM	rfm_udfchkbox03 IN ('+', '-')
R5CHK5_RFM	rfm_udfchkbox04 IN ('+', '-')
R5CHK6_RFM	rfm_udfchkbox05 IN ('+', '-')

R5RCMTEMPLATEEQUIPCLASSES

Constraint name	Where clause
R5CHK1_REC	rec_udfchkbox01 IN ('+', '-')
R5CHK2_REC	rec_udfchkbox02 IN ('+', '-')
R5CHK3_REC	rec_udfchkbox03 IN ('+', '-')
R5CHK4_REC	rec_udfchkbox04 IN ('+', '-')
R5CHK5_REC	rec_udfchkbox05 IN ('+', '-')

R5RCMTEMPLATES

Constraint name	Where clause
R5CHK01_RCT	rct_notused IN ('+', '-')
R5CHK02_RCT	rct_blackswan IN ('+', '-')
R5CHK03_RCT	rct_udfchkbox01 IN ('+', '-')
R5CHK04_RCT	rct_udfchkbox02 IN ('+', '-')
R5CHK05_RCT	rct_udfchkbox03 IN ('+', '-')
R5CHK06_RCT	rct_udfchkbox04 IN ('+', '-')
R5CHK07_RCT	rct_udfchkbox05 IN ('+', '-')
R5CHK08_RCT	(rct_class IS NULL AND rct_class_org IS NULL) OR (rct_class IS NOT NULL AND rct_class_org IS NOT NULL)

R5READINGS

Constraint name	Where clause
R5CHK1_REA	rea_reading <= 999999999999999999.999999
R5CHK2_REA	(rea_object IS NULL AND rea_object_org IS NULL) OR (rea_object IS NOT NULL AND rea_object_org IS NOT NULL)
R5CHK3_REA	rea_udfchkbox01 IN ('+', '-')
R5CHK4_REA	rea_udfchkbox02 IN ('+', '-')
R5CHK5_REA	rea_udfchkbox03 IN ('+', '-')
R5CHK6_REA	rea_udfchkbox04 IN ('+', '-')
R5CHK7_REA	rea_udfchkbox05 IN ('+', '-')

R5REDUCTIONS

Constraint name	Where clause
R5CHK1_RED	red_discperc >= -100 AND red_discperc <= 100

R5REGIONS

Constraint name	Where clause
R5CHK1_RGN	rgn_tempuom IN ('F', 'C')
R5CHK2_RGN	rgn_notused IN ('+', '-')
R5CHK3_RGN	rgn_actualtempsource IN ('NONE', 'NCDC', 'WWO')

R5REJECTREASONS

Constraint name	Where clause
R5CHK1_RJR	(rjr_class IS NULL AND rjr_class_org IS NULL) OR (rjr_class IS NOT NULL AND rjr_class_org IS NOT NULL)

R5RELIABILITYRANKINGLEVELS

Constraint name	Where clause

R5CHK1_RRL	rrl_questionlevel IN ('+', '-')
R5CHK2_RRL	rrl_numeric IN ('+', '-')
R5CHK3_RRL	rrl_integer IN ('+', '-')
R5CHK4_RRL	rrl_calculated IN ('+', '-')
R5CHK5_RRL	rrl_allowoperatorchecklist IN ('+', '-')

R5RELIABILITYRANKINGRANKS

Constraint name	Where clause
R5CHK1_RRR	rrr_minvalue <= rrr_maxvalue

R5RELIABILITYRANKINGS

Constraint name	Where clause
R5CHK1_RRK	rrk_notused IN ('+', '-')
R5CHK2_RRK	rrk_trackhistory IN ('+', '-')
R5CHK3_RRK	rrk_udfchkbox01 IN ('+', '-')
R5CHK4_RRK	rrk_udfchkbox02 IN ('+', '-')
R5CHK5_RRK	rrk_udfchkbox03 IN ('+', '-')
R5CHK6_RRK	rrk_udfchkbox04 IN ('+', '-')
R5CHK7_RRK	rrk_udfchkbox05 IN ('+', '-')

R5RELIABILITYRANKINGVALUES

Constraint name	Where clause
R5CHK1_RRV	rrv_includechildren IN ('+', '-')

R5REPAIRBINS

Constraint name	Where clause
R5CHK1_RPB	rpb_qty >= 0

R5REPBACPARMS

Constraint name	Where clause
R5CHK1_RBP	rbp_line <= 99999999 AND rbp_line >= 0

R5REPORTFILTERS

Constraint name	Where clause
R5CHK1_RFI	rfi_default IN ('+', '-')

R5REPPARMS

Constraint name	Where clause
R5CHK1_PMT	pmt_line > 0
R5CHK2_PMT	pmt_datatype IN ('C', 'CB', 'D', 'DF', 'DT', 'N', 'RB', 'O', 'CF')
R5CHK3_PMT	pmt_fixed IN ('+', '-')
R5CHK4_PMT	pmt_mandatory IN ('+', '-')
R5CHK5_PMT	pmt_remember IN ('+', '-')
R5CHK6_PMT	pmt_datatype NOT IN ('C', 'N') OR pmt_length IS NOT NULL

R5REQUIRCODES

Constraint name	Where clause
R5CHK1_RQM	rqm_gen IN ('+', '-')
R5CHK2_RQM	(rqm_class IS NULL AND rqm_class_org IS NULL) OR (rqm_class IS NOT NULL AND rqm_class_org IS NOT NULL)
R5CHK3_RQM	rqm_notused IN ('+', '-')
R5CHK4_RQM	rqm_enableworkorders IN ('+', '-')

R5REQUISITIONS

Constraint name	Where clause
R5CHK1_REQ	NOT ((req_fromentity = req_toentity) AND (req_fromtype = req_totype) AND (req_fromcode = req_tocode))
R5CHK2_REQ	req_printed IN ('+', '-')
R5CHK3_REQ	(req_class IS NULL AND req_class_org IS NULL) OR (req_class IS NOT NULL AND req_class_org IS NOT NULL)

R5REQUISLINES

Constraint name	Where clause
R5CHK1_RQL	rql_qty >= 0 AND rql_qty <= 9999999999999999.999999
R5CHK3_RQL	rql_quotflag IN ('0', '1', '2')
R5CHK4_RQL	rql_recvqty >= 0 AND rql_recvqty <= 9999999999999999.999999
R5CHK5_RQL	rql_recvvalue >= 0 AND rql_recvvalue <= 9999999999999999.999999
R5CHK6_RQL	rql_active IN ('+', '-')
R5CHK7_RQL	rql_exch >= 0.000001 AND rql_exch <= 99999999999.99999999999
R5CHK8_RQL	rql_warranty IN ('+', '-')
R5CHK9_RQL	rql_taskqty >= 0
R5CHKA_RQL	rql_recvtaskqty >= 0
R5CHKB_RQL	(rql_supplier IS NULL AND rql_supplier_org IS NULL) OR (rql_supplier IS NOT NULL AND rql_supplier_org IS NOT NULL)
R5CHKC_RQL	(rql_part IS NULL AND rql_part_org IS NULL) OR (rql_part IS NOT NULL AND rql_part_org IS NOT NULL)
R5CHKD_RQL	rql_inspect IN ('+', '-')
R5CHKE_RQL	rql_ipcurrprice in ('-', '+')

R5RESERVATIONS

Constraint name	Where clause
R5CHK1_RES	res_qty >= 0 and res_qty <= 9999999999999999.999999
R5CHK2_RES	res_crit IN ('+', '-')
R5CHK3_RES	res_qty >= NVL(res_allqty,0)

R5RESOURCES

Constraint name	Where clause
R5CHK1_RSS	rss_active IN ('-', '+')

R5REVCNTRLSETUP

Constraint name	Where clause
R5CHK1_RCS	rcs_protected IN ('+', '-')

R5RFQLINERESPONSES

Constraint name	Where clause
R5CHK1_RLR	rlr_notoffered in ('-', '+')
R5CHK2_RLR	rlr_freezerate in ('-', '+')
R5CHK3_RLR	rlr_purqty >= 0 AND rlr_purqty <= 9999999999999999.999999
R5CHK4_RLR	rlr_multiply > 0
R5CHK5_RLR	rlr_summarized in ('-', '+')

R5RFQLINES

Constraint name	Where clause
R5CHK1_RLI	rli_qty >= 0 AND rli_qty <= 9999999999999999.999999
R5CHK2_RLI	rli_inspect IN ('-', '+')
R5CHK3_RLI	(rli_part IS NULL AND rli_part_org IS NULL) OR (rli_part IS NOT NULL AND rli_part_org IS NOT NULL)
R5CHK4_RLI	rli_taskqty >= 0

R5RFQRESPONSES

Constraint name	Where clause
R5CHK1_RFR	(rfr_class IS NULL AND rfr_class_org IS NULL) OR (rfr_class IS NOT NULL AND rfr_class_org IS NOT NULL)

R5RFQUOTATIONS

Constraint name	Where clause
R5CHK1_RFQ	rfq_print IN ('-', '+')
R5CHK2_RFQ	rfq_responseopt IN ('I', 'Q', 'D')

R5RISK

Constraint name	Where clause
R5CHK1_RIS	(ris_class IS NULL AND ris_class_org IS NULL) OR (ris_class IS NOT NULL AND ris_class_org IS NOT NULL)

R5CHK2_RIS	(ris_class IS NULL AND ris_class_org IS NULL) OR (ris_class IS NOT NULL AND ris_class_org IS NOT NULL)
R5CHK3_RIS	ris_notused IN ('+', '-')
R5CHK4_RIS	ris_type IN ('F', 'B')
R5CHK5_RIS	ris_normalize IN ('+', '-')

R5RISKMATRIXCONSEQCOST

Constraint name	Where clause
R5CHK1_RCC	rcc_udfchkbox01 IN ('+', '-')
R5CHK2_RCC	rcc_udfchkbox02 IN ('+', '-')
R5CHK3_RCC	rcc_udfchkbox03 IN ('+', '-')
R5CHK4_RCC	rcc_udfchkbox04 IN ('+', '-')
R5CHK5_RCC	rcc_udfchkbox05 IN ('+', '-')
R5CHK6_RCC	rcc_blackswan IN ('N'+', 'N'-')

R5RISKMATRIXSETUP

Constraint name	Where clause
R5CHK01_RMS	rms_blackswan IN('+', '-')

R5RISKNORM

Constraint name	Where clause
R5CHK1_RNO	rno_max >= rno_min

R5RMA

Constraint name	Where clause
R5CHK1_RMA	(rma_supplier IS NULL AND rma_supplier_org IS NULL) OR (rma_supplier IS NOT NULL AND rma_supplier_org IS NOT NULL)

R5ROOTITEMS

Constraint name	Where clause
R5CHK1_ROT	rot_reqm <> rot_suggest

R5ROUTEPOINTS

Constraint name	Where clause
R5CHK1_ROP2	rop_line BETWEEN 1 AND 99999999
R5CHK2_ROP2	rop_level >= 1

R5ROUTES

Constraint name	Where clause
R5CHK01_ROU	rou_template IN ('+', '-')
R5CHK2_ROU	(rou_class IS NULL AND rou_class_org IS NULL) OR (rou_class IS NOT NULL AND rou_class_org IS NOT NULL)
R5CHK3_ROU	rou_linkgiswo IN ('-', '+')

R5ROUTOBJECTS

Constraint name	Where clause
R5CHK01_ROB	rob_line >= 1 AND rob_line <= 99999999

R5SAFETYMATRIX

Constraint name	Where clause
R5CHK1_SFM	sfm_applytochildren IN ('+', '-')
R5CHK2_SFM	sfm_udfchkbox01 IN ('+', '-')
R5CHK3_SFM	sfm_udfchkbox02 IN ('+', '-')
R5CHK4_SFM	sfm_udfchkbox03 IN ('+', '-')
R5CHK5_SFM	sfm_udfchkbox04 IN ('+', '-')
R5CHK6_SFM	sfm_udfchkbox05 IN ('+', '-')

R5SCHEDGROUPS

Constraint name	Where clause
R5CHK1_SCG	(scg_class IS NULL AND scg_class_org IS NULL) OR (scg_class IS NOT NULL AND scg_class_org IS NOT NULL)
R5CHK2_SCG	scg_notused in ('+', '-')

R5SERVICECATALOGUE

Constraint name	Where clause
R5CHK1_SCA	sca_price >= 0
R5CHK2_SCA	sca_leadtime >= 0
R5CHK3_SCA	sca_multiply > 0

R5SERVICECODES

Constraint name	Where clause
R5CHK1_SRV	srv_responsetime >= 0
R5CHK2_SRV	srv_costestimate >= 0

R5SERVICELOGS

Constraint name	Where clause
R5CHK1_LOG	log_responsetime >= 0

R5SERVICEPROBLEMCODES

Constraint name	Where clause
R5CHK1_SPB	spb_notused IN ('+', '-')
R5CHK2_SPB	spb_autocreatewo IN ('+', '-')
R5CHK3_SPB	spb_servicerequestportal IN ('+', '-')

R5SERVICEREQUESTS

Constraint name	Where clause
R5CHK10_SRQ	srq_udfchkbox06 IN ('+', '-')
R5CHK11_SRQ	srq_udfchkbox07 IN ('+', '-')
R5CHK12_SRQ	srq_udfchkbox08 IN ('+', '-')
R5CHK13_SRQ	srq_udfchkbox09 IN ('+', '-')
R5CHK14_SRQ	srq_udfchkbox10 IN ('+', '-')
R5CHK1_SRQ	srq_responsetime >= 0
R5CHK2_SRQ	srq_costestimate >= 0
R5CHK3_SRQ	(srq_class IS NULL AND srq_class_org IS NULL) OR (srq_class IS NOT NULL AND srq_class_org IS NOT NULL)
R5CHK5_SRQ	srq_udfchkbox01 IN ('+', '-')
R5CHK6_SRQ	srq_udfchkbox02 IN ('+', '-')
R5CHK7_SRQ	srq_udfchkbox03 IN ('+', '-')
R5CHK8_SRQ	srq_udfchkbox04 IN ('+', '-')
R5CHK9_SRQ	srq_udfchkbox05 IN ('+', '-')

R5SHFCREWS

Constraint name	Where clause
R5CHK1_SHC	shc_start <= shc_end

R5SHFDAYS

Constraint name	Where clause
R5CHK1_SHD	shd_time >= 00.00
R5CHK2_SHD	shd_hours >= 0 AND shd_hours <= 24
R5CHK3_SHD	shd_day >= 1

R5SHFPERS

Constraint name	Where clause
R5CHK1_SHP	shp_start <= shp_end

R5SHIFTS

Constraint name	Where clause
R5CHK1_SHF	shf_length > 0
R5CHK2_SHF	(shf_class IS NULL AND shf_class_org IS NULL) OR (shf_class IS NOT NULL AND shf_class_org IS NOT NULL)

R5SHUTDOWNOBJECTS

Constraint name	Where clause
R5CHK1_SOB	sob_depend IN ('+', '-')

R5CHK2_SOB	(sob_object IS NULL AND sob_object_org IS NULL) OR (sob_object IS NOT NULL AND sob_object_org IS NOT NULL)

R5SHUTDOWNS

Constraint name	Where clause
R5CHK1_SDS	(sds_class IS NULL AND sds_class_org IS NULL) OR (sds_class IS NOT NULL AND sds_class_org IS NOT NULL)

R5SOAUOMS

Constraint name	Where clause
R5CHK1_SUO	suo_active IN ('-', '+')

R5STANDARDCREWRATES

Constraint name	Where clause
R5CHK1_SCR	scr_udfchkbox01 IN ('+', '-')
R5CHK2_SCR	scr_udfchkbox02 IN ('+', '-')
R5CHK3_SCR	scr_udfchkbox03 IN ('+', '-')
R5CHK4_SCR	scr_udfchkbox04 IN ('+', '-')
R5CHK5_SCR	scr_udfchkbox05 IN ('+', '-')

R5STANDARDCREWS

Constraint name	Where clause
R5CHK1_SCW	scw_notused IN ('+', '-')

R5STANDWACTS

Constraint name	Where clause
R5CHK1_WAC	wac_est >= 0 AND wac_est <= 9999999999.99
R5CHK3_WAC	wac_duration >=1
R5CHK4_WAC	wac_persons >=1
R5CHK5_WAC	wac_start >=1
R5CHK6_WAC	wac_special IN ('+', '-')
R5CHK7_WAC	wac_hire IN ('+', '-')
R5CHK8_WAC	wac_qty >= 0

R5STANDWORKS

Constraint name	Where clause
R5CHK10_STW	stw_udfchkbox08 IN ('+', '-')
R5CHK11_STW	stw_udfchkbox09 IN ('+', '-')
R5CHK12_STW	stw_udfchkbox10 IN ('+', '-')
R5CHK1_STW	stw_duration >= 1
R5CHK2_STW	(stw_class IS NULL AND stw_class_org IS NULL) OR (stw_class IS NOT NULL AND stw_class_org IS NOT NULL)
R5CHK3_STW	(stw_object IS NULL AND stw_object_org IS NULL) OR (stw_object IS NOT NULL AND stw_object_org IS NOT NULL)
R5CHK4_STW	(stw_obclass IS NULL AND stw_obclass_org IS NULL) OR (stw_obclass IS NOT NULL AND stw_obclass_org IS NOT NULL)
R5CHK6_STW	(stw_woclass IS NULL AND stw_woclass_org IS NULL) OR (stw_woclass IS NOT NULL AND stw_woclass_org IS NOT NULL)
R5CHK7_STW	stw_notused IN ('+', '-')
R5CHK8_STW	stw_udfchkbox06 IN ('+', '-')
R5CHK9_STW	stw_udfchkbox07 IN ('+', '-')

R5STOCK

Constraint name	Where clause
R5CHK1_STO	sto_minlev >= 0 and sto_minlev <= 9999999999999999.999999
R5CHK2_STO	sto_minlev <= sto_ordlev
R5CHK3_STO	sto_ondemand IN ('-', '+', 'M')
R5CHK4_STO	sto_ordqty >= 0 and sto_ordqty <= 9999999999999999.999999
R5CHK5_STO	sto_leadtime >= 0 AND sto_leadtime <= 999.9
R5CHK6_STO	sto_prefstore <> sto_store
R5CHK7_STO	sto_stockout IN ('+', '-')

R5CHK8_STO	sto_consignment IN ('+', '-')
R5CHK9_STO	(sto_class IS NULL AND sto_class_org IS NULL) OR (sto_class IS NOT NULL AND sto_class_org IS NOT NULL)
R5CHKA_STO	(sto_prefsup IS NULL AND sto_prefsup_org IS NULL) OR (sto_prefsup IS NOT NULL AND sto_prefsup_org IS NOT NULL)
R5CHKB_STO	sto_repminqty >= 0
R5CHKC_STO	sto_repairqty >= 0
R5CHKD_STO	sto_vendorqty >= 0
R5CHKE_STO	sto_shopqty >= 0
R5CHKF_STO	sto_repleadtime >= 0
R5CHKG_STO	sto_repairtype IN ('+', '-')
R5CHKH_STO	sto_repstockmethod IN ('+', '-')
R5CHKI_STO	sto_repautoassign IN ('+', '-')

R5STOCKTAKELINES

Constraint name	Where clause
R5CHK1_STL	stl_phyqty >= 0
R5CHK2_STL	stl_expqty >= 0

R5STORES

Constraint name	Where clause
R5CHK1_STR	str_leadtime >= 0 AND str_leadtime <= 999.9
R5CHK2_STR	str_parent <> str_code
R5CHK3_STR	str_copy IN ('+', '-')
R5CHK4_STR	(str_class IS NULL AND str_class_org IS NULL) OR (str_class IS NOT NULL AND str_class_org IS NOT NULL)
R5CHK5_STR	(str_location IS NULL AND str_location_org IS NULL) OR (str_location IS NOT NULL AND str_location_org IS NOT NULL)
R5CHK6_STR	(str_system IS NULL AND str_system_org IS NULL) OR (str_system IS NOT NULL AND str_system_org IS NOT NULL)
R5CHK7_STR	str_directtowodefault IN ('+', '-')

R5STRATEGIES

Constraint name	Where clause
R5CHK1_STG	stg_notused IN ('+', '-')

R5STRUCTURES

Constraint name	Where clause
R5CHK1_STC	stc_rolldown IN ('+', '-')
R5CHK2_STC	stc_rollup IN ('+', '-')
R5CHK3_STC	stc_equivalent IN ('+', '-')
R5CHK4_STC	stc_downtime IN ('+', '-')
R5CHK5_STC	stc_parent '#' stc_parent_org <> stc_child '#' stc_child_org

R5SUPPEVALCODES

Constraint name	Where clause
R5CHK1_EVD	evd_notused IN ('+', '-')
R5CHK2_EVD	(evd_class IS NULL AND evd_class_org IS NULL) OR (evd_class IS NOT NULL AND evd_class_org IS NOT NULL)

R5SUPPEVALUATION

Constraint name	Where clause
R5CHK1_EVA	(eva_class IS NULL AND eva_class_org IS NULL) OR (eva_class IS NOT NULL AND eva_class_org IS NOT NULL)
R5CHK2_EVA	(eva_supplier IS NULL AND eva_supplier_org IS NULL) OR (eva_supplier IS NOT NULL AND eva_supplier_org IS NOT NULL)
R5CHK3_EVA	(eva_order IS NULL AND eva_order_org IS NULL) OR (eva_order IS NOT NULL AND eva_order_org IS NOT NULL)

R5SYMPTOMS

Constraint name	Where clause

R5CHK1_SYM	sym_gen IN ('+', '-')
R5CHK2_SYM	sym_partfailure IN ('+', '-')
R5CHK3_SYM	sym_notused IN ('+', '-')
R5CHK4_SYM	sym_enableworkorders IN ('+', '-')

R5SYNCWSPSETUP

Constraint name	Where clause
R5CHK1_SWS	sws_active IN ('+', '-')

R5TANKPUMPS

Constraint name	Where clause
R5CHK1_TPU	tpu_active IN ('-', '+')
R5CHK2_TPU	tpu_default IN ('-', '+')

R5TANKS

Constraint name	Where clause
R5CHK1_TAN	tan_notused IN ('-', '+')

R5TASKCHECKLISTS

Constraint name	Where clause
R5CHK1_TCH	tch_notused IN ('+', '-')
R5CHK4_TCH	tch_srccalculatedvalue IN ('+', '-')
R5CHK5_TCH	tch_metricfractionslider IN ('-', '+')
R5CHK6_TCH	tch_hidefollowup IN ('-', '+')
R5CHK7_TCH	tch_hidelinearfields IN ('-', '+')
R5CHK8_TCH	tch_enablenonconformities IN ('-', '+')

R5TASKPRICES

Constraint name	Where clause
R5CHK1_TPR	tpr_price >= 0 AND tpr_price <= 9999999999999999.999999

R5TASKS

Constraint name	Where clause
R5CHK10_TSK	tsk_udfchkbox03 IN ('+', '-')
R5CHK11_TSK	tsk_udfchkbox04 IN ('+', '-')
R5CHK12_TSK	tsk_udfchkbox05 IN ('+', '-')
R5CHK13_TSK	tsk_casemanagementchecklist IN ('+', '-')
R5CHK14_TSK	tsk_workspacemoves IN ('+', '-')
R5CHK15_TSK	tsk_defaulttag IN ('+', '-')
R5CHK16_TSK	tsk_nonconformitychecklist IN ('+', '-')
R5CHK17_TSK	tsk_preventperformedbysign IN ('+', '-')
R5CHK18_TSK	tsk_preventreviewedbysign IN ('+', '-')
R5CHK1_TSK	tsk_hours >= 0
R5CHK2_TSK	tsk_persons >= 0
R5CHK3_TSK	tsk_price >= 0
R5CHK4_TSK	(tsk_class IS NULL AND tsk_class_org IS NULL) OR (tsk_class IS NOT NULL AND tsk_class_org IS NOT NULL)
R5CHK5_TSK	tsk_notused IN ('+', '-')
R5CHK6_TSK	tsk_activechecklist IN ('+', '-')
R5CHK7_TSK	tsk_jobplan IN ('+', '-')
R5CHK8_TSK	tsk_udfchkbox01 IN ('+', '-')
R5CHK9_TSK	tsk_udfchkbox02 IN ('+', '-')

R5TASKTRADES

Constraint name	Where clause
R5CHK1_TAT	tat_hire IN ('+', '-')

R5TAXES

Constraint name	Where clause
R5CHK1_TAX	(tax_class IS NULL AND tax_class_org IS NULL) OR (tax_class IS NOT NULL AND tax_class_org IS NOT NULL)

R5TAXRATES

Constraint name	Where clause
R5CHK1_TXR	txr_invcalc IN ('+', '-')

R5TAXRATEVALUES

Constraint name	Where clause
R5CHK1_TXV	txv_start <= txv_end

R5TEMPLATECHARGEDEFS

Constraint name	Where clause
R5CHK1_TCD	tcd_invoice IN ('+', '-')
R5CHK2_TCD	tcd_invoiceconditional IN ('+', '-')
R5CHK3_TCD	tcd_taxable IN ('+', '-')
R5CHK4_TCD	tcd_chargeestusage IN ('+', '-')
R5CHK5_TCD	tcd_rollover IN ('+', '-')

R5TEMPLATEDISCOUNTS

Constraint name	Where clause
R5CHK1_TDC	tdc_applyeachinvoice IN ('+', '-')
R5CHK2_TDC	tdc_applyfullamount IN ('+', '-')

R5TEMPREQSFORORDER

Constraint name	Where clause
R5CHK1_TRO	tro_select IN ('+', '-')

R5TOLERANCE

Constraint name	Where clause
R5CHK1_TOL	tol_min >= 0
R5CHK2_TOL	tol_max >= 0
R5CHK3_TOL	tol_tolerance > 0
R5CHK4_TOL	tol_min <= tol_max

R5TOOLS

Constraint name	Where clause
R5CHK1_TOO	(too_class IS NULL AND too_class_org IS NULL) OR (too_class IS NOT NULL AND too_class_org IS NOT NULL)
R5CHK2_TOO	too_availableforcus IN ('+', '-')

R5TOOLUSAGE

Constraint name	Where clause
R5CHK1_TOU	tou_misc IN ('+', '-')

R5TRACKINGPROMPTS

Constraint name	Where clause
R5CHK1_TKP	tkp_defaultprevdata IN ('+', '-')
R5CHK3_TKP	tkp_branchcondition IN ('>','<','=','>=','<=','!=')

R5TRADERATES

Constraint name	Where clause
R5CHK1_TRR	trr_nrate >= 0 AND trr_nrate <= 999999.99
R5CHK3_TRR	trr_start <= trr_end
R5CHK4_TRR	trr_udfchkbox01 IN ('+', '-')
R5CHK5_TRR	trr_udfchkbox02 IN ('+', '-')
R5CHK6_TRR	trr_udfchkbox03 IN ('+', '-')
R5CHK7_TRR	trr_udfchkbox04 IN ('+', '-')
R5CHK8_TRR	trr_udfchkbox05 IN ('+', '-')
R5CHK9_TRR	trr_custandardrate >= 0 AND trr_custandardrate <= 999999.99

R5TRADES

Constraint name	Where clause
R5CHK1_TRD	(trd_class IS NULL AND trd_class_org IS NULL) OR (trd_class IS NOT NULL AND trd_class_org IS NOT NULL)
R5CHK2_TRD	trd_notused in ('+', '-')

R5CHK3_TRD	trd_udfchkbox01 IN ('+', '-')
R5CHK4_TRD	trd_udfchkbox02 IN ('+', '-')
R5CHK5_TRD	trd_udfchkbox03 IN ('+', '-')
R5CHK6_TRD	trd_udfchkbox04 IN ('+', '-')
R5CHK7_TRD	trd_udfchkbox05 IN ('+', '-')

R5TRANSACTIONS

Constraint name	Where clause
R5CHK1_TRA	NOT ((tra_fromentity = tra_toentity) AND (tra_fromrentity <> 'STOR') AND (tra_fromtype = tra_totype) AND (tra_fromcode = tra_tocode))
R5CHK2_TRA	(tra_class IS NULL AND tra_class_org IS NULL) OR (tra_class IS NOT NULL AND tra_class_org IS NOT NULL)
R5CHK3_TRA	tra_iptransmitted in ('-', '+')
R5CHK4_TRA	tra_udfchkbox01 IN ('+', '-')
R5CHK5_TRA	tra_udfchkbox02 IN ('+', '-')
R5CHK6_TRA	tra_udfchkbox03 IN ('+', '-')
R5CHK7_TRA	tra_udfchkbox04 IN ('+', '-')
R5CHK8_TRA	tra_udfchkbox05 IN ('+', '-')

R5TRANSLINES

Constraint name	Where clause
R5CHK1_TRL	trl_warranty IN ('+', '-')
R5CHK2_TRL	trl_qty >= -9999999999999999.999999 AND trl_qty <= 9999999999999999.999999
R5CHK3_TRL	trl_io IN (-1, 0, 1)
R5CHK4_TRL	trl_consignment IN ('+', '-')
R5CHK5_TRL	trl_leak IN ('-', '+')
R5CHK6_TRL	trl_fleetchecked IN ('-', '+', 'F', 'M', 'N')

R5TRANSTOCK

Constraint name	Where clause
R5CHK1_TST	tst_qty >= 0 AND tst_qty <= 9999999999999999.999999

R5UCODES

Constraint name	Where clause
R5CHK1_UCO	uco_system IN ('+', '-')
R5CHK2_UCO	uco_notused IN ('+', '-')

R5UDFSCREENFIELDS

Constraint name	Where clause
R5CHK1_USF	usf_uppercase IN ('+', '-')
R5CHK2_USF	usf_generated IN ('+', '-')
R5CHK3_USF	usf_droppdown IN ('+', '-')

R5UDFSCREENS

Constraint name	Where clause
R5CHK1_USC	usc_allowcomments IN ('+', '-')
R5CHK2_USC	usc_allowdocuments IN ('+', '-')
R5CHK3_USC	usc_class IN ('+', '-')
R5CHK4_USC	usc_orgsecurity IN ('+', '-')
R5CHK5_USC	usc_autogeneratekey IN ('+', '-')

R5UOMCONVERSION

Constraint name	Where clause
R5CHK1_UOC	uoc_confact > 0

R5UOMS

Constraint name	Where clause
R5CHK1_UOM	uom_notused IN ('+', '-')
R5CHK2_UOM	(uom_class IS NULL AND uom_class_org IS NULL) OR (uom_class IS NOT NULL AND uom_class_org IS NOT NULL)

R5URLPARAMETERS

Constraint name	Where clause
R5CHK1_URL	url_system IN ('+', '-')
R5CHK2_URL	url_active IN ('+', '-')
R5CHK3_URL	url_usefieldvalue IN ('+', '-')

R5USERDEFINEDFIELDSETUP

Constraint name	Where clause
R5CHK1_UDF	udf_lookuptype IN ('NONE', 'CODE', 'CODEDESC', 'RENT')
R5CHK2_UDF	udf_datatype IN ('DATE', 'DATI')
R5CHK3_UDF	udf_numbertype IN ('NUM', 'INT', 'CURR')
R5CHK4_UDF	udf_enableforaddons IN ('+', '-')

R5USERKPI

Constraint name	Where clause
R5CHK01_KPU	kpu_autofresh IN('+', '-')

R5USERLINEARPREFERENCES

Constraint name	Where clause
R5CHK1_ULP	ulp_default IN ('+', '-')
R5CHK2_ULP	ulp_default IN ('+', '-')
R5CHK3_ULP	ulp_default IN ('+', '-')
R5CHK4_ULP	ulp_default IN ('+', '-')

R5USERORGANIZATION

Constraint name	Where clause
R5CHK4_UOG	uog_default IN ('-', '+')
R5CHK7_UOG	uog_common IN ('-', '+')

R5USERPREFS

Constraint name	Where clause
R5CHK1_UPF	upf_value IN ('+', '-')

R5USERS

Constraint name	Where clause
R5CHK11_USR	usr_screendesigner in ('+', '-')
R5CHK12_USR	usr_mobileadm IN ('-', '+')
R5CHK13_USR	usr_508 IN ('+', '-')
R5CHK14_USR	usr_editdataspy IN ('+', '-')
R5CHK15_USR	usr_editowncomments IN ('+', '-')
R5CHK16_USR	usr_editotherscomments IN ('+', '-')
R5CHK17_USR	usr_globaldataspy IN ('+', '-')
R5CHK18_USR	usr_default_chart_showyear in ('+', '-')
R5CHK19_USR	usr_allowmobilesettings in ('+', '-')
R5CHK1_USR	usr_expuser >= usr_exppass
R5CHK20_USR	(usr_arctgis_usercode IS NULL AND usr_arctgis_password IS NULL) OR (usr_arctgis_usercode IS NOT NULL AND usr_arctgis_password IS NOT NULL)
R5CHK25_USR	usr_allowviewingprivatecases IN ('+', '-')
R5CHK26_USR	usr_allowcontainssearch IN ('+', '-')
R5CHK27_USR	usr_allowupdatefield IN ('+', '-')
R5CHK28_USR	usr_enablebiometrics IN ('+', '-')
R5CHK29_USR	usr_mobileapp IN ('FW', 'MR', 'AM')
R5CHK2_USR	usr_sysman IN ('+', '-')
R5CHK30_USR	usr_allowmobilesyncconfig IN ('+', '-')
R5CHK31_USR	usr_enablemobilerestoreuser IN ('+', '-')
R5CHK3_USR	usr_buyer IN ('+', '-')
R5CHK4_USR	usr_router IN ('+', '-')
R5CHK5_USR	usr_approver IN ('+', '-')
R5CHK7_USR	(usr_class IS NULL AND usr_class_org IS NULL) OR (usr_class IS NOT NULL AND usr_class_org IS NOT NULL)
R5CHK8_USR	usr_requestor IN ('+', '-')
R5CHK9_USR	usr_active IN ('+', '-')

R5USERSTRUCTUREPREFERENCES

Constraint name	Where clause
R5CHK1_UST	ust_sortoption IN ('S', 'N')
R5CHK2_UST	ust_show_icon IN ('-', '+')
R5CHK3_UST	ust_show_vmrs IN ('-', '+')
R5CHK4_UST	ust_show_part IN ('-', '+')
R5CHK5_UST	ust_show_workspace IN ('-', '+')

R5USERVIEWS

Constraint name	Where clause
R5CHK1_UVW	uvw_active IN ('+', '-')

R5WARCLAIMLINES

Constraint name	Where clause
R5CHK1_WLN	wln_type IN('DP', 'HL', 'L', 'M', 'S', 'SI', 'T')
R5CHK2_WLN	wln_include IN('+', '-')
R5CHK3_WLN	wln_system IN('+', '-')

R5WARCLAIMS

Constraint name	Where clause
R5CHK10_WCL	wcl_udfchkbbox02 IN ('+', '-')
R5CHK11_WCL	wcl_udfchkbbox03 IN ('+', '-')
R5CHK12_WCL	wcl_udfchkbbox04 IN ('+', '-')
R5CHK13_WCL	wcl_udfchkbbox05 IN ('+', '-')
R5CHK1_WCL	wcl_open IN ('+', '-')
R5CHK3_WCL	wcl_claimamount >= 0 AND wcl_claimamount <= 999999999999999999.999999
R5CHK4_WCL	wcl_closeamount >= 0 AND wcl_closeamount <= 999999999999999999.999999
R5CHK5_WCL	(wcl_class IS NULL AND wcl_class_org IS NULL) OR (wcl_class IS NOT NULL AND wcl_class_org IS NOT NULL)
R5CHK6_WCL	(wcl_topparent IS NULL AND wcl_topparent_org IS NULL) OR (wcl_topparent IS NOT NULL AND wcl_topparent_org IS NOT NULL)
R5CHK7_WCL	(wcl_supplier IS NULL AND wcl_supplier_org IS NULL) OR (wcl_supplier IS NOT NULL AND wcl_supplier_org IS NOT NULL)
R5CHK8_WCL	wcl_resolved >= wcl_filed
R5CHK9_WCL	wcl_udfchkbbox01 IN ('+', '-')

R5WARCOMPONENTS

Constraint name	Where clause
R5CHK1_WCM	wcm_usecostcoveragevalues IN ('+', '-')

R5WARCOVERAGES

Constraint name	Where clause
R5CHK1_WCV	wcv_duration >= 0 AND wcv_duration <= 999999999999999999.999999
R5CHK2_WCV	wcv_expiration >= 0
R5CHK3_WCV	wcv_expiration >= wcv_startusage
R5CHK4_WCV	wcv_obrtype NOT IN ('L', 'C')
R5CHK5_WCV	wcv_active IN ('+', '-')
R5CHK6_WCV	(wcv_object IS NULL AND wcv_object_org IS NULL) OR (wcv_object IS NOT NULL AND wcv_object_org IS NOT NULL)

R5WARRANTYPARTS

Constraint name	Where clause
R5CHK1_WRP	wrp_active in ('+', '-')
R5CHK2_WRP	wrp_wardays >= 0

R5WOLABORSCHEDPARAMS

Constraint name	Where clause
R5CHK1_WLS	wls_defparam IN ('+', '-')
R5CHK3_WLS	wls_scheduling IN ('+', '-')
R5CHK4_WLS	wls_excludeduration IN('+', '-')
R5CHK5_WLS	wls_excludepeoplerequired IN('+', '-')

R5WOREPAIRS

Constraint name	Where clause
R5CHK01_WOR	(wor_percomplete >=0) and (wor_percomplete <=100)
R5CHK03_WOR	wor_completed IN ('+', '-')
R5CHK04_WOR	wor_udfchkbox01 IN ('+', '-')
R5CHK05_WOR	wor_udfchkbox02 IN ('+', '-')
R5CHK06_WOR	wor_udfchkbox03 IN ('+', '-')
R5CHK07_WOR	wor_udfchkbox04 IN ('+', '-')
R5CHK08_WOR	wor_udfchkbox05 IN ('+', '-')

R5WORKPACKAGES

Constraint name	Where clause
R5CHK1_WPK	wpk_ppmtype IN ('F', 'V', 'D')
R5CHK2_WPK	wpk_freq > 0
R5CHK3_WPK	wpk_duration >= 0
R5CHK4_WPK	wpk_estworkload >= 0
R5CHK5_WPK	wpk_persons >= 0
R5CHK6_WPK	wpk_performonweek IN ('1','2','3','4','L')
R5CHK7_WPK	wpk_performonday IN ('0', '1','2','3','4','5','6')

R5WORKSAFETY

Constraint name	Where clause
R5CHK1_KSF	ksf_precautionapplied IN ('+', '-')

R5WORKSPACEMOVES

Constraint name	Where clause
R5CHK01_WKM	wkm_udfchkbox01 IN ('+', '-')
R5CHK02_WKM	wkm_udfchkbox02 IN ('+', '-')
R5CHK03_WKM	wkm_udfchkbox03 IN ('+', '-')
R5CHK04_WKM	wkm_udfchkbox04 IN ('+', '-')
R5CHK05_WKM	wkm_udfchkbox05 IN ('+', '-')
R5CHK06_WKM	wkm_equipmentmove IN ('+', '-')

R5WORKSPACES

Constraint name	Where clause
R5CHK1_WKS	wks_notused IN('+', '-')
R5CHK2_WKS	wks_multipleemployees IN('+', '-')
R5CHK3_WKS	wks_udfchkbox01 IN('+', '-')
R5CHK4_WKS	wks_udfchkbox02 IN('+', '-')
R5CHK5_WKS	wks_udfchkbox03 IN('+', '-')
R5CHK6_WKS	wks_udfchkbox04 IN('+', '-')
R5CHK7_WKS	wks_udfchkbox05 IN('+', '-')

R5WSMESSAGELINES

Constraint name	Where clause
R5CHK1_WML	wml_line >= 1 AND wml_line <= 99999999

R5WSPROMPTFIELDS

Constraint name	Where clause
R5CHK01_WSF	wsf_iscontrolorg IN ('+', '-')
R5CHK02_WSF	wsf_clearprevvalues IN ('+', '-')
R5CHK1_WSF	wsf_uppercase IN ('+', '-')

R5WSPROMPTS

Constraint name	Where clause
R5CHK1_WST	wst_notused IN ('+', '-')
R5CHK2_WST	wst_system IN ('+', '-')

R5YEARLYINFLATIONPERCENT

Constraint name	Where clause
R5CHK1_YIP	yip_udfchkbox01 IN ('+', '-')
R5CHK2_YIP	yip_udfchkbox02 IN ('+', '-')

R5CHK3_YIP	yip_udfchkbox03 IN ('+', '-')
R5CHK4_YIP	yip_udfchkbox04 IN ('+', '-')
R5CHK5_YIP	yip_udfchkbox05 IN ('+', '-')

R5YEARS

Constraint name	Where clause
R5CHK1_ACY	acy_start <= acy_end

Chapter 8 Indexes

COR_INBOX_ENTRY		COR_INBOX_ENTRY_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_INBOX_HEADERS		COR_INBOX_HEADERS_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_OUTBOX_ENTRY		COR_OUTBOX_ENTRY_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_OUTBOX_HEADERS		COR_OUTBOX_HEADERS_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
COR_PROPERTY		COR_PROPERTY_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint Primary key - all of the provided database schemas have this set as auto-increment
ESB_INBOUND_DUPLICATE		ESB_INBOUND_DUPLICATE_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_MESSAGE_ID	1	VARCHAR2(250)	nvarchar(250) T.B.D.
ESB_PREVIOUS_VERSION_MEDIATION		ESB_PRE_VER_MEDIATION_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint T.B.D.
ESB_VARIATION_ID_MEDIATION		ESB_VAR_ID_MEDIATION_PK	
Column name	Position	Oracle datatype	SQL Server datat Column description
C_ID	1	NUMBER(38,0)	bigint T.B.D.
R5ACCOUNTDETAIL		R5PRIK_ACD	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACD_CODE	1	NUMBER	int account details code. unique sequential number.
ACD_ACCOUNTED	2	VARCHAR2(2)	nvarchar(2) To indicate whether row is DR or CR.
R5ACDPARAMS		R5PRIK_ADP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ADP_SEGMENT	1	VARCHAR2(30)	nvarchar(30) account detail segment column name.
R5ACTCHECKLISTS		R5PRIK_ACK	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACK_CODE	1	VARCHAR2(30)	nvarchar(30) T.B.D.
R5ACTCLASSES		R5PRIK_ACL	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACL_CLASS	1	VARCHAR2(8)	nvarchar(8) class code
ACL_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15) organization code
ACL_ACTION	3	VARCHAR2(8)	nvarchar(8) action code
R5ACTIONCODES		R5PRIK_ACC	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACC_CODE	1	VARCHAR2(8)	nvarchar(8) action code
R5ACTIVEQUEUELIST		R5PRIK_AQT	
Column name	Position	Oracle datatype	SQL Server datat Column description
AQT_CODE	1	VARCHAR2(60)	nvarchar(60) List code
R5ACTIVITIES		R5PRIK_ACT	

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ACT_EVENT	1	VARCHAR2(30)	nvarchar(30)	event code
ACT_ACT	2	NUMBER(8,0)	numeric(8,0)	activity sequence number
R5ACTQUALIFICATIONS				
R5PRIK_AQU				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
AQU_EVENT	1	VARCHAR2(30)	nvarchar(30)	Event code
AQU_ACTIVITY	2	NUMBER(8,0)	numeric(8,0)	Activity
AQU_QUALIFICATION	3	VARCHAR2(20)	nvarchar(20)	Qualification code
AQU_SOURCE	4	VARCHAR2(1)	nvarchar(1)	Value are: Trade, Task, Ad Hoc
R5ACTSCHEDULES				
R5PRIK_ACS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ACS_CODE	1	VARCHAR2(30)	nvarchar(30)	Schedule code
R5ADDETAILS				
R5PRIK_ADD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ADD_CODE	1	VARCHAR2(255)	nvarchar(255)	unique code of entity
ADD_RENTITY	2	VARCHAR2(4)	nvarchar(4)	obj, cat, part, sup, job etc
ADD_TYPE	3	VARCHAR2(4)	nvarchar(4)	type of origin of the line (category or otherwise).
ADD_LANG	4	VARCHAR2(2)	nvarchar(2)	language
ADD_LINE	5	NUMBER(12,0)	numeric(12,0)	number of text line.
R5ADDETAILSINTERFACE				
R5PRIK_ADI				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ADI_TRANSID	1	NUMBER	bigint	transaction id
R5ADDITIONALCHARGE				
R5PRIK_ADC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ADC_EVENT	1	VARCHAR2(30)	nvarchar(30)	Event code for this charge
ADC_ACT	2	NUMBER(8,0)	numeric(8,0)	Activity number for this charge
ADC_LINE	3	NUMBER	int	Line number
R5ADDPROPERTIES				
R5PRIK_APR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
APR_PROPERTY	1	VARCHAR2(8)	nvarchar(8)	custom property code.
APR_RENTITY	2	VARCHAR2(4)	nvarchar(4)	entity code (system code).
APR_CLASS	3	VARCHAR2(8)	nvarchar(8)	entity classification code.
APR_CLASS_ORG	4	VARCHAR2(15)	nvarchar(15)	classification code organization
R5ADDRESS				
R5PRIK_ADR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ADR_CODE	1	VARCHAR2(50)	nvarchar(50)	code of parent data
ADR_RENTITY	2	VARCHAR2(4)	nvarchar(4)	rentity of parent data
ADR_RTYPE	3	VARCHAR2(4)	nvarchar(4)	type of address m, d or i
R5ADJUSTMENTS				
R5PRIK_ADJ				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ADJ_CODE	1	VARCHAR2(30)	nvarchar(30)	Adjustment
ADJ_ORG	2	VARCHAR2(15)	nvarchar(15)	Organization
R5AGREEMENTS				
R5PRIK_AGR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
AGR_CODE	1	VARCHAR2(30)	nvarchar(30)	agreement number. unique identification.
R5ALERTDATAOBJ				
R5PRIK_ADO				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ADO_PK	1	NUMBER(38,0)	numeric(38,0)	The system generated primary key.
R5ALERTGENERATEWO				
R5PRIK_AGW				
Column name	Position	Oracle datatype	SQL Server datatype	Column description

AGW_ALERT 1 VARCHAR2(30) nvarchar(30)

R5ALERTGRIDDATA R5PRIK_AGD

Column name	Position	Oracle datatype	SQL Server datat	Column description

AGD_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the grid data record.

R5ALERTGRIDPARAMS R5PRIK_AGP

Column name	Position	Oracle datatype	SQL Server datat	Column description

AGP_ALERT	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

AGP_PARAM	2	VARCHAR2(50)	nvarchar(50)	Identifies the parameter being used by the grid specified in the alert management definition.

R5ALERTIONPULSE R5PRIK_ALI

Column name	Position	Oracle datatype	SQL Server datat	Column description

ALI_ALERT	1	VARCHAR2(30)	nvarchar(30)	The alert code the ion pulse record belongs to.

R5ALERTMAIL R5PRIK_ALM

Column name	Position	Oracle datatype	SQL Server datat	Column description

ALM_ALERT	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

ALM_TEMPLATE	2	VARCHAR2(18)	nvarchar(18)	Identifies the email content and recipient for an email alert.

R5ALERTS R5PRIK_ALT

Column name	Position	Oracle datatype	SQL Server datat	Column description

ALT_CODE	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

R5ALERTSQL R5PRIK_ALS

Column name	Position	Oracle datatype	SQL Server datat	Column description

ALS_ALERT	1	VARCHAR2(30)	nvarchar(30)	Alert Management System

ALS_RTTYPE	2	VARCHAR2(4)	nvarchar(4)	Indicates whether the code is executed prior to or following alert evaluation.

R5ALERTWO R5PRIK_ALW

Column name	Position	Oracle datatype	SQL Server datat	Column description

ALW_ALERT	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies an alert definition.

R5ALERTWOFIELDMAPPING R5PRIK_AWF

Column name	Position	Oracle datatype	SQL Server datat	Column description

AWF_ALERT	1	VARCHAR2(30)	nvarchar(30)	The alert code the work order column belongs to.

AWF_WOFIELD	2	VARCHAR2(30)	nvarchar(30)	The column which should get a value from the alert grid, when creating the alert work order.

R5ALLTEXTS R5PRIK_ATX

Column name	Position	Oracle datatype	SQL Server datat	Column description

ATX_CODE	1	VARCHAR2(30)	nvarchar(30)	text code

ATX_TEXTTYPE	2	VARCHAR2(4)	nvarchar(4)	type of text string: boilertetxs, help text, etc

ATX_LANG	3	VARCHAR2(2)	nvarchar(2)	language

R5ALTERNATESCREENFLOWS R5PRIK_ASF

Column name	Position	Oracle datatype	SQL Server datat	Column description

ASF_CODE	1	VARCHAR2(30)	nvarchar(30)	Alternate Flow Code/Auto Number

R5ALTERNATEUOMS R5PRIK_AUM

Column name	Position	Oracle datatype	SQL Server datat	Column description

AUM_CODE	1	VARCHAR2(30)	nvarchar(30)	

AUM_PARENTUOM	2	VARCHAR2(30)	nvarchar(30)	

R5APMSCENARIOCAMPAIGN R5PRIK_APC

Column name	Position	Oracle datatype	SQL Server datat	Column description

APC_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	

APC_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	

APC_CAMPAIGN	3	VARCHAR2(30)	nvarchar(30)	

APC_CAMPAIGN_ORG	4	VARCHAR2(15)	nvarchar(15)	

R5APMSCENARIOEQUIPMENT R5PRIK_AEQ

Column name	Position	Oracle datatype	SQL Server datat	Column description
AEQ_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
AEQ_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
AEQ_EQUIPMENT	3	VARCHAR2(30)	nvarchar(30)	
AEQ_EQUIPMENT_ORG	4	VARCHAR2(15)	nvarchar(15)	
R5APMSCENARIOPROJECTS				
		R5PRIK_APJ		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APJ_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
APJ_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
APJ_PROJECT	3	VARCHAR2(20)	nvarchar(20)	
R5APMSCENARIOS				
		R5PRIK_ASR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASR_CODE	1	VARCHAR2(30)	nvarchar(30)	
ASR_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5APMSCENARIOWORKORDER				
		R5PRIK_APW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APW_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
APW_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
APW_EVENT	3	VARCHAR2(30)	nvarchar(30)	
R5APMSNONCONFORMITIES				
		R5PRIK_APN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APN_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
APN_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
APN_NONCONFORMITY	3	VARCHAR2(30)	nvarchar(30)	
R5APMSPMSCHEDULE				
		R5PRIK_ASH		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASH_APMSCENARIO	1	VARCHAR2(30)	nvarchar(30)	
ASH_APMSCENARIO_ORG	2	VARCHAR2(15)	nvarchar(15)	
ASH_PMSCHEDULE	3	VARCHAR2(20)	nvarchar(20)	
R5APPROVELISTS				
		R5PRIK_APL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APL_CODE	1	VARCHAR2(8)	nvarchar(8)	approval list code.
R5APPROVEUSERS				
		R5PRIK_APU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
APU_LIST	1	VARCHAR2(8)	nvarchar(8)	approval list.
APU_USER	2	VARCHAR2(255)	nvarchar(255)	user.
R5ARCHIVERESULTS				
		R5PRIK_ARE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARE_PK	1	NUMBER(38,0)	numeric(38,0)	The unique identifier of a result record. New sequence s5archiveresults is used to populate a value into this column.
R5ARCHIVES				
		R5PRIK_ARC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARC_CODE	1	NUMBER(38,0)	numeric(38,0)	The unique identifier of an archive. New sequence s5archives is used to populate a value into this column.
R5ARCTRAKDATA				
		R5PRIK_ATD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ATD_TRANSORGID	1	NUMBER	bigint	transid
R5ARRANGEMENTS				
		R5PRIK_ARR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARR_CODE	1	VARCHAR2(12)	nvarchar(12)	arrangement code. must be unique.
R5ARRJOBS				
		R5PRIK_AJO		

Column name	Position	Oracle datatype	SQL Server datat	Column description
AJO_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code.
AJO_MRC	2	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
AJO_OBJTYPE	3	VARCHAR2(8)	nvarchar(8)	job type code (user code).
AJO_OBJCLASS	4	VARCHAR2(8)	nvarchar(8)	object classification code.
AJO_OBJCLASS_ORG	5	VARCHAR2(15)	nvarchar(15)	object classification code organization
R5ARRPARTS				
R5PRIK_APA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APA_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code.
APA_PARCLASS	2	VARCHAR2(8)	nvarchar(8)	part classification code.
APA_PARCLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	part classification code organization
R5ARRPRICES				
R5PRIK_ARP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ARP_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code
ARP_ORG	2	VARCHAR2(15)	nvarchar(15)	organization
R5ASPECTPOINTS				
R5PRIK_APO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APO_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object code.
APO_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
APO_OBTTYPE	3	VARCHAR2(4)	nvarchar(4)	object type (user code)
APO_ASPECT	4	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
APO_POINT	5	VARCHAR2(30)	nvarchar(30)	inspection point number.
APO_POINTTYPE	6	VARCHAR2(30)	nvarchar(30)	inspection point type.
R5ASPECTPROMPTS				
R5PRIK_APM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
APM_ASPECT	1	VARCHAR2(30)	nvarchar(30)	aspect code
APM_SEQ	2	NUMBER(2,0)	numeric(2,0)	sequence
R5ASPECTS				
R5PRIK_ASP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASP_CODE	1	VARCHAR2(30)	nvarchar(30)	code of inspection aspect.
R5ASPECTTOLERANCE				
R5PRIK_AST				
Column name	Position	Oracle datatype	SQL Server datat	Column description
AST_PK	1	VARCHAR2(30)	nvarchar(30)	Unique key of the tolerance record
R5ASPECTUOMS				
R5PRIK_ASU				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ASU_ASPECT	1	VARCHAR2(30)	nvarchar(30)	The aspect of the aspect/uom combination.
ASU_UOM	2	VARCHAR2(30)	nvarchar(30)	The unit of measure of the aspect/uom combination.
R5ASSETCLASSDEFCAPACITIES				
R5PRIK_CCP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CCP_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
CCP_CAPACITYCODE	2	VARCHAR2(8)	nvarchar(8)	
CCP_EFFECTIVE	3	DATE	datetime	
R5ASSETCLASSDEFCOST				
R5PRIK_COS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
COS_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
COS_ORG	2	VARCHAR2(15)	nvarchar(15)	
COS_COSTTYPE	3	VARCHAR2(8)	nvarchar(8)	
R5ASSETCLASSDEFFAULTCOST				
R5PRIK_ACF				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ACF_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
ACF_ORG	2	VARCHAR2(15)	nvarchar(15)	

ACF_FAILUREMODECOSTTYPE	3	VARCHAR2(8)	nvarchar(8)	
R5ASSETCLASSDEFINITION				
		R5PRIK_OCD		
Column name	Position	Oracle datatype	SQL Server datat Column description	
OCD_PK	1	VARCHAR2(30)	nvarchar(30)	
R5ASSETCLASSDEFUSAGES				
		R5PRIK_ADU		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ADU_OCDPK	1	VARCHAR2(30)	nvarchar(30)	
ADU_UOM	2	VARCHAR2(30)	nvarchar(30)	
R5ASSETINVENTORYPARAMS				
		R5PRIK_AIP		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AIP_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of the set of asset inventory parameters.
R5ASSETINVENTORYRESULTS				
		R5PRIK_AIR		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AIR_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	The session id.
AIR_OBJ	2	VARCHAR2(30)	nvarchar(30)	The asset code.
AIR_OBJ_ORG	3	VARCHAR2(15)	nvarchar(15)	The organization of the asset.
R5ATTRIBUTESETDEF				
		R5PRIK_ASD		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ASD_CODE	1	VARCHAR2(30)	nvarchar(30)	Attribute set definition code
R5AUDATTRIBS				
		R5PRIK_AAT		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AAT_CODE	1	NUMBER	int	attribute number used to fetch text
R5AUDITPK				
		R5PRIK_APK		
Column name	Position	Oracle datatype	SQL Server datat Column description	
APK_TABLE	1	VARCHAR2(30)	nvarchar(30)	name of to be audited table.
APK_SEQNO	2	NUMBER	int	sequence number.
R5AUTH				
	R	5PRIK_AUT		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AUT_GROUP	1	VARCHAR2(12)	nvarchar(12)	code of user group allowed to undertake status change.
AUT_USER	2	VARCHAR2(255)	nvarchar(255)	username of person allowed to undertake status change.
AUT_ENTITY	3	VARCHAR2(4)	nvarchar(4)	entity code (user code).
AUT_STATUS	4	VARCHAR2(4)	nvarchar(4)	code status can be changed from.
AUT_STATNEW	5	VARCHAR2(4)	nvarchar(4)	code status can be changed to.
R5AUTOWOS				
		R5PRIK_AWO		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AWO_SESSION	1	NUMBER	numeric(18,0)	
R5AVAILABILITY				
		R5PRIK_AVL		
Column name	Position	Oracle datatype	SQL Server datat Column description	
AVL_DATE	1	DATE	datetime	date
AVL_MRC	2	VARCHAR2(15)	nvarchar(15)	mrc
AVL_TRADE	3	VARCHAR2(15)	nvarchar(15)	trade
R5BARCODELABELS				
		R5PRIK_BCL		
Column name	Position	Oracle datatype	SQL Server datat Column description	
BCL_LABEL	1	NUMBER	int	label.
BCL_SESSID	2	VARCHAR2(12)	nvarchar(12)	session identification.
BCL_ESCAPE	3	VARCHAR2(8)	nvarchar(8)	e.g. intmpb=part, bin for intermec.
BCL_COLUMN	4	VARCHAR2(25)	nvarchar(25)	column in base table, e.g. par_desc.
R5BARCODEREADERS				
		R5PRIK_BCR		
Column name	Position	Oracle datatype	SQL Server datat Column description	

BCR_CODE	1	VARCHAR2(4)	nvarchar(4)	code of bar code reader.

R5BARCODESTTK	R5PRIK_BCK

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BCK_SERIAL	1	NUMBER	int	order in which lines are read
BCK_READER	2	VARCHAR2(4)	nvarchar(4)	bar code reader, previously pen id
BCK_STOCKTAKE	3	VARCHAR2(8)	nvarchar(8)	stock take identifier

R5BARCODETRANS	R5PRIK_BCT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BCT_SERIAL	1	NUMBER	int	order in which lines are read
BCT_READER	2	VARCHAR2(4)	nvarchar(4)	bar code reader, previously pen id

R5BARESC	R5PRIK_BCE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BCE_LINE	1	NUMBER	int	sequential number identifying print order of columns on barcode label.
BCE_ESCAPE	2	VARCHAR2(8)	nvarchar(8)	defines which details are to be printed to which type of barcode printer, e.g., intmpb=part, bin for intermec
BCE_COLUMN	3	VARCHAR2(25)	nvarchar(25)	name of (base-table) column to be printed on barcode label.

R5BBNOTICES	R5PRIK_BBN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BBN_CODE	1	VARCHAR2(30)	nvarchar(30)	Bulletin Board Notice Code /Auto-generated code
BBN_ORG	2	VARCHAR2(15)	nvarchar(15)	Bulletin Board Notice Org

R5BILLINGADJUSTMENTS	R5PRIK_FBA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
FBA_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key.

R5BINS	R5PRIK_BIN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BIN_STORE	1	VARCHAR2(15)	nvarchar(15)	store code.
BIN_CODE	2	VARCHAR2(15)	nvarchar(15)	bin location code.

R5BINSTOCK	R5PRIK_BIS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BIS_STORE	1	VARCHAR2(15)	nvarchar(15)	store code.
BIS_PART	2	VARCHAR2(30)	nvarchar(30)	part code.
BIS_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization
BIS_BIN	4	VARCHAR2(15)	nvarchar(15)	bin location code.
BIS_LOT	5	VARCHAR2(12)	nvarchar(12)	lot number.

R5BLANKETORDCLAUSES	R5PRIK_BLC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BLC_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	blanket order number.
BLC_CLAUSE	2	VARCHAR2(8)	nvarchar(8)	clause code.

R5BLANKETORDERS	R5PRIK_BLO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BLO_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	unique sequence number identifier

R5BLANKETORDLINES	R5PRIK_BLL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BLL_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	blanket order number
BLL_BLANKETLINE	2	NUMBER(8,0)	numeric(8,0)	order line number

R5BLANKETORDUSERS	R5PRIK_BLU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
BLU_BLANKETORDER	1	VARCHAR2(30)	nvarchar(30)	blanket order number
BLU_USER	2	VARCHAR2(255)	nvarchar(255)	user

R5BOILERTEXTS	R5PRIK_BOT

Column name	Position	Oracle datatype	SQL Server datat	Column description
BOT_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function, e.g. bmsur1 (also reports
BOT_NUMBER	2	NUMBER(4,0)	numeric(4,0)	serial no, 1=title, 2=1st field, etc
BOT_LANG	3	VARCHAR2(2)	nvarchar(2)	language code.
R5BOOKEDHOURS		R5PRIK_BOO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BOO_CODE	1	VARCHAR2(30)	nvarchar(30)	PK column
R5BOOKEDHOURSINTERFACE		R5PRIK_BOI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BOI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5BUDGETAMOUNTS		R5PRIK_BDA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BDA_CODE	1	VARCHAR2(8)	nvarchar(30)	budget code.
BDA_VERSION	2	NUMBER(3,0)	numeric(3,0)	version number.
R5BUDGETDETAILS		R5PRIK_BDT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BDT_CODE	1	VARCHAR2(30)	nvarchar(30)	budget code.
R5BUDGETGROUPS		R5PRIK_BGR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BGR_CODE	1	VARCHAR2(5)	nvarchar(5)	budget group code.
R5BUDGETITEMS		R5PRIK_BIT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BIT_GROUP	1	VARCHAR2(5)	nvarchar(5)	budget group code
BIT_CODE	2	VARCHAR2(30)	nvarchar(30)	instance of the groups entity
BIT_CODE_ORG	3	VARCHAR2(15)	nvarchar(15)	budget organization
R5BUDGETS		R5PRIK_BUD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BUD_CODE	1	VARCHAR2(17)	nvarchar(17)	budget code.
BUD_YEAR	2	VARCHAR2(8)	nvarchar(8)	budget term code.
R5BUDGETSTRUCTURE		R5PRIK_BUS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BUS_CODE	1	VARCHAR2(17)	nvarchar(17)	budget code.
R5BUILDINGLAYOUT		R5PRIK_BLY		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BLY_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of a building layout.
R5BURANKINGVALUESCLASSES		R5PRIK_BRC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
BRC_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CALCEVENTS		R5PRIK_CEV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CEV_EVENT	1	VARCHAR2(30)	nvarchar(30)	job number.
CEV_INCREMENT	2	NUMBER(4,0)	numeric(4,0)	sequential line number within job number, for incremental charges.
R5CALCEVTLINES		R5PRIK_CEL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CEL_EVENT	1	VARCHAR2(30)	nvarchar(30)	job number.
CEL_INCREMENT	2	NUMBER(4,0)	numeric(4,0)	value is + if additional (incremental) charges may be calculated for the job.
CEL_LINE	3	NUMBER(8,0)	numeric(8,0)	sequential line number within job number, for incremental charges.
R5CALENDARS		R5PRIK_CAL		

R5CALGROUPS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CAL_CODE	1	VARCHAR2(2)	nvarchar(2) calendar code.
R5CALLERS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CLG_CODE	1	VARCHAR2(8)	nvarchar(8) calibration group code
R5CAMPAIGNEVENTS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CGE_CAMPAIGN	1	VARCHAR2(30)	nvarchar(30) Campaign Code
CGE_CAMPAIGN_ORG	2	VARCHAR2(15)	nvarchar(15) Campaign Code Organization
CGE_LINE	3	NUMBER(8,0)	numeric(8,0) Campaign Event
R5CAMPAIGNOBJECTS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CGO_CAMPAIGN	1	VARCHAR2(30)	nvarchar(30) Campaign Code
CGO_CAMPAIGN_ORG	2	VARCHAR2(15)	nvarchar(15) Campaign Code Organization
CGO_OBJECT	3	VARCHAR2(30)	nvarchar(30) Equipment
CGO_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15) Equipment Organization
R5CAMPAIGNS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CAM_CODE	1	VARCHAR2(30)	nvarchar(30) Campaign Code
CAM_ORG	2	VARCHAR2(15)	nvarchar(15) Campaign Code Organization
R5CAPITALPLANNINGREQUESTS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CPR_CODE	1	VARCHAR2(30)	nvarchar(30) Code
CPR_ORG	2	VARCHAR2(15)	nvarchar(15) Organization
R5CASEMANAGEMENT			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CSM_CODE	1	VARCHAR2(30)	nvarchar(30) Unique ID of case
R5CASEMANAGEMENTEVENTLOG			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CML_CODE	1	VARCHAR2(30)	nvarchar(30) The primary key of the log event record.
R5CASEMANAGEMENTTASKS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
TCM_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key of the case task
R5CASETASKS			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CTA_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key of the case task
R5CATALOGREFERENCES			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CRF_PART	1	VARCHAR2(30)	nvarchar(30) part code.
CRF_PART_ORG	2	VARCHAR2(15)	nvarchar(15) part organization
CRF_SUPPLIER	3	VARCHAR2(30)	nvarchar(30) supplier code
CRF_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15) supplier organization
CRF_REFERENCE	5	VARCHAR2(50)	nvarchar(50) reference
R5CATALOGUE			
Column name	Position	Oracle datatype	SQL Server datatype Column description
CAT_PART	1	VARCHAR2(30)	nvarchar(30) part code.

CAT_PART_ORG	2 VARCHAR2(15)	nvarchar(15)	part organization
CAT_SUPPLIER	3 VARCHAR2(30)	nvarchar(30)	supplier code
CAT_SUPPLIER_ORG	4 VARCHAR2(15)	nvarchar(15)	supplier organization

R5CAUSECLASSES		R5PRIK_CAC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CAC_CLASS	1	VARCHAR2(8)	nvarchar(8) classification code.
CAC_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15) classification code organization
CAC_CAUSE	3	VARCHAR2(8)	nvarchar(8) cause code

R5CAUSES		R5PRIK_CAU	
Column name	Position	Oracle datatype	SQL Server datat Column description
CAU_CODE	1	VARCHAR2(8)	nvarchar(8) cause code. unique identification.

R5CCTRCALGROUPPERIODS		R5PRIK_CGP	
Column name	Position	Oracle datatype	SQL Server datat Column description
CGP_PERIOD	1	VARCHAR2(30)	nvarchar(30) Period name
CGP_GROUPCODE	2	VARCHAR2(15)	nvarchar(15) Calendar group code
CGP_GROUPORG	3	VARCHAR2(15)	nvarchar(15) Calendar group org

R5CCTRCALGROUPS		R5PRIK_CGR	
Column name	Position	Oracle datatype	SQL Server datat Column description
CGR_CODE	1	VARCHAR2(15)	nvarchar(15) Calendar Group Code
CGR_ORG	2	VARCHAR2(15)	nvarchar(15) Calendar Group Organization

R5CHANGEDCANVASES		R5PRIK_CHC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CHC_FUNCTION	1	VARCHAR2(6)	nvarchar(6) function code.
CHC_USER	2	VARCHAR2(255)	nvarchar(255) username.
CHC_CANVAS	3	VARCHAR2(20)	nvarchar(20) canvas name.

R5CHANGEDCOLUMNS		R5PRIK_CHO	
Column name	Position	Oracle datatype	SQL Server datat Column description
CHO_FUNCTION	1	VARCHAR2(6)	nvarchar(6) function code.
CHO_USER	2	VARCHAR2(255)	nvarchar(255) username of person who changed list layout.
CHO_BLOCK	3	VARCHAR2(15)	nvarchar(15) identification of block in list view.
CHO_ITEM	4	VARCHAR2(30)	nvarchar(30) identification of field in list view.

R5CHANGENOTICE		R5PRIK_CNH	
Column name	Position	Oracle datatype	SQL Server datat Column description
CNH_CODE	1	VARCHAR2(24)	nvarchar(24) change notice number.

R5CHANGENOTICELINES		R5PRIK_CNL	
Column name	Position	Oracle datatype	SQL Server datat Column description
CNL_CN	1	VARCHAR2(24)	nvarchar(24) change notice number
CNL_CNLINE	2	NUMBER(30,0)	numeric(30,0) change notice line number

R5CHARGEDEFSEQUENCE		R5PRIK_CDS	
Column name	Position	Oracle datatype	SQL Server datat Column description
CDS_CATEGORY	1	VARCHAR2(4)	nvarchar(4) T.B.D.
CDS_SUBCATEGORY	2	VARCHAR2(30)	nvarchar(30) T.B.D.
CDS_LEVEL	3	VARCHAR2(4)	nvarchar(4) T.B.D.
CDS_SEQUENCE	4	NUMBER(3,0)	numeric(3,0) T.B.D.

R5CHILDWORKS		R5PRIK_CHW	
Column name	Position	Oracle datatype	SQL Server datat Column description
CHW_PARENTSTWO	1	VARCHAR2(20)	nvarchar(20) parent standard wo code
CHW_CHILDSTWO	2	VARCHAR2(20)	nvarchar(20) child standard wo code
CHW_SEQ	3	NUMBER(3,0)	numeric(3,0) sequence
CHW_STEP	4	NUMBER(3,0)	numeric(3,0) step

R5CLASSES		R5PRIK_CLS	
Column name	Position	Oracle datatype	SQL Server datat Column description
CLS_ENTITY	1	VARCHAR2(4)	nvarchar(4) to which entity class belongs
CLS_CODE	2	VARCHAR2(8)	nvarchar(8) code of class
CLS_ORG	3	VARCHAR2(15)	nvarchar(15) class organization
R5CLASSLINEARREFS		R5PRIK_CLR	
Column name	Position	Oracle datatype	SQL Server datat Column description
CLR_ID	1	NUMBER(38,0)	numeric(38,0) The surrogate key of this table
R5CLOSEDPERIODS		R5PRIK_CLP	
Column name	Position	Oracle datatype	SQL Server datat Column description
CLP_CLOSED	1	DATE	datetime a valid closing date for a period.
CLP_ENTERED	2	DATE	datetime date when closing date was entered.
R5CLOSINGCODEHIERARCHY		R5PRIK_CCH	
Column name	Position	Oracle datatype	SQL Server datat Column description
CCH_PARENTCLOSINGCODE	1	VARCHAR2(8)	nvarchar(8) T.B.D.
CCH_PARENTCLOSINGCODETYPE	2	VARCHAR2(4)	nvarchar(4) T.B.D.
CCH_CHILDCLOSINGCODE	3	VARCHAR2(8)	nvarchar(8) T.B.D.
CCH_CHILDCLOSINGCODETYPE	4	VARCHAR2(4)	nvarchar(4) T.B.D.
R5CMDFUELTYPES		R5PRIK_CFL	
Column name	Position	Oracle datatype	SQL Server datat Column description
CFL_PK	1	VARCHAR2(30)	nvarchar(30) Surrogate key. Value provided by a sequence.
R5CNLOCATIONS		R5PRIK_CNC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CNC_CN	1	VARCHAR2(24)	nvarchar(24) change notice.
CNC_OBJECT	2	VARCHAR2(30)	nvarchar(30) the locations.
CNC_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) location organization
R5CODESTRUCTURE		R5PRIK_CSR	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSR_CODE	1	VARCHAR2(30)	nvarchar(30) code structure code
R5CODESTRUCTURECLASSES		R5PRIK_CSL	
Column name	Position	Oracle datatype	SQL Server datat Column description
CSL_CODE	1	VARCHAR2(30)	nvarchar(30)
CSL_RENTITY	2	VARCHAR2(4)	nvarchar(4)
CSL_CLASS	3	VARCHAR2(8)	nvarchar(8)
CSL_CLASS_ORG	4	VARCHAR2(15)	nvarchar(15)
R5COMMANDS		R5PRIK_COD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CMD_CODE	1	VARCHAR2(4)	nvarchar(4) command code.
R5COMMODITIES		R5PRIK_CMD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CMD_CODE	1	VARCHAR2(15)	nvarchar(15) commodity code
R5COMMODITYCO2EMISSION		R5PRIK_CCE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CCE_DATE	1	DATE	datetime timestamp of the record
CCE_OBJECT	2	VARCHAR2(30)	nvarchar(30) object code
CCE_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) object organization code
CCE_COMMODITY	4	VARCHAR2(15)	nvarchar(15) commodity code
CCE_TYPE	5	VARCHAR2(4)	nvarchar(4) The type of co2 emission (UtilityBill/Fuel)
R5COMPANIES		R5PRIK_COM	
Column name	Position	Oracle datatype	SQL Server datat Column description

COM_CODE	1 VARCHAR2(30)	nvarchar(30)	code of supplier.
COM_ORG	2 VARCHAR2(15)	nvarchar(15)	supplier organization

R5COMPATIBLEUNITSLABOR

R5PRIK_CLB

Column name	Position	Oracle datatype	SQL Server datat	Column description
CLB_PK	1	VARCHAR2(30)	nvarchar(30)	

R5COMPATIBLEUNITSLIBRARY

R5PRIK_CUL

Column name	Position	Oracle datatype	SQL Server datat	Column description
CUL_CODE	1	VARCHAR2(30)	nvarchar(30)	
CUL_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5COMPCOMMODITIES

R5PRIK_CCM

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCM_COMPANY	1	VARCHAR2(30)	nvarchar(30)	company/supplier code
CCM_COMPANY_ORG	2	VARCHAR2(15)	nvarchar(15)	supplier organization
CCM_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	commodity code

R5COMPCONTACTS

R5PRIK_CCO

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCO_COMPANY	1	VARCHAR2(30)	nvarchar(30)	supplier code.
CCO_COMPANY_ORG	2	VARCHAR2(15)	nvarchar(15)	supplier organization
CCO_CONTLINE	3	NUMBER(8,0)	numeric(8,0)	sequence number.

R5COMPFUELMIX

R5PRIK_CFM

Column name	Position	Oracle datatype	SQL Server datat	Column description
CFM_SUPPLIER	1	VARCHAR2(30)	nvarchar(30)	Supplier Code
CFM_SUPPLIER_ORG	2	VARCHAR2(15)	nvarchar(15)	Supplier Organization
CFM_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	Commodity Code
CFM_TYPE	4	VARCHAR2(8)	nvarchar(8)	Fuel Type
CFM_FROMDATE	5	DATE	datetime	From Date

R5CONCLAUSES

R5PRIK_CCL

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCL_CODE	1	VARCHAR2(8)	nvarchar(8)	code of clause.

R5CONDISCOUNTS

R5PRIK_CDI

Column name	Position	Oracle datatype	SQL Server datat	Column description
CDI_PK	1	NUMBER(38,0)	numeric(30,0)	pk column

R5CONDITIONS

R5PRIK_CND

Column name	Position	Oracle datatype	SQL Server datat	Column description
CND_CODE	1	VARCHAR2(4)	nvarchar(4)	inspection condition.

R5CONDSOREMATRIXSETUP

R5PRIK_CMS

Column name	Position	Oracle datatype	SQL Server datat	Column description
CMS_PK	1	NUMBER(30,0)	numeric(30,0)	The primary key of the record.

R5CONFIGSETTINGS

R5PRIK_CFS

Column name	Position	Oracle datatype	SQL Server datat	Column description
CFS_CODE	1	VARCHAR2(20)	nvarchar(20)	Configuration code for 7i Mobile settings
CFS_GROUP	2	VARCHAR2(12)	nvarchar(12)	Configuration user group for 7i Mobile settings
CFS_USER	3	VARCHAR2(255)	nvarchar(255)	Configuration user ID for 7i Mobile settings
CFS_COMPTYPE	4	VARCHAR2(20)	nvarchar(20)	Configuration type for 7i Mobile settings
CFS_CONFIG	5	NUMBER	int	Configuration flag for 7i Mobile settings
CFS_DESK	6	VARCHAR2(1)	nvarchar(1)	indicates if Mobile client is a FullVGA(desktop) version or 1/4VGA(Pocket PC) version

R5CONFT

R5PRIK_CXX

Column name	Position	Oracle datatype	SQL Server datat	Column description
CXX_CONTYPE	1	VARCHAR2(8)	nvarchar(8)	class of contract; comments of class and related clauses are copied to comments of contract.
CXX_CONTYPE_ORG	2	VARCHAR2(15)	nvarchar(15)	contract class organization

CXX_LANG	3 VARCHAR2(2)	nvarchar(2)	language: contract prompts should be specified in this language.

R5CONNLOCK

R5PRIK_CLK

Column name	Position	Oracle datatype	SQL Server datat	Column description
CLK_OPERATIONID	1	VARCHAR2(128)	nvarchar(128)	Unique client label. use OPSSYNC for Analytics

R5CONPARTS

R5PRIK_CPA

Column name	Position	Oracle datatype	SQL Server datat	Column description
CPA_CONTRACT	1	VARCHAR2(30)	nvarchar(30)	contract
CPA_PART	2	VARCHAR2(30)	nvarchar(30)	part
CPA_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization

R5CONTACTCENTEROPTIONS

R5PRIK_COP

Column name	Position	Oracle datatype	SQL Server datat	Column description
COP_ORG	1	VARCHAR2(15)	nvarchar(15)	Organization

R5CONTACTINFO

R5PRIK_CTI

Column name	Position	Oracle datatype	SQL Server datat	Column description
CTI_CODE	1	VARCHAR2(30)	nvarchar(30)	Contact Code /Auto-Generated Code/Surrogate Key

R5CONTACTINFOOBJECTS

R5PRIK_CIO

Column name	Position	Oracle datatype	SQL Server datat	Column description
CIO_CONTACTINFO	1	VARCHAR2(30)	nvarchar(30)	Contact Info Code
CIO_OBJECT	2	VARCHAR2(30)	nvarchar(30)	Equipment Code
CIO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	Equipment Organization

R5CONTACTRECORDOBJECTS

R5PRIK_CRO

Column name	Position	Oracle datatype	SQL Server datat	Column description
CRO_CTRCODE	1	VARCHAR2(30)	nvarchar(30)	Contact Center Code
CRO_CTR_ORG	2	VARCHAR2(15)	nvarchar(15)	Contact Center Organization
CRO_OBJECT	3	VARCHAR2(30)	nvarchar(30)	Equipment code
CRO_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15)	Equipment Organization

R5CONTACTRECORDS

R5PRIK_CTR

Column name	Position	Oracle datatype	SQL Server datat	Column description
CTR_CODE	1	VARCHAR2(30)	nvarchar(30)	Contact record code/Auto-generated code
CTR_ORG	2	VARCHAR2(15)	nvarchar(15)	Contact record org

R5CONTRACTADJUSTMENTS

R5PRIK_CAD

Column name	Position	Oracle datatype	SQL Server datat	Column description
CAD_PK	1	VARCHAR2(30)	nvarchar(30)	Primary key field for the Contract Adjustment. Value is System generated.

R5CONTRACTCHARGEDEFS

R5PRIK_CCD

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCD_PK	1	VARCHAR2(30)	nvarchar(30)	Primary key field. Value is System generated.

R5CONTRACTCLAUSES

R5PRIK_CCS

Column name	Position	Oracle datatype	SQL Server datat	Column description
CCS_CONTRACT	1	VARCHAR2(30)	nvarchar(30)	Contract
CCS_CONTRACTREVISION	2	NUMBER(8,0)	numeric(8,0)	Contract Revision
CCS_CONTRACT_ORG	3	VARCHAR2(15)	nvarchar(15)	Organization
CCS_CLAUSE	4	VARCHAR2(8)	nvarchar(8)	Contract Clause

R5CONTRACTCOMMODITIES

R5PRIK_CTC

Column name	Position	Oracle datatype	SQL Server datat	Column description
CTC_CONTRACT	1	VARCHAR2(30)	nvarchar(30)	Contract
CTC_CONTRACTREVISION	2	NUMBER(8,0)	numeric(8,0)	Contract Revision
CTC_CONTRACT_ORG	3	VARCHAR2(15)	nvarchar(15)	Commodity Org.
CTC_COMMODITY	4	VARCHAR2(15)	nvarchar(15)	Commodity

R5CONTRACTDISCOUNTS

R5PRIK_CDC

R5CONTRACTITEMS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CDC_CODE	1	VARCHAR2(30)	nvarchar(30) Discount code
R5CONTRACTORSIGNOFF			
Column name	Position	Oracle datatype	SQL Server datat Column description
CIT_CODE	1	VARCHAR2(30)	nvarchar(30) Contract Item
R5CONTRACTS			
Column name	Position	Oracle datatype	SQL Server datat Column description
CON_CODE	1	VARCHAR2(30)	nvarchar(30) code of contract; system generated.
R5CONTRACTSALESPRICE			
Column name	Position	Oracle datatype	SQL Server datat Column description
CSP_PK	1	VARCHAR2(30)	nvarchar(30) Primary key field
R5CONTRACTTEMPLATES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CTP_CODE	1	VARCHAR2(30)	nvarchar(30) Contract Template
CTP_ORG	2	VARCHAR2(15)	nvarchar(15) Organization
R5CONTRACTWOCCRITERIA			
Column name	Position	Oracle datatype	SQL Server datat Column description
CWC_CONTRACT	1	VARCHAR2(30)	nvarchar(30) Contract
CWC_CONTRACTREVISION	2	NUMBER(8,0)	numeric(8,0) Contract revision
CWC_CONTRACT_ORG	3	VARCHAR2(15)	nvarchar(15) Contract Organization
CWC_MRC	4	VARCHAR2(15)	nvarchar(15) Department
CWC_JOBTYPE	5	VARCHAR2(8)	nvarchar(8) WO Type
CWC_CLASS	6	VARCHAR2(8)	nvarchar(8) T.B.D.
CWC_CLASS_ORG	7	VARCHAR2(15)	nvarchar(15) T.B.D.
R5CONTYPECLAUSES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CCY_CONTYPE	1	VARCHAR2(8)	nvarchar(8) should be in r5Classes
CCY_LINE	2	NUMBER(8,0)	numeric(8,0) sequence number indicating order in which clauses are presented.
CCY_CONTYPE_ORG	3	VARCHAR2(15)	nvarchar(15) contract class organization
R5CONVUOM			
Column name	Position	Oracle datatype	SQL Server datat Column description
CNV_PART	1	VARCHAR2(30)	nvarchar(30) part code.
CNV_PART_ORG	2	VARCHAR2(15)	nvarchar(15) part organization
CNV_SUPPLIER	3	VARCHAR2(30)	nvarchar(30) supplier code.
CNV_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15) supplier organization
CNV_UOMFROM	5	VARCHAR2(30)	nvarchar(30) unit of measure to convert from.
CNV_UOMTO	6	VARCHAR2(30)	nvarchar(30) unit of measure to convert to.
R5COPYBLDTPLEFLIST			
Column name	Position	Oracle datatype	SQL Server datat Column description
BDL_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Session ID
BDL_SEQUENCE	2	NUMBER(8,0)	numeric(8,0) Sequence Number
R5COPYBLDTPLEFPARAMETERS			
Column name	Position	Oracle datatype	SQL Server datat Column description
BDP_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Auto Code (surrogate key)
R5COSTCODES			
Column name	Position	Oracle datatype	SQL Server datat Column description
CST_CODE	1	VARCHAR2(30)	nvarchar(30) unique cost code

R5CREDITBALANCECHANGES		R5PRIK_CBC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CBC_PK	1	NUMBER	numeric(18,0) The primary key of the credit balance change.
R5CREDITCARDS		R5PRIK_CRD	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRD_CODE	1	NUMBER	int credit card code
R5CREDITCARDUSERS		R5PRIK_CCU	
Column name	Position	Oracle datatype	SQL Server datat Column description
CCU_CODE	1	NUMBER	int credit card code
CCU_USER	2	VARCHAR2(255)	nvarchar(255) user code
R5CREWEMPLOYEES		R5PRIK_CRE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRE_PK	1	NUMBER(38,0)	numeric(38,0) PK column
R5CREWS		R5PRIK_CRW	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRW_CODE	1	VARCHAR2(15)	nvarchar(15) Crew code
CRW_ORG	2	VARCHAR2(15)	nvarchar(15) Organization code
R5CRITINDEX		R5PRIK_CRX	
Column name	Position	Oracle datatype	SQL Server datat Column description
CRX_PK	1	NUMBER	int primary key
R5CUACCOUNTINGCODES		R5PRIK_CUA	
Column name	Position	Oracle datatype	SQL Server datat Column description
CUA_CODE	1	VARCHAR2(30)	nvarchar(30)
CUA_ORG	2	VARCHAR2(15)	nvarchar(15)
R5CUESTIMATECOMPATIBLEUNITS		R5PRIK_CEC	
Column name	Position	Oracle datatype	SQL Server datat Column description
CEC_CUESTIMATE	1	VARCHAR2(30)	nvarchar(30)
CEC_CUESTIMATE_ORG	2	VARCHAR2(15)	nvarchar(15)
CEC_SEQUENCENUMBER	3	NUMBER(8,0)	numeric(8,0)
R5CUESTIMATEFERCUNITS		R5PRIK_CEF	
Column name	Position	Oracle datatype	SQL Server datat Column description
CEF_PK	1	VARCHAR2(30)	nvarchar(30)
R5CUESTIMATES		R5PRIK_CUE	
Column name	Position	Oracle datatype	SQL Server datat Column description
CUE_CODE	1	VARCHAR2(30)	nvarchar(30)
CUE_ORG	2	VARCHAR2(15)	nvarchar(15)
R5CUESTIMATESUPPLIERS		R5PRIK_CES	
Column name	Position	Oracle datatype	SQL Server datat Column description
CES_CUESTIMATE	1	VARCHAR2(30)	nvarchar(30)
CES_CUESTIMATE_ORG	2	VARCHAR2(15)	nvarchar(15)
CES_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)
CES_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)
R5CUESTIMATEWORKPOINTS		R5PRIK_CWP	
Column name	Position	Oracle datatype	SQL Server datat Column description
CWP_CUESTIMATE	1	VARCHAR2(30)	nvarchar(30)
CWP_CUESTIMATE_ORG	2	VARCHAR2(15)	nvarchar(15)
CWP_WORKPOINT	3	VARCHAR2(30)	nvarchar(30)
R5CUFIXEDASSETCODES		R5PRIK_CFC	

Column name	Position	Oracle datatype	SQL Server datat	Column description
CFC_CODE	1	VARCHAR2(30)	nvarchar(30)	
CFC_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5CULIBRARYCHILDREN				
		R5PRIK_CUC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUC_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CULIBRARYPARTS				
		R5PRIK_CUP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUP_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CULIBRARYSERVICES				
		R5PRIK_CSV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CSV_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CULIBRARYTOOLS				
		R5PRIK_CLT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CLT_PK	1	VARCHAR2(30)	nvarchar(30)	
R5CUOVERHEADCODES				
		R5PRIK_CUO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUO_CODE	1	VARCHAR2(30)	nvarchar(30)	
CUO_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5CURRENCIES				
		R5PRIK_CUR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CUR_CODE	1	VARCHAR2(3)	nvarchar(3)	currency code. unique identification.
R5CUSTOMERCONTRACTS				
		R5PRIK_CCT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CCT_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of the contract.
CCT_REVISION	2	NUMBER(8,0)	numeric(8,0)	The revision number of the contract.
CCT_ORG	3	VARCHAR2(15)	nvarchar(15)	The organization of the contract.
R5CUSTOMERINVOICEDetails				
		R5PRIK_CID		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CID_INVOICE	1	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CID_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization to which this record belongs.
CID_INVOICE_REVISION	3	NUMBER(8,0)	numeric(8,0)	The invoice revision of the customer invoice detail record.
CID_INVOICELINE	4	NUMBER(8,0)	numeric(8,0)	The invoice line of the customer invoice detail record.
R5CUSTOMERINVOICEERRORS				
		R5PRIK_CIE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CIE_INVOICE	1	VARCHAR2(30)	nvarchar(30)	The invoice code to which this record belongs.
CIE_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	The invoice organization to which this record belongs.
CIE_INVOICE_REVISION	3	NUMBER(8,0)	numeric(8,0)	The invoice revision to which this record belongs.
CIE_INVOICELINE	4	NUMBER(8,0)	numeric(8,0)	The invoice line to which this record belongs.
CIE_ERROR	5	NUMBER(2,0)	numeric(2,0)	The error number of the customer invoice error record.
R5CUSTOMERINVOICEITEMS				
		R5PRIK_CII		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CII_PK	1	VARCHAR2(30)	nvarchar(30)	The unique code of the customer invoice item record.
R5CUSTOMERINVOICERUNNING				
		R5PRIK_CIR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CIR_DATE	1	DATE	datetime	Date and time the create customer invoices process started.
R5CUSTOMERINVOICES				
		R5PRIK_CIV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CIV_CODE	1	VARCHAR2(30)	nvarchar(30)	The unique code of the customer invoice.

CIV_ORG	2 VARCHAR2(15)	nvarchar(15)	Organization
CIV_REVISION	3 NUMBER(8,0)	numeric(8,0)	Revision

R5CUSTOMERRENTALS

R5PRIK_CRT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CRT_CODE	1	VARCHAR2(30)	nvarchar(30)	Customer Rental
CRT_ORG	2	VARCHAR2(15)	nvarchar(15)	Organization

R5CUSTOMERREQUESTHISTORY

R5PRIK_CRH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CRH_PK	1	VARCHAR2(30)	nvarchar(30)	Surrogate Key

R5CUSTOMERSURVEYANSWERS

R5PRIK_CSA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSA_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey answer.

R5CUSTOMERSURVEYEVENTS

R5PRIK_SEV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SEV_PK	1	VARCHAR2(50)	nvarchar(50)	The primary key of the customer survey event.

R5CUSTOMERSURVEYQUESTIONS

R5PRIK_CSQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSQ_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey question.

R5CUSTOMERSURVEYRESPONSES

R5PRIK_SER

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SER_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the response record.

R5CUSTOMERSURVEYS

R5PRIK_CSU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSU_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the customer survey.
CSU_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the customer survey.

R5CUSTOMERSURVEYTRIGGERS

R5PRIK_SVT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SVT_SURVEY	1	VARCHAR2(30)	nvarchar(30)	The survey the customer survey trigger belongs to.
SVT_SURVEY_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the survey the customer survey trigger belongs to.
SVT_ENTITY	3	VARCHAR2(4)	nvarchar(4)	The entity of the customer survey trigger.
SVT_STATUS	4	VARCHAR2(4)	nvarchar(4)	The status of the customer survey trigger.
SVT_EMAILSOURCE	5	VARCHAR2(4)	nvarchar(4)	The email source of the customer survey trigger.

R5CUSTOMFIELDATTRIBUTES

R5PRIK_CFA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CFA_PK	1	VARCHAR2(30)	nvarchar(30)	

R5CUSTOMTEXTS

R5PRIK_CTT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CTT_POOL	1	VARCHAR2(12)	nvarchar(12)	pool code
CTT_LANG	2	VARCHAR2(2)	nvarchar(2)	language
CTT_LENGTH	3	NUMBER(3,0)	numeric(3,0)	text length

R5DASHBOARDCONFIGS

R5PRIK_DBC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DBC_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group
DBC_USER	2	VARCHAR2(255)	nvarchar(255)	user

R5DATABRIDGEERRORS

R5PRIK_DBE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DBE_TRANSID	1	NUMBER	int	Primary column for the table.

R5DATABRIDGESTATUS

R5PRIK_DBS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DBS_KEYFIELD	1	VARCHAR2(20)	nvarchar(20)	primary key field
R5DATACONVCUSTOMSTMTS				
		R5PRIK_DCC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCC_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload the custom statement belongs to.
DCC_SEQID	2	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping the custom sql statement(s) pertain to.
DCC_OPERATIONRTYPE	3	VARCHAR2(4)	nvarchar(4)	Identifies the operation the custom statement belongs to, i.e. [C]onvert or [R]ollback.
DCC_STMTRTYPE	4	VARCHAR2(4)	nvarchar(4)	Determines when during the table process the custom statement should be executed, i.e. Before Statement(BS), Before Row(BR), After Row(AR), After Statement(AS)
R5DATACONVERSION				
		R5PRIK_DTC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DTC_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the uploaded dataset.
R5DATACONVEXPRESSIONS				
		R5PRIK_DXP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXP_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload the expression belongs to.
DXP_SEQID	2	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this expression belongs to.
DXP_DESTFIELD	3	VARCHAR2(30)	nvarchar(30)	Identifies the destination field the expression result will be stored.
R5DATACONVLIST				
		R5PRIK_DCT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCT_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product from which the table will be uploaded.
DCT_DESTTABLE	2	VARCHAR2(30)	nvarchar(30)	Defines the name of the staging table that will be constructed for the uploading source table.
R5DATACONVLOG				
		R5PRIK_DLG		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DLG_ID	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the logging record.
R5DATACONVOPTION				
		R5PRIK_DON		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DON_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product the option pertains to.
DON_OPTION	2	VARCHAR2(30)	nvarchar(30)	Uniquely identifies the option.
R5DATACONVOPTIONTEXT				
		R5PRIK_DXT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXT_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product the option description pertains to.
DXT_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the option the description pertains to.
DXT_LANG	3	VARCHAR2(2)	nvarchar(2)	Identifies the language the option description appears in.
R5DATACONVPROD				
		R5PRIK_DCP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCP_PRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the support product.
R5DATACONVSEQ				
		R5PRIK_DSQ		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSQ_SEQID	1	NUMBER(38,0)	numeric(38,0)	Uniquely identifies the table mapping.
R5DATACONVSEQCUSTOM				
		R5PRIK_DSC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSC_SEQID	1	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping the sql statement(s) pertain to.
DSC_OPERATIONRTYPE	2	VARCHAR2(4)	nvarchar(4)	Identifies the operation the statement belongs to, i.e. [C]onvert or [R]ollback.
DSC_STMTRTYPE	3	VARCHAR2(4)	nvarchar(4)	Determines when during the table process the custom statement should be executed, i.e. Before Statement(BS), Before Row(BR), After Row(AR), After Statement(AS)
R5DATACONVSEQDETAILS				
		R5PRIK_DSD		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSD_SEQID	1	NUMBER(38,0)	numeric(38,0)	Identifies the table mapping sequence this expression belongs to.
DSD_DESTFIELD	2	VARCHAR2(30)	nvarchar(30)	Identifies the destination field the expression result will be stored.
R5DATACONVSEQGENERATOR				
		R5PRIK_DSG		
Column name	Position	Oracle datatype	SQL Server datatype	Column description

DSG_TABLE	1	VARCHAR2(30)	nvarchar(30)	Along with dsg_field, identifies the table and field that will hold the generated sequence value.
DSG_FIELD	2	VARCHAR2(30)	nvarchar(30)	Along with dsg_table, identifies the table and field that will hold the generated sequence value.

R5DATACONVSUBEXPS

R5PRIK_DSX

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSX_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Defines the upload this substring expression pertains to.
DSX_SEQID	2	NUMBER(38,0)	numeric(38,0)	Defines the table mapping sequence this substring expression pertains to.
DSX_DESTFIELD	3	VARCHAR2(30)	nvarchar(30)	Identifies the field the resultant expression value will be stored into.
DSX_ORDER	4	NUMBER(2,0)	numeric(2,0)	Defines the order of this substring expression relative to the others to be concatenated for the same destination field (ie. dsx_destfield).

R5DATACONVSUBEXPSETUP

R5PRIK_DSS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSS_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product this definition exists for
DSS_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this setup pertains to.

R5DATACONVSUMDETAILS

R5PRIK_DSL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSL_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload this summary information pertains to.
DSL_SOURCETABLE	2	VARCHAR2(30)	nvarchar(30)	Identifies the table this summary information pertains to.
DSL_RTTYPE	3	VARCHAR2(4)	nvarchar(4)	Identifies the operation this summary information pertains to, i.e. [C]onversion or [P]reliminary analysis

R5DATACONVSUMMARY

R5PRIK_DSU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSU_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload this information pertains to.
DSU_SOURCETABLE	2	VARCHAR2(30)	nvarchar(30)	Identifies the source table this upload information pertains to.

R5DATACONVXREFDEFAULT

R5PRIK_DXD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXD_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the product this default cross-reference information pertains to.
DXD_OPTION	2	VARCHAR2(30)	nvarchar(30)	See comment for r5dataconvxrefvalue.d xv_option
DXD_SRCVALUE1	3	VARCHAR2(100)	nvarchar(100)	See comment for r5dataconvxrefvalue.d xv_srcvalue1

R5DATACONVXREFSETUP

R5PRIK_DXS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXS_SRCPRODUCTID	1	NUMBER(38,0)	numeric(38,0)	Identifies the source product this setup pertains to.
DXS_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this setup pertains to.

R5DATACONVXREFVALUE

R5PRIK_DXV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXV_UPCODE	1	NUMBER(38,0)	numeric(38,0)	Identifies the upload this cross-reference information pertains to.
DXV_OPTION	2	VARCHAR2(30)	nvarchar(30)	Identifies the data conversion option this cross-reference information pertains to.
DXV_SRCVALUE1	3	VARCHAR2(100)	nvarchar(100)	Identifies a key field value in the source table that equates to the key field value in the destination table.

R5DATALAKEDELETE

R5PRIK_DKD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DKD_SEQNUM	1	NUMBER	numeric(38,0)	

R5DATALAKETABLESNOTALLOWED

R5PRIK_DLT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DLT_TABLE	1	VARCHAR2(30)	nvarchar(30)	

R5DCEQUIPMENTSELECTION

R5PRIK_DCE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCE_PK	1	VARCHAR2(30)	nvarchar(30)	

R5DDDATASPY

R5PRIK_DDS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DDS_DDSPYID	1	NUMBER(14,0)	numeric(14,0)	a unique id of the dataspy

R5DDFIELD

R5PRIK_DDF

Column name	Position	Oracle datatype	SQL Server datatype	Column description

DDF_FIELDID	1	NUMBER(14,0)	numeric(14,0)	a unique id of the field

R5DDSPYFILTERGROUPS

R5PRIK_DFG

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DFG_DDSPYID	1	NUMBER(14,0)	numeric(14,0)	
DFG_GROUP	2	VARCHAR2(12)	nvarchar(12)	

R5DDVALUE

R5PRIK_DDV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DDV_CODE	1	VARCHAR2(30)	nvarchar(30)	a value code, such as c, which needs to be mapped to an internationalized description, such as closed.
DDV_MAPID	2	NUMBER	int	a unique id of the mapping

R5DEBCODESTRUCT

R5PRIK_DCS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCS_CUSTOMER	1	VARCHAR2(30)	nvarchar(30)	customer/debtor
DCS_CODESTRUCTURE	2	VARCHAR2(100)	nvarchar(100)	code structure for debtors

R5DEBTORS

R5PRIK_DEB

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DEB_CODE	1	VARCHAR2(30)	nvarchar(30)	debtor code.

R5DECAYCURVE

R5PRIK_DCR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCR_CODE	1	VARCHAR2(30)	nvarchar(30)	
DCR_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5DECAYCURVEMARKOVMATRIX

R5PRIK_DMM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMM_PK	1	VARCHAR2(30)	nvarchar(30)	

R5DECAYCURVEPOINTS

R5PRIK_CPD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CPD_POINT	1	VARCHAR2(30)	nvarchar(30)	

R5DEFAULTPAGELAYOUT

R5PRIK_PLD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PLD_PAGENAME	1	VARCHAR2(40)	nvarchar(40)	function based name of page
PLD_ELEMENTID	2	VARCHAR2(40)	nvarchar(40)	Unique field element ID in form

R5DEFERREDACT

R5PRIK_DFA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DFA_CODE	1	VARCHAR2(30)	nvarchar(30)	Unique deferred activity code

R5DELADDRESSES

R5PRIK_DAD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DAD_CODE	1	VARCHAR2(20)	nvarchar(20)	delivery address code

R5DELIVERYADDRESSORGS

R5PRIK_DAO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DAO_DELADDRESS	1	VARCHAR2(20)	nvarchar(20)	
DAO_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5DEPARTMENTSECURITY

R5PRIK_DSE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSE_USER	1	VARCHAR2(255)	nvarchar(255)	User Code
DSE_MRC	2	VARCHAR2(15)	nvarchar(15)	Department Code

R5DEPARTMENTSTRUCTURE

R5PRIK_DPS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DPS_CODE	1	VARCHAR2(30)	nvarchar(30)	Auto-Generated Surrogate Key

R5DEPOTS		R5PRIK_DEP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DEP_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the depot
DEP_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the depot
R5DESCRIPTIONS		R5PRIK_DES		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DES_RENTITY	1	VARCHAR2(4)	nvarchar(4)	system entity
DES_CODE	2	VARCHAR2(255)	nvarchar(255)	code of entity instance
DES_ORG	3	VARCHAR2(15)	nvarchar(15)	description organization
DES_LANG	4	VARCHAR2(2)	nvarchar(2)	language
DES_RTYPE	5	VARCHAR2(4)	nvarchar(4)	system predefined code
R5DEVICES		R5PRIK_DEV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DEV_CODE	1	VARCHAR2(12)	nvarchar(12)	a code for the device
R5DIACONVERSION		R5PRIK_DCO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DCO_NOMSIZEINCH	1	NUMBER	numeric(24,6)	pipe size (inches)
DCO_PIPING	2	VARCHAR2(20)	nvarchar(20)	piping code
DCO_PIPINGREV	3	NUMBER(4,0)	numeric(4,0)	piping code revision
R5DIAGNOSTICS		R5PRIK_DIA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIA_CODE	1	VARCHAR2(8)	nvarchar(8)	unique code
R5DIAGUSAGES		R5PRIK_DIU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIU_DIAG	1	VARCHAR2(8)	nvarchar(8)	diagnostic code
DIU_OBJECT	2	VARCHAR2(30)	nvarchar(30)	object code
DIU_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	object organization
DIU_REQM	4	VARCHAR2(8)	nvarchar(8)	requirement code
R5DISCREPANCIES		R5PRIK_DSP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DSP_SESSIONID	1	VARCHAR2(30)	nvarchar(30)	The session ID
DSP_GISOBJID	2	VARCHAR2(30)	nvarchar(30)	The GIS object ID
DSP_MODIFIEDBY	3	VARCHAR2(1)	nvarchar(1)	The user who modified the record.
R5DISPATCHES		R5PRIK_SWD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
SWD_CODE	1	VARCHAR2(30)	nvarchar(30)	unique dispatch number
R5DISPATCHEVENTS		R5PRIK_DIW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DIW_PK	1	VARCHAR2(30)	nvarchar(30)	
R5DOCBODY		R5PRIK_DOB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
NAME	1	VARCHAR2(256)	nvarchar(256)	document name
R5DOCENTITIES		R5PRIK_DAE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DAE_DOCUMENT	1	VARCHAR2(30)	nvarchar(30)	document code
DAE_CODE	2	VARCHAR2(255)	nvarchar(255)	code of entity linked to the documents
DAE_RENTITY	3	VARCHAR2(4)	nvarchar(4)	entity code
R5DOCKLINES		R5PRIK_DKL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
DKL_DCKCODE	1	VARCHAR2(30)	nvarchar(30)	dock receipt

DKL_LINE	2 NUMBER(8,0)	numeric(8,0)	dock line

R5DOCKRECEIPTS

R5PRIK_DCK

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCK_CODE	1	VARCHAR2(30)	nvarchar(30)	on-dock receipt code

R5DOCMATRIX

R5PRIK_DMX

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMX_WARRANTY	1	VARCHAR2(30)	nvarchar(30)	warranty code.
DMX_RCOLUMN	2	VARCHAR2(4)	nvarchar(4)	column name.
DMX_VALUE	3	VARCHAR2(24)	nvarchar(24)	user entered value.

R5DOCSIZES

R5PRIK_DSZ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DSZ_CODE	1	VARCHAR2(4)	nvarchar(4)	document size code.

R5DOCTYPES

PRIK_DOT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DOT_EXT	1	VARCHAR2(10)	nvarchar(10)	extension

R5DOCUMENTS

R5PRIK_DOC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DOC_CODE	1	VARCHAR2(30)	nvarchar(30)	unique code of document

R5DRIVERCTRL

R5PRIK_DRV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DRV_CODE	1	VARCHAR2(10)	nvarchar(10)	code of interface driver.
DRV_QUEUE	2	VARCHAR2(2)	nvarchar(2)	number of batch queue in which interface driver runs.

R5DUALCONVHEADER

R5PRIK_DCH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DCH_BATCH	1	NUMBER(6,0)	numeric(6,0)	unique batch number.

R5DUXLAYOUT

R5PRIK_DXL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DXL_USERGROUP	1	VARCHAR2(12)	nvarchar(12)	
DXL_PAGENAME	2	VARCHAR2(40)	nvarchar(40)	
DXL_ELEMENTID	3	VARCHAR2(60)	nvarchar(60)	

R5DWBUDGETKEYS

R5PRIK_KBU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
KBU_CODE	1	VARCHAR2(30)	nvarchar(30)	Budget code

R5DWBUDGETS

R5PRIK_ZBU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZBU_KEY	1	NUMBER	int	Budget surrogate key

R5DWDATAMARTDIMENSIONS

R5PRIK_DMD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMD_DMTTABLE	1	VARCHAR2(30)	nvarchar(30)	Data mart table name
DMD_DIMTABLE	2	VARCHAR2(30)	nvarchar(30)	Dimension table name

R5DWDATAMARTS

R5PRIK_DMT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMT_TABLE	1	VARCHAR2(30)	nvarchar(30)	Name of physical fact table or view corresponding to the data mart

R5DWDATE

R5PRIK_DWD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
DWD_DATEKEY	1	NUMBER(38,0)	numeric(38,0)	key of the dw date table

R5DWDATES

R5PRIK_ZDT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZDT_KEY	1	NUMBER	int	Date surrogate key
R5DWDIMENSIONFIELDS				
R5PRIK_DMF				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMF_FIELD	1	VARCHAR2(30)	nvarchar(30)	Dimension attribute physical field name
R5DWDIMENSIONS				
R5PRIK_DIM				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DIM_TABLE	1	VARCHAR2(30)	nvarchar(30)	Name of physical dimension table or view
R5DWENTITIES				
R5PRIK_ZEN				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZEN_KEY	1	NUMBER(38,0)	numeric(38,0)	Entity surrogate key
R5DWETLDATAMARTS				
R5PRIK_ETL				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ETL_DIMTABLE	1	VARCHAR2(30)	nvarchar(30)	ETL Dimension table
ETL_DMTTABLE	2	VARCHAR2(30)	nvarchar(30)	ETL Data-mart table
ETL_MODULE	3	VARCHAR2(8)	nvarchar(8)	ETL module
R5DWETLRUNERRORLOG				
R5PRIK_ELG				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ELG_RUNNUMBER	1	NUMBER	numeric(38,0)	Run number
ELG_SEQUENCE	2	NUMBER	numeric(38,0)	Sequence number for each error
R5DWETLRUNLOG				
R5PRIK_RLG				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RLG_RUNNUMBER	1	NUMBER	int	Run number
R5DWETLRUNLOGDETAIL				
R5PRIK_LGD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
LGD_LOGRUNNUMBER	1	NUMBER	int	Run number
LGD_SEQUENCE	2	NUMBER	int	Sequence number for each step in an ETL run
R5DWFACTFIELDS				
R5PRIK_FFL				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FFL_FIELD	1	VARCHAR2(30)	nvarchar(30)	Name of fact field in physical fact table or view
R5DWINDEXES				
R5PRIK_IDX				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
IDX_INDEXNAME	1	VARCHAR2(30)	nvarchar(30)	Index name
R5DWMATLTRANSTYPES				
R5PRIK_ZMT				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZMT_KEY	1	NUMBER	int	Material transaction type surrogate key
R5DWMETASTATUSES				
R5PRIK_DMS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
DMS_TABLE	1	VARCHAR2(30)	nvarchar(30)	Name of table containing the status field to be tracked
DMS_FIELD	2	VARCHAR2(30)	nvarchar(30)	Name of the status field
R5DWMETERS				
R5PRIK_ZME				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZME_KEY	1	NUMBER(38,0)	int	Meter surrogate key
R5DWMRCS				
R5PRIK_ZMR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZMR_KEY	1	NUMBER	int	MRC surrogate key
R5DWOBJECTKEYS				
R5PRIK_KOB				

Column name	Position	Oracle datatype	SQL Server datat	Column description
KOB_CODE	1	VARCHAR2(30)	nvarchar(30)	Object code
KOB_ORGCODE	2	VARCHAR2(15)	nvarchar(15)	Object organization code
R5DWOBJECTS				
R5PRIK_ZOB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOB_KEY	1	NUMBER	int	Object surrogate key
R5DWOCCUPATIONTYPES				
R5PRIK_ZOT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOT_KEY	1	NUMBER	int	Occupation type surrogate key
R5DWORDERLINETYPES				
R5PRIK_ZOL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOL_KEY	1	NUMBER	int	Order line type surrogate key
R5DWORG				
R5PRIK_DWO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
DWO_ORGKEY	1	NUMBER(38,0)	numeric(38,0)	table key
R5DWORGANIZATIONS				
R5PRIK_ZOR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZOR_KEY	1	NUMBER	int	Organization surrogate key
R5DWPARTCLASSES				
R5PRIK_ZPC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPC_KEY	1	NUMBER	int	Part class surrogate key
R5DWPARTS				
R5PRIK_ZPA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPA_KEY	1	NUMBER	int	Part surrogate key
R5DWPERSONNEL				
R5PRIK_ZPE				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPE_KEY	1	NUMBER	int	Personnel surrogate key
R5DWPURCHASEORDERKEYS				
R5PRIK_KPO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
KPO_CODE	1	VARCHAR2(30)	nvarchar(30)	Purchase order code
KPO_ORGCODE	2	VARCHAR2(15)	nvarchar(15)	Purchase order organization code
R5DWPURCHASEORDERS				
R5PRIK_ZPO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZPO_KEY	1	NUMBER	int	Purchase order surrogate key
R5DWRUNCTRL				
R5PRIK_DWC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
DWC_RUNCTRLKEY	1	NUMBER(38,0)	numeric(38,0)	table key
R5DWRUNLOG				
R5PRIK_DWL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
DWL_RUNLOGKEY	1	NUMBER(38,0)	numeric(38,0)	the table key
R5DWSERVICEREQUESTKEYS				
R5PRIK_KSR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
KSR_CODE	1	VARCHAR2(30)	nvarchar(30)	Service request code
R5DWSERVICEREQUESTS				
R5PRIK_ZSR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ZSR_KEY	1	NUMBER	int	Service request surrogate key

R5DWSTATUSES		R5PRIK_ZST		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZST_KEY	1	NUMBER(38,0)	numeric(38,0)	Status surrogate key
R5DWSTORES		R5PRIK_ZSO		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZSO_KEY	1	NUMBER	int	Store surrogate key
R5DWSUPPLIERKEYS		R5PRIK_KSU		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KSU_CODE	1	VARCHAR2(30)	nvarchar(30)	Supplier code
KSU_ORGCODE	2	VARCHAR2(15)	nvarchar(15)	Supplier organization code
R5DWSUPPLIERS		R5PRIK_ZSU		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZSU_KEY	1	NUMBER	int	Supplier surrogate key
R5DWTMPINVENTORYTURNS		R5PRIK_ZTI		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZTI_DATEKEY	1	NUMBER	int	Foreign key to the date dimension
ZTI_STOREKEY	2	NUMBER	int	Foreign key to the stores dimension
ZTI_ORGKEY	3	NUMBER	int	Foreign key to the organizations dimension
ZTI_PARTCLASSKEY	4	NUMBER	int	Foreign key to the part classes dimension
R5DWTMPPARTS		R5PRIK_ZTP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZTP_PART	1	VARCHAR2(30)	nvarchar(30)	Part code
ZTP_PARTORG	2	VARCHAR2(15)	nvarchar(15)	Organization of part
ZTP_STORE	3	VARCHAR2(15)	nvarchar(15)	Store
ZTP_STOREORG	4	VARCHAR2(15)	nvarchar(15)	Organization of store
R5DWTMPSTORESDAILYSNAP		R5PRIK_ZTS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZTS_STOREKEY	1	NUMBER	int	Foreign key to the stores dimension
ZTS_ORGKEY	2	NUMBER	int	Foreign key to the organizations dimension
ZTS_PARTCLASSKEY	3	NUMBER	int	Foreign key to the part classes dimension
R5DWTRADES		R5PRIK_ZTR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZTR_KEY	1	NUMBER	int	Trade surrogate key
R5DWUOMS		R5PRIK_ZUMT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZUM_KEY	1	NUMBER(38,0)	int	UOM surrogate key
R5DWWARRANTYCLAIMS		R5PRIK_ZWC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZWC_KEY	1	NUMBER	int	Warranty claim surrogate key
R5DWWORKORDERKEYS		R5PRIK_KWO		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KWO_CODE	1	VARCHAR2(30)	nvarchar(30)	Work order code
R5DWWORKORDERS		R5PRIK_ZWO		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ZWO_KEY	1	NUMBER	int	Work order surrogate key
R5ECSESSIONDETAILS		R5PRIK_CSD		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSD_PK	1	NUMBER	numeric(18,0)	The primary key of the record.

R5ECSESSIONEQUIPMENT

R5PRIK_CSE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSE_DETAILPK	1	NUMBER	numeric(18,0)	The primary key of the associated equipment configuration session detail record.
CSE_COUNT	2	NUMBER(6,0)	numeric(6,0)	Sequence number.

R5ECSESSIONWARNINGS

R5PRIK_CSW

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CSW_PK	1	NUMBER	numeric(18,0)	The primary key of the warning record.

R5EDITIONBACKREPS

R5PRIK_EBR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EBR_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function
EBR_MEFLAG	2	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used

R5EDITIONFILTERS

R5PRIK_EDF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EDF_CODE	1	VARCHAR2(40)	nvarchar(40)	Edition filter code
EDF_TYPE	2	VARCHAR2(1)	nvarchar(1)	Type of edition filter
EDF_MEFLAG	3	VARCHAR2(1)	nvarchar(1)	Edition for which this record is used

R5ELECREC

R5PRIK_ELR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ELR_ENTITY	1	VARCHAR2(4)	nvarchar(4)	user entity code for which the electronic record is created.
ELR_STATUS	2	VARCHAR2(4)	nvarchar(4)	the original status of the entity
ELR_NEWSTATUS	3	VARCHAR2(4)	nvarchar(4)	the new status of the entity.

R5ELECTSIGN

R5PRIK_ELS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ELS_CODE	1	VARCHAR2(30)	nvarchar(30)	code of the signed record

R5ELECTRICITYDATA

R5PRIK_OED

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OED_OBJECT	1	VARCHAR2(30)	nvarchar(30)	Equipment
OED_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	Equipment organization
OED_DATERECORDED	3	DATE	datetime	Date the electricity data was recorded

R5EMPLOYEEORGCHANGE

R5PRIK_EOC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EOC_PERSON	1	VARCHAR2(15)	nvarchar(15)	The employee who changed organization.
EOC_DATE	2	DATE	datetime	The date the employee was transferred.

R5ENERGYPREFERENCES

R5PRIK_EPR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EPR_OBJECT	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
EPR_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.
EPR_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	T.B.D.

R5ENERGYSTARBUILDINGS

R5PRIK_ESB

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESB_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	The customer ID.
ESB_BUILDINGID	2	VARCHAR2(100)	nvarchar(100)	ID of the building.

R5ENERGYSTARRATINGALERTS

R5PRIK_ESL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESL_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESL_OBJECT	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESL_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	T.B.D.

R5ENERGYSTARRATINGS

R5PRIK_ESD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESD_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.

ESD_OBJECT	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESD_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESD_ENDINGYEAR	4	NUMBER(4,0)	numeric(4,0)	T.B.D.
ESD_ENDINGMONTH	5	NUMBER(2,0)	numeric(2,0)	T.B.D.

R5ENERGYSTARREADINGS

R5PRIK_ESR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESR_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESR_OBJECT	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESR_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	T.B.D.
ESR_UOM	4	VARCHAR2(30)	nvarchar(30)	T.B.D.
ESR_DATE	5	DATE	datetime	T.B.D.

R5ENERGYSTARSETUP

R5PRIK_ESS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESS_CUSTOMERID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_BUILDINGID	2	VARCHAR2(100)	nvarchar(100)	T.B.D.
ESS_METERID	3	VARCHAR2(100)	nvarchar(100)	T.B.D.

R5ENERGYSTARTXNS

R5PRIK_ESX

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESX_TXNID	1	VARCHAR2(100)	nvarchar(100)	T.B.D.

R5ENERGYTARGETS

R5PRIK_EGT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EGT_OBJECTIVE	1	VARCHAR2(30)	nvarchar(30)	The objective.
EGT_OBJECTIVE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the objective.
EGT_SCOPE	3	VARCHAR2(4)	nvarchar(4)	The scope of the energy target.
EGT_ACTIVITY	4	VARCHAR2(4)	nvarchar(4)	The activity of the energy target.
EGT_EMISSIONSOURCE	5	VARCHAR2(4)	nvarchar(4)	The emission source of the energy target.

R5ENTAPPHEADER

R5PRIK_EAH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EAH_PK	1	NUMBER	int	primary key.

R5ENTITIES

R5PRIK_ENT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ENT_RENTITY	1	VARCHAR2(4)	nvarchar(4)	code indicating the type of entity.

R5ENTITYATTRIBUTESETS

R5PRIK_ESE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESE_RENTITY	1	VARCHAR2(4)	nvarchar(4)	System entity for the attribute set
ESE_ENTITYCODE	2	VARCHAR2(200)	nvarchar(200)	Code representing the record having the given system entity
ESE_ATTRIBUTESETDEF	3	VARCHAR2(30)	nvarchar(30)	Link to the attribute set defined in attribute set definition table
ESE_NAME	4	VARCHAR2(256)	nvarchar(256)	Name representing this entity attribute set record

R5ENTITYINDICATORS

R5PRIK_EIN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EIN_ENTITY	1	VARCHAR2(4)	nvarchar(4)	entity code of object entity (user code).
EIN_CODE	2	VARCHAR2(30)	nvarchar(30)	object code.
EIN_CODE_ORG	3	VARCHAR2(15)	nvarchar(15)	object code organization
EIN_INDICATOR	4	VARCHAR2(4)	nvarchar(4)	performance indicator code.

R5ENTITYPARTS

R5PRIK_EPA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
EPA_PK	1	VARCHAR2(30)	nvarchar(30)	T.B.D.

R5ENTITYSAFETY

R5PRIK_ESF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ESF_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the entity safety record.

R5ENTITYSALESPRICES				R5PRIK_ESP
Column name	Position	Oracle datatype	SQL Server datat	Column description
ESP_PK	1	VARCHAR2(30)	nvarchar(30)	Primary key field
R5ENTITYTABLES				R5PRIK_ETT
Column name	Position	Oracle datatype	SQL Server datat	Column description
ETT_RENTITY	1	VARCHAR2(4)	nvarchar(4)	entity
R5EOQTEMP				R5PRIK_EOQ
Column name	Position	Oracle datatype	SQL Server datat	Column description
EOQ_SESSIONID	1	NUMBER(38,0)	numeric(38,0)	Session ID
EOQ_STORE	2	VARCHAR2(15)	nvarchar(15)	store code
EOQ_PART	3	VARCHAR2(30)	nvarchar(30)	part code
EOQ_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	part organization
R5EQUIPCOMMODITYDATA				R5PRIK_ECD
Column name	Position	Oracle datatype	SQL Server datat	Column description
ECD_OBJECT	1	VARCHAR2(30)	nvarchar(30)	The object
ECD_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	The object organization
ECD_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	The commodity
R5EQUIPCONFIGMPS				R5PRIK_ECM
Column name	Position	Oracle datatype	SQL Server datat	Column description
ECM_OBJECT	1	VARCHAR2(30)	nvarchar(30)	The equipment code to maintain
ECM_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	The organizatio of the equipment to maintain
ECM_MP	3	VARCHAR2(30)	nvarchar(30)	The code of the maintenance pattern
ECM_MP_ORG	4	VARCHAR2(15)	nvarchar(15)	the organization of the maintenance pattern
R5EQUIPCONFIGPMS				R5PRIK_EGP
Column name	Position	Oracle datatype	SQL Server datat	Column description
EGP_OBJECT	1	VARCHAR2(30)	nvarchar(30)	The equipment code to maintain
EGP_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	The organizatio of the equipment to maintain
EGP_PPM	3	VARCHAR2(20)	nvarchar(20)	The unique code of a Periodic Preventive Maintenance schedule
R5EQUIPCONFIGSESSIONS				R5PRIK_EGS
Column name	Position	Oracle datatype	SQL Server datat	Column description
EGS_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the session.
R5EQUIPCONFIGSTRUCTURES				R5PRIK_ECS
Column name	Position	Oracle datatype	SQL Server datat	Column description
ECS_PK	1	NUMBER	numeric(18,0)	The primary key of the structure record.
R5EQUIPEVALUATIONLIST				R5PRIK_EEL
Column name	Position	Oracle datatype	SQL Server datat	Column description
EEL_EVALCODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the equipment evaluation
EEL_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The old equipment
EEL_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The old equipment organization
R5EQUIPEVALUATIONS				R5PRIK_EEV
Column name	Position	Oracle datatype	SQL Server datat	Column description
EEV_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the equipment evaluation
R5EQUIPFUNCTIONLEVELS				R5PRIK_EFL
Column name	Position	Oracle datatype	SQL Server datat	Column description
EFL_CODE	1	VARCHAR2(30)	nvarchar(30)	Primary key of the record
R5EQUIPMENTQUALIFICATIONS				R5PRIK_EQU
Column name	Position	Oracle datatype	SQL Server datat	Column description
EQU_OBJCODE	1	VARCHAR2(30)	nvarchar(30)	
EQU_OBJORG	2	VARCHAR2(15)	nvarchar(15)	
EQU_QUALIFICATION	3	VARCHAR2(20)	nvarchar(20)	

EQU_QUALIFICATIONSTART 4 DATE datetime

R5EQUIPMENTRANKINGHISTORY

R5PRIK_ERH

Column name	Position	Oracle datatype	SQL Server datat	Column description
ERH_PK	1	VARCHAR2(30)	nvarchar(30)	

R5EQUIPMENTRANKINGS

R5PRIK_EQR

Column name	Position	Oracle datatype	SQL Server datat	Column description
EQR_RANKINGCODE	1	VARCHAR2(30)	nvarchar(30)	The ranking code.
EQR_RANKINGORG	2	VARCHAR2(15)	nvarchar(15)	The ranking organization.
EQR_RANKINGREVISION	3	NUMBER(4,0)	numeric(4,0)	The ranking revision
EQR_OBJCODE	4	VARCHAR2(30)	nvarchar(30)	The equipment code related to the ranking.
EQR_OBJORG	5	VARCHAR2(15)	nvarchar(15)	The equipment organization related to the ranking.

R5EQUIPMENTSTRUCTUREDETAIL

R5PRIK_STD

Column name	Position	Oracle datatype	SQL Server datat	Column description
STD_SESSION	1	NUMBER	numeric(18,0)	The session id.
STD_PARENT	2	VARCHAR2(200)	nvarchar(200)	The parent code.
STD_PARENT_ORG	3	VARCHAR2(15)	nvarchar(15)	The parent organization.
STD_PARENTTYPE	4	VARCHAR2(1)	nvarchar(1)	The parent type.
STD_CHILD	5	VARCHAR2(200)	nvarchar(200)	The child code.
STD_CHILD_ORG	6	VARCHAR2(15)	nvarchar(15)	The child organization.
STD_CHILDTYPE	7	VARCHAR2(1)	nvarchar(1)	The child type.

R5EQUIPMENTUSABILITIES

R5PRIK_EUB

Column name	Position	Oracle datatype	SQL Server datat	Column description
EUB_EQPUSABILITY	1	VARCHAR2(30)	nvarchar(30)	Equipment Usability
EUB_ORG	2	VARCHAR2(15)	nvarchar(15)	Equipment Usability Organization

R5ERRSOURCE

R5PRIK_ERS

Column name	Position	Oracle datatype	SQL Server datat	Column description
ERS_SOURCE	1	VARCHAR2(32)	nvarchar(32)	name of procedure, form etc.
ERS_TYPE	2	VARCHAR2(4)	nvarchar(4)	indicates whether procedure, etc.
ERS_NUMBER	3	NUMBER(4,0)	numeric(4,0)	serial number of error

R5ERRTEXTS

R5PRIK_ERT

Column name	Position	Oracle datatype	SQL Server datat	Column description
ERT_CODE	1	VARCHAR2(12)	nvarchar(12)	identifier of error message
ERT_LANG	2	VARCHAR2(2)	nvarchar(2)	language.

R5ESTIMATEEVENTLOGS

R5PRIK_EEG

Column name	Position	Oracle datatype	SQL Server datat	Column description
EEG_PK	1	VARCHAR2(30)	nvarchar(30)	

R5EVALCRITERIA

R5PRIK_EVC

Column name	Position	Oracle datatype	SQL Server datat	Column description
EVC_CODE	1	VARCHAR2(8)	nvarchar(8)	evaluation criteria code
EVC_LINE	2	NUMBER(8,0)	numeric(8,0)	line

R5EVALRESPONSES

R5PRIK_EVR

Column name	Position	Oracle datatype	SQL Server datat	Column description
EVR_CODE	1	VARCHAR2(8)	nvarchar(8)	evaluation code
EVR_CLINE	2	NUMBER(8,0)	numeric(8,0)	evaluation line
EVR_RLINE	3	NUMBER(8,0)	numeric(8,0)	line

R5EVALUATIONCUSTOMFLDPARAMS

R5PRIK_ECP

Column name	Position	Oracle datatype	SQL Server datat	Column description
ECP_EVALCODE	1	VARCHAR2(30)	nvarchar(30)	evaluation code
ECP_EVALTYPE	2	VARCHAR2(1)	nvarchar(1)	evaluation type
ECP_PROPERTY	3	VARCHAR2(8)	nvarchar(8)	Property

R5EVENTACCOMPLISHMENTS		R5PRIK_EAC	
Column name	Position	Oracle datatype	SQL Server datat Column description
EAC_PK	1	VARCHAR2(30)	nvarchar(30)
R5EVENTASPECTS		R5PRIK_EAS	
Column name	Position	Oracle datatype	SQL Server datat Column description
EAS_ASPECT	1	VARCHAR2(30)	nvarchar(30) inspection aspect code.
EAS_EVENT	2	VARCHAR2(30)	nvarchar(30) event number of inspection job..
R5EVENTCOST		R5PRIK_EVO	
Column name	Position	Oracle datatype	SQL Server datat Column description
EVO_EVENT	1	VARCHAR2(30)	nvarchar(30) The work order
R5EVENTCOSTS		R5PRIK_ECT	
Column name	Position	Oracle datatype	SQL Server datat Column description
ECT_EVENT	1	VARCHAR2(30)	nvarchar(30) Work Order
ECT_OBJECT	2	VARCHAR2(30)	nvarchar(30) Equipment
ECT_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) Equipment org
R5EVENTEQUIPREPLACEMENT		R5PRIK_EER	
Column name	Position	Oracle datatype	SQL Server datat Column description
EER_EVENT	1	VARCHAR2(30)	nvarchar(30)
EER_OBJECT	2	VARCHAR2(30)	nvarchar(30)
EER_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)
R5EVENTOBJECTS		R5PRIK_EOB	
Column name	Position	Oracle datatype	SQL Server datat Column description
EOB_EVENT	1	VARCHAR2(30)	nvarchar(30) event code
EOB_OBJECT	2	VARCHAR2(30)	nvarchar(30) object code
EOB_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) object organization
R5EVENTPOINTS		R5PRIK_EPO	
Column name	Position	Oracle datatype	SQL Server datat Column description
EPO_CODE	1	VARCHAR2(30)	nvarchar(30) event point code
R5EVENTRESOURCES		R5PRIK_ERE	
Column name	Position	Oracle datatype	SQL Server datat Column description
ERE_EVENT	1	VARCHAR2(30)	nvarchar(30) Work Order Code
ERE_RESOURCE	2	VARCHAR2(80)	nvarchar(80) Resource Code
R5EVENTS		R5PRIK_EVT	
Column name	Position	Oracle datatype	SQL Server datat Column description
EVT_CODE	1	VARCHAR2(30)	nvarchar(30) unique event code
R5EVENTSIGNATURE		R5PRIK_ETS	
Column name	Position	Oracle datatype	SQL Server datat Column description
ETS_EVENT	1	VARCHAR2(30)	nvarchar(30) work order number
R5EVENTSINTERFACE		R5PRIK_EVI	
Column name	Position	Oracle datatype	SQL Server datat Column description
EVI_TRANSID	1	NUMBER	bigint unique identification of interface transaction.
R5EVENTS_LASTSTATUSUPDATE		R5PRIK_ELU	
Column name	Position	Oracle datatype	SQL Server datat Column description
ELU_CODE	1	VARCHAR2(30)	nvarchar(30) Primary key
R5EVENTTYPEFILTER		R5PRIK_ETF	
Column name	Position	Oracle datatype	SQL Server datat Column description
ETF_CODE	1	VARCHAR2(30)	nvarchar(30) event type filter code
R5EVTINSTRUMENTS		R5PRIK_EIS	

Column name	Position	Oracle datatype	SQL Server datat	Column description
EIS_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
EIS_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The equipment.
EIS_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The equipment organization.
R5EVTSTANDARDS				
R5PRIK_EST				
Column name	Position	Oracle datatype	SQL Server datat	Column description
EST_PK	1	NUMBER	int	The system generated primary key.
R5EVTSYSTEMS				
R5PRIK_ESY				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ESY_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
ESY_SYSTEM	2	VARCHAR2(30)	nvarchar(30)	The system.
ESY_SYSTEM_ORG	3	VARCHAR2(15)	nvarchar(15)	The system organization.
R5EVTTESTPOINTS				
R5PRIK_ETP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ETP_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
ETP_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The equipment.
ETP_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The equipment organization.
ETP_SEQ	4	NUMBER(4,0)	numeric(4,0)	The sequence number.
R5EXCEPTIONS				
R5PRIK_EXC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
EXC_DATE	1	DATE	datetime	date to which this exception applies.
EXC_PERSON	2	VARCHAR2(15)	nvarchar(15)	person code
EXC_TIME	3	NUMBER(38,0)	numeric(38,0)	Start Time
R5EXCHRATES				
R5PRIK_CRR				
Column name	Position	Oracle datatype	SQL Server datat	Column description
CRR_CODE	1	VARCHAR2(30)	nvarchar(30)	unique identifier for echchange rate
R5EXPORT				
R5PRIK_EXP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
EXP_CODE	1	VARCHAR2(30)	nvarchar(30)	a unique id generated using timestamp and sessionid
R5EXPORTDATA				
R5PRIK_EPD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
EPD_SESSIONID	1	NUMBER	numeric(18,0)	
EPD_LINE	2	NUMBER(18,0)	numeric(18,0)	
R5EXPORTFILTERS				
R5PRIK_EFI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
EFI_USER	1	VARCHAR2(255)	nvarchar(255)	7i user
EFI_FUNC	2	VARCHAR2(6)	nvarchar(6)	7i function
EFI_NAME	3	VARCHAR2(8)	nvarchar(8)	Name of filter
R5EXPORTSELECTIONS				
R5PRIK_EPS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
EPS_SESSIONID	1	NUMBER	numeric(18,0)	
EPS_GROUP	2	VARCHAR2(60)	nvarchar(60)	
R5EXTCHARGES				
R5PRIK_ECH				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ECH_CODE	1	VARCHAR2(8)	nvarchar(8)	sequence
ECH_INVORD_CODE	2	VARCHAR2(45)	nvarchar(45)	purchase order code
ECH_INVORD_ORG	3	VARCHAR2(15)	nvarchar(15)	purchase order organization
ECH_INVORD_LINE	4	NUMBER	int	purchase order line
ECH_INVORD	5	VARCHAR2(1)	nvarchar(1)	flag indicating if extra charges/discounts should be included in part price updates
R5EXTENSIBLEFRAMEWORK				
R5PRIK_EFR				

Column name	Position	Oracle datatype	SQL Server datat	Column description
EFR_NAME	1	VARCHAR2(80)	nvarchar(30)	The name of the extensible framework.
R5EXTINVLINES				
		RSPRIK_EIL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EIL_INVOICE	1	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIL_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization
EIL_LINE	3	NUMBER(8,0)	numeric(8,0)	external invoice line number.
R5EXTINVOICES				
		RSPRIK_EIV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EIV_CODE	1	VARCHAR2(30)	nvarchar(30)	external invoice number.
EIV_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization
R5EXTMENULANG				
		RSPRIK_EML		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EML_EXTMENU	1	VARCHAR2(30)	nvarchar(30)	menu sequence number
EML_LANG	2	VARCHAR2(2)	nvarchar(2)	language of text
R5EXTMENUS				
		RSPRIK_EMN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
EMN_CODE	1	VARCHAR2(30)	nvarchar(30)	menu sequence number
R5EXTTARIFFS				
		RSPRIK_ETA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ETA_ARRANGEMENT	1	VARCHAR2(12)	nvarchar(12)	arrangement code.
ETA_TRADE	2	VARCHAR2(15)	nvarchar(15)	trade code.
ETA_TYPE	3	VARCHAR2(4)	nvarchar(4)	user type.
ETA_ORG	4	VARCHAR2(15)	nvarchar(15)	organization code
R5FACILITIES				
		RSPRIK_FAC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FAC_CODE	1	VARCHAR2(10)	nvarchar(10)	facility code.
R5FAILURECLASSES				
		RSPRIK_FCA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FCA_CLASS	1	VARCHAR2(8)	nvarchar(8)	object classification code.
FCA_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	classification code organization
FCA_FAILURE	3	VARCHAR2(8)	nvarchar(8)	failure code.
R5FAILURES				
		RSPRIK_FAL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FAL_CODE	1	VARCHAR2(8)	nvarchar(8)	component that failed, i.e. case, elec, seal.
R5FIELDFILTERCLASS				
		RSPRIK_FLC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLC_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function
FLC_CLASS	2	VARCHAR2(8)	nvarchar(8)	Class
FLC_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	Class Organization
R5FIELDFILTERTYPE				
		RSPRIK_FFT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FFT_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	T.B.D.
FFT_TYPE	2	VARCHAR2(8)	nvarchar(8)	T.B.D.
FFT_RTYPE	3	VARCHAR2(4)	nvarchar(4)	T.B.D.
R5FIELDFILTERWOBJTYPE				
		RSPRIK_FFW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FFW_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	T.B.D.
FFW_TYPE	2	VARCHAR2(4)	nvarchar(4)	T.B.D.

R5FIFO				
	R	5PRIK_FIF		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FIF_PK	1	NUMBER	int	Primary key column. Given a value using new sequence s5fifo
R5FILTERLINES				
		R5PRIK_FLL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FLL_PK	1	VARCHAR2(30)	nvarchar(30)	refers to table r5filters
FLL_LINE	2	NUMBER	int	line number of statement in filter.
R5FILTERS				
		R5PRIK_FIL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FIL_FUNC	1	VARCHAR2(6)	nvarchar(6)	function e.g. bnmrcs
FIL_USER	2	VARCHAR2(255)	nvarchar(255)	user code
FIL_BLOCK	3	VARCHAR2(30)	nvarchar(30)	the block, e.g. b1.
FIL_CODE	4	VARCHAR2(12)	nvarchar(12)	filter code as defined by user
R5FILTERTABOLUMNS				
		R5PRIK_FTC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FTC_TABLE	1	VARCHAR2(30)	nvarchar(30)	table
FTC_COLUMN	2	VARCHAR2(30)	nvarchar(30)	column
R5FILTERTABLES				
		R5PRIK_FTA		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FTA_TABLE	1	VARCHAR2(30)	nvarchar(30)	table
R5FINCLASSES				
		R5PRIK_FCL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FCL_CLASS	1	VARCHAR2(8)	nvarchar(8)	object classification code.
FCL_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	classification code organization
FCL_FIND	3	VARCHAR2(4)	nvarchar(4)	finding code.
R5FINDINGS				
		R5PRIK_FND		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FND_CODE	1	VARCHAR2(4)	nvarchar(4)	inspection finding code.
R5FINDPROFILE				
		R5PRIK_FPF		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FPF_CODE	1	VARCHAR2(30)	nvarchar(30)	object code.
FPF_PROFILE_ORG	2	VARCHAR2(15)	nvarchar(15)	profile organization
R5FIRSTACT				
		R5PRIK_FACT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ACT_EVENT	1	VARCHAR2(30)	nvarchar(30)	The work order.
R5FIXEDPAYMENTS				
		R5PRIK_FPA		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FPA_AGREEMENT	1	VARCHAR2(30)	nvarchar(30)	agreement number.
FPA_LINE	2	NUMBER(8,0)	numeric(8,0)	fixed payment line number (within agreement).
R5FLDFILTEROPRCHECKLIST				
		R5PRIK_FFO		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FFO_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	The function/screen
FFO_OBJ_CLASS	2	VARCHAR2(8)	nvarchar(8)	The object class
FFO_OBJ_CLASS_ORG	3	VARCHAR2(30)	nvarchar(30)	The object class organization
FFO_TASK	4	VARCHAR2(20)	nvarchar(20)	The task plan
R5FLDSNOTCHANGEABLE				
		R5PRIK_FNC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FNC_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	the name of the function
FNC_FIELD	2	VARCHAR2(30)	nvarchar(30)	field name

R5FLEETAUTH		R5PRIK_FAU	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FAU_GROUP	1	VARCHAR2(12)	nvarchar(12) The user group.
FAU_TICKETTYPE	2	VARCHAR2(4)	nvarchar(4) The ticket type.
R5FLEETBILLINGCODES		R5PRIK_FBC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FBC_CODE	1	VARCHAR2(15)	nvarchar(15) The billing code.
FBC_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the billing code.
R5FLEETBILLINGRATES		R5PRIK_FBR	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FBR_BILLINGCODE	1	VARCHAR2(15)	nvarchar(15) The billing code.
FBR_BILLINGCODE_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the billing code.
FBR_STARTDATE	3	DATE	datetime The start date.
FBR_ORG	4	VARCHAR2(15)	nvarchar(15) organization code
R5FLEETBILLINGSCHEDULES		R5PRIK_FSC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FSC_PERIODENDDATE	1	DATE	datetime The period end date.
R5FLEETBILLINES		R5PRIK_FBL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FBL_BILL	1	VARCHAR2(30)	nvarchar(30) The fleet bill.
FBL_COSTCODE	2	VARCHAR2(30)	nvarchar(30) The cost code.
FBL_OBJECT	3	VARCHAR2(30)	nvarchar(30) The vehicle.
FBL_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15) The organization of the vehicle.
FBL_ADJUSTMENT	5	VARCHAR2(1)	nvarchar(1) Whether the bill line is an adjustment.
R5FLEETBILLS		R5PRIK_FBI	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FBI_CODE	1	VARCHAR2(30)	nvarchar(30) The system generated bill code.
R5FLEETBILLSUBLINES		R5PRIK_FBS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FBS_PK	1	VARCHAR2(30)	nvarchar(30) System generated primary key.
R5FLEETBOOKLABOR		R5PRIK_FLB	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FLB_EVENT	1	VARCHAR2(30)	nvarchar(30) Work Order
FLB_ACT	2	NUMBER(8,0)	numeric(8,0) Activity
FLB_PERSON	3	VARCHAR2(15)	nvarchar(15) Employee
FLB_SHIFTSCHEDULESESSION	4	NUMBER(18,0)	numeric(18,0) The shift scheduling session
FLB_MECHANICWORKBENCH	5	VARCHAR2(1)	nvarchar(1) Flag to indicate whether the is a mechanic workbench involved
R5FLEETCUSTOMERCODES		R5PRIK_FCD	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FCD_PK	1	VARCHAR2(30)	nvarchar(30) The system generated primary key.
R5FLEETCUSTOMERS		R5PRIK_FCU	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FCU_CODE	1	VARCHAR2(30)	nvarchar(30) The fleet customer code.
FCU_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the fleet customer.
R5FLEETEXCEPTIONS		R5PRIK_FEX	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FEX_CODE	1	VARCHAR2(30)	nvarchar(30) The exception code.
FEX_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the exception.
R5FLEETFUELCLASSES		R5PRIK_FFC	
Column name	Position	Oracle datatype	SQL Server datatype Column description

FFC_CLASS	1	VARCHAR2(8)	nvarchar(8)	The part class.
FFC_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the part class.

R5FLEETMARKUPCODES		R5PRIK_FMC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FMC_CODE	1	VARCHAR2(15)	nvarchar(15)	The markup code.
FMC_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.

R5FLEETMARKUPRATES		R5PRIK_FMR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FMR_MARKUPCODE	1	VARCHAR2(15)	nvarchar(15)	The markup code.
FMR_MARKUPCODE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the markup code.
FMR_STARTDATE	3	DATE	datetime	The start date.
FMR_ORG	4	VARCHAR2(15)	nvarchar(15)	organization code

R5FLEETPARAMETERS		R5PRIK_FPR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FPR_PK	1	VARCHAR2(1)	nvarchar(1)	Primary key.

R5FLEETTICKETEXCEPTIONS		R5PRIK_FTE		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FTE_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key.

R5FLEETTICKETS		R5PRIK_FTI		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FTI_CODE	1	VARCHAR2(30)	nvarchar(30)	The system generated ticket code.

R5FLEETWOTYPES		R5PRIK_FWT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FWT_WOTYPE	1	VARCHAR2(8)	nvarchar(8)	The work order type.

R5FLEXSQL		R5PRIK_FLX		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FLX_TABLE	1	VARCHAR2(32)	varchar(32)	table name.
FLX_TRIGGER	2	VARCHAR2(32)	varchar(32)	identification of trigger event that executes this statement.
FLX_SEQ	3	NUMBER	numeric(38,0)	sequence number of flex-sql statement (within table/trigger).

R5FLEXTABLES		R5PRIK_FLT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FLT_TABLE	1	VARCHAR2(32)	nvarchar(32)	table name.

R5FLEXTABLESNOTALLOWED		R5PRIK_FXT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FXT_TABLE	1	VARCHAR2(30)	nvarchar(30)	

R5FORGETME		R5PRIK_FGM		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FGM_PK	1	VARCHAR2(30)	nvarchar(30)	

R5FORGETMEERRORS		R5PRIK_FME		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FME_CODE	1	VARCHAR2(30)	nvarchar(30)	
FME_STATEMENT	2	NUMBER(4,0)	numeric(4,0)	

R5FORMLINKPARMS		R5PRIK_FLP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
FLP_CALLING	1	VARCHAR2(6)	nvarchar(6)	calling function
FLP_CALLED	2	VARCHAR2(6)	nvarchar(6)	function called
FLP_FROMFIELD	3	VARCHAR2(40)	nvarchar(40)	field from which function is called

R5FUELINVENTORY		R5PRIK_FIN		

Column name	Position	Oracle datatype	SQL Server datat	Column description
FIN_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel physical inventory record
R5FUELINVENTORYADJUSTMENTS				
		R5PRIK_FIA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FIA_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel inventory adjustment record
R5FUELINVENTORYTANKS				
		R5PRIK_FIT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FIT_FUELINVENTORY	1	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel physical inventory record
FIT_LINE	2	NUMBER(8,0)	numeric(8,0)	The line number
R5FUELISSUES				
		R5PRIK_FLI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLI_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel issue record
R5FUELRECEIPTS				
		R5PRIK_FLR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FLR_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of a fuel receipt record
R5FUELS				
		R5PRIK_FUE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUE_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the fuel
R5FUNCTIONS				
		R5PRIK_FUN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUN_CODE	1	VARCHAR2(6)	nvarchar(6)	function that background report will be called from.
R5FUNCTIONTABGRIDS				
		R5PRIK_FTG		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FTG_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	
FTG_TAB	2	VARCHAR2(6)	nvarchar(6)	
FTG_GRIDID	3	NUMBER(14,0)	numeric(14,0)	
R5FUNCTIONTABS				
		R5PRIK_FTB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FTB_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code
FTB_TAB	2	VARCHAR2(6)	nvarchar(6)	tab name
R5FUNCTIONUSERTABS				
		R5PRIK_FUB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUB_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function name
FUB_TAB	2	VARCHAR2(6)	nvarchar(6)	Tab name
R5FUNCUSERS				
		R5PRIK_FUS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FUS_USER	1	VARCHAR2(255)	nvarchar(255)	user
FUS_FUNCTION	2	VARCHAR2(6)	nvarchar(6)	function referred on menus.
R5FUNCVIEWMAP				
		R5PRIK_FVM		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FVM_FUNCVIEW	1	VARCHAR2(50)	nvarchar(50)	view
FVM_GROUP	2	VARCHAR2(12)	nvarchar(12)	User group
R5FUNNOPERM				
		R5PRIK_FPN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FPN_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function
R5FUTUREDUPPLICATES				
		R5PRIK_FDP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
FDP_PPOPK	1	NUMBER	int	The primary key of the related ppm objects table.

FDP_SEQNO	2	NUMBER(4,0)	numeric(4,0)	The sequence number.

R5GENPRODREQPARAM R5PRIK_GPP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GPP_CODE	1	VARCHAR2(30)	nvarchar(30)	Generate Production Request Parameter Code

R5GENPRODREQWO R5PRIK_GPW

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GPW_SESSIONID	1	NUMBER	numeric(18,0)	SessionId (unique)
GPW_EVENT	2	VARCHAR2(30)	nvarchar(30)	Work Order Code

R5GISDATAMAPS R5PRIK_GMP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GMP_MAPPINGID	1	NUMBER(38,0)	numeric(38,0)	Unique mapping id(sequence) for the mapping

R5GISMAPPARAMETERS R5PRIK_GSP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GSP_MAPCODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
GSP_MAP_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.
GSP_PARAM	3	VARCHAR2(8)	nvarchar(8)	T.B.D.

R5GISMAPS R5PRIK_GSM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GSM_CODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
GSM_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.

R5GLCODECOMBINATIONS R5PRIK_GLC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GLC_CODECOMBINATIONID	1	NUMBER(15,0)	numeric(15,0)	key field identifying the account combination.

R5GLINTERFACE R5PRIK_GLI

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GLI_TRANSID	1	NUMBER	int	unique identification of interface transaction.

R5GLINTERFACEHIST R5PRIK_GLH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GLH_TRANSID	1	NUMBER	int	the key identifier for the transaction.

R5GLPROCESSDEF R5PRIK_GPD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GPD_CODE	1	VARCHAR2(20)	nvarchar(20)	the code representing the general ledger process.

R5GLREFERENCES R5PRIK_GLF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GLF_PROCESS	1	VARCHAR2(20)	nvarchar(20)	general ledger process code.
GLF_GROUP	2	VARCHAR2(20)	nvarchar(20)	group value for general ledger process.
GLF_ECATEGORY	3	VARCHAR2(25)	varchar(25)	as defined in oracle financials.
GLF_SETOFBOOKSID	4	NUMBER(15,0)	numeric(15,0)	as defined in oracle financials.
GLF_JESOURCE	5	VARCHAR2(25)	varchar(25)	as defined in oracle financials.

R5GLREFERENCECTRL R5PRIK_GRC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GRC_RSCOLUMN	1	VARCHAR2(30)	nvarchar(30)	r5glreferences column name

R5GL_CODE_COMBINATIONS R5PRIK_GCC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CODE_COMBINATION_ID	1	NUMBER(15,0)	numeric(15,0)	no longer used.

R5GRAPHPARMS R5PRIK_GPM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
GPM_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	unique functioncode not null

R5GRAPHPORTLET				R5PRIK_GPH
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GPH_CODE	1	NUMBER	int	unique id
R5GREENHOUSEGASES				R5PRIK_GHG
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GHG_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the greenhouse gas
R5GRID				R5PRIK_GRD
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GRD_GRIDID	1	NUMBER(14,0)	numeric(14,0)	a unique id of the grid
R5GRIDFIELD				R5PRIK_GFD
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GFD_FIELDID	1	NUMBER(14,0)	numeric(14,0)	identifier of a field.
GFD_GRIDID	2	NUMBER(14,0)	numeric(14,0)	identify the grid this field belongs to
GFD_OCCURRENCE	3	NUMBER(3,0)	numeric(3,0)	Indicates which component query the field is in
R5GRIDPARAM				R5PRIK_GDP
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GDP_GRIDID	1	NUMBER(14,0)	numeric(14,0)	Grid Id
GDP_PARAM	2	VARCHAR2(50)	nvarchar(50)	Parameter
R5GRIDWIDGET				R5PRIK_GWG
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GWG_WIDGETID	1	VARCHAR2(30)	nvarchar(30)	The widget id.
R5GROUPS				R5PRIK_UGR
Column name	Position	Oracle datatype	SQL Server datatype	Column description
UGR_CODE	1	VARCHAR2(12)	nvarchar(12)	code of user group.
R5GROUPSEVALCODES				R5PRIK_GSE
Column name	Position	Oracle datatype	SQL Server datatype	Column description
GSE_UGRCODE	1	VARCHAR2(12)	nvarchar(12)	user group
GSE_EVDCODE	2	VARCHAR2(8)	nvarchar(8)	evaluation code
R5HAZARDPRECAUTIONS				R5PRIK_HZP
Column name	Position	Oracle datatype	SQL Server datatype	Column description
HZP_HAZARD	1	VARCHAR2(30)	nvarchar(30)	The hazard code.
HZP_HAZARD_ORG	2	VARCHAR2(15)	nvarchar(15)	The hazard organization.
HZP_REVISION	3	NUMBER(4,0)	numeric(4,0)	The hazard revision number.
HZP_PRECAUTION	4	VARCHAR2(30)	nvarchar(30)	The precaution to protect against the hazard.
HZP_PRECAUTION_ORG	5	VARCHAR2(15)	nvarchar(15)	The precaution organization to protect against the hazard.
R5HAZARDS				R5PRIK_HAZ
Column name	Position	Oracle datatype	SQL Server datatype	Column description
HAZ_CODE	1	VARCHAR2(30)	nvarchar(30)	The hazard code.
HAZ_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the hazard.
HAZ_REVISION	3	NUMBER(4,0)	numeric(4,0)	The hazard revision.
R5HELPTXTS				R5PRIK_HEL
Column name	Position	Oracle datatype	SQL Server datatype	Column description
HEL_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code, or attrib if field help is defined at attribute level.
HEL_ITEM	2	VARCHAR2(24)	nvarchar(24)	identifies field (and, if necessary, block) to which help text entry applies, e.g., b1.usr_code
HEL_LANG	3	VARCHAR2(2)	nvarchar(2)	language code.
R5HIDDENDATASPIES				R5PRIK_HDS
Column name	Position	Oracle datatype	SQL Server datatype	Column description
HDS_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group
HDS_DATASPYID	2	NUMBER(14,0)	numeric(14,0)	unique id of the dataspy

R5HOME	R	5PRIK_HOM		
Column name	Position	Oracle datatype	SQL Server datat Column description	
HOM_CODE	1	VARCHAR2(24)	nvarchar(24)	inbox code
HOM_TYPE	2	VARCHAR2(1)	nvarchar(1)	kpi type
R5HOMEGROUPS		R5PRIK_HMG		
Column name	Position	Oracle datatype	SQL Server datat Column description	
HMG_HOMCODE	1	VARCHAR2(24)	nvarchar(24)	inbox code
HMG_HOMTYPE	2	VARCHAR2(1)	nvarchar(1)	inbox type
HMG_GROUP	3	VARCHAR2(12)	nvarchar(12)	user group
R5HOMEUSERS		R5PRIK_HMU		
Column name	Position	Oracle datatype	SQL Server datat Column description	
HMU_HOMCODE	1	VARCHAR2(24)	nvarchar(24)	inbox code
HMU_HOMTYPE	2	VARCHAR2(1)	nvarchar(1)	inbox type
HMU_USER	3	VARCHAR2(255)	nvarchar(255)	user code
HMU_SEQ	4	NUMBER(4,0)	numeric(4,0)	sequence
R5HYPERLINK		R5PRIK_HYP		
Column name	Position	Oracle datatype	SQL Server datat Column description	
HYP_PK	1	NUMBER(8,0)	numeric(8,0)	Primary key
R5HYPERLINKURLPARAMETERS		R5PRIK_HUP		
Column name	Position	Oracle datatype	SQL Server datat Column description	
HUP_HYPERLINKPK	1	NUMBER(8,0)	numeric(8,0)	The primary key of the hyperlink.
HUP_USERFUNCTION	2	VARCHAR2(6)	nvarchar(6)	The user function.
HUP_TAB	3	VARCHAR2(6)	nvarchar(6)	The tab.
HUP_PARAMETERNAME	4	VARCHAR2(30)	nvarchar(30)	The parameter name.
R5IESINTERESTCENTERS		R5PRIK_ENI		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ENI_CODE	1	VARCHAR2(30)	nvarchar(30)	interest center code
R5IESREPOSITORIES		R5PRIK_ENS		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ENS_CODE	1	VARCHAR2(30)	nvarchar(30)	repository code
R5IESREPOSITORYCOLUMNS		R5PRIK_ENC		
Column name	Position	Oracle datatype	SQL Server datat Column description	
ENC_REPOSITORYID	1	VARCHAR2(30)	nvarchar(30)	the repository associated to this column
ENC_COLUMNNAME	2	VARCHAR2(30)	nvarchar(30)	the column name of some target repository table
R5IMPORTEXPORGRPSTATUS		R5PRK_IMG		
Column name	Position	Oracle datatype	SQL Server datat Column description	
IMG_SESSIONID	1	NUMBER	numeric(38,0)	Sessionid for the import Process
IMG_GROUP	2	VARCHAR2(60)	nvarchar(60)	Import Export Group
R5IMPORTEXPORSTATUS		R5PRIK_IES		
Column name	Position	Oracle datatype	SQL Server datat Column description	
IES_SESSIONID	1	NUMBER	numeric(38,0)	Unique Sessionid
R5IMPORTRCMTEMPLATEHISTORY		R5PRIK_IRH		
Column name	Position	Oracle datatype	SQL Server datat Column description	
IRH_OBJECT	1	VARCHAR2(35)	nvarchar(35)	
IRH_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	
IRH_TEMPLATE	3	VARCHAR2(30)	nvarchar(30)	
IRH_TEMPLATE_ORG	4	VARCHAR2(15)	nvarchar(15)	
IRH_TEMPLATE_REVISION	5	NUMBER(4,0)	numeric(4,0)	
R5INDICATORS		R5PRIK_IND		

Column name	Position	Oracle datatype	SQL Server datat	Column description
IND_CODE	1	VARCHAR2(4)	nvarchar(4)	performance indicator code. unique identification.
R5INFORMATION				
		R5PRIK_INF		
Column name	Position	Oracle datatype	SQL Server datat	Column description
INF_LEVEL1	1	VARCHAR2(30)	nvarchar(30)	property for which information is created
INF_TYPE	2	VARCHAR2(4)	nvarchar(4)	type of information
R5INSPECTEQUIPDATA				
		R5PRIK_IED		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IED_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object
IED_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
R5INSTALL				
		R5PRIK_INS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
INS_CODE	1	VARCHAR2(8)	nvarchar(8)	code of installation parameter.
R5INTERFACE				
		R5PRIK_INT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
INT_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5INTGPLANORGITEM				
		R5PRIK_IPI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IPI_ORG	1	VARCHAR2(15)	nvarchar(15)	Organization Code
R5INTGPLANSTATUS				
		R5PRIK_IPS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IPS_WOTYPE	1	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
IPS_NEWSTATUS	2	VARCHAR2(8)	nvarchar(8)	New WorkOrder Status
IPS_OLDSTATUS	3	VARCHAR2(8)	nvarchar(8)	Old WorkOrder Status
R5INTGPLANWOTYPES				
		R5PRIK_IPW		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IPW_WOTYPE	1	VARCHAR2(8)	nvarchar(8)	WorkOrder Type
R5INVALSTRUCTURES				
		R5PRIK_IST		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IST_RCHILD	1	VARCHAR2(4)	nvarchar(4)	object type of child object (system code).
IST_RPARENT	2	VARCHAR2(4)	nvarchar(4)	2: child is already attached to a parent of this type.
IST_NEWRPARENT	3	VARCHAR2(4)	nvarchar(4)	object type of new parent to which child object is to be linked (system code).
R5INVDISTRIBUTIONS				
		R5PRIK_IVD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IVD_INVOICE	1	VARCHAR2(45)	nvarchar(45)	invoice number
IVD_LINE	2	NUMBER(8,0)	numeric(8,0)	invoice line number
IVD_ORG	3	VARCHAR2(15)	nvarchar(15)	invoice organization
IVD_CCID	4	NUMBER(15,0)	numeric(15,0)	accounting flexfield
IVD_TYPE	5	VARCHAR2(4)	nvarchar(4)	user type of extra invoice cost
R5INVESTMENTPLANEQUIPMENT				
		R5PRIK_IEQ		
Column name	Position	Oracle datatype	SQL Server datat	Column description
IEQ_INVESTMENTPLANNING	1	VARCHAR2(30)	nvarchar(30)	
IEQ_INVESTMENTPLANNINGREV	2	NUMBER(4,0)	numeric(4,0)	
IEQ_INVESTMENTPLANNING_ORG	3	VARCHAR2(15)	nvarchar(15)	
IEQ_OBJECT	4	VARCHAR2(30)	nvarchar(30)	
IEQ_OBJECT_ORG	5	VARCHAR2(15)	nvarchar(15)	
R5INVESTMENTPLANNING				
		R5PRIK_INP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
INP_CODE	1	VARCHAR2(30)	nvarchar(30)	
INP_REVISION	2	NUMBER(4,0)	numeric(4,0)	

INP_ORG	3 VARCHAR2(15)	nvarchar(15)

Column name	Position	Oracle datatype	SQL Server datat	Column description
IPQ_INVESTMENTPLANNING	1	VARCHAR2(30)	nvarchar(30)	
IPQ_INVESTMENTPLANNING_ORG	2	VARCHAR2(15)	nvarchar(15)	
IPQ_INVESTMENTPLANNINGREV	3	NUMBER(4,0)	numeric(4,0)	
IPQ_CAPITALPLANNINGREQUEST	4	VARCHAR2(30)	nvarchar(30)	
IPQ_CAPITALPLANNINGREQUEST_ORG	5	VARCHAR2(15)	nvarchar(15)	

Column name	Position	Oracle datatype	SQL Server datat	Column description
INR_CODE	1	VARCHAR2(30)	nvarchar(30)	

Column name	Position	Oracle datatype	SQL Server datat	Column description
INA_PK	1	NUMBER	numeric(38,0)	The system generated primary key, using new sequence s5invoiceallocations

Column name	Position	Oracle datatype	SQL Server datat	Column description
IVL_INVOICE	1	VARCHAR2(45)	nvarchar(45)	invoice code
IVL_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization
IVL_INVLINE	3	NUMBER(8,0)	numeric(8,0)	invoice line number.

Column name	Position	Oracle datatype	SQL Server datatype	Column description
INV_CODE	1	VARCHAR2(45)	nvarchar(45)	code identifying the invoice.
INV_ORG	2	VARCHAR2(15)	nvarchar(15)	invoice organization

Column name	Position	Oracle datatype	SQL Server datatype	Column description
IUC_INVOICE	1	VARCHAR2(45)	nvarchar(45)	
IUC_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	
IUC_LINE	3	NUMBER(8,0)	numeric(8,0)	

Column name	Position	Oracle datatype	SQL Server datat	Column description
IUA_INVOICE	1	VARCHAR2(45)	nvarchar(45)	The code of the supplier invoice.
IUA_INVOICE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the supplier invoice.
IUA_SEQUENCE	3	NUMBER(6,0)	numeric(6,0)	The utility line number of the customer invoice.
IUA_MESSAGEID	4	NUMBER(2,0)	numeric(2,0)	The message id of the invoice utility audit record.

Column name	Position	Oracle datatype	SQL Server datatype	Column description
CNN_CONNECTIONNAME	1	VARCHAR2(30)	nvarchar(30)	connection name entered by user
CNN_UPDUSER	2	VARCHAR2(255)	nvarchar(255)	user created by

R5IPFUNCTIONS	R5PRIK_IPF		
Column name	Position	Oracle datatype	SQL Server datat Column description
IPF_CODE	1	NUMBER(2,0)	numeric(2,0)
			7i Buy function

RSIPGROUPPERMISSIONS	R5PRIK_IPG		
Column name	Position	Oracle datatype	SQL Server datat Column description
IPG_GROUP	1	VARCHAR2(12)	nvarchar(12) group
IPG_PERMISSION	2	NUMBER(38,0)	numeric(38,0) permission

Column name	Position	Oracle datatype	SQL Server datatype	Column description
IPP_CODE	1	NUMBER(38,0)	numeric(38,0)	code

R5IPVENDORORDERTERMS R5PRIK_IPT

Column name	Position	Oracle datatype	SQL Server datat	Column description
IPT_CODE	1	NUMBER	int	vendor order term code
IPT_TERM	2	VARCHAR2(30)	nvarchar(30)	acceptable order terms
R5IPVENDORS				
R5PRIK_IPV				
Column name	Position	Oracle datatype	SQL Server datat	Column description
IPV_CODE	1	NUMBER	int	7i Buy vendor code
R5ISOLATIONPOINTS				
R5PRIK_ISP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ISP_CODE	1	VARCHAR2(30)	nvarchar(30)	The isolation point code
ISP_ORG	2	VARCHAR2(15)	nvarchar(15)	The isolation point organization.
ISP_REVISION	3	NUMBER(4,0)	numeric(4,0)	The isolation point revision.
R5ISSUEDCORES				
R5PRIK_ISC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ISC_PK	1	NUMBER	numeric(18,0)	The primary key of the issued cores record.
R5ISSUES				
R5PRIK_ISS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ISS_PK	1	NUMBER	int	Primary key column. Given a value using new sequence s5fifo
R5ITEMS				
R5PRIK_ITM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
ITM_CODE	1	VARCHAR2(80)	nvarchar(80)	unquie Item Code
R5JMPROJ				
R5PRIK_JMP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JMP_PK	1	VARCHAR2(30)	nvarchar(30)	primary key / sessionid
R5JOB LINES				
R5PRIK_JBL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JBL_EVENT	1	VARCHAR2(30)	nvarchar(30)	job code.
JBL_PART	2	VARCHAR2(30)	nvarchar(30)	part code.
JBL_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization code.
R5JOBPARAMVALUE				
R5PRIK_JPV				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JPV_CODE	1	VARCHAR2(30)	nvarchar(30)	This is primary key of the table.
JPV_LINE	2	NUMBER(8,0)	numeric(8,0)	This is primary key of the table. Value should be greater then 0.
R5JOBS				
R5PRIK_JOB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JOB_NAME	1	VARCHAR2(10)	nvarchar(10)	This is primary key of the table. User readable name of the job
R5JOBTYPEAUTH				
R5PRIK_JTA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JTA_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group code.
JTA_JOBTYPE	2	VARCHAR2(8)	nvarchar(8)	job type (user code, entity jbtp).
JTA_STATUS	3	VARCHAR2(8)	nvarchar(8)	Authorization for the jobtype
R5JOINTEFFICIENCY				
R5PRIK_JEF				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JEF_PIPING	1	VARCHAR2(20)	nvarchar(20)	pipng code
JEF_PIPINGREV	2	NUMBER(4,0)	numeric(4,0)	pipng revision
JEF_NOMSIZEMM	3	NUMBER	numeric(24,6)	pipe size (mm)
R5JSPFIELDS				
R5PRIK_JFD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
JFD_JSPFILE	1	VARCHAR2(30)	nvarchar(30)	TBD

R5KBARTICLEDETAILS		R5PRIK_KBD		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KBD_KBARTICLE	1	VARCHAR2(30)	nvarchar(30)	Knowledge Base Code
KBD_KBARTICLE_ORG	2	VARCHAR2(15)	nvarchar(15)	Knowledge Base Org
KBD_LANG	3	VARCHAR2(2)	nvarchar(2)	Language Code
R5KBARTICLES		R5PRIK_KBA		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KBA_CODE	1	VARCHAR2(30)	nvarchar(30)	Knowledge Base Code /Auto-Generated Code
KBA_ORG	2	VARCHAR2(15)	nvarchar(15)	Knowledge Base Org
R5KEYLOCKS		R5PRIK_KEL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KEL_KEY	1	VARCHAR2(30)	nvarchar(30)	The number of the key
KEL_KEY_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the key
KEL_CODE	3	VARCHAR2(30)	nvarchar(30)	The primary key of the lock
R5KEYS		R	5PRIK_KEY	
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KEY_CODE	1	VARCHAR2(30)	nvarchar(30)	The primary key of the key
KEY_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the key
R5KEYTRANSACTIONS		R5PRIK_KTR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KTR_PK	1	NUMBER	numeric(18,0)	The primary key of the key/ring
R5KITPARTS		R5PRIK_BKP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BKP_CODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
R5KITS		R	5PRIK_BKS	
Column name	Position	Oracle datatype	SQL Server datatype	Column description
BKS_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	T.B.D.
R5KITTEMPLATES		R5PRIK_KTT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KTT_KITTEMPLATE	1	VARCHAR2(30)	nvarchar(30)	The kit template code
KTT_KITTEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	The kit template organization
KTT_PART	3	VARCHAR2(30)	nvarchar(30)	the kit template part
KTT_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	The kit template part organization
R5KPIHISTORY		R5PRIK_KPH		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KPH_HOMCODE	1	VARCHAR2(24)	nvarchar(24)	home code
KPH_HOMTYPE	2	VARCHAR2(1)	nvarchar(1)	home type
KPH_UPDDATE	3	DATE	datetime	date updated
R5KPISTRUCTURE		R5PRIK_KPT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
KPT_PARENT	1	VARCHAR2(24)	nvarchar(24)	kpi parent code
KPT_PARENTTYPE	2	VARCHAR2(1)	nvarchar(1)	kpi parent type
KPT_CHILD	3	VARCHAR2(24)	nvarchar(24)	kpi component
KPT_CHILDTYPE	4	VARCHAR2(1)	nvarchar(1)	kpi type
R5LABELFORMATS		R5PRIK_LBL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
LBL_CODE	1	VARCHAR2(30)	nvarchar(30)	label code
LBL_CLASS	2	VARCHAR2(8)	nvarchar(8)	the class the label belongs to
LBL_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	the class organization
R5LANGINST		R5PRIK_LIN		

Column name	Position	Oracle datatype	SQL Server datat	Column description
LIN_CODE	1	VARCHAR2(2)	nvarchar(2)	language code. unique identification.
R5LANGUAGES				
		R5PRIK_LAN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LAN_CODE	1	VARCHAR2(2)	nvarchar(2)	language code. unique identification.
R5LASTVALS				
		R5PRIK_CPL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
CPL_ATR	1	VARCHAR2(32)	nvarchar(32)	name of table column where last value is used.
CPL_RENTITY	2	VARCHAR2(4)	nvarchar(4)	entity code where last value is used (system code).
R5LINEARDIRECTIONS				
		R5PRIK_LDR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LDR_DIRECTION	1	VARCHAR2(8)	nvarchar(8)	The linear direction (like North).
R5LINEARREFCLASSES				
		R5PRIK_LRC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LRC_ENTITY	1	VARCHAR2(4)	nvarchar(4)	The entity of the linear reference record
LRC_CLASS	2	VARCHAR2(8)	nvarchar(8)	The class the linear reference record belongs to
LRC_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	The class organization the linear reference record belongs to
LRC_LINEARREF_CLASS	4	VARCHAR2(8)	nvarchar(8)	The class of the linear reference record
LRC_LINEARREF_CLASS_ORG	5	VARCHAR2(15)	nvarchar(15)	The class organization of the linear reference record
R5LOCALE				
		R5PRIK_LOC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LOC_CODE	1	VARCHAR2(10)	nvarchar(10)	Locale identifier
R5LOCALEHOTKEYS				
		R5PRIK_LHK		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LHK_LOCALE	1	VARCHAR2(10)	nvarchar(10)	The locale the hot key applies to
LHK_CODE	2	VARCHAR2(30)	nvarchar(30)	The identifier of a hot key
R5LOCKOUTBOXES				
		R5PRIK_LOX		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LOX_CODE	1	VARCHAR2(30)	nvarchar(30)	The lockout box code.
LOX_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the lockout box.
R5LONGDESCRIPTIONS				
		R5PRIK_LDS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LDS_ENTITY	1	VARCHAR2(4)	nvarchar(4)	The entity belonging to the long description.
LDS_CODE	2	VARCHAR2(100)	nvarchar(100)	The code belonging to the long description.
LDS_LANG	3	VARCHAR2(2)	nvarchar(2)	The language belonging to the long description.
R5LOTS				
	R	SPRIK_LOT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
LOT_CODE	1	VARCHAR2(12)	nvarchar(12)	lot number. unique identification.
R5MAILATTRIBS				
		R5PRIK_MAA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
MAA_PK	1	VARCHAR2(30)	nvarchar(30)	PK column
R5MAILCONDITIONS				
		R5PRIK_MAC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
MAC_PK	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
R5MAILEVENTS				
		R5PRIK_MAE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
MAE_CODE	1	VARCHAR2(30)	nvarchar(30)	code of mailevent.
R5MAILPARAMETERS				
		R5PRIK_MAP		

Column name	Position	Oracle datatype	SQL Server datat	Column description
MAP_ATTRIBPK	1	VARCHAR2(30)	nvarchar(30)	To be pk of mail attrib
MAP_PARAMETER	2	NUMBER(2,0)	numeric(2,0)	number of parameters.
R5MAILTABLESNOTALLOWED				
R5PRIK_MLT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MLT_TABLE	1	VARCHAR2(30)	nvarchar(30)	
R5MAILTEMPLATE				
R5PRIK_MAT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MAT_CODE	1	VARCHAR2(18)	nvarchar(18)	mail template code.
R5MAINISOLATIONBLOCKS				
R5PRIK_MIB				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MIB_BLOCKID	1	NUMBER(18,0)	numeric(18,0)	
R5MAINISOLATIONDEPBLOCKS				
R5PRIK_MID				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MID_BLOCKID	1	NUMBER(18,0)	numeric(18,0)	
MID_DEPBLOCKID	2	NUMBER(18,0)	numeric(18,0)	
R5MAINISOLATIONMAINS				
R5PRIK_MIP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MIP_MAINID	1	VARCHAR2(30)	nvarchar(30)	
R5MAINISOLATIONVALVES				
R5PRIK_MIV				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MIV_VALVEID	1	VARCHAR2(30)	nvarchar(30)	
R5MAINTENANCEPATTERNS				
R5PRIK_MTP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MTP_CODE	1	VARCHAR2(30)	nvarchar(30)	The identifier of the maintenance pattern
MTP_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the maintenance pattern
MTP_REVISION	3	NUMBER(4,0)	numeric(4,0)	The revision of the maintenance pattern
R5MANAGEDFILE				
R5PRIK_FMT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FMT_TICKET	1	VARCHAR2(16)	nvarchar(16)	This is primary key of the table - MD5 digest of the file name.
FMT_SEQNUM	2	NUMBER	int	This is used only in sequences of the files. For individual file this should be set to -1.
R5MANAGEDFILESEQUENCE				
R5PRIK_FMS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
FMS_TICKET	1	VARCHAR2(16)	nvarchar(16)	This is foreign key of the table - MD5 digest of the file name.
R5MANUFACTURERINTERFACE				
R5PRIK_MFI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MFI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5MANUFACTURERS				
R5PRIK_MFG				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MFG_CODE	1	VARCHAR2(24)	nvarchar(24)	manufacturer code.
R5MAPSCONSENT				
R5PRIK_MCT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MCT_APPID	1	VARCHAR2(30)	nvarchar(30)	
MCT_USERID	2	VARCHAR2(255)	nvarchar(255)	
MCT_DEVICEID	3	VARCHAR2(80)	nvarchar(80)	
MCT_PRODUCT	4	VARCHAR2(15)	nvarchar(15)	
R5MATERIALSTANDARDS				
R5PRIK_MST				
Column name	Position	Oracle datatype	SQL Server datat	Column description

MST_CODE	1 VARCHAR2(20)	nvarchar(20)	material standard
MST_REVISION	2 NUMBER(4,0)	numeric(4,0)	revision

R5MATLISTS		R5PRIK_MTL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MTL_CODE	1	VARCHAR2(20)	nvarchar(20) material list code.
MTL_REVISION	2	NUMBER(4,0)	numeric(4,0) revision number.

R5MATLPARTS		R5PRIK_MLP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MLP_MATLIST	1	VARCHAR2(20)	nvarchar(20) material list code.
MLP_MATLREV	2	NUMBER(4,0)	numeric(4,0) revision number.
MLP_LINE	3	NUMBER(8,0)	numeric(8,0) line number of part on material list.

R5MENUS		R5PRIK_MEN	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MEN_GROUP	1	VARCHAR2(12)	nvarchar(12) user group code.
MEN_CALLING	2	VARCHAR2(6)	nvarchar(6) code of function that is calling.
MEN_CALLED	3	VARCHAR2(6)	nvarchar(6) code of function that is called.

R5METERS		R5PRIK_MET	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MET_CODE	1	VARCHAR2(20)	nvarchar(20) meter code. unique identification.

R5METHODS		R5PRIK_MTH	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MTH_CODE	1	VARCHAR2(8)	nvarchar(8) inspection method code. unique identification.

R5MGADMINISTRATOR		R5PRIK_TPA	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPA_SQLIDENTITY	1	NUMBER(10,0)	int identity Unique record identifier for this record

R5MGCUSTOMFIELD		R5PRIK_TPC	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPC_SQLIDENTITY	1	NUMBER(10,0)	int identity Unique record identifier for this record

R5MGPROVISIONINGCONFIG		R5PRIK_TPK	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPK_NAME	1	VARCHAR2(64)	nvarchar(64) The name of this tenant provisioning setting

R5MGSNAPSHOT		R5PRIK_SNS	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SNS_TENANTID	1	VARCHAR2(32)	nvarchar(32)
SNS_OPERATION	2	VARCHAR2(1)	nvarchar(1)

R5MGTENANT		R5PRIK_TPT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
TPT_SQLIDENTITY	1	NUMBER(10,0)	int identity Unique record identifier for this record

R5MINMAXFORMPARAM		R5PRIK_FOP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
FOP_FORMULA	1	VARCHAR2(8)	nvarchar(8) formula id
FOP_PARAMETER	2	VARCHAR2(8)	nvarchar(8) parameter

R5MINMAXFORMULAS		R5PRIK_MMF	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MMF_CODE	1	VARCHAR2(8)	nvarchar(8) formula id

R5MINMAXPARAMETERS		R5PRIK_MMP	
Column name	Position	Oracle datatype	SQL Server datatype Column description
MMP_CODE	1	VARCHAR2(8)	nvarchar(8) parameter

R5MINORITYGROUPS		R5PRIK_MNG	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNG_CODE	1	VARCHAR2(4)	nvarchar(4) minority group code. unique identification.
R5MOBILECONFIGS		R5PRIK_MCF	
Column name	Position	Oracle datatype	SQL Server datat Column description
MCF_CODE	1	VARCHAR2(80)	nvarchar(80) Mobile Configuration Code
MCF_RCODE	2	VARCHAR2(20)	nvarchar(20) Mobile Configuration System Code
MCF_CONFIG	3	NUMBER	int Mobile Configuration Flag
MCF_DESK	4	VARCHAR2(1)	nvarchar(1) Mobile Configuration Desktop version
R5MOBILEDATABLOCKS		R5PRIK_MDB	
Column name	Position	Oracle datatype	SQL Server datat Column description
MDB_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Request ID from Client.
MDB_BLOCKID	2	NUMBER	int Block number
R5MOBILEDBSYNC		R5PRIK_MDS	
Column name	Position	Oracle datatype	SQL Server datat Column description
MDS_SYNCID	1	NUMBER(38,0)	numeric(38,0)
R5MOBILEENTITYSETUP		R5PRIK_MBE	
Column name	Position	Oracle datatype	SQL Server datat Column description
MBE_ENTITY	1	VARCHAR2(4)	nvarchar(4)
R5MOBILEEVENTSYNC		R5PRIK_MES	
Column name	Position	Oracle datatype	SQL Server datat Column description
MES_REQUESTID	1	VARCHAR2(30)	nvarchar(30) Mobile sync request id
MES_EVENT	2	VARCHAR2(30)	nvarchar(30) Mobile sync Work Order
R5MOBILEFILTEREDOBJECTS		R5PRIK_MFO	
Column name	Position	Oracle datatype	SQL Server datat Column description
MFO_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Timestamp when the record is generated in table
MFO_OBJECT	2	VARCHAR2(30)	nvarchar(30) Equipment Number to be downloaded to Mobile device
MFO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15) Equipment Organization
R5MOBILEFILTEREDPTW		R5PRIK_MFT	
Column name	Position	Oracle datatype	SQL Server datat Column description
MFT_SESSIONID	1	VARCHAR2(30)	nvarchar(30)
MFT_CODE	2	VARCHAR2(30)	nvarchar(30)
R5MOBILEFILTEREDWOS		R5PRIK_MFW	
Column name	Position	Oracle datatype	SQL Server datat Column description
MFW_SESSIONID	1	VARCHAR2(30)	nvarchar(30) Current Mobile data sync session ID
MFW_EVENT	2	VARCHAR2(30)	nvarchar(30) Work Order number to be downloaded to Mobile device
R5MOBILEGRIDLOCK		R5PRIK_MGL	
Column name	Position	Oracle datatype	SQL Server datat Column description
MGL_GRIDNAME	1	VARCHAR2(20)	nvarchar(20) Mobile sync lock grid name
MGL_SYNCCONFIG	2	VARCHAR2(200)	nvarchar(200) Mobile sync lock Sync Config
MGL_ORGCONFIG	3	VARCHAR2(200)	nvarchar(200) Mobile sync lock Organization Config
R5MOBILELBSDATA		R5PRIK_LBS	
Column name	Position	Oracle datatype	SQL Server datat Column description
LBS_DEVICEID	1	VARCHAR2(100)	nvarchar(100) Device ID
LBS_DATE	2	DATE	datetime Creation Date
R5MOBILENOTEBOOKEMAILS		R5PRIK_MNE	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNE_CODE	1	VARCHAR2(30)	nvarchar(30)

R5MOBILENOTEBOOKREFERENCES		R5PRIK_MNR	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNR_MOBILENOTEBOOK	1	VARCHAR2(30)	nvarchar(30)
MNR_REF_MOBILENOTEBOOK	2	VARCHAR2(30)	nvarchar(30)
R5MOBILENOTEBOOKS		R5PRIK_MNB	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNB_CODE	1	VARCHAR2(30)	nvarchar(30)
R5MOBILENOTICES		R5PRIK_MNT	
Column name	Position	Oracle datatype	SQL Server datat Column description
MNT_CODE	1	VARCHAR2(20)	nvarchar(20)
MNT_APPID	2	VARCHAR2(20)	nvarchar(20)
R5MOBILEPNREGISTRY		R5PRIK_MPN	
Column name	Position	Oracle datatype	SQL Server datat Column description
MPN_APPID	1	VARCHAR2(30)	nvarchar(30) EAM mobile app id (EAMConnected/EAMDisconnected/EAMforiPhone)
MPN_DEVICEID	2	VARCHAR2(80)	nvarchar(80) mobile device id
R5MOBILEQUERIES		R5PRIK_MQR	
Column name	Position	Oracle datatype	SQL Server datat Column description
MQR_GRIDNAME	1	VARCHAR2(50)	nvarchar(50)
MQR_TABLENAME	2	VARCHAR2(100)	nvarchar(100)
MQR_VERSION	3	VARCHAR2(20)	nvarchar(20)
R5MOBILESYNCBLOCKS		R5PRIK_MSB	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSB_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Mobile Sync information request id
MSB_BLOCKID	2	NUMBER	int Mobile Sync information block id
R5MOBILESYNDELETE		R5PRIK_MSD	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSD_PK	1	NUMBER(38,0)	numeric(38,0) Mobile Sync Delete record primary key fields
R5MOBILESYNSTATUS		R5PRIK_MSS	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSS_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Request ID from Clinet
R5MOBILESYNCTIME		R5PRIK_MSM	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSM_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Mobile sync time request id
MSM_GRIDNAME	2	VARCHAR2(20)	nvarchar(20) Mobile sync time grid name
R5MOBILEUSERCONFIGS		R5PRIK_MUC	
Column name	Position	Oracle datatype	SQL Server datat Column description
MUC_USER	1	VARCHAR2(255)	nvarchar(255) Mobile Configuration for user
MUC_GROUP	2	VARCHAR2(12)	nvarchar(12) Mobile Configuration for User Group
MUC_CODE	3	VARCHAR2(80)	nvarchar(80) Mobile Configuration Code
MUC_DESK	4	VARCHAR2(1)	nvarchar(1) Mobile Configuration Desktop Version
R5MPACTIVITIES		R5PRIK_MPA	
Column name	Position	Oracle datatype	SQL Server datat Column description
MPA_MPPROJ	1	VARCHAR2(20)	nvarchar(20) code of mp scheduling project.
MPA_EVENT	2	VARCHAR2(30)	nvarchar(30) job number.
MPA_ACT	3	NUMBER(8,0)	numeric(8,0) activity number.
R5MPACTSCHEDULES		R5PRIK_MSA	
Column name	Position	Oracle datatype	SQL Server datat Column description
MSA_MPPROJ	1	VARCHAR2(20)	nvarchar(20) scheduling project
MSA_EVENT	2	VARCHAR2(30)	nvarchar(30) event code
MSA_ACT	3	NUMBER(8,0)	numeric(8,0) activity number

MSA_PERSON	4 VARCHAR2(15)	nvarchar(15)	resource code
MSA_DATE	5 DATE	datetime	scheduled date

R5MPASSIGNEDSUPPLIERS

R5PRIK_MAS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MAS_EVENT	1	VARCHAR2(30)	nvarchar(30)	Work Order Number
MAS_ACT	2	NUMBER(8,0)	numeric(8,0)	Work Order Activity
MAS_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	Supplier
MAS_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	Supplier Organization
MAS_SCHED	5	DATE	datetime	Scheduled Date

R5MPEQUIPMENT

R5PRIK_MEQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MEQ_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MEQ_CODE	2	VARCHAR2(30)	nvarchar(30)	object code
MEQ_ORG	3	VARCHAR2(15)	nvarchar(15)	organization code

R5MPEVENTS

R5PRIK_MPE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPE_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPE_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.

R5MPOBJECTS

R5PRIK_MPO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPO_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPO_OBJECT	2	VARCHAR2(30)	nvarchar(30)	object code.
MPO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	object organization

R5MPPERSACT

R5PRIK_MPS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPS_PERSON	1	VARCHAR2(15)	nvarchar(15)	personnel code of person assigned to activity.
MPS_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.
MPS_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
MPS_DATE	4	DATE	datetime	date person is assigned to work on activity.

R5MPPERSONNEL

R5PRIK_MPP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPP_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project id
MPP_CODE	2	VARCHAR2(15)	nvarchar(15)	personnel code

R5MPPRIORITIES

R5PRIK_MPR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPR_UPRIOR	1	VARCHAR2(8)	nvarchar(8)	priority code (user code, see entity jbrpr).
MPR_RPRIOR	2	VARCHAR2(8)	nvarchar(8)	corresponding microsoft project priority code.

R5MPPROJECTS

R5PRIK_MPJ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPJ_CODE	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project. unique identification.

R5MPSPEDGROUPS

R5PRIK_MPG

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MPG_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
MPG_RENTITY	2	VARCHAR2(4)	nvarchar(4)	entity for which group selection was requested: object, project, or mrc (system code).
MPG_CODE	3	VARCHAR2(30)	nvarchar(30)	code of object, project or maintenance responsibility centre.

R5MPSUPPLIER

R5PRIK_MSPT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
MSP_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MSP_CODE	2	VARCHAR2(30)	nvarchar(30)	supplier code

R5MPTOOL

R5PRIK_MTO

Column name	Position	Oracle datatype	SQL Server datat	Column description
MTO_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MTO_CODE	2	VARCHAR2(12)	nvarchar(12)	tool code
R5MPTOOLACTIVITIES				
R5PRIK_TOA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
TOA_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	code of mp scheduling project.
TOA_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.
TOA_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
TOA_PART	4	VARCHAR2(30)	nvarchar(30)	part code.
TOA_PART_ORG	5	VARCHAR2(15)	nvarchar(15)	part organization
R5MPTRADE				
R5PRIK_MTD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MTD_MPPROJ	1	VARCHAR2(20)	nvarchar(20)	scheduling project code
MTD_CODE	2	VARCHAR2(15)	nvarchar(15)	trade code
R5MRCGISMAPS				
R5PRIK_MGM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MGM_MRC	1	VARCHAR2(15)	nvarchar(15)	T.B.D.
MGM_MAP	2	VARCHAR2(30)	nvarchar(30)	T.B.D.
MGM_MAP_ORG	3	VARCHAR2(15)	nvarchar(15)	T.B.D.
R5MRCS				
R				
5PRIK_MRC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MRC_CODE	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility center code. unique identification. abbreviated as mrc.
R5MRCTOOLS				
R5PRIK_MRT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MRT_MRC	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
MRT_TOOL	2	VARCHAR2(12)	nvarchar(12)	tool code.
MRT_ORG	3	VARCHAR2(15)	nvarchar(15)	mrc tool organization
R5MSGSERVERREQUEST				
R5PRIK_MSQ				
Column name	Position	Oracle datatype	SQL Server datat	Column description
MSQ_REQUESTID	1	VARCHAR2(60)	nvarchar(60)	Message request ID
R5NCSETUPSTATUSDEP				
R5PRIK_NSD				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NSD_ORG	1	VARCHAR2(15)	nvarchar(15)	The organization the record belongs to.
NSD_NCSTATUS	2	VARCHAR2(4)	nvarchar(4)	The observation status which initiates the automatic nonconformity status change.
R5NONCONFORMITIES				
R5PRIK_NCF				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NCF_CODE	1	VARCHAR2(30)	nvarchar(30)	The nonconformity code.
R5NONCONFORMITYSELCRITERIA				
R5PRIK_NCS				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NCS_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the record.
R5NONCONFORMITYSETUP				
R5PRIK_NCP				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NCP_ORG	1	VARCHAR2(15)	nvarchar(15)	The organization the nonconformity setup record belongs to.
R5NONCONFORMITYTYPEASPECTS				
R5PRIK_NTA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
NTA_ASPECT	1	VARCHAR2(30)	nvarchar(30)	Inspection Aspect
NTA_NONCONFORMITYTYPE_CODE	2	VARCHAR2(30)	nvarchar(30)	Nonconformity Type applicable to the Inspection Aspect
NTA_NONCONFORMITYTYPE_ORG	3	VARCHAR2(15)	nvarchar(15)	Nonconformity Type Org. applicable to the Inspection Aspect
R5NONCONFORMITYTYPEEMRS				
R5PRIK_NTE				

R5NONCONFORMITYTYPEMATTYPE				
R5PRIK_MTS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
NTE_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key of the record.
R5NONCONFORMITYTYPEPARTS				
R5PRIK_NTP				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
MTS_NONCONFORMITYTYPE	1	VARCHAR2(30)	nvarchar(30)	The nonconformity type.
MTS_NONCONFORMITYTYPE_ORG	2	VARCHAR2(15)	nvarchar(15)	The nonconformity type organization.
MTS_MATERIALTYPE	3	VARCHAR2(8)	nvarchar(15)	A Material type related to the nonconformity type.
R5NONCONFORMITYTYPES				
R5PRIK_NCT				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
NCT_CODE	1	VARCHAR2(30)	nvarchar(30)	The nonconformity type.
NCT_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the nonconformity type.
R5NONCONFORMOBSERVATIONS				
R5PRIK_NCO				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
NCO_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key of the nonconformity observation record.
R5OBJACTUALCONSUMPTION				
R5PRIK_OAC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
OAC_OBJECT	1	VARCHAR2(30)	nvarchar(30)	Equipment Code
OAC_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	Equipment Organization
OAC_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	Commodity Code
OAC_DATE	4	DATE	datetime	To Date
R5OBJDEPRECIATION				
R5PRIK_ODP				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ODP_OBJECT	1	VARCHAR2(30)	nvarchar(30)	The equipment code.
ODP_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the equipment.
ODP_DEPTYPE	3	VARCHAR2(4)	nvarchar(4)	The depreciation type.
ODP_MODE	4	VARCHAR2(1)	nvarchar(1)	The mode of depreciation.
ODP_PERIOD	5	NUMBER	numeric(38,0)	The period number.
R5OBJDEPTYPES				
R5PRIK_OBD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
OBD_PK	1	NUMBER	numeric(18,0)	The primary key of the object depreciation type record
R5OBJDESIGNCONSUMPTION				
R5PRIK_ODC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ODC_OBJECT	1	VARCHAR2(30)	nvarchar(30)	Equipment Code
ODC_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	Equipment Organization
ODC_COMMODITY	3	VARCHAR2(15)	nvarchar(15)	Commodity Code
ODC_FROMDATE	4	DATE	datetime	From Date
R5OBJECTASPECTS				
R5PRIK_OBA				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
OBA_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object code.
OBA_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
OBA_OBTTYPE	3	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
OBA_ASPECT	4	VARCHAR2(30)	nvarchar(30)	inspection aspect code.
R5OBJECTAUDITS				
R5PRIK_OAD				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
OAD_BATCHNAME	1	VARCHAR2(20)	nvarchar(20)	object audit batch code.

R5OBJECTCAPACITIES		R5PRIK_OCP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCF_OBJECT	1	VARCHAR2(30)	nvarchar(30)
OCF_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)
OCF_CAPACITYCODE	3	VARCHAR2(8)	nvarchar(8)
OCF_EFFECTIVE	4	DATE	datetime
R5OBJECTIVES		R5PRIK_OJV	
Column name	Position	Oracle datatype	SQL Server datat Column description
OJV_CODE	1	VARCHAR2(30)	nvarchar(30) The objective code.
OJV_ORG	2	VARCHAR2(15)	nvarchar(15) The objective organization.
R5OBJECTLOTO		R5PRIK_OLO	
Column name	Position	Oracle datatype	SQL Server datat Column description
OLO_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the lockout-tagout record.
R5OBJECTS		R5PRIK_OBJ	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBJ_CODE	1	VARCHAR2(30)	nvarchar(30) object code.
OBJ_ORG	2	VARCHAR2(15)	nvarchar(15) object organization
R5OBJECTSDM		R5PRIK_SDM	
Column name	Position	Oracle datatype	SQL Server datat Column description
SDM_CODE	1	VARCHAR2(30)	nvarchar(30) Service Delivery Map code. Auto-Generated code
R5OBJECTSERVICECODES		R5PRIK_OSC	
Column name	Position	Oracle datatype	SQL Server datat Column description
OSC_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record
R5OBJECTSINTERFACE		R5PRIK_OBI	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBI_TRANSID	1	NUMBER	bigint unique identification of interface transaction.
R5OBJECTSUPPLIERS		R5PRIK_OSP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OSP_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record.
R5OBJECTSURVEY		R5PRIK_OBS	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBS_OBJECT	1	VARCHAR2(30)	nvarchar(30) The survey object
OBS_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The survey object organization
OBS_TYPE	3	VARCHAR2(1)	nvarchar(1) The survey type
OBS_LEVELPK	4	VARCHAR2(30)	nvarchar(30) The survey question pk
R5OBJECTUPDATE		R5PRIK_OUP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OUP_PK	1	NUMBER	numeric(18,0) The primary key of the object update record
R5OBJLINEARREF		R5PRIK_LRF	
Column name	Position	Oracle datatype	SQL Server datat Column description
LRF_ID	1	NUMBER(38,0)	numeric(38,0) The surrogate key of this table, populated by sequence number S5LRF
R5OBJMAP		R5PRIK_OMP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OMP_MAPID	1	NUMBER(38,0)	numeric(38,0) Code of the GIS map for the selected equipment or route.
R5OBJMAPPLAYER		R5PRIK_OML	
Column name	Position	Oracle datatype	SQL Server datat Column description
OML_MAPID	1	NUMBER(38,0)	numeric(38,0) Code of the GIS map for the selected equipment or route.
OML_VISIBLELAYER	2	VARCHAR2(60)	nvarchar(60) GIS map layer that will be visible when equipment or route map is viewed.

R5OBJRESOURCES		R5PRIK_OR_S	
Column name	Position	Oracle datatype	SQL Server datat Column description
ORS_OBJECT	1	VARCHAR2(30)	nvarchar(30) Equipment Code
ORS_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) Equipment Organization
ORS_RESOURCE	3	VARCHAR2(80)	nvarchar(80) Resource Code
R5OBJTESTPOINTS		R5PRIK_OTP	
Column name	Position	Oracle datatype	SQL Server datat Column description
OTP_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment.
OTP_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The equipment organization.
OTP_SET	3	VARCHAR2(4)	nvarchar(4) The set of the object test point.
OTP_SEQ	4	NUMBER(4,0)	numeric(4,0) The sequence number.
R5OBJUNITS		R5PRIK_OBU	
Column name	Position	Oracle datatype	SQL Server datat Column description
OBU_OBJECT	1	VARCHAR2(30)	nvarchar(30) The equipment code.
OBU_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) The organization of the equipment.
OBU_YEARPK	3	NUMBER	int The reference to a fiscal year.
R5OBJUSAGEDEFS		R5PRIK_OUD	
Column name	Position	Oracle datatype	SQL Server datat Column description
UD_OBJECT	1	VARCHAR2(30)	nvarchar(30) object code.
UD_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15) object organization
UD_UOM	3	VARCHAR2(30)	nvarchar(30) unit of measure code.
R5OPCALCQUEUE		R5PRIK_OCQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCQ_ID	1	NUMBER	int Identifies calc request. Primary key
R5OPCHARTS		R5PRIK_OCH	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCH_ID	1	NUMBER(38,0)	numeric(38,0) Chart ID
R5OPCOMMENTS		R5PRIK_OCM	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCM_VARID	1	NUMBER(38,0)	numeric(38,0) Identifies the Variable thats being commented
OCM_DATESTAMP	2	DATE	datetime Date of Comment
R5OPERATORCHECKLISTS		R5PRIK_OCK	
Column name	Position	Oracle datatype	SQL Server datat Column description
OCK_CODE	1	VARCHAR2(30)	nvarchar(30) Operator Check List Code
R5OPFILES		R5PRIK_OGF	
Column name	Position	Oracle datatype	SQL Server datat Column description
OGF_ID	1	NUMBER	int Identifies each file entry. Primary key
R5OPGRAPHCORR		R5PRIK_OGC	
Column name	Position	Oracle datatype	SQL Server datat Column description
OGC_ID	1	NUMBER	int Primary key value of correlation graph
R5OPGRAPHTS		R5PRIK_OGT	
Column name	Position	Oracle datatype	SQL Server datat Column description
OGT_ID	1	NUMBER	int Primary key value of correlation graph
R5OPLIMITS		R5PRIK_OPL	
Column name	Position	Oracle datatype	SQL Server datat Column description
OPL_VARID	1	NUMBER(38,0)	numeric(38,0) Variable for which the limits apply
OPL_MTH	2	NUMBER(2,0)	int Month in year
R5OPLOOKUPTABLES		R5PRIK_OLT	

Column name	Position	Oracle datatype	SQL Server datat	Column description
OLT_ID	1	NUMBER	int	Analytics - T.B.D.
R5OPREPORTS				
		R5PRIK_ORP		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ORP_ID	1	NUMBER(38,0)	numeric(38,0)	Report ID
R5OPREPORTVARS				
		R5PRIK_ORV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ORV_REPORTID	1	NUMBER(38,0)	numeric(38,0)	Report ID
ORV_VARID	2	NUMBER(38,0)	numeric(38,0)	Report ID
R5OPSERVERLOG				
		R5PRIK_OSL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OSL_ID	1	NUMBER(38,0)	numeric(38,0)	Server log code
R5OPSYMBOLS				
		R5PRIK_OSY		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OSY_ID	1	NUMBER(38,0)	numeric(38,0)	primary key id
R5OPSYNCBLOCK				
		R5PRIK_OPB		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OPB_BLOCKID	1	NUMBER(24,0)	numeric(24,0)	Surrogate primarykey
R5OPSYNCDEL				
		R5PRIK_SDL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
SDL_SYNCKEY	1	NUMBER(24,0)	numeric(24,0)	Surrogate primarykey
R5OPTIMIZEDSCHEDULES				
		R5PRIK_OPS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OPS_CODE	1	VARCHAR2(30)	nvarchar(30)	
OPS_ORG	2	VARCHAR2(15)	nvarchar(15)	
R5OPUNITS				
		R5PRIK_OUN		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OUN_ID	1	NUMBER(38,0)	numeric(38,0)	Primary key
R5OPVARATTRIBUTES				
		R5PRIK_OAT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OAT_ID	1	NUMBER(38,0)	numeric(38,0)	Attribute ID
R5OPVARDATA				
		R5PRIK_ODT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
ODT_ID	1	NUMBER(24,0)	numeric(24,0)	pk
R5OPVARDEPENDENCIES				
		R5PRIK_OVV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OVV_VARID	1	NUMBER(38,0)	numeric(38,0)	Variable node in dependency tree.
OVV_PARENTID	2	NUMBER(38,0)	numeric(38,0)	Parent nodes of Variable node in dependency tree.
R5OPVAREQ				
		R5PRIK_OEQ		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OEQ_VARID	1	NUMBER(38,0)	numeric(38,0)	Variable ID
OEQ_DATESTAMP	2	DATE	datetime	Date when the equation becomes effective
R5OPVARIABLES				
		R5PRIK_OVD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
OVD_ID	1	NUMBER(38,0)	numeric(38,0)	Analytics - T.B.D.
R5OPVARSYMBOL				
		R5PRIK_OVS		
Column name	Position	Oracle datatype	SQL Server datat	Column description

OVS_ID	1 NUMBER	int	primary key (surrogate)

R5ORDCLAUSEREVSR5PRIK_OCR

Column name	Position	Oracle datatype	SQL Server data	Column description
OCR_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
OCR_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
OCR_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	clause code.
OCR_REVISION	4	NUMBER(4,0)	numeric(4,0)	purchase order revision number.

R5ORDCLAUSES

R5PRIK_ORC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORC_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORC_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORC_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	clause code.

R5ORDERLINESR5PRIK_ORL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORL_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORL_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORL_ORDLINE	3	NUMBER(8,0)	numeric(8,0)	purchase order line number.

R5ORDERSR5PRIK_ORD

Column name	Position	Oracle datatype	SQL Server datat	Column description
ORD_CODE	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORD_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization

R5ORDERTERMSR5PRIK_ORT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORT_CODE	1	VARCHAR2(30)	nvarchar(30)	order term code.

R5ORDERTRACKINGR5PRIK_OTR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OTR_TRACKID	1	NUMBER(12,0)	int	tracking id number
OTR_ORDER	2	VARCHAR2(30)	nvarchar(30)	purchase order
OTR_ORDER_ORG	3	VARCHAR2(15)	nvarchar(15)	purchase order organization

R5ORDREVISIONSR5PRIK_ORR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORR_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
ORR_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
ORR_REVISION	3	NUMBER(4,0)	numeric(4,0)	purchase order revision number.

R5ORGANIZATIONR5PRIK_ORG

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORG_CODE	1	VARCHAR2(15)	nvarchar(15)	organization code

R5ORGANIZATIONAPPPARMSR5PRIK_OAP

Column name	Position	Oracle datatype	SQL Server datat	Column description
OAP_ORG	1	VARCHAR2(15)	nvarchar(15)	organization code
OAP_APPLICATION	2	VARCHAR2(32)	nvarchar(32)	application name for dashboard interface
OAP_PARAMNAME	3	VARCHAR2(32)	nvarchar(32)	parameter name

R5ORGANIZATIONOPTIONSR5PRIK_OPA

Column name	Position	Oracle datatype	SQL Server datat	Column description
OPA_CODE	1	VARCHAR2(8)	nvarchar(8)	The organization option code
OPA_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization option organization
OPA_SYSTEM	3	VARCHAR2(1)	nvarchar(1)	The organization option system flag

R5ORGLOCATIONR5PRIK_OGL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OGL_ORG	1	VARCHAR2(15)	nvarchar(15)	Organization Code

OGL_BODGROUP 2 VARCHAR2(8) nvarchar(8) BOD Group

R5ORGOPTIONSNOTALLOWED R5PRIK_OON

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OON_OPTION	1	VARCHAR2(8)	nvarchar(8)	

R5ORGSTRUCTURE R5PRIK_OZS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OZS_CODE	1	VARCHAR2(15)	nvarchar(15)	The organization code.

R5ORGTABCOLUMNS R5PRIK_OTC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OTC_TABLE	1	VARCHAR2(30)	nvarchar(30)	table name
OTC_COLUMN	2	VARCHAR2(30)	nvarchar(30)	column name

R5ORGYEARS R5PRIK_OYE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OYE_PK	1	NUMBER	int	The system generated primary key.

R5ORIGINATORS R5PRIK_ORI

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ORI_CODE	1	VARCHAR2(24)	nvarchar(24)	code of document originator.

R5ORLREVISIONS R5PRIK_OLR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OLR_ORDER	1	VARCHAR2(30)	nvarchar(30)	purchase order number.
OLR_ORDER_ORG	2	VARCHAR2(15)	nvarchar(15)	purchase order organization
OLR_REVISION	3	NUMBER(4,0)	numeric(4,0)	purchase order revision number.
OLR_ORDLIN	4	NUMBER(8,0)	numeric(8,0)	purchase order line number.

R5OXCOPY R5PRIK_OXC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
OXC_SESSION	1	VARCHAR2(30)	nvarchar(30)	session id
OXC_OLD OBJ	2	VARCHAR2(30)	nvarchar(30)	old object code
OXC_OLD OBJORG	3	VARCHAR2(15)	nvarchar(15)	old object organization

R5PACKAGE R5PRIK_PKG

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PKG_CODE	1	VARCHAR2(30)	nvarchar(30)	

R5PACKAGELINES R5PRIK_PKL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PKL_PACKAGE	1	VARCHAR2(30)	nvarchar(30)	
PKL_HELDITEM	2	VARCHAR2(30)	nvarchar(30)	

R5PACKINGSLIP R5PRIK_PSL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PSL_DOCK	1	VARCHAR2(30)	nvarchar(30)	dock code
PSL_LINE	2	NUMBER(8,0)	numeric(8,0)	dock line

R5PARTCONDITIONTEMPLATE R5PRIK_PCT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PCT_CODE	1	VARCHAR2(30)	nvarchar(30)	The part condition template code.
PCT_ORG	2	VARCHAR2(15)	nvarchar(15)	The part condition template organization.

R5PARTCTPLCONDITIONS R5PRIK_PTC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PTC_TEMPLATE	1	VARCHAR2(30)	nvarchar(30)	The part condition template the condition belongs to.
PTC_TEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the part condition template the condition belongs to.
PTC_CONDITION	3	VARCHAR2(20)	nvarchar(20)	The code of the part template condition.

R5PARTEVALUATIONLIST		R5PRIK_PEL	
Column name	Position	Oracle datatype	SQL Server datat Column description
PEL_EVALCODE	1	VARCHAR2(30)	nvarchar(30) Part Evaluation Code
PEL_PART	2	VARCHAR2(30)	nvarchar(30) Part Code
PEL_PART_ORG	3	VARCHAR2(15)	nvarchar(15) Part Organization
R5PARTEVALUATIONS		R5PRIK_PEN	
Column name	Position	Oracle datatype	SQL Server datat Column description
PEN_CODE	1	VARCHAR2(30)	nvarchar(30) Part Evaluation Code
R5PARTFAILURES		R5PRIK_PFA	
Column name	Position	Oracle datatype	SQL Server datat Column description
PFA_CODE	1	VARCHAR2(30)	nvarchar(30) Part Failure Code /Auto-Generated Code/Surrogate Key
R5PARTGHG		R5PRIK_PGG	
Column name	Position	Oracle datatype	SQL Server datat Column description
PGG_PART	1	VARCHAR2(30)	nvarchar(30) Part code
PGG_PART_ORG	2	VARCHAR2(15)	nvarchar(15) Part organization
PGG_GHG	3	VARCHAR2(30)	nvarchar(30) Green house gas code
R5PARTNERINBOUND		R5PRIK_PIB	
Column name	Position	Oracle datatype	SQL Server datat Column description
PIB_PARTNER	1	VARCHAR2(128)	nvarchar(128) Partner
PIB_DOCUMENTTYPE	2	VARCHAR2(128)	nvarchar(128) Document type
R5PARTNERS		R5PRIK_PNR	
Column name	Position	Oracle datatype	SQL Server datat Column description
PNR_CODE	1	VARCHAR2(128)	nvarchar(128) Partner Code
R5PARTNERSUBSCRIPTIONS		R5PRIK_PSB	
Column name	Position	Oracle datatype	SQL Server datat Column description
PSB_PARTNER	1	VARCHAR2(128)	nvarchar(128) Partner code. Link to R5PARTNERS.PNR_CODE
PSB_EVENT	2	VARCHAR2(32)	nvarchar(32) A Databridge or other messaging event name the partner is subscribing
PSB_DOCUMENTTYPE	3	VARCHAR2(128)	nvarchar(128) The document type of the subscription
R5PARTPART		R5PRIK_PAP	
Column name	Position	Oracle datatype	SQL Server datat Column description
PAP_PARTA	1	VARCHAR2(30)	nvarchar(30) part code of part for which alternative exists.
PAP_PARTA_ORG	2	VARCHAR2(15)	nvarchar(15) part a organization
PAP_PARTB	3	VARCHAR2(30)	nvarchar(30) part code of alternative part.
PAP_PARTB_ORG	4	VARCHAR2(15)	nvarchar(15) part b organization
R5PARTPRICES		R5PRIK_PPR	
Column name	Position	Oracle datatype	SQL Server datat Column description
PPR_PART	1	VARCHAR2(30)	nvarchar(30) part code
PPR_PART_ORG	2	VARCHAR2(15)	nvarchar(15) part organization
PPR_ORG	3	VARCHAR2(15)	nvarchar(15) organization
R5PARTS		R5PRIK_PAR	
Column name	Position	Oracle datatype	SQL Server datat Column description
PAR_CODE	1	VARCHAR2(30)	nvarchar(30) part code. unique identification.
PAR_ORG	2	VARCHAR2(15)	nvarchar(15) part organization
R5PARTSINTERFACE		R5PRIK_PAI	
Column name	Position	Oracle datatype	SQL Server datat Column description
PAI_TRANSID	1	NUMBER	bigint unique identification of interface transaction.
R5PARTSUNDERWARRANTY		R5PRIK_PUW	
Column name	Position	Oracle datatype	SQL Server datat Column description
PUW_PK	1	NUMBER	numeric(18,0) The PK of the parts under warranty record

R5PARTWARRANTYCLAIMPARTS		R5PRIK_PWP	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWP_PK	1	NUMBER	numeric(18,0) The system generated primary key of the claim line
R5PARTWARRANTYCLAIMS		R5PRIK_PWA	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWA_CODE	1	VARCHAR2(30)	nvarchar(30) The unique code of the part warranty claim
R5PASSWORDS		R5PRIK_PWD	
Column name	Position	Oracle datatype	SQL Server datat Column description
PWD_USER	1	VARCHAR2(255)	nvarchar(255) user.
PWD_PASSWORD	2	VARCHAR2(50)	nvarchar(50) encrypted user password.
PWD_LASTUSED	3	DATE	datetime date the password was last used.
R5PATTERNEQUIPMENT		R5PRIK_PEQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
PEQ_MP	1	VARCHAR2(30)	nvarchar(30) The identifier of a maintenance pattern
PEQ_MP_ORG	2	VARCHAR2(15)	nvarchar(15) The maintenance pattern organization
PEQ_REVISION	3	NUMBER(4,0)	numeric(4,0) The revision of the maintenance pattern equipment
PEQ_OBJECT	4	VARCHAR2(30)	nvarchar(30) The equipment of the maintenance pattern equipment
PEQ_OBJECT_ORG	5	VARCHAR2(15)	nvarchar(15) The equipment organization of the maintenance pattern equipment
R5PATTERNSEQUENCES		R5PRIK_PSQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
PSQ_PK	1	NUMBER(38,0)	numeric(38,0) Primary Key Code
PSQ_REVISION	2	NUMBER(4,0)	numeric(4,0) The revision of the maintenance pattern sequence
R5PDMLANG		R5PRIK_PDL	
Column name	Position	Oracle datatype	SQL Server datat Column description
PDL_GROUP	1	VARCHAR2(12)	nvarchar(12) user group code.
PDL_LINE	2	NUMBER	int line number.
PDL_LANG	3	VARCHAR2(2)	nvarchar(2) language code.
R5PERFORMANCEFORMULAS		R5PRIK_PFF	
Column name	Position	Oracle datatype	SQL Server datat Column description
PFF_CODE	1	VARCHAR2(30)	nvarchar(30)
PFF_ORG	2	VARCHAR2(15)	nvarchar(15)
R5PERIODS		R5PRIK_ACP	
Column name	Position	Oracle datatype	SQL Server datat Column description
ACP_YEAR	1	VARCHAR2(8)	nvarchar(8) budget term code.
ACP_PERIOD	2	VARCHAR2(4)	nvarchar(4) budget period code.
R5PERMENTITIES		R5PRIK_PRE	
Column name	Position	Oracle datatype	SQL Server datat Column description
PRE_PERMIT	1	VARCHAR2(12)	nvarchar(12) permit code.
PRE_PERMIT_ORG	2	VARCHAR2(15)	nvarchar(15) The permit organization.
PRE_CODE	3	VARCHAR2(50)	nvarchar(50) object or category code.
PRE_RENTITY	4	VARCHAR2(4)	nvarchar(4) entity code (system code).
R5PERMEVENTS		R5PRIK_PEV	
Column name	Position	Oracle datatype	SQL Server datat Column description
PEV_CODE	1	VARCHAR2(34)	nvarchar(34) permit number. unique identification.
R5PERMISSIONS		R5PRIK_PRM	
Column name	Position	Oracle datatype	SQL Server datat Column description
PRM_FUNCTION	1	VARCHAR2(6)	nvarchar(6) code of function that users of user group have access to.
PRM_GROUP	2	VARCHAR2(12)	nvarchar(12) user group code.
R5PERMITS		R5PRIK_PRT	
Column name	Position	Oracle datatype	SQL Server datat Column description

PRT_CODE	1	VARCHAR2(12)	nvarchar(12)	permit code. unique identification.
PRT_ORG	2	VARCHAR2(15)	nvarchar(15)	permit organization
PRT_REVISION	3	NUMBER(4,0)	numeric(4,0)	The permit revision.

R5PERMITTOWORK		R5PRIK_PTW		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PTW_CODE	1	VARCHAR2(30)	nvarchar(30)	The permit to work unique code.

R5PERMITTOWORKCONFLICTS		R5PRIK_PWC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PWC_PTW	1	VARCHAR2(30)	nvarchar(30)	The permit to work code.
PWC_CONFLICTINGPTW	2	VARCHAR2(30)	nvarchar(30)	The conflicting permit to work code.

R5PERMITTOWORKLOTO		R5PRIK_PWL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PWL_PK	1	VARCHAR2(30)	nvarchar(30)	The unique code of the permit to work lockout-tagout.

R5PERMITTOWORKSETUP		R5PRIK_PTS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PTS_ORG	1	VARCHAR2(15)	nvarchar(15)	The organization.
PTS_RISK	2	VARCHAR2(8)	nvarchar(8)	The risk code.

R5PERCODESTRUCT		R5PRIK_PRL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PRL_CODE	1	VARCHAR2(15)	nvarchar(15)	personnel code
PRL_LEVEL1	2	VARCHAR2(30)	nvarchar(30)	personnel property

R5PERSONNEL		R5PRIK_PER		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PER_CODE	1	VARCHAR2(15)	nvarchar(15)	personnel code. unique identification.

R5PERSONNELQUALIFICATIONS		R5PRIK_PQU		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PQU_PERSON	1	VARCHAR2(15)	nvarchar(15)	Personnel code
PQU_QUALIFICATION	2	VARCHAR2(20)	nvarchar(20)	Qualification code
PQU_QUALIFICATIONSTART	3	DATE	datetime	Qualification start date

R5PERTYPES		R5PRIK_PET		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PET_PERSON	1	VARCHAR2(15)	nvarchar(15)	personnel code
PET_TYPE	2	VARCHAR2(4)	nvarchar(4)	personnel type

R5PICKLISTPARTS		R5PRIK_PIP		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PIP_PICKLIST	1	VARCHAR2(30)	nvarchar(30)	pick list number.
PIP_PART	2	VARCHAR2(30)	nvarchar(30)	part code.
PIP_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	part organization

R5PICKLISTS		R5PRIK_PIC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PIC_CODE	1	VARCHAR2(30)	nvarchar(30)	pick list number. unique identification.

R5PIPINGCLASS		R5PRIK_PCS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PCS_CODE	1	VARCHAR2(20)	nvarchar(20)	piping class
PCS_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision

R5PMFORECASTEQUIPLIST		R5PRIK_PFL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PFL_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID
PFL_OBJECT	2	VARCHAR2(30)	nvarchar(30)	object code

PFL_OBJECT_ORG	3 VARCHAR2(15)	nvarchar(15)	object organization

R5PMFORECASTPARAMS

R5PRIK_PFP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PFP_CODE	1	VARCHAR2(30)	nvarchar(30)	Parameters Key / Surrogate Key

R5PMFORECASTPREVIEW

R5PRIK_PFV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PFV_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID
PFV_OBJECT	2	VARCHAR2(30)	nvarchar(30)	Equipment code
PFV_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	Equipment organization

R5PMFORECASTWARNING

R5PRIK_PFW

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PFW_PPSPK	1	NUMBER(12,0)	numeric(12,0)	Forecast id (pps_pk)
PFW_WARNTYPE	2	VARCHAR2(1)	nvarchar(1)	Type of warning

R5PMPLANSSESSION

R5PRIK_PPS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PPS_PK	1	NUMBER(12,0)	numeric(12,0)	A sequence number used as key

R5PMPSSESSIONDATES

R5PRIK_PPD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PPD_LINE	1	NUMBER(12,0)	numeric(12,0)	Line id
PPD_PPSPK	2	NUMBER(12,0)	numeric(12,0)	Forecast id (pps_pk)
PPD_DUEDATE	3	DATE	datetime	Due date

R5PMPSSESSIONLINES

R5PRIK_PPL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PPL_LINE	1	NUMBER(12,0)	numeric(12,0)	A sequence number used as key

R5PMRESOURCES

R5PRIK_PMR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PMR_PPM	1	VARCHAR2(20)	nvarchar(20)	PMSchedule Code
PMR_PPMREVISION	2	NUMBER(4,0)	numeric(4,0)	PMSchedule Revision
PMR_OBJECT	3	VARCHAR2(30)	nvarchar(30)	Equipment Code
PMR_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15)	Equipment Organization
PMR_RESOURCE	5	VARCHAR2(80)	nvarchar(80)	Resource Code

R5POINTS

R5PRIK_POI

Column name	Position	Oracle datatype	SQL Server datatype	Column description
POI_OBJECT	1	VARCHAR2(30)	nvarchar(30)	object code.
POI_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	object organization
POI_OBTYP	3	VARCHAR2(4)	nvarchar(4)	object type (user code, see entity obtp).
POI_POINT	4	VARCHAR2(30)	nvarchar(30)	identification of inspection point on object.
POI_POINTTYPE	5	VARCHAR2(30)	nvarchar(30)	type of inspection point.

R5POINTTYPES

R5PRIK_PTP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PTP_CODE	1	VARCHAR2(30)	nvarchar(30)	type of inspection point. unique identification.

R5POLICIES

R5PRIK_POL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
POL_CODE	1	VARCHAR2(30)	nvarchar(30)	The policy code.
POL_ORG	2	VARCHAR2(15)	nvarchar(15)	The policy organization.

R5PPMACTDETAILS

R5PRIK_PAD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
PAD_CODE	1	VARCHAR2(45)	nvarchar(45)	ppm activity details code
PAD_RTYPE	2	VARCHAR2(4)	nvarchar(4)	ppm activity detail r type

R5PPMACTS					R5PRIK_PPA				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PPA_PPM	1	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.					
PPA_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.					
PPA_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.					
R5PPMCALENDARS					R5PRIK_PPC				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PPC_PPM	1	VARCHAR2(20)	nvarchar(20)	planned preventive maintenance code.					
PPC_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.					
PPC_OBJECT	3	VARCHAR2(30)	nvarchar(30)	object code.					
PPC_OBJECT_ORG	4	VARCHAR2(15)	nvarchar(15)	object organization					
PPC_DATE	5	DATE	datetime	date on which ppm job is due. (this overrides the frequency of the pm schedule when the next ppm job is created)					
R5PPMOBJECTS					R5PRIK_PPO				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PPO_PK	1	NUMBER	int	primary key.					
PPO_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.					
R5PPMPPLAN					R5PRIK_PMP				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PMP_CODE	1	VARCHAR2(6)	nvarchar(6)	ppm plan code					
R5PPMS					R	5PRIK_PPM			
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PPM_CODE	1	VARCHAR2(20)	nvarchar(20)	code of planned preventive maintenance schedule. unique identification.					
PPM_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision of pm, material list, task or rout.					
R5PPMTOOLS					R5PRIK_PPT				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PPT_PPM	1	VARCHAR2(20)	nvarchar(20)	ppm code.					
PPT_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.					
PPT_ACT	3	NUMBER(8,0)	numeric(8,0)	activity code.					
PPT_TOOL	4	VARCHAR2(12)	nvarchar(12)	tool code.					
R5PRECAUTIONS					R5PRIK_PCA				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PCA_CODE	1	VARCHAR2(30)	nvarchar(30)	The precaution code.					
PCA_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the precaution					
PCA_REVISION	3	NUMBER(4,0)	numeric(4,0)	The revision of the precaution.					
R5PREFERENCES					R5PRIK_PRF				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PRF_CODE	1	VARCHAR2(12)	nvarchar(12)	preference code.					
R5REFILTERLOOKUP					R5PRIK_PFE				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PFE_PAGENAME	1	VARCHAR2(40)	nvarchar(40)	function based name of page					
PFE_ELEMENTID	2	VARCHAR2(80)	nvarchar(80)	Unique field element ID in form					
R5PRICECODES					R5PRIK_PRI				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PRI_CODE	1	VARCHAR2(4)	nvarchar(4)	price code. unique identification.					
R5PRICING					R5PRIK_PRC				
Column name	Position	Oracle datatype	SQL Server datat	Column description					
PRC_TRANSTYPE	1	VARCHAR2(8)	nvarchar(8)	the storeroom transaction class for which this price adoption is used.					
PRC_TRANSTYPE_ORG	2	VARCHAR2(15)	nvarchar(15)	organization of the storeroom transaction class for which this price adoption is used					
PRC_ORIG	3	VARCHAR2(4)	nvarchar(4)	pricing code relating to origin of items.					
PRC_DEST	4	VARCHAR2(4)	nvarchar(4)	pricing code relating to destination of items issued.					

R5PRINTERS				R5PRIK_PRN
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PRN_CODE	1	NUMBER	int	Ilm number of the printer
R5PRINTERTYPES				R5PRIK_PNT
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PNT_CODE	1	VARCHAR2(30)	nvarchar(30)	the printer type
R5PRINTERUSERS				R5PRIK_PNU
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PNU_CODE	1	NUMBER	int	the printer Ilm number
PNU_USER	2	VARCHAR2(255)	nvarchar(255)	user assigned to this printer
R5PRINTLABELS				R5PRIK_PNL
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PNL_CODE	1	VARCHAR2(30)	nvarchar(30)	a unique id generated using timestamp and sessionid
R5PROCESSLOCK				R5PRIK_PLK
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PLK_CODE	1	VARCHAR2(128)	nvarchar(128)	Key for the table, representing a startup process name.
R5PRODREQRESOURCES				R5PRIK_PRR
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PRR_PK	1	NUMBER	int	unique Code Primary Key
R5PRODUCTIONPRIORITY				R5PRIK_PDP
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PDP_CODE	1	VARCHAR2(256)	nvarchar(256)	Production Priority Code
R5PRODUCTIONREQUESTS				R5PRIK_PRQ
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PRQ_CODE	1	VARCHAR2(30)	nvarchar(30)	Production Request Code
PRQ_REVISION	2	NUMBER(4,0)	numeric(4,0)	Production Request Revision
PRQ_ORG	3	VARCHAR2(15)	nvarchar(15)	Production Request Organization
R5PRODUCTVERSION				R5PRIK_PVS
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PVS_PRODUCTCODE	1	VARCHAR2(10)	nvarchar(10)	Product code or database code: EXTENDED, FORMS, MOBILE, DATABRIDGE, 7i BUY, DATABASE
R5PRODUCTVERSIONHISTORY				R5PRIK_PVH
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PVH_PRODUCTCODE	1	VARCHAR2(10)	nvarchar(10)	Product updated/patched
PVH_CHANGED	2	DATE	datetime	datetime change was applied.
R5PROJAUTHUSER				R5PRIK_PAU
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PAU_PROJECT	1	VARCHAR2(20)	nvarchar(20)	Project code.
PAU_USER	2	VARCHAR2(255)	nvarchar(255)	List of users who are not expired.
R5PROJBUDCLASSES				R5PRIK_PCL
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PCL_PROJECT	1	VARCHAR2(20)	nvarchar(20)	project code.
PCL_PROJBUD	2	VARCHAR2(20)	nvarchar(20)	project budget code.
R5PROJBUDCODES				R5PRIK_PBC
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PBC_CODE	1	VARCHAR2(20)	nvarchar(20)	project budget code. unique identification.
R5PROJECTS				R5PRIK_PRJ
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PRJ_CODE	1	VARCHAR2(20)	nvarchar(20)	project code.

R5PROMPTVALUES		R5PRIK_PMV		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PMV_PROMPT	1	VARCHAR2(8)	nvarchar(8)	prompt
PMV_ASPECT	2	VARCHAR2(30)	nvarchar(30)	aspect code
PMV_CODE	3	VARCHAR2(40)	nvarchar(40)	code
PMV_SEQNO	4	NUMBER(4,0)	numeric(4,0)	sequence #
R5PROMPTWEBSERVICES		R5PRIK_PWS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PWS_PROCESGROUP	1	NUMBER(3,0)	numeric(3,0)	web service prompt process group
PWS_WSPRMCODE	2	VARCHAR2(6)	nvarchar(6)	web service prompt code
R5PROPERTIES		R5PRIK_PRO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PRO_CODE	1	VARCHAR2(8)	nvarchar(8)	custom property code. unique identification.
R5PSCATEGORIES		R5PRIK_PSC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PSC_CODE	1	VARCHAR2(30)	nvarchar(30)	Provider/Service Category Code
PSC_ORG	2	VARCHAR2(15)	nvarchar(15)	Provider/Service Category Organization
R5PTWEVENTLOG		R5PRIK_PTL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PTL_PK	1	VARCHAR2(30)	nvarchar(30)	The unique key of the permit to work event log.
R5PULLDOWNMENU		R5PRIK_PDM		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PDM_GROUP	1	VARCHAR2(12)	nvarchar(12)	user group code.
PDM_LINE	2	NUMBER	int	pulldown menu slot number.
R5PUMPS		R5PRIK_PUM		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PUM_DEPOT	1	VARCHAR2(30)	nvarchar(30)	The depot of the pump
PUM_DEPOT_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization for the depot of the pump
PUM_CODE	3	VARCHAR2(30)	nvarchar(30)	The pump code
R5PURCHASEINTERFACE		R5PRIK_PUI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PUI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5PVDESCRIPTIONS		R5PRIK_PVD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
PVD_PROPERTY	1	VARCHAR2(8)	nvarchar(8)	custom property code.
PVD_VALUE	2	VARCHAR2(80)	nvarchar(80)	custom property lov code (code of code+description property).
R5QUALIFICATIONS		R5PRIK_QUA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
QUA_CODE	1	VARCHAR2(20)	nvarchar(20)	Qualification code
R5QUERIES		R5PRIK_QUE		
Column name	Position	Oracle datatype	SQL Server datat	Column description
QUE_CODE	1	VARCHAR2(8)	nvarchar(8)	query code. unique identification.
R5QUERYFIELD		R5PRIK_QDF		
Column name	Position	Oracle datatype	SQL Server datat	Column description
QDF_FIELDID	1	NUMBER(14,0)	numeric(14,0)	identifier of a field.
QDF_DDSPYID	2	NUMBER(14,0)	numeric(14,0)	indicate which dataspy this field belongs to.
QDF_VIEWTYPE	3	VARCHAR2(8)	nvarchar(8)	view type (list view , portlet view or lov)
R5QUOTATIONS		R5PRIK_QUO		

Column name	Position	Oracle datatype	SQL Server datat	Column description
QUO_CODE	1	VARCHAR2(30)	nvarchar(30)	quotation number. unique identification.
QUO_SEQNO	2	VARCHAR2(2)	nvarchar(2)	sequential number within quotation number, value 1 for first supplier to whom quotation is to be sent
R5QUOTLINES				
R5PRIK_QUL				
Column name	Position	Oracle datatype	SQL Server datat	Column description
QUL_QUOTATION	1	VARCHAR2(30)	nvarchar(30)	quotation number.
QUL_SEQNO	2	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QUL_LINE	3	NUMBER(8,0)	numeric(8,0)	quotation line number.
R5QUOTTASKS				
R5PRIK_QUT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
QUT_QUOTATION	1	VARCHAR2(30)	nvarchar(30)	quotation number.
QUT_SEQNO	2	VARCHAR2(2)	nvarchar(2)	quotation sequence number.
QUT_EVENT	3	VARCHAR2(30)	nvarchar(30)	job number.
QUT_ACT	4	NUMBER(8,0)	numeric(8,0)	activity number.
QUT_LINE	5	NUMBER(8,0)	numeric(8,0)	line number of text.
R5RCMFAILUREMITIGATION				
R5PRIK_RFM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RFM_CODE	1	VARCHAR2(30)	nvarchar(30)	
R5RCMSTRUCTURE				
R5PRIK_RCM				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RCM_OBJECT	1	VARCHAR2(35)	nvarchar(35)	Reference to the selected equipment
RCM_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	Reference to the selected equipment organization
RCM_CODE	3	VARCHAR2(30)	nvarchar(30)	Primary key of the record
R5RCMTEMPLATEEQUIPCLASSES				
R5PRIK_REC				
Column name	Position	Oracle datatype	SQL Server datat	Column description
REC_PK	1	VARCHAR2(30)	nvarchar(30)	
R5RCMTEMPLATES				
R5PRIK_RCT				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RCT_CODE	1	VARCHAR2(30)	nvarchar(30)	
RCT_ORG	2	VARCHAR2(15)	nvarchar(15)	
RCT_REVISION	3	NUMBER(4,0)	numeric(4,0)	
R5RCODES				
R5PRIK_RCO				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RCO_RENTITY	1	VARCHAR2(4)	nvarchar(4)	entity code.
RCO_RCODE	2	VARCHAR2(4)	nvarchar(4)	code.
R5READINGS				
R5PRIK_REA				
Column name	Position	Oracle datatype	SQL Server datat	Column description
REA_CODE	1	VARCHAR2(30)	nvarchar(30)	unique identifier of readings record
R5READINGSINTERFACE				
R5PRIK_REI				
Column name	Position	Oracle datatype	SQL Server datat	Column description
REI_TRANSID	1	NUMBER	bigint	unique identification of interface transaction.
R5REDUCTIONS				
R5PRIK_RED				
Column name	Position	Oracle datatype	SQL Server datat	Column description
RED_PART	1	VARCHAR2(30)	nvarchar(30)	part code.
RED_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
RED_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	supplier code.
RED_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	supplier organization
RED_LINE	5	NUMBER(8,0)	numeric(8,0)	reduction line number.
R5REGIONACTUALTEMPS				
R5PRIK_RAT				
Column name	Position	Oracle datatype	SQL Server datat	Column description

RAT_REGION	1	VARCHAR2(30)	nvarchar(30)	Region Code
RAT_REGION_ORG	2	VARCHAR2(15)	nvarchar(15)	Region Organization
RAT_DATE	3	DATE	datetime	Date

R5REGIONHISTORICALTEMPS		R5PRIK_RHT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RHT_REGION	1	VARCHAR2(30)	nvarchar(30)	Region Code
RHT_REGION_ORG	2	VARCHAR2(15)	nvarchar(15)	Region Organization
RHT_DAYOFYEAR	3	NUMBER(3,0)	numeric(3,0)	Day Of Year

R5REGIONS		R5PRIK_RGN		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RGN_CODE	1	VARCHAR2(30)	nvarchar(30)	Region Code
RGN_ORG	2	VARCHAR2(15)	nvarchar(15)	Organization

R5REJECTREASONS		R5PRIK_RJR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RJR_CODE	1	VARCHAR2(15)	nvarchar(15)	code of reason for return to supplier. unique identification.

R5RELATEDMETERREADINGS		R5PRIK_RMR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RMR_EVENT	1	VARCHAR2(30)	nvarchar(30)	
RMR_UOM	2	VARCHAR2(30)	nvarchar(30)	

R5RELIABILITY		R5PRIK_REL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
REL_OBJECT	1	VARCHAR2(30)	nvarchar(30)	The object
REL_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	The object organization
REL_TYPE	3	VARCHAR2(4)	nvarchar(4)	The type
REL_EVENT	4	VARCHAR2(30)	nvarchar(30)	The work order

R5RELIABILITYPF		R5PRIK_RPL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RPL_OBJECT	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_OBJECT_ORG	2	VARCHAR2(15)	nvarchar(15)	T.B.D.
RPL_PART	3	VARCHAR2(30)	nvarchar(30)	T.B.D.
RPL_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	T.B.D.
RPL_PARTLOCATION	5	VARCHAR2(80)	nvarchar(80)	T.B.D.
RPL_TYPE	6	VARCHAR2(4)	nvarchar(4)	T.B.D.
RPL_FAILURECODE	7	VARCHAR2(30)	nvarchar(30)	T.B.D.

R5RELIABILITYRANKINGANSWER		R5PRIK_RRW		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRW_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking answer pk

R5RELIABILITYRANKINGLEVELS		R5PRIK_RRL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRL_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking level pk

R5RELIABILITYRANKINGNORMS		R5PRIK_RRN		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRN_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking normalization pk

R5RELIABILITYRANKINGQUESTS		R5PRIK_RRQ		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRQ_LEVELPK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking question description level pk
RRQ_LANG	2	VARCHAR2(2)	nvarchar(2)	The reliability ranking question description language

R5RELIABILITYRANKINGRANKS		R5PRIK_RRR		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRR_PK	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking rank pk

R5RELIABILITYRANKINGS				R5PRIK_RRK
Column name	Position	Oracle datatype	SQL Server datat Column description	
RRK_CODE	1	VARCHAR2(30)	nvarchar(30)	The reliability ranking code
RRK_ORG	2	VARCHAR2(15)	nvarchar(15)	The reliability ranking organization
RRK_REVISION	3	NUMBER(4,0)	numeric(4,0)	The reliability ranking revision
R5RELIABILITYRANKINGVALOBJ				R5PRIK_RVO
Column name	Position	Oracle datatype	SQL Server datat Column description	
RVO_RRVPK	1	VARCHAR2(30)	nvarchar(30)	The objects survey batch pk
RVO_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The object survey batch object
RVO_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The object survey batch object organization
R5RELIABILITYRANKINGVALUES				R5PRIK_RRV
Column name	Position	Oracle datatype	SQL Server datat Column description	
RRV_PK	1	VARCHAR2(30)	nvarchar(30)	The survey batch pk
R5REMEMBER				R5PRIK_RMB
Column name	Position	Oracle datatype	SQL Server datat Column description	
RMB_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	code of function referred on menus.
RMB_RENTITY	2	VARCHAR2(4)	nvarchar(4)	entity to be remembered (system code).
RMB_ITEM	3	VARCHAR2(61)	nvarchar(61)	name of field in which the first to be remembered value resides.
R5REPAIRBINS				R5PRIK_RPB
Column name	Position	Oracle datatype	SQL Server datat Column description	
RPB_PK	1	NUMBER	int	primary key of table, sequence generated.
R5REPBACPARMS				R5PRIK_RBP
Column name	Position	Oracle datatype	SQL Server datat Column description	
RBP_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	code of screen function.
RBP_LINE	2	NUMBER(8,0)	numeric(8,0)	parameter line number.
R5REPOPTIONS				R5PRIK_ROP
Column name	Position	Oracle datatype	SQL Server datat Column description	
ROP_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	code of report function.
ROP_PARAMETER	2	VARCHAR2(20)	nvarchar(20)	parameter name, e.g. sel_option.
ROP_SEQNO	3	NUMBER(2,0)	numeric(2,0)	parameter sequence number.
R5REPORTFIELDS				R5PRIK_RFL
Column name	Position	Oracle datatype	SQL Server datat Column description	
RFL_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function mnemonic for a report
RFL_LINE	2	NUMBER(3,0)	numeric(3,0)	Line number for a field. This should be incremented each time similar to bot_number field in r5boilertexts table
R5REPORTFILTERS				R5PRIK_RFI
Column name	Position	Oracle datatype	SQL Server datat Column description	
RFI_USER	1	VARCHAR2(255)	nvarchar(255)	The D7I user
RFI_FUNC	2	VARCHAR2(6)	nvarchar(6)	The function name
RFI_NAME	3	VARCHAR2(8)	nvarchar(8)	The name of the set of parameters
R5REPORTFUNCTIONS				R5PRIK_RFN
Column name	Position	Oracle datatype	SQL Server datat Column description	
RFN_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function
R5REPORTGROUPBY				R5PRIK_RGP
Column name	Position	Oracle datatype	SQL Server datat Column description	
RGF_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function mnemonic for a report
RGF_LINE	2	NUMBER(3,0)	numeric(3,0)	Line Number
R5REPORTSUBTOTAL				R5PRIK_RST
Column name	Position	Oracle datatype	SQL Server datat Column description	
RST_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function mnemonic for a report

RST_GROUPLINE	2	NUMBER(3,0)	numeric(3,0)	FK to R5REPORTGROUPBY (RGP_CODE)
RST_LINE	3	NUMBER(3,0)	numeric(3,0)	Line number for a field. This should be incremented each time similar to bot_number field in r5boilertexts table

R5REPORTTABPARAMMAP		R5PRIK_RPM		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RPM_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	The function/screen
RPM_TAB	2	VARCHAR2(6)	nvarchar(6)	The tab on the screen
RPM_KEYFIELD	3	VARCHAR2(30)	nvarchar(30)	The key field

R5REPPARMS		R5PRIK_PMT		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
PMT_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	code or report function, e.g. orcatl.
PMT_PARAMETER	2	VARCHAR2(20)	nvarchar(20)	name of parameter as defined in the report.

R5REQCLASSES		R5PRIK_RCL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCL_CLASS	1	VARCHAR2(8)	nvarchar(8)	object classification code.
RCL_REQM	2	VARCHAR2(8)	nvarchar(8)	requirement code.
RCL_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15)	classification code organization

R5REQUIRCODES		R5PRIK_RQM		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RQM_CODE	1	VARCHAR2(8)	nvarchar(8)	requirement code. unique identification.

R5REQUISINTERFACE		R5PRIK_RUI		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RUI_TRANSID	1	NUMBER	bigint	transaction code

R5REQUISITIONS		R5PRIK_REQ		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
REQ_CODE	1	VARCHAR2(30)	nvarchar(30)	requisition number. unique identification.

R5REQUISLINES		R5PRIK_RQL		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RQL_REQ	1	VARCHAR2(30)	nvarchar(30)	requisition number.
RQL_REQLINE	2	NUMBER(8,0)	numeric(8,0)	requisition line number.

R5RESERVATIONS		R5PRIK_RES		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RES_EVENT	1	VARCHAR2(30)	nvarchar(30)	job number for which part is reserved.
RES_ACT	2	NUMBER(8,0)	numeric(8,0)	activity for which part is reserved.
RES_PART	3	VARCHAR2(30)	nvarchar(30)	part code.
RES_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	part organization
RES_STORE	5	VARCHAR2(15)	nvarchar(15)	store code.

R5RESOURCES		R5PRIK_RSS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RSS_CODE	1	VARCHAR2(80)	nvarchar(80)	Resource Code

R5REVCNTRLSETUP		R5PRIK_RCS		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCS_PAGENAME	1	VARCHAR2(40)	nvarchar(40)	function based name of page
RCS_ELEMENTID	2	VARCHAR2(40)	nvarchar(40)	Unique field element ID in form

R5RFQCLAUSES		R5PRIK_RFC		
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RFC_CODE	1	VARCHAR2(30)	nvarchar(30)	Describe RFQ Code (Quotation Code)
RFC_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFC_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	Describes clauses

R5RFQLINERESPONSEMAPPING	R5PRIK_RRM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
RRM_QUOTID	1	VARCHAR2(30)	nvarchar(30)	Describes the quotation number
RRM_QUOTLINE	2	NUMBER(8,0)	numeric(8,0)	Describes the quotation line number
RRM_RFQ	3	VARCHAR2(30)	nvarchar(30)	Describes the rfq number
RRM_RFQ_ORG	4	VARCHAR2(15)	nvarchar(15)	Describes the rfq org
RRM_RFQLINE	5	NUMBER(8,0)	numeric(8,0)	Describes the rfq line number
R5RFQLINERESPONSES				
R5PRIK_RLR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RLR_QUOTID	1	VARCHAR2(30)	nvarchar(30)	quotation number
RLR_QUOTLINE	2	NUMBER(8,0)	numeric(8,0)	quotation line number
R5RFQLINES				
R5PRIK_RLI				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RLI_RFQ	1	VARCHAR2(30)	nvarchar(30)	Describes the RFQ code
RLI_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes the RFQ Org
RLI_RFQLINE	3	NUMBER(8,0)	numeric(8,0)	Describes the RFQ Line
R5RFQRESPONSES				
R5PRIK_RFR				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RFR_QUOTID	1	VARCHAR2(30)	nvarchar(30)	Describes the quotation number
R5RFQSUPPLIERS				
R5PRIK_RFS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RFS_CODE	1	VARCHAR2(30)	nvarchar(30)	Describe RFQ Code (Quotation Code)
RFS_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes Organization.
RFS_SUPPLIER	3	VARCHAR2(30)	nvarchar(30)	Describes Supplier
RFS_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15)	Describes Supplier Org
R5RFQUOTATIONS				
R5PRIK_RFQ				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RFQ_CODE	1	VARCHAR2(30)	nvarchar(30)	Uniquely identifies request for quotations
RFQ_ORG	2	VARCHAR2(15)	nvarchar(15)	Describes Organization.
R5RISK				
R5PRIK_RIS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RIS_PK	1	NUMBER	int	primary key
R5RISKMATRIXCONSEQCOST				
R5PRIK_RCC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RCC_RMSCODE	1	VARCHAR2(30)	nvarchar(30)	
RCC_ORG	2	VARCHAR2(15)	nvarchar(15)	
RCC_CONSEQUENCE	3	VARCHAR2(30)	nvarchar(30)	
R5RISKMATRIXCONSEQUENCES				
R5PRIK_RMC				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RMC_CODE	1	VARCHAR2(30)	nvarchar(30)	Code
RMC_RMSCODE	2	VARCHAR2(30)	nvarchar(30)	code in r5riskmatrixsetup
R5RISKMATRIXSETUP				
R5PRIK_RMS				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RMS_CODE	1	VARCHAR2(30)	nvarchar(30)	Code
R5RISKNORM				
R5PRIK_RNO				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RNO_PK	1	NUMBER	int	primary key
RNO_NORM	2	NUMBER	numeric(24,6)	normalized value
R5RMA				
R5 PRIK_RMA				
Column name	Position	Oracle datatype	SQL Server datatype	Column description
RMA_CODE	1	VARCHAR2(24)	nvarchar(24)	return merchandise authorization number. unique identification.

RMA_ACCOUNT	2 VARCHAR2(24)	nvarchar(24)	return merchandise authorization account number.
RMA_ORG	3 VARCHAR2(15)	nvarchar(15)	rma organization

R5RMATRANS		R5PRIK_RMT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
RMT_RMA	1	VARCHAR2(24)	nvarchar(24) return merchandise authorization number.
RMT_ACCOUNT	2	VARCHAR2(24)	nvarchar(24) return merchandise authorization account number.
RMT_ORG	3	VARCHAR2(15)	nvarchar(15) rma organization
RMT_TRANS	4	VARCHAR2(30)	nvarchar(30) transaction number.
RMT_LINE	5	NUMBER(8,0)	numeric(8,0) transaction line number.

R5ROLES		R5PRIK_ROL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
ROL_CODE	1	VARCHAR2(30)	nvarchar(30) The role to be used to create a user when login authentication is done by LDAP server.

R5ROOTITEMS		R5PRIK_ROT	
Column name	Position	Oracle datatype	SQL Server datatype Column description
ROT_REQM	1	VARCHAR2(8)	nvarchar(8) parent requirement code.
ROT_SUGGEST	2	VARCHAR2(8)	nvarchar(8) child requirement code.

R5ROUTEPOINTS		R5PRIK_ROP2	
Column name	Position	Oracle datatype	SQL Server datatype Column description
ROP_ROUTE	1	VARCHAR2(20)	nvarchar(20) route code.
ROP_LINE	2	NUMBER(8,0)	numeric(8,0) route line number.

R5ROUTES		R5PRIK_ROU	
Column name	Position	Oracle datatype	SQL Server datatype Column description
ROU_CODE	1	VARCHAR2(20)	nvarchar(20) route code. unique identification.
ROU_REVISION	2	NUMBER(4,0)	numeric(4,0) revision number.

R5ROUTOBJECTS		R5PRIK_ROB	
Column name	Position	Oracle datatype	SQL Server datatype Column description
ROB_ROUTE	1	VARCHAR2(20)	nvarchar(20) route code.
ROB_REVISION	2	NUMBER(4,0)	numeric(4,0) revision number.
ROB_LINE	3	NUMBER(8,0)	numeric(8,0) route line number.

R5RPTSERVERREQUEST		R5PRIK_RSR	
Column name	Position	Oracle datatype	SQL Server datatype Column description
RSR_REQUESTID	1	VARCHAR2(60)	nvarchar(60) Report message request ID

R5SAFETYMATRIX		R5PRIK_SFM	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SFM_PK	1	VARCHAR2(30)	nvarchar(30)
SFM_ORG	2	VARCHAR2(15)	nvarchar(15)

R5SCHEDGROUPS		R5PRIK_SCG	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCG_CODE	1	VARCHAR2(30)	nvarchar(30) scheduling group code.

R5SCHEDULEDJOBS		R5PRIK_SCJ	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCJ_CODE	1	VARCHAR2(30)	nvarchar(30) This is primary key of the table.

R5SCHEDULEDJOBSLOCK		R5PRIK_SJL	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SJL_CODE	1	VARCHAR2(30)	nvarchar(30) T.B.D.

R5SCHEDULES		R5PRIK_SCH	
Column name	Position	Oracle datatype	SQL Server datatype Column description
SCH_CODE	1	VARCHAR2(30)	nvarchar(30) This is primary key of the table.

R5SCREENCACHE				R5PRIK_SNC
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SNC_USER	1	VARCHAR2(255)	nvarchar(255)	User for which the function is cached
SNC_FUNCTION	2	VARCHAR2(6)	nvarchar(6)	Function cached
R5SCREENFLOWGROUPS				R5PRIK_SFG
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SFG_SEQUENCE	1	NUMBER(6,0)	numeric(6,0)	Sequence number for order of Screen Flow
SFG_USERGROUP	2	VARCHAR2(12)	nvarchar(12)	The User Group Associate to the Screen Flow
R5SCREENFLOWS				R5PRIK_SFL
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SFL_CODE	1	VARCHAR2(30)	nvarchar(30)	The Screen Flow Record ID
R5SCWORKORDERCOST				R5PRIK_CWS
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CWS_ORG	1	VARCHAR2(15)	nvarchar(15)	organization code
CWS_JOBTYPE	2	VARCHAR2(8)	nvarchar(8)	wo type
CWS_DATE	3	DATE	datetime	date stamp
R5SCWORKORDERSREPORTED				R5PRIK_CWR
Column name	Position	Oracle datatype	SQL Server datatype	Column description
CWR_ORG	1	VARCHAR2(15)	nvarchar(15)	organization code
CWR_MRC	2	VARCHAR2(15)	nvarchar(15)	department
CWR_DATE	3	DATE	datetime	date stamp
R5SEQINSTALLMAPPING				R5PRIK_SIM
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SIM_SEQUENCE	1	VARCHAR2(30)	nvarchar(30)	The sequence used for the current install parameter.
R5SERVICECATALOGUE				R5PRIK_SCA
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SCA_TASK	1	VARCHAR2(20)	nvarchar(20)	task
SCA_SUPPLIER	2	VARCHAR2(30)	nvarchar(30)	supplier
SCA_SUPPLIER_ORG	3	VARCHAR2(15)	nvarchar(15)	supplier organization
R5SERVICECATSERVICECODES				R5PRIK_SCS
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SCS_CATEGORY_CODE	1	VARCHAR2(30)	nvarchar(30)	Service category
SCS_CATEGORY_ORG	2	VARCHAR2(15)	nvarchar(15)	Service category organization
SCS_SERVICECODE	3	VARCHAR2(30)	nvarchar(30)	Service code
SCS_SERVICECODE_ORG	4	VARCHAR2(15)	nvarchar(15)	Service code organization
R5SERVICECODEEQUIPCLASSES				R5PRIK_ECL
Column name	Position	Oracle datatype	SQL Server datatype	Column description
ECL_PK	1	VARCHAR2(30)	nvarchar(30)	Primary key
R5SERVICECODES				R5PRIK_SRV
Column name	Position	Oracle datatype	SQL Server datatype	Column description
SRV_PK	1	VARCHAR2(30)	nvarchar(30)	system defined sequence
R5SERVICELOGS				R5PRIK_LOG
Column name	Position	Oracle datatype	SQL Server datatype	Column description
LOG_ENTITY	1	VARCHAR2(4)	nvarchar(4)	log entity
LOG_RENTITY	2	VARCHAR2(4)	nvarchar(4)	log entity
LOG_ENTITYCODE	3	VARCHAR2(80)	nvarchar(80)	log entity code
LOG_ENTITYORG	4	VARCHAR2(15)	nvarchar(15)	log entity org
LOG_SEQUENCE	5	NUMBER	int	log sequence
R5SERVICEPROBLEMCODES				R5PRIK_SPB
Column name	Position	Oracle datatype	SQL Server datatype	Column description

SPB_CODE	1	VARCHAR2(30)	nvarchar(30)	Service problem code
SPB_ORG	2	VARCHAR2(15)	nvarchar(15)	Service problem org

R5SERVICEREQUESTS

R5PRIK_SRQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SRQ_CODE	1	VARCHAR2(30)	nvarchar(30)	system generated service request code

R5SESSIONS

R5PRIK_SES

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SES_SESSIONID	1	NUMBER(10,0)	numeric(10,0)	Session code

R5SESSIONSTRUCTURES

R5PRIK_SSS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SSS_SESSION	1	NUMBER	numeric(18,0)	The equipment configuration session code.
SSS_PARENT	2	VARCHAR2(200)	nvarchar(200)	The parent code of the session structure.
SSS_PARENT_ORG	3	VARCHAR2(15)	nvarchar(15)	The parent organization of the session structure.
SSS_PARENTTYPE	4	VARCHAR2(1)	nvarchar(1)	The parent type of the session structure.
SSS_CHILD	5	VARCHAR2(200)	nvarchar(200)	The child code of the session structure.
SSS_CHILD_ORG	6	VARCHAR2(15)	nvarchar(15)	The child organization of the session structure.
SSS_CHILDTYPE	7	VARCHAR2(1)	nvarchar(1)	The child type of the session structure.

R5SETCONSISTEQUIPMENT

R5PRIK_SCE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SCE_SETCONSISTPK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the set or consist the equipment belongs to.
SCE_OBJECT	2	VARCHAR2(30)	nvarchar(30)	The equipment belonging to the set or consist.
SCE_OBJECT_ORG	3	VARCHAR2(15)	nvarchar(15)	The organization of the equipment belonging to the set or consist.

R5SETSCONSISTS

R5PRIK_SCN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SCN_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the set or consist.

R5SHFCREWS

R5PRIK_SHC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SHC_SHIFT	1	VARCHAR2(4)	nvarchar(4)	
SHC_CREW	2	VARCHAR2(15)	nvarchar(15)	
SHC_CREW_ORG	3	VARCHAR2(15)	nvarchar(15)	
SHC_START	4	DATE	datetime	

R5SHFDAYS

R5PRIK_SHD

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SHD_SHIFT	1	VARCHAR2(4)	nvarchar(4)	shift code.
SHD_DAY	2	NUMBER(3,0)	numeric(3,0)	day number in shift cycle.
SHD_TIME	3	NUMBER	numeric(7,2)	start time of this shift at this day in the shift cycle.

R5SHFPERS

R5PRIK_SHP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SHP_SHIFT	1	VARCHAR2(4)	nvarchar(4)	shift code.
SHP_PERSON	2	VARCHAR2(15)	nvarchar(15)	personnel number.
SHP_START	3	DATE	datetime	date person ends working in this shift.
SHP_END	4	DATE	datetime	date person starts working in this shift.

R5SHIFTS

R5PRIK_SHF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SHF_CODE	1	VARCHAR2(4)	nvarchar(4)	shift code. unique identification.

R5SHUTDOWNNS

R5PRIK_SDS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SDS_CODE	1	VARCHAR2(30)	nvarchar(30)	shutdown code. unique identification.

R5SOAUOMS

R5PRIK_SUO

Column name	Position	Oracle datatype	SQL Server datatype	Column description

SUO_CODE	1 VARCHAR2(80)	nvarchar(80)	Unique SOA UOM Code

R5STANDARDCREWRATES	R5PRIK_SCR

Column name	Position	Oracle datatype	SQL Server datat	Column description
SCR_STANDARDCREW	1	VARCHAR2(15)	nvarchar(15)	
SCR_STANDARDCREW_ORG	2	VARCHAR2(15)	nvarchar(15)	
SCR_ORG	3	VARCHAR2(15)	nvarchar(15)	
SCR_MRC	4	VARCHAR2(15)	nvarchar(15)	
SCR_STARTDATE	5	DATE	datetime	

R5STANDARDCREWS	R5PRIK_SCW

Column name	Position	Oracle datatype	SQL Server datat	Column description
SCW_CODE	1	VARCHAR2(15)	nvarchar(15)	
SCW_ORG	2	VARCHAR2(15)	nvarchar(15)	

R5STANDTOOLS	R5PRIK_WTD

Column name	Position	Oracle datatype	SQL Server datat	Column description
WTD_STANDWORK	1	VARCHAR2(20)	nvarchar(20)	code of standing work order.
WTD_ACT	2	NUMBER(8,0)	numeric(8,0)	code of activity.
WTD_TOOL	3	VARCHAR2(12)	nvarchar(12)	code of the tool.

R5STANDWACTS	R5PRIK_WAC

Column name	Position	Oracle datatype	SQL Server datat	Column description
WAC_STANDWORK	1	VARCHAR2(20)	nvarchar(20)	standard job code.
WAC_ACT	2	NUMBER(8,0)	numeric(8,0)	activity number.

R5STANDWORKS	R5PRIK_STW

Column name	Position	Oracle datatype	SQL Server datat	Column description
STW_CODE	1	VARCHAR2(20)	nvarchar(20)	standard work order code. unique identification.

R5STATEFULCONFIG	R5PRIK_SFC

Column name	Position	Oracle datatype	SQL Server datat	Column description
SFC_CODE	1	VARCHAR2(30)	nvarchar(30)	

R5STOCK	R5PRIK_STO

Column name	Position	Oracle datatype	SQL Server datat	Column description
STO_PART	1	VARCHAR2(30)	nvarchar(30)	part code.
STO_PART_ORG	2	VARCHAR2(15)	nvarchar(15)	part organization
STO_STORE	3	VARCHAR2(15)	nvarchar(15)	store code.

R5STOCKOUTS	R5PRIK_SOU

Column name	Position	Oracle datatype	SQL Server datat	Column description
SOU_CODE	1	VARCHAR2(30)	nvarchar(30)	Surrogate Key

R5STOCKTAKEINTERFACE	R5PRIK_SKI

Column name	Position	Oracle datatype	SQL Server datat	Column description
SKI_TRANSID	1	NUMBER	bigint	transaction id

R5STOCKTAKELINES	R5PRIK_STL

Column name	Position	Oracle datatype	SQL Server datat	Column description
STL_TRANS	1	VARCHAR2(30)	nvarchar(30)	transaction number (stocktake number).
STL_LINE	2	NUMBER(8,0)	numeric(8,0)	sequence number of stocktake item.

R5STOREDORDERING	R5PRIK_SOR

Column name	Position	Oracle datatype	SQL Server datat	Column description
SOR_FUNC	1	VARCHAR2(6)	nvarchar(6)	function code.
SOR_USER	2	VARCHAR2(255)	nvarchar(255)	username code.
SOR_BLOCK	3	VARCHAR2(30)	nvarchar(30)	identification of block in form, e.g. b1.
SOR_CODE	4	VARCHAR2(12)	nvarchar(12)	sorting code defined by user.

R5STOREDQUERIES	R5PRIK_SQU

R5STORES			
R5PRIK_STR			
Column name	Position	Oracle datatype	SQL Server datat Column description
SQU_FUNC	1	VARCHAR2(6)	nvarchar(6) function code.
SQU_USER	2	VARCHAR2(255)	nvarchar(255) username code.
SQU_DESC	3	VARCHAR2(80)	nvarchar(80) description of query.
R5STORESECURITY			
R5PRIK_SSC			
Column name	Position	Oracle datatype	SQL Server datat Column description
STR_CODE	1	VARCHAR2(15)	nvarchar(15) store code.
R5STORETAXES			
R5PRIK_STT			
Column name	Position	Oracle datatype	SQL Server datat Column description
STT_PK	1	VARCHAR2(30)	nvarchar(30) The store-tax pk
R5STRATEGIES			
R5PRIK_STG			
Column name	Position	Oracle datatype	SQL Server datat Column description
STG_CODE	1	VARCHAR2(30)	nvarchar(30) The strategy code.
STG_ORG	2	VARCHAR2(15)	nvarchar(15) The strategy organization.
R5STRUCTURES			
R5PRIK_STC			
Column name	Position	Oracle datatype	SQL Server datat Column description
STC_CHILD	1	VARCHAR2(30)	nvarchar(30) object code child object (user code, see entity obtp).
STC_CHILD_ORG	2	VARCHAR2(15)	nvarchar(15) child object organization
STC_PARENT	3	VARCHAR2(30)	nvarchar(30) object code of parent object.
STC_PARENT_ORG	4	VARCHAR2(15)	nvarchar(15) parent object organization
R5SUMUSAGE			
R5PRIK_USG			
Column name	Position	Oracle datatype	SQL Server datat Column description
USG_MONTH	1	DATE	datetime date of last day of month.
USG_STORE	2	VARCHAR2(15)	nvarchar(15) store code.
USG_PART	3	VARCHAR2(30)	nvarchar(30) part code.
USG_PART_ORG	4	VARCHAR2(15)	nvarchar(15) part organization
R5SUPPEVALCODES			
R5PRIK_EVD			
Column name	Position	Oracle datatype	SQL Server datat Column description
EVD_CODE	1	VARCHAR2(8)	nvarchar(8) supplier evaluation code
R5SUPPEVALINES			
R5PRIK_EVL			
Column name	Position	Oracle datatype	SQL Server datat Column description
EVL_EVALUATION	1	VARCHAR2(30)	nvarchar(30) evaluation
EVL_CLINE	2	NUMBER(8,0)	numeric(8,0) line
R5SUPPEVALUATION			
R5PRIK_EVA			
Column name	Position	Oracle datatype	SQL Server datat Column description
EVA_NO	1	VARCHAR2(30)	nvarchar(30) evaluation number
R5SUPPLIERACCOUNTNUMBERS			
R5PRIK_SAN			
Column name	Position	Oracle datatype	SQL Server datat Column description
SAN_SUPPLIER	1	VARCHAR2(30)	nvarchar(30) Supplier
SAN_SUPPLIER_ORG	2	VARCHAR2(15)	nvarchar(15) Supplier Organization
SAN_STORE	3	VARCHAR2(15)	nvarchar(15) Store
R5SUPPLIERSERVICECODEEXCL			
R5PRIK_SSE			
Column name	Position	Oracle datatype	SQL Server datat Column description
SSE_OSPPK	1	VARCHAR2(30)	nvarchar(30) Primary key of an equipment supplier.
SSE_OSCPK	2	VARCHAR2(30)	nvarchar(30) Primary key of an equipment service code.

R5SUPPLIERSERVICECODES

R5PRIK_SPS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SPS_COMPANY	1	VARCHAR2(30)	nvarchar(30)	The supplier providing the service code.
SPS_COMPANY_ORG	2	VARCHAR2(15)	nvarchar(15)	The organization of the supplier providing the service code.
SPS_SERVICECODE	3	VARCHAR2(30)	nvarchar(30)	The service code associated to the supplier.
SPS_SERVICECODE_ORG	4	VARCHAR2(15)	nvarchar(15)	The organization of the service code associated to the supplier.

R5SYMPTOMCLASSES

R5PRIK_SYC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SYC_CLASS	1	VARCHAR2(8)	nvarchar(8)	
SYC_CLASS_ORG	2	VARCHAR2(15)	nvarchar(15)	
SYC_SYMPTOM	3	VARCHAR2(8)	nvarchar(8)	

R5SYMPTOMS

R5PRIK_SYM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SYM_CODE	1	VARCHAR2(8)	nvarchar(8)	

R5SYNCWSPSETUP

R5PRIK_SWS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SWS_TABLE	1	VARCHAR2(30)	nvarchar(30)	The table name.
SWS_ACTION	2	VARCHAR2(6)	nvarchar(6)	The action (ADD, SYNC or DELETE).
SWS_PROMPT	3	VARCHAR2(80)	nvarchar(80)	The name of the WSP.

R5SYNCWSPTEMP

R5PRIK_SWT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SWT_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the record.

R5SYSTEMNOTIFICATIONS

R5PRIK_SNT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SNT_LANG	1	VARCHAR2(2)	nvarchar(2)	

R5TABNOPERM

R5PRIK_TPN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TPN_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code
TPN_TAB	2	VARCHAR2(6)	nvarchar(6)	tab

R5TABPERMISSIONS

R5PRIK_TRP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TRP_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	function code.
TRP_GROUP	2	VARCHAR2(12)	nvarchar(12)	user group code.
TRP_TAB	3	VARCHAR2(6)	nvarchar(6)	function tab

R5TANKPUMPS

R5PRIK_TPU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TPU_DEPOT	1	VARCHAR2(30)	nvarchar(30)	The depot of the tank/pump combination
TPU_DEPOT_ORG	2	VARCHAR2(15)	nvarchar(15)	The depot organization of the tank/pump combination
TPU_TANK	3	VARCHAR2(30)	nvarchar(30)	The tank realted to a pump within a depot
TPU_PUMP	4	VARCHAR2(30)	nvarchar(30)	The pump realted to a tank within a depot

R5TANKS

R5PRIK_TAN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TAN_DEPOT	1	VARCHAR2(30)	nvarchar(30)	The depot the tank belongs to
TAN_DEPOT_ORG	2	VARCHAR2(15)	nvarchar(15)	The depot organization the tank belongs to
TAN_CODE	3	VARCHAR2(30)	nvarchar(30)	The identifier of a tank with a depot

R5TASKCHECKLISTS

R5PRIK_TCH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TCH_CODE	1	VARCHAR2(30)	nvarchar(30)	Checklist Item

R5TASKPLANJOBS

R5PRIK_TPJ

Column name	Position	Oracle datatype	SQL Server datatype	Column description

TPJ_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the record

R5TASKPRICES

R5PRIK_TPR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TPR_TASK	1	VARCHAR2(20)	nvarchar(20)	task code.
TPR_REVISION	2	NUMBER(4,0)	numeric(4,0)	task revision
TPR_ORG	3	VARCHAR2(15)	nvarchar(15)	task organization

R5TASKQUALIFICATIONS

R5PRIK_TQU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TQU_TASK	1	VARCHAR2(20)	nvarchar(20)	Task code
TQU_REVISION	2	NUMBER(4,0)	numeric(4,0)	Revision
TQU_QUALIFICATION	3	VARCHAR2(20)	nvarchar(20)	Qualification code

R5TASKS

R5PRIK_TSK

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TSK_CODE	1	VARCHAR2(20)	nvarchar(20)	task code.
TSK_REVISION	2	NUMBER(4,0)	numeric(4,0)	revision number.

R5TASKTOOLS

R5PRIK_TTO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TTO_TASK	1	VARCHAR2(20)	nvarchar(20)	The task/job plan
TTO_REVISION	2	NUMBER(4,0)	numeric(4,0)	The revision of the task/job plan
TTO_TOOL	3	VARCHAR2(12)	nvarchar(12)	The tool associated to the task/job plan

R5TASKTRADES

R5PRIK_TAT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TAT_TASK	1	VARCHAR2(20)	nvarchar(20)	The task/job plan
TAT_REVISION	2	NUMBER(4,0)	numeric(4,0)	The revision of the task/job plan
TAT_TRADE	3	VARCHAR2(15)	nvarchar(15)	The trade associated to the task/job plan

R5TAXCODERATES

R5PRIK_TCR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TCR_TAX	1	VARCHAR2(20)	nvarchar(20)	tax code.
TCR_RATE	2	VARCHAR2(30)	nvarchar(30)	tax rate code.

R5TAXES

R5PRIK_TAX

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TAX_CODE	1	VARCHAR2(20)	nvarchar(20)	tax code.

R5TAXRATES

R5PRIK_TXR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TXR_CODE	1	VARCHAR2(30)	nvarchar(30)	tax rate code.

R5TAXRATETYPES

R5PRIK_TXT

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TXT_CODE	1	VARCHAR2(2)	nvarchar(2)	tax rate type code.

R5TAXRATEVALUES

R5PRIK_TXV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TXV_RATE	1	VARCHAR2(30)	nvarchar(30)	tax rate code.
TXV_START	2	DATE	datetime	date tax rate is valid from.

R5TEMPCOSTCODES

R5PRIK_TCC

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TCC_COSTCODE	1	VARCHAR2(30)	nvarchar(30)	The cost code.

R5TEMPOCKLINES

R5PRIK_TDL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TDL_DCKCODE	1	VARCHAR2(30)	nvarchar(30)	
TDL_LINE	2	NUMBER(8,0)	numeric(8,0)	

RSTEMPENXTICKET				RSPRIK_TET
Column name	Position	Oracle datatype	SQL Server datat Column description	
TET_TICKET	1	VARCHAR2(64)	nvarchar(64)	T.B.D.
RSTEMPENXTICKET_ARCHIVE				RSPRIK_ATK
Column name	Position	Oracle datatype	SQL Server datat Column description	
ATK_TICKET	1	VARCHAR2(64)	nvarchar(64)	T.B.D.
RSTEMPLABORREQUISITIONS				RSPRIK_TLR
Column name	Position	Oracle datatype	SQL Server datat Column description	
TLR_SESSIONID	1	VARCHAR2(30)	nvarchar(30)	The session this record belongs to.
TLR_EVENT	2	VARCHAR2(30)	nvarchar(30)	job number.
TLR_ACT	3	NUMBER(8,0)	numeric(8,0)	activity number.
RSTEMPLATECHARGEDEFS				RSPRIK_TCD
Column name	Position	Oracle datatype	SQL Server datat Column description	
TCD_PK	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
RSTEMPLATECLAUSES				RSPRIK_TCS
Column name	Position	Oracle datatype	SQL Server datat Column description	
TCS_CONTRACTTEMPLATE	1	VARCHAR2(30)	nvarchar(30)	Contract Template
TCS_CONTRACTTEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TCS_CLAUSE	3	VARCHAR2(8)	nvarchar(8)	T.B.D.
RSTEMPLATEDISCOUNTS				RSPRIK_TDC
Column name	Position	Oracle datatype	SQL Server datat Column description	
TDC_CODE	1	VARCHAR2(30)	nvarchar(30)	T.B.D.
RSTEMPLATESALESPRICE				RSPRIK_TSC
Column name	Position	Oracle datatype	SQL Server datat Column description	
TSC_PK	1	VARCHAR2(30)	nvarchar(30)	Primary key field
RSTEMPLATEWOCRITERIA				RSPRIK_TWC
Column name	Position	Oracle datatype	SQL Server datat Column description	
TWC_CONTRACTTEMPLATE	1	VARCHAR2(30)	nvarchar(30)	Contract Template
TWC_CONTRACTTEMPLATE_ORG	2	VARCHAR2(15)	nvarchar(15)	Contract Template Organization
TWC_MRC	3	VARCHAR2(15)	nvarchar(15)	Department
TWC_JOBTYPE	4	VARCHAR2(8)	nvarchar(8)	WO Type
TWC_CLASS	5	VARCHAR2(8)	nvarchar(8)	WO Class
TWC_CLASS_ORG	6	VARCHAR2(15)	nvarchar(15)	WO Class Org.
RSTEMPREPTICKET				RSPRIK_TRT
Column name	Position	Oracle datatype	SQL Server datat Column description	
TRT_TICKET	1	VARCHAR2(64)	nvarchar(64)	Ticket
RSTEMPREQSFORORDER				RSPRIK_TRO
Column name	Position	Oracle datatype	SQL Server datat Column description	
TRO_SESSIONID	1	NUMBER	int	The current session ID.
TRO_SEQUENCE	2	NUMBER(8,0)	numeric(8,0)	The sequence number.
RSTEMPRUNSQL				RSPRIK_TRS
Column name	Position	Oracle datatype	SQL Server datat Column description	
TRS_CODE	1	NUMBER(38,0)	numeric(38,0)	Code of record
RSTEMPSSABCA				RSPRIK_TSS
Column name	Position	Oracle datatype	SQL Server datat Column description	
TSS_SESSIONID	1	NUMBER	numeric(38,0)	Session ID
TSS_STORE	2	VARCHAR2(15)	nvarchar(15)	Store Code
TSS_PART	3	VARCHAR2(30)	nvarchar(30)	Part Code
TSS_PART_ORG	4	VARCHAR2(15)	nvarchar(15)	Part Org

R5TEMPSTRESS		R5PRIK_TMS		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TMS_MATERIAL	1	VARCHAR2(20)	nvarchar(20)	material code
TMS_MATERIALREV	2	NUMBER(4,0)	numeric(4,0)	material revision
TMS_TEMPERATURE	3	NUMBER	numeric(8,2)	temperature
R5TEMPWMBWOG		R5PRIK_TEV		
Column name	Position	Oracle datatype	SQL Server datat	Columnn description
TEV_SESSIONID	1	NUMBER	int	connection session
TEV_CODE	2	VARCHAR2(30)	nvarchar(30)	Work order
R5TOOLPLAN		R5PRIK_TPL		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TPL_TOOL	1	VARCHAR2(12)	nvarchar(12)	Tool code
TPL_EVENT	2	VARCHAR2(30)	nvarchar(30)	Work order number
TPL_ACT	3	NUMBER(8,0)	numeric(8,0)	Work order activity code
TPL_MRC	4	VARCHAR2(15)	nvarchar(15)	Department Code
R5TOOLREQ		R5PRIK_TOR		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TOR_TOOL	1	VARCHAR2(12)	nvarchar(12)	code of the tool.
TOR_EVENT	2	VARCHAR2(30)	nvarchar(30)	number of events.
TOR_ACT	3	NUMBER(8,0)	numeric(8,0)	number of activity.
TOR_MRC	4	VARCHAR2(15)	nvarchar(15)	mrc to which tool cost will be charged.
TOR_REQUIRED	5	DATE	datetime	date on which tool is required.
R5TOOLS		R5PRIK_TOO		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TOO_CODE	1	VARCHAR2(12)	nvarchar(12)	tool code. unique identification.
R5TOOLUSAGE		R5PRIK_TOU		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TOU_MRC	1	VARCHAR2(15)	nvarchar(15)	maintenance responsibility centre code.
TOU_TOOL	2	VARCHAR2(12)	nvarchar(12)	tool code.
TOU_EVENT	3	VARCHAR2(30)	nvarchar(30)	event number.
TOU_ACT	4	NUMBER(8,0)	numeric(8,0)	activity number.
TOU_DATEUSED	5	DATE	datetime	date tool used.
R5TOOLUSAGEINTERFACE		R5PRIK_TUI		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TUI_TRANSID	1	NUMBER	bigint	transfer id
R5TOPKBARTICLES		R5PRIK_TKA		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKA_KBARTICLE	1	VARCHAR2(30)	nvarchar(30)	Knowledge Base Article
TKA_KBARTICLE_ORG	2	VARCHAR2(15)	nvarchar(15)	Knowledge Base Article Org
TKA_LANG	3	VARCHAR2(2)	nvarchar(2)	Language
R5TRACKINGCTRL		R5PRIK_TKC		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKC_INTERFACERTYPE	1	VARCHAR2(4)	nvarchar(4)	interface type (system code, see entity iftp).
TKC_UPLOADCOLUMN	2	VARCHAR2(30)	nvarchar(30)	column name of upload column (as in destination api table).
R5TRACKINGDATA		R5PRIK_TKD		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKD_TRANSID	1	NUMBER	bigint	unique identification of tracking transaction.
R5TRACKINGDATATEMP		R5PRIK_TKT		
Column name	Position	Oracle datatype	SQL Server datat	Column description
TKT_TRANSID	1	NUMBER	bigint	unique identification of tracking transaction.

R5TRACKINGLOVS		R5PRIK_TKV	
Column name	Position	Oracle datatype	SQL Server datat Column description
TKV_CODE	1	VARCHAR2(4)	nvarchar(4) T.B.D.
R5TRACKINGPROMPTS		R5PRIK_TKP	
Column name	Position	Oracle datatype	SQL Server datat Column description
TKP_TRANS	1	VARCHAR2(4)	nvarchar(4) type of tracking transaction.
TKP_TRANSSEQ	2	NUMBER	int prompt sequence number (line number within tracking transaction definition).
R5TRACKINGPROMPTSSQL		R5PRIK_TKL	
Column name	Position	Oracle datatype	SQL Server datat Column description
TKL_SQLCODE	1	VARCHAR2(4)	nvarchar(4) code of list of values sql statement (user code, see entity sqtp).
R5TRACKINGREPORTS		R5PRIK_TRE	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRE_REQID	1	NUMBER	numeric(38,0) The system generated primary key.
R5TRACKRETURNPROMPTS		R5PRIK_TKR	
Column name	Position	Oracle datatype	SQL Server datat Column description
TKR_TRANS	1	VARCHAR2(4)	nvarchar(4) transaction code
TKR_PROMPTSEQ	2	NUMBER	int prompt sequence
TKR_TARGETPROMPT	3	NUMBER	int target prompt
R5TRADEQUALIFICATIONS		R5PRIK_TRQ	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRQ_TRADE	1	VARCHAR2(15)	nvarchar(15) Trade code
TRQ_QUALIFICATION	2	VARCHAR2(20)	nvarchar(20) Qualification code
R5TRADERATES		R5PRIK_TRR	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRR_MRC	1	VARCHAR2(15)	nvarchar(15) maintenance responsibility centre code; * if rate applies to all mracs.
TRR_TRADE	2	VARCHAR2(15)	nvarchar(15) trade code, or * if rate applies to all trades.
TRR_SUPPLIER	3	VARCHAR2(30)	nvarchar(30) supplier code, or * if this is an internal tariff.
TRR_SUPPLIER_ORG	4	VARCHAR2(15)	nvarchar(15) supplier organization
TRR_PERSON	5	VARCHAR2(15)	nvarchar(15) personnel code of employee.
TRR_ORG	6	VARCHAR2(15)	nvarchar(15) trade organization
TRR_START	7	DATE	datetime date trade rate is valid from.
TRR_OCTYPE	8	VARCHAR2(4)	nvarchar(4) defines user occupation type code.
R5TRADES		R5PRIK_TRD	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRD_CODE	1	VARCHAR2(15)	nvarchar(15) trade code.
R5TRANSACTIONS		R5PRIK_TRA	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRA_CODE	1	VARCHAR2(30)	nvarchar(30) transaction header number.
R5TRANSFERLINES		R5PRIK_TFL	
Column name	Position	Oracle datatype	SQL Server datat Column description
TFL_TRANSFER	1	VARCHAR2(30)	nvarchar(30) The system generated unique code of a transfer.
TFL_LINE	2	NUMBER	int The transfer line sequence number.
R5TRANSFERS		R5PRIK_TFR	
Column name	Position	Oracle datatype	SQL Server datat Column description
TFR_CODE	1	VARCHAR2(30)	nvarchar(30) The system generated unique code of a transfer.
R5TRANSINTERFACE		R5PRIK_TRN	
Column name	Position	Oracle datatype	SQL Server datat Column description
TRN_TRANSID	1	NUMBER	bigint unique identification of interface transaction.

R5TRANSLINES				R5PRIK_TRL
Column name	Position	Oracle datatype	SQL Server datat Column description	
TRL_TRANS	1	VARCHAR2(30)	nvarchar(30)	transaction number.
TRL_LINE	2	NUMBER(8,0)	numeric(8,0)	transaction line number.
R5TRANSTOCK				R5PRIK_TST
Column name	Position	Oracle datatype	SQL Server datat Column description	
TST_PKEY	1	VARCHAR2(30)	nvarchar(30)	
R5TRANSTOCKFIFO				R5PRIK_TRF
Column name	Position	Oracle datatype	SQL Server datat Column description	
TRF_PK	1	NUMBER(20,0)	numeric(20,0)	The unique identifier of a transtock fifo record.
R5UBUBAT				R5PRIK_BUB
Column name	Position	Oracle datatype	SQL Server datat Column description	
BUB_CODE	1	VARCHAR2(8)	nvarchar(8)	budget code.
BUB_EVENT	2	VARCHAR2(30)	nvarchar(30)	event number.
R5UCODES				R5PRIK_UCO
Column name	Position	Oracle datatype	SQL Server datat Column description	
UCO_ENTITY	1	VARCHAR2(4)	nvarchar(4)	user entity
UCO_CODE	2	VARCHAR2(8)	nvarchar(8)	user code corresponding to a unique, pre-defined code.
R5UDFSCREENFIELDS				R5PRIK_USF
Column name	Position	Oracle datatype	SQL Server datat Column description	
USF_SCREENNAME	1	VARCHAR2(6)	nvarchar(6)	Screen name
USF_FIELDNAME	2	VARCHAR2(60)	nvarchar(60)	field name
R5UDFScreens				R5PRIK_USC
Column name	Position	Oracle datatype	SQL Server datat Column description	
USC_SCREENNAME	1	VARCHAR2(6)	nvarchar(6)	Screen name
R5UNAVAILABLEGRIDFIELDS				R5PRIK_UGF
Column name	Position	Oracle datatype	SQL Server datat Column description	
UGF_GRIDNAME	1	VARCHAR2(40)	nvarchar(40)	grid name
UGF_USERGROUP	2	VARCHAR2(12)	nvarchar(12)	user group
UGF_FIELDID	3	VARCHAR2(60)	nvarchar(60)	identifier of a field.
R5UOMCONVERSION				R5PRIK_UOC
Column name	Position	Oracle datatype	SQL Server datat Column description	
UOC_SITEUOM	1	VARCHAR2(30)	nvarchar(30)	site uom
UOC_BASEUOM	2	VARCHAR2(30)	nvarchar(30)	base uom
R5UOMS				R5PRIK_UOM
Column name	Position	Oracle datatype	SQL Server datat Column description	
UOM_CODE	1	VARCHAR2(30)	nvarchar(30)	unit of measure.
R5URLPARAMETERS				R5PRIK_URL
Column name	Position	Oracle datatype	SQL Server datat Column description	
URL_USERFUNCTION	1	VARCHAR2(6)	nvarchar(6)	Function code selected on the Screens screen to define a parameter
URL_TAB	2	VARCHAR2(6)	nvarchar(6)	Tab code selected on Screens - Custom Tabs tab to define a parameter
URL_PARAMETERNAME	3	VARCHAR2(30)	nvarchar(30)	Parameter name
R5USAGE				R5PRIK_SUS
Column name	Position	Oracle datatype	SQL Server datat Column description	
SUS_ID	1	VARCHAR2(30)	nvarchar(30)	transaction id
R5USEGRIDISDEFAULT				R5PRIK_UGD
Column name	Position	Oracle datatype	SQL Server datat Column description	
UGD_GRIDID	1	NUMBER(14,0)	numeric(14,0)	The grid id for which the GIS Filter applies.
UGD_USERID	2	VARCHAR2(255)	nvarchar(255)	The user for which the GIS Filter applies.

UGD_GISSERVICE	3 VARCHAR2(60)	nvarchar(60)	The map service for which the GIS Filter applies.
UGD_GISLAYER	4 VARCHAR2(60)	nvarchar(60)	The map layer for which the GIS Filter applies.

R5USERDEFINEDFIELDDEPENDENCIES			
Column name	Position	Oracle datatype	SQL Server datat Column description
UFD_RENTITY	1	VARCHAR2(4)	nvarchar(4) system entity
UFD_PAGENAME	2	VARCHAR2(40)	nvarchar(40) function based name of page

R5USERDEFINEDFIELDLOVVALS			
Column name	Position	Oracle datatype	SQL Server datat Column description
UDL_RENTITY	1	VARCHAR2(4)	nvarchar(4) Rentity that supports UDFs
UDL_FIELD	2	VARCHAR2(20)	nvarchar(20) Field Id (associates with pagelayout)
UDL_CODE	3	VARCHAR2(80)	nvarchar(80) Minimum value for a UDF field

R5USERDEFINEDFIELDSETUP			
Column name	Position	Oracle datatype	SQL Server datat Column description
UDF_RENTITY	1	VARCHAR2(4)	nvarchar(4) Rentity that supports UDFs
UDF_FIELD	2	VARCHAR2(20)	nvarchar(20) Field Id (associates with pagelayout)

R5USERFAVORITEKBARTICLES			
Column name	Position	Oracle datatype	SQL Server datat Column description
UFK_USER	1	VARCHAR2(255)	nvarchar(255) User Code
UFK_KBARTICLE	2	VARCHAR2(30)	nvarchar(30) Knowledge Base Article Code
UFK_KBARTICLE_ORG	3	VARCHAR2(15)	nvarchar(15) Knowledge Base Article Org

R5USERFUNCTIONDEFS			
Column name	Position	Oracle datatype	SQL Server datat Column description
UFN_FUNCTIONNAME	1	VARCHAR2(128)	nvarchar(128) Name of function

R5USERKPI			
Column name	Position	Oracle datatype	SQL Server datat Column description
KPU_CODE	1	VARCHAR2(24)	nvarchar(24) The KPI/inbox code,
KPU_TYPE	2	VARCHAR2(1)	nvarchar(1) The type of record, KPI or inbox.
KPU_USER	3	VARCHAR2(255)	nvarchar(255) The user
KPU_SEQUENCE	4	VARCHAR2(4)	nvarchar(4) The order in which the KPIs/inbox items should be displayed.

R5USERLINEARPREFERENCES			
Column name	Position	Oracle datatype	SQL Server datat Column description
ULP_CODE	1	VARCHAR2(30)	nvarchar(30) The primary key of the user linear preference.

R5USERLPFCLASSES			
Column name	Position	Oracle datatype	SQL Server datat Column description
UPC_LINEARPREFERENCE	1	VARCHAR2(30)	nvarchar(30) The linear preference.
UPC_CLASS	2	VARCHAR2(8)	nvarchar(8) T.B.D. 113
UPC_CLASS_ORG	3	VARCHAR2(15)	nvarchar(15) The linear preferences class organization.

R5USERLPFTYPES			
Column name	Position	Oracle datatype	SQL Server datat Column description
LPT_LINEARPREFERENCE	1	VARCHAR2(30)	nvarchar(30) The linear preference code the record belongs to.
LPT_TYPE	2	VARCHAR2(8)	nvarchar(8) The user type.

R5USERORGANIZATION			
Column name	Position	Oracle datatype	SQL Server datat Column description
UOG_USER	1	VARCHAR2(255)	nvarchar(255) user code
UOG_ORG	2	VARCHAR2(15)	nvarchar(15) user organization
UOG_ROLE	3	VARCHAR2(30)	nvarchar(30)

R5USERPORTLET			
Column name	Position	Oracle datatype	SQL Server datat Column description
UPT_USER	1	VARCHAR2(255)	nvarchar(255) user id
UPT_PORTLET	2	NUMBER	int portlet id

UPT_TYPE	3 VARCHAR2(1)	nvarchar(1)	portlet type (l= list, g=graph, h=html)
UPT_FUNCTION	4 VARCHAR2(6)	nvarchar(6)	Function code

R5USERPREFERENCES		RSPRIK_USP	
Column name	Position	Oracle datatype	SQL Server datat Column description
USP_USER	1	VARCHAR2(255)	nvarchar(255) code of preference
USP_TYPE	2	VARCHAR2(4)	nvarchar(4) ucode of the preference code.
USP_CODE	3	VARCHAR2(20)	nvarchar(20) user to whom the preference belongs.

R5USERPREFS		RSPRIK_UPF	
Column name	Position	Oracle datatype	SQL Server datat Column description
UPF_PREF	1	VARCHAR2(12)	nvarchar(12) preference code.
UPF_USER	2	VARCHAR2(255)	nvarchar(255) username.

R5USERQAB		RSPRIK_UQA	
Column name	Position	Oracle datatype	SQL Server datat Column description
UQA_USER	1	VARCHAR2(255)	nvarchar(255) username.
UQA_FUNCTION	2	VARCHAR2(6)	nvarchar(6) function code.

R5USERRESPONSIBILITIES		RSPRIK_URS	
Column name	Position	Oracle datatype	SQL Server datat Column description
URS_USER	1	VARCHAR2(255)	nvarchar(255)
URS_RESPONSIBILITY	2	VARCHAR2(8)	nvarchar(8)

R5USERS		RSPRIK_USR	
Column name	Position	Oracle datatype	SQL Server datat Column description
USR_CODE	1	VARCHAR2(255)	nvarchar(255) username. unique identification.

R5USERSTRUCTUREPREFERENCES		RSPRIK_UST	
Column name	Position	Oracle datatype	SQL Server datat Column description
UST_USERCODE	1	VARCHAR2(255)	nvarchar(255) The user the preferences belong to.

R5USERVIEWS		RSPRIK_UVW	
Column name	Position	Oracle datatype	SQL Server datat Column description
UVW_CODE	1	VARCHAR2(30)	nvarchar(30) The code of the user view.

R5USERWIDGET		RSPRIK_WGT	
Column name	Position	Oracle datatype	SQL Server datat Column description
WGT_WIDGETID	1	VARCHAR2(30)	nvarchar(30) The id of the widget.

R5USERWIDGETCHART		RSPRIK_UWC	
Column name	Position	Oracle datatype	SQL Server datat Column description
UWC_WIDGETID	1	VARCHAR2(30)	nvarchar(30)

R5USERWIDGETGRID		RSPRIK_UWG	
Column name	Position	Oracle datatype	SQL Server datat Column description
UWG_WIDGETID	1	VARCHAR2(30)	nvarchar(30) The id of the base widget.

R5USERWIDGETKPI		RSPRIK_UWK	
Column name	Position	Oracle datatype	SQL Server datat Column description
UWK_WIDGETID	1	VARCHAR2(30)	nvarchar(255) The id of the base widget.

R5USERWIDGETLAYOUT		RSPRIK_UWL	
Column name	Position	Oracle datatype	SQL Server datat Column description
UWL_USER	1	VARCHAR2(255)	nvarchar(255) The userid the widget belongs to.
UWL_FUNCTION	2	VARCHAR2(6)	nvarchar(6) The user function of the layout.
UWL_LINE	3	NUMBER(2,0)	numeric(2,0) The number of columns in the layout.

R5UTILITYINVLINES		RSPRIK_UIL	
Column name	Position	Oracle datatype	SQL Server datat Column description
UIL_INVOICE	1	VARCHAR2(45)	nvarchar(45) Invoice Code

UIL_INVOICE_ORG	2 VARCHAR2(15)	nvarchar(15)	Invoice Organization
UIL_SEQUENCE	3 NUMBER(6,0)	numeric(6,0)	Line

R5WALLTHICKNESS

R5PRIK_WTH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WTH_PIPING	1	VARCHAR2(20)	nvarchar(20)	pipng code
WTH_PIPINGREV	2	NUMBER(4,0)	numeric(4,0)	pipng revision
WTH_NOMSIZEINCH	3	NUMBER	int	pipe size (inches)
WTH_SCHEDULE	4	VARCHAR2(10)	nvarchar(10)	schedule

R5WARCLAIMACTIVITIES

R5PRIK_WCA

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCA_CLAIM	1	VARCHAR2(30)	nvarchar(30)	The warranty claim the activity belongs to
WCA_ACT	2	NUMBER(8,0)	numeric(8,0)	The activity belong to the warranty claim

R5WARCLAIMLINES

R5PRIK_WLN

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WLN_PK	1	NUMBER	numeric(18,0)	The primary key of the warranty claim line

R5WARCLAIMS

R5PRIK_WCL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCL_CODE	1	VARCHAR2(30)	nvarchar(30)	warranty claim number. unique identifier.

R5WARCOMPONENTS

R5PRIK_WCM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCM_PK	1	VARCHAR2(30)	nvarchar(30)	The system generated primary key.

R5WARCOVERAGES

R5PRIK_WCV

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WCV_SEQNO	1	NUMBER	int	sequence number of warranty coverage.

R5WARRANTYPARTS

R5PRIK_WRP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WRP_WARRANTY	1	VARCHAR2(30)	nvarchar(30)	The warranty document the part belongs to
WRP_PART	2	VARCHAR2(30)	nvarchar(30)	The part on the warranty
WRP_PART_ORG	3	VARCHAR2(15)	nvarchar(15)	The part organization on the warranty

R5WBWKPK

R5PRIK_TWP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
TWP_SESSION	1	VARCHAR2(20)	nvarchar(20)	session
TWP_JOB	2	VARCHAR2(30)	nvarchar(30)	job

R5WIZARD

R5PRIK_WIZ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WIZ_FUNCTION	1	VARCHAR2(6)	nvarchar(6)	the function name of the wizard.
WIZ_PAGE	2	NUMBER	int	current page number in the wizard.
WIZ_SEQNO	3	NUMBER	int	wizard sequence number

R5WOLABORSCHEDDAYPATTERN

R5PRIK_SDP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
SDP_SESSIONID	1	NUMBER	numeric(18,0)	Session ID
SDP_PATTERNNUM	2	NUMBER	numeric(18,0)	T.B.D.

R5WOLABORSCHEDEMP

R5PRIK_WLO

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WLO_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID
WLO_PERSON	2	VARCHAR2(15)	nvarchar(15)	Employee

R5WOLABORSCHDEQUIP

R5PRIK_WLE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WLE_SESSIONID	1	NUMBER(18,0)	numeric(18,0)	Session ID

WLE_OBJECT	2 VARCHAR2(30)	nvarchar(30)	Equipment
WLE_OBJECT_ORG	3 VARCHAR2(15)	nvarchar(15)	Equipment Org

R5WOLABORSCHEDPARAMS		R5PRIK_WLS	
Column name	Position	Oracle datatype	SQL Server datat Column description
WLS_CODE	1	VARCHAR2(30)	nvarchar(30) Parameters Key / Surrogate Key

R5WOLABORSCHEDPERIODPATTERN		R5PRIK_SPT	
Column name	Position	Oracle datatype	SQL Server datat Column description
SPT_SESSIONID	1	NUMBER	numeric(18,0) Session ID
SPT_PATTERNNUM	2	NUMBER	numeric(18,0) T.B.D.

R5WOLABORSCHEDPERSONPERIOD		R5PRIK_SPP	
Column name	Position	Oracle datatype	SQL Server datat Column description
SPP_SESSIONID	1	NUMBER	numeric(18,0) Session ID
SPP_PERSON	2	VARCHAR2(15)	nvarchar(15) T.B.D.

R5WOLABORSCHEDSCHDTEMP		R5PRIK_SCT	
Column name	Position	Oracle datatype	SQL Server datat Column description
SCT_SESSIONID	1	NUMBER(18,0)	numeric(18,0) Session ID
SCT_CODE	2	NUMBER(38,0)	numeric(38,0) T.B.D.

R5WOLABORSCHEDWO		R5PRIK_LSW	
Column name	Position	Oracle datatype	SQL Server datat Column description
LSW_SESSIONID	1	NUMBER(18,0)	numeric(18,0) Session ID
LSW_EVENT	2	VARCHAR2(30)	nvarchar(30) Work Order
LSW_ACT	3	NUMBER(8,0)	numeric(8,0) activity code

R5WOREPAIRS		R5PRIK_WOR	
Column name	Position	Oracle datatype	SQL Server datat Column description
WOR_PK	1	NUMBER	numeric(18,0) Primary key

R5WORKLOAD		R5PRIK_WRK	
Column name	Position	Oracle datatype	SQL Server datat Column description
WRK_DATE	1	DATE	datetime date on which labor is required.
WRK_MRC	2	VARCHAR2(15)	nvarchar(15) maintenance responsibility centre code.
WRK_TRADE	3	VARCHAR2(15)	nvarchar(15) trade code.

R5WORKPACKAGES		R5PRIK_WPK	
Column name	Position	Oracle datatype	SQL Server datat Column description
WPK_CODE	1	VARCHAR2(24)	nvarchar(24) work package code

R5WORKSAFETY		R5PRIK_KSF	
Column name	Position	Oracle datatype	SQL Server datat Column description
KSF_PK	1	VARCHAR2(30)	nvarchar(30) The unique code of the safety record.

R5WORKSPACEEMPLOYEES		R5PRIK_WKE	
Column name	Position	Oracle datatype	SQL Server datat Column description
WKE_WORKSPACE_NUMBER	1	VARCHAR2(30)	nvarchar(30) The primary key of a work space.
WKE_PERSON	2	VARCHAR2(15)	nvarchar(15) An employee using the work space.

R5WORKSPACEMOVECHILDREN		R5PRIK_WMC	
Column name	Position	Oracle datatype	SQL Server datat Column description
WMC_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the record.

R5WORKSPACEMOVES		R5PRIK_WKM	
Column name	Position	Oracle datatype	SQL Server datat Column description
WKM_PK	1	VARCHAR2(30)	nvarchar(30) The primary key of the work space move.

R5WORKSPACES		R5PRIK_WKS	
Column name	Position	Oracle datatype	SQL Server datat Column description

WKS_PK	1	VARCHAR2(30)	nvarchar(30)	The primary key of the work space.

R5WPPERSONS

R5PRIK_WPP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WPP_PACKAGE	1	VARCHAR2(24)	nvarchar(24)	work package code
WPP_PERSON	2	VARCHAR2(15)	nvarchar(15)	personnel code of employee to be scheduled for work package

R5WSDUP

R5PRIK_WDU

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WDU_CODE	1	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.

R5WSDUP1

R5PRIK_WD1

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WD1_CODE	1	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.

R5WSDUP2

R5PRIK_WD2

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WD2_CODE	1	VARCHAR2(512)	nvarchar(512)	Message reference ID for duplication elimination.

R5WSEVENTBUFFER

R5PRIK_WEF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WEF_CODE	1	VARCHAR2(60)	nvarchar(60)	Base event sequence number

R5WSEVENTS

R5PRIK_WSE

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSE_CODE	1	VARCHAR2(32)	nvarchar(32)	Event ID

R5WSMESSAGELINES

R5PRIK_WML

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WML_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	
WML_LINE	2	NUMBER(8,0)	numeric(8,0)	

R5WSMESSAGELINES_ARCHIVE

R5PRIK_AWL

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWL_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	
AWL_LINE	2	NUMBER(8,0)	numeric(8,0)	

R5WSMESSAGES

R5PRIK_WSM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSM_MSGIND	1	VARCHAR2(60)	nvarchar(60)	Message index ID

R5WSMESSAGESTATUS

R5PRIK_WSS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSS_CODE	1	VARCHAR2(60)	nvarchar(60)	Key for a message status record

R5WSMESSAGESTATUS_ARCHIVE

R5PRIK_AWS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWS_CODE	1	VARCHAR2(60)	nvarchar(60)	Key for a message status record

R5WSMESSAGES_ARCHIVE

R5PRIK_AWM

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWM_MSGIND	1	VARCHAR2(60)	nvarchar(60)	Message index ID

R5WSMSGPARTS

R5PRIK_WSP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSP_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
WSP_PART	2	VARCHAR2(60)	nvarchar(60)	Message part ID

R5WSPRETURNPROMPTS

R5PRIK_WPR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WPR_WSPCODE	1	VARCHAR2(6)	nvarchar(6)	TBD

WPR_SOURCESEQ	2	NUMBER(8,0)	numeric(8,0)	TBD
WPR_TARGETSEQ	3	NUMBER(8,0)	numeric(8,0)	TBD

R5WSPROMPTFIELDS

R5PRIK_WSF

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSF_WSPMTCODE	1	VARCHAR2(6)	nvarchar(6)	WS prompt code
WSF_LINE	2	NUMBER(8,0)	numeric(8,0)	Sequence number

R5WSPROMPTS

R5PRIK_WST

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WST_CODE	1	VARCHAR2(6)	nvarchar(6)	PK column

R5WSREQHIST

R5PRIK_WSQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSQ_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
WSQ_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5WSREQHIST_ARCHIVE

R5PRIK_AWQ

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWQ_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
AWQ_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5WSRSPHIST

R5PRIK_WSR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
WSR_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
WSR_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5WSRSPHIST_ARCHIVE

R5PRIK_AWR

Column name	Position	Oracle datatype	SQL Server datatype	Column description
AWR_MESSAGE	1	VARCHAR2(60)	nvarchar(60)	Message ID
AWR_PROCESS	2	VARCHAR2(30)	nvarchar(30)	Process run ID

R5XMLTRANSTATUS

R5PRIK_XTS

Column name	Position	Oracle datatype	SQL Server datatype	Column description
XTS_SEQNUM	1	NUMBER	int	databrige transaction sequence number

R5XMLTRANSTATUSHIST

R5PRIK_XTH

Column name	Position	Oracle datatype	SQL Server datatype	Column description
XTH_SEQNUM	1	NUMBER	int	databrige transaction sequence number

R5YEARLYINFLATIONPERCENT

R5PRIK_YIP

Column name	Position	Oracle datatype	SQL Server datatype	Column description
YIP_YEAR	1	NUMBER(4,0)	numeric(4,0)	
YIP_COUNTRY	2	VARCHAR2(8)	nvarchar(8)	
YIP_CURRENCY	3	VARCHAR2(3)	nvarchar(3)	

R5YEARS

R5PRIK_ACY

Column name	Position	Oracle datatype	SQL Server datatype	Column description
ACY_YEAR	1	VARCHAR2(8)	nvarchar(8)	budget term code.

Chapter 9 Field descriptions/usage

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27921	!=	Barcode	FCLABL	FLAMETHROWER LABELS
30352	# Work Orders	D7i Extended -- EWS.REP.UC.WorkOrderCostByEquipment	OHOCST	Job Costing By Object Cost
			OZOCST	Job Costing By Object Cost
12483	# work orders		OTCSTL	WORK ORDER COST SUMMARY
40902	% After	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
40900	% Before	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
31527	% Complete	EWS.CREP.UC.ElectronicRecords	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
34135	% Delivered On Time	EWS.CREP.UC.WorkOrderOnTimeDeliveryByTrade.doc	WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
37131	% Failed	EWS.CREP.UC.PartFailure	WZPFAR	PART FAILURES REPORT
29109	% Received	Extended (product name)	WSBKPO	BOOK PO LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
19031	% complete	indicates what percentage of a work order activity has been completed	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
34079	% of Average Price	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
36477	% of Base Price	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
37981	% of Total Capacity	EWS.MATL.UC.FuelMixForSupplier/33925	SSSUPP	SUPPLIERS
33979	% of average price	SCR 27759	SYEOQA	EOQ Analysis
			SZEOQA	EOQ Analysis
48775	(1) Header Nonconformity, copies from the nonconformity header data. Note that Copy Observation UDFs cannot be selected in this case.	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48777	(2) Current Approved Observation, copies from the observation referenced in Source Observation on the header nonconformity if it is not blank. Otherwise, copies from the most recently created or updated observation with system status Approved.	EAM-46913-NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48776	(3) Most Recent Recorded Observation, copies from the observation with the most recent Data Recorded and System Status not equal to Superseded (S) and not equal to Skipped (SK).	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
38682	(A) = Existing Equipment (B) = Potential Equipment	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
36605	(DEFAULT RFQ EMAIL SUBJECT LINE)	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
37145	(default)	EWS.BASE.UC.StandardLookup	BSLOVS	LIST OF LOOKUPS
32436	+	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
32437	-	EWS.CREP.UC.InventoryStandard.doc	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32437	-	EWS.CREP.UC.InventoryStandard.doc	SYINST SYUSTL SZINST SZUSTL	INVENTORY STANDARD MONTHLY USAGE TRENDS INVENTORY STANDARD MONTHLY USAGE TRENDS
45981 30389	--Select/Edit WO Dataspy-- 0	EWS.GIS.REQ.GISMapSearch.doc/EAM-19620 D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.CreateSystemEQ.doc - Value for Reference Precision Dropdown	OSGISR OSEQUO OSHVPVH OSOBJA OSOVAM WSPPPMS	GIS MAP SEARCH UNITS OF OUTPUT CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT PM SCHEDULES
46788 30390	0/8 1	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.CreateSystemEQ.doc - Value for Reference Precision Dropdown	OSWKMV BSUOMS OSHVPVH OSOBJA OSOVAM WSPPPMS	WORKSPACE MOVES UOM SETUP CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT PM SCHEDULES
32771	1-10	EWS.CREP.UC.WorkOrderAging.doc	WYWOAG WZWOAG	WORK ORDER AGING REPORT WORK ORDER AGING REPORT
33958	1..31	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21549 (Code Descriptions) for the existing translations.	DSGLPS	GL PROCESS SCHEDULES
46777 30913 32772	1/8 10 11-30	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves D7i Extended - Fault-trend Analysis report EWS.CREP.UC.WorkOrderAging.doc	OSWKMV OZFLTG WYWOAG WZWOAG	WORKSPACE MOVES Fault Trend Analysis WORK ORDER AGING REPORT WORK ORDER AGING REPORT
39582	12 Month Period Ending	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPPY OSHPRM OSHVPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
30637	15	D7i Extended -- Parameters for Fleet Configuration -- Display value for drop down Round Billing Hours	WSFLCF	FLEET CONFIGURATION
23632	1st	Infor EAM - this appears on the Sort page of the DataSpy form and it's the order in which the user want the resurled to be sorted. For example, first (1st), the system sorts by User Id, econd (2nd) by Status, third (3rd) by Date.	BSDTSP BSRPTG FCSCRN WSPPPMS	DATASPY GENERIC REPORT PARAMETERS FLAMETHROWER SCREENS PM SCHEDULES
38190 30391	1st Retry again in [hh:mm] 2	EWS.DBADMIN.UC.CreateEditPartners/35899 D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.CreateSystemEQ.doc - Value for Reference Precision Dropdown	DSPTNR OSHVPVH OSOBJA OSOVAM WSPPPMS	CREATE PARTNER CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT PM SCHEDULES
46778	2/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30914	20	D7i Extended - Fault-trend Analysis report	OZFLTG	Fault Trend Analysis
27976	2160 Mini - Address	Barcode	FCLABL	FLAMETHROWER LABELS
27978	2162 Mini - Address	Barcode	FCLABL	FLAMETHROWER LABELS
27979	2163 Mini - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27980	2180 Mini - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27981	2181 Mini - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27983	2186 Mini - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27984	2660 Mini - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27985	2662 Mini - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27987	2663 Mini - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
23633	2nd	Infor EAM - this appears on the Sort page of the DataSpy form and it's the order in which the user want the resurited to be sorted. For example, first (1st), the system sorts by User Id, econd (2nd) by Status, third (3rd) by Date.	BSDTSP	DATASPY
			BSRPTG	GENERIC REPORT PARAMETERS
			FCSCRN	FLAMETHROWER SCREENS
			WSPPMS	PM SCHEDULES
32574	2nd Meter Due	EWS.CREP.UC.ListofWorkOrdersBypassedDuetoNesting	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
32575	2nd Meter Reading	EWS.CREP.UC.ListofWorkOrdersBypassedDuetoNesting	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
38191	2nd Retry again in [hh:mm]	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
30392	3	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.CreateSystemEQ.doc - Value for Reference Precision Dropdown	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			WSPPMS	PM SCHEDULES
46779	3/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
30638	30	D7i Extended -- Parameters for Fleet Configuration -- Display value for drop down Round Billing Hours	OZFLTG	Fault Trend Analysis
			WSFLCF	FLEET CONFIGURATION
28180	30251 White - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28181	30252 White - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28182	30253 (dbl) - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28183	30254 Clear - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28184	30255 Yellow - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28185	30256 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28186	30257 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28187	30258 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28188	30260 Spine - Video Spine	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28189	30261 Top - Video Face	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28190	30275 Blue - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28191	30276 Red - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28192	30277 White - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
32773	31-60	EWS.CREP.UC.WorkOrderAging.doc	WYWOAG	WORK ORDER AGING REPORT
			WZWOAG	WORK ORDER AGING REPORT
23634	3rd	Infor EAM - this appears on the Sort page of the DataSpy form and it's the order in which the user want the resurited to be sorted. For example, first (1st), the system sorts by User Id, econd (2nd) by Status, third (3rd) by Date.	BSDTSP	DATASPY
			BSRPTG	GENERIC REPORT PARAMETERS
			FCSCRN	FLAMETHROWER SCREENS
			WSPPMS	PM SCHEDULES
38192	3rd Retry again in [hh:mm]	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
30393	4	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.CreateSystemEQ.doc - Value for Reference Precision Dropdown	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46780	4/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
30915	40	D7i Extended - Fault-trend Analysis report	OZFLTG	Fault Trend Analysis
28081	4010 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28082	4011 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28083	4013 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28084	4143 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28085	4144 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28086	4145 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28087	4146 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28088	4160 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28089	4161 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28090	4162 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28091	4163 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28092	4166 - Index Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28093	4167 - Post Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28094	4168 - Rotary Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28095	4169 - Rotary Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28096	4240 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28097	4241 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28098	4249 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28099	4250 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28100	4251 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28101	4253 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28102	4254 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28103	4255 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28104	4256 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28105	4257 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28106	4258 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28107	4259 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28108	4266 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28109	4600 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28110	4601 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28111	4602 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28112	4603 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28113	4604 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28114	4605 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28115	4606 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28116	4607 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28117	4609 - Price Marketing	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28118	4610 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28119	4611 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28120	4612 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
37306	4th	32268	WSPPMS	PM SCHEDULES
38193	4th Retry again in [hh:mm]	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
30394	5	D7i Extended - LINEAR EQUIP -	OSHPVH	CREATE VEHICLE EQUIPMENT
		EWS.EQUIP.UC.CreateSystemEQ.doc - Value for	OSOBJA	CREATE ASSET EQUIPMENT
		Reference Precision Dropdown	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46781	5/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
30916	50	D7i Extended - Fault-trend Analysis report	OZFLTG	Fault Trend Analysis
27988	5095 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27989	5096 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27991	5097 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27992	5160 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27993	5161 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27995	5162 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27996	5163 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27997	5164 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27998	5165 - Full Sheet	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27999	5196 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28000	5197 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28004	5198 - Audio Tape	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28006	5199-F - Video Face	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28007	5199-S - Video Spine	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28009	5260 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28011	5261 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28012	5262 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28013	5266 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28015	5267 - Return Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28016	5305 - Tent Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28019	5371 - Business Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28021	5383 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28022	5384 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28023	5385 - Rotary Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28025	5386 - Rotary Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28027	5388 - Index Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28028	5389 - Post Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28030	5395 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28032	5660 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28033	5661 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28035	5662 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28036	5663 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28037	5664 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28038	5667 - Return Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28039	5883 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28040	5895 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28041	5896 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28042	5897 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
38194	5th Retry again in [hh:mm]	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
34619	6	EWS.BASE.UC.BE.PREPOPULATIONDATA.doc	OSOBJA	CREATE ASSET EQUIPMENT
			WSPPMS	PM SCHEDULES
46782	6/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
30639	60	D7i Extended -- Parameters for Fleet Configuration -- Display value for drop down Round Billing Hours	OZFLTG WSFLCF	Fault Trend Analysis FLEET CONFIGURATION
32774	61-90	EWS.CREP.UC.WorkOrderAging.doc	WYWOAG WZWOAG	WORK ORDER AGING REPORT WORK ORDER AGING REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28043	6460 - Remove'Em	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28044	6464 - Remove'Em	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28045	6466 - Remove'Em	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28046	6490 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
46783	7/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
30917	70	D7i Extended - Fault-trend Analysis report	OZFLTG	Fault Trend Analysis
46784	8/8	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
30918	80	D7i Extended - Fault-trend Analysis report	OZFLTG	Fault Trend Analysis
28047	8160 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28048	8161 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28049	8162 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28050	8163 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28051	8164 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28052	8165 - Full Sheet	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28053	8166 - File Folder	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28054	8167 - Return Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28055	8196 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28056	8371 - Business Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28057	8660 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28058	8662 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28059	8663 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
47966	:FROMPOINT and :TOPOINT are the From Point and To Point of the linear condition record being processed. Only relevant if the associated equipment is linear.	EAM-38438/EAM.ADMN.REQ.Queries.docx	BSQUER	QUERIES
45785	:MP5DFLTORG is the default organization of that user.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
45783	:MP5GROUP is the user group of that user.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
45784	:MP5ORG is the default organization of that user.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
49225	:MP5ROLE is the Role of that user.	EAM.ADMN.REQ.Queries / EAM-39466	BSQUER	QUERIES
45782	:MP5USER is the logged in user.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
45787	:OBJECT is the equipment number being processed.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
45788	:OBJECTORG is the organization of that equipment.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
46106	:PARAM1 :PARAM2 cannot be deleted because it has structure changes or maintenance history.	EAM.EQUIP.REQ.Assets/EAM-26544	BCMOBL	7I MOBILE BOILER TEXT
46107	:PARAM1 :PARAM2 cannot be deleted because it is a parent of another equipment record.	EAM.EQUIP.REQ.Assets/EAM-26544	BCMOBL	7I MOBILE BOILER TEXT
48726	:PARAM1 :PARAM2 cannot be withdrawn because the commission date occurs in the future.	EAM-41674	BCMOBL	7I MOBILE BOILER TEXT
44288	:PARAM1 :PARAM2 was deleted successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44289	:PARAM1 :PARAM2 was saved	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44573	successfully. :PARAM1 records are processed successfully. :PARAM2 records are in error.	EAM 14486	BCMOBL	7I MOBILE BOILER TEXT
44290	:PARAM1 was saved successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
46131	:RANKINGLEVEL is the Level code being processed.	EAM.ADMN.REQ.Queries.docx	BSQUER	QUERIES
21803	<	Infor EAM - arrows to move selected records to the left	FCLABL WSASGN WSSRPR	FLAMETHROWER LABELS ASSIGN PERSONNEL TO SERVICE REQUEST ASSIGN PERSONNEL TO SERVICE REQUEST
27922	<=	Barcode	FCLABL	FLAMETHROWER LABELS
20877	<Auto-Generated>	Infor EAM - this is a message that pops up right under a field on a form to indicate that a code number, e.g., a work order number, has been generated by the system.	BCMOBL BSJSDN OSEQGN WSFLTK WSJOBS WSJOVH WSJOVM	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT EQUIPMENT GENERATION FLEET VEHICLE TICKETS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
27975	<Custom>	Barcode	FCLABL	FLAMETHROWER LABELS
28221	<None>	Barcode 26915	FCGRD1 BSDSET	FLAMETHROWER GRID 1 DATABRIDGE SETUP
27887	=	Barcode SCR#33940: Conversion for UOM	FCLABL BSUOMS	FLAMETHROWER LABELS UOM SETUP
21802	>	Infor EAM - arrows to move selected records to the right	FCLABL WSASGN WSSRPR	FLAMETHROWER LABELS ASSIGN PERSONNEL TO SERVICE REQUEST ASSIGN PERSONNEL TO SERVICE REQUEST
27923	>=	Barcode	FCLABL	FLAMETHROWER LABELS
32433	A	EWS.CREP.UC.InventoryStandard.doc	SYINST SZINST	INVENTORY STANDARD INVENTORY STANDARD
30015	A Cutoff Point %	D7i Extended - Materials - EWS.MATL.UC.GenerateABCAnalysis.doc - field label where users will enter the percentage at which they want the system to cutoff for parts that are categorized as 'A' class	SSABCA SYABCA SZABCA	GENERATE ABC ANALYSIS ABC Analysis ABC Analysis
34816	A Discount Of	EWS.CREP.UC.RequestDiscountBasedOnPurchases	CZUSGF	Discount Request Based On Usage
43898	A Record using this value already exists	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48018	A default map could not be found. Select a map from the users list to continue.	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
49628	A default map could not be found. Select a map to continue.	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
47267	A radius or search criteria must be entered to perform an Advanced Search. Click Search around to specify a radius.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
46241	A record already exists for this equipment number.	Equipment Service	BCMOBL	7I MOBILE BOILER TEXT
36976	A record using this value already exists.	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	TCJEQL TCJEQR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40057	A repairable spare work order cannot have a work request status.	22658 Repairable Spare WO type not downloaded	BCMOBL	71 MOBILE BOILER TEXT
			TCJOBR	71 MOBILE BOILER TEXT
30018	ABC Analysis Type	D7i Extended - Materials - EWS.MATL.UC.GenerateABCAnalysis.doc - section title on screen where users will select for the system to assign the A, B, or C class based on Value or Usage of the Part	SSABCA	GENERATE ABC ANALYSIS
20840	ABC Class	Infor EAM - This identifies the classification of the stock item. Choose A, B, or C to determine which materials to watch closely based in level of importance; A is high, B is medium, C is low.	BSLOVS	LIST OF LOOKUPS
			SSABCA	GENERATE ABC ANALYSIS
			SSEOQA	CALCULATE EOQ
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSREQF	GENERATE REQS
			SSSTOR	STORES
			SYABCA	ABC Analysis
			SYINST	INVENTORY STANDARD
			SZABCA	ABC Analysis
			SZINST	INVENTORY STANDARD
16656	ABC class	This identifies the classification of the stock item. Choose A, B, or C to determine which materials to watch closely based in level of importance; A is high, B is medium, C is low.	STSTTL	PRINT STOCKTAKE LIST
			SYEQQA	EOQ Analysis
			SYSTTL	PRINT STOCKTAKE LIST
			SZEOQA	EOQ Analysis
			SZSTTL	PRINT STOCKTAKE LIST
28327	ACD Code	Databridge. ACD - Account Code Details. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28327	ACD Code	Databridge. ACD - Account Code Details. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
			BSIBUY	INFOR EAM 7IBUY SHOPPING CART
35119	ADD PARTS(iProcure ITEMS)	27950	TCJCAL	7I MOBILE BOILER TEXT
27487	AF Deviation	Crossbow D7i Extended - Calibrations - AF = As Found	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			TCJCAL	7I MOBILE BOILER TEXT
27485	AF Output	Crossbow D7i Extended - Calibrations - AF = As Found (As it was found)	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			TCJCAL	7I MOBILE BOILER TEXT
28670	AF Output UOM	D7i Extended - Calibrations - AF = As Found (as it was found), UOM = Unit of Measure	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRVCS	REVISION CONTROL SETUP
27486	AF Reading	Crossbow D7i Extended - Calibrations - AF = As Found	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27484	AF Standard	Crossbow D7i Extended - Calibrations - AF = As Found (as it was found)	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28668	AF Standard UOM	D7i Extended - Calibrations - AF = As Found (as it was found), UOM = Unit of Measure	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRVCS	REVISION CONTROL SETUP
27481	AF Status	Crossbow D7i Extended - Calibrations - AF = As Found	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28671	AF Tol. From	D7i Extended - Calibrations - As Found Tolerance From	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28672	AF Tol. To	D7i Extended - Calibrations - AF = As Found Tolerance To	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27491	AL Deviation	Crossbow D7i Extended - Calibrations - AL = As Left	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27491	AL Deviation	D7i Extended - Calibrations - AL = As Left	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27489	AL Output	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
		D7i Extended - Calibrations - AL = As Left	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28679	AL Output UOM	D7i Extended - Calibrations - AL = As Left, UOM = Unit of Measure	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRVCS	REVISION CONTROL SETUP
27490	AL Reading	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
		D7i Extended - Calibrations - AL = As Left	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27488	AL Standard	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
		D7i Extended - Calibrations - AL = As Left	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28677	AL Standard UOM	D7i Extended - Calibrations - AL = As Left, UOM = Unit of Measure	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRVCS	REVISION CONTROL SETUP
27482	AL Status	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
		D7i Extended - Calibrations - AL = As Left	WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28680	AL Tol. From	D7i Extended - Calibrations - AL Tol. = As Left Tolerance	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28681	AL Tol. To	D7i Extended - Calibrations - AL Tol.= As Left Tolerance	TCJCAL	7I MOBILE BOILER TEXT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32360	ALL PEOPLE	EWS.WORK.UC.AssignPersonnelPOPUP.doc	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
32361	ALL TRADES	EWS.WORK.UC.AssignPersonnelPOPUP.doc	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
21255	AND	Infor EAM - a conjunction between 2 words	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSMSGGS	VIEW MESSAGE STATUS
			FCSCRN	FLAMETHROWER SCREENS
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			WSRTEP	ROUTE LOOKUP
47759	APM Scenario	EAM-37488 EAM.EQUIP.REQ.APMSscenario	OSAPMS	APM SCENARIO
12406	Abbreviation		WSTRAD	TRADES
40007	Abort On Failure	SCR# 46968	BZFLXL	PRINT FLEX SQL LIST
25912	Abort on Failure	Extended (product name). This is a field label or the Flex	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25912	Abort on Failure	SQL screen. Refer to EWS.ADMN.UC.CreateUpdateFlexSQL.doc.	BSALRT BSEXIM YSFLXS	ALERT MANAGEMENT SYSTEM EXPORT CONFIGURATION FLEX SQL
28274	Aborted	Data Warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
21818	About	Infor EAM - Pull down menu item: shows version number, user ID, session number. Infor EAM - Pull down menu item: shows version number, user ID, session number.	FCSCRN BANNER BSJSDN FCSCRN BCMOBL TCCABT TCCRSB	FLAMETHROWER SCREENS BANNER COMMON FUNCTION FOR JAVASCRIPT FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
13250	About Infor EAM	Pull down menu item: shows version number, user ID, session number.	ABOUT M1	FUNCTION TO GET LABELS FOR ABOUT PAGE Pull-Down Menu Texts
40993	Above Ceiling Permit	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD WHJOVM WSJOBS WSJOVM WZJOVM WZWOLM	ELECTRONIC RECORDS FOR EVENTS PRINT WORK ORDER HEALTHCARE CREATE WORK ORDER CREATE WORK ORDER PRINT WORK ORDER HEALTHCARE WORK ORDER LIST - DETAIL
26089	Absolute	Used in calibration, whether the tolerance should be measured absolute or in percentage.	OSECON OSHPFY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
43073	Accept	EAM.WORK.REQ.ReviewCustomerRentalRequests	BCMOBL WSCRER	7I MOBILE BOILER TEXT REVIEW CUSTOMER RENTAL REQUESTS
44325	Access Level	EAM.EQUIP.REQ.KeyManagement	OSHPFY OSHPRM OSHPVH OSKEYM OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OZKEYD OZKEYT WSEMPS	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT KEY MANAGEMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT KEY LIST-DETAIL KEY TRANSACTIONS EMPLOYEES
44940	Access Levels	EAM-16304 & EAM-16305	BSLOVS OZKEYD	LIST OF LOOKUPS KEY LIST-DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43093	Accessibility Mode	EAM.ADMN.REQ.MyAccount	BSUAED	USER ACCOUNT EDIT
			BSUSER	USER SETUP
48824	Accessibility Mode is Enabled	EAM-47566	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40942	Accessible	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48601	Accomplishment	EAM-42826:EAM.WORK.REQ.AccomplishmentsForWork Order	BCMOBL	7I MOBILE BOILER TEXT
48613	Accomplishment Details	EAM.WORK.REQ.AccomplishmentsForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
48590	Accomplishment PK	EAM-42826	WSJOBS	CREATE WORK ORDER
		EAM.WORK.REQ.AccomplishmentsForWorkOrder		
48589	Accomplishments	EAM-42826	BCMOBL	7I MOBILE BOILER TEXT
		EAM.WORK.REQ.AccomplishmentsForWorkOrder	WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSJOBS	CREATE WORK ORDER
36003	Account	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35920	Account Code	EWS.ADMN.UC.MP2Purchasing	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
19815	Account Credentials	Infor EAM - displays the credentials associated with the current account	BSUAED	USER ACCOUNT EDIT
35256	Account Detail Setup	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
31027	Account Details	D7i Extended. Tab name for the Account Details tab.	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31027	Account Details	D7i Extended. Tab name for the Account Details tab.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
34713	Account Details Definition	AccountDetailsDefinitionforDatabridgeSetup	BSDSET	DATABRIDGE SETUP
35921	Account No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
23831	Account Number	Infor EAM - The account number specific with the vendor	BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			FCGRD1	FLAMETHROWER GRID 1
			SSSUPC	CUSTOMERS
35666	Account Number Details	EWS.MATL.UC.AccountNumbersforSuppliers / 27955	SSSUPP	SUPPLIERS
			SSSUPP	SUPPLIERS
			SSSUPP	SUPPLIERS
35665	Account Numbers	EWS.MATL.UC.AccountNumbersforSuppliers / 27955	SSSUPP	SUPPLIERS
34723	Account Segment Value	EWS.ADMN.UC.CreateUpdateOrganization/26874	BSCSTC	COST CODE
			BSDEPT	DEPARTMENTS
			BSORGS	ORGANIZATIONS
28328	Accounted	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	SSSTOR	STORES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
48945	Accounting Code	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	BSDOCA	DOCUMENTS
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
49648	Accounting Code Details	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
49672	Accounting Code Org.	49835-EAM.PROJ.REQ.CompatibleUnitsFixedAssetCodes	JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
49677	Accounting Codes	EAM-49835-PROJ.REQ.CompatibleUnitsFixedAssetCodes	JSCULB	COMPATIBLE UNITS LIBRARY
			BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38570	Accounting Entity	Resources tab on Equipment screens	BSORGS	ORGANIZATIONS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
30272	Accounting Flexfield Desc.	D7i Extended -- Invoice Vouchers form, Cost tab -- Field Label	PSINVO	INVOICES
31486	Accounting Flexfield Description	The description of the General Ledger field. This is used for integration with Oracle Financials and it's a term from Oracle that means that these fields will be 'user-defined' and will be applied to the accounting system.	PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
30274	Accounting Flexfield Descriptions	D7i Extended -- Invoice Vouchers form, Costs tab -- Lookup title	BSLOVS	LIST OF LOOKUPS
34933	Accuracy (%)	EWS.REP.UC.PhysicalInventoryDiscrepancy scr#4620	SYSTDL	Stocktake Discrepancy
48762	Acknowledge Non-Updated Observations on Work Orders	EAM-46913: NonconformitiesSetup	SZSTD	Stocktake Discrepancy
48757	Acknowledged By	EAM-46913: NonconformityObservations	OSNCSP	NONCONFORMITIESSETUP
48760	Acknowledged Copied From	EAM-46913: NonconformityObservations	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
48761	Acknowledged Source Observation	EAM-46913: NonconformityObservations	OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
35930	Acknowledgment Required	EWS.ADMN.UC.MP2Purchasing	WSJOBS	CREATE WORK ORDER
			BSMPPR	MP2 PURCHASING
			FCSCRN	FLAMETHROWER SCREENS
27927	Across:	Barcode		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33773	Act	EWS.CREP.UC.BudgetAnalysis.doc	UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
22612	Act Qualification	D7i - qualification of the work order activity	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
22611	Act Schedule	D7i - the schedule of the work order activity	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
39375	Act.	40522	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
21689	Act. Actual Hours	Infor EAM - Activity actual hours - the actual number of hours required for the activity (as opposed to scheduled hours)	BCMOBL	7I MOBILE BOILER TEXT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
21034	Act. Est. Hours	Infor EAM - Activity Estimated Hours - the number of estimated hours to complete the work order activity	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
29107	Act. Estimated Hours	Extended (product name); Act. stands for 'Activity' in this case.	WSBOOK	BOOK LABOR BY EMPLOYEE
29108	Act. Hours Remaining	Extended (product name); Act. stands for 'Activity' in this case.	WSBOOK	BOOK LABOR BY EMPLOYEE
29505	Act. Interval	D7i Extended - Calibration History report. Note that Act. stands for Actual.	OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
21036	Act. OT Hours Worked	Infor EAM - Activity Overtime Hours Worked - the number of hours worked on an activity that qualify as overtime, i.e., anything with a system occupation type as overtime (not regular)	WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21035	Act. Regular Hours Worked	Infor EAM - Activity Regular Hours Worked - the number of hours worked on an activity that qualify as regular, i.e., anything with a system occupation type as regular (not over time)	WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
25181	Act. Response Time	Extended (product name). Actual response time for the Create/Edit Service Request PIR.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
21682	Act. Sched. Hours	Infor EAM - Activity Scheduled Hours - number of hours scheduled for the activity	BCMOBL	7I MOBILE BOILER TEXT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25182	Act. Time Open	Extended (product name). Time elapsed since the service request was created for the Create/Edit Service Request PIR. 'Act' is for 'actual.'	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
19187	Action	button on the top of each form that displays all forms related to the current form	BSAUDP	VIEW AUDIT TRAIL POPUP
			BSVRHE	VIEW RESOURCE HISTORY EQUIPMENT
			BSWSPM	WEB SERVICES PROMPT
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			BZCHKA	CHECKLIST AUDIT
			OSGGMP	GIS MAP DATA
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			WSJOBS	CREATE WORK ORDER
			WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
			WSUWOD	UNSIGNED WO DIFFERENCES
		Crossbow - Action code used on Close Work Order form - what 'action' was taken	TCJCLR	7I MOBILE BOILER TEXT
			TCOHS	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
20968	Action Code	Infor EAM - A structured code to indicate the type of work done.	BSLOVS	LIST OF LOOKUPS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
			JSCAMP	CAMPAIGN
			OSFAIL	FAILURE MODES POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZFLTG	Fault Trend Analysis
			OZHISL	Object History

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20968	Action Code	Infor EAM - A structured code to indicate the type of work done.	OZJMFL	Mean Time Between Failures Per Fault
			OZOMFL	Mean Time Between Failures Per Object
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZTBRK	TOP 10 BREAKDOWN
			SSISSU	Stock Issues
			TSASTP	DC TRANSACTION PROMPT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WZLWOQ	LIST OF WORK ORDERS
			WZPFAR	PART FAILURES REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
		D7i Extended - Closing Codes - dropdown option	BCMOBL	7I MOBILE BOILER TEXT
			OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			TCESYP	7I MOBILE BOILER TEXT
48657	Action Code Description	EAM-44523	WSJOBS	CREATE WORK ORDER
30975	Action Codes	D7i Extended - Fault-trend Analysis report	BSLOVS	LIST OF LOOKUPS
33255	Action Request	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
35000	Action Requests	EWS.CREP.UC.CustomerRequest	WZCCTR	PRINT SERVICE REQUESTS
48948	Action Type	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
12339	Action code	A structured code to indicate the type of work done. Click to select the action the selected interface performs on this data.	OCACCC	CROSSBOW ACTION CLASS LIST
			OCACCO	CROSSBOW ACTION CODE LIST
			BANNER	BANNER
40795	Actions	New UI	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGISR	GIS MAP SEARCH
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			TCJACR	7I MOBILE BOILER TEXT
24805	Activ#	Crossbow	PSINVA	BOOK INVOICE ALLOCATIONS
33593	Activate Line	21342/EWS.PRCH.UC.BookInvoiceAllocation.doc	WSMPAT	MAINTENANCE PATTERNS
39331	Activate MP	EAM.WORK.UC.EquipmentforMP/38266	OSEQGN	EQUIPMENT GENERATION
42882	Activate Maintenance Patterns	EAM.EQUIP.REQ.EquipmentGeneration	OSOBJA	CREATE ASSET EQUIPMENT
49737	Activate Mitigation	EAM-49865-		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49737	Activate Mitigation	EAM.EQUIP.REQ.RCMFailureMitigationForEqu	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
39389	Activation Details	EWS.WORK.UC.ActivateMPEquipmentPopup/38267	WSACMP	ACTIVATE MP POPUP
12419	Active		BSGRID	GRID DESIGNER
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			OCWARR	CROSSBOW WARRANTY LIST
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BAL008	WARRANTY EXPIRATION DATE ALERT
			BAL009	WARRANTY EXPIRATION USAGE ALERT
			BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			BSJOBS	JOB SETUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			DSGLPS	GL PROCESS SCHEDULES
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			DSPTNR	CREATE PARTNER
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
		OSOBJA	CREATE ASSET EQUIPMENT	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12419	Active	EAM.WORK.REQ.PermitsForWorkOrder	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			PSINVA	BOOK INVOICE ALLOCATIONS
			WCPERM	CROSSBOW WO PERMIT LIST
			WSDEPO	DEPOTS
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSQUAL	QUALIFICATION
			YSFLXS	FLEX SQL
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSURLP	DEFINE URL PARAMETERS
			BSVIEW	VIEWS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37801	Active Alert Types	EWS.ADMN.UC.CreateEditAlerts / 33833	WZPERL	List Of Permit Issues
			BSALRT	ALERT MANAGEMENT SYSTEM
33492	Active Allocations	21342	PSINVA	BOOK INVOICE ALLOCATIONS
33324	Active Change Notices for the Selected Asset	EWS.EQUIP.UC.CreateAssetEQ.doc	OSCNL	CHANGE NOTICE LOOKUP
41061	Active Checklist	EAM-427 EAM.WORK.REQ.Task	BSEXIM	EXPORT CONFIGURATION
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			BZFLXL	PRINT FLEX SQL LIST
40003	Active Flag	SCR# 46968	SSCOMM	COMMODITIES
37903	Active Fuel Types	EWS.MATL.UC.FuelsForCommodities/SCR33846	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
26850	Active Layer	D7i Extended - GIS Map Search - Dropdown that enables users to identify the GIS map layer to perform searches and selections on.	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
25519	Active Line Details	Extended (product name). Active Line Details for Active Lines for PO Receipt.	SSRECV	PO RECEIPTS
25518	Active Lines	Extended (product name). Active Lines for Active Lines for PO Receipt.	BCMOBL	7I MOBILE BOILER TEXT
32894	Active Partners	EWS.DBADMIN.UC.CreateEditPartners.doc	SSRECV	PO RECEIPTS
			DSPTNR	CREATE PARTNER
37955	Active Records	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37955	Active Records	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
15071	Activities		BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			LVACTJ	WO-ACT LOV (ACTIVITY)
			OSCLAI	WARRANTY CLAIMS
			OZCLAI	WARRANTY CLAIM REPORT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSCPST	COPY STANDARD ORDER POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMCP	COPY PM PLAN
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
31044	Activities Scheduled	D7i Extended - Schedule Attainment report	WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
34703	Activities Scheduled Before or On :PARAM2	EWS.CREP.UC.ScheduledvsActualDetail	WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
29209	Activities Scheduled Between	D7i Extended - Scheduled Activities Report	WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34704	Activities Scheduled Between :PARAM1 and :PARAM2	EWS.CREP.UC.ScheduledvsActualDetail	WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
34702	Activities Scheduled On or After :PARAM1	EWS.CREP.UC.ScheduledvsActualDetail	WZSCHS	Schedule Attainment Report
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
40095	Activities and Details	SCR 47663	WZPMSP	PM SCHEDULE PROFILE
37268	Activities displayed are associated with the selected Project, Budget, Work Order and/or Activity selected on the RFQ. Select a record(s) and then click Submit.	EWS.PRCH.UC.ServicesforRFQs	PSWOSR	RETRIEVE WORK ORDER SERVICES
12114	Activity	The description of a unique task that is part of a total work order. Resources like labour and materials, as well as individual work instructions are recorded on work order activity level. A job consists of zero or more activities.	BSLOVS	LIST OF LOOKUPS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OSCLAI	WARRANTY CLAIMS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSOBTV	OBJECTIVES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			OZCLAI	WARRANTY CLAIM REPORT
			OZHISL	Object History
			OZPROF	EQUIPMENT PROFILE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12114	Activity	The description of a unique task that is part of a total work order. Resources like labour and materials, as well as individual work instructions are recorded on work order activity level. A job consists of zero or more activities.	PSPARP	SELECT PARTS POPUP
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSGRFQ	GENERATE RFQS
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPRES	PART RESERVATIONS
			SSRECV	PO RECEIPTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETP	RETURN PART
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQLL	REQUISITION LINE
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			STPICK	Pick List Print
			SYHISL	Purchase History Per Item/Supplier
			SYPICK	Pick List Print
			SYRESL	Parts Currently Reserved/Allocated
			SZHISL	Purchase History Per Item/Supplier
			SZPICK	Pick List Print
			SZRESL	Parts Currently Reserved/Allocated
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WCACTJ	CROSSBOW ACTIVITY LIST
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WCSTAC	CROSSBOW STWO ACTIVITY
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12114	Activity	The description of a unique task that is part of a total work order. Resources like labour and materials, as well as individual work instructions are recorded on work order activity level. A job consists of zero or more activities.	WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSATCP	CHECKLIST POPUP
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSMOVE	MOVE PM ACTIVITY
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSQCWO	QUICK CLOSE WORK ORDER
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSCHD	WORK ORDER SCHEDULE
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSTWO	STANDARD WOS
			WSTOOL	TOOLS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WTBLOG	Work Backlog

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12114	Activity	The description of a unique task that is part of a total work order. Resources like labour and materials, as well as individual work instructions are recorded on work order activity level. A job consists of zero or more activities.	WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WTJOB	Labour Hours For Jobs
			WTSCHA	Scheduled Activities
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOB	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALR	CALIBRATION RECORD REPORT
			WZDELP	PROOF OF DELIVERY
			WZJOB	PRINT WORK ORDER
			WZJOB	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZPMSP	PM SCHEDULE PROFILE
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZTOCO	TOOL USAGE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSACCD	VIEW GL VALUES
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJOB	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			WHBLAC	BOOKED LABOR BY ACTIVITY
		EAM.WORK.REQ.PermitsForWorkOrder	WZBLAC	BOOKED LABOR BY ACTIVITY
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZCHKA	CHECKLIST AUDIT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSCLAI	WARRANTY CLAIMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			SHREQF	Print Purchase Requisition
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12114	Activity	EAM.WORK.REQ.PermitsForWorkOrder	SSPACK	PACKAGES SCREEN
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSREQF	GENERATE REQ
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SZREQF	Print Purchase Requisition
			WSCOPO	CONTRACTOR PORTAL
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSIMPL	IMPORT PART LIST
			WSJOBS	CREATE WORK ORDER
			WSJOQP	IMPORT UNLINKED QUALIFICATIONS
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMECH	MECHANIC'S WORKBENCH
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSPACT	IMPORT ACTIVITIES
			WSPMTW	PERMIT TO WORK
			WSPPTP	CREATE PICK TICKET POPUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WZJSIR	JOINT SWITCH AND FROG INSPECTION FORM
			WZVMRS	VMRS ACTIVITIES CHART
24666	Activity #	Crossbow	TCJACL	71 MOBILE BOILER TEXT
48557	Activity - Additional Costs	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48549	Activity - Book Labor	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
43804	Activity - Description	EAM-12739	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
48556	Activity - Issue/Return Part	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48559	Activity - Plan Tools	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48550	Activity - Planned Parts	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48558	Activity - Schedule labor	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48560	Activity - Tool Usage	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
20818	Activity Comments	Infor EAM - comments block for the work order activity	OZHISD	EQUIPMENT HISTORY DRILLDOWN
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSCPST	COPY STANDARD ORDER POPUP
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20818	Activity Comments	Infor EAM - comments block for the work order activity	WZCALR	CALIBRATION RECORD REPORT
45371	Activity Completion Details	EAM.WORK.REQ.ContractorPortal : EAM-14829	WSCOPO	CONTRACTOR PORTAL
17470	Activity Details		OSJOBS	CREATE WORK ORDER
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
		EAM-11185 EAM.EQUIP.REQ.ActivitiesforWarrantyClaim	OSCLAI	WARRANTY CLAIMS
			WSCOPO	CONTRACTOR PORTAL
39182	Activity Duration	EAM.PROJ.UC.CampaignEventsforCampaign/41039	BCMOBL	71 MOBILE BOILER TEXT
			JSCAMP	CAMPAIGN
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
20732	Activity End Date	Infor EAM - the date on which a work order activity should end	CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHACTV	VMRS ACTIVITIES
			WHJOB	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSCHD	WORK ORDER SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WYJOB	PRINT WORK ORDER
			WZACTV	VMRS ACTIVITIES
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
34967	Activity End Date :PARAM2	23249-Localization problem with report subtitles	WHACTV	VMRS ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34967	Activity End Date :PARAM2	23249-Localization problem with report subtitles	WZACTV	VMRS ACTIVITIES
29256	Activity Hrs.	Extended (product name); Tooltip on the availability of trades; activity hours	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40744	Activity List	EAM-356	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
36524	Activity Note	EWS.ADMN.UC.CreateEditDeferredMaintenance	BCMOBL	7I MOBILE BOILER TEXT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
30554	Activity Qualifications	D7i Extended - Work Order Cards report	WHJOBQ	PRINT WORK ORDER
			WYJOBQ	PRINT WORK ORDER
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBQ	PRINT WORK ORDER
30556	Activity Schedule	D7i Extended - Work Order Cards report	WHJOBQ	PRINT WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
			WYJOBQ	PRINT WORK ORDER
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBQ	PRINT WORK ORDER
46339	Activity Scheduling	Activity	BCMOBL	7I MOBILE BOILER TEXT
39107	Activity Selection Parameters	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
20731	Activity Start Date	Infor EAM - the date on which the work order activity should begin	CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHACTV	VMRS ACTIVITIES
			WHJOBQ	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSCHD	WORK ORDER SCHEDULE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20731	Activity Start Date	Infor EAM - the date on which the work order activity should begin	WSWLSH	WO LABOR SCHEDULING
			WYJOB	PRINT WORK ORDER
			WZACTV	VMRS ACTIVITIES
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
34966	Activity Start Date :PARAM1	23249-Localization problem with report subtitles	WHACTV	VMRS ACTIVITIES
			WZACTV	VMRS ACTIVITIES
34968	Activity Start Date :PARAM1 Activity End Date :PARAM2	23249-Localization problem with report subtitles	WHACTV	VMRS ACTIVITIES
			WZACTV	VMRS ACTIVITIES
44477	Activity Supplier	EAM-14823: EAM.WORK.REQ.DailySchedulingForWODailyScheduling	WSJOBS	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
44478	Activity Supplier Org.	EAM-14823: EAM.WORK.REQ.DailySchedulingForWODailyScheduling	WSJOBS	CREATE WORK ORDER
39094	Activity Task Plan	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
29102	Activity Trade	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
48949	Activity Type	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
48604	Activity User Defined Fields	EAM-42321	WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
31790	Activity Warranty	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
24665	Activity not found.	Crossbow	TCJACR	7I MOBILE BOILER TEXT
37433	Activity s time off should be earlier than completion of any Work Order related to child equipment for which the hours are to be booked.	21813 - Multi Equipment WO Book Hour	TCJBKL	7I MOBILE BOILER TEXT
20585	Activity-Trade	Infor EAM - identifies the activity and trade for the service request	BCMOBL	7I MOBILE BOILER TEXT
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
			WZBLAC	BOOKED LABOR BY ACTIVITY
31341	Activity/PM Activity Comments	D7i Extended - Work Order Cards report - Section label for comments	WHJOB	PRINT WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31341	Activity/PM Activity Comments	D7i Extended - Work Order Cards report - Section label for comments	WZWOLG	PRINT WO LONG
32197	Activity/PO Line Comments:	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	PHORDF PYORDF PZORDF	Print Purchase Order Print Purchase Order Print Purchase Order
12165	Actual		BSSTRT JSPROJ JYACOS JYCODL JZACOS JZCODL JZCOSL JZPBCS OHOCS OZOCST OZRGCA WHCOSL WSJOBS WSJOVH WSJOVM WYCOSL WZCOSH WZCOSL YSGLRF	EWS NEW START CENTER PROJECTS PROJECT AREA COST SUMMARY PROJECT COST BREAK DOWN PROJECT AREA COST SUMMARY PROJECT COST BREAK DOWN PROJECT COST SUMMARY PROJECT BUDGET CODE COST SUMAMRY Job Costing By Object Cost Job Costing By Object Cost RELIABILITY GROWTH CROW-AMSAA Job Cost Summary Report CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER Job Cost Summary Report WO COST LIST_HOSPITALITY Job Cost Summary Report GL REFERENCES
23115	Actual Completion Date	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
28922	Actual Completion Dates		BSWHSE	DATA WAREHOUSE
23119	Actual Completion Day of Month		BSWHSE	DATA WAREHOUSE
23120	Actual Completion Day of Year		BSWHSE	DATA WAREHOUSE
23127	Actual Completion Half Year		BSWHSE	DATA WAREHOUSE
23121	Actual Completion Last Day in Month		BSWHSE	DATA WAREHOUSE
23123	Actual Completion Month Number		BSWHSE	DATA WAREHOUSE
23125	Actual Completion Quarter		BSWHSE	DATA WAREHOUSE
23116	Actual Completion Running Day Number		BSWHSE	DATA WAREHOUSE
23118	Actual Completion Running Month Number		BSWHSE	DATA WAREHOUSE
23117	Actual Completion Running Week Number		BSWHSE	DATA WAREHOUSE
23122	Actual Completion Week Number		BSWHSE	DATA WAREHOUSE
23128	Actual Completion Year		BSWHSE	DATA WAREHOUSE
23124	Actual Completion Year-Month		BSWHSE	DATA WAREHOUSE
23126	Actual Completion Year-Quarter		BSWHSE	DATA WAREHOUSE
37921	Actual Consumption	Actual Consumption Tab	OSHPPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37921	Actual Consumption	Actual Consumption Tab	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
37958	Actual Consumption Details	Actual Consumption Tab	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
37924	Actual Consumption Rate	Actual Consumption Tab	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
37925	Actual Consumption Rate UOM	Actual Consumption Tab	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
37922	Actual Consumption UOM	Actual Consumption Tab	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
31361	Actual Cost	D7i Extended - Print Short Work Order Cards report	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OYGIAN	GAS INDEX ANALYSIS
			OZGIAN	GAS INDEX ANALYSIS_HOSPITALITY
41615	Actual Cost To-Date	EAM-2335	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZPSCR	PROJECT SUMMARY CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35584	Actual Deduction	EWS.CREP.UC.PenaltyDeductionSummary	CYPDDT CZPDDT CZPDSM	PRINT PENALTY DEDUCTION DETAIL PRINT PENALTY DEDUCTION DETAIL PRINT PENALTY DEDUCTION SUMAMRY
38373	Actual Degree Day Details	EWS.ADMN.UC.ActualTemperaturesforRegions.doc	BSREGN	CREATE EDIT REGIONS
37404	Actual Due Date	EWS.WORK.UC.ForecastingforPMForecast.doc	WSPFLG	PM FORECAST LEGEND POPUP
37101	Actual Due Date Background Color	EWS.WORK.Parameters for PM Forecasting	WSPMPL WZPMFC	PM FORECASTING PM FORECASTING
37406	Actual Due Date, Locked	EWS.WORK.UC.ForecastingforPMForecast.doc	WSPFLG	PM FORECAST LEGEND POPUP
37405	Actual Due Date, Perform On Day	EWS.WORK.UC.ForecastingforPMForecast.doc	WSPFLG	PM FORECAST LEGEND POPUP
37407	Actual Due Date, Perform On Day, Locked	EWS.WORK.UC.ForecastingforPMForecast.doc	WSPFLG	PM FORECAST LEGEND POPUP
35777	Actual Duration (days)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
24656	Actual End Date	Extended (product name)	BZPRJD JSPROJ WSPROJ YSGLRF	ELECTRONIC RECORDS FOR PROJECTS PROJECTS CREATE PROJECT POPUP GL REFERENCES
27877	Actual Flag	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.		
31063	Actual Labor Hours Against Estimated	D7i Extended - Actual Labor Hours Against Estimated report	WYHREL WZHREL	Actual Labour Hours Against Estimated Actual Labour Hours Against Estimated
40063	Actual Lead Time	#47535	PZVEND	VENDOR LEAD TIME
28438	Actual OD	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28444	Actual Oper. Temp.	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28617	Actual Parts	Actual parts issued/used on a work order	WHWOSH WYWOSH WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
40574	Actual Records	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	OSECON OSOBJA OSOBJC OSOBJL OSOBJP OSOBJS SSPART WSCCON WSPPMS WSSTWO	CREATE EQUIPMENT CONFIGURATION CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PARTS CUSTOMER CONTRACTS PM SCHEDULES STANDARD WOS
23101	Actual Start Date	Infor EAM. Refer to PVCS 5643. Data warehouse Dimension table name.	BSWHSE WSPROJ JSPROJ	DATA WAREHOUSE CREATE PROJECT POPUP PROJECTS
28921	Actual Start Dates		BSWHSE	DATA WAREHOUSE
23105	Actual Start Day of Month		BSWHSE	DATA WAREHOUSE
23106	Actual Start Day of Year		BSWHSE	DATA WAREHOUSE
23113	Actual Start Half Year		BSWHSE	DATA WAREHOUSE
23107	Actual Start Last Day in Month		BSWHSE	DATA WAREHOUSE
23109	Actual Start Month Number		BSWHSE	DATA WAREHOUSE
23111	Actual Start Quarter		BSWHSE	DATA WAREHOUSE
23102	Actual Start Running Day Number		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23104	Actual Start Running Month Number		BSWHSE	DATA WAREHOUSE
23103	Actual Start Running Week Number		BSWHSE	DATA WAREHOUSE
23108	Actual Start Week Number		BSWHSE	DATA WAREHOUSE
23114	Actual Start Year		BSWHSE	DATA WAREHOUSE
23110	Actual Start Year-Month		BSWHSE	DATA WAREHOUSE
23112	Actual Start Year-Quarter		BSWHSE	DATA WAREHOUSE
38350	Actual Temperatures	EWS.ADMN.UC.ActualTemperaturesforRegions.doc	BSREGN	CREATE EDIT REGIONS
39876	Actual Temperatures Source	EAM.ADMN.UC.CreateEditRegions.doc/46315	BSREGN	CREATE EDIT REGIONS
39877	Actual Temperatures URL	EAM.ADMN.UC.CreateEditRegions.doc/46315	BSREGN	CREATE EDIT REGIONS
37915	Actual Usage	EWS.CREP.UC.GasIndexAnalysis	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
37923	Actual Usage UOM	Actual Consumption Tab	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38273	Actual Values (Summed)	EWS.ADMN.UC.CreateEditKPIEntries.doc	BSKPIC	DEFINING KPI ENTRIES
38271	Actual Values (Weighted Average)	EWS.ADMN.UC.CreateEditKPIEntries.doc	BSKPIC	DEFINING KPI ENTRIES
31067	Actually Booked	D7i Extended - Actual Labor Hours Against Estimated report	WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
24111	Ad Hoc Inspection	Crossbow	ICAHIN	CROSSBOW INSPECTION MENU
			TCCRSB	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
12118	Add	Crossbow. 'Ad Hoc' is defined as follows: 'fashioned from whatever is immediately available, and/or improvised. Button on WDACTJ and WDVAML - After selecting a material list in the Copy from field, click Add? to add the parts from the material list to the work order activity or temporary material list.	BANNER	BANNER
			BCMOBL	7I MOBILE BOILER TEXT
			BSIMPT	IMPORT CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49608	Add Accomplishment	EAM-51038	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35662	Add Account Number	EWS.MATL.UC.AccountNumbersforSuppliers / 27955	SSSUPP	SUPPLIERS
20819	Add Activity	Infor EAM - link button to create a new activity for a work order	BCMOBL	7I MOBILE BOILER TEXT
			OSCLAI	WARRANTY CLAIMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		Extended (product name) boiler text for link.	WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
38352	Add Actual Temperature	EWS ADMN UC ActualTemperaturesforRegions.doc	BSREGN	CREATE EDIT REGIONS
36093	Add Additional Cost	EWS.WORK.UC.AdditionalCostsForWO / 28924	WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		Additional Cost	BCMOBL	7I MOBILE BOILER TEXT
24443	Add Address	D7i Extended - Addresses form	BSADRS	ADDRESSES
31233	Add Adjustment	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Link Button	WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSFBIL	FLEET BILLS
42289	Add All	EAM-5807	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
48341	Add Alternate UOM	EAM-41660: Alternate UOM for UOM	BSUOMS	UOM SETUP
39859	Add Answer	EAM.EQUIP.UC.AddEditAnswersPopup	OSRELA	ADD / EDIT ANSWERS POPUP
33800	Add Article to My Favorites	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
28428	Add Aspect	D7i Extended -- Monitored Data form -- link button on Aspects tab	ISMONT	MONITORED DATA
28426	Add Aspect Point	D7i Extended -- Monitored Data form -- link button on Aspect Points tab	ISMONT	MONITORED DATA
26292	Add Asset	Infor EAM. Refer to PVCS 6115.	PSOBSJ	ASSETS FOR PO
41425	Add Asset to List	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	BCMOBL	7I MOBILE BOILER TEXT
			OSAINV	ASSET INVENTORY
			OSAIRP	SELECT ASSETS
47014	Add Attachment	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
31005	Add Attribute	D7i Extended - Analytics - Add = verb - Attribute = noun, e.g., the characteristic of a variable	CSCCSP	CONTACT CENTER SETUP
26288	Add Authorization	D7i Extended - WO Authorizations for User Groups - Link Button	BSAUTH	STATUS AUTHORIZATION
			BSGROU	GROUPS
			WSFLCF	FLEET CONFIGURATION
30693	Add Billing Schedule	D7i Extended -- Billing Schedules for Fleet Config -- Link Button, add=verb	WSFLCF	FLEET CONFIGURATION
21192	Add Bin	Infor EAM - link button to add a new bin association to the Stores form	SSSTOR	STORES
46264	Add Book Labor	Book Labor	BCMOBL	7I MOBILE BOILER TEXT
48706	Add Book Labor by Crew	EAM-43427	BCMOBL	7I MOBILE BOILER TEXT
25625	Add Budget	Extended (product name)	JSPROJ	PROJECTS
			USBUDG	BUDGETS
33897	Add Business Process	#23773	BSGROU	GROUPS
27713	Add Buyers	Extended (product name)	JSPROJ	PROJECTS
35239	Add Calendar Period	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24001	Add Caller	Infor EAM - link button to add a new caller record to the grid	WSDEBS	CREATE CUSTOMER
39183	Add Campaign Event	EAM.PROJ.UC.CampaignEventsforCampaign/41039	JSCAMP	CAMPAIGN
44628	Add Case Task		CSSVPB	SERVICE PROBLEM CODES
36676	Add Catalog Reference	Shotgun Tracker id 31339	SSCREP	CATALOG REFERENCES
37794	Add Categorization Code	Capital Request Categorization Codes	BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
25853	Add Charge	Extended (product name)	WSARRS	PRICING SCHEDULE
			WSSREQ	SERVICE REQUESTS
26536	Add Charge/Discount	Infor EAM. Field label. Refer to PVCS 6210.	PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
42426	Add Chart	EAM-6203: Chart tab for User Groups	BSGROU	GROUPS
41064	Add Checklist Item	EAM-426 EAM.WORK.REQ.ChecklistForTask	WSJBPL	JOB PLANS
			WSTASK	TASKS
49208	Add Child CU	EAM-4699PROJ.REQ.ChildCUforCompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
33431	Add Child Clause	22537	PSCLAU	PURCHASING CLAUSE
27771	Add Child KPI	D7i Extended - KPI Setup form - Link button, verb	BSKPIC	DEFINING KPI ENTRIES
29953	Add Child Standard WO	Infor EAM (product name); See EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
21451	Add Child WO	Infor EAM - link button to add a new work order record to be the child of another work order.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
43463	Add Claim Line	EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWarrantyClaim	OSCLAI	WARRANTY CLAIMS
24560	Add Class	D7i Extended - Classes page	BSCLAS	CLASSES
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSVMRS	VMRS CODES
			ISFIND	FINDINGS
			OSCLCD	CLOSING CODE
26541	Add Clause	Infor EAM. Refer to PVCS 6212.	PSBORD	CREATE EDIT BLANKET ORDERS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
25784	Add Closing Period	Extended (product name). Closing Period form.	BSCLPE	CLOSING PERIODS
30792	Add Code	D7i Extended -- Billing Codes for Fleet Customers -- Link Button, add=verb, code=noun	BSASET	ASSET SETUP
			BSWSET	WORK SETUP
			PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
			WSFCUS	FLEET CUSTOMERS
45051	Add Column	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearch S	BSENSS	ENTERPRISE SEARCH SETUP
21091	Add Comment	Infor EAM - link button to add a new comment to a record	BCMOBL	7I MOBILE BOILER TEXT
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
32465	Add Comments	EWS.WORK.UC.CommentsforBatchWOUpdate	WSWOBU	BATCH WORK ORDER UPDATE
29393	Add Commodity	D7i Extended -- Suppliers form/Commodities page == Link Button, add=verb, commodity=noun	SSSUPP	SUPPLIERS
			WSCCON	CUSTOMER CONTRACTS
49176	Add Compatible Unit	EAM.PROJ.REQ.CompatibleUnitsforCUEstimate	JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43321	Add Component	EAM-10421 EAM.EQUIP.REQ.ComponentsforWarranties	OSNCTP OSWARR	NONCONFORMITY TYPES WARRANTY
27079	Add Condition	D7i Extended - E-mail Conditions popup - link button	BSEMCD SSPCMP	E-MAIL CONDITIONS PART CONDITION TEMPLATE
42517	Add Configuration	EAM.EQUIP.REQ.ConfigurationsAssociatedForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
42701	Add Consequence	EAM.EQUIP.REQ.ConsequencesForRMS:EAM-7695	OSRMXS	RISK MATRIX SETUP
24977	Add Contact	Extended (product name). Contacts for Suppliers.	SSSUPC SSSUPP	CUSTOMERS SUPPLIERS
40606	Add Contract Item	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
37874	Add Conversion Factor	SCR#33940-ConversionforUOM	BSUOMS	UOM SETUP
30269	Add Cost	D7i Extended -- Invoice Vouchers form, Cost tab -- Add=verb, cost=noun	PSINVO	INVOICES
31012	Add Cost Code	D7i Extended -- Cost Codes for Fleet Customers -- Link Button	WSFCUS	FLEET CUSTOMERS
48485	Add Crew	Crews for Shift	WSSHIF	SHIFTS
25074	Add Custom Field	D7i Extended - Custom Fields form	BSCLAS BSCSTF BSPROM	CLASSES ASSOCIATE CUSTOM FIELDS Custom Attributes
38938	Add Custom Screen/Report	Tracker id 38890	BSACRP BSGROU	ADD CUSTOM REPORT POPUP (USED IN MENUS TAB) GROUPS
25021	Add Day	Extended (product name) Shift form, Days tab	BSRPST WSSHIF	REPORT STATUS SHIFTS
25626	Add Default Budgets	Extended (product name)	JSPROJ	PROJECTS
36641	Add Deferred Activities	EWS.WORK.UC.ActivitiesforWorkOrder	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
46265	Add Deferred Maintenance Activities	Activity	BCMOBL	7I MOBILE BOILER TEXT
36230	Add Department	EWS.ADMN.UC.DepartmentSecurityforUserGroups	BSUSER	USER SETUP
29651	Add Depreciation Type	D7i Extended - Equipment Depreciation - 12203 - link button	OSECON OSHFPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
40419	Add Discount	EAM-81.WORK.REQ.DiscountsForContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
21078	Add Document	Infor EAM - link button to create a new document	BCMOBL BSALRT BSCSTC BSDEPT BSDOCA BSDOCP BSDOCU BSGMAP	7I MOBILE BOILER TEXT ALERT MANAGEMENT SYSTEM COST CODE DEPARTMENTS DOCUMENTS DOCUMENTS POPUP DOCUMENTS CREATE EDIT MAPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21078	Add Document	Infor EAM - link button to create a new document	BSGROU	GROUPS
			BSREGN	CREATE EDIT REGIONS
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			CSCASE	CASE MANAGEMENT
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21078	Add Document	Infor EAM - link button to create a new document	OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSGHGS	GREENHOUSE GASES
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21078	Add Document	Infor EAM - link button to create a new document	SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			TSPROF	PROFILES
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21078	Add Document	Infor EAM - link button to create a new document	WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPMP	PM PLANS
			WSPPM	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSSERC	SERVICE CODES
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSWKPK	PM WORK PACKAGES
			WSWREQ	WORK REQUEST
47251	Add Documents	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
43744	Add Documoto Details	EAM.WORK.REQ.ActivitiesforWorkOrder.doc	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
26436	Add E-Mail Notification	D7i Extended - Email Notification Setup	BSMAIL	MESSENGER TRIGGER DEFINITION
48535	Add EMRS Code	EAM.ADMN.REQ.EMRSCodes.docx	BSVMRS	VMRS CODES
46984	Add Email Address	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
25480	Add Employee	Extended (product name)	OSMNBK	NOTEBOOK
			OSWKSP	WORKSPACES
			WSCREW	CREW
			WSSHIF	SHIFTS
			WSWKPK	PM WORK PACKAGES
39452	Add Employee to Session	EAM.WORK.UC.ViewModifyActivitySchedule.doc	WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
27643	Add Empty Row Above	Crossbow - option menu item	TCSCMN	7I MOBILE BOILER TEXT
27644	Add Empty Row Below	Crossbow - option menu item	TCSCMN	7I MOBILE BOILER TEXT
41466	Add Energy Target	EAM-513 : Energy Targets for Objective	OSOBTV	OBJECTIVES
38580	Add Enterprise Location	Enterprise Locations	BSORGS	ORGANIZATIONS
24057	Add Equipment	Infor EAM - link button to add a piece of equipment to the PM schedules tab	BCMOBL	7I MOBILE BOILER TEXT
			CSCINF	CONTACT INFO
			CSEQUP	ADDITIONAL EQUIPMENT
			CSSVPB	SERVICE PROBLEM CODES
			JSSHUT	SHUTDOWNS
			OSEVAL	EQUIPMENT EVALUATIONS
			OSSTCS	SETS AND CONSISTS
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24057	Add Equipment	Infor EAM - link button to add a piece of equipment to the PM schedules tab	WSMPAT WSPPMP WSPPMS WSROUT WSWKPK	MAINTENANCE PATTERNS PM PLANS PM SCHEDULES ROUTES PM WORK PACKAGES
45748	Add Equipment Ranking	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
42275	Add Equipment Safety	EAM.WORK.REQ.CopyReplacePermitToWorkPopup	WSCPTW	COPY REPLACE PTW POPUP
35574	Add Equipment Usability	EWS.CCTR.UC.EquipmentUsabilityCodesForCallCenterSe	CSCCSP	CONTACT CENTER SETUP
35491	Add Event	EWS.CCTR.UC.CustomerRequestHistory	CSCASE CSCRHS WSPMTW	CASE MANAGEMENT CUSTOMER REQUEST HISTORY PERMIT TO WORK
25939	Add Exception	Infor EAM. Used to add a new exception. Refer to EWS.WORK.UC.AvailabilityExceptionsforEmployees.	WSEMPs WSFLCF WSFLTK	EMPLOYEES FLEET CONFIGURATION FLEET VEHICLE TICKETS
25055	Add Exchange Rate	Extended (product name). Button text for the Exchange Rates tab of the Currencies form.	SSCURR	CURRENCIES
34391	Add Existing Custom Field	EWS.ADMN.UC.CustomFieldsForClasses	BSCLSB	CLASSES FOR BUSINESS EDITION
42955	Add Failure Mode	EAM-8479:EAM.EQUIP.REQ.FailureModesPopup	OSFAIL	FAILURE MODES POPUP
31173	Add Field	Barcoding	BSCDSS BSFUNC BSGRID BSWSPM FCSCRN BSDLUC BSORGS	USER DEFINED SCREEN SETUP CREATE UPDATE SCREENS GRID DESIGNER WEB SERVICES PROMPT FLAMETHROWER SCREENS FIELDS POPUP ORGANIZATIONS
27820	Add Fiscal Year	EAM-37081 - Fields Popup for Data Lake Upload Setu D7i Extended - Fiscal Year for Organizations form - Link Button - verb	BSORGS	ORGANIZATIONS
32406	Add Fixed Charge	EWS.WORK.UC.FixedChargesforCustomerContract	WSAGRS	CUSTOMER CONTRACTS
38306	Add Fuel	button on Infor EAM form WSFISS (Fuel Issues) to add a new fuel	WSFISS	FUEL ISSUES
37851	Add Fuel Type	EWS.MATL.UC.FuelsForCommodities/SCR33846	SSCOMM	COMMODITIES
42716	Add Function	EAM.EQUIP.REQ.FunctionsPopup:EAM-8382	OSFUNS	FUNCTIONS POPUP
42721	Add Functional Failure	EAM.EQUIP.REQ.FunctionalFailuresPopup:EAM-8383	OSFFFM OSFUNF	FUNCTIONAL FAILURES FOR FAILURE MODES FUNCTIONAL FAILURES POPUP
38876	Add Greenhouse Gas Emitted	EWS.MATL.UC.GreenhouseGasesforParts	SSPART	PARTS
46260	Add Header Equipment	Equipment	BCMOBL	7I MOBILE BOILER TEXT
29997	Add Hierarchy Code	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	DSEORH SSH CST	ENTERPRISE ORGANIZATION HIERARCHY PART CODE STRUCTURE
38206	Add Hyperlink	EWS.BASE.UC.HyperlinkSetupPopup	BSHYPL	HYPERLINK SETUP
47973	Add Inbound Document	Inbound Documents For Partner	DSPTNR	CREATE PARTNER
34339	Add Inbox	EWS.ADMN.UC.InboxesForUserGroups.doc	BSGROU	GROUPS
26048	Add Information	Extended (product name)	WSINFO	CREATE / EDIT PROPERTY INFORMATION
25242	Add Inspec Equip	Crossbow - form name for Add Inspection Equipment	TCCERR TCIOBR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
46336	Add Inspection	Inspection	BCMOBL	7I MOBILE BOILER TEXT
24030	Add Instruction	Infor EAM - link button on the Instructions tab of the Task	WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24030	Add Instruction	form	WSTASK	TASKS
29974	Add Invoice Voucher Line	D7i Extended -- Lines tab, Invoices form -- Link Button Label	PSINVO	INVOICES
46261	Add Issue/Return	Issue Return	BCMOBL	7I MOBILE BOILER TEXT
32474	Add Item	EWS.BUD.UC.ItemsForBudgetGroups	USBGRP	BUDGET GROUPS
34879	Add Job	EWS.DBPARTNER.UC.DatabridgePartnerJobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
34337	Add KPI	EWS.ADMN.UC.KPIsForUserGroups.doc	BSGROU	GROUPS
44672	Add Key	EAM-15134	OSKEYM	KEY MANAGEMENT
48420	Add LOTO	EAM-37176	BCMOBL	7I MOBILE BOILER TEXT
41950	Add LOTO Record	LOTOForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
21037	Add Labor		JSCULB	COMPATIBLE UNITS LIBRARY
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
42763	Add Labor Line	EAM-9309: Ability to create/update job plan labor	WSJBPL	JOB PLANS
			WSTASK	TASKS
32931	Add Layer	EWS.CCTR.UC.LayersForServiceProblemCode.doc	CSSVPB	SERVICE PROBLEM CODES
39826	Add Level	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
			OSRRLP	ADD / EDIT LEVELS POPUP
19889	Add Line	Infor EAM. This text has been modified from 'Add Another Line' to 'Add Line' for SCR 4796.	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
			OSCHNO	CHANGE NOTICES
		Infor EAM - this is a button that displays on a pop-up form. This text has been modified from 'Add Another Line' to 'Add Line' for SCR 4796.	DSMSGs	VIEW MESSAGE STATUS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
		D7i Extended - Button label for adding new filter lines on new lookup screen	CSCCGM	CONTACT CENTER MAP SEARCH
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
33725	Add Location	EWS.EQUIP.UC.LocationsforChangeNotice	OSCHNO	CHANGE NOTICES
42276	Add Location Safety	EAM.WORK.REQ.CopyReplacePermitToWorkPopup	WSCPTW	COPY REPLACE PTW POPUP
44496	Add Lock	EAM-14805	OSKEYM	KEY MANAGEMENT
26304	Add Log Entry	Extended (product name)	WSSREQ	SERVICE REQUESTS
25888	Add Main Menu Folder	Extended (product name). Link button label used in menus page. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
			BSGROU	GROUPS
			BSSMEN	ADD MAIN MENU FOLDER POPUP
42726	Add Maintenance Pattern	MaintenancePatternsForEquipmentConfiguration	OSECN	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21142	Add Manufacturer	Infor EAM - link to add a new manufacturer association for a part	SSPART	PARTS
39514	Add Map	EAM.ADMN.UC.MapsforUser/43398	BSDEPT	DEPARTMENTS
36415	Add Mapping	EWS.ADMN.UC.MSProjectPriorityMappings.doc	BSUSER	USER SETUP
45577	Add Material Type	EAM.EQUIP.REQ.MaterialTypesForNonconformityTypes	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
21130	Add Meter	Infor EAM - link to associate a new meter with a piece of equipment	RSPRIO	MS PROJECT PRIORITY MAPPINGS
			OSNCTP	NONCONFORMITY TYPES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
21135	Add Meter Reading	Infor EAM - title of popup on which to enter new meter readings	OSAREA	READING FOR ASSET
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
47991	Add Mobile Entity	EAM-37155 EAM.ADMN.REQ.MobileEntitiesSetup	BSMENS	MOBILE ENTITIES SETUP
34390	Add New Custom Field	EWS.ADMN.UC.CustomFieldsForClasses	BSCLSB	CLASSES FOR BUSINESS EDITION
43899	Add New Inspection	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48812	Add New Zone	EAM-45464/MarkovTransitionMatrixforDecayCurve	OSDCUR	DECAY CURVE
45690	Add Nonconformity	EAM-19900 - EAM.WORK.REQ.NonconformitiesForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
45610	Add Nonconformity Type	EAM-20216: EAM.ADMN.REQ.NonconformityTypesForVMRSC	BSVMRS	VMRS CODES
			ISASPC	ASPECTS
			SSPART	PARTS
46513	Add Observation	EAM.EQUIP.REQ.ObservationsForNonconformities	BCMOBL	7I MOBILE BOILER TEXT
			OSNCHD	NONCONFORMITIES
39726	Add Option	EAM.ADMN.UC.OptionsforOrganization	BSORGS	ORGANIZATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33779	Add Order Discount	EWS.PRCH.UC.OrderDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
25078	Add Organization	D7i Extended - Users form - Organizations tab - link button label	BSDELA	Delivery addresses
			BSUSER	USER SETUP
29633	Add PM	D7i Extended - EWS.EQUIP.UC.PMSchedulesforEquipment - Link Button Label - user clicks this link button to add a preventive maintenance schedule to a piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
34059	Add PM Activity	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSPMP	PM PLANS
21778	Add PM Schedule	Infor EAM - link button to add a PM schedule to a piece of equipment	WSPMP	PM PLANS
26786	Add Parameter	D7i Extended - Report Parameters - link button	BSALTP	ALERT TEXT PARAMETERS POPUP
			BSMAIP	E-MAIL PARAMETER POPUP
			BSREPO	CREATE / EDIT REPORTS
		D7i Extended - Organizations form - Link button, verb ParametersPopupforDatabridgePartnerJobSchedules	ISFORM	FORMULAS
34882	Add Parameter Line	Infor EAM - link button to add a parent equipment for the highlighted equipment	DSJSPP	PARAMETERS POPUP
22857	Add Parent		OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
19940	Add Part	button on Infor EAM form to add a new part to the record	BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSNCTP	NONCONFORMITY TYPES
			OSWARR	WARRANTY
			PSCONT	PURCHASING CONTRACTS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHIXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPWCL	PART WARRANTY CLAIMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19940	Add Part	button on Infor EAM form to add a new part to the record	SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSRETN	SUPPLIER RETURNS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SSVREQ	VIEW PURCHASE STATUS
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			TCCERR	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
30731	Add Part Class	D7i Extended -- Fuel for Fleet Config -- Link Button, add=verb	WSFLCF	FLEET CONFIGURATION
33675	Add Part Discount	PartDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
36247	Add Part Failure	Part Failures for Work Orders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21804	Add Part Line	Infor EAM - link button to add a part line to a record	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSTASK	TASKS
			SSREQL	REQUISITION LINE
19942	Add Part(s)	Title of Infor EAM form	SSREQL	REQUISITION LINE
38536	Add Parts	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	BCMOBL	7I MOBILE BOILER TEXT
			SSEVAL	PART EVALUATIONS
35120	Add Parts (iProcure Items)	27950	BSIBUY	INFOR EAM 7IBUY SHOPPING CART
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
27360	Add Permission	D7i Extended - button link to add permissions	BSGROU	GROUPS
21165	Add Permit	Infor EAM - link button to create an association between a permit and a piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21165	Add Permit	Infor EAM - link button to create an association between a permit and a piece of equipment	OSOVS	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSJOBS	CREATE WORK ORDER
43560	Add Plan Labor	Infor EAM - link button to add a permit record to associate to a work order	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
46262	Add Plan Tool	EAM-11195 : EAM.WORK.REQ.PlanLaborforWorkOrder	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSROUT	ROUTES
			ISMONT	MONITORED DATA
			WSHARD	HAZARDS
			BSGROU	GROUPS
28076	Add Point	D7i Extended -- Work Orders form -- link button, verb	SSPART	PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			ISASPC	ASPECTS
28380	Add Point Condition	D7i Extended -- Monitored Data form -- Link Button on Conditions tab, verb	BCMOBL	7I MOBILE BOILER TEXT
			BSSERQ	PROPERTIES
			WSDEBS	CREATE CUSTOMER
			WSEMP	EMPLOYEES
			WSDEPO	DEPOTS
			OSOBJA	CREATE ASSET EQUIPMENT
41920	Add Precaution	EAM-3113 :EAM.WORK.REQ.PrecautionsForHazards	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
25723	Add Preference	Extended (product name). Hyperlink for creating a new GIS preference.	WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WSTRAD	TRADES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
21154	Add Price	Infor EAM - link button that adds a price record to the part record	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21403	Add Process	Infor EAM - button to add a new general ledger process to the schedule	WSTASK	TASKS
			WSTRAD	TRADES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
28720	Add Prompt	D7i Extended -- Aspects form -- link button on Prompts tab, verb	WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WSTRAD	TRADES
43900	Add Prompts	EAM-14486 :Android Tablet - Support localization	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
24067	Add Property	Infor EAM - link button to add a new property. Property = real estate	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WSTRAD	TRADES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
38496	Add Pump	EWS.WORK.UC.PumpsForDepots/36611	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28761	Add Qualification	Extended (product name)	WSTASK	TASKS
			WSTRAD	TRADES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
49306	Add Qualifications to Assets whose Vehicle checkbox is selected. Qualifications for vehicles are only used by the Optimized Scheduler integration and are not used anywhere else within EAM.	Qualifications for Equipment	WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WSTRAD	TRADES
44389	Add Question	EAM- 14611	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26827	Add Range	D7i Extended - Ranges for KPIs - link button	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
45768	Add Rank	EAM-19863 EAM.EQUIP.REQ.RanksforEquipmentRanking	OSRELR	EQUIPMENT RANKINGS
25063	Add Rate	Extended (product name). Trade Rates form - link button to add a rate for a service	SSSUPP	SUPPLIERS
			WSARRS	PRICING SCHEDULE
			WSEMPs	EMPLOYEES
			WSFBLC	FLEET BILLING CODES
			WSFMRK	FLEET MARKUP CODES
			WSSTCR	STANDARD CREWS
			WSTRAD	TRADES
		Infor EAM - Materials - #12376 - link button to add rate for taxes	SSTAXS	TAX CODES
49492	Add Reading	EAM-49680 - EAM.EQUIP.REQ.MeterReadingsForEquipmen	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
33077	Add Record	EWS.PRCH.UC.CreateEditPurchasingContractText	BSALRT	ALERT MANAGEMENT SYSTEM
			BSDEPT	DEPARTMENTS
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLOW	BUSINESS PROCESS SETUP
			BSORGS	ORGANIZATIONS
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSSVPB	SERVICE PROBLEM CODES
			JSCUES	CU ESTIMATES
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSDCUR	DECAY CURVE
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCSP	NONCONFORMITIESSETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
			PSPROM	PURCHASING CONTRACT TEXT
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			USINVP	INVESTMENT PLANNING
			WSAARD	ASSET REPAIR DETAILS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33077	Add Record	EWS.PRCH.UC.CreateEditPurchasingContractText	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			BCMOBL	7I MOBILE BOILER TEXT
30407	Add Reference	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - Add = verb, Reference = noun	BSCLAS	CLASSES
			DSPTNR	CREATE PARTNER
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
46072 40244 43443 30253	Add Related Equipment Add Relationship Add Repair Add Repair Part	EAM.WORK.REQ.TraceRoutePopup.docx EAM.EQUIP.UC.ClosingCodeHierarchy EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder Infor EAM. This is the text for a link on the Repair Parts tab of the Work Orders form. The word 'repair' is an adjective indicating the type of parts. User clicks this link to add a part to repair to the work order.	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSTCRT	LINEAR EQUIPMENT TRACE
			OSCLCH	CLOSING CODE HIERARCHY
			WSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
			BSENS	ENTERPRISE SEARCH SETUP
43068 45039 38566	Add Report Parameter Mapping Add Repository Add Resource	EAM-10185 : DefineReportParameterMappingPopup EAM.ADMN.REQ.RepositoriesforEnterpriseSearchSetup Resources tab on Equipment screens	OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
47100 28472	Add Responsibility Add Result	EAM.ADMN.REQ.ResponsibilitiesForUsers:EAM-31075 D7i Extended -- Monitored Data form -- Link Button on Results tab	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			BSUSER	USER SETUP
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28472	Add Result	D7i Extended -- Monitored Data form -- Link Button on Results tab	WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER
35596	Add Retrieved Value	EWS.ADMN.UC.RetrievedValuesforWebServicePrompt.doc	BSWSPM	WEB SERVICES PROMPT
30482	Add Return Prompt	D7i Extended -- Return Prompts for DC Transaction Prompts -- Link Button, add=verb, return=adjective, prompt=noun	TSASTP	DC TRANSACTION PROMPT
46051	Add Route	EAM-24907 EAM.EQUIP.REQ.RoutesForEquipment	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
41981	Add Safety Record	EAM.WORK.REQ.SafetyForPMSchedule	OSECON OSOBJA OSOBJC OSOBJL OSOBJP OSOBJS SSPART WSJOBS WSPMTW WSPPMS WSSTWO	CREATE EQUIPMENT CONFIGURATION CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PARTS CREATE WORK ORDER PERMIT TO WORK PM SCHEDULES STANDARD WOS
40264	Add Sales Price	EAM-32.REQ.SalesPricesForContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
21684	Add Schedule	Infor EAM - link button to add a work schedule to the schedule labor tab of the work order form	OSGISW WSJOBS WSJOVH WSJOVM WSWLAS	VIEW AND/OR SCHEDULE WORK ORDER LABOR CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER VIEW MODIFY ACTIVITY SCHEDULE
25859	Add Screen	Extended (product name). Screen Flow Setup Form.	BSEXAL	EXPORT BASE CONFIGURATION
45958	Add Segment	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
42290	Add Selected	EAM-5807	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39281	Add Sequence	EAM.WORK.UC.SequencesforMP/38265	WSMPAT	MAINTENANCE PATTERNS
27675	Add Service	Infor EAM. Refer to EWS.MATL.UC.ServicesforSuppliers.	JSCULB SSSUPP	COMPATIBLE UNITS LIBRARY SUPPLIERS
44248	Add Service Code	EAM-14723: EAM.MATL.REQ.ServiceCodesforSuppliers	CSPSCT OSHFPY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM SSSUPP	SERVICE CATEGORIES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT SUPPLIERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28610	Add Service Line	D7i Extended - PVCS # 5528 - Text for link to add a service. - verb	PSBORD PSPORD PSRFQT SSREQU	CREATE EDIT BLANKET ORDERS PURCHASE ORDERS REQUESTS FOR QUOTATIONS REQUISITIONS
29669	Add Standard	D7i Extended - EWS.WORK.UC.StandardsUsedForCalibration - link button	WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
34291	Add Status	EWS.ADMN.UC.WorkSetup	BSASET BSPSET BSSRES BSWSET	ASSET SETUP PURCHASING SETUP STATUS REQUIREMENT SETTINGS POPUP WORK SETUP
20955	Add Stock	Infor EAM - button on the Stock tab to add a new stock record for the selected part.	SSPART	PARTS
36232	Add Stockout	29217	SSSTOR	STORES
20844	Add Store	Infor EAM - link button to add a new store to the Stores for Parts tab	BSGROU SSPART SSSTOR	GROUPS PARTS STORES
32736	Add Sub-Level Budget	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
25889	Add Sub-Menu Folder	Extended (product name). Link button label used in menus page. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCLBP BSGROU	CHANGE LABEL POPUP (USED IN MENUS TAB) GROUPS
32914	Add Subscription	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
29387	Add Substitute	D7i Extended -- EWS.MATL.UC.SubstitutesforParts -- Link Button, add=verb, substitute=noun	SSPART	PARTS
20867	Add Supplier	Infor EAM - Supplier's tab on Parts form - link button to associate a supplier to a part	CSSVPB JSCUES OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM PSRFQT SSIPVN SSPART WSJBPL WSTASK	SERVICE PROBLEM CODES CU ESTIMATES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT REQUESTS FOR QUOTATIONS 7I BUY VENDORS PARTS JOB PLANS TASKS
29193	Add Supplier Rate	Extended (product name)	WSTRAD	TRADES
44426	Add Survey Answer	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSSURA	SURVEY ANSWERS POPUP
21670	Add Tab	Infor EAM - option to access a new tab while on a form.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
47905	Add Table	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
38410	Add Tank	button on Infor EAM form WSFREC (Fuel Receipts) to add a new tank	WSDEPO WSFREC	DEPOTS FUEL RECEIPTS
44947	Add Task	EAM-15258 Tasks for Case Management	CSCASE	CASE MANAGEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39713	Add Tax Code	EAM.MATL.UC.TaxesForStore	SSSTOR	STORES
49659	Add Template	EAM-49876- EAM.EQUIP.REQ.ImportRCMFromTemplatePopup	OSRCMI	IMPORT FROM RCM TEMPLATE
28659	Add Test Point	D7i Extended - Calibrations for Work Orders - verb - click on link to add a test point	OSECON OSHPFY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBSJ OSOVAM OSOVPM OSOVSM WSJOBS WSJOVM	CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER
46843	Add Tolerance	EAM.INSR.REQ.TolerancesForAspect	ISASPC	ASPECTS
25795	Add Tool	Extended (product name). Work Order Tools.	BSDEPT JSCULB WSJBPL WSJOBS WSJOVH WSJOVM WSPPMS WSSTWO WSTASK	DEPARTMENTS COMPATIBLE UNITS LIBRARY JOB PLANS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PM SCHEDULES STANDARD WOS TASKS
32718	Add Tool Usage	EWS.WORK.UC.ToolsUsageforWorkOrders	BCMOBL WSJOBS WSJOVH WSJOVM	7I MOBILE BOILER TEXT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
41417	Add Top Organization Level	EAM-1831:Report Organization Structure	BSOSTR	REPORT ORGANIZATION STRUCTURE
28501	Add Transaction	D7i Extended -- Prompt Machine form -- link button, verb	TSTRAN	PROMPT MACHINE
36502	Add Transfer	TransfersforEmployee/30778	WSEMPs	EMPLOYEES
36479	Add Transfer Fee	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
25753	Add Trigger	Extended (product name). Audit Setup form. StatusChangeforIntegratedPlanningConfiguration	BSAUDC BSIPCF	AUDIT SETUP ADVANCED MAINTENANCE PLANNING CONFIGURATION
25060	Add Type	Extended (product name). Employee Types form.	CSCSUR BSASET BSFFSP BSPSET BSWSET WSEMPs	CUSTOMER SURVEYS ASSET SETUP FILTER FIELD SETUP SCREEN PURCHASING SETUP WORK SETUP EMPLOYEES
44452	Add UOM	EAM-14521	ISASPC	ASPECTS
42781	Add URL Parameter	EAM.ADMN.REQ.DefineURLParameterPopup	BSURLP	DEFINE URL PARAMETERS
34459	Add Units of Output	EWS EQUIP UC DepreciationforEquipment/26047	OSEQUO	UNITS OF OUTPUT
47485	Add Unmatched Cost Line	Unmatched Cost Lines for Invoice Voucher	PSINVO	INVOICES
27711	Add User	Extended (product name)	BSINBX	INBOX SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27711	Add User	Extended (product name)	BSKPIC JSPROJ PSBORD PSCARD WSAPPL	DEFINING KPI ENTRIES PROJECTS CREATE EDIT BLANKET ORDERS CREDIT CARDS APPROVAL LISTS
25488	Add User Code	Extended. User Codes form.	BSUCOD	SYSTEM CODES
25781	Add User Group	Extended (product name). Button label for the User Groups tab of the KPI Setup.	BSCHRT BSINBX	CHART SETUP INBOX SETUP
46683	Add Users	EAM.ADMN.REQ.DataspiesforScreens.doc	BSKPIC BSFUNC	DEFINING KPI ENTRIES CREATE UPDATE SCREENS
37501	Add Utility Bill	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
25551	Add Value	D7i Extended - Custom Fields form	BSCSTP BSUDLV ISLVAL OSRELN SSTAXH	CUSTOM FIELDS LOOK UP POP UP UDF LOOKUP VALUES ASPECT PROMPT LOOKUP VALUES POPUP NORMALIZE LEVEL POPUP TAX RATES
29104	Add Vendor Time	Extended (product name)	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
32511	Add WO Criteria	EWS.Work.UC.WOsAllowedforPricingSchedule	WSARRS WSCCON WSCTMP	PRICING SCHEDULE CUSTOMER CONTRACTS CONTRACT TEMPLATES
41050	Add WO Equipment Type	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP	FILTER FIELD SETUP SCREEN
32286	Add WO Header Equipment	EWS.WORK.UC.EquipmentforWorkOrder	BCMOBL TCJEQL WSJOBS WSJOVM	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT CREATE WORK ORDER CREATE WORK ORDER
30713	Add WO Type	D7i Extended -- Maintenance for Fleet Config -- Link Button, add=verb	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
39451	Add WO to Session	EAM.WORK.UC.ViewModifyActivitySchedule.doc	WSFLCF	FLEET CONFIGURATION
21172	Add Warranty Coverage	Infor EAM - link button to add a warranty coverage to a piece of equipment	WSWLAS OSECN OSEQWR OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSWARR	VIEW MODIFY ACTIVITY SCHEDULE CREATE EQUIPMENT CONFIGURATION WARRANTY FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT WARRANTY
25931	Add Web Service	D7i Extended - Web Services for User Groups - Button Link	BSWSPM	WEB SERVICES PROMPT
45999	Add Widget	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
46326	Add Work Order	GIS	OSOVIV BCMOBL	EQUIPMENT OVERVIEW 360 7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46326	Add Work Order	EAM-47419	WSGISD	MAP VIEW
45367	Add Workspace Move	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33987	Add a new comment or modify existing comments as necessary.	SCR#24816	BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
24894	Add a new comment or modify the current comment as necessary.	D7i Extended - Comments form Infor EAM. Refer to EWS.WORK.UC.InspectionCommentsPOPUP.	BSCOMM	COMMENTS
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
46071	Add all Routes of Right of Way	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE
35003	Add iProcure Item Association	7iBuy enhancement	SSPART	PARTS
25450	Add selected Part to Issue/Return Part List?	Crossbow.	TCMRTP	7I MOBILE BOILER TEXT
47938	Add the fields to be included in the table data extract.	EAM-37081 - Fields Popup for Data Lake Upload Setu	BSDLUC	FIELDS POPUP
39488	Add to Departments	EAM.GIS.UC.CreateEditMaps.doc	BSGMAP	CREATE EDIT MAPS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25945	Add to Existing PO	Infor EAM. Section header on the 'Assign Requisition Lines to PO' form. Refer to PVCS 5615.	PSRFGP	GENERATE POS FOR RFQS
			SSASGN	GENERATE POS
37296	Add to Existing Requisition	EWS.PRCH.UC.GenerateRequisitionsforRFQs.doc	PSRFRG	GENERATE REQS FOR RFQS
21443	Add to List	Infor EAM - button to add the selected part record to the list of parts to be issued or returned	SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSBKPO	BOOK PO LABOR
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSTCRT	LINEAR EQUIPMENT TRACE
		D7i Extended -- Prompt Machine form -- button label used in prompt machine, verb	TSTRAN	PROMPT MACHINE
32761	Add to Screen Cache	#21449	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33795	Add to Service Request	EWS.CCTR.UC.KnowledgeBase	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSKBSP	KNOWLEDGE BASE SEARCH
39487	Add to Users	EAM.GIS.UC.CreateEditMaps.doc	BSGMAP	CREATE EDIT MAPS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
19049	Add to favorites	a selection on the menubar that allows the user to add the current form to the list of 'favorite forms'; this is similar in concept to 'favorites' on a internet browser	M1	Pull-Down Menu Texts
34996	Add/Edit Activity Comments	27483	WSVITE	WORK ORDER QUICK ENTRY
39829	Add/Edit Answers	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
24907	Add/Edit Caller	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSSREQ	SERVICE REQUESTS
46971	Add/Edit Checklist Item Documents	EAM.WORK.REQ.ChecklistForWorkOrder	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46971	Add/Edit Checklist Item Documents	EAM.WORK.REQ.ChecklistForWorkOrder	WSPMTW	PERMIT TO WORK
21092	Add/Edit Comments	Infor EAM - title of new pop-up window that allows the user to create and or modify comments for a record	BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			TSPROF	PROFILES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWREQ	WORK REQUEST
39435	Add/Edit Documents	EAM.MATL.UC.StoresforParts.doc	CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39435	Add/Edit Documents	EAM.MATL.UC.StoresforParts.doc	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
42748	Add/Edit Failure Modes	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
47907	Add/Edit Fields	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
39830	Add/Edit Formula	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
42746	Add/Edit Functional Failures	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
42749	Add/Edit Functional Failures for Failure Modes	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
42745	Add/Edit Functions	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
39807	Add/Edit Hyperlinks	EAM.ADMN.UC.FieldsForGridDesigner.doc	BSGRID	GRID DESIGNER
24031	Add/Edit Instructions	Infor EAM - text area in which to add new instructions for a	WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24031	Add/Edit Instructions	tax or edit existing instructions	WSTASK	TASKS
44391	Add/Edit Survey Answers	EAM- 14611	CSCSUR	CUSTOMER SURVEYS
39184	Add/Edit WO Comments	EAM.PROJ.UC.CampaignEventsforCampaign/41039	JSCAMP	CAMPAIGN
34993	Add/Edit Work Order Comments	27483	WSVITE	WORK ORDER QUICK ENTRY
46007	Additional	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIV	EQUIPMENT OVERVIEW 360
30493	Additional Charge	Infor EAM. Amount of money added to the cost charging arrangement when setting up a pricing schedule. If none is added, then the cost will stay fixed. Refer to EWS.WORK.UC.CreateEditPricingSchedules.	WSARRS	PRICING SCHEDULE
			WSCJOB	APPROVE CUSTOMER CHARGES
25855	Additional Charge Details	Extended (product name)	WSARRS	PRICING SCHEDULE
			WSSREQ	SERVICE REQUESTS
20594	Additional Charges	Infor EAM - group header for adding more charges to the service request	PSPORD	PURCHASE ORDERS
			WEADCH	ADDITIONAL CHARGES
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSARRS	PRICING SCHEDULE
			WSCLSR	CLOSE SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
37355	Additional Comments	EWS.CREP.UC.PrintRequestForQuotation	PZPRFQ	REQUEST FOR QUOTATION
36173	Additional Cost Details	EWS.WORK.UC.AdditionalCostsForWO / 28924	BCMOBL	7I MOBILE BOILER TEXT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
36092	Additional Costs	EWS.WORK.UC.AdditionalCostsForWO / 28924	BCMOBL	7I MOBILE BOILER TEXT
			JSCUES	CU ESTIMATES
			WEWOOC	WORK ORDER OTHER COSTS
			WSCOPO	CONTRACTOR PORTAL
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48044	Additional Details	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
36216	Additional Equipment	29152	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
45527	Additional Field Mapping	EAM.ADMN.REQ.AdditionalFieldMappingPopup	BEAFMP	ADDITIONAL FIELD MAPPING POPUP
			BSAFMP	ADDITIONAL FIELD MAPPING POPUP
			BSALRT	ALERT MANAGEMENT SYSTEM
35283	Additional Help	#28171	BSDTCV	DATA CONVERSION (MP2)
24952	Additional Info	Extended (product name). Section header on the PO Receipts form.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
33275	Additional Information	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			OSEVAL	EQUIPMENT EVALUATIONS
			OSOBTV	OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33275	Additional Information	EWS.CCTR.UC.ContactCenter	USINVP WSCPRQ WSJOVH	INVESTMENT PLANNING CAPITAL PLANNING REQUEST CREATE WORK ORDER
46064	Additional Reference Details	EAM.WORK.REQ.TraceRoutePopup.docx	WSLLDT WSTCRT	LINEAR LOCATION DETAILS POPUP LINEAR EQUIPMENT TRACE
39628	Additional Signature	42548	BSESIG	ERECORDS LIST
39629	Additional Signature For	42548	BSESIG	ERECORDS LIST
45789	Additional parameters for Chart queries: 'planguage' (or 'plang') is the language of the logged in user.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
45786	Additional parameters for Equipment Ranking queries:	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
12119	Address		BYMPDH BZMPDH CSCCGM CYDEBL CZDEBL DSMSGs DSPTNR OSGISR OSGISS OZCLAI PHORDF PTORDF PYORDF PZORDF REPORT SHREQF STRCVF STREQF STRETF SYRCVF SYREQF SYRETF SZRCVF SZREQF SZRETF WHINVS WYINVS WZCCON WZCCTR WZINVS BCMOBL CSCCSP CSCCTR CSINRE OSGADR OSGIAS	MESSAGE PROCESSING AND DELIVERY HISTORY MESSAGE PROCESSING AND DELIVERY HISTORY CONTACT CENTER MAP SEARCH LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS VIEW MESSAGE STATUS CREATE PARTNER GIS MAP SEARCH GIS MAP SEARCH (OLD) WARRANTY CLAIM REPORT Print Purchase Order Print Purchase Order Print Purchase Order Print Purchase Order General Report Function Print Purchase Requisition Goods Received Note Print Purchase Requisition Print Goods Return Note GOODS RECEIVED NOTE PRINT PURCHASE REQUISITION PRINT GOODS RETURN NOTE Goods Received Note Print Purchase Requisition Print Goods Return Note CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT PRINT CUSTOMER CONTRACT PRINT SERVICE REQUESTS CUSTOMER INVOICE REPORT 7I MOBILE BOILER TEXT CONTACT CENTER SETUP CONTACT CENTER GUEST INCIDENT REQUEST GIS ADDRESS SELECTOR (REST) GIS ADDRESS SELECTOR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12119	Address	D7i Extended - GIS Map Search - Column header for address search result in GIS address selector grid	WSEMPs	EMPLOYEES
			WSGISD	MAP VIEW
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
18566	Address 1	Part of address (BPADRS).	BSADRS	ADDRESSES
			BSDELA	Delivery addresses
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZGDPC	GDPR COMPLIANCE - CONTACT
			18567	Address 2
BSDELA	Delivery addresses			
CSCCTR	CONTACT CENTER			
CSCINF	CONTACT INFO			
CSINRE	GUEST INCIDENT REQUEST			
CSPROV	PROVIDERS			
SSSUPC	CUSTOMERS			
SSSUPP	SUPPLIERS			
WSJOBS	CREATE WORK ORDER			
WSJOVH	CREATE WORK ORDER			
WSJOVM	CREATE WORK ORDER			
WZGDPC	GDPR COMPLIANCE - CONTACT			
18568	Address 3	Part of address (BPADRS).		
			BSDELA	Delivery addresses
			CSCCTR	CONTACT CENTER
33257	Address Alias	EWS.CCTR.UC.ContactCenter	CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			BSADRS	ADDRESSES
24449	Address Details	D7i Extended - Addresses form/tab	BSADRS	ADDRESSES
44685	Address Line 1	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
44686	Address Line 2	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
24440	Address Type	D7i Extended - Addresses form	BSADRS	ADDRESSES
47268	Address must be entered prior to performing this search.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
46312	Address search	GIS	BCMOBL	7I MOBILE BOILER TEXT
14366	Addresses		BSADRS	ADDRESSES
			BSDEPT	DEPARTMENTS
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			DSPTNR	CREATE PARTNER
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
14366	Addresses		OSCPCS	COPY CONSIST POPUP
			OSHPLY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTCS	SETS AND CONSISTS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCRFP	COPY RFQ POPUP
			PSPOCP	COPY PO POPUP
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSRQCP	COPY REQUISITION POPUP
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUCP	COPY SUPPLIER POPUP
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSAGRS	CUSTOMER CONTRACTS
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSTWO	STANDARD WOS
33180	Adjust From Point	EWS.GIS.UC.GISMapSearch (22130)	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
49559	Adjust Interval	EAM.EQUIP.REQ.InvestmentOptionsForEquipmentClassDe	WSGVMP	VIEW GIS MAP POPUP (REST)
			OSOCDE	EQUIPMENT CLASS DEFINITION
33181	Adjust To Point	EWS.GIS.UC.GISMapSearch (22130)	CSCCGM	CONTACT CENTER MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33181	Adjust To Point	EWS.GIS.UC.GISMapSearch (22130)	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
25761	Adjust the Table's trigger Status.	Extended (product name). Audit Setup form.	BSTRGP	VIEW TRIGGER STATUS POP UP
26760	Adjust the Table's trigger status.	D7i Extended - E-mail Notification Setup - View Trigger Status popup	BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMATS	VIEW TRIGGER STATUS
46870	Adjusted	EAM.WORK.REQ.ChecklistForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			WHJOBFB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WZJOBFB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
29971	Adjusted Cost	D7i Extended -- Lines tab, Invoices form -- Field Label	PSINVO	INVOICES
30271	Adjusted Costs	D7i Extended -- Invoice Vouchers form, Costs tab -- Field Label, adjusted=verb ,costs=noun	PSINVO	INVOICES
34115	Adjusted Gross	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
40672	Adjusted Net	EAM-213EAM.WORK.REQ.ContractItemsForCustomerInvoic	WSINVC	CUSTOMER INVOICES
40689	Adjusted Periods	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
40690	Adjusted Price	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
40687	Adjusted Quantity	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
40692	Adjusted Rollup	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
35897	Adjusted Unit Cost	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
12361	Adjustment	The number of days that jobs are shifted to the future or delayed.	BSLOVS	LIST OF LOOKUPS
			BSUCOD	SYSTEM CODES
			WSADJU	ADJUSTMENT
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
40492	Adjustment % After	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40492	Adjustment % After	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
40489	Adjustment % Before	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
40685	Adjustment Code	EAM-93	WSINVC	CUSTOMER INVOICES
		EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi		
31225	Adjustment Details	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Page Label	JSCUES	CU ESTIMATES
			WSADJU	ADJUSTMENT
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSFBIL	FLEET BILLS
			WSINVC	CUSTOMER INVOICES
40623	Adjustment Org.	EAM-90 Adjustments For Customer Rental	WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
40491	Adjustment Transaction	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
40624	Adjustment Type	EAM-90 Adjustments For Customer Rental	WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
40490	Adjustment Unit Price	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
17557	Adjustments	This is a field on the printed stock adjustments report that displays the stock adjustment.	BSLOVS	LIST OF LOOKUPS
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSINVC	CUSTOMER INVOICES
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZVBIL	VEHICLE BILLING REPORT
15198	Administration		BSDSET	DATABRIDGE SETUP
			M1	Pull-Down Menu Texts
		Infor EAM - new menu option on the dataBridge tab. The user will be able to set up overall databridge features using	MBADMN	ADMINISTRATION
			MXADMN	ADMINISTRATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15198 23470	Administration Advanced	this menu Infor EAM - button on the screen designer for to perform a higher level of layout changes - as opposed to simple or basic changes	BXLAYO	R5 Screen Layout Editor
		D7i Extended - Dataspy - text of the link on left hand side of the dataspy screen	BSDTSP	DATASPY
49151	Advanced Mobile	EAM.ADMN.REQ.UserGroups	BSDUXD BSGROU BSUSER	DUX SCREEN DESIGNER GROUPS USER SETUP
20154	Advanced Part Search	Infor EAM - button on Infor EAM form to initiate an advanced part search	LVPARC LVPARM	ADVANCED PART SEARCH:SUPPLIER PART SEARCH ADVANCED PART SEARCH:MANUFACTURER PART SEARC
31854 30289	Advanced Reporting Advanced Reporting Options	17058 - Adding Report attachments D7i Extended - block label on Users form	BSADVR BSROLE BSUSER	ADVANCED REPORTING FUNCTION LDAP ROLES SETUP USER SETUP
32645 19945	Advanced Reports Advanced Search	19317 button on Infor EAM form to initiate an advanced search	BSFUNA BCMOBL CSCCGM OSGISS SSREQ SSREQS	AVAILABLE SCREEN FUNCTIONS GRID 7I MOBILE BOILER TEXT CONTACT CENTER MAP SEARCH GIS MAP SEARCH (OLD) REQUISITION LINE CREATE PURCHASE REQUISITION
32693	Advanced Search Open/Close	19949	CSCCGM OSGISR OSGISS	CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD)
21454	Advice Number	Infor EAM - The code used by a supplier to identify a shipment. Recorded when parts are received.	BZISSD BZRECD BZRETD BZSTOD BZTRAD FCGRD1 FCGRD2 SSRECV	ELECTRONIC RECORDS FOR ISSUE ELECTRONIC RECORDS FOR RECEIPT ELECTRONIC RECORDS FOR RETURN ELECTRONIC RECORDS FOR STORE-TO-STORE ELECTRONIC RECORDS FOR TRANSACTIONS FLAMETHROWER GRID 1 FLAMETHROWER GRID 2 PO RECEIPTS
48701 29452	Affected Main After	EAM-44119 D7i Extended - Qualification Expiration Report	BCMOBL WTQEXP WYHRIL WYQEXP WZHRIL WZQEXP	7I MOBILE BOILER TEXT QUALIFICATION EXPIRATION REPORT HOURS NEEDED FOR TASKS QUALIFICATION EXPIRATION REPORT HOURS NEEDED FOR TASKS QUALIFICATION EXPIRATION REPORT
37797 13224 49584	After SQL After last record: Age	EWS.ADMN.UC.CreateEditAlerts / 33833 Pull down menu item EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni	BSALRT M1 USINVP	ALERT MANAGEMENT SYSTEM Pull-Down Menu Texts INVESTMENT PLANNING
38658 49587	Age (in years) (A) Age Based on Usage	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni	OSEVAL USINVP	EQUIPMENT EVALUATIONS INVESTMENT PLANNING
49585	Age Correction	EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni	USINVP	INVESTMENT PLANNING
49586	Age Increment per Period	EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni	USINVP	INVESTMENT PLANNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49588	Age Refresh Required	EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni	USINVP	INVESTMENT PLANNING
27207	Aggregate Function	D7i Extended - Grid Aggregate Function	BEWSMD	EWS - METADATA DEFINITION
43141	Agreement End Date	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
43166	Agreement Start Date	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
43165	Agreement Type	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
37775	Alert	EWS.ADMN.UC.CreateEditAlerts	BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSSESS	AUTO-GENERATED WO SESSIONS
			WZWOLM	WORK ORDER LIST - DETAIL
39604	Alert Code	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL010	WORK ORDER CALCULATED PRIORITY
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
37800	Alert Definition Details	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
37777	Alert Description	EWS.ADMN.UC.CreateEditAlerts	BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL010	WORK ORDER CALCULATED PRIORITY
			BSALRT	ALERT MANAGEMENT SYSTEM
37776	Alert Management	EWS.ADMN.UC.CreateEditAlerts	BSEXIM	EXPORT CONFIGURATION
			BSGRID	GRID DESIGNER
39605	Alert Text	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39605	Alert Text	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
28653	Alert Tolerance	D7i Extended - Calibrations for Work Orders	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			JSCAMP	CAMPAIGN
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
40980	Alerts Setup	EAM-322 ExportBaseConfigurationforConfigurationMan	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
33335	Alias	EWS.CCTR.UC.AttributesForCCTRSetup.doc (22483)	BCMOBL	7I MOBILE BOILER TEXT
			BSAFMP	ADDITIONAL FIELD MAPPING POPUP
			BSENSS	ENTERPRISE SEARCH SETUP
			BSGRID	GRID DESIGNER
			BSTABL	POP-UP FUNCTION FOR TABLE LOOKUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCSP	CONTACT CENTER SETUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33335	Alias	EWS.CCTR.UC.AttributesForCCTRSetup.doc (22483)	OSOVPM OSSTAT OZEQUD USINVP WSBFUL WSEMP5 WSJOBS WSOPSS WZEMPI FCSCRN FCSCRN FCSCRN FCSCRN BSJSDN BSJSDN FCSCRN BSJSDN BSJSDN DSSTAT	CREATE POSITION EQUIPMENT EQUIPMENT OPERATIONAL STATUS EQUIPMENT DETAIL INVESTMENT PLANNING BATCH FUEL ISSUES EMPLOYEES CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP GDPR COMPLIANCE - EMPLOYEE FLAMETHROWER SCREENS FLAMETHROWER SCREENS FLAMETHROWER SCREENS FLAMETHROWER SCREENS COMMON FUNCTION FOR JAVASCRIPT COMMON FUNCTION FOR JAVASCRIPT FLAMETHROWER SCREENS COMMON FUNCTION FOR JAVASCRIPT COMMON FUNCTION FOR JAVASCRIPT DATABRIDGE SYSTEM STATUS
31174	Align Bottoms	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31175	Align Centers	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31176	Align Lefts	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31177	Align Rights	Barcoding	FCSCRN	FLAMETHROWER SCREENS
40786	Align Text Left	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40788	Align Text Right	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31178	Align Tops	Barcoding	FCSCRN	FLAMETHROWER SCREENS
40803	Align text to the left.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40805	Align text to the right.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24349	Alive	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
12319	All	In MP5, 'all' is a checkbox that refers to every record in a group. For example, when creating order discounts for contract, select all to indicate that the discount applies to all the contracts listed.	BCMOBL BHFUNL BSJSDN BSSTRT BSVLOG BSWSET BTFUNL BYFUNL BZFUNL DSOQUE SYSTOL SZSTOL UYBDEL UZBDEL WZFSTR WZFUTX WZLMWO WSGISD	7I MOBILE BOILER TEXT List Of Functions COMMON FUNCTION FOR JAVASCRIPT EWS NEW START CENTER VIEW LOG FILES SCREEN WORK SETUP List Of Functions LIST OF FUNCTIONS List Of Functions DATABRIDGE OUTBOUND QUEUE Stock List Stock List BUDGET POSITION DETAILS BUDGET POSITION DETAILS FIRST TRANSIT REPORT FUEL TRANSACTIONS LIST OF MAINTENANCE WO MAP VIEW
35664	All Account Numbers	EAM-47419 EWS.MATL.UC.AccountNumbersforSuppliers / 27955	SSSUPP	SUPPLIERS
49664	All Accounting Codes	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
26224	All Action Codes	D7i Extended - Closing Codes - Dataspy title	OSCLCD	CLOSING CODE
33323	All Active Change Notices	EWS.EQUIP.UC.CreateAssetEQ.doc	OSCNNL	CHANGE NOTICE LOOKUP
34899	All Active Flex Business Rules	EWS.ADMN.UC.CreateEditFlexSQL.doc/10065	YSFLXS	FLEX SQL
33713	All Active Lines	21583	SSRECV	PO RECEIPTS
45698	All Active Records	EAM-20364EAM.EQUIP.REQ.NonconformitiesForEquipm ent	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33709	All Activities	EWS.WORK.UC.ActivitiesforWorkOrder	OSCLAI	WARRANTY CLAIMS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
38383	All Actual Temperatures	EWS.ADMN.UC.ActualTemperaturesforRegions.doc	BSREGN	CREATE EDIT REGIONS
32525	All Additional Charges	EWS.WORK.UC.AdditionalChargeforPricingSchedule	WSARRS	PRICING SCHEDULE
36094	All Additional Costs	EWS.WORK.UC.AdditionalCostsForWO / 28924	WSCOPO	CONTRACTOR PORTAL
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSADRS	ADDRESSES
24573	All Addresses	D7i Extended - Default Dataspy name for all addresses	BSADRS	ADDRESSES
40664	All Adjustments	EAM.WORK.REQ.AdjustmentsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
39721	All Alerts	ExportAlertsforExportConfiguration / 45171	BSEXIM	EXPORT CONFIGURATION
33493	All Allocations	21342	PSINVA	BOOK INVOICE ALLOCATIONS
33840	All Alternate Flows	23289	BSFLOW	BUSINESS PROCESS SETUP
48343	All Alternate UOMs	EAM-41660 : Alternate UOM for UOM	BSUOMS	UOM SETUP
26199	All Analytics Data	D7i Extended - Dataspy text	OSGISA	ANALYTICS DATA RELATED TO AN ASSET
22639	All Analytics Variables	Infor EAM - name of dataspy	BMOPSV	OPS PACKAGE
39857	All Answers	EAM.EQUIP.UC.AddEditAnswersPopup	CSSURA	SURVEY ANSWERS POPUP
			OSRELA	ADD / EDIT ANSWERS POPUP
			WSAPPL	APPROVAL LISTS
27726	All Approval Lists	Extended (product name); Refer to EWS.WORK.UC.CreateEditRCApprovalList.doc	WSAPPL	APPROVAL LISTS
30037	All Approvals	Extended (product name); See EWS.WORK.UC.RevisionControlApproval	WSAPPR	REVISION CONTROL APPROVAL
39794	All Approved POs within last 6 months	EAM.WORK.UC.BookPOLabor	BSLOVS	LIST OF LOOKUPS
32831	All Approvers	20465	WSAPPR	REVISION CONTROL APPROVAL
33097	All Archives	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
33313	All Articles	21970	CSKBAD	KNOWLEDGE BASE ADMINISTRATION
27684	All Aspects	EWS.INSPE.UC.CreateEditAspect	ISASPC	ASPECTS
21857	All Assets	Infor EAM - name of dataspy to view all assets	OSCHNO	CHANGE NOTICES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			BSDOCU	DOCUMENTS
			OSWKMV	WORKSPACE MOVES
39441	All Associations	EAM.ADMN.UC.WhereUsedforDocuments/34090	CSCCSP	CONTACT CENTER SETUP
33346	All Attributes		BSPURP	PURGE AUDIT RECORDS POP UP
25766	All Audit Records	Extended (product name). Audit Setup form.	BSPURP	PURGE AUDIT RECORDS POP UP
29487	All Available DC Prompts	D7i Extended -- User Groups form, Scanner Menus tab -- Dataspy Name	BSGROU	GROUPS
			BSSMEN	ADD MAIN MENU FOLDER POPUP
41340	All Available Organizations	EAM-1831:Report Organization Structure	BSTOPO	ADD TOP LEVEL ORGANIZATION
35863	All Available Prompts	#28767	BSGROU	GROUPS
25887	All Available Screens	Extended (product name). Dataspy name used in menus page. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
31342	All Bill Lines	D7i Extended -- Billing History for Fleet Customers -- Default Dataspy Name	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30705	All Billing Codes	D7i Extended -- Fleet Billing Codes -- Dataspy Name	WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
31160	All Bills	D7i Extended -- Fleet Bills -- Dataspy Title	WSFBIL	FLEET BILLS
29852	All Bins	Infor EAM. Used in extended on the bin lookup screen to display all bins.	SSBINL	BIN LOOKUP
			SSRECV	PO RECEIPTS
			SSSTOR	STORES
28298	All Blanket Orders	D7i Extended -- Blanket Orders form -- Dataspy name, noun	PSBORD	CREATE EDIT BLANKET ORDERS
34178	All Boiler Text	EWS.ADMN.UC.GlobalTextChange	BSBOIL	GLOBAL TEXT CHANGES
32866	All Booked Labor	EWS.WORK.UC.LaborBookingsForWorkOrder.doc/21411	WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
32290	All Budget Groups	EWS.BUD.UC.BudgetGroups.doc - Dataspy name	USBGRP	BUDGET GROUPS
32328	All Budget Terms	EWS.BUD.UC.BudgetTerms.doc	USYEAR	BUDGET TERMS
32673	All Budgets	EWS.BUD.UC.Budgets.doc	USBUDG	BUDGETS
39512	All Buildings/Meters	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
25861	All Business Processes	Extended (product name). Screen Flow Setup Form.	BSFLOW	BUSINESS PROCESS SETUP
35105	All Buttons	EWS.ADMN.UC.7iBuySecurityforUserGroups	BSGROU	GROUPS
30336	All Buyers	D7i Extended -- Invoice Lines Per Buyer screen -- Dataspy name	PSINVL	INVOICE LINES PER BUYER
49304	All CU Associations	EAM-47001	JSCULB	COMPATIBLE UNITS LIBRARY
49005	All CU Estimates	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
35161	All Calendar Groups	EWS.CCTR.UC.CalendarGroup	CSCCLGP	CALENDAR GROUPS
35735	All Calendar Periods	EWS.CCTR.UC.CalendarPeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
32284	All Calendars	EWS.BUD.UC.BudgetTerms.doc - label for Dataspy of Budget Terms form	USCALE	BUDGET CALENDAR TYPES
32710	All Callers	21041	WSDEBS	CREATE CUSTOMER
39193	All Campaign Events	EAM.PROJ.UC.CampaignEventsforCampaign/41039	JSCAMP	CAMPAIGN
39057	All Campaigns	EWS.PROJ.UC.CreateEditCampaign/40385	JSCAMP	CAMPAIGN
38026	All Capital Planning Requests	EWS.WORK.UC.CreateEditCapitalPlanningRequest	OSOBTV	OBJECTIVES
			WSCPRQ	CAPITAL PLANNING REQUEST
21861	All Categories	Infor EAM - name of dataspy to view all categories	OSOBJC	CREATE ASSET CATEGORY
37786	All Categorization Codes	Capital Request Categorization Codes	BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
26225	All Cause Codes	D7i Extended - Closing Codes - Dataspy title	OSCLCD	CLOSING CODE
33347	All Change Notices	EWS.EQUIP.UC.CreateEditChangeNotices.doc	OSCHNO	CHANGE NOTICES
32677	All Charges	EWS.WORK.UC.ChargesForCustomer.doc	WSDEBE	EVENTS FOR CUSTOMERS
42406	All Chart Codes	EAM-5016 : EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
42428	All Charts	EAM-6203: Chart tab for User Groups	BSGROU	GROUPS
43391	All Checklist Items	EAM.EQUIP.REQ.OperatorChecklistforEquipment.docx	OSEQCI	CHECKLIST ITEMS
			WSOPCK	OPERATOR CHECKLIST REVIEW
43342	All Checklists	EAM-9345	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
24402	All Child Clauses	Extended (product name). Default Dataspy name for	PSCLAU	PURCHASING CLAUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39850	All Child Levels	Children tab on the Clauses form. EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	OSRRFP	ADD / EDIT FORMULA POPUP
33697	All Child WOs	SCR 23252.	OSRRLP	ADD / EDIT LEVELS POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
43409	All Claim Lines	EAM-10423 EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWar	OSCLAI	WARRANTY CLAIMS
25995	All Claims	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
			SSPWCL	PART WARRANTY CLAIMS
32732	All Classes	21339	BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLCP	SELECT CLASSES
			BSLOVS	LIST OF LOOKUPS
			OSCLCD	CLOSING CODE
24063	All Clauses	Infor EAM - name of dataspy to show all clause records in the system	PSCLAU	PURCHASING CLAUSE
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
26223	All Closing Codes	D7i Extended - Closing Codes - Dataspy title	OSCLCD	CLOSING CODE
35852	All Comments	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			WSJOBA	ARCHIVED EVENTS
23935	All Commodities	Infor EAM - name of Dataspy on the Commodities form	SSCOMM	COMMODITIES
			WSCCON	CUSTOMER CONTRACTS
48988	All Compatible Units	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
40115	All Component Locations	EAM.ADMN.UC.PartsAssociated	BSLOVS	LIST OF LOOKUPS
27689	All Conditions	Infor EAM. Refer to EWS.INSPE.UC.CreateEditCondition.	ISCOND	CONDITIONS
			SSPCMP	PART CONDITION TEMPLATE
45271	All Consists	EAM-16279:EAM.EQUIP.REQ.Sets-Consists	OSSTCS	SETS AND CONSISTS
33179	All Contacts	22012	CSCINF	CONTACT INFO
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
40276	All Contract Clauses	EAM-31.EAM.WORK.REQ.ClausesforContractTemplate	WSCCON	CUSTOMER CONTRACTS
35851	All Contractors	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
33883	All Contracts	EWS.MATL.UC.ContractsforPart.doc	SSPART	PARTS
37873	All Conversion Factors	SCR#33940-ConversionforUOM	BSUOMS	UOM SETUP
44926	All Copied Screens	EAM.ADMN.REQ.ExportCopiedScreensforExportConfiguration EAM-16155	BSEXIM	EXPORT CONFIGURATION
24034	All Cost Codes	Infor EAM - name of Dataspy for to display all cost code records in the system	BSCSTC	COST CODE
42470	All Cost Roll-up	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
26277	All Costs	Infor EAM. Project Cost tab SCR#5640. Default Dataspy name.	JSPROJ	PROJECTS
34737	All Counts	26700	SSPINV	PHYSICAL INVENTORY
35849	All Crafts	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35378	All Credit Cards	EWS.PRCH.UC.CreateEditCreditCards	PSCARD	CREDIT CARDS
34821	All Crews	EWS.WORK.UC.CreateEditCrews/26783	WSCREW	CREW
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24982	All Currencies	Extended (product name). This is the default dataspy name for the Currency form.	SSCURR	CURRENCIES
45272	All Current Consists	EAM-16279:EAM.EQUIP.REQ.Sets-Consists	OSSTCS	SETS AND CONSISTS
32708	All Custom Fields	21041	BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSPROM	Custom Attributes
38544	All Custom Reports	EWS.ADMN.UC.ExportCustomReportsforExportConfigurat	BSEXIM	EXPORT CONFIGURATION
34659	All Custom Tabs	#26808	BSFUNC	CREATE UPDATE SCREENS
32727	All Customer Charges	EWS.WORK.UC.ApproveCustomerCharges	WSCJOB	APPROVE CUSTOMER CHARGES
30462	All Customer Contracts	Infor EAM. Customer Contract is related to the Asset Mgmt Services module. An example of an AMS module user could be an apartment complex, where the cost of performing the work is charged to the customer, which may require a contract.	WSAGRS	CUSTOMER CONTRACTS
			WSDEBS	CREATE CUSTOMER
32628	All Customer Invoice Lines	EWS.WORK.UC.CustomerInvoiceLinesOverview.doc	WSDEBS	CREATE CUSTOMER
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
32629	All Customer Invoice Lines by Customer	EWS.WORK.UC.CustomerInvoiceLinesOverview.doc	WSINVL	CUSTOMER INVOICE LINES OVERVIEW
32563	All Customer Invoices	EWS.WORK.UC.CustomerInvoices.doc	WSINVS	CUSTOMER INVOICES
44359	All Customer Surveys	EAM-14610:EAM.CCTR.REQ.CustomerSurveys.docx	CSCSUR	CUSTOMER SURVEYS
23883	All Customers	Infor EAM - name of Dataspy to display all customer records in the system	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSDEBS	CREATE CUSTOMER
46684	All Dataspies	EAM.ADMN.REQ.DataspiesforScreens.doc	BSFUNC	CREATE UPDATE SCREENS
44514	All Day	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
47570	All Decay Curves	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
27860	All Definitions	Infor EAM - Databridge Administration. The default Dataspy name for the list view. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
24036	All Delivery Addresses	Infor EAM - name of dataspy to display all delivery addresses in the system	BSDELA	Delivery addresses
24040	All Departments	Infor EAM - name of dataspy to display all department records in the system	BSDEPT	DEPARTMENTS
			BSLOVS	LIST OF LOOKUPS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
42469	All Dependent	Equipment Generation	OSEQGN	EQUIPMENT GENERATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38312	All Depots	EWS.WORK.UC.CreateEditDepots/36537	WSDEPO	DEPOTS
28031	All Details	Data Warehouse. All Details. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
36836	All Direct Parts	EWS.WORK.UC.ReallocateDirectMaterialsPopup/31570	WSDIMR	DIRECT MATERIAL REALLOCATION
40556	All Discounts	EAM-81.WORK.REQ.DiscountsForContractTemplate	WSCCON	CUSTOMER CONTRACTS
25675	All Documents	Extended (product name). Dataspy name.	WSCTMP	CONTRACT TEMPLATES
			BCMOBL	7I MOBILE BOILER TEXT
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			PSPORD	PURCHASE ORDERS
27268	All E-mail Records	D7i Extended - Dataspy title for E-mail Viewer form	WSJOBS	CREATE WORK ORDER
			BSMVIW	E-MAIL VIEWER
			BSMTMP	E-MAIL TEMPLATES
			OSWKSP	WORKSPACES
			WSCREW	CREW
24969	All E-mail Templates	D7i Extended - Dataspy filter name	WSEMP	EMPLOYEES
24418	All Employees	Extended (product name). Administration - Employee form.	WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSHIF	SHIFTS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			OSENSM	ENERGY STAR MESSAGE VIEWER
39580	All Energy Star Messages	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSOBTV	OBJECTIVES
41468	All Energy Targets	EAM-513 : Energy Targets for Objective	BSORGS	ORGANIZATIONS
38585	All Enterprise Locations	Enterprise Locations	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
36178	All Enterprise Organization Hierarchies	CreateEditEnterpriseOrganizationHierarchy / 28909	BSAUDC	AUDIT SETUP
25199	All Entities	D7i Extended - Dataspy name	BSMOST	MULTI-ORG SECURITY
44411	All Entity Triggers	EAM-14681 Customer Survey Trigger - new List/Detail tab	CSCSUR	CUSTOMER SURVEYS
27095	All Equipment	D7i Extended - Default dataspy text appearing on the GIS Map Search screen	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCINF	CONTACT INFO
			CSEQUP	ADDITIONAL EQUIPMENT
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			JSCAMP	CAMPAIGN
			JSSHUT	SHUTDOWNS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			LVOBJ2	EQUIPMENT LOOKUP WITHOUT CONTROL ORG
			LVOBJL	LVOBJL
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27095	All Equipment	D7i Extended - Default dataspy text appearing on the GIS Map Search screen	OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTCS	SETS AND CONSISTS
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			WHJOB	PRINT WORK ORDER
			WSACMP	ACTIVATE MP POPUP
			WSDAMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDFAF	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPMPL	PM FORECASTING
			WSPMPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPRRS	REFRESH RESOURCES
			WSROUT	ROUTES
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
47591	All Equipment Classes	EAM-36185 : EAM.EQUIP.REQ.EquipmentClassesforBatch		
38627	All Equipment Resources	EWS.WORK.UC.ResourcesforPMSchedule, PVCS#37444	WSPPMS	PM SCHEDULES
35589	All Equipment Usability Codes	EquipmentUsabilityCodesForCallCenterSetup	CSCCSP	CONTACT CENTER SETUP
28029	All Errors	Data Warehouse. All errors. Refer to PVCS 1647.	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSDTCV	DATA CONVERSION (MP2)
			BSDWRL	DATA WAREHOUSE RUN LOG
38450	All Evaluations	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
37451	All Event Log Types	EWS.CCTR.UC.EventLogTypeFilter / 32566	CSEVTF	CALL CENTER EVENT TYPE FILTER
22451	All Events	Infor EAM - name of dataspy	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
			DSPTNR	CREATE PARTNER
			JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
37827	All Exceptions	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
40979	All Facilities	EAM:327-EAM.EQUIP.UC.CreateEditFacilities	OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26226	All Failure Codes	D7i Extended - Closing Codes - Dataspy title	OSCLCD	CLOSING CODE
29295	All Features	D7i Extended - EWS.GIS.UC.GISMapSearch - Delivered GIS filter appearing in the GIS Filter dropdown of the GIS Map Search screen	OSGFLT	GIS ATTRIBUTE FILTER
33628	All Fields	EWS.ADMIN.UC.FieldsToRememberforScreens	BSFUNC BSGRID BSGSEL BSLOVS BSWSPM BSDLUC	CREATE UPDATE SCREENS GRID DESIGNER SELECT CLAUSE LOOKUP LIST OF LOOKUPS WEB SERVICES PROMPT FIELDS POPUP
47944	All Fields for Data Upload Tables	EAM-37081	ISFIND	FINDINGS
27686	All Findings	Infor EAM. Refer to EWS.INSPECTION.UC.CreateEditFinding.	JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
49671	All Fixed Asset Codes	49835-EAM.PROJ.REQ.CompatibleUnitsFixedAssetCodes	WSFCUS	FLEET CUSTOMERS
30868	All Fleet Customers	D7i Extended -- Fleet Customers -- Dataspy Name	BSEXIM	EXPORT CONFIGURATION
35145	All Flex Business Rules	Export Flex Business Rules	CSCCTR	CONTACT CENTER
33623	All Follow-Up Requests	#22323	CSINRE	GUEST INCIDENT REQUEST
28801	All Formulas	D7i Extended - Inspections	ISFORM	FORMULAS
38583	All Fuel Physical Inventories	EWS.WORK.UC.PhysicalInventoryForFuel	WSFUPI	PHYSICAL INVENTORY FOR FUEL
37904	All Fuel Types	EWS.MATL.UC.FuelsForCOMmodities/SCR33846	SSCOMM	COMMODITIES
38336	All Fuels	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
47222	All GDPR Errors	EAM-32197/ EAM.ADMIN.REQ.ErrorsForGDPRAdministratio	BSGDPR	GDPR ADMINISTRATION
47202	All GDPR Records	EAM-32194/EAM.ADMIN.REQ.GDPRAdministration	BSGDPR	GDPR ADMINISTRATION
22446	All GL Processes	Infor EAM - name of dataspy	DSGLPR DSGLPS	DATABRIDGE GL PROCESSES GL PROCESS SCHEDULES
27942	All GL References	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.	YSGLRF	GL REFERENCES
38868	All Greenhouse Gases	EWS.MATL.UC.CreateEditGreenhouseGasses.doc	SSGHGS SSPART	GREENHOUSE GASES PARTS
36577	All Grid Fields	30854	BSGRID	GRID DESIGNER
34254	All Grids	EWS.ADMIN.UC.GridDesigner.doc	BSGRID	GRID DESIGNER
22638	All HTML Contents	Infor EAM - name of Dataspy	BMHTCF	HTML CONTENT SETUP
37271	All Hired Labor	EWS.PRCH.UC.ServicesforRFQs	PSWOSR	RETRIEVE WORK ORDER SERVICES
38349	All Historical Temperatures	36691	BSREGN	CREATE EDIT REGIONS
43741	All Import Parts	EAM-11807 EAM.MATL.REQ.ImportPartsPopup	SSPWIP	IMPORT PARTS POPUP
45405	All Import Records	EAM-16143: EAM.WORK.REQ.ImportWorkspaceMovesPopup	WSWKMV	IMPORT WORKSPACE MOVES POPUP
34518	All Import Types	EWS.ADMN.UC.ImportConfigurations	BSIMPT	IMPORT CONFIGURATION
43740	All Imported Parts	EAM-10713:EAM.MATL.REQ.ImportedPartsforPartWarrant	SSPWCL	PART WARRANTY CLAIMS
47986	All Inbound Documents	Inbound Documents For Partner	DSPTNR	CREATE PARTNER
26560	All Inbox Codes	D7i Extended - Dataspy name	BSINBX	INBOX SETUP
34508	All Inbox Items	EWS.ADMN.UC.ExportInboxForExportConfiguration	BSEXIM	EXPORT CONFIGURATION
34352	All Inboxes	EWS.ADMN.UC.InboxesForUserGroups.doc	BSGROU BSUSER	GROUPS USER SETUP
26264	All Information Requests	Extended (product name)	WSINRQ	CREATE INFORMATION REQUEST
49269	All Inspected	AM.EQUIP.REQ.ChecklistForEquipment / EAM-45837	OSOBJA OSOBJL	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49269	All Inspected	AM.EQUIP.REQ.ChecklistForEquipment / EAM-45837	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
43341	All Inspection Results	EAM-9345	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
32733	All Inspections	21339	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
24425	All Install Parameters	Extended (product name). Installation Parameters form.	BSINST	INSTALL CODES
26430	All Interface Records	Infor EAM. Dataspy name. Refer to EWS.DCI.UC.InterfaceOverview.	YSINTF	INTERFACE OVERVIEW
40706	All Invoice Details	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
29968	All Invoice Vouchers	D7i Extended -- Invoices form -- Dataspy name, noun	PSINVO	INVOICES
27140	All Items	Infor EAM. Field label on the Generate Requisition form. Refer to PVCS 6697.	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSREQF	GENERATE REQ
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			USBGRP	BUDGET GROUPS
42751	All Job Plans	EAM.WORK.REQ.JobPlans	WSJBPL	JOB PLANS
42840	All Jobs	EAM.WORK.REQ.JobsforTaskPlans	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
26561	All KPI Codes	D7i Extended - Dataspy name	BSKPIC	DEFINING KPI ENTRIES
34351	All KPIs	EWS.ADMN.UC.KPIsForUserGroups.doc	BSEXIM	EXPORT CONFIGURATION
			BSGROU	GROUPS
			BSUSER	USER SETUP
44405	All Key/Ring Records	EAM-14803	OSKEYM	KEY MANAGEMENT
44905	All Keys	EAM-15137	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
40415	All Kit Transactions	EAM.WORK.UC.OutstandingIssuesforEmployee.docx	WSEMP	EMPLOYEES
40236	All Kits Issued Transactions	EAM.WORK.UC.TransactionsforEmployee	WSEMP	EMPLOYEES
40237	All Kits Returned Transactions	EAM.WORK.UC.TransactionsforEmployee	WSEMP	EMPLOYEES
35850	All Labor	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33389	All Languages	EWS.BASE.UC.CreateEditLanguageinLTK/22625	BSLANG	LANGUAGES
33442	All Layers	#22567-- EWS.CCTR.UC.LayersForServiceProblemCode.do	BSLGTK	LANGUAGE TOOLKIT
			BCMOBL	7I MOBILE BOILER TEXT
			CSSVPB	SERVICE PROBLEM CODES
33403	All Lines	EWS.EQUIP.UC.LinesforChangeNotice	WSGISD	MAP VIEW
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			OSCHNO	CHANGE NOTICES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
27790	All Locales	D7i Extended - Locales form	BSLOCL	LOCALE
21860	All Locations	Infor EAM - name of dataspy to view all locations	OSCHNO	CHANGE NOTICES
			OSOBJL	CREATE ASSET LOCATION
			OSKEYM	KEY MANAGEMENT
44554	All Locks	EAM-14805	SSLOTS	LOTS
23920	All Lots	Infor EAM - name of Dataspy to display all lot records in the system		
39254	All Maintenance Patterns	EAM.WORK.UC.CreateEditMaintenancePattern/38264	WSMPAT	MAINTENANCE PATTERNS
25211	All Manufacturers	Extended (product name). Default dataspy name for List view of manufacturers	SSMANU	MANUFACTURERS
			SSPART	PARTS
36414	All Mappings	EWS.ADMN.UC.MSProjectPriorityMappings.doc	RSPRIO	MS PROJECT PRIORITY MAPPINGS
39489	All Maps	EAM.GIS.UC.CreateEditMaps.doc	BSDEPT	DEPARTMENTS
			BSGMAP	CREATE EDIT MAPS
			BSUSER	USER SETUP
30729	All Markup Codes	D7i Extended -- Fleet Markup Codes -- Dataspy Name, markup=adjective	WSFMRK	FLEET MARKUP CODES
22448	All Material Lists	Infor EAM - name of dataspy	WSMATL	MATERIAL LISTS
39008	All Messages	EWS.DBADMIN.UC.ViewMessageStatus/39337	DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
			BSMPMR	MP2 METER READINGS
36071	All Meter Readings	EWS.ADMN.UC.MP2MeterReadings	OSEQMR	METER READINGS FOR EQUIPMENT
23879	All Meters	Infor EAM - name of Dataspy to display all meters in the system	OSMETE	PHYSICAL METER
			ISMETH	METHODS
27692	All Methods	Infor EAM. Refer to 5-Ind- EWS.INSF.UC.CreateEditMethod.		
36999	All Mobile Devices	EWS.ADMN.UC.CreateEditMobileDevices	BSMDEV	MOBILE DEVICES
47990	All Mobile Entities	EAM-37155 EAM.ADMN.REQ.MobileEntitiesSetup	BSMENS	MOBILE ENTITIES SETUP
33176	All Notices	22070	CSBBNT	BULLETIN BOARD NOTICES
41353	All Objectives Records	EAM-403, EAM.EQUIP.REQ.Objective EAM.WORK.REQ.ObjectivesforStrategy.docx	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
			SSPINV	PHYSICAL INVENTORY
24214	All Open	Extended (product name). This is the default dataspy name for the physical inventory form.	WSILPO	ISOLATION POINTS
46496	All Open Repairs	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
33622	All Open Requests	#22323	CSCCTR	CONTACT CENTER
27180	All Open Work Orders	D7i Extended - GIS Map Search - Dataspy	CSINRE	GUEST INCIDENT REQUEST
			CSCCGM	CONTACT CENTER MAP SEARCH

Page 74

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42042	All Part Condition Templates	EAM-4572: EAM.MATL.REQ.PartConditionTemplate.docx	SSPCMP	PART CONDITION TEMPLATE
33687	All Part Discounts	PartDicountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
38485	All Part Evaluations	EWS.MATL.UC.CreateEditPartEvaluations.doc	SSEVAL	PART EVALUATIONS
29988	All Part Hierarchy Codes	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc - dataspy text	SSH CST	PART CODE STRUCTURE
34200	All Part Inspections	EWS.MATL.UC.ViewModifyPartInspections	SSPINS	PART INSPECTIONS
34888	All Partner Jobs	EWS.DBPARTNER.UC.DatabridgePartner.JobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
36167	All Partner References	EWS.DBADMIN.UC.ReferencesforPartners	DSPTNR	CREATE PARTNER
32895	All Partners	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
21855	All Parts	Infor EAM - name of dataspy to view all parts in inventory	BSMPWO	MP2 WORK ORDERS
			OSWARR	WARRANTY
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSBRKT	BREAKUP KIT
			SSBSTK	STOCK ON STORES
			SSBUKT	BUILD KITS
			SSEVAL	PART EVALUATIONS
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSDFAC	DEFERRED MAINTENANCE
			WSMATL	MATERIAL LISTS
			WSPPTP	CREATE PICK TICKET POPUP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
33754	All Parts Associated	#21618	BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
35242	All Periods	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
32709	All Permissions	21041	BSGROU	GROUPS
24213	All Permits	Extended (product name). This is the default Dataspy name for the Permit form.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24213	All Permits	Extended (product name). This is the default Dataspy name for the Permit form.	WSJOVM WSPERM WSPMTW SSPICK	CREATE WORK ORDER PERMITS PERMIT TO WORK PICK TICKETS
23907	All Pick Tickets	Infor EAM - name of Dataspy on the Pick Tickets form to display all pick ticket records in the system		
43439	All Plan Labor	EAM.WORK.REQ.PlanLaborforPMSchedules	WSJOBS WSPPMS WSSTWO	CREATE WORK ORDER PM SCHEDULES STANDARD WOS
43438	All Plan Parts	10901: EAM.WORK.REQ.PlanPartsforStandardWO	WSPPMS WSSTWO	PM SCHEDULES STANDARD WOS
37140	All Planned Materials	EWS.PRCH.UC.PartsForRFQs/31855	PSWOPP	RETRIEVE WORK ORDER PARTS
39470	All Planned Parts	EAM.WORK.UC.PlannedPartAvailabilityPopup	WSPLPA	PLANNED PART AVAILABILITY
39701	All Planned Tools	EAM.WORK.UC.PlanToolsforWorkOrder	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
27694	All Point Types	Infor EAM. Refer to EWS.INSPE.UC.CreateEditPointType.	ISPNT	POINT TYPES
32711	All Points	21041	WSROUT	ROUTES
41334	All Policy Records	EAM-243 - EAM.EQUIP.REQ.Policy	OSPOLI	CREATE POLICY
21859	All Positions	Infor EAM - name of dataspy to view all positions	OSOBJP	CREATE POSITION EQUIPMENT
30328	All Pricing Schedules	Infor EAM. Dataspy name on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
27810	All Printers	D7i Extended - Printers form	BSDEVS	PRINTERS
26231	All Problem Codes	D7i Extended - Closing Codes - Dataspy title	OSCLCD	CLOSING CODE
25667	All Processed Lines	Extended (product name). Default Dataspy for grid on Processed Lines tab on PO Receipts.	SSRECV	PO RECEIPTS
38755	All Production Requests	37916	WSPDRQ	PRODUCTION REQUEST
27105	All Profiles	D7i Extended - Equipment Profiles - Dataspy	TSPROF	PROFILES
25655	All Project Budgets	D7i Extended - Project Budgets form	JSPRBU	Project Budget Codes
25082	All Properties	Extended (product name) Property = real estate	BSSERQ OSOVPM	PROPERTIES CREATE POSITION EQUIPMENT
26053	All Property Information	Extended (product name) Property = real estate	WSINFO	CREATE / EDIT PROPERTY INFORMATION
32937	All Providers	EWS.CCTR.UC.ProviderServiceCategory.doc	CSPROV CSPSCT	PROVIDERS SERVICE CATEGORIES
38498	All Pumps	EWS.WORK.UC.PumpsForDepots/36611	WSDEPO	DEPOTS
39843	All Purchase Orders	EAM.PRCH.UC.POUupdate.docx/45705	PSPOUP	PO UPDATE
33126	All Purchasing Contracts	EWS.PRCH.UC.CreatePurchasingContracts, 22008	PSCONT	PURCHASING CONTRACTS
27733	All Qualifications	Extended (product name); Refer to EWS.WORK.UC.CreateEditQualification.doc	OSOBJA OSOBJP OSOBJS WSEMP WSJOBA WSQUAL WSTRAD	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EMPLOYEES ARCHIVED EVENTS QUALIFICATION TRADES
25872	All Queries	D7i Extended - Queries form	BSQUER	QUERIES
39906	All Questions	EAM.EQUIP.UC.OrderQuestionsPopup	OSBURV OSHPPY OSHPRM OSHPVH OSOBJA	CALCULATE RELIABILITY RANKING INDEX CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39906	All Questions	EAM.EQUIP.UC.OrderQuestionsPopup	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRELQ	ORDER QUESTIONS POPUP
			OSSTGY	CREATE STRATEGY
35947	All Quotations	EWS.ADMN.UC.MP2Quotations	BSMPQT	MP2 QUOTATIONS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
36558	All RFQ Clauses	ClausesForRFQ	PSRFQT	REQUESTS FOR QUOTATIONS
36467	All RFQs	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
39814	All Ranks	EAM.EQUIP.UC.RanksforReliabilityRanking.docx Tracker id 45932	OSRELR	EQUIPMENT RANKINGS
47315	All Rates	EAM-30537/EAM.WORK.REQ.RatesforTrades.docx	WSSTCR	STANDARD CREWS
			WSTRAD	TRADES
35853	All Readings	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSSPMR	MP2 SPM READINGS
27408	All Reasons for Return	Infor EAM. New Boiler text for default dataspy.	SSREJR	REASON FOR RETURN
34743	All Receipts	EWS#26698	BSMPPR	MP2 PURCHASING
			SSCOMP	NON-PO RECEIPTS
			OSKEYM	KEY MANAGEMENT
26070	All Recent Transactions	Infor EAM. Dataspy name for the grid on the Transactions tab of the Stores form. Refer to PVCS 5801.	SSSTOR	STORES
			WSEMPs	EMPLOYEES
			WSTOOL	TOOLS
			BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
20107	All Records	Infor EAM - displays all the record associated with a requisitions, purchase order, etc.	BAL003	PHASE IMBALANCE
			BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL007	MISSING UTILITY INVOICES
			BAL008	WARRANTY EXPIRATION DATE ALERT
			BAL009	WARRANTY EXPIRATION USAGE ALERT
			BAL010	WORK ORDER CALCULATED PRIORITY
			BAL011	WORK ORDER STATUS ESCALATION
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BAL016	WORK ORDER GENERATION - PM SCHEDULES
			BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
			BAL018	WORK ORDER GENERATION - MPS
			BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			BSAFMP	ADDITIONAL FIELD MAPPING POPUP
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSARCH	CREATE / EDIT ARCHIVE RECORDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20107	All Records	Infor EAM - displays all the record associated with a requisitions, purchase order, etc.	BSCDSS	USER DEFINED SCREEN SETUP
			BSCLAS	CLASSES
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSCODE	ALL CODE SCREEN
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFUNC	CREATE UPDATE SCREENS
			BSINBX	INBOX SETUP
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
			BSMAPF	MAP FIELDS
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSPSET	PURCHASING SETUP
			BSREPO	CREATE / EDIT REPORTS
			BSSTAT	ALL STATUS SCREEN
			BSTYPE	ALL TYPE SCREEN
			BSUCOD	SYSTEM CODES
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			BSWSET	WORK SETUP
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQGN	EQUIPMENT GENERATION
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20107	All Records	Infor EAM - displays all the record associated with a requisitions, purchase order, etc.	OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUND	FUNDING
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSLDSE	LINEAR DIRECTION SETUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSYIPC	YEARLY INFLATION PERCENTAGE
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SSASGN	GENERATE POS
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPHST	PART NUMBER HISTORY
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRMPL	RETRIEVE MULTIPLE PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20107	All Records	Infor EAM - displays all the record associated with a requisitions, purchase order, etc.	SSRQSS	STORE TO STORE REQUISITIONS
			SSSUPP	SUPPLIERS
			USINVP	INVESTMENT PLANNING
			WSAARD	ASSET REPAIR DETAILS
			WSADJU	ADJUSTMENT
			WSARRS	PRICING SCHEDULE
			WSBWOP	BUNDLED WORK ORDERS
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMPs	EMPLOYEES
			WSFUEL	FUEL
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSMECH	MECHANIC'S WORKBENCH
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSRVCS	REVISION CONTROL SETUP
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSFMX	SAFETY MATRIX
			WSSHIF	SHIFTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVREQ	VIEW WORK REQUEST STATUS
			YSACCD	VIEW GL VALUES
43063	All References	EAM-9953 :EAM.EQUIP.REQ.LinearReferencesForclasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43063	All References	EAM-9953 :EAM.EQUIP.REQ.LinearReferencesForclasses	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38325	All Regions	36409	BSREGN	CREATE EDIT REGIONS
40246	All Relationships	EAM.EQUIP.UC.ClosingCodeHierarchy	OSCLCH	CLOSING CODE HIERARCHY
43462	All Repairs	EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder	WSJOBS	CREATE WORK ORDER
26452	All Reports	D7i Extended - Name of the dataspy on Reports screen	BSLOVS	LIST OF LOOKUPS
			BSREPO	CREATE / EDIT REPORTS
20115	All Requests for Caller	Infor EAM - used to view all service requests filtered by caller name	WSSERQ	CREATE SERVICE REQUESTS
20116	All Requests for Customer	Infor EAM - used to view all service requests filtered by customer	WSSERQ	CREATE SERVICE REQUESTS
30674	All Requisition Items	D7i Extended - List of Outstanding Requisition Items report	SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
35535	All Requisition Lines	EWS.MATL.UC.GenerateRequisitions.doc/26254	SSREQF	GENERATE REQ
23930	All Requisitions	Infor EAM - name of dataspy on the requisitions form	BSMPPR	MP2 PURCHASING
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
36262	All Reserved Parts	EWS.MATL.UC.ReservationsForParts	SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSSTOR	STORES
43046	All Resevation Requests	EAM.WORK.REQ.CustomerRentalRequest	WSCREQ	CUSTOMER RENTAL REQUESTS
38742	All Resource History Records	EWS.EQUIP.UC.ResourceHistoryPopup	OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			BSLOVS	LIST OF LOOKUPS
38572	All Resources	Resources tab on Equipment screens	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			ISMONT	MONITORED DATA
37378	All Results	EWS.WORK.UC.MonitoredDataResultsForWO	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37378	All Results	EWS.WORK.UC.MonitoredDataResultsForWO	WSJOVM	CREATE WORK ORDER
44461	All Results Records	EAM.CCTR.REQ.ResultsforCustomerSurveys	CSCSUR	CUSTOMER SURVEYS
35950	All Returns	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
33741	All Revision Control Records	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
23446	All Rights Reserved	Infor EAM - information pertaining to legal ownership of the product	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
			FCSCRN	FLAMETHROWER SCREENS
			TCCABT	7I MOBILE BOILER TEXT
44674	All Ring Keys	EAM-15134	OSKEYM	KEY MANAGEMENT
26845	All Roles	Extended (product name)	BSROLE	LDAP ROLES SETUP
40994	All Rooms	EAM.EQUIP.REQ.Rooms	OSHPRM	CREATE HOSPITALITY ROOMS
24981	All Routes	Extended (product name)	WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
28034	All Runs	Data Warehouse. All Runs. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
35869	All SPM Entries	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
22443	All Scheduled Tasks	Infor EAM - name of dataspy	DSSTSK	DATABRIDGE SCHEDULED TASKS
39689	All Scheduled Tools	EAM.WORK.UC.ScheduleToolsforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39467	All Schedules	EAM.WORK.UC.ViewModifyActivitySchedule.doc	WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
27811	All Screens	D7i Extended - Screens form - Dataspy name, noun	BSFFSP	FILTER FIELD SETUP SCREEN
			BSFUNC	CREATE UPDATE SCREENS
30700	All Segments	D7i Extended. Dataspy name. A 'Segment' identifies a portion or 'segment' of an account code. For example, you have an account code: 001-2004-09-2145. The 001 segment might identify an organization, the 2004 segment a year, the 09 segment a dept., etc.	YSACDP	ACCOUNT DETAIL SETUP
39284	All Sequences	EAM.WORK.UC.SequencesforMP / 38265	WSMPAT	MAINTENANCE PATTERNS
32938	All Service Categories	EWS.CCTR.UC.ProviderServiceCategory.doc	CSPSCT	SERVICE CATEGORIES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
24181	All Service Codes	Extended (product name). Used in Work/Service Codes as the default Dataspy title.	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24181	All Service Codes	Extended (product name). Used in Work/Service Codes as the default Dataspy title.	OSOVS WSSER	CREATE SYSTEM EQUIPMENT SERVICE CODES
36819	All Service Delivery Combinations	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVS	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
24932	All Service Requests	Extended (product name) default dataspy description	WSJOBS WSJOVH WSJOVM WSSREQ	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER SERVICE REQUESTS
32832	All Services	21541	PSBORD PSPORD PSPORH PSRFQR PSRFQT SSREQU SSSUPP	CREATE EDIT BLANKET ORDERS PURCHASE ORDERS PO HISTORY QUOTATIONS REQUESTS FOR QUOTATIONS REQUISITIONS SUPPLIERS
46608	All Sessions	EAM-28026	BSEXAL	EXPORT BASE CONFIGURATION
45270	All Sets	EAM-16279:EAM.EQUIP.REQ.Sets-Consists	OSSTCS	SETS AND CONSISTS
24392	All Shifts	Extended (product name). Shifts form.	WSOPSS WSSHIF	OPTIMIZED SCHEDULER SETUP SHIFTS
26242	All Shutdowns	Extended (product name)	JSSHUT	SHUTDOWNS
42458	All Specific	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
25050	All Standard WOs	Extended (product name)	WSSTWO	STANDARD WOS
37147	All Statuses	30991	BSGROU BSIPCF	GROUPS ADVANCED MAINTENANCE PLANNING CONFIGURATION
30531	All Stock	D7i Extended - List of Stock report	BSSRES SSPART SYLOWL SZLOWL	STATUS REQUIREMENT SETTINGS POPUP PARTS Overview Of Stock Overview Of Stock
38135	All Store Groups	35334	SSPRCC	STORE GROUPS
31484	All Store-to-Store Issues	Refer to EWS.MATL.UC.StoretoStoreIssues.doc.	SSIUSS	STORE TO STORE ISSUES
21856	All Stores	Infor EAM - name of dataspy to view all stores	BSGROU SSLOTS SSPART SSSTOR	GROUPS LOTS PARTS STORES
41332	All Strategy Records	EAM-400:EAM.EQUIP.REQ.Strategy	OSPOLI OSSTGY	CREATE POLICY CREATE STRATEGY
32426	All Structures	EWS.BUD.UC.BudgetStructure.doc	USBSTR	BUDGET STRUCTURE
32528	All Sub-projects	20405	JSPROJ	PROJECTS
43839	All Substitute Parts	EAM-12897	SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24386	All Supervisors	Extended (product name). Work module, Supervisors form.	WSSUPR	SUPERVISOR
39690	All Supplier Rates	EWS.WORK.UC.SupplierRatesForTrade	WSTRAD	TRADES
25903	All Supplier Returns	Extended (product name). This is the default Dataspy name for the Supplier Returns form. Refer to PVCS 5637.	SSRETN	SUPPLIER RETURNS
23854	All Suppliers	Infor EAM - name of default dataspy for the supplier form	JSCUES OSHPPY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM PSRFQT SSPART SSSUPC SSSUPL SSSUPP	CU ESTIMATES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT REQUESTS FOR QUOTATIONS PARTS CUSTOMERS SUPPLIER LOOKUP SUPPLIERS
44378	All Surveys	EWS.MATL.UC.InforEAMSuppliersfor7iBuyVendors/27952	SSIPVN	7I BUY VENDORS
48259	All Symptoms	EAM- 14611	CSCSUR	CUSTOMER SURVEYS
21858	All Systems	EAM-41717 EAM.EQUIP.REQ.ClosingCodes	OSCLCD	CLOSING CODE
		Infor EAM - name of dataspy to view all systems	OSOBJS OSOVSM	CREATE SYSTEM EQUIPMENT CREATE SYSTEM EQUIPMENT
34831	All Tables	26984	BSDLUS BSDTCV BSLOVS BSTABL	DATA LAKE UPLOAD SETUP DATA CONVERSION (MP2) LIST OF LOOKUPS POP-UP FUNCTION FOR TABLE LOOKUP
35615	All Tables Converted	EWS.ADMN.UC.SummaryforDataConversions	BSDTCV	DATA CONVERSION (MP2)
45550	All Tabs	Default Dataspy EAM-21108	BSGROU	GROUPS
38419	All Tanks	EWS.WORK.UC.TanksForDepots/36610	WSDEPO WSFUPI	DEPOTS PHYSICAL INVENTORY FOR FUEL
38490	All Tanks/Pumps	EWS.WORK.UC.TankPumpsForDepots.doc	WSDEPO	DEPOTS
23903	All Task Plans	Infor EAM - name of Dataspy on the Tasks form that will display all task records in the system	WSTASK	TASKS
24370	All Tax Codes	Extended (product name). Default Dataspy name for the Tax Codes form.	SSTAXS	TAX CODES
25504	All Tax Rate Types	Extended (product name). Default Dataspy for Tax Rate Types.	SSTXTP	TAX RATE TYPES
24401	All Tax Rates	Extended (product name). Default Dataspy name.	SSTAXH	TAX RATES
35949	All Taxes	EWS.ADMN.UC.MP2Purchasing	BSMPPR SSSTOR	MP2 PURCHASING STORES
37826	All Templates	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
32707	All Test Points	21041	OSHPPY OSHPRM OSHPVH	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32707	All Test Points	21041	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32704	All Text	EWS.ADMN.UC.TextforReports	BSFUNC	CREATE UPDATE SCREENS
			BSLANG	LANGUAGES
			BSREPO	CREATE / EDIT REPORTS
25500	All Tools	Extended (product name)	BSDEPT	DEPARTMENTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTOOL	TOOLS
32830	All Tools Usage Entries	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
24382	All Trades	Extended (product name). Administration module, Trades form.	WSTRAD	TRADES
26421	All Transaction Prompts	Infor EAM. Default Dataspy name for the transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
22447	All Transactions	Infor EAM - name of dataspy	BSINTR	MP2 INVENTORY TRANSACTIONS
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			WSEMPs	EMPLOYEES
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSTOOL	TOOLS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22447	All Transactions	Infor EAM - name of dataspy	WZVRHS	VEHICLE RENTAL HISTORY
36485	All Transfer Fees	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
36512	All Transfers	TransfersforEmployee/30778	WSEMP5	EMPLOYEES
38699	All Triggers	StatuschangeForIntegratedPlanningConfiguration	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
38979	All Types	StatusChangeTriggersforIntegratedPlanningConfigura	BSFFSP	FILTER FIELD SETUP SCREEN
			BSFFTP	SELECT TYPES
			BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
24045	All UOMs	Infor EAM - name of dataspy to display all units of measure	BSUOMS	UOM SETUP
46609	All Unexported Sessions	EAM-28026	BSEXAL	EXPORT BASE CONFIGURATION
24950	All Unfinished PO Receipts	Extended (product name). Name of the default dataspy for the PO Receipts form.	SSRECV	PO RECEIPTS
30013	All Unfinished Receipts	D7i Extended - Materials - Create/Edit Internal Repair Receipts - Default dataspy description	SSRCVI	INTERNAL REPAIR RECEIPTS
			SSSTSR	STORE TO STORE RECEIPTS
47489	All Unmatched Cost Lines	Unmatched Cost Lines for Invoice Voucher	PSINVO	INVOICES
34832	All Uploads	26984	BSDTCV	DATA CONVERSION (MP2)
39691	All User Defined Grids	ExportUserDefinedGridsforExportConfiguration/42215	BSEXIM	EXPORT CONFIGURATION
43784	All User Defined Screens	EAM.ADMIN.REQ.UserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
24420	All User Groups	Extended (product name). Administration module - User Groups form.	BSAUTH	STATUS AUTHORIZATION
			BSCHRT	CHART SETUP
			BSGROU	GROUPS
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSGRPU	USERS PER GROUP
			BSIMUS	IMPORT USERS
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
37504	All Utility Bills	EWS.DBADMIN.UC.CreateEditPartners.doc 31976: Utility Bill tab for Invoice Vouchers	BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			PSCARD	CREDIT CARDS
			WSAPPL	APPROVAL LISTS
			DSPTNR	CREATE PARTNER
			PSINVO	INVOICES
			OSRELN	NORMALIZE LEVEL POPUP
			BSMPWO	MP2 WORK ORDERS
			OSHPVH	CREATE VEHICLE EQUIPMENT
39889	All Values	EAM.EQUIP.UC.NormalizeLevelPopup	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSBFUL	BATCH FUEL ISSUES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSMPQT	MP2 QUOTATIONS
35854	All Variables	EWS.ADMN.UC.MP2WorkOrders		
41167	All Vehicles	EAM.EQUIP.REQ.Vehicles		
33714	All Vendor Labor	EWS.WORK.UC.BookVendorHoursForWorkOrder.doc/ #23129		
35948	All Vendors	EWS.ADMN.UC.MP2Quotations		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46553	All Views	EAM.ADMN.REQ.Views	BSVIEW	VIEWS
39433	All WO Activities	40522	WSGWOD	GIS MAP WO DISPATCHING
			WSWLSH	WO LABOR SCHEDULING
37640	All WO Authorizations	EWS.ADMN.UC.WorkOrderAuthorizationsforGroups	BSGROU	GROUPS
39635	All WO Differences	Tracker id 43912 - Create/Edit Work Order	WSUWOD	UNSIGNED WO DIFFERENCES
41057	All WO Equipment Types	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP	FILTER FIELD SETUP SCREEN
			BSFFWP	SELECT WO EQUIPMENT TYPES
38788	All WO Resources	37888 /	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
		EWS.WORK.UC.ProductionRequestPreviewforGen		
38724	All WO Types	37630	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
21862	All Warranties	Infor EAM - name of dataspy to view all warranties	OSWARR	WARRANTY
43517	All Warranty Claims	EAM-10425	OSHFPY	CREATE HOSPITALITY FACILITIES
		EAM.EQUIP.REQ.WarrantyClaimsforEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
34925	All Web Service Prompts	EWS.ADMN.UC.CreateEditWebServicePrompts	BSEXIM	EXPORT CONFIGURATION
			BSWSPM	WEB SERVICES PROMPT
35116	All Web Services	WebServicesforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
39190	All Work Order Activities	EAM.WORK.UC.WOActivityPreviewforWOLaborScheduling	WSWLSH	WO LABOR SCHEDULING
22457	All Work Orders	Infor EAM - name of dataspy	BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			JSCAMP	CAMPAIGN
			OSVCST	COSTS FOR EQUIPMENT
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSWOUP	WO UPDATE
49110	All Work Points	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
35856	All Work Requests	EWS.ADMN.UC.MP2WorkRequests	BSMPWR	MP2 WORK REQUESTS
			WSWREQ	WORK REQUEST
44970	All Workspaces	EAM-15651	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44970	All Workspaces	EAM-15651	WSEMP	EMPLOYEES
47033	All data for this line will be cleared. Continue?	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
12564	All documents		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
23906	All eRecords	Infor EAM - name of Dataspy on the eRecords form that will display all records in the system	BSESIG	ERECORDS LIST
		Infor EAM - name of dataspy to display all electronic records in the system	BSEREC	ELECTRONIC RECORD SETUP
46310	All filters have been cleared!	GIS	BCMOBL	7I MOBILE BOILER TEXT
35050	All iProcure Vendors	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	SSIPVN	7I BUY VENDORS
12528	All items		STREQL	List Of Outstanding Requisition Items
12628	All lines	Purchase orders, requests for quotations have a header and a number of detail lines.	PSINVO	INVOICES
12682	All previous revisions are no longer valid		PTORDF	Print Purchase Order
30284	All previous revisions are no longer valid.	D7i Extended - Print Purchase Order report	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WZCCON	PRINT CUSTOMER CONTRACT
12783	All requisition items		STREQL	List Of Outstanding Requisition Items
12537	All stock	This is selection criteria on the list of stock report and if selected, MP5 will displays all stock records.	STLOWL	Overview Of Stock
12532	All work orders		JZJOBL	LIST OF JOBS FOR PROJECT
49709	Allocated Costs	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
30539	Allocated Qty	D7i Extended - List of Stock report	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
21178	Allocated Qty.	Infor EAM - Quantity Allocation - the number of parts that are reserved and the reservation is firm, i.e. the parts are not available for other work orders. Changed from 'Qty. Allocated' to 'Allocated Qty.' based on PM/QA decision.	SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSSTOR	STORES
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPLPA	PLANNED PART AVAILABILITY
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSVITE	WORK ORDER QUICK ENTRY
31057	Allocated Quantity	D7i Extended - Parts Currently Reserved/Allocated report	WZMATL	MATERIAL REQUIREMENT ANALYSIS
32581	Allocated To Other WOs	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
12254	Allocated qty	The situation where spare parts are reserved and the reservation is firm, i.e. the parts are not available for other work orders.	STLOWL	Overview Of Stock
49714	Allocation %	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
42808	Allow Activities on Different Sessions	EAM-9489	WSWLSH	WO LABOR SCHEDULING
49509	Allow Budget Roll Over	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43806	Allow Cancelling of WO Daily Scheduling Sessions	EAM-12927	BSUSER	USER SETUP
45900	Allow Changes to Mobile Settings	EAM-24263-EAM.ADMN.REQ.MobileSettingsforUserGroups	BSUSER	USER SETUP
47142	Allow Contains Search in Dataspy and Quick Filter	EAM-31850	BSUSER	USER SETUP
45056	Allow Creating Import Utility Template	EAM-16221	BSUSER	USER SETUP
38861	Allow Dataspy Advanced Filters	EWS.ADMN.UC.CreateEditUsers - Tracker id 37873	BSFUNC	CREATE UPDATE SCREENS
36591	Allow Dataspy Edits	30921	BSUSER	USER SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSUSER	USER SETUP
40962	Allow Duplicate Open WOs	EAM.WORK.UC.CreateEditMaintenancePattern	WSMPAT	MAINTENANCE PATTERNS
49508	Allow Early Investments	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINV	INVESTMENT PLANNING
39781	Allow Editing of Other's Comments	EAM.ADMN.UC.CreateEditUsers	BSUSER	USER SETUP
39782	Allow Editing of Own Comments	EAM.ADMN.UC.CreateEditUsers	BSUSER	USER SETUP
41149	Allow Global Dataspy Configuration	EAM-568	BSFUNC	CREATE UPDATE SCREENS
39750	Allow Labor Bookings	EAM.WORK.UC.BookPOLabor	WSBKPO	BOOK PO LABOR
			BSUSER	USER SETUP
49694	Allow Mobile Sync Configuration	EAM-50906-EAM.ADMN.REQ.Users	BSUSER	USER SETUP
41346	Allow Move WO(s)	EAM-1919.EQUIP.REQ.ParametersforAssetInventory	OSAINV	ASSET INVENTORY
38315	Allow Negative Tank Volumes	EWS.WORK.UC.CreateEditDepots/36537	WSDEPO	DEPOTS
35694	Allow New Contact to be Saved on Service Request	EWS.CCTR.UC.CallCenterSetup/SCR#28638	CSCCSP	CONTACT CENTER SETUP
30668	Allow Numeric	Analytics - Checkbox label - users will select this checkbox to indicate that numeric values can be entered in conjunction with a symbol, e.g., the system allows you to enter <3	BSOSYM	ANALYTICS SYMBOLS
47762	Allow Operator Checklist	EAM-37492:EAM.EQUIP.REQ.AddEditLevelspopup	OSOBJA OSOBJP OSOBJS OSRRLP	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT ADD / EDIT LEVELS POPUP
41336	Allow Physical Location Updates	EAM-1919.EQUIP.REQ.ParametersforAssetInventory	OSAINV	ASSET INVENTORY
43113	Allow Prepayments	EAM.PRCH.REQ.PartsforPO	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
33383	Allow Request to be Closed while WO is Open	Contact Center Setup - SCR 22087	PSPORD	PURCHASE ORDERS
			CSCCSP	CONTACT CENTER SETUP
45055	Allow Screen Cache Setup	EAM-16221	BSUSER	USER SETUP
27060	Allow Service Request Creation	Extended (product name)	WSCALP WSDEBS	ADD EDIT CALLER CREATE CUSTOMER
37112	Allow Session Approval with Active Warnings	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
38314	Allow Tank Volumes Greater than Capacity	EWS.WORK.UC.CreateEditDepots/36537	WSDEPO	DEPOTS
33461	Allow Trade Rate to be Zero	EWS.WORK.UC.LaborforBatchWOUpdate.doc, SCR#22299	WSWOBU	BATCH WORK ORDER UPDATE
47333	Allow Update Field Option	EAM-18525:EAM.ADMN.REQ.Users	BSUSER	USER SETUP
45057	Allow Viewing Audit Trail	EAM-16221	BSUSER	USER SETUP
46832	Allow Viewing Private Notebook	EAM.ADMN.REQ.Users	BSUSER	USER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46504	Also used when manually creating a new observation for an existing nonconformity on the Nonconformity Observations screen.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46505	Also, see the setting for the related Auto Skip Status. If you leave this value blank the system will prevent closing the work order.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
44553	Alt. Desk Location	EAM-14833	WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
36678	Alternate Catalog Reference Details	Shotgun Tracker id 31339	SSCREF	CATALOG REFERENCES
36674	Alternate Catalog References	Shotgun Tracker id 31339	SSPART	PARTS
			SSSUPP	SUPPLIERS
20527	Alternate Contact	Infor EAM - field to enter the name of a secondary contact	WCSRQ	CUSTOMER SERVICE PORTAL
34533	Alternate Delivery Address	26418	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			SSREQU	REQUISITIONS
33700	Alternate Flow Details	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
33699	Alternate Flows	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
42319	Alternate Keys	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
42769	Alternate Parameter Name	EAM.ADMN.REQ.DefineURLParameterPopup	BSURLP	DEFINE URL PARAMETERS
24017	Alternate Part	Infor EAM - identifies thecode of the part that will designated as an alternate to the current part record	SSPART	PARTS
34155	Alternate Text	EWS.ADMN.UC.GlobalTextChange.doc	BSBOIL	GLOBAL TEXT CHANGES
48325	Alternate UOM	EAM.ADMN.REQ.UOM.doc / UC EAM.ADMN.REQ.AlternateUOMforUOM	BEAUMS	WEBSERVICE INTERFACE FOR ALTERNATE UOMS
			BSUOMS	UOM SETUP
35638	Always Displayed	EWS.CREP.UC.UserGroupConfiguration	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
41958	Amber	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
41967	Amethyst	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
12595	Amount		CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
			OSCLAI	WARRANTY CLAIMS
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
			PSINVO	INVOICES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UYBUML	LIST OF BUDGETS (TOP LEVEL)
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUML	LIST OF BUDGETS (TOP LEVEL)
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12595	Amount		WZCIND WZPSCR WZVTKT YSPRCD	CUSTOMER INVOICE DETAIL PROJECT SUMMARY CHART VEHICLE TICKET REPORT GL PROCESS DEFINITIONS
40356	Amount Invoiced	Amount Invoiced	WSCCON	CUSTOMER CONTRACTS
35931	Amount Paid	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
32377	Amount Received	EWS.CREP.UC.PurchaseOrderStatus.doc	BSMPPR PYORDS PZORDS	MP2 PURCHASING PURCHASE ORDER STATUS PURCHASE ORDER STATUS
47471	An SSL error has occurred and a secure connection to the server cannot be made.	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
46209	An error has occurred on line no.:	PORceipt Service	BCMOBL	7I MOBILE BOILER TEXT
46273	An error occurred while applying updates to the :param1 layer object with id :param2: (:param3) :param4.	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
46272	An error occurred while applying updates to the :param1 layer: (:param2) :param3 :param4.	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
46303	An error occurred while attempting to load the local map files. Please sync and try again.	GIS	BCMOBL	7I MOBILE BOILER TEXT
46275	An error occurred while estimating cache size. Ensure that the Basemap is available and that the requested LODs and/or extent do not exceed the servers export tile limit.	GIS	BCMOBL	7I MOBILE BOILER TEXT
46287	An error occurred while loading GIS data from local device. Please sync and try again.	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
46285	An error occurred while loading the Base Map from local device. Please sync and try again.	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
25263	An overlap of booked hours is not allowed.	Crossbow. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	TCJBKL	7I MOBILE BOILER TEXT
46274	An unknown error occurred while estimating cache size	GIS	BCMOBL	7I MOBILE BOILER TEXT
29315	Analytics	Extended (product name); refer to pvcs 11418	BSROLE BSUSER	LDAP ROLES SETUP USER SETUP
32927	Analytics 7.8 compatible variables	21777	OPSVAR	ANALYTICS 7.8 VARIABLES
30899	Analytics Attributes	Analytics grid name	BSWHSE	DATA WAREHOUSE
30901	Analytics Charts	Analytics grid name - charts = noun	BSWHSE	DATA WAREHOUSE
30900	Analytics Reports	Analytics grid name - Reports = noun	BSWHSE	DATA WAREHOUSE
30898	Analytics Symbols	Analytics grid name	BSWHSE	DATA WAREHOUSE
30897	Analytics Units	Analytics grid name	BSWHSE	DATA WAREHOUSE
30902	Analytics Variable Definitions	Analytics grid name	BSWHSE	DATA WAREHOUSE
22739	Analytics Variable ID	Infor EAM - please see Lee Shinn for an explanation of this	BMOPSV	OPS PACKAGE
22637	Analytics Variable Num.	Infor EAM - please see Lee Shinn for an explanation of this	BMOPSV	OPS PACKAGE
31086	Analytics Variables Cache	Analytics. Boiler text for grid ASCACH.	BSWHSE	DATA WAREHOUSE
31094	Analytics foreign org variables	Analytics	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28258	Analyze Table	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
24112	And	Crossbow. Conjunction between two words A conjunction between 2 words	TCCFLT	7I MOBILE BOILER TEXT
			OYCOEM	CO2E EMISSIONS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
38675	Annual CO2e Cost (B)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38673	Annual CO2e Emissions (B)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38676	Annual CO2e Emissions Cost Savings	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38674	Annual CO2e Emissions UOM (B)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
34474	Annual Demand	EWS.CREP.UC. EOQAnalysis	SYEOQA	EOQ Analysis
			SZEOQA	EOQ Analysis
38668	Annual Energy Cost (B)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38669	Annual Energy Cost Savings	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
40032	Annual Energy Use for Equipment:	#47067	OZAESD	ANNUAL ENERGY USE
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
38433	Annual Non-PM Cost	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38665	Annual Non-PM WO Cost (B)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38666	Annual Non-PM WO Cost Savings	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38426	Annual PM Cost	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38661	Annual PM WO Cost (B)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38662	Annual PM WO Cost Savings	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
34141	Annualized Qty. Demanded	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
39862	Answer	EAM.EQUIP.UC.AddEditAnswersPopup	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSSTGY	CREATE STRATEGY
			OZRELS	PRINT RELIABILITY SURVEY
44423	Answer Code	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSCSUR	CUSTOMER SURVEYS
			CSSURA	SURVEY ANSWERS POPUP
39858	Answer Details	EAM.EQUIP.UC.AddEditAnswersPopup	OSRELA	ADD / EDIT ANSWERS POPUP
44425	Answer Sequence	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSSURA	SURVEY ANSWERS POPUP
39834	Answers	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	BSLOVS	LIST OF LOOKUPS
			OSRELR	EQUIPMENT RANKINGS
38158	Apache	EWS.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN
30355	Applicable Exchange Rate	D7i Extended -- EWS.REP.UC.WorkOrderCostByEquipment	OHOCS	Job Costing By Object Cost
			OZOCST	Job Costing By Object Cost

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23443	Application	Infor EAM - Name identifying the type of application, e.g., portlet, iProcure, etc.	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
31157	Application Server	D7i Extended - label for the field on the About box of D7i Extended that will display the type of application server running	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
36211	Application Server URL	EWS.ADMN.UC.AdministrationSetup / SCR# 29079	BSBSET	ADMIN SETUP
26298	Application Version	D7i Extended - About Box label	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
17552	Apply	Crossbow	FCSCRN	FLAMETHROWER SCREENS
			BCMOBL	7I MOBILE BOILER TEXT
			TCCCNF	7I MOBILE BOILER TEXT
			TCCFLT	7I MOBILE BOILER TEXT
			TCCLOV	7I MOBILE BOILER TEXT
48509	Apply Class to Children	EAM-31685	BSVMRS	VMRS CODES
47252	Apply Filter On Map	EAM.MOBILE.REQ.NonconformitiesforMapView.doc	BCMOBL	7I MOBILE BOILER TEXT
45854	Apply Ranking Values to Selected Equipment	EAM-19885: EAM.EQUIP.REQ.EquipmentforBatchUpdateER	OSBURV	CALCULATE RELIABILITY RANKING INDEX
44703	Apply Service Code to Children	EAM-14733	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
37074	Apply Structure Change Cost to Child	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
37073	Apply Structure Change Cost to Parent	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
44606	Apply Supplier to Children	EAM-14726 - EAM.EQUIP.REQ.SuppliersForEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
40897	Apply To	EAM-398	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			WZCCON	PRINT CUSTOMER CONTRACT
41927	Apply to Children	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BSCLAS	CLASSES
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41927	Apply to Children	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSHZRD	HAZARDS
			WSSFMX	SAFETY MATRIX
40417	Apply to Each Invoice	EAM-81.WORK.REQ.DiscountsForContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
33649	Apply to Each PO	EWS.PRCH.UC.OrderDiscountsforPurchasingContract.do	PSCONT	PURCHASING CONTRACTS
			SSPART	PARTS
40595	Apply to Full Amount	EAM-83 EAM.WORK.REQ.DiscountsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
46738	Apply to Route/ROW	EAM-28265:EAM.EQUIP.REQ.LinearReferencesForEquip me	OSEQLR	LINEAR REFERENCES FUNCTION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46210	Applying GIS Map data edits...	GIS	BCMOBL	7I MOBILE BOILER TEXT
38009	Appropriation Date	EWS.WORK.UC.CreateEditCapitalPlanningRequests	OSOBTV	OBJECTIVES
			USINVP	INVESTMENT PLANNING
			WSCPRQ	CAPITAL PLANNING REQUEST
			OSGRTE	CREATE ROUTE WORK ORDER
17502	Approval		PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			WSINVC	CUSTOMER INVOICES
			BSWHSE	DATA WAREHOUSE
			BSDOCA	DOCUMENTS
40281	Approval Date	EAM-57.WORK.REQ.CustomerInvoices	OSGRTE	CREATE ROUTE WORK ORDER
28918	Approval Dates	Data warehouse Dimension table name.	WSAPPH	REVISION CONTROL HISTORY
27725	Approval List	Extended (product name); Refer to EWS.WORK.UC.CreateEditRCApprovalList.doc	WSAPPL	APPROVAL LISTS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
			BSLOVS	LIST OF LOOKUPS
30207	Approval Lists	Extended (product name); Refer to		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35922	Approval Status	EWS.WORK.UC.CreateMaterialList.	BSMPPR	MP2 PURCHASING
19806	Approve	EWS.ADMN.UC.MP2Purchasing This is a button that when clicked changes the status of a pick list to approved	ISAPRF SSAREQ SSREQS SSVREQ WSAPPR WSAREQ WSVREQ WSWREQ	APPROVE INSPECTION RESULTS VIEW/APPROVE PURCHASE REQUISITION CREATE PURCHASE REQUISITION VIEW PURCHASE STATUS REVISION CONTROL APPROVAL VIEW/APPROVE WORK REQUEST VIEW WORK REQUEST STATUS WORK REQUEST
35494	Approve All Parts	EWS.MATL.UC.ActiveLinesforPORceipts / 27016	SSRECV	PO RECEIPTS
49084	Approve Estimate	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
28296	Approve Order	D7i Extended -- Blanket Orders form -- Field label, verb	BZBL0D PSBORD PYBPOL PZBPOL	ELECTRONIC RECORDS FOR BLANKET ORDERS CREATE EDIT BLANKET ORDERS BLANKET ORDER LIST BLANKET ORDER LIST
46257	Approve PO Receipt	PO Receipt	BCMOBL	7I MOBILE BOILER TEXT
35495	Approve Part	EWS.MATL.UC.ActiveLinesforPORceipts / 27016	SSRECV	PO RECEIPTS
37154	Approve Session	EWS.WORK.UC.ForecastingforPMForecasting	OSAINV WSPMPL	ASSET INVENTORY PM FORECASTING
12102	Approved	The status of a purchase order, requisition, quotation, etc.normally set after printing. No changes are possible when in this status.	BSLOVS BZEALD BZINVD BZORDD BZPICD BZPRJD OSAINV PHHISL PZHISL	LIST OF LOOKUPS ELECTRONIC RECORDS FOR ELECTRONIC RECORDS FOR INVOICES ELECTRONIC RECORDS FOR PURCHASE ORDERS ELECTRONIC RECORDS FOR PICK LISTS ELECTRONIC RECORDS FOR PROJECTS ASSET INVENTORY Purchase History Purchase History
48964	Approved As-Built CU Estimate	EAM.PROJ.REQ.Project	WSAPPH	REVISION CONTROL HISTORY
49113	Approved As-Built CU Estimate Org.	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
23899	Approved By	Infor EAM - person who approved the record	JSPROJ BSLOVS BSMPPR BZOBJD OSEC0N OSOBTV OSPOLI OSRCMT OSSTGY PSINVO PSPORD PSPORH SSIUS SSPICK SSPINV SSRCVI SSREQS	PROJECTS LIST OF LOOKUPS MP2 PURCHASING ELECTRONIC RECORDS FOR EQUIPMENTS CREATE EQUIPMENT CONFIGURATION OBJECTIVES CREATE POLICY RCM TEMPLATES CREATE STRATEGY INVOICES PURCHASE ORDERS PO HISTORY STORE TO STORE ISSUES PICK TICKETS PHYSICAL INVENTORY INTERNAL REPAIR RECEIPTS CREATE PURCHASE REQUISITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23899	Approved By	Infor EAM - person who approved the record	SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
			SSVREQ	VIEW PURCHASE STATUS
			USBUDG	BUDGETS
			WSAPPR	REVISION CONTROL APPROVAL
			WSCCON	CUSTOMER CONTRACTS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
48962	Approved CU Estimate	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
49111	Approved CU Estimate Org.	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
32690	Approved Customer Charges	20860- EWS.WORK.UC.GenerateInvoicesPopup.doc	WSINVP	GENERATE INVOICES
23171	Approved Date		BSMPPR	MP2 PURCHASING
			BSWHSE	DATA WAREHOUSE
23175	Approved Day of Month		BSWHSE	DATA WAREHOUSE
23176	Approved Day of Year		BSWHSE	DATA WAREHOUSE
23183	Approved Half Year		BSWHSE	DATA WAREHOUSE
48963	Approved In Progress CU Estimate	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
49112	Approved In Progress CU Estimate Org.	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
23177	Approved Last Day in Month		BSWHSE	DATA WAREHOUSE
23179	Approved Month Number		BSWHSE	DATA WAREHOUSE
32527	Approved Projects	20405	JSPROJ	PROJECTS
34181	Approved Qty.	EWS.MAT1.UC.InstructionsforInspections	SSPINS	PART INSPECTIONS
23181	Approved Quarter		BSWHSE	DATA WAREHOUSE
40959	Approved Revision Only	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
23172	Approved Running Day Number		BSWHSE	DATA WAREHOUSE
23174	Approved Running Month Number		BSWHSE	DATA WAREHOUSE
23173	Approved Running Week Number		BSWHSE	DATA WAREHOUSE
23178	Approved Week Number		BSWHSE	DATA WAREHOUSE
23184	Approved Year		BSWHSE	DATA WAREHOUSE
23180	Approved Year-Month		BSWHSE	DATA WAREHOUSE
23182	Approved Year-Quarter		BSWHSE	DATA WAREHOUSE
33739	Approved/Rejected By	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
12308	Approver	The code of the R5 user who has done the approval.	BZEALD	ELECTRONIC RECORDS FOR
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			JSPROJ	PROJECTS
			PHORDF	Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12308	Approver	The code of the R5 user who has done the approval.	PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SSREQF	GENERATE REQ
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STRETF	Print Goods Return Note
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			WSAPPH	REVISION CONTROL HISTORY
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			WSAPPR	REVISION CONTROL APPROVAL
33737 15286	Approver Name Approvers	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
			BSLOVS	LIST OF LOOKUPS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			BSLOVS	LIST OF LOOKUPS
37392 40025	Apr :YEAR Apr.	EWS.WORK.UC.ForecastingforPMForecasting.doc #47067	WSAPPR	REVISION CONTROL APPROVAL
			WSPMPL	PM FORECASTING
			CZISGH	INCIDENT SUMMARY GRAPH
			SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
33963	April	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES
46258 46259 48014	ArcGIS Password ArcGIS Username ArcGIS credential information has been cleared!	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
		GISSettings	BCMOBL	7I MOBILE BOILER TEXT
		GISSettings	BCMOBL	7I MOBILE BOILER TEXT
26417	Archive Column	Infor EAM. Block label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSLOVS	LIST OF LOOKUPS
			TSASTP	DC TRANSACTION PROMPT
33089	Archive Number	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
33093	Archive Options	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
33107	Archive Record	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
33092	Archive Through	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
33091	Archived By	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
47138	Archived Events		OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47138	Archived Events		OSOBJP OSOBJS WSJOBA	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT ARCHIVED EVENTS
47141	Archived Transactions		SSPART SSSTOR	PARTS STORES
28243	Are you sure you want to cancel changes?	Barcode	FCSCRN	FLAMETHROWER SCREENS
44220	Are you sure you want to change the organization?	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
46308	Are you sure you want to reload the map view with the latest data?	GIS	BCMOBL	7I MOBILE BOILER TEXT
19961	Area	WMJOBS Service request sub-tab...the genera area where the service request will be performed.	BCMOBL BZOSRQ CSCASE CSCCTR CSCMTK CZCASE WHJOB WHWOSH WSJOBS WSJOVH WSJOVM WSLOGS WSSERQ WSSREQ WSVSER WTJOB WYJOB WYWOSH WZJOB WZSRQO WZSRSC WZTSRQ WZWOSH TCSVRQ OZDSTP OZHSTP	7I MOBILE BOILER TEXT OPEN SERVICE REQUESTS CASE MANAGEMENT CONTACT CENTER CASE MANAGEMENT TASKS CASE MANAGEMENT REPORT PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER CREATE / VIEW SERVICE LOGS CREATE SERVICE REQUESTS SERVICE REQUESTS VIEW SERVICE REQUESTS Job Cards PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER SERVICE REQUEST OVERVIEW GOLDMAN SACHS SERVICE REQUEST BY SERVICE CODE TOTAL SERVICE REQUESTS PRINT SHORT WORK ORDER CARDS 7I MOBILE BOILER TEXT DAILY SHORT TERM PLANNING - HERTZ HOURLY SHORT TERM PLANNING - HERTZ
35289	Area Organizations	#28171	BSDTCV	DATA CONVERSION (MP2)
39610	Area measured in Sq. Ft.	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46289	Area not available in current map	GISSettings	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34380	extent Area with 3-D Visual Effect	26376	OHWOCS OZWOCs	WORK ORDER COST SUMMARY GRAPH WORK ORDER COST SUMMARY GRAPH
35055	Arranged WO Types	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
33802	Article Status	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
33020	Article Text	EWS.CCTR.UC.KBAdmin	CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
33314	Articles Needing Update	21970	CSKBAD	KNOWLEDGE BASE ADMINISTRATION
33798	Articles with Service Codes	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
27594	As Found	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
		D7i Extended - Calibrations	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
27595	As Left	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
		D7i Extended - Calibrations	OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
38894	As Left data already exists for the selected test point. This data will be overwritten with the current As Found data. Do you want to continue?	22164 WO Calibrations - tolerance is always equa	TCJCDE	7I MOBILE BOILER TEXT
15090	As entered below		REPORT	General Report Function
48773	As part of the acknowledgement, copies all user defined field values to the acknowledged observation from another observation of the nonconformity.	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48781	As part of the acknowledgement, copies the Importance to the acknowledged observation from another observation of the nonconformity, or from the header nonconformity itself.	EAM-46913-EAM-46913	OSNCSP	NONCONFORMITIESSETUP
48779	As part of the acknowledgement, copies the Intensity to the acknowledged observation from another observation of the nonconformity, or from the header nonconformity itself.	EAM-46913-EAM-46913	OSNCSP	NONCONFORMITIESSETUP
48782	As part of the acknowledgement, copies the Next Inspection Date Override to the acknowledged observation from another observation of the nonconformity, or from the header nonconformity itself.	EAM-46913-EAM-46913	OSNCSP	NONCONFORMITIESSETUP
48772	As part of the acknowledgement, copies the Severity to the acknowledged observation from another observation of the nonconformity, or from the header nonconformity itself.	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48780	As part of the acknowledgement, copies the Size to the acknowledged observation from another observation of the nonconformity, or from the header nonconformity itself.	EAM-46913-EAM-46913	OSNCSP	NONCONFORMITIESSETUP
15246	Ascending		BCMOBL BSJSDN FCSCRN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT FLAMETHROWER SCREENS
12695	Aspect	The attribute of an inspection point which defines the physical property to measure, e.g. temperature.	BSDOCA BZACKD BZEPOD ISASPC ISLVAL ISMONT ISPCOP ITCHKF ITJBRT ITLAPF ITRSLF IYCHKF IYJBRT IYLAPF IYRSLF IZCHKF IZJBRT IZLAPF IZRSLF	DOCUMENTS ELECTRONIC RECORDS FOR CHECKLIST ELECTRONIC RECORDS FOR EVENT POINTS ASPECTS ASPECT PROMPT LOOKUP VALUES POPUP MONITORED DATA COPY ASPECT POINTS Inspection results Inspection Route Report List Of Points To Be Inspected LIST OF INSPECTION RESULTS Inspection results Inspection Route Report List Of Points To Be Inspected LIST OF INSPECTION RESULTS Inspection results Inspection Route Report List Of Points To Be Inspected LIST OF INSPECTION RESULTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12695	Aspect	The attribute of an inspection point which defines the physical property to measure, e.g. temperature.	OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSTGY	CREATE STRATEGY
			WHJOBFB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSTASK	TASKS
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBFB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow. An 'aspect' is an item measured during an inspection. Refer to 'Inspection Management Terms' in Chapter 8: Inspection Management of the Infor EAM User's Guide.	BCMOBL	7I MOBILE BOILER TEXT
			TCIAVI	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCIAVI	7I MOBILE BOILER TEXT
25244	Aspect Desc	Crossbow. An 'aspect' is an item measured during an inspection. Refer to 'Inspection Management Terms' in Chapter 8: Inspection Management of the Infor EAM User's Guide. This field enables the user to enter a description of the inspection aspect.		
28476	Aspect Description	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28476	Aspect Description	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27685	Aspect Details	EWS.INSP.UC.CreateEditAspect	ISASPC	ASPECTS
28398	Aspect Point Details	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
28279	Aspect Points	D7i Extended -- Work Orders form -- Boiler text for Inspections tab, noun	BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA
28714	Aspect Prompt	D7i Extended -- Monitored Data form -- noun, Results tab	ISMONT	MONITORED DATA
17153	Aspects	OBA...this is a tab name on the Monitired data form where you associate aspects with objects or categories.	BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA
24820	AssLvl	Crossbow - Asset Level	TCJACR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
29046	Assembly Level	Extended (product name). Refer to EWS.ADMN.UC.CreateEditVMRSCodes.doc	BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSVMRS	VMRS CODES
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29046	Assembly Level	Extended (product name). Refer to EWS.ADMN.UC.CreateEditVMRSCodes.doc	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZCLAI	WARRANTY CLAIM REPORT
			OZEQUD	EQUIPMENT DETAIL
			OZNCFL	LIST OF NONCONFORMITIES
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WHACTV	VMRS ACTIVITIES
			WSBFUL	BATCH FUEL ISSUES
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
			WZACTV	VMRS ACTIVITIES
			WZVMRS	VMRS ACTIVITIES CHART
49228	Assembly Levels	EAM.ADMN.REQ.EMRSCodesLookup.docx	BSLOVS	LIST OF LOOKUPS
47533	Assembly Lvl	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
18812	Assembly level	Part of the VMRS enhancement; users will be able to select a code from a list of values that further identifies the system involved (which will be entered in the System level field) (e.g., front brakes and drums)	FCGRD1	FLAMETHROWER GRID 1
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSWARR	WARRANTY
31528	Assessed Slope	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47783	Assessment	EAM-37754	SSPART	PARTS
20568	Asset	An equipment of type 'A'.	ASOBJA	ANALYTICS ASSET LIST
			BSDOCA	DOCUMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20568	Asset	An equipment of type 'A'.	OSAINV	ASSET INVENTORY
			OSAIRP	SELECT ASSETS
			OSCHNO	CHANGE NOTICES
			OSCNAP	CREATE NEW ASSETS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			OZPAIL	PRINT ASSET INVENTORY LIST
			PSPORD	PURCHASE ORDERS
			SSPACK	PACKAGES SCREEN
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQU	REQUISITIONS
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
			WSASRD	ASSIGN REPAIR DETAILS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WZCALR	CALIBRATION RECORD REPORT
			WZPFAR	PART FAILURES REPORT
		Crossbow.	BCMOBL	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
41255	Asset Class	EAM-1919.EQUIP.REQ.AssetInventory	OSAINV	ASSET INVENTORY
			OSOCDE	EQUIPMENT CLASS DEFINITION
47681	Asset Class Operational Capacity	EAM-36187:EAM.EQUIP.REQ.AssetClassOperationalCap ac	BSDOCA	DOCUMENTS
47528	Asset Code	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
47888	Asset Condition %	EAM-38196:EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
30248	Asset Dependent	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - Field mapping to indicate that the child will be dependent on the parent.	OSGFLD	ASSET FIELD LIST FOR MAPPING
25510	Asset Description	Extended (product name). Asset description field for Active Lines for PO Receipt.	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSPACK	PACKAGES SCREEN
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25510	Asset Description	Extended (product name). Asset description field for Active Lines for PO Receipt.	SSREQU	REQUISITIONS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47931	Asset Description (Translated)		SSRECV	PO RECEIPTS
26291	Asset Details	Infor EAM. Refer to PVCS 6115.	PSOBS	ASSETS FOR PO
			WSAARD	ASSET REPAIR DETAILS
46658	Asset Found	EAM-22773: InventoryResultsforAssetInventory	OSAINV	ASSET INVENTORY
43901	Asset Found at Different Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
21043	Asset ID	Infor EAM - the identification number for an asset	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			PSOBS	ASSETS FOR PO
			PSPORD	PURCHASE ORDERS
			SSBNBN	TRANSFER PARTS BETWEEN BINS
			SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSPCPCP	CHANGE PART CONDITION POPUP
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
			SSSCRCP	SCRAP PART
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SZBUKT	PRINT BUILD LIST
			SZLKIT	LIST OF KITS
			SZPRSL	PRINT RESTOCK LIST
			WSAARD	ASSET REPAIR DETAILS
			WSEMP	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSTOOL	TOOLS
			WSVITE	WORK ORDER QUICK ENTRY
			WZPFAR	PART FAILURES REPORT
25470	Asset ID cannot be empty.	Crossbow. Error message for Issue/return.	TCMRTP	7I MOBILE BOILER TEXT
40398	Asset IDs	EAM.MATL.UC.BuildKit.doc/EAM-78	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43852	Asset Inventory	EAM-13665 Support screen permission for iPad/Andro	OCINVP	MOBILE ASSET INVENTORY
		EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41259	Asset Inventory Generation Options	EAM-1919.EQUIP.REQ.AssetInventory	OSAINV	ASSET INVENTORY
41253	Asset Inventory Parameters	EAM-1919.EQUIP.REQ.AssetInventory	OSAINV	ASSET INVENTORY
43903	Asset Inventory Sessions	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
31040	Asset Manufacturer	Used for a Quick Filter on the LV tab of the Part form that refers to the Manufacturer field in the Profile Attachment (on RV tab). Another Manufacturer field is being added to the Quick Filter for SCR#7371. This is being added for the LV tab.	SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
48568	Asset Model	EAM-43954	WSJOBS	CREATE WORK ORDER
43787	Asset Not Found	EAM-9710 EAM.EQUIP.REQ.InventoryResultsforAssetInv	OSAINV	ASSET INVENTORY
31179	Asset Org	Barcoding	FCGRD2	FLAMETHROWER GRID 2
		EWS.CREP.UC.ElectronicRecords	BCMOBL	7I MOBILE BOILER TEXT
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			SSRECV	PO RECEIPTS
			SZLKIT	LIST OF KITS
			TCJCST	7I MOBILE BOILER TEXT
25511	Asset Org.	Extended (product name). Asset organization field for Active Lines for PO Receipt.	FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			OSAIRP	SELECT ASSETS
			OSCHNO	CHANGE NOTICES
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJA	CREATE ASSET EQUIPMENT
			PSOBSJ	ASSETS FOR PO
			PSPORD	PURCHASE ORDERS
			SSBUKT	BUILD KITS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SZBUKT	PRINT BUILD LIST
			SZPRSL	PRINT RESTOCK LIST
			WSASRD	ASSIGN REPAIR DETAILS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
25511	Asset Org.	Extended (product name). Asset organization field for Active Lines for PO Receipt.	WSJOVH	CREATE WORK ORDER	
			WSJOVM	CREATE WORK ORDER	
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION	
			WSVITE	WORK ORDER QUICK ENTRY	
		EAM.WORK.UC.TransactionsforEmployee.docx	BCMOBL	7I MOBILE BOILER TEXT	
			SSBRKT	BREAKUP KIT	
			SSPACK	PACKAGES SCREEN	
			WSAARD	ASSET REPAIR DETAILS	
			WSEMPs	EMPLOYEES	
			WSJOBS	CREATE WORK ORDER	
			WSTOOL	TOOLS	
			OSAINV	ASSET INVENTORY	
41254	Asset Organization	EAM-1919.EQUIP.REQ.AssetInventory	WSJOBS	CREATE WORK ORDER	
48567	Asset Serial Number	EAM-43954	OSAINV	ASSET INVENTORY	
41256	Asset Status	EAM-1919.EQUIP.REQ.AssetInventory	OSOBJA	CREATE ASSET EQUIPMENT	
46494	Asset Status Code	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	PSPORD	PURCHASE ORDERS	
			SSREQU	REQUISITIONS	
			OSOBJA	CREATE ASSET EQUIPMENT	
			PSPORD	PURCHASE ORDERS	
25509	Asset Type	Extended (product name). Asset type field for Active Lines for PO Receipt.	SSREQU	REQUISITIONS	
			SSCOMP	NON-PO RECEIPTS	
			SSRCVI	INTERNAL REPAIR RECEIPTS	
			SSRECV	PO RECEIPTS	
44574	Asset cannot be added if the Physical Location Type is In Store.	EAM 14486	SSRETN	SUPPLIER RETURNS	
			BCMOBL	7I MOBILE BOILER TEXT	
			PEOBS	WEB SERVICE OF ASSET FOR PO	
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID	
26279	Asset for PO	Infor EAM. Asset for PO form. Refer to PVCS 6115. usually physical objects, pieces of equipment	BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE	
19075	Assets		BSLOVS	LIST OF LOOKUPS	
			LVASST	ASSET LOOKUP	
			OEOBJA	CREATE ASSET EQUIPMENT	
			OSOBJA	CREATE ASSET EQUIPMENT	
			BIASPS	ASSETS POSITION SYSTEM	
			BSLOVS	LIST OF LOOKUPS	
			ISMONT	MONITORED DATA	
			OSCHNO	CHANGE NOTICES	
			OSHPVH	CREATE VEHICLE EQUIPMENT	
			OSOBJA	CREATE ASSET EQUIPMENT	
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT	
			OSSTRU	STRUCTURE FOR EQUIPMENT	
			24808	Assign	Crossbow
TCJOBR	7I MOBILE BOILER TEXT				
TCOBRJ	7I MOBILE BOILER TEXT				
WSAARD	ASSET REPAIR DETAILS				
48581	Assign Assets	EAM-43959/ EAM.WORK.REQ.AssignAssetRepairDetailsPop	PSINVO	INVOICES	
30096	Assign GL Codes	D7i Extended -- Lines tab on Invoice Vouchers form -- Link Button on the lines tab of PSINVO. assign=verb	PSINVO	INVOICES	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20647	Assign Personnel	Infor EAM - group header on the create/edit service request screen	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
20584	Assign Personnel to Service Request	Infor EAM - name of new form to assign people to service requests	WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
30255	Assign Repair Details	Infor EAM. This is the text for a link on the Repair Parts tab of the Work Orders form. The word 'repair' is an adjective indicating the type of parts. User clicks this link to add details about the repairs/part to repair on the work order.	SSREQU	REQUISITIONS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
18583	Assigned	Bin quantity assigned to a repair requisition line (SXRQAS).	BCMOBL	7I MOBILE BOILER TEXT
			PSPORH	PO HISTORY
			WSAARD	ASSET REPAIR DETAILS
			WSGISD	MAP VIEW
20715	Assigned By	EAM-47419 Infor EAM - person who assigned the work order to personnel	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVMB	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCAPA	WO LOAD BALANCING
			WSCPQR	CAPITAL PLANNING REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVMB	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WYJOBFB	PRINT WORK ORDER
			WYJOLL	Job List
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBFB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20715	Assigned By	Infor EAM - person who assigned the work order to personnel	WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZPMCP	PM COMPLAINEE
			WZSJOB	SAFETY WORK ORDER REPORT
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
48664	Assigned By Name	EAM-44523	WSJOBS	CREATE WORK ORDER
36528	Assigned Date	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
20587	Assigned Personnel	Infor EAM - displays list of employees that are already assigned to a service requests, or are unavailable for the service request	WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
30569	Assigned Qty	D7i Extended - Purchase Requisition report	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SHREQF	Print Purchase Requisition
			SSREQU	REQUISITIONS
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
31422	Assigned Qty.	D7i Extended. Assigned Qty. represents the number of parts that have been assigned for repair.	PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
20172	Assigned To	Infor EAM - person responsible for the job or service request	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			CZISGH	INCIDENT SUMMARY GRAPH
			JSCAMP	CAMPAIGN
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPM	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20172	Assigned To	Infor EAM - person responsible for the job or service request	OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			OTOBJL	List Of Objects
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQPL	EQUIPMENT PLANNING
			OZEQUD	EQUIPMENT DETAIL
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZTRAS	EQUIPMENT TRANSFER LOG
			PSINVA	BOOK INVOICE ALLOCATIONS
			SSPINV	PHYSICAL INVENTORY
			SSRECV	PO RECEIPTS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			TCJOBL	7I MOBILE BOILER TEXT
			USINVP	INVESTMENT PLANNING
			WHJOBFB	PRINT WORK ORDER
			WHJOBFB	Labour Hours For Jobs
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVMB	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCPRL	CAPITAL PLANNING REQUEST
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20172	Assigned To	Infor EAM - person responsible for the job or service request	WSGSRH	ORDERS
			WSJOBS	GIS MAP ROADS HIGHWAYS
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	CREATE WORK ORDER
			WSOPSS	MAINTENANCE PATTERNS
			WSPFEP	OPTIMIZED SCHEDULER SETUP
				EQUIPMENT POPUP ON FORECASTING FOR PM
				FORECAST
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBL	Labour Hours For Jobs
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCTRC	SERVICE REQUESTS CHART
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20172	Assigned To	Infor EAM - person responsible for the job or service request	WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZOSRQ	OPEN SERVICE REQUESTS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPMCP	PM COMPLAINT
			WZPMSP	PM SCHEDULE PROFILE
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
44621	Assigned To E-mail		CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
44620	Assigned To Name		CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			OSEQPM	PM SCHEDULES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
44619	Assigned To Role		WSPPMS	PM SCHEDULES
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
46329	Assigned User	GISSettings	CZCASE	CASE MANAGEMENT REPORT
			BCMOBL	7I MOBILE BOILER TEXT
18740	Assigned qty	Field name on for the report SRREQF; indicates the number of items that are assigned to (set aside for) repair bin, work order, etc.	STREQF	Print Purchase Requisition
12828	Assigned to	Dispatches (small jobs) are directly assigned to identified persons.	FCGRD1	FLAMETHROWER GRID 1
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSOBJC	CREATE ASSET CATEGORY
			OSVBJA	VIEW ASSET LIST
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSVSER	VIEW SERVICE REQUESTS
			WTJOB	Job Cards

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12828	Assigned to	Dispatches (small jobs) are directly assigned to identified persons.	WTJOLL	Job List
30712	Assignment	D7i Extended -- Parameters for Fleet Config -- Field Label	WSFLCF	FLEET CONFIGURATION
31235	Assignment Adjustments	D7i Extended -- Assignment Adjustments for Fleet Bills -- Tab Label	WSFBIL	FLEET BILLS
30866	Assignment Billing	D7i Extended -- Vehicle Ticket -- Field Label and Link to Popup	BSJSDN WSFLAB WSFLTK WSFMRK	COMMON FUNCTION FOR JAVASCRIPT ASSIGNMENT BILIING POPUP FLEET VEHICLE TICKETS FLEET MARKUP CODES
30953	Assignment Mileage	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the charge for assignment mileage	WSFMRK	FLEET MARKUP CODES
30960	Assignment Mileage %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for assignment mileage	WSFMRK	FLEET MARKUP CODES
45079	Assignment Status	EAM.WORK.REQ.ActivitiesforWorkOrder - EAM-16276	BCMOBL WSCOPO WSJOBS WSJOVH WSJOVM WSOPSS WSFMRK	7I MOBILE BOILER TEXT CONTRACTOR PORTAL CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP FLEET MARKUP CODES
30966	Assignment Usage	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup amount for assignment usage	WSFMRK	FLEET MARKUP CODES
30963	Assignment Usage %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for assignment usage	WSFMRK	FLEET MARKUP CODES
31440	Associate GIS Map With WO	checkbox lable - users will select the checkbox if the want to attach the GIS map to work orders	WSGIMP WSGVMP	VIEW GIS MAP POPUP VIEW GIS MAP POPUP (REST)
33758	Associate Map	EWS.CCTR.UC.GISMapSearchforContactCenter (23450)	CSCCGM OSGISR OSGISS	CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD)
40542	Associate Missing Meters	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
40227	Associated Asset ID	EAM.WORK.UC.CreateEditEmployee	WSEMPs WSOPSS BSUSER	EMPLOYEES OPTIMIZED SCHEDULER SETUP USER SETUP
45054	Associated Supplier	EAM-16221	JSPROJ	PROJECTS
24417	Associated User	Extended (product name). Administration - Employee form.	WSEMPs WSOPSS BSCSTF OSWKMV	EMPLOYEES OPTIMIZED SCHEDULER SETUP ASSOCIATE CUSTOM FIELDS WORKSPACE MOVES
25492	Association Details	D7i Extended - Association Custom Fields	OSOCDE	EQUIPMENT CLASS DEFINITION
45247	Associations	EAM-16125: EAM.EQUIP.REQ.AssociationsforWorkspaceM	OSOCDE	EQUIPMENT CLASS DEFINITION
47915	At Age (years)	EAM-38516:EAM.EQUIP.REQ.CostTypesforAssetClassDe fi	OSOCDE	EQUIPMENT CLASS DEFINITION
30634	At Issue	D7i Extended -- Parameters for Fleet Configuration -- Display value for Drop down PM Ticket	WSFLCF	FLEET CONFIGURATION
30636	At Issue and Return	D7i Extended -- Parameters for Fleet Configuration -- Display value for drop down PM Ticket	WSFLCF	FLEET CONFIGURATION
30635	At Return	D7i Extended -- Parameters for Fleet Configuration -- Display value for drop down PM ticket	WSFLCF	FLEET CONFIGURATION
47916	At Usage	EAM-38516:EAM.EQUIP.REQ.CostTypesforAssetClassDe fi	OSOCDE	EQUIPMENT CLASS DEFINITION
47917	At Usage UOM	EAM-38516:EAM.EQUIP.REQ.CostTypesforAssetClassDe fi	OSOCDE	EQUIPMENT CLASS DEFINITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48073	At Usage per Day	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48074	At Usage per Day UOM	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48708	At least one employee for the crew must be selected.	EAM-43427	BCMOBL	7I MOBILE BOILER TEXT
25582	At least one sub item must be selected.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
46483	At work order closing automatically set the status of any observation associated with the work order for re-inspection.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46482	At work order closing, automatically set the status of any unfinished observation associated with the work order. Only works if the observation was created for the work order or if the observation was for re-inspection and the record was updated.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
12103	Attach	Whether a task, as defined on a quotation, should be 'attached' to an activity. This is a checkbox. Imperative - Verb. This is used to attach or associate a task list to a work order activity. This is a button.	OSROTA PSPOLN BZTRLD	CHILD EQUIPMENT REPLACEMENT IMPORT PO LINES ELECTRONIC RECORDS FOR TRANSACTION LINES
49787	Attach File	EAM-52996	BCMOBL	7I MOBILE BOILER TEXT
37247	Attach To	Issuing and Returning Parts	BZTRLD SSISSU WSJOBS	ELECTRONIC RECORDS FOR TRANSACTION LINES Stock Issues CREATE WORK ORDER
45332	Attached Documents	EAM-14818 - EAM.CCTR.REQ.ServiceRequestPortal-CreateRequest	CSSRLP CSSRPT	SERVICE REQUEST PORTAL CREATE SERVICE REQUEST PORTAL
42097	Attached To Hazard	EAM-1016: EAM.EQUIP.REQ.SafetyForEquipment	OSECON OSOBJA WSPCTN BSCLAS	CREATE EQUIPMENT CONFIGURATION CREATE ASSET EQUIPMENT PRECAUTIONS CLASSES
43200	Attached to Equipment Class	EAM-10021: EAM.ADMN.REQ.LinearReferencesForClasses		
37252	Attachment Buffer Size (KB)	21807 Attachment Upload	TCSYPF	7I MOBILE BOILER TEXT
25583	Attachment View	Crossbow	TCDOCL	7I MOBILE BOILER TEXT
31847	Attachment for WO	PIR #21224 and #21236	TCESYP	7I MOBILE BOILER TEXT
31849	Attachment for all equipment	PIR #21224 and #21236	TCESYP	7I MOBILE BOILER TEXT
31848	Attachment for equipment on downloaded WO	PIR #21224 and #21236	TCESYP	7I MOBILE BOILER TEXT
25434	Attachments	Crossbow.	BCMOBL TCJOBL TCOBJL	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
33217	Attempted Records	EWS.BASE.UC.ResultTabsForArchive	BSARCH BSDTCV	CREATE / EDIT ARCHIVE RECORDS DATA CONVERSION (MP2)
47253	Attention	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	BCMOBL	7I MOBILE BOILER TEXT
35340	Attention To	27951	BZORLD BZREQD BZRQLD PSPORD SSREQU	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES ELECTRONIC RECORDS FOR REQUISITIONS ELECTRONIC RECORDS FOR REQUISITION LINES PURCHASE ORDERS REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26654	Attribute	D7i Extended - View Infor EAM & GIS Asset Attributes	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
			CSCCSP	CONTACT CENTER SETUP
			OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
31007	Attribute Details	D7i Extended - Analytics - Attribute = noun, e.g., the characteristic of a variable - Details = noun	CSCCSP	CONTACT CENTER SETUP
30934	Attribute ID	Analytics - Attribute = noun, ID = Identifier	BSOATT	ANALYTICS ATTRIBUTES
			BSOSYM	ANALYTICS SYMBOLS
			BSOUNI	ANALYTICS UNITS
			OPSVAR	ANALYTICS 7.8 VARIABLES
30937	Attribute key	Analytics - Unique key value of an attribute used in a variable definition	ASCACH	ANALYTICS VARIABLES CACHE
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
31004	Attributes	D7i Extended - Analytics - attributes = noun, e.g. the characteristics of a variable	ASOVAR	ANALYTICS VARIABLE DEFINITIONS
29458	Audit Comments	D7i Extended -- Audit Setup form -- Field label used in entity audit setup	WSGISD	MAP VIEW
			BSAUDC	AUDIT SETUP
29459	Audit Custom Fields	D7i Extended -- Audit Setup form -- Field label used in entity audit setup	BSAUDC	AUDIT SETUP
41585	Audit Message	EAM- 2229 EAM.PRCH.REQ.UtilityAuditForInvoiceVouch	PSINVO	INVOICES
44961	Audit Record	EAM.CCTR.REQ.EventLogForCaseManagement : EAM-15259	CSCASE	CASE MANAGEMENT
25752	Audit Setup	Extended (product name). Audit Setup form.	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
23888	Audit Trail	Infor EAM - title of new form to track changes to fields	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSAUDP	VIEW AUDIT TRAIL POPUP
			TCESYP	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			TCCERR	7I MOBILE BOILER TEXT
37720	Audit Trail Description	EWS.ADMN.UC.AuditTrailPopup.doc	BSAUDP	VIEW AUDIT TRAIL POPUP
37396	Aug :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
40028	Aug.	#47067	CZISGH	INCIDENT SUMMARY GRAPH
			SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
33967	August	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	DSGLPS	GL PROCESS SCHEDULES
			EAM-5333	MONTHLY SCHEDULING DETAILS REPORT
			EAM-9961	CONVERGED PROCUREMENT LOGON SCREEN
42912	Authentication Code		CPLOGN	LOGON SCREEN
			LOGIN	LOGON SCREEN
43904	Authentication Mode	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
30189	Author	D7i Extended - Users form - field label used in user setup	BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
12435	Authorization	Code of the user who approves (for example, a purchase	BHFUNL	List Of Functions

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12435	Authorization	order).	BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
38016	Authorization Date	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
26287	Authorization Details	D7i Extended - WO Authorizations for User Groups - Block Header	BSAUTH	STATUS AUTHORIZATION
			BSGROU	GROUPS
38015	Authorized By	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
46423	Auto Approve Status	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
37723	Auto Book Hours	EWS.WORK.UC.WorkOrderQuickEntry.doc	WSVITE	WORK ORDER QUICK ENTRY
48144	Auto Create Category Level	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOCDE	EQUIPMENT CLASS DEFINITION
48143	Auto Create Class Level	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOCDE	EQUIPMENT CLASS DEFINITION
41874	Auto Create PTW	EAM.WORK.REQ.Permit	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPERM	PERMITS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
43879	Auto Create WO	Jira 14318	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
48145	Auto Created	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOCDE	EQUIPMENT CLASS DEFINITION
46073	Auto Generated	EAM.WORK.REQ.TraceRoutePopup.docx	OSDCUR	DECAY CURVE
			WSTCRT	LINEAR EQUIPMENT TRACE
42316	Auto Number	EAM.EQUIP.REQ.EquipmentConfiguration	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
26960	Auto Refresh	Extended (product name)	BSGROU	GROUPS
			BSIBXP	PERSONALIZE INBOX POPUP
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26960	Auto Refresh	Extended (product name)	BSKPIP BSUSER WSSCHD	PERSONALIZE KPI POPUP USER SETUP WORK ORDER SCHEDULE
44952	Auto Refresh Timer (seconds)	EAM-14790 EAM.ADMN.REQ.Screens	BSEXIM BSFUNC	EXPORT CONFIGURATION CREATE UPDATE SCREENS
44541	Auto Request Case	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
45827	Auto Select Records on Preview	EAM.MATL.REQ.GenerateRequisitions	SSREQF	GENERATE REQS
43807	Auto Select Records on WO Activity Preview	EAM-12928	WSWLSH	WO LABOR SCHEDULING
46424	Auto Skip Status	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
25727	Auto Sync	Crossbow - menu item on main screen	TCAUSY TCCRSB	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
37255	Auto Sync Configure	21773 Auto Sync WO	TCAUSY TCCRSB	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
37256	Auto Sync Interval (Minutes)	21773 Auto Sync WO	TCAUSY	7I MOBILE BOILER TEXT
37418	Auto Sync Interval must be equal to or greater than :PARAM1 minutes.	21773 - Auto Sync	TCAUSY	7I MOBILE BOILER TEXT
37257	Auto Sync Profile	21773 Auto Sync WO	TCAUSY TCESYP	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
37263	Auto Sync Status	21773 Auto Sync WO	TCAUSY	7I MOBILE BOILER TEXT
12335	Auto query	The automatic query of data which occurs upon entry of a screen.	BEWSMD BTFUNL	EWS - METADATA DEFINITION List Of Functions
15200	Auto resize windows		M1	Pull-Down Menu Texts
47962	Auto sync is completed.	EAM-38887	BCMOBL	7I MOBILE BOILER TEXT
30139	Auto-Assign	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc	SSPART	PARTS
25706	Auto-create	Extended (product name). Indicates GIS feature creation from the Infor EAM Equipment module should occur automatically without visual interaction.	BSGROU	GROUPS
34311	Auto-number Assets	EWS.ADMN.UC.EquipmentSetup.doc	BSASET	ASSET SETUP
34314	Auto-number Parts	EWS.ADMN.UC.MaterialSetup.doc	BSSSET	MATERIAL SETUP
34333	Auto-populate Quantity to Receive	EWS.ADMN.UC.PurchasingSetup	BSPSET	PURCHASING SETUP
38096	Auto-print RFQ	EWS.PRCH.UC.CreateEditRequestforQuotations.doc	BZRFQD PSRFQT	ELECTRONIC RECORDS FOR RFQS REQUESTS FOR QUOTATIONS
20776	Auto. Req. Status	When entered, auto-requisitions (for this store) will be pre-approved with this status.	SSSTOR	STORES
34313	Automatically Associate Parts	EWS.ADMN.UC.MaterialSetup.doc	BSSSET	MATERIAL SETUP
25248	Avail	Crossbow - Available Quantity.	TCMRTP	7I MOBILE BOILER TEXT
25249	Avail Qty	Crossbow - Available Quantity.	BCMOBL TCMRTP	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
16243	Availability		OSOBJA OSOBJP OSOBSJ OZOEEM	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OEE METRICS
25941	Availability Exceptions	Infor EAM. Refer to EWS.WORK.UC.AvailabilityExceptionsforEmployees.	WSEMPs WSWLSH	EMPLOYEES WO LABOR SCHEDULING
42372	Availability Filters	EAM-4409	WSSCHD	WORK ORDER SCHEDULE
40196	Availability Status	EAM-25.EQUIP.REQ. Positions	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40196	Availability Status	EAM-25.EQUIP.REQ. Positions	OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40675	Availability System Status	JIRA EAM-97	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
12624	Available		BHUSRL	USERS GROUP CONFIGURATION
			BSLANG	LANGUAGES
			BYUSRL	USERS GROUP CONFIGURATION
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZUSRL	USERS GROUP CONFIGURATION
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			STPICK	Pick List Print
			SYPIK	Pick List Print
			SZPIK	Pick List Print
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
WSJOVM	CREATE WORK ORDER			
		WSSREQ	SERVICE REQUESTS	
		WTRLDG	CALCULATE LABOUR REQUIRED PER DAY	
		WYRLDG	CALCULATE LABOUR REQUIRED PER DAY	
		WZRLDG	CALCULATE LABOUR REQUIRED PER DAY	
25250	Available Aspect/Point	Crossbow	TCCCNF	7I MOBILE BOILER TEXT
		Crossbow. Crossbow. An 'aspect' is an item measured during an inspection. The 'point' indicates the physical location of the aspect to inspect. Refer to 'Inspection Management Terms' in Chapter 8: Inspection Management of the Infor EAM User's Guide.	TCIAVI	7I MOBILE BOILER TEXT
48149	Available Capacity	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37119	Available Colors	EWS.WORK.ParametersforPMPlanning	WSPMPP	COLOR POPUP
48263	Available Crews	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	WSCRWP	CREATE/EDIT CREW POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48263	Available Crews	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	WSGWOD	GIS MAP WO DISPATCHING
36540	Available Deferred Maintenance	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
22903	Available Employee Hours		BSOPBC	AVAILABLE PERSONNEL HOURS
			BSWHSE	DATA WAREHOUSE
48262	Available Employees	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	WSCRWP	CREATE/EDIT CREW POPUP
			WSGWOD	GIS MAP WO DISPATCHING
19891	Available Fields	Infor EAM	BSDTSP	DATASPY
			BSDUXD	DUX SCREEN DESIGNER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSRPTG	GENERIC REPORT PARAMETERS
23471	Available Group(s)	Infor EAM - list of groups available to which to save the current screen design	BXLAYO	R5 Screen Layout Editor
49621	Available Groups	EAM-49474	BSDTSP	DATASPY
22904	Available Hired Hours		BSOPBD	AVAILABLE HIRED HOURS
			BSWHSE	DATA WAREHOUSE
25839	Available Hours	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
			WYTRDS	DAILY TRADE SCHEDULE
			WZTRDS	DAILY TRADE SCHEDULE
29254	Available Hrs.	Extended (product name); Tooltip on the availability of trades; available hours	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28901	Available Labor Daily Snapshot	Data Warehouse Data Mart.	BSWHSE	DATA WAREHOUSE
20586	Available Personnel	Infor EAM - display employees that are available to assign to a service request	WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
36313	Available Prompts	User Groups Scanner Menus / SCR#29589	BSGROU	GROUPS
44221	Available Qty	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20689	Available Qty.	Infor EAM - displays the number of parts available in stock	SSBNBN	TRANSFER PARTS BETWEEN BINS
			SSHIXF	HELD ITEMS TRANSFER
			SSHXXF	HELD ITEMS TO STOCK TRANSFER
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPACK	PACKAGES SCREEN
			SSPICK	PICK TICKETS
			SSRETN	SUPPLIER RETURNS
			SSSCRP	SCRAP PART
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSPLPA	PLANNED PART AVAILABILITY
			WSPPTP	CREATE PICK TICKET POPUP
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
48734	Available Qty. UOM	EAM.MATL.REQ.ScrapPopup / EAM-45332	SSSCRP	SCRAP PART
18901	Available Quantity	amount of the item that is currently available from the vendor	SSREQU	REQUISITIONS
25886	Available Screens	Extended (product name). Block label in menus page. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48801	Available for CUs	EAM.MATL.REQ.Parts / EAM-46782	BSDEPT SSPART WSTOOL WSTRAD	DEPARTMENTS PARTS TOOLS TRADES
48954	Available for Cost Only	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
48953	Available for Span Only	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
48952	Available for Work Points	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
12251	Average		BHDDAN BYDDAN BZDDAH BZDDAN OHAERC OZAERC OZEFSL OZTACR PZVEND SYHISL SZHISL WYHRIL WZHRIL	DEGREE DAY ANALYSIS DEGREE DAY ANALYSIS DEGREE DAY ANALYSIS_HOSPITALITY DEGREE DAY ANALYSIS ANNUAL ENERGY REDUCTION COMPARISON ANNUAL ENERGY REDUCTION COMPARISON ASSET FAILURES BY SERVICE LIFE TEMPERATURE ANALYSIS CHART VENDOR LEAD TIME Purchase History Per Item/Supplier Purchase History Per Item/Supplier HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
43265	Average Actual Yearly Costs	EAM-9413	OZRCMS	RCM POTENTIAL YEARLY SAVINGS
38663	Average Annual Non-PM WO Cost (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38659	Average Annual PM WO Cost (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
39778	Average Booked Hours (Last 25 Work Orders)	EAM.WORK.UC.ActivitiesforStandardWO.doc/#45672	WSPPMS WSSTWO	PM SCHEDULES STANDARD WOS
32515	Average Calculated for Period	EWS.CREP.UC.HoursNeededForTask.doc - Hours Needed for Task report	WYHRIL WZHRIL	HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
34694	Average Calculated for Period :PARAM1 to :PARAM2	EWS.CREP.UC.HoursNeededForTask	WYHRIL WZHRIL	HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
34692	Average Calculated for Period After :PARAM1	EWS.CREP.UC.HoursNeededForTask	WYHRIL WZHRIL	HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
34693	Average Calculated for Period Before :PARAM2	EWS.CREP.UC.HoursNeededForTask	WYHRIL WZHRIL	HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
21190	Average Daily Usage	Infor EAM - this is a read-only field that displays the calculated everyday usage of a meter.	OSMETE WSJOBS WSJOVH WSJOVM	PHYSICAL METER CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
41566	Average Days Between	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL007	MISSING UTILITY INVOICES
41543	Average Imbalance Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL003	PHASE IMBALANCE
41531	Average PF	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL001	POWER FACTOR
48839	Average Percentage Error	EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
20754	Average Price	Infor EAM - A weighted average price updated at either time of receipt or invoice.	BZTRLD SSEOQA SSPART SSSTOR SYEOQA SZEOQA WSDEPO	ELECTRONIC RECORDS FOR TRANSACTION LINES CALCULATE EOQ PARTS STORES EOQ Analysis EOQ Analysis DEPOTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20754	Average Price	Infor EAM - A weighted average price updated at either time of receipt or invoice.	WSFUEL	FUEL
43566	Average Productivity	EAM-11722: Employee Productivity new report	WZEPRO	EMPLOYEE PRODUCTIVITY
41630	Average Response Time	EAM-2071 Create Incident Response Time Chart	UZIRTC	INCIDENT RESPONSE TIME CHART
31530	Average Slope	EWS.CREP.UC.ElectronicRecords	WZRTBD	RESPONSE TIME BY DEPARTMENT
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32402	Average Unit Cost	EWS.CREP.UC.InventoryStandard.doc	BSINTR	MP2 INVENTORY TRANSACTIONS
			SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
12252	Average calculated over the last	This is a title on the printed report that introduces the dates of the average calculated.	SYUSAL	Average Monthly Usage Analysis
38988	Averages	PVCS #39004	SZUSAL	Average Monthly Usage Analysis
			BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
21118	Avg. Daily Usage	Infor EAM - average daily usage of a meter (system calculated field)	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
21081	Avg. Price	Infor EAM - 'Average Price' - displays on the list view of the Stores tab on the Parts form; see text entry for Average Price	SSPART	PARTS
			SSSTOR	STORES
42453	Awaiting Purchase	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
33153	Awaiting Release	#21447 Released PMs	WSMPAT	MAINTENANCE PATTERNS
			WSRELJ	RELEASE OF SELECTED JOBS
32613	Awaiting and Released	EWS.CREP.UC.OutOfTolerancePMs	WZPMTL	OUT OF TOLERANCE PM
36936	Award Items	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
36453	Awarded By	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
36454	Awarded Date	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
37367	Awarded To	EWS.CREP.UC.RequestForQuotationSummary	PZRFQS	REQUEST FOR QUOTATION SUMMARY
36946	Awarded and Undecided Items	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
38159	Axis	EWS.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN
41964	Azure	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32434	B	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
30016	B Cutoff Point %	D7i Extended - Materials - EWS.MATL.UC.GenerateABCAnalysis.doc - field label where users will enter the percentage at which they want the system to cutoff for parts that are categorized as 'B' class	SSABCA	GENERATE ABC ANALYSIS
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
38578	BOD Group	Enterprise Locations	BSORGS	ORGANIZATIONS
14861	Back	Back : short for 'Go Back'. Means go back to previous screen, function etc.	BSCUST	CUSTOMIZE
			BSSTRT	EWS NEW START CENTER
			BSUAED	USER ACCOUNT EDIT
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSGRTE	CREATE ROUTE WORK ORDER
			OSJOBS	CREATE WORK ORDER
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSVREQ	VIEW PURCHASE STATUS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSSERQ	CREATE SERVICE REQUESTS
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWREQ	WORK REQUEST
		45727	BANNER	BANNER
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
22727	Back (Ctrl+Left)	Infor EAM - mouse-over text for button on toolbar to go to the previous screen	BANNER	BANNER
32374	Back Qty.	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
44580	Back To List	EAM-14696	OSESCH	RESERVATION CALENDAR
36120	Back-Ordered Qty.	27957	PSPORD	PURCHASE ORDERS
12514	Background	Reports can be run 'in the background'. You can continue your work and do not need to wait until the report is printed.	REPORT	General Report Function
49697	Background sync is running. Do you want to continue?	EAM-51772	BCMOBL	7I MOBILE BOILER TEXT
27093	Backlogged WOs	Extended (product name)	WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSSCHD	WORK ORDER SCHEDULE
28890	Balance Load	Extended (product name); Tab name on the WO Load Balancing form. Usage: Balance (verb); Load (noun)	WSCAPA	WO LOAD BALANCING
34375	Bar with 3-D Visual Effect	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
19486	Barcode	Name of new tab in BNINST to display installation parameters only for the barcode module	BSINST	INSTALL CODES
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			FCSCRN	FLAMETHROWER SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19486	Barcode	Name of new tab in BNINST to display installation parameters only for the barcode module	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			SSSTOR	STORES
39683	Barcode Details	Tracker id 45321	FCSCRN	FLAMETHROWER SCREENS
27933	Barcode Height	Barcode	FCSCRN	FLAMETHROWER SCREENS
28470	Barcode Module	Barcode	FCSCRN	FLAMETHROWER SCREENS
27945	Barcode Position	Barcode	FCSCRN	FLAMETHROWER SCREENS
27904	Barcode Printing	Barcode	FCSCRN	FLAMETHROWER SCREENS
36319	Barcode fields definition error. Contact your system administrator.	EWS.MOBILE.UC.WSPromptEngine	TCPMTR	7I MOBILE BOILER TEXT
29310	Barcoding	Extended (product name); refer to pvcs 11418 and 11597	BSROLE	LDAP ROLES SETUP
35204 16079	Barcoding CD Key Base	EWS.ADMN.UC.AdministrationSetup/28140	BSUSER	USER SETUP
			BSBSET	ADMIN SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSINST	INSTALL CODES
25052	Base Currency	Extended (product name). Field label for the Exchange Rates tab of the Currencies form.	SSCURR	CURRENCIES
30320	Base Markup Charges	Infor EAM. Block label on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
20751	Base Price	Infor EAM - Price used for inventory issues and returns, can be one of any of the Average, Last or Standard price according to a system parameter.	BSPAST	STOCK INFO POPUP IN PART ASSOCIATED
27233	Base Query	D7i Extended - The base query defined for a grid. Single org.	SSPART	PARTS
			SSSTOR	STORES
			BEWSMD	EWS - METADATA DEFINITION
27191	Base Query (MultiOrg)	D7i Extended - Base Query name used for Multi Organization purpose	BEWSMD	EWS - METADATA DEFINITION
44690	Base Year	EAM-14710 ENX/EPM screens in EAM.	ESGSET	GENERAL SETTINGS
47168	Based on Observations	EAM-31109 Nonconformities analysis chart - Add new	ESPSET	POLICY SETTINGS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZONCF	NONCONFORMITIES ANALYSIS
41357	Baseline Amount	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
41360	Baseline Date Range From Date	EAM-403, EAM.EQUIP.REQ.Objective	OSSTGY	CREATE STRATEGY
			OSOBTV	OBJECTIVES
41684	Baseline Date Range To Date	EAM.EQUIP.REQ.Objective.docx	OSSTGY	CREATE STRATEGY
			OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44992	Baseline Recalculation Policy	EAM-16074	ESPSET	POLICY SETTINGS
49422	Basemap	EAM-50152	BCMOBL	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
30191	Basic Reports	D7i Extended - Reports - Dataspy name used in report setup	BSREPO	CREATE / EDIT REPORTS
35104	Basic Text	EWS.CREP.UC.ContractClasses SCR#27830	CYCOTL	PRINT CONTRACT CLASSES
			CZCOTL	PRINT CONTRACT CLASSES
35838	Batch Approve	EWS.ADMN.UC.MP2WorkRequests	BSMPWR	MP2 WORK REQUESTS
48621	Batch Book Labor	EAM-43428	BCMOBL	7I MOBILE BOILER TEXT
40724	Batch Copy Organization	EAM.WORK.REQ.BatchCopyOrganization	WSCTMP	CONTRACT TEMPLATES
40731	Batch Delete Organization	EAM.WORK.REQ.ChargeDefinitionsForContractTemplate	WSCTMP	CONTRACT TEMPLATES
45232	Batch Document Upload	EAM-17315	BSIMPT	IMPORT CONFIGURATION
31180	Batch Printing	Barcoding	FCSCRN	FLAMETHROWER SCREENS
40720	Batch Update Organization	EAM.WORK.REQ.BatchUpdateOrganization	WSCTMP	CONTRACT TEMPLATES
29451	Before	D7i Extended - Qualification Expiration Report	WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYHRIL	HOURS NEEDED FOR TASKS
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WZHRIL	HOURS NEEDED FOR TASKS
			WZQEXP	QUALIFICATION EXPIRATION REPORT
37796	Before SQL	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
29060	Before or On	D7i Extended - Meter History Report	OTMHST	METER HISTORY
			OZJMFL	Mean Time Between Failures Per Fault
			OZMHST	METER HISTORY
			PHHISL	Purchase History
			PZHISL	Purchase History
			SYHISL	Purchase History Per Item/Supplier
			SYPICK	Pick List Print
			SYRESL	Parts Currently Reserved/Allocated
			SYRETN	LIST OF RETURNS
			SZHISL	Purchase History Per Item/Supplier
			SZPICK	Pick List Print
			SZRESL	Parts Currently Reserved/Allocated
			SZRETN	LIST OF RETURNS
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBL	Labour Hours For Jobs
			WTPERL	List Of Permit Issues
			WTSCHA	Scheduled Activities
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29060	Before or On	D7i Extended - Meter History Report	WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCALR	CALIBRATION RECORD REPORT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WZHREL	Actual Labour Hours Against Estimated
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZVBIL	VEHICLE BILLING REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
34970	Before or On :PARAM2	23249-Localization problem with report subtitles	SYPICK	Pick List Print
			SZPICK	Pick List Print
			WZBOOL	Allocations Per Employee
47262	Before using this app, it must be configured	EAM.MOBILE.REQ.Login.docx	BCMOBL	7I MOBILE BOILER TEXT
39148	Beginning Activity Start Date	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
20233	Begins	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID Begins with...some value.	FCLABL	FLAMETHROWER LABELS
38086	Best	EWS.CREP.UC.CO2Reduction.doc	OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
48091	Best Acceptable Result 1	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48093	Best Acceptable Result 2	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48095	Best Acceptable Result 3	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48097	Best Acceptable Result 4	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48099	Best Acceptable Result 5	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48101	Best Acceptable Result 6	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
41435	Best Performers	EAM-2072	WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
29138	Between	D7i Extended - Daily Hours Worked Per Employee	ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHOCST	Job Costing By Object Cost
			OYCOEM	CO2E EMISSIONS
			OZCLAI	WARRANTY CLAIM REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29138	Between	D7i Extended - Daily Hours Worked Per Employee	OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZJMFL	Mean Time Between Failures Per Fault
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SYCONS	Consignment Activity
			SYTRAL	Printed List Of Stock Transactions
			SZCONS	Consignment Activity
			SZTRAL	Printed List Of Stock Transactions
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WTBOOL	Allocations Per Employee
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYVBIL	VEHICLE BILLING REPORT
			WYWOST	WORK ORDER STATISTICS
			WZBOOL	Allocations Per Employee
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZLWOQ	LIST OF WORK ORDERS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
34166	Between :PARAM1 and :PARAM2	EWS.CREP.UC.DailyTradeSchedule	BZCHKA	CHECKLIST AUDIT
			CZCASE	CASE MANAGEMENT REPORT
			CZTCCR	TOP 10 SERVICE REQUESTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHTTEC	TOP 10 EQUIPMENT COST
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34166	Between :PARAM1 and :PARAM2	EWS.CREP.UC.DailyTradeSchedule	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZOMFL	Mean Time Between Failures Per Object
			OZTACR	TEMPERATURE ANALYSIS CHART
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PZVEND	VENDOR LEAD TIME
			REPORT	General Report Function
			SYCONS	Consignment Activity
			SYTRAL	Printed List Of Stock Transactions
			SZCONS	Consignment Activity
			SZSOUT	PART STOCKOUTS
			SZSTDL	Stocktake Discrepancy
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WYPFMC	FUTURE MAINTENANCE COST
			WYTRDS	DAILY TRADE SCHEDULE
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBOOL	Allocations Per Employee
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZLMWO	LIST OF MAINTENANCE WO
			WZPFAR	PART FAILURES REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCC	PM REPAIR COSTS CHART
			WZPMDO	PM DUE OVERVIEW
			WZPTWR	PRINT PERMIT TO WORK
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTRDS	DAILY TRADE SCHEDULE
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZWEMP	WORK BY EMPLOYEE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWORL	LIST OF WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31903	Bill	EWS.REP.UC.FleetBill.doc - Vehicle Billing report	WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
41509	Bill Every	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
42328	Bill Every UOM	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
			WSGSRH	GIS MAP ROADS HIGHWAYS
38090	Bill Level Only	EWS.CREP.UC.CO2Reduction.doc	OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
31098	Bill No.	D7i Extended. 'No.' is a common English abbreviation for number. Please translate as 'Number.'	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFCUS	FLEET CUSTOMERS
			WSFLAB	ASSIGNMENT BILIING POPUP
32028	Bill Sub-Line	EWS.CREP.UC.ElectronicRecords	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
41025	Bill To	EAM 396	WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
31902	Bill Total	EWS.REP.UC.FleetBill.doc - Vehicle Billing report	WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
30815	Bill for No Charges	Fleet Customer -- Field Name	WSFCUS	FLEET CUSTOMERS
20600	Billable	Infor EAM - field to select whether the service request was billable to the customer. for example, does the customer owe us money for the work?	BSMPWO	MP2 WORK ORDERS
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			WSCLSR	CLOSE SERVICE REQUEST
			WSFCUS	FLEET CUSTOMERS
			WSSERC	SERVICE CODES
			WSSREQ	SERVICE REQUESTS
30692	Billed	D7i Extended -- Billing Schedules for Fleet Config -- Field Label	WSFLCF	FLEET CONFIGURATION
31099	Billed Date	D7i Extended. Field label in which the date that the transaction was billed, meaning the bill was charged or sent to the part responsible for absorbing the cost of the bill.	WSFBIL	FLEET BILLS
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
39266	Billed Demand	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
31159	Billing Adjustments	D7i Extended -- Billing Adjustments for Vehicle Tickets -- Tab Name	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30771	Billing Amount	D7i Extended -- Exception Codes for Fleet Config --Field Label	WSFLCF	FLEET CONFIGURATION
30775	Billing Code	D7i Extended -- Billing Codes for Fleet Customers -- Field Label	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30775	Billing Code	D7i Extended -- Billing Codes for Fleet Customers -- Field Label	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSFCUS	FLEET CUSTOMERS
			WSFLAB	ASSIGNMENT BILIING POPUP
			WSFLTK	FLEET VEHICLE TICKETS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30774	Billing Code Details	D7i Extended -- Billing Codes for Fleet Customers -- Details Section Label	WSFBLC	FLEET BILLING CODES
30779	Billing Code Org.	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, org.=organization	WSFCUS	FLEET CUSTOMERS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSFCUS	FLEET CUSTOMERS
			WSFLAB	ASSIGNMENT BILIING POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
30773	Billing Codes	D7i Extended -- Billing Codes for Fleet Customers -- Tab Title	BSLOVS	LIST OF LOOKUPS
			WSFCUS	FLEET CUSTOMERS
31323	Billing Days	D7i Extended -- Vehicle Ticket form, Assignment Billing popup -- Field Label	WSFLAB	ASSIGNMENT BILIING POPUP
30776	Billing Description	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, description of billing type	WSFCUS	FLEET CUSTOMERS
30816	Billing Details	D7i Extended -- Fleet Customers -- Block Title	WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30628	Billing End Time	D7i Extended -- Parameters for Field Configuration -- Field Label, billing=adjective	WSFLCF	FLEET CONFIGURATION
31331	Billing History	D7i Extended -- Billing History for Fleet Bills -- Tab Name, tracts the history of bills in the fleet management module	WSFCUS	FLEET CUSTOMERS
31324	Billing Mileage	D7i Extended -- Vehicle Ticket form, Assignment Billing popup -- Field Label	WSFLAB	ASSIGNMENT BILIING POPUP
30689	Billing Schedule Details	D7i Extended -- Billing Schedules for Fleet Config -- Details	WSFLCF	FLEET CONFIGURATION
30706	Billing Schedules	D7i Extended -- Billing Schedules for Fleet Config -- Tab Title	WSFLCF	FLEET CONFIGURATION
30627	Billing Start Time	D7i Extended -- Parameters for Fleet Configuration -- Field Label, billing=adjective	WSFLCF	FLEET CONFIGURATION
31906	Bills	EWS.REP.UC.Fleetbill - Fleet Bill report	BSLOVS	LIST OF LOOKUPS
12321	Bin	Smallest physical storage unit. Used to store parts in a store.	BSPAAP	ALTERNATE PART POPUP IN PART ASSOCIATED
			BSPAST	STOCK INFO POPUP IN PART ASSOCIATED
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JSCAMP	CAMPAIGN
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCNAP	CREATE NEW ASSETS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			PSPORD	PURCHASE ORDERS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSBINL	BIN LOOKUP
			SSBSTK	STOCK ON STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12321	Bin	Smallest physical storage unit. Used to store parts in a store.	SSCOMP	NON-PO RECEIPTS
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSLOTS	LOTS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			STPICK	Pick List Print
			STRCVF	Goods Received Note
			SYINST	INVENTORY STANDARD
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYSTDL	Stocktake Discrepancy
			SZEKIT	LIST OF EXPIRED KITS
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZPICK	Pick List Print
			SZRCVF	Goods Received Note
			SZSTDL	Stocktake Discrepancy
			USINVP	INVESTMENT PLANNING
			WSAARD	ASSET REPAIR DETAILS
			WSASRD	ASSIGN REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSEMPs	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSTOOL	TOOLS
			WSVITE	WORK ORDER QUICK ENTRY
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
21194	Bin Details	Infor EAM - group header on the Bins tab of the Stores form that displays information related to bins	SSBINL	BIN LOOKUP
			SSSTOR	STORES
29270	Bin Location	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29270	Bin Location	D7i Extended - Create Stocktake List Report	SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
29269	Bin Locations Between	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
29756	Bin Lookup	D7i Extended - EWS.MATL.UC.BinLookup.doc	SSBINL	BIN LOOKUP
30339	Bin Qty.	Infor EAM.	SY PICK	Pick List Print
			SZ PICK	Pick List Print
12106	Bin location	Used to indicate where bin is located. See also bin. Can be used as synonyms.	STSTD L	Stocktake Discrepancy
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
			WHJOB F	PRINT WORK ORDER
			WTJOB F	Job Cards
			WYJOB F	PRINT WORK ORDER
			WZJOB F	PRINT WORK ORDER
			STPICK	Pick List Print
13434	Bin quantity	Crossbow. Error message for issue/return. Crossbow #20694 places in which parts are kept; a level below 'stores'	TCMRTP	7I MOBILE BOILER TEXT
25451	Bin/Lot/Qty cannot be empty.		TCMRTP	7I MOBILE BOILER TEXT
36260	Bin/Qty cannot be empty.		BSLOVS	LIST OF LOOKUPS
19130	Bins		LVBINS	BIN LOOK UP
			SSSTOR	STORES
			SSLOTS	LOTS
26202	Bins Per Store	Infor EAM. Refer to PVCS 6131.	SSBINL	BIN LOOKUP
29631	Bins for Part	D7i Extended - Materials - EWS.MATL.UC.BinLooup - Dataspy Name		
49349	Bio Type	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40869	Biomedical Asset ID	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
49161	Biometric hardware not found!	EAM-47244	BCMOBL	7I MOBILE BOILER TEXT
49160	Biometric login for	EAM-47244	BCMOBL	7I MOBILE BOILER TEXT
47786	Birst Reports	Reports	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSREPO	CREATE / EDIT REPORTS
48225	Black Swan	EAM-41162/EAM.EQUIP.REQ.EquipmentLookup	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48225	Black Swan	EAM-41162/EAM.EQUIP.REQ.EquipmentLookup	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48226	Black Swan Cost	EAM-41162/EAM.EQUIP.REQ.EquipmentLookup	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48270	Black Swan Cost Currency	EAM.EQUIP.REQ.Assets.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
24314	Blanket Order	Extended (product name). Indicates the blanket order with which the parts are associated. EWS.MATL.UC.PartsforRequisition/4331.	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSP0UP	PO UPDATE
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SSASGN	GENERATE POS
			SSREQU	REQUISITIONS
24563	Blanket Order - Line	Extended (product name). Materials module.	SSREQU	REQUISITIONS
26058	Blanket Order - Release	Infor EAM. Field label on the Purchase Order form that indicates the blanket purchase order number, as well as the release number for that blanket PO. Refer to PVCS 5752.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
28290	Blanket Order Details	D7i Extended -- Blanket Order form -- Section name	PSBORD	CREATE EDIT BLANKET ORDERS
24318	Blanket Order Line	Extended (product name). The line on the blanket order. EWS.MATL.UC.PartsforRequisition/4331.	BSLOVS	LIST OF LOOKUPS
			PSPORD	PURCHASE ORDERS
			SSASGN	GENERATE POS
			SSREQU	REQUISITIONS
24620	Blanket Order/Line	PVCS 24583	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
32491	Blanket Orders	EWS.CREP.UC.BlanketOrderList	BSLOVS	LIST OF LOOKUPS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32490	Blanket Orders Between	EWS.CREP.UC.BlanketOrderList	PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
34957	Blanket Orders Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
34955	Blanket Orders On or After :PARAM1	23249-Localization problem with report subtitles	PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
34956	Blanket Orders On or Before :PARAM2	23249-Localization problem with report subtitles	PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
36004	Blanket PO	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
31531	Blanket Release	EWS.CREP.UC.ElectronicRecords	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
29873	Bldg	Crossbow - Building	TCSVRQ	7I MOBILE BOILER TEXT
38286	Blend % 1	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38288	Blend % 2	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38290	Blend % 3	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38292	Blend % 4	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38294	Blend % 5	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38284	Blended Grade	EWS.WORK.UC.CreateEditFuels	WSFISS	FUEL ISSUES
			WSFUEL	FUEL
41260	Blind Inventory	EAM-1919.EQUIP.REQ.AssetInventory	BCMOBL	7I MOBILE BOILER TEXT
			OSAINV	ASSET INVENTORY
12107	Block	Part of a screen with the same records.	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			M1	Pull-Down Menu Texts
44396	Block Duration	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/ EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
23525	Block Name	Infor EAM - identifies the group header of the current form in screen designer	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45427	Body	EAM.ADMN.REQ.EmailTemplates.doc	BSMTMP	E-MAIL TEMPLATES
27228	Boiler Text	D7i Extended - Boiler Text	BEWSMD	EWS - METADATA DEFINITION
			BSLANG	LANGUAGES
			BSLGEX	EXPORT TRANSLATIONS POPUP
			BSRLNP	REFRESH INSTALLED LANGUAGE
			WSRVCS	REVISION CONTROL SETUP
34177	Boiler Text Details	EWS.ADMN.UC.GlobalTextChange	BSBOIL	GLOBAL TEXT CHANGES
40822	Bold (Ctrl+B)	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29352	Book & Close	Extended (product name); Refer to EWS.WORK.UC.BookCloseForServiceRequest. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WSSREQ	SERVICE REQUESTS
34301	Book Days	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
20592	Book Hours	Infor EAM - group header for booking hours. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WSCLSR	CLOSE SERVICE REQUEST
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
		Crossbow. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	TCCERR	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21028	Book Labor	Infor EAM - name of tab on the work orders form to enter hours for employees. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	BCMOBL	7I MOBILE BOILER TEXT
			WSBKPO	BOOK PO LABOR
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOBU	BATCH WORK ORDER UPDATE
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
39466	Book Labor Description	BookLaborforWorkOrder	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			BCMOBL	7I MOBILE BOILER TEXT
48707	Book Labor by Crew	EAM-43427	WSJOBS	CREATE WORK ORDER
43837	Book Plan Qty.	EAM-13508	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			OSDPDT	DEPRECIATION DETAILS
29657	Book Value	D7i Extended - Equipment Depreciation - 12203.	OZDEPR	EQUIPMENT DEPRECIATION
29649	Book Value (To Date)	D7i Extended - Equipment Depreciation - 12203. 'Book value' is a compound noun: Remaining value of an asset (purchase price minus depreciation).	OSDPDT	DEPRECIATION DETAILS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
29110	Book Vendor Hours	Extended (product name). Book is the verb. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WEVDBK	VENDOR BOOKING
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48133	Booked Adds	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
48139	Booked Balance	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
31880	Booked Date	EWS.CREP.UC.ScheduledActualDetail - Scheduled Actual Detail report	WYSCHD	SCHEDULED / ACTUAL DETAIL
48135	Booked Deletes	Hertz custom reports	WZSCHD	Scheduled / Actual Detail
39742	Booked Details	EAM.WORK.UC.BookPOLabor	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
20686	Booked Hours	Infor EAM - Number of hours already booked on an activity. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WSBKPO	BOOK PO LABOR
			JZJOBL	LIST OF JOBS FOR PROJECT
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHJOBF	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20686	Booked Hours	Infor EAM - Number of hours already booked on an activity. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WTCALR	CALIBRATION RECORD REPORT
			WTSCHA	Scheduled Activities
			WYJOBF	PRINT WORK ORDER
			WYSCHA	Scheduled Activities
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZSCHA	Scheduled Activities
			WZTOCO	TOOL USAGE
45674	Booked Labor	EAM-20923	WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSACCD	VIEW GL VALUES
39745	Booked Labor Description	EAM.WORK.UC.BookPOLabor	OZHISD	EQUIPMENT HISTORY DRILLDOWN
			WZJOBQ	PRINT WORK ORDER
40933	Booked Labor by Activity Chart	EAM-612	WSBKPO	BOOK PO LABOR
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSVITE	WORK ORDER QUICK ENTRY
			WHBLAC	BOOKED LABOR BY ACTIVITY
39723	Booked Line Total	Tracker id 45414	WSJOBS	CREATE WORK ORDER
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WSBKPO	BOOK PO LABOR
			WSJOBS	CREATE WORK ORDER
48120	Booked On Rent Returns	Hertz custom reports	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48117	Booked Reservations	Hertz custom reports	OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48121	Booked Reserved Returns	Hertz custom reports	OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48129	Booked Shop-Ins	Hertz custom reports	OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48131	Booked Shop-Outs	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48125	Booked Trip-Ins	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
48127	Booked Trip-Outs	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
12211	Booked hours	This is a field that displays how many hours were booked	WTJOBQ	Job Cards

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48586	Booking Code	(worked) on a work order activity. Also used for tool usage on a work order. This is also expressed in hours. 'Booked' is treated as 'Recorded (retroactive)' instead of 'Reserved.' EAM-41694	WSBOOK WSJOBS WSQCWO	BOOK LABOR BY EMPLOYEE CREATE WORK ORDER QUICK CLOSE WORK ORDER
48587	Booking Code Reference	EAM-41694	WSBOOK WSJOBS WSQCWO	BOOK LABOR BY EMPLOYEE CREATE WORK ORDER QUICK CLOSE WORK ORDER
36808	Boolean	30854	BSGRID	GRID DESIGNER
12651	Both	Used in reporting, select Both for MP5 display both options of information, e.g., on the budget update report, select both to display both total and positions of budgets.	JZORDL M1 OHECRC OHWOCS OSGGMP OTCSTL OZCSTH OZCSTL OZECRC OZRCML OZRGCA OZWOCs PYPOCS PZPOCS WZCJOB WZCSTD WZSJOB	LIST OF PURCHASE ORDERS FOR PROJECT Pull-Down Menu Texts EQUIPMENT COSTS BY RANKING CHART WORK ORDER COST SUMMARY GRAPH GIS MAP DATA WORK ORDER COST SUMMARY WO COST SUMMARY_HOSPITALITY WO COST SUMMARY EQUIPMENT COSTS BY RANKING CHART RCM RISK LEVELS RELIABILITY GROWTH CROW-AMSAA WORK ORDER COST SUMMARY GRAPH PO COST SUMMARY PO COST SUMMARY CALCULATE CUSTOMER CHARGES COST SUMMARY BY TRANSACTION DATE SAFETY WORK ORDER REPORT
45838	Both Dormant Start and Dormant End must be entered when using a dormant period.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
45969	Bottom	EAM-22039	OHECRC OZECRC	EQUIPMENT COSTS BY RANKING CHART EQUIPMENT COSTS BY RANKING CHART
41660	Bottom Right X	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
41661	Bottom Right Y	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
41663	Bottom Z	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
46015	Branch	EAM.EQUIP.REQ.LinearOverviewForEquipment.docx	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
45956	Branch Direction	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
45955	Branch Identifier	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	BSLOVS OSOBJA OSOBJP OSOBJS	LIST OF LOOKUPS CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
45954	Branch Point	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43854	Breadcrumbs	EAM-13665 Support screen permission for iPad/Andro EAM-14486 :Android Tablet - Support localization	BCLBSS BCMOBL	MOBILE BREADCRUMBS LOCATION BASED SERVICE 7I MOBILE BOILER TEXT
43779	Breakdown From		WSPPMS	PM SCHEDULES
43204	Breakdown From/To	EAM-10642	WSPPMS	PM SCHEDULES
43206	Breakdown Into	EAM-10642	WSPPMS	PM SCHEDULES
43197	Breakdown Linear Work	EAM-10642	WSPPMS	PM SCHEDULES
43780	Breakdown To	PM Schedule Breakdown Linear Work labels to show in range error	WSPPMS	PM SCHEDULES
40402	Breakup Kit	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
21761	Brief Message	databridge - shortened version of a message	DSOQUE DSTRAN	DATABRIDGE OUTBOUND QUEUE DATABRIDGE TRANSACTIONS
17766	Browse	Button on BXBROW - when you click it, you can search for the document to uplad to MP5	BSJSDN TCDOCR	COMMON FUNCTION FOR JAVASCRIPT 7I MOBILE BOILER TEXT
42691	Browsers should be set to 100% zoom level when using Screen Designer.	EAM-8335	BXLAYO	R5 Screen Layout Editor
12108	Budget	A plan for expenditure, normally a fiscal year.	BSSTRT BTTMPR BYTMPR BZCAMD BZPCLD BZTMPR FCGRD1 JSCAMP JSPROJ JYACOS JYCODL JZACOS JZCODL JZCOSL JZPBCS OYCPEV OZCPEH OZCPEV PSPORD PSPORH PSRFQR PSRFQT PSWOPP PSWOSR SSASGN SSISSP SSISSU SSREQU SSRETP UHBUDS USBUDG UYBDEL UYBUDS	EWS NEW START CENTER LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS ELECTRONIC RECORDS FOR CAMPAIGNS ELECTRONIC RECORDS FOR BUDGETS LIST OF TAMPERED RECORDS FLAMETHROWER GRID 1 CAMPAIGN PROJECTS PROJECT AREA COST SUMMARY PROJECT COST BREAK DOWN PROJECT AREA COST SUMMARY PROJECT COST BREAK DOWN PROJECT COST SUMMARY PROJECT BUDGET CODE COST SUMAMRY CAPITAL PERFORMANCE EVALUATION CAPITAL PERFORMANCE EVALUATION_HOSPITALITY CAPITAL PERFORMANCE EVALUATION PURCHASE ORDERS PO HISTORY QUOTATIONS REQUESTS FOR QUOTATIONS RETRIEVE WORK ORDER PARTS RETRIEVE WORK ORDER SERVICES GENERATE POS ISSUE PART Stock Issues REQUISITIONS RETURN PART BUDGET SUMAMRY REPORT BUDGETS BUDGET POSITION DETAILS BUDGET SUMAMRY REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12108	Budget	A plan for expenditure, normally a fiscal year.	UZBDEL	BUDGET POSITION DETAILS
			UZBUDS	BUDGET SUMAMRY REPORT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WZWOLM	WORK ORDER LIST - DETAIL
			YSGLRF	GL REFERENCES
			TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
32741	Budget Amount	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
23002	Budget Amount (Default Currency)		BSWHSE	DATA WAREHOUSE
23003	Budget Amount (Organization Currency)		BSWHSE	DATA WAREHOUSE
33584	Budget Amount Options	22892	USBDET	COPY BUDGET
			USCPBP	COPY BUDGETPOPUP
24650	Budget Approved	Extended (product name)	JSPROJ	PROJECTS
			WZPSCR	PROJECT SUMMARY CHART
20710	Budget Code	Infor EAM - A unique identifier for a budget.	BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSWOUP	WO UPDATE
22998	Budget Cost Type Code	Extended (product name)	BSWHSE	DATA WAREHOUSE
			BSWHSE	DATA WAREHOUSE
			BSWHSE	DATA WAREHOUSE
24653	Budget Date	Extended (product name)	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
23000	Budget Default Currency	Extended (product name)	WSPROJ	CREATE PROJECT POPUP
			BSWHSE	DATA WAREHOUSE
22990	Budget Department Code	Extended (product name)	BSWHSE	DATA WAREHOUSE
22991	Budget Department Description		BSWHSE	DATA WAREHOUSE
25621	Budget Description	Extended (product name)	JSPROJ	PROJECTS
18224	Budget Details		JSPROJ	PROJECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
18224	Budget Details		USBDET	COPY BUDGET
			USBUDG	BUDGETS
			USCPBP	COPY BUDGETPOPOP
			USINVP	INVESTMENT PLANNING
			WSPROJ	CREATE PROJECT POPUP
22994	Budget Equipment Code		BSWHSE	DATA WAREHOUSE
22995	Budget Equipment Description		BSWHSE	DATA WAREHOUSE
32288	Budget Group	EWS.BUD.UC.BudgetGroups.doc = page title	BSDOCA	DOCUMENTS
			USBGRP	BUDGET GROUPS
32289	Budget Group Details	EWS.BUD.UC.BudgetGroups.doc - section title	USBGRP	BUDGET GROUPS
22992	Budget Location Code		BSWHSE	DATA WAREHOUSE
22993	Budget Location Description		BSWHSE	DATA WAREHOUSE
22985	Budget Name		BSWHSE	DATA WAREHOUSE
23001	Budget Organization Currency		BSWHSE	DATA WAREHOUSE
23004	Budget Original Amount (Default Currency)		BSWHSE	DATA WAREHOUSE
23005	Budget Original Amount (Organization Currency)		BSWHSE	DATA WAREHOUSE
32439	Budget Parent	EWS.BUD.UC.BudgetStructure.doc	BSLOVS	LIST OF LOOKUPS
33267	Budget Periods	EWS.BUD.UC.CalculateBudgetPopup.doc / SCR #22176	BSLOVS	LIST OF LOOKUPS
49757	Budget Records	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
26278	Budget Shortfalls	Infor EAM. Project Cost tab SCR#5640. Default Dataspy name.	JSPROJ	PROJECTS
22988	Budget Status Code		BSWHSE	DATA WAREHOUSE
22989	Budget Status Description		BSWHSE	DATA WAREHOUSE
32424	Budget Structure	EWS.BUD.UC.BudgetStructure.doc	BSDOCA	DOCUMENTS
			UHBUDS	BUDGET SUMAMRY REPORT
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			USCLBP	CALCULATE BUDGET POPUP
			USCPBP	COPY BUDGETPOPOP
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUCL	LIST OF BUDGET CODES REPORT
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UYBUDS	BUDGET SUMAMRY REPORT
			UYBUML	LIST OF BUDGETS (TOP LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUCL	LIST OF BUDGET CODES REPORT
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUDS	BUDGET SUMAMRY REPORT
			UZBUML	LIST OF BUDGETS (TOP LEVEL)
32425	Budget Structure Details	EWS.BUD.UC.BudgetStructure.doc	USBSTR	BUDGET STRUCTURE
32663	Budget Structures	EWS.BUD.UC.Budgets.doc	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29424	Budget System Status Code	EWS.BUD.UC.BudgetTerms.doc	BSWHSE	DATA WAREHOUSE
29425	Budget System Status Description		BSWHSE	DATA WAREHOUSE
32280	Budget Term		BSDOCA	DOCUMENTS
			UHBUDS	BUDGET SUMAMRY REPORT
			USBUDG	BUDGETS
			USCLBP	CALCULATE BUDGET POPUP
			USYEAR	BUDGET TERMS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UYBUDS	BUDGET SUMAMRY REPORT
			UYBUML	LIST OF BUDGETS (TOP LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUDS	BUDGET SUMAMRY REPORT
			UZBUML	LIST OF BUDGETS (TOP LEVEL)
32283	Budget Term Details	EWS.BUD.UC.BudgetTerms.doc - label for detail section of Budget Terms form	USYEAR	BUDGET TERMS
32664	Budget Terms	EWS.BUD.UC.Budgets.doc	BSLOVS	LIST OF LOOKUPS
22996	Budget WO Type Code	This is the name of a report analyzing a specific budget.	BSWHSE	DATA WAREHOUSE
22997	Budget WO Type Description		BSWHSE	DATA WAREHOUSE
22986	Budget Year		BSWHSE	DATA WAREHOUSE
12397	Budget analysis		UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
12111	Budget code	A unique identifier for a budget.	JCPRBU	CROSSBOW PROJ BUDGET LIST
22987	Budget period	EWS.CREP.UC.BudgetSummary.doc	BSWHSE	DATA WAREHOUSE
34143	Budgeted		UHBUDS	BUDGET SUMAMRY REPORT
			UYBUDS	BUDGET SUMAMRY REPORT
			UZBUDS	BUDGET SUMAMRY REPORT
25620	Budgeted Amount	Extended (product name) Data warehouse Dimension table name. 19949--GIS	JSPROJ	PROJECTS
16047	Budgets		BSLOVS	LIST OF LOOKUPS
			JSPROJ	PROJECTS
			LVBUDG	PROJECT BUDGET LOOKUP
			BSWHSE	DATA WAREHOUSE
32735	Buffer Layer		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32310	Buffer Layers		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
26300	Build	D7i Extended - concatenation String between Application Version and Build Version; About Box	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
		EAM.MATL.UC.BuildKit.doc/EAM-78	BCMOBL	7I MOBILE BOILER TEXT
40330	Build Kit		SSBUKT	BUILD KITS
19959	Building	WMJOBS Service request sub-tab...building for which the service request is created	BSLOVS	LIST OF LOOKUPS
			BSSERQ	PROPERTIES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19959	Building	WMJOBS Service request sub-tab...building for which the service request is created	BZOSRQ	OPEN SERVICE REQUESTS
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			OSHPRM	CREATE HOSPITALITY ROOMS
			OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
			WHJOBFB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEBS	CREATE CUSTOMER
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVSR	VIEW SERVICE REQUESTS
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBFB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
40877	Building Maintenance Program	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
41003	Building Maintenance Program (BMP)	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
45224	Building Org.	EAM-14718:EAM.CCTR.REQ.ContactInformation	WZWOLM	WORK ORDER LIST - DETAIL
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45224	Building Org.	EAM-14718:EAM.CCTR.REQ.ContactInformation	CSSRPT	CREATE SERVICE REQUEST PORTAL
44531	Building Services	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
44532	Building Services Email	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
44533	Building Services Instruction	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
20192	Buildings	Infor EAM - used a title on LOV for List of buildings (used in Service Requests)	BSLOVS	LIST OF LOOKUPS
			LVLEV2	LEVEL2 LOOKUP
40789	Bullet List	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33262	Bulletin Board	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
33173	Bulletin Board Notice	22070	CSBBNT	BULLETIN BOARD NOTICES
33327	Bulletin Board Notices	22070	BSLOVS	LIST OF LOOKUPS
39219	Bundle	EAM.WORK.UC.WorkOrdersforProductionRequests	WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPDRQ	PRODUCTION REQUEST
39220	Bundle Work Orders	EAM.WORK.UC.ProductionRequestPreviewforGeneratePr oductionRequest	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
39230	Bundle of Work Orders	41073	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
25930	Business Application Integration	D7i Extended - Menus for User Groups - module name used in menus tab	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
40221	Business Partner Details	EAM-24.MATL.REQ.BusinessPartners.doc	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
33896	Business Process	#23773	BSGROU	GROUPS
33884	Business Process Code	#23773	BSFLOW	BUSINESS PROCESS SETUP
33885	Business Process Details	#23773	BSFLOW	BUSINESS PROCESS SETUP
			BSGROU	GROUPS
33876	Business Process Management Center	#23773	BSSFLW	BUSINESS PROCESS MANAGEMENT CENTER
33879	Business Process Setup	#23773	BEFLOW	WEB SERVICE FOR BUSINESS PROCESS SETUP
			BSFLOW	BUSINESS PROCESS SETUP
33895	Business Processes	#23773	BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
27562	Button	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
		EWS.WORK.UC.RevisionControlSetup	WSRVCS	REVISION CONTROL SETUP
35098	Button Description	EWS.ADMN.UC.7iBuySecurityforUserGroups	BSGROU	GROUPS
12843	Buyer	A person, responsible for creating, approving and expediting orders.	BSMPPR	MP2 PURCHASING
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			BSUSRP	USERS
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12843	Buyer	A person, responsible for creating, approving and expediting orders.	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			FCGRD1	FLAMETHROWER GRID 1
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVL	INVOICE LINES PER BUYER
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFGP	GENERATE POS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPART	PARTS
			SSREQF	GENERATE REQS
			SSREQF	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12843	Buyer	A person, responsible for creating, approving and expediting orders.	SSSUPP	SUPPLIERS
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
36149	Buyer Address 1	27957	PSPORD	PURCHASE ORDERS
36150	Buyer Address 2	27957	PSPORD	PURCHASE ORDERS
36151	Buyer Address 3	27957	PSPORD	PURCHASE ORDERS
36152	Buyer City	27957	PSPORD	PURCHASE ORDERS
36145	Buyer Contact E-mail	27957	PSPORD	PURCHASE ORDERS
36147	Buyer Contact Ext.	27957	PSPORD	PURCHASE ORDERS
36148	Buyer Contact Fax	27957	PSPORD	PURCHASE ORDERS
36143	Buyer Contact Name	27957	PSPORD	PURCHASE ORDERS
36146	Buyer Contact Phone	27957	PSPORD	PURCHASE ORDERS
36144	Buyer Contact Title	27957	PSPORD	PURCHASE ORDERS
36155	Buyer Country	27957	PSPORD	PURCHASE ORDERS
36157	Buyer Ext.	27957	PSPORD	PURCHASE ORDERS
36158	Buyer Fax	27957	PSPORD	PURCHASE ORDERS
36156	Buyer Phone	27957	PSPORD	PURCHASE ORDERS
36153	Buyer State	27957	PSPORD	PURCHASE ORDERS
36159	Buyer URL	27957	PSPORD	PURCHASE ORDERS
36154	Buyer Zip	27957	PSPORD	PURCHASE ORDERS
28614	Buyers	D7i Extended - Requisitions form -- LOV Title on Services tab, noun	BSLOVS	LIST OF LOOKUPS
25252	By Asset	Crossbow. 'By Asset' indicates whether the part is tracked by asset. Refer to 'Defining Equipment as Parts' in Chapter 3: Asset Management in the D7i User's Guide. EWS.PRCH.UC.PartsForRFQs / 31085	TCMRTP	7I MOBILE BOILER TEXT
48411	By Category	EAM-41417	SSPART	PARTS
48410	By Class	EAM-41417	OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
41318	By Incident Type	EAM-1088	OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
25514	By Lot	Extended (product name). By Lot field for Active Lines for PO Receipt.	CZISGH	INCIDENT SUMMARY GRAPH
			PSPARP	SELECT PARTS POPUP
			SSPART	PARTS
29480	By Manufacturer	D7i Extended - EWS.MATL.UC.OverviewofManufacturerParts - name of	SSRECV	PO RECEIPTS
			SSMANP	OVERVIEW OF MANUFACTURER PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46521	By Name	datspy to view all parts associated with the manufacturer	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
42657	By Param	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
29927	By Person Responsible	EAM.CREP.REQ.LaborProductivity_Healthcare.docx	WHJOB	PRINT WORK ORDER
		D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
41317	By Problem Code	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH
41319	By Room	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH
46516	By Sequence	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
29516	By Supplier	Infor EAM. Refer to	SSSUPT	OVERVIEW OF SUPPLIER PARTS
		EWS.MATL.UC.OverviewofSupplierParts.doc.		
30119	By User	Extended (product name); See	BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
		EWS.WORK.UC.ApprovalsforRCApproval.doc	BZEALD	ELECTRONIC RECORDS FOR
12093	By asset	Parts tracked 'by asset' have individual object numbers. These parts are treated as individual objects. They can be maintained, have history records etc.	SCPART	CROSSBOW PART LIST
43905	By deleting this transaction, your changes will not be uploaded to the server.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12804	By lot	When receiving such parts, each shipment is assigned a unique lot code.	SCPART	CROSSBOW PART LIST
20777	By responsible person	New checkbox on WRJOB to order the output by responsible person.	WTJOB	Job Cards
27955	Bypass Local Address	Barcode	FCSCRN	FLAMETHROWER SCREENS
27578	Bypass for Local Addresses	Crossbow	TCPRXY	7I MOBILE BOILER TEXT
12126	Bypassed	Not shown.	WSSESS	AUTO-GENERATED WO SESSIONS
32571	Bypassed WO	EWS.CREP.UC.ListofWorkOrdersBypassedDuetoNesting	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
32435	C	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
30017	C Cutoff Point %	D7i Extended - Materials -	SSABCA	GENERATE ABC ANALYSIS
		EWS.MATL.UC.GenerateABCAnalysis.doc - field label where users will enter the percentage at which they want the system to cutoff for parts that are categorized as 'C' class	SYABCA	ABC Analysis
			SZABCA	ABC Analysis
41995	CA-IEC Method	EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
42005	CA-Regression	EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
35078	CANCEL	EWS#27077	BSIBUY	INFOR EAM 7IBUY SHOPPING CART
31088	CCID	D7i Extended. CCID is an abbreviation for 'Code Combination ID.' The CCID is the fourth key field for the INV (Invoice Lines) entity on the Account Details pages.	PSINVO	INVOICES
21590	CEU	A field on the Qualifications tab of WNPERS in which you can enter the number of CEUs (course equivalent units) for the qualification code.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMP	EMPLOYEES
29769	CGMP	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
20726	CN Number	Infor EAM - A code that uniquely identifies an instruction issued by a manufacturer to repair or replace defective	BZEVD	ELECTRONIC RECORDS FOR EVENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20726	CN Number	equipment.	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WZWOLM	WORK ORDER LIST - DETAIL
48654	CN Number Description	EAM-44523	WSJOBS	CREATE WORK ORDER
38050	CO2 Emissions	34122	OYCOEM	CO2E EMISSIONS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
38074	CO2 Production	EWS.CREP.UC.CO2Reduction.doc	OYCORD	CO2 ANALYSIS
38076	CO2/Floor Area	EWS.CREP.UC.CO2Reduction.doc	OZCORD	CO2 ANALYSIS
			OYCORD	CO2 ANALYSIS
38873	CO2e Amount	EWS.MATL.UC.GreenhouseGasesforParts	OZCORD	CO2 ANALYSIS
			SSCOMM	COMMODITIES
38672	CO2e Cost (last 365 days) (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	SSPART	PARTS
			OSEVAL	EQUIPMENT EVALUATIONS
			OSEVAL	EQUIPMENT EVALUATIONS
			OSEVAL	EQUIPMENT EVALUATIONS
			SSCOMM	COMMODITIES
38670	CO2e Emissions (last 365 days) (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	SSGHGS	GREENHOUSE GASES
38671	CO2e Emissions UOM (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	SSPART	PARTS
38866	CO2e Ratio	EWS.MATL.UC.CreateEditGreenhouseGasses.doc	OSOBTV	OBJECTIVES
38025	CPR	EWS.WORK.UC.CreateEditCapitalPlanningRequest	OSOBTV	OBJECTIVES
41640	CPR (Plan)	EAM-404:EAM.WORK.REQ.CPRsforObjective	OSOBTV	OBJECTIVES
41639	CPR Description	EAM-404:EAM.WORK.REQ.CPRsforObjective	OSOBTV	OBJECTIVES
49516	CPR Priority Basis	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
41645	CPRs (Plans)	EAM-404:EAM.WORK.REQ.CPRsforObjective	OSOBTV	OBJECTIVES
43473	CSV Format	EAM-11454	REPORT	General Report Function
49096	CU Design Child WO	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
49097	CU Design Child WO Description	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
48957	CU Design Project	EAM.PROJ.REQ.Project	JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
			JSPROJ	PROJECTS
			JSCCUP	COPY CU ESTIMATE
49009	CU Design Project Description	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48956	CU Design Project Details	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
49010	CU Design Project Org.	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
49012	CU Design Project Status	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49011	CU Design Project Type	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
48997	CU Design Projects	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
48958	CU Design Type	EAM.PROJ.REQ.Project	JSPROJ	PROJECTS
49065	CU Design Type System Type Code	EAM.PROJ.REQ.Project.docx	JSPROJ	PROJECTS
48959	CU Design WO	EAM.PROJ.REQ.Project	JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
48960	CU Design WO Description	EAM.PROJ.REQ.Project	JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
49006	CU Estimate	EAM.PROJ.REQ.CompatibleUnitsEstimates	BSDOCA	DOCUMENTS
			JSCUES	CU ESTIMATES
49007	CU Estimate Description	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49004	CU Estimate Details	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
48844	CU Standard Price	EAM.MATL.REQ.PricesforParts / EAM-46785	JSCULB	COMPATIBLE UNITS LIBRARY
			SSPART	PARTS
48843	CU Standard Rate	EAM.WORK.REQ.RatesforTrades.doc	BSDEPT	DEPARTMENTS
			JSCULB	COMPATIBLE UNITS LIBRARY
			WSSTCR	STANDARD CREWS
			WSTRAD	TRADES
44326	Cabinet	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
39793	Cached Screens	45727	BANNER	BANNER
29504	Cal. Date	D7i Extended - Calibration History report	OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCART	CALIBRATION REVERSE TRACEABILITY
26261	Cal. standard	New checkbox on SMPART to indicate wheter the part can be used as a calibration standard.	TCCERR	7I MOBILE BOILER TEXT
23812	Calc. Workload	Infor EAM - The system calculated workload of a PM.	WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSWKPK	PM WORK PACKAGES
16245	Calculate		WSAVAC	CALCULATE AVAIALIBILITY
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
26790	Calculate Availability	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSAVAC	CALCULATE AVAIALIBILITY
			WSEMPs	EMPLOYEES
			WSSCHD	WORK ORDER SCHEDULE
26788	Calculate Availability Details	Extended (product name)	WSAVAC	CALCULATE AVAIALIBILITY
40431	Calculate Cost	EAM.WORK.REQ.CustomerRentals	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCREN	CUSTOMER RENTALS
37415	Calculate Costs	EWS.PRCH.UC.CreateEditRequestforQuotations/32292	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			PSRFQT	REQUESTS FOR QUOTATIONS
32668	Calculate Current Budget	EWS.BUD.UC.Budgets.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			USBUDG	BUDGETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29586	Calculate Labor Required Per Day	D7i Extended - Calculate Labor Required Per Day or Trade report	WTRLDG WYRLDG WZRLDG	CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY
29587	Calculate Labor Required/Available Per Trade	D7i Extended - Calculate Labor Required Per Day or Trade report	WTRLDG WYRLDG WZRLDG	CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY
49570	Calculate Plan Priority	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
45750	Calculate Ranking Values	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURV OSOBJA OSOBJP OSOBJS OSOBTV OSPOLI OSSTGY	CALCULATE RELIABILITY RANKING INDEX CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OBJECTIVES CREATE POLICY CREATE STRATEGY
39900	Calculate Reliability Ranking Values	EAM.EQUIP.UC.CreateEditAssetEQ	BSJSDN OSBURV OSHPFY OSHPRM OSHPPVH OSOVAM OSOVPM OSOVSM	COMMON FUNCTION FOR JAVASCRIPT CALCULATE RELIABILITY RANKING INDEX CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
40916	Calculate Risk Assessment Values	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	BSJSDN OSOVAM OSOVPM OSOVSM	COMMON FUNCTION FOR JAVASCRIPT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
32074	Calculate Total Cost	14402	OSHPFY OSHPRM OSHPPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSVCST	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT COSTS FOR EQUIPMENT
33587	Calculate Zero-based Budget	22892	USCPBP	COPY BUDGETPOPUP
39278	Calculate from Basis	EAM.WORK.UC.SequencesforMP/38265	WSDEMP WSMPAT WZMPAT	DEACTIVATE MP EQUIPMENT POPUP MAINTENANCE PATTERNS PRINT MAINTENANCE PATTERN
12109	Calculated		AEDEF ASLOV OSBURV OSOBJA OSOBJP OSOBJS OSOBTV	ANALYTICS VARIABLE DEFINITION RIGHTS ANALYTICS LIST OF VALUES CALCULATE RELIABILITY RANKING INDEX CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12109	Calculated		OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSTGY	CREATE STRATEGY
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			WSCJOB	APPROVE CUSTOMER CHARGES
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZERRF	EXPIRED WARRANTIES
45812	Calculated Answer	EAM.EQUIP.REQ.RankingSurveyforEquipment EAM-19869	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
32738	Calculated Budget	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
18233	Calculated Costs	Group header	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			WSCJOB	APPROVE CUSTOMER CHARGES
44735	Calculated Costs Refresh Required	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
40439	Calculated Days	EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
35582	Calculated Deduction	EWS.CREP.UC.PenaltyDeductionSummary	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
34086	Calculated EOQ	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
			SYEOQA	EOQ Analysis
			SZEOQA	EOQ Analysis
40436	Calculated Fuel Usage	EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
40438	Calculated Hours	EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
43583	Calculated Priority	EAM.WORK.REQ.WOActivityPreviewforWODailySchedul ing	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
40440	Calculated Usage	EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
40435	Calculated Usage UOM	EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
33772	Calculated Value	EWS.CREP.UC.BudgetAnalysis.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
46834	Calculated Value Formula	EAM.WORK.REQ.ActivitiesforWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46834	Calculated Value Formula	EAM.WORK.REQ.ActivitiesforWorkOrder	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSTASK	TASKS
46808	Calculated Value Source	EAM-29656	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
35058	Calculated Work Orders	EWS.CREP.UC.PrintCustomerContract	WSOPCK	OPERATOR CHECKLIST REVIEW
			WSTASK	TASKS
			WZAGRS	PRINT CUSTOMER CONTRACT
			WSWKPK	PM WORK PACKAGES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
34202	Calculated Workload	EWS.WORK.UC.EquipmentForPMWorkPackages/26146	OSOBJS	CREATE SYSTEM EQUIPMENT
			BSLOVS	LIST OF LOOKUPS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
45747	Calculation Error	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			BSLOVS	LIST OF LOOKUPS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
42030	Calculation Method	EAM-3780	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
12094	Calendar	Calendars are used in the budget module. They define number and dates of periods in a budget term.	BANNER	BANNER
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
43374	Calendar Days	EAM-10497	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSWARR	WARRANTY
43365	Calendar Due Date	EAM-10497	UYBUCL	LIST OF BUDGET CODES REPORT
			UZBUCL	LIST OF BUDGET CODES REPORT
			WZPMDO	PM DUE OVERVIEW
			WZPMDO	PM DUE OVERVIEW
			BSDOCA	DOCUMENTS
			BSORGS	ORGANIZATIONS
35159	Calendar Group	EWS.CCTR.UC.CalendarGroup	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35159	Calendar Group	EWS.CCTR.UC.CalendarGroup	CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCLGP	CALENDAR GROUPS
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
35160	Calendar Group Details	EWS.CCTR.UC.CalendarGroup	WSOPSS	OPTIMIZED SCHEDULER SETUP
35485	Calendar Group Org.	EWS.EQUIP.UC.CreateEditAssetEQ	CSCCLGP	CALENDAR GROUPS
			BSORGS	ORGANIZATIONS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
35486	Calendar Groups	EWS.EQUIP.UC.CreateEditAssetEQ	BSLOVS	LIST OF LOOKUPS
35224	Calendar Period	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35243	Calendar Period Details	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35241	Calendar Periods	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
32281	Calendar Type	EWS.BUD.UC.BudgetTerms.doc - Calendar Type field on Budget Terms form	BSDOCA	DOCUMENTS
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			USCALE	BUDGET CALENDAR TYPES
			USYEAR	BUDGET TERMS
32293	Calendar Type Details	EWS.BUD.UC.CalendarTypes - section name on Budget Calendar Types form	USCALE	BUDGET CALENDAR TYPES
32311	Calendar Types	EWS.BUD.UC.BudgetTerms.doc - title for popup	BSLOVS	LIST OF LOOKUPS
29723	Calibrated By	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
26090	Calibration	New tab in OMOBJC	OSCPCN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		Crossbow	TCESYP	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
27477	Calibration Data Entry	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
29111	Calibration Details	D7i Extended - Calibration for Equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27479	Calibration History	Crossbow	TCJCAH	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
28657	Calibration Interval	D7i Extended - Calibrations for Work Order	JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28657	Calibration Interval	D7i Extended - Calibrations for Work Order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
35051	Calibration Interval UOM	PIR-21376	JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45460	Calibration Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	PSPARP	SELECT PARTS POPUP
29296	Calibration Standard	D7i Extended - Calibration - PVCS # 11237 - Tells whether part can be used as a calibration standard.	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SCPART	CROSSBOW PART LIST
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			TCJCAL	7I MOBILE BOILER TEXT
27478	Calibration Standards	Crossbow	BZEVD	ELECTRONIC RECORDS FOR EVENTS
28652	Calibration Status	D7i Extended - Calibrations for Work Orders	JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			CSCCTR	CONTACT CENTER
26613	Calibration status	Status of the work order calibration (WMJOBS)	CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSINRE	GUEST INCIDENT REQUEST
			CSCCSP	CONTACT CENTER SETUP
			BCMOBL	7I MOBILE BOILER TEXT
33828	Call Center	23644	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
35196	Call Center Default Value Options	EWS.CCTR.UC.CallCenterSetup-SCR27882		
35185	Call Center Details	EWS.WORK.UC.CreateWorkOrder		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35185	Call Center Details	EWS.WORK.UC.CreateWorkOrder	OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
37452	Call Center Event Log Types	EWS.CCTR.UC.EventLogTypeFilter / 32566	CSEVTF	CALL CENTER EVENT TYPE FILTER
36090	Call Center Events	29024	CSCRHS	CUSTOMER REQUEST HISTORY
33439	Call Center Form Options	SCR 22087	CSCCSP	CONTACT CENTER SETUP
35197	Call Center Functional Options	EWS.CCTR.UC.CallCenterSetup-SCR27882	CSCCSP	CONTACT CENTER SETUP
33337	Call Center Setup	EWS.CCTR.UC.AttributesForCCTRSetup.doc (22483)	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
			WZCCTR	PRINT SERVICE REQUESTS
38603	Call Center User Defined Fields	36336	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35331	Call Center WO Report	CreateEditWorkOrder/SCR#27926	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			CYCCTR	CALL CENTER WO REPORT
38633	Call Center/WO Custom Fields	SCR #37378	CZCCTR	SERVICE REQUEST WO REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			CYCCTR	CALL CENTER WO REPORT
37010	Call Center/WO UDF	31515	CZCCTR	SERVICE REQUEST WO REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			BSLOVS	LIST OF LOOKUPS
20174	Caller	Infor EAM - displays the name of the caller	WSLOGS	CREATE / VIEW SERVICE LOGS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WZGDCL	GDPR COMPLIANCE - CALLER
			WSCALP	ADD EDIT CALLER
20021	Caller Details	Infor EAM - group header on the create service request form that lists details about the caller (person calling-in the request)	WSDEBS	CREATE CUSTOMER
			WSSERQ	CREATE SERVICE REQUESTS
			CLOGON	CALLER LOGON SCREEN
20533	Caller ID	Infor EAM - this is on the login page and this field prompts the user for their caller login ID.	CSCSUR	CUSTOMER SURVEYS
			WZGDCL	GDPR COMPLIANCE - CALLER
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
20036	Caller Name	Infor EAM - the name of the person who called in requesting the service.	CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVITE	WORK ORDER QUICK ENTRY
20225	Callers	Title for LOV displaying List of Callers	LVCALL	CALLERS LOOKUP
			WSDEBS	CREATE CUSTOMER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20031	Calling Customer	Infor EAM - the customer for whom the caller is requesting the service.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
43906	Camera	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
39049	Campaign	EWS.PROJ.UC.CreateEditCampaign/40385	BSDOCA	DOCUMENTS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			OSAPMS	APM SCENARIO
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVBH	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WYJOBFB	PRINT WORK ORDER
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
39046	Campaign - Campaign Event	EWS.WORK.UC.CreateEditWorkOrder.doc	WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVITE	WORK ORDER QUICK ENTRY
			WSWODP	VIEW WO DETAILS POPUP
			WZLWOQ	LIST OF WORK ORDERS
48662	Campaign Description	EAM-44523	WSJOBS	CREATE WORK ORDER
39050	Campaign Details	EWS.PROJ.UC.CreateEditCampaign/40385	JSCAMP	CAMPAIGN
			OSAPMS	APM SCENARIO
39047	Campaign Event	EWS.WORK.UC.CreateEditWorkOrder.doc	JSCAMP	CAMPAIGN
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVBH	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39047	Campaign Event	EWS.WORK.UC.CreateEditWorkOrder.doc	WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
39179	Campaign Event Details	EAM.PROJ.UC.CampaignEventsforCampaign/41039	JSCAMP	CAMPAIGN
39178	Campaign Events	EAM.PROJ.UC.CampaignEventsforCampaign/41039	BSLOVS	LIST OF LOOKUPS
			JSCAMP	CAMPAIGN
			JSCCMP	COPY CAMPAIGN POPUP
39052	Campaign Manager	EWS.PROJ.UC.CreateEditCampaign/40385	BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			JSCAMP	CAMPAIGN
47754	Campaign Org.	EAM-36569: EAM.EQUIP.REQ.CampaignsforAPMSscenario	OSAPMS	APM SCENARIO
39044	Campaign Status	EWS.WORK.UC.CreateEditWorkOrder.doc	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39657	Campaigns	EAM.WORK.UC.ParametersforWODailyScheduling/43652	BSLOVS	LIST OF LOOKUPS
			OSAPMS	APM SCENARIO
44889	Campus	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
45223	Campus Org.	EAM-14718:EAM.CCTR.REQ.ContactInformation	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSSRPT	CREATE SERVICE REQUEST PORTAL
32582	Can Be Allocated	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
28564	Can Delete?	D7i Extended - Analytics - Does the user have the right to delete?	AESEC	ANALYTICS SECURITY DETAILS
28565	Can Insert?	D7i Extended - Analytics - Does the user have the right to insert?	AESEC	ANALYTICS SECURITY DETAILS
28556	Can Select?	D7i Extended - Analytics - User has rights to Select Values	AESEC	ANALYTICS SECURITY DETAILS
20545	Can Submit Requests	Infor EAM - this appears on the Caller pop-up and lets the user know that he has rights to submit a service request	WSCALL	CREATE/EDIT CALLER
28563	Can Update?	D7i Extended - Analytics - Does the user have the right to update?	AESEC	ANALYTICS SECURITY DETAILS
12243	Cancel		BSACRP	ADD CUSTOM REPORT POPUP (USED IN MENUS TAB)
			BSADVR	ADVANCED REPORTING FUNCTION
			BSALNP	MAKE LANGUAGE AVAILABLE
			BSCFIH	INSPECTION HEADER CUSTOM FIELDS
			BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
			BSCIPP	INSPECTION POINT CUSTOM FIELDS
			BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12243	Cancel		BSCPMP	COPY MENU POPUP
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSCUSP	INSPECTION CUSTOM FIELDS
			BSCUSW	CUSTOM FIELD FOR WORK ORDER
			BSCWSP	COPY WEB SERVICE PROMPT POPUP
			BSDOCA	DOCUMENTS
			BSDTSP	DATASPY
			BSEPDS	CHANGE PART DESCRIPTION
			BSESGN	EWS - E-SIGNATURE POPUP
			BSFFTP	SELECT TYPES
			BSFFWP	SELECT WO EQUIPMENT TYPES
			BSFLCP	SELECT CLASSES
			BSGFRM	FROM CLAUSE LOOKUP
			BSGMAC	COPY GIS MAP POPUP
			BSGSEL	SELECT CLAUSE LOOKUP
			BSHDSP	HIDE DATASPIES POPUP
			BSHOME	HOME - OVERVIEW SCREEN
			BSIMUS	IMPORT USERS
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSMSLV	MULTIPLE SELECT LOOKUP
			BSMTRL	E-MAIL RECIPIENTS
			BSORGS	ORGANIZATIONS
			BSPARM	PARAMETER LIST POPUP
			BSREPO	CREATE / EDIT REPORTS
			BSRLNP	REFRESH INSTALLED LANGUAGE
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSSMEN	ADD MAIN MENU FOLDER POPUP
			BSSNCP	COPY MENU POPUP
			BSSTDF	SET DEFAULT VALUE
			BSTABL	POP-UP FUNCTION FOR TABLE LOOKUP
			BSTBOP	CHANGE TAB ORDER POPUP
			BSTOPO	ADD TOP LEVEL ORGANIZATION
			BSUDFO	USER DEFINED FIELD OPTIONS
			BSUPLD	UPLOAD DOCUMENT POPUP
			BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
			BSUSRP	USERS
			BXLAYO	R5 Screen Layout Editor
			CSEDLK	CREATE HTML EDITOR LINK
			DSMSBH	VIEW MESSAGES
			FCSCRN	FLAMETHROWER SCREENS
			ISFOMP	EDIT PARAMETER POP-UP
			ISPCOP	COPY ASPECT POINTS
			JSCCMP	COPY CAMPAIGN POPUP
			JSCCUP	COPY CU ESTIMATE
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12243	Cancel		OSAIRP	SELECT ASSETS
			OSAREA	READING FOR ASSET
			OSBURR	BATCHUPDATERANKINGREFRESHPOPUP
			OSCEQN	CHANGE EQUIPMENT NUMBER POPUP
			OSCLCL	CLOSING CODES LOOKUP
			OSCNAP	CREATE NEW ASSETS
			OSCNNL	CHANGE NOTICE LOOKUP
			OSPCPN	COPY CONFIGURATION POPUP
			OSPCPS	COPY CONSIST POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSENRA	RETRIEVE CUSTOMER ACCOUNT ID
			OSENSC	ENERGY STAR CUSTOMER ID POPUP FOR CONFIRM
			OSENSG	ENERGY STAR CUSTOMER ID POPUP FOR GET
			OSENSR	ENERGY STAR DATE RANGE POPUP FOR GET RATINGS
			OSENSV	ENERGY STAR MESSAGE VIEWING POPUP
			OSEQLT	IMPORT FROM EQUIPMENT
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQPP	EQUIPMENT LOOKUP
			OSGADR	GIS ADDRESS SELECTOR (REST)
			OSGFLT	GIS ATTRIBUTE FILTER
			OSGIAS	GIS ADDRESS SELECTOR
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMP	VIEW GIS MAP POPUP
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSGSWO	SELECTABLE LAYERS FOR WO
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSISDM	IMPORT SERVICE DELIVERY MATRIX POPUP
			OSITPP	IMPORT TEST POINTS
			OSJOBS	CREATE WORK ORDER
			OSKECP	COPY KEY POPUP
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSLREA	READING FOR LOCATION
			OSLRFS	LINEAR REFERENCE POPUP
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12243	Cancel		OSOVIW	EQUIPMENT OVERVIEW 360
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSPWLT	IMPORT FROM PTW
			OSRELQ	ORDER QUESTIONS POPUP
			OSRRCP	COPY RELIABILITY RANKING
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSREA	READING FOR SYSTEM
			OSSTRP	VIEW PARENT EQUIPMENT
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCRFP	COPY RFQ POPUP
			PSORDP	CREATE COMPLETE PO
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPOCP	COPY PO POPUP
			PSPOLN	IMPORT PO LINES
			PSREVP	REVISION REASON POPUP
			PSRFGP	GENERATE POS FOR RFQS
			PSRFRG	GENERATE REQS FOR RFQS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			REPORT	General Report Function
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSBINL	BIN LOOKUP
			SSBNBN	TRANSFER PARTS BETWEEN BINS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCPCP	CHANGE PART CONDITION POPUP
			SSGRFQ	GENERATE RFQS
			SSIMPL	IMPORT PART LIST
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSP	ISSUE PART
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPTNP	CHANGE PART NUMBER POPUP
			SSPWIP	IMPORT PARTS POPUP
			SSREQS	CREATE PURCHASE REQUISITION
			SSRETP	RETURN PART
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQCP	COPY REQUISITION POPUP
			SSSCRCP	SCRAP PART
			SSSTOP	RECORD STOCKOUT POPUP
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUCP	COPY SUPPLIER POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12243	Cancel		SSSUPL	SUPPLIER LOOKUP
			SSVREQ	VIEW PURCHASE STATUS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			USBDET	COPY BUDGET
			USCLBP	CALCULATE BUDGET POPUP
			USCPBP	COPY BUDGETPOPUP
			WSACMP	ACTIVATE MP POPUP
			WSAPRR	REJECT REASON
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSASRD	ASSIGN REPAIR DETAILS
			WSATCP	CHECKLIST POPUP
			WSBCOR	BATCH COPY ORGANIZATION
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBUOR	BATCH UPDATE ORGANIZATION POPUP
			WSCALP	ADD EDIT CALLER
			WSCHST	CHANGE WO STATUS POPUP
			WSCLSR	CLOSE SERVICE REQUEST
			WSCMPP	COPY MP POPUP
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCPST	COPY STANDARD ORDER POPUP
			WSCPTW	COPY REPLACE PTW POPUP
			WSCRWP	CREATE/EDIT CREW POPUP
			WCSOF	CONTRACTOR SIGN OFF POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSFREZ	FREEZE/UNFREEZE POPUP
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSIMCL	IMPORT CHECKLIST
			WSIMPL	IMPORT PART LIST
			WSINVP	GENERATE INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOCP	CREATE STANDARD WO POPUP
			WSJOIN	CREATE INVOICE FOR WO
			WSJOQP	IMPORT UNLINKED QUALIFICATIONS
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSLNSR	PERFORM LINEAR SEARCH POPUP
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMACP	COPY MATERIAL LIST POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12243	Cancel		WSMOVE	MOVE PM ACTIVITY
			WSPACT	IMPORT ACTIVITIES
			WSPMCP	COPY PM PLAN
			WSPMPP	COLOR POPUP
			WSPPPM	PM PLANS
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSPROJ	CREATE PROJECT POPUP
			WSPRRS	REFRESH RESOURCES
			WSRTEP	ROUTE LOOKUP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSTASK	TASKS
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWORS	CHANGE INSPECTION STATUS
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WSWREQ	WORK REQUEST
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
			TCCLGR	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			TCCNUM	7I MOBILE BOILER TEXT
			TCDOCR	7I MOBILE BOILER TEXT
			TCELRC	7I MOBILE BOILER TEXT
			TCORCF	7I MOBILE BOILER TEXT
			TCPRXY	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			TCSYPF	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
			BCMOBL	7I MOBILE BOILER TEXT
47661	Cancel All	EAM-47419	BCMOBL	7I MOBILE BOILER TEXT
36937	Cancel Awarded Items	EAM-36539	PSRFQT	REQUESTS FOR QUOTATIONS
46534	Cancel Checklist	Checklist	BCMOBL	7I MOBILE BOILER TEXT
20312	Cancel Copy	Infor EAM -Label of the button to cancel 'copy' command on dataspy window	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
31182	Cancel Job	Barcoding	FCSCRN	FLAMETHROWER SCREENS
25517	Cancel Line	Extended (product name). Cancel Line for Active Lines for PO Receipt.	SSRECV	PO RECEIPTS
34276	Cancel Multiple Lines	Packing Slip For PO Receipts	SSRECV	PO RECEIPTS
20313	Cancel New	Infor EAM - Label of the button to cancel 'New' Command on dataspy window	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
39517	Cancel Part Line	Infor EAM - link button to cancel a part stote to store requisition line	SSRQSS	STORE TO STORE REQUISITIONS
35944	Cancel Process	EWS.ADMIN.UC.StatusforConfigurationManager	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17281	Cancel Query	Tool Tip for Cancel Query	M1	Pull-Down Menu Texts
33572	Cancel Selected Lines	EWS.MATL.UC.CancelMultipleReceiptLinesPOPUP/16299	BCMOBL	7I MOBILE BOILER TEXT
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
29020	Cancel Session	Extended (product name); Link on WO Load Balance form	OSAINV	ASSET INVENTORY
			SSBUKT	BUILD KITS
			WSCAPA	WO LOAD BALANCING
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
43267	Cancel Status	EAM.ADMN.UC.OperatorChecklistforFieldFilterSetup.d	BSFFSP	FILTER FIELD SETUP SCREEN
21756	Cancel Transaction	databridge	DSTRAN	DATABRIDGE TRANSACTIONS
31532	Cancel Transmitted	EWS.CREP.UC.ElectronicRecords	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
39056	Cancel WOs	EWS.PROJ.UC.CreateEditCampaign/40385	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT CAMPAIGN
			JSCAMP	
41347	Cancelled	EAM-1919.EQUIP.REQ.ParametersforAssetInventory	BSLOVS	LIST OF LOOKUPS
			OSAINV	ASSET INVENTORY
24667	Cannot add, update, or delete any Activity, as this WO is Closed.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
45836	Cannot change the Status to In Kit.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
45837	Cannot change the status of the equipment to Withdrawn when it has a parent in an equipment hierarchy.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
44223	Cannot complete the work order with required checklist items still pending.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44224	Cannot complete the work order. Checklist Performed By credentials are still required on at least one activity.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44225	Cannot complete the work order. Checklist Reviewed By credentials are still required on at least one activity.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24668	Cannot delete Activity.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
44222	Cannot delete already synced document.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43907	Cannot delete selected Inspection Result. This has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25253	Cannot delete the booked hour record. The record has already been synchronized.	Crossbow. Error message for Book Hours. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	TCJALL	7I MOBILE BOILER TEXT
25256	Cannot delete the selected Inspection Result. It has already been synchronized.	Crossbow. 'By Asset' indicates whether the part is tracked by asset. Refer to 'Defining Equipment as Parts' in Chapter 3: Asset Management in the D7i User's Guide.	TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCOMRL	7I MOBILE BOILER TEXT
43908	Cannot delete this Activity. This Activity has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43909	Cannot delete this Asset Inventory. This Asset Inventory has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43910	Cannot delete this Cost. This record	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43911	has already been synchronized. Cannot delete this Document. This Document has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43915	Cannot delete this WO. This WO has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43912	Cannot delete this record. This record has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43914	Cannot delete this transaction.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
24671	Cannot delete. The record has already been synchronized.	Crossbow	TCCRSB	71 MOBILE BOILER TEXT
			TCJCML	71 MOBILE BOILER TEXT
			TCJEQL	71 MOBILE BOILER TEXT
43921	Cannot delete. This WO has associated activities.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43922	Cannot delete. This WO has associated comments.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44226	Cannot delete. This activity has a comment.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43916	Cannot delete. This activity has associated Additional Costs	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43917	Cannot delete. This activity has associated Issue Return Parts.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43918	Cannot delete. This activity has associated Labor Bookings.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
43920	Cannot delete. This record has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
25285	Cannot delete: Meter is no longer related to equipment.	Crossbow	TCOMRL	71 MOBILE BOILER TEXT
25284	Cannot delete: Other transactions for this part exist after this transaction.	Crossbow	TCMRTL	71 MOBILE BOILER TEXT
26807	Cannot delete: This Activity has associated Issue/Return Parts.	Crossbow	TCJACL	71 MOBILE BOILER TEXT
26806	Cannot delete: This Activity has associated Labor Bookings.	Crossbow. 'Booking' is treated like 'Recording (retroactive)' instead of 'Reserving (future).'	TCJACL	71 MOBILE BOILER TEXT
26808	Cannot delete: This Activity has associated Parts.	Crossbow	TCJACL	71 MOBILE BOILER TEXT
26809	Cannot delete: This Activity has associated Task Plans.	Crossbow	TCJACL	71 MOBILE BOILER TEXT
24672	Cannot delete: This Part has already been synchronized.	Crossbow	TCJAPL	71 MOBILE BOILER TEXT
24670	Cannot delete: This WO has already been synchronized.	Crossbow	TCJOBL	71 MOBILE BOILER TEXT
26757	Cannot delete: This WO has associated Activities.	Crossbow	TCJOBL	71 MOBILE BOILER TEXT
26801	Cannot delete: This WO has associated Comments.	Crossbow	TCJOBL	71 MOBILE BOILER TEXT
26802	Cannot delete: This WO has associated Custom Fields.	Crossbow	TCJOBL	71 MOBILE BOILER TEXT
24669	Cannot delete: This WO is already closed.	Crossbow	TCJOBL	71 MOBILE BOILER TEXT
31470	Cannot drill down further.		TCESTR	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26810	Cannot enter reading for replaced meter. Please synchronize with server first.	Crossbow	TCOMRD	7I MOBILE BOILER TEXT
43923	Cannot insert future date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43924	Cannot insert incorrect value.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43925	Cannot insert past date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25286	Cannot issue/return duplicate ByAsset Part.	Crossbow	TCMRTP	7I MOBILE BOILER TEXT
27575	Cannot load configuration.	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
44229	Cannot make this field optional because it is a system required field.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44227	Cannot make this optional because it is a system read only field.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44228	Cannot make this required because it is a system read only field.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44230	Cannot modify the system required field.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
31835	Cannot proceed. Default Printer is not set up.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	7I MOBILE BOILER TEXT
33609	Cannot synchronize. No System Data organizations have been selected. Check your organization configuration.	Mobile #21441	TCCLOG	7I MOBILE BOILER TEXT
44909	Cannot update a deferred activity.	EAM-16256	BCMOBL	7I MOBILE BOILER TEXT
44231	Cannot update this record. This record has already been synchronized.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
49643	CapEx	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
47622	Capacities	EAM-36189: EAM.EQUIP.REQ.CapacitiesforEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
13284	Capacity	MRC: The global capacity. This capacity usually is less than the sum over all people in the MRC. It is used for global scheduling purposes. Personnel: The average availability of a person. Suppliers: The capacity that a supplier can supply theoretically.	FCGRD1	FLAMETHROWER GRID 1
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OZHISL	Object History
			SSSUPP	SUPPLIERS
47617	Capacity Code	EAM-36189 : EAM.EQUIP.REQ.CapacitiesforEquipment	BSLOVS	LIST OF LOOKUPS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSPERF	PERFORMANCE FORMULAS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47616	Capacity Details	EAM-36189 : EAM.EQUIP.REQ.CapacitiesforEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
48151	Capacity Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48151	Capacity Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJP OSOBJS OSOCDE WSOPSS	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT CLASS DEFINITION OPTIMIZED SCHEDULER SETUP
48070	Capacity Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
38022	Capital Planning Request	EWS.WORK.UC.CreateEditCapitalPlanningRequests	BSDOCA BZPRJD OSEVAL OSNCFM OSNCHD OSOBJA OSOBJL OSOBJP OSOBJS USINVP WSCPQR WSJOBS WSPROJ	DOCUMENTS ELECTRONIC RECORDS FOR PROJECTS EQUIPMENT EVALUATIONS NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT INVESTMENT PLANNING CAPITAL PLANNING REQUEST CREATE WORK ORDER CREATE PROJECT POPUP
49765	Capital Planning Request Class	EAM-50203 : PlanningResultsForInvestmentPlannin	USINVP	INVESTMENT PLANNING
49766	Capital Planning Request Class Org.	EAM-50203 : PlanningResultsForInvestmentPlannin	USINVP	INVESTMENT PLANNING
49755	Capital Planning Request Description	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
38004	Capital Planning Request Details	EWS.WORK.UC.CreateEditCapitalPlanningRequests	USINVP WSCPQR	INVESTMENT PLANNING CAPITAL PLANNING REQUEST
40921	Capital Planning Request No.	EAM-417: Projects Healthcare	JSPROJ	PROJECTS
38311	Capital Planning Request Org.	EWS.PROJ.UC.CreateEditProject.doc	BZPRJD JSPROJ OSEVAL OSNCFM OSNCHD OSOBJA OSOBJL OSOBJP OSOBJS USINVP WSJOBS	ELECTRONIC RECORDS FOR PROJECTS PROJECTS EQUIPMENT EVALUATIONS NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT INVESTMENT PLANNING CREATE WORK ORDER
49756	Capital Planning Request Status	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
49572	Capital Planning Requests	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	BSLOVS USINVP	LIST OF LOOKUPS INVESTMENT PLANNING
31183	Caption	Barcoding	FCSCRN	FLAMETHROWER SCREENS
18931	Carrier	used with iProcure; part of information sent by vendor about the PO. idicates either the type of company delivering the items or the company itself.	BSMPPR PSPORD	MP2 PURCHASING PURCHASE ORDERS
18932	Carrier URL	used with iProcure; info the vendor sends about the PO. identifies the website address of the company delivering the items. Might be a direct link to information about the shipment status	PSPORD	PURCHASE ORDERS
27948	Cascade	Barcode	FCSCRN	FLAMETHROWER SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34306	Cascade Work Order Status	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
44728	Case	EAM-15257 EAM.CCTR.REQ.CaseManagement	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BSDOCA	DOCUMENTS
			BZCHKA	CHECKLIST AUDIT
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWOUP	WO UPDATE
45114	Case Assigned To	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCMTK	CASE MANAGEMENT TASKS
45135	Case Assigned To E-mail	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45134	Case Assigned To Name	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
44543	Case Class	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
44544	Case Class Org.	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
45140	Case Created By	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45141	Case Date Created	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45143	Case Date Updated	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45102	Case Department	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
45101	Case Description	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCMTK	CASE MANAGEMENT TASKS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
44729	Case Details	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
44547	Case Follow-up Required	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
48805	Case Management	EAM-44652	BZCHKA	CHECKLIST AUDIT
44663	Case Management Checklist	EAM-15267 Task Plan - Add support for Case Management	WSTASK	TASKS
			WSTASL	TASK LOOKUP
44550	Case Management Details	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
45100	Case Organization	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
45113	Case Prepared By	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45113	Case Prepared By	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL014	CASE TASK COMPLETED
			CSCMTK	CASE MANAGEMENT TASKS
45139	Case Prepared By E-mail	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45138	Case Prepared By Name	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
44545	Case Priority	EAM.CCTR.REQ.ServiceCodes	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
45112	Case Responsible	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCMTK	CASE MANAGEMENT TASKS
45137	Case Responsible E-mail	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45136	Case Responsible Name	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45103	Case Status	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
48841	Case Task No.	EAM-44652	BZCHKA	CHECKLIST AUDIT
44631	Case Tasks		CSSVPB	SERVICE PROBLEM CODES
44542	Case Type	EAM.CCTR.REQ.ServiceCodes	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCCTR	CONTACT CENTER
			CSSVPB	SERVICE PROBLEM CODES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
45142	Case Updated By	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45183	Case User Defined Checkbox 01	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45184	Case User Defined Checkbox 02	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45185	Case User Defined Checkbox 03	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45186	Case User Defined Checkbox 04	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45187	Case User Defined Checkbox 05	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45173	Case User Defined Date 01	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45174	Case User Defined Date 02	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45175	Case User Defined Date 03	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45176	Case User Defined Date 04	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45177	Case User Defined Date 05	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45189	Case User Defined Field 01	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45190	Case User Defined Field 02	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45191	Case User Defined Field 03	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45192	Case User Defined Field 04	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45193	Case User Defined Field 05	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45194	Case User Defined Field 06	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45195	Case User Defined Field 07	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45196	Case User Defined Field 08	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45197	Case User Defined Field 09	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45198	Case User Defined Field 10	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45199	Case User Defined Field 11	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45200	Case User Defined Field 12	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45201	Case User Defined Field 13	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45202	Case User Defined Field 14	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45203	Case User Defined Field 15	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45204	Case User Defined Field 16	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45205	Case User Defined Field 17	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45206	Case User Defined Field 18	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45207	Case User Defined Field 19	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45208	Case User Defined Field 20	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45209	Case User Defined Field 21	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45210	Case User Defined Field 22	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45163	Case User Defined Field 23	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45164	Case User Defined Field 24	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45165	Case User Defined Field 25	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45166	Case User Defined Field 26	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45167	Case User Defined Field 27	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45168	Case User Defined Field 28	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45169	Case User Defined Field 29	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45170	Case User Defined Field 30	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45188	Case User Defined Fields	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
49594	Case User Defined Note 01	EAM.CCTR.REQ.CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
49595	Case User Defined Note 02	EAM.CCTR.REQ.CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45178	Case User Defined Number 01	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45179	Case User Defined Number 02	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45180	Case User Defined Number 03	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45181	Case User Defined Number 04	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45182	Case User Defined Number 05	EAM-15260 CaseManagementTasks	CSCMTK	CASE MANAGEMENT TASKS
45345	Cases	EAM-17388	BSLOVS	LIST OF LOOKUPS
34034	Catalog Description	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
34029	Catalog Gross	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
34030	Catalog Leadtime	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
36005	Catalog No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
34032	Catalog PURUOM	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
34025	Catalog Part	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
		19828	BUYCPT	BUY CAT PARTS GRID BOT FUNCTION
34026	Catalog Part Organization	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
20860	Catalog Reference	Infor EAM - The number/code (identifier) of a part that is used by the supplier of the part.	BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSBUYP	VIEW 71 BUY SYNC ERRORS
			SSCREP	CATALOG REFERENCES
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20860	Catalog Reference	Infor EAM - The number/code (identifier) of a part that is used by the supplier of the part.	WSTASK	TASKS
		19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
		19828	BUYCPT	BUY CAT PARTS GRID BOT FUNCTION
34027	Catalog Supplier	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
34028	Catalog Supplier Organization	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
32696	Catalog Suppliers	20057	SSSUPL	SUPPLIER LOOKUP
24821	Categ	Crossbow - Category	TCOBJR	7I MOBILE BOILER TEXT
28377	Categories	D7i Extended -- Monitored Data form -- noun	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA
			LVPCAT	PART CATEGORY LOOKUP
37931	Categorization Code Details	Capital Request Categorization Codes	BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
38011	Categorization Codes	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
12096	Category	Grouping of assets with the same or similar functions.	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL007	MISSING UTILITY INVOICES
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			ISAPRF	APPROVE INSPECTION RESULTS
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			JSSHUT	SHUTDOWNS
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12096	Category	Grouping of assets with the same or similar functions.	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OTCAEQ	CALIBRATION EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OTCSTL	WORK ORDER COST SUMMARY
			OTMHST	METER HISTORY
			OTOBJL	List Of Objects
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCATL	LIST OF CATEGORIES PER CLASS
			OZCORD	CO2 ANALYSIS
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQUD	EQUIPMENT DETAIL
			OZFLTG	Fault Trend Analysis
			OZJMFL	Mean Time Between Failures Per Fault
			OZMHST	METER HISTORY
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			OZPROF	EQUIPMENT PROFILE
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZTRAS	EQUIPMENT TRANSFER LOG
			OZWPCS	WORK ORDER COST SUMMARY GRAPH
			SSPART	PARTS
			SSREQU	REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12096	Category	Grouping of assets with the same or similar functions.	SSSUBP	SUBSTITUTE PART POP UP
			SZEKIT	LIST OF EXPIRED KITS
			SZLKIT	LIST OF KITS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES
			WSGISD	MAP VIEW
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSWLSH	WO LABOR SCHEDULING
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
		D7i Extended - field label	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSDEPT	DEPARTMENTS
			BSEXAL	EXPORT BASE CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSVSDP	VIEW STATUS DETAILS POPUP
			BSWHSE	DATA WAREHOUSE
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OHTTEC	TOP 10 EQUIPMENT COST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSEVAL	EQUIPMENT EVALUATIONS
			OSNCTP	NONCONFORMITY TYPES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
			OZTTEC	TOP 10 EQUIPMENT COST
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12096	Category	D7i Extended - field label	SYSTOL	Stock List
			SZSTOL	Stock List
			USINVP	INVESTMENT PLANNING
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCALR	VIEW CALIBRATION RESULTS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPL	PM FORECASTING
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZVBIL	VEHICLE BILLING REPORT
38657	Category (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
47580	Category Description	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSOCDE	EQUIPMENT CLASS DEFINITION
46701	Category Name	EAM-29032: EAM.ADMN.REQ.SystemCodes	BSUCOD	SYSTEM CODES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			OSOBTV	OBJECTIVES
			WSCTMP	CONTRACT TEMPLATES
41361	Category Options	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
40496	Category Specific Fields	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCTMP	CONTRACT TEMPLATES
24119	Cause	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
20967	Cause Code	Crossbow Infor EAM - What caused the failure to occur. i.e. operator error, normal wear.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSFAIL	FAILURE MODES POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20967	Cause Code	Infor EAM - What caused the failure to occur. i.e. operator error, normal wear.	OSOAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZFLTG	Fault Trend Analysis
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZOMFL	Mean Time Between Failures Per Object
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZTBRK	TOP 10 BREAKDOWN
			SSISSU	Stock Issues
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WZPFAR	PART FAILURES REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
		D7i Extended - Closing Codes - dropdown option	OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			WZLWOQ	LIST OF WORK ORDERS
48658	Cause Code Description	EAM-44523	WSJOBS	CREATE WORK ORDER
30976	Cause Codes	D7i Extended - Fault-trend Analysis report	BSLOVS	LIST OF LOOKUPS
13308	Cause code	What caused the failure to occur. i.e. operator error, normal wear.	OCCACC	CROSSBOW CAUSE CLASS LIST
			OCCACO	CROSSBOW CAUSE CODE LIST
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			REPORT	General Report Function
12379	Caution: report run in debug mode		M1	Pull-Down Menu Texts
15224	Cell		BHDDAN	DEGREE DAY ANALYSIS
38299	Celsius	36409	BSREGN	CREATE EDIT REGIONS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38299	Celsius	36409	BZDDCN	CONSUMPTION_HOSPITALITY
			BZDDCS	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS
				DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
44350	Center	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
40787	Center Text	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40804	Center text in the editor.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45461	Centerline Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27493	Cert	Crossbow	TCELRC	7I MOBILE BOILER TEXT
27584	Cert No.	Crossbow	TCELRC	7I MOBILE BOILER TEXT
27585	Cert Type	Crossbow	TCELRC	7I MOBILE BOILER TEXT
25235	Certification Number	D7i Extended - field label on eSignature popup	BCMOBL	7I MOBILE BOILER TEXT
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BSESGN	EWS - ESIGNATURE POPUP
			BSLOVS	LIST OF LOOKUPS
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSNAP	ELECTRONIC RECORDS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
25236	Certification Type	D7i Extended - field label on eSignature popup	BCMOBL	7I MOBILE BOILER TEXT
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BSESGN	EWS - ESIGNATURE POPUP
			BSLOVS	LIST OF LOOKUPS
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSNAP	ELECTRONIC RECORDS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
21594	Certification number	A field on the Qualifications tab of WNPERS in which you can enter the certification number for the qualification.	BTSIGN	LIST OF ELECTRONIC RECORDS
			BTSNAP	ELECTRONIC RECORDS
21595	Certification type	A field on the Qualifications tab of WNPERS in which you can enter the certification type.	BTSIGN	LIST OF ELECTRONIC RECORDS
			BTSNAP	ELECTRONIC RECORDS
44351	Change	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41356	Change Amount	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
44232	Change Background Image	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
49631	Change Basemap	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
42331	Change Condition Details	EAM-4985: EAM.MATL.REQ.ChangeConditionPopup	SSCPCP	CHANGE PART CONDITION POPUP
43237	Change Equipment Number	EAM.EQUIP.REQ.Assets	OSCEQN	CHANGE EQUIPMENT NUMBER POPUP
			OSHPLY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43237	Change Equipment Number	EAM.EQUIP.REQ.Assets	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
43008	Change Estimated Lifetime Output	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
			BSGROU	GROUPS
29297	Change Inspection Status	D7i Extended - EWS.WORK.UC.InspectionsforWorkOrder.doc	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
25891	Change Label	Extended (product name). Link button label used in menus tab. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
			BSGROU	GROUPS
43007	Change Life	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
48004 24625	Change Map Area To Match Extent Change Notice	EAM-28612 Extended (product name). This is for a bug fix for the Assets form.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24625	Change Notice	Extended (product name). This is for a bug fix for the Assets form.	OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSCHNO	CHANGE NOTICES
18236	Change Notice Details	Group header	OSCNNL	CHANGE NOTICE LOOKUP
31431	Change Notice Lines	D7i Extended - List of Tampered Records report	BYTMPR	LIST OF TAMPERED RECORDS
			BZTMPR	LIST OF TAMPERED RECORDS
33329	Change Notices	EWS.EQUIP.UC.CreateAssetEQ.doc	BSLOVS	LIST OF LOOKUPS
44233	Change PIN	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
42307	Change Part Condition	EAM-4985: EAM.MATL.REQ.ChangeConditionPopup	SSPART	PARTS
30106	Change Part Number	D7i Extended - MATL - Change Part Number popup	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSPART	PARTS
48008	Change Password	EAM-35949	BCMOBL	7I MOBILE BOILER TEXT
42306	Change Qty.	EAM-4985: EAM.MATL.REQ.ChangeConditionPopup	SSPCP	CHANGE PART CONDITION POPUP
25924	Change Tab Order	D7i Extended - Menus for User Groups - link button label used in menus tab	BSGROU	GROUPS
			BSTBOP	CHANGE TAB ORDER POPUP
43006	Change Value	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBWOG	GENERATE/RELEASE WOS
			WSSCHD	WORK ORDER SCHEDULE
48006	Change map	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
15568	Change notice	Vendors issue change notices specifying defective equipment, which they replace without charge to the customer for a certain period of time.	WSGISD	MAP VIEW
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
19467	Change notice lines	line items of change notices...displays on printed report	SSPART	PARTS
			BTTMPR	LIST OF TAMPERED RECORDS
			BCMOBL	7I MOBILE BOILER TEXT
13227	Change password	Pull down menu item, used when you must change your password.	BSUAED	USER ACCOUNT EDIT
			M1	Pull-Down Menu Texts

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25928	Change the Sequence Number for the tabs listed to change the order in which they appear on the screen.	D7i Extended - Menus for User Groups - caption used in change tab order popup	BSTBOP	CHANGE TAB ORDER POPUP
45764	Change the Sequence Number to update the order in which questions appear on the Ranking Survey.	EAM-19863 EAM.EQUIP.REQ.OrderQuestionspopup	OSRELQ	ORDER QUESTIONS POPUP
40801	Change the background color of the selected text.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40802	Change the color of the selected text.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27002	Change the value of Comments Type to view other comments associated with the work order/activity.	Extended (product name)	WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
19228	Changed		BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			WSWKPK	PM WORK PACKAGES
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
23979	Changed By	EAM-3637 Infor EAM - see 12772 for current translation	BSAUDP	VIEW AUDIT TRAIL POPUP
			BSVRHE	VIEW RESOURCE HISTORY EQUIPMENT
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			BZCHKA	CHECKLIST AUDIT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
47273	Changes cannot be made to the layers or map extent if a map file exists on the device. Synchronize local map changes and delete the map files from the device before synchronizing to download different layers and map extent.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
28316	Changes have been made to the Server Settings.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28309	Changes have been made to the current configuration.	Barcode	FCSCRN	FLAMETHROWER SCREENS
12394	Character		BSPROM	Custom Attributes
			BSREPO	CREATE / EDIT REPORTS
28465	Character Details	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
31533	Character Value	EWS.CREP.UC.ElectronicRecords	BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
31534	Character Variable 1	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31535	Character Variable 10	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31964	Character Variable 11	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31965	Character Variable 12	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31966	Character Variable 13	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31967	Character Variable 14	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31968	Character Variable 15	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31969	Character Variable 16	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31970	Character Variable 17	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31971	Character Variable 18	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31972	Character Variable 19	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31536	Character Variable 2	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31536	Character Variable 2	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31973	Character Variable 20	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31974	Character Variable 21	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31975	Character Variable 22	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31976	Character Variable 23	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31977	Character Variable 24	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31978	Character Variable 25	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31979	Character Variable 26	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31980	Character Variable 27	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31981	Character Variable 28	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31982	Character Variable 29	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31982	Character Variable 29	EWS.CREP.UC.ElectronicRecords	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31537	Character Variable 3	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31983	Character Variable 30	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
31984	Character Variable 31	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
31985	Character Variable 32	EWS.CREP.UC.ElectronicRecords	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
31986	Character Variable 33	EWS.CREP.UC.ElectronicRecords	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31987	Character Variable 34	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31988	Character Variable 35	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
31538	Character Variable 4	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
31539	Character Variable 5	EWS.CREP.UC.ElectronicRecords	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			ISMONT	MONITORED DATA
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31539	Character Variable 5	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
31540	Character Variable 6	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31541	Character Variable 7	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31542	Character Variable 8	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31543	Character Variable 9	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
15789	Charge	This is a label on the printed report that displays any additional charges from the commercial agreement.	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSSREQ	SERVICE REQUESTS
15790	Charge %	Identifies the cost of parts that are associated to a cost charge arrangement...used in commercial services.	WZAGRS	PRINT CUSTOMER CONTRACT
			WSARRS	PRICING SCHEDULE
40486	Charge Category	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
41038	Charge Category Adjustment	EAM-397	WZCIND	CUSTOMER INVOICE DETAIL
40482	Charge Definition Details	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
40481	Charge Definitions	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
20607	Charge Description	Infor EAM - description of th charges that will be incurred for a service request	WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
32519	Charge Details	EWS.WORK.UC.CustomPartChargesforPricingSchedules	WSARRS	PRICING SCHEDULE
40499	Charge Estimated Usage	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
40487	Charge Level	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40487	Charge Level	a	WSCREEN WSCTMP WSINVC WZCCON WZCIND	CUSTOMER RENTALS CONTRACT TEMPLATES CUSTOMER INVOICES PRINT CUSTOMER CONTRACT CUSTOMER INVOICE DETAIL
32619	Charge Number	EWS.WORK.UC.CustomerInvoiceLinesOverview.doc	WSCJOB WSDEBS WSINVL WSINVS	APPROVE CUSTOMER CHARGES CREATE CUSTOMER CUSTOMER INVOICE LINES OVERVIEW CUSTOMER INVOICES
35064	Charge Percentage	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
40488	Charge Subcategory	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempl a	WSCCON WSCREEN WSCTMP WSINVC WZCCON WZCIND	CUSTOMER CONTRACTS CUSTOMER RENTALS CONTRACT TEMPLATES CUSTOMER INVOICES PRINT CUSTOMER CONTRACT CUSTOMER INVOICE DETAIL
35958	Charge To	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
26538	Charge/Discount Details	Infor EAM. Block title text. Refer to PVCS 6210.	PSEXCD PSEXCH PSIEXP	EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
35936	Charged To Code	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
32675	Charges	EWS.WORK.UC.ChargesForCustomer.doc	WSDEBE WSDEBS WZCIND	EVENTS FOR CUSTOMERS CREATE CUSTOMER CUSTOMER INVOICE DETAIL
42408	Chart	EAM -5016 : EAM.ADMN.REQ.Queries	BSGROU BSQUER	GROUPS QUERIES
42400	Chart Code	EAM-5016 : EAM.ADMN.REQ.ChartSetup	BSCHRT BSLOVS	CHART SETUP LIST OF LOOKUPS
41676	Chart Controls	New UI (Start Center)	BSSTRT	EWS NEW START CENTER
42402	Chart Details	EAM-5016 : EAM.ADMN.REQ.ChartSetup	BSCHRT BSGROU	CHART SETUP GROUPS
30642	Chart ID		BSOCHA	ANALYTICS CHARTS
42405	Chart Instructions	EAM-5016 : EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
30940	Chart Name	Analytics - field where users will enter the name of a chart (graph)	BSOCHA	ANALYTICS CHARTS
30549	Chart Number	Infor EAM Analytics. PVCS # 12899	BSOCHA	ANALYTICS CHARTS
45122	Chart Output Data	EAM-16968	WZVMRS	VMRS ACTIVITIES CHART
45123	Chart Output Type	EAM-16968	WZVMRS	VMRS ACTIVITIES CHART
42546	Chart Period	EAM.BASE.REQ.StartCenter.docx	BSSTRT	EWS NEW START CENTER
42545	Chart Type	EAM.BASE.REQ.StartCenter.docx	BSSTRT OSOBJA OSOBJP OSOBJS OZONCF	EWS NEW START CENTER CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT NONCONFORMITIES ANALYSIS
45833	Chart Types	EAM-24206	BSLOVS	LIST OF LOOKUPS
42523	Charts	EAM-6203: EAM.ADMN.REQ.ChartsForUserGroups	OZONCF BSGROU BSLOVS	NONCONFORMITIES ANALYSIS GROUPS LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42523	Charts	EAM-6203: EAM.ADMN.REQ.ChartsForUserGroups	BSSTRT	EWS NEW START CENTER
12549	Check	Button, when you click it, MP5 verifies the accuracy of the information being uploaded from the barcode scanner.	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
33515	Check All System Data Orgs	21411	TCORCF	7I MOBILE BOILER TEXT
33516	Check All User Data Orgs	21411	TCORCF	7I MOBILE BOILER TEXT
26851	Check Connection	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
		Barcode	FCSCRN	FLAMETHROWER SCREENS
35843	Check Constraints	EWS.ADMN.UC.TableStructurePopup.doc	BSTBST	TABLE STRUCTURE POPUP
35617	Check Data for Duplicates	SCR#28171	BSDTCV	DATA CONVERSION (MP2)
35618	Check Data for Field Lengths	SCR#28171	BSDTCV	DATA CONVERSION (MP2)
35619	Check Data for Special Characters	SCR#28171	BSDTCV	DATA CONVERSION (MP2)
44593	Check Duplicate Open Requests	EAM-14819	CSCCSP	CONTACT CENTER SETUP
26852	Check Infor EAM Login...	Crossbow	FCSCRN	FLAMETHROWER SCREENS
			TCPCON	7I MOBILE BOILER TEXT
44594	Check Recurring Closed Requests	EAM-14819	CSCCSP	CONTACT CENTER SETUP
21402	Check Schedule	Infor EAM - button to check the schedule for a general ledger process (databridge)	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
21003	Check Status	Infor EAM - button the view the status of scheduled dataBridge transactions	DSSTSK	DATABRIDGE SCHEDULED TASKS
25733	Check connection...	Crossbow -Text on login screen to show sync status	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
27024	Check/Uncheck All	Crossbow	TCESYP	7I MOBILE BOILER TEXT
19254	Checkbox	BMFUNC - this is for creating reports and graphs parameters, i.e., you can create a parameter to show up on the report and you can select Checkbox and the field will display as a checkbox.	BSCDSS	USER DEFINED SCREEN SETUP
			BSREPO	CREATE / EDIT REPORTS
			BSWSPM	WEB SERVICES PROMPT
45234	Checking	EAM-17315	BSIMPT	IMPORT CONFIGURATION
41033	Checklist	EAM.WORK.REQ.ChecklistPopup	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCPMTW	MOBILE PERMIT TO WORK
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41033	Checklist	EAM.WORK.REQ.ChecklistPopup	WSOPCK WSPMTW WSTASK WZJOBF WZJOBQ	OPERATOR CHECKLIST REVIEW PERMIT TO WORK TASKS PRINT WORK ORDER PRINT WORK ORDER
47027	Checklist Approval	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL WSJOBS WSPMTW	7I MOBILE BOILER TEXT CREATE WORK ORDER PERMIT TO WORK
48418	Checklist Attached	EAM-37176	BCMOBL	7I MOBILE BOILER TEXT
41060	Checklist Control	EAM-427 EAM.WORK.REQ.Task	WSJBPL WSTASK	JOB PLANS TASKS
47501	Checklist Desc	EAM-34311 Windows Connected/Disconnected - Checkli	BCMOBL	7I MOBILE BOILER TEXT
41062	Checklist Details	EAM-426 EAM.WORK.REQ.ChecklistForTask	CSCASE CSCMTK OSNCFM OSNCHD WSJBPL WSJOBS WSJOVH WSJOVM WSPMTW WSTASK	CASE MANAGEMENT CASE MANAGEMENT TASKS NONCONFORMITY OBSERVATIONS NONCONFORMITIES JOB PLANS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PERMIT TO WORK TASKS
46862	Checklist Filter	EAM-29684	WSGSRH	GIS MAP ROADS HIGHWAYS
46863	Checklist Filters	EAM-29684	BSLOVS	LIST OF LOOKUPS
42037	Checklist Follow-Up	EAM.WORK.REQ.Task	WSJBPL WSTASK	JOB PLANS TASKS
41063	Checklist Item	EAM-426 EAM.WORK.REQ.ChecklistForTask	OSOBJA OSOBJL OSOBJP OSOBJS WSJBPL WSTASK	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT JOB PLANS TASKS
41023	Checklist Items	EAM.WORK.REQ.ChecklistItems.docx	WSATCP WSJOBS WSJOVH WSJOVM	CHECKLIST POPUP CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
48468	Checklist Rejected WO Status	EAM-42566 - EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
47846	Checklist Result	EAM-37495 RPA screens/EAM.EQUIP.REQ.AddEditAnswers	OSRELA	ADD / EDIT ANSWERS POPUP
46330	Checklist Revision	Checklist	BCMOBL	7I MOBILE BOILER TEXT
47760	Checklist Type	EAM-37492:EAM.EQUIP.REQ.AddEditLevelspopup	OSOBJA OSOBJP OSOBJS OSOBTV OSOVAM OSPOLI OSRRLP OSSTGY	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OBJECTIVES CREATE HEALTHCARE ASSET EQUIPMENT CREATE POLICY ADD / EDIT LEVELS POPUP CREATE STRATEGY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47058	Checklist is not available in this Activity. Please sync with server. Checklists	EAM-30103 Missing Mobile localization	BCMOBL	7I MOBILE BOILER TEXT
43340		EAM-9345	BCMOBL OSLAVP OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS	7I MOBILE BOILER TEXT LINEAR OVERVIEW PREFERENCES POPUP CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER
12404	Child	Used in hierarchic structures, to indicate that one item is subordinated to another item. E.g. engine (parent) and gear box (child).	BCMOBL OHCHLL OSECN OSEQMR OSHPPY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OZCHLL	7I MOBILE BOILER TEXT Overview Of Children Within An Object CREATE EQUIPMENT CONFIGURATION METER READINGS FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT Overview Of Children Within An Object
48642	Child Alias	EAM-44351	WSJOBS	CREATE WORK ORDER
47299	Child Asset	EAM-33642-WORK.REQ.PartsforWO-ImportPartsPop-up	WSIMPL	IMPORT PART LIST
47301	Child Asset Custom Fields	EAM.WORK.REQ.EquipmentCustomFieldsPopup	WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
49205	Child CU	EAM-4699PROJ.REQ.ChildCUsforCompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
49233	Child CU Description	EAM-46996-EAM.PROJ.REQ.ChildCUsforCompatibleUnitsL	JSCULB	COMPATIBLE UNITS LIBRARY
49204	Child CU Details	EAM-4699PROJ.REQ.ChildCUsforCompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
49206	Child CU Org.	EAM-4699PROJ.REQ.ChildCUsforCompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
49203	Child CUs	EAM-4699PROJ.REQ.ChildCUsforCompatibleUnitsLibrary	BSLOVS JSCULB	LIST OF LOOKUPS COMPATIBLE UNITS LIBRARY
33853	Child Clause	22537	PSCLAU	PURCHASING CLAUSE
33433	Child Clause Details	22537	PSCLAU	PURCHASING CLAUSE
40243	Child Closing Code	EAM.EQUIP.UC.ClosingCodeHierarchy	OSCLCH	CLOSING CODE HIERARCHY
27246	Child Dataspy ID	D7i Extended - Graph - Child dataspy id number	BEWSMD	EWS - METADATA DEFINITION
40241	Child Description	EAM.EQUIP.UC.ClosingCodeHierarchy	OSCLCH	CLOSING CODE HIERARCHY
37053	Child Details	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
18159	Child Equipment	Group header on TXCCAU	BSLOVS OSROTA WSJOBS WSPMPL	LIST OF LOOKUPS CHILD EQUIPMENT REPLACEMENT CREATE WORK ORDER PM FORECASTING
48632	Child Equipment Description	EAM-44351	WSJOBS	CREATE WORK ORDER
48631	Child Equipment Details	EAM-44351	WSJOBS	CREATE WORK ORDER
48633	Child Equipment Org.	EAM-44351	WSJOBS	CREATE WORK ORDER
32353	Child Equipment Type	EWS.CREP.UC.EquipmentHierarchies.doc	OHCHLL	Overview Of Children Within An Object

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32353	Child Equipment Type	EWS.CREP.UC.EquipmentHierarchies.doc	OZCHLL	Overview Of Children Within An Object
27767	Child KPI	D7i Extended - KPI Setup form - Field label, noun	BSKPIC	DEFINING KPI ENTRIES
27775	Child KPI Details	D7i Extended - KPI Setup form - Details Section Label	BSKPIC	DEFINING KPI ENTRIES
39849	Child Level Details	EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	OSRRLP	ADD / EDIT LEVELS POPUP
48639	Child Manufacturer	EAM-44351	WSJOBS	CREATE WORK ORDER
48641	Child Model	EAM-44351	WSJOBS	CREATE WORK ORDER
48634	Child Part	EAM-44351	WSJOBS	CREATE WORK ORDER
48635	Child Part Description	EAM-44351	WSJOBS	CREATE WORK ORDER
48636	Child Part Org.	EAM-44351	WSJOBS	CREATE WORK ORDER
49459	Child Reading	EAM.EQUIP.REQ.MeterReadingsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
48640	Child Revision	EAM-44351	WSJOBS	CREATE WORK ORDER
48638	Child Serial Number	EAM-44351	WSJOBS	CREATE WORK ORDER
29950	Child Standard WO	Infor EAM (product name); See EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
29955	Child Standard WO Details	Infor EAM (product name); See EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
48637	Child Status	EAM-44351	WSJOBS	CREATE WORK ORDER
40240	Child Type	EAM.EQUIP.UC.ClosingCodeHierarchy	OSCLCH	CLOSING CODE HIERARCHY
17122	Child WO	Code identifying the child work order.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
30459	Child Work Order	D7i Extended - Work Order Cost List report	WHCOSL	Job Cost Summary Report
			WYCOSL	Job Cost Summary Report
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
21453	Child Work Order Details	Infor EAM - group header on the Child WOs tab on the Work Orders form. Section displays details pertaining to the selected work order record	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
12484	Child equipment of	Used for hierarchic object structures.	OZOBJF	LIST OF EQUIPMENT DETAILS
17010	Children		BSKPIC	DEFINING KPI ENTRIES
			PSCLAU	PURCHASING CLAUSE
			WSCPST	COPY STANDARD ORDER POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSTWO	STANDARD WOS
28225	Children for KPIs	D7i Extended -- KPI Setup form -- Page title for Webservice	BEKPIT	CHILDREN FOR KPIS
44458	Choice Response	EAM.CCTR.REQ.ResultsforCustomerSurveys EAM-14831	CSCSUR	CUSTOMER SURVEYS
48003	Choose Basemap	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
49463	Choose Map	EAM-50152	BCMOBL	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
48897	Choose a Server	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40800	Choose a month (Control+Up/Down to move years)	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49620	Choose specific groups that can use this Dataspy.	EAM-49474	BSDTSP	DATASPY
45161	Choose the Edit Reservation Popup tab to change the screen design of the related popup.	EAM-16241	OSESCH	RESERVATION CALENDAR
44995	Choose the Fixed Base Year	EAM-16074	ESPSET	POLICY SETTINGS
41959	Citrine	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
18569	City	Part of address (BPADRS).	BSUCOD	SYSTEM CODES
			BSADRS	ADDRESSES
			BSDELA	Delivery addresses
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZCCTR	PRINT SERVICE REQUESTS
			WZGDPC	GDPR COMPLIANCE - CONTACT
			ESGSET	GENERAL SETTINGS
44687	City/Town	EAM-14710	BSWHSE	DATA WAREHOUSE
12830	Claim	When warranties exist, the costs of work executed can be claimed from the supplier of the asset.	OSHPFY	CREATE HOSPITALITY FACILITIES
43617	Claim Cash Amount	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			SSPWCL	PART WARRANTY CLAIMS
			SSPWCL	PART WARRANTY CLAIMS
			OSCLAI	WARRANTY CLAIMS
			OSCLAI	WARRANTY CLAIMS
			OZCLAI	WARRANTY CLAIM REPORT
43399	Claim Line Details	EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
			OSCLAI	WARRANTY CLAIMS
43404	Claim Lines	EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWarrantyClaim	OSCLAI	WARRANTY CLAIMS
43618	Claim Replacement Qty.	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
37198	Claim Status	31312	BSWHSE	DATA WAREHOUSE
41526	Claim Total Amount	EAM-2157	OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
43615	Claim/Settlement Details	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25820	Claims	Extended (product name)	BSLOVS	LIST OF LOOKUPS
			OZCLAI	WARRANTY CLAIM REPORT
34676	Claims Between :PARAM1 and :PARAM2	EWS.REP.UC.WarrantyClaims.doc	OZCLAI	WARRANTY CLAIM REPORT
34678	Claims On or After :PARAM1	EWS.REP.UC.WarrantyClaims.doc	OZCLAI	WARRANTY CLAIM REPORT
34677	Claims On or Before :PARAM2	EWS.REP.UC.WarrantyClaims.doc	OZCLAI	WARRANTY CLAIM REPORT
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc.), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL007	MISSING UTILITY INVOICES
			BCCLAS	CROSSBOW CLASS LIST
			BCCSTC	CROSSBOW COSTCODE LIST
			BCMRCS	CROSSBOW DEPARTMENT LIST
			BCPRMC	CROSSBOW CUST ATTRIB CONTROL LIST
			BCPRMV	CROSSBOW CUST ATTRIB VALUE LIST
			BHDOCL	List Of Documents
			BHFUNL	List Of Functions
			BHUSRL	USERS GROUP CONFIGURATION
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTC	COST CODE
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSDEPT	DEPARTMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLCP	SELECT CLASSES
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNC	CREATE UPDATE SCREENS
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSGMAP	CREATE EDIT MAPS
			BSGROU	GROUPS
			BSGRPU	USERS PER GROUP
			BSHYPL	HYPERLINK SETUP
			BSIMUS	IMPORT USERS
			BSLOVS	LIST OF LOOKUPS
			BSORGS	ORGANIZATIONS
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSUOMS	UOM SETUP
			BSUPLD	UPLOAD DOCUMENT POPUP
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BSWSPM	WEB SERVICES PROMPT
			BDOCL	List Of Documents

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc..), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	BTFUNL	List Of Functions
			BTUSRL	USERS PER GROUP
			BYDOCL	List Of Documents
			BYFUNL	LIST OF FUNCTIONS
			BYUSRL	USERS GROUP CONFIGURATION
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZDOCL	List Of Documents
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZFUNL	List Of Functions
			BZGDPD	GDPR COMPLIANCE - USER
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc.), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			CYCCTR	CALL CENTER WO REPORT
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZSURR	CUSTOMER SURVEY RESULTS
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSPTNR	CREATE PARTNER
			DSTRAN	DATABRIDGE TRANSACTIONS
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISMONT	MONITORED DATA
			ISPNTP	POINT TYPES
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			OCACCC	CROSSBOW ACTION CLASS LIST
			OCCACC	CROSSBOW CAUSE CLASS LIST
			OCFACC	CROSSBOW FAILURE CLASS LIST
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OCRECC	CROSSBOW PROBLEM CLASS LIST
			OHOCT	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc..), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGCUS	CUSTOM FIELD MAPPING QUERY
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSMETE	PHYSICAL METER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			OTCAEQ	CALIBRATION EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OTCLSL	Overview Of Classifications
			OTCSTL	WORK ORDER COST SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc.), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	OTMHST	METER HISTORY
			OTOBJL	List Of Objects
			OYCLSL	Overview Of Classifications
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCATL	LIST OF CATEGORIES PER CLASS
			OZCLSL	Overview Of Classifications
			OZCORD	CO2 ANALYSIS
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZEQUD	EQUIPMENT DETAIL
			OZFLTG	Fault Trend Analysis
			OZJMFL	Mean Time Between Failures Per Fault
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
			OZMHST	METER HISTORY
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			OZPAIL	PRINT ASSET INVENTORY LIST
			OZPROF	EQUIPMENT PROFILE
			OZRCME	RCM EQUIPMENT AT RISK
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZTRAS	EQUIPMENT TRANSFER LOG
			OZTTEC	TOP 10 EQUIPMENT COST
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PYBPOL	BLANKET ORDER LIST
			PYORDS	PURCHASE ORDER STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc..), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SSASGN	GENERATE POS
			SSCOMM	COMMODITIES
			SSCURR	CURRENCIES
			SSEOQA	CALCULATE EOQ
			SSEVAL	PART EVALUATIONS
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPRCC	STORE GROUPS
			SSPTNP	CHANGE PART NUMBER POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
			SSTAXS	TAX CODES
			SSVREQ	VIEW PURCHASE STATUS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			STLOWL	Overview Of Stock
			STPOLD	Part-Wise History Of Stock Issuals
			STSTTL	PRINT STOCKTAKE LIST
			SYINST	INVENTORY STANDARD
			SYLOWL	Overview Of Stock
			SYPOLD	Part-Wise History Of Stock Issuals
			SYSTTL	PRINT STOCKTAKE LIST
			SZEKIT	LIST OF EXPIRED KITS
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZLOWL	Overview Of Stock

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc.), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	SZPOLD	Part-Wise History Of Stock Issuals
			SZSOUT	PART STOCKOUTS
			SZSTTL	PRINT STOCKTAKE LIST
			TSPROF	PROFILES
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSBFUL	BATCH FUEL ISSUES
			WSCCON	CUSTOMER CONTRACTS
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFISS	FUEL ISSUES
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSGISD	MAP VIEW
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc..), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	WSPERM	PERMITS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPPMP	PM PLANS
			WSPPPMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPROJ	CREATE PROJECT POPUP
			WSQUAL	QUALIFICATION
			WSSFMX	SAFETY MATRIX
			WSSHIF	SHIFTS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWOUP	WO UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WSWREQ	WORK REQUEST
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WTSPER	Shift Personnel
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYJOB	PRINT WORK ORDER
			WYSPER	Shift Personnel
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12302	Class	Asset class: group of assets with the same or similar technical features. Part class: kind of part (e.g. general item, specific item etc..), based on the functionality of the item. Stock class: kind of stock, based on value or turnover. There is a class a	WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPMSP	PM SCHEDULE PROFILE
			WZPPMQ	LIST OF PM SCHEDULES
			WZPTWR	PRINT PERMIT TO WORK
			WZSPER	Shift Personnel
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZSUPI	GDPR COMPLIANCE - SUPERVISOR
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZVBIL	VEHICLE BILLING REPORT
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	TCIOBL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
		Crossbow	WZVRHS	VEHICLE RENTAL HISTORY
			BCMOBL	7I MOBILE BOILER TEXT
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			TCIOBR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
			OSEVAL	EQUIPMENT EVALUATIONS
			BCMOBL	7I MOBILE BOILER TEXT
38655	Class (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
43926	Class Desc	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
32543	Class Description	EWS.BASE.UC.HyperlinkSetupPopup.doc - field label	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL007	MISSING UTILITY INVOICES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSHYPL	HYPERLINK SETUP
			CSCINF	CONTACT INFO
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32543	Class Description	EWS.BASE.UC.HyperlinkSetupPopup.doc - field label	OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSSTCS	SETS AND CONSISTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSEMP	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			BSCLAS	CLASSES
24571	Class Details	D7i Extended - Classes page	BSCLSB	CLASSES FOR BUSINESS EDITION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSVMRS	VMRS CODES
			ISFIND	FINDINGS
			OSCLCD	CLOSING CODE
42647	Class Icon	EAM.EQUIP.REQ.Assets	OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			SSPART	PARTS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
31544	Class Org	EWS.CREP.UC.ElectronicRecords	BCMOBL	7I MOBILE BOILER TEXT
			BSREGN	CREATE EDIT REGIONS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31544	Class Org	EWS.CREP.UC.ElectronicRecords	BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCLGP	CALENDAR GROUPS
			ISFIND	FINDINGS
			OSOBJA	CREATE ASSET EQUIPMENT
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSSUPP	SUPPLIERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSTASL	TASK LOOKUP
			WZMPAT	PRINT MAINTENANCE PATTERN
21776	Class Org.	Infor EAM	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL007	MISSING UTILITY INVOICES
			BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSDEPT	DEPARTMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLCP	SELECT CLASSES
			BSFUNC	CREATE UPDATE SCREENS
			BSGMAP	CREATE EDIT MAPS
			BSGROU	GROUPS
			BSGRPU	USERS PER GROUP
			BSIMUS	IMPORT USERS
			BSUPLD	UPLOAD DOCUMENT POPUP
			BSVMRS	VMRS CODES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21776	Class Org.	Infor EAM	CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISMONT	MONITORED DATA
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSESCH	RESERVATION CALENDAR
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGCUS	CUSTOM FIELD MAPPING QUERY
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21776	Class Org.	Infor EAM	OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			OZCSTL	WO COST SUMMARY
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			SSASGN	GENERATE POS
			SSCOMM	COMMODITIES
			SSCURR	CURRENCIES
			SSEVAL	PART EVALUATIONS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSPRCC	STORE GROUPS
			SSPTNP	CHANGE PART NUMBER POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXS	TAX CODES
			SSVREQ	VIEW PURCHASE STATUS
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WSARRS	PRICING SCHEDULE
			WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21776	Class Org.	Infor EAM	WSCCON	CUSTOMER CONTRACTS
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPMP	PM PLANS
			WSPPM	PM SCHEDULES
			WSPROJ	CREATE PROJECT POPUP
			WSQUAL	QUALIFICATION
			WSSFMX	SAFETY MATRIX
			WSSHIF	SHIFTS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21776	Class Org.	Infor EAM	WZPPMQ	LIST OF PM SCHEDULES
38656	Class Org. (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
33193	Class Organization	EWS.CREP.UC.PurchaseOrderStatus.doc	BCMOBL	7I MOBILE BOILER TEXT
			CMPROM	Contract Text Prompts
			WSPMP	PM PLANS
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
16052	Class description		CMPROM	Contract Text Prompts
37834	Class or class organization is not valid for the controlling organization.	21786 Web Service Prompt - support custom fields	TCPMTR	7I MOBILE BOILER TEXT
16842	Class org	The organization of the class associated with the selected entity.	BCCSTC	CROSSBOW COSTCODE LIST
			BCMRCS	CROSSBOW DEPARTMENT LIST
			BCPRMC	CROSSBOW CUST ATTRIB CONTROL LIST
			BCPRMV	CROSSBOW CUST ATTRIB VALUE LIST
			OCACCC	CROSSBOW ACTION CLASS LIST
			OCCACC	CROSSBOW CAUSE CLASS LIST
			OCFACC	CROSSBOW FAILURE CLASS LIST
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OCRECC	CROSSBOW PROBLEM CLASS LIST
			BSORGS	ORGANIZATIONS
		This resource ID is part of the organization column in the MP5 base tables. An organization field for the class must be added to all tables joined with the parts table. This field label will also show on the class form as well. Created through BMORGS.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCSTWO	CROSSBOW STANDARD WO LIST
15273	Classes	Plural of 'Class'.	BSLOVS	LIST OF LOOKUPS
			PSPROM	PURCHASING CONTRACT TEXT
		D7i Extended - Classes for Closing Codes - tab name	BSFFSP	FILTER FIELD SETUP SCREEN
			BSLOVS	LIST OF LOOKUPS
			BSVMRS	VMRS CODES
			ISFIND	FINDINGS
			OSCLCD	CLOSING CODE
48539	Classes Attached	EAM-31685	BSVMRS	VMRS CODES
19471	Classes of	name of new field for defining classes for a specific entity, 'of' is followed by the entity which is populated by the system, e.g., Classes of work orders	BSCLAS	CLASSES
12428	Clause	Predefined texts, used in contracts and purchase orders.	PSBORD	CREATE EDIT BLANKET ORDERS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
24062	Clause Details	Infor EAM - group header on the clauses form	PSBORD	CREATE EDIT BLANKET ORDERS
			PSCLAU	PURCHASING CLAUSE
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
12097	Clauses	Clauses are predefined standard texts, used in contracts and purchase orders.	BSLOVS	LIST OF LOOKUPS
			CMPROM	Contract Text Prompts
			CYCOTL	PRINT CONTRACT CLASSES
			CZCOTL	PRINT CONTRACT CLASSES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSCRFAQ	COPY RFQ POPUP
			PSPOCP	COPY PO POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12097	Clauses	Clauses are predefined standard texts, used in contracts and purchase orders.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			WSCCON	CUSTOMER CONTRACTS
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			BSWHSE	DATA WAREHOUSE
			BSADRS	ADDRESSES
33927	Clauses of Contract Class	Clauses of Contract Class (scr # 24103)	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
28251	Cleanup	Data warehouse. Refer to PVCS 9551.	BSALRT	ALERT MANAGEMENT SYSTEM
12766	Clear	Clear the screen. Remove records from the screen (NOT the database).	BSALTP	ALERT TEXT PARAMETERS POPUP
			BSASET	ASSET SETUP
			BSAUDC	AUDIT SETUP
			BSAUTH	STATUS AUTHORIZATION
			BSBOIL	GLOBAL TEXT CHANGES
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCLPE	CLOSING PERIODS
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSDELA	Delivery addresses
			BSDEPT	DEPARTMENTS
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSDLUC	FIELDS POPUP
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSEMCD	E-MAIL CONDITIONS
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSEXAL	EXPORT BASE CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSHYPL	HYPERLINK SETUP
			BSIBXP	PERSONALIZE INBOX POPUP
			BSINBX	INBOX SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12766	Clear	Clear the screen. Remove records from the screen (NOT the database).	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
			BSJOBS	JOB SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSKPIP	PERSONALIZE KPI POPUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMAIP	E-MAIL PARAMETER POPUP
			BSMENS	MOBILE ENTITIES SETUP
			BSORGS	ORGANIZATIONS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPROM	Custom Attributes
			BSPSET	PURCHASING SETUP
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
			BSSERQ	PROPERTIES
			BSSRES	STATUS REQUIREMENT SETTINGS POPUP
			BSUCOD	SYSTEM CODES
			BSUDLV	UDF LOOKUP VALUES
			BSUOMS	UOM SETUP
			BSURLP	DEFINE URL PARAMETERS
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			BSWSET	WORK SETUP
			BSWSPM	WEB SERVICES PROMPT
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSCINF	CONTACT INFO
			CSCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSCSUR	CUSTOMER SURVEYS
			CSEDLK	CREATE HTML EDITOR LINK
			CSEQUP	ADDITIONAL EQUIPMENT
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSPSCT	SERVICE CATEGORIES
			CSSURA	SURVEY ANSWERS POPUP
			CSSVPB	SERVICE PROBLEM CODES
			DSPTNR	CREATE PARTNER
			ISASPC	ASPECTS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12766	Clear	Clear the screen. Remove records from the screen (NOT the database).	JSCULB	COMPATIBLE UNITS LIBRARY
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OSAPMS	APM SCENARIO
			OSAREA	READING FOR ASSET
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSSENS	ENERGY STAR SETUP
			OSEQGN	EQUIPMENT GENERATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQUO	UNITS OF OUTPUT
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSLREA	READING FOR LOCATION
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12766	Clear	Clear the screen. Remove records from the screen (NOT the database).	OSPREA	READING FOR POSITION
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELN	NORMALIZE LEVEL POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSRRQD	TRANSLATION POPUP QUESTIONS
			OSSREA	READING FOR SYSTEM
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCONT	PURCHASING CONTRACTS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSOBS	ASSETS FOR PO
			PSPORD	PURCHASE ORDERS
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			RSPRIO	MS PROJECT PRIORITY MAPPINGS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCREP	CATALOG REFERENCES
			SSCURR	CURRENCIES
			SSIPVN	71 BUY VENDORS
			SSISSP	ISSUE PART
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12766	Clear	Clear the screen. Remove records from the screen (NOT the database).	SSRETP	RETURN PART
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTOU	PURGE STOCKOUTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			TCPMTR	71 MOBILE BOILER TEXT
			TSASTP	DC TRANSACTION PROMPT
			TSPROF	PROFILES
			TSTRAN	PROMPT MACHINE
			USBGRP	BUDGET GROUPS
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			WSAARD	ASSET REPAIR DETAILS
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSAPPL	APPROVAL LISTS
			WSARRS	PRICING SCHEDULE
			WSAVAC	CALCULATE AVAILABILITY
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCREEN	CUSTOMER RENTALS
			WSCREEN	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSDFAC	DEFERRED MAINTENANCE
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSINFO	CREATE / EDIT PROPERTY INFORMATION
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCL	OPERATOR CHECKLIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12766	Clear	Clear the screen. Remove records from the screen (NOT the database).	WSPDRQ	PRODUCTION REQUEST
			WSPMTW	PERMIT TO WORK
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSROUT	ROUTES
			WSSHIF	SHIFTS
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSTCR	STANDARD CREWS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSWKPK	PM WORK PACKAGES
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			YSACCD	VIEW GL VALUES
			YSGLRF	GL REFERENCES
		Pull down menu item to clear all values from the current form.	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			DSJSPP	PARAMETERS POPUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			FCSCRN	FLAMETHROWER SCREENS
			JSCUES	CU ESTIMATES
			M1	Pull-Down Menu Texts
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSCLAU	PURCHASING CLAUSE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMP	NON-PO RECEIPTS
			SSHCST	PART CODE STRUCTURE
			SSIUSS	STORE TO STORE ISSUES
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12766	Clear	Pull down menu item to clear all values from the current form.	SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
			WSAGRS	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMP	PM PLANS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			TCCNUM	7I MOBILE BOILER TEXT
43600	Clear :PARAM1 from Schedule	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
25039	Clear All	Extended (product name)	BCMOBL	7I MOBILE BOILER TEXT
43589	Clear All Employees	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
34169	Clear Comment	EWS.BASE.UC.Comments.doc	BSCOMM	COMMENTS
48015	Clear Credentials	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
35741	Clear Default Value	EWS.BASE.UC.ScreenDesigner	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35681	Clear Default Values for All Fields	26809	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37457	Clear Dropdown Filter	EWS.BASE.UC.ScreenDesigner	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43590	Clear Employee	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
43655	Clear Employee/Password	EAM.WORK.REQ.MechanicWorkbench	WSMECH	MECHANIC'S WORKBENCH
39131	Clear Error(s)	EWS.PROJ.UC.EquipmentforCampaign/40727	JSCAMP	CAMPAIGN
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46756	Clear Files	EAM-29254 Map View - Sync Log Feature	BCMOBL	7I MOBILE BOILER TEXT
39969	Clear Filter	46731	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39895	Clear Formula	EAM.EQUIP.UC.AddEditFormulaPopup - Tracker id 46093	OSRRFP	ADD / EDIT FORMULA POPUP
35005	Clear Instruction	4609	WSJBPL	JOB PLANS
			WSTASK	TASKS
32468	Clear Line	EWS.WORK.UC.CommentsforBatchWOUpdate	WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSWOBU	BATCH WORK ORDER UPDATE
36895	Clear Lookup Filter	31357	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38516	Clear Previous Values Starting From Go To Target Field	EWS.ADMN.UC.FieldsforWebServicePrompt/SCR#36505	BSWSPM	WEB SERVICES PROMPT
47442	Clear Return Qty.	EAM.MATL.REQ.Packages-IssueReturnPartsPopup	SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
48369	Clear Selection	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49132	Clear Settings	EAM-47166	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39129	Clear Survey WO	EWS.PROJ.UC.EquipmentforCampaign/40727	BCMOBL	7I MOBILE BOILER TEXT
			JSCAMP	CAMPAIGN
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39129	Clear Survey WO	EWS.PROJ.UC.EquipmentforCampaign/40727	WSJOVM	CREATE WORK ORDER
46318	Clear all map filters	GIS	BCMOBL	7I MOBILE BOILER TEXT
46328	Clear map files	GIS	BCMOBL	7I MOBILE BOILER TEXT
13213	Clear record	Pull down menu item	M1	Pull-Down Menu Texts
45724	Clear search	EAM.GIS.REQ.GISMapSearch.doc/EAM-20159	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25730	Clearing...	Crossbow -Text on login screen to show sync status	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
28312	Click Cancel to return to the screen without saving.	Barcode	FCSCRN	FLAMETHROWER SCREENS
37519	Click Generate to add items to an RFQ. After RFQ generation, items cannot be added to the requisition.	EWS.MATL.UC.GenerateRFQs/33146	SSGRFQ	GENERATE RFQS
37266	Click Generate to add selected items to a PO. When creating new POs, a new PO will be created for each Supplier selected.	EWS.PRCH.UC.GeneratePOs for RFQs/32154	PSRFGP	GENERATE POS FOR RFQS
37295	Click Generate to add selected items to a Requisition.	EWS.PRCH.UC.GenerateRequisitionsforRFQs.doc	PSRFRG	GENERATE REQS FOR RFQS
28311	Click No to continue without saving.	Barcode	FCSCRN	FLAMETHROWER SCREENS
37298	Click Planned Part to add item to selected WO-Activity if item is not already a Planned Part.	EWS.PRCH.UC.GenerateRequisitionsforRFQs.doc	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSRFGP	GENERATE POS FOR RFQS
			PSRFRG	GENERATE REQS FOR RFQS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
35480	Click Preliminary Analysis to start the preliminary analysis process to find potential errors prior to actual conversion process.	#28171	BSDTCV	DATA CONVERSION (MP2)
37951	Click Schedule Now to process the grid results at the next job interval.	EWS.ADMN.UC.PreviewGridforAlertsPopup	BSALPG	PREVIEW ALERT GRID POPUP
37023	Click Update to update the Supplier catalog. All selected items will be updated regardless of the filter applied.	EWS.PRCH.UC.UpdateSupplierCatalogPopup	PSUSCP	UPDATE SUPPLIER CATALOG POPUP
28310	Click Yes to continue and save the changes.	Barcode	FCSCRN	FLAMETHROWER SCREENS
45504	Click map to search	EAM.GIS.REQ.GISMapSearch UC/EAM-19767	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48267	Click the Dispatch icon on available employees/crews to dispatch them to the selected work order activities.	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45497	Click the route for which to view events.	EWS.GIS.REQ.GISMapSearch/EAM-18068	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43868	Click to add a point	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43865	Click to add a shape, or press down to start and let go to finish	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43867	Click to continue drawing	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34309	Click to display help for this option.	EWS.ADMN.UC.Worksetup.doc	BSASET	ASSET SETUP
			BSBSET	ADMIN SETUP
			BSDSET	DATABRIDGE SETUP
			BSMBST	MOBILE SETUP
			BSPSET	PURCHASING SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34309	Click to display help for this option.	EWS.ADMN.UC.Worksetup.doc	BSSSET BSWSET	MATERIAL SETUP WORK SETUP
43872	Click to start adding points	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43871	Click to start drawing	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46860	Click to start drawing. Press and hold CTRL key to disable snapping.	EAM-29721/EAM.WORK.REQ.SelectEquipmentFromMap	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46861	Click to start drawing. Press and hold Command key to disable snapping.	EAM-29721/EAM.WORK.REQ.SelectEquipmentFromMap	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
47939	Client Field Name	EAM-37081 - Fields Popup for Data Lake Upload Setu	BSDLUC	FIELDS POPUP
47903	Client Table Name	EAM-37080	BSDLUS BZDLUS	DATA LAKE UPLOAD SETUP DATA LAKE UPLOAD SETUP
13208	Close	Pull down menu item: close the current window.	ABOUT BANNER BSAFMP BSALPG BSALTP BSCMTH BSCMTP BSCOMM BSCSTP BSDCER BSDCVS BSDESP BSDLUC BSDOCP BSEMCD BSEMLT BSFLDT BSIBXP BSIMFD BSJSDN BSKPIP BSLGEX BSLGIM BSMAIP BSMAPR BSMATS BSPURP BSREGG BSRPMP BSSRES BSTBST BSTRGP BSUDLV BSUPLV BSVEDP BSVSDP CSCCAI	FUNCTION TO GET LABELS FOR ABOUT PAGE BANNER ADDITIONAL FIELD MAPPING POPUP PREVIEW ALERT GRID POPUP ALERT TEXT PARAMETERS POPUP VIEW COMMENTS AUDIT TRAIL POPUP COMMENTS POPUP FOR WORK ORDER INSPECTION COMMENTS CUSTOM FIELDS LOOK UP POP UP VIEW DETAILS (DATA CONVERSION) VIEW SQL POPUP TRANSLATION POPUP FIELDS POPUP DOCUMENTS POPUP E-MAIL CONDITIONS TRANSLATION POPUP IN MENUS FOR USER GROUPS FIELD DETAILS POPUP PERSONALIZE INBOX POPUP VIEW FILE CONTENTS COMMON FUNCTION FOR JAVASCRIPT PERSONALIZE KPI POPUP EXPORT TRANSLATIONS POPUP IMPORT TRANSLATIONS POPUP E-MAIL PARAMETER POPUP PURGE E-MAIL RECORDS VIEW TRIGGER STATUS PURGE AUDIT RECORDS POP UP GET ACTUAL TEMPERATURES POPUP DEFINE REPORT PARAMETER MAPPING POPUP STATUS REQUIREMENT SETTINGS POPUP TABLE STRUCTURE POPUP VIEW TRIGGER STATUS POP UP UDF LOOKUP VALUES UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP VIEW ERROR DETAILS POPUP VIEW STATUS DETAILS POPUP CONTACT CENTER ADDITIONAL INFORMATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13208	Close	Pull down menu item: close the current window.		POPUP
			CSSURA	SURVEY ANSWERS POPUP
			DSJSPP	PARAMETERS POPUP
			DSMSGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			FCSCRN	FLAMETHROWER SCREENS
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
			M1	Pull-Down Menu Texts
			OSAREA	READING FOR ASSET
			OSDPDT	DEPRECIATION DETAILS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQCI	CHECKLIST ITEMS
			OSEQUO	UNITS OF OUTPUT
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
			OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			OSGISL	GIS MAP LEGEND
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSLREA	READING FOR LOCATION
			OSLROE	VIEW ROUTE EVENTS POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELN	NORMALIZE LEVEL POPUP
			OSRRFP	ADD / EDIT FORMULA POPUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSRRQD	TRANSLATION POPUP QUESTIONS
			OSSREA	READING FOR SYSTEM
			OSTRAS	TRANSFER EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13208	Close	Pull down menu item: close the current window.	PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
			SSBUYP	VIEW 7I BUY SYNC ERRORS
			SSCREP	CATALOG REFERENCES
			SSPARR	PARTS RESERVATIONS
			SSPTPD	PART DETAILS POPUP
			SSSTOU	PURGE STOCKOUTS
			WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSAVAC	CALCULATE AVAILABILITY
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBWOP	BUNDLED WORK ORDERS
			WSCALL	CREATE/EDIT CALLER
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFLAB	ASSIGNMENT BILLING POPUP
			WSINST	VIEW LOOP INSTRUMENTS POPUP
			WSNCIM	NONCONFORMITIES POPUP
			WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPFLG	PM FORECAST LEGEND POPUP
			WSPFWM	PM FORECASTING WARNING
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
			WSUWOD	UNSIGNED WO DIFFERENCES
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWODP	VIEW WO DETAILS POPUP
		Crossbow. Verb.	BCMOBL	7I MOBILE BOILER TEXT
			TCPCON	7I MOBILE BOILER TEXT
		EWS.CCTR.UC.GISMapSearchforContactCenter (23450)	BSURLP	DEFINE URL PARAMETERS
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGSWO	SELECTABLE LAYERS FOR WO
			EWS.CCTR.UC.CustomerRequestHistory	BSHYPL
		BSMAPF		MAP FIELDS
		BSREGP		PURGE ACTUAL TEMPERATURE RECORDS
		CSCRHS		CUSTOMER REQUEST HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13208	Close	EWS.CCTR.UC.CustomerRequestHistory	CSEQUP	ADDITIONAL EQUIPMENT
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			WSAARD	ASSET REPAIR DETAILS
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
45694	Close All	EAM-19900 - EAM.WORK.REQ.NonconformitiesForWorkOrder	WSVEMS	VIEW EMPLOYEE SCHEDULE
			BCMOBL	7I MOBILE BOILER TEXT
30223	Close Amount	D7i Extended - Reports - Warranty Claims	WSJOBS	CREATE WORK ORDER
24812	Close Comment	Crossbow	OZCLAI	WARRANTY CLAIM REPORT
33297	Close Date	EWS.EQUIP.UC.CreateEditChangeNotices.doc	TCJCLR	7I MOBILE BOILER TEXT
			BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
			OSCHNO	CHANGE NOTICES
20591	Close Service Request	Infor EAM - action to close the service request	WECLSR	CLOSE SERVICE REQUEST
			WSCLSR	CLOSE SERVICE REQUEST
			WSSERQ	CREATE SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
42475	Close Session	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
29019	Close Session and Update Work Orders	Extended (product name); Link on WO Load Balance form	WSCAPA	WO LOAD BALANCING
			WSWLSH	WO LABOR SCHEDULING
39192	Close Survey WO with Not Evaluated Equipment	ClosingDetailsforBatchWOUpdate	WSWOBU	BATCH WORK ORDER UPDATE
24122	Close WO	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
26033	Close WOs	Infor EAM. Refer to PVCS 5643.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
24813	Close Work Order	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
19058	Closed	checkbox that when selected the report will show jobs that have been completed (have a status of Closed)	BCMOBL	7I MOBILE BOILER TEXT
			JSPROJ	PROJECTS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OTCSTL	WORK ORDER COST SUMMARY
			OZNCFL	LIST OF NONCONFORMITIES
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			WHJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
24960	Closed Projects	D7i Extended - Projects form	JSPROJ	PROJECTS
40361	Closed WO Only	Closed WO Only	WSCCON	CUSTOMER CONTRACTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22453	Closed WO's	Infor EAM - name of dataspy	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
39054	Closed WOs	EWS.PROJ.UC.CreateEditCampaign/40385	JSCAMP	CAMPAIGN
22459	Closed Work Orders	Infor EAM - name of dataspy	OSVCST	COSTS FOR EQUIPMENT
19188	Closing	sub tab on the record view of the work orders form	WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
26220	Closing Code	D7i Extended - Closing Codes - page title	BSLOVS	LIST OF LOOKUPS
			OSCLCD	CLOSING CODE
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
41625	Closing Code 1	EAM-2416	OZRBCR	RELIABILITY CHART
			OZURCR	UNRELIABILITY CHART
41626	Closing Code 2	EAM-2416	OZRBCR	RELIABILITY CHART
			OZURCR	UNRELIABILITY CHART
26221	Closing Code Details	D7i Extended - Closing Codes - detail section	OSCLCD	CLOSING CODE
40239	Closing Code Relationship	EAM.EQUIP.UC.ClosingCodeHierarchy	OSCLCH	CLOSING CODE HIERARCHY
20991	Closing Codes	Infor EAM - Group header for work order closing information	BCMOBL	7I MOBILE BOILER TEXT
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSVSDP	VIEW STATUS DETAILS POPUP
			OSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32551	Closing Comment	EWS.Work.UC.CommentsforBatchWOUUpdate.doc	BCMOBL	7I MOBILE BOILER TEXT
			WSWOBU	BATCH WORK ORDER UPDATE
21183	Closing Comments	Infor EAM - quick work order close form - area where the user can enter closing comments for the work order	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSQCWO	QUICK CLOSE WORK ORDER
			WZDELP	PROOF OF DELIVERY
25869	Closing Date	D7i Extended - admin Closing Periods form	BSCLPE	CLOSING PERIODS
20599	Closing Details	Infor EAM - group header that displays closing information for service requests	OZCLAI	WARRANTY CLAIM REPORT
			WSCLSR	CLOSE SERVICE REQUEST
49651	Closing Latitude	EAM.WORK.REQ.WorkOrder.doc	WSJOBS	CREATE WORK ORDER
49652	Closing Longitude	EAM.WORK.REQ.WorkOrder.doc	WSJOBS	CREATE WORK ORDER
44362	Closing Message	EAM-14610:EAM.CCTR.REQ.CustomerSurveys.docx	CSCSUR	CUSTOMER SURVEYS
25783	Closing Period	Extended (product name). Closing period form.	BSCLPE	CLOSING PERIODS
25785	Closing Period Details	Extended (product name). Closing Period form.	BSCLPE	CLOSING PERIODS
24822	CmDate	Crossbow - Complete date	TCOBJR	7I MOBILE BOILER TEXT
24823	Cmnt	Crossbow - Comment	TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
24825	CmpLvl	Crossbow - Component Level	TCJACR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24825	CmpLvl	Crossbow - Component Level	TCOBJR	7I MOBILE BOILER TEXT
41965	Cobalt	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
12298	Code	Unique identifier.	BCCOMM	CROSSBOW COMMENT LIST
			BCINST	CROSSBOW INST PARAM LIST
			BCPRMV	CROSSBOW CUST ATTRIB VALUE LIST
			BCUCOD	CORSSBOW UCODE LIST
			BEWSMD	EWS - METADATA DEFINITION
			BHKIUR	KPI/INBOX USAGE
			BSAUDC	AUDIT SETUP
			BSBOIL	GLOBAL TEXT CHANGES
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			BSESIG	ERECORDS LIST
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSSMEN	ADD MAIN MENU FOLDER POPUP
			BSUDFO	USER DEFINED FIELD OPTIONS
			BSVEDP	VIEW ERROR DETAILS POPUP
			BSVMRS	VMRS CODES
			BXBOIL	Customized Texts
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZEALD	ELECTRONIC RECORDS FOR
			BZEPAD	ELECTRONIC RECORDS FOR
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZKIUR	KPI/INBOX USAGE
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			CSCSUR	CUSTOMER SURVEYS
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			LVGRID	COMMON LOOKUP FOR GRID FILTERS
			OCREAD	CROSSBOW METER READING HIS LIST
			OCWARR	CROSSBOW WARRANTY LIST
			OSCLCD	CLOSING CODE
			OSGCUS	CUSTOM FIELD MAPPING QUERY
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12298	Code	Unique identifier.	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELQ	ORDER QUESTIONS POPUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSRRQD	TRANSLATION POPUP QUESTIONS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			OZFLTG	Fault Trend Analysis
			OZMNBK	MOBILE NOTEBOOK
			OZPRDC	RELIABILITY CALCULATIONS
			PSINVO	INVOICES
			SSPART	PARTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSTAXH	TAX RATES
			SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
			WCPERM	CROSSBOW WO PERMIT LIST
			WHJOBL	Labour Hours For Jobs
			WSAPPR	REVISION CONTROL APPROVAL
			WSCALL	CREATE/EDIT CALLER
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFCUS	FLEET CUSTOMERS
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCL	OPERATOR CHECKLIST
			WSSCHD	WORK ORDER SCHEDULE
			WSTASK	TASKS
			WSURCR	UNRETURNED CORES
			WTJOBL	Labour Hours For Jobs
			WYJOBL	Labour Hours For Jobs
			WZJOBL	Labour Hours For Jobs
			WZPMDO	PM DUE OVERVIEW
		Crossbow - View Attachment code	TDOCL	7I MOBILE BOILER TEXT
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCDPRN	7I MOBILE BOILER TEXT
			TCELRC	7I MOBILE BOILER TEXT
		EWS.ADMN.UC.GlobalTextChange.doc	BSASET	ASSET SETUP
			BSBGLT	BUILDING LAYOUT FOR START CENTER
			BSDOCA	DOCUMENTS
			BSDTCV	DATA CONVERSION (MP2)
			BSEXIM	EXPORT CONFIGURATION
			BSGRID	GRID DESIGNER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12298	Code	EWS.ADMN.UC.GlobalTextChange.doc	BSIMPT	IMPORT CONFIGURATION
			BSWSET	WORK SETUP
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZCHKA	CHECKLIST AUDIT
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OSEQGN	EQUIPMENT GENERATION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCAP	ASSET CLASS OPERATIONAL CAPACITY
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
			OSSTCS	SETS AND CONSISTS
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEQPL	EQUIPMENT PLANNING
			OZOEEM	OEE METRICS
			OZONCF	NONCONFORMITIES ANALYSIS
			OZRCML	RCM RISK LEVELS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZRMSO	RISK MATRIX OVERVIEW
			OZTBRK	TOP 10 BREAKDOWN
			REPORT	General Report Function
			SSBUKT	BUILD KITS
			SSPART	PARTS
			WHPTWR	PRINT PERMIT TO WORK
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSGISD	MAP VIEW
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WZCCON	PRINT CUSTOMER CONTRACT
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZLMWO	LIST OF MAINTENANCE WO
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WZPTWR	PRINT PERMIT TO WORK
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			FCLABL	FLAMETHROWER LABELS
28216	Code 128	Barcode - Symbology		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28217	Code 39	Barcode - Symbology	FCLABL	FLAMETHROWER LABELS
28218	Code 39 Ext	Barcode - Symbology	FCLABL	FLAMETHROWER LABELS
45845	Code :PARAM1 is invalid. The following characters cannot be used in codes: &, %, ', #, ?.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
40686	Code Description	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
33552	Code Descriptions	EWS.BASE.UC.ExportTranslationPopup/22624	BSLGEX	EXPORT TRANSLATIONS POPUP
38187	Code Descriptions Text	EWS.ADMN.UC.CodeDescriptionTextforLanguages.doc	BSLANG	LANGUAGES
			BSRLNP	REFRESH INSTALLED LANGUAGE
24480	Code Details	D7i Extended - Installation Codes form	BSASET	ASSET SETUP
			BSINST	INSTALL CODES
			BSWSET	WORK SETUP
			WSFBLC	FLEET BILLING CODES
27229	Code ID	D7i Extended - Autogenerated Number	BEWSMD	EWS - METADATA DEFINITION
31545	Code Org	EWS.CREP.UC.ElectronicRecords	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
40267	Code Org.	EAM-32.REQ.SalesPricesForContractTemplate	OSEQGN	EQUIPMENT GENERATION
			OSWKMV	WORKSPACE MOVES
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSHZRD	HAZARDS
			WSINVC	CUSTOMER INVOICES
24471	Code Reference	D7i Extended - ORG form	BSORGS	ORGANIZATIONS
42237	Code Revision	Where Used for Hazards	WSHZRD	HAZARDS
28219	Code UPC-A	Barcode - Symbology	FCLABL	FLAMETHROWER LABELS
28220	Code UPC-E	Barcode - Symbology	FCLABL	FLAMETHROWER LABELS
36791	Code and Description	31088	BSUDFO	USER DEFINED FIELD OPTIONS
42417	Code is out of service and will not be copied to the warranty.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42795	Code is out of service or deleted and will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42792	Code is out of service or deleted and will not be copied to the equipment of the Maintenance Pattern.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42790	Code is out of service or deleted and will not be copied to the equipment of the PM schedule.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42412	Code is out of service or deleted and will not be copied to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42413	Code is out of service or deleted. Document will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42791	Code is out of service or deleted. Maintenance Pattern will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42414	Code is out of service or deleted. Part will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42416	Code is out of service, deleted or	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	inactive. Warranty will not be attached to the equipment.			
42415	Code is out of service. Meter will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42789	Code is out of service. PM Schedule will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
25624	Code of Accounts	Extended (product name)	JSPRBU JSPROJ	Project Budget Codes PROJECTS
25090	Code+Description	D7i Extended - Custom Fields form - dropdown value for Type field	BSPROM	Custom Attributes
15970	Codes	Unique identifier.	BSLOVS BSUCOD	LIST OF LOOKUPS SYSTEM CODES
24558	Coding Entity	D7i Extended - Classes page	BSCLAS	CLASSES
39642	Cognos Reports	#41545	BHUSRL BYUSRL BZUSRL	USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
42499	Collapse All	EAM.EQUIP.REQ.StructureForEquipmentConfiguration	BCMOBL OSECN OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSRCMT	7I MOBILE BOILER TEXT CREATE EQUIPMENT CONFIGURATION CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
40813	Collapse Detail	New UI	BANNER	BANNER
34469	Collapsed	EWS.CREP.UC.UserGroupConfiguration.doc	BSJSDN BHUSRL BYUSRL BZUSRL	COMMON FUNCTION FOR JAVASCRIPT USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
27497	Collection Transaction	Crossbow	TCDTCL	7I MOBILE BOILER TEXT
42193	Color	EAM-4704: EAM.ADMN.REQ.RangesforKPIandInboxs	BSCLAS BSINBX BSKPIC BSUCOD CSCASE CSCMTK OSEQCI OSEQLR OSHPFY OSHPRM OSHPVH OSNCFM OSNCHD OSOBJA OSOBJL OSOBJP	CLASSES INBOX SETUP DEFINING KPI ENTRIES SYSTEM CODES CASE MANAGEMENT CASE MANAGEMENT TASKS CHECKLIST ITEMS LINEAR REFERENCES FUNCTION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42193	Color	EAM-4704: EAM.ADMN.REQ.RangesforKPlandInboxs	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OZRMSO	RISK MATRIX OVERVIEW
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
			WSPMPP	COLOR POPUP
37118	Color Selection	EWS.WORK.ParametersforPMPlanning	BSEMCD	E-MAIL CONDITIONS
12899	Column	The column of a database table.	BSFLDT	FIELD DETAILS POPUP
			BSMAIP	E-MAIL PARAMETER POPUP
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			TCSPRP	7I MOBILE BOILER TEXT
			BSENSS	ENTERPRISE SEARCH SETUP
28828	Column Name	Crossbow D7i Extended -- Aspects form -- Field label on Prompts tab, noun	ISASPC	ASPECTS
45219	Column Names	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearch S	BSLOVS	LIST OF LOOKUPS
27212	Column Order	D7i Extended - Grid Column Order	BEWSMD	EWS - METADATA DEFINITION
27211	Column Width	D7i Extended - Grid Column Width	BEWSMD	EWS - METADATA DEFINITION
34373	Column with 3-D Visual Effect	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
27322	Columns	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLOVS	LIST OF LOOKUPS
			BSTBST	TABLE STRUCTURE POPUP
			TCSCMN	7I MOBILE BOILER TEXT
27560	Combo	Crossbow	OTCAEQ	CALIBRATION EQUIPMENT
29614	Comm. Date	D7i Extended - Calibration Equipment Report. Means Commission date.		
12099	Comment	Free format text. Additional information.	BSCOMM	COMMENTS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BZEPAD	ELECTRONIC RECORDS FOR
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ITCHKF	Inspection results
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZRSLF	LIST OF INSPECTION RESULTS
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSITPP	IMPORT TEST POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12099	Comment	Free format text. Additional information.	PSPORH	PO HISTORY
			WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWOBU	BATCH WORK ORDER UPDATE
			WTSCHA	Scheduled Activities
			WYJOB	PRINT WORK ORDER
			WYSCHA	Scheduled Activities
			WZJOB	PRINT WORK ORDER
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZSCHA	Scheduled Activities
			WZWOLG	PRINT WO LONG
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT
			TCJATL	7I MOBILE BOILER TEXT
			TCJCML	7I MOBILE BOILER TEXT
			TCOCML	7I MOBILE BOILER TEXT
		D7i Extended -- Analytics -- Field Label, Analytics data comment	CSCRHS	CUSTOMER REQUEST HISTORY
			OZPROF	EQUIPMENT PROFILE
			WSINVS	CUSTOMER INVOICES
			WSJOBA	ARCHIVED EVENTS
49268	Comment Includes	AM.EQUIP.REQ.ChecklistForEquipment / EAM-45837	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
24673	Comment text is required.	Crossbow	TCJCML	7I MOBILE BOILER TEXT
12100	Comments	See comment.	BCCOMM	CROSSBOW COMMENT LIST
			BECOMM	COMMENTS
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSAUDC	AUDIT SETUP
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			BSCSTC	COST CODE
			BSDEPT	DEPARTMENTS
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFUNC	CREATE UPDATE SCREENS
			BSGMAC	COPY GIS MAP POPUP
			BSGMAP	CREATE EDIT MAPS
			BSGROU	GROUPS
			BSLANG	LANGUAGES
			BSMAIL	MESSANGER TRIGGER DEFINITION
			BSMPWO	MP2 WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12100	Comments	See comment.	BSMPWR	MP2 WORK REQUESTS
			BSORGS	ORGANIZATIONS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZFLXL	PRINT FLEX SQL LIST
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			DSPTNR	CREATE PARTNER
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
			JSCAMP	CAMPAIGN
			JSCCMP	COPY CAMPAIGN POPUP
			JSCCUP	COPY CU ESTIMATE
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OCMNBK	CROSSBOW MOBILE NOTEBOOK FUNCTION
			OECSMS	CONDITION SCORE MATRIX SETUP
			OEPERF	PERFORMANCE FORMULAS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSPCPN	COPY CONFIGURATION POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12100	Comments	See comment.	OSPCPS	COPY CONSIST POPUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKECP	COPY KEY POPUP
			OSKEYM	KEY MANAGEMENT
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSRRCP	COPY RELIABILITY RANKING
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			OZCLAI	WARRANTY CLAIM REPORT
			PSBORD	CREATE EDIT BLANKET ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12100	Comments	See comment.	PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSCRFAQ	COPY RFQ POPUP
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPOCP	COPY PO POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			PZPRFQ	REQUEST FOR QUOTATION
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSEVAL	PART EVALUATIONS
			SSGHGS	GREENHOUSE GASES
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTUERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQCP	COPY REQUISITION POPUP
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUCP	COPY SUPPLIER POPUP
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12100	Comments	See comment.	SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			SSVREQ	VIEW PURCHASE STATUS
			STREQF	Print Purchase Requisition
			SYINST	INVENTORY STANDARD
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SZINST	INVENTORY STANDARD
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			TSPROF	PROFILES
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCPMTW	MOBILE PERMIT TO WORK
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHPTWR	PRINT PERMIT TO WORK
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCLSR	CLOSE SERVICE REQUEST
			WSCMPP	COPY MP POPUP
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCPST	COPY STANDARD ORDER POPUP
			WSCPWT	COPY REPLACE PTW POPUP
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12100	Comments	See comment.	WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSMACP	COPY MATERIAL LIST POPUP
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPMCP	COPY PM PLAN
			WSPMTW	PERMIT TO WORK
			WSPMPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWKPK	PM WORK PACKAGES
			WSWREQ	WORK REQUEST
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZJOBQ	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12100	Comments	See comment.	WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZPTWR	PRINT PERMIT TO WORK
			WZVTKT	VEHICLE TICKET REPORT
			YSFLXS	FLEX SQL
49221	Comments Attached	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
27005	Comments Details	Extended (product name)	OSOBJS	CREATE SYSTEM EQUIPMENT
			BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
25768	Comments Records	Extended (product name). Audit Setup form.	BSPURP	PURGE AUDIT RECORDS POP UP
27004	Comments Selection	Extended (product name)	WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
27003	Comments Type	Extended (product name)	WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
29460	Comments and Custom Fields	D7i Extended -- Audit Setup form -- Tab name used in audit setup	BSAUDC	AUDIT SETUP
43927	Comments for Work Order	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20932	Commission Date	Infor EAM - The date that an asset was brought into service.	BCMOBL	7I MOBILE BOILER TEXT
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCNAP	CREATE NEW ASSETS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20932	Commission Date	Infor EAM - The date that an asset was brought into service.	OSSTRU	STRUCTURE FOR EQUIPMENT
			OSWARR	WARRANTY
			OZCAEQ	CALIBRATION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			USINVP	INVESTMENT PLANNING
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
12343	Commission date	The date that an asset was brought into service.	OCOBJC	CROSSBOW EQUIPMENT LIST
			OSOBJC	CREATE ASSET CATEGORY
			OSVBJA	VIEW ASSET LIST
16090	Commissioning WO	Refers to the work order that was used to install the object on its current parent.	BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
42467	Commissioning WO Assigned By	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
42466	Commissioning WO Assigned To	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
42465	Commissioning WO Cost Code	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
42463	Commissioning WO Department	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
42464	Commissioning WO Location	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
42907	Commissioning WO Location Org.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42462	Commissioning WO Status	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
33718	Commissioning WOs	SCR #22878	BSLOVS	LIST OF LOOKUPS
42471	Commissioning Work Order Details	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
27201	Commit?	D7i Extended - Commit Flag	BEWSMD	EWS - METADATA DEFINITION
16017	Commitments	This is a label that is on a printed budget report and displays any commitments for the budget.	UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
12819	Commodities	Types of parts, e.g. nails, grease.	BSLOVS	LIST OF LOOKUPS
			SSSUCP	COPY SUPPLIER POPUP
			SSSUPP	SUPPLIERS
			WSCCON	CUSTOMER CONTRACTS
12820	Commodity	A type of part, typically of low value and frequently used, e.g. nails.	WSCPCC	COPY CUSTOMER CONTRACT POPUP
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL007	MISSING UTILITY INVOICES
			BSDOCA	DOCUMENTS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZDDCH	DEGREE DAYS VS ENERGY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12820	Commodity	A type of part, typically of low value and frequently used, e.g. nails.	BZDDCN	CONSUMPTION_HOSPITALITY
			BZDDCS	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OYCOEM	CO2E EMISSIONS
			OYCORD	CO2 ANALYSIS
			OYGIAN	GAS INDEX ANALYSIS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZCORD	CO2 ANALYSIS
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SSCOMM	COMMODITIES
			SSEVAL	PART EVALUATIONS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSREQF	GENERATE REQ
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SYSTOL	Stock List
			SZSTOL	Stock List
			WSCCON	CUSTOMER CONTRACTS
			WSJBPL	JOB PLANS
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12820	Commodity	A type of part, typically of low value and frequently used, e.g. nails.	WSPPMS WSSMLP WSSTWO WSTASK	PM SCHEDULES SELECT PARTS POPUP FOR MATERIAL LIST STANDARD WOS TASKS
23936	Commodity Details	Infor EAM - group header on the Commodities form	SSCOMM SSSUPP WSCCON	COMMODITIES SUPPLIERS CUSTOMER CONTRACTS
29431	Commodity Org.	D7i Extended - EWS.MATL.UC.CommoditiesforSuppliers - Field label for 'Commodity Organization'	SSSUPP WSCCON	SUPPLIERS CUSTOMER CONTRACTS
37916	Commodity UOM	EWS.CREP.UC.GasIndexAnalysis	OSHFPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OYGIAN OZGIAH OZGIAN PSINVO	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT GAS INDEX ANALYSIS GAS INDEX ANALYSIS_HOSPITALITY GAS INDEX ANALYSIS INVOICES
38505	Commodity UOM-1	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38508	Commodity UOM-2	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38509	Commodity UOM-3	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38513	Commodity UOM-4	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38514	Commodity UOM-5	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38435	Commodity-1	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38437	Commodity-2	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38439	Commodity-3	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38441	Commodity-4	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38443	Commodity-5	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
16817	Common	In the sense of 'general' (general information)	BCORGS BSORGS BSRMOG BSUSER BZUSRL CSCCGM OSGISR OSGISS OSROTA WSCALP WSCTMP	MOBILE USER ORG LIST ORGANIZATIONS REMOVE MULTIPLE ORGANIZATIONS USER SETUP USERS GROUP CONFIGURATION CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD) CHILD EQUIPMENT REPLACEMENT ADD EDIT CALLER CONTRACT TEMPLATES
28464	Common Details	D7i Extended -- Monitored Data Form -- noun	ISMONT	MONITORED DATA
47258	Common Notes	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	BCMOBL	7I MOBILE BOILER TEXT
47535	Comp Loc	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
47676	Comp Lvl	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12609	Company		BCMOBL	7I MOBILE BOILER TEXT
			WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSPMTW	PERMIT TO WORK
44683	Company (Official) Name	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
44679	Company Address	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
34039	Company Code	19828	BUYSUP	BUY SUP GRID BOT FUNCTION
44682	Company ID	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
			ESPSET	POLICY SETTINGS
34040	Company IP Vendor	19828	BUYSUP	BUY SUP GRID BOT FUNCTION
44680	Company Information	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
44681	Company Logo	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
38098	Company Logo Path	EWS.ADMN.UC.AdministrationSetup/34625	BSBSET	ADMIN SETUP
34331	Company Name	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			ESGSET	GENERAL SETTINGS
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
34041	Company Organization	19828	BUYSUP	BUY SUP GRID BOT FUNCTION
44684	Company website	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
38197	Comparison Language	EWS.ADMN.UC.ErrorTextforLanguages.doc	BSLANG	LANGUAGES
38198	Comparison Language Text	EWS.ADMN.UC.ErrorTextforLanguages.doc	BSLANG	LANGUAGES
48943	Compatible Unit	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	BSDOCA	DOCUMENTS
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
48944	Compatible Unit Description	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCUES	CU ESTIMATES
49173	Compatible Unit Details	EAM.PROJ.REQ.CompatibleUnitsforCUEstimate	JSCUES	CU ESTIMATES
49174	Compatible Unit Org.	EAM.PROJ.REQ.CompatibleUnitsforCUEstimate	JSCUES	CU ESTIMATES
49175	Compatible Units	EAM.PROJ.REQ.CompatibleUnitsforCUEstimate	BSLOVS	LIST OF LOOKUPS
			JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
48987	Compatible Units Library Details	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
34125	Complete	EWS.CREP.UC.WorkOrderOnTimeDeliveryByTrade.doc	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
46535	Complete Checklist	Checklist	BCMOBL	7I MOBILE BOILER TEXT
43658	Complete Job	EAM.WORK.REQ.MechanicWorkbench	WSMECH	MECHANIC'S WORKBENCH
38943	Complete Production Order	Create Edit Work Order	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38943	Complete Production Order	Create Edit Work Order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
23810	Complete Status	Infor EAM - Indicates the status of completed/closed PM jobs.	BSFFSP	FILTER FIELD SETUP SCREEN
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			WSPPMS	PM SCHEDULES
			WZPPMQ	LIST OF PM SCHEDULES
41018	Complete checklist items below, and then click Submit and Close.	EAM.WORK.REQ.ChecklistPopup	WSATCP	CHECKLIST POPUP
12234	Completed	When a job is finished, its status is: completed.	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			JSCAMP	CAMPAIGN
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WSEMPs	EMPLOYEES
			WSMPAT	MAINTENANCE PATTERNS
			WSSCHD	WORK ORDER SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WTCALA	CALIBRATION ANALYSIS
			WYHREL	Actual Labour Hours Against Estimated
			WZCALA	CALIBRATION ANALYSIS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WZHREL	Actual Labour Hours Against Estimated
			WZSJOB	SAFETY WORK ORDER REPORT
			WZVRHS	VEHICLE RENTAL HISTORY
			BSRPST	REPORT STATUS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WCACTJ	CROSSBOW ACTIVITY LIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12234	Completed	Crossbow Data Warehouse. Refer to PVCS 9551.	TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
			TCOHSI	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			ISMONT	MONITORED DATA
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSATCP	CHECKLIST POPUP
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZPMCP	PM COMPLAINT
31911	Completed Date	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	PSINVA	BOOK INVOICE ALLOCATIONS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30836	Completed Date/Time	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
32789	Completed From	EWS.CREP.UC.CalculateWOCharges.doc	WSCJOP	GENERATE ALL CUSTOMER CHARGES
45127	Completed Only	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL014	CASE TASK COMPLETED
33149	Completed Received WOs	EWS.CREP.UC.WorkOrderStatistics	WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33149	Completed Received WOs	EWS.CREP.UC.WorkOrderStatistics	WZWOST	WORK ORDER STATISTICS
40059	Completed Safety Work Orders	47379	WZSJOB	SAFETY WORK ORDER REPORT
47677	Completed Successfully.	Jira # EAM - 35948	BCMOBL	7I MOBILE BOILER TEXT
32790	Completed To	EWS.CREP.UC.CalculateWOCharges.doc	WSCJOP	GENERATE ALL CUSTOMER CHARGES
35667	Completed Uploads	EWS.ADMN.UC.CreateEditDataConversion/28281	BSDTCV	DATA CONVERSION (MP2)
33148	Completed WOs	EWS.CREP.UC.WorkOrderStatistics	WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZWOST	WORK ORDER STATISTICS
32792	Completed Work Orders	EWS.CREP.UC.CalculateWOCharges.doc	WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WZCJOB	CALCULATE CUSTOMER CHARGES
46248	Completed activities can not be deferred.	ActivityRecordView	BCMOBL	7I MOBILE BOILER TEXT
19396	Completed checkbox is selected	this is a value of the New status on BNEREC when you select this, the systems takes a snapshot of the electronic record when they system shows that the completed checkbox (for inspections) is selected	BSEREC	ELECTRONIC RECORD SETUP
			BSESIG	ERECORDS LIST
19400	Completed checkbox is unselected	this is a value of the New status on BNEREC when you select this, the systems takes a snapshot of the electronic record when the system shows that the Processsed or Completed checkboxes (for inspections) are unselected	BSEREC	ELECTRONIC RECORD SETUP
29694	Completion Date	D7i Extended - EWS.WORK.UC.ViewCalibrationResults.doc - field in grid	BSMPWO	MP2 WORK ORDERS
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			WSCALR	VIEW CALIBRATION RESULTS
35776	Completion Time	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
40861	Compliance Association	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40992	Compliance Details	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BSLOVS	LIST OF LOOKUPS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
24824	Complt	Crossbow - Complete	TCJCLR	7I MOBILE BOILER TEXT
43398	Component Description	EAM.EQUIP.REQ.ChildEquipmentReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSMECH	MECHANIC'S WORKBENCH
43311	Component Details	EAM-10421 EAM.EQUIP.REQ.ComponentsforWarranties	OSNCTP	NONCONFORMITY TYPES
			OSWARR	WARRANTY
29047	Component Level	Extended (product name). Refer to EWS.ADMN.UC.CreateEditVMRSCodes.doc	BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29047	Component Level	Extended (product name). Refer to EWS.ADMN.UC.CreateEditVMRSCodes.doc	BSVMRS	VMRS CODES
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZCLAI	WARRANTY CLAIM REPORT
			OZEQUD	EQUIPMENT DETAIL
			OZNCFL	LIST OF NONCONFORMITIES
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WHACTV	VMRS ACTIVITIES
			WSBFUL	BATCH FUEL ISSUES
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH

Infor11.7 EAM Field Descriptions / Usage

[illegible]

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34194	Component Location	EAM.WORK.REQ.ChecklistForTask	BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECN	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSTASK	TASKS
			BSLOVS	LIST OF LOOKUPS
40114	Component Locations	EAM.ADMN.UC.PartsAssociated	BSLOVS	LIST OF LOOKUPS
47719	Component Replaced Successfully.	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT
47718	Component Swap	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT
18813	Component level	Part of VMRS; user can select a code from a list of values that further subdivides the component and assembly levels (entered in other fields) and identifies a part using a generic (not manufacturer specific) part name (e.g., front brake lininn)	FCGRD1	FLAMETHROWER GRID 1
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSWARR	WARRANTY
43323	Components	EAM-10421 EAM.EQUIP.REQ.ComponentsforWarranties	OSWARR	WARRANTY
47275	Compressing Video...	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
26403	Computed Data	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSCDSS	USER DEFINED SCREEN SETUP
			BSWSPM	WEB SERVICES PROMPT
			TSASTP	DC TRANSACTION PROMPT
43730	Computed Value	EAM.ADMIN.REQ.FieldsForUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
37261	Computer Name	21821 Device Licensing	TCCLOG	7I MOBILE BOILER TEXT
12697	Condition	Specifies the value of a physical property (aspect) for which an action needs to be taken.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			ISMONT	MONITORED DATA
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFSQ	REQUEST FOR QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SZINST	INVENTORY STANDARD
			SZLOWL	Overview Of Stock
			SZPICK	Pick List Print
			SZREQF	Print Purchase Requisition
			SZSTOL	Stock List
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJBPL	JOB PLANS
			WZJOB	PRINT WORK ORDER
			WZPFAR	PART FAILURES REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSEMCD	E-MAIL CONDITIONS
			BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12697	Condition	Infor EAM. Refer to EWS.INSF.UC.CreateEditCondition.	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			ISCOND	CONDITIONS
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZDCUR	DECAY CURVE CHART
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSCOMP	NON-PO RECEIPTS
			SSPCPC	CHANGE PART CONDITION POPUP
			SSEOQA	CALCULATE EOQ
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPTPD	PART DETAILS POPUP
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12697	Condition	Infor EAM. Refer to EWS.INSF.UC.CreateEditCondition.	SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			TCMRTP	7I MOBILE BOILER TEXT
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSDFAC	DEFERRED MAINTENANCE
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
46873	Condition As Found	EAM.WORK.REQ.ChecklistForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
46851	Condition As Found Options	EAM.WORK.REQ.ChecklistForTaskPlans	BSLOVS	LIST OF LOOKUPS
			WSTASK	TASKS
28383	Condition Description	D7i Extended -- Monitored Data form -- Boiler text for Conditions tab, noun	ISMONT	MONITORED DATA
27081	Condition Details	D7i Extended - E-mail Conditions popup - block title	BSEMCD	E-MAIL CONDITIONS
		Infor EAM. Refer to EWS.INSF.UC.CreateEditCondition.	ISCOND	CONDITIONS
		EAM.MATL.REQ.Parts.doc	SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
45519	Condition Index	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45519	Condition Index	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OZONCF	NONCONFORMITIES ANALYSIS
			OZRHIS	RANKING HISTORY CHART
			USINVP	INVESTMENT PLANNING
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
45673	Condition Index Icon	EAM-19897 - EAM.EQUIP.REQ.Nonconformities	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
49309	Condition Index Type	EAM-48905 / EAM.CREP.REQ.RankingHistoryChart	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZRHIS	RANKING HISTORY CHART
49316	Condition Index Types	EAM-48905	BSLOVS	LIST OF LOOKUPS
47646	Condition Protocol	EAM-36219:EAM.EQUIP.REQ.AssetClassDefinition	OSAPMS	APM SCENARIO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			USINVP	INVESTMENT PLANNING
			OSOBJA	CREATE ASSET EQUIPMENT
48148	Condition Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSPERF	PERFORMANCE FORMULAS
48069	Condition Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45518	Condition Score	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OSAPMS	APM SCENARIO
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZDCUR	DECAY CURVE CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZNCFL	LIST OF NONCONFORMITIES
			USINVP	INVESTMENT PLANNING
			WHJOBFB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45518	Condition Score	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	WHJOBQ	PRINT WORK ORDER
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
47752	Condition Score End	EAM-37388:EAM.EQUIP.REQ.EquipmentRanking	OSDCUR	DECAY CURVE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
47918	Condition Score Improvement	EAM-38516:EAM.EQUIP.REQ.CostTypesforAssetClassDefi	OSOCDE	EQUIPMENT CLASS DEFINITION
45522	Condition Score Matrix Details	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OECSMS	CONDITION SCORE MATRIX SETUP
45514	Condition Score Matrix Setup	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OCSMS	CONDITION SCORE MATRIX SETUP
			BSDOCA	DOCUMENTS
			OECSMS	CONDITION SCORE MATRIX SETUP
47573	Condition Score Max	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
47566	Condition Score Min	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
47751	Condition Score Start	EAM-37388:EAM.EQUIP.REQ.EquipmentRanking	OSDCUR	DECAY CURVE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSDCUR	DECAY CURVE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
47568	Condition Score Threshold	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSDCUR	DECAY CURVE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZDCUR	DECAY CURVE CHART
49126	Condition Threshold	EAM-48284	OZRHIS	RANKING HISTORY CHART
48103	Condition/Capacity Details	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OZDCUR	DECAY CURVE CHART
12235	Conditions	The contract conditions. Also used for inspections: the conditions under which an inspection may take place.	OSPERF	PERFORMANCE FORMULAS
			BSLOVS	LIST OF LOOKUPS
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
			ISPCOP	COPY ASPECT POINTS
			ITJBRT	Inspection Route Report
			IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
			SSPCMP	PART CONDITION TEMPLATE
			WHJOBQ	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTJOBQ	Job Cards
			WYJOBQ	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBQ	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12235	Conditions	The contract conditions. Also used for inspections: the conditions under which an inspection may take place.	WZWOSH	PRINT SHORT WORK ORDER CARDS
42167	Conditions to Include in Reorder	EAM-4639	BSLOVS SSPART	LIST OF LOOKUPS PARTS
42626	Condtn	EAM-7603 Part Condition	TCJAPR TCMRTP	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
28402	Confidence Rating	D7i Extended -- Monitored Data form -- noun	BZEPOD ISMONT WSJOBS WSJOVH WSJOVM	ELECTRONIC RECORDS FOR EVENT POINTS MONITORED DATA CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
12382	Confidential	Can be printed on reports (for secrecy purposes).	REPORT	General Report Function
35260	Configuration	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX BSEXAL BSVLOG OSPCN OSECN OSEQGN TCCERR	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION VIEW LOG FILES SCREEN COPY CONFIGURATION POPUP CREATE EQUIPMENT CONFIGURATION EQUIPMENT GENERATION 7I MOBILE BOILER TEXT
42559	Configuration Code	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42565	Configuration Default Status	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42310	Configuration Details	EAM.EQUIP.REQ.EquipmentConfiguration	OSECN	CREATE EQUIPMENT CONFIGURATION
42302	Configuration Org.	EAM-5358 : Add Equipment Configuration references	OSECN OSEQGN	CREATE EQUIPMENT CONFIGURATION EQUIPMENT GENERATION
42563	Configuration Prefix	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42560	Configuration Revision	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42457	Configuration Status	Equipment Generation	BZOBJD OSEQGN	ELECTRONIC RECORDS FOR EQUIPMENTS EQUIPMENT GENERATION
42564	Configuration Suffix	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42561	Configuration System Status	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42562	Configuration Type	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42513	Configurations Associated	EAM.EQUIP.REQ.ConfigurationsAssociatedForEquipment	OSPCN OSECN	COPY CONFIGURATION POPUP CREATE EQUIPMENT CONFIGURATION
27906	Configure	Barcode	FCSCRN TCCRSB	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
48891	Configure EAM Field Work by scanning a QR Code.	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24130	Configure Grid	Crossbow	TCCCNF	7I MOBILE BOILER TEXT
24131	Configure Layout	Crossbow	TCCERR TCCRSB TCIAVI TCIOBL TCIRSL TCIWIL TCIWOL TCJACL TCJEQL TCJOBL	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24131	Configure Layout	Crossbow	TCMPHL	7I MOBILE BOILER TEXT
			TCMSTL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TCUDGL	7I MOBILE BOILER TEXT
44413	Configure answers for the selected question.	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSSURA	SURVEY ANSWERS POPUP
47467	Configure the server settings.	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
46008	Configure this widget to show data.	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIV	EQUIPMENT OVERVIEW 360
40875	Confined Space	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
47722	Confirm	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT
20125	Confirm Password	Infor EAM - user must re-enter their new password to confirm	BCMOBL	7I MOBILE BOILER TEXT
			BSUAED	USER ACCOUNT EDIT
39510	Confirm Pending Authorizations	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
35902	Confirm To Address 1	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35903	Confirm To Address 2	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35904	Confirm To Address 3	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35905	Confirm To City	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35906	Confirm To Country	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35907	Confirm To Name	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35908	Confirm To State	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35909	Confirm To Zip	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
38340	ConfirmBOD Message		DSMSBH	VIEW MESSAGES
			DSMSGGS	VIEW MESSAGE STATUS
38339	ConfirmBOD Status Code	EWS.DBADMIN.UC.ViewMessageStatus.doc	DSMSBH	VIEW MESSAGES
			DSMSGGS	VIEW MESSAGE STATUS
35932	Confirmation	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
39542	Confirmed	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
31546	Conflict Flag	EWS.CREP.UC.ElectronicRecords	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
17736	Conflict Resolved	WXPLAN - check box to indicate whether the conflict was resolved.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
42114	Conflicting PTW	EAM-3563 EAM.WORK.REQ.ConflictsForPermitToWork	BSLOVS	LIST OF LOOKUPS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42115	Conflicting Permits Details	EAM-3563 EAM.WORK.REQ.ConflictsForPermitToWork	WSPMTW	PERMIT TO WORK
42123	Conflicts	EAM-3563 EAM.WORK.REQ.ConflictsForPermitToWork	WSPMTW	PERMIT TO WORK
43928	Connected	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
26945	Connection Checker	Crossbow	TCPCON	7I MOBILE BOILER TEXT
25292	Connection ID	Crossbow - Log In screen	BCMOBL	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
			TCCABT	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
27949	Connection ID:	Barcode	FCSCRN	FLAMETHROWER SCREENS
43929	Connection Mode	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44235	Connection Mode will load and submit data in realtime. A constant connection with the EAM Server is required. Disconnected Mode downloads and uploads data during synchronization.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43930	Connection Terminated	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25729	Connection is not available. Connect to the network and retry.	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
25293	Connection is not available. Please connect to network and retry.	Crossbow - Log In screen	TCCLOG	7I MOBILE BOILER TEXT
31464	Connection not available, please try later.		TCORCF	7I MOBILE BOILER TEXT
			TCPRLB	7I MOBILE BOILER TEXT
48016	Connection unavailable!	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
29311	Connector	Extended (product name); refer to pvcs 11418	BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
35870	Consecutive Points	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
42906	Consequence	EAM.EQUIP.REQ.FunctionalFailureConsequencesPopup	OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSRMXS	RISK MATRIX SETUP
			OZRCML	RCM RISK LEVELS
			OZRMSO	RISK MATRIX OVERVIEW
42927	Consequence Categories	EAM-8478:EAM.EQUIP.REQ.FunctionalFailureConsequences	BSLOVS	LIST OF LOOKUPS
42891	Consequence Category	EAM.EQUIP.REQ.FunctionalFailureConsequencesPopup	OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OZRCML	RCM RISK LEVELS
			OZRMSO	RISK MATRIX OVERVIEW
47695	Consequence Cost	EAM-36217:EAM.EQUIP.REQ.ConsequencesForRiskMatrix	OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
47696	Consequence Cost Currency	EAM-36217:EAM.EQUIP.REQ.ConsequencesForRiskMatrix	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47696	Consequence Cost Currency	EAM-36217:EAM.EQUIP.REQ.ConsequencesForRiskMatrix	OSRCMT	RCM TEMPLATES
48271	Consequence Cost Details	EAM41385EAM.EQUIP.REQ.ConsequenceCostForRiskMatrix	OSRMXS	RISK MATRIX SETUP
42700	Consequence Details	EAM.EQUIP.REQ.ConsequencesForRMS:EAM-7695	OSRMXS	RISK MATRIX SETUP
42703	Consequences	EAM.EQUIP.REQ.ConsequencesForRMS:EAM-7695	BSLOVS	LIST OF LOOKUPS
			OSRMXS	RISK MATRIX SETUP
26069	Consignment	Infor EAM. Consignment field. Refer to PVCS 5801.	SSPART	PARTS
			SSSTOR	STORES
			WSJOBS	CREATE WORK ORDER
20850	Consignment Item	Infor EAM - Item is owned by supplier.	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			SSPART	PARTS
			SSSTOR	STORES
			SYLOWL	Overview Of Stock
			SYSTOL	Stock List
			SYTRAL	Printed List Of Stock Transactions
			SZLOWL	Overview Of Stock
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
32240	Consignment Items	EWS.CREP.UC.StockValueListingByPartType.doc	SSREQF	GENERATE REQ
			SYSTOL	Stock List
			SZSTOL	Stock List
30502	Consignment Supplier	D7i Extended. Boiler text for the Stock Transaction Report.	SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
13337	Consignment item	Item is owned by supplier.	STLOWL	Overview Of Stock
			STSTOL	Stock List
			STTRAL	Printed List Of Stock Transactions
16029	Consignment supplier		STTRAL	Printed List Of Stock Transactions
45068	Consist	EAM-16281:EAM.EQUIP.REQ.Systems	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
45069	Consist Position	EAM-16281:EAM.EQUIP.REQ.Systems	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTCS	SETS AND CONSISTS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
45357	Consists	EAM-16282:WORK.REQ.ParametersforWODailyScheduling	BSLOVS	LIST OF LOOKUPS
31370	Consumable Parts	D7i Extended - Physical Inventory Discrepancy report	SYSTDL	Stocktake Discrepancy
			SZSTDL	Stocktake Discrepancy
17970	Consumable parts	SBSTTU - A normal part not tracked by asset.	STSTDL	Stocktake Discrepancy
30188	Consumer	D7i Extended - Users form - field label used in user setup	BSROLE	LDAP ROLES SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30188	Consumer	D7i Extended - Users form - field label used in user setup	BSUSER	USER SETUP
30190	Consumer Reports	D7i Extended - Reports - Dataspy name used in report setup	BSREPO	CREATE / EDIT REPORTS
34394	Consumer Reports CD Key	SCR - 26409 UC Change- EWS.ADMN.UC.Administration	BSBSET	ADMIN SETUP
39014	Consumption	PVCS #39441	BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
29870	ContNm	Crossbow - Contact Name	TCSVQR	7I MOBILE BOILER TEXT
29871	ContPh	Crossbow - Contact Phone	TCSVQR	7I MOBILE BOILER TEXT
12074	Contact		CSCCTR	CONTACT CENTER
			CTCONL	Overview Existing Contracts
			CYCCTR	CALL CENTER WO REPORT
			CYCONL	Overview Existing Contracts
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONL	Overview Existing Contracts
			FCGRD1	FLAMETHROWER GRID 1
			PSCONT	PURCHASING CONTRACTS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSSUPP	SUPPLIERS
		24875	CSCINF	CONTACT INFO
			CSPROV	PROVIDERS
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			WZGDPC	GDPR COMPLIANCE - CONTACT
20530	Contact Details	Infor EAM - button or link to view or enter details about the customer contact (for service requests)	CSSRPT	CREATE SERVICE REQUEST PORTAL
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSCSRQ	CUSTOMER SERVICE PORTAL
20012	Contact E-mail	Infor EAM - email address of the person to contact regarding the work request.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			CSCSUR	CUSTOMER SURVEYS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
17511	Contact Info		SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
20122	Contact Information	Infor EAM - displays contact information for the service request	BSLOVS	LIST OF LOOKUPS
			BSUAED	USER ACCOUNT EDIT
			CSCCTR	CONTACT CENTER
			WSEMP	EMPLOYEES
20169	Contact Name	Infor EAM - name of the person to contact regarding the	BZEVD	ELECTRONIC RECORDS FOR EVENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20169	Contact Name	service request	BZOSRQ	OPEN SERVICE REQUESTS
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
31547	Contact Notes	EWS.CREP.UC.ElectronicRecords	BZEVD	ELECTRONIC RECORDS FOR EVENTS
20170	Contact Phone	Infor EAM - phone number of person to contact regarding the service request	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19957	Contact name	WMJOBS Service request sub-tab... name of the person to contact regarding the service request	WTJOB	Job Cards
19958	Contact phone	WMJOBS Service request sub-tab... phone number of the person to contact regarding the service request	WTJOB	Job Cards
20023	Contact/Estimates	Infor EAM - group header on the Create Service Request form that displays cost estimates and additional contact information for the service request	WSSERQ	CREATE SERVICE REQUESTS
15277	Contacts		BSLOVS SSSUCP SSSUPC SSSUPP	LIST OF LOOKUPS COPY SUPPLIER POPUP CUSTOMERS SUPPLIERS
20232	Contains	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID Contains...some value.	BSDTSP BSJSDN DSTRAN FCLABL	DATASPY COMMON FUNCTION FOR JAVASCRIPT DATABRIDGE TRANSACTIONS FLAMETHROWER LABELS
32979	Context ID	EWS.DBADMIN.UC.ViewMessageStatus	BYMPDH BYMSSS BYMSST BZMPDH BZMSSS BZMSST DSMSBH DSMSG	MESSAGE PROCESSING AND DELIVERY HISTORY MESSAGE STATUS SUMMARY MESSAGE STATUS MESSAGE PROCESSING AND DELIVERY HISTORY MESSAGE STATUS SUMMARY MESSAGE STATUS VIEW MESSAGES VIEW MESSAGE STATUS
23476	Continue	Infor EAM - verb meaning to go ahead or proceed to the next screen	BCMOBL BSJSDN BXLAYO	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT R5 Screen Layout Editor
32725	Continue Charging	EWS.WORK.UC.ApproveCustomerCharges	WSCJOB	APPROVE CUSTOMER CHARGES
43584	Continue Next Shift	EAM.WORK.REQ.WOActivityPreviewforWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
46070	Continue Trace	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE
13289	Continue browsing		M1	Pull-Down Menu Texts
36306	Continue without retrieving value(s) at this time. The record will be fixed prior to upload.	EWS.MOBILE.UC.WSPromptEngine.doc	TCCRTF	7I MOBILE BOILER TEXT
		EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36307	Continue without retrieving value(s) at this time. The record will not be fixed prior to upload.	EWS.MOBILE.UC.WSPromptEngine.doc	TCCRTF	7I MOBILE BOILER TEXT
		EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12236	Continued	Text printed on reports, indicating that more will follow.	PHORDF PTORDF PYORDF PZORDF	Print Purchase Order Print Purchase Order Print Purchase Order Print Purchase Order
30232	Continued on Next	D7i Extended - Reports - Print Purchase Orders	PHORDF PYORDF PZORDF	Print Purchase Order Print Purchase Order Print Purchase Order
12237	Continued on next page		PTORDF	Print Purchase Order
12380	Continued...		REPORT	General Report Function
27914	Continuous	Barcode	FCSCRN	FLAMETHROWER SCREENS
12075	Contract	A legal document for supply purposes, in which terms, conditions and discounts are recorded.	BZORDD BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDERS ELECTRONIC RECORDS FOR PURCHASE ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12075	Contract	A legal document for supply purposes, in which terms, conditions and discounts are recorded.		LINES
			CMPROM	Contract Text Prompts
			CTCONL	Overview Existing Contracts
			CYCONF	Print Contract
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZCONF	Print Contract
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			OZEQUD	EQUIPMENT DETAIL
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
29026	Contract Class	D7i Extended - List of Existing Contracts Report	BSLOVS	LIST OF LOOKUPS
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CYCOTL	PRINT CONTRACT CLASSES
			CZCONL	Overview Existing Contracts
			CZCOTL	PRINT CONTRACT CLASSES
			PSCONT	PURCHASING CONTRACTS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSPROM	PURCHASING CONTRACT TEXT
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
33075	Contract Class Description	EWS.PRCH.UC.CreateEditPurchasingContractText	OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
33074	Contract Class Org.	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSPROM	PURCHASING CONTRACT TEXT
			WSCCON	CUSTOMER CONTRACTS
35103	Contract Classes	EWS.CREP.UC.ContractClasses SCR#27830	WSCTMP	CONTRACT TEMPLATES
			CYCOTL	PRINT CONTRACT CLASSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35103	Contract Classes	EWS.CREP.UC.ContractClasses SCR#27830	CZCOTL	PRINT CONTRACT CLASSES
30229	Contract Clause	D7i Extended - Reports - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
40380	Contract Clauses	EAM.WORK.REQ.ClausesforContractTemplate	BSLOVS	LIST OF LOOKUPS
36160	Contract Currency	27957	PSPORD	PURCHASE ORDERS
40215	Contract Custom Fields	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCTMP	CONTRACT TEMPLATES
41183	Contract Customer	EAM-89.WORK.REQ.CustomerRentals	WSCCON	CUSTOMER CONTRACTS
41181	Contract Description	EAM-89.WORK.REQ.CustomerRentals	WSCCON	CUSTOMER CONTRACTS
18164	Contract Details	Group header on CMCONT	PSCONT	PURCHASING CONTRACTS
39699	Contract Discount	EAM.PRCH.UC.PartsforPO	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
40192	Contract Equipment	EAM-25.EQUIP.REQ. Positions	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40521	Contract Item	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
40522	Contract Item Description	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WZCIND	CUSTOMER INVOICE DETAIL
			WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WZCIND	CUSTOMER INVOICE DETAIL
40598	Contract Item Details	EAM.WORK.REQ.ContractItemsForCustomerContract	WZCINS	SHORT CUSTOMER INVOICE
			WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
40898	Contract Item Entity	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
40523	Contract Item Org.	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
40734	Contract Item WO	EAM.WORK.REQ.InvoiceDetailsForCustomerInvoice	WSINVC	CUSTOMER INVOICES
40597	Contract Items	EAM.WORK.REQ.ContractItemsForCustomerContract	BSLOVS	LIST OF LOOKUPS
			WSCCON	CUSTOMER CONTRACTS
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSINVC	CUSTOMER INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40597	Contract Items	EAM.WORK.REQ.ContractItemsForCustomerContract	WZCCON	PRINT CUSTOMER CONTRACT
30950	Contract Labor	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the charge for contacted labor	WSFMRK	FLEET MARKUP CODES
30957	Contract Labor %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for contracted labor	WSFMRK	FLEET MARKUP CODES
41044	Contract Level Discounts	EAM-397	WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
36006	Contract No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
40278	Contract Org.	EAM-57.WORK.REQ.CustomerInvoices	WSINVC	CUSTOMER INVOICES
36007	Contract Page No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36008	Contract Part No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
18227	Contract Prompts	Group header on CMPROM	CMPROM	Contract Text Prompts
40277	Contract Revision	EAM-57.WORK.REQ.CustomerInvoices	BSLOVS	LIST OF LOOKUPS
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
41182	Contract Status	EAM-89.WORK.REQ.CustomerRentals	WSCCON	CUSTOMER CONTRACTS
40193	Contract Template	EAM-25.EQUIP.REQ. Positions	BSDOCA	DOCUMENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZCCON	PRINT CUSTOMER CONTRACT
40208	Contract Template Details	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCTMP	CONTRACT TEMPLATES
40194	Contract Template Org.	EAM-25.EQUIP.REQ. Positions	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40194	Contract Template Org.	EAM-25.EQUIP.REQ. Positions	OSOVPM OSSTAT WSCCON WSGSRH WSOPSS	CREATE POSITION EQUIPMENT EQUIPMENT OPERATIONAL STATUS CUSTOMER CONTRACTS GIS MAP ROADS HIGHWAYS OPTIMIZED SCHEDULER SETUP
40263	Contract Templates	EAM-25.EQUIP.REQ. Positions	BSLOVS	LIST OF LOOKUPS
33087	Contract Text Details	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
40279	Contract Type	EAM-57.WORK.REQ.CustomerInvoices	WSINVC WZCIND WZCINS	CUSTOMER INVOICES CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE
40197	Contract and Rental Details	EAM-25.EQUIP.REQ. Positions	OSECON OSHPPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVPM OSSTAT OZEQUD WSEMPs	CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE POSITION EQUIPMENT EQUIPMENT OPERATIONAL STATUS EQUIPMENT DETAIL EMPLOYEES
12076	Contract class	The class of a contract.	CMPROM	Contract Text Prompts
12238	Contract clause	A pre-defined text, which is part of a contract.	PTORDF	Print Purchase Order
45449	Contractor Comments	EAM.WORK.REQ.ContractorPortal :EAM-14829	WSCOPO	CONTRACTOR PORTAL
45162	Contractor Estimates	EAM.WORK.REQ.CostSummaryForWorkOrder EAM-16276	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
37869	Contractor Hire Services	Shotgun Tracker id 33935	SSRQCP	COPY REQUISITION POPUP
45472	Contractor Portal	EAM.WORK.REQ.ContractorPortal : EAM-14829	WSCOPO	CONTRACTOR PORTAL
47308	Contractor Sign Off	EAM.WORK.REQ.PermitToWork	BCMOBL WSPMTW	7I MOBILE BOILER TEXT PERMIT TO WORK
47358	Contractor Signatures	EAM.WORK.REQ.ContractorSignaturesForPermitToWork	BCMOBL WCPMTW WSPMTW	7I MOBILE BOILER TEXT MOBILE PERMIT TO WORK PERMIT TO WORK
35956	Contractors	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
15284	Contracts	This is the name of a tab on the parts form that displays any contracts associated to a part.	BSLOVS SSPART WSDEBS	LIST OF LOOKUPS PARTS CREATE CUSTOMER
49015	Contribution %	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49013	Contribution Total	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49298	Contributions	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
36302	Control :PARAM1 does not exist.	EWS.MOBILE.UC.WSPromptEngine.doc	TCPMTR	7I MOBILE BOILER TEXT
32388	Control No.	EWS.CREP.UC.PurchaseOrderStatus.doc	BSMPPR PYORDS PZORDS	MP2 PURCHASING PURCHASE ORDER STATUS PURCHASE ORDER STATUS
31548	Control Number	EWS.CREP.UC.ElectronicRecords	BZORDD OSWARR PSPORD	ELECTRONIC RECORDS FOR PURCHASE ORDERS WARRANTY PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27656	Control Properties	Crossbow - Label for the property of the control	TCSRP	71 MOBILE BOILER TEXT
27203	Control Type	D7i Extended - Grid Control Type. CHECKBOX, RADIOBUTTON, BUTTON, TEXT, LINK, SELECT, IMG, DIV, SPAN, HIDDEN, STATIC	BEWSMD	EWS - METADATA DEFINITION
36171	Controlling Org.	EWS.ADMN.UC.FieldsforWebServicePrompt	BSFFSP	FILTER FIELD SETUP SCREEN
48774	Controls whether the data is copied from the nonconformity header or another observation of the same nonconformity. These are the Copy From options:	EAM-46913: NonconformitiesSetup	BSWSPM	WEB SERVICES PROMPT
12725	Converging result in diverging series : extrapolation based on last two results only		OSNCSP	NONCONFORMITIESSETUP
37870	Conversion	SCR#33940-ConversionforUOM	ITCHKF	Inspection results
34830	Conversion Completed	26984	IYCHKF	Inspection results
36268	Conversion Data Tablespace	EWS.ADMN.UC.AdministrationSetup/29354	IZCHKF	Inspection results
34887	Conversion Details	26984	BSUOMS	UOM SETUP
20749	Conversion Factor	Infor EAM - To convert quantities from one type of unit of measure into another (e.g. one box to one piece).	BSDTCV	DATA CONVERSION (MP2)
			BSBSET	ADMIN SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSUOMS	UOM SETUP
			BSUOMS	UOM SETUP
			BZBLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZORL	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZTRL	ELECTRONIC RECORDS FOR TRANSACTION LINES
36269	Conversion Index Tablespace	EWS.ADMN.UC.AdministrationSetup/29354	BSBSET	ADMIN SETUP
34829	Conversion Started	26984	BSDTCV	DATA CONVERSION (MP2)
34827	Conversion Status	26984	BSDTCV	DATA CONVERSION (MP2)
34833	Conversion Stopped	26984	BSDTCV	DATA CONVERSION (MP2)
41362	Conversion Type	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
32809	Conversion rates could not be found for some records. A conversion rate of 1 was used in the calculation.	EWS.BASE.UC.StandardReport.doc	REPORT	General Report Function
35446	Convert all Employees based on their MP2 Site ID	#28171	BSDTCV	DATA CONVERSION (MP2)
35447	Convert all Employees into a Common Organization	#28171	BSDTCV	DATA CONVERSION (MP2)
48273	Convert to ASN	EAM.PRCH.REQ.PurchaseOrders.doc	PSPORD	PURCHASE ORDERS
45388	Convert to Supplier	EAM.CCTR.REQ.Provider.doc	CSPROV	PROVIDERS
45387	Converted	EAM.CCTR.REQ.Provider.doc	CSPROV	PROVIDERS
34828	Converted By	26984	BSDTCV	DATA CONVERSION (MP2)
38589	Cool-down Time (Hours)	EWS.EQUIP.UC.ResourcesforEquipment / 37415	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38589	Cool-down Time (Hours)	EWS.EQUIP.UC.ResourcesforEquipment / 37415	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			BHDDAN	DEGREE DAY ANALYSIS
			BSREGN	CREATE EDIT REGIONS
38351	Cooling Degree Days	EWS ADMN UC ActualTemperaturesforRegions.doc	BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			OZTACR	TEMPERATURE ANALYSIS CHART
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
			WSPROJ	CREATE PROJECT POPUP
48441 12078	Coordinates Coordinator	EAM-42186 Person who overviews several activities. Project leader.	OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
			BSEXIM	EXPORT CONFIGURATION
46947 45030 12562	Copied Copied Screens Copy	EAM-29908 a verb	BCMOBL	7I MOBILE BOILER TEXT
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			ISPCOP	COPY ASPECT POINTS
			OSPCPN	COPY CONFIGURATION POPUP
			OSGGMP	GIS MAP DATA
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			WSCPTW	COPY REPLACE PTW POPUP
			M1	Pull-Down Menu Texts
			BCMOBL	7I MOBILE BOILER TEXT
			WSTCRT	LINEAR EQUIPMENT TRACE
			USCPBP	COPY BUDGETPOPUP
			ISMONT	MONITORED DATA
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32669 33585 48965 49579	Copy Budget Copy Budgeted Amounts Copy CU Design Copy CU Estimate	EWS.BUD.UC.Budgets.doc 22892 EAM.PROJ.REQ.Project EAM.PROJ.REQ.CUEstimate	USBUDG	BUDGETS
			USBDET	COPY BUDGET
			USCPBP	COPY BUDGETPOPUP
			JSPROJ	PROJECTS
			JSCUES	CU ESTIMATES
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			USCPBP	COPY BUDGETPOPUP
			ISMONT	MONITORED DATA
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			USCPBP	COPY BUDGETPOPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39053	Copy Campaign	EWS.PROJ.UC.CreateEditCampaign/40385	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			JSCAMP	CAMPAIGN
28463	Copy Category Data to Equipment	D7i Extended -- Monitored Data form -- button on Equipment Details tab	ISMONT	MONITORED DATA
43124	Copy Configuration	EAM-4421:EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
45065	Copy Consist	EAM-16279: EAM.EQUIP.REQ.Sets-Consists	OSSTCS	SETS AND CONSISTS
40354	Copy Contract	Copy Contract	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCCON	CUSTOMER CONTRACTS
40216	Copy Contract Template	EAM-18 EAM.WORK.REQ.ContractTemplate	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCTMP	CONTRACT TEMPLATES
41106	Copy Customer	EAM-724 EAM.WORK.REQ.Customers	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSSUPC	CUSTOMERS
42473	Copy Data	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
18264	Copy Details	Header in OXCOPY	ISPCOP	COPY ASPECT POINTS
39785	Copy Document	EAM.BASE.UC.DocumentsAssociated.doc/#45729	BSDOCA	DOCUMENTS
45762	Copy Equipment Ranking	EAM-19863 EAM.EQUIP.REQ.EquipmentRanking	OSRELR	EQUIPMENT RANKINGS
24384	Copy From	Extended (product name). Administration module, Trades form.	BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
			PSCONT	PURCHASING CONTRACTS
			WSPMP	PM PLANS
		EWS.BASE.UC.CreatEditLanguageinLTK/22625	BSGRID	GRID DESIGNER
			BSLGTK	LANGUAGE TOOLKIT
			BSLOVS	LIST OF LOOKUPS
			OSNCSP	NONCONFORMITIESSETUP
34344	Copy Grid	#26101	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24309	Copy Header	D7i Extended - For the right click menu	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24310	Copy Header/Details	D7i Extended - For the right click menu	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48767	Copy Importance	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48765	Copy Intensity	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
44783	Copy Key	EAM-15227 EAM.EQUIP.REQ.CopyKeyPopup.docx	OSKEYM	KEY MANAGEMENT
41972	Copy LOTO Details	EAM-1017:EAM.EQUIP.REQ.LOTOForEquipment	OSEQLT	IMPORT FROM EQUIPMENT
			OSPWLT	IMPORT FROM PTW
32467	Copy Line	EWS.WORK.UC.CommentsforBatchWOUpdate	WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSWOB	BATCH WORK ORDER UPDATE
39784	Copy Link	EAM.BASE.UC.DocumentsAssociated.doc/#45729	BSDOCA	DOCUMENTS
38835	Copy MP	EWS.WORK.UC.CreateEditMaintenancePattern.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSMPAT	MAINTENANCE PATTERNS
39650	Copy Map	EAM.GIS.UC.CopyMapPopup	BSGMAP	CREATE EDIT MAPS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34785	Copy Material List	CopyMaterialListPOPUP/SCR#25841	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSMATL	MATERIAL LISTS
29331	Copy Menu	D7i Extended -- User Groups form -- Link button, copy=verb, menu=noun	BSGROU	GROUPS
29333	Copy Menu Details	D7i Extended -- User Groups form -- Details Section Label. Copy is a verb.	BSCPMP	COPY MENU POPUP
			BSSNCP	COPY MENU POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48768	Copy Next Inspection Date Override	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48769	Copy Observation UDFs	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
34061	Copy PM Activity	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSPPMP	PM PLANS
34802	Copy PM Plan	EWS.WORK.UC.CopyPMPlanPopup	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSPPMP	PM PLANS
34217	Copy PO	EWS.PRCH.UC.CopyPOPopup/25769	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			PSPORD	PURCHASE ORDERS
20773	Copy Parent's Reorder Details	Infor EAM - checkbox on the Stores form to indicate that a child part-store record can be copied from the parent's part-stock record	SSSTOR	STORES
40329	Copy Part Line	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT	BUILD KITS
42277	Copy Permit to Work	EAM.WORK.REQ.CopyReplacePermitToWorkPopup	WSCPTW	COPY REPLACE PTW POPUP
36780	Copy RFQ	EWS.PRCH.UC.CreateEditRequestforQuotations.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			PSRFQT	REQUESTS FOR QUOTATIONS
21038	Copy Record	Infor EAM - button to copy the selected record to create a new record	BANNER	BANNER
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSFUNC	CREATE UPDATE SCREENS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			JSCUES	CU ESTIMATES
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28727	Copy Record (Ctrl+F)	D7i Extended - help text shown on the copy record button to be added in EWS	BANNER	BANNER
34219	Copy Record Options	EWS.PRCH.UC.CopyPOPopup/25769	BSCWSP	COPY WEB SERVICE PROMPT POPUP
			BSGMAC	COPY GIS MAP POPUP
			JSCCMP	COPY CAMPAIGN POPUP
			JSCCUP	COPY CU ESTIMATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34219	Copy Record Options	EWS.PRCH.UC.CopyPOPopup/25769	OSPCN	COPY CONFIGURATION POPUP
			OSPCS	COPY CONSIST POPUP
			OSKECP	COPY KEY POPUP
			OSRRCP	COPY RELIABILITY RANKING
			PSCRFP	COPY RFQ POPUP
			PSPOCP	COPY PO POPUP
			SSRQCP	COPY REQUISITION POPUP
			SSSUCP	COPY SUPPLIER POPUP
			WSCMPP	COPY MP POPUP
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCPTW	COPY REPLACE PTW POPUP
			WSMACP	COPY MATERIAL LIST POPUP
			WSPMCP	COPY PM PLAN
30247	Copy Record and Details	Extended (product name); Button to copy Standard WO	WSSTWO	STANDARD WOS
39798	Copy Reliability Ranking	EAM.EQUIP.UC.CreateEditReliabilityRanking	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34454	Copy Requisition	EWS.MATL.UC.CopyReqPopup.doc/25749	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSREQU	REQUISITIONS
38641	Copy Resources	EWS.EQUIP.UC.ResourcesforEquipment / 37415	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
21685	Copy Schedule	Infor EAM - link button to copy a work schedule on the schedule labor tab of the work order form	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48764	Copy Severity	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48766	Copy Size	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
48046	Copy Source	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
30031	Copy Standard WO	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSSTWO	STANDARD WOS
35012	Copy Sub-Level Budget	EWS.BUD.UC.CopyBudgetDetailsPopup/27685	USBUDG	BUDGETS
34356	Copy Supplier	EWS.WORK.UC.CopySupplierPopup.doc/SCR#25863	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSSUPP	SUPPLIERS
			OSAINV	ASSET INVENTORY
45731	Copy System to Observed Physical/Bin Location	EAM.EQUIP.REQ.InventoryResultsforAssetInventory - EAM-22595		
28661	Copy To As Left	D7i Extended - Calibrations for Work Order - verb - click link to copy information from one part of the form to the part of the form entitled 'As Left'	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48507	Copy UDFs to WO	EAM.WORK.REQ.EquipmentforPMSchedules	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37714	Copy Web Service Prompt	EWS.ADMN.UC.CreateEditWebServicePrompts	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSWSPM	WEB SERVICES PROMPT
23468	Copy from Group	Infor EAM - the user can select a user group from which to copy a current screen design. Here they would select that group	BSDUXD	DUX SCREEN DESIGNER
			BXLAYO	R5 Screen Layout Editor
30661	Copy from PO	D7i Extended -- Lines on Invoice Voucher -- Link Button label, copy=verb	PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
20311	Copy of :PARAM1	Infor EAM - Default name displayed when user selects to Copy a Dataspy	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36817	Copy to Every Child Matrix	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
21845	Copy to Purchase Order	Infor EAM - checkbox to copy the document link when the part record if associated with a purchase order	BSDOCA	DOCUMENTS
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
33505	Copy to WO Comments	#22323	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
33611	Copy to Work Address	#22323	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
21843	Copy to Work Order	Infor EAM - checkbox to copy the document link to the work order record when the selected record is associated with a work order	BSDOCA	DOCUMENTS
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
41845	Copy/Replace PTW	EAM.WORK.REQ.PermitToWork	WSPMTW	PERMIT TO WORK
36261	Copyright © 2009 Infor. All rights reserved.	#28321	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
23445	Copyright © 2011 Infor. All rights reserved.	Infor EAM - information pertaining to the legal copyright information	FCSCRN	FLAMETHROWER SCREENS
			TCCABT	7I MOBILE BOILER TEXT
41957	Coral	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
33765	Core Price	EWS.MATL.UC.PartDetailsPopup.doc	SSPTPD	PART DETAILS POPUP
30882	Core Qty.	D7i Extended. Indicates the number of parts that are in store to be repaired. The words For Repair are used as an adjective indicating what kind of part.	SSIUSS	STORE TO STORE ISSUES
			SSSTOR	STORES
		EAM-5161 EAM.MATL.REQ.Parts	SSBSTK	STOCK ON STORES
			SSPART	PARTS
			SSPTPD	PART DETAILS POPUP
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			WSASRD	ASSIGN REPAIR DETAILS
48732	Core Qty. Installed	EAM.MATL.REQ.StockforStores / EAM-45332	SSBSTK	STOCK ON STORES
			SSPART	PARTS
			SSSTOR	STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48034	Core Qty. Returned	EAM-38248	WSJOBS	CREATE WORK ORDER
42199	Core Receipt Qty.	EAM-5161 EAM.MATL.REQ.PartsforStoretoStoreReceipts	SSSTSR	STORE TO STORE RECEIPTS
42287	Core Return	EAM-5161 EAM.EQUIP.UC.ChildEquipmentReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
			SSISSU	Stock Issues
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
42024	Core Return Condition Default	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionTemplate	SSPCMP	PART CONDITION TEMPLATE
42023	Core Return Condition List	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionTemplate	SSPCMP	PART CONDITION TEMPLATE
20753	Core Value	Infor EAM - Core value of a repairable spare (what is part still worth when it needs repair).	SSPART	PARTS
			SYSTOL	Stock List
			SZSTOL	Stock List
			WSURCR	UNRETURNED CORES
18594	Core value	Core value of a repairable spare (what is part still worth when it needs repair).	STSTOL	Stock List
28440	Corr. Allowance	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
40429	Corrected By	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
40441	Corrected Days	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
40444	Corrected Fuel Usage	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
40437	Corrected Hours	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
40695	Corrected Total	EAM-93	WSINVC	CUSTOMER INVOICES
		EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi		
40442	Corrected Usage	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
40443	Corrected Usage UOM	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
25294	Correction	Crossbow - Book Hours form - correction in number of hours booked	BCMOBL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
47767	Correction Condition Score	EAM-37496 : EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
45358	Correction Date	EAM-10324: EAM.WORK.REQ.BookLaborForWorkOr	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49410	Correction Date Effective	EAM-49197/EAM.EQUIP.REQ.RankingsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37498	Correction Factor	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
49408	Correction Index	EAM-49197/EAM.EQUIP.REQ.RankingsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
49411	Correction Ranking Status	EAM-49197/EAM.EQUIP.REQ.RankingsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
47768	Correction Reason	EAM-37496 : EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49409	Correction Score	EAM-49197/EAM.EQUIP.REQ.RankingsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
49391	Correction Score Ranking	EAM-49196/EAM.EQUIP.REQ.EquipmentRanking	OSBURN	BATCHUPDATERANKINGREFRESHPOPUP
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
49493	Correction Score Ranking Description	EAM.EQUIP.REQ.EquipmentforBatchUpdateERV	OSBURV	CALCULATE RELIABILITY RANKING INDEX
49392	Correction Score Ranking Org.	EAM-49196/EAM.EQUIP.REQ.EquipmentRanking	OSBURN	BATCHUPDATERANKINGREFRESHPOPUP
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
49396	Correction Score Rankings	EAM-49196/EAM.EQUIP.REQ.EquipmentRanking	BSLOVS	LIST OF LOOKUPS
47769	Correction Usage	EAM-37496 : EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47770	Correction Usage UOM	EAM-37496 : EAM.EQUIP.REQ.Assets	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
25295	Correction should not lead to negative total hours worked.	Crossbow - Book Hours form	TCJBKL	71 MOBILE BOILER TEXT
15805	Corrections	A checkbox used in booking hours for work order activites, when selected, indicates that the current booking is a correction for a previous booking.	BCORGS	MOBILE USER ORG LIST
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WSCJOB	APPROVE CUSTOMER CHARGES
24383	Corrections Allowed	Extended (product name). Administration module, Trades form.	BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38047	Correlation GAS Cost/Return	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
38045	Correlation GAS Cost/Return %	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
38046	Correlation GAS Cost/Spend %	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
32978	Correlation ID	EWS.DBADMIN.UC.ViewMessageStatus	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
			ISMONT	MONITORED DATA
			BCMOBL	7I MOBILE BOILER TEXT
28466 12080	Corrosion Details Cost	D7i Extended -- Monitored Data form -- noun This is the amount of something...how much it costs.	BIWPER	TEN WORST PERFORMERS
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OZHISL	Object History
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYHREL	Actual Labour Hours Against Estimated
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
33981	Cost / unit / year	SCR 27759	WZVMRS	VMRS ACTIVITIES CHART
			SYEOQA	EOQ Analysis
			SZEOQA	EOQ Analysis
38707	Cost Analysis	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
25622	Cost Area	Extended (product name)	JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JYACOS	PROJECT AREA COST SUMMARY
			JZACOS	PROJECT AREA COST SUMMARY
			OSOBTV	OBJECTIVES
38008	Cost Avoidance	EWS.WORK.UC.CreateEditCapitalPlanningRequests	USINVP	INVESTMENT PLANNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38008	Cost Avoidance	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
25623	Cost Center	Extended (product name)	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
35292	Cost Centers	#28171	BSDTCV	DATA CONVERSION (MP2)
20136	Cost Code	Infor EAM - A reference on a work order to a particular budget or type of work order. Used for financial purposes and reporting.	BSDSET	DATABRIDGE SETUP
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			DSPTNR	CREATE PARTNER
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20136	Cost Code	Infor EAM - A reference on a work order to a particular budget or type of work order. Used for financial purposes and reporting.	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZTRAS	EQUIPMENT TRANSFER LOG
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SHREQF	Print Purchase Requisition
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSPART	PARTS
			SSREQF	GENERATE REQs
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			USBSTR	BUDGET STRUCTURE
			USINVP	INVESTMENT PLANNING
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20136	Cost Code	Infor EAM - A reference on a work order to a particular budget or type of work order. Used for financial purposes and reporting.	UzbUDL	LIST OF BUDGETS (LOWER LEVEL)
			WHJOBf	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSEMPs	EMPLOYEES
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMs	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WYJOBf	PRINT WORK ORDER
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZJOBf	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMSP	PM SCHEDULE PROFILE
			WZVRHS	VEHICLE RENTAL HISTORY
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
		For Infor EAM (product name).	BSCSTC	COST CODE
			BSDOCA	DOCUMENTS
			OSEQPM	PM SCHEDULES
			OSHPLY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20136	Cost Code	For Infor EAM (product name).	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PYPOCS	PO COST SUMMARY
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZPOCS	PO COST SUMMARY
			SSASGN	GENERATE POS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			WHCOSL	Job Cost Summary Report
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WTCALR	CALIBRATION RECORD REPORT
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYCOSL	Job Cost Summary Report
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZLWOQ	LIST OF WORK ORDERS
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20136	Cost Code	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
43931	Cost Code Desc	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
31333	Cost Code Description	D7i Extended -- Billing History for Fleet Customers -- Grid Column Label	SSISSU	Stock Issues
			SSREQS	CREATE PURCHASE REQUISITION
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSJOBS	CREATE WORK ORDER
23857	Cost Code Details	For Infor EAM (product name).	BSCSTC	COST CODE
			WSFCUS	FLEET CUSTOMERS
32755	Cost Code Group	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			BSLOVS	LIST OF LOOKUPS
32756	Cost Code Groups	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
23563	Cost Codes	Infor EAM - title for lookup where user searches for cost codes	LVCSTC	COST CODE LOOKUP
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSFCUS	FLEET CUSTOMERS
			OSWARR	WARRANTY
25965	Cost Coverage	Infor EAM. Refer to PVCS 5601.	OSWARR	WARRANTY
41202	Cost Currency	EAM.WORK.REQ.InvoiceDetailsForCustomerInvoice	WSINVC	CUSTOMER INVOICES
35732	Cost Description	EWS.WORK.UC.OtherCostsForWO / 15879	BCMOBL	7I MOBILE BOILER TEXT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			WSJOBS	CREATE WORK ORDER
37029	Cost Details	EWS.EQUIP.UC.EquipmentChildReplacement	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			PSINVO	INVOICES
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
41583	Cost Difference	EAM- 2229 EAM.PRCH.REQ.UtilityAuditForInvoiceVouch	PSINVO	INVOICES
31549	Cost Direct Outs	EWS.CREP.UC.ElectronicRecords	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
47604	Cost Index 1	EAM-36348: EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC	YEARLY INFLATION PERCENTAGE
47605	Cost Index 2	EAM-36348: EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC	YEARLY INFLATION PERCENTAGE
47606	Cost Index 3	EAM-36348: EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC	YEARLY INFLATION PERCENTAGE
47607	Cost Index 4	EAM-36348: EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC	YEARLY INFLATION PERCENTAGE
47608	Cost Index 5	EAM-36348: EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC	YEARLY INFLATION PERCENTAGE
20934	Cost Roll-up	Infor EAM - checkbox to indicate that costs on a piece of equipment also apply to equipment higher in the structure.	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20934	Cost Roll-up	Infor EAM - checkbox to indicate that costs on a piece of equipment also apply to equipment higher in the structure.	OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
43552	Cost Roll-up (Parent Asset)	11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
43554	Cost Roll-up (Position)	11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
33769	Cost Status	EWS.CREP.UC.BudgetAnalysis.doc	UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
33778	Cost Statuses	EWS.CREP.UC.BudgetAnalysis.doc	BSLOVS	LIST OF LOOKUPS
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WSJOBS	CREATE WORK ORDER
35612	Cost Summary	EWS.WORK.UC.CostSummaryForWorkOrder	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BILABC	LABOR COST
41437	Cost Trend	EAM-2072	WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
26273	Cost Type	Infor EAM. SCR#5640 Project Costs.	BCMOBL	71 MOBILE BOILER TEXT
			JSPROJ	PROJECTS
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			USBUDG	BUDGETS
32753	Cost Type Group	EWS.BUD.UC.DetailsForBudgets	UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
32754	Cost Type Groups	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
32752	Cost Types	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34130	Cost at Comp	EWS.CREP.UC.ProjectAreaCostSummary.doc	JYACOS	PROJECT AREA COST SUMMARY
			JZACOS	PROJECT AREA COST SUMMARY
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
12081	Cost code	A reference on a work order to a particular budget or type of work order. Used for financial purposes and reporting.	BCCSTC	CROSSBOW COSTCODE LIST
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSOBJC	CREATE ASSET CATEGORY
			OSVBJA	VIEW ASSET LIST
			PTORDF	Print Purchase Order
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WTJOB	Job Cards
12402	Cost codes		OTCSTL	WORK ORDER COST SUMMARY
38430	Cost of CO2e	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38499	Cost of CO2e UOM	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
37300	Cost of Needed Repairs	32190	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
		EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
37637	Cost of Repairs UOM	EWS.MATL.UC.IssueReturnParts/32426	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
41546	Cost per Year	EAM.ADMIN.SCOPE.PreConfiguredAlerts	BAL003	PHASE IMBALANCE
24827	CostCo	Crossbow - Cost Code	TCJCLR	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12414	Costs		BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			JSPROJ	PROJECTS
			OHOCST	Job Costing By Object Cost
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			PSINVO	INVOICES
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYTOCO	TOOL USAGE
			WZTOCO	TOOL USAGE
		EAM.WORK.REQ.EstimatedCostsForTaskPlans	JSCUES	CU ESTIMATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
		EAM-36809:EAM.EQUIP.REQ.CostsforAssetClassDefiniti	WSTASK	TASKS
47689	Costs Details		OSOCDE	EQUIPMENT CLASS DEFINITION
48693	Could not determine summary information based on available information in the Main Isolation tables.	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
12083	Count	The number of ...	BIWPER	TEN WORST PERFORMERS
			BSDTCV	DATA CONVERSION (MP2)
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSSTRT	EWS NEW START CENTER
			BYMSSS	MESSAGE STATUS SUMMARY
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZMSSS	MESSAGE STATUS SUMMARY
			OSEQGN	EQUIPMENT GENERATION
			OZKEYD	KEY LIST-DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12083	Count	The number of ...	OZKEYT	KEY TRANSACTIONS
			OZNCFL	LIST OF NONCONFORMITIES
			OZRING	RING LIST-DETAIL
			OZTBRK	TOP 10 BREAKDOWN
			WSSCHD	WORK ORDER SCHEDULE
			WZLWOQ	LIST OF WORK ORDERS
			WZPPMQ	LIST OF PM SCHEDULES
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLM	WORK ORDER LIST - DETAIL
13221	Count query hits	Pull down menu item : count the number of records.	M1	Pull-Down Menu Texts
17609	Counted	SMDOCK, Active lines tab	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
29279	Counted By	D7i Extended - Create Stocktake List Report	OZPAIL	PRINT ASSET INVENTORY LIST
			STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
31550	Counted Qty	EWS.CREP.UC.ElectronicRecords	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
33679	Counter Entity	EWS.REP.UC.StockTransaction	SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
30501	Counter Party	D7i Extended. Boiler text for the Stock Transaction Report.	SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
12561	Counter entities	With a transaction, parts move from one entity to a counter entity, e.g. a receipt could come from a supplier (one entity) and go into a store (the other entity).	STTRAL	Printed List Of Stock Transactions
12558	Counter party	Part of address (BPADRS).	STTRAL	Printed List Of Stock Transactions
18572	Country		BSADRS	ADDRESSES
			BSDELA	Delivery addresses
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			ESGSET	GENERAL SETTINGS
			OSAPMS	APM SCENARIO
			OSYIPC	YEARLY INFLATION PERCENTAGE
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
28981	Course Cost	D7i Extended - Work	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
28979	Course Finish	D7i Extended - Work	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
28978	Course Start	D7i Extended - Work	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28948	Course/Certification Details	D7i Extended -- Employees form -- Qualifications tab, noun	OSOBJA OSOBJP OSOBJS WSEMP5 OSWARR	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EMPLOYEES WARRANTY
43144	Coverage Details	EAM.EQUIP.REQ.Warranty	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
21170	Coverage Type	Infor EAM - the specific type of the warranty coverage to associate to a piece of equipment. In this case, the type could be usage based or calendar based	OSECON OSEQWR OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSWARR WHJOVM WSJOBS WSJOVM WSOPSS WZJOVM	CREATE EQUIPMENT CONFIGURATION WARRANTY FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT WARRANTY PRINT WORK ORDER HEALTHCARE CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP PRINT WORK ORDER HEALTHCARE
35801	Craft	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35293	Crafts	#28171	BSDTCV BSMPWO	DATA CONVERSION (MP2) MP2 WORK ORDERS
12086	Create		BCMOBL	7I MOBILE BOILER TEXT
27852	Create Activity	D7i Extended - Services for Requisition form - verb	WSVITE	WORK ORDER QUICK ENTRY
41085	Create Another Guest Request	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
42312	Create As Specific	EAM.EQUIP.REQ.EquipmentConfiguration	BZOBJD OSECON	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE EQUIPMENT CONFIGURATION
24133	Create Asset	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
45851	Create Capital Planning Request	EAM-23218	OSNCFM OSNCHD	NONCONFORMITY OBSERVATIONS NONCONFORMITIES
38705	Create Capital Planning Requests	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
44896	Create Case	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR WSJOBS	CONTACT CENTER CREATE WORK ORDER
43250	Create Checklist	EAM.WORK.REQ.OperatorChecklist(Requestor)	BCMOBL WSOPCL	7I MOBILE BOILER TEXT OPERATOR CHECKLIST
42461	Create Commissioning WO	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
28297	Create Complete PO	D7i Extended -- Blanket Orders form -- Button name, verb	BSJSDN PSBORD	COMMON FUNCTION FOR JAVASCRIPT CREATE EDIT BLANKET ORDERS
26991	Create Conditions	Extended (product name)	BSMAIL	MESSENGER TRIGGER DEFINITION
48595	Create Correction	EAM-41694	BCMOBL WSBOOK WSJOBS WSQCWO	7I MOBILE BOILER TEXT BOOK LABOR BY EMPLOYEE CREATE WORK ORDER QUICK CLOSE WORK ORDER
48201	Create Crew	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	WSGWOD	GIS MAP WO DISPATCHING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48061	Create Crew and Dispatch	EAM.WORK.REQ.CreateCrewPopup.docx	WSCRWP	CREATE/EDIT CREW POPUP
32553	Create Customer Invoice	EWS.WORK.REQ.CombinedCalculateWOCharges-CreateInvoice.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
36870	Create Default Dataspy	30878	BSGRID	GRID DESIGNER
43242	Create Deferred Maintenance	EAM.WORK.REQ.OperatorChecklist(Requestor)	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
19118	Create Discoverer reports		BXDISC	CREATE DISCOVERER REPORTS
48400	Create Document	EAM-42545	BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			WSCOPO	CONTRACTOR PORTAL
			WSCREW	CREW
			WSEMPs	EMPLOYEES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48400	Create Document	EAM-42545	WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSSHIF	SHIFTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSWREQ	WORK REQUEST
42472	Create Equipment Structure	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
38529	Create File System Document	#34109	BSUPLD	UPLOAD DOCUMENT POPUP
42210	Create Follow-up WO	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OEGICA	WEB SERVICE FOR CREATING GIS ASSET
			OSGICA	GIS CREATE NEW ASSET FORM
26114	Create GIS Feature	Infor EAM. Form title for the Create GIS Asset popup, which is invoked from the following parent forms: Asset, Position, and System. Refer to EWS.EQUIP.UC.CreateGISAsset.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSEMPs	EMPLOYEES
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
26780	Create Group Availability Exception	Extended (product name)	BSWSPM	WEB SERVICES PROMPT
26784	Create Group Exception	Extended (product name)	BSWHSE	DATA WAREHOUSE
44500	Create Import Utility Template	EAM-15473 - Export a Web Service Prompt to an excel template in a format the upload utility understands.	BSWHSE	DATA WAREHOUSE
28259	Create Index	Data warehouse. Refer to PVCS 9551.	WSJOIN	CREATE INVOICE FOR WO
28270	Create Indexes	Data warehouse. Refer to PVCS 9551.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33369	Create Invoice Details	EWS.WORK.UC.CreateInvoiceforWOPopup.doc	WSINVS	CUSTOMER INVOICES
33435	Create Invoice for WO	EWS.WORK.UC.CreateInvoiceforWOPopup.doc	OSJOBS	CREATE WORK ORDER
20821	Create Labor Requisition	Infor EAM - link button on the Activities tab of the Work orders form that opens a pop-up to create a requisition for labor.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
20118	Create Log	Infor EAM - link to create a service request log	WSSERQ	CREATE SERVICE REQUESTS
20037	Create Log Entry	Infor EAM	WSLOGS	CREATE / VIEW SERVICE LOGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43932	Create Move WO	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41426	Create Move WO(s)	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	OSAINV	ASSET INVENTORY
39233	Create Multiple Equipment WO	EAM.PROJ.UC.GenerateWOpopup	JSGNWO	GENERATE WORK ORDER/ACTIVITY
42829	Create New Asset	EAM-5717: EAM.EQUIP.REQ.InventoryResultsforAssetIn	BCMOBL	7I MOBILE BOILER TEXT
			OSAINV	ASSET INVENTORY
26064	Create New Revision	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSRCMT	RCM TEMPLATES
			PSPORD	PURCHASE ORDERS
			USINVP	INVESTMENT PLANNING
			WSCCON	CUSTOMER CONTRACTS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
44888	Create New Service Request	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
28078	Create New WO	D7i Extended -- Work Orders form -- link button, verb	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46840	Create Nonconformity	EAM.INSR.REQ.TolerancesForAspect	BCMOBL	7I MOBILE BOILER TEXT
			ISASPC	ASPECTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
20084	Create PO	button on SXASGN that when clicked, creates a purchase order from selected lines.	PSRFGP	GENERATE POS FOR RFQS
			SSASGN	GENERATE POS
42143	Create PTW	EAM.WORK.REQ.PermitsForWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
26990	Create Parameters	Extended (product name)	BSALRT	ALERT MANAGEMENT SYSTEM
			BSMAIL	MESSENGER TRIGGER DEFINITION
24134	Create Part	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
		D7i Extended - Used for links or buttons that create parts.	JSCULB	COMPATIBLE UNITS LIBRARY
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMP	NON-PO RECEIPTS
			SSREQU	REQUISITIONS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25520	Create Parts Requisition	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
34744	Create Pick Ticket	EWS.WORK.UC.CreatePickTicketPopup/17744	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPTP	CREATE PICK TICKET POPUP
38800	Create Production Order	Create Edit Work Order	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
38799	Create Production Request	Create Edit Work Order	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
38787	Create Production Requests	37888 / EWS.WORK.UC.ProductionRequestPreviewforGen	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
38268	Create Project	EWS.WORK.UC.CreateEditCapitalPlanningRequests	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCPQR	CAPITAL PLANNING REQUEST
29428	Create Purchase Order	D7i Extended -- blanket Order form, Partial Order tab -- Link Button, create=verb, purchase order=noun	PSBORD	CREATE EDIT BLANKET ORDERS
33290	Create Quick WO	EWS.GIS.UC.GISMapSearch.doc (20730)	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
45339	Create Request	EAM.CCTR.REQ.ServiceRequestPortal-RequestList	CSSRLP	SERVICE REQUEST PORTAL
20087	Create Requisition	Infor EAM - menu item to create requisitions	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSJOBS	CREATE WORK ORDER
			PSRFRG	GENERATE REQS FOR RFQS
			SSREQS	CREATE PURCHASE REQUISITION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSPREQ	PART REQ POPUP FOR WO PARTS
44582	Create Reservation for {0}	EAM-14696	OSESCH	RESERVATION CALENDAR
31425	Create Return Requisition	D7i Extended. A 'return requisition' is a requisition that is created upon receipt of parts for repair. The return requisition is a reverse-mirror image of the requisition for the repair parts.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSSTSR	STORE TO STORE RECEIPTS
29383	Create Route	Extended (product name)	OSGRTE	CREATE ROUTE WORK ORDER
29384	Create Route/Route WO	Extended (product name). Create is a verb. Second Route is an adjective.	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
28262	Create Sequence	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
20015	Create Service Request	Infor EAM - title of new form on which to create a new service request record.	CSSRPT	CREATE SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20015	Create Service Request	Infor EAM - menu item to create service requests	CSSRPT	CREATE SERVICE REQUEST PORTAL
			WSSERQ	CREATE SERVICE REQUESTS
24663	Create Shutdown WOs	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			JSPROJ	PROJECTS
34541	Create Standard WO	SCR#22606	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
24135	Create Stock	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
36427	Create Stock Records with Qty > 0	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
35030	Create Suppliers	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSIPVN	7I BUY VENDORS
28253	Create Tables	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
22497	Create WO	Infor EAM - link button on the Structure tab of the Equipment form to create a work order using the selected piece of equipment	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSCCON	CUSTOMER CONTRACTS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSFLTK	FLEET VEHICLE TICKETS
			WSSREQ	SERVICE REQUESTS
24814	Create WO Activity	Crossbow	TCCERR	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
37076	Create WO After Structure Change	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
37075	Create WO Before Structure Change	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
48600	Create WO Comprehensive	EAM.EQUIP.REQ.StructureForEquipment.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46508	Create WO Popup	EAM-28153	OSOBJA	CREATE ASSET EQUIPMENT
36731	Create Warranty Claim	EWS.WORK.UC.CreateWarrantyClaimPopup	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36731	Create Warranty Claim	EWS.WORK.UC.CreateWarrantyClaimPopup	WSJOVM	CREATE WORK ORDER
24815	Create Work Order	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCCERR	7I MOBILE BOILER TEXT
			TCESTR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			WSVITE	WORK ORDER QUICK ENTRY
			OSJOBS	CREATE WORK ORDER
22564	Create Work Order/Activity	27483 Infor EAM - title of popup on which the user adds a new work order to the database from the structure tab of the equipment form		
		D7i Extended - Services for Requisitions form - verb - Link on the Services tab of Requisitions to launch the popup to create work orders and activities.	PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
29462	Create Work Request	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28877	Create a 'where' clause to be used in record selection.	D7i Extended - Dataspy - instruction text on screen	BSDTSP	DATASPY
42831	Create a New Asset to be added to the List	EAM-5717: EAM.EQUIP.REQ.InventoryResultsforAssetIn	OSCNAP	CREATE NEW ASSETS
39678	Create a PM Activity for each MP2 Craft	45111	BSDTCV	DATA CONVERSION (MP2)
39679	Create a PM Activity for each MP2 Task Instruction	45111	BSDTCV	DATA CONVERSION (MP2)
30745	Create a Vehicle Type Authorization to define appropriate privileges to user groups for each vehicle ticket type.	D7i Extended -- Vehicle Ticket Auth for Fleet Config -- Instruction text for this tab	WSFLCF	FLEET CONFIGURATION
36868	Create a default dataspy to validate the grid query and view the full SQL statement. Select the Active checkbox to make the grid available for use.	30878	BSGRID	GRID DESIGNER
30769	Create an Exception Code that can be applied to vehicle tickets, and then associate a fee that will be included when billing. Associate a Standard WO for quick work order generation to address the exception from the Vehicle Ticket.	D7i Extended -- Exception Codes for Fleet Config -- Instruction Text	WSFLCF	FLEET CONFIGURATION
47095	Create from Checklist	EAM.EQUIP.REQ.NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
19984	Create/Edit Caller	Infor EAM	WSCALL	CREATE/EDIT CALLER
			WSSERQ	CREATE SERVICE REQUESTS
23617	Create/Edit Filter	Infor EAM - title of form to create a new filter or modify an existing one	BMOPSV	OPS PACKAGE
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38449	Create/Refresh Equipment List	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38484	Create/Refresh Parts List	EWS.MATL.UC.CreateEditPartEvaluations.doc	SSEVAL	PART EVALUATIONS
42474	Create/Refresh Preview	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
			WSPPMS	PM SCHEDULES
39102	Create/Refresh Previews	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
41331	Create/Update Session	EAM-1919.EQUIP.REQ.ParametersforAssetInventory	OSAINV	ASSET INVENTORY
38527	Create/Upload Document	#34109	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCSTC	COST CODE
			BSDEPT	DEPARTMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38527	Create/Upload Document	#34109	BSDOCA	DOCUMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSGMAP	CREATE EDIT MAPS
			BSGROU	GROUPS
			BSREGN	CREATE EDIT REGIONS
			BSUOMS	UOM SETUP
			BSUPLD	UPLOAD DOCUMENT POPUP
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			CSCASE	CASE MANAGEMENT
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OEPERF	PERFORMANCE FORMULAS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38527	Create/Upload Document	#34109	OSKEYM	KEY MANAGEMENT
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSGHGS	GREENHOUSE GASES
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38527	Create/Upload Document	#34109	SSPINS	PART INSPECTIONS
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			TSPROF	PROFILES
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38527	Create/Upload Document	#34109	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSSERC	SERVICE CODES
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSWKPK	PM WORK PACKAGES
			WSWREQ	WORK REQUEST
23624	Create/View Log Entries	Infor EAM - button to enter or view comments relating to a service request	WSSERQ	CREATE SERVICE REQUESTS
20028	Create/View Service Logs	Infor EAM - title of form on which to create or view service logs (audits)	WSLOGS	CREATE / VIEW SERVICE LOGS
12231	Created		BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
			FCSCRN	FLAMETHROWER SCREENS
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WYJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12231	Created	Crossbow - Created By	WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZWOLG	PRINT WO LONG
			BCMOBL	7I MOBILE BOILER TEXT
			TCSVRQ	7I MOBILE BOILER TEXT
20090	Created By	Infor EAM - Person who created the record	WZLWOQ	LIST OF WORK ORDERS
			ASDTEN	DATA ENTRY FORMS
			BCMOBL	7I MOBILE BOILER TEXT
			BEWSMD	EWS - METADATA DEFINITION
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCLAS	CLASSES
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER - IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
			BSGDPR	GDPR ADMINISTRATION
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMPPR	MP2 PURCHASING
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			CSBBNT	BULLETIN BOARD NOTICES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			ISASPC	ASPECTS
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20090	Created By	Infor EAM - Person who created the record	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSLDSE	LINEAR DIRECTION SETUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZMNBK	MOBILE NOTEBOOK
			OZNCFL	LIST OF NONCONFORMITIES
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20090	Created By	Infor EAM - Person who created the record	PSRFQT	REQUESTS FOR QUOTATIONS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSBUKT	BUILD KITS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			TCCERR	71 MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCAPA	WO LOAD BALANCING
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSDEBE	EVENTS FOR CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20090	Created By	Infor EAM - Person who created the record	WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWLSH	WO LABOR SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTVTKT	VEHICLE TICKET REPORT
			WYJOBF	PRINT WORK ORDER
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZPTWR	PRINT PERMIT TO WORK
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
34516	Created By Name	EWS.ADMN.UC.ImportConfigurations	BCMOBL	7I MOBILE BOILER TEXT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
			OSMNBK	NOTEBOOK
		EAM.WORK.REQ.ReviewOperatorChecklist.docx	WSJOBS	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
			BCMOBL	7I MOBILE BOILER TEXT
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
35923	Created By Role	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
34515	Created By User ID	EWS.ADMN.UC.ImportConfigurations	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
31750	Created Date/Time	Refer to PVCS 17040	WSFBIL	FLEET BILLS
41020	Created End Date	EAM-396	WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
34514	Created From Schema	EWS.ADMN.UC.ImportConfigurations	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
24906	Created On	Extended (product name)	BZOSRQ	OPEN SERVICE REQUESTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24906	Created On	Extended (product name)	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
41021	Created Start Date	EAM-396	WZCIND	CUSTOMER INVOICE DETAIL
40625	Created Work Order	EAM-90 Adjustments For Customer Rental	WZCINS	SHORT CUSTOMER INVOICE
			WSCCON	CUSTOMER CONTRACTS
44280	Created: :PARAM1 [:PARAM2]	EAM-14486 :Android Tablet - Support localization	WSCREN	CUSTOMER RENTALS
			BCMOBL	7I MOBILE BOILER TEXT
21751	Creation Date	databrige - the date on which a record was created	DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			WSINVC	CUSTOMER INVOICES
			BSWHSE	DATA WAREHOUSE
			BSWHSE	DATA WAREHOUSE
28912	Creation Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23049	Creation Day of Month		BSWHSE	DATA WAREHOUSE
23050	Creation Day of Year		BSWHSE	DATA WAREHOUSE
23057	Creation Half Year		BSWHSE	DATA WAREHOUSE
23051	Creation Last Day in Month		BSWHSE	DATA WAREHOUSE
23053	Creation Month Number		BSWHSE	DATA WAREHOUSE
23055	Creation Quarter		BSWHSE	DATA WAREHOUSE
23046	Creation Running Day Number		BSWHSE	DATA WAREHOUSE
23048	Creation Running Month Number		BSWHSE	DATA WAREHOUSE
23047	Creation Running Week Number		BSWHSE	DATA WAREHOUSE
23052	Creation Week Number		BSWHSE	DATA WAREHOUSE
23058	Creation Year		BSWHSE	DATA WAREHOUSE
23054	Creation Year-Month		BSWHSE	DATA WAREHOUSE
23056	Creation Year-Quarter		BSWHSE	DATA WAREHOUSE
32909	Credentials	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
28518	Credit	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28518	Credit	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSJOBS WSJOVH WSJOVM YSACCD	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER VIEW GL VALUES
20752	Credit Balance	Infor EAM - Field on Parts that identifies the amount of credit associated with the part for an invoice line that is used for the recalculation of the average price of the part.	SSPART SSSTOR	PARTS STORES
35356	Credit Card	27951	PSCARD	CREDIT CARDS
35933	Credit Card Description	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35374	Credit Card Details	EWS.PRCH.UC.CreateEditCreditCards	PSCARD	CREDIT CARDS
35650	Credit Cards	#28171	BSLOVS	LIST OF LOOKUPS
31116	Credit Note	D7i Extended -- Lines tab on Invoice Vouchers form -- Field Label	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34483	Crew	EWS.WORK.UC.CreateEditCrews.doc	BCMOBL BSDOCA WSCREW WSCRWP WSGDDL WSJOBS WSJOVH WSJOVM WSOPSQ WSOPSS WSSHIF WSWLSH	7I MOBILE BOILER TEXT DOCUMENTS CREW CREATE/EDIT CREW POPUP VIEW/DELETE DISPATCH LABOR POPUP CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED WO SEQUENCE OPTIMIZED SCHEDULER SETUP SHIFTS WO LABOR SCHEDULING
48799	Crew Class	EAM-46924/EAM.WORK.REQ.StandardCrews.doc	WSSTCR	STANDARD CREWS
48800	Crew Class Org.	EAM-46924/EAM.WORK.REQ.StandardCrews.doc	WSSTCR	STANDARD CREWS
48182	Crew Desc.	Dispatch Labor for Work Order	WSGDDL WSJOBS	VIEW/DELETE DISPATCH LABOR POPUP CREATE WORK ORDER
48623	Crew Description	EAM-42826 EAM.WORK.REQ.AccomplishmentsForWorkOrder	BCMOBL WSJOBS	7I MOBILE BOILER TEXT CREATE WORK ORDER
34484	Crew Details	EWS.WORK.UC.CreateEditCrews	WSCREW WSCRWP WSSHIF	CREW CREATE/EDIT CREW POPUP SHIFTS
34874	Crew Employee	EWS.WORK.UC.EmployeesforCrew / 26785	WEECRW	EMPLOYEE FOR CREWS
36778	Crew Org.	EWS.WORK.UC.BookLaborForWorkOrder.doc / 31229	BCMOBL WSGDDL WSJOBS WSJOVH WSJOVM WSWLSH	7I MOBILE BOILER TEXT VIEW/DELETE DISPATCH LABOR POPUP CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER WO LABOR SCHEDULING
35803	Crew Size	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
48709	Crew has no active employees for the specified start date.	EAM-43427	BCMOBL	7I MOBILE BOILER TEXT
34505	Crews	EWS.WORK.UC.CreateEditCrews	BSLOVS WSOPSS WSSHIF	LIST OF LOOKUPS OPTIMIZED SCHEDULER SETUP SHIFTS
49181	Crews Dataspy	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24826	Critic	Crossbow - Criticality	TCJOBR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
12088	Critical	Parts are critical when the activity cannot be executed without them.	BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WZPMSP	PM SCHEDULE PROFILE
		21784 PIR - Logger : New logger function for Relea	TCCLGR	7I MOBILE BOILER TEXT
31316	Criticalities	Short Term Work Order List (WOs) report	BSLOVS	LIST OF LOOKUPS
13314	Criticality	An indicator of the relative importance of an object.	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OHCHLL	Overview Of Children Within An Object
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13314	Criticality	An indicator of the relative importance of an object.	OTCAHI	CALIBRATION HISTORY REPORT
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCHLL	Overview Of Children Within An Object
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			USINVP	INVESTMENT PLANNING
			WHJOBFB	PRINT WORK ORDER
			WHJOBBL	Labour Hours For Jobs
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WTBLOG	Work Backlog
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYJOBBL	Labour Hours For Jobs
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZJOBFB	PRINT WORK ORDER
			WZJOBBL	Labour Hours For Jobs
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZWOLM	WORK ORDER LIST - DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13314	Criticality	An indicator of the relative importance of an object.	WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
37899	Criticality Code	An indicator of the relative importance of an object.	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47778	Criticality Index	EAM-37438: EAM.EQUIP.REQ.RanksforEquipmentRanking	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZRHIS	RANKING HISTORY CHART
49311	Criticality Index Type	EAM-48905 / EAM.CREP.REQ.RankingHistoryChart	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZRHIS	RANKING HISTORY CHART
49318	Criticality Index Types	EAM-48905	BSLOVS	LIST OF LOOKUPS
47766	Criticality Score	EAM-37496 : EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
42015	Crow-AMSAA IEC	EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
42014	Crow-AMSAA Regression	EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
30370	Crystal Clear Reports	D7i Extended - ADMIN - Crystal Clear = a product name	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSREPO	CREATE / EDIT REPORTS
30208	Crystal Clear® Reporting	D7i Extended - block caption used in report setup	BSREPO	CREATE / EDIT REPORTS
39643	Crystal Reports	#41545	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
26535	Cumulative	Infor EAM. Field label. Refer to PVCS 6210.	PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
42031	Cumulative Days	EAM-3780	OZPRDC	RELIABILITY CALCULATIONS
34112	Cumulative Order Discount Calculation	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
34102	Cumulative Order Discount Terms	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
34122	Cumulative Order Rebate	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
34101	Cumulative Part Discount %	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
34108	Cumulative Part Discount Terms	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
30281	Cumulative Percentage	Infor EAM. Cumulative Percentage is determined via ABC Analysis based on the amount of usage of a part rather than the value on hand (usage based) or by the actual	SSABCA	GENERATE ABC ANALYSIS
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30281	Cumulative Percentage	value of the parts currently in stock (value based).		
32241	Cumulative Total	EWS.CREP.UC.StockValueListingByPartType.doc	SYSTOL	Stock List
			SZSTOL	Stock List
29572	Cumulative time between statuses (hrs)	Data warehouse.	BSWHSE	DATA WAREHOUSE
31022	Curr	D7i Extended - Purchase Orders Awaiting Invoicing - Currency	PZONIL	Purchase Orders Received But Not Yet Invoiced
31338	Currencies	D7i Extended - Work Order Cost Summary report	BSLOVS	LIST OF LOOKUPS
12057	Currency	The legal unit of monetary exchange, e.g. dollars, francs, etc.	BICTRL	BI CONTROLLER REPORT
			BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			BSGRID	GRID DESIGNER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING
			BSORGS	ORGANIZATIONS
			BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
			BSPAST	STOCK INFO POPUP IN PART ASSOCIATED
			BSUDFO	USER DEFINED FIELD OPTIONS
			BSUSER	USER SETUP
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			FCGRD1	FLAMETHROWER GRID 1

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12057	Currency	The legal unit of monetary exchange, e.g. dollars, francs, etc.	JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
			LVCURR	CURRENCY LOOKUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFAIL	FAILURE MODES POPUP
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUND	FUNDING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTGY	CREATE STRATEGY
			OSWARR	WARRANTY
			OSYIPC	YEARLY INFLATION PERCENTAGE
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSRFQR	QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12057	Currency	The legal unit of monetary exchange, e.g. dollars, francs, etc.	PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZINVL	List Of Invoices Not Yet Approved
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSGRFQ	GENERATE RFQS
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPTPD	PART DETAILS POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			STREQF	Print Purchase Requisition
			SYHISL	Purchase History Per Item/Supplier
			SYREQF	PRINT PURCHASE REQUISITION
			SYSTOL	Stock List
			SZHISL	Purchase History Per Item/Supplier
			SZREQF	Print Purchase Requisition
			SZSTOL	Stock List
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			WHINVS	CUSTOMER INVOICE REPORT
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSADJU	ADJUSTMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12057	Currency	The legal unit of monetary exchange, e.g. dollars, francs, etc.	WSAGRS	CUSTOMER CONTRACTS
			WSARRS	PRICING SCHEDULE
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSDEBE	EVENTS FOR CUSTOMERS
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFISS	FUEL ISSUES
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFREC	FUEL RECEIPTS
			WSINVC	CUSTOMER INVOICES
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSURCR	UNRETURNED CORES
			WSVSR	VIEW SERVICE REQUESTS
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYINVS	CUSTOMER INVOICE REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZINVS	CUSTOMER INVOICE REPORT
			WZVBIL	VEHICLE BILLING REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
12057	Currency	The legal unit of monetary exchange, e.g. dollars, francs, etc. EAM.PROJ.REQ.EventLogPopupforCUEstimate	WZVTKT	VEHICLE TICKET REPORT			
			YSGLRF	GL REFERENCES			
			JSCUES	CU ESTIMATES			
			OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJL	CREATE ASSET LOCATION			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			OSRCMT	RCM TEMPLATES			
			USINVP	INVESTMENT PLANNING			
			WSJOBS	CREATE WORK ORDER			
24983	Currency Details	Extended (product name). This is a section header on the Currency form.	SSCURR	CURRENCIES			
35934	Currency Symbol	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING			
36765	Currency Value	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS			
12657	Current	Current has different meanings based on the type of form but the basic meaning is the most recent, up to date value of something. For example, on the Transaction summary form, currant means the amount of stock that is is the datasbase on this date.	OHOCST	Job Costing By Object Cost			
			OZOCST	Job Costing By Object Cost			
			WYPFMC	FUTURE MAINTENANCE COST			
			WYWPMC	FUTURE MAINTENANCE COSTS			
			WZERRF	EXPIRED WARRANTIES			
			WZPFMC	FUTURE MAINTENANCE COST			
			WZWPMC	FUTURE MAINTENANCE COSTS			
			REPORT	General Report Function			
			Current has different meanings based on the type of form but the basic meaning is the most recent, up to date value of something. For example, on the Transaction summary form, currant means the amount of stock that is is the datasbase on this date.				
		42336	Current Active	Permit to Work for Isolation Points	WSILPO	ISOLATION POINTS	
32665	Current Amount	EWS.BUD.UC.Budgets.doc	USBUDG	BUDGETS			
24655	Current Budget	Extended (product name)	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS			
			JSPROJ	PROJECTS			
			OSAPMS	APM SCENARIO			
			USBUDG	BUDGETS			
			UYBANA	BUDGET ANALYSES			
			UZBANA	BUDGET ANALYSES			
			WSPROJ	CREATE PROJECT POPUP			
			WZPSCR	PROJECT SUMMARY CHART			
			38034	Current Budget Period	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
						OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION			
31332	Current Charges	D7i Extended -- Billing History for Fleet Customers -- Button Label, used to view the current charges of a billing cycle	WSFCUS	FLEET CUSTOMERS			
31435	Current Cost Code	Infor EAM; Refer to EWS.WORK.UC. FleetCostCodeSearchReplace	WSCCSR	FLEET COST CODE SEARCH & REPLACE			
48497	Current Crew	EAM.WORK.REQ.BookLaborForWorkOrder.doc	BCMOBL	7I MOBILE BOILER TEXT			
48498	Current Crew Org	EAM.WORK.REQ.BookLaborForWorkOrder.doc	WSJOBS	CREATE WORK ORDER			
			BCMOBL	7I MOBILE BOILER TEXT			
41539	Current Demand	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	WSJOBS	CREATE WORK ORDER			
			BAL002	PEAK DEMAND			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39597	Current Direct GHG Emissions	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
43281	Current Due Date	EAM-10642	WSPPMS	PM SCHEDULES
30454	Current Exchange Rate	D7i Extended - Work Order Cost Summary report	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
38964	Current Icon	D7i Extended - Menus for User Groups - field label used in change icon popup	BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
39598	Current Indirect GHG Emissions	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
25926	Current Label	D7i Extended - Menus for User Groups - field label used in change label popup	OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
47088	Current Location	GIS	BCMOBL	7I MOBILE BOILER TEXT
34085	Current Order Qty.	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
30267	Current Org. Details	D7i Extended - EQUIP -	OSTRAS	TRANSFER EQUIPMENT
		EWS.EQUIP.UC.TransferEquipmentpopup - header for the section of popup that contains information about the equipment's current organization	OZTRAS	EQUIPMENT TRANSFER LOG
30471	Current Organization	D7i Extended - EQUIP - SCR#14749 - for backend development	OZTRAS	EQUIPMENT TRANSFER LOG
37527	Current PM Costs	EWS.CREP.UC.FutureMaintenanceCost.doc	WYPFMC	FUTURE MAINTENANCE COST
			WYWFMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
41883	Current PTW	EAM-1013: EAM.WORK.REQ.LockOutBox	WSLOBX	LOCKOUTBOX
20123	Current Password	Infor EAM - displays the current password of the user	BCMOBL	7I MOBILE BOILER TEXT
			BSUAED	USER ACCOUNT EDIT
24959	Current Projects	D7i Extended - Projects form	JSPROJ	PROJECTS
45992	Current Records	EAM-24671 EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
38038	Current Requests	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38038	Current Requests	EWS.CREP.UC.CapitalPerformanceEvaluation	OZCPEV	CAPITAL PERFORMANCE EVALUATION
41037	Current Rollover Buffer	EAM-397	WZCIND	CUSTOMER INVOICE DETAIL
27091	Current Status	Extended (product name)	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSCHST	CHANGE WO STATUS POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWORS	CHANGE INSPECTION STATUS
			WSDEPO	DEPOTS
			WSFUEL	FUEL
38376	Current Tank Volume	EWS.WORK.UC.DepotTankForFuel	BSBOIL	GLOBAL TEXT CHANGES
34154	Current Text	EWS.ADMN.UC.GlobalTextChange.doc	BSLANG	LANGUAGES
39599	Current Total GHG Emissions	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSEXIM	EXPORT CONFIGURATION
			BSKPIC	DEFINING KPI ENTRIES
			WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
37523	Current WO Costs	EWS.CREP.UC.FutureMaintenanceCost.doc	WSUWOD	UNSIGNED WO DIFFERENCES
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
			WSBWOG	GENERATE/RELEASE WOS
25032	Current WO Status	Extended (product name)	OSOBJA	CREATE ASSET EQUIPMENT
45133	Current Workspace	EAM-15998 : EAM.EQUIP.REQ.Assets	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			OTCSTL	WORK ORDER COST SUMMARY
			BCMOBL	7I MOBILE BOILER TEXT
19081	Current exchange rate			
49333	Current password does not match with previous password. Do you want to continue?	EAM-47398		
25296	Current reading must be greater than	Crossbow - Meter Reading	TCOMRD	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	last reading when meter maximum is "".			
48021	Curve Chart	EAM-39293:EAM.CREP.REQ.CurveChartForDecayCurve	OSDCUR	DECAY CURVE
48205	Curve Point Details	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48221	Curve Point Interval	EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
47714	Curve Points	EAM-36202:EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48222	Curve Points Last Generated	EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
29869	Cust	Crossbow - Customer	TCSVQR	7I MOBILE BOILER TEXT
37200	Cust Invoice	31312	BSWHSE	DATA WAREHOUSE
37188	Cust Invoice Status	31312	BSWHSE	DATA WAREHOUSE
25071	Custom Field	D7i Extended - Custom Fields form	BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSEXIM	EXPORT CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSPROM	Custom Attributes
			OSEVAL	EQUIPMENT EVALUATIONS
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			SSEVAL	PART EVALUATIONS
25076	Custom Field Details	D7i Extended - Custom Fields form	BSCFIH	INSPECTION HEADER CUSTOM FIELDS
			BSCIPP	INSPECTION POINT CUSTOM FIELDS
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCUSP	INSPECTION CUSTOM FIELDS
			BSCUSW	CUSTOM FIELD FOR WORK ORDER
			BSPROM	Custom Attributes
			WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
25767	Custom Field Records	Extended (product name). Audit Setup form.	BSPURP	PURGE AUDIT RECORDS POP UP
36504	Custom Field Table	26101	BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
30028	Custom Field Values	Extended (product name)	JSCCMP	COPY CAMPAIGN POPUP
			OSCPCS	COPY CONSIST POPUP
			OSRRCP	COPY RELIABILITY RANKING
			PSCRFP	COPY RFQ POPUP
			PSPOCP	COPY PO POPUP
			SSRQCP	COPY REQUISITION POPUP
			SSSUCP	COPY SUPPLIER POPUP
			WSCMPP	COPY MP POPUP
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCPST	COPY STANDARD ORDER POPUP
			WSCPTW	COPY REPLACE PTW POPUP
			WSMACP	COPY MATERIAL LIST POPUP
			WSPMCP	COPY PM PLAN
20771	Custom Fields	Infor EAM - group header that groups all custom fields on the form	BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20771	Custom Fields	Infor EAM - group header that groups all custom fields on the form	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCSTC	COST CODE
			BSDEPT	DEPARTMENTS
			BSDOCU	DOCUMENTS
			BSEXAL	EXPORT BASE CONFIGURATION
			BSGMAP	CREATE EDIT MAPS
			BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			BSORGS	ORGANIZATIONS
			BSREGN	CREATE EDIT REGIONS
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVSDP	VIEW STATUS DETAILS POPUP
			BSWSPE	WEB SERVICE PROMPT ENGINE
			CSCASE	CASE MANAGEMENT
			CSCINF	CONTACT INFO
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISPNTF	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20771	Custom Fields	Infor EAM - group header that groups all custom fields on the form	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			OZEQUD	EQUIPMENT DETAIL
			OZMNBK	MOBILE NOTEBOOK
			OZTRAS	EQUIPMENT TRANSFER LOG
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SSCOMM	COMMODITIES
			SSCURR	CURRENCIES
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20771	Custom Fields	Infor EAM - group header that groups all custom fields on the form	SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXS	TAX CODES
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			TSPROF	PROFILES
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			WSAGRS	CUSTOMER CONTRACTS
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPMP	PM PLANS
			WSPPMs	PM SCHEDULES
			WSQUAL	QUALIFICATION
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20771	Custom Fields	Infor EAM - group header that groups all custom fields on the form	WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSWKPK	PM WORK PACKAGES
			WSWREQ	WORK REQUEST
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZCCTR	PRINT SERVICE REQUESTS
		Crossbow	WZVBIL	VEHICLE BILLING REPORT
			BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
			TCJCFR	7I MOBILE BOILER TEXT
27036	Custom Label	D7i Extended - Report Parameters	BSREPO	CREATE / EDIT REPORTS
30330	Custom Part Charges	Infor EAM. Tab name on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
27399	Custom Report Selection	Extended (product name)	BSREPO	CREATE / EDIT REPORTS
27397	Custom Report Upload	Extended (product name)	BSREPO	CREATE / EDIT REPORTS
29928	Custom Report Upload Error	D7i Extended - Base - An error occurred while uploading a custom report definition file to the server.	BSREPO	CREATE / EDIT REPORTS
38495	Custom Reports	35907	BSIMPT	IMPORT CONFIGURATION
38939	Custom Screen/Report Details	Tracker id 38890	BSACRP	ADD CUSTOM REPORT POPUP (USED IN MENUS TAB)
34658	Custom Tab Details	#26808	BSFUNC	CREATE UPDATE SCREENS
34653	Custom Tabs	#26808	BSFUNC	CREATE UPDATE SCREENS
35060	Custom Tariffs	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
35056	Custom Tariffs/Part Charges	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
30327	Custom Trade Rates	Infor EAM. Field label on the Pricing Schedules form. This is also used as the name of a tab on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
33274	Custom/WO Custom Fields	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
12232	Customer		BSLOVS	LIST OF LOOKUPS
			BZOSRQ	OPEN SERVICE REQUESTS
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			STRETF	Print Goods Return Note
			SYRETF	PRINT GOODS RETURN NOTE
			SZRETF	Print Goods Return Note
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCALL	CREATE/EDIT CALLER
			WSINVP	GENERATE INVOICES
			WSLOGS	CREATE / VIEW SERVICE LOGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12232	Customer		WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSER	VIEW SERVICE REQUESTS
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZJOB	PRINT WORK ORDER
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZVRHS	VEHICLE RENTAL HISTORY
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WHINVS	CUSTOMER INVOICE REPORT
			WSAGRS	CUSTOMER CONTRACTS
			WSBFUL	BATCH FUEL ISSUES
			WSCALP	ADD EDIT CALLER
			WSCCON	CUSTOMER CONTRACTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12232	Customer		WSCJOB	APPROVE CUSTOMER CHARGES
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSDEBS	CREATE CUSTOMER
			WSEMP	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WYINVS	CUSTOMER INVOICE REPORT
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZGDCL	GDPR COMPLIANCE - CALLER
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZINVS	CUSTOMER INVOICE REPORT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
40217	Customer Account Code	EAM-24.MATL.REQ.BusinessPartners.doc	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
33031	Customer Charge Details	21961	WSCJOP	GENERATE ALL CUSTOMER CHARGES
32676	Customer Charge Status	EWS.WORK.UC.ChargesForCustomer.doc	WSDEBE	EVENTS FOR CUSTOMERS
41105	Customer Code	EAM-274 EAM.WORK.REQ.Customers	SSSUPC	CUSTOMERS
40283	Customer Contact	EAM-57.WORK.REQ.CustomerInvoices	BSLOVS	LIST OF LOOKUPS
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZVRHS	VEHICLE RENTAL HISTORY
25010	Customer Contract	Extended (product name)	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25010	Customer Contract	Extended (product name)	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WHINVS	CUSTOMER INVOICE REPORT
			WSAGRS	CUSTOMER CONTRACTS
			WSCCON	CUSTOMER CONTRACTS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSDEBE	EVENTS FOR CUSTOMERS
			WSDEBS	CREATE CUSTOMER
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WYINVS	CUSTOMER INVOICE REPORT
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZINVS	CUSTOMER INVOICE REPORT
18230	Customer Contract Details	Group header	WSAGRS	CUSTOMER CONTRACTS
			WSCCON	CUSTOMER CONTRACTS
35106	Customer Contracts	EWS.CREP.UC.PrintCustomerContract	BSLOVS	LIST OF LOOKUPS
40218	Customer Cost Center	EAM-24.MATL.REQ.BusinessPartners.doc	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
30463	Customer Description	Infor EAM. This string is related to the Asset Mgmt Services module. An example of an AMS module user could be an apartment complex, where the cost of performing the work is charged to the customer. This is a customer description.	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			WSAGRS	CUSTOMER CONTRACTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WSDEBS	CREATE CUSTOMER
19653	Customer Details	group header on WMDEBS D7i Extended -- Fleet Customer -- Block Title	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSFCUS	FLEET CUSTOMERS
			WZCCON	PRINT CUSTOMER CONTRACT
40987	Customer Email	EAM-398	WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			CSINRE	GUEST INCIDENT REQUEST
33249	Customer Information	EWS.CCTR.UC.ContactCenter	WZCCTR	PRINT SERVICE REQUESTS
32564	Customer Invoice	EWS.WORK.UC.CustomerInvoices.doc	BSDOCA	DOCUMENTS
			WSINVC	CUSTOMER INVOICES
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32564	Customer Invoice	EWS.WORK.UC.CustomerInvoices.doc	WSINVP	GENERATE INVOICES
			WSINVS	CUSTOMER INVOICES
32560	Customer Invoice Date	EWS.WORK.UC.CustomerInvoices.doc	WSINVS	CUSTOMER INVOICES
32559	Customer Invoice Details	EWS.WORK.UC.CustomerInvoices.doc	WSINVC	CUSTOMER INVOICES
			WSINVS	CUSTOMER INVOICES
32705	Customer Invoices	20860	BSLOVS	LIST OF LOOKUPS
40195	Customer Org.	EAM-25.EQUIP.REQ. Positions	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSBFUL	BATCH FUEL ISSUES
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSEMPs	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZGDPC	GDPR COMPLIANCE - CONTACT
40986	Customer Phone	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
40478	Customer Rental	EAM-89 EAM.WORK.REQ.CustomerRentals	OSESCH	RESERVATION CALENDAR
			WSCREN	CUSTOMER RENTALS
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZVRHS	VEHICLE RENTAL HISTORY
33272	Customer Request	EWS.CCTR.UC.ContactCenter	BSDOCA	DOCUMENTS
			CSCRHS	CUSTOMER REQUEST HISTORY
			CYCCTR	CALL CENTER WO REPORT
			WYJOBf	PRINT WORK ORDER
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSRQL	SERVICE REQUESTS LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33272	Customer Request	EWS.CCTR.UC.ContactCenter	WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
33397	Customer Requests	EWS.REP.UC.WorkOrderCards.doc	CYCCTR	CALL CENTER WO REPORT
			WYJOB	PRINT WORK ORDER
23997	Customer Selectable	Infor EAM - see 20635 for current translation	WSSERC	SERVICE CODES
45499	Customer Service Portal	EAM-19414	WSCSRQ	CUSTOMER SERVICE PORTAL
41212	Customer Signature	EAM-1403	BCMOBL	7I MOBILE BOILER TEXT
			WZDELP	PROOF OF DELIVERY
43968	Customer Survey	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	BSDOCA	DOCUMENTS
			CSCSUR	CUSTOMER SURVEYS
			CZSRR	CUSTOMER SURVEY RESULTS
45804	Customer Surveys	EAM-22496	BSLOVS	LIST OF LOOKUPS
20032	Customer Type	Infor EAM - the type of the customer for whom the service request is created.	WSCALL	CREATE/EDIT CALLER
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
27260	Customers	Extended (product name)	BSLOVS	LIST OF LOOKUPS
19812	Customize	Click this button to customize (personnalize) the application	BANNER	BANNER
			BECUST	CUSTOMIZE
			BSCUST	CUSTOMIZE
13210	Cut	Pull down menu item: remove text.	M1	Pull-Down Menu Texts
		Crossbow	TCSCCF	7I MOBILE BOILER TEXT
37497	Cycle	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
44495	Cylinder Number	EAM-14805	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			WSEMP	EMPLOYEES
18796	D7i batch item association	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
18795	D7i batch purchase order transmit	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
27796	DD-MM-RRRR	D7i Extended - Locales form	BSLOCL	LOCALE
27791	DD-MON-RRRR	D7i Extended - Locales form	BSLOCL	LOCALE
29942	DD.MON.RRRR	Extended (product name); date format for German	BSLOCL	LOCALE
27792	DD/MON/RRRR	D7i Extended - Locales form	BSLOCL	LOCALE
43785	DEFAULT/ALL TRADES	EAM-11962:EAM.WORK.REQ.AssignPersonnelPOPUP.doc	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24043	DUNS Number	Infor EAM - see current translation in BMORGS	BSORGS	ORGANIZATIONS
12655	Daily		BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			WZERRF	EXPIRED WARRANTIES
25794	Daily Capacity	Extended (product name). Work Order Tools.	BCMOBL	7I MOBILE BOILER TEXT
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
41548	Daily Design UOM	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
37110	Daily Designator	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
26956	Daily Schedule	Extended (product name)	WSSCHD	WORK ORDER SCHEDULE
43581	Daily Scheduling	EAM.WORK.REQ.EquipmentPreviewForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
39142	Daily Scheduling Started	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
39702	Daily Tool Details	EAM.WORK.UC.PlanToolsforWorkOrder	WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
39476	Daily View	43258	WSWLSH	WO LABOR SCHEDULING
42259	Danger	EAM-3624	WHPTWR	PRINT PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
44748	Dark Gray Canvas	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44695	Dashboard CO2e Rounding	EAM-14710	ESGSET	GENERAL SETTINGS
27899	Data	Barcode	FCSCRN	FLAMETHROWER SCREENS
44693	Data Aggregation Method	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
33827	Data Area	EWS.DBADMIN.UC.ProcessingHistoryforMessageStatus	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			DSMSGs	VIEW MESSAGE STATUS
32359	Data Collection	This string has been created to replace the 'Asset Tracking' string used on the Query form (BSQUER). Product management has indicated that all instances of 'Asset Tracking' should be removed from the system and documentation. We should use the term 'Data Collection' instead.	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSQUER	QUERIES
35258	Data Collection Setup	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
36218	Data Conversion	29159	BSDTCV	DATA CONVERSION (MP2)
32090	Data Form Name	EWS.ANLT.UC.DataEntryDesign.doc	ASDTEN	DATA ENTRY FORMS
48724	Data Lake Schedule IDs	EAM-45774	BSLOVS	LIST OF LOOKUPS
48725	Data Lake Schedule Tables	EAM-45774	BSLOVS	LIST OF LOOKUPS
47971	Data Lake Upload Schedule	EAM.ADMN.REQ.DataLakeDataUploadSetupSchedules.doc	BSDLUS	DATA LAKE UPLOAD SETUP
47902	Data Lake Upload Table	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
27144	Data Prompt Details	D7i Extended - Monitor Interface screen/Error Correction tab - section name	YSINTF	INTERFACE OVERVIEW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27897	Data Source	Barcode	FCSCRN	FLAMETHROWER SCREENS
27898	Data Source:	Barcode	FCSCRN	FLAMETHROWER SCREENS
26400	Data Type	Infor EAM. Field label used in transaction prompt page for the Interface module.	BEWSMD	EWS - METADATA DEFINITION
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSDLUC	FIELDS POPUP
			BSENS	ENTERPRISE SEARCH SETUP
			BSGRID	GRID DESIGNER
			BSMAIP	E-MAIL PARAMETER POPUP
			BSOATT	ANALYTICS ATTRIBUTES
			BSREPO	CREATE / EDIT REPORTS
			TSASTP	DC TRANSACTION PROMPT
28392	Data Warehouse Run Parameters	Data Warehouse. Refer to PVCS 1644, 9648.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
32926	Data for Analytics 7.8 compatible variables	21777	ASDEOT	DATA FOR ANALYTICS 7.8 VARIABLES
31465	Data insufficient to build print server request info.		TCPLRB	7I MOBILE BOILER TEXT
31184	Data is missing.	Barcoding	FCSCRN	FLAMETHROWER SCREENS
27436	Database	D7i Extended - field label on About window	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
			BSDTCV	DATA CONVERSION (MP2)
			BSGRID	GRID DESIGNER
39636	Database Field	Tracker id 43912 - Create/Edit Work Order	WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
			WSUWOD	UNSIGNED WO DIFFERENCES
34330	Database Name	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
29216	Database Updated	D7i Extended - Status of Inspection Points Report	CYCCTR	CALL CENTER WO REPORT
			CYCONF	Print Contract
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONF	Print Contract
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			SHREQF	Print Purchase Requisition
			SYABCA	ABC Analysis
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SZABCA	ABC Analysis
			SZ PICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOB	PRINT WORK ORDER
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29216	Database Updated	D7i Extended - Status of Inspection Points Report	WYWOSH WZCALR WZCCTR WZINVS WZJOBF WZPERF WZPFAR WZRLDG WZWOLG WZWOSH	PRINT SHORT WORK ORDER CARDS CALIBRATION RECORD REPORT PRINT SERVICE REQUESTS CUSTOMER INVOICE REPORT PRINT WORK ORDER Permits For Jobs PART FAILURES REPORT CALCULATE LABOUR REQUIRED PER DAY PRINT WO LONG PRINT SHORT WORK ORDER CARDS
26299	Database Version	D7i Extended - About Box label	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
16994	Database permissions		M1	Pull-Down Menu Texts
16523	Database updated	This is a label on a printed report that indicates whether MP5 updated the database after the report was executed and it is always followed by a 'yes', or 'no'.	ITCHKF YCHKF IZCHKF PTORDF STPICK STRCVF STREQF STRETF STSTTL SYEOQA SYSTTL SZEQA SZSTTL WTJOBF WTRLDG	Inspection results Inspection results Inspection results Print Purchase Order Pick List Print Goods Received Note Print Purchase Requisition Print Goods Return Note PRINT STOCKTAKE LIST EOQ Analysis PRINT STOCKTAKE LIST EOQ Analysis PRINT STOCKTAKE LIST Job Cards CALCULATE LABOUR REQUIRED PER DAY
33470	Database/Schema User Name	EWS.BASE.UC.ImportTranslationPopup/22623	BSLGEX BSLGIM	EXPORT TRANSLATIONS POPUP IMPORT TRANSLATIONS POPUP
32994	Databridge	EWS.DBADMIN.UC.ViewMessageStatus	BSVLOG DSMSBH DSMSGSGS	VIEW LOG FILES SCREEN VIEW MESSAGES VIEW MESSAGE STATUS
38950	Databridge Authentication Method	SCR 38957	BSBSET	ADMIN SETUP
36294	Databridge CD Key	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
32998	Databridge Delivery	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGSGS	VIEW MESSAGE STATUS
32997	Databridge Event	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGSGS	VIEW MESSAGE STATUS
27306	Databridge Host	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
32995	Databridge Inbound	EWS.DBADMIN.UC.ViewMessageStatus	DSMSBH DSMSGSGS	VIEW MESSAGES VIEW MESSAGE STATUS
32908	Databridge Login	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
32996	Databridge Outbound	EWS.DBADMIN.UC.ViewMessageStatus	DSMSBH DSMSGSGS	VIEW MESSAGES VIEW MESSAGE STATUS
33984	Databridge Outbound Events	pvcs 23653 in shotgun	DSOQUE	DATABRIDGE OUTBOUND QUEUE
34891	Databridge Partner Job Schedules	EWS.DBPARTNER.UC.DatabridgePartnerJobSchedulesr	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
27309	Databridge Password	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
27307	Databridge Port	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
24341	Databridge Server Status	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24340	Databridge System Status	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
27308	Databridge User ID	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
46681	Dataspies	EAM.ADMN.REQ.DataspiesforScreens.doc	BSFUNC	CREATE UPDATE SCREENS
21506	Dataspys	Infor EAM - mechanism for searching records within an Infor EAM form	BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSDTSP	DATASPY
			BSEXIM	EXPORT CONFIGURATION
			BSGROU	GROUPS
			BSHOME	HOME - OVERVIEW SCREEN
			BSINBX	INBOX SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
			BSOSTR	REPORT ORGANIZATION STRUCTURE
			BSSTRT	EWS NEW START CENTER
			BSUSRP	USERS
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOVIV	EQUIPMENT OVERVIEW 360
46689	Dataspys Details	Dataspies for Screens	BSFUNC	CREATE UPDATE SCREENS
27216	Dataspys ID	D7i Extended - Autogenerated Dataspys Id number	BEWSMD	EWS - METADATA DEFINITION
			BSFUNC	CREATE UPDATE SCREENS
			BSGROU	GROUPS
23477	Dataspys Name	Infor EAM - mechanism for searching records within a Infor EAM form - this field displays the name of the dataspys	BEWSMD	EWS - METADATA DEFINITION
			BSFUNC	CREATE UPDATE SCREENS
			BSHDSP	HIDE DATASPIES POPUP
			BSUSRP	USERS
			PSPROM	PURCHASING CONTRACT TEXT
22636	Dataspys View	Infor EAM - the DataSpy view to use when setting up the OPS variable package	BMOPSV	OPS PACKAGE
			BSLOVS	LIST OF LOOKUPS
12060	Date		ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDEOT	DATA FOR ANALYTICS 7.8 VARIABLES
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BSAUDP	VIEW AUDIT TRAIL POPUP
			BSMVIW	E-MAIL VIEWER
			BSRLNP	REFRESH INSTALLED LANGUAGE
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BXBOIL	Customized Texts
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BZEALD	ELECTRONIC RECORDS FOR
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZOSRQ	OPEN SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12060	Date		BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZRSLF	LIST OF INSPECTION RESULTS
			JSPROJ	PROJECTS
			OCREAD	CROSSBOW METER READING HIS LIST
			OSAREA	READING FOR ASSET
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSLREA	READING FOR LOCATION
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
			OTMHST	METER HISTORY
			OYGIAN	GAS INDEX ANALYSIS
			OZEQPL	EQUIPMENT PLANNING
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			OZKEYT	KEY TRANSACTIONS
			OZMHST	METER HISTORY
			OZOBJF	LIST OF EQUIPMENT DETAILS
			PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12060	Date		PTORDF	Print Purchase Order
			PYPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZINVL	List Of Invoices Not Yet Approved
			PZORDF	Print Purchase Order
			REPORT	General Report Function
			SHREQF	Print Purchase Requisition
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			STPICK	Pick List Print
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STRETF	Print Goods Return Note
			STTRAL	Printed List Of Stock Transactions
			SYCONS	Consignment Activity
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SYTRAL	Printed List Of Stock Transactions
			SZCONS	Consignment Activity
			SZ PICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			SZTRAL	Printed List Of Stock Transactions
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WHJOB	PRINT WORK ORDER
			WHJOB	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSEMP	EMPLOYEES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12060	Date		WSEMUP	EQUIPMENT MATERIAL USAGE
			WSFISS	FUEL ISSUES
			WSFLTK	FLEET VEHICLE TICKETS
			WSFREC	FUEL RECEIPTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WTBOOL	Allocations Per Employee
			WTJOBF	Job Cards
			WTJOBL	Labour Hours For Jobs
			WTPERF	Permits For Jobs
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYHREL	Actual Labour Hours Against Estimated
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSCHA	Scheduled Activities
			WYTOCO	TOOL USAGE
			WYTRDS	DAILY TRADE SCHEDULE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZBOOL	Allocations Per Employee
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZPERF	Permits For Jobs
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZSCHA	Scheduled Activities
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTOCO	TOOL USAGE
			WZTRDS	DAILY TRADE SCHEDULE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSACCD	VIEW GL VALUES
			YSPRCD	GL PROCESS DEFINITIONS
			FCGRD1	FLAMETHROWER GRID 1

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12060	Date		FCGRD2	FLAMETHROWER GRID 2
			ISMONT	MONITORED DATA
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			SSISSU	Stock Issues
			WSAPPR	REVISION CONTROL APPROVAL
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			ASLOV	ANALYTICS LIST OF VALUES
			BSWHSE	DATA WAREHOUSE
			OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			SSPART	PARTS
			WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSSREQ	SERVICE REQUESTS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WTVTKT	VEHICLE TICKET REPORT
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZVTKT	VEHICLE TICKET REPORT
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
			TCMSTL	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRL	7I MOBILE BOILER TEXT
			TCPMTL	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
		19879	ASOLOG	ANALYTICS SERVER LOG
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSGRID	GRID DESIGNER
			BSMPMR	MP2 METER READINGS
			BSMPWO	MP2 WORK ORDERS
			BSREGN	CREATE EDIT REGIONS
			BSSPMR	MP2 SPM READINGS
			BSVRHE	VIEW RESOURCE HISTORY EQUIPMENT
			ESNOTI	NOTIFICATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12060	Date	19879	OSEQCI	CHECKLIST ITEMS
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			OZCLAI	WARRANTY CLAIM REPORT
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			PSRFQT	REQUESTS FOR QUOTATIONS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSPACK	PACKAGES SCREEN
			SZSOUT	PART STOCKOUTS
			WHPTWR	PRINT PERMIT TO WORK
			WSBFUL	BATCH FUEL ISSUES
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFUEL	FUEL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTOOL	TOOLS
			WZDELP	PROOF OF DELIVERY
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZPTWR	PRINT PERMIT TO WORK
48758	Date Acknowledged	EAM-46913: NonconformityObservations	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
23900	Date Approved	Infor EAM - see 12061 for current translation	WSJOBS	CREATE WORK ORDER
			BSMPWR	MP2 WORK REQUESTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			JSPROJ	PROJECTS
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23900	Date Approved	Infor EAM - see 12061 for current translation	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSSTGY	CREATE STRATEGY
			OZCLAI	WARRANTY CLAIM REPORT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PZINVL	List Of Invoices Not Yet Approved
			PZVEND	VENDOR LEAD TIME
			SHREQF	Print Purchase Requisition
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPWCL	PART WARRANTY CLAIMS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			SYHISL	Purchase History Per Item/Supplier
			SYREQF	PRINT PURCHASE REQUISITION
			SZHISL	Purchase History Per Item/Supplier
			SZREQF	Print Purchase Requisition
			USBUDG	BUDGETS
			WSAPPR	REVISION CONTROL APPROVAL
			WSCCON	CUSTOMER CONTRACTS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
34963	Date Approved Start Date :PARAM1	23249-Localization problem with report subtitles	PZINVL	List Of Invoices Not Yet Approved
33738	Date Approved/Rejected	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
31552	Date Closed	EWS.CREP.UC.ElectronicRecords	BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
20966	Date Completed	Infor EAM - The date on which the event was completed	BAL014	CASE TASK COMPLETED
			BCMOBL	7I MOBILE BOILER TEXT
			BSARCH	CREATE / EDIT ARCHIVE RECORDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20966	Date Completed	Infor EAM - The date on which the event was completed	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			JZJOBL	LIST OF JOBS FOR PROJECT
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVMB	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVMB	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZJOVMB	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZSJOB	SAFETY WORK ORDER REPORT
			WZWOLG	PRINT WO LONG
			WZWOLMB	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
24675	Date Completed must be equal to or occur after the Date Reported.	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
44251	Date Completed must be equal to or occur after the Reported Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24676	Date Completed must be equal to or	Crossbow	TCJCLR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24676	occur after the Start Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44253	Date Completed must be equal to or occur before the Current System Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24677	Date Completed must be equal to or occur before the current system date.	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
35981	Date Confirmed/Rejected	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
20089	Date Created	Infor EAM - displays date record was created	BCMOBL	7I MOBILE BOILER TEXT
			BEWSMD	EWS - METADATA DEFINITION
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCLAS	CLASSES
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
			BSGDPR	GDPR ADMINISTRATION
			BSMATS	VIEW TRIGGER STATUS
			BSTRGP	VIEW TRIGGER STATUS POP UP
			BSVEDP	VIEW ERROR DETAILS POPUP
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRL0D	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSBBNT	BULLETIN BOARD NOTICES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20089	Date Created	Infor EAM - displays date record was created	CSCMTK	CASE MANAGEMENT TASKS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZISGH	INCIDENT SUMMARY GRAPH
			ISASPC	ASPECTS
			JSCAMP	CAMPAIGN
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSLDSE	LINEAR DIRECTION SETUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20089	Date Created	Infor EAM - displays date record was created	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZNCFL	LIST OF NONCONFORMITIES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSBUKT	BUILD KITS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSREQS	CREATE PURCHASE REQUISITION
			SSSTOR	STORES
			SSVREQ	VIEW PURCHASE STATUS
			TCCERR	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSDEBE	EVENTS FOR CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20089	Date Created	Infor EAM - displays date record was created	WSSERQ	CREATE SERVICE REQUESTS
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTVTKT	VEHICLE TICKET REPORT
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPTWR	PRINT PERMIT TO WORK
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
45004	Date Created Column	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
21782	Date Deactivated	Infor EAM - Deactivate PPM's when you no longer want to automatically generate work orders.	OSEQPM	PM SCHEDULES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMSP	PM SCHEDULE PROFILE
33889	Date Dispositioned	EWS.EQUIP.UC.AssetsForChangeNotice.doc/23855	OSCHNO	CHANGE NOTICES
37849	Date Effective	EWS.MATL.UC.FuelsForCommodities/SCR33846	CSSVPB	SERVICE PROBLEM CODES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSLRFS	LINEAR REFERENCE POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37849	Date Effective	EWS.MATL.UC.FuelsForCommodities/SCR33846	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSCOMM	COMMODITIES
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
21171	Date Entered	Infor EAM - the date the warranty association was first entered	BSCLPE	CLOSING PERIODS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
37850	Date Expired	EWS.MATL.UC.FuelsForCommodities/SCR33846	WSBOOK	BOOK LABOR BY EMPLOYEE
			CSSVPB	SERVICE PROBLEM CODES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
36471	Date Failed	EWS.WORK.UC.PartsForWorkOrder	SSCOMM	COMMODITIES
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			SSISSU	Stock Issues

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36471	Date Failed	EWS.WORK.UC.PartsForWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
25089	Date Field	D7i Extended - Custom Fields form - dropdown value for Type field	BSPROM	Custom Attributes
25989	Date Filed	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			SSPWCL	PART WARRANTY CLAIMS
			WSWRCP	CREATE WARRANTY CLAIM POPUP
40841	Date Filters	EAM-528	WZCTRC	SERVICE REQUESTS CHART
27784	Date Format	D7i Extended - Locales form	BSLOCL	LOCALE
26405	Date Format Mask	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
29283	Date From	D7i Extended - List of Inspection Results Report	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZCHKA	CHECKLIST AUDIT
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			OHOCST	Job Costing By Object Cost
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29283	Date From	D7i Extended - List of Inspection Results Report	OZOMFL	Mean Time Between Failures Per Object
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SSEOQA	CALCULATE EOQ
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SYPICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQL	List Of Outstanding Requisition Items
			SYRESL	Parts Currently Reserved/Allocated
			SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZPICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQL	List Of Outstanding Requisition Items
			SZRESL	Parts Currently Reserved/Allocated
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYTOCO	TOOL USAGE
			WYTRDS	DAILY TRADE SCHEDULE
			WYWOST	WORK ORDER STATISTICS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZERRF	EXPIRED WARRANTIES
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPFAR	PART FAILURES REPORT
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZTOCO	TOOL USAGE
			WZTRDS	DAILY TRADE SCHEDULE
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
33735	Date Fully Approved	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
36009	Date Generated	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			PSPORD	PURCHASE ORDERS
33498	Date Inactivated	21342	PSINVA	BOOK INVOICE ALLOCATIONS
31553	Date Inspected	EWS.CREP.UC.ElectronicRecords	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31553	Date Inspected	EWS.CREP.UC.ElectronicRecords	SSPINS	PART INSPECTIONS
31249	Date Issued	D7i Extended. The 'Date Issued' indicates the date on which the materials are issued to the 'To Store' from the 'From Store.'	SSIUSS	STORE TO STORE ISSUES
45860	Date Last Calculated	EAM.EQUIP.REQ.RankingSurveyforEquipment EAM-19869	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
45008	Date Last Crawl	EAM-15922	BSENSS	ENTERPRISE SEARCH SETUP
29477	Date Last Issued	D7i Extended - EWS.MATL.UC.TransactionforParts - The label for Date Last Issued.	SSPART	PARTS
35982	Date Last Printed	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
29478	Date Last Received	D7i Extended - EWS.MATL.UC.TransactionforParts - The label for Date Last Received	SSPART	PARTS
			SYSTOL	Stock List
			SZSTOL	Stock List
32317	Date Last Refreshed	EWS.EQUIP.UC.CostsForEquipment.doc	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
49220	Date Last Saved		OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			CSCCSP	CONTACT CENTER SETUP
20866	Date Last Updated	Infor EAM - the date that the record was last updated	CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			PZINVL	List Of Invoices Not Yet Approved
			PZINVL	List Of Invoices Not Yet Approved
31896	Date Matched	EWS.CREP.UC.ListofInvoices - List of Invoices report	PZINVL	List Of Invoices Not Yet Approved
34964	Date Matched Start Date :PARAM1	23249-Localization problem with report subtitles	WSPLPA	PLANNED PART AVAILABILITY
39437	Date Material Available	40522	WSWLSH	WO LABOR SCHEDULING
35192	Date Ordered	EWS.CREP.UC.ProjectPurchaseOrders	JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
42205	Date Performed	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42205	Date Performed	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
46865	Date Performed 2	EAM.WORK.REQ.ChecklistForWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
41835	Date Prepared	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
21481	Date Printed	Infor EAM - displays the date of the last time a permit was printed	BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			REPORT	General Report Function
			SSPICK	PICK TICKETS
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZINVS	CUSTOMER INVOICE REPORT
			WZJOB	PRINT WORK ORDER
			WZPMTL	OUT OF TOLERANCE PM
31554	Date Processed	EWS.CREP.UC.ElectronicRecords	WZWOSH	PRINT SHORT WORK ORDER CARDS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
35217	Date Purged	28030	BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
25642	Date Range	D7i Extended - block label for report parameters	BSDTCV	DATA CONVERSION (MP2)
			BSREGG	GET ACTUAL TEMPERATURES POPUP
			BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25642	Date Range	D7i Extended - block label for report parameters	OSENSR	ENERGY STAR DATE RANGE POPUP FOR GET RATINGS
38341	Date Range Based on	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc SCR 36616	OSENSV	ENERGY STAR MESSAGE VIEWING POPUP
			TCPRRP	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
35344	Date Range Type	EWS.CREP.UC.CallCenterWorkOrder	BZMSST	MESSAGE STATUS
			BSLOVS	LIST OF LOOKUPS
			CYCCTR	CALL CENTER WO REPORT
24946	Date Received	Extended (product name). Date received on the PO Receipt form.	CZCCTR	SERVICE REQUEST WO REPORT
			BCMOBL	7I MOBILE BOILER TEXT
			BSMPPR	MP2 PURCHASING
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			PSRFQR	QUOTATIONS
			PZVEND	VENDOR LEAD TIME
			SSPART	PARTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
31555	Date Recorded	EWS.CREP.UC.ElectronicRecords	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSCHNO	CHANGE NOTICES
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			PZINVL	List Of Invoices Not Yet Approved
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSOPCL	OPERATOR CHECKLIST
			WZJOBQ	PRINT WORK ORDER
34965	Date Recorded Start Date :PARAM1	23249-Localization problem with report subtitles	PZINVL	List Of Invoices Not Yet Approved
20151	Date Reported	Infor EAM	BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSCLAI	WARRANTY CLAIMS
			OSGISR	GIS MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20151	Date Reported	Infor EAM	OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			SSPWCL	PART WARRANTY CLAIMS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
44254	Date Reported must be equal to or occur before the Current System Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
23922	Date Requested	Infor EAM - the date on which the requisition was created	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSRCMT	RCM TEMPLATES
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WHPTWR	PRINT PERMIT TO WORK
			WSAPPH	REVISION CONTROL HISTORY
			WSCCON	CUSTOMER CONTRACTS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23922	Date Requested	Infor EAM - the date on which the requisition was created	WSJBPL	JOB PLANS
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
			WZPTWR	PRINT PERMIT TO WORK
21819	Date Required	Infor EAM - The date on which reserved/allocated parts are required.	BCMOBL	7I MOBILE BOILER TEXT
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPRES	PART RESERVATIONS
			SSSTOR	STORES
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
			WHJOB	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPTP	CREATE PICK TICKET POPUP
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZPTWR	PRINT PERMIT TO WORK
			WZWOSH	PRINT SHORT WORK ORDER CARDS
25990	Date Resolved	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			SSPWCL	PART WARRANTY CLAIMS
35892	Date Returned	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
41718	Date Review Required	EAM.WORK.REQ.Hazards	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41718	Date Review Required	EAM.WORK.REQ.Hazards	OSOVS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
41924	Date Reviewed	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
30557	Date Started	D7i Extended - Work Order Cards report	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30557	Date Started	D7i Extended - Work Order Cards report	WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
33090	Date Stopped	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
29284	Date To	D7i Extended - List of Inspection Results Report	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZCHKA	CHECKLIST AUDIT
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			OHOCST	Job Costing By Object Cost
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SSEOQA	CALCULATE EOQ
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SYPICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQL	List Of Outstanding Requisition Items
			SYRESL	Parts Currently Reserved/Allocated
			SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZPICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQL	List Of Outstanding Requisition Items
			SZRESL	Parts Currently Reserved/Allocated
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29284	Date To	D7i Extended - List of Inspection Results Report	WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYTOCO	TOOL USAGE
			WYTRDS	DAILY TRADE SCHEDULE
			WYWOST	WORK ORDER STATISTICS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZERRF	EXPIRED WARRANTIES
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPFAR	PART FAILURES REPORT
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZTOCO	TOOL USAGE
			WZTRDS	DAILY TRADE SCHEDULE
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
36500	Date Transferred	TransfersforEmployee/30778	WSEMPs	EMPLOYEES
27832	Date Updated	D7i Extended - History for KPI Setup form	BCMOBL	7I MOBILE BOILER TEXT
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCLAS	CLASSES
			BSKPIC	DEFINING KPI ENTRIES
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27832	Date Updated	D7i Extended - History for KPI Setup form	BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSNAP	ELECTRONIC RECORDS
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTMPR	LIST OF TAMPERED RECORDS
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			ISASPC	ASPECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLDSE	LINEAR DIRECTION SETUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27832	Date Updated	D7i Extended - History for KPI Setup form	OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
			OSVPRE	PERMIT ENTITY
			OZNCFL	LIST OF NONCONFORMITIES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHPTWR	PRINT PERMIT TO WORK
			WSATCP	CHECKLIST POPUP
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJBPL	JOB PLANS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSURCR	UNRETURNED CORES
			WZPTWR	PRINT PERMIT TO WORK
45005	Date Updated Column	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
28519	Date Used	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
		EWS.CREP.UC.PrintShortWorkOrderCards - Print Short Work Order Cards report	BSMPWO	MP2 WORK ORDERS
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
31556	Date Value	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
31557	Date Variable 1	EWS.CREP.UC.ElectronicRecords	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32018	Date Variable 10	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32018	Date Variable 10	EWS.CREP.UC.ElectronicRecords	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32019	Date Variable 11	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
32020	Date Variable 12	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
32021	Date Variable 13	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
32022	Date Variable 14	EWS.CREP.UC.ElectronicRecords	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
32023	Date Variable 15	EWS.CREP.UC.ElectronicRecords	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31558	Date Variable 2	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31559	Date Variable 3	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
31560	Date Variable 4	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
31561	Date Variable 5	EWS.CREP.UC.ElectronicRecords	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31561	Date Variable 5	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
32014	Date Variable 6	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32015	Date Variable 7	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32016	Date Variable 8	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32017	Date Variable 9	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21029	Date Worked	Infor EAM - the date on which the employee worked on the work order	BCMOBL	7I MOBILE BOILER TEXT
			WHWEMP	WORK BY EMPLOYEE
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWOBU	BATCH WORK ORDER UPDATE
			WZWEMP	WORK BY EMPLOYEE
46249	Date Worked cannot be added for future dates.	BookLabor	BCMOBL	7I MOBILE BOILER TEXT
46250	Date Worked cannot be earlier than the work order date/time reported.	Book Labor	BCMOBL	7I MOBILE BOILER TEXT
44255	Date Worked must be equal to or occur before the Completed Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12061	Date approved		SHREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
12062	Date completed	The date that a job gets status 'Completed'.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
43514	Date field. Press F9 to invoke	EAM-11014	WTJOB	Job Cards
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12064	calendar. Date from	Depending on the form this field can have different uses, but its basic meaning is the date on which an event starts. For example, on BXMAIL, Date from identifies the first date for which to start the email trigger.	STPICK STREQL SYEQQA SZEQQA	Pick List Print List Of Outstanding Requisition Items EOQ Analysis EOQ Analysis
25297	Date must be before or equal to today's date.	Crossbow - Book Hours form	TCJBKL	7I MOBILE BOILER TEXT
41068	Date of Birth	EAM - 295 : EAM.WORK.REQ.Employee	WSEMP5 WSOPSS	EMPLOYEES OPTIMIZED SCHEDULER SETUP
33548	Date of Last WO	EWS.EQUIP.UC.PMSchedulesforEquipment / 21344	OSEQPM OSHPPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WSDEMP WSMPAT WSPPM5	PM SCHEDULES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT DEACTIVATE MP EQUIPMENT POPUP MAINTENANCE PATTERNS PM SCHEDULES
31471	Date of Return	EWS.REP.UC.GoodsReturnNote.doc	SYRETF SZRETF	PRINT GOODS RETURN NOTE Print Goods Return Note
12538	Date of return	The date that parts are returned to a supplier.	STRETF	Print Goods Return Note
12233	Date printed		PTORDF WTJOB5	Print Purchase Order Job Cards
12067	Date required	The date on which reserved/allocated parts are required.	SSRQLL	REQUISITION LINE
12464	Date started		WTJOB5	Job Cards
12068	Date to	Depending on the form this field can have different uses, but its basic meaning is the date on which an event ends. For example, on BXMAIL, Date to identifies the first date for which to stop the email trigger.	STPICK STREQL SYEQQA SZEQQA	Pick List Print List Of Outstanding Requisition Items EOQ Analysis EOQ Analysis
12008	Date updated	The date on which the last change of the record occurred.	BTSIGN BTTMPR BZLTPW BXBOIL BTSNAP	LIST OF ELECTRONIC RECORDS LIST OF TAMPERED RECORDS ELECTRONIC RECORDS FOR LOTO Customized Texts ELECTRONIC RECORDS
20176	Date/Time	Infor EAM - displays the date and or time that a problem was reported	BCMOBL BSGRID BSPROM DSMSG5 JSEVLP OSAREA OSECON OSEQCI OSEQMR OSHPPY	7I MOBILE BOILER TEXT GRID DESIGNER Custom Attributes DATABRIDGE RELATED MESSAGE RECORD POPUP EVENTLOG POPUP FOR CU ESTIMATES READING FOR ASSET CREATE EQUIPMENT CONFIGURATION CHECKLIST ITEMS METER READINGS FOR EQUIPMENT CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20176	Date/Time	Infor EAM - displays the date and or time that a problem was reported	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
			SSPHST	PART NUMBER HISTORY
			SSSTOP	RECORD STOCKOUT POPUP
			SSSTOR	STORES
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSVITE	WORK ORDER QUICK ENTRY
47248	Date/Time (Local)	Crossbow EAM-30474:EAM.CCTR.REQ.EventLog	TCSCMN	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
47247	Date/Time (Server)	EAM-30474:EAM.CCTR.REQ.EventLog	CSCASE	CASE MANAGEMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
31052	Date/Time Changed	D7i Extended - Audit Log report	BSLANG	LANGUAGES
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			BZCHKA	CHECKLIST AUDIT
46620	Date/Time Completed	EAM-28284	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
26428	Date/Time Created	Infor EAM. Indicates the date and time the error was created. Refer to EWS.DCI.UC.InterfaceOverview.	BCMOBL	7I MOBILE BOILER TEXT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
			OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
			WSJOBS	CREATE WORK ORDER
26303	Date/Time Entered	Extended (product name)	YSINTF	INTERFACE OVERVIEW
			WSSREQ	SERVICE REQUESTS
35746	Date/Time Performed	EWS.REP.UC.CalibrationRecordReport	WZCALR	CALIBRATION RECORD REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20095	Date/Time Reported	Infor EAM - displays the date and or time that a problem was reported	BZEVTD WSINRQ WSJOBS WSJOVH WSJOVM WSSREQ	ELECTRONIC RECORDS FOR EVENTS CREATE INFORMATION REQUEST CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER SERVICE REQUESTS
39572	Date/Time Response	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSM	ENERGY STAR MESSAGE VIEWER
35747	Date/Time Reviewed	EWS.REP.UC.CalibrationRecordReport	WZCALR	CALIBRATION RECORD REPORT
39571	Date/Time Sent	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	BCMOBL OSENSM OSMNBK OZMNBK	71 MOBILE BOILER TEXT ENERGY STAR MESSAGE VIEWER NOTEBOOK MOBILE NOTEBOOK
46619	Date/Time Started	EAM-28284	BSCMEX BSCMIM BSEXAL BSVSDP	CONFIGURATION MANAGER - EXPORT CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION VIEW STATUS DETAILS POPUP
47224	Date/Time Updated	EAM.EQUIP.REQ.MobileNotebook	OSMNBK	NOTEBOOK
19214	Date/time posted	date and time that the electronic signature was entered	ASCACH	ANALYTICS VARIABLES CACHE
12066	Date/time reported	Date and time that a breakdown was reported.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
28911	Dates	Data warehouse Dates dimension table name.	BSWHSE OZRHIS	DATA WAREHOUSE RANKING HISTORY CHART
29292	Dates Before or On	D7i Extended - List of Points to Be Inspected Report	ITLAPF IYLAPF IZLAPF	List Of Points To Be Inspected List Of Points To Be Inspected List Of Points To Be Inspected
29282	Dates Between	D7i Extended - List of Inspection Results Report	ITLAPF ITRSLF IYLAPF IYRSLF IZLAPF IZRSLF	List Of Points To Be Inspected LIST OF INSPECTION RESULTS List Of Points To Be Inspected LIST OF INSPECTION RESULTS List Of Points To Be Inspected LIST OF INSPECTION RESULTS
34688	Dates Between :PARAM1 and :PARAM2	EWS.CREP.UC.OutOfTolerancePMs	WZPMTL IYLAPF IYRSLF IZLAPF IZRSLF	OUT OF TOLERANCE PM List Of Points To Be Inspected LIST OF INSPECTION RESULTS List Of Points To Be Inspected LIST OF INSPECTION RESULTS
29293	Dates On or After	D7i Extended - List of Points to Be Inspected Report	WZPMTL ITLAPF IYLAPF IZLAPF OZOMFL WZPMTL	OUT OF TOLERANCE PM List Of Points To Be Inspected List Of Points To Be Inspected List Of Points To Be Inspected Mean Time Between Failures Per Object OUT OF TOLERANCE PM
34686	Dates On or After :PARAM1	EWS.CREP.UC.OutOfTolerancePMs	OZOMFL WZPMTL	Mean Time Between Failures Per Object OUT OF TOLERANCE PM
32139	Dates On or Before	EWS.CREP.UC.MeanTimeBetweenFailuresPerEquipment -Mean Time Between Failures Per Equipment report	OZOMFL WZPMTL	Mean Time Between Failures Per Object OUT OF TOLERANCE PM
34687	Dates On or Before :PARAM2	EWS.CREP.UC.OutOfTolerancePMs	OZOMFL WZPMTL	Mean Time Between Failures Per Object OUT OF TOLERANCE PM
45320	Datetime	EAM-15923 RepositoryColumnsforEnterpriseSearchS	BSENSS	ENTERPRISE SEARCH SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12313	Day		BSFFSP	FILTER FIELD SETUP SCREEN
			BSREGN	CREATE EDIT REGIONS
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WYHREL	Actual Labour Hours Against Estimated
			WYVRSL	VIEW RESOURCE LOAD
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZVRSL	VIEW RESOURCE LOAD
			40075	Day 1
40076	Day 2	EAM.CREP.UC.WeeklyBookedHoursByDepartment.docx	WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
40077	Day 3	EAM.CREP.UC.WeeklyBookedHoursByDepartment.docx	WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
40078	Day 4	EAM.CREP.UC.WeeklyBookedHoursByDepartment.docx	WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
40079	Day 5	EAM.CREP.UC.WeeklyBookedHoursByDepartment.docx	WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
40080	Day 6	EAM.CREP.UC.WeeklyBookedHoursByDepartment.docx	WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
40081	Day 7	EAM.CREP.UC.WeeklyBookedHoursByDepartment.docx	WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
25023	Day Details	Extended (product name) Shift form, Days tab	WSSHIF	SHIFTS
25019	Day Number	Extended (product name) Shift form, Days tab	WSSHIF	SHIFTS
23035	Day of Month		BSJOBS	JOB SETUP
			BSWHSE	DATA WAREHOUSE
27111	Day of Week	D7i Extended - Job Setup	BSJOBS	JOB SETUP
23036	Day of Year		BHDDAN	DEGREE DAY ANALYSIS
			BSREGN	CREATE EDIT REGIONS
			BSWHSE	DATA WAREHOUSE
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			OZTACR	TEMPERATURE ANALYSIS CHART
34844	Day of every month	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridgePar	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
35136	Day(s)	EWS.CCTR.UC.ServiceProblemCodes	BSDEPT	DEPARTMENTS
			CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35136	Day(s)	EWS.CCTR.UC.ServiceProblemCodes	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
11967	Days		BSDLUS	DATA LAKE UPLOAD SETUP
			OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			PSINVO	INVOICES
			WSSHIF	SHIFTS
			WTCALD	CALIBRATION DUE REPORT
			WZCALD	CALIBRATION DUE REPORT
			WZRTBD	RESPONSE TIME BY DEPARTMENT
29161	Days Before Due	Data warehouse.	BSWHSE	DATA WAREHOUSE
29733	Days Late	D7i Extended - Calibration Due Report	BAL007	MISSING UTILITY INVOICES
			WTCALD	CALIBRATION DUE REPORT
			WZCALD	CALIBRATION DUE REPORT
			WZPMTL	OUT OF TOLERANCE PM
29160	Days Past Due	Data warehouse.	BSWHSE	DATA WAREHOUSE
38883	Days Remaining	EWS.MATL.UC.FuelsForCommodity	SSCOMM	COMMODITIES
21123	Days Since Last Entry	Infor EAM - the number of days that have passed since the last meter reading, or entry of the last meter reading into record	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
24552	Days in Rotation	Extended (product name), Shifts form.	WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSHIF	SHIFTS
21418	Days of each month	Infor EAM - prompt for the user to select a day from the month on which to schedule a process	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
21412	Days of each week	Infor EAM - field for user to select the day of the week	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
33081	Days since Date Worked	EWS.WORK.UC.BookLaborByEmployee	WSBOOK	BOOK LABOR BY EMPLOYEE
39377	Days since Insertion	EAM.WORK.UC.EquipmentforMP/38266	WSMPAT	MAINTENANCE PATTERNS
41620	Days to Failure	EAM.CREP.REQ.HazardChart	OZPRDC	RELIABILITY CALCULATIONS
			OZRBCR	RELIABILITY CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41620	Days to Failure	EAM.CREP.REQ.HazardChart	OZRGCA OZURCR WZHZCH	RELIABILITY GROWTH CROW-AMSAA UNRELIABILITY CHART HAZARD CHART
33532	Days to Show Closed WOs	SCR 22087	CSCCSP	CONTACT CENTER SETUP
36989	Days to Show Open WOs	31095	CSCCSP	CONTACT CENTER SETUP
41843	De-Isolated	EAM.WORK.REQ.PermitToWork	BCMOBL WSPMTW	7I MOBILE BOILER TEXT PERMIT TO WORK
42258	De-Isolation Steps	EAM-3624	WHPTWR WZPTWR	PRINT PERMIT TO WORK PRINT PERMIT TO WORK
39330	Deactivate MP	EAM.WORK.UC.EquipmentforMP/38266	WSMPAT	MAINTENANCE PATTERNS
21463	Deactivate Permit	Infor EAM - link button on the Permits for Work Order form that deactivates a permit for the selected work order	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
44893	Deadline	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
12224	Debit	A debit note is used as an corrective action (additional charge) for an invoice.	CYDEBL CZDEBL JSCUES OSHPPY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM PSINVO PSPORD SSCOMP SSRECV SSREQU SSRQSS WSCREN WSJOBS WSJOVH WSJOVM YSACCD	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS CU ESTIMATES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT INVOICES PURCHASE ORDERS NON-PO RECEIPTS PO RECEIPTS REQUISITIONS STORE TO STORE REQUISITIONS CUSTOMER RENTALS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER VIEW GL VALUES
31117	Debit Note	D7i Extended -- Lines tab on Invoice Voucher form -- Field Label	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36827	Debug	21784 PIR - Logger : New logger function for Relea	TCCLGR	7I MOBILE BOILER TEXT
12383	Debug flag	When this flag is on, additional technical information is displayed during MP5 execution. Used for help with analyzing software problems.	REPORT	General Report Function
37400	Dec :YEAR	Pull down menu item	M1	Pull-Down Menu Texts
40022	Dec.	EWS.WORK.UC.ForecastingforPMForecasting.doc #47067	WSPMPL CZISGH SZMMPU WZVMRS	PM FORECASTING INCIDENT SUMMARY GRAPH MONTHLY PART USAGE VMRS ACTIVITIES CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47562	Decay Curve	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			OSDCUR	DECAY CURVE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZDCUR	DECAY CURVE CHART
			OZRHIS	RANKING HISTORY CHART
			USINVP	INVESTMENT PLANNING
47574	Decay Curve Details	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
48740	Decay Curve Org.	EAM.EQUIP.REQ.RankingHistoryForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
48024	Decay Curves	EAM-37634	BSLOVS	LIST OF LOOKUPS
33956	December	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21534 (Code Descriptions) for the existing translations.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES
36739	Decimal	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			BSGRID	GRID DESIGNER
27610	Decimal Places	Crossbow	TCSPRP	7I MOBILE BOILER TEXT
			BSCDSS	USER DEFINED SCREEN SETUP
43933	Decline	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
40831	Decrease the font size.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12225	Default	If no specific value is specified then MP5 uses a 'default' value.	*	FUNCTION TO ENTER GLOBAL FUNCTION BUTTONS
			BSDTSP	DATASPY
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFUNC	CREATE UPDATE SCREENS
			BSINST	INSTALL CODES
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSORGS	ORGANIZATIONS
			BSPARM	PARAMETER LIST POPUP
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSUSER	USER SETUP
			BZUSRL	USERS GROUP CONFIGURATION
			ISASPC	ASPECTS
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			PSCARD	CREDIT CARDS
			WSDEPO	DEPOTS
			WTBOOL	Allocations Per Employee
			WZBOOL	Allocations Per Employee

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12225	Default	Extended (product name). Denotes a default GIS layer and Infor EAM Profile association. Crossbow	BSGROU	GROUPS
			BCMOBL	7I MOBILE BOILER TEXT
			TCSCCF	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
			TCSPRP	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
23898	Default Approver	EAM-50152 Infor EAM - see 12644 for current translation	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFRG	GENERATE REQs FOR RFQS
			SSASGN	GENERATE POS
			SSPICK	PICK TICKETS
			SSREQF	GENERATE REQs
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			WSPPTP	CREATE PICK TICKET POPUP
26026	Default Approvers	Infor EAM. Title for an LOV for Default Approvers. Refer to PVCS 5615.	BSLOVS	LIST OF LOOKUPS
38014	Default Authorizer	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPRQ	CAPITAL PLANNING REQUEST
20839	Default Bin	Infor EAM - identifies the primary bin to use for the stocked part. Identifying a default bin facilitates issuing and returning of the part in quick type transactions.	SSPART	PARTS
			SSSTOR	STORES
30702	Default Bin Qty.	D7i Extended. The default bin quantity identifies the quantity of the part in the default repair bin. The default repair bin identifies a bin location to which to automatically return broken repairable spare parts.	SSPART	PARTS
43308	Default Color	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
42238	Default Core Bin	EAM-5161 EAM.MATL.REQ.RepairDetailsforParts.doc	SSPART	PARTS
28953	Default Currency	Data warehouse.	BSINSS	INSTALL PARAMETER SETUP
			BSWHSE	DATA WAREHOUSE
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
21791	Default Dataspy	Infor EAM - the dataspy to run whenever the user comes to the selected form	BSDTSP	DATASPY
			BSGRID	GRID DESIGNER
			BSHYPL	HYPERLINK SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
47627	Default Depot	EAM.ADMN.REQ.Department - EAM-36417	BSDEPT	DEPARTMENTS
			WSBFUL	BATCH FUEL ISSUES
47737	Default Depot Description	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
47628	Default Depot Org.	EAM.ADMN.REQ.Department - EAM-36417	BSDEPT	DEPARTMENTS
			WSBFUL	BATCH FUEL ISSUES
43145	Default Duration	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
44605	Default Equipment	EAM.CCTR.REQ.EquipmentForContactInformation	CSCINF	CONTACT INFO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
		EAM-14822		
43309	Default Filter	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
33632	Default Find Contact By	22975	CSCCSP	CONTACT CENTER SETUP
47733	Default Fuel Issued To	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
47734	Default Fuel Price	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
40400	Default Full Qty. to Qty. Used	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
40401	Default Full Qty. to Qty. to Store	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
29232	Default GIS Filter	D7i Extended - EWS.GIS.UC.GISFilter - Label appearing on the GIS Filter dataspy popup	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40209	Default Invoice Status	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
40363	Default Invoicing Organization	Default Invoicing Organization	BSLOVS	LIST OF LOOKUPS
			WSCCON	CUSTOMER CONTRACTS
47742	Default Issued To	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
38897	Default Load Factor	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39024	Default Mobile menu is loaded due to the error loading Mobile menu. Contact your system administrator.		TCCRSB	7I MOBILE BOILER TEXT
26837	Default Org.	Infor EAM - LDAP Roles - field label	BSROLE	LDAP ROLES SETUP
			BZUSRL	USERS GROUP CONFIGURATION
32899	Default Organization	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
34334	Default PO Receipt Description	EWS.ADMN.UC.PurchasingSetup	BSPSET	PURCHASING SETUP
46696	Default Preference	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
24557	Default Printer	D7i Extended - User Groups page	BSGROU	GROUPS
			TCCRSB	7I MOBILE BOILER TEXT
			TCDPRN	7I MOBILE BOILER TEXT
47739	Default Pump	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
34335	Default Purchase Order Description	EWS.ADMN.UC.PurchasingSetup	BSPSET	PURCHASING SETUP
43146	Default Renewal Threshold	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
34336	Default Requisition Description	EWS.ADMN.UC.PurchasingSetup	BSPSET	PURCHASING SETUP
44412	Default Reservation Status	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup-EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
44399	Default Reservation Type	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
40118	Default Return Bin	EAM.MATL.UC.StoresforParts	SSPART	PARTS
40852	Default Screen Type	EAM-328 : EAM.ADMN.UC.TypesforFieldFilterSetup	BSFFSP	FILTER FIELD SETUP SCREEN
29066	Default Set	D7i Extended - Calibration for Equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29066	Default Set	D7i Extended - Calibration for Equipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
33377	Default Source	Contact Center Setup - SCR 22087	CSCCSP	CONTACT CENTER SETUP
45441	Default Source from Portal	EAM-17714 EAM.CCTR.REQ.CallCenterSetup	CSCCSP	CONTACT CENTER SETUP
45443	Default Status from Portal	EAM-17714 EAM.CCTR.REQ.CallCenterSetup	CSCCSP	CONTACT CENTER SETUP
24038	Default Store	Infor EAM - codes of the store to be the default or main store of the selected department	BSDEPT	DEPARTMENTS
47237	Default Store (obsolete)	EAM.ADMN.REQ.Users - 31516	BSUSER	USER SETUP
24039	Default Supervisor	Infor EAM - name of the individual who will be the main supervisor for the selected department	BSDEPT	DEPARTMENTS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
45399	Default Tag	EAM-6684EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
26954	Default Terms	Infor EAM. Field label for the default terms for the purchase order, for example NET 30. Refer to PVCS 6453.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			SSHIXF	HELD ITEMS TRANSFER
47351	Default To Bin	EAM.MATL.REQ.HeldItemsTransfer / EAM-34293	SSHHSXF	HELD ITEMS TO STOCK TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			BSSSET	MATERIAL SETUP
34315	Default Transaction Description	EWS.ADMN.UC.MaterialSetup.doc	CSCCSP	CONTACT CENTER SETUP
33631	Default Type	22975	CSCCSP	CONTACT CENTER SETUP
45442	Default Type from Portal	EAM-17714 EAM.CCTR.REQ.CallCenterSetup	CSCCSP	CONTACT CENTER SETUP
30701	Default Value	D7i Extended. Identifies the 'Default Value' for the account code.	BCMOBL	7I MOBILE BOILER TEXT
			YSACDP	ACCOUNT DETAIL SETUP
			BSLOVS	LIST OF LOOKUPS
26913	Default Values	D7i Extended - Report Parameters	BSREPO	CREATE / EDIT REPORTS
			OSEVAL	EQUIPMENT EVALUATIONS
38958	Default Values for Capital Planning Request	38794		
25944	Default Values for PO	Infor EAM. Section header on the 'Assign Requisition Lines to PO' form. Refer to PVCS 5615.	PSRFGP	GENERATE POS FOR RFQS
			SSASGN	GENERATE POS
37520	Default Values for RFQ	EWS.MATL.UC.GenerateRFQs/33146	SSGRFQ	GENERATE RFQS
27135	Default Values for Requisition	Infor EAM. Header section of the Generate Requisition form. Refer to PVCS 6697.	PSRFRG	GENERATE REQS FOR RFQS
			SSREQF	GENERATE REQS
33378	Default WO Org.	Contact Center Setup - SCR 22087	CSCCSP	CONTACT CENTER SETUP
33379	Default WO Status	Contact Center Setup - SCR 22087	CSCCSP	CONTACT CENTER SETUP
33437	Default WO Type	EWS.ADMN.UC.CreateUpdateUserGroups / 20759	BSGROU	GROUPS
15231	Default query		BEWSMD	EWS - METADATA DEFINITION
			M1	Pull-Down Menu Texts
			BCMOBL	7I MOBILE BOILER TEXT
46897	Defect	Mobile Notebook	OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
			BCMOBL	7I MOBILE BOILER TEXT
46905	Defect Details	Mobile Notebook	OSMNBK	NOTEBOOK
			TCJACR	7I MOBILE BOILER TEXT
36639	Defer Maintenance	EWS.WORK.UC.ActivitiesforWorkOrder	WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36639	Defer Maintenance	EWS.WORK.UC.ActivitiesforWorkOrder	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
37139	Deferred	31081	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			OZHISL	Object History
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SY PICK	Pick List Print
			SYRESL	Parts Currently Reserved/Allocated
			SZ PICK	Pick List Print
			SZRESL	Parts Currently Reserved/Allocated
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHJOB F	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOB F	PRINT WORK ORDER
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB F	PRINT WORK ORDER
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZTOCO	TOOL USAGE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
37524	Deferred Activities	EWS.CREP.UC.FutureMaintenaceCost.doc	BCMOBL	7I MOBILE BOILER TEXT
			WYPFMC	FUTURE MAINTENANCE COST
			WYW FMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZW FMC	FUTURE MAINTENANCE COSTS
36526	Deferred By	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
36527	Deferred Date	EWS.ADMN.UC.CreateEditDeferredMaintenance	BCMOBL	7I MOBILE BOILER TEXT
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
46335	Deferred Maintenance	Equipment	BCMOBL	7I MOBILE BOILER TEXT
36525	Deferred Maintenance Details	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
36523	Deferred Maintenance No.	EWS.ADMN.UC.CreateEditDeferredMaintenance	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36523	Deferred Maintenance No.	EWS.ADMN.UC.CreateEditDeferredMaintenance EWS.CREP.UC.FutureMaintenaceCost.doc	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			OSEQCI	CHECKLIST ITEMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
37424	Deferred activity cannot be updated.	21847 - Support deferred maintenance	TCJACL	7I MOBILE BOILER TEXT
46251	Deferred activity is already cancelled or assigned to another work order and cannot be unselected.	ActivitiesService	BCMOBL	7I MOBILE BOILER TEXT
37456	Define Dropdown Filter	EWS.BASE.UC.ScreenDesigner	BSDTSP	DATASPY
36894	Define Lookup Filter	31357	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSDTSP	DATASPY
25633	Define Lookup Values	D7i Extended - Associate Custom Fields form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
43064	Define Report Parameter Mapping	EAM-10185 : DefineReportParameterMappingPopup	ISASPC	ASPECTS
42809	Define URL Parameters	EAM.ADMN.REQ.Screens	BSFUNC	CREATE UPDATE SCREENS
35682	Define a default value for the selected field. For dropdown fields enter the code associated to the value in the dropdown.	26809	BSSTDF	SET DEFAULT VALUE
38203	Define a screen to join with this screen to create a hyperlink. Note: hyperlinks apply to all user groups.	EWS.BASE.UC.HyperlinkSetupPopup	BSHYPL	HYPERLINK SETUP
42783	Define parameters that will be appended to the URL associated with custom screens or tabs.	EAM.ADMN.REQ.DefineURLParameterPopup	BSURLP	DEFINE URL PARAMETERS
43066	Define report parameter mappings associated with custom tabs.	EAM-10185 : DefineReportParameterMappingPopup	BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
45599	Define the WEB Class screen that will be opened when a UDF button is clicked. Use the Action menu item Map Fields to define EAM fields for which values will be passed into the hyperlink screen as parameters. Note: hyperlinks apply to all user groups.	EAM.BASE.REQ.HyperlinkSetupPopup.doc - EAM-22002	BSHYPL	HYPERLINK SETUP
36768	Define values for the available options for :param1.	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
47635	Definition Details	EAM-36219:EAM.EQUIP.REQ.AssetClassDefinition	OSOCDE	EQUIPMENT CLASS DEFINITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27077	Definition File Details	D7i Extended - Create Reports - block header	BSREPO	CREATE / EDIT REPORTS
40904	Definitions Tax Exceptions	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
38297	Degree Day Reference Point	36409	BHDDAN	DEGREE DAY ANALYSIS
			BSREGN	CREATE EDIT REGIONS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
38986	Degree Days	PVCS #39004	BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			OZTACR	TEMPERATURE ANALYSIS CHART
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSMPWO	MP2 WORK ORDERS
			BSALRT	ALERT MANAGEMENT SYSTEM
			JSPROJ	PROJECTS
37821 35778 37822 26036 12392	Delay Between Alerts Delay Description Delay UOM Deletable Delete	EWS.ADMN.UC.CreateEditAlerts / 33833 EWS.ADMN.UC.MP2WorkOrders EWS.ADMN.UC.CreateEditAlerts / 33833 Infor EAM. Refer to PVCS 5643. 'Delete' should be translated as a verb	BCMOBL	7I MOBILE BOILER TEXT
			BHFUNL	List Of Functions
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			BSDTSP	DATASPY
			BSGROU	GROUPS
			BSHOME	HOME - OVERVIEW SCREEN
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
			BSTBOP	CHANGE TAB ORDER POPUP
			BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions
			FCSCRN	FLAMETHROWER SCREENS
			ISAPRF	APPROVE INSPECTION RESULTS
			MBHOME	HOME - OVERVIEW SCREEN
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12392	Delete	'Delete' should be translated as a verb	OSOVIW	EQUIPMENT OVERVIEW 360
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSEOQA	CALCULATE EOQ
			SSREQF	GENERATE REQ
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSJBPL	JOB PLANS
			WSPMPL	PM FORECASTING
			WSTASK	TASKS
			BHUSRL	USERS GROUP CONFIGURATION
			BSAUDC	AUDIT SETUP
			BSAUDP	VIEW AUDIT TRAIL POPUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMESP	MENU STRUCTURE AND PERMISSIONS
		lable of the checkbox - Select to indicate whether users are allowed to make deletions. SCR 19983.	BSWSPM	WEB SERVICES PROMPT
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BYUSRL	USERS GROUP CONFIGURATION
			BZAUDT	AUDIT LOG
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			WSFLCF	FLEET CONFIGURATION
			OSAINV	ASSET INVENTORY
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSWLSH	WO LABOR SCHEDULING
			SSSUPP	SUPPLIERS
35663 20820	Delete Account Number Delete Activity	EWS.MATL.UC.AccountNumbersforSuppliers / 27955 Infor EAM - link button to delect the select activity from a work order	OSCLAI	WARRANTY CLAIMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
38353 24444 31234	Delete Actual Temperature Delete Address Delete Adjustment	EWS ADMN UC ActualTemperaturesforRegions.doc	BSREGN	CREATE EDIT REGIONS
		D7i Extended - Addresses form/tab	BSADRS	ADDRESSES
		D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Link Button	WSFBIL	FLEET BILLS
41523 33340	Delete Alert Data Delete All	EAM-2777	BAL004	LOAD ELECTRICITY DATA
		EWS.EQUIP.UC.StructureForDepartment	BSDEPT	DEPARTMENTS
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33340	Delete All	EWS.EQUIP.UC.StructureForDepartment	OSOVPM OSOVSM USINVP	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT INVESTMENT PLANNING
42094	Delete All Checklist Items	EAM.WORK.REQ.ChecklistForTask	WSJBPL WSTASK	JOB PLANS TASKS
48335	Delete All Equipment	EAM-41701/EAM.WORK.REQ.EquipmentforPMSchedule	WSPPMS	PM SCHEDULES
27800	Delete Allowed	D7i Extended - Screens form	BSEXIM BSFUNC	EXPORT CONFIGURATION CREATE UPDATE SCREENS
48342	Delete Alternate UOM	EAM-41660 : Alternate UOM for UOM	BSUOMS	UOM SETUP
39860	Delete Answer	EAM.EQUIP.UC.AddEditAnswersPopup	OSRELA	ADD / EDIT ANSWERS POPUP
31006	Delete Attribute	D7i Extended - Analytics - Delete = verb - Attribute = noun, e.g., the characteristic of a variable	CSCCSP	CONTACT CENTER SETUP
26289	Delete Authorization	D7i Extended - WO Authorizations for User Groups - Link Button	BSGROU WSFLCF	GROUPS FLEET CONFIGURATION
30694	Delete Billing Schedule	D7i Extended -- Billing Schedule for Fleet Config -- Link Button, delete=verb	WSFLCF	FLEET CONFIGURATION
21193	Delete Bin	Infor EAM - link button to delete a bin association from the Stores form	SSSTOR	STORES
25627	Delete Budget	Extended (product name)	JSPROJ USBUDG	PROJECTS BUDGETS
35240	Delete Calendar Period	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
24002	Delete Caller	Infor EAM - link button to delete a caller record from the grid	WSDEBS	CREATE CUSTOMER
39185	Delete Campaign Event	EAM.PROJ.UC.CampaignEventsforCampaign/41039	JSCAMP	CAMPAIGN
44629	Delete Case Task		CSSVPB	SERVICE PROBLEM CODES
36677	Delete Catalog Reference	Shotgun Tracker id 31339	SSCREP	CATALOG REFERENCES
37795	Delete Categorization Code	Capital Request Categorization Codes	BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
25854	Delete Charge	Extended (product name)	WSARRS WSSREQ	PRICING SCHEDULE SERVICE REQUESTS
26537	Delete Charge/Discount	Infor EAM. Field label. Refer to PVCS 6210.	PSEXCH PSIEXP	EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
41065	Delete Checklist Item	EAM-426 EAM.WORK.REQ.ChecklistForTask	WSJBPL WSTASK	JOB PLANS TASKS
49209	Delete Child CU	EAM-4699PROJ.REQ.ChildCUsforCompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
21452	Delete Child WO	Infor EAM - link button to delete a work order record as the child of another work order.	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
43464	Delete Claim Line	EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWarrantyClaim	OSCLAI	WARRANTY CLAIMS
24561	Delete Class	D7i Extended - Classes page	BSCLAS	CLASSES
30793	Delete Code	D7i Extended -- Billing Codes for Fleet Customers -- Link Button, delete=verb, code=noun	BSASET BSWSET WSFCUS	ASSET SETUP WORK SETUP FLEET CUSTOMERS
45052	Delete Column	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearch S	BSENSS	ENTERPRISE SEARCH SETUP
34170	Delete Comment	EWS.BASE.UC.Comments.doc	BSCOMM	COMMENTS
49177	Delete Compatible Unit	EAM.PROJ.REQ.CompatibleUnitsforCUEstimate	JSCUES	CU ESTIMATES
27080	Delete Condition	D7i Extended - E-mail Conditions popup - link button	BSEMCD	E-MAIL CONDITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42518	Delete Configuration	EAM.EQUIP.REQ.ConfigurationsAssociatedForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
42702	Delete Consequence	EAM.EQUIP.REQ.ConsequencesForRMS:EAM-7695	OSRMXS	RISK MATRIX SETUP
24978	Delete Contact	Extended (product name). Contacts for Suppliers.	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
37875	Delete Conversion Factor	SCR#33940-ConversionforUOM	BSUOMS	UOM SETUP
30270	Delete Cost	D7i Extended -- Invoice Vouchers form, Costs tab -- Link button, delete=verb, cost=noun	PSINVO	INVOICES
31013	Delete Cost Code	D7i Extended -- Cost Codes for Fleet Customers -- Link Button	WSFCUS	FLEET CUSTOMERS
25075	Delete Custom Field	D7i Extended - Custom Fields form	BSCLSB	CLASSES FOR BUSINESS EDITION
			BSPROM	Custom Attributes
34657	Delete Custom Tab	#26808	BSFUNC	CREATE UPDATE SCREENS
46691	Delete Dataspy	Dataspies for Screens	BSFUNC	CREATE UPDATE SCREENS
25022	Delete Day	Extended (product name) Shift form, Days tab	WSSHIF	SHIFTS
29652	Delete Depreciation Type	D7i Extended - Equipment Depreciation - 12203 - link button	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40420	Delete Discount	EAM-81.WORK.REQ.DiscountsForContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
26437	Delete E-Mail Notification	D7i Extended - Email Notification Setup	BSMAIL	MESSANGER TRIGGER DEFINITION
48536	Delete EMRS Code	EAM.ADMN.REQ.EMRSCodes.docx	BSVMRS	VMRS CODES
38581	Delete Enterprise Location	Enterprise Locations	BSORGS	ORGANIZATIONS
24058	Delete Equipment	Infor EAM - link button to delete a piece of equipment from the PM Schedules tab	CSEQUP	ADDITIONAL EQUIPMENT
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
35576	Delete Equipment Usability	EWS.CCTR.UC.EquipmentUsabilityCodesForCallCenterSe	CSCCSP	CONTACT CENTER SETUP
44581	Delete Event	EAM-14696	OSESCH	RESERVATION CALENDAR
25940	Delete Exception	Infor EAM. Button text. Refer to EWS.WORK.UC.AvailabilityExceptionsforEmployees.	WSEMPs	EMPLOYEES
			WSFLCF	FLEET CONFIGURATION
42956	Delete Failure Mode	EAM-8479:EAM.EQUIP.REQ.FailureModesPopup	OSFAIL	FAILURE MODES POPUP
31185	Delete Field	Barcoding	FCSCRN	FLAMETHROWER SCREENS
		EAM-37081 - Fields Popup for Data Lake Upload Setu	BSDLUC	FIELDS POPUP
27822	Delete Fiscal Year	D7i Extended - Fiscal Year for Organizations form - Link Button - verb	BSORGS	ORGANIZATIONS
32407	Delete Fixed Charge	EWS.WORK.UC.FixedChargesforCustomerContract	WSAGRS	CUSTOMER CONTRACTS
42717	Delete Function	EAM.EQUIP.REQ.FunctionsPopup:EAM-8382	OSFUNS	FUNCTIONS POPUP
42722	Delete Functional Failure	EAM.EQUIP.REQ.FunctionalFailuresPopup:EAM-8383	OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNF	FUNCTIONAL FAILURES POPUP
38877	Delete Greenhouse Gas Emitted	EWS.MATL.UC.GreenhouseGasesforParts	SSPART	PARTS
29998	Delete Hierarchy Code	D7i Extended - Materials -	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29998	Delete Hierarchy Code	EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	SSH CST	PART CODE STRUCTURE
38207	Delete Hyperlink	EWS.BASE.UC.HyperlinkSetupPopup	BSHYPL	HYPERLINK SETUP
47974	Delete Inbound Document	Inbound Documents For Partner	DSPTNR	CREATE PARTNER
27336	Delete Inbox Entry	D7i Extended - Link button label used in the personalize inbox popup	BSIBXP	PERSONALIZE INBOX POPUP
			BSUSER	USER SETUP
26049	Delete Information	Extended (product name)	WSINFO	CREATE / EDIT PROPERTY INFORMATION
35006	Delete Instruction	4609	WSJBPL	JOB PLANS
			WSTASK	TASKS
29975	Delete Invoice Voucher Line	D7i Extended -- Lines tab, Invoices form -- Link Button Label	PSINVO	INVOICES
32475	Delete Item	EWS.BUD.UC.ItemsForBudgetGroups	USBGRP	BUDGET GROUPS
34880	Delete Job	EWS.DBPARTNER.UC.DatabridgePartnerJobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
27340	Delete KPI Entry	D7i Extended - link button label used in personalize KPIs popup	BSKPIP	PERSONALIZE KPI POPUP
			BSUSER	USER SETUP
41951	Delete LOTO Record	LOTOForEquipment	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
42764	Delete Labor Line	EAM-9309: Ability to create/update job plan labor	WSJBPL	JOB PLANS
			WSTASK	TASKS
32932	Delete Layer	EWS.CCTR.UC.LayersForServiceProblemCode.doc	CSSVPB	SERVICE PROBLEM CODES
39827	Delete Level	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
			OSRRLP	ADD / EDIT LEVELS POPUP
33402	Delete Line	EWS.EQUIP.UC.LinesforChangeNotice	OSCHNO	CHANGE NOTICES
44497	Delete Lock	EAM-14805	OSKEYM	KEY MANAGEMENT
42727	Delete Maintenance Pattern	MaintenancePatternsForEquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
21143	Delete Manufacturer	Infor EAM - link to delete the manufacturer record associated to the part record	SSPART	PARTS
36416	Delete Mapping	EWS.ADMN.UC.MSProjectPriorityMappings.doc	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
			RSPRIO	MS PROJECT PRIORITY MAPPINGS
25890	Delete Menu Item	Extended (product name). Link button label used in menus page. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSGROU	GROUPS
21131	Delete Meter	Infor EAM - link to delete a meter associated with a piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21131	Delete Meter	Infor EAM - link to delete a meter associated with a piece of equipment	OSOVP	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
47989	Delete Mobile Entity	EAM-37155 EAM.ADMN.REQ.MobileEntitiesSetup	BSMENS	MOBILE ENTITIES SETUP
46514	Delete Observation	EAM.EQUIP.REQ.ObservationsForNonconformities	OSNCHD	NONCONFORMITIES
39727	Delete Option	EAM.ADMN.UC.OptionsforOrganization	BSORGS	ORGANIZATIONS
33780	Delete Order Discount	EWS.PRCH.UC.OrderDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
48681	Delete Organization	Organizations for Delivery Address	BSDELA	Delivery addresses
41338	Delete Organization Level	EAM-1831:Report Organization Structure	BSOSTR	REPORT ORGANIZATION STRUCTURE
29634	Delete PM	D7i Extended - EWS.EQUIP.UC.PMSchedulesforEquipment - Link Button	OSECON	CREATE EQUIPMENT CONFIGURATION
		Label - user clicks to delete a preventive maintenance schedule from a piece of equipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVP	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
34060	Delete PM Activity	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSPMP	PM PLANS
26794	Delete Parameter	D7i Extended - Report Parameters - link button	BSALTP	ALERT TEXT PARAMETERS POPUP
			BSMAIP	E-MAIL PARAMETER POPUP
			BSREPO	CREATE / EDIT REPORTS
			REPORT	General Report Function
34883	Delete Parameter Line	ParametersPopupforDatabridgePartner.JobSchedules	DSJSPP	PARAMETERS POPUP
19941	Delete Part	button on Infor EAM form to delete an item from the record	OSWARR	WARRANTY
			PSCONT	PURCHASING CONTRACTS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPICK	PICK TICKETS
			SSPWCL	PART WARRANTY CLAIMS
			SSREQS	CREATE PURCHASE REQUISITION
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			WSDFAC	DEFERRED MAINTENANCE
33676	Delete Part Discount	PartDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
21805	Delete Part Line	Infor EAM - link button to delete a part line from a record	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSTASK	TASKS
41926	Delete Pending	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPRE	ELECTRONIC RECORDS FOR PERMISSIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41926	Delete Pending	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WHJOB	PRINT WORK ORDER
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZJOB	PRINT WORK ORDER
21164	Delete Permit	Infor EAM - link button to delete the permit association with the piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
43559	Delete Plan Labor	EAM-11195 : EAM.WORK.REQ.PlanLaborforWorkOrder	WSJOBS	CREATE WORK ORDER
22693	Delete Planned Part	Infor EAM - link button on the Parts tab of the Work Order form to delete the part planned for the work order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
41921	Delete Precaution	EAM-3113 :EAM.WORK.REQ.PrecautionsForHazards	WSHZRD	HAZARDS
25724	Delete Preference	Extended (product name). Hyperlink for removing an existing GIS preference.	BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21155	Delete Price	Infor EAM - link button that deletes a price record from the part record	SSPART WSJBPL WSTASK	PARTS JOB PLANS TASKS
21404	Delete Process	Infor EAM - button to remove the selected general ledger process from the schedule	DSGLPR DSGLPS	DATABRIDGE GL PROCESSES GL PROCESS SCHEDULES
24068	Delete Property	Infor EAM - link button to delete a property from the list. Property = real estate	BSSERQ WSDEBS	PROPERTIES CREATE CUSTOMER
38497	Delete Pump	EWS.WORK.UC.PumpsForDepots/36611	WSDEPO	DEPOTS
45563	Delete Purged Nonconformities	EAM.EQUIP.REQ.Nonconformities	OSNCFM OSNCHD	NONCONFORMITY OBSERVATIONS NONCONFORMITIES
44390	Delete Question	EAM- 14611	CSCSUR	CUSTOMER SURVEYS
45769	Delete Rank	EAM-19863 EAM.EQUIP.REQ.RanksforEquipmentRanking	OSRELR	EQUIPMENT RANKINGS
25064	Delete Rate	Extended (product name). Trade Rates form.	SSSUPP WSARRS WSEMPs WSFBLC WSFMRK WSSTCR WSTRAD	SUPPLIERS PRICING SCHEDULE EMPLOYEES FLEET BILLING CODES FLEET MARKUP CODES STANDARD CREWS TRADES
21137	Delete Reading	Infor EAM - link to delete the selected meter reading	OSAREA OSECON OSEQMR OSHPPY OSHPRM OSHPVH OSLREA OSMETE OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSPREA OSSREA WSJOBS WSJOVH WSJOVM	READING FOR ASSET CREATE EQUIPMENT CONFIGURATION METER READINGS FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT READING FOR LOCATION PHYSICAL METER CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT READING FOR POSITION READING FOR SYSTEM CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
28517	Delete Record	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	BANNER BSALRT BSDEPT BSFFSP BSJSDN CSEVTF CSSVPB ISMONT	BANNER ALERT MANAGEMENT SYSTEM DEPARTMENTS FILTER FIELD SETUP SCREEN COMMON FUNCTION FOR JAVASCRIPT CALL CENTER EVENT TYPE FILTER SERVICE PROBLEM CODES MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28517	Delete Record	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCSP	NONCONFORMITIESSETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRMXS	RISK MATRIX SETUP
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPROM	PURCHASING CONTRACT TEXT
			SSCOMP	NON-PO RECEIPTS
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSAARD	ASSET REPAIR DETAILS
			WSCREEN	CUSTOMER RENTALS
			WSDEPO	DEPOTS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			YSACCD	VIEW GL VALUES
22538	Delete Record (Ctrl+D)	Infor EAM - fly-over text for toolbar button	BANNER	BANNER
30408	Delete Reference	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - Delete = verb, Reference = noun	BSCLAS	CLASSES
			DSPTNR	CREATE PARTNER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40245	Delete Relationship	EAM.EQUIP.UC.ClosingCodeHierarchy	OSCLCH	CLOSING CODE HIERARCHY
43444	Delete Repair	EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder	WSJOBS	CREATE WORK ORDER
30254	Delete Repair Part	Infor EAM. This is the text for a link on the Repair Parts tab	WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30254	Delete Repair Part	of the Work Orders form. The word 'repair' is an adjective indicating the type of parts. User clicks this link to delete a part to repair from the work order.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
43070	Delete Report Parameter Mapping	EAM-10185 : DefineReportParameterMappingPopup	BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
45040	Delete Repository	EAM.ADMN.REQ.RepositoriesforEnterpriseSearchSetup	BSENS	ENTERPRISE SEARCH SETUP
22694	Delete Reservation	Infor EAM - link button on the Parts tab of the work order form to delete the part reserved for the work order.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
38567	Delete Resource	Resources tab on Equipment screens	WSJOVM	CREATE WORK ORDER
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
28473	Delete Result	D7i Extended -- Monitored Data form -- Link button on Results tab	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
35597	Delete Retrieved Value	EWS.ADMN.UC.RetrievedValuesforWebServicePrompt.doc	BSWSPM	WEB SERVICES PROMPT
30483	Delete Return Prompt	D7i Extended -- Return Prompts for DC Transaction Prompts -- Link Button, delete=verb, return=adjective, prompt=noun	TSASTP	DC TRANSACTION PROMPT
46052	Delete Route	EAM-24907 EAM.EQUIP.REQ.RoutesForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
41982	Delete Safety Record	EAM.WORK.REQ.SafetyForPMSchedule	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
21686	Delete Schedule	Infor EAM - link button to delete a work schedule from the schedule labor tab of the work order form	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21686	Delete Schedule	Infor EAM - link button to delete a work schedule from the schedule labor tab of the work order form	WSJOVM WSSCHD WSWLAS	CREATE WORK ORDER WORK ORDER SCHEDULE VIEW MODIFY ACTIVITY SCHEDULE
45959	Delete Segment	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
38546	Delete Selected Equipment	EWS.EQUIP.UC.EquipmentEquivalencyforEquipmentEvaluation	OSEVAL	EQUIPMENT EVALUATIONS
38537	Delete Selected Parts	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	SSEVAL	PART EVALUATIONS
48197	Delete Selected Records	EAM-40784: View Delete Dispatch Labor Popup	WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
39282	Delete Sequence	EAM.WORK.UC.SequencesforMP/38265	WSMPAT	MAINTENANCE PATTERNS
28611	Delete Service Line	D7i Extended - Text for link to delete a service - verb	PSBORD PSPORD PSRFQT SSREQU	CREATE EDIT BLANKET ORDERS PURCHASE ORDERS REQUESTS FOR QUOTATIONS REQUISITIONS
29670	Delete Standard	D7i Extended - EWS.WORK.UC.StandardsUsedForCalibration - link button	WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
34292	Delete Status	EWS.ADMN.UC.WorkSetup	BSSRES	STATUS REQUIREMENT SETTINGS POPUP
20956	Delete Stock	Infor EAM - button on the Stock tab that disassociates the selected stock records from the part.	SSPART	PARTS
36233	Delete Stockout	29217	SSSTOR	STORES
20845	Delete Store	Infor EAM - link button to delete the selected stores from the Stores for Parts tab	SSPART SSSTOR	PARTS STORES
32915	Delete Subscription	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
20868	Delete Supplier	Infor EAM - link button to delete the selected suppliers from the Suppliers for Parts tab	JSCUES SSIPVN SSPART	CU ESTIMATES 7I BUY VENDORS PARTS
44427	Delete Survey Answer	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSSURA	SURVEY ANSWERS POPUP
47906	Delete Table	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
38418	Delete Tank	EWS.WORK.UC.TanksForDepots/36610	WSDEPO	DEPOTS
44948	Delete Task	EAM-15258 Tasks for Case Management	CSCASE	CASE MANAGEMENT
39714	Delete Tax Code	EAM.MATL.UC.TaxesForStore	SSSTOR	STORES
28660	Delete Test Point	D7i Extended - Calibrations for Work Orders - verb - click on link to delete a test point	OSECON OSHFPY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WSJOBS WSJOVM	CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER
25796	Delete Tool	Extended (product name). Work Order Tools.	WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25796	Delete Tool	Extended (product name). Work Order Tools.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32719	Delete Tool Usage	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
36480	Delete Transfer Fee	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
25754	Delete Trigger	Extended (product name). Audit Setup form.	BSAUDC	AUDIT SETUP
		StatusChangeforIntegratedPlanningConfiguration	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
			CSCSUR	CUSTOMER SURVEYS
25061	Delete Type	Extended (product name). Employee Types form.	BSASET	ASSET SETUP
			BSPSET	PURCHASING SETUP
			BSWSET	WORK SETUP
			WSEMP	EMPLOYEES
42782	Delete URL Parameter	EAM.ADMN.REQ.DefineURLParameterPopup	BSURLP	DEFINE URL PARAMETERS
34460	Delete Units of Output	EWS EQUIP UC DepreciationforEquipment/26047	OSEQUO	UNITS OF OUTPUT
47451	Delete Unmatched Cost Line	EAM.PRCH.REQ.UnmatchedCostLinesforInvoiceVoucher.	PSINVO	INVOICES
		d		
30645	Delete User Code	D7i Extended -- System Codes form -- Link Button, delete=verb	BSUCOD	SYSTEM CODES
37502	Delete Utility Bill	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
25552	Delete Value	D7i Extended - Custom Fields form	BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSUDLV	UDF LOOKUP VALUES
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			OSRELN	NORMALIZE LEVEL POPUP
			SSTAXH	TAX RATES
32512	Delete WO Criteria	EWS.Work.UC.WOsAllowedforPricingSchedule	WSARRS	PRICING SCHEDULE
38720	Delete WO Type	37630	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
26047	Delete WOs	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT PROJECTS
			JSPROJ	
21173	Delete Warranty Coverage	Infor EAM - link button to remove a warranty coverage from a piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
13214	Delete record	Pull down menu item	M1	Pull-Down Menu Texts
		Tool Tip for Delete Record	M1	Pull-Down Menu Texts
48456	Delete?	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
16393	Deleted	Record has been deleted	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
		31312	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20499	Deleting the set of parameters will also clear the selection parameters. Continue?	Alert text on using the delete button on reports.	REPORT	General Report Function
30040	Delimiter	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - 'delimiter' is the separator the system should use when concatenating data	OSGGMP	GIS MAP DATA
40066	Delinquent Count	SCR 47562	WZDPML	DELINQUENT PM SUMMARY
40067	Delinquent Hours	SCR 47562	WZDPML	DELINQUENT PM SUMMARY
40065	Delinquent PM Summary	SCR 47562	WZDPML	DELINQUENT PM SUMMARY
34932	Deliver To Employee	4619 -PIR-Need more fields on the Pick List report	SY PICK	Pick List Print
			SZ PICK	Pick List Print
34931	Deliver To Supplier	4619 -PIR-Need more fields on the Pick List report	SY PICK	Pick List Print
			SZ PICK	Pick List Print
23897	Deliver to Employee	Infor EAM - see 16991 for current translation	BZ P ICD	ELECTRONIC RECORDS FOR PICK LISTS
			SS P ICK	PICK TICKETS
			WS P PTP	CREATE PICK TICKET POPUP
23896	Deliver to Supplier	Infor EAM - see 16990 for translation	BS LOVS	LIST OF LOOKUPS
			BZ P ICD	ELECTRONIC RECORDS FOR PICK LISTS
			SS P ICK	PICK TICKETS
			WS P PTP	CREATE PICK TICKET POPUP
33936	Delivery	EWS.DBADMIN.UC.DeliveryHistoryforMessageStatus	DS MSGS	VIEW MESSAGE STATUS
20103	Delivery Address	Infor EAM - The address (of the store) where the parts must be delivered.	BS DELA	Delivery addresses
			BS LOVS	LIST OF LOOKUPS
			BZ BL LD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZ OR DD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZ OR LD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZ P ICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZ Q UL D	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZ Q UOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZ REQ D	ELECTRONIC RECORDS FOR REQUISITIONS
			BZ RF LD	ELECTRONIC RECORDS FOR RFQ LINES
			BZ RF QD	ELECTRONIC RECORDS FOR RFQS
			BZ R Q LD	ELECTRONIC RECORDS FOR REQUISITION LINES
			PH OR DF	Print Purchase Order
			PS P ORD	PURCHASE ORDERS
			PS RF GP	GENERATE POS FOR RFQS
			PS RF QR	QUOTATIONS
			PS RF QT	REQUESTS FOR QUOTATIONS
			PY BP OL	BLANKET ORDER LIST
			PY OR DF	Print Purchase Order
			PZ BP OL	BLANKET ORDER LIST
			PZ ON OL	Approved Order Awaiting Delivery
			PZ OR DF	Print Purchase Order
			SH REQ F	Print Purchase Requisition
			SS ARE Q	VIEW/APPROVE PURCHASE REQUISITION
			SS AS GN	GENERATE POS
			SS GR FQ	GENERATE RFQS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20103	Delivery Address	Infor EAM - The address (of the store) where the parts must be delivered.	SSPICK	PICK TICKETS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			SY PICK	Pick List Print
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SZ PICK	Pick List Print
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			WSPPTP	CREATE PICK TICKET POPUP
			BSDELA	Delivery addresses
24037	Delivery Address Details	Infor EAM - group header on the delivery address form	BSLOVS	LIST OF LOOKUPS
26559	Delivery Addresses	D7i Extended - Name of the lookup showing all delivery addresses		
36933	Delivery Date	EWS.PRCH.UC.SelectionforRFQs	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFSQ	REQUEST FOR QUOTATION SUMMARY
31312	Delivery Days Early for Part Class	Datawarehouse - Analytics variable that reports the number of days early a delivery is for a part class	BSWHSE	DATA WAREHOUSE
31311	Delivery Days Late for Part Class	Datawarehouse - Analytics variable that reports the number of days a delivery is late for a part class	BSWHSE	DATA WAREHOUSE
33234	Delivery Details	15880	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			DSMSGF	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGF	VIEW MESSAGE STATUS
29378	Delivery Due Date	D7i Extended -- EWS.MATL.UC.RequisitionsforPart.doc -- Field Label, noun	OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSPART	PARTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31042	Delivery Due Dates Before	D7i Extended - Approved Orders Awaiting Delivery report	PZONOL	Approved Order Awaiting Delivery
31313	Delivery Lead Time	Datawarehouse - Analytics variable the reports the amount of time it takes for delivery	BSWHSE	DATA WAREHOUSE
27292	Delivery Maximum Retries	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
35351	Delivery Method	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
27305	Delivery Method to Databridge Server	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
27298	Delivery Method to Partner Server	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
34246	Delivery Qty. (UOD)	Packing Slip For PO Receipts	SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSRECV	PO RECEIPTS
32981	Delivery Status	EWS.DBADMIN.UC.ViewMessageStatus	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition		Used in Functions	
				Code	Description
32981	Delivery Status	EWS.DBADMIN.UC.ViewMessageStatus			
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY	
			BYMSSS	MESSAGE STATUS SUMMARY	
			BYMSST	MESSAGE STATUS	
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY	
			BZMSSS	MESSAGE STATUS SUMMARY	
			BZMSST	MESSAGE STATUS	
			DSMSBH	VIEW MESSAGES	
			DSMSGR	DATABRIDGE RELATED MESSAGE RECORD POPUP	
32984	Delivery Status Info	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGGS	VIEW MESSAGE STATUS	
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY	
			BYMSSS	MESSAGE STATUS SUMMARY	
			BYMSST	MESSAGE STATUS	
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY	
			BZMSSS	MESSAGE STATUS SUMMARY	
			BZMSST	MESSAGE STATUS	
			DSMSBH	VIEW MESSAGES	
			DSMSGGS	VIEW MESSAGE STATUS	
12226	Delivery address	The address (of the store) where the parts must be delivered.	PTORDF	Print Purchase Order	
			SSRQLL	REQUISITION LINE	
			STREQF	Print Purchase Requisition	
			STREQL	List Of Outstanding Requisition Items	
41573	Delta Average > 5%	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL001	POWER FACTOR
41535	Delta Average PF	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL001	POWER FACTOR
43293	Delta Expire Days	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-10426	BAL008	WARRANTY EXPIRATION DATE ALERT
43317	Delta Expire Usage	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-10426	BAL009	WARRANTY EXPIRATION USAGE ALERT
41537	Delta Maximum PF	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL001	POWER FACTOR
41536	Delta Minimum PF	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL001	POWER FACTOR
43294	Delta Threshold Days	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-10426	BAL008	WARRANTY EXPIRATION DATE ALERT
43318	Delta Threshold Usage	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-10426	BAL009	WARRANTY EXPIRATION USAGE ALERT
12071	Demand	The monthly demand for a part.		SSPART	PARTS
41574	Demand > 90% of Peak	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL002	PEAK DEMAND
41540	Demand Date	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL002	PEAK DEMAND
41582	Demand Difference	EAM- 2229 EAM.PRCH.REQ.UtilityAuditForInvoiceVouch		PSINVO	INVOICES
12199	Department	A specific maintenance department or group.	BCMRCS		CROSSBOW DEPARTMENT LIST
			BCUSER		CROSSBOW USER LIST
			BHUSRL		USERS GROUP CONFIGURATION
			BICTRL		BI CONTROLLER REPORT
			BSDEPT		DEPARTMENTS
			BSDOCA		DOCUMENTS
			BSGROU		GROUPS
			BSGRPU		USERS PER GROUP
			BSIMUS		IMPORT USERS
			BSMPPR		MP2 PURCHASING
			BSMPWO		MP2 WORK ORDERS
			BSMPWR		MP2 WORK REQUESTS
			BSMTRL		E-MAIL RECIPIENTS
			BSORGS		ORGANIZATIONS
			BSROLE		LDAP ROLES SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	BSSTRT	EWS NEW START CENTER
			BSUSER	USER SETUP
			BSUSRP	USERS
			BTUSRL	USERS PER GROUP
			BYUSRL	USERS GROUP CONFIGURATION
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZGDPU	GDPR COMPLIANCE - USER
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSRAPD	RAPID REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CYCCTR	CALL CENTER WO REPORT
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZTCCR	TOP 10 SERVICE REQUESTS
			DSPTNR	CREATE PARTNER
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			ISAPRF	APPROVE INSPECTION RESULTS
			ISMONT	MONITORED DATA
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPROJ	PROJECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	LVRCP	EMAIL RECIPIENTS LOOKUP
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OHOCST	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCNAP	CREATE NEW ASSETS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPM	PM SCHEDULES
			OSEQPP	EQUIPMENT LOOKUP
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			OTCAEQ	CALIBRATION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	OTCAHI	CALIBRATION HISTORY REPORT
			OTCSTL	WORK ORDER COST SUMMARY
			OTOBJL	List Of Objects
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQPL	EQUIPMENT PLANNING
			OZEQUD	EQUIPMENT DETAIL
			OZMHST	METER HISTORY
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZPAIL	PRINT ASSET INVENTORY LIST
			OZPROF	EQUIPMENT PROFILE
			OZRCME	RCM EQUIPMENT AT RISK
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZTRAS	EQUIPMENT TRANSFER LOG
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PSOBSJ	ASSETS FOR PO
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSCOMP	NON-PO RECEIPTS
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
			TSPROF	PROFILES
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	USINVP	INVESTMENT PLANNING
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCPERS	CROSSBOW EMPLOYEE LIST
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPPLY
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSAVAC	CALCULATE AVAILABILITY
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCTMP	CONTRACT TEMPLATES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFREZ	FREEZE/UNFREEZE POPUP
			WSGISD	MAP VIEW
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMs	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSCHD	WORK ORDER SCHEDULE
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKPK	PM WORK PACKAGES
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBf	Job Cards
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WTSPER	Shift Personnel
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	WYHREL	Actual Labour Hours Against Estimated
			WYHRIL	HOURS NEEDED FOR TASKS
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYSPER	Shift Personnel
			WYTOCO	TOOL USAGE
			WYTRDS	DAILY TRADE SCHEDULE
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
			WZBLOG	Work Backlog
			WZBOOL	Allocations Per Employee
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZCTRC	SERVICE REQUESTS CHART
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZHRIL	HOURS NEEDED FOR TASKS
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZJOBF	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	A specific maintenance department or group.	WZJOB	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZOSRQ	OPEN SERVICE REQUESTS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPFMC	FUTURE MAINTENANCE COST
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZPMCP	PM COMPLAINT
			WZPMMD	PRINT METER BASED PM DUE
			WZPMSP	PM SCHEDULE PROFILE
			WZPMTL	OUT OF TOLERANCE PM
			WZPTWR	PRINT PERMIT TO WORK
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSPER	Shift Personnel
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTOCO	TOOL USAGE
			WZTRDS	DAILY TRADE SCHEDULE
			WZVMRS	VMRS ACTIVITIES CHART
			WZWFCM	FUTURE MAINTENANCE COSTS
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
			YSACCD	VIEW GL VALUES
		Crossbow	BCMOBL	71 MOBILE BOILER TEXT
			BZEQDL	EQUIPMENT LIST - DETAIL
			TCESYP	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12199	Department	Crossbow	TCJALL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
22456	Department Changes	Infor EAM - name of dataspy	OSVEVT	EVENTS FOR EQUIPMENT
23240	Department Class Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23241	Department Class Description		BSWHSE	DATA WAREHOUSE
23738	Department Class Organization Code		BSWHSE	DATA WAREHOUSE
23238	Department Code		BSGROU	GROUPS
44256	Department Desc	EAM-14486 :Android Tablet - Support localization	BSWHSE	DATA WAREHOUSE
			BCMOBL	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
			OSKEYM	KEY MANAGEMENT
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSEMPs	EMPLOYEES
			WSGISD	MAP VIEW
			WSJOBS	CREATE WORK ORDER
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
WZQEXP	QUALIFICATION EXPIRATION REPORT			
24085	Department Details	Infor EAM - group header on the department form	BSDEPT	DEPARTMENTS
32739	Department Group	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			BSLOVS	LIST OF LOOKUPS
32740	Department Groups	EWS.BUD.UC.DetailsForBudgets	BAL011	WORK ORDER STATUS ESCALATION
43753	Department Match	EAM.ADMN.SCOPE.PreConfiguredAlerts	BSUSER	USER SETUP
32507	Department Org.	EWS.Work.UC.WOsAllowedforPricingSchedule	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32507	Department Org.	EWS.Work.UC.WOsAllowedforPricingSchedule	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSARRS	PRICING SCHEDULE
36229	Department Security	EWS.ADMN.UC.DepartmentSecurityforUserGroups	BEUSDS	DEPARTMENT SECURITY FOR USER
			BSUSER	USER SETUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
36228	Department Security Details	EWS.ADMN.UC.DepartmentSecurityforUserGroups	WSJOVM	CREATE WORK ORDER
			BSUSER	USER SETUP
33339	Department Structure	EWS.EQUIP.UC.StructureForDepartment	BSDEPT	DEPARTMENTS
			CSCCSP	CONTACT CENTER SETUP
25902	Departments	Extended (product name). This is the title of the 'Departments' popup displayed when you click the LOV for the Department field on the Tools tab of the Work Orders form. Refer to PVCS 5312.	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSDTCV	DATA CONVERSION (MP2)
			BSEXAL	EXPORT BASE CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
12072	Dependent	Data warehouse Dimension table name. For objects: an object is dependent when its location is always the same as its parent location. So if the parent is moved, the child moves too. For jobs: a parent job can only be reported completed when all its dependent sub-jobs are completed.	BSVSDP	VIEW STATUS DETAILS POPUP
			BSWHSE	DATA WAREHOUSE
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			JSCAMP	CAMPAIGN
			OSEQGN	EQUIPMENT GENERATION
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSJOBS	CREATE WORK ORDER
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZOBJF	LIST OF EQUIPMENT DETAILS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
CSCCGM	CONTACT CENTER MAP SEARCH			
OSECON	CREATE EQUIPMENT CONFIGURATION			
OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH			
OSEQPP	EQUIPMENT LOOKUP			
OSGISR	GIS MAP SEARCH			
OSGISS	GIS MAP SEARCH (OLD)			
OSHPFY	CREATE HOSPITALITY FACILITIES			
OSHPRM	CREATE HOSPITALITY ROOMS			
OSOBJC	CREATE ASSET CATEGORY			
OSOBJP	CREATE POSITION EQUIPMENT			
OSOBJS	CREATE SYSTEM EQUIPMENT			
OSOVPM	CREATE POSITION EQUIPMENT			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12072	Dependent	D7i Extended - Grid - Dependent	OSSTRP	VIEW PARENT EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			WZWOLM	WORK ORDER LIST - DETAIL
			BCMOBL	7I MOBILE BOILER TEXT
			BEWSMD	EWS - METADATA DEFINITION
			BSGRID	GRID DESIGNER
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZEQDL	EQUIPMENT LIST - DETAIL
41078	Dependent on Parent Asset	EAM-654	OSSTAT	EQUIPMENT OPERATIONAL STATUS
43553	Dependent on Position	11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
47660	Depending on the selected Record Type, the system will select all nonconformities or nonconformity observations of the work order and will update the status of these records with the selected To Status.	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
45684	Depending on the selected Record Type, the system will select all nonconformities or nonconformity observations of the work order with a status equal to the selected From Status and will update the status of these records with the selected To Status.	EAM-19989 : EAM.WORK.REQ.NonconformitiesStatusUpda	BCMOBL	7I MOBILE BOILER TEXT
			WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
38280	Depot	EWS.WORK.UC.CreateEditDepots	BSDOCA	DOCUMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38280	Depot	EWS.WORK.UC.CreateEditDepots	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSDEPO	DEPOTS
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
38313	Depot Details	EWS.WORK.UC.CreateEditDepots/36537	WSDEPO	DEPOTS
38466	Depot Org.	EWS.EQUIP.UC.EquipmentFuelCosts / 37012	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSFUEL	FUEL
38377	Depot/Tank	EWS.WORK.UC.DepotTankForFuel	BSLOVS	LIST OF LOOKUPS
38322	Depots	EWS.WORK.UC.CreateEditDepots	OSCPN	COPY CONFIGURATION POPUP
24243	Depreciation	New tab on OMOBJC displaying the depreciation schedule	OSDPDT	DEPRECIATION DETAILS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSDPDT	DEPRECIATION DETAILS
			OSECON	CREATE EQUIPMENT CONFIGURATION
29650	Depreciation (Period To Date)	D7i Extended - Equipment Depreciation - 12203 - Depreciation for current period	OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29650	Depreciation (Period To Date)	D7i Extended - Equipment Depreciation - 12203 - Depreciation for current period	OSOVS	CREATE SYSTEM EQUIPMENT
29648	Depreciation (To Date)	D7i Extended - Equipment Depreciation - 12203	OSDPDT	DEPRECIATION DETAILS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
43003	Depreciation Category	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
29656	Depreciation Details	D7i Extended - Equipment Depreciation - 12203 - Section Label	OSDPDT	DEPRECIATION DETAILS
32354	Depreciation Expense	EWS.CREP.UC.EquipmentDepreciation.doc	OZDEPR	EQUIPMENT DEPRECIATION
29644	Depreciation Method	D7i Extended - Equipment Depreciation - 12203 - field label	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
25797	Depreciation Type	Extended (product name). Organization form. Indicates the depreciation type for the organization.	BSORGS	ORGANIZATIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25797	Depreciation Type	Extended (product name). Organization form. Indicates the depreciation type for the organization.	OSOVAM OSOVPM OSOVSM OZDEPR	CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT DEPRECIATION
29782	Depreciation Type Details	D7i Extended - Equipment - EWS.EQUIP.UC.DepreciationforEquipment	OSECON OSEQDP OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE EQUIPMENT CONFIGURATION DEPRECIATION TYPE FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
32362	Depreciation Types	EWS.CREP.UC.EquipmentDepreciation.doc	BSLOVS OZDEPR	LIST OF LOOKUPS EQUIPMENT DEPRECIATION
44384	Depreciation already existed for the equipment. Generation step skipped.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
24817	Dept	Crossbow	TCJBKL TCJCLR TCJEQR TCJOBR TCMRTP TCOBJR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
31882	Dept.	D7i Extended - List Of Points To Be Inspected Report EWS.CREP.UC.ScheduledActualDetail - Scheduled Actual Detail report	ITLAPF IYLAPF IZLAPF UYBDEL UZBDEL WYSCHD WZSCHD	List Of Points To Be Inspected List Of Points To Be Inspected List Of Points To Be Inspected BUDGET POSITION DETAILS BUDGET POSITION DETAILS SCHEDULED / ACTUAL DETAIL Scheduled / Actual Detail
24818	Desc	Crossbow	TCDOCL TCDOCR TCDPRN TCIOBR TCIWIR TCJAPR TCJCLR TCJOBR TCMRTP TCOBJR TCOMRD TCOMRP TCPRRP	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
15247	Descending	This is a viewing option when sorting records...descending means 'Z' to 'A'.	BCMOBL BSJSDN FCSCRN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT FLAMETHROWER SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	ASCACH	ANALYTICS VARIABLES CACHE
			ASOBJA	ANALYTICS ASSET LIST
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BAL016	WORK ORDER GENERATION - PM SCHEDULES
			BAL018	WORK ORDER GENERATION - MPS
			BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			BCCLAS	CROSSBOW CLASS LIST
			BCCSTC	CROSSBOW COSTCODE LIST
			BCINST	CROSSBOW INST PARAM LIST
			BCMRCs	CROSSBOW DEPARTMENT LIST
			BCORGS	MOBILE USER ORG LIST
			BCUCOD	CORSSBOW UCODE LIST
			BCUOMS	CROSSBOW UOM LIST
			BHDOCL	List Of Documents
			BHFUNL	List Of Functions
			BHKIUR	KPI/INBOX USAGE
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BHUCOL	List Of R5 Codes
			BHUSRL	USERS GROUP CONFIGURATION
			BHVIOL	List Of Violations
			BMOPSV	OPS PACKAGE
			BSACRP	ADD CUSTOM REPORT POPUP (USED IN MENUS TAB)
			BSAFMP	ADDITIONAL FIELD MAPPING POPUP
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSAUDC	AUDIT SETUP
			BSAUTH	STATUS AUTHORIZATION
			BSBGLT	BUILDING LAYOUT FOR START CENTER
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSDELA	Delivery addresses
			BSDEPT	DEPARTMENTS
			BSDEVS	PRINTERS
			BSDOCA	DOCUMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSDTCV	DATA CONVERSION (MP2)
			BSDUXD	DUX SCREEN DESIGNER
			BSENSs	ENTERPRISE SEARCH SETUP
			BSEREC	ELECTRONIC RECORD SETUP
			BSESGN	EWS - ESIGNATURE POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLCP	SELECT CLASSES
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSGRPU	USERS PER GROUP
			BSIMPT	IMPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSINST	INSTALL CODES
			BSJOBS	JOB SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSKPIP	PERSONALIZE KPI POPUP
			BSLANG	LANGUAGES
			BSLGTK	LANGUAGE TOOLKIT
			BSLOCL	LOCALE
			BSMDEV	MOBILE DEVICES
			BSMENS	MOBILE ENTITIES SETUP
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSMOST	MULTI-ORG SECURITY
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSMTMP	E-MAIL TEMPLATES
			BSOATT	ANALYTICS ATTRIBUTES
			BSORGS	ORGANIZATIONS
			BSOSTR	REPORT ORGANIZATION STRUCTURE
			BSOSYM	ANALYTICS SYMBOLS
			BSOUNI	ANALYTICS UNITS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPAWU	WHERE USED POPUP IN PART ASSOCIATED
			BSPROM	Custom Attributes
			BSQUER	QUERIES
			BSREPO	CREATE / EDIT REPORTS
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
			BSSTRT	EWS NEW START CENTER
			BSTOPO	ADD TOP LEVEL ORGANIZATION
			BSUCOD	SYSTEM CODES
			BSUDLV	UDF LOOKUP VALUES
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVIEW	VIEWS
			BSVMRS	VMRS CODES
			BTDACL	List Of Documents
			BYDOCL	List Of Documents
			BYFUNL	LIST OF FUNCTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	BYSIGN	LIST OF ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BYUCOL	List Of R5 Codes
			BYUSRL	USERS GROUP CONFIGURATION
			BYVIOL	List Of Violations
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCHKA	CHECKLIST AUDIT
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDOCL	List Of Documents
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZFUNL	List Of Functions
			BZGDPU	GDPR COMPLIANCE - USER
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZKIUR	KPI/INBOX USAGE
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTMPR	LIST OF TAMPERED RECORDS
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			BZUCOL	List Of R5 Codes
			BZUSRL	USERS GROUP CONFIGURATION
			BZVIOL	List Of Violations
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			CMPROM	Contract Text Prompts
			CSCASE	CASE MANAGEMENT
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSURA	SURVEY ANSWERS POPUP
			CSSVPB	SERVICE PROBLEM CODES
			CYCONF	Print Contract
			CYCOTL	PRINT CONTRACT CLASSES
			CZCASE	CASE MANAGEMENT REPORT
			CZCONF	Print Contract
			CZCOTL	PRINT CONTRACT CLASSES
			CZSURR	CUSTOMER SURVEY RESULTS
			CZUSGF	Discount Request Based On Usage
			DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			DSMSGs	VIEW MESSAGE STATUS
			DSPTNR	CREATE PARTNER
			FCGRD2	FLAMETHROWER GRID 2
			FCSCRN	FLAMETHROWER SCREENS
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFOMP	EDIT PARAMETER POP-UP
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			ISPNTP	POINT TYPES
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			JCPROJ	CROSSBOW PROJ LIST
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			LVCURR	CURRENCY LOOKUP
			LVGRID	COMMON LOOKUP FOR GRID FILTERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	LVSUPR	SUPERVISOR LOOKUP
			OCACCO	CROSSBOW ACTION CODE LIST
			OCCACO	CROSSBOW CAUSE CODE LIST
			OCFACO	CROSSBOW FAILURE CODE LIST
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OCRECO	CROSSBOW PROBLEM CODE LIST
			OCUSGD	CROSSBOW METER USAGE DEF LIST
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OHOCST	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSPCPN	COPY CONFIGURATION POPUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQPM	PM SCHEDULES
			OSEQPP	EQUIPMENT LOOKUP
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR
			OSFAIL	FAILURE MODES POPUP
			OSFUND	FUNDING
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSLREA	READING FOR LOCATION
			OSLRFS	LINEAR REFERENCE POPUP
			OSMETE	PHYSICAL METER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJTV	OBJECTIVES
			OSOCAP	ASSET CLASS OPERATIONAL CAPACITY
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVIW	EQUIPMENT OVERVIEW 360
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSPREA	READING FOR POSITION
			OSRCMT	RCM TEMPLATES
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELQ	ORDER QUESTIONS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSROUT	ROUTES
			OSRRFP	ADD / EDIT FORMULA POPUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSREA	READING FOR SYSTEM
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OTCLSL	Overview Of Classifications
			OTOBJL	List Of Objects
			OYCLSL	Overview Of Classifications
			OZAESD	ANNUAL ENERGY USE
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
			OZCLAI	WARRANTY CLAIM REPORT
			OZCLSL	Overview Of Classifications

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDCUR	DECAY CURVE CHART
			OZDEPR	EQUIPMENT DEPRECIATION
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEQPL	EQUIPMENT PLANNING
			OZFLTG	Fault Trend Analysis
			OZHISL	Object History
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOCST	Job Costing By Object Cost
			OZOEEM	OEE METRICS
			OZONCF	NONCONFORMITIES ANALYSIS
			OZPAIL	PRINT ASSET INVENTORY LIST
			OZRCML	RCM RISK LEVELS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZRING	RING LIST-DETAIL
			OZRMSO	RISK MATRIX OVERVIEW
			OZTBRK	TOP 10 BREAKDOWN
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PHHISL	Purchase History
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSOBSJ	ASSETS FOR PO
			PSORDT	PURCHASE ORDER TERMS
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PYPOCS	PO COST SUMMARY
			PZHISL	Purchase History
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SCPART	CROSSBOW PART LIST
			SCSTOR	CROSSBOW STORE LIST
			SSASGN	GENERATE POS
			SSBINL	BIN LOOKUP
			SSBUKT	BUILD KITS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSGHGS	GREENHOUSE GASES
			SSGRFQ	GENERATE RFQS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSHX	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPINV	PHYSICAL INVENTORY
			SSPTPD	PART DETAILS POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			STPICK	Pick List Print
			SYCONS	Consignment Activity
			SYINST	INVENTORY STANDARD
			SYPICK	Pick List Print
			SYPOLD	Part-Wise History Of Stock Issuals
			SYRCVF	GOODS RECEIVED NOTE
			SYREQL	List Of Outstanding Requisition Items
			SYRETN	LIST OF RETURNS
			SYSTOL	Stock List
			SYUSTL	MONTHLY USAGE TRENDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	SZCONS	Consignment Activity
			SZEKIT	LIST OF EXPIRED KITS
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZPICK	Pick List Print
			SZPOLD	Part-Wise History Of Stock Issuals
			SZRCVF	Goods Received Note
			SZREQL	List Of Outstanding Requisition Items
			SZRETN	LIST OF RETURNS
			SZSTOL	Stock List
			SZUSTL	MONTHLY USAGE TRENDS
			TCDPRN	7I MOBILE BOILER TEXT
			TSASTP	DC TRANSACTION PROMPT
			TSPROF	PROFILES
			TSTRAN	PROMPT MACHINE
			USBGRP	BUDGET GROUPS
			USBUDG	BUDGETS
			USCPBP	COPY BUDGETPOPUP
			USINVP	INVESTMENT PLANNING
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBUCL	LIST OF BUDGET CODES REPORT
			UYBURL	LIST OF BUDGETS (TOP LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBUCL	LIST OF BUDGET CODES REPORT
			UZBURL	LIST OF BUDGETS (TOP LEVEL)
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCPERM	CROSSBOW WO PERMIT LIST
			WCSTWO	CROSSBOW STANDARD WO LIST
			WCTASK	CROSSBOW TASK LIST
			WCTRAD	CROSSBOW TRADE LIST
			WHACTV	VMRS ACTIVITIES
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSADJU	ADJUSTMENT
			WSAPPL	APPROVAL LISTS
			WSAPPR	REVISION CONTROL APPROVAL
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSATCP	CHECKLIST POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBWOG	GENERATE/RELEASE WOS
			WSCALP	ADD EDIT CALLER
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCRWP	CREATE/EDIT CREW POPUP
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFCUS	FLEET CUSTOMERS
			WSFISS	FUEL ISSUES
			WSFMRK	FLEET MARKUP CODES
			WSFREC	FUEL RECEIPTS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSGIMP	VIEW GIS MAP POPUP
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSILPO	ISOLATION POINTS
			WSIMPL	IMPORT PART LIST
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVP	GENERATE INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMACP	COPY MATERIAL LIST POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPFWM	PM FORECASTING WARNING
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMPL	PM FORECASTING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSQUAL	QUALIFICATION
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSHIF	SHIFTS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALA	CALIBRATION ANALYSIS
			WTJOB	Job Cards
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WTSCHA	Scheduled Activities
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOB	PRINT WORK ORDER
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCALA	CALIBRATION ANALYSIS
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZDPML	DELINQUENT PM SUMMARY
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZGDCL	GDPR COMPLIANCE - CALLER
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZINVS	CUSTOMER INVOICE REPORT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZOSRQ	OPEN SERVICE REQUESTS
			WZPFAR	PART FAILURES REPORT
			WZPMDO	PM DUE OVERVIEW
			WZPMSP	PM SCHEDULE PROFILE
			WZPTWR	PRINT PERMIT TO WORK
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZSUPI	GDPR COMPLIANCE - SUPERVISOR
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZVBIL	VEHICLE BILLING REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSGLRF	GL REFERENCES
			YSPRCD	GL PROCESS DEFINITIONS
		45 characters of free format text.	BEWSMD	EWS - METADATA DEFINITION
			BHDDAN	DEGREE DAY ANALYSIS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	BSBOIL	GLOBAL TEXT CHANGES
			BSCSTC	COST CODE
			BSDELA	Delivery addresses
			BSEXIM	EXPORT CONFIGURATION
			BSGRID	GRID DESIGNER
			BSHYPL	HYPERLINK SETUP
			BSIBXP	PERSONALIZE INBOX POPUP
			BSLOVS	LIST OF LOOKUPS
			BSPAAP	ALTERNATE PART POPUP IN PART ASSOCIATED
			BSREGN	CREATE EDIT REGIONS
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BSUSER	USER SETUP
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSEQUP	ADDITIONAL EQUIPMENT
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			DSSTSK	DATABRIDGE SCHEDULED TASKS
			FCGRD1	FLAMETHROWER GRID 1
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSENSS	ENERGY STAR SETUP
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSKECP	COPY KEY POPUP
			OSMETE	PHYSICAL METER
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OZPRDC	RELIABILITY CALCULATIONS
			OZPROF	EQUIPMENT PROFILE
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PSBORD	CREATE EDIT BLANKET ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PZQUOS	QUOTATION SUMMARY
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSBSTK	STOCK ON STORES
			SSCURR	CURRENCIES
			SSHCST	PART CODE STRUCTURE
			SSIPVN	7I BUY VENDORS
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIUSS	STORE TO STORE ISSUES
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSCR	SCRAP PART
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			SSVREQ	VIEW PURCHASE STATUS
			SYRETF	PRINT GOODS RETURN NOTE
			SZRETF	Print Goods Return Note
			USBSTR	BUDGET STRUCTURE
			USCALE	BUDGET CALENDAR TYPES
			USYEAR	BUDGET TERMS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			WHJOB	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCLSR	CLOSE SERVICE REQUEST
			WSCPTW	COPY REPLACE PTW POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	45 characters of free format text.	WSCRWP	CREATE/EDIT CREW POPUP
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINST	VIEW LOOP INSTRUMENTS POPUP
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOCp	CREATE STANDARD WO POPUP
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPMTW	PERMIT TO WORK
			WSPpMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSROUT	ROUTES
			WSSREQ	SERVICE REQUESTS
			WSTASK	TASKS
			WSWOBU	BATCH WORK ORDER UPDATE
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WTJOBL	Labour Hours For Jobs
			WTPERF	Permits For Jobs
			WYJOBf	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCTRC	SERVICE REQUESTS CHART
			WZDTTL	DOWNTIME TRACKING
			WZERRF	EXPIRED WARRANTIES
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZJOBf	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZPERF	Permits For Jobs
			WZWOLG	PRINT WO LONG
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	Crossbow	TCDOCL	7I MOBILE BOILER TEXT
			TCDOCR	7I MOBILE BOILER TEXT
			TCELRC	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
			TCIWOL	7I MOBILE BOILER TEXT
			TCJAPL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCLI	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TCOMRL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
		Extended (product name). Description of the Infor EAM Profile that is being associated with a GIS mapping layer.	BSASET	ASSET SETUP
			BSCWSP	COPY WEB SERVICE PROMPT POPUP
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BSPSET	PURCHASING SETUP
			BSROLE	LDAP ROLES SETUP
			BSRPST	REPORT STATUS
			BSSMEN	ADD MAIN MENU FOLDER POPUP
			BSSPMR	MP2 SPM READINGS
			BSWSET	WORK SETUP
			BSWSPM	WEB SERVICES PROMPT
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			CSCCSP	CONTACT CENTER SETUP
			CSCCLGP	CALENDAR GROUPS
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			ESGSET	GENERAL SETTINGS
			ISAPRF	APPROVE INSPECTION RESULTS
			ISFIND	FINDINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	Extended (product name). Description of the Infor EAM Profile that is being associated with a GIS mapping layer.	ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			JSCAMP	CAMPAIGN
			JSSHUT	SHUTDOWNS
			OSAINV	ASSET INVENTORY
			OSAIRP	SELECT ASSETS
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSCNAP	CREATE NEW ASSETS
			OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			OSRCMT	RCM TEMPLATES
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZRELS	PRINT RELIABILITY SURVEY
			PSCONT	PURCHASING CONTRACTS
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSABCA	GENERATE ABC ANALYSIS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSEOQA	CALCULATE EOQ
			SSEVAL	PART EVALUATIONS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPINV	PHYSICAL INVENTORY
			SSPRCC	STORE GROUPS
			SSRECV	PO RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SYTRAL	Printed List Of Stock Transactions
			SZSOUT	PART STOCKOUTS
			SZTRAL	Printed List Of Stock Transactions
			USBUDG	BUDGETS
			WHWEMP	WORK BY EMPLOYEE
			WSAGRS	CUSTOMER CONTRACTS
			WSCHST	CHANGE WO STATUS POPUP
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSFBIL	FLEET BILLS
			WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11911	Description	Extended (product name). Description of the Infor EAM Profile that is being associated with a GIS mapping layer.	WSFUEL	FUEL
			WSJOBS	CREATE WORK ORDER
			WSJOIN	CREATE INVOICE FOR WO
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMOVE	MOVE PM ACTIVITY
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPPMP	PM PLANS
			WSSCHD	WORK ORDER SCHEDULE
			WSSTWO	STANDARD WOS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOLL	Job List
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYJOLL	Job List
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZJOLL	Job List
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMCC	PM REPAIR COSTS CHART
			WZPMCP	PM COMPLAINT
			WZPPMQ	LIST OF PM SCHEDULES
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZSJOB	SAFETY WORK ORDER REPORT
			WZWEMP	WORK BY EMPLOYEE
		EAM-47419	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			OZRHIS	RANKING HISTORY CHART
			REPORT	General Report Function
			WSGISD	MAP VIEW
			OSEVAL	EQUIPMENT EVALUATIONS
38650	Description (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSOBJA	CREATE ASSET EQUIPMENT
45028	Description (Not Translated)	EAM.EQUIP.REQ.EquipmentLookup EAM-14817	CSCINF	CONTACT INFO
29851	Description (Translated)	Extended (product name); Label for the multilingual description on the equipment LOV on work order.	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSGISR	GIS MAP SEARCH
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29851	Description (Translated)	Extended (product name); Label for the multilingual description on the equipment LOV on work order.	WSWKPK WSWREQ	PM WORK PACKAGES WORK REQUEST
45408	Description Label	EAM.ADMN.REQ.IONPulseforAlerts EAM-337	BSALRT	ALERT MANAGEMENT SYSTEM
43179	Description Segment 1	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
43180	Description Segment 2	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
44939	Description Type	EAM-14830	CSCSUR	CUSTOMER SURVEYS
31562	Description of Conflict	EWS.CREP.UC.ElectronicRecords	BZEVD	ELECTRONIC RECORDS FOR EVENTS
49674	Description of problem	EAM-48480/EAM.CCTR.REQ.RapidRequest.docx	CSRAPD	RAPID REQUEST
13978	Description/prompt	Prompt/Description is the boiler text for a scanner transaction.	TSASTP	DC TRANSACTION PROMPT
27602	Design	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
28435	Design Code	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
37945	Design Consumption	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OEODCD OSHFPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OYCORD OZCORD	DESIGN CONSUMPTION FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CO2 ANALYSIS CO2 ANALYSIS
37946	Design Consumption Details	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSHFPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
37941	Design Consumption Rate UOM	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSHFPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
38456	Design Consumption Rate UOM-1	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38457	Design Consumption Rate UOM-2	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38458	Design Consumption Rate UOM-3	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38459	Design Consumption Rate UOM-4	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38460	Design Consumption Rate UOM-5	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38436	Design Consumption Rate-1	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38438	Design Consumption Rate-2	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38440	Design Consumption Rate-3	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38442	Design Consumption Rate-4	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38444	Design Consumption Rate-5	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
28449	Design Corr. Rate	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
37918	Design Cost	EWS.CREP.UC.GasIndexAnalysis	OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
40924	Design Criteria	EAM-417: Projects Healthcare	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
28448	Design Factor (F)	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28443	Design Oper. Temp.	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28439	Design Pressure	D7i Extended -- Monitored Data form -- field label on Equipment Details form	ISMONT	MONITORED DATA
28442	Design Temp. Max.	D7i Extended -- Monitored Data -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28441	Design Temp. Min.	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
37917	Design Usage	EWS.CREP.UC.GasIndexAnalysis	OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
37939	Design Usage UOM	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38506	Design Usage UOM-1	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38507	Design Usage UOM-2	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38510	Design Usage UOM-3	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38511	Design Usage UOM-4	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38512	Design Usage UOM-5	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
27625	Design View	Crossbow - form title	TCSCCF	7I MOBILE BOILER TEXT
48150	Desired Capacity	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
44552	Desk Location	EAM-14833	WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
12301	Destination	Used in different contexts. E.g. 'Destination store': where the parts go to. Destination of prompts: screen, report.	BSDEVs	PRINTERS
		Destination of output: screen, printer.	BSFUNC	CREATE UPDATE SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12301	Destination	Used in different contexts. E.g. 'Destination store': where the parts go to. Destination of prompts: screen, report. Destination of output: screen, printer.	BSGROU BSLOVS ISPCOP REPORT	GROUPS LIST OF LOOKUPS COPY ASPECT POINTS General Report Function
		SCR 15467; EWS.MATL.UC.StockInTransitforStore.doc	BSWSPM SSSTOR SSSTOR	WEB SERVICES PROMPT STORES STORES
33607	Destination Code	15467	BSDTCV	DATA CONVERSION (MP2)
35475	Destination Criticality	#28171	BSWSPM	WEB SERVICES PROMPT
35595	Destination Description	EWS.ADMN.UC.RetrievedValuesforWebServicePrompt.doc		
32445	Destination Field	EWS.BASE.UC.HyperlinkPopup.doc	BSHYPL BSLOVS	HYPERLINK SETUP LIST OF LOOKUPS
35468	Destination Group	#28171	BSDTCV	DATA CONVERSION (MP2)
28752	Destination Org.	D7i Extended - ADMN	BSDTCV ISPCOP	DATA CONVERSION (MP2) COPY ASPECT POINTS
35472	Destination Priority	#28171	BSDTCV	DATA CONVERSION (MP2)
32446	Destination Screen Mode	EWS.BASE.UC.HyperlinkPopup.doc	BSHYPL	HYPERLINK SETUP
45655	Destination Screen Parameter	EAM.BASE.REQ.MapFieldsforHyperlinkSetupPopup	BSMAPF	MAP FIELDS
32444	Destination Screen/Report	EWS.BASE.UC.HyperlinkPopup.doc	BSHYPL BSMAPF	HYPERLINK SETUP MAP FIELDS
38205	Destination Screen/Report Description	EWS.BASE.UC.HyperlinkSetupPopup	BSHYPL	HYPERLINK SETUP
32541	Destination Screens/Reports	EWS.BASE.UC.HyperlinkSetupPopup.doc - Lookup title	BSLOVS	LIST OF LOOKUPS
29375	Destination Store	D7i Extended -- EWS.MATL.UC.RequisitionsforPart.doc -- Field Label, noun	SSPART	PARTS
36315	Destination Table	EWS.ADMN.UC.ViewErrorsforDataConversionPop / 29615	BSDCER	VIEW DETAILS (DATA CONVERSION)
35707	Destination Tables	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
28751	Destination Type	D7i Extended - ADMN	ISPCOP	COPY ASPECT POINTS
27872	Destination Update Statement	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
35478	Destination WO Type	#28171	BSDTCV	DATA CONVERSION (MP2)
37077	Detach	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
45856	Detach Ranking from Selected Equipment	EAM-19885: EAM.EQUIP.REQ.EquipmentforBatchUpdateER	OSBURV	CALCULATE RELIABILITY RANKING INDEX
26034	Detach WOs	Infor EAM. Refer to PVCS 5643.	BSJSDN JSPROJ	COMMON FUNCTION FOR JAVASCRIPT PROJECTS
26035	Detachable	Infor EAM. Refer to PVCS 5643.	JSPROJ	PROJECTS
34124	Detail	EWS.CREP.UC.WorkOrderOnTimeDeliveryByTrade.doc	WZOTDE WZOTDT	WORK ORDER ON TIME DELIVERY BY EMPLOYEE WORK ORDER ON-TIME DELIVERY BY TRADE
27815	Detail Functions	D7i Extended - Screens form - DropDown element	BSFUNC	CREATE UPDATE SCREENS
38082	Detail Section	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
32777	Detail Section - Parts	EWS.CREP.UC.PurchaseOrderCostSummary.doc	PYPOCS PZPOCS	PO COST SUMMARY PO COST SUMMARY
32778	Detail Section - Services	EWS.CREP.UC.PurchaseOrderCostSummary.doc	PYPOCS PZPOCS	PO COST SUMMARY PO COST SUMMARY
16202	Detailed	This string is used in a combined text with 16203.	OZHISL	Object History
46904	Detailed Location	Mobile Notebook	BCMOBL OSMNBK	71 MOBILE BOILER TEXT NOTEBOOK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46904	Detailed Location	Mobile Notebook	OZMNBK	MOBILE NOTEBOOK
18652	Details		BCMOBL	7I MOBILE BOILER TEXT
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDWRL	DATA WAREHOUSE RUN LOG
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSEQGN	EQUIPMENT GENERATION
			USBUDG	BUDGETS
			WHPTWR	PRINT PERMIT TO WORK
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WZPTWR	PRINT PERMIT TO WORK
			YSGLRF	GL REFERENCES
12482	Details of		OZOBJF	LIST OF EQUIPMENT DETAILS
48404	Determines Crew Location for Dispatching	EAM-42593/EAM.WORK.REQ.Employee.doc	WSEMPS	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
46485	Determines how many other, previous observations for the same nonconformity will be displayed on the observations comments and documents popup. Value ranges from 0 to 999999. If you leave this blank the system assumes 0.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
47096	Determines if new nonconformities, or observations for open nonconformities, are automatically created from the work order checklist and the operator checklist. Select the timing and the source from which creation should occur.	EAM.EQUIP.REQ.NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
46478	Determines which nonconformities can be selected for merging. If set to Unrestricted, there is no constraint. If set to Restricted, Equipment, Type, Part, System Level, Assembly Level, Component Level, and Material Type must be the same or blank.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
27600	Deviat	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
26267	Deviation	Deviation between expected and actual reading (used in calibration)	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
		Crossbow	TCJCAH	7I MOBILE BOILER TEXT
12583	Device	E.g. printer, PC.	REPORT	General Report Function
			WSJOBS	CREATE WORK ORDER
49101	Device Alert Tolerance	EAM-46582 EAM.WORK.REQ.CalibrationForWorkorders	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48001	Device Basemaps	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46211	Device ID	ChildAboutViewController EAM-46338	BCMOBL BSJSDN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT
49100	Device Increment	EAM-46582 EAM.WORK.REQ.CalibrationForWorkorders	BZEVTD WSJOBS WSJOVM	ELECTRONIC RECORDS FOR EVENTS CREATE WORK ORDER CREATE WORK ORDER
37002	Device Key	EWS.ADMN.UC.CreateEditMobileDevices	BCMOBL BSMDEV TCCLOG	7I MOBILE BOILER TEXT MOBILE DEVICES 7I MOBILE BOILER TEXT
37260	Device Name	21821 Device Licensing	BCMOBL TCCLOG	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
44762	Device Precision	EAM-46338 EAM-15340 Work Orders Calibration	BSJSDN BZEVTD WSJOBS WSJOVM	COMMON FUNCTION FOR JAVASCRIPT ELECTRONIC RECORDS FOR EVENTS CREATE WORK ORDER CREATE WORK ORDER
29067	Device Range	D7i Extended - Calibration for Equipment	BZOBJD LVMECO OSECN OSHPFY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OTCAEQ OZCAEQ WSJOBS WSJOVM	ELECTRONIC RECORDS FOR EQUIPMENTS MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CALIBRATION EQUIPMENT CALIBRATION EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER
49046	Device Range From	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	BZETPD OSITPP OSVTPO WSJOBS WSJOVM	ELECTRONIC RECORDS FOR TEST POINTS IMPORT TEST POINTS TEST POINTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER
48999	Device Range To	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	BZETPD LVMECO OSECN OSHPFY OSHPRM OSHPVH OSITPP OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM	ELECTRONIC RECORDS FOR TEST POINTS MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT IMPORT TEST POINTS CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48999	Device Range To	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27508	Device Reading	Crossbow D7i Extended - Calibrations	TCJCAH	7I MOBILE BOILER TEXT
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27517	Device Reading must be evenly divisible by Device Increment Value {{0}}.	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
29833	Device Tol. From	D7i Extended - EWS.EQUIP.UC.TestPointsForEquipment.doc - Tol. = Tolerance - field label for where a user enters the low end of a device's tolerance (e.g., a device might have a tolerance range of 12-20, where 12 represents the Device Tol. From)	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSVTPO	TEST POINTS FOR EQUIPMENT
29832	Device Tol. To	D7i Extended - EWS.EQUIP.UC.TestPointsForEquipment.doc - Tol. = Tolerance - field label for where a user enters the high end of a device's tolerance (e.g., a device might have a tolerance range of 12-20, where 20 represents the Device Tol. To)	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSVTPO	TEST POINTS FOR EQUIPMENT
28665	Device Tolerance	D7i Extended - Calibrations	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRVCS	REVISION CONTROL SETUP
49416	Device Tolerance To	EAM-50110	WSJOBS	CREATE WORK ORDER
37754	Device is locked. Please retry later.	21826 PIR PepsiCo - Handheld device login attempt	TCCLOG	7I MOBILE BOILER TEXT
38892	Device time is not set properly. Please set it and continue.	22284 Login - Warning when the Mobile device time	TCCLOG	7I MOBILE BOILER TEXT
30559	Diagnostic Items	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30559	Diagnostic Items	D7i Extended - Work Order Cards report	WYWOSH WZJOB WZWOLG WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT WO LONG PRINT SHORT WORK ORDER CARDS
12465	Diagnostic items	Codes used to indicate how a diagnostic can be made. Diagnostics can be attached to work requirement codes to give an idea on how to solve the problem.	WTJOB	Job Cards
25303	Diff	Crossbow - abbreviation for Difference - Meter Reading form	TCOMRD	7I MOBILE BOILER TEXT
12050	Difference		BCMOBL OCREAD OSAREA OSECN OSEQMR OSHPFY OSHPRM OSHPVH OSJOBS OSLREA OSMETE OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSPREA OSSREA OTMHST OZMHST PZINVL WSBREA WSDEPO WSFISS WSFUEL WSJOBS WSJOVH WSJOVM TCOMRL TCOMRD	7I MOBILE BOILER TEXT CROSSBOW METER READING HIS LIST READING FOR ASSET CREATE EQUIPMENT CONFIGURATION METER READINGS FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE WORK ORDER READING FOR LOCATION PHYSICAL METER CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT READING FOR POSITION READING FOR SYSTEM METER HISTORY METER HISTORY List Of Invoices Not Yet Approved BATCH METER READINGS FOR WORK ORDER DEPOTS FUEL ISSUES FUEL CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
25304	Difference cannot be greater than maximum.	Crossbow Crossbow	TCOMRL TCOMRD	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
43934	Different Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
40918	Differential Only	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
49150	Digital Work App	EAM.ADMN.REQ.Users	BSGROU BSUSER	GROUPS USER SETUP
49149	Digital Work App First Screen	EAM.ADMN.REQ.Users	BSUSER	USER SETUP
49189	Digital Work Menus	EAM-47260:EAM.ADMN.REQ.MobileAppMenusforUserGr	BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19172	Digits	oups The number of digits after the decimal point.	REPORT	General Report Function
16007	Direct	This is a checkbox on the activities of job form that indicates whether the parts selected for the work order activity are direct items (rather than stocked items). SMDOCK, Active lines tab	SSPART	PARTS
			WSPLPA	PLANNED PART AVAILABILITY
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			WSJOBS	CREATE WORK ORDER
32535	Direct Material	EWS.CREP.UC.WorkOrderCostSummary.doc	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
29720	Direct Materials	D7i Extended - Calibration Record Report	BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			OZHISL	Object History
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
36640	Direct Materials on Deferred Activity	EWS.WORK.UC.ActivitiesforWorkOrder	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
30209	Direct Outs	D7i Extended - Reports - Warranty Claims	JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			OZCLAI	WARRANTY CLAIM REPORT
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZINVS	CUSTOMER INVOICE REPORT
30323	Direct Outs %	Infor EAM. Field label on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
30216	Direct Outs Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36837	Direct Parts on Deferred Maintenance	EWS.WORK.UC.ReallocateDirectMaterialsPopup/31570	WSDIMR	DIRECT MATERIAL REALLOCATION
22688	Direct Purchase	Infor EAM - dropdownmenu selection for the source of a planned part.	BCMOBL	7I MOBILE BOILER TEXT
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
32578	Direct Purchase Due Date is After Start Date	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
25142	Direct Purchases	Extended (product name)	JSPROJ	PROJECTS
			OHTTEC	TOP 10 EQUIPMENT COST
			OSCLAI	WARRANTY CLAIMS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPROJ	CREATE PROJECT POPUP
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZPMCC	PM REPAIR COSTS CHART
		EAM.WORK.REQ.EstimatedCostsForTaskPlans	WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
25957	Direct Purchases %	Infor EAM. Indicates the percentage of the warranty claim related to the cost of direct material purchases. Refer to SCR 5601.	OSWARR	WARRANTY
12230	Direct materials	All the parts that are directly ordered for a specific activity.	WTJOB	Job Cards
13232	Direct selection	Pull down menu item	M1	Pull-Down Menu Texts
47302	Direct to WO	EAM.MATL.REQ.ActiveLinesforPORceipts (EAM-33849)	SSRECV	PO RECEIPTS
49118	Direct to WO Default	EAM.MATL.REQ.Stores.doc	SSSTOR	STORES
21747	Direction	databridge - a way in which to move, moving towards something in a particular location...in that direction	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			DSTRAN	DATABRIDGE TRANSACTIONS
			OSEQCI	CHECKLIST ITEMS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSLDSE	LINEAR DIRECTION SETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21747	Direction	databridge - a way in which to move, moving towards something in a particular location...in that direction	WSGSRH WSJOBS WSOPCK WSOPCL WSOPSS WSTASK	GIS MAP ROADS HIGHWAYS CREATE WORK ORDER OPERATOR CHECKLIST REVIEW OPERATOR CHECKLIST OPTIMIZED SCHEDULER SETUP TASKS
46809	Direction Options	EAM-29656	BCMOBL	7I MOBILE BOILER TEXT
43935	Directions	EAM-14486 :Android Tablet - Support localization EAM.WORK.REQ.ChecklistForWorkOrder	BSLOVS	LIST OF LOOKUPS
47091	Disable	GIS	BCMOBL WSGISD	7I MOBILE BOILER TEXT MAP VIEW
36104	Disable E-mail Driver	28993	BSBSET	ADMIN SETUP
28255	Disable Foreign Keys	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
34322	Disable KPI Driver	EWS.ADMN.UC.AdministrationSetup	BSBSET BSMBST	ADMIN SETUP MOBILE SETUP
23714	Disable Link/Button	Infor EAM - when the user is in screen designer mode, they can click on a link button and then right click and this will be one of the menu options meaning that they user wants to disable the link on the form, i.e. make inactive	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40780	Disable Perform On Day	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40818	Disabled	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
14356	Discard		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48364	Discard Changes?	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43936	Disconnected	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43972	Discontinue	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	CSCSUR CZSurr	CUSTOMER SURVEYS CUSTOMER SURVEY RESULTS
12052	Discount	To be subtracted from the price / amount.	BZINVD BZORDD CYDEBL CZDEBL PSINVL	ELECTRONIC RECORDS FOR INVOICES ELECTRONIC RECORDS FOR PURCHASE ORDERS LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS INVOICE LINES PER BUYER
26480	Discount %	Infor EAM. Indicates the discount percentage that is applicable to the requisition line. Refer to PVCS 6210.	PHORDF PSCONT PSPORD PSPORH PSPROM PYORDF PZORDF SSPART WSCCON WSCTMP WZCCON	Print Purchase Order PURCHASING CONTRACTS PURCHASE ORDERS PO HISTORY PURCHASING CONTRACT TEXT Print Purchase Order Print Purchase Order PARTS CUSTOMER CONTRACTS CONTRACT TEMPLATES PRINT CUSTOMER CONTRACT
40418	Discount Details	EAM-81.WORK.REQ.DiscountsForContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
33698	Discount ID	EWS.PRCH.UC.OrderDiscountforPurchasingContract.doc	PSCONT	PURCHASING CONTRACTS
31566	Discount Percentage	EWS.CREP.UC.ElectronicRecords	BZORDD BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDERS ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
12053	Discount percentage		CMPROM	Contract Text Prompts

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12053	Discount percentage		PTORDF	Print Purchase Order
34116	Discounted Net Total	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
40416	Discounts	EAM-81.WORK.REQ.DiscountsForContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
29278	Discrepancies Only	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
18060	Discrepancies only	SBSTTL - Shows only those parts whose physical quantity is not the same as the book quantity.	STSTD	Stocktake Discrepancy
17973	Discrepancy of parts tracked by asset	SBSTTU - The discrepancy of actual on hand and on record for a part tracked by asset.	STSTD	Stocktake Discrepancy
31373	Discrepancy of Consumable Part	D7i Extended - Physical Inventory Discrepancy report	SYSTD	Stocktake Discrepancy
			SZSTD	Stocktake Discrepancy
31374	Discrepancy of Parts Tracked	D7i Extended - Physical Inventory Discrepancy report	SYSTD	Stocktake Discrepancy
			SZSTD	Stocktake Discrepancy
17972	Discrepancy of consumable parts	SBSTTU - The discrepancy of actual on hand and on record for a normal part.	STSTD	Stocktake Discrepancy
48403	Dispatch	EAM.Work.Reg.GISMapWODispatching.docx/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48059	Dispatch Date	EAM.WORK.REQ.CreateCrewPopup.docx	WSGWOP	GIS WO DISPATCH - PARAMETERS
			WSCRWP	CREATE/EDIT CREW POPUP
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSGWOP	GIS WO DISPATCH - PARAMETERS
			WSJOBS	CREATE WORK ORDER
48534	Dispatch Hrs.	EWS.Work.Reg.GISMapWODispatching.docx/EAM-41839	WSGWOD	GIS MAP WO DISPATCHING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48184	Dispatch Labor	Dispatch Labor for Work Order	WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSJOBS	CREATE WORK ORDER
49413	Dispatch Sequence	EAM-50041	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
48414	Dispatched	EAM.WORK.REQ.GISMapWODispatching.docx/EAM-38604	WSGWOD	GIS MAP WO DISPATCHING
48183	Dispatched By	Dispatch Labor for Work Order	WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSJOBS	CREATE WORK ORDER
48204	Dispatched Crews/Employees	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	WSGWOD	GIS MAP WO DISPATCHING
48196	Dispatched Hrs.	EAM-40784: View Delete Dispatch Labor Popup	WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
14358	Display	'Display' is a checkbox and when it is selected, it means that whatever the form is referring to, e.g., a tab of a specific form, MP5 will display that tab.	BXLAYO	R5 Screen Layout Editor
			ISASPC	ASPECTS
33511	Display All Orgs	21411	TCORCF	7I MOBILE BOILER TEXT
27938	Display Barcode:	Barcode. Note: extra spaces/hyphen are inserted in order to display the strings correctly. Consult the localization coordinator before assigning this string elsewhere.	FCSCRN	FLAMETHROWER SCREENS
39221	Display Bundled Work Orders	EAM.WORK.UC.ProductionRequestPreviewforGenerateProductionRequest	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
41799	Display File(s)	EAM.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39449	Display Graph in Gray Scale	PVCS #43092	OYCOEM	CO2E EMISSIONS
			OYCORD	CO2 ANALYSIS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZCORD	CO2 ANALYSIS
27939	Display Label:	Barcode. Note: extra spaces/hyphen are inserted in order to display the strings correctly. Consult the localization coordinator before assigning this string elsewhere.	FCSCRN	FLAMETHROWER SCREENS
45043	Display Order	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearchS	BSENS	ENTERPRISE SEARCH SETUP
33513	Display Orgs for System Data	21411	TCORCF	7I MOBILE BOILER TEXT
33514	Display Orgs for User Data	21411	TCORCF	7I MOBILE BOILER TEXT
32799	Display Repair Qty.	EWS.CREP.UC.StockValueListingByPartTypeWegman.doc	SYSTOL	Stock List
			SZSTOL	Stock List
28893	Display SQL Statement	D7i Extended - Dataspy - text on the link on dataspy window/Advanced	BSDTSP	DATASPY
36771	Display Time Element	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
35165	Display Type	EWS.ADMN.UC.FieldsforWebServicePrompt	BCRAPD	MOBILE RAPID REQUEST
			BSMAPF	MAP FIELDS
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSWSPM	WEB SERVICES PROMPT
33512	Display User Orgs	21411	TCORCF	7I MOBILE BOILER TEXT
27940	Display Value:	Barcode. Note: extra spaces/hyphen are inserted in order to display the strings correctly. Consult the localization coordinator before assigning this string elsewhere.	FCSCRN	FLAMETHROWER SCREENS
46519	Display and Sequence of Fields	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
22495	Display as Focal Point	Infor EAM - name of link button on the Structure tab of the equipment form that tells the system to display the selected equipment as the main focus of the tab.	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
42960	Display on Overview	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42960	Display on Overview	EAM-9953:	OSOVS	CREATE SYSTEM EQUIPMENT
27188	Displayable Field(s)	EAM.ADMN.REQ.LinearReferencesForClasses D7i Extended - Comma Separated List of Field Ids used for Display on List View and/or Portlet View	BEWSMD	EWS - METADATA DEFINITION
27194	Displayable Field(s) (MultiOrg)	D7i Extended - Comma separated list of fields used for display on List View and/or Portlet View in Multi Organization	BEWSMD	EWS - METADATA DEFINITION
40907	Disposal Date	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVS	CREATE HEALTHCARE ASSET EQUIPMENT
40872	Disposal Type	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOVS	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVS	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVS	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
43199	Distance	EAM-10642	WSOPSS	OPTIMIZED SCHEDULER SETUP
27200	Distinct	D7i Extended - Distinct	WSPPM	PM SCHEDULES
31445	Distribution %	PVCS 16601.	BEWSMD	EWS - METADATA DEFINITION
31089	Distribution Description	D7i Extended. Distribution Description is the fifth key field for the INV (Invoice Lines) entity on the Account Details tabs. 'Distribution' is related to 'Invoice Distribution.'	PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
12724	Diverging last result : extrapolation based on average		PSINVO	INVOICES
			ITCHKF	Inspection results
			IYCHKF	Inspection results
12727	Diverging last result : extrapolation based on previous results		IZCHKF	Inspection results
			ITCHKF	Inspection results
			IYCHKF	Inspection results
49054	Do NOT set status equal to status used to Generate WOs.	EAM-46298/StatusRequirementSettingsPopup.doc	IZCHKF	Inspection results
			BSSRES	STATUS REQUIREMENT SETTINGS POPUP
27439	Do Not Use Stored Report	D7i Extended - Field label used on Report Parameters page	BSREPT	REPORT PARAMETERS
35384	Do Not Wait for File to be Imported	EWS.ADMN.UC.ImportConfiguration	BSCMIM	CONFIGURATION MANAGER – IMPORT
36309	Do not show these options again.	EWS.MOBILE.UC.WSPromptEngine.doc	BSEXAL	EXPORT BASE CONFIGURATION
			BCMOBL	7I MOBILE BOILER TEXT
31266	Do you really want to cancel the selected job?	Barcoding	TCCRTF	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
25306	Do you really want to delete the Meter Reading?	Crossbow	TCOMRL	7I MOBILE BOILER TEXT
25305	Do you really want to delete the selected Inspection Result?	Crossbow	TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
25307	Do you really want to delete this book hours record?	Crossbow. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	TCJALL	7I MOBILE BOILER TEXT
26744	Do you really want to delete this profile?	Crossbow	TCESYP	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31461	Do you really want to delete this record?		TCPRLB	7I MOBILE BOILER TEXT
32037	Do you really want to purge all logs?	Barcoding	FCSCRN	FLAMETHROWER SCREENS
33518	Do you really want to save Organization Configuration?	21411	TCORCF	7I MOBILE BOILER TEXT
25308	Do you really want to save Synchronization Configuration?	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
27574	Do you really want to save the screen configuration?	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
26739	Do you really want to save the synchronization profile?	Crossbow	TCESYP	7I MOBILE BOILER TEXT
28230	Do you want to add a new record?	Barcode	FCSCRN	FLAMETHROWER SCREENS
26804	Do you want to add the comment?	Crossbow	TCJCML	7I MOBILE BOILER TEXT
27530	Do you want to add this new record?	Crossbow	TCJCST	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
24728	Do you want to add this part?	Crossbow	TCJAPR	7I MOBILE BOILER TEXT
24678	Do you want to close this Work Order %1% ?	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
26811	Do you want to delete Custom Fields and Work Order?	Crossbow	TCCERR	7I MOBILE BOILER TEXT
24679	Do you want to delete the Part?	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
28307	Do you want to delete the current record?	Barcode	FCSCRN	FLAMETHROWER SCREENS
24680	Do you want to delete the selected Activity?	Crossbow	TCJACL	7I MOBILE BOILER TEXT
24681	Do you want to delete the selected Comment?	Crossbow	TCJCML	7I MOBILE BOILER TEXT
35627	Do you want to delete the selected Prompt Data?	Web Service Prompt	TCPMTL	7I MOBILE BOILER TEXT
24682	Do you want to delete the selected Work Order?	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
25584	Do you want to delete the selected record?	Crossbow	TCCERR	7I MOBILE BOILER TEXT
			TCDOCL	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
25309	Do you want to delete this Issue/Return Part?	Crossbow	TCMRTL	7I MOBILE BOILER TEXT
27500	Do you want to enter another transaction?	Crossbow	TCDTCL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
24683	Do you want to reset Work Order Par0 Activity Par1?	Crossbow	TCJACL	7I MOBILE BOILER TEXT
27640	Do you want to reset to the default screen configuration?	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
28306	Do you want to save changes before exiting?	Barcode	FCSCRN	FLAMETHROWER SCREENS
27653	Do you want to save changes?	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCSRP	7I MOBILE BOILER TEXT
27512	Do you want to save the Calibration Result?	Crossbow	TCJCDE	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25310	Do you want to save the Issue/Return Transaction?	Crossbow	TCMRTP	7I MOBILE BOILER TEXT
24729	Do you want to save the Work Order Custom Fields?	Crossbow	TCJCFR	7I MOBILE BOILER TEXT
24684	Do you want to save the changes?	Crossbow	TCDPRN	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCJCML	7I MOBILE BOILER TEXT
27629	Do you want to save the screen configuration?	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
27501	Do you want to save the transaction?	Crossbow	TCDTCL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
24730	Do you want to save this Activity?	Crossbow	TCJACR	7I MOBILE BOILER TEXT
37884	Do you want to save this Auto Sync Configuration?	21773 Auto Sync Mobile data	TCAUSY	7I MOBILE BOILER TEXT
24731	Do you want to save this Work Order?	Crossbow	TCJOBR	7I MOBILE BOILER TEXT
24685	Do you want to start Work Order Par0 Activity Par1?	Crossbow	TCJACL	7I MOBILE BOILER TEXT
24686	Do you want to stop Work Order Par0 Activity Par1?	Crossbow	TCJACL	7I MOBILE BOILER TEXT
24732	Do you want to update this Work Order?	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
27531	Do you want to update this record?	Crossbow	TCJCST	7I MOBILE BOILER TEXT
25311	Do you want to view equipment details?	Crossbow	TCCLOV	7I MOBILE BOILER TEXT
36977	Doc	21807 WO Attachment upload (4.7 new)	TCDOCR	7I MOBILE BOILER TEXT
29061	Doc Reference	D7i Extended - List of Existing Contracts	BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
11982	Doc reference	This is a number found on documents that you might receive from an customer or supplier. For example, if the supplier sends you an invoice, the number on the invoice is the doc reference.	CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
17596	Dock ID	field for on-dock receipt	FCGRD2	FLAMETHROWER GRID 2
			SSRECV	PO RECEIPTS
37201	Dock Line	31312	BSWHSE	DATA WAREHOUSE
37190	Dock Line Status	31312	BSWHSE	DATA WAREHOUSE
37202	Dock Rcpt	31312	BSWHSE	DATA WAREHOUSE
37193	Dock Rcpt Status	31312	BSWHSE	DATA WAREHOUSE
12222	Document	A file that can be associated with an entity. A document can be a paper file, a graphic, a video or audio segment and so on. E.g. manuals, warranties, drawings.	BCMOBL	7I MOBILE BOILER TEXT
			BHDOCL	List Of Documents
			BSDOCA	DOCUMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BTDOCL	List Of Documents
			BYDOCL	List Of Documents
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZDOCL	List Of Documents

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12222	Document	A file that can be associated with an entity. A document can be a paper file, a graphic, a video or audio segment and so on. E.g. manuals, warranties, drawings.	BZMPDH BZMSSS BZMSST CSEDLK DSMSBH DSMSGs OSWARR PSPORD TCDOCL WSJOBS	MESSAGE PROCESSING AND DELIVERY HISTORY MESSAGE STATUS SUMMARY MESSAGE STATUS CREATE HTML EDITOR LINK VIEW MESSAGES VIEW MESSAGE STATUS WARRANTY PURCHASE ORDERS 7I MOBILE BOILER TEXT CREATE WORK ORDER
21864	Document Code	Infor EAM - code identifying the document to attach to the selected record.	BSDOCA BSDOCU BSUPLD	DOCUMENTS DOCUMENTS UPLOAD DOCUMENT POPUP
21841	Document Description	Infor EAM	BCMOBL BSDOCA BSUPLD	7I MOBILE BOILER TEXT DOCUMENTS UPLOAD DOCUMENT POPUP
18122	Document Details	Group header Infor EAM - Group header on the Warranties screen that displays fields related the actual warranty document	BSDOCA BSDOCU BSUPLD OSWARR	DOCUMENTS DOCUMENTS UPLOAD DOCUMENT POPUP WARRANTY
21752	Document ID	databridge - the identification of a document	DSTRAN	DATABRIDGE TRANSACTIONS
25312	Document List	Crossbow - View Attachment form	TCDOCL	7I MOBILE BOILER TEXT
21737	Document Name	databridge - name of the xml document being sent and received through databridge	DSTRAN	DATABRIDGE TRANSACTIONS
21053	Document Origin	Infor EAM - The author (person/department/company) of a document.	BSLOVS OSWARR	LIST OF LOOKUPS WARRANTY
21760	Document Reference	databridge - a number of reference for a document	DSTRAN	DATABRIDGE TRANSACTIONS
21054	Document Size	Infor EAM - the size of the document (preset from lookup)	BSLOVS OSWARR	LIST OF LOOKUPS WARRANTY
21865	Document Type	Infor EAM - the document type, e.g., file, statis, template, etc.	BSDOCA DSPTNR	DOCUMENTS CREATE PARTNER
45334	Document Upload	EAM-14818 - EAM.CCTR.REQ.ServiceRequestPortal-CreateRequest	CSSRPT	CREATE SERVICE REQUEST PORTAL
44257	Document deleted successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12737	Document origin	The author (person/department/company) of a document.	BHDOCL BTDOCL BZDOCL	List Of Documents List Of Documents List Of Documents
44367	Document uploaded successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
13249	Documents	Pull down menu item	BCMOBL BEDOCU BSALRT BSCSTC BSDEPT BSDOCA BSDOCU BSGMAC BSGMAP BSGROU	7I MOBILE BOILER TEXT DOCUMENTS ALERT MANAGEMENT SYSTEM COST CODE DEPARTMENTS DOCUMENTS DOCUMENTS COPY GIS MAP POPUP CREATE EDIT MAPS GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13249	Documents	Pull down menu item	BSLOVS	LIST OF LOOKUPS
			BSREGN	CREATE EDIT REGIONS
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			CSCASE	CASE MANAGEMENT
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCCMP	COPY CAMPAIGN POPUP
			JSCCUP	COPY CU ESTIMATE
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OCMNBK	CROSSBOW MOBILE NOTEBOOK FUNCTION
			OECSMS	CONDITION SCORE MATRIX SETUP
			OEPERF	PERFORMANCE FORMULAS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSPCPN	COPY CONFIGURATION POPUP
			OSPCPS	COPY CONSIST POPUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13249	Documents	Pull down menu item	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKECP	COPY KEY POPUP
			OSKEYM	KEY MANAGEMENT
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSRRCP	COPY RELIABILITY RANKING
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			OZTRAS	EQUIPMENT TRANSFER LOG
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSCRFAQ	COPY RFQ POPUP
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPOCP	COPY PO POPUP
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSEVAL	PART EVALUATIONS
			SSGHGS	GREENHOUSE GASES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13249	Documents	Pull down menu item	SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQCP	COPY REQUISITION POPUP
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUCP	COPY SUPPLIER POPUP
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			TSPROF	PROFILES
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCPMTW	MOBILE PERMIT TO WORK
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCMPP	COPY MP POPUP
			WSCOPO	CONTRACTOR PORTAL
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCPST	COPY STANDARD ORDER POPUP
			WSCPSTW	COPY REPLACE PTW POPUP
			WSCREEN	CUSTOMER RENTALS
			WSCREW	CREW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13249	Documents	Pull down menu item	WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMACP	COPY MATERIAL LIST POPUP
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMCP	COPY PM PLAN
			WSPMTW	PERMIT TO WORK
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSSERC	SERVICE CODES
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSWKPK	PM WORK PACKAGES
			WSWREQ	WORK REQUEST
49222	Documents Attached		OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49222	Documents Attached	EAM-45934-EAM.ADMN.REQ.DocumentsList	OSOBJS	CREATE SYSTEM EQUIPMENT
48803	Documents List		PSPORD	PURCHASE ORDERS
			WSJOBS	CREATE WORK ORDER
46212	Documents Storage	AboutViewController	BCMOBL	7I MOBILE BOILER TEXT
43742	Documoto Book ID	EAM.MATL.REQ.PartsforSuppliers.doc	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTUERS
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43743	Documoto Part ID	EAM.MATL.REQ.PartsforSuppliers.doc	SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTUERS
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
27127	Does Not Contain	D7i Extended - operator in quick filters on drop downs	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
20231	Does Not Equal	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID is Not Equal to {some value}.	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSTRAN	DATABRIDGE TRANSACTIONS
27580	Domain	Crossbow	TCPRXY	7I MOBILE BOILER TEXT
27957	Domain:	Barcode	FCSCRN	FLAMETHROWER SCREENS
21508	Don't Save	Infor EAM - negative command telling the system that the current action or work will not be saved to the database	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32147	Don't show again.		TCCERM	7I MOBILE BOILER TEXT
20197	Done	Infor EAM - Used in WSLOGS to return user to the previous screen.	BSIMPT	IMPORT CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			WSLOGS	CREATE / VIEW SERVICE LOGS
		Infor EAM - button to indicate that the user is finished with the screen design changes	BXLAYO	R5 Screen Layout Editor
45849	Donut Chart	EAM-24206	OZONCF	NONCONFORMITIES ANALYSIS
42189	Donut Radius %	EAM-4703: EAM.ADMN.REQ.KPISetup	BSKPIC	DEFINING KPI ENTRIES
24828	DorEnd	Crossbow - Dormant End Date	TCOBJR	7I MOBILE BOILER TEXT
24829	DorSta	Crossbow - Dormant Start Date	TCOBJR	7I MOBILE BOILER TEXT
21784	Dormant End	Infor EAM - End date of the dormant period of a PM. Dormant means that within the period no PM jobs will be performed.	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCINF	CONTACT INFO
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21784	Dormant End	Infor EAM - End date of the dormant period of a PM. Dormant means that within the period no PM jobs will be performed.	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPPMS	PM SCHEDULES
			WZMPAT	PRINT MAINTENANCE PATTERN
45839	Dormant End cannot be earlier than Dormant Start.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
21783	Dormant Start	Infor EAM - Start date of the dormant period of a PM. Dormant means that within the period no PM jobs will be performed.	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCINF	CONTACT INFO
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21783	Dormant Start	Infor EAM - Start date of the dormant period of a PM. Dormant means that within the period no PM jobs will be performed.	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
				WSPPMS
	WZMPAT	PRINT MAINTENANCE PATTERN		
21562	Dormant end	End date of the dormant period of a PM. Dormant means that within the period no PM jobs will be performed.	OCOBJC	CROSSBOW EQUIPMENT LIST
21561	Dormant start	Start date of the dormant period of a PM. Dormant means that within the period no PM jobs will be performed.	OCOBJC	CROSSBOW EQUIPMENT LIST
23365	Double	Infor EAM - indicates the width of the HTML portlet to create.	BMHTCF	HTML CONTENT SETUP
			BMOPSV	OPS PACKAGE
			BSENSS	ENTERPRISE SEARCH SETUP
23688	Double Wide	Infor EAM - this identifies the width of the graph to display in the portlet. Double wide basically means two columns on the entire page	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIW	EQUIPMENT OVERVIEW 360
45997	Double Wide - Left Strong	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIW	EQUIPMENT OVERVIEW 360
45998	Double Wide - Right Strong	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIW	EQUIPMENT OVERVIEW 360
43870	Double-click to complete	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43866	Double-click to finish	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35806	Down Time	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			FCSCRN	FLAMETHROWER SCREENS
27928	Down:	Barcode	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
18258	Download		FCSCRN	FLAMETHROWER SCREENS
			TCCERR	7I MOBILE BOILER TEXT
43937	Download Asset Inventory	EAM-14486 :Android Tablet - Support localization EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
44258	Download Bins	EAM-14486 :Android Tablet - Support localization EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
31293	Download Bins for Prompt	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
27679	Download Calibration History	Crossbow - Sync Config	TCSYCF	7I MOBILE BOILER TEXT
27678	Download Calibration Records	Crossbow - Sync Config	TCSYCF	7I MOBILE BOILER TEXT
31282	Download Cost Codes	Crossbow	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31282	Download Cost Codes	Crossbow EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	TCSYCF BSGROU	7I MOBILE BOILER TEXT GROUPS
27075	Download Custom Report Definition	D7i Extended - Create Reports - button	BSJSDN BSREPO	COMMON FUNCTION FOR JAVASCRIPT CREATE / EDIT REPORTS
27680	Download Data Collection Prompts	Crossbow - Sync Config	TCSYCF	7I MOBILE BOILER TEXT
46097	Download Document with Print on Work Order	EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
31284	Download Employees	Crossbow EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL TCSYCF BSGROU	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT GROUPS
25313	Download Equipment	Crossbow - verb form EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL TCSYCF BSGROU	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT GROUPS
27116	Download Equipment Comments	Crossbow - Sync Config option EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL TCSYCF BSGROU	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT GROUPS
27117	Download Equipment Custom Fields	Crossbow - Sync Config option EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	TCSYCF BCMOBL BSGROU	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT GROUPS
25314	Download Equipment History	Crossbow - verb form EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL TCSYCF BSGROU	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT GROUPS
43938	Download Equipment History Comments	EAM-14486 :Android Tablet - Support localization EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
47000	Download Equipment Nonconformity	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
44259	Download Failed	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25315	Download Inspection Results	Crossbow - verb form EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL TCSYCF BSGROU	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT GROUPS
25316	Download Job Types	Crossbow - verb form	TCSYCF	7I MOBILE BOILER TEXT
25589	Download Job Types is not specified.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
46998	Download Linear Asset Information	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
26740	Download List	Crossbow	TCESYP	7I MOBILE BOILER TEXT
48606	Download Main Isolation Tables	EAM-44112 EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
46096	Download Meter Reading	EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
25317	Download Meter Readings	Crossbow - verb form	TCSYCF	7I MOBILE BOILER TEXT
46996	Download Mobile Notebook	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48742	Download Notebook	EAM-46638	BCMOBL	7I MOBILE BOILER TEXT
46997	Download PO Receipt	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
31292	Download POs for Prompts	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25318	Download Parts	Crossbow - verb form	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
47495	Download Permit to Work	EAM-34953	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
25319	Download Personnel	Crossbow - verb form	TCSYCF	7I MOBILE BOILER TEXT
25320	Download Physical Inventory	Crossbow - verb form	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31278	Download Project/Budget Information	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
27074	Download Standard Report Definition	D7i Extended - Create Reports - button	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSREPO	CREATE / EDIT REPORTS
31279	Download Standard WOs	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31290	Download Stock	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31287	Download Stores	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
43939	Download Supplier	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31291	Download Suppliers for Prompts	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
33509	Download System Data	21411	TCORCF	7I MOBILE BOILER TEXT
43940	Download Task	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31280	Download Tasks	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
33510	Download User Data	21411	TCORCF	7I MOBILE BOILER TEXT
36326	Download Web Service Prompts	EWS.MOBILE.UC.WSPromptEngine.doc	TCSYCF	7I MOBILE BOILER TEXT
46999	Download Work Order Nonconformity	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
31274	Download Work Orders	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31276	Download eSignature Settings	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31276	Download eSignature Settings	EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BSGROU	GROUPS
35029	Download iProcure Vendors	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	BSJSDN SSIPVN	COMMON FUNCTION FOR JAVASCRIPT 7I BUY VENDORS
28596	Download progress...	Barcode	FCSCRN	FLAMETHROWER SCREENS
46213	Downloading Documents...	SyncViewController	BCMOBL	7I MOBILE BOILER TEXT
46214	Downloading GIS Map data...	SyncViewController	BCMOBL	7I MOBILE BOILER TEXT
31864	Downloading GIS/Attachment data...	PVCS 21224	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
44049	Downloading Sync Configuration...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44047	Downloading data...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44048	Downloading setup data...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25732	Downloading...	Crossbow -Text on login screen to show sync status	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
24265	Downtime	For PVCS 20503 (PIR - Full Electronic Record Contains Inconsistent Field Labels)	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
38615	Downtime (Hours)	EWS.WORK.UC.ResourcesforPMSchedule #PVCS37444	WSBWOP	BUNDLED WORK ORDERS
			JSCAMP	CAMPAIGN
			OSVRHP	VIEW RESOURCE HISTORY PMS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
41439	Downtime By	EAM-2072	WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
20971	Downtime Cost	Infor EAM - The costs caused by the downtime of an asset.	BCMOBL	7I MOBILE BOILER TEXT
			BIWPER	TEN WORST PERFORMERS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSFAIL	FAILURE MODES POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSQCWO	QUICK CLOSE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20971	Downtime Cost	Infor EAM - The costs caused by the downtime of an asset.	WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
37606	Downtime Cost Currency	EWS.MATL.UC.IssueReturnParts/32426	OSFAIL	FAILURE MODES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
44260	Downtime Cost must be in a range of 0 to 999999999999999999.999999.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
40045	Downtime Costs	SCR 47275	WZDTTL	DOWNTIME TRACKING
40047	Downtime Details	SCR 47275	WZDTTL	DOWNTIME TRACKING
20970	Downtime Hours	Infor EAM - Total downtime of the object in hours.	BCMOBL	7I MOBILE BOILER TEXT
			BIWPER	TEN WORST PERFORMERS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSFAIL	FAILURE MODES POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSQCWO	QUICK CLOSE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
40046	Downtime Summary	SCR 47275	WZDTTL	DOWNTIME TRACKING
40043	Downtime Tracking	SCR 47275	WZDTTL	DOWNTIME TRACKING
12588	Downtime cost	The costs caused by the downtime of an asset.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
13327	Downtime hours	Total downtime of the object in hours.	WCJOBS	CROSSBOW WORK ORDER FUNCTION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40810	Drag to resize.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40811	Drag to resize. Double click to hide.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49629	Draw New Extent	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
27237	Draw Style	D7i Extended - Graph - Draw Style	BEWSMD	EWS - METADATA DEFINITION
21141	Drawing Number	Infor EAM - Unique code which identifies a drawing of a part.	BSPAMA	MANUFACTURER POPUP IN PART ASSOCIATAED
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFSQ	REQUEST FOR QUOTATION SUMMARY
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SYSTOL	Stock List
			SZSTOL	Stock List
46005	Drill Down	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIV	EQUIPMENT OVERVIEW 360
12584	Driver	A program associated with an Oracle job queue that is performing a certain task. For example there is a Mail driver that makes sure e-mail messages are send from MP5 when necessary.	BSGROU	GROUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHVPV	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
31824	Driver Name		FCSCRN	FLAMETHROWER SCREENS
41098	Driver Phone Number	EAM.EQUIP.REQ.Vehicles	OSHVPV	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
41194	Driver's License No.	EAM-295 : EAM.WORK.REQ.Employee	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZVRHS	VEHICLE RENTAL HISTORY
41168	Drivers	EAM.EQUIP.REQ.Vehicles	BSLOVS	LIST OF LOOKUPS
26040	Drop Audit Triggers	Infor EAM. Label for the audit setup form. Refer to PVCS 5561.	BSTRGP	VIEW TRIGGER STATUS POP UP
26441	Drop E-mail Triggers	D7i Extended - Email Notification Setup	BSMAIL	MESSANGER TRIGGER DEFINITION
			BSMATS	VIEW TRIGGER STATUS
28260	Drop Index	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
28261	Drop Sequence	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
46001	Drop a widget here.	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIV	EQUIPMENT OVERVIEW 360
47190	Dropdown	EAM-18682EAM.ADMIN.REQ.FieldsforUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
37838	Dropdown Filters apply to all user groups.	32191	BSDTSP	DATASPY
24831	DtCost	Crossbow - Downtime Cost	TCJCLR	7I MOBILE BOILER TEXT
24832	DtHrs	Crossbow - Downtime Hours	TCJCLR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24819	Due	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
30618	Due Between	D7i Extended - List of Outstanding Requisition Items report	SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
34939	Due Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
29730	Due By	D7i Extended - Calibration Due Report	WTCALD	CALIBRATION DUE REPORT
			WZCALD	CALIBRATION DUE REPORT
			WZPMMD	PRINT METER BASED PM DUE
21777	Due Date	Infor EAM	BAL016	WORK ORDER GENERATION - PM SCHEDULES
			BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
			BAL018	WORK ORDER GENERATION - MPS
			BCMOBL	7I MOBILE BOILER TEXT
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OSEQPM	PM SCHEDULES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZPROF	EQUIPMENT PROFILE
			PSCRFQ	COPY RFQ POPUP
			PSPARP	SELECT PARTS POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PYORDS	PURCHASE ORDER STATUS
			PZINVL	List Of Invoices Not Yet Approved

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21777	Due Date	Infor EAM	PZONOL	Approved Order Awaiting Delivery
			PZORDS	PURCHASE ORDER STATUS
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			TCJOBL	7I MOBILE BOILER TEXT
			WSACMP	ACTIVATE MP POPUP
			WSAGRS	CUSTOMER CONTRACTS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMS	PM SCHEDULES
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZLMWO	LIST OF MAINTENANCE WO
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZPMSP	PM SCHEDULE PROFILE
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			BSWHSE	DATA WAREHOUSE
			PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
			PZORDF	Print Purchase Order
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPFWM	PM FORECASTING WARNING
43500	Due Date Percentage	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
42881	Due Date Reference	EAM.EQUIP.REQ.EquipmentGeneration	WSWLSH	WO LABOR SCHEDULING
27615	Due Date must be later than or equal to Target Date.	Crossbow	OSEQGN	EQUIPMENT GENERATION
			TCJOBR	7I MOBILE BOILER TEXT
28917	Due Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23189	Due Day of Month		BSWHSE	DATA WAREHOUSE
23190	Due Day of Year		BSWHSE	DATA WAREHOUSE
23197	Due Half Year		BSWHSE	DATA WAREHOUSE
23191	Due Last Day in Month		BSWHSE	DATA WAREHOUSE
23193	Due Month Number		BSWHSE	DATA WAREHOUSE
45604	Due Nonconformities Only	EAM.ADMN.REQ.WorkOrderAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45604	Due Nonconformities Only	EAM.ADMN.REQ.WorkOrderAlertsforAlerts	OSEQPM OSOBJA OSOBJP OSOBJS WSMPAT WSPPMS	PM SCHEDULES CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT MAINTENANCE PATTERNS PM SCHEDULES
43511	Due Percentage	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT WSMECH WSWLSH	EQUIPMENT OPERATIONAL STATUS MECHANIC'S WORKBENCH WO LABOR SCHEDULING
23195	Due Quarter		BSWHSE	DATA WAREHOUSE
23186	Due Running Day Number		BSWHSE	DATA WAREHOUSE
23188	Due Running Month Number		BSWHSE	DATA WAREHOUSE
23187	Due Running Week Number		BSWHSE	DATA WAREHOUSE
23192	Due Week Number		BSWHSE	DATA WAREHOUSE
23198	Due Year		BSWHSE	DATA WAREHOUSE
23194	Due Year-Month		BSWHSE	DATA WAREHOUSE
23196	Due Year-Quarter		BSWHSE	DATA WAREHOUSE
12529	Due between	This is a title on a printed report that displays the dates of the report.	STREQL	List Of Outstanding Requisition Items
12322	Due date	Used in different contexts. E.g. order lines: when the parts should be delivered. Invoices: payment due date indicates when the invoice should be paid. PPM jobs: when a job should be executed according to the schedule.	SHREQF STREQF STREQL SYREQF SZREQF WCJOBS STREQL BCMOBL	Print Purchase Requisition Print Purchase Requisition List Of Outstanding Requisition Items PRINT PURCHASE REQUISITION Print Purchase Requisition CROSSBOW WORK ORDER FUNCTION List Of Outstanding Requisition Items 71 MOBILE BOILER TEXT
46252	Due to the large time difference between start and stop on work order :PARAM1 Activity :PARAM2, no labor record was booked. Manually post the labor record.	Activity Book labor		
26411	Dup. Previous Value	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
33260	Duplicate	EWS.CCTR.UC.ContactCenter	CSINRE	GUEST INCIDENT REQUEST
44885	Duplicate Case	EAM.CCTR.REQ.CallCenter EAM-14817	BSLOVS CSCCTR WSJOBS WSJOVH WSJOVM	LIST OF LOOKUPS CONTACT CENTER CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
48663	Duplicate Case Description	EAM-44523	WSJOBS	CREATE WORK ORDER
47369	Duplicate MPs	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
47367	Duplicate PMs	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
20019	Duplicate Parent	Infor EAM - the open parent record of a service request	WSJOBS WSJOVH WSJOVM WSSREQ WSVSER	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER SERVICE REQUESTS VIEW SERVICE REQUESTS
44883	Duplicate Request	EAM.CCTR.REQ.CallCenter EAM-14817	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44883	Duplicate Request	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
20093	Duplicate Values	Infor EAM -	BSDTCV	DATA CONVERSION (MP2)
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44892	Duplicate WO	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
36987	Duplicate WO Check Options	31095	CSCCSP	CONTACT CENTER SETUP
13216	Duplicate record	Pull down menu item : duplicate the current record.	M1	Pull-Down Menu Texts
35424	Duplicates	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDTCV	DATA CONVERSION (MP2)
			WZPMDO	PM DUE OVERVIEW
12056	Duration	How many (working) days a job or activity takes or the number of calendar days.	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSGRID	GRID DESIGNER
			BSVSDP	VIEW STATUS DETAILS POPUP
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			OZPROF	EQUIPMENT PROFILE
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSEMPs	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSPACT	IMPORT ACTIVITIES
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMF	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12056	Duration	How many (working) days a job or activity takes or the number of calendar days.	WSWKPK	PM WORK PACKAGES
			WTCALR	CALIBRATION RECORD REPORT
			WTPPML	List Of All Ppm Schedules
			WZCALR	CALIBRATION RECORD REPORT
			WZERRF	EXPIRED WARRANTIES
			WZPMSP	PM SCHEDULE PROFILE
			WZPPML	List Of All Ppm Schedules
			WZPPMQ	LIST OF PM SCHEDULES
31355	Duration (Days)	D7i Extended - Print Short Work Order Cards report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
42012	Duration (Hrs.)	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
12352	Duration (days)	The number of (calendar) days that is required for a job or activity.	WHJOB	PRINT WORK ORDER
			WSDFAC	DEFERRED MAINTENANCE
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
			BSALRT	ALERT MANAGEMENT SYSTEM
37965	Duration Field	EWS.ADMN.UC.WorkOrderAlertsforAlerts	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
41838	Duration Total	EAM.WORK.REQ.PermitToWork	WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
			OSECON	CREATE EQUIPMENT CONFIGURATION
21169	Duration UOM	Infor EAM - the unit of measure for a duration or time limit of a warranty	OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCASE	CASE MANAGEMENT
24830	Duratn	Crossbow - Duration	CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			TCJOB	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
19983	E-mail	Infor EAM - displays the e-mail address of the user	BSEXIM	EXPORT CONFIGURATION
			BSMTMP	E-MAIL TEMPLATES
			BSUAED	USER ACCOUNT EDIT
			CSCCTR	CONTACT CENTER
			CSSRPT	CREATE SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19983	E-mail	Infor EAM - displays the e-mail address of the user	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			DSSSET	DATABRIDGE SYSTEM SETUP
			FCGRD1	FLAMETHROWER GRID 1
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PZPRFQ	REQUEST FOR QUOTATION
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSDEBS	CREATE CUSTOMER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WZCCTR	PRINT SERVICE REQUESTS
		EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BSUSER	USER SETUP
			BSUSRP	USERS
23843	E-mail Address	Infor EAM	BZGDP	GDPR COMPLIANCE - USER
			CSINRE	GUEST INCIDENT REQUEST
			FCGRD1	FLAMETHROWER GRID 1
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
		Extended (product name). Administration - Employee form.	BSADRS	ADDRESSES
			BSDELA	Delivery addresses
			WSEMP	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37865	E-mail Alert Details	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
37799	E-mail Alerts	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
24975	E-mail Body	D7i Extended - The e-mail message body	BSMVIW	E-MAIL VIEWER
27048	E-mail Details	D7i Extended - section title - E-mail View page	BSMVIW	E-MAIL VIEWER
45679	E-mail Error	EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
47337	E-mail Error Count	EAM-25779/EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
35095	E-mail Fax	EWS.CCTR.UC.Provider	CSCCTR	CONTACT CENTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35095	E-mail Fax	EWS.CCTR.UC.Provider	CSCINF CSINRE CSPROV SSSUPC SSSUPP	CONTACT INFO GUEST INCIDENT REQUEST PROVIDERS CUSTOMERS SUPPLIERS
41084	E-mail Guest	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
24973	E-mail Recipients	D7i Extended - The e-mail addresses to receive the email notification	BSLOVS	LIST OF LOOKUPS
27035	E-mail Record	D7i Extended - E-mail Viewer	BSMVIW	E-MAIL VIEWER
36212	E-mail Sender	EWS.ADMN.UC.AdministrationSetup / SCR# 29079	BSBSET	ADMIN SETUP
45677	E-mail Sent	EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
36213	E-mail Server	EWS.ADMN.UC.AdministrationSetup / SCR# 29079	BSBSET	ADMIN SETUP
25045	E-mail Source	D7i Extended - E-mail Template form - The source of the email address: User or Employee (users table or personnel table).	BSMTRL CSCSUR LVRCP	E-MAIL RECIPIENTS CUSTOMER SURVEYS EMAIL RECIPIENTS LOOKUP
24972	E-mail Template	D7i Extended - The e-mail template code	BSALRT BSLOVS BSMAIL BSMTMP BSMVIW	ALERT MANAGEMENT SYSTEM LIST OF LOOKUPS MESSENGER TRIGGER DEFINITION E-MAIL TEMPLATES E-MAIL VIEWER
24976	E-mail Template Details	D7i Extended - Section header for e-mail template details	BSMTMP	E-MAIL TEMPLATES
17530	E-mail address		BSMTRL LVRCP REPORT	E-MAIL RECIPIENTS EMAIL RECIPIENTS LOOKUP General Report Function
28193	EAL 04 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
39641	EAM	#41545	BCMOBL BHUSRL BYUSRL BZUSRL	7I MOBILE BOILER TEXT USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
39504	EAM Building ID	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
39669	EAM Building ID Org.	44626	OSENSS	ENERGY STAR SETUP
46343	EAM Equipment Attributes	GIS	BCMOBL	7I MOBILE BOILER TEXT
39508	EAM Meter ID	EAM.EQUIP.UC.EnergyStarSetup.doc	BSLOVS OSENSS	LIST OF LOOKUPS ENERGY STAR SETUP
39667	EAM Meter IDs	EAM.EQUIP.UC.EnergyStarSetup.doc	BSLOVS	LIST OF LOOKUPS
44261	EAM Mobile	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36163	EAM Organization	EWS.DBADMIN.UC.ReferencesforPartners	DSPTNR	CREATE PARTNER
44262	EAM Server Information	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44263	EAM Username	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44368	EAM Version	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
		EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
23845	EDI Number	Infor EAM - The Electronic Data Interchange code, used by this supplier.	FCGRD1 SSSUPC SSSUPP	FLAMETHROWER GRID 1 CUSTOMERS SUPPLIERS
45579	EMRS	EAM-19892:EAM.EQUIP.REQ.EMRSForNonconformityTypes	OSNCTP	NONCONFORMITY TYPES
48516	EMRS Code	EAM.ADMN.REQ.EMRSCodes.docx	BSDOCA BSVMRS	DOCUMENTS VMRS CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48515	EMRS Code Details	EAM.ADMN.REQ.EMRSCodes.docx	BSVMRS	VMRS CODES
42091	EMRS Description	EAM.WORK.REQ.ChecklistForTask	BCMOBL	7I MOBILE BOILER TEXT
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			SSPART	PARTS
			WSCOPO	CONTRACTOR PORTAL
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
38981	EPAK (Alt+K)		BANNER	BANNER
39013	EPAK URL	38525	BSBSET	ADMIN SETUP
31793	EQ Assigned To	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
31794	EQ Department	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
31801	EQ Meter UOM	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
31797	EQ Safety	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
31798	EQ Status	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
48822	ERROR: Physical Qty. must be in a range of 0 to 9999999999999999.	EAM-46831	BCMOBL	7I MOBILE BOILER TEXT
46091	ESRI ArcGIS Server Password	EAM.ADMN.REQ.Users - EAM-26298	BSUSER	USER SETUP
46090	ESRI ArcGIS Server User	EAM.ADMN.REQ.Users - EAM-26298	BSUSER	USER SETUP
27891	EXIT	Barcode	FCSCRN	FLAMETHROWER SCREENS
28194	EXPE 120.74 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
36949	Earliest Delivery Date Items	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
37128	Earliest Delivery Date on unexpired Quotation	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
38757	Earliest Start Date	37916	BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPDRQ	PRODUCTION REQUEST
31567	Early Start Date	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
15228	Easy query		M1	Pull-Down Menu Texts

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15227	Easy sort		M1	Pull-Down Menu Texts
13209	Edit	Pull down menu item	*	FUNCTION TO ENTER GLOBAL FUNCTION BUTTONS
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			M1	Pull-Down Menu Texts
			MBHOME	HOME - OVERVIEW SCREEN
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
		Use for buttons, field labels only (not for menu!)	BCMOBL	7I MOBILE BOILER TEXT
			BSFLOW	BUSINESS PROCESS SETUP
			BSHOME	HOME - OVERVIEW SCREEN
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOVIV	EQUIPMENT OVERVIEW 360
		GIS	BCMOBL	7I MOBILE BOILER TEXT
49609	Edit Accomplishment	EAM-51038	BCMOBL	7I MOBILE BOILER TEXT
46338	Edit Activity	Activity	BCMOBL	7I MOBILE BOILER TEXT
23712	Edit Block Name	Infor EAM - when the user is in screen designer mode, they can click on a block and then right click and this will be one of the menu options meaning that they user wants to change the text in the block label	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25069	Edit Button Name	D7i Extended - Screen Designer	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48203	Edit Crew	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCRWP	CREATE/EDIT CREW POPUP
46333	Edit Equipment	Equipment	BCMOBL	7I MOBILE BOILER TEXT
42747	Edit Failure Consequences	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
46276	Edit Feature	GIS	BCMOBL	7I MOBILE BOILER TEXT
23709	Edit Field Names	Infor EAM - when the user is in screen designer mode, they can click on a field and then right click and this will be one of the menu options meaning that they user wants to change the text of the field label.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BXLAYO	R5 Screen Layout Editor
47286	Edit Geometry	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
33839	Edit If Statement	23289	BSFLOW	BUSINESS PROCESS SETUP
48465	Edit LOTO	EAM-43036	BCMOBL	7I MOBILE BOILER TEXT
45996	Edit Layout	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIV	EQUIPMENT OVERVIEW 360
39828	Edit Level Properties	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
23715	Edit Link/Button Name	Infor EAM - when the user is in screen designer mode, they can click on a link button and then right click and this will be one of the menu options meaning that they user wants to change the text of the link label	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45994	Edit Mode	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45994	Edit Mode	EAM-20992	OSOVIV	EQUIPMENT OVERVIEW 360
46331	Edit Nonconformity	Nonconformity	BCMOBL	7I MOBILE BOILER TEXT
49061	Edit Observation	EAM-46094	BCMOBL	7I MOBILE BOILER TEXT
48682	Edit Operator CheckList	EAM-44810	BCMOBL	7I MOBILE BOILER TEXT
29054	Edit Parameter Details	D7i Extended -- Formula form -- Link Button on Parameters tab, edit=verb, details=noun	ISFORM	FORMULAS
49625	Edit Part Description	EAM-50546/EAM.PRCH.REQ.PartsforPO.doc	JSCULB	COMPATIBLE UNITS LIBRARY
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMP	NON-PO RECEIPTS
			SSREQU	REQUISITIONS
			WSJOBS	CREATE WORK ORDER
22722	Edit Pop-ups (Ctrl+O)	Infor EAM - mouse-over text for button on toolbar to edit the popup forms	BANNER	BANNER
23609	Edit Popup	Infor EAM - button to modify the popup that is available on the current form	BXLAYO	R5 Screen Layout Editor
45160	Edit Reservation Popup	EAM-16241	OSESCH	RESERVATION CALENDAR
44512	Edit Reservation details and click Submit.	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
23473	Edit Text	Infor EAM - button to change the boiler text on the current screen	BXLAYO	R5 Screen Layout Editor
46337	Edit Work Order	Work order	BCMOBL	7I MOBILE BOILER TEXT
35704	Edit the information as necessary and save or click Submit.	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
43713	Eff. Loss 1% Phase Imb	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
41510	Eff. Loss 1% Phase Imb.	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43714	Eff. Loss 2% Phase Imb	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
41511	Eff. Loss 2% Phase Imb.	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43715	Eff. Loss 3% Phase Imb	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
41512	Eff. Loss 3% Phase Imb.	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43716	Eff. Loss 4% Phase Imb	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
41513	Eff. Loss 4% Phase Imb.	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41513	Eff. Loss 4% Phase Imb.	EAM- 2226 EAM.EQUIP.REQ. Assets	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43717	Eff. Loss 5% Phase Imb	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
41514	Eff. Loss 5% Phase Imb.	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BCMOBL	7I MOBILE BOILER TEXT
			CSCSUR	CUSTOMER SURVEYS
43336	Effective	EAM-9345	CZSURR	CUSTOMER SURVEY RESULTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSDOCU	DOCUMENTS
			BSUPLD	UPLOAD DOCUMENT POPUP
28655	Effective Date	D7i Extended - Calibrations for Work Orders	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
38088	Efficiency	EWS.CREP.UC.CO2Reduction.doc	WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
12461	Efficiency (%)	The hours estimated divided by the actual hours booked for an activity.	WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
41544	Efficiency Loss	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	BAL003
39972	Either Selected or Not Selected	46731	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25321	Either reading or difference must be entered.	Crossbow - Meter Reading	TCOMRD	7I MOBILE BOILER TEXT
38154	Ejcron	EWS.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN
20114	Elapsed Time	Infor EAM - used to display the time difference between sysdate and date service request was created	WSVSR	VIEW SERVICE REQUESTS
		Data Warehouse. The amount of time it took to complete the data warehouse process (or a portion of it). Refer to	BSDWRL	DATA WAREHOUSE RUN LOG

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20114	Elapsed Time	PVCS 1647.		
41516	Electric Sub-meter Interval	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43718	Electric Threshold	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
41517	Electric Usage Threshold	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
33095	Electronic Records	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
31568	Electronic Signature For	EWS.CREP.UC.ElectronicRecords	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
40745	Electronic Signatures	EAM-390	SHREQF	Print Purchase Requisition
			SZREQF	Print Purchase Requisition
27476	Electronic record state unknown.	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
38226	ElementId	EWS.WORK.UC.RevisionControlSetup/35881	WSRVCS	REVISION CONTROL SETUP
39583	Eligible for Energy Star Label	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
		EAM.CREP.REQ.ListOfEquipmentDetailsQ.doc	OZOBJQ	LIST OF EQUIPMENT DETAILS
33708	Else Screen Description	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
33703	Else Sequence	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
35353	Email Address	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BCMOBL	7I MOBILE BOILER TEXT
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			PZRFQS	REQUEST FOR QUOTATION SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35353	Email Address	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZVRHS	VEHICLE RENTAL HISTORY
36466	Email Body Text	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
47186	Email Details	EAM.EQUIP.REQ.EmailsforMobileNotebook	OSMNBK	NOTEBOOK
46966	Email Details Section	EAM-29929 Mobile Notebook report	OZMNBK	MOBILE NOTEBOOK
45681	Email Error Message	EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
36464	Email Information	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
40286	Email Invoice	EAM-57.WORK.REQ.CustomerInvoices	WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
47668	Email Log	EAM-32377	BCMOBL	7I MOBILE BOILER TEXT
41520	Email Notification	EAM-2777	BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL010	WORK ORDER CALCULATED PRIORITY
			BAL008	WARRANTY EXPIRATION DATE ALERT
43295	Email Recipient	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-10426	BAL009	WARRANTY EXPIRATION USAGE ALERT
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			OSMNBK	NOTEBOOK
46915	Email Status	Mobile Notebook	OSMNBK	NOTEBOOK
36465	Email Subject Line	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			WSINVC	CUSTOMER INVOICES
40287	Emailed On	EAM-57.WORK.REQ.CustomerInvoices	WSINVC	CUSTOMER INVOICES
46916	Emails	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
			OCMNBK	CROSSBOW MOBILE NOTEBOOK FUNCTION
			OSMNBK	NOTEBOOK
			BSCLAS	CLASSES
41961	Emerald	EAM.ADMN.REQ.SystemCodes	BSUCOD	SYSTEM CODES
41072	Emergency Contact	EAM - 295 : EAM.WORK.REQ.Employee	WSEMPs	EMPLOYEES
41073	Emergency Contact Phone No.	EAM - 295 : EAM.WORK.REQ.Employee	WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
38872	Emission Amount	EWS.MATL.UC.GreenhouseGasesforParts	SSCOMM	COMMODITIES
			SSPART	PARTS
41465	Emission Source	EAM-513 : Energy Targets for Objective	OSOBTv	OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39995	Emissions Commodity	Create Edit Fuels : Tracker id 46590	WSFUEL	FUEL
39613	Emissions measured in MtCO2e	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			TCJBKL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
25322 11928	Emp Employee	Crossbow - abbreviation for Employee A person, member of a Maintenance Responsibility Center with a certain trade.	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			DSPTNR	CREATE PARTNER
			FCGRD1	FLAMETHROWER GRID 1
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			OZMNBK	MOBILE NOTEBOOK
			OZRING	RING LIST-DETAIL
			USBUDG	BUDGETS
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WCPERS	CROSSBOW EMPLOYEE LIST
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBKPO	BOOK PO LABOR
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSEMP	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11928	Employee	A person, member of a Maintenance Responsibility Center with a certain trade.	WSMECH	MECHANIC'S WORKBENCH
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSSCHD	WORK ORDER SCHEDULE
			WSSHIF	SHIFTS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWKPK	PM WORK PACKAGES
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WTBOOL	Allocations Per Employee
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBFB	Job Cards
			WTJOLL	Job List
			WTSPER	Shift Personnel
			WYJOBFB	PRINT WORK ORDER
			WYJOLL	Job List
			WYSPER	Shift Personnel
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
			WZBOOL	Allocations Per Employee
			WZCALR	CALIBRATION RECORD REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBFB	PRINT WORK ORDER
			WZJOLL	Job List
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSPER	Shift Personnel
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Employee(s) performing maintenance tasks.	BSLOVS	LIST OF LOOKUPS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11928	Employee	Employee(s) performing maintenance tasks.	WHWEMP	WORK BY EMPLOYEE
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSCREW	CREW
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOBU	BATCH WORK ORDER UPDATE
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WZCTRC	SERVICE REQUESTS CHART
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
			WZWEMP	WORK BY EMPLOYEE
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
26783	Employee Availability	Extended (product name)	WSEMPs	EMPLOYEES
29432	Employee Class	D7i Extended - Qualification Requirement Report	WSWLSH	WO LABOR SCHEDULING
			BSLOVS	LIST OF LOOKUPS
			WSWLSH	WO LABOR SCHEDULING
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WZQEXP	QUALIFICATION EXPIRATION REPORT
23268	Employee Class Code	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WZQREQ	QUALIFICATION REQUIREMENT REPORT
			BSWHSE	DATA WAREHOUSE
			BSWHSE	DATA WAREHOUSE
			WSWLSH	WO LABOR SCHEDULING
			BSWHSE	DATA WAREHOUSE
			BSMPWO	MP2 WORK ORDERS
			BSWHSE	DATA WAREHOUSE
			CSCCSP	CONTACT CENTER SETUP
			OSMNBK	NOTEBOOK
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WZCCTR	PRINT SERVICE REQUESTS
23269	Employee Class Description		BSWHSE	DATA WAREHOUSE
39096	Employee Class Org.		WSWLSH	WO LABOR SCHEDULING
23740	Employee Class Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23266	Employee Code		BSMPWO	MP2 WORK ORDERS
			BSWHSE	DATA WAREHOUSE
			CSCCSP	CONTACT CENTER SETUP
			OSMNBK	NOTEBOOK
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WZCCTR	PRINT SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23266	Employee Code		WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZQEXP	QUALIFICATION EXPIRATION REPORT
39095	Employee Department	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	BAL011	WORK ORDER STATUS ESCALATION
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
			WSWLSH	WO LABOR SCHEDULING
29450	Employee Description	D7i Extended - Qualification Expiration Report	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZQEXP	QUALIFICATION EXPIRATION REPORT
24476	Employee Details	Extended (product name). Employee Form	OSWKSP	WORKSPACES
			WSCREW	CREW
			WSEMPs	EMPLOYEES
			WSSHIF	SHIFTS
			WSWKPK	PM WORK PACKAGES
46918	Employee Email	Mobile Notebook	OSMNBK	NOTEBOOK
42161	Employee Exceptions	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
28604	Employee Filter	D7i Extended- Materials - Services for Suppliers form	BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
46919	Employee Mobile Phone Number	Mobile Notebook	OSMNBK	NOTEBOOK
23267	Employee Name		BSWHSE	DATA WAREHOUSE
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			OSMNBK	NOTEBOOK
			OZKEYT	KEY TRANSACTIONS
			WSTOOL	TOOLS
		EAM.WORK.REQ.MechanicWorkbench	BAL011	WORK ORDER STATUS ESCALATION
44340	Employee Org.	EAM.EQUIP.REQ.KeyManagement	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44340	Employee Org.	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
39189	Employee Preview	EAM.WORK.UC.WOActivityPreviewWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
39324	Employee Schedule	40522	WSWLSH	WO LABOR SCHEDULING
39108	Employee Selection Parameters	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
35937	Employee Site	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
43752	Employee To Notify	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL011	WORK ORDER STATUS ESCALATION
39097	Employee Trade	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	BAL011	WORK ORDER STATUS ESCALATION
			WSVEMS	VIEW EMPLOYEE SCHEDULE
25062	Employee Type	Extended (product name). Employee Types form.	WSWLSH	WO LABOR SCHEDULING
			WSEMPs	EMPLOYEES
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WZQEXP	QUALIFICATION EXPIRATION REPORT
25092	Employee Types	Extended (product name)	WZQREQ	QUALIFICATION REQUIREMENT REPORT
			BSLOVS	LIST OF LOOKUPS
21642	Employee description	This is a column heading for the report output for the Qualification expiration report.	WSEMPs	EMPLOYEES
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
38891	Employee time cannot be booked for the activity because it is flagged for hired labor.	22225 Users able to assign external work orders a	BCMOBL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
37351	Employee/Crew	EWS.REP.UC.WorkOrderCards	WHJOBf	PRINT WORK ORDER
			WYJOBf	PRINT WORK ORDER
			WZJOBf	PRINT WORK ORDER
12607	Employees		BCMOBL	7I MOBILE BOILER TEXT
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			OSWKSP	WORKSPACES
			WSCREW	CREW
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSHIF	SHIFTS
49182	Employees Dataspy	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSWKPK	PM WORK PACKAGES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BCMOBL	7I MOBILE BOILER TEXT
47092	Enable	GIS	WSGISD	MAP VIEW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36279	Enable Add PO Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36275	Enable Add Requisition Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
43570	Enable Advanced Search	EAM-9775/GIS Map Search (REST) screen	OSGISR	GIS MAP SEARCH
42815	Enable Asset Green Calculation Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
38099	Enable Audit Trails in Mobile	EWS.ADMN.UC.MobileSetup/34625	BSMBST	MOBILE SETUP
49348	Enable Biometric Login	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48792	Enable Biometrics	EAM.ADMN.REQ.Users.doc	BCMOBL	7I MOBILE BOILER TEXT
			BSUSER	USER SETUP
36280	Enable Cancel PO Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36281	Enable Cancel Requisition Lines in Cancel PO Inbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36277	Enable Cancel Requisition Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36282	Enable Change PO Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36276	Enable Change Requisition Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
37275	Enable Child Equipment Tab	EWS.WORK.UC.ParametersforPMForecasting	WSPMPL	PM FORECASTING
36284	Enable Create New Part in PO Inbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36283	Enable Create WO Activity in PO Inbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36503	Enable Custom Field Selection in Dataspy	26101	BSGRID	GRID DESIGNER
36988	Enable Duplicate WO Check	31095	CSCCSP	CONTACT CENTER SETUP
36103	Enable E-mail Driver	28993	BSBSET	ADMIN SETUP
42682	Enable Employee Exceptions Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
43273	Enable Enhanced Planning	EAM-10885: EAM.WORK.REQ.TaskPlans	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
48880	Enable Face ID	EAM-46093	BCMOBL	7I MOBILE BOILER TEXT
28256	Enable Foreign Keys	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
42689	Enable Integration to HMS	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36286	Enable Inventory Items Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36289	Enable Inventory Transactions Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36292	Enable Invoice Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
34321	Enable KPI Driver	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
			BSMBST	MOBILE SETUP
36290	Enable Labor Time Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
23713	Enable Link/Button	Infor EAM - when the user is in screen designer mode, they can click on a link button and then right click and this will be one of the menu options meaning that they user wants to enable the link on the form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
42686	Enable Location Equipment Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
47667	Enable Log	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
48908	Enable Logging	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34389	Enable Lookup	EWS.ADMN.UC.CustomFieldsForClasses	BSCLSB	CLASSES FOR BUSINESS EDITION
49695	Enable Mobile Restore User Data Option	EAM-50906-EAM.ADMN.REQ.Users	BSUSER	USER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47068	Enable Nonconformities	EAM.WORK.REQ.ChecklistForTaskPlans	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSTASK	TASKS
36291	Enable PO Dock Receiving in PO Receipt Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36278	Enable PO Receipt Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
40779	Enable Perform On Day	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
42683	Enable Personnel Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
42687	Enable Position Equipment Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
38844	Enable Production Request Outbound	EWS.ADMN.UC.DatabridgeSetup.doc/38331	BSDSET	DATABRIDGE SETUP
36293	Enable Project Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
37702	Enable Prompt for Screen Design	33426	BSWSPM	WEB SERVICES PROMPT
36287	Enable Reservations Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
45058	Enable Screen Cache Deck	EAM-16221	BSUSER	USER SETUP
48906	Enable Single Sign On	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38845	Enable Supplier Outbound	EWS.ADMN.UC.DatabridgeSetup.doc/38331	BSDSET	DATABRIDGE SETUP
47609	Enable Supplier RMA Outbound	EAM-35293/EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
42814	Enable Sync Asset Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
42684	Enable Sync Shift Employee Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
42685	Enable Sync Shift Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
42688	Enable System Equipment Outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
36285	Enable Temporary Parts in Sync Item Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
48881	Enable Touch ID	EAM-46093	BCMOBL	7I MOBILE BOILER TEXT
45059	Enable Transition Animations	EAM-16221	BSUSER	USER SETUP
36761	Enable UDF for Add-ons	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
49372	Enable Voice Actions	EAM-48260	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36288	Enable Work Order Outbound	EWS.ADMN.UC.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
40184	Enable for Part Failures	EAM.EQUIP.UC.CreateEditClosingCodes	OSCLCD	CLOSING CODE
40182	Enable for Work Orders	EAM.EQUIP.UC.CreateEditClosingCodes	OSCLCD	CLOSING CODE
32913	Enabled	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
27943	Encumbrance	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.	YSGLRF	GL REFERENCES
25323	End	Crossbow - End Time D7i Extended - Scheduled Activities report	TCJBKL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			WYSCHA	Scheduled Activities
			WZSCHA	Scheduled Activities
33151	End Backlog	EWS.CREP.UC.WorkOrderStatistics	WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZWOST	WORK ORDER STATISTICS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20812	End Date	Infor EAM - date on which work is scheduled to end	BCMOBL	71 MOBILE BOILER TEXT
			BHDDAN	DEGREE DAY ANALYSIS
			BHVIOL	List Of Violations
			BSORGS	ORGANIZATIONS
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
			BTVIOL	List Of Violations
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BYTMPR	LIST OF TAMPERED RECORDS
			BYVIOL	List Of Violations
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZTMPR	LIST OF TAMPERED RECORDS
			BZVIOL	List Of Violations
			CSBBNT	BULLETIN BOARD NOTICES
			CSCLGP	CALENDAR GROUPS
			CTCONL	Overview Existing Contracts
			CYCCTR	CALL CENTER WO REPORT
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZISGH	INCIDENT SUMMARY GRAPH
			CZTCCR	TOP 10 SERVICE REQUESTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAPMS	APM SCENARIO
			OSCHNO	CHANGE NOTICES
			OSDPDT	DEPRECIATION DETAILS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20812	End Date	Infor EAM - date on which work is scheduled to end	OSENSR	ENERGY STAR DATE RANGE POPUP FOR GET RATINGS
			OSEQUO	UNITS OF OUTPUT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTCS	SETS AND CONSISTS
			OSWARR	WARRANTY
			OTCAHI	CALIBRATION HISTORY REPORT
			OTMHST	METER HISTORY
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OYGIAN	GAS INDEX ANALYSIS
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCLAI	WARRANTY CLAIM REPORT
			OZCORD	CO2 ANALYSIS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZEQPL	EQUIPMENT PLANNING
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			OZKEYT	KEY TRANSACTIONS
			OZMHST	METER HISTORY
			OZMNBK	MOBILE NOTEBOOK
			OZOEEM	OEE METRICS
			OZONCF	NONCONFORMITIES ANALYSIS
			OZRHIS	RANKING HISTORY CHART
			OZTACR	TEMPERATURE ANALYSIS CHART
			OZTBRK	TOP 10 BREAKDOWN
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			OZWRCC	WORK ORDER REPAIR COSTS CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20812	End Date	Infor EAM - date on which work is scheduled to end	PHHISL	Purchase History
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPROM	PURCHASING CONTRACT TEXT
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZHISL	Purchase History
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			SHREQF	Print Purchase Requisition
			SSCURR	CURRENCIES
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETN	LIST OF RETURNS
			SYTRAL	Printed List Of Stock Transactions
			SZREQF	Print Purchase Requisition
			SZRETN	LIST OF RETURNS
			SZSOUT	PART STOCKOUTS
			SZSTD	Stocktake Discrepancy
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
			USCLBP	CALCULATE BUDGET POPUP
			USYEAR	BUDGET TERMS
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPPLY
			WHJOB	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWEMP	WORK BY EMPLOYEE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSAVAC	CALCULATE AVAILABILITY
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCREW	CREW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20812	End Date	Infor EAM - date on which work is scheduled to end	WSCRWP	CREATE/EDIT CREW POPUP
			WSDEBS	CREATE CUSTOMER
			WSEMP	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFBL	FLEET BILLING CODES
			WSFMRK	FLEET MARKUP CODES
			WSINVP	GENERATE INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSRVCS	REVISION CONTROL SETUP
			WSSHIF	SHIFTS
			WSSTCR	STANDARD CREWS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERL	List Of Permit Issues
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WTSPER	Shift Personnel
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYHRIL	HOURS NEEDED FOR TASKS
			WYJOB	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSPER	Shift Personnel
			WYVBIL	VEHICLE BILLING REPORT
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20812	End Date	Infor EAM - date on which work is scheduled to end	WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WZHREL	Actual Labour Hours Against Estimated
			WZHRIL	HOURS NEEDED FOR TASKS
			WZIRCA	SERVICE REQUESTS BY SERVICE CATEGORY
			WZIRMC	SERVICE REQUESTS BY DEPARTMENT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRSC	SERVICE REQUESTS BY SERVICE CODE
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZIRTR	TOTAL SERVICE REQUEST
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZOSRQ	OPEN SERVICE REQUESTS
			WZPERL	List Of Permit Issues
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCC	PM REPAIR COSTS CHART
			WZPMCP	PM COMPLAINT
			WZPMTL	OUT OF TOLERANCE PM
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSPER	Shift Personnel

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20812	End Date	Infor EAM - date on which work is scheduled to end	WZSRQL	SERVICE REQUESTS LIST
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZVBIL	VEHICLE BILLING REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
			WZWEMP	WORK BY EMPLOYEE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
43381	End Date/Time	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
37500	End Reading	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
21033	End Time	Infor EAM - Used for hour bookings.	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQCWO	QUICK CLOSE WORK ORDER
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWOBU	BATCH WORK ORDER UPDATE
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
		Crossbow	BCMOBL	71 MOBILE BOILER TEXT
			TCJALL	71 MOBILE BOILER TEXT
		Data Warehouse. The date/time that the data warehouse process ended. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43248	End Time/Date	EAM.WORK.REQ.OperatorChecklist(Requestor)	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
12314	End date		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BTTMPR	LIST OF TAMPERED RECORDS
			BZDOCL	List Of Documents
			CMPROM	Contract Text Prompts
			OTCSTL	WORK ORDER COST SUMMARY
			STTRAL	Printed List Of Stock Transactions
			WTJOB	Job Cards
31569	End of OK Window	EWS.CREP.UC.ElectronicRecords	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
47771	End of Useful Life	EAM-37496 : EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
12381	End of report		REPORT	General Report Function
12220	End time	End time. Used for hour bookings.	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
39149	Ending Activity Start Date	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
35871	Ending Date	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
28924	Ending Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
40030	Ending Month	#47067	OHAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OZAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OZAESD	ANNUAL ENERGY USE
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
			OZAEST	TOTAL ANNUAL ENERGY USE
40031	Ending Year	#47067	OZAESD	ANNUAL ENERGY USE
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
40037	Ending Year (YYYY)	#47112	OHAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OZAERC	ANNUAL ENERGY REDUCTION COMPARISON
48905	Endpoint	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
20234	Ends	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID Ends with...some value.	FCLABL	FLAMETHROWER LABELS
20310	Ends With	Infor EAM - this is an operator, i.e., a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID Ends with...some value.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSTRAN	DATABRIDGE TRANSACTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38434	Energy Consumption Details	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38667	Energy Cost (last 365 days) (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
40540	Energy Data	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WZCCON	PRINT CUSTOMER CONTRACT
40928	Energy Details	EAM:327-EAM.EQUIP.UC.CreateEditFacilities	OSHPFY	CREATE HOSPITALITY FACILITIES
37991	Energy Efficiency	EWS.CREP.UC.GasIndexAnalysis	OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
37992	Energy Efficiency Costs	EWS.CREP.UC.GasIndexAnalysis	OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
41505	Energy Performance	EAM- 2226 EAM.EQUIP.REQ. Assets	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
41791	Energy Source	1015	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
39499	Energy Star Building Address	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
39500	Energy Star Building City	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
39497	Energy Star Building ID	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39498	Energy Star Building Name	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39501	Energy Star Building State	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39503	Energy Star Building Year Built	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
39502	Energy Star Building Zip Code	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
45818	Energy Star Customer Account ID	EAM.EQUIP.REQ.EnergyStarSetup.doc	OSENSC	ENERGY STAR CUSTOMER ID POPUP FOR CONFIRM
			OSENSG	ENERGY STAR CUSTOMER ID POPUP FOR GET
			OSENSS	ENERGY STAR SETUP
			BSLOVS	LIST OF LOOKUPS
			OSHPFY	CREATE HOSPITALITY FACILITIES
39496	Energy Star Customer ID	EAM.EQUIP.UC.EnergyStarSetup.doc	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSENSS	ENERGY STAR SETUP
			OSENSS	ENERGY STAR SETUP
			OSENSS	ENERGY STAR SETUP
			OSENSS	ENERGY STAR SETUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
39507	Energy Star Energy Type	EAM.EQUIP.UC.EnergyStarSetup.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZESRC	ENERGY STAR RATINGS CHART
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
39607	Energy Star Ratings	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
41607	Energy Star Ratings Chart	EAM-2216	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSENSS	ENERGY STAR SETUP
			OSENSS	ENERGY STAR SETUP
39543	Energy Star Setup	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
			OSENSS	ENERGY STAR SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39549	Energy Star Setup Details	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
41469	Energy Target Details	EAM-513 : Energy Targets for Objective	OSOBTV	OBJECTIVES
41464	Energy Targets	EAM-513 : Energy Targets for Objective	OSOBTV	OBJECTIVES
39608	Energy Use	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39611	Energy measured in kBTu's	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
34388	Enforce Lookup Validation	EWS.ADMN.UC.CustomFieldsForClasses	BSCLSB	CLASSES FOR BUSINESS EDITION
34307	Enforce Work Order Dates	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
27910	English (inch)	Barcode	FCSCRN	FLAMETHROWER SCREENS
38199	English text	EWS.ADMN.UC.ErrorTextforLanguages.doc	BSLANG	LANGUAGES
40714	Enter Adjustment values to update all records of selected organization. Remove Invoicing Org. to update all Charge Definition records.	EAM.WORK.REQ.BatchUpdateOrganization	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
27591	Enter Calibration Data	Crossbow	TCCERR	7I MOBILE BOILER TEXT
			TCJCDE	7I MOBILE BOILER TEXT
39232	Enter Campaign Event to create a work order for the selected Equipment. Equipment is required for the WO header if the work order created is a Survey WO or a Multiple Equipment WO.	EAM.PROJ.UC.GenerateWOpopup	JSGNWO	GENERATE WORK ORDER/ACTIVITY
36653	Enter Claim information and then click Submit.	EWS.WORK.UC.CreateWarrantyClaimPopup	WSWRCP	CREATE WARRANTY CLAIM POPUP
43942	Enter Comment	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43943	Enter Document Description	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25324	Enter Inspection Result	Crossbow - options menu item	TCIAVI	7I MOBILE BOILER TEXT
20182	Enter Log Entry	Infor EAM - Used to submit a log entry for service requests	WSLOGS	CREATE / VIEW SERVICE LOGS
21133	Enter Meter Reading	Infor EAM - link to enter a new meter reading for a meter associated with a piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21133	Enter Meter Reading	Infor EAM - link to enter a new meter reading for a meter associated with a piece of equipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38309	Enter Project information and then click Submit.	EWS.WORK.UC.CreateProjectPopup.doc	WSPROJ	CREATE PROJECT POPUP
30718	Enter WO Types that will identify maintenance or non-maintenance related costs for the billing process. The checkbox is used to categorize the WO Type as Maintenance or Non-maintenance.	D7i Extended -- Maintenance for Fleet Config -- Instructional Text	WSFLCF	FLEET CONFIGURATION
30707	Enter a Billing Schedule that identifies each billing period end date for the period billing process.	D7i Extended -- Billing Schedules for Fleet Config -- Instruction Text	WSFLCF	FLEET CONFIGURATION
30008	Enter a File Name to upload a document to the server.	D7i Extended - Upload Document popup - Page caption	TCDOCR	7I MOBILE BOILER TEXT
30735	Enter a Part Class that identifies fuel parts in inventory. Any parts of the selected class that are issued to vehicles will be billed as fuel.	D7i Extended -- Fuel for Fleet Config -- Instruction Text	WSFLCF	FLEET CONFIGURATION
35207	Enter a Screen code and click OK.	19870	BANNER	BANNER
27338	Enter a Sequence Number, and then select a KPI Code to personalize your KPI content.	D7i Extended - Caption for the personalize KPIs popup	BSKPIP	PERSONALIZE KPI POPUP
27334	Enter a Sequence Number, and then select an Inbox Code to personalize your Inbox content.	D7i Extended - Caption for the personalize inbox popup	BSIBXP	PERSONALIZE INBOX POPUP
28753	Enter a Source from which to copy selected aspect points and click Copy.	D7i Extended - ADMN	ISPCOP	COPY ASPECT POINTS
40634	Enter a code and description for the new Contract Template, select the related record types to copy, and then click Submit.	EAM-86.WORK.REQ.CopyContractTemplatePopup	WSCPCT	COPY CONTRACTTEMPLATE POPUP
40681	Enter a code and description for the new Contract, select the related record types to copy, and then click Submit.	EAM.WORK.REQ.CopyContractPopup	WSCPCC	COPY CUSTOMER CONTRACT POPUP
44782	Enter a code and description for the new Key, select the related record types to copy and then click Submit.	EAM-15227 EAM.EQUIP.REQ.CopyKeyPopup.docx	OSKECP	COPY KEY POPUP
34786	Enter a code and description for the new Material List, select the related record types to copy, and then click Submit.	CopyMaterialListPOPUP/SCR#25841	WSMACP	COPY MATERIAL LIST POPUP
34803	Enter a code and description for the new PM Plan, select the related record types to copy, and then click Submit.	EWS.WORK.UC.CopyPMPlanPopup	WSPMCP	COPY PM PLAN
41112	Enter a code and description for the new Supplier or Customer, select the related record types to copy, and then	EAM.MATL.REQ.CopyBusinessPartnerPopup(EAM-724)	SSSUCP	COPY SUPPLIER POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43122	click Submit. Enter a code and description for the new equipment configuration, select the related record types to copy, and then click Copy.	EAM-4421:EAM.EQUIP.REQ.CopyEquipmentConfigurat nP	OSPCPN	COPY CONFIGURATION POPUP
45763	Enter a code and description for the new equipment ranking, select the related record types to copy, and then click Submit.	EAM-19863 EAM.EQUIP.REQ.CopyEquipmentRankingpopup	OSRRCP	COPY RELIABILITY RANKING
37624	Enter a code for the new Web Service Prompt, select the related record types to copy, and then click Submit.	EWS.ADMN.UC.CopyWSPPopup	BSCWSP	COPY WEB SERVICE PROMPT POPUP
30030	Enter a code identifying the New Standard WO. Indicate which related details to copy, and then click Submit.	Extended (product name)	WSCPST	COPY STANDARD ORDER POPUP
39649	Enter a code, description, and organization for the new Map, select the related record types to copy, and then click Submit.	EAM.GIS.UC.CopyMapPopup.doc	BSGMAC	COPY GIS MAP POPUP
49563	Enter a code, description, estimate type and CU Design project for the new CU Estimate, select the related record types to copy, and then click Submit.	EAM.PROJ.REQ.CopyCUEstimatePopup	JSCCUP	COPY CU ESTIMATE
39197	Enter a description for the new Campaign, select the related record types to copy, and then click Submit.	EAM.PROJ.UC.CopyCampaignPopup/40956	JSCCMP	COPY CAMPAIGN POPUP
39380	Enter a description for the new Maintenance Pattern, select the related record types to copy, and then click Submit.	Copy Campaign Popup/40956	WSCMPP	COPY MP POPUP
34218	Enter a description for the new PO, select the related record types to copy, and then click Submit.	EWS.PRCH.UC.CopyPOPopup/25769	PSPOCP	COPY PO POPUP
37212	Enter a description for the new RFQ, select the related record types to copy, and then click Submit.	EWS.PRCH.UC.CopyRFQPopup	PSCRFAQ	COPY RFQ POPUP
34455	Enter a description for the new Requisition, select the related record types to copy, and then click Submit.	EWS.MATL.UC.CopyReqPopup.doc/25749	SSRQCP	COPY REQUISITION POPUP
34542	Enter a description for the new Standard WO, and then click Submit.	SCR#22606	WSJOCP	CREATE STANDARD WO POPUP
42279	Enter a description for the new permit to work, select the related record types to copy, and then click Copy.	EAM.WORK.REQ.CopyReplacePermitToWorkPopup	WSCPTW	COPY REPLACE PTW POPUP
42274	Enter a description, equipment and location for the new permit to work, select the related record types to copy, and then click Replace or Copy.	EAM.WORK.REQ.CopyReplacePermitToWorkPopup	WSCPTW	COPY REPLACE PTW POPUP
43236	Enter a new equipment number for [:param1]	EAM.EQUIP.REQ.ChangeEquipmentNumberPopup	OSCEQN	CHANGE EQUIPMENT NUMBER POPUP
30099	Enter a new part number for [:param1] or choose an existing number to	D7i Extended - MATL - Change Part Number popup	BSJSDN SSPTNP	COMMON FUNCTION FOR JAVASCRIPT CHANGE PART NUMBER POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30099	replace [:param1].	D7i Extended - MATL - Change Part Number popup		
33266	Enter a range for which to calculate the budget.	EWS.BUD.UC.CalculateBudgetPopup.doc / SCR #22176	USCLBP	CALCULATE BUDGET POPUP
30120	Enter a reject reason.	Extended (product name); See EWS.WORK.UC.ApprovalsforRCApproval.doc	WSAPRR	REJECT REASON
47851	Enter answers for the selected question and map these to expected results entered on the checklist.	EAM-37495	OSRELA	ADD / EDIT ANSWERS POPUP
39861	Enter answers for the selected question.	EAM.EQUIP.UC.AddEditAnswersPopup	OSRELA	ADD / EDIT ANSWERS POPUP
29381	Enter both work order and activity details to create a work order for the selected service line.	D7i Extended -- EWS.MATL.UC.ServicesforRequisition-CreateWOpop-up -- Boiler Text	SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
39845	Enter child level details for selected Parent Level. If child is a Question level, enter question to be asked.	EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	OSRRLP	ADD / EDIT LEVELS POPUP
45152	Enter code, description, and date range for the new Consist, select the related record types to copy, and then click Submit.	EAM-16279:EAM.EQUIP.REQ.CopyConsistPopup	OSCPCS	COPY CONSIST POPUP
48347	Enter consequence details for the selected failure.	EAM-41398	OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
47266	Enter equipment	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
43817	Enter failure mode details for the selected RCM Project and equipment.	EAM-12938:EAM.EQUIP.REQ.FailureModesPopup	OSFAIL	FAILURE MODES POPUP
49561	Enter failure mode details for the selected RCM Template.	EAM-49873 EAM.EQUIP.REQ.FailureModesPopup	OSFAIL	FAILURE MODES POPUP
39893	Enter formula for selected level. A colon (:) must be entered before Level codes.	EAM.EQUIP.UC.AddEditFormulaPopup - Tracker id 46093	OSRRFP	ADD / EDIT FORMULA POPUP
43816	Enter function details for the selected RCM Project and equipment.	EAM-12937:EAM.EQUIP.REQ.FunctionsPopup	OSFUNS	FUNCTIONS POPUP
49560	Enter function details for the selected RCM Template.	EAM-49873 EAM.EQUIP.REQ.FunctionsPopup	OSFUNS	FUNCTIONS POPUP
43054	Enter functional failure details for the selected failure mode.	EAM-8480:EAM.EQUIP.REQ.FunctionalFailuresForFailure	OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
42719	Enter functional failure details for the selected function.	EAM.EQUIP.REQ.FunctionalFailuresPopup:EAM-8383	OSFUNF	FUNCTIONAL FAILURES POPUP
30266	Enter information for the new organization, and then transfer the equipment.	D7i Extended - EQUIP - EWS.EQUIP.UC.TransferEquipmentpopup - caption for the popup	OSTRAS	TRANSFER EQUIPMENT
39888	Enter normalization values for selected level.	EAM.EQUIP.UC.NormalizeLevelPopup	OSRELN	NORMALIZE LEVEL POPUP
38162	Enter or modify custom field values and click Submit.	EWS.ADMN.UC.CustomFieldsPopup	BSCUSP	INSPECTION CUSTOM FIELDS
28793	Enter or modify custom field values for the inspection header and click Submit.	D7i Extended -- Work Orders form -- Inspections tab, Popup Caption	BSCFIH	INSPECTION HEADER CUSTOM FIELDS
28792	Enter or modify custom field values for the selected inspection point and click Submit.	D7i Extended -- Work Orders form -- Inspections tab, Popup Caption	BSCIPP	INSPECTION POINT CUSTOM FIELDS
35140	Enter or modify custom field values for	27483	BSCUSW	CUSTOM FIELD FOR WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	the work order and click Submit.			
27062	Enter or modify the caller information.	Extended (product name)	WSCALP	ADD EDIT CALLER
47439	Enter part details, and then select part lines to issue/return.	EAM.MATL.REQ.Packages-IssueReturnPartsPopup	SEIRPP SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP ISSUE/RETURN PACKAGE PARTS POPUP
13219	Enter query	Pull down menu item : query all records.	M1	Pull-Down Menu Texts
45913	Enter refresh data that will determine when and how often equipment rankings will be recalculated, and then click Submit. Note that current values will be overwritten if the equipment ranking is already attached to the selected equipment.	EAM-19886: EAM.EQUIP.REQ.BatchUpdateRankingRefresh	OSBURR	BATCHUPDATERANKINGREFRESHPOPUP
47089	Enter street address	GIS	BCMOBL	7I MOBILE BOILER TEXT
26115	Enter the Asset information and click submit.	Infor EAM. Page heading title for the Create GIS Asset popup form. Refer to EWS.EQUIP.UC.CreateGISAsset.	OSGICA	GIS CREATE NEW ASSET FORM
26782	Enter the Availability Exception values for a Trade, Shift, or Department.	Extended (product name)	WSEXCL	GROUP AVAILABILITY EXCEPTIONS
27078	Enter the Condition(s) for the Table/E-mail Template combination.	D7i Extended - E-mail Conditions popup - caption	BSEMCD	E-MAIL CONDITIONS
33099	Enter the Contract Class for which to associate clauses.	EWS.PRCH.UC.ClausesofContractClasses	PSCOTP	CLAUSES OF PURCHASING CONTRACTS
33073	Enter the Contract Class for which to create purchasing contract text.	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
45822	Enter the Energy Star Portfolio Manager User ID and Password to retrieve corresponding Customer Account ID	EAM.EQUIP.REQ.EnergyStarSetup.doc	OSENRA	RETRIEVE CUSTOMER ACCOUNT ID
43184	Enter the From Point, To Point and Description of the new segment, and then click Submit.	EAM.EQUIP.REQ.LinearReferencesSplitPopup	OSLRFS	LINEAR REFERENCE POPUP
40721	Enter the Invoicing Org. for which Charge Definition records will be created, and then click Submit.	EAM.WORK.REQ.BatchCopyOrganization	WSBCOR	BATCH COPY ORGANIZATION
38182	Enter the Language to copy from.	EWS.ADMN.UC.CreateEditLanguages.doc	BSALNP	MAKE LANGUAGE AVAILABLE
31922	Enter the Linear Distance from the Originating Equipment within which to retrieve linear references meeting the search criteria.	EWS.EQUIP.UC.LinearEquipSearchpop-up	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
25668	Enter the Lookup values for :param1.	Extended (product name). Custom Fields Look Up Pop Up.	BSCSTP BSJSDN BSUDLV ISLVAL BSMAIP	CUSTOM FIELDS LOOK UP POP UP COMMON FUNCTION FOR JAVASCRIPT UDF LOOKUP VALUES ASPECT PROMPT LOOKUP VALUES POPUP E-MAIL PARAMETER POPUP
27057	Enter the Parameter(s) for the Table/E-mail Template combination.	D7i Extended - E-mail Parameters form	BSMAIP	E-MAIL PARAMETER POPUP
43173	Enter the Split Point where the record must be split and a description for the resulting segments, and then click Submit.	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
39616	Enter the Start and End Dates for the 12 month periods to get Ratings.	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSENSR	ENERGY STAR DATE RANGE POPUP FOR GET RATINGS
36404	Enter the Stockout Qty.	EWS.MATL.UC.RecordStockoutsPopup.doc-30680	SSSTOP	RECORD STOCKOUT POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42215	Enter the Task Plan from which the Checklist must be copied, and then click Submit.	EAM.WORK.REQ.ChecklistForTask	WSIMCL	IMPORT CHECKLIST
42942	Enter the Task Plan or Job Plan from which the Checklist must be copied, and then click Submit.	EAM.WORK.REQ.ChecklistForTaskPlan	WSIMCL	IMPORT CHECKLIST
26789	Enter the Trade and/or Department for which to Calculate Availability.	Extended (product name)	WSAVAC	CALCULATE AVAILABILITY
36679	Enter the alternate catalog references for the currently selected supplier and part.	Shotgun Tracker id 31339	SSCREF	CATALOG REFERENCES
48585	Enter the corrections for the selected booked labor record and click Submit.	EAM-41694	WSBLCR	BOOK LABOR CORRECTION POPUP
33469	Enter the database/schema user name and password from which to import translations.	EWS.BASE.UC.ImportTranslationPopup/22623	BSLGIM	IMPORT TRANSLATIONS POPUP
38962	Enter the desired icon.	Extended (product name). Label used in change icon popup. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
25893	Enter the desired label text.	Extended (product name). Label used in change label popup. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
32884	Enter the employee for which to book hours.	EWS.WORK.UC.BookLaborByEmployee	WSBOOK	BOOK LABOR BY EMPLOYEE
25472	Enter the entity for which to associate Custom Fields	Extended. Associate Custom Fields form.	BSCSTF	ASSOCIATE CUSTOM FIELDS
24559	Enter the entity for which to create or edit classes.	D7i Extended - Classes page	BSCLAS	CLASSES
28324	Enter the entity for which to view GL values.	Databridge. Caption for View GL Values. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
30678	Enter the extra charges and/or discounts to add to the invoice line.	D7i Extended -- Lines for Invoices -- Caption	PSEXCH PSIEXP	EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
26534	Enter the extra charges and/or discounts to add to the part line.	Infor EAM. Popup window header tag line. Refer to PVCS 6210.	PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
39908	Enter the first and last dates to get actual temperatures. Click Submit to request high and low temperatures for the specified date range.	EAM.ADMN.UC.ActualTemperaturesforRegions.doc/46316	BSREGG	GET ACTUAL TEMPERATURES POPUP
45659	Enter the nonconformity to be merged, and then click Submit.	EAM-19898:EAM.EQUIP.REQ.MergeNonconformitiesPopup	OSMGNC	MERGE NONCONFORMITIES POPUP
37949	Enter the parameters for the alert.	EWS.ADMN.UC.ParametersPopupforAlerts.doc	BSALTP	ALERT TEXT PARAMETERS POPUP
31444	Enter the percentage of the invoice line cost to assign GL codes. The sum of all percentages must equal 100%.	PVCS 16601.	PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
34745	Enter the pick ticket header information, and then select parts to assign to the pick ticket.	EWS.WORK.UC.CreatePickTicketPopup/17744	WSPPTP	CREATE PICK TICKET POPUP
34857	Enter the quantity to scrap.	EWS.MATL.UC.ScrapPopup.doc/24715	SSSCRCP	SCRAP PART
36835	Enter the quantity to transfer and select Submit.	EWS.WORK.UC.ReallocateDirectMaterialsPopup/31570	WSDIMR	DIRECT MATERIAL REALLOCATION
39801	Enter the reason for this revision.	EAM.PRCH.UC.CreateEditPurchaseOrders.doc Tracker id 45702	PSREVP	REVISION REASON POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47493	Enter the requisition header information and then select one or more activity lines to assign to the requisition.	EAM-34597	WSLREQ	LABOR REQUISITION FOR ACTIVITIES
43418	Enter the requisition header information and then select the activity jobs to assign to the requisition.	EAM.WORK.REQ.JobsforWorkOrder	WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
20939	Enter the requisition header information and then select the activity lines to assign to the requisition.	Infor EAM - This is a statement that displays on the Create Labor Requisition pop-up from the Activities tab of the Work Orders form.	OSJOBS WSJOBS WSJOVH WSJOVM WSPREQ	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PART REQ POPUP FOR WO PARTS
25521	Enter the requisition header information and then select the part lines to assign to the requisition.	Extended (product name)		
43610	Enter the requisition header information, and then select the lines to assign to the requisition.	EAM-11195 EAM.WORK.REQ.PlanLaborforWorkOrder	WSLREQ	LABOR REQUISITION FOR ACTIVITIES
29385	Enter the route header information, and then set the proper sequence for the selected equipment. Click Finish to create a route or click Next to create a work order for the route.	Extended (product name)	OSGRTE	CREATE ROUTE WORK ORDER
34837	Enter the schedule description and details and click OK.	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridg ePar	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
25751	Enter the table for which to create or edit audit triggers.	Extended (product name). Audit Setup form.	BSAUDC	AUDIT SETUP
27400	Enter the table for which to create or edit e-mail notifications.	Extended (product name)	BSMAIL	MESSENGER TRIGGER DEFINITION
33030	Enter the values for which to Generate Customer Charges. The system will generate charges for all records that match the criteria, not just those of the record on the calling screen.	21961	WSCJOP	GENERATE ALL CUSTOMER CHARGES
32688	Enter the values for which to Generate Invoices.	20860- EWS.WORK.UC.GenerateInvoicesPopup.doc	WSINVP	GENERATE INVOICES
45529	Enter the work order field you want to populate, and then select the grid field for the value you want to map to the work order field.	EAM.ADMN.REQ.AdditionalFieldMappingPopup	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
33368	Enter the work order for which to create an invoice.	EWS.WORK.UC.CreateInvoiceforWOPopup.doc	WSJOIN	CREATE INVOICE FOR WO
22559	Enter the work order header or work order header and activity details to create a work order for the selected equipment.	Infor EAM - boiler text to prompt the user for an action on the create work order popup from the structure tab of the equipment form	OSJOBS	CREATE WORK ORDER
20534	Enter your Caller ID to log in.	Infor EAM - prompt on the login screen to help the user enter the system	CLOGON	CALLER LOGON SCREEN
19715	Enter your User ID and Password to log in.	new screen to login into Infor EAM project	CPLOGN LOGIN	CONVERGED PROCUREMENT LOGON SCREEN LOGON SCREEN
34226	Enter your electronic signature credentials for the Performed By field.	PIR-21376	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34227	Enter your electronic signature	PIR-21376	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41868	credentials for the Reviewed By field. Enter your electronic signature credentials for this Extension.	EAM.WORK.REQ.PermitToWork	WSPMTW	PERMIT TO WORK
41869	Enter your electronic signature credentials to confirm Isolation.	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
41870	Enter your electronic signature credentials to confirm removal of Isolation.	EAM.WORK.REQ.PermitToWork	WSPMTW WSPMTW	PERMIT TO WORK PERMIT TO WORK
41854	Enter your electronic signature credentials to sign off on the permit to work.	EAM.WORK.REQ.PermitToWork	BCMOBL WSPMTW	7I MOBILE BOILER TEXT PERMIT TO WORK
45473	Enter your electronic signature credentials to sign the case.	EAM.CCTR.REQ.CaseManagement EAM-15257	CSCASE	CASE MANAGEMENT
41855	Enter your electronic signature credentials to sign the permit to work.	EAM.WORK.REQ.PermitToWork	BCMOBL WSPMTW	7I MOBILE BOILER TEXT PERMIT TO WORK
25233	Enter your electronic signature credentials.	D7i Extended - text on popup EAM-14486 :Android Tablet - Support localization	BSESGN BCMOBL	EWS - ESIGNATURE POPUP 7I MOBILE BOILER TEXT
47306	Enter your name and the date. All other fields are optional. Click Submit.	EAM.WORK.REQ.ContractorSignOffPopup	WSCSOF	CONTRACTOR SIGN OFF POPUP
20096	Entered By	Infor EAM - person who created the record	BZEVTD BZREQD OSECON OSEQWR OSHFPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSWARR SSREQU SSRQSS USINVP WSSREQ OZDSTP OZHSTP	ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR REQUISITIONS CREATE EQUIPMENT CONFIGURATION WARRANTY FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT WARRANTY REQUISITIONS STORE TO STORE REQUISITIONS INVESTMENT PLANNING SERVICE REQUESTS DAILY SHORT TERM PLANNING - HERTZ HOURLY SHORT TERM PLANNING - HERTZ
48116	Entered Idle	Hertz custom reports	WSACMP	ACTIVATE MP POPUP
39390	Entered details will be used to generate first WO for all selected equipment.	EWS.WORK.UC.ActivateMPEquipmentPopup/38267	WSACMP	ACTIVATE MP POPUP
43944	Enterprise Asset Management	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
38579	Enterprise Location	Enterprise Locations	BSORGS BZPRQD SSSTOR WSPDRQ	ORGANIZATIONS ELECTRONIC RECORDS FOR PRODUCTION REQUESTS STORES PRODUCTION REQUEST
38586	Enterprise Location Details	Enterprise Locations	BSORGS	ORGANIZATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38584	Enterprise Locations	Enterprise Locations	BSORGS	ORGANIZATIONS
36165	Enterprise Organization	EWS.DBADMIN.UC.ReferencesforPartners	DSPTNR	CREATE PARTNER
36203	Enterprise Organization Hierarchy	CreateEditEnterpriseOrganizationHierarchy / 28909	BSLOVS	LIST OF LOOKUPS
			DEEORH	ENTERPRISE ORGANIZATION HIERARCHY
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
44371	Enterprise Search		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25091	Entities	D7i Extended - Custom Fields form	BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
			BSUCOD	SYSTEM CODES
12377	Entity	A major data item of the system, e.g. job, store, employee, object.	BCCOMM	CROSSBOW COMMENT LIST
			BCMOBL	7I MOBILE BOILER TEXT
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BHUCOL	List Of R5 Codes
			BSAUDC	AUDIT SETUP
			BSAUTH	STATUS AUTHORIZATION
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSDOCU	DOCUMENTS
			BSESIG	ERECORDS LIST
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSGRID	GRID DESIGNER
			BSMOST	MULTI-ORG SECURITY
			BSUCOD	SYSTEM CODES
			BSVMRS	VMRS CODES
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BTUCOL	List Of R5 Codes
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYUCOL	List Of R5 Codes
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZEALD	ELECTRONIC RECORDS FOR
			BZEPAD	ELECTRONIC RECORDS FOR
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZUCOL	List Of R5 Codes
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSCSUR	CUSTOMER SURVEYS
			JSCUES	CU ESTIMATES
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12377	Entity	A major data item of the system, e.g. job, store, employee, object.	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SHREQF	Print Purchase Requisition
			SSCOMP	NON-PO RECEIPTS
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			STREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			USBGRP	BUDGET GROUPS
			USINVP	INVESTMENT PLANNING
			WSAPPH	REVISION CONTROL HISTORY
			WSAPPR	REVISION CONTROL APPROVAL
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSHZRD	HAZARDS
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WZCCON	PRINT CUSTOMER CONTRACT
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			YSACCD	VIEW GL VALUES
		In this field the user is actually selecting from a list of entities and the report will display the all the classes associated to that entity.	BHUSRL	USERS GROUP CONFIGURATION
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSEREC	ELECTRONIC RECORD SETUP
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPROM	Custom Attributes
			BSUDFO	USER DEFINED FIELD OPTIONS
			BSWHSE	DATA WAREHOUSE
			BTSNAP	ELECTRONIC RECORDS
			BTTMPR	LIST OF TAMPERED RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BYUSRL	USERS GROUP CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12377	Entity	In this field the user is actually selecting from a list of entities and the report will display the all the classes associated to that entity.	BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZSNAP	ELECTRONIC RECORDS
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTMPR	LIST OF TAMPERED RECORDS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			BZUSRL	USERS GROUP CONFIGURATION
			OSRCMT	RCM TEMPLATES
			OTCLSL	Overview Of Classifications
			OYCLSL	Overview Of Classifications
			OZCLSL	Overview Of Classifications
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSSREQ	SERVICE REQUESTS
29456	Entity Code	D7i Extended -- Audit Setup form -- Field label used in entity audit setup	BHSIGN	LIST OF ELECTRONIC RECORDS
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSGDPR	GDPR ADMINISTRATION
			BSWHSE	DATA WAREHOUSE
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSNAP	ELECTRONIC RECORDS
			BZTMPR	LIST OF TAMPERED RECORDS
31823	Entity Codes	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BSLOVS	LIST OF LOOKUPS
29854	Entity Desc.	D7i Extended -- PVCS 7475 -- Entity Description, Form Field	BSAUTH	STATUS AUTHORIZATION
29457	Entity Description	D7i Extended -- Audit Setup form -- Field label used in entity audit setup	BSCLAS	CLASSES
			BSEXIM	EXPORT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29457	Entity Description	D7i Extended -- Audit Setup form -- Field label used in entity audit setup	BSGRID	GRID DESIGNER
			BSWHSE	DATA WAREHOUSE
			USBGRP	BUDGET GROUPS
			WSURCR	UNRETURNED CORES
27197	Entity Name	D7i Extended - Entity name used to get the multi-org settings	BEWSMD	EWS - METADATA DEFINITION
29510	Entity States	Extended (product name)	BSWHSE	DATA WAREHOUSE
43974	Entity Trigger	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	CSCSUR	CUSTOMER SURVEYS
27230	Entity Type	D7i Extended - Entity Type	BCMOBL	7I MOBILE BOILER TEXT
			BEWSMD	EWS - METADATA DEFINITION
			BSGDPR	GDPR ADMINISTRATION
			BSWHSE	DATA WAREHOUSE
19333	Entity code	the code attached to the entity, i.e., if the entity EVNT is selected, the code would be a work order number.	BEWSMD	EWS - METADATA DEFINITION
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BTSNAP	ELECTRONIC RECORDS
			BTTMPR	LIST OF TAMPERED RECORDS
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
17962	Entity to	SRRETF - code identifying the entity to which you returned goods, either store or company('STOR' or 'COMP'	STRETF	Print Goods Return Note
			SYRETF	PRINT GOODS RETURN NOTE
			SZRETF	Print Goods Return Note
30457	Entry Maximum	Analytics - Maximum numeric value allowed for an analytics variable data point	ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			OPSVAR	ANALYTICS 7.8 VARIABLES
32925	Entry Min - Max	21777	ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			OPSVAR	ANALYTICS 7.8 VARIABLES
30456	Entry Minimum	Analytics - Minimum numeric value allowed for an analytics variable data point	ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			OPSVAR	ANALYTICS 7.8 VARIABLES
21138	Entry Type	Infor EAM - the type of the meter entry, either an actual reading or a difference between the previous entry and a	OSAREA	READING FOR ASSET
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21138	Entry Type	new entry	OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
			WSFISS	FUEL ISSUES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
44264	Environment	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37194	Eq Status	31312	BSWHSE	DATA WAREHOUSE
24833	EqDesc	Crossbow - Equipment Description	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBOR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39965	Equals	46731	ASOVAR	ANALYTICS VARIABLE DEFINITIONS
33731	Equation	23312	MMEQUI	MOBILE EQUIPMENT
24834	Equip	Crossbow - Equipment	TCCRSB	7I MOBILE BOILER TEXT
			TCIAVI	7I MOBILE BOILER TEXT
			TCIOBR	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCAH	7I MOBILE BOILER TEXT
			TCJCDE	7I MOBILE BOILER TEXT
			TCJCFR	7I MOBILE BOILER TEXT
			TCJCLI	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBOR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
			TCOCML	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24834	Equip	Crossbow - Equipment	TCOHS	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRL	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
31807	Equip Criticality	EWS.CREP.UC.PrintShortWorkOrderCards	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
27504	Equip Org	Crossbow	OZEQPL	EQUIPMENT PLANNING
			TCJCAH	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
		EWS.CREP.UC.ElectronicRecords	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			OSOBJA	CREATE ASSET EQUIPMENT
			SSISSU	Stock Issues
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			WSJOBS	CREATE WORK ORDER
			OCREAD	CROSSBOW METER READING HIS LIST
			OCUSGD	CROSSBOW METER USAGE DEF LIST
			OCWARR	CROSSBOW WARRANTY LIST
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
16846	Equip org	This resource ID is part of the organization column in the MP5 base tables. An organization field for the supplier must be added to all tables joined with the parts table. This field label will also show on the Object form as well. Created through BMORGS.	WCSTWO	CROSSBOW STANDARD WO LIST
			WSFCUS	FLEET CUSTOMERS
			WSFCUS	FLEET CUSTOMERS
30781	Equip. Category Org.	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, equip.=equipment and org.=organization	WSFCUS	FLEET CUSTOMERS
29696	Equip. Class	D7i Extended - EWS.WORK.UC.ViewCalibrationResults.doc - field in grid	WSCALR	VIEW CALIBRATION RESULTS
25049	Equip. Class Org.	Extended (product name)	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJC	CREATE ASSET CATEGORY
			WSFCUS	FLEET CUSTOMERS
			WSSTWO	STANDARD WOS
29697	Equip. Criticality	D7i Extended - EWS.WORK.UC.ViewCalibrationResults.doc - field in grid	WSCALR	VIEW CALIBRATION RESULTS
28685	Equip. Description	D7i Extended - Calibrations	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZEQPL	EQUIPMENT PLANNING
			WSBWOP	BUNDLED WORK ORDERS
			WSCALR	VIEW CALIBRATION RESULTS
			WSDEBS	CREATE CUSTOMER
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28685	Equip. Description	D7i Extended - Calibrations	WSPDRQ	PRODUCTION REQUEST
30378	Equip. Length UOM	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - users enter the unit of measure for the length of the equipment	BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
38052	Equip. Length UOM Code	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - users enter the unit of measure for the length of the equipment	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
49356	Equip. Location X	WOActivitiesforOptimizedSchedulerSetup/EAM-49070	WSOPSS	OPTIMIZED SCHEDULER SETUP
49357	Equip. Location Y	WOActivitiesforOptimizedSchedulerSetup/EAM-49070	WSOPSS	OPTIMIZED SCHEDULER SETUP
24022	Equip. Org.	Infor EAM - organization of the equipment	BSPAWU	WHERE USED POPUP IN PART ASSOCIATED
			BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			PSPORH	PO HISTORY
			WSACMP	ACTIVATE MP POPUP
			WSBWOP	BUNDLED WORK ORDERS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSINST	VIEW LOOP INSTRUMENTS POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSPDRQ	PRODUCTION REQUEST
			WSPPMF	PM PLANS
			WSPPMF	PM SCHEDULES
24184	Equip. Type	Extended (product name). Use on the Work Order tab of PM Schedules.	WSPPMF	PM SCHEDULES
11914	Equipment	An entity for which (historical) data is registered. A generic term for plant and equipment. An object can be an asset, functional position, system or location. Objects are 'maintained': work orders are created for them.	BAL008	WARRANTY EXPIRATION DATE ALERT
			BAL009	WARRANTY EXPIRATION USAGE ALERT
			BAL011	WORK ORDER STATUS ESCALATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	An entity for which (historical) data is registered. A generic term for plant and equipment. An object can be an asset, functional position, system or location. Objects are 'maintained': work orders are created for them.	BSALRT	ALERT MANAGEMENT SYSTEM
			BSDSET	DATABRIDGE SETUP
			BSLOVS	LIST OF LOOKUPS
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			ISMONT	MONITORED DATA
			ITLAPF	List Of Points To Be Inspected
			IYCHKF	Inspection results
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			LVPART	DUMMY FUNCTION FOR R5F10
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OCUSGD	CROSSBOW METER USAGE DEF LIST
			OCWARR	CROSSBOW WARRANTY LIST
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLCH	CLOSING CODE HIERARCHY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPP	EQUIPMENT LOOKUP
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	An entity for which (historical) data is registered. A generic term for plant and equipment. An object can be an asset, functional position, system or location. Objects are 'maintained': work orders are created for them.	OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OTCSTL	WORK ORDER COST SUMMARY
			OTMHST	METER HISTORY
			OTOBJL	List Of Objects
			OYCORD	CO2 ANALYSIS
			OYGIAN	GAS INDEX ANALYSIS
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCLAI	WARRANTY CLAIM REPORT
			OZCORD	CO2 ANALYSIS
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQUD	EQUIPMENT DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZFLTG	Fault Trend Analysis
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZMHST	METER HISTORY
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			OZPROF	EQUIPMENT PROFILE
			OZRBCR	RELIABILITY CHART
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZTRAS	EQUIPMENT TRANSFER LOG
			OZURCR	UNRELIABILITY CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	An entity for which (historical) data is registered. A generic term for plant and equipment. An object can be an asset, functional position, system or location. Objects are 'maintained': work orders are created for them.	OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWOC	WORK ORDER COST SUMMARY GRAPH
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SHREQF	Print Purchase Requisition
			SSSTSR	STORE TO STORE RECEIPTS
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETN	LIST OF RETURNS
			SZREQF	Print Purchase Requisition
			SZRETN	LIST OF RETURNS
			USBSTR	BUDGET STRUCTURE
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCMATL	CROSSBOW MATERIAL LIST
			WCSTWO	CROSSBOW STANDARD WO LIST
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WHCOSL	Job Cost Summary Report
			WHJOB	PRINT WORK ORDER
			WHJOB	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBWOG	GENERATE/RELEASE WOS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSPFWM	PM FORECASTING WARNING
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSQCWO	QUICK CLOSE WORK ORDER
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSCHD	WORK ORDER SCHEDULE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	An entity for which (historical) data is registered. A generic term for plant and equipment. An object can be an asset, functional position, system or location. Objects are 'maintained': work orders are created for them.	WSSFMX	SAFETY MATRIX
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WTBLOG	Work Backlog
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBF	Job Cards
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERL	List Of Permit Issues
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCCTR	PRINT SERVICE REQUESTS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZERRF	EXPIRED WARRANTIES
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZPERL	List Of Permit Issues
			WZPFMC	FUTURE MAINTENANCE COST
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	An entity for which (historical) data is registered. A generic term for plant and equipment. An object can be an asset, functional position, system or location. Objects are 'maintained': work orders are created for them.	WZPMSP	PM SCHEDULE PROFILE
			WZPMTL	OUT OF TOLERANCE PM
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
			YSACCD	VIEW GL VALUES
		An item in which the owner has invested money and that needs to be kept in good condition to fulfil the purpose for which it was bought. E.g. production equipment.	BSPAWU	WHERE USED POPUP IN PART ASSOCIATED
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			OTCAHI	CALIBRATION HISTORY REPORT
			OTOBJL	List Of Objects
			OZCAHI	CALIBRATION HISTORY REPORT
			OZOBJL	List Of Objects
			STRCVF	Goods Received Note
			STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
			WSAGRS	CUSTOMER CONTRACTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSDEBS	CREATE CUSTOMER
			WSIMPL	IMPORT PART LIST
			WSINST	VIEW LOOP INSTRUMENTS POPUP
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSTASK	TASKS
			WSVREQ	VIEW WORK REQUEST STATUS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZOSRQ	OPEN SERVICE REQUESTS
			BZEQDL	EQUIPMENT LIST - DETAIL
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			OZOEEM	OEE METRICS
			OZONCF	NONCONFORMITIES ANALYSIS
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSA
			OZRHIS	RANKING HISTORY CHART
			OZTBRK	TOP 10 BREAKDOWN
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSNCIM	NONCOMFORMITIES POPUP
			WSPMPL	PM FORECASTING
			WYVRSL	VIEW RESOURCE LOAD
			WZDTTL	DOWNTIME TRACKING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	Infor EAM - the equipment code, number, etc.	WZLWOQ	LIST OF WORK ORDERS
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZVRSL	VIEW RESOURCE LOAD
			WZWORL	LIST OF WORK ORDERS
			BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL007	MISSING UTILITY INVOICES
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BAL016	WORK ORDER GENERATION - PM SCHEDULES
			BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
			BAL018	WORK ORDER GENERATION - MPS
			BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			BSDOCA	DOCUMENTS
			BSDTCV	DATA CONVERSION (MP2)
			BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			BSMPWR	MP2 WORK REQUESTS
			BZCHKA	CHECKLIST AUDIT
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSEQUP	ADDITIONAL EQUIPMENT
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSRAPD	RAPID REQUEST
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCASE	CASE MANAGEMENT REPORT
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			FCGRD1	FLAMETHROWER GRID 1
			IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
			JSCAMP	CAMPAIGN
			JSCCMP	COPY CAMPAIGN POPUP
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OHAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHTTEC	TOP 10 EQUIPMENT COST
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCPCS	COPY CONSIST POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	Infor EAM - the equipment code, number, etc.	OSDCUR	DECAY CURVE
			OSEQCI	CHECKLIST ITEMS
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQGN	EQUIPMENT GENERATION
			OSEQLT	IMPORT FROM EQUIPMENT
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGGMP	GIS MAP DATA
			OSGISR	GIS MAP SEARCH
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVIW	EQUIPMENT OVERVIEW 360
			OSRCMT	RCM TEMPLATES
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			OZAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OZAESD	ANNUAL ENERGY USE
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
			OZAEST	TOTAL ANNUAL ENERGY USE
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			OZMNBK	MOBILE NOTEBOOK
			OZRCME	RCM EQUIPMENT AT RISK
			OZRCML	RCM RISK LEVELS
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	Infor EAM - the equipment code, number, etc.	OZRMSO	RISK MATRIX OVERVIEW
			OZTTEC	TOP 10 EQUIPMENT COST
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSIMPL	IMPORT PART LIST
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPACK	PACKAGES SCREEN
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WSACMP	ACTIVATE MP POPUP
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSBWOP	BUNDLED WORK ORDERS
			WSCALR	VIEW CALIBRATION RESULTS
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCLSR	CLOSE SERVICE REQUEST
			WSCMPP	COPY MP POPUP
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCPTW	COPY REPLACE PTW POPUP
			WSCREN	CUSTOMER RENTALS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	Infor EAM - the equipment code, number, etc.	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMPs	EMPLOYEES
			WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
			WSGISD	MAP VIEW
			WSGWOD	GIS MAP WO DISPATCHING
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSLNSR	PERFORM LINEAR SEARCH POPUP
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPRRS	REFRESH RESOURCES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSCHD	WORK ORDER SCHEDULE
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSREQ	SERVICE REQUESTS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WSWREQ	WORK REQUEST
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCALR	CALIBRATION RECORD REPORT
			WZCJOB	CALCULATE CUSTOMER CHARGES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	Infor EAM - the equipment code, number, etc.	WZDELP	PROOF OF DELIVERY
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZLMWO	LIST OF MAINTENANCE WO
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMDO	PM DUE OVERVIEW
			WZPMMD	PRINT METER BASED PM DUE
			WZPTWR	PRINT PERMIT TO WORK
			WZSCHD	Scheduled / Actual Detail
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWEMP	WORK BY EMPLOYEE
		Infor EAM - name of dataspy on the structure tab of the equipment form	BSLOVS	LIST OF LOOKUPS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCINF	CONTACT INFO
			ISAPRF	APPROVE INSPECTION RESULTS
			OSCLAI	WARRANTY CLAIMS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSMETE	PHYSICAL METER
			OYCOEM	CO2E EMISSIONS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			SSSUPP	SUPPLIERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
			TCIOBR	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOCML	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11914	Equipment	Crossbow	TCOMRP	7I MOBILE BOILER TEXT
			TCPLRB	7I MOBILE BOILER TEXT
		Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
			WZPMFC	PM FORECASTING
		D7i Extended - Mean-time Between Failures report	BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CZTCCR	TOP 10 SERVICE REQUESTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQPL	EQUIPMENT PLANNING
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSREQU	REQUISITIONS
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMP	PM PLANS
			WSRELJ	RELEASE OF SELECTED JOBS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WZHZCH	HAZARD CHART
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZPMCC	PM REPAIR COSTS CHART
			WZPMCP	PM COMPLAINT
			WZSWOF	STANDARD WORK ORDER FREQUENCY
38649	Equipment (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
34358	Equipment (Assets and Systems)	EWS.ADMN.UC.CreateUpdateClasses	BSCLSB	CLASSES FOR BUSINESS EDITION
40748	Equipment Alias	EAM.WORK.REQ.WorkOrder.doc	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40748	Equipment Alias	EAM.WORK.REQ.WorkOrder.doc	WSJOVM	CREATE WORK ORDER
42459	Equipment Assigned To	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			BSWHSE	DATA WAREHOUSE
23224	Equipment Assigned-to Code		BSWHSE	DATA WAREHOUSE
23225	Equipment Assigned-to Name		BSWHSE	DATA WAREHOUSE
30809	Equipment Categories	D7i Extended -- Billing Codes for Fleet Management -- Field Label	BSLOVS	LIST OF LOOKUPS
29041	Equipment Category	Data warehouse.	BSWHSE	DATA WAREHOUSE
			CSSVPB	SERVICE PROBLEM CODES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			SSSUPP	SUPPLIERS
			WSFCUS	FLEET CUSTOMERS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSWLSH	WO LABOR SCHEDULING
			WSWoup	WO UPDATE
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
27752	Equipment Category Description	D7i Extended - field label - object category description	BSWHSE	DATA WAREHOUSE
20764	Equipment Class	Infor EAM - the class of the selected piece of equipment	WSFCUS	FLEET CUSTOMERS
			BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSSTRT	EWS NEW START CENTER
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSSVPB	SERVICE PROBLEM CODES
			ISAPRF	APPROVE INSPECTION RESULTS
			JSCULB	COMPATIBLE UNITS LIBRARY
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSGRTE	CREATE ROUTE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20764	Equipment Class	Infor EAM - the class of the selected piece of equipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WSARRS	PRICING SCHEDULE
			WSFCUS	FLEET CUSTOMERS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPFMC	FUTURE MAINTENANCE COST
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
23205	Equipment Class Code	EAM-36219 : EAM.EQUIP.REQ.EquipmentClassDefinition / EAM-39337	BSWHSE	DATA WAREHOUSE
47674	Equipment Class Definition		OSOCDE	EQUIPMENT CLASS DEFINITION
23206	Equipment Class Description		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23206	Equipment Class Description	EWS.Work.UC.WOsAllowedforPricingSchedule	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSFCUS	FLEET CUSTOMERS
			WSPPMP	PM PLANS
			CSSVPB	SERVICE PROBLEM CODES
			SSSUPP	SUPPLIERS
			WSARRS	PRICING SCHEDULE
			CSSVPB	SERVICE PROBLEM CODES
44585	Equipment Class Details	EAM-14721	CSSVPB	SERVICE PROBLEM CODES
32509	Equipment Class Org.	EWS.Work.UC.WOsAllowedforPricingSchedule	BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSSVPB	SERVICE PROBLEM CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
			WSARRS	PRICING SCHEDULE
			WSJBPL	JOB PLANS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
23747	Equipment Class Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
29776	Equipment Classes	D7i Extended -- Approve Inspection Results -- Field Name	BSLOVS	LIST OF LOOKUPS
			CSSVPB	SERVICE PROBLEM CODES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSRCMT	RCM TEMPLATES
21315	Equipment Code	Infor EAM - the equipment lookup on the meter readings for equipment form	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			LVTGEP	LIST VALUES OF TARGET EQUIPMENT
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			BSWHSE	DATA WAREHOUSE
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
45253	Equipment Code is too long.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
24689	Equipment Comment	Crossbow	TCOBJL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
24835	Equipment Comments	Crossbow	TCJEQL	7I MOBILE BOILER TEXT			
			TCJOB	7I MOBILE BOILER TEXT			
			TCOCML	7I MOBILE BOILER TEXT			
		D7i Extended - Work Order Cards report - Section label for equipment comments	OCOBJA	MOBILE EQUIPMENT FUNCTION			
			WHJOB	PRINT WORK ORDER			
			WHWOSH	PRINT SHORT WORK ORDER CARDS			
			WYJOB	PRINT WORK ORDER			
			WZJOB	PRINT WORK ORDER			
			WZWOLG	PRINT WO LONG			
			WZWOSH	PRINT SHORT WORK ORDER CARDS			
			23226	Equipment Commission Date	BSWHSE	DATA WAREHOUSE	
				40116	Equipment Component Locations	BSLOVS	LIST OF LOOKUPS
42496	Equipment Configuration	EAM.EQUIP.REQ.EquipmentConfiguration	BSPARA		PART ASSOCIATED (NO CATEGORY) GRID		
			BSDOCA	DOCUMENTS			
			BSLOVS	LIST OF LOOKUPS			
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS			
			OSECON	CREATE EQUIPMENT CONFIGURATION			
			OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			OSSTAT	EQUIPMENT OPERATIONAL STATUS			
			OZEQU	EQUIPMENT DETAIL			
			SSPART	PARTS			
			42558	Equipment Configuration Object	EAM-5174	WSBFUL	BATCH FUEL ISSUES
WSGSRH	GIS MAP ROADS HIGHWAYS						
WSOPSS	OPTIMIZED SCHEDULER SETUP						
BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS						
42497	Equipment Configuration Org.	EAM-6525				BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
						OSOBJA	CREATE ASSET EQUIPMENT
						OSOBJP	CREATE POSITION EQUIPMENT
						OSOBJS	CREATE SYSTEM EQUIPMENT
						OSSTAT	EQUIPMENT OPERATIONAL STATUS
						WSBFUL	BATCH FUEL ISSUES
						WSGSRH	GIS MAP ROADS HIGHWAYS
						WSOPSS	OPTIMIZED SCHEDULER SETUP
			42303	Equipment Configuration Revision	EAM-5358 : Add Equipment Configuration references	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
						OSOBJA	CREATE ASSET EQUIPMENT
						OSOBJP	CREATE POSITION EQUIPMENT
						OSOBJS	CREATE SYSTEM EQUIPMENT
OSSTAT	EQUIPMENT OPERATIONAL STATUS						
OZEQU	EQUIPMENT DETAIL						
WSBFUL	BATCH FUEL ISSUES						
WSGSRH	GIS MAP ROADS HIGHWAYS						
WSOPSS	OPTIMIZED SCHEDULER SETUP						
42584	Equipment Configurations	Equipment Generation Details				BSLOVS	LIST OF LOOKUPS
	Equipment Conflicts	EAM-3563 EAM.WORK.REQ.ConflictsForPermitToWork				WSPMTW	PERMIT TO WORK
	Equipment Cost Code					BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
23211			BSWHSE	DATA WAREHOUSE			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23211	Equipment Cost Code		OSEQGN	EQUIPMENT GENERATION
			WSWLSH	WO LABOR SCHEDULING
23212	Equipment Cost Code Description		BSWHSE	DATA WAREHOUSE
27470	Equipment Count	Analytics. A count of the number of equipment items matching some criteria. Refer to PVCS 7719.	BSWHSE	DATA WAREHOUSE
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
43151	Equipment Count Details	EAM-9410	OZRMSO	RISK MATRIX OVERVIEW
42585	Equipment Created	EAM-4553: EQUIP.REQ.PreviewForEquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
32216	Equipment Criticalities	EWS.REP.UC.WorkBacklogReport - Work Backlog report	BSLOVS	LIST OF LOOKUPS
23219	Equipment Criticality		BCMOBL	7I MOBILE BOILER TEXT
			BSASET	ASSET SETUP
			BSLOVS	LIST OF LOOKUPS
			BSWHSE	DATA WAREHOUSE
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBFB	PRINT WORK ORDER
			WHJOBBL	Labour Hours For Jobs
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVMB	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WTBLOG	Work Backlog
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBBL	Labour Hours For Jobs
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOBFB	PRINT WORK ORDER
			WYJOBBL	Labour Hours For Jobs
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBFB	PRINT WORK ORDER
			WZJOBBL	Labour Hours For Jobs
			WZJOBQB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZJOVMB	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLG	PRINT WO LONG
25585	Equipment Custom Fields	Crossbow	TCJEQL	7I MOBILE BOILER TEXT
			TCJOBBL	7I MOBILE BOILER TEXT
		D7I Extended - Calibration Record Report	JSCULB	COMPATIBLE UNITS LIBRARY
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25585	Equipment Custom Fields	D7I Extended - Calibration Record Report	WHJOVH WHJOVM WHWOSH WSPPMP WTCALR WYJOBF WYWOSH WZCALR WZJOBF WZJOBQ WZJOVH WZJOVM WZWOLG WZWOSH	PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HEALTHCARE PRINT SHORT WORK ORDER CARDS PM PLANS CALIBRATION RECORD REPORT PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS CALIBRATION RECORD REPORT PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HEALTHCARE PRINT WO LONG PRINT SHORT WORK ORDER CARDS
23221	Equipment Default Currency	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	BSWHSE	DATA WAREHOUSE
39091	Equipment Department		OSEQGN	EQUIPMENT GENERATION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSWLSH	WO LABOR SCHEDULING
			WZVMRS	VMRS ACTIVITIES CHART
32363	Equipment Depreciation by Department	EWS.CREP.UC.EquipmentDepreciation.doc	OZDEPR	EQUIPMENT DEPRECIATION
32364	Equipment Depreciation by Equipment Class	EWS.CREP.UC.EquipmentDepreciation.doc	OZDEPR	EQUIPMENT DEPRECIATION
32413	Equipment Depreciation by Organization	EWS.CREP.UC.EquipmentDepreciation.doc	OZDEPR	EQUIPMENT DEPRECIATION
43945	Equipment Desc	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20768	Equipment Description	Infor EAM	BAL001 BAL002 BAL003 BAL007 BAL008 BAL009 BAL011 BAL012 BAL014 BSMPWO BSMPWR CSCASE CSCCGM CSCCTR CSCINF CSCMTK CSRAPD CSSVPB JSCAMP JSPROJ LVTGEP	POWER FACTOR PEAK DEMAND PHASE IMBALANCE MISSING UTILITY INVOICES WARRANTY EXPIRATION DATE ALERT WARRANTY EXPIRATION USAGE ALERT WORK ORDER STATUS ESCALATION CASE TASK READY TO START CASE TASK COMPLETED MP2 WORK ORDERS MP2 WORK REQUESTS CASE MANAGEMENT CONTACT CENTER MAP SEARCH CONTACT CENTER CONTACT INFO CASE MANAGEMENT TASKS RAPID REQUEST SERVICE PROBLEM CODES CAMPAIGN PROJECTS LIST VALUES OF TARGET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20768	Equipment Description	Infor EAM	OSAPMS	APM SCENARIO
			OSCEQN	CHANGE EQUIPMENT NUMBER POPUP
			OSDCUR	DECAY CURVE
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			OZNCFL	LIST OF NONCONFORMITIES
			OZTRAS	EQUIPMENT TRANSFER LOG
			SSISSU	Stock Issues
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSSUPP	SUPPLIERS
			USINVP	INVESTMENT PLANNING
			WSAGRS	CUSTOMER CONTRACTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSBWOG	GENERATE/RELEASE WOS
			WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20768	Equipment Description	Infor EAM	WSCPTW	COPY REPLACE PTW POPUP
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSDFAC	DEFERRED MAINTENANCE
			WSEMPs	EMPLOYEES
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSNCIM	NONCONFORMITIES POPUP
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSCHD	WORK ORDER SCHEDULE
			WSSFMX	SAFETY MATRIX
			WSWKPK	PM WORK PACKAGES
			WSWOUP	WO UPDATE
			WZCALA	CALIBRATION ANALYSIS
			WZPMTL	OUT OF TOLERANCE PM
			WZWOLM	WORK ORDER LIST - DETAIL
			BSWHSE	DATA WAREHOUSE
			BZCHKA	CHECKLIST AUDIT
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCOCML	7I MOBILE BOILER TEXT
		EAM-10497	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WZPMDO	PM DUE OVERVIEW
47930	Equipment Description (Translated)		LVTGEP	LIST VALUES OF TARGET EQUIPMENT
			WSBREA	BATCH METER READINGS FOR WORK ORDER
17472	Equipment Details		CSCINF	CONTACT INFO
			CSEQUP	ADDITIONAL EQUIPMENT
			CSSVPB	SERVICE PROBLEM CODES
			ISMONT	MONITORED DATA
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSSHUT	SHUTDOWNS
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLCD	CLOSING CODE
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17472	Equipment Details		OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSTRAS	TRANSFER EQUIPMENT
			OSWARR	WARRANTY
			SSSUPP	SUPPLIERS
			USINVP	INVESTMENT PLANNING
			WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSFMX	SAFETY MATRIX
			WSWKPK	PM WORK PACKAGES
		Crossbow	OCEQDT	CROSSBOW ASSET MENU
			TCCRBS	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
		Crossbow	TCOBJL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
28644	Equipment Direct Material Cost with Rollup (default currency)	Data warehouse. Refer to PVCS 8755.	BSWHSE	DATA WAREHOUSE
28957	Equipment Direct Material Cost with Rollup (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
48551	Equipment Documents	EAM-44345: User Groups Mobile Screen Permissions	OCOBJA	MOBILE EQUIPMENT FUNCTION
32039	Equipment Downtime Cost with Rollup (Default Currency)	Refer to PVCS 16869.	BSWHSE	DATA WAREHOUSE
32038	Equipment Downtime with Rollup	Refer to PVCS 16869.	BSWHSE	DATA WAREHOUSE
38545	Equipment Equivalency	EWS.EQUIP.UC.EquipmentEquivalencyforEquipmentEvaluation	OSEVAL	EQUIPMENT EVALUATIONS
38432	Equipment Evaluation	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	BSDOCA	DOCUMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38432	Equipment Evaluation	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
37962	Equipment Field	EWS.ADMN.UC.WorkOrderAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
46807	Equipment Filter	EAM-29656	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSTASK	TASKS
46852	Equipment Filters	EAM.WORK.REQ.ChecklistForTaskPlans	BSLOVS	LIST OF LOOKUPS
28645	Equipment Fixed Labor Cost with Rollup (default currency)	Data warehouse. Refer to PVCS 8755.	BSWHSE	DATA WAREHOUSE
28958	Equipment Fixed Labor Cost with Rollup (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
46630	Equipment From Point	EAM-28548:EAM.EQUIP.REQ.LinearWhereUsedForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
31850	Equipment GIS Map	PIR #21224 and #21236	TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
42311	Equipment Generation Details	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
32743	Equipment Group	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
32744	Equipment Groups	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
28646	Equipment Hired Labor Cost with Rollup (default currency)	Data warehouse. Refer to PVCS 8755.	BSWHSE	DATA WAREHOUSE
28959	Equipment Hired Labor Cost with Rollup (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
24837	Equipment History	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			OCOBJA	MOBILE EQUIPMENT FUNCTION
			TCOHSL	7I MOBILE BOILER TEXT
48147	Equipment Included In Performance	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOCDE	EQUIPMENT CLASS DEFINITION
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
30560	Equipment Information	D7i Extended - Work Order Cards report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
28642	Equipment Labor Cost with Rollup (default currency)	Data warehouse. Refer to PVCS 8755.	BSWHSE	DATA WAREHOUSE
28955	Equipment Labor Cost with Rollup (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
30377	Equipment Length	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - users will enter the length of the equipment (e.g., if you have a bridge as an	BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30377	Equipment Length	asset)	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
46113	Equipment Length Override	EAM.EQUIP.REQ.Assets.docx	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
42326	Equipment Length UOM	EAM.EQUIP.REQ.EquipmentConfiguration	WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
42089	Equipment Level	EAM.WORK.REQ.ChecklistForTask	OZOBJQ	LIST OF EQUIPMENT DETAILS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			WSJBPL	JOB PLANS
24838	Equipment List	Crossbow D7i Extended - Equipment - list of equipment	WSTASK	TASKS
			TCOBJL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24838	Equipment List	D7i Extended - Equipment - list of equipment	WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
39120	Equipment Location	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	OSEQGN	EQUIPMENT GENERATION
			WSWLSH	WO LABOR SCHEDULING
			WZVMRS	VMRS ACTIVITIES CHART
23207	Equipment Location Code		BSWHSE	DATA WAREHOUSE
23208	Equipment Location Description		BSWHSE	DATA WAREHOUSE
39093	Equipment Location Org.	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	OSEQGN	EQUIPMENT GENERATION
			WSWLSH	WO LABOR SCHEDULING
23752	Equipment Location Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
24169	Equipment Lookup	Extended (product name). For use on the Equipment Lookup.	BSLOVS	LIST OF LOOKUPS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
31808	Equipment Manufacturer	EWS.CREP.UC.PrintShortWorkOrderCards	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
23209	Equipment Manufacturer Code		BSWHSE	DATA WAREHOUSE
23210	Equipment Manufacturer Description		BSWHSE	DATA WAREHOUSE
31809	Equipment Model	EWS.CREP.UC.PrintShortWorkOrderCards	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
46766	Equipment Move	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
35804	Equipment No.	EWS.ADMN.UC.MP2WorkOrders	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPMR	MP2 METER READINGS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BSSPMR	MP2 SPM READINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
27880	Equipment Number	Barcode	FCGRD1	FLAMETHROWER GRID 1
43495	Equipment Operational Status	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
43946	Equipment Org	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20724	Equipment Org.	Infor EAM - organization of the piece of equipment	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL007	MISSING UTILITY INVOICES
			BAL008	WARRANTY EXPIRATION DATE ALERT
			BAL009	WARRANTY EXPIRATION USAGE ALERT
			BAL011	WORK ORDER STATUS ESCALATION
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BSALRT	ALERT MANAGEMENT SYSTEM
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZCHKA	CHECKLIST AUDIT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSEQUP	ADDITIONAL EQUIPMENT
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			FCGRD1	FLAMETHROWER GRID 1
			ISAPRF	APPROVE INSPECTION RESULTS
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			LVTGEP	LIST VALUES OF TARGET EQUIPMENT
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCEQN	CHANGE EQUIPMENT NUMBER POPUP
			OSCLAI	WARRANTY CLAIMS
			OSCLCH	CLOSING CODE HIERARCHY
			OSDCUR	DECAY CURVE
			OSEQCI	CHECKLIST ITEMS
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQLT	IMPORT FROM EQUIPMENT
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20724	Equipment Org.	Infor EAM - organization of the piece of equipment	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSMETE	PHYSICAL METER
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			OZMNBK	MOBILE NOTEBOOK
			OZNCFL	LIST OF NONCONFORMITIES
			OZRMSO	RISK MATRIX OVERVIEW
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20724	Equipment Org.	Infor EAM - organization of the piece of equipment	SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			WSAGRS	CUSTOMER CONTRACTS
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCPWT	COPY REPLACE PTW POPUP
			WSCREN	CUSTOMER RENTALS
			WSDEBS	CREATE CUSTOMER
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMP	EMPLOYEES
			WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
			WSGWOD	GIS MAP WO DISPATCHING
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMATL	MATERIAL LISTS
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSNCIM	NONCOMFORMITIES POPUP
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFWM	PM FORECASTING WARNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20724	Equipment Org.	Infor EAM - organization of the piece of equipment	WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPRRS	REFRESH RESOURCES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSRELJ	RELEASE OF SELECTED JOBS
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WZPMDO	PM DUE OVERVIEW
			WZWOLM	WORK ORDER LIST - DETAIL
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCOHSI	7I MOBILE BOILER TEXT
			TCOHSI	7I MOBILE BOILER TEXT
38651	Equipment Org. (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
37963	Equipment Org. Field	EWS.ADMN.UC.WorkOrderAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
45128	Equipment Organization	EAM-16968	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			WZVMRS	VMRS ACTIVITIES CHART
			BSWHSE	DATA WAREHOUSE
23201	Equipment Organization Code		SSPICK	PICK TICKETS
23223	Equipment Organization Currency		BSWHSE	DATA WAREHOUSE
23202	Equipment Organization Description		BSWHSE	DATA WAREHOUSE
48350	Equipment Parent	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
39089	Equipment Parent Equipment	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
39092	Equipment Parent Equipment Org.	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
48349	Equipment Parent Org.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
35580	Equipment Penalty Factor	EWS.CREP.UC.PenaltyDeductionSummary	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
43580	Equipment Planning	EAM-10859 EAM.CREP.REQ.EquipmentPlanning	OZEQPL	EQUIPMENT PLANNING
42313	Equipment Prefix	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
39150	Equipment Preview	EAM.WORK.UC.EquipmentPreivewWOLaborScheduling	WSWLSH	WO LABOR SCHEDULING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35473	Equipment Priorities	#28171	BSDTCV	DATA CONVERSION (MP2)
23217	Equipment Production-related		BSWHSE	DATA WAREHOUSE
40977	Equipment Property	EAM.WORK.REQ.WorkOrderHospitality	WSJOVH	CREATE WORK ORDER
45735	Equipment Ranking	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	BSDOCA	DOCUMENTS
			BSQUER	QUERIES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSRELR	EQUIPMENT RANKINGS
			OSSTGY	CREATE STRATEGY
			USINVP	INVESTMENT PLANNING
45811	Equipment Ranking Description	EAM.EQUIP.REQ.RankingSurveyforEquipment EAM-19869	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
			USINVP	INVESTMENT PLANNING
45734	Equipment Ranking Details	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
45777	Equipment Ranking Level	EAM-19863EAM.EQUIP.REQ.SurveySetupforEquipmentRank	OSRELR	EQUIPMENT RANKINGS
47856	Equipment Ranking Org.	EAM-37499 EAM.EQUIP.REQ.RankingsForEquipment	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
			USINVP	INVESTMENT PLANNING
48739	Equipment Ranking Revision	EAM.EQUIP.REQ.RankingHistoryForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
45834	Equipment Rankings	EAM.EQUIP.REQ.RankingsForEquipment : EAM-19868	BSLOVS	LIST OF LOOKUPS
48630	Equipment Replacement	EAM-44351	WSJOBS	CREATE WORK ORDER
49217	Equipment Revision		OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
30564	Equipment Risk Focus	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30564	Equipment Risk Focus	D7i Extended - Work Order Cards report	WYWOSH WZJOB WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS
46130	Equipment Safety	EAM-26308 : EAM.EQUIP.REQ.Nonconformities	BCMOBL OSNCFM OSNCHD WSJOBS	7I MOBILE BOILER TEXT NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE WORK ORDER
36273	Equipment Safety Warning	29405	BSMBST	MOBILE SETUP
23218	Equipment Safety-related		BSWHSE	DATA WAREHOUSE
40614	Equipment Sales Details	EAM-83 WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
37090	Equipment Selection Parameters	EWS.WORK.Parameters for PM Forecasting	WSPMPL WSWLSH	PM FORECASTING WO LABOR SCHEDULING
31810	Equipment Serial Number	EWS.CREP.UC.PrintShortWorkOrderCards	WHWOSH WYWOSH WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
23215	Equipment State Code		BSWHSE	DATA WAREHOUSE
38461	Equipment Status	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSECON OSEQGN OSEVAL OSNCFM OSNCHD USINVP WSOPSS WSWLSH	CREATE EQUIPMENT CONFIGURATION EQUIPMENT GENERATION EQUIPMENT EVALUATIONS NONCONFORMITY OBSERVATIONS NONCONFORMITIES INVESTMENT PLANNING OPTIMIZED SCHEDULER SETUP WO LABOR SCHEDULING
38652	Equipment Status (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
40605	Equipment Status After Sale	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
23213	Equipment Status Code		BSWHSE	DATA WAREHOUSE
23214	Equipment Status Description		BSWHSE	DATA WAREHOUSE
34296	Equipment Statuses	EWS.ADMN.UC.WorkSetup	BSASET BSLOVS BSWHSE	ASSET SETUP LIST OF LOOKUPS DATA WAREHOUSE
28643	Equipment Stock Material Cost with Rollup (default currency)	Data warehouse. Refer to PVCS 8755.		
28956	Equipment Stock Material Cost with Rollup (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
48546	Equipment Structure	EAM-44345: User Groups Mobile Screen Permissions	OCOBJA WCJOBS	MOBILE EQUIPMENT FUNCTION CROSSBOW WORK ORDER FUNCTION
42314	Equipment Suffix	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
29400	Equipment System State Code		BSWHSE	DATA WAREHOUSE
29401	Equipment System State Description		BSWHSE	DATA WAREHOUSE
39483	Equipment System Status	Scheduling for WO Labor Scheduling	WSOPSS WSWLSH	OPTIMIZED SCHEDULER SETUP WO LABOR SCHEDULING
29398	Equipment System Status Code		BSWHSE	DATA WAREHOUSE
29399	Equipment System Status Description		BSWHSE	DATA WAREHOUSE
31571	Equipment System Type	EWS.CREP.UC.ElectronicRecords	BZDKLD BZEVT BZMLPD BZOBJD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR MATERIAL LIST PARTS ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31571	Equipment System Type	EWS.CREP.UC.ElectronicRecords	BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPMPL	PM FORECASTING
			WSWOUUP	WO UPDATE
29396	Equipment System Type Code	Data warehouse.	BSWHSE	DATA WAREHOUSE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
29397	Equipment System Type Description	Data warehouse.	BSWHSE	DATA WAREHOUSE
28647	Equipment Tool Cost with Rollup (default currency)	Data warehouse. Refer to PVCS 8755.	BSWHSE	DATA WAREHOUSE
28960	Equipment Tool Cost with Rollup (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
41173	Equipment Tracking Details	EAM-653	WHJOVM	PRINT WORK ORDER HEALTHCARE
20723	Equipment Type	Infor EAM - a classification for a piece of equipment, e.g., asset, position, or system	WZJOVM	PRINT WORK ORDER HEALTHCARE
			BSEXIM	EXPORT CONFIGURATION
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			ISAPRF	APPROVE INSPECTION RESULTS
			IYCHKF	Inspection results
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20723	Equipment Type	Infor EAM - a classification for a piece of equipment, e.g., asset, position, or system	JSSHUT	SHUTDOWNS
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSJOBS	CREATE WORK ORDER
			OSMETE	PHYSICAL METER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			OZMHST	METER HISTORY
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOMFL	Mean Time Between Failures Per Object
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSDFAC	DEFERRED MAINTENANCE
			WSFCUS	FLEET CUSTOMERS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSROUT	ROUTES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20723	Equipment Type	Infor EAM - a classification for a piece of equipment, e.g., asset, position, or system	WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
23203	Equipment Type Code		BSWHSE	DATA WAREHOUSE
			JSSHUT	SHUTDOWNS
			OSGRTE	CREATE ROUTE WORK ORDER
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
23204	Equipment Type Description		BSWHSE	DATA WAREHOUSE
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
29040	Equipment Types	D7i Extended -- Approve Inspection Points form -- equipment=adjective, types=noun	BSASET	ASSET SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
35186	Equipment Usability	EWS.WORK.UC.CreateWorkOrder	BSLOVS	LIST OF LOOKUPS
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			JSCAMP	CAMPAIGN
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35186	Equipment Usability	EWS.WORK.UC.CreateWorkOrder	WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
35577	Equipment Usability Codes	EWS.CCTR.UC.EquipmentUsabilityCodesForCallCenterSe	CEECCS	EQUIPMENT USABILITY CODES
			CSCCSP	CONTACT CENTER SETUP
35575	Equipment Usability Details	EWS.CCTR.UC.EquipmentUsabilityCodesForCallCenterSe	CSCCSP	CONTACT CENTER SETUP
35590	Equipment Usability ID	EWS.CCTR.UC.EquipmentUsabilityCodesForCallCenterSe	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
35720	Equipment Usability Org.	EWS.CCTR.UC.CallCenter	CSSVPB	SERVICE PROBLEM CODES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
36857	Equipment User Defined Fields	31515	WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
20938	Equipment Value	Infor EAM - monetary value of a piece of equipment	BCMOBL	71 MOBILE BOILER TEXT
			BZEQDL	EQUIPMENT LIST - DETAIL
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20938	Equipment Value	Infor EAM - monetary value of a piece of equipment	OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
23220	Equipment Value (Default Currency)	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	BSWHSE	DATA WAREHOUSE
23222	Equipment Value (Organization Currency)		BSWHSE	DATA WAREHOUSE
49754	Equipment Value Currency	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
29676	Equipment Variable 1	Data warehouse.	BSWHSE	DATA WAREHOUSE
29677	Equipment Variable 2	Data warehouse.	BSWHSE	DATA WAREHOUSE
29678	Equipment Variable 3	Data warehouse.	BSWHSE	DATA WAREHOUSE
29679	Equipment Variable 4	Data warehouse.	BSWHSE	DATA WAREHOUSE
29680	Equipment Variable 5	Data warehouse.	BSWHSE	DATA WAREHOUSE
29681	Equipment Variable 6	Data warehouse.	BSWHSE	DATA WAREHOUSE
35957	Equipment Variables	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			OZOBJF	LIST OF EQUIPMENT DETAILS
23227	Equipment Withdrawal Date	D7i Extended - Block label in GIS Map search	BSWHSE	DATA WAREHOUSE
25018	Equipment Within Search Area		CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
36973	Equipment cannot be added to this page because the header work order is not equipment related.	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	BCMOBL	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
		21810 - Multiple Equipment Work Order	TCJEQL	7I MOBILE BOILER TEXT
12349	Equipment class	The class of an object, e.g. a building, extruder, car.	WCSTWO	CROSSBOW STANDARD WO LIST
13404	Equipment criticality	An indicator of the relative importance of an object.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13404	Equipment criticality	An indicator of the relative importance of an object.	WTJOB WYWOSH WZWOSH	Job Cards PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
20496	Equipment custom fields	WRJOB - checkbox to print custom fields associated with the equipment on the work order on the printed report	WTJOB	Job Cards
46315	Equipment filter	GIS	BCMOB	7I MOBILE BOILER TEXT
36974	Equipment for the selected work order cannot be updated because work orders that are not multiple equipment child type are associated as children.	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	TCJEQL	7I MOBILE BOILER TEXT
47542	Equipment history url :PARAM1 is invalid.	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOB	7I MOBILE BOILER TEXT
12466	Equipment information		WTJOB	Job Cards
39332	Equipment inserted Today	EAM.WORK.UC.EquipmentforMP/38266	WSMPAT	MAINTENANCE PATTERNS
28624	Equipment location	Data warehouse.	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
47270	Equipment must be entered prior to performing this search.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOB	7I MOBILE BOILER TEXT
25325	Equipment not found.	Crossbow	TCOMRD	7I MOBILE BOILER TEXT
29289	Equipment on Route	D7i Extended - List of Points to Be Inspected Report	ITLAP IYLAP IZLAP	List Of Points To Be Inspected List Of Points To Be Inspected List Of Points To Be Inspected
29291	Equipment on Work Order	D7i Extended - List of Points to Be Inspected Report	ITLAP IYLAP IZLAP	List Of Points To Be Inspected List Of Points To Be Inspected List Of Points To Be Inspected
17963	Equipment risk focus	WRJOB - identifies the risk focus code attached to the object. Used in risk-based inspections.	WTJOB	Job Cards
23216	Equipment state Description		BSWHSE	DATA WAREHOUSE
19337	Equipment system type		OSGRTE	CREATE ROUTE WORK ORDER
19338	Equipment type		FCGRD1	FLAMETHROWER GRID 1
28769	Equipment/Category	D7i Extended -- Routes form -- field label on Inspection Points tab, noun	ISMONT OSITPP WSROUT	MONITORED DATA IMPORT TEST POINTS ROUTES
32846	Equipment/Project/Work Order	EWS.CREP.UC.PrintInvoice	WHINVS WYINVS WZINVS	CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT
38535	Equivalence Status	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	OSEVAL SSEVAL	EQUIPMENT EVALUATIONS PART EVALUATIONS
12907	Error		BSDCER BSJSDN BSVEDP BZRQLD DSOQUE ISAPRF OSEQGN PSPOLN WSOPP YSINTF	VIEW DETAILS (DATA CONVERSION) COMMON FUNCTION FOR JAVASCRIPT VIEW ERROR DETAILS POPUP ELECTRONIC RECORDS FOR REQUISITION LINES DATABRIDGE OUTBOUND QUEUE APPROVE INSPECTION RESULTS EQUIPMENT GENERATION IMPORT PO LINES OPTIMIZED SCHEDULER SETUP INTERFACE OVERVIEW
		21784 PIR - Logger : New logger function for Relea	BCMOB TCCLGR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27141	Error Correction	D7i Extended - Monitor Interface screen/Error Correction tab - Tab name	YSINTF	INTERFACE OVERVIEW
31181	Error Description	Barcoding	FCSCRN	FLAMETHROWER SCREENS
28710	Error Details	Data warehouse. Details for errors encountered during the data warehouse load process. Refer to PVCS 1646, 9649.	BSDWRL	DATA WAREHOUSE RUN LOG
			BSVEDP	VIEW ERROR DETAILS POPUP
46755	Error Log	EAM-29254 Map View - Sync Log Feature	BCMOBL	7I MOBILE BOILER TEXT
15659	Error Message		BSALRT	ALERT MANAGEMENT SYSTEM
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSGDPR	GDPR ADMINISTRATION
			BSGROU	GROUPS
			BSLANG	LANGUAGES
			BSMAPF	MAP FIELDS
			BSMOST	MULTI-ORG SECURITY
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSRPST	REPORT STATUS
			BSTBOP	CHANGE TAB ORDER POPUP
			BSUSRP	USERS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			DSMSBH	VIEW MESSAGES
			JSCAMP	CAMPAIGN
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQGN	EQUIPMENT GENERATION
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELQ	ORDER QUESTIONS POPUP
			OSWKMV	WORKSPACE MOVES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPOUP	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSEOQA	CALCULATE EOQ

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15659	Error Message		SSGRFQ	GENERATE RFQS
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPINV	PHYSICAL INVENTORY
			SSPWIP	IMPORT PARTS POPUP
			SSREQF	GENERATE REQ
			SSRMPL	RETRIEVE MULTIPLE PARTS
			USYEAR	BUDGET TERMS
			WSACMP	ACTIVATE MP POPUP
			WSAPPR	REVISION CONTROL APPROVAL
			WSASRD	ASSIGN REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSBWOG	GENERATE/RELEASE WOS
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSPRRS	REFRESH RESOURCES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSCHD	WORK ORDER SCHEDULE
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWoup	WO UPDATE
		Data Warehouse. A database error message. Refer to PVCS 1647.	BCMOBL	7I MOBILE BOILER TEXT
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BZDLUS	DATA LAKE UPLOAD SETUP
			ISPCOP	COPY ASPECT POINTS
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			WSINVC	CUSTOMER INVOICES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			BSLGEX	EXPORT TRANSLATIONS POPUP
27142	Error Messages	D7i Extended - Monitor Interface screen/Error Correction tab - label name	OSEVAL	EQUIPMENT EVALUATIONS
			YSINTF	INTERFACE OVERVIEW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28529	Error Number	Data warehouse. Error number. Refer to PVCS 1647, 9649.	BSDWRL	DATA WAREHOUSE RUN LOG
36329	Error Overview	EWS.MOBILE.UC.TransactionErrors.doc	TCCERR	7I MOBILE BOILER TEXT
12864	Error Text	Text displayed to the user when something goes wrong.	BSLANG	LANGUAGES
			BSRLNP	REFRESH INSTALLED LANGUAGE
35708	Error Type	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
25326	Error assigning equipment.	Crossbow	TCIOBR	7I MOBILE BOILER TEXT
24733	Error closing Work Order: Contact your system administrator.	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
44265	Error connecting to server. Please try again.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24734	Error deleting Activity: Contact your system administrator.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
		Crossbow	TCJOBL	7I MOBILE BOILER TEXT
25327	Error deleting Issue/Return Part.	Crossbow	TCMRTL	7I MOBILE BOILER TEXT
35628	Error deleting Prompt Data.	Web Service Prompt	TCPMTL	7I MOBILE BOILER TEXT
27532	Error deleting record.	Crossbow	TCJCST	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
25328	Error deleting selected Inspection Result.	Crossbow	TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
25329	Error deleting selected Meter Reading.	Crossbow	TCOMRL	7I MOBILE BOILER TEXT
33934	Error downloading Organization information.	21411	TCCLOG	7I MOBILE BOILER TEXT
33935	Error downloading Sync Config information	21411	TCCLOG	7I MOBILE BOILER TEXT
24736	Error editing Activity: Contact your system administrator.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
25330	Error getting Issue/Return List.	Crossbow	TCMRTL	7I MOBILE BOILER TEXT
44266	Error getting Sync Configuration.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25331	Error getting WO/Activity Details.	Crossbow	TCMRTP	7I MOBILE BOILER TEXT
24737	Error getting Work Order list from database: Contact your system administrator.	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
27631	Error getting screen configuration from database.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
28587	Error in application.	Barcode	FCSCRN	FLAMETHROWER SCREENS
25332	Error in navigation.	Crossbow	TCMPHL	7I MOBILE BOILER TEXT
25333	Error initializing Ad Hoc Inspection List.	Crossbow	TCIRSL	7I MOBILE BOILER TEXT
25334	Error initializing Available Aspect/Point List.	Crossbow	TCIAVI	7I MOBILE BOILER TEXT
27492	Error initializing Calibration list screen.	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
27534	Error initializing Calibration standard screen.	Crossbow	TCJCST	7I MOBILE BOILER TEXT
25335	Error initializing Inspection Equipment List.	Crossbow	TCIOBL	7I MOBILE BOILER TEXT
25336	Error initializing Inspection Results WO List.	Crossbow	TCIWIL	7I MOBILE BOILER TEXT
25337	Error initializing Inspection WO List.	Crossbow	TCIWOL	7I MOBILE BOILER TEXT
24738	Error initializing the Labor list screen: Contact your system administrator.	Crossbow	TCJALL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24739	Error initializing the Task Plan View screen: Contact your system administrator.	Crossbow	TCJATL	71 MOBILE BOILER TEXT
24740	Error initializing the WO Activity List: Contact your system administrator.	Crossbow	TCJACL	71 MOBILE BOILER TEXT
27498	Error loading Data Collection screen.	Crossbow	TCDTCL	71 MOBILE BOILER TEXT
39295	Error loading Grid Definition. Contact your system administrator.	22550 - PIR-User Defined Grid in Mobile	TCUDGL	71 MOBILE BOILER TEXT
31836	Error loading Print Report screen.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	71 MOBILE BOILER TEXT
35630	Error loading Web Service Prompt Screen.	Web Service Prompt	TCPMTR	71 MOBILE BOILER TEXT
27511	Error loading calibration data.	Crossbow	TCJCDE	71 MOBILE BOILER TEXT
39296	Error loading data. Contact your system administrator.	22550 - PIR-User Defined Grid in Mobile	TCUDGL	71 MOBILE BOILER TEXT
25339	Error loading the Ad Hoc Inspection List screen.	Crossbow	TCIRSL	71 MOBILE BOILER TEXT
25340	Error loading the Add Inspection Equipment screen.	Crossbow	TCIOBR	71 MOBILE BOILER TEXT
25341	Error loading the Available Aspect/Point List screen.	Crossbow	TCIAVI	71 MOBILE BOILER TEXT
24742	Error loading the Custom Fields screen: Contact your system administrator.	Crossbow	TCJCFR	71 MOBILE BOILER TEXT
27639	Error loading the Design View.	Crossbow	TCSCMN	71 MOBILE BOILER TEXT
25342	Error loading the Inspection Equipment List screen.	Crossbow	TCIOBL	71 MOBILE BOILER TEXT
25343	Error loading the Inspection Result screen.	Crossbow	TCIRSF	71 MOBILE BOILER TEXT
25344	Error loading the Inspection Results WO List screen.	Crossbow	TCIWIR	71 MOBILE BOILER TEXT
			TCIWIL	71 MOBILE BOILER TEXT
25345	Error loading the Inspection WO List screen.	Crossbow	TCIWOL	71 MOBILE BOILER TEXT
25346	Error loading the Meter Reading screen.	Crossbow	TCOMRD	71 MOBILE BOILER TEXT
25347	Error loading the Meter Replacement screen.	Crossbow	TCOMRP	71 MOBILE BOILER TEXT
24744	Error loading the WO Activity list screen: Contact your system administrator.	Crossbow	TCJACL	71 MOBILE BOILER TEXT
24745	Error loading the WO Activity screen: Contact your system administrator.	Crossbow	TCJACL	71 MOBILE BOILER TEXT
24746	Error loading the Work OrderActivity screen: Contact your system administrator.	Crossbow	TCJACR	71 MOBILE BOILER TEXT
24741	Error loading the application: Contact your system administrator.	Crossbow	TCCRSB	71 MOBILE BOILER TEXT
24743	Error loading the screen configuration settings: Contact your system administrator.	Crossbow	TCCRND	71 MOBILE BOILER TEXT
46284	Error occurred while getting feature layers: Could not construct service url.	GISSettings	BCMOBL	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46282	Error occurred while getting feature layers: Credentials not supplied.	GIS	BCMOBL	7I MOBILE BOILER TEXT
32146	Error occurred during upload. Do you want to check the error list?		TCSYPF	7I MOBILE BOILER TEXT
31829	Error occurred while building request.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCDTCL	7I MOBILE BOILER TEXT
31462	Error occurred while deleting.		TCPRLB	7I MOBILE BOILER TEXT
31469	Error occurred while displaying the Structure screen.		TCESTR	7I MOBILE BOILER TEXT
31466	Error occurred while getting print server info.		TCPRLB	7I MOBILE BOILER TEXT
31467	Error occurred while parsing response.		TCPRLB	7I MOBILE BOILER TEXT
31830	Error occurred while sending request to the server.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCDTCL	7I MOBILE BOILER TEXT
31463	Error occurred while updating.		TCPRLB	7I MOBILE BOILER TEXT
24747	Error parsing the XML screen definitions: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
44352	Error processing the request.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
35629	Error receiving Prompt Data from database. Contact your system administrator.	Web Service Prompt	TCPMTL	7I MOBILE BOILER TEXT
44267	Error receiving data from server.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
26865	Error rendering Image Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
26756	Error rendering List View Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24748	Error rendering the Button Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24749	Error rendering the Checkbox Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24750	Error rendering the ComboBox Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24751	Error rendering the DataGrid Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24752	Error rendering the DateTimePicker Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24755	Error rendering the LOV Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24753	Error rendering the Label Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24754	Error rendering the ListBox Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24756	Error rendering the Numeric Textbox Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
24757	Error rendering the Textbox Control: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
31457	Error rendering tree view control.		TCCRND	7I MOBILE BOILER TEXT
24758	Error resetting Activity: Contact your	Crossbow	TCJACL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27641	system administrator. Error resetting screen configuration to default screen configuration.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
46215	Error retrieving GIS Layer information.	GIS Settings	BCMOBL	7I MOBILE BOILER TEXT
24759	Error retrieving Work Order information from the database: Contact your system administrator.	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
39297	Error retrieving data from server. Do you want to switch to disconnected mode?	22500 - PIR-User Defined Grid in Mobile	TCJOB	7I MOBILE BOILER TEXT
39298	Error retrieving data from server. Please try again.	22500 - PIR-User Defined Grid in Mobile	TCUDGL	7I MOBILE BOILER TEXT
24760	Error saving Activity: Contact your system administrator.	Crossbow	TCJACR	7I MOBILE BOILER TEXT
27513	Error saving Calibration Result.	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
24761	Error saving Comment: Contact your system administrator.	Crossbow	TCJCML	7I MOBILE BOILER TEXT
25348	Error saving Inspection Result.	Crossbow	TCIRSF	7I MOBILE BOILER TEXT
25349	Error saving Meter Reading.	Crossbow	TCIWIR	7I MOBILE BOILER TEXT
25350	Error saving Meter Replacement.	Crossbow	TCOMRD	7I MOBILE BOILER TEXT
24762	Error saving Part: Contact your system administrator.	Crossbow	TCOMRP	7I MOBILE BOILER TEXT
44268	Error saving Sync Configuration.	EAM-14486 :Android Tablet - Support localization	TCJAPR	7I MOBILE BOILER TEXT
25351	Error saving Transaction.	Crossbow	TCMOBL	7I MOBILE BOILER TEXT
24764	Error saving Work Order Custom Fields: Contact your system administrator.	Crossbow	TCMRTP	7I MOBILE BOILER TEXT
24763	Error saving Work Order: Contact your system administrator.	Crossbow	TCJCFR	7I MOBILE BOILER TEXT
27533	Error saving record.	Crossbow	TCJOB	7I MOBILE BOILER TEXT
27628	Error saving screen configuration.	Crossbow	TCAUSY	7I MOBILE BOILER TEXT
25586	Error setting User Security	Crossbow	TCJCST	7I MOBILE BOILER TEXT
25352	Error setting the Filter property.	Crossbow	TCJEQR	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			TCIAVI	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWOL	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
24766	Error setting the Filter property: Contact your system administrator.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
24765	Error setting the date. Please check the date format.	Crossbow	TCJEQL	7I MOBILE BOILER TEXT
24767	Error starting Activity: Contact your system administrator.	Crossbow	TCCFLT	7I MOBILE BOILER TEXT
24768	Error stopping Activity: Contact your system administrator.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
25353	Error updating Inspection Result.	Crossbow	TCIRSF	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25353	Error updating Inspection Result.	Crossbow	TCIWIR	7I MOBILE BOILER TEXT
24769	Error while adding new Comment: Contact your system administrator.	Crossbow	TCJCML	7I MOBILE BOILER TEXT
24770	Error while adding new Part: Contact your system administrator.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
27647	Error while applying configuration for this control.	Crossbow	TCSRP	7I MOBILE BOILER TEXT
27510	Error while applying filter.	Crossbow	TCJCAH	7I MOBILE BOILER TEXT
25354	Error while calculating time.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT
25587	Error while checking overlap hours.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT
24771	Error while deleting Comment: Contact your system administrator.	Crossbow	TCJCML	7I MOBILE BOILER TEXT
24772	Error while deleting Part: Contact your system administrator.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
25355	Error while deleting book hours record.	Crossbow. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	TCJALL	7I MOBILE BOILER TEXT
24773	Error while editing: Contact your system administrator.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
36970	Error while initializing screen.	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	TCJEQL	7I MOBILE BOILER TEXT
25356	Error while loading screen.	Crossbow	TCDOCL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCAH	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCORCF	7I MOBILE BOILER TEXT
			TCJCML	7I MOBILE BOILER TEXT
24775	Error while loading the Comment list: Contact your system administrator.	Crossbow		
24774	Error while loading the Parts list: Contact your system administrator.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
33517	Error while saving Organization Configuration.	21411	TCORCF	7I MOBILE BOILER TEXT
25358	Error while saving the book hours.	Crossbow. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	TCJBKL	7I MOBILE BOILER TEXT
25359	Error while screen is in edit mode.	Crossbow	TCMPHL	7I MOBILE BOILER TEXT
25360	Error while updating quantity.	Crossbow	TCMPHL	7I MOBILE BOILER TEXT
27645	Error while validating controls for current user.	Crossbow	TCSRP	7I MOBILE BOILER TEXT
27646	Error while validating properties for current control.	Crossbow	TCSRP	7I MOBILE BOILER TEXT
24776	Error while validating the fields: Contact your system administrator.	Crossbow	TCJAPR	7I MOBILE BOILER TEXT
46300	Error: Basemap server path is required to sync	GIS	BCMOBL	7I MOBILE BOILER TEXT
46301	Error: Geodatabase server path is required to sync	GIS	BCMOBL	7I MOBILE BOILER TEXT
46281	Error: Geodatabase server path is required to sync feature layers	GIS	BCMOBL	7I MOBILE BOILER TEXT
46302	Error: Not enough space on device to download Basemap!	GIS	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28549	Errors	Data warehouse. Tab to display data warehouse run errors. Refer to PVCS 1647 and 6849.	BSARCH BSDWRL BSGDPR BSJSDN WSCCSR WSINVC	CREATE / EDIT ARCHIVE RECORDS DATA WAREHOUSE RUN LOG GDPR ADMINISTRATION COMMON FUNCTION FOR JAVASCRIPT FLEET COST CODE SEARCH & REPLACE CUSTOMER INVOICES
43755	Escalation Level	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL011	WORK ORDER STATUS ESCALATION
29124	Est Hrs	D7i Extended - Work Backlog Report	WTBLOG WZBLOG WZBLOH	Work Backlog Work Backlog WORK BACKLOG_HOSPITALITY
34813	Est to Complete	EWS.CREP.UC.ProjectAreaCostSummary	JYACOS JZACOS	PROJECT AREA COST SUMMARY PROJECT AREA COST SUMMARY
41872	Est.	EAM-3546	BSSTRT	EWS NEW START CENTER
21116	Est. Daily Usage	Infor EAM - Estimated Daily Usage - the amount of meter usage that is guessed to be the average on every day for a piece of equipment	OSECON OSEQMR OSHPPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE EQUIPMENT CONFIGURATION METER READINGS FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
35787	Est. Duration (Days)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO BSMPWR	MP2 WORK ORDERS MP2 WORK REQUESTS
31805	Est. Hours	EWS.CREP.UC.PrintShortWorkOrderCards	OZPROF WHWOSH WYWOSH WZWOSH	EQUIPMENT PROFILE PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
29654	Est. Lifetime Output	D7i Extended - Equipment Depreciation - 12203 - Est.=estimated	OSECON OSEQDP OSHPPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE EQUIPMENT CONFIGURATION DEPRECIATION TYPE FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
30842	Est. Return Date/Time	D7i Extended -- Vehicle Ticket -- Field Label, est.=estimated, estimated date and time the behicle will be returned	WSFLTK WTVTKT WZVTKT	FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
23811	Est. Workload	Infor EAM - The user entered estimated workload of a PM.	WSPPPM WSPPMS WSWKPK	PM PLANS PM SCHEDULES PM WORK PACKAGES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23811	Est. Workload	Infor EAM - The user entered estimated workload of a PM.	WZPPMQ	LIST OF PM SCHEDULES
34129	Est. to Complete	EWS.CREP.UC.ProjectAreaCostSummary.doc	JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
24839	EstHrs	Crossbow - Estimated Hours	TCJACR	7I MOBILE BOILER TEXT
47527	Estimate	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
40698	Estimate Credit	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
45372	Estimate Details	EAM.WORK.REQ.ContractorPortal : EAM-14829	WSCOPO	CONTRACTOR PORTAL
49008	Estimate Type	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
24654	Estimate to Complete	Extended (product name)	BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			JSPROJ	PROJECTS
12039	Estimated	The estimated number of hours for an activity.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			WZCIND	CUSTOMER INVOICE DETAIL
			JSPROJ	PROJECTS
			JZCOSL	PROJECT COST SUMMARY
			WHCOSL	Job Cost Summary Report
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYCOSL	Job Cost Summary Report
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
20013	Estimated Cost	Infor EAM - work requests - the estimated cost of the work request	BSMPWO	MP2 WORK ORDERS
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
			WYPFMC	FUTURE MAINTENANCE COST
			WYWFMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
38957	Estimated Cost of Labor	38794	OSEVAL	EQUIPMENT EVALUATIONS
38956	Estimated Cost of Materials	38794	OSEVAL	EQUIPMENT EVALUATIONS
43023	Estimated Costs	EAM.WORK.REQ.EstimatedCostsForTaskPlans	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43023	Estimated Costs	EAM.WORK.REQ.EstimatedCostsForTaskPlans	WSTASK	TASKS
35802	Estimated Crew Hours	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
40538	Estimated Daily Usage	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	BSUOMS	UOM SETUP
			WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
43453	Estimated Date	EAM-9579 Overdue Vehicle Issue Return List	WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
35808	Estimated Down Time	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
32323	Estimated Due Date	EWS.CREP.UC.MeterBasedPMDueReport - Meter Based PM Due Report	WZPMMD	PRINT METER BASED PM DUE
24651	Estimated End Date	Extended (product name)	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
			WSPROJ	CREATE PROJECT POPUP
35941	Estimated End Time	EWS.ADMIN.UC.StatusforConfigurationManager	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER - IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
20720	Estimated Hours	Infor EAM - The number of working hours that the planner thinks will be required for an activity.	BSMPWO	MP2 WORK ORDERS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBKPO	BOOK PO LABOR
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20720	Estimated Hours	Infor EAM - The number of working hours that the planner thinks will be required for an activity.	WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WTBLOG	Work Backlog
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBL	Labour Hours For Jobs
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYHRIL	HOURS NEEDED FOR TASKS
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALR	CALIBRATION RECORD REPORT
			WZDTTL	DOWNTIME TRACKING
			WZHRIL	HOURS NEEDED FOR TASKS
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMSP	PM SCHEDULE PROFILE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
44269	Estimated Hours must be in a range of 0 to 9999999999.99.	EAM-14486 :Android Tablet - Support localization		
43410	Estimated Issue Date	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	WZVRHS	VEHICLE RENTAL HISTORY
43110	Estimated Issue Date/Time	EAM.WORK.REQ.CustomerRentals	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43110	Estimated Issue Date/Time	EAM.WORK.REQ.CustomerRentals	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSCREEN	CUSTOMER RENTALS
			WZVRHS	VEHICLE RENTAL HISTORY
38005	Estimated Labor Cost	EWS.WORK.UC.CreateEditCapitalPlanningRequests	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USINVP	INVESTMENT PLANNING
			WSCPQR	CAPITAL PLANNING REQUEST
			WSJOBS	CREATE WORK ORDER
45076	Estimated Labor Costs	EAM.WORK.REQ.ActivitiesforWorkOrder - EAM-16276	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			USINVP	INVESTMENT PLANNING
38006	Estimated Material Cost	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
45077	Estimated Material Costs	EAM.WORK.REQ.ActivitiesforWorkOrder - EAM-16276	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
45078	Estimated Misc. Costs	EAM.WORK.REQ.ActivitiesforWorkOrder - EAM-16276	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20603	Estimated Qty	Infor EAM - the estimated or projected number of parts, units, etc.	WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
43411	Estimated Return Date	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	WZVRHS	VEHICLE RENTAL HISTORY
43111	Estimated Return Date/Time	EAM.WORK.REQ.CustomerRentals	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSCREEN	CUSTOMER RENTALS
			WZVRHS	VEHICLE RENTAL HISTORY
37632	Estimated Revenue	SCR#33576	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
38955	Estimated Salvage	38794	OSEVAL	EQUIPMENT EVALUATIONS
24657	Estimated Start Date	Extended (product name)	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
			WSPROJ	CREATE PROJECT POPUP
35940	Estimated Start Time	EWS.ADMIN.UC.StatusforConfigurationManager	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
40697	Estimated Usage	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
31576	Estimated Workload	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
			WSWKPK	PM WORK PACKAGES
43264	Estimated Yearly Costs	EAM-9413	OZRCMS	RCM POTENTIAL YEARLY SAVINGS
12038	Estimated hours	The number of working hours that the planner thinks will be required for an activity.	WCACTJ	CROSSBOW ACTIVITY LIST
			WCSTAC	CROSSBOW STWO ACTIVITY
			WTJOBf	Job Cards
40988	Estimates and Rollover	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
35983	Euro Rate	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35984	Euro-based	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
47425	Evaluation Date	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
38429	Evaluation Status	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
12219	Event	Something that may happen to an object so that some action needs to be taken: a job, new status, new location, etc.	BSMPMR	MP2 METER READINGS
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			DSPTNR	CREATE PARTNER
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12219	Event	Something that may happen to an object so that some action needs to be taken: a job, new status, new location, etc.	OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSURCR	UNRETURNED CORES
			WTPERF	Permits For Jobs
			WTPERL	List Of Permit Issues
			WZPERL	List Of Permit Issues
24694	Event #	Crossbow	TCOHS	7I MOBILE BOILER TEXT
35534	Event Details	EWS.CCTR.UC.CustomerRequestHistory	CSCASE	CASE MANAGEMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
			WSPMTW	PERMIT TO WORK
44731	Event End Date	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
24145	Event History	Crossbow	TCOBJL	7I MOBILE BOILER TEXT
45524	Event Layer	GISMapSearch UC/EAM-19556	OSLROE	VIEW ROUTE EVENTS POPUP
45462	Event Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35692	Event Log	28547	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			JSCUES	CU ESTIMATES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSCCSP	CONTACT CENTER SETUP
37438	Event Log Type	EWS.CCTR.UC.EventLog / 32566	CSEVTF	CALL CENTER EVENT TYPE FILTER
37458	Event Log Type Filter	EWS.CCTR.UC.CallCenterSetup / 32566	CSCCSP	CONTACT CENTER SETUP
37450	Event Log Type Filter Details	EWS.CCTR.UC.EventLogTypeFilter / 32566	CSEVTF	CALL CENTER EVENT TYPE FILTER
20965	Event No.	Infor EAM - the work order or issue number associated with an asset	OSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
44730	Event Start Date	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
37896	Event System Type Code	Infor EAM - the system type code of the event, i.e., a work order, a PPM, an issue/return, etc.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37896	Event System Type Code	Infor EAM - the system type code of the event, i.e., a work order, a PPM, an issue/return, etc.	WSJOVM	CREATE WORK ORDER
20979	Event Type	Infor EAM - the type of the event, i.e., a work order, a PPM, an issue/return, etc.	CSCASE	CASE MANAGEMENT
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
37894	Event Type Code	Infor EAM - the type code of the event, i.e., a work order, a PPM, an issue/return, etc.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
19136	Events	Name of tab on OMOBJC that displays the open/closed work orders as well as issues and returns for a piece of equipment	BSLOVS	LIST OF LOOKUPS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
39894	Ex. (:LevelA + 2 * :LevelB) / 3 + :LevelC	EAM.EQUIP.UC.AddEditFormulaPopup - Tracker id 46093	OSRRFP	ADD / EDIT FORMULA POPUP
44281	Exceeded the limit for this :PARAM1 attribute	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43472	Excel 2002 Format	EAM-11454	REPORT	General Report Function
43470	Excel 2007 Data	EAM-11454	REPORT	General Report Function
43471	Excel 2007 Format	EAM-11454	REPORT	General Report Function
30770	Exception	D7i Extended -- Exception Codes for Fleet Config -- Field Label	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSFBIL	FLEET BILLS
			WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WTVTKT	VEHICLE TICKET REPORT
31918	Exception Adjustment	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT	VEHICLE TICKET REPORT
31919	Exception Adjustment Currency	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31133	Exception Amount	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30768	Exception Codes	D7i Extended -- Exception Codes for Fleet Config -- Tab Name	WSFLCF	FLEET CONFIGURATION
31016	Exception Comments	D7i Extended -- Exceptions for Vehicle Tickets -- Field	WSFLTK	FLEET VEHICLE TICKETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31016	Exception Comments	Label, enter any comments regarding the exception	WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31409	Exception Date	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
25938	Exception Details	Infor EAM. Used as header for the detail section of the exception screen. Refer to EWS.WORK.UC.AvailabilityExceptionsforEmployees.	BSALRT	ALERT MANAGEMENT SYSTEM
			WSEMPs	EMPLOYEES
			WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS
37804	Exception Entity	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
31448	Exception Org.		WSFLTK	FLEET VEHICLE TICKETS
31014	Exception Type	D7i Extended -- Exceptions for Vehicle Tickets -- Field Label, select the type of exception	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30791	Exceptions	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, check if billing exceptions	BSALRT	ALERT MANAGEMENT SYSTEM
			BSLOVS	LIST OF LOOKUPS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
31131	Exceptions Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
31132	Exceptions Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
31418	Exceptions Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31231	Exceptions Billed	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31232	Exceptions Billed Currency	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31408	Exceptions Charge	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30863	Exceptions Cost	D7i Extended -- Vehicle Ticket -- Field Label	WSFLAB	ASSIGNMENT BILIING POPUP
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30864	Exceptions Cost Currency	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
31407	Exceptions Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
34163	Excess Hours	EWS.CREP.UC.DailyTradeSchedule	WYTRDS	DAILY TRADE SCHEDULE
			WZTRDS	DAILY TRADE SCHEDULE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31577	Exch Fix	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
31578	Exch From Dual	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
31579	Exch To Dual	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
20862	Exchange Rate	Infor EAM - The ratio between the base currency and foreign currency.	BSMPPR	MP2 PURCHASING
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			OHOCS	Job Costing By Object Cost
			OZOCST	Job Costing By Object Cost
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSRFQR	QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PYORDS	PURCHASE ORDER STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20862	Exchange Rate	Infor EAM - The ratio between the base currency and foreign currency.	PZBPOL	BLANKET ORDER LIST
			PZORDS	PURCHASE ORDER STATUS
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSASGN	GENERATE POS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
		Extended (product name). Field label for the Exchange Rates tab of the Currencies form.	WSADJU	ADJUSTMENT
			WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WZCCON	PRINT CUSTOMER CONTRACT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
25066	Exchange Rate Details	Extended (product name). Field label on Exchange Rates tab of the Currencies form.	SSCURR	CURRENCIES
			SSCURR	CURRENCIES
25214	Exchange Rate ID	Extended (product name). This is the code identifying the exchange rate for the currency. Currency Exchange Rate form.	SSCURR	CURRENCIES
25053	Exchange Rates	Extended (product name). Field label for the Exchange Rates tab of the Currencies form.	BSLOVS	LIST OF LOOKUPS
			SSCURR	CURRENCIES
42451	Exchange rate not found.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
44639	Exclude	EAM-14727	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
44902	Exclude Duration from Scheduled Hours Calculation	EAM.WORK.REQ.ParametersforWODailyScheduling.doc	WSWLSH	WO LABOR SCHEDULING
43136	Exclude PM Work Order	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
44903	Exclude People Required from Scheduled Hours Calculation	EAM.WORK.REQ.ParametersforWODailyScheduling.doc	WSWLSH	WO LABOR SCHEDULING
38723	Exclude WO Type Details	37630	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
38722	Exclude WO Types	37630	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
27970	Execute Data Warehouse Process	Data Warehouse. Start running the data warehouse	BSDWRP	DATA WAREHOUSE RUN PARAMETERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27961	Execute Load Procedure	process. Refer to PVCS 1644. Data Warehouse. Flag to indicate whether the data warehouse process should load data from the operational tables. Refer to pvcs 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
13220	Execute query	Pull down menu item	M1	Pull-Down Menu Texts
37908	Execute when Previewing Grid	EWS.ADMN.UC.AfterSQLforAlerts / 33954	BSALRT	ALERT MANAGEMENT SYSTEM
28272	Executing	Data Warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
40603	Exercise Date	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WZCCON	PRINT CUSTOMER CONTRACT
40602	Exercise Option	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
25946	Existing PO	Infor EAM. Field on 'Assign Requisition Lines to PO' form. Refer to PVCS 5615.	PSRFGP	GENERATE POS FOR RFQS
			SSASGN	GENERATE POS
37297	Existing Requisition	EWS.PRCH.UC.GenerateRequisitionsforRFQs.doc	PSRFRG	GENERATE REQS FOR RFQS
13206	Exit	Pull down menu item: leave the system.	BXLAYO	R5 Screen Layout Editor
			M1	Pull-Down Menu Texts
		Crossbow	TCCRSB	7I MOBILE BOILER TEXT
22726	Exit Designer Mode (Ctrl+I)	Infor EAM - mouse-over text for button on toolbar to switch the screen to exit the screen designer mode	BANNER	BANNER
49800	Exit Draw Mode	EAM-53502	BCMOBL	7I MOBILE BOILER TEXT
45995	Exit Edit Mode	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIW	EQUIPMENT OVERVIEW 360
32548	Expand	16794	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
42500	Expand All	EAM.EQUIP.REQ.StructureForEquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
40812	Expand Detail	New UI	BANNER	BANNER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
41671	Expand Left (Alt+Left)	New UI	BANNER	BANNER
32547	Expand Left/Right	16794	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
41672	Expand Right (Alt+Right)	New UI	BANNER	BANNER
32546	Expand Up/Down	16794	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
33428	Expand/Collapse	#22323	BSCLAS	CLASSES
			BSCOMM	COMMENTS
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSUSER	USER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33428	Expand/Collapse	#22323	CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			OSAINV	ASSET INVENTORY
			OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			OSEVAL	EQUIPMENT EVALUATIONS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJT	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSISSU	Stock Issues
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			TSPROF	PROFILES
			WSADJU	ADJUSTMENT
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBWOG	GENERATE/RELEASE WOS
			WSCCON	CUSTOMER CONTRACTS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSEMP	EMPLOYEES
			WSHZRD	HAZARDS
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33428	Expand/Collapse	#22323	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLSH	WO LABOR SCHEDULING
			TCMPHL	7I MOBILE BOILER TEXT
25361	Expect	Crossbow - Expected quantity	UYBDEL	BUDGET POSITION DETAILS
16018	Expectations	This is a label that is on a printed budget report and displays any expectations for the budget.	UZBDEL	BUDGET POSITION DETAILS
12041	Expected	The expected quantity in stock at stocktake.	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			SSPINV	PHYSICAL INVENTORY
			UHBUDS	BUDGET SUMAMRY REPORT
			UYBUDS	BUDGET SUMAMRY REPORT
			UZBUDS	BUDGET SUMAMRY REPORT
			TCMPHL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
24086	Expected Qty.	Crossbow - Expected quantity	SSPINV	PHYSICAL INVENTORY
		Extended (product name). This field is on the Parts tab of the Physical Inventory form. Choose Materials > Physical Inventory. Add Tab > Parts.		
31372	Expected Quantity	D7i Extended - Physical Inventory Discrepancy report	SYSTDL	Stocktake Discrepancy
			SZSTDL	Stocktake Discrepancy
38573	Expected Volume	EWS.WORK.UC.TanksForFuelPhysicalInventory / 37107	WSFUPI	PHYSICAL INVENTORY FOR FUEL
38574	Expected Volume UOM	EWS.WORK.UC.TanksForFuelPhysicalInventory / 37107	WSFUPI	PHYSICAL INVENTORY FOR FUEL
12368	Expected quantity	When counting actual inventory, the expected quantity indicates how much the system believes there should be available.	STSTDL	Stocktake Discrepancy
34144	Expected, Remaining	EWS.CREP.UC.BudgetSummary.doc	UHBUDS	BUDGET SUMAMRY REPORT
			UYBUDS	BUDGET SUMAMRY REPORT
			UZBUDS	BUDGET SUMAMRY REPORT
17503	Expense		SYSTOL	Stock List
			SZSTOL	Stock List
35760	Expense Class	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
24315	Expense Type	Extended (product name). Indicates the type of expense for the parts, e.g., direct purchase or stock purchase. EWS.MATL.UC.PartsforRequisition/4331.	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
28616	Expense Types	D7i Extended -- Requisitions form -- LOV Title on Services tab, noun	BSLOVS	LIST OF LOOKUPS
			BSPSET	PURCHASING SETUP
16016	Expenses		UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
21110	Expiration	This string is a correction for a field 'Expiration date' that	OCWARR	CROSSBOW WARRANTY LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
		appears on the Warranty tab of OMOBJCs lower grid for meter based warranties...the Expiration date field is incorrectly labeled. It should just be either 'Expiration' or 'Expiration usage'.		
35375	Expiration (Month/Year)	EWS.PRCH.UC.CreateEditCreditCards	PSCARD	CREDIT CARDS
20865	Expiration Date	Infor EAM - The date the the Suppliers price for a part expires	BAL008	WARRANTY EXPIRATION DATE ALERT
			BSDOCU	DOCUMENTS
			BSUPLD	UPLOAD DOCUMENT POPUP
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPLY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			PSCARD	CREDIT CARDS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZPRFQ	REQUEST FOR QUOTATION
			SSCOMP	NON-PO RECEIPTS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSPART	PARTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSCREW	CREW
			WSCRWP	CREATE/EDIT CREW POPUP
			WSEMPs	EMPLOYEES
			WSJBPL	JOB PLANS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSTASK	TASKS
			WTQEXP	QUALIFICATION EXPIRATION REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20865	Expiration Date	Infor EAM - The date the the Suppliers price for a part expires	WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WZERRF	EXPIRED WARRANTIES
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
29448	Expiration Date Between	D7i Extended - Qualification Expiration Report	WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WZQEXP	QUALIFICATION EXPIRATION REPORT
35376	Expiration Month	EWS.PRCH.UC.CreateEditCreditCards	PSCARD	CREDIT CARDS
21167	Expiration Usage	Infor EAM - the expected usage of a piece of equipment that triggers the end of a warranty coverage	BAL009	WARRANTY EXPIRATION USAGE ALERT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
35377	Expiration Year	EWS.PRCH.UC.CreateEditCreditCards	PSCARD	CREDIT CARDS
12042	Expiration date		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
			OCWARR	CROSSBOW WARRANTY LIST
42668	Expired	EAM-6576	PSRFQT	REQUESTS FOR QUOTATIONS
12203	Expired documents	Documents that are not valid any more.	BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
19202	Export	button on the Export to Excel dialog box. Clicking initiates the file export to an external spreadsheet. EWS.ADMN.UC.ExportKPIs.doc	BSLGEX	EXPORT TRANSLATIONS POPUP
			FCSCRN	FLAMETHROWER SCREENS
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
39719	Export Alerts	ExportAlertsforExportConfiguration / 45171	BSEXIM	EXPORT CONFIGURATION
35262	Export Base Configuration	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
48052	Export Configuration	EAM-40940	BSCMEX	CONFIGURATION MANAGER - EXPORT
44927	Export Copied Screens	EAM.ADMN.REQ.ExportCopiedScreensforExportConfigur ation EAM-16155	BSEXIM	EXPORT CONFIGURATION
34489	Export Custom Fields	EWS.ADMN.UC.ExportKPIs.doc	BSEXIM	EXPORT CONFIGURATION
38150	Export Custom Reports	Export Custom Reports	BSEXIM	EXPORT CONFIGURATION
49164	Export Data Details	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
33549	Export Details	EWS.BASE.UC.ExportTranslationPopup/22624	BSLGEX	EXPORT TRANSLATIONS POPUP
35147	Export Flex Business Rules	Export Flex Business Rules	BSEXIM	EXPORT CONFIGURATION
34488	Export Inbox Items	EWS.ADMN.UC.ExportKPIs.doc	BSEXIM	EXPORT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34487	Export KPIs	EWS.ADMN.UC.ExportKPIs.doc	BSEXIM	EXPORT CONFIGURATION
48057	Export Records	EAM-40941	BSCMEX	CONFIGURATION MANAGER - EXPORT
33387	Export Translations	EWS.BASE.UC.CreatEditLanguageinLTK/22625	BSLGEX	EXPORT TRANSLATIONS POPUP
			BSLGTK	LANGUAGE TOOLKIT
39686	Export User Defined Grids	ExportUserDefinedGridsforExportConfiguration/42215	BSEXIM	EXPORT CONFIGURATION
45663	Export User Groups	EAM.ADMN.REQ.ExportBaseConfigurationforConfigurati	BSEXAL	EXPORT BASE CONFIGURATION
39697	Export Web Service Prompts	ExportWebServicePromptsforExportConfig/42214	BSEXIM	EXPORT CONFIGURATION
18788	Export to Excel	Title of the Excel icon on the toolbar.	M1	Pull-Down Menu Texts
14288	Export to MS Project		WSJOBS	CREATE WORK ORDER
49389	Export/Import Reference	EAM.ADMN.REQ.Alerts/EAM-45623	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
40955	Exposure	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSJOVH	CREATE WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
41842	Extend	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
25238	Extended	D7i Extended - Installation Codes form	BSINST	INSTALL CODES
32375	Extended Cost	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
24984	Extended First Form	D7i Extended - User Groups form, Users tab. Extended is a product name and refers to the Infor EAM system.	BSGRPU	USERS PER GROUP
32376	Extended Line Cost	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
18573	Extension	Of phone number	BSADRS	ADDRESSES
			BSDELA	Delivery addresses
		EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
42000	Extension (Hrs.)	EAM-3564 EAM.WORK.REQ.EventLogForPermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
41839	Extension Count	EAM.WORK.REQ.PermitToWork	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
46332	Extent	Extent	BCMOBL	7I MOBILE BOILER TEXT
		EAM-50152	WSGISD	MAP VIEW
18597	External	Whether repairable spares should be repaired outside the own company.	BSBSET	ADMIN SETUP
			SSPART	PARTS
			WSDEPO	DEPOTS
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
44432	External Caller ID	EAM-15156	WSDEBS	CREATE CUSTOMER
45212	External Contact ID	EAM-14718:EAM.CCTR.REQ.ContactInformation	CSCINF	CONTACT INFO
31367	External Cost	D7i Extended - Equipment History report	OZHISL	Object History
42510	External Date Recorded	EAM.ADMN.REQ.View_eRecords (EAM-6652)	BSESIG	ERECORDS LIST
43025	External Labor	EAM.WORK.REQ.EstimatedCostsForTaskPlans	WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43025	External Labor	EAM.WORK.REQ.EstimatedCostsForTaskPlans	WSPPMS WSSTWO WSTASK	PM SCHEDULES STANDARD WOS TASKS
40882	External PO No.	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD BZPRJD JSPROJ OSOVAM	ELECTRONIC RECORDS FOR EQUIPMENTS ELECTRONIC RECORDS FOR PROJECTS PROJECTS CREATE HEALTHCARE ASSET EQUIPMENT
30183	External Repair	Infor EAM. Field label to indicate whether or not the part is to be repaired externally by an external vendor. Refer to EWS.MATL.UC.RepairDetailsforParts and/or SCR 14755.	SSPART	PARTS
42542	External Repair Details	EAM-4652:EAM.MATL.REQ.RepairDetailsforParts.doc	SSPART	PARTS
22445	External Scheduled Tasks	Infor EAM - name of dataspy	DSSTSK	DATABRIDGE SCHEDULED TASKS
43819	External User ID	EAM-12208: EAM.ADMN.REQ. Users	BSUSER BSUSRP BZGDPU	USER SETUP USERS GDPR COMPLIANCE - USER
31015	Extra Charge	D7i Extended -- Exceptions for Vehicle Tickets -- Field Label, select to include this specific exception in the vehicle ticket billing costs	WSFLTK WTVTKT WZVTKT	FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
36125	Extra Charge Description	27957	PSPORD	PURCHASE ORDERS
26476	Extra Charges/Discounts	Infor EAM. Links to create extra charges/discounts on PO Lines. Refer to PVCS 6210.	PSEXCD PSEXCH PSINVL PSINVO PSPOCP PSPORD PSPORH	EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON PO LINES INVOICE LINES PER BUYER INVOICES COPY PO POPUP PURCHASE ORDERS PO HISTORY
26024	F	Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Friday.'	WSCAPA WSWLSH	WO LOAD BALANCING WO LABOR SCHEDULING
28195	FAB 03 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
40927	FCI Calculation	EAM:327-EAM.EQUIP.UC.CreateEditFacilities	BZOBJD OSHFPY	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY FACILITIES
49705	FERC Record Cost	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
49706	FERC Unit Estimate	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
23836	FOB Point	Infor EAM - Free On Board point. (Incoterm)	BZBLOD BZORDD BZRFQD FCGRD1 PHORDF PSBORD PSORDT PSPORD PSPORH PSPOUP PSRFQT PYBPOL PYORDF PZBPOL PZORDF	ELECTRONIC RECORDS FOR BLANKET ORDERS ELECTRONIC RECORDS FOR PURCHASE ORDERS ELECTRONIC RECORDS FOR RFQS FLAMETHROWER GRID 1 Print Purchase Order CREATE EDIT BLANKET ORDERS PURCHASE ORDER TERMS PURCHASE ORDERS PO HISTORY PO UPDATE REQUESTS FOR QUOTATIONS BLANKET ORDER LIST Print Purchase Order BLANKET ORDER LIST Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23836	FOB Point	Infor EAM - Free On Board point. (Incoterm)	SSSUPC SSSUPP	CUSTOMERS SUPPLIERS
23889	FOB Points	Infor EAM - title of LOV to display Free on Board (payment terms) on the Supplier form	BSLOVS	LIST OF LOOKUPS
12847	FOB point	Free On Board point. (Incoterm)	PTORDF	Print Purchase Order
36468	FROM Clause	26101	BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
27869	FROM Statement	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
49353	Face	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49358	Face ID	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43948	FaceTime is not available on this device	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
45044	Facet	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearchS	BSENS	ENTERPRISE SEARCH SETUP
45220	Facets	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearchS	BSLOVS	LIST OF LOOKUPS
12821	Facility	A geographical organizational unit. Users may belong to a facility, as well as stores.	BSLOVS BZEVD BZOBJD OSHPFY OSHPRM OSHPVH OSOBJP WHJOVH WSJOVH WZBLOH WZJOVH	LIST OF LOOKUPS ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE POSITION EQUIPMENT PRINT WORK ORDER HOSPITALITY CREATE WORK ORDER WORK BACKLOG_HOSPITALITY PRINT WORK ORDER HOSPITALITY
37303	Facility Condition Index	32190	BZEQDL BZOBJD CSCCGM JSCAMP OHECRC OSBURV OSGISR OSGISS OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSRELR OZECRC OZEQUD OZOBJQ	EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR EQUIPMENTS CONTACT CENTER MAP SEARCH CAMPAIGN EQUIPMENT COSTS BY RANKING CHART CALCULATE RELIABILITY RANKING INDEX GIS MAP SEARCH GIS MAP SEARCH (OLD) CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT RANKINGS EQUIPMENT COSTS BY RANKING CHART EQUIPMENT DETAIL LIST OF EQUIPMENT DETAILS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37303	Facility Condition Index	32190	WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40926	Facility Condition Index (FCI)	EAM:327-EAM.EQUIP.UC.CreateEditFacilities	OSHPPY	CREATE HOSPITALITY FACILITIES
37627	Facility Details	SCR#33576	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
41205	Facility Org.	EAM-1216	WSJOVH	CREATE WORK ORDER
			OSHPRM	CREATE HOSPITALITY ROOMS
			WSJOVH	CREATE WORK ORDER
40931	Facility Parent	EAM:327-EAM.EQUIP.UC.CreateEditFacilities	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
41014	Facility Parent Property	Work Order Hospitality	WSJOVH	CREATE WORK ORDER
			OSHPRM	CREATE HOSPITALITY ROOMS
			WSJOVH	CREATE WORK ORDER
41015	Facility Property	Work Order Hospitality	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
39584	Facility Using Default Values	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	WSJOVH	CREATE WORK ORDER
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BCFACE	CROSSBOW FACETIME
			BCMOBL	7I MOBILE BOILER TEXT
			ISMONT	MONITORED DATA
			BHDDAN	DEGREE DAY ANALYSIS
17989	Factor	inspection point type factor	BSREGN	CREATE EDIT REGIONS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
38298	Fahrenheit	36409		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38298	Fahrenheit	36409	BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
26271	Fail	Used in calibration to only display records that failed.	WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
31863	Fail to download GIS map.	PVCS 21224	TCCRSB	7I MOBILE BOILER TEXT
24840	FailCo	Crossbow - Failure Code	TCJCLR	7I MOBILE BOILER TEXT
47951	Failed	EAM-37080	BCMOBL	7I MOBILE BOILER TEXT
			BSDLUS	DATA LAKE UPLOAD SETUP
36470	Failed Qty.	EWS.WORK.UC.PartsForWorkOrder	SSISSU	Stock Issues
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
36828	Failed to create audit record.	21816 Audit Trail Support (4.7 new)	TCCRSB	7I MOBILE BOILER TEXT
39012	Failed to download Mobile Menu. Please retry.	22319 Implement the Mobile menu designed in Mobile	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
36980	Failed to download document.	21807 WO Attachment upload (4.7 new)	TCDOCL	7I MOBILE BOILER TEXT
			TCDOCR	7I MOBILE BOILER TEXT
37253	Failed to get document list from server.	21807 Attachment Upload	TCDOCL	7I MOBILE BOILER TEXT
31843	Failed to print the report.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	7I MOBILE BOILER TEXT
43949	Failed to save image	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24147	Failure	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
			TCOHSI	7I MOBILE BOILER TEXT
		Crossbow 21757 PIR: Add VMRS code to work order	TCJACR	7I MOBILE BOILER TEXT
		EAM-41398	OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
20969	Failure Code	Infor EAM - A code that identifies the reason for failure.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSFAIL	FAILURE MODES POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRCMT	RCM TEMPLATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20969	Failure Code	Infor EAM - A code that identifies the reason for failure.	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZOMFL	Mean Time Between Failures Per Object
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZTBRK	TOP 10 BREAKDOWN
			SSISSU	Stock Issues
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WZPFAR	PART FAILURES REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
		D7i Extended - Closing Codes - dropdown option	OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZFLTG	Fault Trend Analysis
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			WZLWOQ	LIST OF WORK ORDERS
48656	Failure Code Description	EAM-44523	WSJOBS	CREATE WORK ORDER
30977	Failure Codes	D7i Extended - Fault-trend Analysis report	BSLOVS	LIST OF LOOKUPS
25910	Failure Message	Extended (product name). This is a field label or the Flex SQL screen. Refer to EWS.ADMN.UC.CreateUpdateFlexSQL.doc.	BCMOBL	7I MOBILE BOILER TEXT
			BZFLXL	PRINT FLEX SQL LIST
			YSFLXS	FLEX SQL
43055	Failure Mode	EAM-8480:EAM.EQUIP.REQ.FunctionalFailuresForFailur	OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43055	Failure Mode	EAM-8480:EAM.EQUIP.REQ.FunctionalFailuresForFailur	OZRCML	RCM RISK LEVELS
			OZRMSO	RISK MATRIX OVERVIEW
			WSJOBS	CREATE WORK ORDER
			WSWREQ	WORK REQUEST
47692	Failure Mode Cost Type	EAM-36534:EAM.EQUIP.REQ.FailureModeCostsforAsset CI	BSLOVS	LIST OF LOOKUPS
47691	Failure Mode Costs	EAM-36534:EAM.EQUIP.REQ.FailureModeCostsforAsset CI	OSOCDE	EQUIPMENT CLASS DEFINITION
47693	Failure Mode Costs Details	EAM-36534:EAM.EQUIP.REQ.FailureModeCostsforAsset CI	OSOCDE	EQUIPMENT CLASS DEFINITION
43152	Failure Mode Count Details	EAM-9410	OZRMSO	RISK MATRIX OVERVIEW
42986	Failure Mode Details	EAM-8479:EAM.EQUIP.REQ.FailureModesPopup	OSFAIL	FAILURE MODES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSOBJA	CREATE ASSET EQUIPMENT
48332	Failure Mode Effects and Criticality Analysis (FMECA)	EAM-41399 EAM.EQUIP.REQ.RCMForEquipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
49481	Failure Mode Note	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
42807	Failure Modes	EAM.EQUIP.REQ.RCMForEquipment.docx	BSLOVS	LIST OF LOOKUPS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZRCML	RCM RISK LEVELS
			OZRMSO	RISK MATRIX OVERVIEW
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
42013	Failure No.	EAM-4928	SSISSU	Stock Issues
36253	Failure Notes	Part Failures for Work Orders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
48224	Failure Probability %	EAM-41162/EAM.EQUIP.REQ.EquipmentLookup	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48224	Failure Probability %	EAM-41162/EAM.EQUIP.REQ.EquipmentLookup	OSOBJS OSRCMT WSOPSS BZEVTD	CREATE SYSTEM EQUIPMENT RCM TEMPLATES OPTIMIZED SCHEDULER SETUP ELECTRONIC RECORDS FOR EVENTS
31580	Failure Usage	EWS.CREP.UC.ElectronicRecords - Electronic Records report		
13309	Failure code	A code that identifies the reason for failure.	OCFACC OCFACO WCJOBS	CROSSBOW FAILURE CLASS LIST CROSSBOW FAILURE CODE LIST CROSSBOW WORK ORDER FUNCTION
17558	Failures	This is a field on the printed graph that indicates where failures were reported.	OZEFSL OZRGCA	ASSET FAILURES BY SERVICE LIFE RELIABILITY GROWTH CROW-AMSAA
19076	Favorites	new menu option; it's similar to 'Favorites' on a web browser--you tell MP5i to save a particular forms as your 'favorite forms' to go to, then MP5i lists them on a menu so that you can get to them easily	BANNER	BANNER
19985	Fax	fax number	M1	Pull-Down Menu Texts
			CYCCTR CZCCTR PZRFSQ WSCALL WSCALP WSDEBS WSSERQ WZCIND WZCINS	CALL CENTER WO REPORT SERVICE REQUEST WO REPORT REQUEST FOR QUOTATION SUMMARY CREATE/EDIT CALLER ADD EDIT CALLER CREATE CUSTOMER CREATE SERVICE REQUESTS CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE
32195	Fax No.	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	BSMPWO BSMPWR PHORDF PYORDF PZORDF PZPRFQ	MP2 WORK ORDERS MP2 WORK REQUESTS Print Purchase Order Print Purchase Order Print Purchase Order REQUEST FOR QUOTATION
23842	Fax Number	Infor EAM	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM PSRFQR PSRFQT SSSUPC SSSUPL SSSUPP	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT QUOTATIONS REQUESTS FOR QUOTATIONS CUSTOMERS SUPPLIER LOOKUP SUPPLIERS
42772	Fax Phone No.	EAM.WORK.REQ.Employee.doc	WSEMP5 WSOPSS	EMPLOYEES OPTIMIZED SCHEDULER SETUP
24441	Fax/Telex	D7i Extended - Addresses form	BSADRS BSDELA	ADDRESSES Delivery addresses

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12323	Fax/telex no		FCGRD1	FLAMETHROWER GRID 1
			PTORDF	Print Purchase Order
			SSSUPP	SUPPLIERS
31746	Feature Details	EWS.GIS.UC.ViewInfor EAM&GISAssetAttribut	OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
47038	Feature attribute mapping doesn't exist.	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47284	Feature attribute mapping doesn't exist	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
40957	Features	EAM.EQUIP.REQ.Rooms	BCMOBL	7I MOBILE BOILER TEXT
			OSHPRM	CREATE HOSPITALITY ROOMS
			WSGISD	MAP VIEW
37390	Feb :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
40023	Feb.	#47067	CZISGH	INCIDENT SUMMARY GRAPH
			SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
33961	February	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21409 (Code Descriptions) for the existing translations.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES
		EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
24642	Feet	D7i Extended - GIS Map Search - UOM dropdown value	BCMOBL	7I MOBILE BOILER TEXT
			BEGEQ	GIS DATA IMPORT FILTER GRID EQUIPMENT
			BEGEQC	GIS DATA IMPORT FILTER GRID EQUIPMENT COSTS
			BEGEQE	GIS DATA IMPORT FILTER GRID EQ AND EVENTS
			BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			BSCLAS	CLASSES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSGIS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24642	Feet	D7i Extended - GIS Map Search - UOM dropdown value	OSOVP	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSREL	EQUIPMENT RANKINGS
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
12043	Field	EWS.CCTR.UC.CustomerRequestHistory	BHUSRL	USERS GROUP CONFIGURATION
			BSAUDC	AUDIT SETUP
			BSAUDP	VIEW AUDIT TRAIL POPUP
			BSDTCV	DATA CONVERSION (MP2)
			BSFUNC	CREATE UPDATE SCREENS
			BSGRID	GRID DESIGNER
			BSMAPF	MAP FIELDS
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
			BSWSPM	WEB SERVICES PROMPT
			BTSNAP	ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BYUSRL	USERS GROUP CONFIGURATION
			BZSNAP	ELECTRONIC RECORDS
			BZUSRL	USERS GROUP CONFIGURATION
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
			DSMSG	VIEW MESSAGE STATUS
			FCSCRN	FLAMETHROWER SCREENS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			BSDLUC	FIELDS POPUP
			BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
			CSCASE	CASE MANAGEMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
			WSRVCS	REVISION CONTROL SETUP
			WSTCRT	LINEAR EQUIPMENT TRACE
42483	Field 1 must be the four digit year.	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
42484	Field 2 must be the two digit month.	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
42485	Field 3 must be the Description of the code being grouped by. For example, if counting work orders by department,	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42486	this field would be the description of the department. Field 4 must be the value being charted. Field 4 can be a number or monetary amount.	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
34436	Field Attributes	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL BYUSRL BZUSRL	USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
23474	Field Code	Infor EAM - identifies the code of the field label to change	BXLAYO	R5 Screen Layout Editor
24308	Field Details	D7i Extended - For the right click menu	BSFUNC BSJSDN BSRPTG BSCDSS BSWSPM	CREATE UPDATE SCREENS COMMON FUNCTION FOR JAVASCRIPT GENERIC REPORT PARAMETERS USER DEFINED SCREEN SETUP WEB SERVICES PROMPT
17786	Field ID	BMFUNC/Text tab	BEWSMD BSDLUC BSFUNC BSGRID	EWS - METADATA DEFINITION FIELDS POPUP CREATE UPDATE SCREENS GRID DESIGNER
35163	Field Label	EWS.ADMN.UC.FieldsforWebServicePrompt	BSAFMP BSCDSS BSGRID BSMAPF BSMSFP BSWSPM	ADDITIONAL FIELD MAPPING POPUP USER DEFINED SCREEN SETUP GRID DESIGNER MAP FIELDS SELECT MULTIPLE FIELDS POPUP WEB SERVICES PROMPT
35425	Field Length	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSCDSS BSDCER BSDTCV	USER DEFINED SCREEN SETUP VIEW DETAILS (DATA CONVERSION) DATA CONVERSION (MP2)
27221	Field List	D7i Extended - Comma Separated Field List	BEWSMD	EWS - METADATA DEFINITION
45528	Field Mappings	EAM.ADMN.REQ.AdditionalFieldMappingPopup	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
23523	Field Name	Infor EAM - identifies the field to be exported on the Export to Excel dialog box.	BCMOBL BSCDSS BSDLUC BSDTCV BSENSS BSFUNC BSGRID BSGSEL BSJSDN BSMPWO DSSTAT WSUPWD WSUWOD	7I MOBILE BOILER TEXT USER DEFINED SCREEN SETUP FIELDS POPUP DATA CONVERSION (MP2) ENTERPRISE SEARCH SETUP CREATE UPDATE SCREENS GRID DESIGNER SELECT CLAUSE LOOKUP COMMON FUNCTION FOR JAVASCRIPT MP2 WORK ORDERS DATABRIDGE SYSTEM STATUS PERMIT TO WORK UNSIGNED DIFFERENCES UNSIGNED WO DIFFERENCES
27937	Field Name:	Barcode	FCSCRN	FLAMETHROWER SCREENS
31186	Field Properties	Barcoding	FCSCRN	FLAMETHROWER SCREENS
27208	Field Type	D7i Extended - Grid - Field Type	BEWSMD BHUSRL BSCDSS BSFUNC	EWS - METADATA DEFINITION USERS GROUP CONFIGURATION USER DEFINED SCREEN SETUP CREATE UPDATE SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27208	Field Type	D7i Extended - Grid - Field Type	BSGRID BSREPO BSWSPM BYUSRL BZUSRL	GRID DESIGNER CREATE / EDIT REPORTS WEB SERVICES PROMPT USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
34208	Field Update Details	#26060	BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
49152	Field Work	EAM.ADMN.REQ.UserGroups	BSDUXD BSGROU BSUSER	DUX SCREEN DESIGNER GROUPS USER SETUP
35171	Field X-Path	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
27642	Field list is empty. Select the Screen to configure.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
13241	Field properties	Pull down menu item: shows the technical characteristics of a field.	M1	Pull-Down Menu Texts
36311	Field(s) :PARAM1 did not receive a retrieved value. Enter the data or retry the upload to retrieve the value(s).	EWS.MOBILE.UC.WSPromptEngine.doc	TCPMTR	7I MOBILE BOILER TEXT
27535	Fields	Crossbow	TCSCCF TCSCMN	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
		Barcode	BCMOBL BSRPTG FCSCRN	7I MOBILE BOILER TEXT GENERIC REPORT PARAMETERS FLAMETHROWER SCREENS
		EWS.ADMIN.UC.FieldsToRememberforScreens	BSCDSS BSCWSP BSGRID BSLOVS BSWSPM	USER DEFINED SCREEN SETUP COPY WEB SERVICE PROMPT POPUP GRID DESIGNER LIST OF LOOKUPS WEB SERVICES PROMPT
36580	Fields in Selected Tables	30854	BSGRID BSGSEL BSLOVS	GRID DESIGNER SELECT CLAUSE LOOKUP LIST OF LOOKUPS
24695	Fields marked (*) are required.	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
33627	Fields to Remember	EWS.ADMIN.UC.FieldsToRememberforScreens	BSFUNC	CREATE UPDATE SCREENS
12325	File		BHDOCL BHFUNL BSFUNC BTDOCL BTFUNL BYFUNL BZDOCL BZFUNL FCSCRN OSWARR	List Of Documents List Of Functions CREATE UPDATE SCREENS List Of Documents List Of Functions LIST OF FUNCTIONS List Of Documents List Of Functions FLAMETHROWER SCREENS WARRANTY
		Pull down menu item	BSRPST M1	REPORT STATUS Pull-Down Menu Texts
		Crossbow	TCCRSB TCDOCR BCMOBL	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
44296	File :PARAM1 can only be viewed in a third party app. Please make sure you	EAM-14486 :Android Tablet - Support localization		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35939	have the related app installed for this type of file. Contact your system administration for more information. File Attachment E-mail Sent	EWS.ADMIN.UC.StatusforConfigurationManager	BSCMEX BSCMIM BSEXAL	CONFIGURATION MANAGER - EXPORT CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION
21057	File Location	Infor EAM - Where documents are stored. Drawer.	BHDOCL BSCMIM BSDOCP BSDOCU BSEXAL BSIMPT BTDOCL BYDOCL BZDOCL OSWARR PSPORD WSJOBS	List Of Documents CONFIGURATION MANAGER – IMPORT DOCUMENTS POPUP DOCUMENTS EXPORT BASE CONFIGURATION IMPORT CONFIGURATION List Of Documents List Of Documents List Of Documents WARRANTY PURCHASE ORDERS CREATE WORK ORDER
21866	File Name	Infor EAM - the name of the file where the document is located or filed Crossbow	BSDOCA BSEXIM BSREPO BSUPLD BSVLOG BCMOBL TCDOCL	DOCUMENTS EXPORT CONFIGURATION CREATE / EDIT REPORTS UPLOAD DOCUMENT POPUP VIEW LOG FILES SCREEN 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
25676	File Path	Extended (product name). Field text.	BSCMEX BSCMIM BSDOCA BSDOCP BSDOCU BSEXAL BSUPLD PSPORD WSJOBS	CONFIGURATION MANAGER - EXPORT CONFIGURATION MANAGER – IMPORT DOCUMENTS DOCUMENTS POPUP DOCUMENTS EXPORT BASE CONFIGURATION UPLOAD DOCUMENT POPUP PURCHASE ORDERS CREATE WORK ORDER
21049	File Size	Infor EAM - the size of the warranty document file (kb).	OSWARR	WARRANTY
21048	File Type	Infor EAM - the type of the file used for warranty setup, e.g., document, spreadsheet, CAD drawing, etc.	BSDOCA BSDOCP BSDOCU BSUPLD BSVLOG OSWARR PSPORD WSJOBS	DOCUMENTS DOCUMENTS POPUP DOCUMENTS UPLOAD DOCUMENT POPUP VIEW LOG FILES SCREEN WARRANTY PURCHASE ORDERS CREATE WORK ORDER
44270	File Uploaded successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37254	File is not available.	21807 Attachment Upload	TCDOCL	7I MOBILE BOILER TEXT
23143	Filed Date		BSWHSE OZCLAI	DATA WAREHOUSE WARRANTY CLAIM REPORT
28915	Filed Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23147	Filed Day of Month		BSWHSE	DATA WAREHOUSE
23148	Filed Day of Year		BSWHSE	DATA WAREHOUSE
23155	Filed Half Year		BSWHSE	DATA WAREHOUSE
23149	Filed Last Day in Month		BSWHSE	DATA WAREHOUSE
23151	Filed Month Number		BSWHSE	DATA WAREHOUSE
23153	Filed Quarter		BSWHSE	DATA WAREHOUSE
23144	Filed Running Day Number		BSWHSE	DATA WAREHOUSE
23146	Filed Running Month Number		BSWHSE	DATA WAREHOUSE
23145	Filed Running Week Number		BSWHSE	DATA WAREHOUSE
23150	Filed Week Number		BSWHSE	DATA WAREHOUSE
23156	Filed Year		BSWHSE	DATA WAREHOUSE
23152	Filed Year-Month		BSWHSE	DATA WAREHOUSE
23154	Filed Year-Quarter		BSWHSE	DATA WAREHOUSE
17764	Filename		BSIMPT	IMPORT CONFIGURATION
43950	Fill	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47441	Fill Return Qty.	EAM.MATL.REQ.Packages-IssueReturnPartsPopup	SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
44271	Filled in checklist for this activity will be deleted. Continue?	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
15238	Filter		BCMOBL	7I MOBILE BOILER TEXT
			BSDTSP	DATASPY
			BSINBX	INBOX SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSSTRT	EWS NEW START CENTER
			FCSCRN	FLAMETHROWER SCREENS
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			M1	Pull-Down Menu Texts
			WSCRWP	CREATE/EDIT CREW POPUP
			WSGWOD	GIS MAP WO DISPATCHING
		Crossbow	TCCFLT	7I MOBILE BOILER TEXT
		EAM-49402	WSGISD	MAP VIEW
33315	Filter Assets by Manufacturer	EWS.EQUIP.UC.CreateEditChangeNotices.doc	OSCHNO	CHANGE NOTICES
20588	Filter By	Infor EAM - option for filtering service requests	WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
40848	Filter Class	EAM-269:ADMN.UC.FilterFieldSetUp	BSFFSP	FILTER FIELD SETUP SCREEN
47324	Filter Custom Fields by Class	EAM-34088	BSDTSP	DATASPY
39323	Filter Employees	40522	WSWLSH	WO LABOR SCHEDULING
48362	Filter Field	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39945	Filter Menu		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46979	Filter Options	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
43592	Filter Trades	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
40847	Filter Type	EAM-269:ADMN.UC.FilterFieldSetUp	BSFFSP	FILTER FIELD SETUP SCREEN
41045	Filter WO Equipment Type	EAM-559:ADMN.UC.FieldFilterSetup	BSFFSP	FILTER FIELD SETUP SCREEN
27219	Filter XML	D7i Extended - Filter XML	BEWSMD	EWS - METADATA DEFINITION
20143	Filter by selection	new option on the View menu to create a query that will return all records that have the same value in that same field.	M1	Pull-Down Menu Texts
29904	Filter screen object cannot be created.	Crossbow	TCCFLT	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27186	Filterable Field(s)	D7i Extended - Comma Separated List of Filterable Field Ids	BEWSMD	EWS - METADATA DEFINITION
27190	Filterable Field(s) MultiOrg	D7i Extended - Comma Separated List of Field Ids for Filtering	BEWSMD	EWS - METADATA DEFINITION
40840	Filters	EAM-528	WZCTRC	SERVICE REQUESTS CHART
46773	Final Fuel Level	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
46768	Final Mileage	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
42211	Final Occ.	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
43951	Final Occurrence	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
43130	Final Payment	EAM.PRCH.REQ.LinesforInvoiceVoucher.doc	PSINVO	INVOICES
33086	Financial Conditions	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
35959	Financial Period	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
27876	Financial User ID	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.	YSGLRF	GL REFERENCES
40879	Financial and Disposition Details	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
12045	Financial conditions	For contracts.	CMPROM	Contract Text Prompts
19487	Financials	Name of new tab in BNINST to display installation parameters relating only to Fincancials interface	BSINST	INSTALL CODES
25364	Find	Crossbow - Finding - inspection finding	TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
23622	Find Caller By	Infor EAM - prompt for filter on the create service request form to locate a caller by phone number, email, fax, etc.	WSINRQ	CREATE INFORMATION REQUEST
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
33242	Find Contact By	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
41081	Find Guest By	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
43952	Find Users near Work Order	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43953	Find Work Orders near User	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45632	Find address	EAM.GIS.REQ.GISMapSearch.doc/EAM-20159	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45722	Find my location	EAM.GIS.REQ.GISMapSearch.doc/EAM-20159	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12706	Finding	What was found during an inspection.	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			ISFIND	FINDINGS
			ISMONT	MONITORED DATA
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
			IYJBRT	Inspection Route Report
			IYRSLF	LIST OF INSPECTION RESULTS
			IZJBRT	Inspection Route Report
			IZRSLF	LIST OF INSPECTION RESULTS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow - inspection finding	BCMOBL	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
27687	Finding Details	Infor EAM. Refer to EWS.INSPECTION.CreateEditFinding.	ISFIND	FINDINGS
32277	Findings	EWS.CREP.UC.ListOfInspectionResults	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			WSJBPL	JOB PLANS
			WSTASK	TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49350	Fingerprint	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
19574	Finish	Used on the wizard button to finish the creation of a record.	OSGRTE	CREATE ROUTE WORK ORDER
		#28171	OSJOBS	CREATE WORK ORDER
35835	Finish Date	EWS.ADMN.UC.MP2WorkRequests	BSDTCV	DATA CONVERSION (MP2)
16307	Finished	Static field - read only - used to determine if a record originated by itself. Appears directly over a checkbox in form WOAPPH	BSMPWR	MP2 WORK REQUESTS
			BSDTCV	DATA CONVERSION (MP2)
			BZEALD	ELECTRONIC RECORDS FOR
			WSAPPH	REVISION CONTROL HISTORY
40996	Fire Safety Incident	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
44624	Firm Dates		CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
31961	First Bill	EWS.CREP.UC.ElectronicRecords	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
27786	First Day of Week	D7i Extended - Locales form	BSLOCL	LOCALE
23863	First Form	Infor EAM - the form that should automatically display when the current user logs in to the system	BSGRPU	USERS PER GROUP
27296	First Name	Databridge system setup. Refer to PVCS 7210.	BSMPWO	MP2 WORK ORDERS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CZISGH	INCIDENT SUMMARY GRAPH
			DSSSET	DATABRIDGE SYSTEM SETUP
			OSHPRM	CREATE HOSPITALITY ROOMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZGDPC	GDPR COMPLIANCE - CONTACT
41330	First Names	EAM-1088	BSLOVS	LIST OF LOOKUPS
27000	First Screen	Extended (product name)	BSIMUS	IMPORT USERS
			BSLOVS	LIST OF LOOKUPS
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
47875	First Year Funding	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
			OSFUND	FUNDING
47876	First Year Funding Currency	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
27818	Fiscal Year Details	D7i Extended - Fiscal Years for Organization form - Block Title - noun	BSORGS	ORGANIZATIONS
27824	Fiscal Years	D7i Extended - Fiscal Years for Organizations form - Tab Title	BSLOVS	LIST OF LOOKUPS
			BSORGS	ORGANIZATIONS
			OSDPDT	DEPRECIATION DETAILS
43337	Fit to Window	EAM-9345	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43337	Fit to Window	EAM-9345	OSOBJP OSOBJS WSJOBS BSORGS	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER ORGANIZATIONS
12046	Fixed	Whether a value may change or not. Also used in combination with periodic jobs: whether the new job's target date should vary with the completion date of its predecessor (variable) or not (fixed). Checkbox used in scheduling of periodic work orders. For example, if you select Fixed? on PPM, MP5 will schedule the next PPM based on the due date of the PPM; if not selected, MP5 schedules the next PPM based on the completion date of the previous PPM.	BZEVTD BSINST	ELECTRONIC RECORDS FOR EVENTS INSTALL CODES
48946	Fixed Asset Code	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	BSDOCA JSCUES JSCUFA JSCULB	DOCUMENTS CU ESTIMATES COMPATIBLE UNITS FIXED ASSET CODES COMPATIBLE UNITS LIBRARY
49670	Fixed Asset Code Details	49835-EAM.PROJ.REQ.CompatibleUnitsFixedAssetCodes	JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
49691	Fixed Asset Code Org.	EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCUES JSCULB	CU ESTIMATES COMPATIBLE UNITS LIBRARY
49692	Fixed Asset Codes	EAM.PROJ.REQ.CompatibleUnitsLibrary	BSLOVS	LIST OF LOOKUPS
32618	Fixed Charge Contract	EWS.WORK.UC.CustomerInvoiceLinesOverview.doc	WSDEBS WSINVL WSINVS	CREATE CUSTOMER CUSTOMER INVOICE LINES OVERVIEW CUSTOMER INVOICES
32408	Fixed Charge Details	EWS.WORK.UC.FixedChargesforCustomerContract	WSAGRS	CUSTOMER CONTRACTS
32617	Fixed Charge Line	EWS.WORK.UC.CustomerInvoiceLinesOverview.doc	WSDEBS WSINVL WSINVS	CREATE CUSTOMER CUSTOMER INVOICE LINES OVERVIEW CUSTOMER INVOICES
32405	Fixed Charges	EWS.WORK.UC.FixedChargesforCustomerContract	WSAGRS WSINVP	CUSTOMER CONTRACTS GENERATE INVOICES
26402	Fixed Data	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSWSPM TSASTP	WEB SERVICES PROMPT DC TRANSACTION PROMPT
43132	Fixed Labor Amount	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
43149	Fixed Labor Rate	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
38281	Fixed Markup	EWS.WORK.UC.CreateEditDepots	WSDEPO WSFUEL	DEPOTS FUEL
34083	Fixed Order Cost	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
35065	Fixed Payment	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
32692	Fixed Payments	20860- EWS.WORK.UC.GenerateInvoicesPopup.doc	WZAGRS	PRINT CUSTOMER CONTRACT
32847	Fixed Price	EWS.CREP.UC.PrintInvoice	WHINVS WYINVS WZINVS	CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT
43133	Fixed Stock Amount	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
34081	Fixed Value	EWS.MATL.UC.CalculateEOQ 26915	SSEOQA BSDSET	CALCULATE EOQ DATABRIDGE SETUP
44993	Fixed Year	EAM-16074	ESPSET	POLICY SETTINGS
43361	Fixed and Variable	EAM-10497	WZPMDO	PM DUE OVERVIEW
15781	Fixed/Added	Amount of money added to the cost charging arrangement. If none is added, then the cost will stay fixed.	WHINVS WYINVS	CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15781	Fixed/Added	Amount of money added to the cost charging arrangement. If none is added, then the cost will stay fixed.	WZAGRS	PRINT CUSTOMER CONTRACT
			WZINVS	CUSTOMER INVOICE REPORT
47366	Fixed/Variable PMs	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
42127	Flammability	Safety for Work Order	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			SSPART	PARTS
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSSFMX	SAFETY MATRIX
			WZPTWR	PRINT PERMIT TO WORK
47880	Flat Funding	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
			OSFUND	FUNDING
47881	Flat Funding Currency	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
			OSFUND	FUNDING
31096	Fleet Bill	D7i Extended. Page title for the Fleet Bills form. 'Fleet' is a noun used as an adjective indicating the type of bill. The word is used in the context of a 'fleet of ships.'	BSDOCA	DOCUMENTS
			WSFBIL	FLEET BILLS
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
31100	Fleet Bill Details	D7i Extended. Block header for the Fleet Bills form. The 'Fleet Bill Details' section of the form will contain the detailed information about the bill for the fleet transaction (fuel costs, mileage, etc.)	WSFBIL	FLEET BILLS
30742	Fleet Billing Code	D7i Extended -- Billing Codes for Fleet Management -- Header Name for the Page	BSDOCA	DOCUMENTS
			WSFBLC	FLEET BILLING CODES
32029	Fleet Checked	EWS.CREP.UC.ElectronicRecords	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
30819	Fleet Cust. Org.	D7i Extended -- Vehicle Ticket -- Field Label, cust.=customer, org.=organization	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
30812	Fleet Customer	D7i Extended -- Fleet Customers form and Employees form -- Field Label, fleet=adjective, customer=noun, on employees form used to associate an employee with a fleet customer	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQGN	EQUIPMENT GENERATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZPROF	EQUIPMENT PROFILE
			WSBFUL	BATCH FUEL ISSUES
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30812	Fleet Customer	D7i Extended -- Fleet Customers form and Employees form -- Field Label, fleet=adjective, customer=noun, on employees form used to associate an employee with a fleet customer	WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
30813	Fleet Customer Description	D7i Extended -- Fleet Customer -- Field Label	WSFCUS	FLEET CUSTOMERS
31451	Fleet Customer Org.	D7i Extended -- CreateAsset -- Field Label	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQGN	EQUIPMENT GENERATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
31476	Fleet Customers	Asset form	BSLOVS	LIST OF LOOKUPS
30927	Fleet Management Details	D7i Extended -- Employees form -- Block Header for Fleet Management details	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
30728	Fleet Markup Code	D7i Extended -- Fleet Markup Codes -- Header Field Label, markup=adjective	BSDOCA	DOCUMENTS
			WSFMRK	FLEET MARKUP CODES
39909	Fleet Markup Code Details	46503	WSFMRK	FLEET MARKUP CODES
31081	Fleet Vehicle Ticket	D7i Extended -- Exceptions for Vehicle Tickets -- Field Label, ticket=bill	BSDOCA	DOCUMENTS
			WSFLTK	FLEET VEHICLE TICKETS
			BCMOBL	7I MOBILE BOILER TEXT
25918	Flex Business Rules	D7i Extended - admin Flex SQL screen header	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
			YSFLXS	FLEX SQL
			BCMOBL	7I MOBILE BOILER TEXT
46216	Flex SQL is valid.	Flex	BCMOBL	7I MOBILE BOILER TEXT
45321	Float	EAM-15923 RepositoryColumnsforEnterpriseSearchSetu	BSENSS	ENTERPRISE SEARCH SETUP
29874	Floor	Crossbow - Floor/Unit	TCSVQR	7I MOBILE BOILER TEXT
		EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29874	Floor	EAM.EQUIP.REQ.Rooms	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSEMPs	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
37630	Floor Area	SCR#33576	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
			OZEQUD	EQUIPMENT DETAIL
			WSEMPs	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37631	Floor Area UOM	SCR#33576	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37631	Floor Area UOM	SCR#33576	OSOVS	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			WSEMP	EMPLOYEES
			WGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
45225	Floor Org.	EAM-14718:EAM.CCTR.REQ.ContactInformation	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSSRPT	CREATE SERVICE REQUEST PORTAL
19960	Floor/Unit	WMJOBS Service request sub-tab...the floor or unit of the building for which the service request is being created.	BSSERQ	PROPERTIES
			BZOSRQ	OPEN SERVICE REQUESTS
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEBS	CREATE CUSTOMER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVSR	VIEW SERVICE REQUESTS
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
20193	Floors/Units	Infor EAM - used a title on LOV for List of floors/units (used in Service Requests)	BSLOVS	LIST OF LOOKUPS
			LVLEV3	LEVEL3 LOOKUP
42969	Flow	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42969	Flow	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSCOPO	CONTRACTOR PORTAL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
25863	Flow Code	Extended (product name). Screen Flow Setup Form.	WSWREQ	WORK REQUEST
			BSFLOW	BUSINESS PROCESS SETUP
25862	Flow Codes	Extended (product name). Screen Flow Setup Form.	BSFUNC	CREATE UPDATE SCREENS
42543	Folder	EAM.BASE.REQ.StartCenter.docx	BSLOVS	LIST OF LOOKUPS
			BSGROU	GROUPS
			BSIBXP	PERSONALIZE INBOX POPUP
			BSINBX	INBOX SETUP
			BSSTRT	EWS NEW START CENTER
31581	Follow Up	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BSUSER	USER SETUP
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
44457	Follow-Up Details	EAM.CCTR.REQ.ServiceCodes	OSOBJS	CREATE SYSTEM EQUIPMENT
46217	Follow-Up Work Orders will be created after syncing with EAM Server.	Checklist	CSSVPB	SERVICE PROBLEM CODES
42212	Follow-up	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			OSEQCI	CHECKLIST ITEMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
42708	Follow-up Activity	EAM-8627	WSOPCL	OPERATOR CHECKLIST
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
42985	Follow-up Job Plan	EAM-9792	WSJBPL	JOB PLANS
			WSTASK	TASKS
33381	Follow-up Request Status when WO Closes	Contact Center Setup - SCR 22087	CSCCSP	CONTACT CENTER SETUP
44732	Follow-up Required	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44437	Follow-up Service Code	EAM-14723	CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
44540	Follow-up Service Code Org.	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
42984	Follow-up Task Plan	EAM-9792	WSJBPL	JOB PLANS
			WSTASK	TASKS
44438	Follow-up Timing	EAM-14723	CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
42707	Follow-up WO	EAM-8627	BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
44627	Follow-up WO Details		CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
44895	Follow-up WO Status	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
42213	Follow-up WO-Activity	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	BCMOBL	71 MOBILE BOILER TEXT
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42213	Follow-up WO-Activity	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	WSOPCL	OPERATOR CHECKLIST
40828	Font Color	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27944	Font Size:	Barcode. Note: extra spaces/hyphen are inserted in order to display the strings correctly. Consult the localization coordinator before assining this string elsewhere.	FCSCRN	FLAMETHROWER SCREENS
31187	Font does not exist.	Barcoding	FCSCRN	FLAMETHROWER SCREENS
19169	Font size	The font size used for value fields in reports like prordf, srreqf.	REPORT	General Report Function
12315	For	For is a preposition that, in most cases in MP5, refers to a store. For example, when creating a request for quotation, 'for' refers to the store requesting the quote for parts or service.	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			OZAEST	TOTAL ANNUAL ENERGY USE
			SHREQF	Print Purchase Requisition
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			TCESYP	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
31275	For All Users in the Same Dept	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
31294	For Bin	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
43954	For Catagory	EAM-24263-EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL	7I MOBILE BOILER TEXT
25366	For Category	EAM-14486 :Android Tablet - Support localization	TCSYCF	7I MOBILE BOILER TEXT
25590	For Category is not specified.	Crossbow - Sync Config.	TCSYCF	7I MOBILE BOILER TEXT
25367	For Class	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
25591	For Class is not specified.	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
			BSGROU	GROUPS
31283	For Cost Code	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
			BSGROU	GROUPS
44572	For Dataspy	EAM-24263-EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44572	For Dataspy	EAM.ADMN.REQ.MobileSettingsforUserGroups		
40716	For Dates Between :PARAM1 and :PARAM2	EAM-285	WZCSTD	COST SUMMARY BY TRANSACTION DATE
40718	For Dates On Or After :PARAM1	EAM-285	WZCSTD	COST SUMMARY BY TRANSACTION DATE
40717	For Dates On Or Before :PARAM2	EAM-285	WZCSTD	COST SUMMARY BY TRANSACTION DATE
25368	For Department	Crossbow. Sync Config.	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BSGROU	GROUPS
25592	For Department is not specified.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
45881	For Downloaded WO only	EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BSGROU	GROUPS
31286	For Employee	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BSGROU	GROUPS
25486	For Entity	Extended. User Codes form.	BSUCOD	SYSTEM CODES
31281	For Equipment	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			OYCOEM	CO2E EMISSIONS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			TCSYCF	7I MOBILE BOILER TEXT
37911	For Equipment Between :PARAM1 and :PARAM2	EWS.CREP.UC.GasIndexAnalysis	OYCORD	CO2 ANALYSIS
			OYGIAN	GAS INDEX ANALYSIS
			OZCORD	CO2 ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
37913	For Equipment On or After :PARAM1	EWS.CREP.UC.GasIndexAnalysis	OYCORD	CO2 ANALYSIS
			OYGIAN	GAS INDEX ANALYSIS
			OZCORD	CO2 ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
37912	For Equipment On or Before :PARAM2	EWS.CREP.UC.GasIndexAnalysis	OYCORD	CO2 ANALYSIS
			OYGIAN	GAS INDEX ANALYSIS
			OZCORD	CO2 ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
44435	For Follow-up	EAM-14723	CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44435	For Follow-up	EAM-14723	OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
47295	For Held Items	EAM-33622	SSBINL	BIN LOOKUP
			SSSTOR	STORES
38055	For Infor ION	EWS.ADMN.UC.DatabridgeSetup	BSDSET	DATABRIDGE SETUP
			BSWSET	WORK SETUP
25369	For Latest (Days)	Crossbow. Sync. Config.	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
47034	For Latest (Months)	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
25593	For Latest is not specified.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25371	For Limited Qty	Crossbow. Sync Config.	TCSYCF	7I MOBILE BOILER TEXT
25594	For Limited Qty is not specified.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25372	For Line	Crossbow. Sync Config.	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
25373	For Location	Crossbow. Sync. Config.	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
25595	For Location is not specified.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
42163	For Months Between :PARAM1 and :PARAM2	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
42165	For Months On or After :PARAM1	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
42164	For Months On or Before :PARAM2	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
25374	For More Types	Crossbow. Sync. Config.	TCSYCF	7I MOBILE BOILER TEXT
31288	For Part	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
		EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups		
31268	For Physical Inventory, To Line should be greater than From Line.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
38994	For Regions Between :PARAM1 and :PARAM2	PVCS #39004	BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
38996	For Regions On or After :PARAM1	PVCS #39004	BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38996	For Regions On or After :PARAM1	PVCS #39004	BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
38995	For Regions On or Before :PARAM2	PVCS #39004	BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
25375	For Repair	Crossbow. Issue/Return.	TCMRTP	7I MOBILE BOILER TEXT
			TCMSTL	7I MOBILE BOILER TEXT
		D7i Extended - Stock Value Listing by Part Type report	SYSTOL	Stock List
			SZSTOL	Stock List
			WSNCIM	NONCOMFORMITIES POPUP
47294	For Stock	EAM-33622	SSBINL	BIN LOOKUP
			SSSTOR	STORES
25376	For Store	Crossbow. Sync. Config.	BCMOBL	7I MOBILE BOILER TEXT
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			TCSYCF	7I MOBILE BOILER TEXT
		EWS.CREP.UC.ElectronicRecords - Electronic Records report	BSGROU	GROUPS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			CZUSGF	Discount Request Based On Usage
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SYEOQA	EOQ Analysis
25596	For Store is not specified.	Crossbow	SZEOQA	EOQ Analysis
			TCSYCF	7I MOBILE BOILER TEXT
25377	For Trade	Crossbow. Sync. Config.	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
37434	For Type	EAM-24263-EAM.ADMN.REQ.MobileSettingsforUserGroups 21833 - Sync Config add option For Type	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
31065	For WOs Completed Between	D7i Extended - Actual Labor Hours Against Estimated report	WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31065	For WOs Completed Between	D7i Extended - Actual Labor Hours Against Estimated report	WZHREL	ESTIMATED_HOSPPLY Actual Labour Hours Against Estimated
40515	For Work Orders Between :PARAM1 and :PARAM2	EAM-141	WZPMCP	PM COMPLAINE
40513	For Work Orders On or After :PARAM1	EAM-141	WZVMRS	VMRS ACTIVITIES CHART
40514	For Work Orders On or Before :PARAM2	EAM-141	WZPMCP	PM COMPLAINE
46993	For app support, please contact:	EAM-29988 Transit app (iOS) - JSI Work Orders	WZVMRS	VMRS ACTIVITIES CHART
25370	For downloaded WO only	Crossbow. Sync. Config.	WZPMCP	PM COMPLAINE
35267	For more information click	#28171	WZVMRS	VMRS ACTIVITIES CHART
18601	For repair	New column in form SOTRST to indicate the part is being repaired.	BCMOBL	7I MOBILE BOILER TEXT
12048	For store		BCMOBL	7I MOBILE BOILER TEXT
16621	Forecast	Used as a radio button in the PPM reports form. Calls those Periodic preventive maintenance orders that are forecasted, or predicted for future PM.	TCSYCF	7I MOBILE BOILER TEXT
37088	Forecast End Date	EWS.WORK.Parameters for PM Forecasting	BSDTCV	DATA CONVERSION (MP2)
37408	Forecast PM	EWS.WORK.UC.ForecastingforPMForecast.doc	STSTOL	Stock List
37102	Forecast PM Background Color	EWS.WORK.Parameters for PM Forecasting	STREQL	List Of Outstanding Requisition Items
37410	Forecast PM, Locked	EWS.WORK.UC.ForecastingforPMForecast.doc	WSPFWM	PM FORECASTING WARNING
37409	Forecast PM, Perform On Day	EWS.WORK.UC.ForecastingforPMForecast.doc	WZPMTL	OUT OF TOLERANCE PM
37411	Forecast PM, Perform On Day, Locked	EWS.WORK.UC.ForecastingforPMForecast.doc	WSPMPL	PM FORECASTING
37087	Forecast Start Date	EWS.WORK.Parameters for PM Forecasting	WSPFLG	PM FORECAST LEGEND POPUP
37244	Forecast Started	Parameters For PM Forecasting - #31961	WSPMPL	PM FORECASTING
37528	Forecasted	EWS.CREP.UC.FutureMaintenanceCost.doc	WSPMPL	PM FORECASTING
37148	Forecasting	EWS.WORK.UC.ForecastingforPMForecasting	WZPMFC	PM FORECASTING
37150	Forecasting Details	EWS.WORK.UC.ForecastingforPMForecasting	WSPFLG	PM FORECAST LEGEND POPUP
37097	Forecasting Options	EWS.WORK.Parameters for PM Forecasting	WSPFLG	PM FORECAST LEGEND POPUP
35845	Foreign Key References	EWS.ADMN.UC.TableStructurePopup.doc	WSPMPL	PM FORECASTING
35842	Foreign Keys	EWS.ADMN.UC.TableStructurePopup.doc	WSPMPL	PM FORECASTING
45803	Forgot Password	EAM.BASE.REQ.SystemLogin - EAM-23734	WSPMPL	PM FORECASTING
27797	Form Type	D7i Extended - Screens form	WYPFMC	FUTURE MAINTENANCE COST
15220	Forms		WYWFMC	FUTURE MAINTENANCE COSTS
30598	Forms SQL Code	D7i Extended - Prompt Machine - PVCS #15388	WZPFMC	FUTURE MAINTENANCE COST
26589	Forms Screen	D7i Extended - field label	WZWPMC	FUTURE MAINTENANCE COSTS
			WSPMPL	PM FORECASTING
			WSPMPL	PM FORECASTING
			WSPMPL	PM FORECASTING
			BSTBST	TABLE STRUCTURE POPUP
			BSTBST	TABLE STRUCTURE POPUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			LOGIN	LOGON SCREEN
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			M1	Pull-Down Menu Texts
			TSASTP	DC TRANSACTION PROMPT
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26920	Forms Screens	D7i Extended - Title for the LV7IFORMS lookup	BSLOVS	LIST OF LOOKUPS
17008	Formula		ISFORM	FORMULAS
			ISMONT	MONITORED DATA
			ISASPC	ASPECTS
			OSRELR	EQUIPMENT RANKINGS
		D7i Extended -- Monitored Data form -- Field Label on Aspect Points tab, noun	OSRRFP	ADD / EDIT FORMULA POPUP
28800	Formula Details		ISFORM	FORMULAS
			OSPERF	PERFORMANCE FORMULAS
			OSRRFP	ADD / EDIT FORMULA POPUP
			ISFORM	FORMULAS
17570	Formula ID	The Unit Of Measure of a parameter within a formula (used IXFORM).	ISFORM	FORMULAS
17680	Formula UOM		ISFORM	FORMULAS
28424	Formulas	D7i Extended -- Monitored Data form -- noun	BSLOVS	LIST OF LOOKUPS
44272	Found	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48842	Fraction Slider Dimensions	EAM.WORK.REQ.ChecklistForTaskPlans EAM-46097	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSTASK	TASKS
12023	Free		UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
26275	Free Budget		JSPROJ	PROJECTS
			JZCOSL	PROJECT COST SUMMARY
		EAM-46197/EAM.WORK.REQ.ChecklistForWorkOrder	UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
			WHCOSL	Job Cost Summary Report
			WYCOSL	Job Cost Summary Report
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
48992	Free Text		BCMOBL	7I MOBILE BOILER TEXT
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
		EAM-33.WORK.REQ.ChargeDefinitionsForContractTemplate	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
40495	Free Up To		WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
12577	Free budget	The amount that has not yet been used or committed.	JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
16013	Free budget is calculated based on		UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19114	Free format text	comments that the user entered; can use letters, numbers, and symbols	BSCDSS	USER DEFINED SCREEN SETUP
13226	Freeze	Pull down menu item	M1	Pull-Down Menu Texts
26483	Freeze Rate	Infor EAM. Field label. Refer to PVCS 6210.	WSFREZ	FREEZE/UNFREEZE POPUP
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
26959	Freeze/Unfreeze	Extended (product name)	WSFREZ	FREEZE/UNFREEZE POPUP
			WSSCHD	WORK ORDER SCHEDULE
27234	Freeze/Unfreeze Details	Infor EAM. Refer to PVCS 6838.	WSFREZ	FREEZE/UNFREEZE POPUP
17597	Freight	field for on-dock receipt	FCGRD2	FLAMETHROWER GRID 2
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SSRECV	PO RECEIPTS
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
31583	Freight Term	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			SSSUPP	SUPPLIERS
			BSLOVS	LIST OF LOOKUPS
23841	Freight Terms	Infor EAM - Clause linked to purchase orders.	BSMPPR	MP2 PURCHASING
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			FCGRD1	FLAMETHROWER GRID 1
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			PSORDT	PURCHASE ORDER TERMS
			PTORDF	Print Purchase Order
12845	Freight term	Extended (product name). Dataspy name.	BSALRT	ALERT MANAGEMENT SYSTEM
12024	Frequency	The frequency of Periodic Maintenance, e.g. monthly.	BSDLUS	DATA LAKE UPLOAD SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSKPIC	DEFINING KPI ENTRIES
			WSBWOG	GENERATE/RELEASE WOS
			WTBLOG	Work Backlog
			WTPPML	List Of All Ppm Schedules
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZPMTL	OUT OF TOLERANCE PM
			WZPPML	List Of All Ppm Schedules

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12024	Frequency	EAM-11749	BZDLUS	DATA LAKE UPLOAD SETUP
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZSWOF	STANDARD WORK ORDER FREQUENCY
37817	Frequency UOM	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSEXIM	EXPORT CONFIGURATION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
27015	Fri.	Extended (product name) Friday	SSSTOR	STORES
27846	Friday	D7i Extended - Locales form	BSFFSP	FILTER FIELD SETUP SCREEN
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			BSLOCL	LOCALE
			DSGLPS	GL PROCESS SCHEDULES
			REPORT	General Report Function
			WSPPMS	PM SCHEDULES
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
35236	Friday End Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35229	Friday Start Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
12025	From		BSREGG	GET ACTUAL TEMPERATURES POPUP
			BTAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			OSITPP	IMPORT TEST POINTS
			SHREQF	Print Purchase Requisition
			SSPART	PARTS
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STRETF	Print Goods Return Note
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SYUSAL	Average Monthly Usage Analysis
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			SZUSAL	Average Monthly Usage Analysis
		Starting point (in non date/numeric ranges)	BYAUDT	AUDIT LOG
			FCGRD2	FLAMETHROWER GRID 2
			SSIMPL	IMPORT PART LIST
			WSIMPL	IMPORT PART LIST
		Store that sends (Sender)	STREQL	List Of Outstanding Requisition Items
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
		Crossbow - Sync Config	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
		30015	BZCHKA	CHECKLIST AUDIT
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
35960	From Account Code	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33398	From Asset	EWS.EQUIP.UC.LinesforChangeNotice	OSCHNO	CHANGE NOTICES
33399	From Asset Org.	EWS.EQUIP.UC.LinesforChangeNotice	OSCHNO	CHANGE NOTICES
23989	From Bin		SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSSTOS	QUICK STORE-TO-STOCK TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSJOBS	CREATE WORK ORDER
		D7i Extended - PVCS # 12438	SSIUSS	STORE TO STORE ISSUES
			SSPINV	PHYSICAL INVENTORY
29272	From Bin Location	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
34915	From Budget	EWS.BUD.UC.CopyBudgetDetailsPopup	USBDET	COPY BUDGET
33580	From Budget Structure	22892	USCPBP	COPY BUDGETPOPUP
33581	From Budget Term	22892.	USCPBP	COPY BUDGETPOPUP
45237	From Building	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
45360	From Building Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
45236	From Campus	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
45359	From Campus Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
24029	From Category	Infor EAM - checkbox on the Parts associated tab to indicate that the part was added from a category record	BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			SSPART	PARTS
30877	From Code	D7i Extended - Goods Received Note report	STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
31584	From Code Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
35961	From Cost Center	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
21738	From Date	databridge - the starting point of a date range	BSMAPR	PURGE E-MAIL RECORDS
			BSPURP	PURGE AUDIT RECORDS POP UP
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPLY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21738	From Date	databridge - the starting point of a date range	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			SSABCA	GENERATE ABC ANALYSIS
			WSFREZ	FREEZE/UNFREEZE POPUP
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
22699	From Date/Time	Infor EAM - the beginning of a time/date sequence	DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
44597	From E-mail	EAM.ADMN.REQ.EmailTemplates.doc	BSMTMP	E-MAIL TEMPLATES
43976	From Email	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	CSCSUR	CUSTOMER SURVEYS
31585	From Entity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
31586	From Equipment Code	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
31587	From Equipment Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
46880	From Equipment Size	EAM-29647	ISASPC	ASPECTS
45238	From Floor	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			OSWKMV	WORKSPACE MOVES
45361	From Floor Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSCPMP	COPY MENU POPUP
48031	From Geographical Ref.	EAM-40099	BSSNCP	COPY MENU POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
29334	From Group	D7i Extended -- User Groups form -- Field Label	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAC	DEFERRED MAINTENANCE
46025	From Horizontal Offset	EAM-24933	WSDFAC	DEFERRED MAINTENANCE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46025	From Horizontal Offset	EAM-24933	WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46026	From Horizontal Offset Type	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
46041	From Horizontal Offset UOM	EAM-24933	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			WSBCOR	BATCH COPY ORGANIZATION
			OSEQLR	LINEAR REFERENCES FUNCTION
40722 45946	From Invoicing Org. From Latitude	EAM.WORK.REQ.BatchCopyOrganization EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			BSINTR	MP2 INVENTORY TRANSACTIONS
35962 45947	From Location From Longitude	EWS.ADMN.UC.MP2InventoryTransactions EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45947	From Longitude	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45941	From Offset	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45984	From Offset %	EAM-24671-EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45943	From Offset Direction	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
31588	From Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			SSREQF	GENERATE REQ
31247	From Organization		BSIMUS	IMPORT USERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31247	From Organization		SSIUSS	STORE TO STORE ISSUES
			SSSTSR	STORE TO STORE RECEIPTS
30886	From Part	D7i Extended - Fault-trend Analysis report	SYPOLD	Part-Wise History Of Stock Issuals
			SZPOLD	Part-Wise History Of Stock Issuals
33264	From Period	EWS.BUD.UC.CalculateBudgetPopup.doc / SCR #22176	USCLBP	CALCULATE BUDGET POPUP
35108	From Pick Ticket	Print Pick Ticket Report- change Pick List to Pick	BSLOVS	LIST OF LOOKUPS
			SYPICK	Pick List Print
			SZPICK	Pick List Print
30402	From Point	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - user enters the measurement of the beginning of the linear equipment	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPM	PM SCHEDULES
			OSGEVT	GIS MAP ATTRIBUTES
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSLRFS	LINEAR REFERENCE POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHJOBF	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30402	From Point	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - user enters the measurement of the beginning of the linear equipment	WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			WYJOBF	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOBF	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
46742	From Point Distance To Equipment	EAM-28650	OSEQLR	LINEAR REFERENCES FUNCTION
30722	From Point Geographical Ref.	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a geographical reference for the 'From Point', e.g., on an interstate, the 'From Point' is mile 1 and the geographical ref might be a lake.	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	71 MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30722	From Point Geographical Ref.	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a geographical reference for the 'From Point', e.g., on an interstate, the 'From Point' is mile 1 and the geographical ref might be a lake.	OSOVS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
49615	From Point Geographical Reference	RCMFailureMitigationForEquipment/EAM-49865	CSCASE	CASE MANAGEMENT
30721	From Point Ref. Description	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a description of the geographical reference for the 'From Point', e.g., on an interstate, the 'From Point' is mile 1 and the geographical ref might be a lake.	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	71 MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30721	From Point Ref. Description	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a description of the geographical reference for the 'From Point', e.g., on an interstate, the 'From Point' is mile 1 and the geographical ref might be a lake.	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
49616	From Point Reference Description	RCMFailureMitigationForEquipment/EAM-49865	CSCASE	CASE MANAGEMENT
30403	From Point UOM	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment	CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLRFS	LINEAR REFERENCE POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSGWOD	GIS MAP WO DISPATCHING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30403	From Point UOM	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
48030	From Ref. Description	EAM-40099	BCMOBL	7I MOBILE BOILER TEXT
46022	From Ref. Offset	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
46023	From Ref. Offset Direction	EAM-24933	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
45940	From Reference	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
46021	From Reference Point	EAM-24933	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46021	From Reference Point	EAM-24933	WSDFAC	DEFERRED MAINTENANCE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
46024	From Relationship Type	EAM-24933	WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45239	From Room/Unit	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
45362	From Room/Unit Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
33706	From Screen Description	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
33701	From Sequence	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
31589	From Serial Number	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
44950	From Service Code	EWS.EQUIP.UC.LinesForChangeNotice.doc/22480	OSCHNO	CHANGE NOTICES
		EAM-15258 Tasks for Case Management	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
48229	From State	EAM-41025	OSDCUR	DECAY CURVE
24070	From Status	Infor EAM - displays the status that the record was changed from during an electronic signature snapshot	BSAUTH	STATUS AUTHORIZATION
			BSEREC	ELECTRONIC RECORD SETUP
			BSLOVS	LIST OF LOOKUPS
			BSMAIL	MESSENGER TRIGGER DEFINITION
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
			WSPMTW	PERMIT TO WORK
			BSAUTH	STATUS AUTHORIZATION
			FCGRD2	FLAMETHROWER GRID 2
			SSIUSS	STORE TO STORE ISSUES
27255	From Status Desc.	D7i Extended - Status Change Authorization	SSRQSS	STORE TO STORE REQUISITIONS
25541	From Store	Extended (product name). Boiler text for Quick Store to Store Transfer. 'From' is a pronoun used as an adjective indicating which store. The 'From Store' is the store from which you are requesting/transferring the materials.	SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25541	From Store	Extended (product name). Boiler text for Quick Store to Store Transfer. 'From' is a pronoun used as an adjective indicating which store. The 'From Store' is the store from which you are requesting/transferring the materials. EAM.MATL.REQ.HeldItemsTransfer / EAM-34293	SYREQ	List Of Outstanding Requisition Items
			SZREQ	List Of Outstanding Requisition Items
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
36473	From Store Group	EWS.MATL.UC.TransferFeesForStoreGroups	WSJOBS	CREATE WORK ORDER
			SSPRCC	STORE GROUPS
30675	From Supplier	D7i Extended - List of Outstanding Requisition Items report	SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQ	List Of Outstanding Requisition Items
			SZREQF	Print Purchase Requisition
			SZREQ	List Of Outstanding Requisition Items
32794	From Supplier/Store	21377	SSREQF	GENERATE REQ
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
31590	From System Entity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
31591	From System Type	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
21739	From Time	databridge - the starting point of a time range	DSTRAN	DATABRIDGE TRANSACTIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
31592	From Type	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BSUOMS	UOM SETUP
37871	From UOM	SCR#33940-ConversionforUOM	CSCASE	CASE MANAGEMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
35489	From Value	EWS.CCTR.UC.CustomerRequestHistory	ISASPC	ASPECTS
			JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
46027	From Vertical Offset	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46029	From Vertical Offset Type	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46029	From Vertical Offset Type	EAM-24933	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46042	From Vertical Offset UOM	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
35963	From Warehouse	EWS.ADMN.UC.MP2InventoryTransactions	WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			BSINTR	MP2 INVENTORY TRANSACTIONS
			JSCUES	CU ESTIMATES
			OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49094	From Work Point	EAM.PROJ.REQ.WorkPointsforCUEstimate	WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
45235	From Workspace	EAM.EQUIP.REQ.WorkspaceMoves	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
45944	From X Coordinate	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
45945	From Y Coordinate	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45945	From Y Coordinate	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
13983	From entity	Crossbow	BZISSD	ELECTRONIC RECORDS FOR ISSUE
25597	From is not specified.		TCSYCF	71 MOBILE BOILER TEXT
12755	From part		STPOLD	Part-Wise History Of Stock Issuals
13460	From pick list		STPICK	Pick List Print
12784	From store		STREQL	List Of Outstanding Requisition Items
12794	From supplier		STREQL	List Of Outstanding Requisition Items
19344	From system entity		BZISSD	ELECTRONIC RECORDS FOR ISSUE
19345	From system type		BZISSD	ELECTRONIC RECORDS FOR ISSUE
13984	From type		BZISSD	ELECTRONIC RECORDS FOR ISSUE
29511	From-Entity Status		BSWHSE	DATA WAREHOUSE
23250	From-Store Class Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23251	From-Store Class Description		BSWHSE	DATA WAREHOUSE
23750	From-Store Class Organization Code		BSWHSE	DATA WAREHOUSE
23248	From-Store Code		BSWHSE	DATA WAREHOUSE
23249	From-Store Description		BSWHSE	DATA WAREHOUSE
23252	From-Store Location Code		BSWHSE	DATA WAREHOUSE
23253	From-Store Location Description		BSWHSE	DATA WAREHOUSE
28936	From-Stores		BSWHSE	DATA WAREHOUSE
22964	From-Supplier Buyer Code		BSWHSE	DATA WAREHOUSE
22965	From-Supplier Buyer Name		BSWHSE	DATA WAREHOUSE
22962	From-Supplier Class Code	Infor EAM	BSWHSE	DATA WAREHOUSE
22963	From-Supplier Class Description		BSWHSE	DATA WAREHOUSE
23745	From-Supplier Class Organization Code		BSWHSE	DATA WAREHOUSE
22958	From-Supplier Code		BSWHSE	DATA WAREHOUSE
22959	From-Supplier Description		BSWHSE	DATA WAREHOUSE
22960	From-Supplier Organization Code		BSWHSE	DATA WAREHOUSE
22961	From-Supplier Organization Description		BSWHSE	DATA WAREHOUSE
22966	From-Supplier Parent Code		BSWHSE	DATA WAREHOUSE
22967	From-Supplier Parent Description		BSWHSE	DATA WAREHOUSE
28941	From-Suppliers	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23341	From-Work Order Action Code		BSWHSE	DATA WAREHOUSE
23342	From-Work Order Action Description		BSWHSE	DATA WAREHOUSE
23329	From-Work Order Assigned-by Code		BSWHSE	DATA WAREHOUSE
23330	From-Work Order Assigned-by Name		BSWHSE	DATA WAREHOUSE
23331	From-Work Order Assigned-to Code		BSWHSE	DATA WAREHOUSE
23332	From-Work Order Assigned-to Name		BSWHSE	DATA WAREHOUSE
23339	From-Work Order Cause Code		BSWHSE	DATA WAREHOUSE
23340	From-Work Order Cause Description		BSWHSE	DATA WAREHOUSE
23315	From-Work Order Class Code		BSWHSE	DATA WAREHOUSE
23316	From-Work Order Class Description	Infor EAM	BSWHSE	DATA WAREHOUSE
23743	From-Work Order Class Organization Code		BSWHSE	DATA WAREHOUSE
23309	From-Work Order Code		BSWHSE	DATA WAREHOUSE
23319	From-Work Order Cost Code		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23320	From-Work Order Cost Code Description		BSWHSE	DATA WAREHOUSE
23310	From-Work Order Description		BSWHSE	DATA WAREHOUSE
23333	From-Work Order Equipment under Warranty		BSWHSE	DATA WAREHOUSE
23311	From-Work Order Event Type Code		BSWHSE	DATA WAREHOUSE
23312	From-Work Order Event Type Description		BSWHSE	DATA WAREHOUSE
23337	From-Work Order Failure Code		BSWHSE	DATA WAREHOUSE
23338	From-Work Order Failure Description		BSWHSE	DATA WAREHOUSE
23321	From-Work Order Location Code		BSWHSE	DATA WAREHOUSE
23322	From-Work Order Location Description		BSWHSE	DATA WAREHOUSE
23754	From-Work Order Location Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23326	From-Work Order Priority		BSWHSE	DATA WAREHOUSE
23335	From-Work Order Problem Code		BSWHSE	DATA WAREHOUSE
23336	From-Work Order Problem Description		BSWHSE	DATA WAREHOUSE
23325	From-Work Order Project Budget Code		BSWHSE	DATA WAREHOUSE
23323	From-Work Order Project Code		BSWHSE	DATA WAREHOUSE
23324	From-Work Order Project Description		BSWHSE	DATA WAREHOUSE
23334	From-Work Order Reopened		BSWHSE	DATA WAREHOUSE
23327	From-Work Order Shift Code		BSWHSE	DATA WAREHOUSE
23328	From-Work Order Shift Description		BSWHSE	DATA WAREHOUSE
23317	From-Work Order Status Code		BSWHSE	DATA WAREHOUSE
23318	From-Work Order Status Description		BSWHSE	DATA WAREHOUSE
23313	From-Work Order WO Type Code		BSWHSE	DATA WAREHOUSE
23314	From-Work Order WO Type Description		BSWHSE	DATA WAREHOUSE
28931	From-Work orders	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
29560	From-status code	Data warehouse.	BSWHSE	DATA WAREHOUSE
29561	From-status description	Data warehouse.	BSWHSE	DATA WAREHOUSE
29567	From-status rcode	Data warehouse.	BSWHSE	DATA WAREHOUSE
29562	From-status rcode description	Data warehouse.	BSWHSE	DATA WAREHOUSE
29568	From-status timestamp	Data warehouse.	BSWHSE	DATA WAREHOUSE
13364	Frozen	When frozen, the schedule may not be modified.	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSCHD	WORK ORDER SCHEDULE
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
30765	Fuel	D7i Extended -- Fuel for Fleet Config -- Field Label, noun	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			WSFCUS	FLEET CUSTOMERS
			WSFLCF	FLEET CONFIGURATION
			WSFMRK	FLEET MARKUP CODES
			WTVBIL	VEHICLE BILLING REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30765	Fuel	D7i Extended -- Fuel for Fleet Config -- Field Label, noun	WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
		D7i Extended -- Billing Codes for Fleet Customers -- Field Label, check if billing for fuel	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSDEPO	DEPOTS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
30955	Fuel %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for fuel	WSFMRK	FLEET MARKUP CODES
38285	Fuel 1	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38287	Fuel 2	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38289	Fuel 3	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38291	Fuel 4	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38293	Fuel 5	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
31416	Fuel Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
38829	Fuel Blends	SCR#37848	WSFUEL	FUEL
31406	Fuel Charge	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
38465	Fuel Costs	EWS.EQUIP.UC.EquipmentFuelCosts / 37012	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
38453	Fuel Description	EWS.WORK.UC.FuelReceipts	OSOVSM	CREATE SYSTEM EQUIPMENT
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSFISS	FUEL ISSUES
38324	Fuel Details	EWS.WORK.UC.CreateEditFuels	WSFUEL	FUEL
38323	Fuel Issue Details	EWS.WORK.UC.FuelIssues	WSFISS	FUEL ISSUES
47731	Fuel Issue and Meter Reading Settings	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46789	Fuel Level	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
46790	Fuel Levels	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	BSLOVS	LIST OF LOOKUPS
31125	Fuel Markup Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31126	Fuel Markup Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31240	Fuel Markup Billed	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31241	Fuel Markup Billed Currency	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
37977	Fuel Mix	EWS.MATL.UC.FuelMixForSupplier/33925	SSSUPP	SUPPLIERS
37994	Fuel Mix Details	EWS.MATL.UC.FuelMixForSupplier/33925	SSSUPP	SUPPLIERS
38611	Fuel Physical Inventory	EWS.WORK.UC.PhysicalInventoryForFuel	WSFUPI	PHYSICAL INVENTORY FOR FUEL
38752	Fuel Physical Inventory Date	EWS.WORK.UC.FuelPhysicalInventory	WSFUPI	PHYSICAL INVENTORY FOR FUEL
38524	Fuel Physical Inventory Details	EWS.WORK.UC.PhysicalInventoryForFuel	WSFUPI	PHYSICAL INVENTORY FOR FUEL
47740	Fuel Qty.	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
38401	Fuel Receipt Details	EWS.WORK.UC.FuelReceipts	WSFREC	FUEL RECEIPTS
31404	Fuel Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
37847	Fuel Type	EWS.MATL.UC.FuelsForCommodities/SCR33846	OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSCOMM	COMMODITIES
			SSSUPP	SUPPLIERS
			WSDEPO	DEPOTS
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
37854	Fuel Type Details	EWS.MATL.UC.FuelsForCommodities/SCR33846	SSCOMM	COMMODITIES
37853	Fuels	EWS.MATL.UC.FuelsForCommodities/SCR33846	BSLOVS	LIST OF LOOKUPS
			SSCOMM	COMMODITIES
37902	Fugitive Gas	EWS.MATL.UC.CreateEditParts / 33693	SSISSU	Stock Issues
			SSPART	PARTS
27990	Full	Data Warehouse. Refers to a 'Full' load of data from the operational tables into the data warehouse tables. A full load is normally the initial load. Refer to PVCS 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24442	Full Address	D7i Extended - Addresses form	BSADRS BSDELA PZPRFQ	ADDRESSES Delivery addresses REQUEST FOR QUOTATION
40917	Full Amount	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
28248	Full Load	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
21762	Full Message	databridge - an entire message, as opposed to a brief message	DSOQUE DSTRAN	DATABRIDGE OUTBOUND QUEUE DATABRIDGE TRANSACTIONS
31218	Full Sync	Crossbow	BCMOBL TCESYP	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
33248	Full Text Search	EWS.CCTR.UC.ContactCenter	CSCCTR CSINRE CSKBSP	CONTACT CENTER GUEST INCIDENT REQUEST KNOWLEDGE BASE SEARCH
29390	Fully Compatible	D7i Extended -- EWS.MATL.UC.SubstitutesforParts	SSPART	PARTS
43599	Fully Scheduled	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
39101	Fully Scheduled (% Scheduled = 100) Color	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
12216	Function	A report, screen or batch function.	BHFUNL BHUSRL BSFUNC BSGROU BSINBX BSSTRT BSTBOP BTFUNL BYAUDT BYFUNL BYUSRL BZAUDT BZFUNL BZUSRL OSFUNC OSFUNF OZRCML REPORT WZSRQL BSMESP OSFAIL OSOBJA OSOBJL OSOBJP OSOBJJS OSRCMT	List Of Functions USERS GROUP CONFIGURATION CREATE UPDATE SCREENS GROUPS INBOX SETUP EWS NEW START CENTER CHANGE TAB ORDER POPUP List Of Functions AUDIT LOG LIST OF FUNCTIONS USERS GROUP CONFIGURATION AUDIT LOG List Of Functions USERS GROUP CONFIGURATION FUNCTIONAL FAILURE CONSEQUENCES POPUP FUNCTIONAL FAILURES POPUP RCM RISK LEVELS General Report Function SERVICE REQUESTS LIST MENU STRUCTURE AND PERMISSIONS FAILURE MODES POPUP CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
34437	Function Description	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL BSGRID BYUSRL BZUSRL	USERS GROUP CONFIGURATION GRID DESIGNER USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
18130	Function Details	Group header	OSFUNS	FUNCTIONS POPUP
27359	Function Permissions	D7i Extended - title for permissions section	BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17419	Function name		M1	Pull-Down Menu Texts
42890	Functional Failure	EAM.EQUIP.REQ.FunctionalFailureConsequencesPopup	OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OZRCML	RCM RISK LEVELS
			OZRMSO	RISK MATRIX OVERVIEW
42723	Functional Failure Details	EAM.EQUIP.REQ.FunctionalFailuresPopup:EAM-8383	OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNF	FUNCTIONAL FAILURES POPUP
31322	Functions	D7i Extended - List of Functions report	BSGRID	GRID DESIGNER
			BSGSEL	SELECT CLAUSE LOOKUP
			BSLOVS	LIST OF LOOKUPS
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZRCML	RCM RISK LEVELS
47874	Funding	EAM-36571: EAM.EQUIP.REQ.Funding	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			OSAPMS	APM SCENARIO
			OSFUND	FUNDING
47897	Funding Description	EAM-38485 : EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
47886	Funding Details	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
			OSFUND	FUNDING
47898	Funding Type	EAM-38485 : EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
			USINV P	INVESTMENT PLANNING
44989	Furnishings	EAM-15651	OSWKSP	WORKSPACES
46982	Future	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
38040	Future Requests	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
38044	GAS Cost	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
37914	GAS Index	EWS.CREP.UC.GasIndexAnalysis	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OYGIAN	GAS INDEX ANALYSIS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
38056	GAS Index Evaluation Period (Days)	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
38043	GAS Tracked Equipment	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38043	GAS Tracked Equipment	EWS.CREP.UC.CapitalPerformanceEvaluation	OZCPEV	CAPITAL PERFORMANCE EVALUATION
38109	GAS Tracked Equipment having no data for the given selection	34847	OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
29137	GIS	D7i Extended - Equipment - Pre-packaged dataspy on the Install Parameters screen for quickly viewing GIS-related codes. - GIS = Geographical Information System	BCMOBL	7I MOBILE BOILER TEXT
			BSINST	INSTALL CODES
			OSGEVT	GIS MAP ATTRIBUTES
			OSGGMP	GIS MAP DATA
			WSGISD	MAP VIEW
26116	GIS Asset Details	Infor EAM. Detail section heading for the Create GIS Asset popup form. Refer to EWS..EQUIP.UC.CreateGISAsset.	OSGICA	GIS CREATE NEW ASSET FORM
30025	GIS Attribute	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - an attribute is a characteristic of a piece of equipment on a map	OSGGMP	GIS MAP DATA
33366	GIS Attributes	EWS.CCTR.UC.GISAttributesForCCTRSetup.doc (22483)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCSP	CONTACT CENTER SETUP
			OSGEVT	GIS MAP ATTRIBUTES
47288	GIS Authentication Error	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
40586	GIS Data Filter Grid	EAM.ADMN.UC.GridDesigner	BSGRID	GRID DESIGNER
30280	GIS Details	D7i Extended - GIS - EWS.EQUIP.UC.CreateAssetEQ.doc - Block title in Asset Equipment Screen	BCMOBL	7I MOBILE BOILER TEXT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
48357	GIS Dispatch Ranking	EAM-40791	BSUCOD	SYSTEM CODES
			WSGWOD	GIS MAP WO DISPATCHING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
46324	GIS Feature Attributes	GIS	BCMOBL	7I MOBILE BOILER TEXT
47289	GIS Feature Server Sync Capabilities are not configured properly	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
29231	GIS Filter	D7i Extended - EWS.GIS.UC.GISFilter - Text label appearing on the GIS Map Search screen	BSDTSP	DATASPY
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
29481	GIS Filter name :PARAM1 already exists. Please choose another name.	D7i Extended - EWS.GIS.UC.GISFilter (11104) - Used to denote a duplicate GIS Filter entry	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29117	GIS ID	D7i Extended - GIS Map Search - Field label for the GIS object identifier; appears on GIS Map Search, Assets, System, and Positions as well as dataspies.	BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29117	GIS ID	D7i Extended - GIS Map Search - Field label for the GIS object identifier; appears on GIS Map Search, Assets, System, and Positions as well as dataspies.	OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			WSGISD	MAP VIEW
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
32024	GIS Layer	EWS.CREP.UC.ElectronicRecords	BSLOVS	LIST OF LOOKUPS
26195	GIS Layers	D7i Extended - Lookup form title for GIS Layers	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24454	GIS Map Search	D7i Extended - page title for GIS Map Search page	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			CSCCSP	CONTACT CENTER SETUP
33753	GIS Map Search Options	23424	WSGWOD	GIS MAP WO DISPATCHING
48412	GIS Map WO Dispatching	EAM.WORK.REQ.GISMapWODispatching.docx/ EAM-38604	TCESYP	7I MOBILE BOILER TEXT
31846	GIS Map for all equipment	PIR #21224 and #21236	TCESYP	7I MOBILE BOILER TEXT
31845	GIS Map for equipment on downloaded WO	PIR #21224 and #21236	BSGROU	GROUPS
25725	GIS Preference Details	Extended (product name). Section heading for GIS preference details.	BEUGGP	WEB SERVICE FOR USER GROUP GIS PREFERENCES
25701	GIS Preferences	Extended (product name). Title of the User Group page for defining GIS-related preferences.	BSGROU	GROUPS
27104	GIS Profile	D7i Extended - Equipment Profiles	TSPROF	PROFILES
26066	GIS Profiles	Infor EAM. Lookup title for GIS Profiles. Refer to EWS.ADMIN.UC.GISPreferencesForUserGroups.	BSLOVS	LIST OF LOOKUPS
46218	GIS Settings	About view controller	BCMOBL	7I MOBILE BOILER TEXT
47086	GIS Setup	GIS	BCMOBL	7I MOBILE BOILER TEXT
40254	GIS Sync Count	#48313	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
46219	GIS Sync failed with some errors. Please try to sync again. If you continue to have problems, please check with your administrator.	Sync view controller	BCMOBL	7I MOBILE BOILER TEXT
40253	GIS Update Count	#48313	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
29321	GIS Value	D7i Extended - EWS.GIS.UC.GISFilter / 1110 - Column header for lookup popup performed from GIS Filter - EWS.GIS.UC.MapFeatureAttributes - field label	OSGFLT	GIS ATTRIBUTE FILTER
			OSGGMP	GIS MAP DATA
29320	GIS Values	D7i Extended - EWS.GIS.UC.GISFilter / 11104 - Screen	OSGFLT	GIS ATTRIBUTE FILTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46151	GIS WO Attribute Mapping Grid	title for lookup popup performed from GIS Filter EAM-27047: EAM.ADMN.REQ.GridDesigner	BSGRID	GRID DESIGNER
31862	GIS map is not available.	PVCS 21224	TCCRSB	7I MOBILE BOILER TEXT
46279	GISApplyEdits initialization failed	GIS	BCMOBL	7I MOBILE BOILER TEXT
46290	GISOBJECTID	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
46296	GISSync already in progress	GIS	BCMOBL	7I MOBILE BOILER TEXT
46280	GISSync authorization failed	GIS	BCMOBL	7I MOBILE BOILER TEXT
		GIS	BCMOBL	7I MOBILE BOILER TEXT
46294	GISSync initialization failed	GIS	BCMOBL	7I MOBILE BOILER TEXT
30273	GL Code	D7i Extended -- Invoice Vouchers form, Costs tab -- Field Label, GL=adjective, code=noun	PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
			PSINVO	INVOICES
31446	GL Code Details	PVCS 16601.	PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
21400	GL Process	Infor EAM - General Ledger Process - singular	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			YSGLRF	GL REFERENCES
27861	GL Process Definition	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSGLRF	GL REFERENCES
			YSPRCD	GL PROCESS DEFINITIONS
27878	GL Process Definitions	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.	BSLOVS	LIST OF LOOKUPS
27873	GL Process Details	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
28246	GL References	Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.	YSGLRF	GL REFERENCES
31963	GL Transfer	EWS.CREP.UC.ElectronicRecords	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
31962	GL Transfer Flag	EWS.CREP.UC.ElectronicRecords	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
28323	GL Values	Databridge. Header for View GL Values. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
46319	GPS Signal Found	GIS	BCMOBL	7I MOBILE BOILER TEXT
46320	GPS Signal Lost (tap to dismiss)	GIS	BCMOBL	7I MOBILE BOILER TEXT
42191	Gauge Max.	EAM-4703: EAM.ADMN.REQ.KPISetup	BSKPIC	DEFINING KPI ENTRIES
42190	Gauge Min.	EAM-4703: EAM.ADMN.REQ.KPISetup	BSKPIC	DEFINING KPI ENTRIES
12027	General	Whether certain codes are general, or linked to specific object classes (= not general).	CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISFIND	FINDINGS
			OCACCO	CROSSBOW ACTION CODE LIST
			OCCACO	CROSSBOW CAUSE CODE LIST
			OCFACO	CROSSBOW FAILURE CODE LIST
			OCRECO	CROSSBOW PROBLEM CODE LIST
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12027	General	Whether certain codes are general, or linked to specific object classes (= not general).	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
31163	General Ledger	D7i Extended -- Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
40282	General Ledger Date	EAM-57.WORK.REQ.CustomerInvoices	WSINVC	CUSTOMER INVOICES
35805	General Ledger No.	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
34103	General Order Discounts	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
37086	General Selection Parameters	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
35250	General Setup	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
20632	Generate	button on new batch report to generate the report	BSCDSS	USER DEFINED SCREEN SETUP
			BSVIEW	VIEWS
			PSRFGP	GENERATE POS FOR RFQS
			PSRFRG	GENERATE REQS FOR RFQS
			SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSREQF	GENERATE REQS
			WSBWOG	GENERATE/RELEASE WOS
			WSINVP	GENERATE INVOICES
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32849	Generate All Customer Charges	EWS.WORK.UC.ApproveCustomerCharges	WSCJOB	APPROVE CUSTOMER CHARGES
39119	Generate Availability Through	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
42460	Generate Count	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
48240	Generate Curve Points	EAM-41025	OSDCUR	DECAY CURVE
42587	Generate Equipment	EAM-4553: EQUIP.REQ.PreviewForEquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
30467	Generate External Repair Requisitions	Infor EAM. Field label for check box on the Generate Requisitions form that you select to indicate to generate purchase requisitions for repairable spare parts to be repaired externally for which there is a specified quantity for repair.	SSREQF	GENERATE REQS
40432	Generate Invoice	EAM.WORK.REQ.CustomerRentals	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCREN	CUSTOMER RENTALS
32697	Generate Invoice Details	20860- EWS.WORK.UC.GenerateInvoicesPopup	WSINVP	GENERATE INVOICES
32565	Generate Invoices	EWS.WORK.UC.CustomerInvoices.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSINVS	CUSTOMER INVOICES
48814	Generate Matrix and Curve Points	EAM-45464/MarkovTransitionMatrixforDecayCurve	OSDCUR	DECAY CURVE
25036	Generate Options	Extended (product name)	WSCAPA	WO LOAD BALANCING
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25036	Generate Options	Extended (product name)	WSPMPL	PM FORECASTING
35070	Generate PM Work Package	EWS.WORK.UC.GenerateReleaseWorkOrders.doc	WSBWOG	GENERATE/RELEASE WOS
42898	Generate PMs and MPs for Assets in a Kit	EAM-9691	WSBWOG	GENERATE/RELEASE WOS
27098	Generate PO	Infor EAM. This is the label for the button on Requisitions for creating a purchase order.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT REQUISITIONS
36940	Generate POs	EWS.PRCH.UC.SelectionforRFQs	SSREQU	REQUESTS FOR QUOTATIONS
45830	Generate Part Requisitions	EAM.MATL.REQ.GenerateRequisitions	PSRFQT	REQUESTS FOR QUOTATIONS
47116	Generate QR Code	EAM-30660 EAM.MOBILE.REQ.SetupQRcodes	SSREQF	GENERATE REQ
37591	Generate RFQ	EWS.MATL.UC.GenerateRFQs/33146	BSQRSE	QR CODES SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT REQUISITIONS
			SSREQU	REQUESTS
20009	Generate Req. No.	Infor EAM -this displays on the 'Request No' field in place of an actual number before the request has been saved and generated	WSSERQ	CREATE SERVICE REQUESTS
36939	Generate Requisition	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
45831	Generate Service Requisitions	EAM.MATL.REQ.GenerateRequisitions	SSREQF	GENERATE REQ
32795	Generate Store-to-Store Requisitions	21377	SSREQF	GENERATE REQ
39128	Generate Survey WO	EWS.PROJ.UC.EquipmentforCampaign/40727	JSCAMP	CAMPAIGN
25027	Generate Through	Extended (product name) Date range through which to generate	BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
			BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			WSBWOG	GENERATE/RELEASE WOS
47365	Generate Through Field	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
26194	Generate Usage	Infor EAM. Text for button 'Generate Usage' on the Usage tab for parts. Refer to EWS.MATL.UC.UsageforParts.doc.	SSPART	PARTS
49250	Generate WO Activities	47195-EAM.PROJ.REQ.WorkOrderforCUEstimate	JSCUES	CU ESTIMATES
39130	Generate WO(s)	EWS.PROJ.UC.EquipmentforCampaign/40727	JSCAMP	CAMPAIGN
47339	Generate WOs	EAM-34187 EAM.ADMN.REQ.Alerts	BSALRT	ALERT MANAGEMENT SYSTEM
47360	Generate WOs Details	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
25173	Generate WOs for Duplicate PMs	Extended (product name)	WSBWOG	GENERATE/RELEASE WOS
42197	Generate WOs for Repairable Cores	EAm-5161EAM.WORK.REQ.GenerateReleaseWorkOrders	WSBWOG	GENERATE/RELEASE WOS
43728	Generated	EAM.ADMN.REQ.UserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
38774	Generated Production Request Status	38037	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
42530	Generation Details	Details for Equipment Generation	OSEQGN	EQUIPMENT GENERATION
40726	Generation Errors	EAM.WORK.REQ.GenerationErrorsForCustomerInvoice	WSINVC	CUSTOMER INVOICES
30381	Geographical Ref.	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - Ref. = Reference - users enter a text description to further explain the location of the linear asset. Possible entry might be 'located 30 ft from Building A'	BCMOBL	7I MOBILE BOILER TEXT
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30381	Geographical Ref.	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - Ref. = Reference - users enter a text description to further explain the location of the linear asset. Possible entry might be 'located 30 ft from Building A'	OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHJOBF	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
			WYJOBF	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOBF	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
30406	Geographical Reference	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - user enters a text description of where the linear equip is located (e.g., 30 feet from milmarker 110)	BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30406	Geographical Reference	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - user enters a text description of where the linear equip is located (e.g., 30 feet from milmarker 110)	OSOVSM	CREATE SYSTEM EQUIPMENT
39882	Get Actual Temperatures	EAM.ADMN.UC.ActualTemperaturesforRegions.doc/46316	BSREGN	CREATE EDIT REGIONS
39606	Get Energy Star Ratings	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OEENSR OSHPPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	GET ENERGY STAR RATINGS CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
39509	Get Pending Authorizations	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
27314	Get Remote Partner Settings	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
28252	Get Run Parameters	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
26863	Get host time (RFC 867)	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
13223	Get last value	Pull down menu item	M1	Pull-Down Menu Texts
26862	Get machine time (RFC 868)	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
49464	Global	EAM-50152	WSGISD	MAP VIEW
41148	Global Dataspy	EAM-568	BSDTSP BSFUNC BSJSDN	DATASPY CREATE UPDATE SCREENS COMMON FUNCTION FOR JAVASCRIPT
42636	Global Default	EAM.ADMN.REQ.HideDataspiesPopup	BSHDSP	HIDE DATASPIES POPUP
49619	Global Group Dataspy	EAM-49474	BSDTSP BSFUNC	DATASPY CREATE UPDATE SCREENS
20038	Global Part Code	Infor EAM - Search parts form - identifies the global (universal) part number	SSREQ SSREQS	REQUISITION LINE CREATE PURCHASE REQUISITION
31038	Global Search	D7i Extended. The boiler text for the Global Search field in the Part lookup, which searches not just the Part field, but also Supplier Catalog Reference, and Manufacturer Part Number.	BCMOBL CSCCTR LVPARP PSPARP PSPART SSPARP SSPART WSSMLP	7I MOBILE BOILER TEXT CONTACT CENTER ADVANCED PART SEARCH:PART ID SEARCH SELECT PARTS POPUP SELECT PARTS POPUP FOR PURCHASE ORDERS SELECT MULTIPLE PARTS POPUP FOR REQ PARTS SELECT PARTS POPUP FOR MATERIAL LIST
20126	Go	Infor EAM - button user will click to go to the next form	WSSERQ	CREATE SERVICE REQUESTS
23623	Go To	Infor EAM - Enter the prompt to display if the result of 'If data is' and 'Pattern' is true.	BSWSPM OSELRS TSASTP WSPFDP WSSERQ	WEB SERVICES PROMPT EQUIPMENT LINEAR REFERENCE SEARCH DC TRANSACTION PROMPT UPDATE DT POPUP ON FORECASTING FOR PM FORCAST CREATE SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39475	Go To Day	43258	OSESCH	RESERVATION CALENDAR
39325	Go To Week	40522	WSWLSH	WO LABOR SCHEDULING
22496	Go to Selection	Infor EAM - link button on the Structure tab of the Equipment form that tells the system open the record of the selected equipment	JSCULB	COMPATIBLE UNITS LIBRARY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
46340	Go to Work Order	Work Order	BCMOBL	7I MOBILE BOILER TEXT
41358	Goal Date	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
41371	Goal Details	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
46869	Good	EAM.WORK.REQ.ChecklistForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			WHJOBFB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WZJOBFB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
18149	Goods issue note	SRRCVF - title for report output...similar to Goods Return Note.	STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
17206	Goods return note	This is tile for th report. The report prints information regarding goods that have been returned to the supplier.	STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
30222	Grand Total	D7i Extended - Reports - Warranty Claims	BZEQDL	EQUIPMENT LIST - DETAIL
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
			OYCOEM	CO2E EMISSIONS
			OZCLAI	WARRANTY CLAIM REPORT
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZKEYD	KEY LIST-DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30222	Grand Total	D7i Extended - Reports - Warranty Claims	OZKEYT	KEY TRANSACTIONS
			OZNCFL	LIST OF NONCONFORMITIES
			OZRING	RING LIST-DETAIL
			REPORT	General Report Function
			SYSTOL	Stock List
			SZLKIT	LIST OF KITS
			SZSTOL	Stock List
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WYWOST	WORK ORDER STATISTICS
			WZLWOQ	LIST OF WORK ORDERS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZPPMQ	LIST OF PM SCHEDULES
			WZVBIL	VEHICLE BILLING REPORT
			WZWOST	WORK ORDER STATISTICS
25126	Grand total	Infor EAM. Represents the warranty grand total on the Warranty claim report (ORCLAI). For the dual warranty enhancement for version 7.7.	BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
13305	Graph	A graph is a named graphic function (defined as an R5 function with BMFUNC) that displays data in graphical form. A graph can be assigned to a Form function to present queried data in the form in graphical format.	BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
27214	Graph ID	D7i Extended - Graph Id	BEWSMD	EWS - METADATA DEFINITION
27215	Graph Name	D7i Extended - Graph Name	BEWSMD	EWS - METADATA DEFINITION
27238	Graph Type	D7i Extended - Graph Type	BEWSMD	EWS - METADATA DEFINITION
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
34382	Graph Types	26376	BSLOVS	LIST OF LOOKUPS
41969	Graphite	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
15222	Graphs		M1	Pull-Down Menu Texts
39962	Greater Than	46731	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39964	Greater Than or Equals	46731	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43526	Green Max. Limit (%)	EAM-10033	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZOEEM	OEE METRICS
38035	Green Related Requests	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPPEV	CAPITAL PERFORMANCE EVALUATION
38865	Greenhouse Gas	EWS.MATL.UC.CreateEditGreenhouseGasses.doc	BSDOCA	DOCUMENTS
			SSCOMM	COMMODITIES
			SSGHGS	GREENHOUSE GASES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38867	Greenhouse Gas Details	EWS.MATL.UC.CreateEditGreenhouseGasses.doc	SSGHGS	GREENHOUSE GASES
			SSPART	PARTS
38969	Greenhouse Gas Emission Category	EWS.MATL.UC.CreateEditCommodities.doc - Tracker id 39041	SSCOMM	COMMODITIES
39609	Greenhouse Gas Emissions	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38871	Greenhouse Gas Emitted	EWS.MATL.UC.GreenhouseGasesforParts	SSPART	PARTS
38874	Greenhouse Gases	EWS.MATL.UC.GreenhouseGasesforParts	BSLOVS	LIST OF LOOKUPS
			SSPART	PARTS
27566	Grid	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
			TCUDGL	7I MOBILE BOILER TEXT
		EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
37803	Grid Active	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
37778	Grid Description	EWS.ADMN.UC.CreateEditAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
37950	Grid Field	EWS.ADMN.UC.ParametersPopupforAlerts.doc	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
			BSALTP	ALERT TEXT PARAMETERS POPUP
37888	Grid Fields	EWS.ADMN.UC.CreateEditAlerts / 33833	BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSLOVS	LIST OF LOOKUPS
27231	Grid ID	D7i Extended - Autogenerated grid id number	BEWSMD	EWS - METADATA DEFINITION
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSGRID	GRID DESIGNER
36573	Grid Key	30854	BSGRID	GRID DESIGNER
37948	Grid Key 1	EWS.ADMN.UC.HistoryforAlerts	BAL007	MISSING UTILITY INVOICES
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BSALRT	ALERT MANAGEMENT SYSTEM
37829	Grid Key 2	EWS.ADMN.UC.CreateEditAlerts / 33833	BAL007	MISSING UTILITY INVOICES
			BSALRT	ALERT MANAGEMENT SYSTEM
37805	Grid Key Field 1	EWS.ADMN.UC.CreateEditAlerts / 33833	BAL011	WORK ORDER STATUS ESCALATION
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
37806	Grid Key Field 2	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
34149	Grid Keys	EWS.ADMIN.UC.GridDesigner.doc	BSGRID	GRID DESIGNER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39944	Grid Menu		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27235	Grid Name	D7i Extended - A name used to reference a grid in the frontend	BEWSMD	EWS - METADATA DEFINITION
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
			BSGRID	GRID DESIGNER
37887	Grid Names	EWS.ADMN.UC.CreateEditAlerts / 33833	BSLOVS	LIST OF LOOKUPS
37864	Grid Parameter Details	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
37798	Grid Parameters	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
38157	Grid Query	EWS.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN
27244	Grid Style	D7i Extended - Graph - Grid Style	BEWSMD	EWS - METADATA DEFINITION
27198	Grid Type	D7i Extended - Grid Type	BEWSMD	EWS - METADATA DEFINITION
			BSEXIM	EXPORT CONFIGURATION
			BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
25378	Grid configuration error.	Crossbow. Sync. Config.	TCMPHL	7I MOBILE BOILER TEXT
			TCORCF	7I MOBILE BOILER TEXT
45713	GridKey 1 Nonconformity	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45714	GridKey 1 Observation	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
12214	Gross	This is the suppliers gross price for the part selected.	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
31899	Gross Amount	EWS.CREP.UC.ListofInvoices - List of Invoices report	PZINVL	List Of Invoices Not Yet Approved
			WSCREN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
29773	Gross Currency	D7i Extended - EWS.MATL.UC.OverviewofSupplierParts.doc - field for gross currency - gross=adjective meaning 'total,' 'exclusive of deductions'	SSSUPT	OVERVIEW OF SUPPLIER PARTS
39588	Gross Floor Area	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
20856	Gross Price	Infor EAM - This is the gross price for a part of service...gross meaning 'without deductions'	CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZUSGF	Discount Request Based On Usage
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WHINVS	CUSTOMER INVOICE REPORT
			WSINVS	CUSTOMER INVOICES
			WYINVS	CUSTOMER INVOICE REPORT
			WZINVS	CUSTOMER INVOICE REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29499	Gross Price Currency	D7i Extended - EWS.MATL.UC.OverviewofSupplierParts.doc	SSPART	PARTS
25257	Group	Infor EAM. Column group to combine AND/OR conditions.	BHUSRL BSVEDP BSVSDP BYUSRL BZUSRL OSCLCD OSEVAL TCAUSY USINVP UYBCOL UZBCOL WSCPRQ	USERS GROUP CONFIGURATION VIEW ERROR DETAILS POPUP VIEW STATUS DETAILS POPUP USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION CLOSING CODE EQUIPMENT EVALUATIONS 7I MOBILE BOILER TEXT INVESTMENT PLANNING BUDGETS CONSISTENCY CONTROL BUDGETS CONSISTENCY CONTROL CAPITAL PLANNING REQUEST
26781	Group Availability Exception Details	Extended (product name)	WSEXCL	GROUP AVAILABILITY EXCEPTIONS
31092	Group By	D7i Extended. Boiler text for actual labor hours against estimated. Indicates the manner in which the items should be grouped.	BCMOBL BSLOVS CZISGH OHWOCS OSOBJA OSOBJP OSOBJS OYCPEV OZCPEH OZCPEV OZCSTH OZCSTL OZMAPP OZOBJF OZONCF OZWPCS PYPOCS PZPOCS PZPVAR SYSTDL SYSTOL SZSTDL SZSTOL WHHREH WYHREL WYVRSL WZCSTD WZCTRC WZHREH WZHREL WZJLPM	7I MOBILE BOILER TEXT LIST OF LOOKUPS INCIDENT SUMMARY GRAPH WORK ORDER COST SUMMARY GRAPH CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CAPITAL PERFORMANCE EVALUATION CAPITAL PERFORMANCE EVALUATION_HOSPITALITY CAPITAL PERFORMANCE EVALUATION WO COST SUMMARY_HOSPITALITY WO COST SUMMARY EQUIPMENT PERFORMANCE TREE MAP LIST OF EQUIPMENT DETAILS NONCONFORMITIES ANALYSIS WORK ORDER COST SUMMARY GRAPH PO COST SUMMARY PO COST SUMMARY PRICING VARIANCE REPORT Stocktake Discrepancy Stock List Stocktake Discrepancy Stock List ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated VIEW RESOURCE LOAD COST SUMMARY BY TRANSACTION DATE SERVICE REQUESTS CHART ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated LABOR PRODUCTIVITY HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31092	Group By	D7i Extended. Boiler text for actual labor hours against estimated. Indicates the manner in which the items should be grouped.	WZVMRS WZVRHS WZVRSL WZWORL	VMRS ACTIVITIES CHART VEHICLE RENTAL HISTORY VIEW RESOURCE LOAD LIST OF WORK ORDERS
32806	Group By Details	EWS.BASE.UC.ReportParameters.doc/21254	BSRPTG	GENERIC REPORT PARAMETERS
42403	Group By Text	EAM-5016 : EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
43207	Group By Translations	EAM.ADMN.REQ.ChartSetup.docx	BSCHRT	CHART SETUP
27254	Group Desc.	D7i Extended - Status Change Authorization	BSAUTH	STATUS AUTHORIZATION
37784	Group Element	Capital Request Categorization Codes	BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
37788	Group Elements	Capital Request Categorization Codes	BSLOVS	LIST OF LOOKUPS
37485	Group End Date	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL WYVRSL WZVRSL	PM FORECASTING VIEW RESOURCE LOAD POPUP VIEW RESOURCE LOAD VIEW RESOURCE LOAD
45633	Group Label	EAM-21738	BSCLAS BSCSTF OSEQCI OSOBJA OSOBJL OSOBJP OSOBJS WHJOBF WHJOBQ WSTASK WZJOBF WZJOBQ	CLASSES ASSOCIATE CUSTOM FIELDS CHECKLIST ITEMS CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PRINT WORK ORDER PRINT WORK ORDER TASKS PRINT WORK ORDER PRINT WORK ORDER
41109	Group Purchasing Org. 1	EAM.MATL.REQ.Suppliers	SSSUPP	SUPPLIERS
41110	Group Purchasing Org. 2	EAM.MATL.REQ.Suppliers	SSSUPP	SUPPLIERS
23484	Group Save Details	Infor EAM - group header on the screen designer form	BXLAYO	R5 Screen Layout Editor
46698	Group Segments Under Default Type	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
26419	Group Sequence	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BZEVTD BZTRLD TSASTP WSGPRW	ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR TRANSACTION LINES DC TRANSACTION PROMPT GENERATE PRODUCTION REQUEST FOR WORK ORDERS
37484	Group Start Date	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
37489	Group by Day	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
37491	Group by Month	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
37490	Group by Week	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
38332	Group/Sort By	EWS.CREP.UC.MessageProcessingAndDeliveryHistory.do	BYMPDH BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY MESSAGE PROCESSING AND DELIVERY HISTORY
32804	Group/Sort Order	EWS.BASE.UC.ReportParameters.doc/21254	BSRPTG	GENERIC REPORT PARAMETERS
25379	Group/User	Crossbow. Sync. Config.	TCESYP TCSCMN TCSYCF	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
40255	Grouping	EAM.WORK.REQ.WOCriteriaForContractTemplate	WSCCON WSCTMP WSINVC WZCCON	CUSTOMER CONTRACTS CONTRACT TEMPLATES CUSTOMER INVOICES PRINT CUSTOMER CONTRACT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40186	Groups	EAM.EQUIP.UC.CreateEditClosingCodes	BCMOBL BSDTSP BSLOVS BSDTSP	7I MOBILE BOILER TEXT DATASPY LIST OF LOOKUPS DATASPY
49622	Groups with Access	EAM-49474	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40825	Grow Text	New UI	OSHPRM	CREATE HOSPITALITY ROOMS
40958	Guest Details	EAM.EQUIP.REQ.Rooms	WHJOVH WSJOBS WSJOVH WZJOVH	PRINT WORK ORDER HOSPITALITY CREATE WORK ORDER CREATE WORK ORDER PRINT WORK ORDER HOSPITALITY
44385	Guest Email	EAM.CCTR.REQ.TriggersforCustomerSurveys.docx EAM-14681	CSCSUR	CUSTOMER SURVEYS
45351	Guest Entry	EAM-15357	PLOGON	PORTAL LOGON SCREEN
44556	Guest Incident Request		CSINRE	GUEST INCIDENT REQUEST
41083	Guest Information	EAM.WORK.REQ.IncidentRequests	BSLOVS CSINRE	LIST OF LOOKUPS GUEST INCIDENT REQUEST
41325	Guest Name	EAM-1088; Also used for Mobile (All Modules) JIRA EAM-16256	BCMOBL	7I MOBILE BOILER TEXT
41193	Guest Phone Number	EAM-303:EAM.EQUIP.REQ.Rooms	BZOBJD OSHPRM WHJOVH WZJOVH	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY ROOMS PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HOSPITALITY
40878	HIPAA Confidentiality	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL BZEVTD BZOBJD OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WHJOVM WSJOBS WSJOVM WSOPSS WZJOVM WZWOLM	EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR EQUIPMENTS CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PRINT WORK ORDER HEALTHCARE CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP PRINT WORK ORDER HEALTHCARE WORK ORDER LIST - DETAIL
34668	HTML	#26808	BSFUNC	CREATE UPDATE SCREENS
22738	HTML Code	Infor EAM - code identifying the HTML content to set up	BMHTCF	HTML CONTENT SETUP
23686	HTML Content	Infor EAM - this is an option in the menu for creating a new portlet. And HTML content portlet displays information such as a web page.	BSHOME OSOVIW	HOME - OVERVIEW SCREEN EQUIPMENT OVERVIEW 360
43468	HTML Format	EAM-11454	REPORT	General Report Function
26948	HTTP Connection	Crossbow	TCPCON	7I MOBILE BOILER TEXT
27903	HTTP Connection:	Barcode	FCSCRN	FLAMETHROWER SCREENS
26864	HTTP Web Request	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
28446	Half Apex Angle	D7i Extended -- Monitored Data form -- field label on	ISMONT	MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
		Equipment Details tab		
23043	Half Year		BSWHSE	DATA WAREHOUSE
15082	Half year	Used for date range	REPORT	General Report Function
39211	Handheld	EWS.MOBILE.UC.Screen Config.doc	TCSCMN	7I MOBILE BOILER TEXT
40866	Hardware Version	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
49290	Has Nonconformities?	EAM-47419	WSGISD	MAP VIEW
37281	Has duplicate PO facts	31312	BSWHSE	DATA WAREHOUSE
37282	Has duplicate PO line facts	31312	BSWHSE	DATA WAREHOUSE
37277	Has duplicate material transaction facts	31312	BSWHSE	DATA WAREHOUSE
37469	Has duplicate meter facts	31844, 31845, 31846	BSWHSE	DATA WAREHOUSE
37278	Has duplicate part transaction facts	31312	BSWHSE	DATA WAREHOUSE
37279	Has duplicate parts facts	31312	BSWHSE	DATA WAREHOUSE
37285	Has duplicate stores facts	31312	BSWHSE	DATA WAREHOUSE
37280	Has duplicate warranty claims facts	31312	BSWHSE	DATA WAREHOUSE
41621	Hazard	EAM.CREP.REQ.HazardChart	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZPRDC	RELIABILITY CALCULATIONS
			SSPART	PARTS
			WHJOBF	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMTX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WZHZCH	HAZARD CHART
			WZJOBF	PRINT WORK ORDER
			WZPTWR	PRINT PERMIT TO WORK
41650	Hazard Chart	EAM-2416	OZPRDC	RELIABILITY CALCULATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41984	Hazard Description	EAM.WORK.REQ.SafetyForPMSchedule	OSECN	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSHZRD	HAZARDS
41887	Hazard Details	EAM.WORK.REQ.Hazards	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
41983	Hazard Org.	EAM.WORK.REQ.SafetyForPMSchedule	OSECN	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WHPTWR	PRINT PERMIT TO WORK
42300	Hazard Rating System	EAM-3624	WZPTWR	PRINT PERMIT TO WORK
42125	Hazard Revision	Safety for Work Order	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
41716	Hazard Type	EAM.WORK.REQ.Hazards	OSECN	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WHJOB	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WZJOB	PRINT WORK ORDER
			WZPTWR	PRINT PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36123	Hazardous Material	27957	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			PSPORD	PURCHASE ORDERS
40995	Hazardous Materials Incident	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
41879	Hazards	EAM-3612:	BSLOVS	LIST OF LOOKUPS
		EAM.WORK.REQ.HazardsForRevisionControlSe	WSRVCS	REVISION CONTROL SETUP
47167	Header Nonconformity Status	EAM-31109 Nonconformities analysis chart - Add new	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZONCF	NONCONFORMITIES ANALYSIS
37216	Header1	30854	BSGRID	GRID DESIGNER
37217	Header2	30854	BSGRID	GRID DESIGNER
37218	Header3	30854	BSGRID	GRID DESIGNER
30435	Heading	Analytics - field name for Analytics variable heading	ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			OPSVAR	ANALYTICS 7.8 VARIABLES
42126	Health Hazard	Safety for Work Order	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			SSPART	PARTS
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSSFMX	SAFETY MATRIX
			WZPTWR	PRINT PERMIT TO WORK
48217	Health Index	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
44692	Heat Content Information Source	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
38348	Heating Degree Days	36691	BHDDAN	DEGREE DAY ANALYSIS
			BSREGN	CREATE EDIT REGIONS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			OZTACR	TEMPERATURE ANALYSIS CHART
38990	Heating and Cooling Degree Days vs. Consumption of	PVCS #39002	BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
39005	Heating and Cooling Degree Days vs. Cost of	PVCS #39003	BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
27606	Height	Crossbow	TCSRP	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27606	Height	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
42997	Height UOM	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
27627	Height cannot be increased because it overlaps other control below.	Crossbow	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			TCSCCF	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
			SSPACK	PACKAGES SCREEN
			SSISSU	Stock Issues
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
47478	Held Items on Non-PO Receipt	EAM-35065 EAM Barcode localization	BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			SSPART	PARTS
			SSSTOR	STORES
			WSPLPA	PLANNED PART AVAILABILITY
			STREQL	List Of Outstanding Requisition Items
			BSGROU	GROUPS
			M1	Pull-Down Menu Texts
			BANNER	BANNER
13237	Help	Pull down menu item which users click to access the help project topics Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BANNER	BANNER
			BSLGEX	EXPORT TRANSLATIONS POPUP
			ASCACH	ANALYTICS VARIABLES CACHE
23782	Help (Alt+H)	D7i Extended - For the base right click menu Infor EAM - this is the mouse-over or hover text that appears over the 'Help' link and its keyboard shortcut.		
33565	Help Text	Infor EAM - when the user is in screen designer mode,		
23706	Hidden			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23706	Hidden	they can click on a field and then right click and this will be one of the menu options meaning that they user wants to hide this field on the form.	ASDDE ASDEOT ASDTEN ASFVAR BCMOBL BHUSRL BSJSDN BSOREP BSUSRP BSWSPM BYUSRL BZUSRL	DATA FOR ANALYTICS 7.8 VARIABLES DATA FOR ANALYTICS 7.8 VARIABLES DATA ENTRY FORMS ANALYTICS FOREIGN ORG VARIABLES 7I MOBILE BOILER TEXT USERS GROUP CONFIGURATION COMMON FUNCTION FOR JAVASCRIPT ANALYTICS REPORTS USERS WEB SERVICES PROMPT USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
28060	Hidden Tab 10 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28061	Hidden Tab 5 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28062	Hidden Tab 8 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
27545	Hide	Crossbow	BCMOBL TCSCCF	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
		EAM-47419	WSGISD	MAP VIEW
23711	Hide Block	Infor EAM - when the user is in screen designer mode, they can click on a block and then right click and this will be one of the menu options meaning that they user wants to hide this block on the form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25068	Hide Button	D7i Extended - Screen Designer. Hide is a verb.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31359	Hide Cost Values	D7i Extended - Print Short Work Order Cards report	WHWOSH WYWOSH WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
42637	Hide Dataspy	EAM.ADMN.REQ.HideDaspiesPopup	BSHDSP	HIDE DATASPIES POPUP
47066	Hide Follow-up	EAM.WORK.REQ.ChecklistForTaskPlans	OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS WSTASK	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER TASKS
42640	Hide Global Daspies	EAM.ADMN.UC.ScreenPermissionsforUserGroups	BSGROU	GROUPS
36514	Hide Inbox if	30814	BSINBX	INBOX SETUP
47067	Hide Linear Fields	EAM.WORK.REQ.ChecklistForTaskPlans	OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS WSTASK	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER TASKS
44773	Hide Link/Button	EAM-12407	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34522	Hide Menu Item	EWS.ADMN.UC.ScreenPermissionforUserGroups	BSGROU	GROUPS
46697	Hide Routes	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
48430	Hide Section	EAM.BASE.REQ.DUXScreenDesigner.doc	BSDUXD	DUX SCREEN DESIGNER
46695	Hide Segments	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
43569	Hide WOs	EAM-9775/GIS Map Search (REST) screen	BSJSDN OSGISR	COMMON FUNCTION FOR JAVASCRIPT GIS MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48947	Hierarchical Level	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
17005	Hierarchy		BCMOBL	7I MOBILE BOILER TEXT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
29999	Hierarchy Code Details		DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
		EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	SSH CST	PART CODE STRUCTURE
33269	High	22070	CSBBNT	BULLETIN BOARD NOTICES
47567	High Condition Score is Unsatisfactory	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
47283	High Quality	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
26830	High Value	D7i Extended - Ranges for KPIs - field label	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
24457	Highlight on Map	D7i Extended - button label in GIS Map search page	CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGIML	AVAILABLE GIS MAP LAYERS
32205	Highlights (temporary)	EWS.GIS.UC.GISMapSearch.doc - SCR # 17934	OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGSWO	SELECTABLE LAYERS FOR WO
			BEWSMD	EWS - METADATA DEFINITION
12892	Hint	One line of help text.	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
24278	Hire	For PVCS 20503 (PIR - Full Electronic Record Contains Inconsistent Field Labels)		
41067	Hire Date	EAM - 295 : EAM.WORK.REQ.Employee	WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
20816	Hired Labor	Infor EAM - Labor from external suppliers. 3rd party capacity.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			OHTTEC	TOP 10 EQUIPMENT COST
			OSCLAI	WARRANTY CLAIMS
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OZCLAI	WARRANTY CLAIM REPORT
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20816	Hired Labor	Infor EAM - Labor from external suppliers. 3rd party capacity.	WHACTV	VMRS ACTIVITIES
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPROJ	CREATE PROJECT POPUP
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZINVS	CUSTOMER INVOICE REPORT
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPMCC	PM REPAIR COSTS CHART
25954	Hired Labor %	Infor EAM. Indicates the percentage of the warranty claim related to hired labor costs. Refer to SCR 5601.	OSWARR	WARRANTY
30214	Hired Labor Close	D7i Extended - Reports - Warranty Claims	WSARRS	PRICING SCHEDULE
33490	Hired Labor Cost	EWS.CREP.UC.PrintInvoice	OZCLAI	WARRANTY CLAIM REPORT
			WHINVS	CUSTOMER INVOICE REPORT
36498	Historic Employee Code	TransfersforEmployee/30778	WYINVS	CUSTOMER INVOICE REPORT
			WZINVS	CUSTOMER INVOICE REPORT
			WSEMPs	EMPLOYEES
39671	Historical Cooling Degree Days	44884	BYDDAN	DEGREE DAY ANALYSIS
38379	Historical Degree Day Details	36691	BSREGN	CREATE EDIT REGIONS
39670	Historical Heating Degree Days	44884	BYDDAN	DEGREE DAY ANALYSIS
45993	Historical Records	EAM-24671 EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJs	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38378	Historical Temperatures	36691	BEREGR BSREGN	WEBSERVICE FOR HISTORICAL TEMPERATURE CREATE EDIT REGIONS
15268	History	This displays the MP5 history of all transactions associated to the selected record. D7i Extended - KPI Setup form - Tab Title - noun	OSMNBK BCMOBL BSALRT BSKPIC ISPCOP OZDCUR OZMNBK	NOTEBOOK 7I MOBILE BOILER TEXT ALERT MANAGEMENT SYSTEM DEFINING KPI ENTRIES COPY ASPECT POINTS DECAY CURVE CHART MOBILE NOTEBOOK
41522	History Days	EAM-2777	BAL004 BAL005	LOAD ELECTRICITY DATA LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
27834	History Details	D7i Extended - KPI Setup Form	BSKPIC	DEFINING KPI ENTRIES
47356	Hold for Work Order	EAM-34389	SSCOMP	NON-PO RECEIPTS
47311	Hold for Work Order - Activity	EAM.MATL.REQ.PartsforNonPOReceipts / EAM-33848	SSCOMP	NON-PO RECEIPTS
43955	Hold up to a barcode to scan	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41837	Holder	EAM.WORK.REQ.PermitToWork	BCMOBL BZPMTW WHPTWR WSILPO WSPMTW WZPTWR	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR PERMIT TO WORK PRINT PERMIT TO WORK ISOLATION POINTS PERMIT TO WORK PRINT PERMIT TO WORK
44330	Holder Details	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
44332	Holder Notes	EAM.EQUIP.REQ.KeyManagement	OSHPPY OSHPRM OSHPPVH OSKEYM OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WSEMPs	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT KEY MANAGEMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EMPLOYEES
34082	Holding Cost	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
34080	Holding Cost %	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
34078	Holding Cost Calculation Type	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
16659	Holding cost	SCR 27759	SYEOQA SZEQA	EOQ Analysis EOQ Analysis
33980	Holding cost specified as	SCR 27759	SYEOQA SZEQA	EOQ Analysis EOQ Analysis
27905	Home	Barcode	BANNER FCSCRN	BANNER FLAMETHROWER SCREENS
41075	Home Phone No.	EAM - 295 : EAM.WORK.REQ.Employee	WSEMPs WSOPSS	EMPLOYEES OPTIMIZED SCHEDULER SETUP
27919	Horiz:	Barcode	FCSCRN	FLAMETHROWER SCREENS
42962	Horizontal Offset	EAM-9953:	BSCLAS	CLASSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42962	Horizontal Offset	EAM.ADMN.REQ.LinearReferencesForClasses	OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
42964	Horizontal Offset Type	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
42963	Horizontal Offset UOM	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
22632	Horizontal Size	Infor EAM - HTML content setup page - field where user indicates the size of the HTML content to appear horizontally (left to right) on the page	OSOVSM	CREATE SYSTEM EQUIPMENT
			BMHTCF	HTML CONTENT SETUP
44906	Hospitality Edition	EAM-16256	BCMOBL	7I MOBILE BOILER TEXT
41005	Hot Work/Burn Permit	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
12496	Hour		BSFFSP	FILTER FIELD SETUP SCREEN
			BSJOBS	JOB SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			PZONOL	Approved Order Awaiting Delivery

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28847	Hour Type	D7i Extended - Daily hours worked per employee (WTBOOL)	WTBOOL	Allocations Per Employee
			WZBOOL	Allocations Per Employee
31389	Hour Types	D7i Extended - Daily Hours Worked Per Employee report	BSLOVS	LIST OF LOOKUPS
35135	Hour(s)	EWS.CCTR.UC.ServiceProblemCodes	BSDEPT	DEPARTMENTS
			CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
41549	Hourly Design UOM	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
40213	Hourly Invoicing End Time	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
40353	Hourly Invoicing End Time Minutes	Hourly Invoicing End Time Minutes	WSCCON	CUSTOMER CONTRACTS
40212	Hourly Invoicing Start Time	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
40352	Hourly Invoicing Start Time Minutes	Hourly Invoicing Start Time Minutes	WSCCON	CUSTOMER CONTRACTS
23798	Hourly Rate	Infor EAM - the amount charged per hour for a service provided by a supplier	PSINVO	INVOICES
			SSSUPP	SUPPLIERS
			WSARRS	PRICING SCHEDULE
			WSEMPs	EMPLOYEES
			WSJBPL	JOB PLANS
			WSSTCR	STANDARD CREWS
			WSTASK	TASKS
			WSTRAD	TRADES
			WZAGRS	PRINT CUSTOMER CONTRACT
12037	Hours		BIWPER	TEN WORST PERFORMERS
			BSDEPT	DEPARTMENTS
			BSDLUS	DATA LAKE UPLOAD SETUP
			DSPTNR	CREATE PARTNER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZHISL	Object History
			OZPROF	EQUIPMENT PROFILE
			PSINVO	INVOICES
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHJOBf	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12037	Hours		WSFLTK	FLEET VEHICLE TICKETS
			WSQCWO	QUICK CLOSE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WTVTKT	VEHICLE TICKET REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZJOB	PRINT WORK ORDER
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZVTKT	VEHICLE TICKET REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			TCJALL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
31134	Hours Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			BCMOBL	7I MOBILE BOILER TEXT
43956	Hours Ago	EAM-14486 :Android Tablet - Support localization	WSFBIL	FLEET BILLS
31226	Hours Billed	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label		
30859	Hours Cost	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30860	Hours Cost Currency	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
31135	Hours Markup Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31136	Hours Markup Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31227	Hours Markup Billed	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31260	Hours Markup Billed Currency	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31593	Hours Offered	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
20722	Hours Remaining	Infor EAM - the number of hours left to complete a work order activity	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20722	Hours Remaining	Infor EAM - the number of hours left to complete a work order activity	JSPROJ	PROJECTS
			JZJOBL	LIST OF JOBS FOR PROJECT
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSBKPO	BOOK PO LABOR
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSRVCS	REVISION CONTROL SETUP
			WSSCHD	WORK ORDER SCHEDULE
39368	Hours Remaining to be Scheduled	40522	WSVITE	WORK ORDER QUICK ENTRY
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
39369	Hours Remaining to be Worked	40522	WSWLSH	WO LABOR SCHEDULING
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
27851	Hours Requested	D7i Extended - Services for Requisition form - User enters the number of service hours requested	WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OHOCST	Job Costing By Object Cost
			OZOCST	Job Costing By Object Cost
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
PZRFQS	REQUEST FOR QUOTATION SUMMARY			
QZQUOL	PRINT LIST OF QUOTATION			
SSREQU	REQUISITIONS			
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27851	Hours Requested	D7i Extended - Services for Requisition form - User enters the number of service hours requested	WHJOB	PRINT WORK ORDER
			WHJOB	Labour Hours For Jobs
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Labour Hours For Jobs
			WTSCHA	Scheduled Activities
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOB	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYSCHA	Scheduled Activities
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZJOB	Labour Hours For Jobs
			WZSCHA	Scheduled Activities
48036	Hours Requested must be in a range of 0 to 24.	EAM-40620	WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	7I MOBILE BOILER TEXT
25793	Hours Required	Extended (product name). Work Order Tools.	JSCULB	COMPATIBLE UNITS LIBRARY
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
34162	Hours Short	EWS.CREP.UC.DailyTradeSchedule	WYTRDS	DAILY TRADE SCHEDULE
			WZTRDS	DAILY TRADE SCHEDULE
41438	Hours Trend	EAM-2072	WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
30847	Hours Used	D7i Extended -- Vehicle Ticket -- Field Label, the amount of hours the vehicle was issued for	BCMOBL	7I MOBILE BOILER TEXT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSFLTK	FLEET VEHICLE TICKETS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
20978	Hours Worked	Infor EAM - The number of hours booked in the system.	OSJOBS	CREATE WORK ORDER
			OSVCST	COSTS FOR EQUIPMENT
			WHWEMP	WORK BY EMPLOYEE
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20978	Hours Worked	Infor EAM - The number of hours booked in the system.	WSBLTX WSBOOK WSJOBS WSJOVH WSJOVM WSMPAT WSSREQ WSVITE WSVLAB WSWOBU WZWEMP	VIEW FLEET BILLING TRANSACTIONS BOOK LABOR BY EMPLOYEE CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS SERVICE REQUESTS WORK ORDER QUICK ENTRY VIEW BOOKED LABOR (DAILY SCHEDULING) BATCH WORK ORDER UPDATE WORK BY EMPLOYEE
		D7i Extended - Daily hours worked per employee (WTBOOL)	BCMOBL OSVCST WSJOBS WSJOVH WSJOVM WSQUBO WTBOOL WZBOOL	7I MOBILE BOILER TEXT COSTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY Allocations Per Employee Allocations Per Employee
31594	Hours Worked Normally	EAM-13665 Support screen permission for iPad/Andro EWS.CREP.UC.ElectronicRecords - Electronic Records report	WCHOUR BZACTD	MOBILE HOURS WORKED ELECTRONIC RECORDS FOR ACTIVITIES
31595	Hours Worked Overtime	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
43958	Hours Worked Summary	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43957	Hours Worked cannot be zero; enter another value.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25380	Hours must be between 0 and 24.	Crossbow. Book Hours.	TCJBKL	7I MOBILE BOILER TEXT
12034	Hours requested		OSGISW PTORDF WSJOBS WSJOVH WSJOVM WSTASL WTJOB	VIEW AND/OR SCHEDULE WORK ORDER LABOR Print Purchase Order CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER TASK LOOKUP Job Cards
25381	Hours should be between -24 and +24.		TCJBKL	7I MOBILE BOILER TEXT
20685	Hours to Book	Infor EAM - the number of hours to book against a work order. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WSSRBK	BOOK HOURS FOR SERVICE REQUEST
44894	Hours to Deadline	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
12470	Hours worked		WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
18424	How	This is a field on the activities page of the PPMplan form that describes a value of the activity.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
48391	Hrs.	EAM.Work.Req.GISMapWODispatching.docx/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48110	Hub	Hertz custom reports	OZDSTP OZHSTP	DAILY SHORT TERM PLANNING - HERTZ HOURLY SHORT TERM PLANNING - HERTZ
48275	Human Factor	EAM.EQUIP.REQ.FailureModesPopup	BSLOVS OSFAIL	LIST OF LOOKUPS FAILURE MODES POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48275	Human Factor	EAM.EQUIP.REQ.FailureModesPopup	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
48277	Human Oversight	EAM.EQUIP.REQ.FailureModesPopup	BSLOVS	LIST OF LOOKUPS
			OSFAIL	FAILURE MODES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
44355	Hybrid Hyperlink	EAM-14486 :Android Tablet - Support localization Use this button to drill down to appropriate form. Noun usage.	OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSHYPL	HYPERLINK SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BZEALD	ELECTRONIC RECORDS FOR
16342	Hyperlink	New UI EWS.BASE.UC.HyperlinkPopup.doc	WSAPPH	REVISION CONTROL HISTORY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSHYPL	HYPERLINK SETUP
			CSIDLK	CREATE HTML EDITOR LINK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
32441	Hyperlink Details	EAM.EQUIP.REQ.ChecklistForEquipment / EAM-45837	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
49267	Hyperlink and Search Details	EWS.BASE.UC.HyperlinkSetupPopup	OSRCMT	RCM TEMPLATES
			BSHYPL	HYPERLINK SETUP
			BSLOVS	LIST OF LOOKUPS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38202	Hyperlinks	Mobile Notebook	WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
20523	I am having trouble with	Infor EAM - prompt for when user is seeking help for a problem	WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46912	I have completed the inspection for work order/activity: :PARAM1/:PARAM2. My digitally affixed signature confirms the integrity of the data collected.	Mobile Notebook	WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46913	I have reviewed the inspection for work order/activity: :PARAM1/:PARAM2. My digitally affixed signature confirms the integrity of the data collected.	Mobile Notebook	WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12862	ID	Unique code, short for identifier.	ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDEOT	DATA FOR ANALYTICS 7.8 VARIABLES
			BSCLAS	CLASSES
			WSCALL	CREATE/EDIT CALLER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12862	ID	Unique code, short for identifier.	WSCALP	ADD EDIT CALLER
			WSDEBS	CREATE CUSTOMER
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
19879			ASOLOG	ANALYTICS SERVER LOG
			BSMPWO	MP2 WORK ORDERS
			CSSVPB	SERVICE PROBLEM CODES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSFAIL	FAILURE MODES POPUP
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLRFS	LINEAR REFERENCE POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMI	IMPORT FROM RCM TEMPLATE
			SSPART	PARTS
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
46385	IDM Document Type	EAM.ADMN.REQ.Documents	BSDOCU	DOCUMENTS
42062	IEC Expected	EAM-4928	BSUPLD	UPLOAD DOCUMENT POPUP
37488	IMPORTANT: Click Refresh Resource Data to consider changes to the PM forecasting session or PM activities made after Date Last Refreshed.	EWS.WORK.UC.ViewResourceLoad / 32647	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
49338	IMPORTANT: Deleting or renaming columns in the view does not delete or rename them in any grids where this view is used. Manually update these grids before reactivating.	EAM-36755	BSVIEW	VIEWS
45344	ION Pulse	EAM.ADMN.REQ.IONPulseforAlerts EAM-337	BSALRT	ALERT MANAGEMENT SYSTEM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45343	ION Pulse Details	EAM.ADMN.REQ.IONPulseforAlerts EAM-337	BSALRT	ALERT MANAGEMENT SYSTEM
34024	IP Vendor Code	19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
			BUYCPT	BUY CAT PARTS GRID BOT FUNCTION
			WSCPQR	CAPITAL PLANNING REQUEST
41628	IRR %	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	USINV	INVESTMENT PLANNING
41655	IRR % (Internal Rate of Return)	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
			OSOBTV	OBJECTIVES
41636	IRR (%)	EAM-404:EAM.WORK.REQ.CPRsforObjective	OSHPFY	CREATE HOSPITALITY FACILITIES
39600	IT Energy at UPS/PDU Output	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCLAS	CLASSES
			BSEXIM	EXPORT CONFIGURATION
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSUCOD	SYSTEM CODES
			BSVMRS	VMRS CODES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
38963	Icon Detail	Extended (product name). Section label used in change icon popup. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
25871	Icon Name	D7i Extended - admin Screen Flow Setup form	BSFLOW	BUSINESS PROCESS SETUP
41946	Icon Path	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
			BSVMRS	VMRS CODES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41946	Icon Path	EAM.ADMN.REQ.SystemCodes	OSOVAM OSOVPM OSOVSM OSRELR OSRMXS	CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT RANKINGS RISK MATRIX SETUP
25870	Icons	D7i Extended - admin Screen Flow Setup form	BSFLOW	BUSINESS PROCESS SETUP
30175	Identify Features	D7i Extended - GIS - PVCS # 14696 - This is to replace the View GIS Attributes text that is currently in the system. Identify Feature(s) is consistent with the ESRI interface.	BSJSDN CSCCGM CSCCSP OSGIFA OSGIFR OSGISR OSGISS	COMMON FUNCTION FOR JAVASCRIPT CONTACT CENTER MAP SEARCH CONTACT CENTER SETUP VIEW GIS ATTRIBUTES VIEW GIS ATTRIBUTES (REST) GIS MAP SEARCH GIS MAP SEARCH (OLD)
45465	Identify Highlighted Features	EAM.GIS.REQ.GISMapSearch.doc/EAM-15909	BSJSDN OSGISR	COMMON FUNCTION FOR JAVASCRIPT GIS MAP SEARCH
38694	Identify work order status changes which will trigger production requests to be automatically generated for work orders matching the specified type.	StatusChangeforIntegratedPlanningConfiguration	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
38721	Identify work order types for which no production request will be generated from work orders matching the specified type.	37630	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
48115	Idle	Hertz custom reports	OZDSTP OZHSTP	DAILY SHORT TERM PLANNING - HERTZ HOURLY SHORT TERM PLANNING - HERTZ
33704	If	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
46503	If Automatic, the system will protect the status and will apply updates automatically.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
26410	If Data Is	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSWSPM TSASTP	WEB SERVICES PROMPT DC TRANSACTION PROMPT
45840	If Reuse Dormant Period is selected, the dormant period cannot be greater than one year.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
37599	If making a supplier comparison, validate suppliers have quoted the same RFQ lines.	EWS.PRCH.UC.ViewTotalsforAllSuppliersPopup	PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
46476	If selected, the header nonconformity data on the Nonconformity Observations screen and the Nonconformities tab of the Work Order screen will be protected if more than one observation is present for the nonconformity.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46475	If selected, the observation data like Severity, Intensity, etc. will be protected on the Nonconformities screen in update mode. Otherwise, these fields will remain unprotected.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46484	If selected, the system will copy the	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	values of severity, intensity, size, importance and next inspection date override from the related nonconformity header to the observation when a new observation is created.			
48770	If selected, the user can click a button on the (mobile) work order to acknowledge all observations on that work order that were not individually updated by the user. Otherwise, the button will be hidden.	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
46502	If set to Similar Equipment, only Equipment must be the same. If set to Similar Type, only Type must be the same. And if set to Similar Part, only Part, System Level, Assembly Level, Component Level, and Material Type must be the same.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
35705	Ignore	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
37232	Ignore Warning	EWS.WORK.UC.ForecastingforPMForecasting	WSPFWM	PM FORECASTING WARNING
27568	Image	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
43959	Image Alignment	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
42192	Image Path	EAM-4704: EAM.ADMN.REQ.RangesforKPIandInboxes	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
47280	Image Quality	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
45471	Image URL	EAM-18160: EAM.EQUIP.REQ.Assets	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
44743	Imagery	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44744	Imagery with Labels	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
41575	Imbalance >= 1%	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL003	PHASE IMBALANCE
43375	Immediate Release	EAM-10497	WZPMDO	PM DUE OVERVIEW
31188	Import	Barcoding	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
			BSLGIM	IMPORT TRANSLATIONS POPUP
			FCSCRN	FLAMETHROWER SCREENS
49394	Import Activities	Activities for WO - Import Activities Pop-up	WSJOBS	CREATE WORK ORDER
			WSPACT	IMPORT ACTIVITIES
49388	Import Activity Details	Activities for WO - Import Activities Pop-up	WSPACT	IMPORT ACTIVITIES
46621	Import Attempt	EAM-28284	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
35381	Import Base Configuration	EWS.ADMN.UC.ImportConfiguration	BSEXAL	EXPORT BASE CONFIGURATION
42095	Import Checklist	EAM.WORK.REQ.ChecklistForTask	WSJBPL	JOB PLANS
			WSTASK	TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48171	Import Configuration	EAM-40943 - Configuration Manager - Import	BSCMIM	CONFIGURATION MANAGER – IMPORT
49601	Import Consequences	ImportRCMFromEquipmentPopup/EAM-49877	OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
33476	Import Details	EWS.BASE.UC.ImportTranslationPopup/22623	BSLGIM	IMPORT TRANSLATIONS POPUP
37006	Import Equipment Matrix	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSISDM	IMPORT SERVICE DELIVERY MATRIX POPUP
35942	Import Error Count	EWS.ADMIN.UC.StatusforConfigurationManager	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
34513	Import File Details	EWS.ADMN.UC.ImportConfigurations	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
29090	Import From Task Plan	Extended (product name)	WSJOQP	IMPORT UNLINKED QUALIFICATIONS
29089	Import From Trade	Extended (product name)	WSJOQP	IMPORT UNLINKED QUALIFICATIONS
42836	Import Job Plan Details	EAM.WORK.REQ.JobsforTaskPlans	WSTASK	TASKS
30801	Import Lines	D7i Extended. Label for link button. Import is a verb.	PSINVO	INVOICES
36883	Import Matrix	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSISDM	IMPORT SERVICE DELIVERY MATRIX POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
37004	Import Matrix From	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSISDM	IMPORT SERVICE DELIVERY MATRIX POPUP
35383	Import Method	EWS.ADMN.UC.ImportConfiguration	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
49602	Import Mitigation	ImportRCMFromEquipmentPopup/EAM-49877	OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
45719	Import Nonconformities	EAM.WORK.REQ.NonconformitiesForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
22779	Import Part Details	Infor EAM - group header on the Import Parts popup form accessed from the Parts tab of the Work Orders form.	SSIMPL	IMPORT PART LIST
			WSIMPL	IMPORT PART LIST
43624	Import Parts	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
22692	Import Parts List	Infor EAM - link button on the Parts tab of the work orders form that imports a parts list to the system	SSIMPL	IMPORT PART LIST
			SSPICK	PICK TICKETS
			WEIMPL	IMPORT PART LIST
			WSIMPL	IMPORT PART LIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49600	Import Probabilities	ImportRCMFromEquipmentPopup/EAM-49877	OSIRCM	IMPORT RCM FROM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49600	Import Probabilities	ImportRCMFromEquipmentPopup/EAM-49877	OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
46624	Import Progress	EAM-28284	BSVSDP	VIEW STATUS DETAILS POPUP
32287	Import Route Equipment	EWS.WORK.UC.EquipmentforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32720	Import Scheduled Tools	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46622	Import Session	EAM-28284	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
35091	Import Test Points	EWS.EQUIP.UC.ImportTestPointsPopup/16323	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33388	Import Translations	EWS.BASE.UC.CreatEditLanguageinLTK/22625	BSLGIM	IMPORT TRANSLATIONS POPUP
			BSLGTK	LANGUAGE TOOLKIT
34519	Import Type	EWS.ADMN.UC.ImportConfigurations	BSIMPT	IMPORT CONFIGURATION
29092	Import Unlinked Details	Extended (product name)	WSJOQP	IMPORT UNLINKED QUALIFICATIONS
29192	Import Unlinked Qualifications	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48570	Import Users	EAM-43021 EAM.ADMN.REQ.UsersforOrganizations	BSORGS	ORGANIZATIONS
45404	Import Workspace Moves	EAM-16143: EAM.WORK.REQ.ImportWorkspaceMovesPopup	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
41952	Import from Equipment	LOTOForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSPMTW	PERMIT TO WORK
41953	Import from PTW	LOTOForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
49656	Import from RCM Template	EAM-49876-	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49656	Import from RCM Template	EAM.EQUIP.REQ.ImportRCMFromTemplatePopup	OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
42933	Import to Job Plan	EAM.WORK.REQ.ChecklistForTaskPlan	WSIMCL	IMPORT CHECKLIST
43187	Import to Task Job	EAM-10894	WSIMCL	IMPORT CHECKLIST
42932	Import to Task Plan	EAM.WORK.REQ.ChecklistForTaskPlan	WSIMCL	IMPORT CHECKLIST
33226	Importance	22070	BAL015 BCMOBL BSVMRS CSBBNT OECSMS OSCSMS OSNCFM OSNCHD OSOBJA OSOBJL OSOBJP OSOBJS OZNCFL OZONCF SSPART WSJOBS WSPPMS WSSTWO	CREATE WORK ORDER FOR NONCONFORMITIES 7I MOBILE BOILER TEXT VMRS CODES BULLETIN BOARD NOTICES CONDITION SCORE MATRIX SETUP CONDITION SCORE MATRIX SETUP NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT LIST OF NONCONFORMITIES NONCONFORMITIES ANALYSIS PARTS CREATE WORK ORDER PM SCHEDULES STANDARD WOS
43614	Imported Part	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
43754	Imported Parts	EAM-10713:EAM.MATL.REQ.ImportedPartsforPartWarrant	SSPWCL	PART WARRANTY CLAIMS
46625	Importing Table	EAM-28284	BSVSDP	VIEW STATUS DETAILS POPUP
21247	In	Infor EAM - pronoun to insert into a sentence in the field, meaning 'to indicate inclusion within a place or material'	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31948	In Process	BillingScheduleforFleetConfiguration/16500	WSFLCF	FLEET CONFIGURATION
47221	In Progress	EAM-32194/EAM.ADMIN.REQ.GDPRAdministration	BCMOBL BSDLUS	7I MOBILE BOILER TEXT DATA LAKE UPLOAD SETUP
43378	In Progress - Not Due	EAM-10497	WZPMDO	PM DUE OVERVIEW
43377	In Progress - Overdue	EAM-10497	WZPMDO	PM DUE OVERVIEW
43376	In Progress - Well Overdue	EAM-10497	WZPMDO	PM DUE OVERVIEW
47952	In Queue	EAM.ADMN.REQ.DataLakeDataUploadSetupSchedules.doc	BSDLUS	DATA LAKE UPLOAD SETUP
29609	In Service	D7i Extended - Calibration Equipment Report	OTCAEQ OZCAEQ	CALIBRATION EQUIPMENT CALIBRATION EQUIPMENT
31289	In Stock and Qty >=		TCSYCF	7I MOBILE BOILER TEXT
42812	In Store	EAM-9305: EAM.EQUIP.REQ.ParametersforAssetInventory	OSAINV	ASSET INVENTORY
30540	In Transit	D7i Extended - List of Stock report	SYLOWL SZLOWL	Overview Of Stock Overview Of Stock
42200	In Transit Core Qty.	EAM-5161 EAM.MATL.REQ.PartsforStoretoStoreReceipts	SSSTSR	STORE TO STORE RECEIPTS
32193	In Transit For Repair Qty.	Refer to EWS.MATL.UC.PartsforStoretoStoreReceipts.	SSPART SSSTOR	PARTS STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31489	In Transit Qty.	Refer to EWS.MATL.UC.PartsforStoretoStoreReceipts.	SSPART SSSTOR SSSTSR	PARTS STORES STORE TO STORE RECEIPTS
41884	In Use	EAM-1013: EAM.WORK.REQ.LockOutBox	WSLOBX	LOCKOUTBOX
42476	In order for a Chart to be properly displayed on the Start Center, the associated SQL Statement must be formatted in a particular way.	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
44358	In stock and Quantity >=	EAM-14486 :Android Tablet - Support localization	BCMOBL BSGROU	7I MOBILE BOILER TEXT GROUPS
12780	In transit	Parts that were issued from one store, but have not yet arrived at the receiving store, are 'in transit'. Used for store-to-store transactions.	STLOWL	Overview Of Stock
34134	In-Process WOs	EWS.CREP.UC.WorkOrderOnTimeDeliveryByTrade.doc	WZOTDE WZOTDT	WORK ORDER ON TIME DELIVERY BY EMPLOYEE WORK ORDER ON-TIME DELIVERY BY TRADE
33594	Inactivate Line	21342/EWS.PRCH.UC.BookInvoiceAllocation.doc	PSINVA	BOOK INVOICE ALLOCATIONS
47949	Inactive	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
47981	Inbound Document Details	Inbound Documents For Partner	DSPTNR	CREATE PARTNER
47972	Inbound Document Type	Inbound Documents For Partner	DSPTNR	CREATE PARTNER
47985	Inbound Documents	Inbound Documents For Partner	DSPTNR	CREATE PARTNER
17373	Inbox	This is a form you will see when you login to MP5 and it displays pending work that you must complete or approve.	BHKIUR BSGROU BSIMPT BSLOVS BSQUER BSSTRT BZKIUR	KPI/INBOX USAGE GROUPS IMPORT CONFIGURATION LIST OF LOOKUPS QUERIES EWS NEW START CENTER KPI/INBOX USAGE
26572	Inbox Code	D7i Extended - field label	BSEXIM BSIBXP BSINBX BSLOVS BSSTRT BSUSER	EXPORT CONFIGURATION PERSONALIZE INBOX POPUP INBOX SETUP LIST OF LOOKUPS EWS NEW START CENTER USER SETUP
34362	Inbox Codes	EWS.ADMIN.UC.InboxesForUserGroups.doc	BSLOVS	LIST OF LOOKUPS
26573	Inbox Details	D7i Extended - section name	BSGROU BSINBX BSUSER	GROUPS INBOX SETUP USER SETUP
27342	Inbox Entry Details	D7i Extended - Block label used in personalize KPIs popup	BSIBXP	PERSONALIZE INBOX POPUP
26575	Inbox Hyperlink	D7i Extended - section name	BSINBX	INBOX SETUP
26574	Inbox Options	D7i Extended - section name	BSINBX	INBOX SETUP
45791	Inbox, KPI and Equipment Ranking queries must return one row only.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
46665	Inboxes	EAM-28591: EAM.ADMN.REQ.InboxesforUsers	BSUSER	USER SETUP
17714	Inch		BCMOBL ISMONT	7I MOBILE BOILER TEXT MONITORED DATA
41086	Incident Details	EAM.WORK.REQ.IncidentRequests	CSINRE CZISGH	GUEST INCIDENT REQUEST INCIDENT SUMMARY GRAPH
41316	Incident Summary Chart	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41009	Incident Tracking	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BSLOVS WSJOBS WSJOVM WZWOLM	LIST OF LOOKUPS CREATE WORK ORDER CREATE WORK ORDER WORK ORDER LIST - DETAIL
41323	Incident Type	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH
41320	Incidents Between :PARAM1 and :PARAM2	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH
41322	Incidents On or After :PARAM1	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH
41321	Incidents On or Before :PARAM2	EAM-1088	CZISGH	INCIDENT SUMMARY GRAPH
18074	Include	Select to include the extra charge /discount for the calculation of the gross part price.	PSEXCD PSEXCH PSIEXP WZVRHS	EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON PO LINES EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES VEHICLE RENTAL HISTORY
29709	Include Activities	D7I Extended - Calibration Record Report	WTCALR WZCALR	CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
42481	Include Actual Parts	EAM-6124	WHWOSH WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
32591	Include All Child Equipment	EWS.CREP.UC.ListOfEquipmentDetails.doc	OZOBJF	LIST OF EQUIPMENT DETAILS
30287	Include All Revisions	D7i Extended - Print Purchase Order report	PHORDF PYORDF PZORDF	Print Purchase Order Print Purchase Order Print Purchase Order
42221	Include Awaiting Release WO's	EAM-5531	WZWOAG	WORK ORDER AGING REPORT
31915	Include Billing Adjustments	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT WZVTKT	VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31913	Include Billing Details	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT WZVTKT	VEHICLE TICKET REPORT VEHICLE TICKET REPORT
40752	Include Buyer	EAM-317	PHORDF PZORDF	Print Purchase Order Print Purchase Order
29613	Include Calibration Specifications	D7i Extended - Calibration Equipment Report	OTCAEQ OZCAEQ	CALIBRATION EQUIPMENT CALIBRATION EQUIPMENT
43691	Include Call Center Details	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
39234	Include Campaign Comments	EAM.PROJ.UC.GenerateWOpopup	JSGNWO	GENERATE WORK ORDER/ACTIVITY
39235	Include Campaign Documents	EAM.PROJ.UC.GenerateWOpopup	JSGNWO	GENERATE WORK ORDER/ACTIVITY
37366	Include Cancelled Quotations	EWS.CREP.UC.PrintRequestForQuotation	PZPRFQ	REQUEST FOR QUOTATION
44786	Include Chart	EAM-14687	WZRTBD	RESPONSE TIME BY DEPARTMENT
33363	Include Child Equipment	EWS.WORK.UC.GenerateReleaseWorkOrders.doc/ SCR#8800	WSBWOG WSJOBS WZVMRS	GENERATE/RELEASE WOS CREATE WORK ORDER VMRS ACTIVITIES CHART
31475	Include Child Store(s)	Refer to PVCS 16442.	SSPINV	PHYSICAL INVENTORY
31158	Include Child Store(s) Qty.	D7i Extended. This field indicates whether to include material quantities from any child stores in a store hierarchy when generating requisitions.	SSREQF	GENERATE REQ'S
30565	Include Child Work Orders	D7i Extended - Work Order Cards report	CYCCTR CZCCTR WHJOB WYJOB WZJOB	CALL CENTER WO REPORT SERVICE REQUEST WO REPORT PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER
37095	Include Children	EWS.WORK.Parameters for PM Forecasting	OSBURV	CALCULATE RELIABILITY RANKING INDEX

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37095	Include Children	EWS.WORK.Parameters for PM Forecasting	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OZRCML	RCM RISK LEVELS
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS
			OZRMSO	RISK MATRIX OVERVIEW
			WSLNSR	PERFORM LINEAR SEARCH POPUP
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
46752	Include Children Equipment	EAM-27987 Nonconformities Analysis Chart - Change	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZONCF	NONCONFORMITIES ANALYSIS
42253	Include Comments	EAM-3624	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHPTWR	PRINT PERMIT TO WORK
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZPTWR	PRINT PERMIT TO WORK
32569	Include Completed	EWS.CREP.UC. ListOfWorkOrdersForProject	JZJOB1	LIST OF JOBS FOR PROJECT
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
46425	Include Condition for Re-Inspection	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
38228	Include Consignment Item(s)	EWS.MATL.UC.PhysicalInventory	SSPINV	PHYSICAL INVENTORY
43690	Include Contract and Rental Details	EAM-10704: Equipment Details new report	OZEQUO	EQUIPMENT DETAIL
30285	Include Cost Code	D7i Extended - Print Purchase Order report	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
32033	Include Custom Fields	EWS.REP.UC.FleetBill.doc	PZORDF	Print Purchase Order
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			OZEQUO	EQUIPMENT DETAIL
			OZMNBK	MOBILE NOTEBOOK
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
			WZVRHS	VEHICLE RENTAL HISTORY
43455	Include Customer Details	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	CYCCTR	CALL CENTER WO REPORT
33396	Include Customer Requests	EWS.REP.UC.WorkOrderCards.doc	WYJOBF	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
			WYPFMC	FUTURE MAINTENANCE COST
37541	Include Deferred Activities	EWS.CREP.UC.FutureMaintenanceCost.doc	WYWPMC	FUTURE MAINTENANCE COSTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37541	Include Deferred Activities	EWS.CREP.UC.FutureMaintenaceCost.doc	WZPFMC WZWPMC	FUTURE MAINTENANCE COST FUTURE MAINTENANCE COSTS
31904	Include Details	EWS.REP.UC.FleetBill.doc - Vehicle Billing report	OZMAPP OZRCMS PYPOCS PZPOCS WTVBIL WYVBIL WZDPML WZDTTL WZEPRO WZRTBD WZTTIR WZVBIL WZVMRS	EQUIPMENT PERFORMANCE TREE MAP RCM POTENTIAL YEARLY SAVINGS PO COST SUMMARY PO COST SUMMARY VEHICLE BILLING REPORT VEHICLE BILLING REPORT DELINQUENT PM SUMMARY DOWNTIME TRACKING EMPLOYEE PRODUCTIVITY RESPONSE TIME BY DEPARTMENT TOP 25 SERVICE REQUESTS-DETAIL VEHICLE BILLING REPORT VMRS ACTIVITIES CHART
47125	Include Documents as Attachments	EAM-31519	BSMAIL	MESSENGER TRIGGER DEFINITION
46962	Include Email Details	EAM-29929 Mobile Notebook report	OZMNBK	MOBILE NOTEBOOK
43697	Include Energy Performance	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
49514	Include Equipment Criticality	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49515	Include Equipment Risk	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
31914	Include Exceptions	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT WZVTKT	VEHICLE TICKET REPORT VEHICLE TICKET REPORT
43695	Include Facility Details	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
43209	Include Failure Modes	EAM-9411	OZRCML	RCM RISK LEVELS
40055	Include Failure Rate Average	#47317	OZEFSL	ASSET FAILURES BY SERVICE LIFE
27437	Include Front Page	D7i Extended - Field label used on Report Parameters page D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	BSREPT TCPRRP	REPORT PARAMETERS 7I MOBILE BOILER TEXT
43215	Include Functions	EAM-9411	OZRCML	RCM RISK LEVELS
38563	Include GAS Tracked Only	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
43694	Include GIS Details	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
42299	Include Hazard Rating System	EAM-3624	WHPTWR WZPTWR	PRINT PERMIT TO WORK PRINT PERMIT TO WORK
43693	Include Hierarchy	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
38985	Include History	PVCS #39004	BHDDAN BYDDAN BZDDAH BZDDAN	DEGREE DAY ANALYSIS DEGREE DAY ANALYSIS DEGREE DAY ANALYSIS_HOSPITALITY DEGREE DAY ANALYSIS
32647	Include In Service	20716	OZCAEQ	CALIBRATION EQUIPMENT
40005	Include Inactive	SCR# 46968	BZFLXL	PRINT FLEX SQL LIST
32500	Include Inactive Permits	EWS.CREP.UC.ListofPermitIssues.doc - List of Permit Issues	WZPERL	List Of Permit Issues
29766	Include Incomplete	D7i Extended - Calibration Analysis Report	WTCALA WZCALA	CALIBRATION ANALYSIS CALIBRATION ANALYSIS
40737	Include Kit Content List	EAM-323 EAM-324 EAM-325	SZLKIT	LIST OF KITS
40738	Include Kit Costs	EAM-323 EAM-324 EAM-325	SZLKIT	LIST OF KITS
42256	Include LOTO Comments	EAM-3624	WHPTWR WZPTWR	PRINT PERMIT TO WORK PRINT PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42377	Include LOTO Records	EAM-3637	WZSRRR	SAFETY REVIEW REQUIRED REPORT
42255	Include LOTO Tags	EAM-3624	WHPTWR	PRINT PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
34365	Include Labor	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
48786	Include Linear	EAM.EQUIP.REQ.RankingHistorySelectionForDecayCurve	OSDCUR	DECAY CURVE
31883	Include Linear Reference Details	PVCS# 15871 - EWS.REP.UC.WorkOrderCards.doc	OZEQUD	EQUIPMENT DETAIL
			WHJOB	PRINT WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
33374	Include MEC Work Orders	EWS.REP.UC.WorkOrderCards.doc	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			WHJOB	PRINT WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
38804	Include Manufacturer Part No.	EWS.REP.UC.PrintPurchaseOrders.doc	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
30892	Include Matched	D7i Extended - Purchase Orders Awaiting Invoicing report	PZONIL	Purchase Orders Received But Not Yet Invoiced
34366	Include Material	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
33370	Include Multiple Equipment	EWS.REP.UC.ShortTermWorkOrderList(WOs)	WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBL	Labour Hours For Jobs
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOBL	Labour Hours For Jobs
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZJOBL	Labour Hours For Jobs
33729	Include New Equipment on WO Equipment page	SCR#22884 - EWS.WORK.UC.ClosingDetailsforBatchWOUpdate.doc	WSWOBU	BATCH WORK ORDER UPDATE
31369	Include Non-Discrepancy Items	D7i Extended - Physical Inventory Discrepancy report	SYSTDL	Stocktake Discrepancy
			SZSTDL	Stocktake Discrepancy
45603	Include Nonconformities	EAM.ADMN.REQ.WorkOrderAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
			OSEQPM	PM SCHEDULES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
31368	Include Null Quantities	D7i Extended - Physical Inventory Discrepancy report	SYSTDL	Stocktake Discrepancy
			SZSTDL	Stocktake Discrepancy
29611	Include Out of Service	D7i Extended - Calibration Equipment Report	OSDCUR	DECAY CURVE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29611	Include Out of Service	D7i Extended - Calibration Equipment Report	OTCAEQ OZCAEQ WZSRRR WZQEXP	CALIBRATION EQUIPMENT CALIBRATION EQUIPMENT SAFETY REVIEW REQUIRED REPORT QUALIFICATION EXPIRATION REPORT
47993	Include Out of Service Employees	EAM-39156	WZQEXP	QUALIFICATION EXPIRATION REPORT
38445	Include Out of Service Equipment	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38229	Include Out of Service Item(s)	EWS.MATL.UC.PhysicalInventory	SSPINV	PHYSICAL INVENTORY
38483	Include Out of Service Parts	EWS.MATL.UC.CreateEditPartEvaluations.doc	SSEVAL	PART EVALUATIONS
31912	Include PM Details	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT WZVTKT	VEHICLE TICKET REPORT VEHICLE TICKET REPORT
37543	Include PM Forecasting	EWS.CREP.UC.FutureMaintenaceCost.doc	WYPFMC WYWPMC WZPFMC WZWPMC	FUTURE MAINTENANCE COST FUTURE MAINTENANCE COSTS FUTURE MAINTENANCE COST FUTURE MAINTENANCE COSTS
40086	Include PM Schedules	#47652	OZPROF	EQUIPMENT PROFILE
49739	Include PM Work Orders	EAM.ADMN.REQ.Organization	CSCCSP	CONTACT CENTER SETUP
37542	Include PMs	EWS.CREP.UC.FutureMaintenaceCost.doc	WYPFMC WYWPMC WZPFMC WZWPMC	FUTURE MAINTENANCE COST FUTURE MAINTENANCE COSTS FUTURE MAINTENANCE COST FUTURE MAINTENANCE COSTS
45255	Include Parent Code	EquipmentConfiguration EAM-15764	OSECON	CREATE EQUIPMENT CONFIGURATION
43688	Include Part Association	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
24375	Include Part Taxes in Stock Value	Extended (product name). Field label on the Tax Rates form (SCR 4532). Indicates whether to include the tax rate in the calculation of the part value on the PO.	SSTAXH	TAX RATES
40085	Include Parts Associated	#47652	OZPROF	EQUIPMENT PROFILE
29764	Include Pass With Fail	D7i Extended - Calibration Analysis Report	WTCALA WZCALA	CALIBRATION ANALYSIS CALIBRATION ANALYSIS
29765	Include Pass With Recal	D7i Extended - Calibration Analysis Report	WTCALA WZCALA	CALIBRATION ANALYSIS CALIBRATION ANALYSIS
42376	Include Permit Records	EAM-3637	WZSRRR	SAFETY REVIEW REQUIRED REPORT
36963	Include Problem Code User Defined Fields	31515	CYPDDT CZPDDT	PRINT PENALTY DEDUCTION DETAIL PRINT PENALTY DEDUCTION DETAIL
37356	Include Quotation Comments	EWS.CREP.UC.PrintRequestForQuotation	PZPRFQ	REQUEST FOR QUOTATION
38805	Include Quotation No.	EWS.REP.UC.PrintPurchaseOrders.doc	PHORDF PYORDF PZORDF PZPRFQ	Print Purchase Order Print Purchase Order Print Purchase Order REQUEST FOR QUOTATION
39228	Include Quotation Part / Services Comments	PVCS #41457	PZPRFQ	REQUEST FOR QUOTATION
43692	Include RCM Details	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
39212	Include RFQ Comments	PVCS # 41457	PZPRFQ	REQUEST FOR QUOTATION
46961	Include Reference Details	EAM-29929 Mobile Notebook report	OZMNBK	MOBILE NOTEBOOK
43310	Include Related Equipment in applied Filter	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
43696	Include Reliability Ranking Details	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
45773	Include Rental Details	EAM-22495 - Equipment Reservations Detail Report	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
45772	Include Reservation Details	EAM-22495 - Equipment Reservations Detail Report	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
37592	Include Response Values	33497	PZPRFQ	REQUEST FOR QUOTATION
40094	Include Route Equipment	SCR 47663	WZPMSP	PM SCHEDULE PROFILE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40072	Include SQL Statement Text	EAM.CREP.UC.KPIInboxUsage.docx	BHKIUR BZKIUR	KPI/INBOX USAGE KPI/INBOX USAGE
42254	Include Safety Comments	EAM-3624	WHPTWR WZPTWR	PRINT PERMIT TO WORK PRINT PERMIT TO WORK
42236	Include Safety Details	EAM-3622	WHJOBFB WZJOBFB	PRINT WORK ORDER PRINT WORK ORDER
42375	Include Safety Records	EAM-3637	WZSRRR	SAFETY REVIEW REQUIRED REPORT
39773	Include Sequence	45521	WZMPAT	PRINT MAINTENANCE PATTERN
34364	Include Service	26376	OHWOCS OZWOCS	WORK ORDER COST SUMMARY GRAPH WORK ORDER COST SUMMARY GRAPH
44932	Include Service Code Custom Fields	EAM-16485 EAM.CREP.REQ.PenaltyDeductionDetail.doc	CZPDDT	PRINT PENALTY DEDUCTION DETAIL
36359	Include Service Problem Code Custom Fields	EWS.CREP.UC.PenaltyDeductionDetail	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
45423	Include Service Requests	EAM-17585	CZCCTR WHJOBFB WZJOBFB	SERVICE REQUEST WO REPORT PRINT WORK ORDER PRINT WORK ORDER
39680	Include Service Taxes in WO Cost	EAM.MATL.UC.CreateEditTaxRate	SSTAXH	TAX RATES
45439	Include Task Comments	EAM-17388	CZCASE	CASE MANAGEMENT REPORT
42240	Include Task Plan Checklist	EAM-5382	CZCASE WHJOBFB WHJOBQ WZJOBFB WZJOBQ	CASE MANAGEMENT REPORT PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER
40093	Include Task Plan Instructions	SCR 47663	WZPMSP	PM SCHEDULE PROFILE
45438	Include Task User Defined Fields	EAM-17388	CZCASE	CASE MANAGEMENT REPORT
39774	Include Timeline	45521	WZMPAT	PRINT MAINTENANCE PATTERN
34367	Include Tools	26376	OHWOCS OZWOCS	WORK ORDER COST SUMMARY GRAPH WORK ORDER COST SUMMARY GRAPH
33283	Include Totals	EWS.CREP.UC.PurchaseOrderStatus.doc	BZEQDL PYORDS PZORDS WZLWOQ WZPPMQ	EQUIPMENT LIST - DETAIL PURCHASE ORDER STATUS PURCHASE ORDER STATUS LIST OF WORK ORDERS LIST OF PM SCHEDULES
43687	Include Tracking Details	EAM-10704: Equipment Details new report	OZEQUD	EQUIPMENT DETAIL
33187	Include Transactions on Completed Multiple Equipment Child Work Orders	EWS.WORK.UC.PartsforBatchWOUpdate	WSWOBU	BATCH WORK ORDER UPDATE
35750	Include Translations	28568	BSCMEX BSEXAL BSVSDP	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION VIEW STATUS DETAILS POPUP
35442	Include URL	7343	BSMAIL	MESSENGER TRIGGER DEFINITION
37009	Include User Defined Fields	31515	CYCCTR CZCCTR OZEQRD OZEQUD OZMNBK OZOBFB OZTECL	CALL CENTER WO REPORT SERVICE REQUEST WO REPORT EQUIPMENT RESERVATIONS DETAIL EQUIPMENT DETAIL MOBILE NOTEBOOK LIST OF EQUIPMENT DETAILS TABLE OF EQUIPMENT WITH CUSTOM FIELDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37009	Include User Defined Fields	31515	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			WHPTWR	PRINT PERMIT TO WORK
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPTWR	PRINT PERMIT TO WORK
			OZEQUD	EQUIPMENT DETAIL
43689	Include Variables	EAM-10704: Equipment Details new report	BSLOVS	LIST OF LOOKUPS
32999	Include WOs	EWS.CREP.UC.WorkOrderCostSummary.doc	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZSJOB	SAFETY WORK ORDER REPORT
			OSDCUR	DECAY CURVE
			OTCAEQ	CALIBRATION EQUIPMENT
29612	Include Withdrawn	D7i Extended - Calibration Equipment Report	OZCAEQ	CALIBRATION EQUIPMENT
			OSEVAL	EQUIPMENT EVALUATIONS
			OZPROF	EQUIPMENT PROFILE
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			WYPFMC	FUTURE MAINTENANCE COST
			WYWFMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
38731	Include Work Orders Without Resources	EWS.WORK.UC.ParametersforGenerateProductionRequest	WZWPMC	FUTURE MAINTENANCE COSTS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WZWOAG	WORK ORDER AGING REPORT
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			WTJOBf	Job Cards
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSPROM	Custom Attributes
			OSWKMV	WORKSPACE MOVES
45248	Include in Move	EAM-16125: EAM.EQUIP.REQ.AssociationsforWorkspaceM	WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			OTCAEQ	CALIBRATION EQUIPMENT
			OSCLAI	WARRANTY CLAIMS
			BCMOBL	7I MOBILE BOILER TEXT
29610	Include in Service	D7i Extended - Calibration Equipment Report		
43401	Include on Claim	EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWarrantyClaim		
43441	Include on Warranty Claim	EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43441	Include on Warranty Claim	EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder	WSJOBS	CREATE WORK ORDER
39722	Included Tax Amount	Tracker id 45414	WSBKPO	BOOK PO LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
41042	Included in Adjustments	EAM-397	WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
39975	Including Timelines Between :PARAM1 and :PARAM2	PVCS #46793	WZMPAT	PRINT MAINTENANCE PATTERN
39976	Including Timelines On or After :PARAM1	PVCS #46793	WZMPAT	PRINT MAINTENANCE PATTERN
39977	Including Timelines On or Before :PARAM2	PVCS #46793	WZMPAT	PRINT MAINTENANCE PATTERN
40088	Including Work History Between :PARAM1 and :PARAM2	#47652	OZPROF	EQUIPMENT PROFILE
40090	Including Work History On or After :PARAM1	#47652	OZPROF	EQUIPMENT PROFILE
40089	Including Work History On or Before :PARAM2	#47652	OZPROF	EQUIPMENT PROFILE
27525	Incomplete	Calibration status	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
25448	Incorrect data entered.	Crossbow.	TCCNUM	7I MOBILE BOILER TEXT
27589	Incre	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
40830	Increase the font size.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40713	Increase/Decrease with entered percentage	EAM.WORK.REQ.BatchUpdateOrganization	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
40712	Increase/Decrease with entered value	EAM.WORK.REQ.BatchUpdateOrganization	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
15783	Increment		BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			JSCAMP	CAMPAIGN
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WHINVS	CUSTOMER INVOICE REPORT
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15783	Increment		WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WTCALR	CALIBRATION RECORD REPORT
			WYINVS	CUSTOMER INVOICE REPORT
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCALR	CALIBRATION RECORD REPORT
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZINVS	CUSTOMER INVOICE REPORT
27994	Incremental	Data Warehouse. Refers to an incremental transfer of data from the operational tables to the data warehouse tables. Incremental normally means the on-going day by day transfer of the previous day's data. Refer to PVCS 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
28249	Incremental Load	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
28063	Index Marker 3 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28064	Index Marker 5 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28065	Index Marker 8 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
35844	Indexes	EWS.ADMN.UC.TableStructurePopup.doc	BSTBST	TABLE STRUCTURE POPUP
49260	Indirect Cost Details	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
38013	Individual	EWS.WORK.UC.CreateEditCapitalPlanningRequests	OSEVAL	EQUIPMENT EVALUATIONS
			USINVP	INVESTMENT PLANNING
			WSCPQR	CAPITAL PLANNING REQUEST
			OSCLAI	WARRANTY CLAIMS
25991	Individual Claim Amounts	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
37785	Individual Element	Capital Request Categorization Codes	BSCPQR	CAPITAL REQUEST CATEGORIZATION CODES
37789	Individual Elements	Capital Request Categorization Codes	BSLOVS	LIST OF LOOKUPS
36456	Individual Lines	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			OSAPMS	APM SCENARIO
47603	Inflation %	EAM-36348: EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC	YEARLY INFLATION PERCENTAGE
47861	Inflation Details	EAM-38108: EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
18558	Infor EAM		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			OSGGMP	GIS MAP DATA
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
30023	Infor EAM Attribute	Infor EAM - title of product to appear in window bar Infor EAM - this appears on the 'About' Infor EAM window. Extended as in an extension to D7i. Extended is a product name.	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
			BSLOVS	LIST OF LOOKUPS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
34393	Infor EAM CD Key	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - an attribute is a characteristic of an asset on a map	OSGGMP	GIS MAP DATA
			BSBSET	ADMIN SETUP
			BSLOVS	LIST OF LOOKUPS
46750	Infor EAM Grid	SCR - 26409 UC Change- EWS.ADMN.UC.Administration EAM-26591	OSGGMP	GIS MAP DATA
26949	Infor EAM Login	Crossbow	TCPCON	7I MOBILE BOILER TEXT
27959	Infor EAM Login Information	Barcode	FCSCRN	FLAMETHROWER SCREENS
27902	Infor EAM Login:	Barcode	FCSCRN	FLAMETHROWER SCREENS
38425	Infor EAM Logon	EWS.BASE.UC.SystemLogin/36805	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47521	Infor EAM Maintenance Kiosk	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
36264	Infor EAM Organization	EWS.ADMN.UC.OptionsofDataConversion / 29413	BSDTCV	DATA CONVERSION (MP2)
36411	Infor EAM Priority	EWS.ADMN.UC.MSProjectPriorityMappings.doc	RSPRIO	MS PROJECT PRIORITY MAPPINGS
30288	Infor EAM Products	D7i Extended - block label on Users form	BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
30024	Infor EAM Value	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes	OSGGMP	GIS MAP DATA
31828	Infor EAM Viewer	PVCS 17058 - Adding Report attachments	BSADVR	ADVANCED REPORTING FUNCTION
48900	Infor Privacy Policy	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39009	Infor SOA	EWS.DBADMIN.UC.ViewMessageStatus/39337	DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
42631	Infor Standard Code	EAM-7726 EAM.PRCH.REQ.PurchaseOrderTerms	PSORDT	PURCHASE ORDER TERMS
20025	Information	Infor EAM - This is a field where the user can enter free format text (like comments).	BCMOBL	7I MOBILE BOILER TEXT
			WSINFO	CREATE / EDIT PROPERTY INFORMATION
26050	Information Details	Extended (product name)	WSINFO	CREATE / EDIT PROPERTY INFORMATION
20117	Information Request	Infor EAM - link to create information request	BSDOCA	DOCUMENTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSSERQ	CREATE SERVICE REQUESTS
25688	Information Request Details	Extended (product name). Detail block header in Record View.	WSINRQ	CREATE INFORMATION REQUEST
25673	Information Type	Extended (product name). Type of Information Request.	WSINFO	CREATE / EDIT PROPERTY INFORMATION
			WSINRQ	CREATE INFORMATION REQUEST
20178	Information Type to View	Infor EAM - Used to display all Information Types	OSWKSP	WORKSPACES
33929	Information not available.	EWS.BASE.UC.ScreenDesigner.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44578	Information!	EAM-14486	BCMOBL	7I MOBILE BOILER TEXT
48910	Information, Warnings, and Errors	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48955	Inherit Parent Details	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
46772	Initial Fuel Level	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
49638	Initial Meter Reading	EAM-50849 - EAM.WORK.REQ.RelatedMeterReadingsForWo	WSJOBS	CREATE WORK ORDER
46767	Initial Mileage	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
39391	Initial Sequence	EWS.WORK.UC.ActivateMPEquipmentPopup/38267	OSECON	CREATE EQUIPMENT CONFIGURATION
			WSACMP	ACTIVATE MP POPUP
28247	Initialization	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
28254	Initialize Warehouse	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
33618	Initializing Download...	Mobile 21411	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
43585	Initials	EAM-11436	WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
28121	Inmac 6070 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28122	Inmac 6098 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28123	Inmac 6099 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
41551	Input Status	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
31596	Input/Output	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
12213	Insert	Insert = verb	BHFUNL	List Of Functions
			BSGROU	GROUPS
			BSHYPL	HYPERLINK SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12213	Insert	Insert = verb SCR 19983.	BSTBOP	CHANGE TAB ORDER POPUP
			BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions
			M1	Pull-Down Menu Texts
			BHUSRL	USERS GROUP CONFIGURATION
			BSAUDC	AUDIT SETUP
			BSAUDP	VIEW AUDIT TRAIL POPUP
			BSBSET	ADMIN SETUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSWSPM	WEB SERVICES PROMPT
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BYUSRL	USERS GROUP CONFIGURATION
			BZAUDT	AUDIT LOG
			BZCHKA	CHECKLIST AUDIT
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSEDLK	CREATE HTML EDITOR LINK
			ISASPC	ASPECTS
			WSFLCF	FLEET CONFIGURATION
27802	Insert Allowed	D7i Extended - Screens form	BSEXIM	EXPORT CONFIGURATION
34656	Insert Custom Tab	#26808	BSFUNC	CREATE UPDATE SCREENS
28743	Insert Formulas	D7i Extended -- Aspects form -- Prompts tab	BSFUNC	CREATE UPDATE SCREENS
27335	Insert Inbox Entry	D7i Extended - Link button label used in the personalize inbox popup	BSLOVS	LIST OF LOOKUPS
43051	Insert Inside	EAM.EQUIP.REQ.LinearreferencesForEquipment	BSIBXP	PERSONALIZE INBOX POPUP
			BSUSER	USER SETUP
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
27339	Insert KPI Entry	D7i Extended - link button label used in personalize KPIs popup	BSKPIP	PERSONALIZE KPI POPUP
43183	Insert Linear Reference Inside	EAM.EQUIP.REQ.LinearReferencesSplitPopup	BSUSER	USER SETUP
13215	Insert record	Pull down menu item	OSLRFS	LINEAR REFERENCE POPUP
39383	Insertion Date	EAM.WORK.UC.EquipmentforMP/38266	M1	Pull-Down Menu Texts
28445	Inside Spherical Radius	D7i Extended -- Monitored Data form -- field label on Equipment Details form	WSMPAT	MAINTENANCE PATTERNS
31597	Insp Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	ISMONT	MONITORED DATA
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
31598	Insp System Status	EWS.CREP.UC.ElectronicRecords - Electronic Records	SSRECV	PO RECEIPTS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17607	Insp status	report	FCGRD2	LINES
20758	Insp. Method	SMDOCK, Active lines tab	SSPART	FLAMETHROWER GRID 2
20761	Insp. Required	Infor EAM - Which method to use for the inspection of the inspection points.	SSPART	PARTS
17606	Inspect	Infor EAM - this is a checkbox to indicate whether an inspection is required upon receipt of this part.	BZDKLD	PARTS
		SMDOCK, Active lines tab...this is a checkbox that indicates that the parts being received require inspection.	PYBPOL	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			PZBPOL	BLANKET ORDER LIST
			SSRECV	BLANKET ORDER LIST
		Crossbow	MMINSP	PO RECEIPTS
			TCCRSB	MOBILE INSPECTION
28075	Inspected By	D7i Extended -- Work Orders form -- field label	BZDKLD	7I MOBILE BOILER TEXT
			BZEPOD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			ISMONT	ELECTRONIC RECORDS FOR EVENT POINTS
			SSPINS	MONITORED DATA
			WSJOBS	PART INSPECTIONS
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31599	Inspected Qty	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	CREATE WORK ORDER
34180	Inspected Qty.	EWS.MATI.UC.InstructionsforInspections	SSPINS	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
17567	Inspection	New field for On-dock receipt enhancement...indicates that parts require inspection when they arrive on dock.	BZBLLD	PART INSPECTIONS
			BZORLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRFLD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRQLD	ELECTRONIC RECORDS FOR RFQ LINES
			OSOBJA	ELECTRONIC RECORDS FOR REQUISITION LINES
			OSOBJP	CREATE ASSET EQUIPMENT
			OSOBJS	CREATE POSITION EQUIPMENT
			PSPORD	CREATE SYSTEM EQUIPMENT
			PSPORH	PURCHASE ORDERS
			PSRFQR	PO HISTORY
			PSRFQT	QUOTATIONS
			SSREQU	REQUESTS FOR QUOTATIONS
			SSSUBP	REQUISITIONS
			WSJOBS	SUBSTITUTE PART POP UP
28703	Inspection Comments	EAM-14486 :Android Tablet - Support localization	BCMOBL	CREATE WORK ORDER
		Infor EAM. Refer to	IYJBRT	7I MOBILE BOILER TEXT
		EWS.WORK.UC.InspectionCommentsPOPUP.	IZJBRT	Inspection Route Report
			WSJOBS	Inspection Route Report
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
43241	Inspection Condition	EAM.WORK.REQ.OperatorChecklist(Requestor)	OSEQCI	CREATE WORK ORDER
			WSJOBS	CHECKLIST ITEMS
				CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43241	Inspection Condition	EAM.WORK.REQ.OperatorChecklist(Requestor)	WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSTASK	TASKS
49219	Inspection Condition Description	EAM.WORK.REQ.OperatorChecklist(Requestor)	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
28765	Inspection Custom Fields	D7i Extended -- Work Orders form -- Inspections tab, link, noun	BSCFIH	INSPECTION HEADER CUSTOM FIELDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
18251	Inspection Details	Group header on inspection of received parts form.	SSPINS	PART INSPECTIONS
42957	Inspection Direction	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSCOPO	CONTRACTOR PORTAL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWREQ	WORK REQUEST
23403	Inspection Method	Infor EAM - title on LOV for Inspection Method field on Parts form	BSDOCA	DOCUMENTS
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSSUBP	SUBSTITUTE PART POP UP
20881	Inspection Methods	Infor EAM - title on LOV for Inspection Method field on	WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			LVMETH	INSPECTION METHOD LOOKUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26755	Inspection Parameter	Parts form	TCESYP	7I MOBILE BOILER TEXT
28505	Inspection Point	Crossbow	BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
		D7i Extended -- Monitored Data form -- Message required for FIELDNAME_INSPECTIONPOINT, noun	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
28791	Inspection Point Custom Fields	D7i Extended -- Work Orders form -- Inspection tab, Popup header	BSCIPP	INSPECTION POINT CUSTOM FIELDS
28768	Inspection Point Details	D7i Extended -- Routes form -- text on Inspection Points tab, noun	WSROUT	ROUTES
28767	Inspection Points	D7i Extended -- Routes form -- text on Inspection Points tab, noun	WSROUT	ROUTES
29132	Inspection Required	D7i Extended -- Blanket Orders form -- check box (Yes/No question)., inspection=noun, required=verb	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
25385	Inspection Result	Crossbow. Ad Hoc Inspection. Noun form.	BCMOBL	7I MOBILE BOILER TEXT
			TCCERR	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
25386	Inspection Results	Crossbow. Ad hoc inspection. Noun form.	TCIOBL	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWOL	7I MOBILE BOILER TEXT
		Ad hoc inspection. Noun form.	BCMOBL	7I MOBILE BOILER TEXT
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
30563	Inspection Route	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
29395	Inspection Status	D7i Extended -- 'Route Status' field to be changed on Work order Record view and Change Work order Route status Popup	BSLOVS	LIST OF LOOKUPS
			CSCCGM	CONTACT CENTER MAP SEARCH
			ISAPRF	APPROVE INSPECTION RESULTS
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29395	Inspection Status	D7i Extended -- 'Route Status' field to be changed on Work order Record view and Change Work order Route status Popup	OSSTAT OSVCST OSVEVT SSRECV WSJOBS WSJOVH WSJOVM WSMPAT WSOPSS WSWORS	EQUIPMENT OPERATIONAL STATUS COSTS FOR EQUIPMENT EVENTS FOR EQUIPMENT PO RECEIPTS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS OPTIMIZED SCHEDULER SETUP CHANGE INSPECTION STATUS
29346	Inspection Status Details	Extended (product name)	BCMOBL	7I MOBILE BOILER TEXT
43961	Inspection Tasks	EAM-14486 :Android Tablet - Support localization	WTJOB	Job Cards
17036	Inspection route	This is displayed on a printed report if the object is associated to an inspection route.		
28080	Inspections	D7i Extended -- Work Orders form -- noun	BCMOBL WSJOBS WSJOVH WSJOVM	7I MOBILE BOILER TEXT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
43962	Inspector	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25382	Inspr	Crossbow. Inspector.	TCIWIR	7I MOBILE BOILER TEXT
28729	Inst. Type	D7i Extended - Calibrations - Inst. = Instrument	WSINST	VIEW LOOP INSTRUMENTS POPUP
42128	Instability	Safety for Work Order	BZSFWO SSPART WHPTWR WSHZRD WSJOBS WSPMTW WSSFMX WZPTWR	ELECTRONIC RECORDS FOR SAFETY PARTS PRINT PERMIT TO WORK HAZARDS CREATE WORK ORDER PERMIT TO WORK SAFETY MATRIX PRINT PERMIT TO WORK
38172	Install Available Language	EWS.ADMN.UC.CreateEditLanguages.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40871	Install Date	EAM.EQUIP.REQ.AssetHealthcare.docx	BSLANG BZEQDL BZOBJD OSOVAM OSOVPM OSOVSM	LANGUAGES EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
49644	Install GL	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
25209	Install Parameter	D7i Extended - Install Parameters form	BSINST	INSTALL CODES
35251	Install Parameters	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX BSEXAL BSVSDP	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION VIEW STATUS DETAILS POPUP
38170	Install/Upload Completed	EWS.ADMN.UC.CreateEditLanguages.doc	BSLANG	LANGUAGES
38169	Install/Upload Started	EWS.ADMN.UC.CreateEditLanguages.doc	BSLANG	LANGUAGES
33635	Installation Parameter MOBORG has changed. Log out and resync.	#21411	TCCRSB	7I MOBILE BOILER TEXT
24804	Installation Parameters	D7i Extended - Installation Parameters form	BSINST	INSTALL CODES
38168	Installed	EWS.ADMN.UC.CreateEditLanguages.doc	BSLANG	LANGUAGES
48614	Installed Component	EAM-44381 - StockforParts	SSPART	PARTS
24032	Instruction	Infor EAM - set of actions detailing how to carry out a task	WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24032	Instruction	Infor EAM - set of actions detailing how to carry out a task	WSTASK	TASKS
44521	Instruction 1	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
44523	Instruction 2	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
44525	Instruction 3	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
29719	Instruction List	D7i Extended - Calibration Record Report	WHJOBFB	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBFB	PRINT WORK ORDER
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBFB	PRINT WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
12475	Instruction list	Recorded description of a work instruction or work procedure.	WTJOBFB	Job Cards
12209	Instructions	How to execute an activity (also called task).	BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			ITJBRT	Inspection Route Report
			OZPROF	EQUIPMENT PROFILE
			WHJOBFB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBFB	PRINT WORK ORDER
			WZPMSP	PM SCHEDULE PROFILE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
29920	Instructions Audit Trail	Extended (product name)	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
29922	Instructions Details	Extended (product name)	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
35294	Instructions for Task Plans	#28171	BSDTCV	DATA CONVERSION (MP2)
26075	Instrument	Object that needs to be calibrated	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVB	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26075	Instrument	Object that needs to be calibrated	OSOVS WSJOBS WTCALR WZCALR	CREATE SYSTEM EQUIPMENT CREATE WORK ORDER CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
29064	Instrument Type	D7i Extended - Calibration for Equipment	BZOBJD OSECN OSHPPY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVS	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
27573	Insufficient space to move the control.	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
30789	Insurance	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, check if billing for insurance	WSFBHD WSFBIL WSFCUS WSFMRK WTVBIL WYVBIL WZVBIL	BILLING HISTORY FOR FLEET CUSTOMERS FLEET BILLS FLEET CUSTOMERS FLEET MARKUP CODES VEHICLE BILLING REPORT VEHICLE BILLING REPORT VEHICLE BILLING REPORT
30964	Insurance %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for insurance	WSFMRK	FLEET MARKUP CODES
31127	Insurance Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31128	Insurance Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31417	Insurance Adjustments Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31242	Insurance Billed	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31243	Insurance Billed Currency	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
30945	Insurance Charge	D7i Extended -- Rates for Billing Codes -- Field Label, amount charged for insurance	WSBLTX WSFBLC	VIEW FLEET BILLING TRANSACTIONS FLEET BILLING CODES
31326	Insurance Cost	D7i Extended -- Vehicle Ticket form, Assignment Billing popup -- Field Label	WSFLAB	ASSIGNMENT BILIING POPUP
31129	Insurance Markup Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31130	Insurance Markup Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31244	Insurance Markup Billed	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31245	Insurance Markup Billed Currency	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31405	Insurance Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
36792	Integer	31088	BSENS	ENTERPRISE SEARCH SETUP
			BSUDFO	USER DEFINED FIELD OPTIONS
			OSRRLP	ADD / EDIT LEVELS POPUP
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45515	Intensity	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	BCMOBL	7I MOBILE BOILER TEXT
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			OZONCF	NONCONFORMITIES ANALYSIS
			WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			OSHPFY	CREATE HOSPITALITY FACILITIES
39612	Intensity measured in kBtu/Sq.Ft.	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
41997	Intercept	EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
45319	Interest Center	EAM-1596 GenerateEnterpriseSearchDefinitions	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
44771	Interest Center Categories	EAM-15921:EAM.ADMN.REQ.EnterpriseSearchSetup	BSLOVS	LIST OF LOOKUPS
44770	Interest Center Category	EAM-15921:EAM.ADMN.REQ.EnterpriseSearchSetup	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENS	ENTERPRISE SEARCH SETUP
44768	Interest Center Code	EAM-15921:EAM.ADMN.REQ.EnterpriseSearchSetup	BSENS	ENTERPRISE SEARCH SETUP
44769	Interest Center Description	EAM-15921:EAM.ADMN.REQ.EnterpriseSearchSetup	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENS	ENTERPRISE SEARCH SETUP
22783	Interface	D7i	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22783	Interface	D7i	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
26431	Interface Errors	Infor EAM. Dataspy name. Refer to EWS.DCI.UC.InterfaceOverview.	YSINTF	INTERFACE OVERVIEW
27362	Interface Permissions	D7i Extended - tab where user give permissions to interface and web service functions	BSGROU	GROUPS
31600	Interface Procedure	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
27324	Interface Transaction	Infor EAM. Used as boiler text on header for Monitor interface. Refer to PVCS 7529.	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			YSINTF	INTERFACE OVERVIEW
26418	Interface Type	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSLOVS	LIST OF LOOKUPS
			TSASTP	DC TRANSACTION PROMPT
18437	Interface procedure	BAIM/YNINTF - identifies the name of the procedure that generated an error.	BZISSD	ELECTRONIC RECORDS FOR ISSUE
41000	Interim Infection Control	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
40999	Interim Life Safety	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
36161	Intermediate Currency	27957	PSPORD	PURCHASE ORDERS
18772	Internal	Radio button on new report (SRRQAS) that generates requisitions for parts that are to be repaired. If Internal is selected, it indicates that the repairs are to be done internally (not sent to an outside vendor).	SSPART	PARTS
31366	Internal Cost	D7i Extended - Equipment History report	OZHISL	Object History
31398	Internal Labor	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
27009	Internal Lead Time (Days)	Extended (product name)	SSSTOR	STORES
44657	Internal Office Hours	EAM-15525 CalendarPeriodsForCalendarGroups	CSCLGP	CALENDAR GROUPS
30131	Internal Repair	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc	SSPART	PARTS
42541	Internal Repair Details	EAM-4652:EAM.MATL.REQ.RepairDetailsforParts.doc	SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30182	Internal Repair Price	Infor EAM. Field label indicating the price of repairing the part internally/in-house. Refer to EWS.MATL.UC.RepairDetailsforParts.	SSPART	PARTS
29948	Internal Repair Receipt	D7i Extended - Materials - used in form header for Create/Edit Internal Repair Receipts	BSDOCA BSLOVS SSRCVI	DOCUMENTS LIST OF LOOKUPS INTERNAL REPAIR RECEIPTS
45463	Intersection Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
17799	Interval	The interval between two meter readings. When the interval is passed, a new PPM job should be released. Infor EAM - the time to pass before repeating a task in the B2B server	WTCALA WZCALA DSSTSK OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS WSJOVH WSJOVM WSRELJ	CALIBRATION ANALYSIS CALIBRATION ANALYSIS DATABRIDGE SCHEDULED TASKS CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER RELEASE OF SELECTED JOBS
39329	Interval Details	EAM.WORK.UC.EquipmentforMP/38266	WSMPAT	MAINTENANCE PATTERNS
34903	Interval Start Time	EWS.DBPARTNER.UC.ScheduleTimePopupforDatabridgePar	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
34841	Interval occurs on selected days	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridgePar	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
34128	Inv Difference	EWS.CREP.UC.ProjectAreaCostSummary.doc	JYACOS JZACOS JZPBCS	PROJECT AREA COST SUMMARY PROJECT AREA COST SUMMARY PROJECT BUDGET CODE COST SUMAMRY
26840	Inv. Approval Limit	D7i Extended - LDAP Roles - Invoice Approval Limit	BSROLE	LDAP ROLES SETUP
31897	Inv. Type	EWS.CREP.UC.ListofInvoices - List of Invoices report	PZINVL	List Of Invoices Not Yet Approved
23604	Invalid	Infor EAM - adjective for when something is not valid, e.g., a work order number that does not exist in the system would be considered invalid	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36301	Invalid Data. Please select from the list.	EWS.MOBILE.UC.WSPromptEngine.doc	TCPMTR	7I MOBILE BOILER TEXT
39015	Invalid Date	22328 Add Support for Aspect Prompt LOV	TCCFLT TCIWIR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
27636	Invalid Date/Time. Enter '*' for system date.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
42410	Invalid Equipment Code.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
43981	Invalid JSON	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44282	Invalid JSON in :PARAM1	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44283	Invalid JSON in :PARAM1 .json	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36321	Invalid Lookup.		TCCLOV TCPMTR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
39016	Invalid Number	22328 Add Support for Aspect Prompt LOV	TCIWIR	7I MOBILE BOILER TEXT
43982	Invalid Password. Please try again.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43983	Invalid Server. Please enter a valid server address.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
27516	Invalid UOM value.	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
43984	Invalid URL	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43985	Invalid User ID or Password	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24780	Invalid User ID/Password	Crossbow	TCCLOG	7I MOBILE BOILER TEXT
44284	Invalid Value. Value entered :PARAM1 is not equal to Parent Value: :PARAM2	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44291	Invalid Value. Value entered :PARAM1 is not in Parent Configuration Set: :PARAM2	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
46242	Invalid Work Order Number. Please refresh the screen.	EquipmentViewController	BCMOBL	7I MOBILE BOILER TEXT
43986	Invalid XML Template	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43980	Invalid address	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
27572	Invalid default value.	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
25240	Invalid e-mail address.	D7i Extended - for the JavaScript language files for client generated email errors	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
27638	Invalid value. Enter '+' or '-'.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
31272	Invalid value. Multiple values must be ',' separated, and it cannot be used in the beginning or at the end of text.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
31273	Invalid value. The value entered does not match any of those specified by the Parent Configuration (i.e.. {0}).	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
35295	Inventory	#28171	BIMROP	MRO INVENTORY
39001	Inventory Adjustment	PVCS #37412	BSDTCV	DATA CONVERSION (MP2)
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
44420	Inventory Price Level		BSINSS	INSTALL PARAMETER SETUP
41423	Inventory Results	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	OSAINV	ASSET INVENTORY
36010	Inventory Type	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
22893	Inventory Value at Shop (Organization Currency)		BSWHSE	DATA WAREHOUSE
22892	Inventory Value at Shop (Default Currency)		BSOPBR	INV VALUE AT SHOP (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22895	Inventory Value at Supplier (Organization Currency)		BSWHSE	DATA WAREHOUSE
22894	Inventory Value at Supplier (Default Currency)		BSOPBT	INV VALUE AT SUPPLIER (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22891	Inventory Value in Transit (Organization Currency)		BSWHSE	DATA WAREHOUSE
22890	Inventory Value in Transit (Default Currency)		BSOPBP	INV VALUE IN TRANSIT (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22887	Inventory Value on Hand (Organization Currency)		BSWHSE	DATA WAREHOUSE
22886	Inventory Value on Hand (Default Currency)		BSOPBL	INV VALUE ON HAND (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22889	Inventory Value to be Repaired (Organization Currency)		BSWHSE	DATA WAREHOUSE
22888	Inventory Value to be Repaired (Default Currency)		BSOPBN	INV VALUE TO BE REPAIRED (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
40881	Inventory Verification Date	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40881	Inventory Verification Date	EAM.EQUIP.REQ.AssetHealthcare.docx	OSAINV	ASSET INVENTORY
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZPAIL	PRINT ASSET INVENTORY LIST
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BCMOBL	7I MOBILE BOILER TEXT
			OSOCDE	EQUIPMENT CLASS DEFINITION
49557	Invest Early (years)	EAM-14486 :Android Tablet - Support localization EAM.EQUIP.REQ.InvestmentOptionsForEquipmentClassD e	USINVP	INVESTMENT PLANNING
49748	Investment Option	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
49555	Investment Options	EAM.EQUIP.REQ.InvestmentOptionsForEquipmentClassD e	OSOCDE	EQUIPMENT CLASS DEFINITION
49568	Investment Period	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
49569	Investment Period Override	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
49504	Investment Plan	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49505	Investment Plan Details	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49503	Investment Planning	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	BSDOCA	DOCUMENTS
49551	Investment Plans	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	BSLOVS	LIST OF LOOKUPS
44534	Invitees	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
12016	Invoice	Document requesting payment for a delivery.	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			PSINVL	INVOICE LINES PER BUYER
			PSPORD	PURCHASE ORDERS
			PZINVL	List Of Invoices Not Yet Approved
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			WHINVS	CUSTOMER INVOICE REPORT
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSINVC	CUSTOMER INVOICES
			WYINVS	CUSTOMER INVOICE REPORT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZINVS	CUSTOMER INVOICE REPORT
			BSWHSE	DATA WAREHOUSE
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
30236	Invoice Address	D7i Extended - Reports - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30236	Invoice Address	D7i Extended - Reports - Print Purchase Orders	PZORDF	Print Purchase Order
33590	Invoice Allocation Details	21342/EWS.PRCH.UC.BookInvoiceAllocations.doc	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			PSINVA	BOOK INVOICE ALLOCATIONS
40662	Invoice Amount	EAM.WORK.REQ.AdjustmentsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
40783	Invoice Amounts	EAM.WORK.REQ.InvoiceDetailsForCustomerInvoice	WSINVC	CUSTOMER INVOICES
23867	Invoice Approval	Infor EAM - The limit that a user cannot exceed when approving invoices - this appears on the record view and is preceeded by 'limit' in the group header.	BSIMUS	IMPORT USERS
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
23868	Invoice Approval Limit	Infor EAM - The limit that a user cannot exceed when approving invoices.	BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
33566	Invoice Comments	EWS.CREP.UC.PrintInvoice	WHINVS	CUSTOMER INVOICE REPORT
			WYINVS	CUSTOMER INVOICE REPORT
			WZINVS	CUSTOMER INVOICE REPORT
40485	Invoice Conditional	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
29961	Invoice Date	D7i Extended -- Invoices form -- Field label, noun	BSMPPR	MP2 PURCHASING
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PZPVAR	PRICING VARIANCE REPORT
			WHINVS	CUSTOMER INVOICE REPORT
			WSDEBS	CREATE CUSTOMER
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WYINVS	CUSTOMER INVOICE REPORT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZINVS	CUSTOMER INVOICE REPORT
			PSINVO	INVOICES
29958	Invoice Details	D7i Extended -- Invoices form -- Block label, invoice=adjective, details=noun	WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
30460	Invoice Diff	D7i Extended - Work Order Cost List report - Diff = Difference	JZCOSL	PROJECT COST SUMMARY
26276	Invoice Differences	Infor EAM. SCR#5640 Project Costs.	JSPROJ	PROJECTS
			WHCOSL	Job Cost Summary Report
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26276	Invoice Differences	Infor EAM. SCR#5640 Project Costs.	WYCOSL WZCOSH WZCOSL	Job Cost Summary Report WO COST LIST_HOSPITALITY Job Cost Summary Report
40214	Invoice Every	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
40895	Invoice Frequency	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
41043	Invoice Level Discounts	EAM-397	WZCIND WZCINS	CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE
28372	Invoice Line	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BZEVTD PSINVA PSINVL PSINVO WSINVC YSACCD	ELECTRONIC RECORDS FOR EVENTS BOOK INVOICE ALLOCATIONS INVOICE LINES PER BUYER INVOICES CUSTOMER INVOICES VIEW GL VALUES
28367	Invoice Lines	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BYTMPPR BZTMPPR WZCIND WZCINS YSACCD	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE VIEW GL VALUES
32783	Invoice No.	EWS.CREP.UC.PricingVariance	BSMPPR	MP2 PURCHASING
28370	Invoice Number	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	PSINVA PSINVO WHINVS WYINVS WZINVS YSACCD	BOOK INVOICE ALLOCATIONS INVOICES CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT VIEW GL VALUES
31601	Invoice Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BSLOVS BZEVTD BZIVLD	LIST OF LOOKUPS ELECTRONIC RECORDS FOR EVENTS ELECORONIC RECORDS FOR INVOICE LINES
30306	Invoice Org.	D7i Extended -- Invoice Lines Per Buyer screen -- Grid Column, invoice=adjective, org.=noun	PSINVA PSINVL PSPORD SSPART SSREQU SSSTOR WSCCON WSCREN WSDEBS WSINVL	BOOK INVOICE ALLOCATIONS INVOICE LINES PER BUYER PURCHASE ORDERS PARTS REQUISITIONS STORES CUSTOMER CONTRACTS CUSTOMER RENTALS CREATE CUSTOMER CUSTOMER INVOICE LINES OVERVIEW
16205	Invoice Price	Report text title to indicate it is an invoice price	OZHISL	Object History
41204	Invoice Revision	EAM-1216	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
30305	Invoice Status	D7i Extended -- Invoice Lines Per Buyer screen -- Grid Column, invoice=adjective, status=noun	PSINVL	INVOICE LINES PER BUYER
40663	Invoice Tax Amount	31312 EAM.WORK.REQ.AdjustmentsForCustomerContract	BSWHSE WSCCON WSINVC	DATA WAREHOUSE CUSTOMER CONTRACTS CUSTOMER INVOICES
34647	Invoice Totals	SCR 28465.	PSINVO WZCIND	INVOICES CUSTOMER INVOICE DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34647	Invoice Totals	SCR 28465.	WZCINS	SHORT CUSTOMER INVOICE
31602	Invoice Value	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
29957	Invoice Voucher	D7i Extended -- Invoices form -- Field label, noun	BSDOCA PSINVO PSPOLN	DOCUMENTS INVOICES IMPORT PO LINES
30095	Invoice Voucher Details	D7i Extended -- Lines tab on Invoice Vouchers form -- Block label, noun	PSINVO	INVOICES
30094	Invoice Voucher Line	D7i Extended -- Lines tab on Invoice Voucher form -- Field label, noun	PSINVO	INVOICES
12795	Invoice address	The address to which invoices are to be sent.	PTORDF	Print Purchase Order
16517	Invoice lines	the line item of the invoice	BTTMPR	LIST OF TAMPERED RECORDS
19681	Invoiced	The quantity or price invoiced, depending on the order line type.	PSINVO PSPOLN	INVOICES IMPORT PO LINES
40430	Invoiced Amount	EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
32942	Invoiced Price	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
32786	Invoiced Quantity	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
30307	Invoiced Value	D7i Extended -- Invoice Lines Per Buyer -- Grid Column	PSINVL	INVOICE LINES PER BUYER
19628	Invoices	new name for existing form in commercial services	BSLOVS JYACOS JZACOS JZPBCS WSDEBS YSACCD	LIST OF LOOKUPS PROJECT AREA COST SUMMARY PROJECT AREA COST SUMMARY PROJECT BUDGET CODE COST SUMAMRY CREATE CUSTOMER VIEW GL VALUES
40364	Invoicing Currency	Invoicing Currency	WSCCON WSINVC WZCCON WZCIND WZCINS	CUSTOMER CONTRACTS CUSTOMER INVOICES PRINT CUSTOMER CONTRACT CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE
40484	Invoicing Description	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON WSCREN WSCTMP WSINVC	CUSTOMER CONTRACTS CUSTOMER RENTALS CONTRACT TEMPLATES CUSTOMER INVOICES
40434	Invoicing Details	EAM.WORK.REQ.CustomerRentals	WSCCON WSCREN	CUSTOMER CONTRACTS CUSTOMER RENTALS
40524	Invoicing Org.	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSBUOR WSCCON WSCTMP WSINVC	BATCH UPDATE ORGANIZATION POPUP CUSTOMER CONTRACTS CONTRACT TEMPLATES CUSTOMER INVOICES
40547	Invoicing Percentage	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON WZCCON	CUSTOMER CONTRACTS PRINT CUSTOMER CONTRACT
27821	Invoke Dataspy	D7i Extended - Screens form - DropDown element	BHFUNL BYFUNL BZFUNL	List Of Functions LIST OF FUNCTIONS List Of Functions
20229	Is Empty	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID is empty.	BSDTSP BSJSDN DSTRAN FCLABL	DATASPY COMMON FUNCTION FOR JAVASCRIPT DATABRIDGE TRANSACTIONS FLAMETHROWER LABELS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29286	Is Greater Than or Equal To	D7i Extended - List of Inspection Results Report	ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
45007	Is Incremental	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
29285	Is Less Than or Equal To	D7i Extended - List of Inspection Results Report	ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
20230	Is Not Empty	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID is Not Empty.	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSTRAN	DATABRIDGE TRANSACTIONS
			FCLABL	FLAMETHROWER LABELS
43733	Is Nullable	EAM.ADMIN.REQ.FieldsForUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
43732	Is Primary Key	EAM.ADMIN.REQ.FieldsForUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
48695	Isolate	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
48696	Isolate Main	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
41794	Isolated	1015	BCMOBL	7I MOBILE BOILER TEXT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
41821	Isolation Method	EAM.EQUIP.REQ.LOTOForEquipment	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
			WZPTWR	PRINT PERMIT TO WORK
48446	Isolation Method Comments	EAM-42687	BCMOBL	7I MOBILE BOILER TEXT
42617	Isolation Method Description	PermitToWorkForIsolationPoints	WSILPO	ISOLATION POINTS
48444	Isolation Method Documents	EAM-42687	BCMOBL	7I MOBILE BOILER TEXT
42616	Isolation Method Revision	PermitToWorkForIsolationPoints	WSILPO	ISOLATION POINTS
41790	Isolation Point	1015	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41790	Isolation Point	1015	WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
48445	Isolation Point Comments	EAM-42687	BCMOBL	7I MOBILE BOILER TEXT
42131	Isolation Point Conflicts	EAM-3563 EAM.WORK.REQ.ConflictsForPermitToWork	WSPMTW	PERMIT TO WORK
42080	Isolation Point Description	EAM-1015:EAM.WORK.REQ.IsolationPoints	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
41824	Isolation Point Details	EAM-1015:EAM.WORK.REQ.IsolationPoints	WSILPO	ISOLATION POINTS
48443	Isolation Point Documents	EAM-42687	BCMOBL	7I MOBILE BOILER TEXT
41948	Isolation Point Org.	LOTOForEquipment	BZLTPW	ELECTRONIC RECORDS FOR LOTO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
42041	Isolation Point Revision	LOTOForPermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			WSPMTW	PERMIT TO WORK
41880	Isolation Points	EAM-3612: EAM.WORK.REQ.IsolationPointsForRevisionC	WSRVCS	REVISION CONTROL SETUP
41947	Isolation Step	LOTOForEquipment	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
42257	Isolation Steps	EAM-3624	WHPTWR	PRINT PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
41876	Isolation Type	EAM.WORK.REQ.Permit	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLT	IMPORT FROM EQUIPMENT
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPWLT	IMPORT FROM PTW
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
41876	Isolation Type	EAM.WORK.REQ.Permit	WSJOVH	CREATE WORK ORDER			
			WSJOVM	CREATE WORK ORDER			
			WSPERM	PERMITS			
			WSPPMS	PM SCHEDULES			
			WSSTWO	STANDARD WOS			
30498	Iss/Recv Entity	D7i Extended. Boiler text for the Stock Transaction Report. 'Iss' is an abbreviation for 'Issue' and 'Recv' is an abbreviation for 'Receive.' The 'Iss/Recv Entity' the system entity associated with the issue/receipt transaction, e.g. PORL entity.	SYTRAL	Printed List Of Stock Transactions			
			SZTRAL	Printed List Of Stock Transactions			
30499	Iss/Recv Party	D7i Extended. Boiler text for the Stock Transaction Report. 'Iss' is an abbreviation for 'Issue' and 'Recv' is an abbreviation for 'Receive.' The 'Iss/Recv Party' is the party (group of personnel) associated with the issue/receipt transaction.	SYTRAL	Printed List Of Stock Transactions			
			SZTRAL	Printed List Of Stock Transactions			
12559	Iss/recv entity	Crossbow. Issue To. A stores transaction where parts are taken from stock for a specific activity or object.	STTRAL	Printed List Of Stock Transactions			
12560	Iss/recv party		STTRAL	Printed List Of Stock Transactions			
25388	IssTo		TCMRTP	7I MOBILE BOILER TEXT			
12021	Issue		BCMOBL	7I MOBILE BOILER TEXT			
			SSISSU	Stock Issues			
			STTRAL	Printed List Of Stock Transactions			
			SYTRAL	Printed List Of Stock Transactions			
			SZTRAL	Printed List Of Stock Transactions			
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST			
			STRCVF	Goods Received Note			
			SYRCVF	GOODS RECEIVED NOTE			
			SZRCVF	Goods Received Note			
			WZFSTR	FIRST TRANSIT REPORT			
			WZFUTX	FUEL TRANSACTIONS			
			TCMRTP	7I MOBILE BOILER TEXT			
			SSIUSS	STORE TO STORE ISSUES			
42201	Issue Core Qty.	EAM-5161 EAM.MATL.REQ.PartsforStoretoStoreIssues	BSINTR	MP2 INVENTORY TRANSACTIONS			
29207	Issue Date	D7i Extended - List of Permit Issues Report	OSHPFY	CREATE HOSPITALITY FACILITIES			
			OSHPRM	CREATE HOSPITALITY ROOMS			
			OSHPVH	CREATE VEHICLE EQUIPMENT			
			OSKEYM	KEY MANAGEMENT			
			OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT			
			OSOVPM	CREATE POSITION EQUIPMENT			
			OSOVSM	CREATE SYSTEM EQUIPMENT			
			OZKEYD	KEY LIST-DETAIL			
			OZRING	RING LIST-DETAIL			
			WSEMPs	EMPLOYEES			
			WTPERL	List Of Permit Issues			
			WZPERL	List Of Permit Issues			
			40452	Issue Date/Time	EAM.WORK.REQ.CustomerRentals	OSOBJA	CREATE ASSET EQUIPMENT
						OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40452	Issue Date/Time	EAM.WORK.REQ.CustomerRentals	OSOBJS WSCREN WZVRHS	CREATE SYSTEM EQUIPMENT CUSTOMER RENTALS VEHICLE RENTAL HISTORY
34302	Issue Days	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
22569	Issue Details	Infor EAM - group header on the issue popup	SSISSP WSCREN WSFLTK WTVTKT WZVRHS WZVTKT	ISSUE PART CUSTOMER RENTALS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE RENTAL HISTORY VEHICLE TICKET REPORT
44331	Issue Expiration Date	EAM.EQUIP.REQ.KeyManagement	OSHPPFY OSHPRM OSHPVH OSKEYM OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OZKEYD OZRING WSEMPs WSFISS SSISSU	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT KEY MANAGEMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT KEY LIST-DETAIL RING LIST-DETAIL EMPLOYEES FUEL ISSUES Stock Issues
17519	Issue From	Infor EAM - group header on the issue/return parts screen - displays the fields from which or to which the parts will be issued or returned.	WSFISS	FUEL ISSUES
21448	Issue From / Return To		SSISSU	Stock Issues
40423	Issue Fuel Level	EAM.WORK.REQ.CustomerRentals	WSCREN WZVRHS	CUSTOMER RENTALS VEHICLE RENTAL HISTORY
40422	Issue Location	EAM.WORK.REQ.CustomerRentals	WSCREN WZVRHS	CUSTOMER RENTALS VEHICLE RENTAL HISTORY
22567	Issue Part	Infor EAM - link button on the Stock tab of the Parts form to issue the selected part to a work order, and/or project, and/or equipment.	BCMOBL SSISSP SSPART	7I MOBILE BOILER TEXT ISSUE PART PARTS
20593	Issue Parts	Infor EAM - group header for issuing parts	BCMOBL WSCLSR WSSREQ WSSRIS WSVITE	7I MOBILE BOILER TEXT CLOSE SERVICE REQUEST SERVICE REQUESTS ISSUE PARTS FOR SERVICE REQUEST WORK ORDER QUICK ENTRY
22570	Issue Qty.	Infor EAM - the number of parts to issue to the work order, project, and/or equipment	SEIRPP SSBUKT SSIRPP SSISSP SSIUSS SZBUKT	ISSUE/RETURN PACKAGE PARTS POPUP BUILD KITS ISSUE/RETURN PACKAGE PARTS POPUP ISSUE PART STORE TO STORE ISSUES PRINT BUILD LIST
40421	Issue Reading	EAM.WORK.REQ.CustomerRentals	WSCREN WZVRHS	CUSTOMER RENTALS VEHICLE RENTAL HISTORY
46341	Issue Selected Parts	Work Order	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35964	Issue Time	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
17499	Issue To		BSINTR	MP2 INVENTORY TRANSACTIONS
			FCGRD1	FLAMETHROWER GRID 1
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSRETP	RETURN PART
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSDEPO	DEPOTS
			WSFUEL	FUEL
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZVRHS	VEHICLE RENTAL HISTORY
21447	Issue To / Return From	Infor EAM - group header on the issue/return parts screen - displays the fields to which or from which the parts will be issued or returned.	SSISSU	Stock Issues
			WSFISS	FUEL ISSUES
35965	Issue To Code	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
32482	Issue Transaction	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
31434	Issue/Receipt/Return/Store to Store Lines	D7i Extended - List of Tampered Records report	BYTMPR	LIST OF TAMPERED RECORDS
			BZTMPR	LIST OF TAMPERED RECORDS
19465	Issue/Receipt/Return/Store-to-store lines	the line items of issue, returns, receipts, and store-to-store transfers...displays on printed report	BTTMPR	LIST OF TAMPERED RECORDS
34472	Issue/Recv Entity	Reports for BE	SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
43359	Issue/Return	EAM-9579 / EAM.CREP.REQ.OverdueVehicleIssueReturnL	BCMOBL	7I MOBILE BOILER TEXT
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
25390	Issue/Return List	Crossbow. Issues/Returns.	TCJACL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
25391	Issue/Return Part	Crossbow. Issues/Returns.	BCMOBL	7I MOBILE BOILER TEXT
			SCISSP	CROSSBOW MATERIAL MENU
			TCCERR	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
47440	Issue/Return Part Details	EAM.MATL.REQ.Packages-IssueReturnPartsPopup	SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
21449	Issue/Return Parts	Infor EAM - title of form on which the user can issue parts to and return parts from work orders, equipment, or	FCGRD1	FLAMETHROWER GRID 1
			SEISSU	Stock Issues

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21449	Issue/Return Parts	projects	SSISSU	Stock Issues
			SSPACK	PACKAGES SCREEN
32633	Issue/Return Summary	20247	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
29661	Issued By	D7i Extended - EWS.MATL.UC.TransactionsforParts.doc - Field for showing the originator	SSPART	PARTS
			WSCREEN	CUSTOMER RENTALS
			WSFLTK	FLEET VEHICLE TICKETS
			WSJOBS	CREATE WORK ORDER
			WTVTKT	VEHICLE TICKET REPORT
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
31394	Issued Date	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30841	Issued Date/Time	D7i Extended -- Vehicle Ticket -- Field Label, date and time vehicle was issued	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30838	Issued Fuel Level	D7i Extended -- Vehicle Ticket -- Field Label, amount of available fuel at time of issue	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30840	Issued Mileage	D7i Extended -- Vehicle Ticket -- Field Label, number of miles on vehicle at time of issue	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30839	Issued Parking Location	D7i Extended -- Vehicle Ticket -- Field Label, exact location of vehicle when issued	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
42524	Issued Part	EAM-4643:EAM.MATL.UREQ.TransactionsforParts	SSPART	PARTS
			TCMRTL	7I MOBILE BOILER TEXT
20604	Issued Qty	Infor EAM - number of parts issued	WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
24126	Issued Qty.	Extended (product name). Materials module.	SSPICK	PICK TICKETS
			SSRETP	RETURN PART
26067	Issued To	Infor EAM. Issue To field. Refer to PVCS 5801.	BSLOVS	LIST OF LOOKUPS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPLY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26067	Issued To	Infor EAM. Issue To field. Refer to PVCS 5801.	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSPART	PARTS
			SSSTOR	STORES
			WSBFUL	BATCH FUEL ISSUES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSFISS	FUEL ISSUES
			WSFLTK	FLEET VEHICLE TICKETS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WTVTKT	VEHICLE TICKET REPORT
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZVTKT	VEHICLE TICKET REPORT
29244	Issues	D7i Extended - List of Permit Issues Report	WTPERL	List Of Permit Issues
29206	Issues Between	D7i Extended - List of Permit Issues Report	WZPERL	List Of Permit Issues
			WTPERL	List Of Permit Issues
34691	Issues Between :PARAM1 and :PARAM2	EWS.CREP.UC.ListofPermitIssues	WZPERL	List Of Permit Issues
			WZPERL	List Of Permit Issues
34689	Issues On or After :PARAM1	EWS.CREP.UC.ListofPermitIssues	WZPERL	List Of Permit Issues
34690	Issues On or Before :PARAM2	EWS.CREP.UC.ListofPermitIssues	WZPERL	List Of Permit Issues
36422	Issues/Returns	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
47097	It is possible to only activate this for the work order checklist.	EAM.EQUIP.REQ.NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
45792	It is strongly recommended to exclude comments from the SQL Statement and instead include these comments in the Note field.	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
40823	Italic (Ctrl+I)	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37115	Italics	EWS.WORK.ParametersforPMPlanning	WSPMPL	PM FORECASTING
12022	Item	An item is a specific part or material that is used in the maintenance process. Synonyms are part, material or spare part.	PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12022	Item	PVCS 20463	PZPRFQ	REQUEST FOR QUOTATION
			USBGRP	BUDGET GROUPS
36011	Item Class	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35823	Item Description	EWS.ADMN.UC.MP2WorkOrders	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPWO	MP2 WORK ORDERS
32476	Item Details	EWS.BUD.UC.ItemsForBudgetGroups	USBGRP	BUDGET GROUPS
30226	Item Discount	D7i Extended - Reports - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
32782	Item No.	EWS.CREP.UC.PricingVariance	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
36012	Item Status	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36346	Item Tax	EWS.ADMN.UC.MP2Purchasing/29703	BSMPPR	MP2 PURCHASING
36013	Item Type	EWS.ADMN.UC.MP2Purchasing	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
12208	Item discount	The discount for an individual line item on a purchase order.	PTORDF	Print Purchase Order
14352	Item name		BXLAYO	R5 Screen Layout Editor
32473	Items	EWS.BUD.UC.ItemsForBudgetGroups	BSLOVS	LIST OF LOOKUPS
			BSMPQT	MP2 QUOTATIONS
			USBGRP	BUDGET GROUPS
47536	Items Selected	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
31900	Items Total	EWS.CREP.UC.ListofInvoices - List of Invoices report	PZINVL	List Of Invoices Not Yet Approved
28124	J8160 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28125	J8162 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28126	J8163 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28127	J8165 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28128	J8360 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28129	J8362 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28130	J8363 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28131	J8365 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28132	J8560 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28133	J8562 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28134	J8563 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28135	J8565 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
47438	JAN,FEB,MAR,APR,MAY,JUN,JUL,AUG,SEP,OCT,NOV,DEC	EAM-34822	REPORT	General Report Function
35585	JBoss is a registered trademark and servicemark of JBoss, Inc.	#28343	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
46977	JSI Work Order	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
41960	Jade	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
37389	Jan :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
40018	Jan.	#47067	CZISGH	INCIDENT SUMMARY GRAPH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40018	Jan.	#47067	SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
33955	January	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21523 (Code Descriptions) for the existing translations.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES
		EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
33957	January..December	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21548 (Code Descriptions) for the existing translations.	DSGLPS	GL PROCESS SCHEDULES
34877	Java Class	EWS.DBPARTNER.UC.DatabridgePartner.JobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
42837	Job	EAM.WORK.REQ.JobsforTaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			OSCLAI	WARRANTY CLAIMS
			OSEQCI	CHECKLIST ITEMS
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SHREQF	Print Purchase Requisition
			SSBRKT	BREAKUP KIT
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPRES	PART RESERVATIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETP	RETURN PART
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			SZREQF	Print Purchase Requisition
			SZRESL	Parts Currently Reserved/Allocated

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42837	Job	EAM.WORK.REQ.JobsforTaskPlans	UZBANA	BUDGET ANALYSES
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVBH	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSIMPL	IMPORT PART LIST
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMECH	MECHANIC'S WORKBENCH
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPLPA	PLANNED PART AVAILABILITY
			WSPPMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog
			WZDELP	PROOF OF DELIVERY
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
43803	Job - Description	EAM-12739	WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
43392	Job Comments	EAM-10599	WSTASK	TASKS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43392	Job Comments	EAM-10599	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47526	Job Complete	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
43436	Job Description	10901:EAM.WORK.REQ.PlanPartsforStandardWO	OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSPOLN	IMPORT PO LINES
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTOOL	TOOLS
27113	Job Details	D7i Extended - Job Setup	BSJOBS	JOB SETUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31189	Job History	Barcoding	FCSCRN	FLAMETHROWER SCREENS
27108	Job Name	D7i Extended - Job Setup	BSJOBS	JOB SETUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			FCSCRN	FLAMETHROWER SCREENS
43437	Job Org.	10901:EAM.WORK.REQ.PlanPartsforStandardWO	WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
42734	Job Plan	EAM.WORK.REQ.JobPlans	BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42734	Job Plan	EAM.WORK.REQ.JobPlans	SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			WHACTV	VMRS ACTIVITIES
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSBKPO	BOOK PO LABOR
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSIMCL	IMPORT CHECKLIST
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMECH	MECHANIC'S WORKBENCH
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WZACTV	VMRS ACTIVITIES
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
42835	Job Plan Description	EAM.WORK.REQ.JobsforTaskPlans	WSIMCL	IMPORT CHECKLIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
42735	Job Plan Details	EAM.WORK.REQ.JobPlans	WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSJBPL	JOB PLANS
43393	Job Plan Qty.	EAM-10599	WSTASK	TASKS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
42934	Job Plan Revision	EAM.WORK.REQ.ChecklistForTaskPlan	WSJOVM	CREATE WORK ORDER
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSGRFQ	GENERATE RFQS
			WSIMCL	IMPORT CHECKLIST
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42934	Job Plan Revision	EAM.WORK.REQ.ChecklistForTaskPlan	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
43394	Job Plan UOM	EAM-10599	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
42797	Job Plans	EAM.WORK.REQ.JobPlans	BSLOVS	LIST OF LOOKUPS
31190	Job Properties	Barcoding	FCSCRN	FLAMETHROWER SCREENS
43435	Job Sequence	10901:EAM.WORK.REQ.PlanPartsforStandardWO	SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
27114	Job Setup	D7i Extended - Job Setup	BSJOBS	JOB SETUP
41066	Job Title	EAM - 295 : EAM.WORK.REQ.Employee	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
27109	Job Type	D7i Extended - Job Setup	BSJOBS	JOB SETUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31191	Jobs	Barcoding	FCSCRN	FLAMETHROWER SCREENS
		EAM.WORK.REQ.JobsforTaskPlans	BSLOVS	LIST OF LOOKUPS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
28447	Joint Efficiency	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
27864	Journal Entry Category	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27864	Journal Entry Category	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			YSGLRF	GL REFERENCES
			YSPRCD	GL PROCESS DEFINITIONS
27866	Journal Entry Source	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
37395	Jul :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	YSGLRF	GL REFERENCES
			YSPRCD	GL PROCESS DEFINITIONS
40029	Jul.	#47067	WSPMPL	PM FORECASTING
			CZISGH	INCIDENT SUMMARY GRAPH
33966	July	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
24307	Jump	EAM-5333	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES
35206	Jump to Screen	D7i Extended - For the right click menu	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35208	Jump to Screen Details	19870	BANNER	BANNER
			BANNER	BANNER
37394	Jun :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
			CZISGH	INCIDENT SUMMARY GRAPH
40027	Jun.	#47067	SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
33965	June	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33965	June	EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
47784	Jurisdiction	EAM-37754	SSPART	PARTS
33330	KB Article	21970	CSEDLK	CREATE HTML EDITOR LINK
33845	KB Results Per Page	23338	CSCCSP	CONTACT CENTER SETUP
17394	KPI	Stands for Key Performance Indicator.	BHKIUR	KPI/INBOX USAGE
			BSGROU	GROUPS
			BSHOME	HOME - OVERVIEW SCREEN
			BSIMPT	IMPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSQUER	QUERIES
			BZKIUR	KPI/INBOX USAGE
			OSOVIV	EQUIPMENT OVERVIEW 360
26562	KPI Code	D7i Extended - field label	BSEXIM	EXPORT CONFIGURATION
			BSHOME	HOME - OVERVIEW SCREEN
			BSKPIC	DEFINING KPI ENTRIES
			BSKPIP	PERSONALIZE KPI POPUP
			BSLOVS	LIST OF LOOKUPS
			BSUSER	USER SETUP
			BSWHSE	DATA WAREHOUSE
			OSOVIV	EQUIPMENT OVERVIEW 360
27850	KPI Codes	D7i Extended -- KPI Setup form -- noun	BSLOVS	LIST OF LOOKUPS
28522	KPI Description	Data Warehouse. Refer to PVCS 7722.	BSWHSE	DATA WAREHOUSE
18127	KPI Details	Group header...KPI stands for key performance indicator.	BSGROU	GROUPS
			BSKPIC	DEFINING KPI ENTRIES
			BSUSER	USER SETUP
38269	KPI Display Options	EWS.ADMN.UC.CreateEditKPIEntries.doc	BSKPIC	DEFINING KPI ENTRIES
27341	KPI Entry Details	D7i Extended - Block label used in personalize KPIs popup	BSKPIP	PERSONALIZE KPI POPUP
28524	KPI History Normalized Score	Data Warehouse. Refer to PVCS 7722.	BSOPKS	KPI HISTORY NORMALIZED SCORE
			BSWHSE	DATA WAREHOUSE
28523	KPI History Value	Data Warehouse. Refer to PVCS 7722.	BSOPKV	KPI HISTORY VALUE
			BSWHSE	DATA WAREHOUSE
26566	KPI Hyperlink	D7i Extended - section name	BSKPIC	DEFINING KPI ENTRIES
26831	KPI Icon	D7i Extended - Ranges for KPIs - field label	BSSTRT	EWS NEW START CENTER
26564	KPI Options	D7i Extended - section name	BSKPIC	DEFINING KPI ENTRIES
28525	KPI Update Date	Data Warehouse. Refer to PVCS 7722.	BSWHSE	DATA WAREHOUSE
26565	KPI Values	D7i Extended - section name	BSKPIC	DEFINING KPI ENTRIES
27332	KPIs	D7i Extended - block title for the new start center	BSSTRT	EWS NEW START CENTER
			BSUSER	USER SETUP
35255	KPIs and Inboxes	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
41613	KWh per Year	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL003	PHASE IMBALANCE
48373	Keep Editing	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31192	Keep Job History (days)	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31193	Keep Server Log (days)	Barcoding	FCSCRN	FLAMETHROWER SCREENS
12491	Keep values	When the user returns, after running a report, should the parameter values be retained or not ?	REPORT	General Report Function
16308	Key	The key of the PM, material list, task or route.	BZEALD	ELECTRONIC RECORDS FOR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16308	Key	The key of the PM, material list, task or route.	BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			DSSTAT	DATABRIDGE SYSTEM STATUS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			OZRING	RING LIST-DETAIL
			PSINVA	BOOK INVOICE ALLOCATIONS
			WSAPPH	REVISION CONTROL HISTORY
			WSEMPs	EMPLOYEES
			TCCERR	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
42320	Key 1	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
42321	Key 2	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
42322	Key 3	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
42323	Key 4	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
42324	Key 5	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
42325	Key 6	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
44329	Key Decode	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
44322	Key Description	EAM.EQUIP.REQ.KeyManagement	OZKEYD	KEY LIST-DETAIL
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
			WSEMPs	EMPLOYEES
			OSKEYM	KEY MANAGEMENT
44328	Key Details	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
35177	Key Field	EWS.ADMN.UC.FieldsforWebServicePrompt	BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
28325	Key Field 1	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSWSPM	WEB SERVICES PROMPT
			BSDOCU	DOCUMENTS
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			YSACCD	VIEW GL VALUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28326	Key Field 2	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSDOCU	DOCUMENTS
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			YSACCD	VIEW GL VALUES
28514	Key Field 3	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSDOCU	DOCUMENTS
			YSACCD	VIEW GL VALUES
28515	Key Field 4	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
28516	Key Field 5	Databridge. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
27185	Key Field List	D7i Extended - Comma Separated List of Field Ids that are part of the Primary Key	BEWSMD	EWS - METADATA DEFINITION
27192	Key Field List (MultiOrg)	D7i Extended - Comma Separated List of field ids that are part of the primary key	BEWSMD	EWS - METADATA DEFINITION
26429	Key Fields	Infor EAM. List of key field for the interface record. Refer to EWS.DCI.UC.InterfaceOverview.	BSLOVS	LIST OF LOOKUPS
			YSINTF	INTERFACE OVERVIEW
44436	Key Management	EAM-14803	BSDOCA	DOCUMENTS
40941	Key Number	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
			OZKEYD	KEY LIST-DETAIL
			OZRING	RING LIST-DETAIL
42043	Key References	LOTO for Permit to Work	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
45796	Key Transactions	EAM.CREP.UC.KeysTransactions.docx	OZKEYT	KEY TRANSACTIONS
44335	Key Type	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
			OZKEYD	KEY LIST-DETAIL
			BSDWRL	DATA WAREHOUSE RUN LOG
28026	Key Values	Data Warehouse. The key field / value pairs identifying a database record. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
44321	Key/Ring	EAM.EQUIP.REQ.KeyManagement	OSKEYM	KEY MANAGEMENT
			OZKEYT	KEY TRANSACTIONS
44979	Key/Ring Type	EAM-15136	OSKEYM	KEY MANAGEMENT
			OZKEYT	KEY TRANSACTIONS
			OZKEYT	KEY TRANSACTIONS
48055	Keyfield01	EAM-40941	BSCMEX	CONFIGURATION MANAGER - EXPORT
48056	Keyfield02	EAM-40941	BSCMEX	CONFIGURATION MANAGER - EXPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48338	Keyfield03	EAM-42273	BSCMEX	CONFIGURATION MANAGER - EXPORT
48339	Keyfield04	EAM-42273	BSCMEX	CONFIGURATION MANAGER - EXPORT
48340	Keyfield05	EAM-42273	BSCMEX	CONFIGURATION MANAGER - EXPORT
13239	Keys	Pull down menu item	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			M1	Pull-Down Menu Texts
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSEMP5	EMPLOYEES
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSKBSP	KNOWLEDGE BASE SEARCH
33247	Keyword Search	EWS.CCTR.UC.ContactCenter	CSKBAD	KNOWLEDGE BASE ADMINISTRATION
33014	Keywords	EWS.CCTR.UC.KBAdmin	OSOBTV	OBJECTIVES
41359	Kickoff Date	EAM-403, EAM.EQUIP.REQ.Objective	OSSTGY	CREATE STRATEGY
24644	Kilometers	D7i Extended - GIS Map Search - UOM dropdown value	BCMOBL	7I MOBILE BOILER TEXT
			BEGEQ	GIS DATA IMPORT FILTER GRID EQUIPMENT
			BEGEQC	GIS DATA IMPORT FILTER GRID EQUIPMENT COSTS
			BEGEQE	GIS DATA IMPORT FILTER GRID EQ AND EVENTS
			BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			BSCLAS	CLASSES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24644	Kilometers	D7i Extended - GIS Map Search - UOM dropdown value	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGISD	MAP VIEW
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
39912	Kit	EAMS.MATL.UC.CreateEditParts	SSISSU	Stock Issues
40317	Kit Bin	EAM.MATL.UC.BuildKit.doc/EAM-78	SSPART	PARTS
			SSBUKT	BUILD KITS
40399	Kit Lot	EAM.MATL.UC.BreakupKit.doc	SZBUKT	PRINT BUILD LIST
			SSBRKT	BREAKUP KIT
40325	Kit Lot Description	EAM.MATL.UC.BuildKit.doc/EAM-78	WSEMPs	EMPLOYEES
			SSBUKT	BUILD KITS
			SZBUKT	PRINT BUILD LIST
			SZEKIT	LIST OF EXPIRED KITS
			SZLKIT	LIST OF KITS
40326	Kit Lot Expiration Date	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SZBUKT	PRINT BUILD LIST
			BSLOVS	LIST OF LOOKUPS
40633	Kit Lots	EAM.MATL.UC.BreakupKit.doc	BSLOVS	LIST OF LOOKUPS
40314	Kit Part	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SZBUKT	PRINT BUILD LIST
			SZEKIT	LIST OF EXPIRED KITS
			SZLKIT	LIST OF KITS
			SZTKIT	KIT TEMPLATE
			SZBUKT	PRINT BUILD LIST
			SZTKIT	KIT TEMPLATE
40316	Kit Part Org.	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
40740	Kit Part Organization	EAM-323 EAM-324 EAM-325	SZBUKT	PRINT BUILD LIST
			SZEKIT	LIST OF EXPIRED KITS
			SZTKIT	KIT TEMPLATE
40387	Kit Parts	EAM.MATL.UC.BuildKit.doc/EAM-78	BSLOVS	LIST OF LOOKUPS
39943	Kit Template	EAM.MATL.UC.KitTemplate.docx	SSPART	PARTS
40739	Kit Total Price	EAM-323 EAM-324 EAM-325	SZLKIT	LIST OF KITS
40947	Kitchen	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40947	Kitchen	EAM.EQUIP.REQ.Rooms	OSHPRM	CREATE HOSPITALITY ROOMS
33787	Knowledge Base	EWS.CCTR.UC.KnowledgeBase	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33013	Knowledge Base Article	EWS.CCTR.UC.KBAdmin	CSKBSP	KNOWLEDGE BASE SEARCH
			CSBBNT	BULLETIN BOARD NOTICES
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			BSLOVS	LIST OF LOOKUPS
33270	Knowledge Base Articles	22070	CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CSCCSP	CONTACT CENTER SETUP
35216	Knowledge Base Options	EWS.CCTR.UC.CallCenterSetup	CSCCTR	CONTACT CENTER
33245	Knowledge Base Search	EWS.CCTR.UC.ContactCenter	CSINRE	GUEST INCIDENT REQUEST
			CSKBSP	KNOWLEDGE BASE SEARCH
28136	L2160 Mini - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28137	L2162 Mini - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28138	L2163 Mini - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28139	L2186 Mini - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28140	L7160 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28141	L7161 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28142	L7162 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28143	L7163 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28144	L7164 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28145	L7165 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28146	L7166 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28147	L7167 - Full Sheet	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28148	L7168 - Half Sheet	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28149	L7413 - Business Card	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28150	L7551 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28151	L7562 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28152	L7563 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28153	L7565 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28154	L7651 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28155	L7655 - Audio Tape	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28156	L7656 - 35mm Film Slide	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28157	L7664 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28158	L7666 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28159	L7671 - Video Face	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28160	L7674 - Video Spine	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28161	L7680 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28162	L7690 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28163	L7701 - Lever Arch	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28164	L7702 - Lever Arch	Barcode - label format	FCLABL	FLAMETHROWER LABELS
38951	LDAP	SCR 38957	BSBSET	ADMIN SETUP
35847	LENGTH	EWS.ADMN.UC.TableStructurePopup.doc	BCMOBL	7I MOBILE BOILER TEXT
			BSTBST	TABLE STRUCTURE POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41955	LOTO	LOTOForEquipment	BCMOBL	7I MOBILE BOILER TEXT
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZTRAS	EQUIPMENT TRANSFER LOG
			WSCPTW	COPY REPLACE PTW POPUP
			WSPMTW	PERMIT TO WORK
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
42103	LOTO Comments	EAM.WORK.REQ.PermitToWork.docx	WCPMTW	MOBILE PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
42180	LOTO Date Review Required	EAM-3849: EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42555	LOTO Date Reviewed	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
48421	LOTO Details	EAM-37176	BCMOBL	7I MOBILE BOILER TEXT
42102	LOTO Documents	EAM.WORK.REQ.PermitToWork.docx	WCPMTW	MOBILE PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
48624	LOTO Isolation Method Comments	EAM-43711 - Mobile Transit - Rework Menus, Screen	WCPMTW	MOBILE PERMIT TO WORK
48626	LOTO Isolation Method Documents	EAM-43711 - Mobile Transit - Rework Menus, Screen	WCPMTW	MOBILE PERMIT TO WORK
48625	LOTO Isolation Point Comments	EAM-43711 - Mobile Transit - Rework Menus, Screen	WCPMTW	MOBILE PERMIT TO WORK
48627	LOTO Isolation Point Documents	EAM-43711 - Mobile Transit - Rework Menus, Screen	WCPMTW	MOBILE PERMIT TO WORK
48840	LOTO No.	EAM-44652	BZCHKA	CHECKLIST AUDIT
41875	LOTO Required	EAM.WORK.REQ.Permit	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41875	LOTO Required	EAM.WORK.REQ.Permit	WSJOVM WSPERM WSPPMS WSSTWO	CREATE WORK ORDER PERMITS PM SCHEDULES STANDARD WOS
42557	LOTO Review Type	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42181	LOTO Reviewed By	EAM-3849: EAM.EQUIP.REQ.Assets	BZOBJD OSOBJA OSOBJL OSOBJP OSOBJS OZEQUD WSGSRH WSOPSS	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT DETAIL GIS MAP ROADS HIGHWAYS OPTIMIZED SCHEDULER SETUP
42556	LOTO Reviewed By Name	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42490	LOTO Sequence	EAM.WORK.REQ.ChecklistForPermitToWork/EAM-3566	WSPMTW	PERMIT TO WORK
48419	LOTO Status	EAM-37176	BCMOBL	7I MOBILE BOILER TEXT
27563	LOV	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
27434	LOV Entity	Infor EAM. Field label used in Tranaction Prompts. Refer to PVCS 7409.	BSLOVS TSASTP	LIST OF LOOKUPS DC TRANSACTION PROMPT
14355	LOV attached	Select to make the list of values defined by 'Sql Code' (on TMASTP) available to the user. If you do not select, MP5 still validates data against 'Sql Code', but the list of values is not available to the user.	BXLAYO	R5 Screen Layout Editor
25925	Label	D7i Extended - Menus for User Groups - Field label used in Add main menu folder popup Crossbow Analytics - label = noun	BCRAPD BSCLBP TCSCMN BSOATT	MOBILE RAPID REQUEST CHANGE LABEL POPUP (USED IN MENUS TAB) 7I MOBILE BOILER TEXT ANALYTICS ATTRIBUTES
27894	Label Configuration	Barcode	FCSCRN	FLAMETHROWER SCREENS
27895	Label Configuration:	Barcode	FCSCRN	FLAMETHROWER SCREENS
27930	Label Designer	Barcode	FCSCRN	FLAMETHROWER SCREENS
25894	Label Detail	Extended (product name). Section label used in change label popup. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
27924	Label Dimension	Barcode	FCSCRN	FLAMETHROWER SCREENS
27929	Label Format:	Barcode	FCSCRN	FLAMETHROWER SCREENS
30681	Label Printer	Infor EAM. 'Label Printer' is a field labler in which you identify/specify the name of the printer to use for printing barcode labels.	SSPART SSSTOR	PARTS STORES
30739	Label Printing Default	D7i Extended. Indicates the default print qty for barcode printing.	SSHIXF SSISSU SSPART SSTTHI	HELD ITEMS TRANSFER Stock Issues PARTS STOCK TO HELD ITEMS TRANSFER
30738	Label Server	D7i Extended. Free form text that identifies the server that the label printer is on.	SSSTOR	STORES
42239	Label Template (Core Return)	EAM-5180 EAM.MATL.REQ.StoresforParts	SSPART	PARTS
47597	Label Template (Held Items Receipt)	EAM-35175	SSPART SSSTOR	PARTS STORES
47518	Label Template (Held Items Transfer)	EAM-35768	SSPART SSSTOR	PARTS STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47326	Label Template (Held Items on Non-PO Receipt)	EAM-34168	SSPART	PARTS
			SSSTOR	STORES
47325	Label Template (Held Items on PO Receipt)	EAM-34168	SSPART	PARTS
			SSSTOR	STORES
47519	Label Template (Held Items to Stock Transfer)	EAM-35768	SSPART	PARTS
			SSSTOR	STORES
30714	Label Template (Issue)	D7i Extended. Label template selected for issue labels in barcode printing changes.	SSPART	PARTS
			SSSTOR	STORES
30717	Label Template (Non-PO Receipt)	D7i Extended. Label template selected for receipt labels in barcode printing changes.	SSPART	PARTS
			SSSTOR	STORES
30716	Label Template (Receipt)	D7i Extended. Label template selected for receipt labels in barcode printing changes.	SSPART	PARTS
			SSSTOR	STORES
47517	Label Template (Stock to Held Items Transfer)	EAM-35768	SSPART	PARTS
			SSSTOR	STORES
37832	Label Template (Store-to-Store Receipt)	33723	SSPART	PARTS
			SSSTOR	STORES
43432	Label Template (Warranty Return)	EAM.MATL.REQ.StoresforParts	SSPART	PARTS
			SSSTOR	STORES
30749	Label for Each Item	D7i Extended. List value for Label Default Printing field in barcode printing.	SSPART	PARTS
49767	Label x-axis	EAM.EQUIP.REQ.EquipmentOverview360/EAM-51120	OSOVIW	EQUIPMENT OVERVIEW 360
49768	Label y-axis	EAM.EQUIP.REQ.EquipmentOverview360/EAM-51120	OSOVIW	EQUIPMENT OVERVIEW 360
27931	Label/Text Property	Barcode	FCSCRN	FLAMETHROWER SCREENS
12555	Labor	Internal manpower (i.e. employees).	BSMPWO	MP2 WORK ORDERS
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPROJ	PROJECTS
			OHOCS	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSCLAI	WARRANTY CLAIMS
			OTCSTL	WORK ORDER COST SUMMARY
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			WSFMRK	FLEET MARKUP CODES
			WSPROJ	CREATE PROJECT POPUP
			WYPFMC	FUTURE MAINTENANCE COST
			WYWFCM	FUTURE MAINTENANCE COSTS
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZPFMC	FUTURE MAINTENANCE COST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12555	Labor	Internal manpower (i.e. employees). Crossbow Crossbow EAM.WORK.REQ.EstimatedCostsForTaskPlans	WZPMCC	PM REPAIR COSTS CHART
			WZWPMC	FUTURE MAINTENANCE COSTS
			TCJACL	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
24987	Labor %	Infor EAM (Base). Field for Warranties enhancement for version 7.7.	WSTASK	TASKS
			OSWARR	WARRANTY
49016	Labor Adjustment 0	EAM.PROJ.REQ.CompatibleUnitsEstimates	WSFMRK	FLEET MARKUP CODES
			JSCUES	CU ESTIMATES
49017	Labor Adjustment 1	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49018	Labor Adjustment 2	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49019	Labor Adjustment 3	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49020	Labor Adjustment 4	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49021	Labor Adjustment 5	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49022	Labor Adjustment 6	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49023	Labor Adjustment 7	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49024	Labor Adjustment 8	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49032	Labor Adjustment 9	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUES	CU ESTIMATES
49145	Labor Adjustment Details	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
28902	Labor Bookings Daily Snapshot	Data Warehouse Data Mart. 'Booking' should be treated as 'Recording (retroactive)' instead of 'Reserving (future).'	ASOPAB	LABOR BOOKINGS DAILY SNAPSHOT
31397	Labor Charge	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	BSWHSE	DATA WAREHOUSE
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30213	Labor Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
20975	Labor Cost	Infor EAM - Maintenance costs based on the usage of (own) manpower.	BILABC	LABOR COST
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			OSJOBS	CREATE WORK ORDER
			OSVCST	COSTS FOR EQUIPMENT
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WSCJOB	APPROVE CUSTOMER CHARGES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20975	Labor Cost	Infor EAM - Maintenance costs based on the usage of (own) manpower.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZINVS	CUSTOMER INVOICE REPORT
			WSARRS	PRICING SCHEDULE
30322	Labor Cost %	Infor EAM. Field label on the Pricing Schedules form.	BSOPBF	LABOR COST (DEFAULT CURRENCY)
22865	Labor Cost (Default Currency)		BSWHSE	DATA WAREHOUSE
22866	Labor Cost (Organization Currency)	EAM-4398	BSWHSE	DATA WAREHOUSE
41896	Labor Cost By Trade		BILABC	LABOR COST
49361	Labor Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
21042	Labor Details	Infor EAM - Group header on the labor tab of the work orders form to display labor information	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WYHREL	Actual Labour Hours Against Estimated
31064	Labor Efficiency By	D7i Extended - Actual Labor Hours Against Estimated report	WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			BSOPBE	LABOR HOURS
			BSWHSE	DATA WAREHOUSE
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			BSMPWO	MP2 WORK ORDERS
35782	Labor Markup (%)	EWS.ADMN.UC.MP2WorkOrders	WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
29583	Labor Required	D7i Extended - Calculate Labor Required Per Day or Trade report	WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39372	Labor Schedules	40522	WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
35783	Labor Tax Rate (%)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
20817	Labor Type	Infor EAM - the type of labor needed for a work order, i.e., ST (hours from service) or SF (fixed hours)	PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSREQF	GENERATE REQ
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20817	Labor Type	Infor EAM - the type of labor needed for a work order, i.e., ST (hours from service) or SF (fixed hours)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
12206	Labor hours	This is a label on a printed report that shows how many hours an employee worked.	OTCSTL	WORK ORDER COST SUMMARY
48245	Labor must be manually booked for work order :PARAM1 Activity :PARAM2 before starting this activity. Please navigate to :PARAM1 Activity :PARAM2 to manually stop or reset it.	EAM-41656 - Work Order Activity - Display error	BCMOBL	7I MOBILE BOILER TEXT
33997	Landmark	#25034	CSCCTR	CONTACT CENTER
34013 12007	Landmarks Language	#25311 A two character code indicating the language of the user, or the language of a text, supplier, contract etc.	CSINRE	GUEST INCIDENT REQUEST
			WZCCTR	PRINT SERVICE REQUESTS
			BSLOVS	LIST OF LOOKUPS
			BCCOMM	CROSSBOW COMMENT LIST
			BCUSER	CROSSBOW USER LIST
			BHUSRL	USERS GROUP CONFIGURATION
			BICTRL	BI CONTROLLER REPORT
			BSALNP	MAKE LANGUAGE AVAILABLE
			BSBOIL	GLOBAL TEXT CHANGES
			BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			BSFUNC	CREATE UPDATE SCREENS
			BSGRPU	USERS PER GROUP
			BSIMUS	IMPORT USERS
			BSLANG	LANGUAGES
			BSLGTK	LANGUAGE TOOLKIT
			BSORGS	ORGANIZATIONS
			BSREPO	CREATE / EDIT REPORTS
			BSROLE	LDAP ROLES SETUP
			BSUAED	USER ACCOUNT EDIT
			BSUSER	USER SETUP
			BSUSRP	USERS
			BXBOIL	Customized Texts
			BYUSRL	USERS GROUP CONFIGURATION
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12007	Language	A two character code indicating the language of the user, or the language of a text, supplier, contract etc.	BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZUSRL	USERS GROUP CONFIGURATION
			CMPROM	Contract Text Prompts
			CSBBNT	BULLETIN BOARD NOTICES
			CSCINF	CONTACT INFO
			CSCSUR	CUSTOMER SURVEYS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSSVPB	SERVICE PROBLEM CODES
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CYCOTL	PRINT CONTRACT CLASSES
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZCONL	Overview Existing Contracts
			CZCOTL	PRINT CONTRACT CLASSES
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			FCGRD1	FLAMETHROWER GRID 1
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRRQD	TRANSLATION POPUP QUESTIONS
			PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			REPORT	General Report Function
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSJBPL	JOB PLANS
			WSJOBA	ARCHIVED EVENTS
			WSTASK	TASKS
33078	Language Code	EWS.PRCH.UC.CreateEditPurchasingContractText	BSLANG	LANGUAGES
28830	Language Comments	D7i Extended -- Languages form -- noun	BSLANG	LANGUAGES
33076	Language Description	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
28832	Language Details	D7i Extended -- Languages form -- noun	BSALNP	MAKE LANGUAGE AVAILABLE
			BSLANG	LANGUAGES
			BSLGTK	LANGUAGE TOOLKIT
29120	Languages	D7i Extended -- Languages form -- noun	BSLOVS	LIST OF LOOKUPS
47276	Large	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24844	LasVal	Crossbow - Last Value	TCJCLR	7I MOBILE BOILER TEXT
25392	Last	Crossbow - 'Last Value.' Meter Readings.	TCOMRD	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
		32268	WSPPMS	PM SCHEDULES
26073	Last 30 days	Infor EAM. Dataspy text - Text for the default Dataspy Query on the Analytics pop screen invoked from GIS Map search screen. Refer to PVCS 5947.	OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			WSCALR	VIEW CALIBRATION RESULTS
			WSURCR	UNRETURNED CORES
39668	Last 4 of Credit Card	Tracker id 44375	BSLOVS	LIST OF LOOKUPS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			PSCARD	CREDIT CARDS
			PSPORD	PURCHASE ORDERS
			PSPOUP	PO UPDATE
37816	Last Alert Date	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
25523	Last Assigned By	Extended (product name)	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
31161	Last Billing Period	D7i Extended -- Fleet Bills -- Dataspy Name	WSFBIL	FLEET BILLS
31603	Last Blanket Order	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
32666	Last Calculated	EWS.BUD.UC.Budgets.doc	USBUDG	BUDGETS
28654	Last Calibrated	D7i Extended - Calibrations for Work Orders	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
30851	Last Date Completed	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31604	Last Date Planned	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
23037	Last Day in Month		BSWHSE	DATA WAREHOUSE
34846	Last Day of every month	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridg ePar	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
34921	Last Day of selected Month	EWS.DBPARTNER.UC.ScheduleTimePopupforDatabridge Par	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
32986	Last Delivery Time	EWS.DBADMIN.UC.ViewMessageStatus	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
47332	Last Due Date	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL019	WORK ORDER GENERATION - DUPLICATE MPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31605	Last End Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
37814	Last Evaluation Date	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT BSEXIM WSOPSS WSCCON	ALERT MANAGEMENT SYSTEM EXPORT CONFIGURATION OPTIMIZED SCHEDULER SETUP CUSTOMER CONTRACTS
40351	Last Invoice	Last Invoice	BAL007	MISSING UTILITY INVOICES
40350	Last Invoice Date	Last Invoice Date	WSCCON	CUSTOMER CONTRACTS
42271	Last Issue Date	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES
39587	Last Labeled Date	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
47655	Last Login Date	EAM-36048 EAM.ADMN.REQ.MobileDevices	BSMDEV	MOBILE DEVICES
20727	Last Meter Reading	Infor EAM - The most recent reading for the meter	CSCCGM JSCAMP OSGISR OSGISS OSGISW OSJOBS OSSTAT OSVCST OSVEVT WSEMUP WSFISS WSFLTK WSJOBS WSJOVH WSJOVM WSMPAT WSVITE WTVTKT WZLWOQ WZVTKT WZWOLM	CONTACT CENTER MAP SEARCH CAMPAIGN GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW AND/OR SCHEDULE WORK ORDER LABOR CREATE WORK ORDER EQUIPMENT OPERATIONAL STATUS COSTS FOR EQUIPMENT EVENTS FOR EQUIPMENT EQUIPMENT MATERIAL USAGE FUEL ISSUES FLEET VEHICLE TICKETS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS WORK ORDER QUICK ENTRY VEHICLE TICKET REPORT LIST OF WORK ORDERS VEHICLE TICKET REPORT WORK ORDER LIST - DETAIL
42625	Last Meter Reading UOM	EAM-7453	WZWOLM	WORK ORDER LIST - DETAIL
30853	Last Meter UOM	D7i Extended -- Vehicle Ticket -- Field Label, UOM=unit of measure	WSFLTK	FLEET VEHICLE TICKETS
31353	Last Modified	Analytics - indicates what time a report was modified	ASDTEN BSOCHA BSOREP	DATA ENTRY FORMS ANALYTICS CHARTS ANALYTICS REPORTS
36015	Last Modified By	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36014	Last Modified Date	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36016	Last Modified Time	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
27297	Last Name	Databridge system setup. Refer to PVCS 7210.	BSMPWO	MP2 WORK ORDERS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CZISGH	INCIDENT SUMMARY GRAPH
			DSSSET	DATABRIDGE SYSTEM SETUP
			OSHPRM	CREATE HOSPITALITY ROOMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZGDPC	GDPR COMPLIANCE - CONTACT
41329	Last Names	EAM-1088	BSLOVS	LIST OF LOOKUPS
49163	Last Optimized Scheduler Process Date	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
31606	Last Order	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
31607	Last Order Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
30850	Last PM	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30919	Last PM Details	D7i Extended -- Vehichle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
28295	Last PO Date	D7i Extended -- Blanket Order form -- field label, noun	PSBORD	CREATE EDIT BLANKET ORDERS
28294	Last PO Number	D7i Extended -- Blanket Order form -- field number, noun	PSBORD	CREATE EDIT BLANKET ORDERS
34209	Last Parent WO	EWS.WORK.UC.CreateEditPMWorkPackage.doc	WSWKPK	PM WORK PACKAGES
20756	Last Price	Infor EAM - Last (approved) invoice price recorded for parts purchased.	SSPART	PARTS
			SSSTOR	STORES
32985	Last Processing Time	EWS.DBADMIN.UC.ViewMessageStatus	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
21121	Last Reading	Infor EAM - the value of the last reading of a meter on a piece of equipment.	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21121	Last Reading	Infor EAM - the value of the last reading of a meter on a piece of equipment.	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
21122	Last Reading Date	Infor EAM - the date of the last reading of a meter on a piece of equipment.	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
38648	Last Refresh Date	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
27110	Last Run	D7i Extended - Job Setup	BSDLUS	DATA LAKE UPLOAD SETUP
			BSJOBS	JOB SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			BSDLUS	DATA LAKE UPLOAD SETUP
47860	Last Run Duration (Minutes)	EAM.DTLK.REQ.DataLakeDataUploadScheduler.doc	BZDLUS	DATA LAKE UPLOAD SETUP
48717	Last Saved	EAM-45774	BZDLUP	DATA LAKE UPLOAD PROGRESS
48722	Last Saved Date	EAM-45774	BZDLUD	DATA LAKE UPLOAD PROGRESS DETAILS
31608	Last Slope	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
29271	Last Stocktake Before	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
			BCMOBL	7I MOBILE BOILER TEXT
47961	Last Sync	EAM-38887	BCMOBL	7I MOBILE BOILER TEXT
49799	Last Sync Date	EAM-53502	BCMOBL	7I MOBILE BOILER TEXT
26570	Last Update	D7i Extended - field label	BSDLUS	DATA LAKE UPLOAD SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSKPIC	DEFINING KPI ENTRIES
			BZDLUS	DATA LAKE UPLOAD SETUP
			BSBOIL	GLOBAL TEXT CHANGES
34158	Last Updated	EWS.ADMN.UC.GlobalTextChange.doc	BSBOIL	GLOBAL TEXT CHANGES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34158	Last Updated	EWS.ADMN.UC.GlobalTextChange.doc	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
27071	Last Updated By	D7i Extended - Create Reports	BSREPO	CREATE / EDIT REPORTS
			CSCCSP	CONTACT CENTER SETUP
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
27072	Last Updated Date	D7i Extended - Create Reports	BEWSMD	EWS - METADATA DEFINITION
			BSREPO	CREATE / EDIT REPORTS
21095	Last Value	Infor EAM - the previous meter reading of a piece of equipment used for material usage	BAL009	WARRANTY EXPIRATION USAGE ALERT
			ISMONT	MONITORED DATA
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMETE	PHYSICAL METER
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		Crossbow	TCOHSL	71 MOBILE BOILER TEXT
33917	Last Value Entity	EWS.ADMN.UC.CreateUpdateScreens.doc/23180	BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
30849	Last Work Order	D7i Extended -- Vehicle Ticket -- Field Label	BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
41562	Last Year Cons.	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	UTILITY INVOICE AUDIT
41563	Last Year Cons. Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	UTILITY INVOICE AUDIT
41564	Last Year Rate	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	UTILITY INVOICE AUDIT
41565	Last Year Rate Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts	EAM-2777	UTILITY INVOICE AUDIT
26614	Last calibrated	Date the equipment was last calibrated (WMJOBS)	WCJOBS	CROSSBOW WORK ORDER FUNCTION
13222	Last criteria	Pull down menu item	M1	Pull-Down Menu Texts
12853	Last reading date	Date that meter was read. Most recent reading.	OCUSGD	CROSSBOW METER USAGE DEF LIST
24276	Last status	For PVCS 20503 (PIR - Full Electronic Record Contains Inconsistent Field Labels)	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17340	Last updated		BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
12010	Last value	Infor EAM - the previous meter reading of a piece of equipment used for material usage	WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSPPMS	PM SCHEDULES
44345	Lat, Long	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
41617	Late >= 5 Days	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL007	MISSING UTILITY INVOICES
38771	Latest End Date	37916	BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPDRQ	PRODUCTION REQUEST
43162	Latest Install Date	EAM-10424:EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSWARR	WARRANTY
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43160	Latest Receipt Date	EAM-10424:EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSWARR	WARRANTY
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
31609	Latest Schedule	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
34300	Latest Scheduled Date	EWS.WORK.UC.ScheduleWorkOrder.doc 1.3/pvcs 25965	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34300	Latest Scheduled Date	EWS.WORK.UC.ScheduleWorkOrder.doc 1.3/pvcs 25965	WSJOVM	CREATE WORK ORDER
			WSSCHD	WORK ORDER SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
19544	Latitude	BMORGS - Latitude identifying the global location of the organization.	BCMOBL	7I MOBILE BOILER TEXT
			CSCCTR	CONTACT CENTER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
33602	Launch E-mail	#22323	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCTR	CONTACT CENTER
36867	Launch Object Browser	EWS.ADMN.UC.CreateEditFlexSQL.doc/31538	BSQUER	QUERIES
			YSFLXS	FLEX SQL
25703	Layer	Extended (product name). Unique identifies a mapping layer within an integrated GIS implemenation.	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGGMP	GIS MAP DATA
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGRTE	CREATE ROUTE WORK ORDER
			OSGSWO	SELECTABLE LAYERS FOR WO
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
32933	Layer Details	EWS.CCTR.UC.LayersForServiceProblemCode.doc	CSSVPB	SERVICE PROBLEM CODES
32930	Layers	EWS.CCTR.UC.LayersForServiceProblemCode.doc	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32930	Layers	EWS.CCTR.UC.LayersForServiceProblemCode.doc	CSSVPB	SERVICE PROBLEM CODES
			OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGSWO	SELECTABLE LAYERS FOR WO
			WSGISD	MAP VIEW
19888	Layout	Infor EAM	BSDTSP	DATASPY
46000	Layout Type	EAM-20992	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSHOME	HOME - OVERVIEW SCREEN
34400	Lead	EWS.CREP.UC.PrintContract.doc	OSOWIW	EQUIPMENT OVERVIEW 360
			CYCONF	Print Contract
20864	Lead Time	The time between the order date and delivery date in days.	CZCONF	Print Contract
			BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
			BSPAST	STOCK INFO POPUP IN PART ASSOCIATED
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			CZUSGF	Discount Request Based On Usage
			FCGRD1	FLAMETHROWER GRID 1
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			PZQUOS	QUOTATION SUMMARY
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			SYHISL	Purchase History Per Item/Supplier
			SYUSAL	Average Monthly Usage Analysis
			SZHISL	Purchase History Per Item/Supplier
			SZUSAL	Average Monthly Usage Analysis
20774	Lead Time (Days)	Infor EAM - The time between the order date and delivery date in days.	PSCONT	PURCHASING CONTRACTS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			SSSTOR	STORES
		Infor EAM - The time between the order date and delivery date in days.	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20774	Lead Time (Days)	Infor EAM - The time between the order date and delivery date in days.	PZPRFQ	REQUEST FOR QUOTATION
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSPART	PARTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			PZVEND	VENDOR LEAD TIME
40064	Lead Time Difference	#47535	PZVEND	VENDOR LEAD TIME
38886	Leak	EWS.MATL.UC.IssueReturnParts	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			SSISSU	Stock Issues
12660	Left	Used in context: remaining.	WZERRF	EXPIRED WARRANTIES
27240	Left Label Style	D7i Extended - Graph - Left Label Style	BEWSMD	EWS - METADATA DEFINITION
27917	Left:	Barcode	FCSCRN	FLAMETHROWER SCREENS
39477	Legend	43258	WSWLSH	WO LABOR SCHEDULING
27242	Legend Position	D7i Extended - Graph - Legend Position	BEWSMD	EWS - METADATA DEFINITION
27243	Legend Style	D7i Extended - Graph - Legend Style	BEWSMD	EWS - METADATA DEFINITION
12326	Length	Length used as distance (cm, km, number of characters etc.), NOT in the meaning of duration.	BSBOIL	GLOBAL TEXT CHANGES
			BSDTCV	DATA CONVERSION (MP2)
			BSFLDT	FIELD DETAILS POPUP
			BSREPO	CREATE / EDIT REPORTS
			BXBOIL	Customized Texts
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			ISASPC	ASPECTS
			YSACDP	ACCOUNT DETAIL SETUP
			OSVCST	COSTS FOR EQUIPMENT
			BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BCMOBL	7I MOBILE BOILER TEXT
43253	Length %	EAM-9965: EAM.EQUIP.REQ.CostsForEquipment	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32025	Length UOM	EWS.CREP.UC.ElectronicRecords	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46179	Length of data exceeds maximum.	Custom Field Service	BSCLAS	CLASSES
39961	Less Than	46731	BSLOVS	LIST OF LOOKUPS
39963	Less Than or Equals	46731	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
12012	Level	Used with hierarchic object structures.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			LVTGEP	LIST VALUES OF TARGET EQUIPMENT
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12012	Level	Used with hierarchic object structures.	OSOVS	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELN	NORMALIZE LEVEL POPUP
			OSRELQ	ORDER QUESTIONS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSRRFP	ADD / EDIT FORMULA POPUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSTGY	CREATE STRATEGY
			OZRELS	PRINT RELIABILITY SURVEY
			UHBUDS	BUDGET SUMAMRY REPORT
			UYBUDS	BUDGET SUMAMRY REPORT
			UZBUDS	BUDGET SUMAMRY REPORT
			WSROUT	ROUTES
			WZCCON	PRINT CUSTOMER CONTRACT
29989	Level 1	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
		EWS.BUD.UC.BudgetStructure.doc Mobile Notebook	USBSTR	BUDGET STRUCTURE
			BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
47133	Level 1 Org.	Mobile Notebook	OSMNBK	NOTEBOOK
29990	Level 2	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
		EWS.BUD.UC.BudgetStructure.doc Mobile Notebook	USBSTR	BUDGET STRUCTURE
			BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
47134	Level 2 Org.	Mobile Notebook	OSMNBK	NOTEBOOK
29991	Level 3	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
		EWS.BUD.UC.BudgetStructure.doc Mobile Notebook	USBSTR	BUDGET STRUCTURE
			BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29991	Level 3	Mobile Notebook	OZMNBK	MOBILE NOTEBOOK
47135	Level 3 Org.	Mobile Notebook	OSMNBK	NOTEBOOK
46806	Level 3A	EAM-29656	OSOBJA	CREATE ASSET EQUIPMENT
			BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			WSJOBS	CREATE WORK ORDER
47137	Level 3A Org.	Mobile Notebook	OSMNBK	NOTEBOOK
29992	Level 4	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc EWS.BUD.UC.BudgetStructure.doc Mobile Notebook	OSOBJA	CREATE ASSET EQUIPMENT
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
			USBSTR	BUDGET STRUCTURE
			BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSMNBK	NOTEBOOK
47136	Level 4 Org.	Mobile Notebook	OSOBJA	CREATE ASSET EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			OSMNBK	NOTEBOOK
29993	Level 5	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc EWS.BUD.UC.BudgetStructure.doc	OSOBJA	CREATE ASSET EQUIPMENT
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
29994	Level 6	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc EWS.BUD.UC.BudgetStructure.doc	USBSTR	BUDGET STRUCTURE
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
29995	Level 7	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	USBSTR	BUDGET STRUCTURE
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
29996	Level 8	D7i Extended - Materials - EWS.MATL.UC.CreateEditPartHierarchyCodes.doc	DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			SSHCST	PART CODE STRUCTURE
			BSLOVS	LIST OF LOOKUPS
30187	Level Description	Infor EAM. Field label for an LOV. The 'Level' is a noun indicating the level of the part code hierarchy. Refer to EWS.MATL.UC.CreateEditPartHierarchyCodes.doc.	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
39835	Level Details	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39835	Level Details	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
48002	Levels	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
40465	License	EAM.WORK.REQ.CustomerRentals	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSFLTK	FLEET VEHICLE TICKETS
30834	License No.	D7i Extended -- Vehicle Ticket -- Field Label, no.=number	WZEMPI	GDPR COMPLIANCE - EMPLOYEE
44747	Light Gray Canvas	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39103	Lightly Scheduled (% Scheduled < Threshold) Color	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
12013	Line	E.g. order line, requisition line.	BCCOMM	CROSSBOW COMMENT LIST
			BCPRMC	CROSSBOW CUST ATTRIB CONTROL LIST
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSREPO	CREATE / EDIT REPORTS
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			DSJSPP	PARAMETERS POPUP
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12013	Line	E.g. order line, requisition line.	OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSOBSJ	ASSETS FOR PO
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			QZQUOL	PRINT LIST OF QUOTATION
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSGRFQ	GENERATE RFQS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			SYCONS	Consignment Activity
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SZCONS	Consignment Activity
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			TSASTP	DC TRANSACTION PROMPT
			WCMATL	CROSSBOW MATERIAL LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12013	Line	E.g. order line, requisition line.	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSDEBS	CREATE CUSTOMER
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSPMPL	PM FORECASTING
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZPMSP	PM SCHEDULE PROFILE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJATL	7I MOBILE BOILER TEXT
			TCJCML	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCOCML	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
32200	Line Comments:	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	PYORDS	PURCHASE ORDER STATUS
36017	Line Cost	EWS.ADMN.UC.MP2Purchasing	PZORDS	PURCHASE ORDER STATUS
32372	Line Cost (Received)	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
32371	Line Cost (Requested)	EWS.CREP.UC.PurchaseOrderStatus.doc	PZORDS	PURCHASE ORDER STATUS
32373	Line Cost (Returned)		PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
36018	Line Cost Received	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36019	Line Cost Returned	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36932	Line Currency	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
33430	Line Details	EWS.EQUIP.UC.LinesforChangeNotice	OSCHNO	CHANGE NOTICES
35821	Line No.	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
21753	Line Number	EAM-14486 :Android Tablet - Support localization databridge -	BCMOBL	7I MOBILE BOILER TEXT
			DSTRAN	DATABRIDGE TRANSACTIONS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21753	Line Number	databridge -	WSTASK	TASKS
34323	Line Number Increment	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
32723	Line Price	SCR 21371	WSDEBS	CREATE CUSTOMER
31611	Line Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
27245	Line Style	D7i Extended - Graph - Line Style	BEWSMD	EWS - METADATA DEFINITION
47450	Line Subtotal	EAM.PRCH.REQ.UnmatchedCostLinesforInvoiceVoucher.d	PSINVO	INVOICES
31612	Line System Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
20099	Line Total	The monetary value of the order line (qauntity multiplied by the price).	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSRECV	PO RECEIPTS
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSRQLL	REQUISITION LINE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
36929	Line Total in Line Currency	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
32678	Line Type	19155	PSINVO	INVOICES
19347	Line system status		SSGRFQ	GENERATE RFQS
			SSREQF	GENERATE REQ
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
13447	Line total	The monetary value of the order line (qauntity multiplied by the price).	SSPART	PARTS
			SSRQLL	REQUISITION LINE
34381	Line with 3-D Visual Effect	26376	WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
40105	Linear	EAM.EQUIP.UC.CalibrationForEquipment/47189	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
47569	Linear Asset Flag	EAM-29988 Transit app (iOS) - JSI Work Orders	OSOVPM	CREATE POSITION EQUIPMENT
		EAM-35749 : EAM.EQUIP.REQ.DecayCurve	BCMOBL	7I MOBILE BOILER TEXT
		EAM-37586-LinearConditionForEquipment	OSDCUR	DECAY CURVE
47841	Linear Condition	EAM-37586-LinearConditionForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47841	Linear Condition	EAM-37586-LinearConditionForEquipment	OSOBJS	CREATE SYSTEM EQUIPMENT
47842	Linear Condition Details	EAM-37586-LinearConditionForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
43086	Linear Cost Weight	EAM.EQUIP.REQ.Systems	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJS	CREATE SYSTEM EQUIPMENT
43252	Linear Cost Weight %	EAM-9965: EAM.EQUIP.REQ.CostsForEquipment	OSVCST	COSTS FOR EQUIPMENT
31887	Linear Distance	EWS.EQUIP.UC.LinearEquipSearchpop-up.doc	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
31888	Linear Equipment Search	EWS.EQUIP.UC.LinearEquipSearchpop-up.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
45917	Linear Equipment Type	EAM.EQUIP.REQ.Assets	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48994	Linear Location	EAM-46197/EAM.WORK.REQ.ChecklistForWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
46085	Linear Location Details	EAM.WORK.REQ.LinearLocationDetailsPopup	OSJOBS	CREATE WORK ORDER
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
43347	Linear Overview	EAM-9979	BCMOBL	7I MOBILE BOILER TEXT
			OCOBJA	MOBILE EQUIPMENT FUNCTION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
31889	Linear Parent	PVCS # 16407	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
31891	Linear Parent Description	PVCS # 16407	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
31890	Linear Parent Org.	PVCS # 16407	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
30379	Linear Ref. UOM	D7i Extended - EQUIP -	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30379	Linear Ref. UOM	EWS.EQUIP.UC.CreateAssetEQ.doc - Ref. = Reference = noun, as in 'a reference point' - user enters the unit of measure for the linear reference point	CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
38051	Linear Ref. UOM Code	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - Ref. = Reference = noun, as in 'a reference point' - user enters the unit of measure for the linear reference point	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
43016	Linear Reference	EAM-9953 EAM.ADMN.REQ.LinearReferencesForClasses	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
43119	Linear Reference Class Details	EAM-10021: EAM.ADMN.REQ.LinearReferenceClassesForC	BSCLAS	CLASSES
43118	Linear Reference Classes	EAM-10021: EAM.ADMN.REQ.LinearReferenceClassesForC	BSCLAS	CLASSES
30382	Linear Reference Details	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - Reference = noun, as in 'a reference point'	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30382	Linear Reference Details	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - Reference = noun, as in 'a reference point'	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHJOB	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
46049	Linear Reference ID	EAM-24909	OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
30399	Linear Reference UOM	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - reference = noun (synonym = 'measurement', as in a 'reference point')	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			ISMONT	MONITORED DATA
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			BSMOBL	71 MOBILE BOILER TEXT
30409	Linear References	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment	BSCLAS	CLASSES
			BSLOVS	LIST OF LOOKUPS
			OSGGMP	GIS MAP DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30409	Linear References	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			BSLOVS	LIST OF LOOKUPS
		D7i Extended - LINEAR EQUIP - Reference = noun - this will be the title on the lookup accessed from the fields From Point and To Point.		
47184	Linear Search Details	EAM-31979 - Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
46629	Linear Where Used	EAM-28548:EAM.EQUIP.REQ.LinearWhereUsedForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
15276	Lines		BSLOVS	LIST OF LOOKUPS
			OSCHNO	CHANGE NOTICES
			PSINVO	INVOICES
			WSINVS	CUSTOMER INVOICES
			PSINVO	INVOICES
34730	Lines Subtotal	EWS.PRCH.UC.CreateEditInvoiceVouchers/15688	PSINVO	INVOICES
28452	Lining/Coating	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
38243	Link	EWS.WORK.UC.RevisionControlSetup	WSRVCS	REVISION CONTROL SETUP
21837	Link Document	Infor EAM - title of a popup on which the user attaches a document to a record	BSDOCA	DOCUMENTS
28691	Link GIS Map To WO	D7i Extended - GIS Map Search - link = verb	OSGIMP	VIEW GIS MAP POPUP
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
28692	Link GIS Map To WO	D7i Extended - View GIS Map popup - field name in equipment table - link = verb	WSROUT	ROUTES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSGRTE	CREATE ROUTE WORK ORDER
33502	Link to Request	#22323	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34466	Link-Button	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
23524	Link/Button Name	Infor EAM - identifies the label of the link or button in screen designer	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
23621	Linked Equipment	Infor EAM - name of dataspy on the structure tab of the equipment form	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23621	Linked Equipment	Infor EAM - name of dataspy on the structure tab of the equipment form	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
19030	Links		BSDUXD	DUX SCREEN DESIGNER
			M1	Pull-Down Menu Texts
23685	List	Infor EAM - this list is an option in the menu for the new type of portlet to create. A list type of portlet displays information in a list view format, e.g., one record underneath the previous record.	BSHOME	HOME - OVERVIEW SCREEN
			BSRPST	REPORT STATUS
			OSOVIV	EQUIPMENT OVERVIEW 360
		Crossbow	TCSCMN	7I MOBILE BOILER TEXT
15260	List View	Used to identify a list of records for display purposes.	BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTC	COST CODE
			BSDELA	Delivery addresses
			BSDEPT	DEPARTMENTS
			BSDEVS	PRINTERS
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSDOCU	DOCUMENTS
			BSDTCV	DATA CONVERSION (MP2)
			BSDTSP	DATASPY
			BSDWRL	DATA WAREHOUSE RUN LOG
			BSENSS	ENTERPRISE SEARCH SETUP
			BSEREC	ELECTRONIC RECORD SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGDPR	GDPR ADMINISTRATION
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSINBX	INBOX SETUP
			BSINST	INSTALL CODES
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSLANG	LANGUAGES
			BSLGTK	LANGUAGE TOOLKIT
			BSLOCL	LOCALE
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMDEV	MOBILE DEVICES
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15260	List View	Used to identify a list of records for display purposes.	BSMPWR	MP2 WORK REQUESTS
			BSMTMP	E-MAIL TEMPLATES
			BSMVIW	E-MAIL VIEWER
			BSORGS	ORGANIZATIONS
			BSQUER	QUERIES
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSROLE	LDAP ROLES SETUP
			BSSPMR	MP2 SPM READINGS
			BSUGRD	USER DEFINED GRID PARENT FUNCTION
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVIEW	VIEWS
			BSVMRS	VMRS CODES
			BSWSPM	WEB SERVICES PROMPT
			CSBBNT	BULLETIN BOARD NOTICES
			CSCASE	CASE MANAGEMENT
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			DSMSGs	VIEW MESSAGE STATUS
			DSPTNR	CREATE PARTNER
			DSSTSK	DATABRIDGE SCHEDULED TASKS
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISMONT	MONITORED DATA
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15260	List View	Used to identify a list of records for display purposes.	JSSHUT	SHUTDOWNS
			OCOBJM	MOBILE EQUIPMENT LIST VIEW
			OECSMS	CONDITION SCORE MATRIX SETUP
			OEPERF	PERFORMANCE FORMULAS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSLDSE	LINEAR DIRECTION SETUP
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVBJA	VIEW ASSET LIST
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15260	List View	Used to identify a list of records for display purposes.	OSYIPC	YEARLY INFLATION PERCENTAGE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSEVAL	PART EVALUATIONS
			SSGHGS	GREENHOUSE GASES
			SSIPVN	7I BUY VENDORS
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			SSVREQ	VIEW PURCHASE STATUS
			TCCRSB	7I MOBILE BOILER TEXT
			TSASTP	DC TRANSACTION PROMPT
			TSPROF	PROFILES
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15260	List View	Used to identify a list of records for display purposes.	USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WCJOBM	MOBILE WORK ORDER LIST VIEW
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSAPPR	REVISION CONTROL APPROVAL
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSDFAC	DEFERRED MAINTENANCE
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPMPM	PM PLANS
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15260	List View	Used to identify a list of records for display purposes.	WSPTWM	MOBILE PERMIT TO WORK
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSSERC	SERVICE CODES
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSFMX	SAFETY MATRIX
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWKPK	PM WORK PACKAGES
			WSWREQ	WORK REQUEST
			YSFLXS	FLEX SQL
			YSGLRF	GL REFERENCES
			YSINTF	INTERFACE OVERVIEW
			YSPRCD	GL PROCESS DEFINITIONS
35182	List of Categories Per Class	EWS.CREP.UC.ListOfCategoriesPerClass	TCPMTR	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
32349	List of Child Locations	EWS.CREP.UC.EquipmentHierarchies.doc	OZCATL	LIST OF CATEGORIES PER CLASS
			OHCHLL	Overview Of Children Within An Object
20218	List of Duplicate Service Records	Infor EAM - Used to show a list of duplicate service Requests	OZCHLL	Overview Of Children Within An Object
			LVDUP	LIST OF DUPLICATE SERVICE REQUESTS
30239	List of Electronic Signatures	D7i Extended - Reports - Print Purchase Orders	OZOBJF	LIST OF EQUIPMENT DETAILS
			PHORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZINVL	List Of Invoices Not Yet Approved
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SZ PICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30239	List of Electronic Signatures	D7i Extended - Reports - Print Purchase Orders	WYWOSH WZJOB WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS
46009	List of Equipment Details	EAM.CREP.REQ.ListOfEquipmentDetailsQ	BSLOVS	LIST OF LOOKUPS
32350	List of Equipment at a Location	EWS.CREP.UC.EquipmentHierarchies.doc	OHCHLL OZCHLL	Overview Of Children Within An Object Overview Of Children Within An Object
45847	List of Nonconformities	EAM.CREP.UC.ListofNonconformities	OZNCFL	LIST OF NONCONFORMITIES
45903	List of PM Schedules	EAM.CREP.REQ.ListofPMSchedulesQ	WZPPMQ	LIST OF PM SCHEDULES
35084	List of Purchases Under Contract	EWS.CREP.UC.ListOfPurchasesUnderContract	CYORDL CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT PRINT LIST OF PURCHASES UNDER CONTRACT
20219	List of Repeated Service Requests	Infor EAM - Used to show a list of repeated service Requests	LVREP	LIST OF REPEATED SERVICE REQUESTS
32351	List of Sub-Equipment	EWS.CREP.UC.EquipmentHierarchies.doc	OHCHLL OZCHLL	Overview Of Children Within An Object Overview Of Children Within An Object
25474	List of Values	Extended. Associate Custom Fields form.	BSCSTF	ASSOCIATE CUSTOM FIELDS
40039	List of Work Orders	SCR# 47149	LOVPOP WZLWOQ	LOV POPUP FUNCTION USED TO GET LABELS LIST OF WORK ORDERS
12416	List of child locations		WZWORL WHJOB WYJOB WZJOB WZWOLG	LIST OF WORK ORDERS PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER PRINT WO LONG
19250	List of electronic signatures	Name of new report on which to view a list of electronic signatures.	PTORDF STPICK STRCVF STREQF STRETF WTJOB	Print Purchase Order Pick List Print Goods Received Note Print Purchase Requisition Print Goods Return Note Job Cards
13300	List of values	A list of values available to the user for selection.	BCPRMC	CROSSBOW CUST ATTRIB CONTROL LIST
15258	List view		M1 BMHTCF BMOPSV WSFCUS WSINVS YSACDP	Pull-Down Menu Texts HTML CONTENT SETUP OPS PACKAGE FLEET CUSTOMERS CUSTOMER INVOICES ACCOUNT DETAIL SETUP
40948	Living Room	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
28857	Lng	D7i Extended - Reports - BTUSRL. Means language.	OSHPRM BHUSRL BTUSRL BYUSRL BZUSRL	CREATE HOSPITALITY ROOMS USERS GROUP CONFIGURATION USERS PER GROUP USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
49367	Load Booked Hours	DUX - EAM-47559	WSBOOK	BOOK LABOR BY EMPLOYEE
28264	Load Dimension	Data warehouse. Refer to PVCS 9551. Dimension - an independent entity in a dimensional model that serves as an entry point or as the mechanism for slicing and dicing the additive measures located in the fact table of the dimensional model.	BSWHSE	DATA WAREHOUSE
38898	Load Factor	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38898	Load Factor	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
39271	Load Factor (%)	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
28266	Load Facts	Data warehouse. Refer to PVCS 9551. Fact - a business performance measurement , typically numeric and additive, that is stored in a fact table.	BSWHSE	DATA WAREHOUSE
48452	Load Layout	EAM.BASE.REQ.DUXScreenDesigner	BSDUXD	DUX SCREEN DESIGNER
28263	Load Outrigger	Data warehouse. This string is related to loading an 'outrigger table' which is a secondary dimension table attached to a dimension table -- a physical design interpretation of a single logical dimension table. Occurs when a dimension table is snowflaked.	BSWHSE	DATA WAREHOUSE
28268	Load Summary	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
27965	Load Type	Data Warehouse. Type of load to perform: Full load or Incremental load. Refer to pvcs 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
27967	Load from Date	Data Warehouse. Starting date for loading data from operational tables into the data warehouse. Refer to pvcs 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
44347	Load more...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
15230	Load query		M1	Pull-Down Menu Texts
49795	Loading feature data...	EAM-53502	BCMOBL	7I MOBILE BOILER TEXT
21254	Loading...	Infor EAM - this is an on-screen indication that the system is working and the user should wait until it is finished	BCMOBL BSJSDN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT
43497	Loaned to Department	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	BZOBJD OSESCH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSSTAT WSBFUL WSGSRH WSOPSS	ELECTRONIC RECORDS FOR EQUIPMENTS RESERVATION CALENDAR CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT OPERATIONAL STATUS BATCH FUEL ISSUES GIS MAP ROADS HIGHWAYS OPTIMIZED SCHEDULER SETUP
30632	Loaner	D7i Extended -- Parameters for Fleet Configuration -- Field Label, adjective	WSFLCF	FLEET CONFIGURATION
30952	Loaner Mileage	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the charge for loaner mileage	WSFMRK	FLEET MARKUP CODES
30959	Loaner Mileage %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for loaner mileage	WSFMRK	FLEET MARKUP CODES
43143	Loaner Provided	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
30965	Loaner Usage	D7i Extended -- Rates for Fleet Markup Codes -- Field	WSFMRK	FLEET MARKUP CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30962	Loaner Usage %	Label D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for loaner usage	WSFMRK	FLEET MARKUP CODES
25393	Loc	Crossbow. Location. Ad hoc inspection.	TCIOBR TCIWIR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
24053	Loc. Org.	Infor EAM - organization of the location	WSPPMS	PM SCHEDULES
34893	Local	EWS.DBPARTNER.UC.DatabridgePartnerJobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
29233	Local Currency	Extended (product name)	SSSUPT WSJBPL WSTASK	OVERVIEW OF SUPPLIER PARTS JOB PLANS TASKS
20858	Local Price (UOM)	Infor EAM - Identifies the suppliers price for a part in the local currency of the supplier.	SSPART SSSUPP SSSUPT WSJBPL WSTASK	PARTS SUPPLIERS OVERVIEW OF SUPPLIER PARTS JOB PLANS TASKS
23862	Locale	Infor EAM - Determines the number format (i.e., use of decimals, commas, etc.) for all numeric fields. Valid values are NAMERICA, EUROPE and ASIA	BSLOCL BSORGS BSROLE BSUSER BSUSRP BZGDPU	LOCALE ORGANIZATIONS LDAP ROLES SETUP USER SETUP USERS GDPR COMPLIANCE - USER
27788	Locale Details	D7i Extended - Locales form	BSLOCL	LOCALE
27858	Locales	D7i Extended -- Locales screen -- LOV title, noun	BSCMEX BSEXAL BSLOVS BSVSDP OSEQLR	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION LIST OF LOOKUPS VIEW STATUS DETAILS POPUP LINEAR REFERENCES FUNCTION
46741	Located On Equipment	EAM-28650	BSDOCA BSMPPR BSMPWO BSMPWR BZDKLD BZEPOD BZEQDL BZEVTD BZOBJD BZPMTW CSCASE CSCCGM CSCCTR CSCMTK CYCCTR CZCASE CZCCTR FCGRD1 FCGRD2 FCSCRN	DOCUMENTS MP2 PURCHASING MP2 WORK ORDERS MP2 WORK REQUESTS ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES ELECTRONIC RECORDS FOR EVENT POINTS EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR EQUIPMENTS ELECTRONIC RECORDS FOR PERMIT TO WORK CASE MANAGEMENT CONTACT CENTER MAP SEARCH CONTACT CENTER CASE MANAGEMENT TASKS CALL CENTER WO REPORT CASE MANAGEMENT REPORT SERVICE REQUEST WO REPORT FLAMETHROWER GRID 1 FLAMETHROWER GRID 2 FLAMETHROWER SCREENS
11993	Location	The physical place where objects are, e.g. site, plant, etc.		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11993	Location	The physical place where objects are, e.g. site, plant, etc.	ISAPRF	APPROVE INSPECTION RESULTS
			ISMONT	MONITORED DATA
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			JSCAMP	CAMPAIGN
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPM	PM SCHEDULES
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11993	Location	The physical place where objects are, e.g. site, plant, etc.	OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWKSP	WORKSPACES
			OTCSTL	WORK ORDER COST SUMMARY
			OTMHST	METER HISTORY
			OTOBJL	List Of Objects
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZFLTG	Fault Trend Analysis
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZKEYD	KEY LIST-DETAIL
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZMHST	METER HISTORY
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			OZPROF	EQUIPMENT PROFILE
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSSTOR	STORES
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBf	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCOPO	CONTRACTOR PORTAL
			WSCPTW	COPY REPLACE PTW POPUP
			WSCREEN	CUSTOMER RENTALS
			WSDEPO	DEPOTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11993	Location	The physical place where objects are, e.g. site, plant, etc.	WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPM	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSCHD	WORK ORDER SCHEDULE
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WTJOB	Labour Hours For Jobs
			WTJOLL	Job List
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOB	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYJOLL	Job List
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZBLOG	Work Backlog
			WZCALR	CALIBRATION RECORD REPORT
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZERRF	EXPIRED WARRANTIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11993	Location	The physical place where objects are, e.g. site, plant, etc.	WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBF	PRINT WORK ORDER
			WZJOBBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZOSRQ	OPEN SERVICE REQUESTS
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZPMSP	PM SCHEDULE PROFILE
			WZPMTL	OUT OF TOLERANCE PM
			WZPTWR	PRINT PERMIT TO WORK
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZVRHS	VEHICLE RENTAL HISTORY
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBBL	7I MOBILE BOILER TEXT
		Hertz custom reports	TCJOBR	7I MOBILE BOILER TEXT
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
			WSGISD	MAP VIEW
			BCMOBL	7I MOBILE BOILER TEXT
47710	Location Attributes	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
22455	Location Changes	Infor EAM - name of dataspy	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
32497	Location Class	EWS.CREP.UC.WorkOrderCostofEquipmentperLocation.doc	OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
42130	Location Conflicts	EAM-3563 EAM.WORK.REQ.ConflictsForPermitToWork	WSPMTW	PERMIT TO WORK
43964	Location Desc	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37236	Location Description	32141	CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37236	Location Description	32141	WSCOPO	CONTRACTOR PORTAL
			WSCPTW	COPY REPLACE PTW POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
			WSWREQ	WORK REQUEST
18172	Location Details	group header on OMLOCA	CSSRPT	CREATE SERVICE REQUEST PORTAL
			OSCHNO	CHANGE NOTICES
			OSOBJL	CREATE ASSET LOCATION
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
45211	Location Lookup	EAM-13050 - Location Lookup LOV title	WSSREQ	SERVICE REQUESTS
			OSEQPP	EQUIPMENT LOOKUP
41797	Location Note	EAM.WORK.REQ.IsolationPoints	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSLOBX	LOCKOUTBOX
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
31615	Location Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BCMOBL	7I MOBILE BOILER TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
28975	Location Org.	D7i Extended - Work - Field to display the organization of a location.	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSEQPM	PM SCHEDULES
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28975	Location Org.	D7i Extended - Work - Field to display the organization of a location.	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSCAPA	WO LOAD BALANCING
			WSCOPO	CONTRACTOR PORTAL
			WSCPTW	COPY REPLACE PTW POPUP
			WSCREN	CUSTOMER RENTALS
			WSDEPO	DEPOTS
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSRELJ	RELEASE OF SELECTED JOBS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
25704	Location X	Extended (product name). Defines the default X-coordinate for a feature within a mapping layer.	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25704	Location X	Extended (product name). Defines the default X-coordinate for a feature within a mapping layer.	OZEQU	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
25705	Location Y	Extended (product name). Defines the default Y-coordinate for a feature within a mapping layer.	WSOPSS	OPTIMIZED SCHEDULER SETUP
			BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQU	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49675	Location of problem	EAM-48480/EAM.CCTR.REQ.RapidRequest.docx	CSRAPD	RAPID REQUEST
16858	Location org	This resource ID is part of the location column in the MP5 base tables. An organization field for codes must be added to all tables joined with the location table.	OCOBJC	CROSSBOW EQUIPMENT LIST
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
12403	Locations	A physical or logical part of your company/site/etc.	BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			OEOBJL	CREATE ASSET LOCATION
			OSOBJL	CREATE ASSET LOCATION
		Infor EAM - name of dataspy on the structure tab of the equipment form	BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA
			OSCHNO	CHANGE NOTICES
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
24842	Locatn	Crossbow - Location	TCJEQR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24842	Locatn	Crossbow - Location	TCOBJR	71 MOBILE BOILER TEXT
44493	Lock	EAM-14805	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			WSEMPs	EMPLOYEES
44944	Lock Department	EAM 16304 & EAM 16305	OZKEYD	KEY LIST-DETAIL
44494	Lock Description	EAM-14805	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			WSEMPs	EMPLOYEES
44499	Lock Details	EAM-14805	OSKEYM	KEY MANAGEMENT
40781	Lock PM Due Date	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45736	Lock Ranking Values	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSRELR	EQUIPMENT RANKINGS
			OSSTGY	CREATE STRATEGY
39934	Lock Reliability Ranking Values	EAM.EQUIP.UC.CreateEditAssetEQ	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39934	Lock Reliability Ranking Values	EAM.EQUIP.UC.CreateEditAssetEQ	WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40908	Lock Risk Assessment Values	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
28891	Lock Selected Work Orders	Extended (product name); Button on the WO Load Balancing form	WSCAPA	WO LOAD BALANCING
13217	Lock record	Pull down menu item	M1	Pull-Down Menu Texts
37755	Locked	21829 PIR: Mobile Timeout PIR	TCLOCK	7I MOBILE BOILER TEXT
37104	Locked PM Due Date Text Color	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
			WZPMFC	PM FORECASTING
41831	Lockout Box	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSLOBX	LOCKOUTBOX
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
41893	Lockout Box Details	EAM.WORK.REQ.LockoutBox	WSLOBX	LOCKOUTBOX
42527	Lockout Box Org.	EAM-5174	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
40862	Lockout/Tagout	EAM.EQUIP.REQ.AssetHealthcare.docx	BCMOBL	7I MOBILE BOILER TEXT
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
41954	Lockout/Tagout Details	LOTOForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
44498	Locks	EAM-14805	OSKECP	COPY KEY POPUP
			OSKEYM	KEY MANAGEMENT
38153	Log	EWS.ADMN.UC.ViewLogFiles	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSVLOG	VIEW LOG FILES SCREEN
31172	Log Date	Barcoding	FCSCRN	FLAMETHROWER SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22698	Log Details	Infor EAM - group header that displays information relating to the log entries	DSOQUE	DATABRIDGE OUTBOUND QUEUE
26301	Log Entries	Extended (product name)	DSTRAN	DATABRIDGE TRANSACTIONS
26489	Log Entry Details	Extended (product name) section header on the Log Entries form.	WSSREQ	SERVICE REQUESTS
19716	Log In	verb - to enter into the system	WSSREQ	SERVICE REQUESTS
			CLOGON	CALLER LOGON SCREEN
			CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			LOGIN	LOGON SCREEN
			PLOGON	PORTAL LOGON SCREEN
48909	Log Level	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24781	Log Out	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
47666	Log Setup	EAM-32377	BCMOBL	7I MOBILE BOILER TEXT
20175	Log Type	Infor EAM - Used as header to display log type	BSVLOG	VIEW LOG FILES SCREEN
			WSLOGS	CREATE / VIEW SERVICE LOGS
48882	Log in with biometrics.	EAM-46093	BCMOBL	7I MOBILE BOILER TEXT
27655	Log off after sync.	Crossbow - Text on check box to inform whether system automatically log off after sync	TCSYPF	7I MOBILE BOILER TEXT
15255	Log out		M1	Pull-Down Menu Texts
25782	Logging in...	Crossbow - A reminder for syncing displayed on login screen.	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
33648	Logical Meter	7839	BSWHSE	DATA WAREHOUSE
40575	Logical Records	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
44297	Login	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
32903	Login ID	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
32904	Login Password	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
48879	Login details have been changed, use previous login details to use Biometric login.	EAM-46093	BCMOBL	7I MOBILE BOILER TEXT
37758	Login failed because of invalid login credential.	21829 PIR: Mobile time out	TCCLOG	7I MOBILE BOILER TEXT
			TCLOCK	7I MOBILE BOILER TEXT
37759	Login failed because of invalid login credential. Do you want to sync?	21829 PIR: Mobile time out	BCMOBL	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
37760	Login failed because of invalid login credential. You are locked from login to Infor EAM server.	21829 PIR: Mobile time out	TCCLOG	7I MOBILE BOILER TEXT
28593	Login failed. Check your Organization.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28592	Login failed. Check your User ID and Password.	Barcode	FCSCRN	FLAMETHROWER SCREENS
43987	Login failed. Please check connection parameters.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
28595	Login successful!	Barcode	FCSCRN	FLAMETHROWER SCREENS
43973	Logo URL	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	CSCSUR	CUSTOMER SURVEYS
20129	Logout	Infor EAM - button user clicks to logout of system	TCLOCK	7I MOBILE BOILER TEXT
		Infor EAM - button user clicks to logout of system	BANNER	BANNER
			BCMOBL	7I MOBILE BOILER TEXT
32233	Logs		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
36807	Long	30854	BSENS	ENTERPRISE SEARCH SETUP
			BSGRID	GRID DESIGNER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42712	Long Description	EAM-8860	BSINST	INSTALL CODES
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SSCOMP	NON-PO RECEIPTS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
45217	Long Translation Details	EAM.CCTR.REQ.LongTranslationsforCustomerSurvey	CSCSUR	CUSTOMER SURVEYS
44924	Long Translations	EAM.CCTR.REQ.LongTranslationsforCustomerSurveys EAM-14830	WSTASK	TASKS
			CSCSUR	CUSTOMER SURVEYS
47035	Long press on the map to add a new nonconformity when Find My Location is not enabled.	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
19545	Longitude	BMORGS - Longitude identifying the global location of the organization.	BCMOBL	7I MOBILE BOILER TEXT
			CSCCTR	CONTACT CENTER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
19671	Lookup	Used in BMQUER for checkbox Lookup.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLOVS	LIST OF LOOKUPS
			BSQUER	QUERIES
26414	Lookup Attached	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
26412	Lookup Details	Infor EAM. Block label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
36574	Lookup Entity	30854	BSGRID	GRID DESIGNER
			BSUDFO	USER DEFINED FIELD OPTIONS
37273	Lookup Filters apply to all user groups.	35917	BSDTSP	DATASPY
38161	Lookup Name		BSREPO	CREATE / EDIT REPORTS
36575	Lookup Query	30854	OSGGMP	GIS MAP DATA
			BSGRID	GRID DESIGNER
36576	Lookup Query Text	30854	BSGRID	GRID DESIGNER
25653	Lookup Type	D7i Extended - Associate Custom Fields form	BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSUDFO	USER DEFINED FIELD OPTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25698	Lookup Value Details	Extended (product name). Custom Fields Popup.	BSCSTP ISLVAL	CUSTOM FIELDS LOOK UP POP UP ASPECT PROMPT LOOKUP VALUES POPUP
25533	Lookup Values	D7i Extended - Associate Custom Fields form, dropdown field	BSUDLV	UDF LOOKUP VALUES
43512	Lookup field. Press F9 to invoke lookup.	EAM-11014	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
26076	Loop	A loop consists of a number of instruments (objects to be calibrated).	BZOBJD OCOBJC OSECON OSHPPY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WTCALR WZCALR	ELECTRONIC RECORDS FOR EQUIPMENTS CROSSBOW EQUIPMENT LIST CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
27480	Loop Instruments	Crossbow	TCJCAL TCJCLI	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
		D7i Extended - Calibrations - Loop = noun - Section title for the loop instruments popup	WSINST WTCALR WZCALR	VIEW LOOP INSTRUMENTS POPUP CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
37999	Loss	EWS.CREP.UC.GasIndexAnalysis	OYGIAN OZGIAH OZGIAN	GAS INDEX ANALYSIS GAS INDEX ANALYSIS_HOSPITALITY GAS INDEX ANALYSIS
44334	Lost	EAM.EQUIP.REQ.KeyManagement	OSKEYM OZKEYD OZRING	KEY MANAGEMENT KEY LIST-DETAIL RING LIST-DETAIL
31616	Lost Credit	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
43988	Lost network connection to the server. Please check connection.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12365	Lot	Unit of receiving. Parts are received in lots. Enables lot tracking, FIFO etc.	BSDOCA BSLOVS BZDKLD BZEQDL BZESTD BZOBJD BZTRLD CSCCGM FCGRD1 FCGRD2 JSCAMP	DOCUMENTS LIST OF LOOKUPS ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR STANDARDS ELECTRONIC RECORDS FOR EQUIPMENTS ELECTRONIC RECORDS FOR TRANSACTION LINES CONTACT CENTER MAP SEARCH FLAMETHROWER GRID 1 FLAMETHROWER GRID 2 CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12365	Lot	Unit of receiving. Parts are received in lots. Enables lot tracking, FIFO etc.	OCBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCNAP	CREATE NEW ASSETS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZTRAS	EQUIPMENT TRANSFER LOG
			PSPORD	PURCHASE ORDERS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSBRKT	BREAKUP KIT
			SSBSTK	STOCK ON STORES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			STPICK	Pick List Print

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12365	Lot	Unit of receiving. Parts are received in lots. Enables lot tracking, FIFO etc.	STRCVF	Goods Received Note
			STSTD	Stocktake Discrepancy
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYSTD	Stocktake Discrepancy
			SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST
			SZEKIT	LIST OF EXPIRED KITS
			SZLKIT	LIST OF KITS
			SZ PICK	Pick List Print
			SZPRSL	PRINT RESTOCK LIST
			SZRCVF	Goods Received Note
			SZSTD	Stocktake Discrepancy
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			USINVP	INVESTMENT PLANNING
			WSAARD	ASSET REPAIR DETAILS
			WSASRD	ASSIGN REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMP	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSVITE	WORK ORDER QUICK ENTRY
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
23921	Lot Details	Infor EAM - group header on the Lots form to group specific lot information	SSLOTS	LOTS
40198	Lot Expiration Date	EAM.WORK.UC.TransactionsforEmployee.docx	SZEKIT	LIST OF EXPIRED KITS
			SZLKIT	LIST OF KITS
			WSEMP	EMPLOYEES
26999	Lots	Extended (product name)	BSLOVS	LIST OF LOOKUPS
12316	Low	Used in context : low stock.	CSBBNT	BULLETIN BOARD NOTICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12316	Low	Used in context : low stock.	SSPART	PARTS
			SSSTOR	STORES
47281	Low Quality	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
26829	Low Value	D7i Extended - Ranges for KPIs - field label	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
36948	Lowest Line Total Items	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
36947	Lowest Priced (UOM) Items	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
26020	M	Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Monday.'	WSCAPA	WO LOAD BALANCING
		EWS.CREP.UC.InventoryStandard.doc	WSWLSH	WO LABOR SCHEDULING
			SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
23963	M1 Nest Buff. (-/+)	Infor EAM - field on the PM Schedules form - Meter 1 Nested Buffer plus or minus	WSPPMs	PM SCHEDULES
			WZPPMQ	LIST OF PM SCHEDULES
23966	M2 Nest Buff. (-/+)	Infor EAM - field on the PM Schedules form - Meter 2 Nested Buffer plus or minus	WSPPMs	PM SCHEDULES
			WZPPMQ	LIST OF PM SCHEDULES
17697	MAOP	Maximum Allowable Operating Pressure	ISMONT	MONITORED DATA
33394	ME	EWS.REP.UC.WarrantyClaims	IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			JZJOBL	LIST OF JOBS FOR PROJECT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOBL	Labour Hours For Jobs
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZBLOG	Work Backlog

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33394	ME	EWS.REP.UC.WarrantyClaims	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZINVS	CUSTOMER INVOICE REPORT
			WZJOBL	Labour Hours For Jobs
			WZJOLL	Job List
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZPMMD	PRINT METER BASED PM DUE
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZTOCO	TOOL USAGE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
33436	MEC	EWS.CREP.UC.ListofPermitIssues.doc	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHCOSL	Job Cost Summary Report
			WHJOBL	Labour Hours For Jobs
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZJOBL	Labour Hours For Jobs
			WZJOLL	Job List
			WZPERF	Permits For Jobs

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33436	MEC	EWS.CREP.UC.ListofPermitIssues.doc	WZPERL	List Of Permit Issues
			WZTOCO	TOOL USAGE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
33813	MEC Equipment	EWS.REP.UC.CalibrationRecordReport	OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
33395	MEC Equipment Detail	EWS.REP.UC.WorkOrderCards.doc	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
33821	MEC Equipment Section	EWS.REP.UC.CalibrationRecordReport	WHACTV	VMRS ACTIVITIES
			WZACTV	VMRS ACTIVITIES
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
46736	MEC Work Orders	EAM.WORK.REQ.TraceRoutePopup	WSTCRT	LINEAR EQUIPMENT TRACE
27793	MM-DD-RRRR	D7i Extended - Locales form	BSLOCL	LOCALE
27795	MM/DD/RRRR	D7i Extended - Locales form	BSLOCL	LOCALE
28224	MON/DD/RRRR	D7i Extended -- Locales form -- LOV entry	BSLOCL	LOCALE
42905	MP Attached	EAM-9216 EQUIP.REQ.DetailsForEquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
39364	MP Class	EAM.WORK.UC.GenerateReleaseWorkOrders	WSBWOG	GENERATE/RELEASE WOS
39394	MP Description	EWS.WORK.UC.ReleasePMs.doc/38271	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSRELJ	RELEASE OF SELECTED JOBS
			WSWLSH	WO LABOR SCHEDULING
39252	MP Details	EAM.WORK.UC.CreateEditMaintenancePattern/38264	WSMPAT	MAINTENANCE PATTERNS
43499	MP Org.	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
43498	MP Sequence	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
35200	MP2 6.0 Oracle Edition	28030	BSDTCV	DATA CONVERSION (MP2)
36067	MP2 6.0 SQL Server Edition	EWS.ADMN.UC.CreateEditDataConversion.doc	BSDTCV	DATA CONVERSION (MP2)
35201	MP2 6.1 SQL Server Edition	28030	BSDTCV	DATA CONVERSION (MP2)
35411	MP2 Conversion Options - Finished	#28171	BSDTCV	DATA CONVERSION (MP2)
35265	MP2 Conversion Options - Prerequisites	#28171	BSDTCV	DATA CONVERSION (MP2)
35398	MP2 Conversion Options - Step 1 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35407	MP2 Conversion Options - Step 10 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35408	MP2 Conversion Options - Step 11 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35409	MP2 Conversion Options - Step 12 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35410	MP2 Conversion Options - Step 13 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35399	MP2 Conversion Options - Step 2 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35400	MP2 Conversion Options - Step 3 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35401	MP2 Conversion Options - Step 4 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35402	13 MP2 Conversion Options - Step 5 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35403	13 MP2 Conversion Options - Step 6 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35404	13 MP2 Conversion Options - Step 7 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35405	13 MP2 Conversion Options - Step 8 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
35406	13 MP2 Conversion Options - Step 9 of 13	#28171	BSDTCV	DATA CONVERSION (MP2)
36267	MP2 Equipment	EWS.ADMN.UC.OptionsofDataConversion / 29413	BSDTCV	DATA CONVERSION (MP2)
36174	MP2 Inventory Transaction Item No.	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
36265	MP2 Location	EWS.ADMN.UC.OptionsofDataConversion / 29413	BSDTCV	DATA CONVERSION (MP2)
36176	MP2 Meter Equipment No.	EWS.ADMN.UC.MP2MeterReadings	BSMPMR	MP2 METER READINGS
36336	MP2 Meter Name	EWS.ADMN.UC.MP2MeterReadings/29703	BSDTCV	DATA CONVERSION (MP2)
36100	MP2 Purchasing Item No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36101	MP2 Quotation No.	EWS.ADMN.UC.MP2Quotations	BSMPQT	MP2 QUOTATIONS
36096	MP2 Request No.	EWS.ADMN.UC.MP2WorkRequests	BSMPWR	MP2 WORK REQUESTS
36175	MP2 SPM Equipment No.	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
35465	MP2 Signal Tag	#28171	BSDTCV	DATA CONVERSION (MP2)
36337	MP2 Site	EWS.ADMN.UC.MP2Purchasing/29703	BSDTCV	DATA CONVERSION (MP2)
36339	MP2 Sub-location 1	EWS.ADMN.UC.MP2Purchasing/29703	BSDTCV	DATA CONVERSION (MP2)
36340	MP2 Sub-location 2	EWS.ADMN.UC.MP2Purchasing/29703	BSDTCV	DATA CONVERSION (MP2)
36341	MP2 Sub-location 3	EWS.ADMN.UC.MP2Purchasing/29703	BSDTCV	DATA CONVERSION (MP2)
36266	MP2 Task	EWS.ADMN.UC.OptionsofDataConversion / 29413	BSDTCV	DATA CONVERSION (MP2)
39674	MP2 UDF Options	45111	BSDTCV	DATA CONVERSION (MP2)
35458	MP2 Vendor	#28171	BSDTCV	DATA CONVERSION (MP2)
36338	MP2 Vendor Branch	EWS.ADMN.UC.MP2Purchasing/29703	BSDTCV	DATA CONVERSION (MP2)
36098	MP2 WO No.	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
12812	MS Project	An 'MS Project' project (set of jobs).	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
36412	MS Project Priority	EWS.ADMN.UC.MSProjectPriorityMappings.doc	RSPRIO	MS PROJECT PRIORITY MAPPINGS
47050	MTA Severities	EAM-31064	BSLOVS	LIST OF LOOKUPS
46906	MTA Severity	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
48152	MTBF (Days)	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48153	MTBF Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48153	MTBF Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	WSOPSS	OPTIMIZED SCHEDULER SETUP
48071	MTBF Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48104	MTBF/MTTR Details	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48170	MTTR (Hours)	EAM-41136 EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48157	MTTR Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48075	MTTR Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48154	MUBF	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48156	MUBF Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48155	MUBF UOM	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43597	Main Resource	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSMECH	MECHANIC'S WORKBENCH
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
31212	Main Screen	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
13269	Main menu	Pull down menu item	M1	Pull-Down Menu Texts
29211	Maint Equip	D7i Extended - Scheduled Activities Report	WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WZSCHA	Scheduled Activities
27551	Maint. Equipment Org.	D7i Extended - distinguish 'Equipment Org.' at WO level, we need this obrivated 'Maintenance Equipment ORganization' for WO schedule level	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
26567	Maintain History	D7i Extended - field label	BSEXIM	EXPORT CONFIGURATION
			BSKPIC	DEFINING KPI ENTRIES
27889	Maintenance	D7i Extended -- Inbox Setup form -- Inbox tab name	BSLOVS	LIST OF LOOKUPS
			BSSTRT	EWS NEW START CENTER
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEQPL	EQUIPMENT PLANNING
		22742	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27889	Maintenance	22742	WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSFLCF	FLEET CONFIGURATION
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
30784	Maintenance Contract Labor	D7i Extended -- Billings Codes for Fleet Customers -- Field Label, check if billing for maintenance contract labor	WSFCUS	FLEET CUSTOMERS
21683	Maintenance Equipment	Infor EAM - Maintenance or support equipment needed for this task.	LVOBJA	MAINTENANCE EQUIPMENT LOOK UP
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
30782	Maintenance Labor	D7i Extended -- Billing Codes for Fleet Customers -- Field Label	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
31412	Maintenance Labor Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31396	Maintenance Labor Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30786	Maintenance Parts	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, check if billing for maintenance parts	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
31413	Maintenance Parts Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31400	Maintenance Parts Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
39255	Maintenance Pattern	EAM.WORK.UC.CreateEditMaintenancePattern/38264	BAL018	WORK ORDER GENERATION - MPS
			BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OZEQPL	EQUIPMENT PLANNING
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS
			WHJOVH	PRINT WORK ORDER HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39255	Maintenance Pattern	EAM.WORK.UC.CreateEditMaintenancePattern/38264	WSBWOG	GENERATE/RELEASE WOS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSWLSH	WO LABOR SCHEDULING
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZLMWO	LIST OF MAINTENANCE WO
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMDO	PM DUE OVERVIEW
			WZWOLM	WORK ORDER LIST - DETAIL
39257	Maintenance Pattern - Sequence	Work Order EAM.WORK.UC.CreateEditWorkOrder/41708	BCMOBL	7I MOBILE BOILER TEXT
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSVITE	WORK ORDER QUICK ENTRY
49474	Maintenance Pattern Description	EAM-49865/RCMFailureMitigationForEquipment.docx	WSWODP	VIEW WO DETAILS POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
42725	Maintenance Pattern Details	MaintenancePatternsForEquipmentConfiguration	OSRCMT	RCM TEMPLATES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			WZPMDO	PM DUE OVERVIEW
43362	Maintenance Pattern Meter	EAM-10497		
39653	Maintenance Pattern Org.	EAM.WORK.UC.ParametersforWODailyScheduling/43652	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSMECH	MECHANIC'S WORKBENCH
43660	Maintenance Pattern Revision	EAM.WORK.REQ.MechanicWorkbench		
42624	Maintenance Pattern Sequence	EAM-7453	WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
			OSOBJA	CREATE ASSET EQUIPMENT
49475	Maintenance Pattern State	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			BSLOVS	LIST OF LOOKUPS
42729	Maintenance Patterns	MaintenancePatternsForEquipmentConfiguration	OSPCN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSEQGN	EQUIPMENT GENERATION
42811	Maintenance Patterns already existed	EAM.EQUIP.REQ.EquipmentGeneration		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	for the equipment. Generation step skipped.			
38012	Major Group	EWS.WORK.UC.CreateEditCapitalPlanningRequests	OSEVAL USINVP WSCPQRQ	EQUIPMENT EVALUATIONS INVESTMENT PLANNING CAPITAL PLANNING REQUEST
37783	Major Group Element	Capital Request Categorization Codes	BSCPQRQ	CAPITAL REQUEST CATEGORIZATION CODES
37787	Major Group Elements	Capital Request Categorization Codes	BSLOVS	LIST OF LOOKUPS
32572	Major WO	EWS.CREP.UC.ListofWorkOrdersBypassedDuetoNesting	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
45574	Make Available for All User Groups	EAM.ADMN.REQ.TabsforScreens	BSFUNC	CREATE UPDATE SCREENS
21790	Make Default	Infor EAM - checkbox to make the selected DataSpy the default for the user	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38171	Make Language Available	EWS.ADMN.UC.CreateEditLanguages.doc	BSJSDN BSLANG	COMMON FUNCTION FOR JAVASCRIPT LANGUAGES
45575	Make Unavailable for All User Groups	EAM.ADMN.REQ.TabsforScreens	BSFUNC	CREATE UPDATE SCREENS
36308	Make another attempt to retrieve the value(s) at this time.	EWS.MOBILE.UC.WSPromptEngine.doc	BCMOBL TCCRTF	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
40808	Make the selected text a hyperlink.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40793	Make the selected text bold.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40794	Make the selected text italic.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37837	ManPart	21894 Add Manufacturer and Manufacturer Part Number	TCJAPR	7I MOBILE BOILER TEXT
41541	Managed Peak	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL002	PEAK DEMAND
44177	Managed Profile ID	EAM.EQUIP.REQ.Rooms.docx	OSHPRM OSOBJA WSJOBS WSJOVH	CREATE HOSPITALITY ROOMS CREATE ASSET EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER
27890	Management	D7i Extended -- Inbox setup form -- Inbox tab name	BSSTRT	EWS NEW START CENTER
11994	Mandatory	Data that MUST be supplied.	BSREPO BZPRED ISASPC OSECN OSHPFY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSVPRE TSPROF WSPPMS WSSTWO WSJOBS WSJOVH WSJOVM	CREATE / EDIT REPORTS ELECTRONIC RECORDS FOR PERMISSIONS ASPECTS CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PERMIT ENTITY PROFILES PM SCHEDULES STANDARD WOS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27503	Mandatory data is missing.	Crossbow	TCDTCL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
13238	Manual	Pull down menu item	M1	Pull-Down Menu Texts
		EAM.EQUIP.UC.CalibrationForEquipment/47189	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
47263	Manually Configure	EAM.MOBILE.REQ.Login.docx	BCMOBL	7I MOBILE BOILER TEXT
24845	Manuf	Crossbow - Manufacturer	TCJACR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
		21894 Add Manufacturer and Manufacturer Part Numbe	TCJAPR	7I MOBILE BOILER TEXT
11996	Manufacturer	A company that manufactures parts/objects. A manufacturer may also be a supplier.	BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING
			BSPAMA	MANUFACTURER POPUP IN PART ASSOCIATAED
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			COBJC	CROSSBOW EQUIPMENT LIST
			OHOCST	Job Costing By Object Cost
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11996	Manufacturer	A company that manufactures parts/objects. A manufacturer may also be a supplier.	OSEQWR	WARRANTY FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSWARR	WARRANTY
			OZEQUD	EQUIPMENT DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCST	Job Costing By Object Cost
			OZPROF	EQUIPMENT PROFILE
			OZTRAS	EQUIPMENT TRANSFER LOG
			PHORDF	Print Purchase Order
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SSEVAL	PART EVALUATIONS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11996	Manufacturer	A company that manufactures parts/objects. A manufacturer may also be a supplier.	SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRECV	PO RECEIPTS
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SYINST	INVENTORY STANDARD
			SY PICK	Pick List Print
			SYREQF	PRINT PURCHASE REQUISITION
			SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST
			SZINST	INVENTORY STANDARD
			SZ PICK	Pick List Print
			SZREQF	Print Purchase Requisition
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHACTV	VMRS ACTIVITIES
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSCALR	VIEW CALIBRATION RESULTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11996	Manufacturer	A company that manufactures parts/objects. A manufacturer may also be a supplier.	WSVITE	WORK ORDER QUICK ENTRY
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTV	VMRS ACTIVITIES
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			FCGRD2	FLAMETHROWER GRID 2
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFS	REQUEST FOR QUOTATION SUMMARY
			TCJAPL	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBL	7I MOBILE BOILER TEXT
			OSEVAL	EQUIPMENT EVALUATIONS
38653	Manufacturer (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	BCMOBL	7I MOBILE BOILER TEXT
44273	Manufacturer Code	EAM-14486 :Android Tablet - Support localization	LVPARM	ADVANCED PART SEARCH:MANUFACTURER PART
20040	Manufacturer Description	Infor EAM - Search part form - field to search on the manufacturer's description		SEARC
21151	Manufacturer Details	Infor EAM - group header on the manufacturers tab of the parts form	SSMANU	MANUFACTUERS
21439	Manufacturer Lot	Infor EAM - The identifying code that the manufacturer assigned to a lot that has been received.	SSPART	PARTS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSLSTS	LOTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
31617	Manufacturer Match	EWS.CREP.UC.ElectronicRecords - Electronic Records report		
21158	Manufacturer Org.	Infor EAM - organization of the manufacturer on the Manufacturers tab of the Parts form	SSMANP	OVERVIEW OF MANUFACTURER PARTS
20101	Manufacturer Part	Infor EAM - The code that the manufacturer uses to identify the part.	SSPART	PARTS
			BCMOBL	7I MOBILE BOILER TEXT
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20101	Manufacturer Part	Infor EAM - The code that the manufacturer uses to identify the part.	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			SSPART	PARTS
32057	Manufacturer Part No.	PVCS 7371	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SSPACK	PACKAGES SCREEN
			SY PICK	Pick List Print
			SYREQF	PRINT PURCHASE REQUISITION
			SYSTTL	PRINT STOCKTAKE LIST
			SZ PICK	Pick List Print
			SZREQF	Print Purchase Requisition
			SZSTTL	PRINT STOCKTAKE LIST
			WHJOB F	PRINT WORK ORDER
			WYJOB F	PRINT WORK ORDER
			WZJOB F	PRINT WORK ORDER
21140	Manufacturer Part Number	Infor EAM - The code that the manufacturer uses to identify the part.	BSLOVS	LIST OF LOOKUPS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			FCGRD2	FLAMETHROWER GRID 2
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSEVAL	PART EVALUATIONS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSRECV	PO RECEIPTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21140	Manufacturer Part Number	Infor EAM - The code that the manufacturer uses to identify the part.	SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SYSTOL	Stock List
			SZSTOL	Stock List
			TCJAPL	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			BSLOVS	LIST OF LOOKUPS
37845	Manufacturer Part Numbers	EWS.MATL.UC.PartsforPhysicalInventory.doc	BSLOVS	LIST OF LOOKUPS
36805	Manufacturer Parts	EWS.PRCH.UC.PartsForRFQs / 31085	BSLOVS	LIST OF LOOKUPS
24020	Manufacturer Reference	Infor EAM - see 14633 for current translation	BSPAMA	MANUFACTURER POPUP IN PART ASSOCIATAED
12823	Manufacturer part	The code that the manufacturer uses to identify the part.	SSRQLL	REQUISITION LINE
35872	Manufacturer's Max Value	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
35873	Manufacturer's Min Value	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
15275	Manufacturers	This is the name of a tab on the Suppliers form that displays all manufcaturers associated to a supplier.	BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			BSPAMA	MANUFACTURER POPUP IN PART ASSOCIATAED
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			SSPART	PARTS
			BCMOBL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			BSGMAC	COPY GIS MAP POPUP
			BSGMAP	CREATE EDIT MAPS
			BSGROU	GROUPS
			BSUSER	USER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
39485	Map	EAM.GIS.UC.CreateEditMaps.doc	CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSSVPB	SERVICE PROBLEM CODES
			OCOBJA	MOBILE EQUIPMENT FUNCTION
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39485	Map	EAM.GIS.UC.CreateEditMaps.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSGWOD	GIS MAP WO DISPATCHING
			WSGWOP	GIS WO DISPATCH - PARAMETERS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49425	Map Configuration	EAM-50152	BCMOBL	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
48007	Map Configurations	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			WSGISD	MAP VIEW
39624	Map Description	EWS.ADMN.UC.GISPreferencesForUserGroups.doc	BSGROU	GROUPS
39486	Map Details	EAM.GIS.UC.CreateEditMaps.doc	BSDEPT	DEPARTMENTS
			BSGMAP	CREATE EDIT MAPS
			BSUSER	USER SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45485	Map Display	LinearOverviewForEquipment /EAM-18026	BSHYPL	HYPERLINK SETUP
45668	Map Fields	EAM.BASE.REQ.MapFieldsforHyperlinkSetupPopup.docx	OSGISL	GIS MAP LEGEND
27253	Map Legend	D7i Extended - GIS Map legend dialog title	OSGISR	GIS MAP SEARCH
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGVMP	VIEW GIS MAP POPUP (REST)
			BSDTCV	DATA CONVERSION (MP2)
39677	Map MP2 UDF to EAM Custom Fields	45111	BSDTCV	DATA CONVERSION (MP2)
39676	Map MP2 UDF to EAM UDF	45111	BSDTCV	DATA CONVERSION (MP2)
49369	Map Options	EAM-49402	WSGISD	MAP VIEW
39513	Map Org.	EAM.ADMN.UC.MapsforUser/43398	BCMOBL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			BSGROU	GROUPS
			BSUSER	USER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCSP	CONTACT CENTER SETUP
			CSSVPB	SERVICE PROBLEM CODES
			OSGICA	GIS CREATE NEW ASSET FORM
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39513	Map Org.	EAM.ADMN.UC.MapsforUser/43398	WSGWOP	GIS WO DISPATCH - PARAMETERS
24455	Map Search	D7i Extended - block label in GIS map search page	WSOPSS	OPTIMIZED SCHEDULER SETUP
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
43855	Map View	EAM-13665 Support screen permission for iPad/Andro	BCBGIS	MOBILE GIS MAP
43989	Map and Directions	HomeMenuViewController	BCMOBL	7I MOBILE BOILER TEXT
45688	Map each Destination Screen Parameter to a Source Screen Field. The Source Screen Field can be manually entered or selected from the list of available fields displayed when pressing the F9 key.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			BSMAPF	MAP FIELDS
35440	Mapped	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSDTCV	DATA CONVERSION (MP2)
36417	Mapping Details	EWS.ADMN.UC.MSProjectPriorityMappings.doc	RSPRIO	MS PROJECT PRIORITY MAPPINGS
39528	Maps	EAM.ADMN.UC.MapsforUser/43398	BSDEPT	DEPARTMENTS
			BSLOVS	LIST OF LOOKUPS
			BSUSER	USER SETUP
			WSGISD	MAP VIEW
			WSPMPL	PM FORECASTING
			CZISGH	INCIDENT SUMMARY GRAPH
37391	Mar :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
40024	Mar.	#47067	DSGLPS	GL PROCESS SCHEDULES
			EAM-5333	MONTHLY SCHEDULING DETAILS REPORT
			BSREPT	REPORT PARAMETERS
27438	Mark Confidential	D7i Extended - Field label used on Report Parameters page	BSRPTG	GENERIC REPORT PARAMETERS
			TCPRRP	7I MOBILE BOILER TEXT
			OSEVAL	EQUIPMENT EVALUATIONS
38538	Mark as Equivalent	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	SSEVAL	PART EVALUATIONS
39127	Mark as Failed	EWS.PROJ.UC.EquipmentforCampaign/40727	JSCAMP	CAMPAIGN
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
38539	Mark as Not Equivalent	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
38540	Mark as Not Evaluated	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	JSCAMP	CAMPAIGN
			OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46644	Mark as Not Found	EAM-22773 - InventoryResultsforAssetInventory	OSAINV	ASSET INVENTORY
39126	Mark as Passed	EWS.PROJ.UC.EquipmentforCampaign/40727	JSCAMP	CAMPAIGN
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39126	Mark as Passed	EWS.PROJ.UC.EquipmentforCampaign/40727	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48219	Markov Chains	EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
48206	Markov Details	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48227	Markov Transition Matrix	EAM-41025	OSDCUR	DECAY CURVE
31393	Markup	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30954	Markup %	D7i Extended -- Rates for Fleet Markup Codes -- Section Header	WSDEPO	DEPOTS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
30949	Markup Charges	D7i Extended -- Rates for Fleet Markup Codes -- Section Header	WSFMRK	FLEET MARKUP CODES
30777	Markup Code	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, markup code used for billing	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSFCUS	FLEET CUSTOMERS
			WSFLAB	ASSIGNMENT BILIING POPUP
			WSFLTK	FLEET VEHICLE TICKETS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30948	Markup Code Details	D7i Extended -- Rates for Fleet Markup Codes -- Section Header	WSFMRK	FLEET MARKUP CODES
30780	Markup Code Org.	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, org.=organization	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSFCUS	FLEET CUSTOMERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30780	Markup Code Org.	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, org.=organization	WSFLAB WSGSRH WSJOBS WSJOVH WSJOVM WSOPSS BSLOVS	ASSIGNMENT BILIING POPUP GIS MAP ROADS HIGHWAYS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP LIST OF LOOKUPS
30808	Markup Codes	D7i Extended -- Billing Codes for Fleet Management -- Field Label, markup=adjective		
30778	Markup Description	D7i Extended -- Billing Codes for Fleet Customers -- Field Label	WSFCUS	FLEET CUSTOMERS
30509	Markup Details	Extended (product name); Refer to EWS.WORK.UC.MarkupbyTradeForPricingSchedules	WSARRS	PRICING SCHEDULE
49058	Mass Acknowledge	EAM-46297	BCMOBL	7I MOBILE BOILER TEXT
48756	Mass Acknowledged	EAM-46913: NonconformityObservations	OSNCFM OSNCHD WSJOBS OSNCSP	NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE WORK ORDER NONCONFORMITIESSETUP
48763	Mass Acknowledgement Allowed	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
31618	Master Calendar	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
27814	Master Functions	D7i Extended - Screens form - DropDown element	BSFUNC	CREATE UPDATE SCREENS
43998	Mat List	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
31619	Mat Revision	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
19679	Match	Button on the invoice line tab to mimic the match process.	PSINVO	INVOICES
39333	Match Department	40522	WSWLSH	WO LABOR SCHEDULING
36994	Match Equipment	31095	CSCCSP	CONTACT CENTER SETUP
36991	Match Equipment on WO Header or Equipment Tab	31095	CSCCSP	CONTACT CENTER SETUP
31620	Match Parts	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZINVD	ELECTRONIC RECORDS FOR INVOICES
24469	Match Quantity Tolerance %	D7i Extended - ORG form	BSORGS	ORGANIZATIONS
36992	Match Service Category	31095	CSCCSP	CONTACT CENTER SETUP
36993	Match Service Code	31095	CSCCSP	CONTACT CENTER SETUP
39335	Match Shift	40522	WSWLSH	WO LABOR SCHEDULING
24467	Match Tolerance %	D7i Extended - ORG form	BSORGS	ORGANIZATIONS
24468	Match Tolerance Absolute	D7i Extended - ORG form	BSORGS	ORGANIZATIONS
39334	Match Trade	40522	WSCRWP WSGWOD WSWLSH CSCCSP	CREATE/EDIT CREW POPUP GIS MAP WO DISPATCHING WO LABOR SCHEDULING CONTACT CENTER SETUP
36990	Match WO Header Equipment Only	31095	CSCCSP	CONTACT CENTER SETUP
12535	Matched	An invoice is matched when the data entered for the individual lines are compared with the data on the order header and goods received note, and no inconsistencies are apparent.	PSINVO PZINVL	INVOICES List Of Invoices Not Yet Approved
28894	Matching Addresses	D7i Extended - GIS Map Search - Form title for GIS address selector popup	OSGADR OSGIAS	GIS ADDRESS SELECTOR (REST) GIS ADDRESS SELECTOR
28896	Matching Score	D7i Extended - GIS Map Search - Column header for matching score in GIS address selector grid	OSGADR OSGIAS	GIS ADDRESS SELECTOR (REST) GIS ADDRESS SELECTOR
12556	Material	Spare part, which is either a consumable or a capital	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12556	Material	spare. See also item.	ISMONT	MONITORED DATA
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OTCSTL	WORK ORDER COST SUMMARY
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
20974	Material Cost	Infor EAM - The maintenance costs arising from the usage of materials.	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			OSJOBS	CREATE WORK ORDER
			OSVCST	COSTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
22918	Material Cost (Default Currency)		BSOPBH	MATERIAL COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22919	Material Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
43990	Material Line	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20719	Material List	Infor EAM - A predefined list of (spare) parts to be used. Also used in context with a periodic work order. A variable material pick list, with the unique material requirement for a particular job.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZHISL	Object History
			SSISSU	Stock Issues
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			TCJACL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20719	Material List	Infor EAM - A predefined list of (spare) parts to be used. Also used in context with a periodic work order. A variable material pick list, with the unique material requirement for a particular job.	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSIMPL	IMPORT PART LIST
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMP	PM PLANS
			WSPPM	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZPMSP	PM SCHEDULE PROFILE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
21800	Material List Details	Infor EAM - group header on the material list form that displays the details of the material list	WSMATL	MATERIAL LISTS
38173	Material List Option	EWS.MATL.UC.SelectPartsPopupforReqs	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
31433	Material List Parts	D7i Extended - List of Tampered Records report	SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			BYTMPR	LIST OF TAMPERED RECORDS
20809	Material List Revision	Infor EAM - revision number of the material list	BZTMPR	LIST OF TAMPERED RECORDS
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPM	PM SCHEDULES
			WSSTWO	STANDARD WOS
21769	Material Lists	Infor EAM - name of menu	WSTASK	TASKS
			BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21769	Material Lists	Infor EAM - name of menu	BSLOVS	LIST OF LOOKUPS
			LVMATL	MATERIAL LIST LOOKUP
35784	Material Markup (%)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35194	Material Orders	EWS.CREP.UC.ProjectPurchaseOrders	JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
28433	Material Standard	D7i Extended -- Monitored Data form -- field label on Equipment Details form	ISMONT	MONITORED DATA
28478	Material Standards	D7i Extended -- Monitored Data form -- noun	BSLOVS	LIST OF LOOKUPS
28434	Material Std. Rev.	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
35785	Material Tax Rate (%)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
29420	Material Transaction System Type Code		BSWHSE	DATA WAREHOUSE
29421	Material Transaction System Type Description		BSWHSE	DATA WAREHOUSE
23273	Material Transaction Type Code		BSWHSE	DATA WAREHOUSE
23274	Material Transaction Type Description		BSWHSE	DATA WAREHOUSE
28939	Material Transaction Types	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
28908	Material Transactions Daily Snapshot	Data Warehouse Data Mart.	ASOPAG	MATERIAL TRANSACTION DAILY SNAP
			BSWHSE	DATA WAREHOUSE
45541	Material Type	AM-19896: EAM.ADMN.REQ.VMRSCodes	BCMOBL	7I MOBILE BOILER TEXT
			BSVMRS	VMRS CODES
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
45593	Material Type Details	EAM-19893:EAM.EQUIP.REQ.MaterialTypesForNonconform	OSNCTP	NONCONFORMITY TYPES
45576	Material Types	EAM-19893:EAM.EQUIP.REQ.MaterialTypesForNonconform	OSNCTP	NONCONFORMITY TYPES
21094	Material Usage	Infor EAM - title of form in Infor EAM to show the material usage value for equipment	OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11931	Material list	A predefined list of (spare) parts to be used. Also used in context with a periodic work order. A variable material pick list, with the unique material requirement for a particular job.	WCACTJ	CROSSBOW ACTIVITY LIST
			WCSTAC	CROSSBOW STWO ACTIVITY
			WTJOB	Job Cards
19470	Material list parts	name of new tab in BNINST that displays installation parameters relating only to the materials module	BTTMPR	LIST OF TAMPERED RECORDS
19488	Materials		BSDSET	DATABRIDGE SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSINST	INSTALL CODES
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			BSGROU	GROUPS
49033	Materials Adjustment 0	EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49034	Materials Adjustment 1	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49025	Materials Adjustment 2	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49026	Materials Adjustment 3	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49027	Materials Adjustment 4	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49028	Materials Adjustment 5	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49029	Materials Adjustment 6	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49030	Materials Adjustment 7	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49031	Materials Adjustment 8	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49035	Materials Adjustment 9	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49146	Materials Adjustment Details	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
12447	Materials on order	Parts ordered.	JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
24783	Matl	Crossbow	MMMATL	MOBILE MATERIAL
			TCCRSB	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
38554	Max	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	BCMOBL	7I MOBILE BOILER TEXT
			OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
			WSGISD	MAP VIEW
40318	Max Kits Available	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT	BUILD KITS
27607	Max Length	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCSPRP	7I MOBILE BOILER TEXT
38066	Max No. of Records	EWS.CREP.UC.CO2Reduction.doc	OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
17987	Max PM	Maximum periodic preventive maintenance	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38084	Max Reduction %	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
17986	Max STWO	Maximum standard work order	BZEPOD ISMONT	ELECTRONIC RECORDS FOR EVENT POINTS MONITORED DATA
31622	Max To Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
27608	Max Value	Crossbow EWS.ADMN.UC.CreateEditAlerts / 33833	TCSRP BSALRT BSEXIM	7I MOBILE BOILER TEXT ALERT MANAGEMENT SYSTEM EXPORT CONFIGURATION
28416	Max. Critical	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
28418	Max. Critical Next	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
28417	Max. Critical Reached	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
29506	Max. Dev.	D7i Extended - Calibration History report. Means maximum deviation.	OTCAHI OZCAHI	CALIBRATION HISTORY REPORT CALIBRATION HISTORY REPORT
28415	Max. Extreme	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
28414	Max. Formula	D7i Extended -- Monitored Data form -- field label for Aspect Points tab	ISMONT	MONITORED DATA
43134	Max. Labor Amount/Claim	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
45921	Max. Levels	EAM-22494	OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
23839	Max. Order Value	Infor EAM - maximum order value set by a supplier	SSSUPC SSSUPP	CUSTOMERS SUPPLIERS
28423	Max. PM	D7i Extended -- Monitored Data -- field label on Aspect Points tab	ISMONT	MONITORED DATA
45965	Max. Records Ranked	EAM-22039	OHECRC OZECRC	EQUIPMENT COSTS BY RANKING CHART EQUIPMENT COSTS BY RANKING CHART
41633	Max. Response Time	EAM-2071 Create Incident Response Time Chart	UZIRTC	INCIDENT RESPONSE TIME CHART
28422	Max. Std. WO	D7i Extended -- Monitored Data form -- field label on Aspect Points form	ISMONT	MONITORED DATA
43135	Max. Stock Amount/Claim	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
38375	Max. Tank Volume	EWS.WORK.UC.DepotTankForFuel	WSDEPO WSFUEL	DEPOTS FUEL
43799	Max. Tolerance	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
28419	Max. Tolerance %	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
28421	Max. Tolerance Next	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
28420	Max. Tolerance Reached	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
12703	Maximum	Maximum value (of an inspection point).	BHDDAN BSSTRT BYDDAN BZDDAH BZDDAN OSRRLP	DEGREE DAY ANALYSIS EWS NEW START CENTER DEGREE DAY ANALYSIS DEGREE DAY ANALYSIS_HOSPITALITY DEGREE DAY ANALYSIS ADD / EDIT LEVELS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12703	Maximum	Maximum value (of an inspection point).	OZTACR WYHRIL WZHRIL	TEMPERATURE ANALYSIS CHART HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
48072	Maximum Allowable Failures per Year	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48076	Maximum Allowable Repair Hours	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
43555	Maximum Calculated Priority	EAM.WORK.REQ.ParametersforWODailyScheduling.doc	WSWLSH	WO LABOR SCHEDULING
40494	Maximum Charge	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON WSCREN WSCTMP WSINVC WZCCON	CUSTOMER CONTRACTS CUSTOMER RENTALS CONTRACT TEMPLATES CUSTOMER INVOICES PRINT CUSTOMER CONTRACT
31623	Maximum Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BAL001 BZEPOD	POWER FACTOR ELECTRONIC RECORDS FOR EVENT POINTS
41941	Maximum Extension Duration (Hrs.)	EAM.WORK.REQ.PermitToWorkSetup	WSPTWS	PERMIT TO WORK SETUP
41935	Maximum Extensions	EAM.WORK.REQ.PermitToWorkSetup	WSPTWS	PERMIT TO WORK SETUP
40940	Maximum Guest Count	EAM.EQUIP.REQ.Rooms	BZOBJD OSHPRM	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY ROOMS
29983	Maximum Hours	D7i Extended -- Services tab, Blanket Order form -- Field Label	BZACTD PSBORD PYBPOL PZBPOL	ELECTRONIC RECORDS FOR ACTIVITIES CREATE EDIT BLANKET ORDERS BLANKET ORDER LIST BLANKET ORDER LIST
41940	Maximum Initial Duration (Hrs.)	EAM.WORK.REQ.PermitToWorkSetup	WSPTWS	PERMIT TO WORK SETUP
26409	Maximum Length	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSWSPM TSASTP	WEB SERVICES PROMPT DC TRANSACTION PROMPT
41533	Maximum PF	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL001	POWER FACTOR
48407	Maximum Performance	EAM-41417	OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
27029	Maximum Qty.	Extended (product name)	PSBORD SSPART SSSTOR	CREATE EDIT BLANKET ORDERS PARTS STORES
31624	Maximum Quantity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLDD PYBPOL PZBPOL SYINST SZINST	ELECTRONIC RECORDS FOR BLANKET ORDER LINES BLANKET ORDER LIST BLANKET ORDER LIST INVENTORY STANDARD INVENTORY STANDARD
49558	Maximum Recurrence	EAM.EQUIP.REQ.InvestmentOptionsForEquipmentClassDe	OSOCDE	EQUIPMENT CLASS DEFINITION
48409	Maximum Replacement Value	EAM-41417	OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
43261	Maximum Risk Level	EAM-9413	OZRCMS	RCM POTENTIAL YEARLY SAVINGS
37474	Maximum Rows per Page	33043	WSPMPL	PM FORECASTING
46879	Maximum Slider Value	EAM-29656	OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS WSTASK	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER TASKS
41942	Maximum Total Duration (Hrs.)	EAM.WORK.REQ.PermitToWorkSetup	WSPTWS	PERMIT TO WORK SETUP
23881	Maximum Value	Infor EAM - meters form - the highest value available for	BSCLSB	CLASSES FOR BUSINESS EDITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23881	Maximum Value	the physical meter	BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSPROM	Custom Attributes
			BSUDFO	USER DEFINED FIELD OPTIONS
			ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			OSMETE	PHYSICAL METER
			OSRELN	NORMALIZE LEVEL POPUP
			OSRELR	EQUIPMENT RANKINGS
		23590	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			OSOBJA	CREATE ASSET EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			TCLOCK	7I MOBILE BOILER TEXT
37757	Maximum allowed attempts reached. Please re-login.	21829 PIR: Mobile Timeout PIR		
11999	Maximum value		BCPRMP	CORSSBOW CUSTOM ATTRIB PROPERTY LIST
33964	May	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
		#47067	DSGLPS	GL PROCESS SCHEDULES
			CZISGH	INCIDENT SUMMARY GRAPH
			SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
		EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
37393	May :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
35874	Mean	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
30491	Mean Time (Days)	Infor EAM. Refer to EWS.REP.UC.MeantimeBetweenFailures.	OZJMFL	Mean Time Between Failures Per Fault
			OZOMFL	Mean Time Between Failures Per Object
29846	Measure	Extended (product name); The title of GIS tool bar button for the distance measuring tool feature on GIS Map Search page/form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
43572	Measure in Feet	EAM-9775/GIS Map Search (REST) screen	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGISR	GIS MAP SEARCH
43573	Measure in Kilometers	EAM-9775/GIS Map Search (REST) screen	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGISR	GIS MAP SEARCH
43574	Measure in Meters	EAM-9775/GIS Map Search (REST) screen	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGISR	GIS MAP SEARCH
43575	Measure in Miles	EAM-9775/GIS Map Search (REST) screen	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35875	Measurement	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
			ISASPC	ASPECTS
47064	Measurement Responsibility	EAM.WORK.REQ.ChecklistForTaskPlans	OSEQCI	CHECKLIST ITEMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47064	Measurement Responsibility	EAM.WORK.REQ.ChecklistForTaskPlans	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSTASK	TASKS
32206	Measurements (temporary)	EWS.GIS.UC.GISMapSearch.doc - SCR # 17934	OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGSWO	SELECTABLE LAYERS FOR WO
40997	Medical Equipment Incident	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
47277	Medium	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
47282	Medium Quality	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
15290	Menu		TCCRSB	7I MOBILE BOILER TEXT
		EAM-21705	BSMESP	MENU STRUCTURE AND PERMISSIONS
29489	Menu Code	D7i Extended -- User Groups form, Scanner Menus tab -- Field Label	BSSMEN	ADD MAIN MENU FOLDER POPUP
25885	Menu Details	Extended (product name). Block label in menus page. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSGROU	GROUPS
			BSSMEN	ADD MAIN MENU FOLDER POPUP
29491	Menu Folder Details	D7i Extended -- User Group form, Scanner Menus tab -- Block Title	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29492	Menu Folders	D7i Extended -- User Groups form, Scanner Menus tab -- Field Label, menu=adjective, folders=noun	BSLOVS	LIST OF LOOKUPS
38186	Menu Text	EWS.ADMN.UC.MenuTextforLanguages.doc	BSLANG	LANGUAGES
			BSRLNP	REFRESH INSTALLED LANGUAGE
19034	Menu list	Option in the menu under View Quick Access Bar, if active only the menu list will be displayed.	M1	Pull-Down Menu Texts
12401	Menus	A list of functions which you can choose from.	BHFUNL	List Of Functions
			BSGROU	GROUPS
			BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions
45662	Merge Nonconformities	EAM-19898:EAM.EQUIP.REQ.MergeNonconformitiesPop up	OSMGNC	MERGE NONCONFORMITIES POPUP
45562	Merge Nonconformity	EAM.EQUIP.REQ.Nonconformities	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
46418	Merge Restrictions	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
45657	Merge With	EAM-19898:EAM.EQUIP.REQ.MergeNonconformitiesPop up	OSMGNC	MERGE NONCONFORMITIES POPUP
46413	Merged Into	EAM.EQUIP.REQ.Nonconformities	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
28008	Message	Data Warehouse. A message. Refer to PVCS 1647.	BSDCER	VIEW DETAILS (DATA CONVERSION)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28008	Message	Data Warehouse. A message. Refer to PVCS 1647. 19879	BSDWRL	DATA WAREHOUSE RUN LOG
			FCSCRN	FLAMETHROWER SCREENS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			ASOLOG	ANALYTICS SERVER LOG
			BCMOBL	7I MOBILE BOILER TEXT
			BSIMPT	IMPORT CONFIGURATION
32917 32977	Message Delivery Message ID	EWS.DBADMIN.UC.CreateEditPartners.doc EWS.DBADMIN.UC.ViewMessageStatus	ESNOTI	NOTIFICATIONS
			DSPTNR	CREATE PARTNER
			BSLOVS	LIST OF LOOKUPS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGGS	VIEW MESSAGE STATUS
			DSMSGGS	VIEW MESSAGE STATUS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
33058 32983	Message Status Message Time	EWS.DBADMIN.UC.ViewMessageStatus EWS.DBADMIN.UC.ViewMessageStatus	BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
35254	Messenger Setup	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	DSMSGGS	VIEW MESSAGE STATUS
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
12000	Meter	A measure device for measuring 'usage'.	BAL007	MISSING UTILITY INVOICES
			BSDOCA	DOCUMENTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			FCGRD1	FLAMETHROWER GRID 1
			OCREAD	CROSSBOW METER READING HIS LIST
			OCUSGD	CROSSBOW METER USAGE DEF LIST
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OTMHST	METER HISTORY
			OZMHST	METER HISTORY
			PSINVO	INVOICES
			WSBFUL	BATCH FUEL ISSUES
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTBLOG	Work Backlog
			WTPPML	List Of All Ppm Schedules

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12000	Meter	A measure device for measuring 'usage'.	WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZPMDO	PM DUE OVERVIEW
			WZPPML	List Of All Ppm Schedules
		Crossbow	TCOHSL	7I MOBILE BOILER TEXT
			TCOMRL	7I MOBILE BOILER TEXT
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJOBOR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
			WZPPML	List Of All Ppm Schedules
32275	Meter # 1	EWS.CREP.UC.ListOfAllPMSchedules.doc	WZPPML	List Of All Ppm Schedules
32276	Meter # 2	EWS.CREP.UC.ListOfAllPMSchedules.doc	WZPPML	List Of All Ppm Schedules
43503	Meter #1 Current Reading	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
43506	Meter #1 Daily Average	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
43505	Meter #1 Daily Estimate	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
39312	Meter #1 Due	EAM.WORK.UC.DeactivateMPEquipmentPopup/38268	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
39311	Meter #1 Due Date	EAM.WORK.UC.DeactivateMPEquipmentPopup/38268	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
43504	Meter #1 Due Percentage	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
31625	Meter #1 Interval	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
38834	Meter #1 Releases Use	EWS.WORK.UC.CreateEditMaintenancePattern.doc	WZMPAT	PRINT MAINTENANCE PATTERN
			WSMPAT	MAINTENANCE PATTERNS
			WZMPAT	PRINT MAINTENANCE PATTERN
12001	Meter #1 UOM	The units of measure that a meter uses, e.g. 'miles', 'working hours' etc.	OTMHST	METER HISTORY
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSPPMS	PM SCHEDULES
			WTBLOG	Work Backlog
		EAM.WORK.UC.CreateEditMaintenancePattern/38264	WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12001	Meter #1 UOM	EAM.WORK.UC.CreateEditMaintenancePattern/38264	WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
			WZMPAT	PRINT MAINTENANCE PATTERN
12420	Meter #1 interval	The interval between two meter readings. When the interval is passed, a new PPM job should be released.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WTPPML	List Of All Ppm Schedules
23968	Meter #2 (+) N.B.	Infor EAM - this is a column header on the PM Schedules form meaning Meter 2 Nested Buffer forward. The plus sign indicates 'forward'.	WSPPMS	PM SCHEDULES
23967	Meter #2 (-) N.B.	Infor EAM - this is a column header on the PM Schedules form meaning Meter 2 Nested Buffer back. The minus sign indicates 'back' or previous.	WSPPMS	PM SCHEDULES
43507	Meter #2 Current Reading	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
43510	Meter #2 Daily Average	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
43509	Meter #2 Daily Estimate	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
24056	Meter #2 Due	Infor EAM - see 22781 for current translation	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			OSEQPM	PM SCHEDULES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WSWLSH	WO LABOR SCHEDULING
39313	Meter #2 Due Date	EAM.WORK.UC.DeactivateMPEquipmentPopup/38268	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
43508	Meter #2 Due Percentage	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
21787	Meter #2 Interval	Is used with the primary 'Meter interval' to determine when a PM job is due, e.g., an oil change should be performed every 3000 miles (meter interval) and after every 6000 miles ('Second meter interval').	BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECN	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21787	Meter #2 Interval	Is used with the primary 'Meter interval' to determine when a PM job is due, e.g., an oil change should be performed every 3000 miles (meter interval) and after every 6000 miles ('Second meter interval').	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WSWLSH	WO LABOR SCHEDULING
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPPMQ	LIST OF PM SCHEDULES
40892	Meter #2 Near Window	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
40893	Meter #2 Ok Window	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
40891	Meter #2 Release Window	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39253	Meter #2 Releases Use	EAM.WORK.UC.CreateEditMaintenancePattern/38264	WSMPAT	MAINTENANCE PATTERNS
			WZMPAT	PRINT MAINTENANCE PATTERN
20789	Meter #2 UOM	Indicates the unit of measure for 'Second meter interval', e.g., miles.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20789	Meter #2 UOM	Indicates the unit of measure for 'Second meter interval', e.g., miles.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WSWLSH	WO LABOR SCHEDULING
			WZMPAT	PRINT MAINTENANCE PATTERN
20788	Meter #2 interval	Is used with the primary 'Meter interval' to determine when a PM job is due, e.g., an oil change should be performed every 3000 miles (meter interval) and after every 6000 miles ('Second meter interval').	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WTPPML	List Of All Ppm Schedules
23965	Meter (+) N.B.	Infor EAM - this is a column header on the PM Schedules form meaning Meter Nested Buffer forward. The plus sign indicates 'forward'.	WSPPMS	PM SCHEDULES
23964	Meter (-) N.B.	Infor EAM - this is a column header on the PM Schedules form meaning Meter Nested Buffer back. The minus sign indicates 'back' or previous.	WSPPMS	PM SCHEDULES
33663	Meter Class Code	7839	BSWHSE	DATA WAREHOUSE
33664	Meter Class Description	7839	BSWHSE	DATA WAREHOUSE
33710	Meter Class Organization	7839	BSWHSE	DATA WAREHOUSE
33662	Meter Code	7839	BSWHSE	DATA WAREHOUSE
27882	Meter Description	Barcode	BSWHSE	DATA WAREHOUSE
			FCGRD1	FLAMETHROWER GRID 1
18173	Meter Details	group header on OMMETR Infor EAM - group header on the Meters tab of the equipment form that displays information relating to a the meter	WSBREA	BATCH METER READINGS FOR WORK ORDER
			OSMETE	PHYSICAL METER
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
24055	Meter Due	Infor EAM - see 20794 for current translation	OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24055	Meter Due	Infor EAM - see 20794 for current translation	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZPMDO	PM DUE OVERVIEW
43366	Meter Due Date	EAM-10497	WZPMDO	PM DUE OVERVIEW
43367	Meter Due Reading	EAM-10497	WZPMDO	PM DUE OVERVIEW
27881	Meter Equipment	Barcode	FCGRD1	FLAMETHROWER GRID 1
21139	Meter History	Infor EAM - title of the poup to view the history of the meter.	BCMOBL	7I MOBILE BOILER TEXT
			OSAREA	READING FOR ASSET
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
21781	Meter Interval	Infor EAM - The interval between two meter readings. When the interval is passed, a new PPM job should be released.	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSPPMS	PM SCHEDULES
			WZPPMQ	LIST OF PM SCHEDULES
			BSMPMR	MP2 METER READINGS
35464	Meter Name	#28171	BSMPMR	MP2 METER READINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35464	Meter Name	#28171	BSMPWO	MP2 WORK ORDERS
40889	Meter Near Window	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
40888	Meter Ok Window	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
37496	Meter Org.	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
33666	Meter Parent	7839	BSWHSE	DATA WAREHOUSE
21136	Meter Reading	Infor EAM - Displays the actual reading of the meter	BCMOBL	7I MOBILE BOILER TEXT
			BSMPWO	MP2 WORK ORDERS
			BSWHSE	DATA WAREHOUSE
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OSAREA	READING FOR ASSET
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
			WSBFUL	BATCH FUEL ISSUES
			WSDEPO	DEPOTS
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21136	Meter Reading	Infor EAM - Displays the actual reading of the meter Crossbow	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			OCMREA	CROSSBOW ASSET MENU
			TCCERR	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
36312	Meter Reading Details	EWS.EQUIP.UC.MeterReadingforMeters.doc	OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
33671	Meter Reading Difference	7839	BSWHSE	DATA WAREHOUSE
24157	Meter Reading History	Crossbow	TCOBJL	7I MOBILE BOILER TEXT
		Crossbow	TCOMRL	7I MOBILE BOILER TEXT
33665	Meter Reading Type	7839	BSWHSE	DATA WAREHOUSE
21195	Meter Readings	Infor EAM - Meter Readings is a tab name in WSJOBS (work order) that is used in the 'Meter Reading for WO Equipments' enhancement.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33659	Meter Readings Daily Snapshot	7839	BSWHSE	DATA WAREHOUSE
40890	Meter Release Window	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
25394	Meter Replacement	Crossbow. Main screen.	OCMREP	CROSSBOW ASSET MENU
			TCCERR	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
21120	Meter Rollover	Infor EAM - the set number at which a meter will revert back to zero. For example, a car's odometer can reach up to 100,000 before the odometer rolls back to 0000000	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSMETE	PHYSICAL METER
21189	Meter Rollover Point	Infor EAM - the point at which a meter's value resets back to 0.	WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21189	Meter Rollover Point	Infor EAM - the point at which a meter's value resets back to 0.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39264	Meter Type	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
21006	Meter UOM	Infor EAM - Indicates the unit of measure for the meter that triggers release based on usage. This will be used as the boiler text for this field on WMJOBS.	BSLOVS	LIST OF LOOKUPS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSDEPO	DEPOTS
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSFUEL	FUEL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WSWOUN	WO UPDATE
			WZPMMD	PRINT METER BASED PM DUE
20940	Meter Unit	Infor EAM - This refers to the unit of measure for a meter.	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20940	Meter Unit	Infor EAM - This refers to the unit of measure for a meter.	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMETE	PHYSICAL METER
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47254	Meter reading is already processed and cannot be updated on this screen.	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	WSOPSS	OPTIMIZED SCHEDULER SETUP
			BCMOBL	7I MOBILE BOILER TEXT
12710	Meter unit	This refers to the unit of measure for a meter.	CSCCGM	CONTACT CENTER MAP SEARCH
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
16173	Meter warranty	Crossbow	OCWARR	CROSSBOW WARRANTY LIST
26753	Meter/Reading		TCESYP	7I MOBILE BOILER TEXT
24643	Meters	D7i Extended - GIS Map Search - UOM dropdown value	BEGEQ	GIS DATA IMPORT FILTER GRID EQUIPMENT
			BEGEQC	GIS DATA IMPORT FILTER GRID EQUIPMENT COSTS
			BEGEQE	GIS DATA IMPORT FILTER GRID EQ AND EVENTS
			BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			BSCLAS	CLASSES
			BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSPCPN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24643	Meters	D7i Extended - GIS Map Search - UOM dropdown value	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
		7839	BCMOBL	7I MOBILE BOILER TEXT
		EAM.EQUIP.REQ.EquipmentGeneration	BSWHSE	DATA WAREHOUSE
			OSEQGN	EQUIPMENT GENERATION
42477	Meters already existed for the equipment. Generation step skipped.	Which method to use for the inspection of the inspection points.	BSDOCA	DOCUMENTS
12694	Method		BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			FCGRD1	FLAMETHROWER GRID 1
			ISMETH	METHODS
			ISMONT	MONITORED DATA
			ITJBRT	Inspection Route Report
			IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12694	Method	Which method to use for the inspection of the inspection points. Crossbow. Inspection method.	WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
32716	Method Comments	EWS.CREP.UC.InspectionRouteReport.doc	IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
41949	Method Description	LOTOForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSPMTW	PERMIT TO WORK
27691	Method Details	Infor EAM. Refer to 5-Ind-EWS.INSP.UC.CreateEditMethod.	ISMETH	METHODS
42052	Method Revision	LOTO for Permit to Work	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			WSPMTW	PERMIT TO WORK
48278	Method of Detection	EAM.EQUIP.REQ.FailureModesPopup	BSLOVS	LIST OF LOOKUPS
			OSFAIL	FAILURE MODES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
			BSLOVS	LIST OF LOOKUPS
28557	Methods	D7i Extended -- Monitored Data form -- Title For Methods LOV, noun	FCSCRN	FLAMETHROWER SCREENS
27911	Metric (cm)	Barcode	OSOBJA	CREATE ASSET EQUIPMENT
47065	Metric Fraction Slider	EAM.WORK.REQ.ChecklistForTaskPlans	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSTASK	TASKS
42941	Metrics	EAM-10033	BSLOVS	LIST OF LOOKUPS
			OZOEEM	OEE METRICS
40951	Middle	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
33116	Middle Initial	Contact Info	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZGDPC	GDPR COMPLIANCE - CONTACT
48038	Middle Name	EAM-41077	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
30790	Mileage	D7i Extended -- Billing Codes for Fleet Customers -- Field		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30790	Mileage	Label	WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
31123	Mileage Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31411	Mileage Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31228	Mileage Billed	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
30944	Mileage Charge	D7i Extended -- Rates for Billing Codes -- Field Label, amount charged for mileage	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30861	Mileage Cost	D7i Extended -- Vehicle Ticket -- Field Label	WSFBLC	FLEET BILLING CODES
			WSFLAB	ASSIGNMENT BILIING POPUP
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30862	Mileage Cost Currency	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
31137	Mileage Markup Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WSFBIL	FLEET BILLS
31124	Mileage Markup Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
31229	Mileage Markup Billed	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31230	Mileage Markup Billed Currency	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31395	Mileage Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30848	Mileage Used	D7i Extended -- Vehicle Ticket -- Field Label, the difference between Returned Mileage and Issued Mileage	WSFLTK	FLEET VEHICLE TICKETS
24645	Miles	D7i Extended - GIS Map Search - UOM dropdown value	BCMOBL	7I MOBILE BOILER TEXT
			BEGEQ	GIS DATA IMPORT FILTER GRID EQUIPMENT
			BEGEQC	GIS DATA IMPORT FILTER GRID EQUIPMENT COSTS
			BEGEQE	GIS DATA IMPORT FILTER GRID EQ AND EVENTS
			BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			BSCLAS	CLASSES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24645	Miles	D7i Extended - GIS Map Search - UOM dropdown value	ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGISD	MAP VIEW
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
38553	Min	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	BCMOBL	7I MOBILE BOILER TEXT
			OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
			WSGISD	MAP VIEW
17980	Min PM	Minimum periodic preventive maintenance	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
38083	Min Reduction %	EWS.CREP.UC.CO2Reduction.doc	OYCORD	CO2 ANALYSIS
			OZCORD	CO2 ANALYSIS
17979	Min STWO	Minimum standard work order	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
31627	Min To Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	ISMONT	MONITORED DATA
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
31628	Min Tol	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
27609	Min Value	Crossbow	TCSPRP	7I MOBILE BOILER TEXT
		EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27609	Min Value	EWS.ADMN.UC.CreateEditAlerts / 33833	BSEXIM	EXPORT CONFIGURATION
29762	Min. # of Calibrations	D7i Extended - Calibration Analysis Report	WTCALA	CALIBRATION ANALYSIS
			WZCALA	CALIBRATION ANALYSIS
45985	Min. Cost Included	EAM-22039	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
28406	Min. Critical	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
28408	Min. Critical Next	D7i Extended -- Monitored Data form	ISMONT	MONITORED DATA
28407	Min. Critical Reached	D7i Extended -- Monitored Data form	ISMONT	MONITORED DATA
39308	Min. Due Date	EAM.WORK.UC.DeactivateMPEquipmentPopup/38268	WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WZMPAT	PRINT MAINTENANCE PATTERN
28404	Min. Extreme	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
28405	Min. Formula	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
30624	Min. Hours Billed	D7i Extended -- Parameters for Fleet Configuration -- Field Labels, min.=minimum	WSFLCF	FLEET CONFIGURATION
23835	Min. Order Value	Infor EAM - minimum order value for a specific supplier	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
28413	Min. PM	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
30133	Min. Repair Qty.	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc - minimum quantity to be repaired	SSPART	PARTS
41632	Min. Response Time	EAM-2071 Create Incident Response Time Chart	UZIRTC	INCIDENT RESPONSE TIME CHART
28412	Min. Std. WO	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	ISMONT	MONITORED DATA
43798	Min. Tolerance	D7i Extended -- Monitored Data form	ISMONT	MONITORED DATA
28409	Min. Tolerance %	D7i Extended -- Monitored Data form	ISMONT	MONITORED DATA
28411	Min. Tolerance Next	D7i Extended -- Monitored Data form	ISMONT	MONITORED DATA
28410	Min. Tolerance Reached	D7i Extended -- Monitored Data form	ISMONT	MONITORED DATA
37802	Min/Max Definition	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
28403	Min/Max Details	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
37812	Min/Max Value Field	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
12702	Minimum	Minimum value of an inspection point.	BHDDAN	DEGREE DAY ANALYSIS
			BSSTRT	EWS NEW START CENTER
			BYDDAN	DEGREE DAY ANALYSIS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			OSRRLP	ADD / EDIT LEVELS POPUP
			OZTACR	TEMPERATURE ANALYSIS CHART
			WYHRIL	HOURS NEEDED FOR TASKS
			WZHRIL	HOURS NEEDED FOR TASKS
40493	Minimum Charge	EAM-33.WORK.REQ.ChargeDefinitionsForContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30353	Minimum Cost	D7i Extended -- EWS.REP.UC.WorkOrderCostByEquipment	OHOCS OZOCST	Job Costing By Object Cost Job Costing By Object Cost
31629	Minimum Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BAL001 BZEPOD	POWER FACTOR ELECTRONIC RECORDS FOR EVENT POINTS
35583	Minimum Deduction	EWS.CREP.UC.PenaltyDeductionSummary	CYPDDT CZPDDT CZPDSM	PRINT PENALTY DEDUCTION DETAIL PRINT PENALTY DEDUCTION DETAIL PRINT PENALTY DEDUCTION SUMAMRY
31630	Minimum Hours	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
26408	Minimum Length	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSWSPM TSASTP	WEB SERVICES PROMPT DC TRANSACTION PROMPT
30537	Minimum Level	D7i Extended - List of Stock report	SYLOWL SZLOWL	Overview Of Stock Overview Of Stock
32379	Minimum Order Amount		BSMPPR PYORDS PZORDS	MP2 PURCHASING PURCHASE ORDER STATUS PURCHASE ORDER STATUS
20863	Minimum Order Qty.	Infor EAM - the minimum amount of parts the supplier requires when ordering parts.	SSPART SSSUPP SSSUPT	PARTS SUPPLIERS OVERVIEW OF SUPPLIER PARTS
33084	Minimum Order Value	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
41532	Minimum PF	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL001	POWER FACTOR
34324	Minimum Password Length	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
35198	Minimum Penalty	EWS.CCTR.UC.CallCenterSetup-SCR27882	BZOBJD CSCCGM CSCCSP JSCAMP OSBURV OSECN OSGISR OSGISS OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVPM OSRELR OZEQUD WSGSRH WSJOBS WSJOVH WSJOVM WSOPSS OSHPVH OSOBJA	ELECTRONIC RECORDS FOR EQUIPMENTS CONTACT CENTER MAP SEARCH CONTACT CENTER SETUP CAMPAIGN CALCULATE RELIABILITY RANKING INDEX CREATE EQUIPMENT CONFIGURATION GIS MAP SEARCH GIS MAP SEARCH (OLD) CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE POSITION EQUIPMENT EQUIPMENT RANKINGS EQUIPMENT DETAIL GIS MAP ROADS HIGHWAYS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT
37639	Minimum Penalty UOM	EWS.MATL.UC.IssueReturnParts/32426		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37639	Minimum Penalty UOM	EWS.MATL.UC.IssueReturnParts/32426	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
41550	Minimum Percentage	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
48406	Minimum Performance	EAM-41417	OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
37094	Minimum Periodicity (Days)	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
20846	Minimum Qty.	Infor EAM - the minimum amount of parts to order with automatic re-ordering	PSCONT	PURCHASING CONTRACTS
			SSPART	PARTS
			SSSTOR	STORES
32399	Minimum Quantity	EWS.CREP.UC.InventoryStandard.doc	PSPROM	PURCHASING CONTRACT TEXT
			SSPART	PARTS
			SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
48408	Minimum Replacement Value	EAM-41417	OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
43211	Minimum Risk Level	EAM-9411	OZRCME	RCM EQUIPMENT AT RISK
			OZRCML	RCM RISK LEVELS
46878	Minimum Slider Value	EAM-29656	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSTASK	TASKS
35062	Minimum Time (Min)	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
30326	Minimum Time (min.)	Infor EAM. Field label on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
25072	Minimum Value	D7i Extended - Custom Fields form	BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSPROM	Custom Attributes
			BSUDFO	USER DEFINED FIELD OPTIONS
			ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			OSRELN	NORMALIZE LEVEL POPUP
			OSRELR	EQUIPMENT RANKINGS
			PSCONT	PURCHASING CONTRACTS
			SSPART	PARTS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
33083	Minimum Value of Parts	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
36821	Minimum length must be greater than or equal to :PARAM1	21768 Web Service Prompt Engine - support custom	TCPMTR	7I MOBILE BOILER TEXT
12522	Minimum level		STLOWL	Overview Of Stock
18496	Minimum order qty	the minimum amount of parts the supplier requires when ordering parts.	PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12257	Minimum order value	This is the lowest cost amount of a an order for a supplier.	CMPROM	Contract Text Prompts
12431	Minimum quantity		CMPROM	Contract Text Prompts
12003	Minimum value		BCPRMP	CORSSBOW CUSTOM ATTRIB PROPERTY LIST
12113	Minimum value of parts		CMPROM	Contract Text Prompts
42618	Minor		BZEVD	ELECTRONIC RECORDS FOR EVENTS
		EAM.WORK.REQ.WorkOrderHospitality/EAM-2194	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
12848	Minority Group		FCGRD1	FLAMETHROWER GRID 1
			SSSUPP	SUPPLIERS
29865	Mins		TCJBKL	7I MOBILE BOILER TEXT
21413	Minute		BSFFSP	FILTER FIELD SETUP SCREEN
			BSJOBS	JOB SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
		EWS.CCTR.UC.ServiceProblemCodes	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
35134	Minute(s)		BSDEPT	DEPARTMENTS
			CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38217	Minutes		BSDLUS	DATA LAKE UPLOAD SETUP
			DSPTNR	CREATE PARTNER
			WZRTBD	RESPONSE TIME BY DEPARTMENT
44274	Minutes	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43999	Minutes Ago	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
29863	Minutes must be between 0 and 59.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT
35986	Misc. Charge	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
43449	Misc. Claim Amount	EAM-10422 EAM.EQUIP.REQ.WarrantyClaim	OSCLAI	WARRANTY CLAIMS
43450	Misc. Cost Settlement	EAM-10422 EAM.EQUIP.REQ.WarrantyClaim	OSCLAI	WARRANTY CLAIMS
27502	Mismatch in Pattern ->	Crossbow	TCDTCL	7I MOBILE BOILER TEXT
44286	Missing :PARAM1 request type for model :PARAM2.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44000	Missing JSON	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44285	Missing JSON File :PARAM1.json	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44001	Missing Request	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44287	Missing SQL File :PARAM1.sql	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
49470	Mitigated Probability	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49470	Mitigated Probability	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJP OSOBJS OSRCMT	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49471	Mitigated Probability %	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49472	Mitigation Applied	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49468	Mitigation Details	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49469	Mitigation Type	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
44440	Mixed	EAM-14786	BSEXIM BSFUNC	EXPORT CONFIGURATION CREATE UPDATE SCREENS
36738	Mixed Case	30854	BSGRID	GRID DESIGNER
34328	Mixed Case Passwords	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
24778	Mobile	Crossbow - product name displayed in title bar	BCMOBL TCCRSB	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
		Extended (product name); refer to pvcs 11418	BSROLE BSUSER	LDAP ROLES SETUP USER SETUP
		EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX BSEXAL BSVSDP BHUSRL BSCMEX BYUSRL BZUSRL	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION VIEW STATUS DETAILS POPUP USERS GROUP CONFIGURATION CONFIGURATION MANAGER - EXPORT USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
27670	Mobile Ad Hoc Inspection	Crossbow - function title	ICMONT	CROSSBOW AD HOC INSPECTION
43845	Mobile Additional Costs	EAM-13665 Support screen permission for iPad/Andro	WCMISC	CROSSBOW ADDITIONAL COST FUNCTION
33820	Mobile Administrator	22433 / EWS.ADMN.UC.CreateEditUsers.doc	BSROLE BSUSER BSUSER	LDAP ROLES SETUP USER SETUP USER SETUP
48791	Mobile Auto Sync (minutes)	EAM.ADMN.REQ.Users.doc	BSUSER	USER SETUP
37348	Mobile Auto Sync Configure	21773 Auto-Sync: Ability to have device automatica	BCAUSY	INFOR EAM 7I MOBILE AUTO SYNC CONFIGURE
27664	Mobile Book Labor	Crossbow - function title. 'Book' is a verb and should be treated as 'Record (retroactive)' instead of 'Reserve (future).'	WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
46848	Mobile Button Sequence	EAM.INSP.REQ.TolerancesForAspect	ISASPC	ASPECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36226	Mobile CD Key	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
27672	Mobile Calibration	Crossbow - function title	WCCALI	CROSSBOW WO CALIBRATION
43842	Mobile Checklist	EAM-13665 Support screen permission for iPad/Andro	WCJACK	MOBILE CHECK LIST
27660	Mobile Close Work Order	Crossbow - function title	WCCOMP	CROSSBOW COMPLETED WORK ORDER
47505	Mobile Created Date	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
48759	Mobile Date Acknowledged	EAM-46913: NonconformityObservations	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
47446	Mobile Date Created	EAM.WORK.REQ.ContractorSignaturesForPermitToWork	WSPMTW	PERMIT TO WORK
47164	Mobile Date Updated	EAM-31936	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
46896	Mobile Date/Time Created	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
37000	Mobile Device	EWS.ADMN.UC.CreateEditMobileDevices	BSMDEV	MOBILE DEVICES
37001	Mobile Device Details	EWS.ADMN.UC.CreateEditMobileDevices	BSMDEV	MOBILE DEVICES
47988	Mobile Entities Setup	EAM-37155 EAM.ADMN.REQ.MobileEntitiesSetup	BSMENS	MOBILE ENTITIES SETUP
47994	Mobile Entity	EAM-39474 EAM.ADMN.REQ.MobileEntitiesSetup	BSMENS	MOBILE ENTITIES SETUP
43847	Mobile Equipment	EAM-13665 Support screen permission for iPad/Andro	OCOBJM	MOBILE EQUIPMENT LIST VIEW
43848	Mobile Equipment Comment	EAM-13665 Support screen permission for iPad/Andro	OCCOMM	MOBILE EQUIPMENT COMMENT
43850	Mobile Equipment Documents	EAM-13665 Support screen permission for iPad/Andro	OCDOCW	MOBILE EQUIPMENT DOCUMENT
43849	Mobile Equipment History	EAM-13665 Support screen permission for iPad/Andro	OCHIST	MOBILE EQUIPMENT HISTORY
43851	Mobile Equipment Structure	EAM-13665 Support screen permission for iPad/Andro	OCSTRU	MOBILE EQUIPMENT STRUCTURE
46968	Mobile First Screen	EAM.ADMN.REQ.Users	BSLOVS	LIST OF LOOKUPS
			BSUSER	USER SETUP
37533	Mobile Functions	33263	BSFUNC	CREATE UPDATE SCREENS
39316	Mobile Grid	EAM.ADMN.UC.GridDesigner/42067	BSGRID	GRID DESIGNER
27666	Mobile Issue Return Part	Crossbow - function title	SCISSU	CROSSBOW ISSUE/RETURN PART
46059	Mobile Linear Overview	EAM-24561 EAM iPad - support Linear Asset	OCOLNO	MOBILE LINEAR OVERVIEW
49779	Mobile Log	EAM-52990 EAM.ADMN.REQ.Documents	BSDOCU	DOCUMENTS
36823	Mobile Logger	21784 PIR - Logger : New logger function for Relea	TCCLGR	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
49780	Mobile Logs	EAM-52990 EAM.ADMN.REQ.Documents	BSDOCU	DOCUMENTS
47598	Mobile Maps	EAM.ADMN.REQ.MapsforDepartment.doc/EAM-35525	BSDEPT	DEPARTMENTS
			BSUSER	USER SETUP
38966	Mobile Menus	New tab on the User Groups screen to maintain the menus for Mobile. Refer to EWS.ADMIN.UC.MenusforUserGroups.doc.	BSGROU	GROUPS
39010	Mobile Messaging	EWS.DBADMIN.UC.ViewMessageStatus/39337	DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
27667	Mobile Meter Reading	Crossbow - function title	OCREAD	CROSSBOW METER READING HIS LIST
46894	Mobile Notebook	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46898	Mobile Notebook Class	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
46899	Mobile Notebook Class Org.	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
47011	Mobile Notebook Details	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
45671	Mobile Only	EAM.ADMN.REQ.CreateUpdateFlexSQL	BSDEPT	DEPARTMENTS
			BSGMAP	CREATE EDIT MAPS
			BSUSER	USER SETUP
			YSFLXS	FLEX SQL
46058	Mobile Open Work Orders	EAM-24394 Mobile (iPad) - Ability to view work or	OCORWO	MOBILE OPEN WORKORDERS
41074	Mobile Phone No.	EAM - 295 : EAM.WORK.REQ.Employee	WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
46055	Mobile Plan Tools	EAM-24942 EAM iPad - Work Order Issue Tools	WCJTPL	MOBILE WO TOOL PLANING
43843	Mobile Proof of Delivery	EAM-13665 Support screen permission for iPad/Andro	WCPROF	MOBILE PROOF OF DELIVERY
35653	Mobile Query Code	#28494	BSWSPM	WEB SERVICES PROMPT
27668	Mobile Replace Physical Meter	Crossbow - function title	OCMETR	CROSSBOW METER REPLACEMENT
49153	Mobile Requestor	EAM.ADMN.REQ.UserGroups	BSDUXD	DUX SCREEN DESIGNER
			BSGROU	GROUPS
			BSUSER	USER SETUP
27671	Mobile Route Inspection	Crossbow - function title	ICRSLT	CROSSBOW ROUTE INSPECTION
37590	Mobile SQL Statement	31129	BSWSPM	WEB SERVICES PROMPT
46057	Mobile Schedule Labor	EAM-24562 EAM iPad - Work Order Planned Labor	WCJSCH	MOBILE WO SCHEDULE
29367	Mobile Screen Config	Crossbow - function name	BCSCCF	INFOR EAM 7I MOBILE SCREEN CONFIG
48500	Mobile Screen Permissions	EAM-43390EAM.ADMN.REQ.MobileScreenPermissionsfor Us	BSGROU	GROUPS
37535	Mobile Screens	33263	BSFUNC	CREATE UPDATE SCREENS
45899	Mobile Settings	EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BSGROU	GROUPS
44908	Mobile Store to Store Receipt	EAM-15040	SCSTSR	MOBILE STORE TO STORE RECEIPT
44907	Mobile Store to Store Transfer	EAM-15040	SCIUSS	MOBILE STORE TO STORE ISSUE
29365	Mobile Sync Config	Crossbow - function name	BCSYCF	INFOR EAM 7I MOBILE SYNC CONFIG
29366	Mobile Sync Profile	Crossbow - function name	BCSYPF	INFOR EAM 7I MOBILE SYNC PROFILE
46056	Mobile Tools Usage	EAM-24942 EAM iPad - Work Order Issue Tools	WCJTou	MOBILE WO TOOL USAGE
49432	Mobile Transit-Fleet-Manufacture Options	EAM-49019	OSAINV	ASSET INVENTORY
47626	Mobile User	EAM.GIS.REQ.Maps.doc	BSUSER	USER SETUP
38949	Mobile User Authentication Method	SCR 38957	BSBSET	ADMIN SETUP
38100	Mobile User Timeout	EWS.ADMN.UC.MobileSetup/34625	BSMBST	MOBILE SETUP
27661	Mobile Work Order Activity	Crossbow - function title	WCACTJ	CROSSBOW ACTIVITY LIST
27662	Mobile Work Order Comment	Crossbow - function title	WCCOMM	CROSSBOW WORK ORDER COMMENT
27665	Mobile Work Order Custom Fields	Crossbow - function title	WCPROM	CROSSBOW WO CUSTOM FIELD
43846	Mobile Work Order Documents	EAM-13665 Support screen permission for iPad/Andro	WCDOCW	CROSSBOW WO DOCUMENT FUNCTION
43844	Mobile Work Order Equipment	EAM-13665 Support screen permission for iPad/Andro	WCWOEQ	CROSSBOW WORK ORDER FUNCTION
27663	Mobile Work Order Part	Crossbow - function title	WCMATL	CROSSBOW MATERIAL LIST
49195	Mobile/Field Work CD Key	EAM.ADMN.REQ.MobileSetup	BSMBST	MOBILE SETUP
13991	Model	Model contains the manufacture model number, this information is stored in a MP5 object.	BSMPPR	MP2 PURCHASING
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13991	Model	Model contains the manufacture model number, this information is stored in a MP5 object.	JSCAMP	CAMPAIGN
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZTRAS	EQUIPMENT TRANSFER LOG
			SSPART	PARTS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSCALR	VIEW CALIBRATION RESULTS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13991	Model	Model contains the manufacture model number, this information is stored in a MP5 object.	WTCALR	FORCAST
			WTJOB	CALIBRATION RECORD REPORT
			WYJOB	Job Cards
			WYWOSH	PRINT WORK ORDER
			WZCALR	PRINT SHORT WORK ORDER CARDS
			WZJOB	CALIBRATION RECORD REPORT
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER
			WZJOVM	PRINT WORK ORDER HOSPITALITY
			WZWOLG	PRINT WORK ORDER HEALTHCARE
			WZWOSH	PRINT WO LONG
			BCMOBL	PRINT SHORT WORK ORDER CARDS
			TCOBJL	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
37636	Model Number	EWS.MATL.UC.IssueReturnParts/32426	BCMOBL	7I MOBILE BOILER TEXT
			OSEVAL	EQUIPMENT EVALUATIONS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSEVAL	EQUIPMENT EVALUATIONS
38654	Model Number (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSECON	CREATE EQUIPMENT CONFIGURATION
42318	Model Revision	EAM.EQUIP.REQ.EquipmentConfiguration	WSWLSH	WO LABOR SCHEDULING
39104	Moderately Scheduled (% Scheduled >= Threshold) Color	EAM.WORK.UC.ParametersforWOLaborScheduling.doc		
21090	Modified	Infor EAM - indicates that a comment has been modified	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			FCSCRN	FLAMETHROWER SCREENS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
15060	Modify layout		M1	Pull-Down Menu Texts
29083	Modify parameter details and click Submit.	D7i Extended -- Formula form, Parameters tab -- Caption Label on Edit Parameter popup	ISFOMP	EDIT PARAMETER POP-UP
25598	Modifying Sync Config will terminate the current session, and you will have to re-login. Do you want to continue?	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
44571	Modifying or clearing the class will delete class specific custom fields. Continue?	EAM-14486	BCMOBL	7I MOBILE BOILER TEXT
31747	Modifying or clearing the class will delete the class specific custom fields. Continue?	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
19490	Module	New tab on BNINST that displays installation parameters relative only to modules	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSINST	INSTALL CODES
			BSORGS	ORGANIZATIONS
27011	Mon.	Extended (product name) Monday	SSSTOR	STORES
27842	Monday	D7i Extended - Locales form	BSFFSP	FILTER FIELD SETUP SCREEN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27842	Monday	D7i Extended - Locales form	BSJSCT BSLOCL DSGLPS REPORT WSPPMS WZMSCH	JOB SCHEDULES SCHEDULE TIME POP-UP LOCALE GL PROCESS SCHEDULES General Report Function PM SCHEDULES MONTHLY SCHEDULING DETAILS REPORT
35232	Monday End Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35225	Monday Start Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
33959	Monday..Sunday	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21550 (Code Descriptions) for the existing translations.	DSGLPS	GL PROCESS SCHEDULES
27781	Monetary Decimal Places	D7i Extended - Locales form	BSLOCL	LOCALE
29749	Monetary Decimal Separator	Infor EAM.	BSLOCL	LOCALE
29751	Monetary Group Digits	Infor EAM.	BSLOCL	LOCALE
29750	Monetary Group Separator	Infor EAM.	BSLOCL	LOCALE
37310	Monitored Data Results	EWS.WORK.UC.MonitoredDataResultsForWO	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
29659	Monitored Equipment	D7i Extended -- MonitoredEquipment form -- Header Title	BSLOVS ISMONT WSJOBS WSJOVH WSJOVM	LIST OF LOOKUPS MONITORED DATA CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
37311	Monitored Equipment Description	EWS.WORK.UC.MonitoredDataResultsForWO	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
37309	Monitored Equipment Org.	EWS.WORK.UC.MonitoredDataResultsForWO	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
14287	Monitoring Session	used in scheduling projects - indicates whether to include work orders and activities with a status of completed.	WSJOBS	CREATE WORK ORDER
11979	Month	1. Calendar month (JAN, FEB, MAR). 2. This string should be used for 'Month' used as a NOUN!!!! For example, by 'fiscal year' vs. by 'month.'	BSREGN BSSTRT CZISGH OZESRC REPORT SSPART SYUSTL SZUSTL WYVRSL WZVMRS WZVRSL	CREATE EDIT REGIONS EWS NEW START CENTER INCIDENT SUMMARY GRAPH ENERGY STAR RATINGS CHART General Report Function PARTS MONTHLY USAGE TRENDS MONTHLY USAGE TRENDS VIEW RESOURCE LOAD VMRS ACTIVITIES CHART VIEW RESOURCE LOAD
		Number of months. This string should be used if the number identifying the month appears after the word 'month' indicating that the use needs to enter the number. For example, 'Period 1 Month _.'	BSJOBS BSREGN OYCOEM OZCOEH	JOB SETUP CREATE EDIT REGIONS CO2E EMISSIONS CO2E EMISSIONS_HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11979	Month	Number of months. This string should be used if the number identifying the month appears after the word 'month' indicating that the use needs to enter the number. For example, 'Period 1 Month _.'	OZCOEM	CO2E EMISSIONS
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZFLTG	Fault Trend Analysis
32585	Month From	EWS.CREP.UC.MonthlyUsageTrends.doc	SYUSTL	MONTHLY USAGE TRENDS
			SZUSTL	MONTHLY USAGE TRENDS
23039	Month Number	This was part of a mass entry of text codes created for the Data Warehouse via a SQL script created to enter these text strings into the text system. There is no reference document available for this item.	BSWHSE	DATA WAREHOUSE
32586	Month To	EWS.CREP.UC.MonthlyUsageTrends.doc	SYUSTL	MONTHLY USAGE TRENDS
			SZUSTL	MONTHLY USAGE TRENDS
35138	Month(s)	EWS.CCTR.UC.ServiceProblemCodes	BSDEPT	DEPARTMENTS
			CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
34842	Monthly	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridg ePar	WZVMRS	VMRS ACTIVITIES CHART
32503	Monthly Demand	EWS.CREP.UC.AverageMonthlyUsageAnalysis.doc - Average Monthly Usage Analysis report	SYUSAL	Average Monthly Usage Analysis
			SZUSAL	Average Monthly Usage Analysis
37108	Monthly Designator	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
43783	Monthly Part Usage Chart	EAM-11754	SSPART	PARTS
32502	Monthly Usage	EWS.CREP.UC.AverageMonthlyUsageAnalysis.doc - Average Monthly Usage Analysis report	CZUSGF	Discount Request Based On Usage
			SYUSAL	Average Monthly Usage Analysis
			SZUSAL	Average Monthly Usage Analysis
12192	Months	This string should be used if 'month' is being used as a unit of measure following the number. For example, '_ months,' '1 month,' '2 months,' etc.	BSDLUS	DATA LAKE UPLOAD SETUP
			OSDPDT	DEPRECIATION DETAILS
			SYUSAL	Average Monthly Usage Analysis
			SZUSAL	Average Monthly Usage Analysis
21411	Months of each year	Infor EAM - field for user to select the month out of the calendar year	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
21507	More	Infor EAM: Text on buttons for More information	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49665	More Comments...	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
20528	More Details	Infor EAM - button or link to view or enter more details on the record	WSCSRQ	CUSTOMER SERVICE PORTAL
49666	More Documents...	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
43991	More records available	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
42418	More than one active warranty exists for this equipment configuration. No	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
14634	warranties will be activated. More...	More: Text on buttons for More information	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12748	Move		OSGGMP	GIS MAP DATA
34065	Move Activity	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSMOVE	MOVE PM ACTIVITY
34066	Move Details	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSPPMP	PM PLANS
			OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMOVE	MOVE PM ACTIVITY
			WSPPMP	PM PLANS
			BSDUXD	DUX SCREEN DESIGNER
42294	Move Down	EAM-5807	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
46771	Move Elapsed Time	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
46770	Move End Time	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
34062	Move PM Activity	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSPPMP	PM PLANS
40778	Move PM Schedule	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27538	Move Page After Current	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
27537	Move Page Before Current	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
44583	Move Reservation to {0}	EAM-14696	OSESCH	RESERVATION CALENDAR
46769	Move Start Time	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
42293	Move Up	EAM-5807	BSDUXD	DUX SCREEN DESIGNER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
43789	Move WO Created	EAM-9710 EAM.EQUIP.REQ.InventoryResultsforAssetInv	OSAINV	ASSET INVENTORY
38858	Move down	22188 Menu designer compatibility for the new	TCSCCF	7I MOBILE BOILER TEXT
38859	Move left	22188 Menu designer compatibility for the new	TCSCCF	7I MOBILE BOILER TEXT
38860	Move right	22188 Menu designer compatibility for the new	TCSCCF	7I MOBILE BOILER TEXT
43244	Move to Cancel	EAM.WORK.REQ.OperatorChecklist(Requestor)	WSOPCL	OPERATOR CHECKLIST
43243	Move to Complete	EAM.WORK.REQ.OperatorChecklist(Requestor)	WSOPCL	OPERATOR CHECKLIST
46659	Move to Top Level Asset	EAM-28360EAM.EQUIP.REQ.StructureDetailForEquipme nt	OSEQPP	EQUIPMENT LOOKUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46660	Move to Top Level Position	EAM-28360EAM.EQUIP.REQ.StructureDetailForEquipme nt	OSEQPP	EQUIPMENT LOOKUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46661	Move to Top Level Primary System	EAM-28360EAM.EQUIP.REQ.StructureDetailForEquipme nt	OSEQPP	EQUIPMENT LOOKUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
38857	Move up	22188 Menu designer compatibility for the new	TCSCCF	7I MOBILE BOILER TEXT
46538	Multi-Factor Authentication is enabled for this server. Enter the second	login	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25200	password.	D7i Extended - field name	BSMOST	MULTI-ORG SECURITY
25198	Multi-org	D7i Extended - page name and menu	BEMOST	MULTI-ORG SECURITY
	Multi-org Security		BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSMOST	MULTI-ORG SECURITY
			BSVSDP	VIEW STATUS DETAILS POPUP
12408	Multilingual	More than one language may be used on the system.	BSDESC	MULTILINGUAL TAB
45727	Multiple	EAM.WORK.REQ.NonconformitiesImportPopup	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44969	Multiple Employees	EAM-15651	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			WSEMPs	EMPLOYEES
32304	Multiple Equipment	SCR 19843, EWS.WORK.UC.CreateWorkOrder, and EWS.WORK.UC.ViewModifyWorkOrder for Multiple Equipment on WO.	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHJOBf	PRINT WORK ORDER
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWoup	WO UPDATE
			WYJOBf	PRINT WORK ORDER
			WZJOBf	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
		PVCS#27338	OZCLAI	WARRANTY CLAIM REPORT
			TCJOBR	7I MOBILE BOILER TEXT
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBL	Labour Hours For Jobs
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32304	Multiple Equipment	PVCS#27338	WYJOBL WZACTL WZJOBL	Labour Hours For Jobs SHORT TERM WORK ORDER LIST (ACTIVITIES) Labour Hours For Jobs
33373	Multiple Equipment Child	EWS.REP.UC.WorkOrderCards.doc	SSPART SSSTOR WHJOB WSJOBS WYJOB WZJOB	PARTS STORES PRINT WORK ORDER CREATE WORK ORDER PRINT WORK ORDER PRINT WORK ORDER
42750	Multiple Trades	EAM.WORK.REQ.JobPlans	BSEXIM BZACTD BZTSKD CSCCGM OSGISR OSGISS OSGISW WSCOPO WSJBPL WSJOBS WSJOVH WSJOVM WSPACT WSPPMS WSSTWO WSTASK WSTASL WSWLSH	EXPORT CONFIGURATION ELECTRONIC RECORDS FOR ACTIVITIES ELECTRONIC RECORDS FOR TASKS CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW AND/OR SCHEDULE WORK ORDER LABOR CONTRACTOR PORTAL JOB PLANS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER IMPORT ACTIVITIES PM SCHEDULES STANDARD WOS TASKS TASK LOOKUP WO LABOR SCHEDULING
30597	Multiple values were returned.	D7i Extended - Data Collection - PVCS # 15388	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35579	Multiplier	EWS.CREP.UC.PenaltyDeductionSummary	OZEQPL OSHPPY OSHPRM OSHPVH OSOBJA OSOBJP OSOVAM OSOVPM OZRGCA PSINVO	EQUIPMENT PLANNING CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT RELIABILITY GROWTH CROW-AMSAA INVOICES
35807	Must Be Down	EWS.ADMN.UC.MP2WorkOrders	BSMPWO BSMPWR	MP2 WORK ORDERS MP2 WORK REQUESTS
32674	Must Complete By	EWS.CREP.UC.OutOfTolerancePMs	WZPMTL	OUT OF TOLERANCE PM
31631	Must End Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
25911	Must Exist	Extended (product name). This is a field label or the Flex SQL screen. Refer to EWS.ADMN.UC.CreateUpdateFlexSQL.doc.	BCMOBL BSEXIM BZFLXL YSFLXS	7I MOBILE BOILER TEXT EXPORT CONFIGURATION PRINT FLEX SQL LIST FLEX SQL
44356	Must be in range:	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37419	Must be in range: :PARAM1 to :PARAM2	21817 - User defined field	TCJOBR	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
19814	My Account	option in Infor EAM - if you click it, you see a page that displays information relating to your account	BEUAED	USER ACCOUNT EDIT
		Infor EAM - menu item at the top of every page to system up administrative functions for the current user	BSUAED	USER ACCOUNT EDIT
			BANNER	BANNER
30036	My Approvals	Extended (product name); See EWS.WORK.UC.RevisionControlApproval	WSAPPR	REVISION CONTROL APPROVAL
49326	My Assigned Work Orders	EAM-47419	BSLOVS	LIST OF LOOKUPS
27248	My Closed Service Requests	Infor EAM. Dataspy item name for View Customer Service Request. Refer to SG.WORK.UC.ViewCustomerServiceRequestList.	CSSRLP	SERVICE REQUEST PORTAL
			WSVCSR	CUSTOMER SERVICE REQUEST
20526	My Company	Infor EAM - company name of the logged-in user	WSCSRQ	CUSTOMER SERVICE PORTAL
27250	My Company's Closed Service Requests	Infor EAM. Dataspy item name for View Customer Service Request. Refer to SG.WORK.UC.ViewCustomerServiceRequestList.	WSVCSR	CUSTOMER SERVICE REQUEST
27249	My Company's Open Service Requests	Infor EAM. Dataspy item name for View Customer Service Request. Refer to SG.WORK.UC.ViewCustomerServiceRequestList.	WSVCSR	CUSTOMER SERVICE REQUEST
36437	My E-mail	EWS.WORK.UC.CreateCustomerServiceRequest.doc	WSCSRQ	CUSTOMER SERVICE PORTAL
33791	My Favorites	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
47265	My Location	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
20524	My Name	Infor EAM - name of the logged-in user	WSCSRQ	CUSTOMER SERVICE PORTAL
27247	My Open Service Requests	Infor EAM. Dataspy item name for View Customer Service Request. Refer to SG.WORK.UC.ViewCustomerServiceRequestList.	CSSRLP	SERVICE REQUEST PORTAL
			WSVCSR	CUSTOMER SERVICE REQUEST
21849	My Open Work Orders	Infor EAM - name of dataspy to display all open work orders for the user	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33638	My PM Approvals	EWS.WORK.UC.ParentPMsForRCApproval.doc/23019	WSAPPR	REVISION CONTROL APPROVAL
47492	My Permits	EAM-34932 - EAM.WORK.REQ.MobilePermitToWork.docx	WSPTWM	MOBILE PERMIT TO WORK
20525	My Phone	Infor EAM - phone number of the logged-in user	WSCSRQ	CUSTOMER SERVICE PORTAL
20529	My Problem	Infor EAM - field to enter the problem the customer is having	WSCSRQ	CUSTOMER SERVICE PORTAL
24957	My Projects	D7i Extended - Projects form	JSPROJ	PROJECTS
33790	My Recent Searches	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
29438	My Reports	D7i Extended - Default dataspy name for the report status page	BSRPST	REPORT STATUS
21851	My Requisitions	Infor EAM - name of dataspy to view all requisitions for the user	SSVREQ	VIEW PURCHASE STATUS
43047	My Reservation Requests	EAM.WORK.REQ.CustomerRentalRequest	WSCREQ	CUSTOMER RENTAL REQUESTS
33742	My Revision Control Records	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
20521	My Service Requests	Infor EAM - link to display the service requests of the logged-in user	WSVCSR	CUSTOMER SERVICE REQUEST
47523	My Tasks	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
30035	My Turn	Extended (product name); See EWS.WORK.UC.RevisionControlApproval	WSAPPR	REVISION CONTROL APPROVAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20198	My User ID	Infor EAM - displays the current user's user ID	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44910	My WO	EAM-16256	BCMOBL	7I MOBILE BOILER TEXT
21850	My Work Requests	Infor EAM - name of datspy to view all work requests for the user	WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
24351	N/A	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	BCMOBL	7I MOBILE BOILER TEXT
			DSSTAT	DATABRIDGE SYSTEM STATUS
			TCUDGL	7I MOBILE BOILER TEXT
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
47255	NA Options	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	BCMOBL	7I MOBILE BOILER TEXT
41637	NPV	EAM-404:EAM.WORK.REQ.CPRsforObjective	OSOBTV	OBJECTIVES
			WSCPQR	CAPITAL PLANNING REQUEST
41654	NPV (Net Present Value)	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	USINVP	INVESTMENT PLANNING
			WSCPQR	CAPITAL PLANNING REQUEST
35848	NULL	EWS.ADMN.UC.TableStructurePopup.doc	BSTBST	TABLE STRUCTURE POPUP
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
11981	Name	Description of a user or employee.	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL007	MISSING UTILITY INVOICES
			BAL010	WORK ORDER CALCULATED PRIORITY
			BCUSER	CROSSBOW USER LIST
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BSDTSP	DATASPY
			BSESIG	ERECORDS LIST
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMTRL	E-MAIL RECIPIENTS
			BSUSER	USER SETUP
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BZSIGN	LIST OF ELECTRONIC RECORDS
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			LVAUSR	ASSOCIATED USERS LOOKUP
			LVRCP	EMAIL RECIPIENTS LOOKUP
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11981	Name	Description of a user or employee.	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSCARD	CREDIT CARDS
			USBUDG	BUDGETS
			WCPERS	CROSSBOW EMPLOYEE LIST
			WSAPPH	REVISION CONTROL HISTORY
			WSCALL	CREATE/EDIT CALLER
			WSEMPs	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSSERQ	CREATE SERVICE REQUESTS
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWKPK	PM WORK PACKAGES
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WZDPML	DELINQUENT PM SUMMARY
			WZERRF	EXPIRED WARRANTIES
		Description of a user or employee.	BZEALD	ELECTRONIC RECORDS FOR
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			WHJOBf	PRINT WORK ORDER
			WYJOBf	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOBf	PRINT WORK ORDER
		Description of a user or employee.	BMHTCF	HTML CONTENT SETUP
			BSPARM	PARAMETER LIST POPUP
			FCSCRN	FLAMETHROWER SCREENS
			SSRECV	PO RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSCALP	ADD EDIT CALLER
			WSCREW	CREW
			WSDEBS	CREATE CUSTOMER
			WSSREQ	SERVICE REQUESTS
			WTJOLL	Job List

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11981	Name	Description of a user or employee.	WYJOLL	Job List
			WZGDCL	GDPR COMPLIANCE - CALLER
			WZJOLL	Job List
		Crossbow- Description of a user or employee.	BCMOBL	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
		For the name of the URL. This is a name for a thing, not a person.	ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			DSJSPP	PARAMETERS POPUP
			OPSVAR	ANALYTICS 7.8 VARIABLES
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WZJOVH	PRINT WORK ORDER HOSPITALITY
39878	National Climatic Data Center	EAM.ADMN.UC.CreateEditRegions.doc/46315	BSREGN	CREATE EDIT REGIONS
44750	National Geographic	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
13229	Navigate	Pull down menu item, refers to moving around the system.	BCMOBL	7I MOBILE BOILER TEXT
			M1	Pull-Down Menu Texts
39792	Navigation	45727	BANNER	BANNER
46288	Navigation error	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
12649	Near	MP5 displays this checkbox when viewing jobs and PPMs related to objects. If the checkbox is selected, that means that the next job for the object is close.	WZPMDO	PM DUE OVERVIEW
32589	Near Threshold	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
23815	Near Window	The awaiting release PPM workorder will be checked 'near' if 'near-window %' multiplied by the interval is less or equal the days passed since last completion which in turn is less or equal the 'rel-window %' multiplied by the interval.	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPPMQ	LIST OF PM SCHEDULES
31632	Near Window %	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
43993	Nearby Users	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
32949	Nearest Addresses (temporary)	20550	OSGIML	AVAILABLE GIS MAP LAYERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32949	Nearest Addresses (temporary)	20550	OSGIMR OSGSWO	AVAILABLE GIS MAP LAYERS (REST) SELECTABLE LAYERS FOR WO
35924	Need By Date	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
46181	Need to login before uploading the document.	AppDelegate	BCMOBL	7I MOBILE BOILER TEXT
43994	Needs Disposition	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41431	Needs Resolution	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	OSAINV	ASSET INVENTORY
41448	Needs Resolution	EAM-2004 : InventoryResultsforAssetInventory	OSAINV	ASSET INVENTORY
27782	Negative Symbol	D7i Extended - Locales form	BSLOCL	LOCALE
23813	Nest Buff. (-/+)	Infor EAM - The tolerance of a minor PM job when the major PM is due.	WSPPMS WZPMSP WZPPMQ	PM SCHEDULES PM SCHEDULE PROFILE LIST OF PM SCHEDULES
29127	Nest Ref	D7i Extended - List of All PM Schedules Report	WTPPML	List Of All Ppm Schedules
32274	Nest Ref.	EWS.CREP.UC.ListOfAllPMSchedules.doc	WZPPML	List Of All Ppm Schedules
31633	Nesting Buffer Back	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
31634	Nesting Buffer Forward	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
32573	Nesting Ref.	EWS.CREP.UC.ListofWorkOrdersBypassedDuetoNesting	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
23809	Nesting Reference	Infor EAM - When high frequency PPM jobs must be skipped when they coincide with a low frequency PPM job, then these PPM schedules have the same nesting reference.	BSLOVS BZPPMD WSPFWM WSPMPL WSPPMS WTPPML WZPMFC WZPMSP WZPPML WZPPMQ	LIST OF LOOKUPS ELECTRONIC RECORDS FOR PPM PM FORECASTING WARNING PM FORECASTING PM SCHEDULES List Of All Ppm Schedules PM FORECASTING PM SCHEDULE PROFILE List Of All Ppm Schedules LIST OF PM SCHEDULES
37304	Nesting References	EWS.WORK.UC.ParametersforPMForecasting	BSLOVS	LIST OF LOOKUPS
12193	Net	The net price : gross price minus discounts etc.	CYDEBL CZDEBL	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS
31635	Net Amount	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZINVD PZINVL WSCREN WSINVC WZCIND WZCINS	ELECTRONIC RECORDS FOR INVOICES List Of Invoices Not Yet Approved CUSTOMER RENTALS CUSTOMER INVOICES CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE
41897	Net Cost	EAM-4398	BILABC	LABOR COST
20857	Net Price	Infor EAM - Unit price minus discounts etc.	PSCONT SSPART SSSUPP SSSUPT WHINVS WSINVS WYINVS WZINVS	PURCHASING CONTRACTS PARTS SUPPLIERS OVERVIEW OF SUPPLIER PARTS CUSTOMER INVOICE REPORT CUSTOMER INVOICES CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT
32561	Net Price Owed	EWS.WORK.UC.CustomerInvoices.doc	WHINVS	CUSTOMER INVOICE REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32561	Net Price Owed	EWS.WORK.UC.CustomerInvoices.doc	WSINVS WYINVS WZINVS	CUSTOMER INVOICES CUSTOMER INVOICE REPORT CUSTOMER INVOICE REPORT
34113	Net Subtotal	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL CZDEBL	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS
30228	Net Total	D7i Extended - Reports - Print Purchase Orders	CYDEBL CZDEBL PHORDF PYORDF PZORDF	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS Print Purchase Order Print Purchase Order Print Purchase Order
31938	Net Value of Store Issues (Default Currency)	Refer to PVCS 11615.	BSWHSE	DATA WAREHOUSE
31939	Net Value of Store Receipts (Default Currency)	Refer to PVCS 11615.	BSWHSE	DATA WAREHOUSE
12306	Net total	Gross amount minus discounts etc.	PTORDF	Print Purchase Order
45458	Network Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49717	Network connection is lost, and changes have been made. Tap Keep Editing to retry after connecting to a network, or tap Discard to cancel the changes.	EAM.DUX.REQ.StandardModel.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25396	Network connection is required.	Crossbow. Login screen.	TCCLOG	7I MOBILE BOILER TEXT
12317	New		*	FUNCTION TO ENTER GLOBAL FUNCTION BUTTONS
			BCMOBL	7I MOBILE BOILER TEXT
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
			OSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		Crossbow - 'New Meter.'	TCOMRP	7I MOBILE BOILER TEXT
34442	New Activity	26464	WSMOVE	MOVE PM ACTIVITY
46182	New Asset	AssetInventoryMainViewController	BCMOBL	7I MOBILE BOILER TEXT
21538	New Bin	Infor EAM - bin to which to transfer a part	OZTRAS	EQUIPMENT TRANSFER LOG
			SSBNBN	TRANSFER PARTS BETWEEN BINS
49553	New CU Estimate	EAM.PROJ.REQ.CopyCUEstimatePopup	JSCCUP	COPY CU ESTIMATE
49554	New CU Estimate Description	EAM.PROJ.REQ.CopyCUEstimatePopup	JSCCUP	COPY CU ESTIMATE
39199	New Campaign	EAM.PROJ.UC.CopyCampaignPopup/40956	JSCCMP	COPY CAMPAIGN POPUP
37028	New Child Details	EWS.EQUIP.UC.EquipmentReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
45246	New Comment	EAM-15473 - label that will placed in an upload utility excel spreadsheet for comment handling	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
42305	New Condition	EAM-4985: EAM.MATL.REQ.ChangeConditionPopup	SSPCP	CHANGE PART CONDITION POPUP
45159	New Consist	EAM-16279:EAM.EQUIP.REQ.CopyConsistPopup	OSPCPS	COPY CONSIST POPUP
45155	New Consist Description	EAM-16279:EAM.EQUIP.REQ.CopyConsistPopup	OSPCPS	COPY CONSIST POPUP
40682	New Contract Code	EAM.WORK.REQ.CopyContractPopup	WSCPCC	COPY CUSTOMER CONTRACT POPUP
40683	New Contract Description	EAM.WORK.REQ.CopyContractPopup	WSCPCC	COPY CUSTOMER CONTRACT POPUP
31114	New Cost Code		BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			WSCCSR	FLEET COST CODE SEARCH & REPLACE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31114	New Cost Code		WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31610	New Cost Codes	Fleet Cost Code Search Replace	BSLOVS	LIST OF LOOKUPS
31636	New Department	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRLD WSEMPs	ELECTRONIC RECORDS FOR TRANSACTION LINES EMPLOYEES
38048	New Doc	21926 WO Attachments - doc id is not system gen	TCDOCR	7I MOBILE BOILER TEXT
31637	New Duration	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
45156	New End Date	EAM-16279:EAM.EQUIP.REQ.CopyConsistPopup	OSCPCS	COPY CONSIST POPUP
30470	New Equipment	D7i Extended - EQUIP - SCR#14749 - for backend development	BCMOBL BSLOVS OSCEQN OSROTA WSJOBS	7I MOBILE BOILER TEXT LIST OF LOOKUPS CHANGE EQUIPMENT NUMBER POPUP CHILD EQUIPMENT REPLACEMENT CREATE WORK ORDER
48644	New Equipment Description	EAM-44351	WSJOBS	CREATE WORK ORDER
48643	New Equipment Details	EAM-44351	WSJOBS	CREATE WORK ORDER
48645	New Equipment Org.	EAM-44351	WSJOBS	CREATE WORK ORDER
45766	New Equipment Ranking	EAM-19863 EAM.EQUIP.REQ.CopyEquipmentRankingpopup	OSRRCP	COPY RELIABILITY RANKING
38965	New Icon	D7i Extended - Menus for User Groups - field label used in change icon popup	BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
44781	New Key	EAM-15227 EAM.EQUIP.REQ.CopyKeyPopup.docx	OSKECP	COPY KEY POPUP
25927	New Label	D7i Extended - Menus for User Groups - field label used in change label popup	BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
39381	New Maintenance Pattern	Copy Campaign Popup/40956	WSCMPP	COPY MP POPUP
31638	New Manufacturer	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
34905	New Material List	EWS.WORK.UC.CopyMaterialListPopup.doc/SCR#25841	WSMACP	COPY MATERIAL LIST POPUP
45561	New Observation	EAM.EQUIP.REQ.Nonconformities	OSNCFM	NONCONFORMITY OBSERVATIONS
34087	New Order Qty.	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
36433	New Orders Not Allowed	EWS.MATL.UC.PartsforRequisition.doc/30699	PSPORD SSPART SSREQL SSREQS SSREQU WSJOBS WSJOVH WSJOVM OSTRAS	PURCHASE ORDERS PARTS REQUISITION LINE CREATE PURCHASE REQUISITION REQUISITIONS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER TRANSFER EQUIPMENT
30268	New Org. Details	D7i Extended - EQUIP - EWS.EQUIP.UC.TransferEquipmentpopup - header for the section of the popup that contains the equipment's new organization information		
30472	New Organization	D7i Extended - EQUIP - SCR#14749 - for backend development	WSEMPs	EMPLOYEES
34804	New PM Plan	EWS.WORK.UC.CopyPMPlanPopup	WSPMCP	COPY PM PLAN
34443	New PM Schedule	26464	WSMOVE	MOVE PM ACTIVITY
34278	New PO Description	EWS.PRCH.UC.CopyPOPpopup/25769	PSPOCP	COPY PO POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28300	New PO Details	D7i Extended -- Blanket Orders form -- Section name on popup, noun	PSBORD PSORDP	CREATE EDIT BLANKET ORDERS CREATE COMPLETE PO
27548	New Page	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
48432	New Panel No	EAM.BASE.REQ.DUXScreenDesigner.doc	BSDUXD	DUX SCREEN DESIGNER
48431	New Panel Yes	EAM.BASE.REQ.DUXScreenDesigner.doc	BSDUXD	DUX SCREEN DESIGNER
30101	New Part	D7i Extended - MATL - Change Part Number Popup	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
30103	New Part Description	D7i Extended - MATL - Change Part Number Popup	SSPTNP	CHANGE PART NUMBER POPUP
			BSEPDS	CHANGE PART DESCRIPTION
			SSPTNP	CHANGE PART NUMBER POPUP
39761	New Part Number	EAM.MATL.UC.PartNumberHistory.docx/#45594	SSPHST	PART NUMBER HISTORY
39762	New Part Number Org.	EAM.MATL.UC.PartNumberHistory.docx/#45594	SSPHST	PART NUMBER HISTORY
31639	New Part Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
30102	New Part Org.	D7i Extended - MATL - Change Part Number Popup	SSPTNP	CHANGE PART NUMBER POPUP
20124	New Password	Infor EAM - user must enter a new password in this field	BCMOBL BSUAED	7I MOBILE BOILER TEXT USER ACCOUNT EDIT
43995	New Prompt	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37213	New RFQ Description	EWS.PRCH.UC.CopyRFQPopup	PSCRFAQ	COPY RFQ POPUP
22718	New Record (Ctrl+N)	Infor EAM - mouse-over text for toolbar button to create a new record on the current screen	BANNER	BANNER
20133	New Requisition	Infor EAM - button on the requisition screen to create a new requisition	SSVREQ	VIEW PURCHASE STATUS
34456	New Requisition Description	EWS.MATL.UC.CopyReqPopup.doc/25749	SSRQCP	COPY REQUISITION POPUP
27547	New Row	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
40834	New Scheduled Start Date	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS WSJOVH WSJOVM	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
20120	New Service Request	Infor EAM - button to create a new service request	WSVCSR WSVSR	CUSTOMER SERVICE REQUEST VIEW SERVICE REQUESTS
30027	New Standard WO	Extended (product name)	WSCPST WSJOCP	COPY STANDARD ORDER POPUP CREATE STANDARD WO POPUP
31640	New Start Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD OSPCPS	ELECTRONIC RECORDS FOR ACTIVITIES COPY CONSIST POPUP
21182	New Status	Infor EAM - quick work order close form - this is a field to select what the new status of the work order will be once the record is saved. The system automatically populates this field but the user can change it.	BHUSRL BSEREC BYUSRL BZEVTD BZUSRL WSCHST WSLOGS WSQCWO WSSREQ WSSTWO	USERS GROUP CONFIGURATION ELECTRONIC RECORD SETUP USERS GROUP CONFIGURATION ELECTRONIC RECORDS FOR EVENTS USERS GROUP CONFIGURATION CHANGE WO STATUS POPUP CREATE / VIEW SERVICE LOGS QUICK CLOSE WORK ORDER SERVICE REQUESTS STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21182	New Status	Infor EAM - quick work order close form - this is a field to select what the new status of the work order will be once the record is saved. The system automatically populates this field but the user can change it.	WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWORS	CHANGE INSPECTION STATUS
32483	New Store	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
41111	New Supplier or Customer	EAM.MATL.REQ.CopyBusinessPartnerPopup(EAM-724)	SSSUCP	COPY SUPPLIER POPUP
31641	New System Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
31642	New Target	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
40635	New Template Code	EAM-86.WORK.REQ.CopyContractTemplatePopup	WSCPCT	COPY CONTRACTTEMPLATE POPUP
40636	New Template Description	EAM-86.WORK.REQ.CopyContractTemplatePopup	WSCPCT	COPY CONTRACTTEMPLATE POPUP
46069	New Trace	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE
36501	New Trade	TransfersforEmployee/30778	WSEMPs	EMPLOYEES
21188	New Value	Infor EAM - the value of the new meter reading for a piece of equipment	BSAUDP	VIEW AUDIT TRAIL POPUP
			BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
			OSMETE	PHYSICAL METER
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			TCJCLR	7I MOBILE BOILER TEXT
24697	New WO	Crossbow	TCJEQL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
25398	New WO Required	Crossbow. Route inspection.	BCMOBL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
		D7i Extended -- Work Orders form -- field label	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
35067	New WO Status	EWS.WORK.UC.GenerateReleaseWorkOrders.doc StatusChangeforIntegratedPlanningConfiguration	WSBWOG	GENERATE/RELEASE WOS
			BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
37625	New Web Service Prompt	EWS.ADMN.UC.CopyWSPPopup	BSCWSP	COPY WEB SERVICE PROMPT POPUP
13287	New Window	Display form in a new window.	M1	Pull-Down Menu Texts
44002	New Work Order	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20132	New Work Request	Infor EAM - button on the work request screen to create a new work request	WSVREQ	VIEW WORK REQUEST STATUS
11989	New status		BCAUTH	CROSSBOW AUTH LIST
14697	New text	New text : A text for display on an R5 form or report, as a replacement of the text in standard R5.	BXBOIL	Customized Texts
14354	New width		BXLAYO	R5 Screen Layout Editor
15079	Next	Used for date range	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSGRTE	CREATE ROUTE WORK ORDER
			REPORT	General Report Function
			WSVREQ	VIEW WORK REQUEST STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15079	Next	#28171	BSDTCV	DATA CONVERSION (MP2)
			BSSTRT	EWS NEW START CENTER
35927	Next Approval Person	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
34312	Next Asset Number	EWS.ADMN.UC.EquipmentSetup.doc	BSASET	ASSET SETUP
29070	Next Cal. Due	D7i Extended - Calibrations for Equipment - Cal. = Calibration	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
29290	Next Date	D7i Extended - List of Points to Be Inspected Report	ITLAPF	List Of Points To Be Inspected
			IYLAPF	List Of Points To Be Inspected
			IZLAPF	List Of Points To Be Inspected
39473	Next Day	43258	BCMOBL	7I MOBILE BOILER TEXT
30856	Next Due Date	D7i Extended -- Vehicle Ticket -- Field Label, only used by the fleet management module	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
37815	Next Evaluation Date	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
31643	Next Inspection Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WZJOBQ	PRINT WORK ORDER
39545	Next Inspection Date - Max Crit	Tracker id 43563	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39546	Next Inspection Date - Max Tol	Tracker id 43563	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39547	Next Inspection Date - Min Crit	Tracker id 43563	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39547	Next Inspection Date - Min Crit	Tracker id 43563	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39548	Next Inspection Date - Min Tol	Tracker id 43563	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
45559	Next Inspection Date Override	EAM.EQUIP.REQ.Nonconformities	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
40357	Next Invoice Date	Next Invoice Date	WSCCON	CUSTOMER CONTRACTS
			WZCCON	PRINT CUSTOMER CONTRACT
30857	Next Meter Reading	D7i Extended -- Vehicle Ticket -- Field Label, used by the fleet management module	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30858	Next Meter UOM	D7i Extended -- Vehicle Ticket -- Field Label, UOM=unit of measure	WSFLTK	FLEET VEHICLE TICKETS
37158	Next Month	EWS.WORK.UC.ForecastingforPMForecasting	WSPMPL	PM FORECASTING
40798	Next Month (Control+Right)	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
30855	Next PM	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30920	Next PM Details	D7i Extended -- Vehichle Ticket -- Field Label, ticket=bill	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
33797	Next Page	EWS.CCTR.UC.KnowledgeBase	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSKBSP	KNOWLEDGE BASE SEARCH
26407	Next Prompt	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
22720	Next Record (Ctrl+Down)	Infor EAM - mouse-over text for button on toolbar to go to the next record	BANNER	BANNER
45745	Next Refresh	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBurr	BATCHUPDATERANKINGREFRESHPOPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
33794	Next Results Page	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
32987	Next Retry Time	EWS.DBADMIN.UC.ViewMessageStatus	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32987	Next Retry Time	EWS.DBADMIN.UC.ViewMessageStatus	BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
27112	Next Run	D7i Extended - Job Setup	BSDLUS	DATA LAKE UPLOAD SETUP
			BSJOBS	JOB SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
27358	Next Screen (Ctrl+Right)	mouse-over text for button on toolbar to go to the next screen in a screen flow	BANNER	BANNER
35172	Next Sequence	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
26571	Next Update	D7i Extended - field label	BSEXIM	EXPORT CONFIGURATION
			BSKPIC	DEFINING KPI ENTRIES
39322	Next Week	40522	BCMOBL	7I MOBILE BOILER TEXT
			WSCAPA	WO LOAD BALANCING
			WSWLSH	WO LABOR SCHEDULING
30854	Next Work Order	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			REPORT	General Report Function
17407	Next field	Pull down menu item	M1	Pull-Down Menu Texts
13235	Next function		M1	Pull-Down Menu Texts
17278	Next record	Tool Tip for Next Record	ASLOV	ANALYTICS LIST OF VALUES
16524	No		BHDDAN	DEGREE DAY ANALYSIS
		BHUSRL	USERS GROUP CONFIGURATION	
		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT	
		BSTBST	TABLE STRUCTURE POPUP	
		BYDDAN	DEGREE DAY ANALYSIS	
		BYUSRL	USERS GROUP CONFIGURATION	
		BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY	
		BZDDAN	DEGREE DAY ANALYSIS	
		BZEQDL	EQUIPMENT LIST - DETAIL	
		BZFLXL	PRINT FLEX SQL LIST	
		BZUSRL	USERS GROUP CONFIGURATION	
		CSCASE	CASE MANAGEMENT	
		CSCMTK	CASE MANAGEMENT TASKS	
		CYCCTR	CALL CENTER WO REPORT	
		CYCONF	Print Contract	
		CYPDDT	PRINT PENALTY DEDUCTION DETAIL	
		CZCCTR	SERVICE REQUEST WO REPORT	
		CZCONF	Print Contract	
		CZPDDT	PRINT PENALTY DEDUCTION DETAIL	
		ITCHKF	Inspection results	
		IYCHKF	Inspection results	
		IZCHKF	Inspection results	
		JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT	
		M1	Pull-Down Menu Texts	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16524	No		OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OTCSTL	WORK ORDER COST SUMMARY
			OYCOEM	CO2E EMISSIONS
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCLAI	WARRANTY CLAIM REPORT
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZCORD	CO2 ANALYSIS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZHISL	Object History
			OZMNBK	MOBILE NOTEBOOK
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			REPORT	General Report Function
			SHREQF	Print Purchase Requisition
			STPICK	Pick List Print
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STRETF	Print Goods Return Note
			STSTTL	PRINT STOCKTAKE LIST
			SYABCA	ABC Analysis
			SYEOQA	EOQ Analysis
			SYPICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SYSTTL	PRINT STOCKTAKE LIST
			SZABCA	ABC Analysis
			SZEOQA	EOQ Analysis
			SZPICK	Pick List Print

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16524	No		SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			SZSTTL	PRINT STOCKTAKE LIST
			TCCERM	7I MOBILE BOILER TEXT
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCALL	CREATE/EDIT CALLER
			WSSREQ	SERVICE REQUESTS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBF	Job Cards
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZINVS	CUSTOMER INVOICE REPORT
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16524	No	EWS.ADMN.UC.WorkSetup.doc	WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZPFAR	PART FAILURES REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCP	PM COMPLAINE
			WZPMDO	PM DUE OVERVIEW
			WZPMSP	PM SCHEDULE PROFILE
			WZPTWR	PRINT PERMIT TO WORK
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOLG	PRINT WO LONG
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	71 MOBILE BOILER TEXT
			BSASET	ASSET SETUP
			BSBSET	ADMIN SETUP
			BSDSET	DATABRIDGE SETUP
			BSMBST	MOBILE SETUP
			BSPSET	PURCHASING SETUP
			BSSSET	MATERIAL SETUP
			BSWSET	WORK SETUP
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CZCASE	CASE MANAGEMENT REPORT
			JZJOBL	LIST OF JOBS FOR PROJECT
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			OZRCML	RCM RISK LEVELS
			SZLKIT	LIST OF KITS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOAG	WORK ORDER AGING REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49607	No Accomplishments	EAM-51038	BCMOBL	7I MOBILE BOILER TEXT
27823	No Action	D7i Extended - Screens form - DropDown element	WZPMDO	PM DUE OVERVIEW
47020	No Active Lines	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
44003	No Activities	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
46183	No Additional Costs	AdditionalCostPanel	BCMOBL	7I MOBILE BOILER TEXT
48440	No Address Available	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44275	No Asset Inventory	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
29731	No Backlog	D7i Extended - Calibration Due Report	WTCALD	CALIBRATION DUE REPORT
			WZCALD	CALIBRATION DUE REPORT
48629	No Batch Book Labor Found	EAM-43428	BCMOBL	7I MOBILE BOILER TEXT
44005	No Comments	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24698	No Custom Fields found.	Crossbow	TCJCFR	7I MOBILE BOILER TEXT
27499	No Data Collection prompts found.	Crossbow	TCDTCL	7I MOBILE BOILER TEXT
21838	No Document	Infor EAM - text to be displayed when there are no document attachments linked to the selected record	BSDOCA	DOCUMENTS
44276	No Documents	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47015	No Email Records	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
47040	No Equipment	EAM-30103 mixed up of french and english	BCMOBL	7I MOBILE BOILER TEXT
44006	No Equipment Found	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43913	No Equipment History	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20222	No Filter	Infor EAM - option to turn of LOV filter for a field	BCMOBL	7I MOBILE BOILER TEXT
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGFLT	GIS ATTRIBUTE FILTER
			OSLROE	VIEW ROUTE EVENTS POPUP
46184	No Flex Records	FlexBusinessRules	BCMOBL	7I MOBILE BOILER TEXT
48013	No GIS Map Configurations Found	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
32807	No Grouping	EWS.BASE.UC.ReportParameters.doc/21254	BSRPTG	GENERIC REPORT PARAMETERS
44007	No Inspections	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44008	No Issue/Return Parts	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48422	No LOTO found	EAM-37176	BCMOBL	7I MOBILE BOILER TEXT
30747	No Labels	D7i Extended. List value for Label Default Printing field in barcode printing.	SSPART	PARTS
46185	No Labor Booked	Book Labor Panel	BCMOBL	7I MOBILE BOILER TEXT
44699	No Logo	EAM-14710	ESGSET	GENERAL SETTINGS
46186	No Meter History	Meter History Panel	BCMOBL	7I MOBILE BOILER TEXT
47041	No Meters	EAM-30103 mixed up of french and english	BCMOBL	7I MOBILE BOILER TEXT
32583	No Need To Allocate	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
46187	No Nonconformities	Nonconformity panel	BCMOBL	7I MOBILE BOILER TEXT
48041	No Notebook Found	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
49063	No Observations	EAM-46094	BCMOBL	7I MOBILE BOILER TEXT
47022	No Open Inspections	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
48040	No Operator Checklists found	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
46220	No PO Receipts	PO Receipt	BCMOBL	7I MOBILE BOILER TEXT
44009	No Parents	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24700	No Part available to delete.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
24699	No Part available to edit.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
47053	No Parts	EAM-30103 EAM transit: mixed up of french and engl	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47508	No Parts for Issue/Return	EAM.MOBILE.REQ.WorkOrderChecklist	BCMOBL	7I MOBILE BOILER TEXT
47711	No Permit To Work found	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
46188	No Physical Inventory	Asset Inventory view	BCMOBL	7I MOBILE BOILER TEXT
46189	No Plan Tools	Plan Tool Panel	BCMOBL	7I MOBILE BOILER TEXT
46190	No Planned Parts	part Panel	BCMOBL	7I MOBILE BOILER TEXT
44010	No Prompts Found	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47043	No Receipts Found	EAM-30103 mixed up of french and english	BCMOBL	7I MOBILE BOILER TEXT
41524	No Records	EAM-2777	BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL010	WORK ORDER CALCULATED PRIORITY
32031	No Records Returned	EAM-14486 :Android Tablet - Support localization PVCS 17606	BCMOBL	7I MOBILE BOILER TEXT
			OSOVIV	EQUIPMENT OVERVIEW 360
			REPORT	General Report Function
44577	No Records!	EAM-14486	BCMOBL	7I MOBILE BOILER TEXT
47016	No References	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
46291	No Results	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
46292	No Results Found	GIS	BCMOBL	7I MOBILE BOILER TEXT
46293	No Results Found in currently available area	GIS	BCMOBL	7I MOBILE BOILER TEXT
47498	No Safety Records	EAM.MOBILE.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
46191	No Schedule Labor	Schedule labor Panel	BCMOBL	7I MOBILE BOILER TEXT
20227	No Sort	Infor EAM - option to remove the sort on a field	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSRPTG	GENERIC REPORT PARAMETERS
33634	No System Data organizations have been selected.	#21411	TCORCF	7I MOBILE BOILER TEXT
47525	No Tasks Assigned	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
46192	No Tool Usage	Tool Usage Panel	BCMOBL	7I MOBILE BOILER TEXT
44012	No Transactions	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44013	No URL install parameter exists for this File Type.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47665	No Update Status	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
44014	No Users found nearby.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
35631	No Web Service prompts found.	Web Service Prompt	TCPMTR	7I MOBILE BOILER TEXT
47042	No Work Orders	EAM-30103 mixed up of french and english	BCMOBL	7I MOBILE BOILER TEXT
44015	No Work Orders found	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44004	No address available	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12718	No calculation: a more recent result exists.		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
12720	No calculation: inspection unit has been changed		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
12721	No calculation: no previous result available		ITCHKF	Inspection results
			IYCHKF	Inspection results

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12721	No calculation: no previous result available		IZCHKF	Inspection results
12719	No calculation: result out of boundary		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
25878	No edit screen to show.	Crossbow	TCCERR	7I MOBILE BOILER TEXT
12723	No extrapolation: diverging result		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
12728	No inspection unit has been used		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
48039	No map files exist. Ensure GIS credentials have been entered, perform a sync, and try again	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
46313	No match found!	GIS	BCMOBL	7I MOBILE BOILER TEXT
33818	No matching articles were found.	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
46983	No open inspections	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
30643	No previous searches.	D7i Extended - GIS - message displays within text box when users click the Previous Search button and there have been no previous searches.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
23692	No records found	Infor EAM - this appears on the home page inside the grid when there are no records	MBHOME	HOME - OVERVIEW SCREEN
46286	No results found for the filter criteria entered	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
48480	No signature allowed due to responsibility privileges.	EAM-42567	BCMOBL	7I MOBILE BOILER TEXT
48479	No signature allowed due to security privileges.	EAM-42567	BCMOBL	7I MOBILE BOILER TEXT
25881	No transaction to delete.	Crossbow	TCCERR	7I MOBILE BOILER TEXT
12717	No value has been entered for valid result		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
46344	No work order	GIS	BCMOBL	7I MOBILE BOILER TEXT
47428	No. Bypassed	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
47427	No. In Error	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
31436	No. Of Transactions	Infor EAM; Refer to EWS.WORK.UC.FleetCostCodeSearchReplace	WSCCSR	FLEET COST CODE SEARCH & REPLACE
47426	No. Successful	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
38826	No. of Current Resources	#37810	WSPRRS	REFRESH RESOURCES
37130	No. of Failures	EWS.CREP.UC.PartFailure	WZPFAR	PART FAILURES REPORT
37129	No. of Issue	EWS.CREP.UC.PartFailure	WZPFAR	PART FAILURES REPORT
37529	No. of Occurrences	EWS.CREP.UC.FutureMaintenanceCost.doc	WYPFMC	FUTURE MAINTENANCE COST
			WYWFMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWFMF	FUTURE MAINTENANCE COSTS
32498	No. of Work Orders	EWS.CREP.UC.WorkOrderCostofEquipmentperLocation.doc	OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32498	No. of Work Orders	EWS.CREP.UC.WorkOrderCostofEquipmentperLocation.doc	OZOCOL	Cost Of Jobs Per Object
40016	No. of Years	#47067	OZAESD OZAESH	ANNUAL ENERGY USE ANNUAL ENERGY USE_HOSPITALITY
28436	Nominal OD	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28712	Nominal OD UOM	D7i Extended -- Monitored Data form -- noun, Equipment Details tab	ISMONT	MONITORED DATA
28399	Nominal Value	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
49707	Non-Allocated Costs	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
29763	Non-Consecutive	D7i Extended - Calibration Analysis Report	WTCALA WZCALA	CALIBRATION ANALYSIS CALIBRATION ANALYSIS
30870	Non-Consignment	D7i Extended - Stock Value Listing by Part Type report	SYSTOL SYTRAL SZSTOL SZTRAL	Stock List Printed List Of Stock Transactions Stock List Printed List Of Stock Transactions
47104	Non-Employee Emails	EAM-31471 Mobile Notebook - Add a Non-Employee fi	BCMOBL	7I MOBILE BOILER TEXT
45459	Non-LRS Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31901	Non-Maintenance	EWS.REP.UC.FleetBill.doc - Vehicle Billing report	OZEQPL WTVBIL WYVBIL WZVBIL	EQUIPMENT PLANNING VEHICLE BILLING REPORT VEHICLE BILLING REPORT VEHICLE BILLING REPORT
38664	Non-PM WO Cost (last 365 days) (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
43501	Non-PM WO Department	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
23870	Non-PO Inv. Approval	Infor EAM - The limit that a user cannot exceed when approving non-purchase order type invoices - this appears on the record view and is preceeded by 'limit' in the group header.	BSIMUS BSORGS BSROLE BSUSER	IMPORT USERS ORGANIZATIONS LDAP ROLES SETUP USER SETUP
26841	Non-PO Inv. Approval Limit	D7i Extended - LDAP Roles - Non-PO Invoice Approval Limit	BSROLE	LDAP ROLES SETUP
23869	Non-PO Invoice Approval Limit	Infor EAM - The maximum amount the user can approve on non-purchase order type invoices.	BSORGS BSUSER	ORGANIZATIONS USER SETUP
24397	Non-PO Receipt	Extended (product name). This is the field text for a non-po receipt transaction number.	BSDOCA FCGRD2 SSCOMP	DOCUMENTS FLAMETHROWER GRID 2 NON-PO RECEIPTS
47483	Non-PO Receipt Trans. Description	EAM-35065 EAM Barcode localization	BCMOBL	7I MOBILE BOILER TEXT
47484	Non-PO Receipt Trans. Supplier	EAM-35065 EAM Barcode localization	BCMOBL	7I MOBILE BOILER TEXT
36426	Non-PO Receipts	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
40943	Non-Smoking	EAM.EQUIP.REQ.Rooms	BZOBJD OSHPRM OSHPVH OSOBJA WSOPSS	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT OPTIMIZED SCHEDULER SETUP
32812	Non-Stock	EWS.CREP.UC.StockValueListingByPartTypeWegman.doc	SYSTOL SZSTOL	Stock List Stock List
34305	Non-Work Order Days	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
31076	Non-billable	D7i Extended -- Cost Codes form -- Field Label for Fleet	BSCSTC	COST CODE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13336	Non-consignment	Management module Item is not owned by supplier.	STLOWL	Overview Of Stock
			STSTOL	Stock List
			STTRAL	Printed List Of Stock Transactions
			SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
34873	Non-consignment Items	EWS.MATL.UC.GenerateRequisitions.doc / SCR#27036	SSREQF	GENERATE REQS
47368	Non-duplicate MPs	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
31334	Non-maint.	D7i Extended -- Billing History for Fleet Customers -- Field Label, non-maintenance charges	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
30785	Non-maintenance Contract Labor	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, check is billing for Non-maintenance Contract Labor	WSFCUS	FLEET CUSTOMERS
30783	Non-maintenance Labor	D7i Extended -- Billing Codes for Fleet Customers and Fleet Customers -- Field Label, check if billing for non-maintenance labor	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
31414	Non-maintenance Labor Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31402	Non-maintenance Labor Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30787	Non-maintenance Parts	D7i Extended -- Billing Codes for Fleet Customers -- Field Label, check is billing for Non-maintenance Parts	WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
31415	Non-maintenance Parts Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31403	Non-maintenance Parts Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
45569	Nonconformities	EAM.WORK.REQ.NonconformitiesForRevisionControl	BSLOVS	LIST OF LOOKUPS
			OSAPMS	APM SCENARIO
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHJOBFB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSTWO	STANDARD WOS
45835	Nonconformities Analysis	EAM-24206	WZJOBFB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
45557	Nonconformity	EAM.EQUIP.REQ.Nonconformities	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45557	Nonconformity	EAM.EQUIP.REQ.Nonconformities	BSLOVS	LIST OF LOOKUPS
			OCOBJA	MOBILE EQUIPMENT FUNCTION
			OSAPMS	APM SCENARIO
			OSEQCI	CHECKLIST ITEMS
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			OZNCFL	LIST OF NONCONFORMITIES
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSCPQR	CAPITAL PLANNING REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSNCIM	NONCOMFORMITIES POPUP
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
48619	Nonconformity - Comments	EAM-43711 CLONE - Mobile Transit - Rework Menus, S	OCOBJA	MOBILE EQUIPMENT FUNCTION
48620	Nonconformity - Documents	EAM-43711 CLONE - Mobile Transit - Rework Menus, S	OCOBJA	MOBILE EQUIPMENT FUNCTION
48919	Nonconformity - Observation Comments	EAM-46094 Work Order Nonconformity add new tabs	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48918	Nonconformity - Observation Details	EAM-46094 Work Order Nonconformity add new tabs	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48920	Nonconformity - Observation Documents	EAM-46094 Work Order Nonconformity add new tabs	WCJOBS	CROSSBOW WORK ORDER FUNCTION
48921	Nonconformity - Observations	EAM-46094 Work Order Nonconformity add new tabs	OCOBJA	MOBILE EQUIPMENT FUNCTION
45853	Nonconformity Before Merge	EAM-23866 EAM.EQUIP.REQ.Nonconformities	WCJOBS	CROSSBOW WORK ORDER FUNCTION
			BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
45525	Nonconformity Checklist	EAM-20071: EAM.WORK.REQ.TaskPlans	WSJOBS	CREATE WORK ORDER
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			BCMOBL	7I MOBILE BOILER TEXT
45543	Nonconformity Class	EAM-19890: EAM.EQUIP.REQ.NonconformityTypes	OSMNBK	NOTEBOOK
			OSNCTP	NONCONFORMITY TYPES
			OZMNBK	MOBILE NOTEBOOK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
45544	Nonconformity Class Org.	EAM-19890: EAM.EQUIP.REQ.NonconformityTypes	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45544	Nonconformity Class Org.	EAM-19890: EAM.EQUIP.REQ.NonconformityTypes	OSMNBK	NOTEBOOK
			OSNCTP	NONCONFORMITY TYPES
			OZMNBK	MOBILE NOTEBOOK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
47256	Nonconformity Code	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	BCMOBL	7I MOBILE BOILER TEXT
49301	Nonconformity Comments	EAM-46293 EAM.MOBILE.REQ.NonconformityforEquipment	BCMOBL	7I MOBILE BOILER TEXT
46392	Nonconformity Condition Index	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			WSJOBS	CREATE WORK ORDER
46391	Nonconformity Condition Score	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			WSJOBS	CREATE WORK ORDER
46841	Nonconformity Description	EAM.INSPECTION.TolerancesForAspect	ISASPC	ASPECTS
45567	Nonconformity Details	EAM.EQUIP.REQ.Nonconformities	BCMOBL	7I MOBILE BOILER TEXT
			OSAPMS	APM SCENARIO
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
49302	Nonconformity Documents	EAM-46293 - EAM.MOBILE.REQ.NonconformityforEquipme	BCMOBL	7I MOBILE BOILER TEXT
46390	Nonconformity Importance	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			WSJOBS	CREATE WORK ORDER
46388	Nonconformity Intensity	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			WSJOBS	CREATE WORK ORDER
47056	Nonconformity Note	EAM-31069	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
46693	Nonconformity Observation	EAM.EQUIP.REQ.NonconformityObservations	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			OSNCFM	NONCONFORMITY OBSERVATIONS
47093	Nonconformity Observation for GIS	Nonconformity Observation for GIS	BCMOBL	7I MOBILE BOILER TEXT
48827	Nonconformity Observations	EAM-46195: NonconformityObservationsForWorkOrder	WSJOBS	CREATE WORK ORDER
47257	Nonconformity Org	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	BCMOBL	7I MOBILE BOILER TEXT
47728	Nonconformity Org.	EAM-36568: EAM.EQUIP.REQ.NonconformitiesforAPMSce na	OSAPMS	APM SCENARIO
45556	Nonconformity PK	EAM.EQUIP.REQ.Nonconformities	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45556	Nonconformity PK	EAM.EQUIP.REQ.Nonconformities	OZNCFL	LIST OF NONCONFORMITIES
46118	Nonconformity Selection Criteria	EAM-26306EAM.WORK.REQ.NonconformitiesForPMSchedule	WSPPMS	PM SCHEDULES
46415	Nonconformity Setup	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	WSSTWO	STANDARD WOS
46387	Nonconformity Severity	EAM-27682	BSDOCA	DOCUMENTS
			OSNCSP	NONCONFORMITIESSETUP
			BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OZMNBK	MOBILE NOTEBOOK
			WSJOBS	CREATE WORK ORDER
46389	Nonconformity Size	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			WSJOBS	CREATE WORK ORDER
46530	Nonconformity Status	EAM-27706: EAM.EQUIP.REQ.StatusDependenciesForNonc	OSNCSP	NONCONFORMITIESSETUP
			WHJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
45667	Nonconformity To Be Merged	EAM-19898:EAM.EQUIP.REQ.MergeNonconformitiesPop up	BSLOVS	LIST OF LOOKUPS
45542	Nonconformity Type	EAM-19890: EAM.EQUIP.REQ.NonconformityTypes	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSVMRS	VMRS CODES
			ISASPC	ASPECTS
			OSEQCI	CHECKLIST ITEMS
			OSMNBK	NOTEBOOK
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
45711	Nonconformity Type Class	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45614	Nonconformity Type Class Description	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45712	Nonconformity Type Class Organization	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45613	Nonconformity Type Description	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			OSMNBK	NOTEBOOK
45546	Nonconformity Type Details	EAM-19890: EAM.EQUIP.REQ.NonconformityTypes	BSVMRS	VMRS CODES
			ISASPC	ASPECTS
			OSNCTP	NONCONFORMITY TYPES
			SSPART	PARTS
45609	Nonconformity Type Org.	EAM-20216: EAM.ADMN.REQ.NonconformityTypesForVMRSC	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BSVMRS	VMRS CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45609	Nonconformity Type Org.	EAM-20216: EAM.ADMN.REQ.NonconformityTypesForVMRSC	ISASPC	ASPECTS
			OSEQCI	CHECKLIST ITEMS
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45615	Nonconformity Type Standard WO	EAM.ADMN.SCOPE.PreConfiguredAlerts	BSLOVS	LIST OF LOOKUPS
45608	Nonconformity Types	EAM-20216: EAM.ADMN.REQ.NonconformityTypesForVMRSC	BSVMRS	VMRS CODES
			ISASPC	ASPECTS
			SSPART	PARTS
			OSNCSP	NONCONFORMITIESSETUP
46529	Nonconformity and Observation Status Dependencies	EAM-27706: EAM.EQUIP.REQ.StatusDependenciesForNonc	OSNCSP	NONCONFORMITIESSETUP
46479	Nonconformity observations require manual status changes or not. If Yes, the user must manually change the status. If No, the system will protect the status and never apply changes.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
12517	None	This is a selection criteria on Actual labor hours report that displays all information regardless of date or time.	*	FUNCTION TO ENTER GLOBAL FUNCTION BUTTONS
			BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSGRID	GRID DESIGNER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSREGN	CREATE EDIT REGIONS
			BSUDFO	USER DEFINED FIELD OPTIONS
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WSJOBS	CREATE WORK ORDER
			WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			BSQUER	QUERIES
			CSBBNT	BULLETIN BOARD NOTICES
17392	Normal	D7i Extended - field label	OSOVIV	EQUIPMENT OVERVIEW 360
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
26569	Normal Score	D7i Extended - field label	BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26569	Normal Score	D7i Extended - field label	BSKPIC	DEFINING KPI ENTRIES
17009	Normalization		OSRELR	EQUIPMENT RANKINGS
39887	Normalization Details	EAM.EQUIP.UC.NormalizeLevelPopup	OSRELN	NORMALIZE LEVEL POPUP
39831	Normalize Level	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
41554	Normalize Weather	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
39836	Normalized Value	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELN	NORMALIZE LEVEL POPUP
			OSRELR	EQUIPMENT RANKINGS
38270	Normalized Values (Weighted Average)	EWS.ADMN.UC.CreateEditKPIEntries.doc	BSKPIC	DEFINING KPI ENTRIES
12531	Not	This is displayed on the printed List of functions report and it always precedes another word. For example, for the function ODCACC, the words not update appear and this refers to the permissions of that specific form.	BHFUNL	List Of Functions
			BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions
27596	Not Applicable	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
		Data Warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		D7i Extended - Calibration Record Report	BSLOVS	LIST OF LOOKUPS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBFB	PRINT WORK ORDER
46810	Not Applicable Options	EAM-29656	BSLOVS	LIST OF LOOKUPS
			WSTASK	TASKS
23707	Not Available	Infor EAM - when the user is in screen designer mode, they can click on a field and then right click and this will be one of the menu options meaning that they user wants to make this field not available on the screen.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			TSASTP	DC TRANSACTION PROMPT
30230	Not Confirmed	D7i Extended - Reports - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
32186	Not Current Revision	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders report	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
31053	Not Defined	D7i Extended - Audit Log report	BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
32580	Not Enough Stock	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
31068	Not Foreseen	D7i Extended - Actual Labor Hours Against Estimated	WHHREH	ACTUAL LABOUR HOURS AGAINST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31068	Not Foreseen	report	WYHREL WZHREH WZHREL WZJLPM	ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated LABOR PRODUCTIVITY HEALTHCARE
44016	Not Found	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
32608	Not Held in Store	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
29976	Not Matched	D7i Extended -- Lines tab, Invoices form -- Invoice Line Status	PSINVO	INVOICES
39434	Not Moveable	40522	WSWLSH	WO LABOR SCHEDULING
36896	Not Offered	EWS.PRCH.UC.ServicesforQuotation.doc	BZRRLD PSRFQR PSRFQT PZQUOS DSSTAT	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES QUOTATIONS REQUESTS FOR QUOTATIONS QUOTATION SUMMARY DATABRIDGE SYSTEM STATUS
24350	Not Responding	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
21258	Not Saved	Infor EAM - an indication from the system that the action was not successfully saved	DSGLPS	GL PROCESS SCHEDULES
33954	Not Scheduled	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs. Please refer to Text ID: 21410 (Code Descriptions) for the existing translations.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39971	Not Selected	46731	M1	Pull-Down Menu Texts
15233	Not Shown	In version previous to 6.1, this was a menu option on View Quick Access...when you select it, MP5 does not show the quick access bar. (Removed from 6.1 and 6.2)	BSCLAS BSCSTF	CLASSES ASSOCIATE CUSTOM FIELDS
25476	Not Updateable	Extended. Associate Custom Fields form.	SYREQL SZREQL	List Of Outstanding Requisition Items List Of Outstanding Requisition Items
30619	Not Yet Ordered	D7i Extended - List of Outstanding Requisition Items report	WTCART WZCART	CALIBRATION REVERSE TRACEABILITY CALIBRATION REVERSE TRACEABILITY
26759	Not applicable	If a test point in WMJOBS is not aplicable.	LVPART	DUMMY FUNCTION FOR R5F10
12606	Not available	The purchase order is 'not confirmed'.	PTORDF	Print Purchase Order
12197	Not confirmed		PTORDF	Print Purchase Order
12681	Not current version	Not current version of purchase order.	WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
39396	Not in Session	40522	WSWLSH WSWLWD	WO LABOR SCHEDULING WO DETAILS FOR WO DAILY SCHEDULING
12186	Not yet ordered	Infor EAM - space for enterng a note about something	STREQL	List Of Outstanding Requisition Items
20637	Note		BSQUER	QUERIES
			BSVIEW	VIEWS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20637	Note	Infor EAM - space for enterng a note about something	CSSVPB	SERVICE PROBLEM CODES
			ISMONT	MONITORED DATA
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSLDSE	LINEAR DIRECTION SETUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZMNBK	MOBILE NOTEBOOK
			OZNCFL	LIST OF NONCONFORMITIES
			OZRCML	RCM RISK LEVELS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSGRFQ	GENERATE RFQS
			SSPACK	PACKAGES SCREEN
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			USINVP	INVESTMENT PLANNING
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSPACT	IMPORT ACTIVITIES
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20637	Note	Infor EAM - space for enterng a note about something	WSSTWO	STANDARD WOS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WZDELP	PROOF OF DELIVERY
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZPTWR	PRINT PERMIT TO WORK
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Reserve Part for Activity	BCMOBL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
			BXLAYO	R5 Screen Layout Editor
27052	Note: Changes to field labels apply to all user groups.	D7i Extended - header line in text editor popup of screen designer		
47679	Note: Nonconformities for linear references will not be searched.	EAM-32250: Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
49599	Note: System will append to existing data. Any mitigation, if available and included, will also be copied but with the Mitigation Applied checkbox unselected.	ImportRCMFromEquipmentPopup/EAM-49877	OSIRCM	IMPORT RCM FROM EQUIPMENT
45689	Note: Use the Edit Field Names popup from Screen Designer to locate the Field Code field. The field contains the case sensitive value as it should be entered in the Source Screen Field.	EAM-22004 - Caption part 2	BSMAPF	MAP FIELDS
47187	Note: WOs for linear references will not be searched.	EAM-31979- UC Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
47188	Notebook	EAM-31932	BCMOBL	7I MOBILE BOILER TEXT
47193	Notebook Class	EAM31971:Print Mobile Notebook-Change report name	BSLOVS	LIST OF LOOKUPS
			OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
			BCMOBL	7I MOBILE BOILER TEXT
47194	Notebook Class Org.	EAM31971:Print Mobile Notebook-Change report name	OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
			OSMNBK	NOTEBOOK
47502	Notebook Code	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
47105	Notebook Definition	EAM.ADMN.REQ.Classes	BSCLAS	CLASSES
48043	Notebook Details	EAM-40680	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BCMOBL	7I MOBILE BOILER TEXT
			BSMTMP	E-MAIL TEMPLATES
46920	Notebook Email Code	Mobile Notebook	OSMNBK	NOTEBOOK
48045	Notebook Reference	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
46965	Notebooks Created After :PARAM1	EAM-29929 Mobile Notebook report	OZMNBK	MOBILE NOTEBOOK
46964	Notebooks Created Before :PARAM2	EAM-29929 Mobile Notebook report	OZMNBK	MOBILE NOTEBOOK
46963	Notebooks Created Between :PARAM1 and :PARAM2	EAM-29929 Mobile Notebook report	OZMNBK	MOBILE NOTEBOOK
18904	Notes	additional notes/comments from the supplier about the order/requisition	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
18904	Notes	additional notes/comments from the supplier about the order/requisition	BSMPQT	MP2 QUOTATIONS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			PSPORD	PURCHASE ORDERS
			SSCREP	CATALOG REFERENCES
			SSPART	PARTS
			SZTKIT	KIT TEMPLATE
			WHJOBP	PRINT WORK ORDER
			WSATCP	CHECKLIST POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOBP	PRINT WORK ORDER
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
33175	Notice	22070	CSBBNT	BULLETIN BOARD NOTICES
33174	Notice Details	22070	CSBBNT	BULLETIN BOARD NOTICES
35938	Notification E-mail Sent	EWS.ADMIN.UC.StatusforConfigurationManager	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
35651	Notification Email Address	EWS.ADMN.UC.ImportBaseConfigurationforConfiguratio	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
17532	Notification preference	This field lists the possible email formats with which to receive workflow notifications.	WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44625	Notify Complete		CSCASE CSCMTK CSSVPB CZCASE	CASE MANAGEMENT CASE MANAGEMENT TASKS SERVICE PROBLEM CODES CASE MANAGEMENT REPORT
45126	Notify Completed Only	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL014	CASE TASK COMPLETED
45104	Notify Ready To Start Only	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
44626	Notify Ready to Start		CSCASE CSCMTK CSSVPB CZCASE	CASE MANAGEMENT CASE MANAGEMENT TASKS SERVICE PROBLEM CODES CASE MANAGEMENT REPORT
48009	Notify the system administrator because the EAM length of :PARAM1 may be significantly different than the GIS length of :PARAM2.	EAM-37031	BCMOBL	7I MOBILE BOILER TEXT
37399	Nov :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
40021	Nov.	#47067	CZISGH SZMMPU WZVMRS	INCIDENT SUMMARY GRAPH MONTHLY PART USAGE VMRS ACTIVITIES CHART
33970	November	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
		EAM-5333	DSGLPS	GL PROCESS SCHEDULES
12187	Now available (allocated)	Term used in the allocation process. Reservations are turned into allocations. When a part is allocated it cannot be issued for another activity.	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
22837	Number		ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASFVAR	ANALYTICS FOREIGN ORG VARIABLES
			ASNUM	ANALYTICS VARIABLE NUMBER
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSGRID	GRID DESIGNER
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			OPSVAR	ANALYTICS 7.8 VARIABLES
			BSUDFO	USER DEFINED FIELD OPTIONS
			FCSCRN	FLAMETHROWER SCREENS
28293	Number Released	D7i Extended -- Blanket Order form -- field label, noun	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			WZCJOB	CALCULATE CUSTOMER CHARGES
36763	Number Type	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
43513	Number field.	EAM-11014	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
40946	Number of Baths	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
40945	Number of Beds	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46003	Number of Columns	EAM-20992	BSHOME OSOWIW	HOME - OVERVIEW SCREEN EQUIPMENT OVERVIEW 360
28822	Number of Copies	D7i Extended -- Monitored Data form -- Field label on Copy Aspect Points Popup on Points tab, noun, the number of copies to be made	ISPCOP	COPY ASPECT POINTS
27935	Number of Duplicates	Barcode	FCSCRN	FLAMETHROWER SCREENS
45064	Number of Equipment	EAM-16279: EAM.EQUIP.REQ.Sets-Consists	OSSTCS	SETS AND CONSISTS
30475	Number of Failures	D7i Extended - Mean-time Between Failures report	OSOBJA OSOBJP OSOBJS OSOCDE OZFLTG OZJMFL OZOMFL WSOPSS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT CLASS DEFINITION Fault Trend Analysis Mean Time Between Failures Per Fault Mean Time Between Failures Per Object OPTIMIZED SCHEDULER SETUP
25020	Number of Hours	Extended (product name) Shift form, Days tab	WSSHIF	SHIFTS
32492	Number of Items	EWS.CREP.UC.BlanketOrderList	PYBPOL PZBPOL	BLANKET ORDER LIST BLANKET ORDER LIST
40319	Number of Kits to Build	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT SZBUKT	BUILD KITS PRINT BUILD LIST
28388	Number of Lines	D7i Extended -- Blanket Order form -- field label, noun	PSBORD	CREATE EDIT BLANKET ORDERS
30885	Number of Months	D7i Extended - Fault-trend Analysis report	CZUSGF OZFLTG SYOLD SYUSAL SZPOLD SZUSAL	Discount Request Based On Usage Fault Trend Analysis Part-Wise History Of Stock Issuals Average Monthly Usage Analysis Part-Wise History Of Stock Issuals Average Monthly Usage Analysis
29624	Number of PO Line Items	Data warehouse. Name of an Analytics Variable that tracks the number of PO Lines	BSOPEK BSWHSE	ORDERED PARTS QUANTITY DATA WAREHOUSE
43114	Number of Payments	EAM.PRCH.REQ.PartsforPO	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
32282	Number of Periods	EWS.BUD.UC.BudgetTerms.doc - numer of periods per budget term	PSPORD USCALE USYEAR	PURCHASE ORDERS BUDGET CALENDAR TYPES BUDGET TERMS
34089	Number of Purchases per Year	EWS.MATL.UC.CalculateEOQ	SSEOQA SYEOQA SZEOQA	CALCULATE EOQ EOQ Analysis EOQ Analysis
27225	Number of Rows in List View	D7i Extended - Number of rows need to be returned to the client for list view	BEWSMD	EWS - METADATA DEFINITION
27226	Number of Rows in Portlet View	D7i Extended - Number of rows need to be returned to the client for portlet view	BEWSMD	EWS - METADATA DEFINITION
27223	Number of Rows to Display	D7i Extended - Number of visible rows in a grid	BEWSMD	EWS - METADATA DEFINITION
48220	Number of States	EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
41820	Number of Tags	EAM.EQUIP.REQ.LOTOForEquipment	BCMOBL BZLTPW OSOBJA OSOBJL OSOBJP	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR LOTO CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41820	Number of Tags	EAM.EQUIP.REQ.LOTOForEquipment	OSOBJS WHPTWR WSILPO WSPMTW WZPTWR BCMOBL	CREATE SYSTEM EQUIPMENT PRINT PERMIT TO WORK ISOLATION POINTS PERMIT TO WORK PRINT PERMIT TO WORK 7I MOBILE BOILER TEXT
48416	Number of Tags must be an integer in a range of 0 to 999999.	EAM-37176		
24345	Number of Transactions Pending	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
24344	Number of Transactions Processed	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
24346	Number of Transactions in Error	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
19893	Number of data rows to retrieve	Infor EAM	BSDTSP BSJSDN TCJCDE	DATASPY COMMON FUNCTION FOR JAVASCRIPT 7I MOBILE BOILER TEXT
27518	Number of decimal digits for Device Reading cannot be greater than that of Device Precision ({0}).	Crossbow		
11969	Number of months		STPOLD	Part-Wise History Of Stock Issuals
20173	Number of rows to display in the portlet	Infor EAM - for this field the user select a number and that number indicates how many rows will display on a portlet layout.	BSDTSP BSJSDN	DATASPY COMMON FUNCTION FOR JAVASCRIPT
40790	Numbered List	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12395	Numeric	Character strings that can be used for calculations. Typically numbers	AEDEF ASLOV BSPROM BSREPO OSRRLP TCSCMN	ANALYTICS VARIABLE DEFINITION RIGHTS ANALYTICS LIST OF VALUES Custom Attributes CREATE / EDIT REPORTS ADD / EDIT LEVELS POPUP 7I MOBILE BOILER TEXT
27779	Numeric Decimal Places	Crossbow D7i Extended - Locales form	BSLOCL	LOCALE
29702	Numeric Decimal Separator	Infor EAM.	BSLOCL	LOCALE
28467	Numeric Details	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
29752	Numeric Group Digits	Infor EAM.	BSLOCL	LOCALE
29701	Numeric Group Separator	Infor EAM.	BSLOCL	LOCALE
24912	Numeric Pad	Crossbow. Used as title in form. There's enough room for 20 to 22 characters translation.	TCCNUM	7I MOBILE BOILER TEXT
35876	Numeric Reading	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
44459	Numeric Response	EAM.CCTR.REQ.ResultsforCustomerSurveys EAM-14831	CSCSUR	CUSTOMER SURVEYS
31644	Numeric Value	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
31645	Numeric Variable 1	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD ISMONT WSJOBS WSJOVH WSJOVM	ELECTRONIC RECORDS FOR EVENT POINTS MONITORED DATA CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
31646	Numeric Variable 10	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD ISMONT WSJOBS	ELECTRONIC RECORDS FOR EVENT POINTS MONITORED DATA CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31646	Numeric Variable 10	EWS.CREP.UC.ElectronicRecords - Electronic Records report	WSJOVH	CREATE WORK ORDER
31989	Numeric Variable 11	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31990	Numeric Variable 12	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31991	Numeric Variable 13	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31992	Numeric Variable 14	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31993	Numeric Variable 15	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31994	Numeric Variable 16	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31995	Numeric Variable 17	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31996	Numeric Variable 18	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31997	Numeric Variable 19	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31647	Numeric Variable 2	EWS.CREP.UC.ElectronicRecords - Electronic Records	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31647	Numeric Variable 2	report	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31998	Numeric Variable 20	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
31999	Numeric Variable 21	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
32000	Numeric Variable 22	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
32001	Numeric Variable 23	EWS.CREP.UC.ElectronicRecords	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
32002	Numeric Variable 24	EWS.CREP.UC.ElectronicRecords	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32003	Numeric Variable 25	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
32004	Numeric Variable 26	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
32005	Numeric Variable 27	EWS.CREP.UC.ElectronicRecords	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
32006	Numeric Variable 28	EWS.CREP.UC.ElectronicRecords	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32006	Numeric Variable 28	EWS.CREP.UC.ElectronicRecords	WSJOVM	CREATE WORK ORDER
32007	Numeric Variable 29	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31648	Numeric Variable 3	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32008	Numeric Variable 30	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32009	Numeric Variable 31	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32010	Numeric Variable 32	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32011	Numeric Variable 33	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32012	Numeric Variable 34	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32013	Numeric Variable 35	EWS.CREP.UC.ElectronicRecords	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31651	Numeric Variable 4	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31653	Numeric Variable 5	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31653	Numeric Variable 5	EWS.CREP.UC.ElectronicRecords - Electronic Records report	WSJOBS	CREATE WORK ORDER
31654	Numeric Variable 6	EWS.CREP.UC.ElectronicRecords - Electronic Records report	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
31655	Numeric Variable 7	EWS.CREP.UC.ElectronicRecords - Electronic Records report	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
31657	Numeric Variable 8	EWS.CREP.UC.ElectronicRecords - Electronic Records report	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31658	Numeric Variable 9	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
49646	O & M GL	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	WSJOVM	CREATE WORK ORDER
47891	O&M Cost %	EAM-38196:EAM.EQUIP.REQ.APMScenario	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
49213	OC Status	EAM.EQUIP.REQ.ChecklistForEquipment EAM-45837	OSAPMS	APM SCENARIO
49214	OC System Status	EAM.EQUIP.REQ.ChecklistForEquipment EAM-45837	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
37987	OEE	EWS.CREP.UC.GasIndexAnalysis	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
43516	OEE Metrics	EAM-10033	OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			OZOEEM	OEE METRICS
42951	OEE Summary	EAM-10033	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZOEEM	OEE METRICS
40863	OEM Site/System ID	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40863	OEM Site/System ID	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOVS	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37259	OFF	21773 Auto Sync WO	WZJOVM	PRINT WORK ORDER HEALTHCARE
			TCAUSY	7I MOBILE BOILER TEXT
12648	OK	21773 Auto Sync WO	BANNER	BANNER
			BSADVR	ADVANCED REPORTING FUNCTION
			BSESGN	EWS - ESIGNATURE POPUP
			BSGFRM	FROM CLAUSE LOOKUP
			BSGSEL	SELECT CLAUSE LOOKUP
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMSLV	MULTIPLE SELECT LOOKUP
			BSREPO	CREATE / EDIT REPORTS
			BSTABL	POP-UP FUNCTION FOR TABLE LOOKUP
			FCSCRN	FLAMETHROWER SCREENS
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSCLCL	CLOSING CODES LOOKUP
			OSCNL	CHANGE NOTICE LOOKUP
			OSEQCI	CHECKLIST ITEMS
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLT	GIS ATTRIBUTE FILTER
			OSISDM	IMPORT SERVICE DELIVERY MATRIX POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			REPORT	General Report Function
			SSBINL	BIN LOOKUP
			SSREQS	CREATE PURCHASE REQUISITION
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPL	SUPPLIER LOOKUP
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSAPRR	REJECT REASON
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSRTEP	ROUTE LOOKUP
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
			WZJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12648	OK	Crossbow	WZJOBQ	PRINT WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			TCCLGR	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			TCCNUM	7I MOBILE BOILER TEXT
			TCCRTF	7I MOBILE BOILER TEXT
			TCDOCR	7I MOBILE BOILER TEXT
			TCELRC	7I MOBILE BOILER TEXT
			TCLOCK	7I MOBILE BOILER TEXT
			TCORCF	7I MOBILE BOILER TEXT
			TCPRXY	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			TCSYPF	7I MOBILE BOILER TEXT
31659	OK Window %	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
28196	OML 099 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28197	OML 101 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28198	OML 102 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28199	OML 103 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28200	OML 104 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28201	OML 105 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28202	OML 202 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28203	OML 203 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
37258	ON	21773 Auto Sync WO	TCAUSY	7I MOBILE BOILER TEXT
21256	OR	Infor EAM - this is a word used to represent alternatives	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSMSGs	VIEW MESSAGE STATUS
			FCSCRN	FLAMETHROWER SCREENS
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			WSRTEP	ROUTE LOOKUP
29031	OS Machine	D7i Extended - Access Violations Report	BHVIOL	List Of Violations
			BTVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
29030	OS User	D7i Extended - Access Violations Report	BHVIOL	List Of Violations
			BTVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
28376	Object	D7i Extended -- Monitored Data form -- noun	BCMOBL	7I MOBILE BOILER TEXT
			ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
42330	Object Code	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
44017	Object Org	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28558	Object Organization	D7i Extended -- Monitored Data form -- field label on Aspect Points tab	BCMOBL	7I MOBILE BOILER TEXT
28559	Object Type	D7i Extended -- Monitored Data form -- Field Label on Aspect Points tab, noun	ISPCOP	COPY ASPECT POINTS
41368	Objective	EAM-403, EAM.EQUIP.REQ.Objective	OSECON	CREATE EQUIPMENT CONFIGURATION
			BSDOCA	DOCUMENTS
			OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
			WSCPQR	CAPITAL PLANNING REQUEST
41667	Objective Description	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	OSSTGY	CREATE STRATEGY
			WSCPQR	CAPITAL PLANNING REQUEST
41666	Objective Organization	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
41367	Objective Statement	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
41579	Objectives	EAM-402 Objectives Tab for Strategy Screen	BSLOVS	LIST OF LOOKUPS
			OSSTGY	CREATE STRATEGY
37284	Objects dimension has type 2 SCD records	31312	BSWHSE	DATA WAREHOUSE
45558	Observation	EAM.EQUIP.REQ.Nonconformities	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
48922	Observation - Comments	EAM-46094 Work Order Nonconformity add new tabs	BCMOBL	7I MOBILE BOILER TEXT
			OCOBJA	MOBILE EQUIPMENT FUNCTION
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
48923	Observation - Documents	EAM-46094 Work Order Nonconformity add new tabs	BCMOBL	7I MOBILE BOILER TEXT
			OCOBJA	MOBILE EQUIPMENT FUNCTION
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
49612	Observation Comments	EAM-51038	BCMOBL	7I MOBILE BOILER TEXT
46393	Observation Details	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
49613	Observation Documents	EAM-51038	BCMOBL	7I MOBILE BOILER TEXT
47055	Observation Note	EAM-31069	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47055	Observation Note	EAM-31069	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
46412	Observation Override	EAM.EQUIP.REQ.Nonconformities	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46395	Observation PK	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
46419	Observation Setup	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46394	Observation Status	EAM-27682	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			OZONCF	NONCONFORMITIES ANALYSIS
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
46497	Observation System Status	EAM-27682	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
49062	Observation Tracking Details	EAM-46094	BCMOBL	7I MOBILE BOILER TEXT
46470	Observation User Defined Checkbox 01	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46471	Observation User Defined Checkbox 02	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46471	Observation User Defined Checkbox 02	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJS	CREATE SYSTEM EQUIPMENT
46472	Observation User Defined Checkbox 03	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46473	Observation User Defined Checkbox 04	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46474	Observation User Defined Checkbox 05	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46465	Observation User Defined Date 01	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46466	Observation User Defined Date 02	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46467	Observation User Defined Date 03	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46468	Observation User Defined Date 04	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46469	Observation User Defined Date 05	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46430	Observation User Defined Field 01	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46431	Observation User Defined Field 02	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46432	Observation User Defined Field 03	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46433	Observation User Defined Field 04	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA OSOBJL	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46433	Observation User Defined Field 04	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46434	Observation User Defined Field 05	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46435	Observation User Defined Field 06	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46436	Observation User Defined Field 07	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46437	Observation User Defined Field 08	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46438	Observation User Defined Field 09	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46439	Observation User Defined Field 10	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46440	Observation User Defined Field 11	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46441	Observation User Defined Field 12	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46442	Observation User Defined Field 13	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46443	Observation User Defined Field 14	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46444	Observation User Defined Field 15	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46445	Observation User Defined Field 16	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46445	Observation User Defined Field 16	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46446	Observation User Defined Field 17	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46447	Observation User Defined Field 18	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46448	Observation User Defined Field 19	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46449	Observation User Defined Field 20	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46450	Observation User Defined Field 21	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46451	Observation User Defined Field 22	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46452	Observation User Defined Field 23	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46453	Observation User Defined Field 24	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46454	Observation User Defined Field 25	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46455	Observation User Defined Field 26	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46456	Observation User Defined Field 27	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
46457	Observation User Defined Field 28	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46457	Observation User Defined Field 28	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46458	Observation User Defined Field 29	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46459	Observation User Defined Field 30	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46460	Observation User Defined Number 01	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46461	Observation User Defined Number 02	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46462	Observation User Defined Number 03	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46463	Observation User Defined Number 04	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46464	Observation User Defined Number 05	EAM.EQUIP.REQ.NonconformitiesForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46477	Observation data can be synchronized with the associated nonconformity header. Select the timing when synchronization should occur.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
45661	Observations	EAM-19898:EAM.EQUIP.REQ.MergeNonconformitiesPop up	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSNCHD	NONCONFORMITIES
42765	Observed Bin Location	EAM-9305: EAM.EQUIP.REQ.InventoryResultsforAssetIn	BCMOBL	7I MOBILE BOILER TEXT
			OSAINV	ASSET INVENTORY
44018	Observed Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44019	Observed Physical Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41427	Observed Physical Location	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetIn	BSLOVS	LIST OF LOOKUPS
			OSAINV	ASSET INVENTORY
			OZPAIL	PRINT ASSET INVENTORY LIST
41428	Observed Physical Location Org.	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetIn	OSAINV	ASSET INVENTORY
44020	Observed Physical Location cannot be entered if Resolution is not blank.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25404	Occup	Crossbow. Occupation type.	TCJBKL	7I MOBILE BOILER TEXT
29414	Occupation System Type Code		BSWHSE	DATA WAREHOUSE
29415	Occupation System Type Description		BSWHSE	DATA WAREHOUSE
24159	Occupation Type	Crossbow	TCJALL	7I MOBILE BOILER TEXT
		D7i Extended - Business Application Integration - Type of hour booking: normal time, overtime, correction booking.	WSBOOK	BOOK LABOR BY EMPLOYEE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZAGRS	PRINT CUSTOMER CONTRACT
			YSACCD	VIEW GL VALUES
23260	Occupation Type Code		BSWHSE	DATA WAREHOUSE
23261	Occupation Type Description		BSWHSE	DATA WAREHOUSE
27343	Occupation Types	Extended (product name)	BSLOVS	LIST OF LOOKUPS
		Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
11971	Occupation type	Type of hour booking: normal time, overtime, correction booking.	WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
27209	Occurrence	D7i Extended - Grid - Occurrence	BCMOBL	7I MOBILE BOILER TEXT
			BEWSMD	EWS - METADATA DEFINITION
			BSGRID	GRID DESIGNER
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
40044	Occurrences	SCR 47275	WZDTTL	DOWNTIME TRACKING
44749	Oceans	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37398	Oct :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
40020	Oct.	#47067	CZISGH	INCIDENT SUMMARY GRAPH
			SZMMPU	MONTHLY PART USAGE
			WZVMRS	VMRS ACTIVITIES CHART
33969	October	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing IDs.	BSJST	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPS	GL PROCESS SCHEDULES
		EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
49624	Offline	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
38616	Offset	EWS.WORK.UC.ResourcesforPMSchedule #PVCS37444	OSMNBK	NOTEBOOK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38616	Offset	EWS.WORK.UC.ResourcesforPMSchedule #PVCS37444	OSVRHP	VIEW RESOURCE HISTORY PMS
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			WSCCON	CUSTOMER CONTRACTS
			WSBWOP	BUNDLED WORK ORDERS
40358	Offset Invoice Generation	Offset Invoice Generation	OSVRHP	VIEW RESOURCE HISTORY PMS
38617	Offset Value	EWS.WORK.UC.ResourcesforPMSchedule #PVCS37444	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
38630	Offset Value (Hours)	37453	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
42994	Offset and Size Details	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
30625	Offshift Billing Hours	D7i Extended -- Parameters for Fleet Configuration -- Field Label	WSFLCF	FLEET CONFIGURATION
23814	Ok Window		OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPPMQ	LIST OF PM SCHEDULES
45154	Old End Date	EAM-16279:EAM.EQUIP.REQ.CopyConsistPopup	OSCPCS	COPY CONSIST POPUP
36497	Old Organization	TransfersforEmployee/30778	WSEMP	EMPLOYEES
31660	Old Part	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
39763	Old Part Number	EAM.MATL.UC.PartNumberHistory.docx/#45594	SSPHST	PART NUMBER HISTORY
39764	Old Part Number Org.	EAM.MATL.UC.PartNumberHistory.docx/#45594	SSPHST	PART NUMBER HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
31661	Old Part Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES	
45153	Old Start Date	EAM-16279:EAM.EQUIP.REQ.CopyConsistPopup	OSCPCS	COPY CONSIST POPUP	
23608	Old Status	Infor EAM	BHUSRL	USERS GROUP CONFIGURATION	
			BYUSRL	USERS GROUP CONFIGURATION	
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS	
			BZUSRL	USERS GROUP CONFIGURATION	
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY	
			WSLOGS	CREATE / VIEW SERVICE LOGS	
			WSSREQ	SERVICE REQUESTS	
			WSSTWO	STANDARD WOS	
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY	
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS	
31662	Old System Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS	
23887	Old Value	Infor EAM - system displays the previous value of an audited field.	BSAUDP	VIEW AUDIT TRAIL POPUP	
38689	Old WO Status	StatusChangeforIntegratedPlanningConfiguration	SSPART	PARTS	
			BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION	
11973	Old status	SCR 47562 Infor EAM - Used the Sotres tab of Parts form to indicate whether parts should only be re-ordered when there is a demand for it.	BCAUTH	CROSSBOW AUTH LIST	
40068	Oldest (Days)		WZDPML	DELINQUENT PM SUMMARY	
20841	On Demand		SSSTOR	STORES	
40673	On Equipment	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	BSUOMS	UOM SETUP	
30317	On Hand	D7i Extended - Reports - EWS.REP.UC.PrintPickList.Doc	SY PICK	Pick List Print	
			SZ PICK	Pick List Print	
30881	On Hand Qty.	D7i Extended. Indicates the number of parts that are On Hand. The words On Hand are used as an adjective indicating what kind of part.	SSIUSS	STORE TO STORE ISSUES	
			SSSTOS	QUICK STORE-TO-STORE TRANSFER	
29977	On Hold	D7i Extended -- Lines tab, Invoices form -- Invoice Line Status	PSINVO	INVOICES	
26274	On Order	Infor EAM. SCR#5640 Project Costs.	JSPROJ	PROJECTS	
			JYACOS	PROJECT AREA COST SUMMARY	
			JZACOS	PROJECT AREA COST SUMMARY	
			JZCOSL	PROJECT COST SUMMARY	
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY	
			SYREQL	List Of Outstanding Requisition Items	
			SZREQL	List Of Outstanding Requisition Items	
			UYBDEL	BUDGET POSITION DETAILS	
			UZBDEL	BUDGET POSITION DETAILS	
			WHCOSL	Job Cost Summary Report	
			WSJOBS	CREATE WORK ORDER	
			WSJOVH	CREATE WORK ORDER	
			WSJOVM	CREATE WORK ORDER	
			WYCOSL	Job Cost Summary Report	
			WZCOSH	WO COST LIST_HOSPITALITY	
			WZCOSL	Job Cost Summary Report	
33010	On Order Qty.	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	SSPART	PARTS	
			SSSTOR	STORES	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33010	On Order Qty.	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	WSPLPA	PLANNED PART AVAILABILITY
34911	On Pick Ticket Qty.	EWS.MATL.UC.OverviewforParts/27085	SSPART	PARTS
			SSSTOR	STORES
13459	On hand	Quantity currently in storeroom.	STPICK	Pick List Print
29059	On or After	D7i Extended - Meter History Report	JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OTMHST	METER HISTORY
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZMHST	METER HISTORY
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			PHHISL	Purchase History
			PYBPOL	BLANKET ORDER LIST
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZHISL	Purchase History
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SY PICK	Pick List Print
			SYREQL	List Of Outstanding Requisition Items
			SYRESL	Parts Currently Reserved/Allocated
			SYRETN	LIST OF RETURNS
			SYTRAL	Printed List Of Stock Transactions
			SYUSTL	MONTHLY USAGE TRENDS
			SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZ PICK	Pick List Print
			SZREQL	List Of Outstanding Requisition Items
			SZRESL	Parts Currently Reserved/Allocated
			SZRETN	LIST OF RETURNS
			SZTRAL	Printed List Of Stock Transactions
			SZUSTL	MONTHLY USAGE TRENDS
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WHJOBL	Labour Hours For Jobs
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29059	On or After	D7i Extended - Meter History Report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBL	Labour Hours For Jobs
			WTPERL	List Of Permit Issues
			WTSCHA	Scheduled Activities
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYJOBL	Labour Hours For Jobs
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYTOCO	TOOL USAGE
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOST	WORK ORDER STATISTICS
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCALR	CALIBRATION RECORD REPORT
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZERRF	EXPIRED WARRANTIES
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJOBL	Labour Hours For Jobs
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPERL	List Of Permit Issues
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZTOCO	TOOL USAGE
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLM	WORK ORDER LIST - DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29059	On or After	D7i Extended - Meter History Report	WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
34164	On or After :PARAM1	EWS.CREP.UC.DailyTradeSchedule	BZCHKA	CHECKLIST AUDIT
			BZDLUD	DATA LAKE UPLOAD PROGRESS DETAILS
			CZCASE	CASE MANAGEMENT REPORT
			CZTCCR	TOP 10 SERVICE REQUESTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHTTEC	TOP 10 EQUIPMENT COST
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZTACR	TEMPERATURE ANALYSIS CHART
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PZVEND	VENDOR LEAD TIME
			REPORT	General Report Function
			SYCONS	Consignment Activity
			SY PICK	Pick List Print
			SYREQ L	List Of Outstanding Requisition Items
			SYTRAL	Printed List Of Stock Transactions
			SYUSTL	MONTHLY USAGE TRENDS
			SZCONS	Consignment Activity
			SZ PICK	Pick List Print
			SZREQ L	List Of Outstanding Requisition Items
			SZSOUT	PART STOCKOUTS
			SZSTD L	Stocktake Discrepancy
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
			SZUSTL	MONTHLY USAGE TRENDS
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WYPFMC	FUTURE MAINTENANCE COST
			WYTRDS	DAILY TRADE SCHEDULE
			WYW FMC	FUTURE MAINTENANCE COSTS
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBOOL	Allocations Per Employee
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34164	On or After :PARAM1	EWS.CREP.UC.DailyTradeSchedule	WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZLMWO	LIST OF MAINTENANCE WO
			WZPFAR	PART FAILURES REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCC	PM REPAIR COSTS CHART
			WZPTWR	PRINT PERMIT TO WORK
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTRDS	DAILY TRADE SCHEDULE
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZWEMP	WORK BY EMPLOYEE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWORL	LIST OF WORK ORDERS
31084	On or Before	D7i Extended -- WorkOrderByTypeCostCodeOrDept -- Field Label	JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PYBPOL	BLANKET ORDER LIST
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			SYCONS	Consignment Activity
			SYREQL	List Of Outstanding Requisition Items
			SYTRAL	Printed List Of Stock Transactions
			SYUSTL	MONTHLY USAGE TRENDS
			SZCONS	Consignment Activity
			SZEKIT	LIST OF EXPIRED KITS
			SZREQL	List Of Outstanding Requisition Items
			SZTRAL	Printed List Of Stock Transactions
			SZUSTL	MONTHLY USAGE TRENDS
			WHJOBL	Labour Hours For Jobs
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYJOBL	Labour Hours For Jobs
			WYTOCO	TOOL USAGE
			WYWOST	WORK ORDER STATISTICS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31084	On or Before	D7i Extended -- WorkOrderByTypeCostCodeOrDept -- Field Label	WZCJOB	CALCULATE CUSTOMER CHARGES
			WZERRF	EXPIRED WARRANTIES
			WZJOB	Labour Hours For Jobs
			WZLWOQ	LIST OF WORK ORDERS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPERL	List Of Permit Issues
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZTOCO	TOOL USAGE
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
			BZCHKA	CHECKLIST AUDIT
34165	On or Before :PARAM2	EWS.CREP.UC.DailyTradeSchedule	CZCASE	CASE MANAGEMENT REPORT
			CZTCCR	TOP 10 SERVICE REQUESTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHTTEC	TOP 10 EQUIPMENT COST
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZTACR	TEMPERATURE ANALYSIS CHART
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PZVEND	VENDOR LEAD TIME
			REPORT	General Report Function
			SYCONS	Consignment Activity
			SYREQL	List Of Outstanding Requisition Items
			SYTRAL	Printed List Of Stock Transactions
			SYUSTL	MONTHLY USAGE TRENDS
			SZCONS	Consignment Activity
			SZEKIT	LIST OF EXPIRED KITS
			SZREQL	List Of Outstanding Requisition Items
			SZSOUT	PART STOCKOUTS
			SZSTD	Stocktake Discrepancy
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
			SZUSTL	MONTHLY USAGE TRENDS
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WYPFMC	FUTURE MAINTENANCE COST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34165	On or Before :PARAM2	EWS.CREP.UC.DailyTradeSchedule	WYTRDS	DAILY TRADE SCHEDULE
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZLMWO	LIST OF MAINTENANCE WO
			WZPFAR	PART FAILURES REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCC	PM REPAIR COSTS CHART
			WZPTWR	PRINT PERMIT TO WORK
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTRDS	DAILY TRADE SCHEDULE
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZWEMP	WORK BY EMPLOYEE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWORL	LIST OF WORK ORDERS
11974	On order	Has been ordered.	STREQL	List Of Outstanding Requisition Items
48122	On the Books Returns	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
31663	On-Dock Qty	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
31664	On-Dock Receipt	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
17591	On-dock receipt	code identifying the on-dock receipt number. On-dock receipt is a new method of receiving parts. You receive them immediatley after the arrive on the loading dock. Translate the same as 'dock receipt'.	FCGRD2	FLAMETHROWER GRID 2
		The code identifying the on-dock receipt. Translate as 'dock receipt number'	SSRECV	PO RECEIPTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
43142	On-site Repair	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
45379	Once you register, the system will also log you out when you click Submit. Re-enter the portal with the e-mail address you entered as your Portal ID.	EAM-15357	CSSRPT	CREATE SERVICE REQUEST PORTAL
47538	One or more Parts should be selected for creating Pick Ticket.	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46193	One or more deferred activities must be selected before continuing.	Activity Deferred Maintenance	BCMOBL	7I MOBILE BOILER TEXT
29535	One or more equipment records cannot be displayed in the grid because the organization does not match the Route organization.	Infor EAM, GIS module. Message displayed on change organization when equipment records are less than previously viewed.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGRTE	CREATE ROUTE WORK ORDER
36820	One or more field values were unable to be retrieved because the associated query is invalid.	21768 Web Service Prompt Engine - support custom	TCPMTR	7I MOBILE BOILER TEXT
31221	One or more fields are out of the viewable area.	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
46194	One or more lines cannot be approved because the associated PO line is inactive. The PO line was either fully received or Cancelled. All other lines have been approved.	POReceipt Service	BCMOBL	7I MOBILE BOILER TEXT
46195	One or more lines have an Inspection Status of Unfinished. All other lines have been approved.	POReceipt Service	BCMOBL	7I MOBILE BOILER TEXT
49478	One-time Mitigation Cost	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
17282	Online help	Tool Tip for Online Help	M1	Pull-Down Menu Texts
			M1	Pull-Down Menu Texts
46531	Only If Nonconformity Status Is	EAM-27706: EAM.EQUIP.REQ.StatusDependenciesForNonc	OSNCSP	NONCONFORMITIESSETUP
47862	Only file extensions of type .pdf, .jpg, .jpeg, .gif, or .png are supported.	EAM-36480	BSDOCA	DOCUMENTS
46523	Only impacts Structure Details tab, Structure for Equipment Lookup and Structure for Equipment Configuration.	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
46515	Only impacts the Structure tab, Structure Details tab and the Structure for Equipment Lookup.	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
36658	Only parts marked as 'Planned' or 'Reserved' will be added to the work order. All other parts will have to be reallocated to this work order.	31111	WSDFAP	ADD DEFERRED ACTIVITIES
25265	Only the last reading can be deleted.	Crossbow - Meter Reading form	TCOMRL	7I MOBILE BOILER TEXT
46506	Only works if the record was not updated (skipped). Also see the setting for the related Auto Approve Status. If you leave this value blank the system will prevent closing the work order.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
12189	Open	Whether the claim is still open or not. checkbox that when selected the report will show jobs that are still open (haven't been completed)	JSPROJ	PROJECTS
			JSCAMP	CAMPAIGN
			OTCSTL	WORK ORDER COST SUMMARY
			PYPOCS	PO COST SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12189	Open	checkbox that when selected the report will show jobs that are still open (haven't been completed)	PZPOCS	PO COST SUMMARY
40949	Open Bay	EAM.EQUIP.REQ.Rooms	BZOBJD OSHPRM	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY ROOMS
25994	Open Claims	Infor EAM. Related to warranty claims.	OSCLAI SSPWCL	WARRANTY CLAIMS PART WARRANTY CLAIMS
22723	Open Group Selection (Ctrl+G)	Infor EAM - mouse-over text for button on toolbar to open the group selection	BANNER	BANNER
35085	Open Lines	EWS.CREP.UC.ListOfPurchasesUnderContract	CYORDL CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT PRINT LIST OF PURCHASES UNDER CONTRACT
45568	Open Nonconformities	EAM.EQUIP.REQ.Nonconformities	OSNCFM OSNCHD OSOBJA OSOBJP OSOBJS WSJOBS	NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER
47729	Open Nonconformities for Equipment	EAM-36568:EAM.EQUIP.REQ.NonconformitiesforAPMSce na	OSAPMS	APM SCENARIO
24185	Open PM WOs	Extended (product name). Use on the Work Orderd tab of PM Schedules.	WSP PME	EVENTS FOR PPM
24958	Open Projects	D7i Extended - Projects form	JSPROJ	PROJECTS
47743	Open Projects for Equipment	EAM-36567:EAM.EQUIP.REQ.ProjectsforAPMSscenario	OSAPMS	APM SCENARIO
46495	Open Repairs	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA PSPORD SSREQU	CREATE ASSET EQUIPMENT PURCHASE ORDERS REQUISITIONS
48457	Open Report	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33380	Open Request Status when WO Closes	Contact Center Setup - SCR 22087	CSCCSP	CONTACT CENTER SETUP
20196	Open Service Requests	Infor EAM - used to display as title for a list of Open Service Requests.	BSCUST BZOSRQ WZIRQO WZOSRQ WZSRQO	CUSTOMIZE OPEN SERVICE REQUESTS SERVICE REQUEST OVERVIEW OPEN SERVICE REQUESTS SERVICE REQUEST OVERVIEW GOLDMAN SACHS
		Infor EAM - name of datspy to view all open service requests	WSSREQ WSVSR	SERVICE REQUESTS VIEW SERVICE REQUESTS
44751	Open Streetmap	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29050	Open URL in New Window	D7i Extended -- Screens form -- Field Label, open=verb	BSEXIM BSFUNC	EXPORT CONFIGURATION CREATE UPDATE SCREENS
22452	Open WO's	Infor EAM - name of dataspy	OSSTAT OSVEVT	EQUIPMENT OPERATIONAL STATUS EVENTS FOR EQUIPMENT
39055	Open WOs	EWS.PROJ.UC.CreateEditCampaign/40385	JSCAMP WSJOBS	CAMPAIGN CREATE WORK ORDER
47723	Open WOs for Equipment	EAM-36564 : WorkOrdersforAPMSscenario	OSAPMS	APM SCENARIO
22458	Open Work Orders	Infor EAM - name of datspy	BCMOBL CSCCGM OCOBJA OSGISR OSGISS	7I MOBILE BOILER TEXT CONTACT CENTER MAP SEARCH MOBILE EQUIPMENT FUNCTION GIS MAP SEARCH GIS MAP SEARCH (OLD)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22458	Open Work Orders	Infor EAM - name of dataspy	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
19051	Open at logon	menu which you can selelct whether MP5i will open the form when the user logs on	M1	Pull-Down Menu Texts
44021	Open checklist items still exist. Continue?	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
13225	Open form as	Pull down menu item	M1	Pull-Down Menu Texts
27806	Open to List View	D7i Extended - Screens form	BSFUNC	CREATE UPDATE SCREENS
45934	OpenCAD	OpenCAD - Tab name for OpenCAD product	BSDOCU	DOCUMENTS
			BSQUER	QUERIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			CSCSUR	CUSTOMER SURVEYS
44361	Opening Message	EAM-14610:EAM.CCTR.REQ.CustomerSurveys.docx	FCSCRN	FLAMETHROWER SCREENS
26857	Opening socket...	Crossbow	TCPCON	7I MOBILE BOILER TEXT
48694	Operate	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
28014	Operation	Data Warehouse. An operation or major part of the Data Warehouse. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
38614	Operation Sequence	EWS.WORK.UC.ResourcesforPMSchedule #PVCS37444	OSVRHP	VIEW RESOURCE HISTORY PMS
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			BSLOVS	LIST OF LOOKUPS
			OSDCUR	DECAY CURVE
47579	Operational Modifier	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	BCMOBL	7I MOBILE BOILER TEXT
43496	Operational Status	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
43496	Operational Status	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSOVS	CREATE SYSTEM EQUIPMENT			
			OSSTAT	EQUIPMENT OPERATIONAL STATUS			
			WSBFUL	BATCH FUEL ISSUES			
			WSGSRH	GIS MAP ROADS HIGHWAYS			
			WSOPSS	OPTIMIZED SCHEDULER SETUP			
			WSWLSH	WO LABOR SCHEDULING			
43546	Operational System Status	11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT			
			OSOVPM	CREATE POSITION EQUIPMENT			
			OSOVS	CREATE SYSTEM EQUIPMENT			
			OSSTAT	EQUIPMENT OPERATIONAL STATUS			
			WSOPSS	OPTIMIZED SCHEDULER SETUP			
27888	Operations	D7i Extended -- Inbox Setup -- Inbox tab name, noun	BSSTRT	EWS NEW START CENTER			
15240	Operator		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT			
			DSMSG	VIEW MESSAGE STATUS			
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH			
			OSEQPP	EQUIPMENT LOOKUP			
			BCMOBL	7I MOBILE BOILER TEXT			
43266	Operator Checklist	EAM.ADMN.UC.FieldFilterSetup.docx	BSFFSP	FILTER FIELD SETUP SCREEN			
			BZCHKA	CHECKLIST AUDIT			
			OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			BCOPCL	CROSSBOW OPERATOR CHECKLIST FUNCTION			
			47313	Operator Checklist (Disconnected)	EAM-24448 EAM iPad - Operator Checklist	WSTASK	TASKS
			43245	Operator Checklist Details	EAM-33524 - EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
BSFFSP	FILTER FIELD SETUP SCREEN						
WSOPCK	OPERATOR CHECKLIST REVIEW						
WSOPCL	OPERATOR CHECKLIST						
43246	Operator Checklist Number	EAM.WORK.REQ.OperatorChecklist(Requestor)	BCMOBL	7I MOBILE BOILER TEXT			
			BZCHKA	CHECKLIST AUDIT			
			OSEQCI	CHECKLIST ITEMS			
			OSHPFY	CREATE HOSPITALITY FACILITIES			
			OSHPRM	CREATE HOSPITALITY ROOMS			
			OSHPVH	CREATE VEHICLE EQUIPMENT			
			OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJL	CREATE ASSET LOCATION			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT			
			OSOVPM	CREATE POSITION EQUIPMENT			
			OSOVS	CREATE SYSTEM EQUIPMENT			
			WSOPCK	OPERATOR CHECKLIST REVIEW			
			WSOPCL	OPERATOR CHECKLIST			
			43445	Operator Checklists	EAM.EQUIP.REQ.OperatorChecklistforEquipment.docx	OSHPFY	CREATE HOSPITALITY FACILITIES
						OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43445	Operator Checklists	EAM.EQUIP.REQ.OperatorChecklistforEquipment.docx	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
43454	Operator Checklists to be Reviewed	EAM.WORK.REQ.ReviewOperatorChecklist	WSOPCK	OPERATOR CHECKLIST REVIEW
45971	Opposite Direction	EAM.EQUIP.REQ.LinearDirectionSetup	OSLDSE	LINEAR DIRECTION SETUP
49224	Optimized Scheduler Dispatch Errors	EAM.WORK.REQ.ActivitiesforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49162	Optimized Scheduler Status Option	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
11975		Alternative. Used when a choice between different alternatives can be made.	BSGRID	GRID DESIGNER
		Crossbow	BSORGS	ORGANIZATIONS
			TCCRSB	7I MOBILE BOILER TEXT
49751	Option Age	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	TCSCMN	7I MOBILE BOILER TEXT
			USINVP	INVESTMENT PLANNING
49749	Option Cost	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
34310	Option Details	EWS.ADMN.UC.WorkSetup.doc	BSASET	ASSET SETUP
			BSBSET	ADMIN SETUP
			BSINSS	INSTALL PARAMETER SETUP
			BSMBST	MOBILE SETUP
			BSORGS	ORGANIZATIONS
			BSPSET	PURCHASING SETUP
			BSSSET	MATERIAL SETUP
			BSWSET	WORK SETUP
34308	Option Help	EWS.ADMN.UC.Worksetup.doc	BSASET	ASSET SETUP
			BSBSET	ADMIN SETUP
			BSMBST	MOBILE SETUP
			BSPSET	PURCHASING SETUP
			BSSSET	MATERIAL SETUP
			BSWSET	WORK SETUP
49750	Option Status	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
23705	Optional	Infor EAM - when the user is in screen designer mode, they can click on a field and then right click and this will be one of the menu options meaning that they user wants to make this field optional, as opposed to required.	BCMOBL	7I MOBILE BOILER TEXT
			BHUSRL	USERS GROUP CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSWSPM	WEB SERVICES PROMPT
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			SSISSU	Stock Issues
30329	Optional Markups	Infor EAM. Block label on the Pricing Schedules form.	WSMATL	MATERIAL LISTS
35253	Optional Setup	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	WSARRS	PRICING SCHEDULE
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11976	Options		BSASET	ASSET SETUP
			BSBSET	ADMIN SETUP
			BSDSET	DATABRIDGE SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSHOME	HOME - OVERVIEW SCREEN
			BSINSS	INSTALL PARAMETER SETUP
			BSMBST	MOBILE SETUP
			BSORGS	ORGANIZATIONS
			BSPSET	PURCHASING SETUP
			BSSSET	MATERIAL SETUP
			BSWSET	WORK SETUP
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOWIW	EQUIPMENT OVERVIEW 360
			OSSTGY	CREATE STRATEGY
			OSWARR	WARRANTY
			REPORT	General Report Function
		Pull down menu item	M1	Pull-Down Menu Texts
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
		Crossbow - log in options	BCMOBL	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
		EWS.WORK.UC.ParametersforGenerateProductionRequest	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
36767	Options for Checkbox Fields	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
36766	Options for Date Fields	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
47298	Options for Note Fields	EAM.BASE.REQ.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
36762	Options for Number Fields	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
36758	Options for Text Fields	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
24701	Or	Crossbow	TCCFLT	7I MOBILE BOILER TEXT
14960	Order	A checkbox used in scheduling work order activities. If the checkbox is selected, the activities need to be ordered via purchase order services. Verb.	BCRAPD	MOBILE RAPID REQUEST
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BSVSDP	VIEW STATUS DETAILS POPUP
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			JSPROJ	PROJECTS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OZHISL	Object History
			PHHISL	Purchase History
			PZHISL	Purchase History
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
29208	Order By	D7i Extended - List of Permit Issues Report	WSJOBS	CREATE WORK ORDER
			OTCAEQ	CALIBRATION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29208	Order By	D7i Extended - List of Permit Issues Report	OZCAEQ	CALIBRATION EQUIPMENT
29276	Order By Bin	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
32194	Order Cancelled	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
26540	Order Clause	Infor EAM. Refer to PVCS 6212.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
26539	Order Clause Details	Infor EAM. Refer to PVCS 6212.	PSPORD	PURCHASE ORDERS
34117	Order Contract	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
34077	Order Cost	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
26059	Order Date	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	BSMPPR	MP2 PURCHASING
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			PHORDF	Print Purchase Order
			PSINVL	INVOICE LINES PER BUYER
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZBPOL	BLANKET ORDER LIST
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZVEND	VENDOR LEAD TIME
			WSDIMR	DIRECT MATERIAL REALLOCATION
15141	Order Details		PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSPART	PARTS
			SSSTOR	STORES
30227	Order Discount	D7i Extended - Reports - Print Purchase Orders	CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
34107	Order Discount %	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
33652	Order Discount Details	EWS.PRCH.UC.OrderDiscountsforPurchasingContract.do	PSCONT	PURCHASING CONTRACTS
33781	Order Discounts	EWS.PRCH.UC.OrderDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
23847	Order Info	Infor EAM - Group header on the Suppliers form to display information relevant to purchase orders and the supplier	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
29422	Order Line System Type Code		BSWHSE	DATA WAREHOUSE
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29423	Order Line System Type Description		BSWHSE	DATA WAREHOUSE
29143	Order Line Type Code	Data warehouse. PVCS 10594.	BSWHSE	DATA WAREHOUSE
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
29144	Order Line Type Description	Data warehouse. PVCS 10594.	BSWHSE	DATA WAREHOUSE
29142	Order Line Types	Data warehouse. PVCS 10594.	BSWHSE	DATA WAREHOUSE
31665	Order Lines	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
31666	Order Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			SSPART	PARTS
30890	Order Price	D7i Extended - Purchase Orders Awaiting Invoicing report	OZHISL	Object History
			PZONIL	Purchase Orders Received But Not Yet Invoiced
47537	Order Qty	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
47544	Order Qty value cannot be Blank.	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
20843	Order Qty.	Infor EAM - The quantity ordered, e.g. 10 pieces.	BCMOBL	7I MOBILE BOILER TEXT
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			PSOBS	ASSETS FOR PO
			SSPART	PARTS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
47545	Order Qty. must be greater than 0 and less than or equal to 9999999999999999.999999	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
31667	Order Quantity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
			WZMATL	MATERIAL REQUIREMENT ANALYSIS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34475	Order Quantity (Original)	EWS.CREP.UC. EOQAnalysis	SYEOQA SZEOQA	EOQ Analysis EOQ Analysis
39832	Order Questions	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR	EQUIPMENT RANKINGS
31668	Order Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
30891	Order Type	D7i Extended - Purchase Orders Awaiting Invoicing report	PZONIL	Purchase Orders Received But Not Yet Invoiced
25970	Order Value	Infor EAM. Project module. Refer to PVCS 5639.	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
36020	Order Warehouse	EWS.ADMN.UC.MP2Purchasing	BSMPPR BSMPQT	MP2 PURCHASING MP2 QUOTATIONS
12530	Order by	Order by refers to how MP5 lists information on the report output, e.g., order the report according to objects or to jobs.	OSGCUS	CUSTOM FIELD MAPPING QUERY
12778	Order canceled	This is a message on a printed report that indicates that an order was canceled.	PTORDF	Print Purchase Order
16660	Order cost		SYEOQA SZEOQA	EOQ Analysis EOQ Analysis
11978	Order date	The date that a purchase order is created.	PTORDF	Print Purchase Order
12505	Order discount	The discount on the whole order. Differentiates from line discount.	PTORDF	Print Purchase Order
16851	Order org	This ID appears on all forms and reports with multi-organization security and is a label indicating that an order organization code may be set up using the BMORGs screen.	BZISSD	ELECTRONIC RECORDS FOR ISSUE
31669	Order/Line	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZIVLD BZORLD	ELECORONIC RECORDS FOR INVOICE LINES ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
19680	Ordered	The quantity or price ordered, depending on the order line type.	PSINVO PSPOLN UHBUDS UYBUDS UZBUDS WSBKPO WSJOBS WSJOVH WSJOVM	INVOICES IMPORT PO LINES BUDGET SUMAMRY REPORT BUDGET SUMAMRY REPORT BUDGET SUMAMRY REPORT BOOK PO LABOR CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
36116	Ordered Qty.	27957	PSPORD	PURCHASE ORDERS
29625	Ordered extra cost (default currency)	Data warehouse.	BSOPEL BSWHSE	ORDERED EXTRA COST (DEFAULT CURRENCY) DATA WAREHOUSE
29626	Ordered extra cost (organization currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
34145	Ordered, Open	EWS.CREP.UC.BudgetSummary.doc	UHBUDS UYBUDS UZBUDS	BUDGET SUMAMRY REPORT BUDGET SUMAMRY REPORT BUDGET SUMAMRY REPORT
46489	Ordering Store	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA PSPORD SSREQU	CREATE ASSET EQUIPMENT PURCHASE ORDERS REQUISITIONS
16064	Orders		PHHISL PZHISL SYHISL	Purchase History Purchase History Purchase History Per Item/Supplier

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16064	Orders		SZHISL	Purchase History Per Item/Supplier
34978	Orders Before or On :PARAM2	23249-Localization problem with report subtitles	PHHISL	Purchase History
			PZHISL	Purchase History
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
			PHHISL	Purchase History
30553	Orders Between	D7i Extended - Purchase History Per Item/Supplier report	PZHISL	Purchase History
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
			PHHISL	Purchase History
			PZHISL	Purchase History
34977	Orders Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
			PHHISL	Purchase History
			PZHISL	Purchase History
			SYHISL	Purchase History Per Item/Supplier
34979	Orders On or After :PARAM1	23249-Localization problem with report subtitles	SZHISL	Purchase History Per Item/Supplier
			PHHISL	Purchase History
			PZHISL	Purchase History
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
17313	Org	Crossbow - Organization	BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			WZMPAT	PRINT MAINTENANCE PATTERN
			TCDOCR	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
			WSCALP	ADD EDIT CALLER
			WSDEBS	CREATE CUSTOMER
			WSRELJ	RELEASE OF SELECTED JOBS
45034	Org. Column	EAM.ADMN.REQ.RepositoriesforEnterpriseSearchSetup	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSDEPT	DEPARTMENTS
28990	Org. Description	D7i Extended - Tools for Departments - Org. = Organization		
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDTEN	DATA ENTRY FORMS
			ASOBJA	ANALYTICS ASSET LIST
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCCLAS	CROSSBOW CLASS LIST
			BCCSTC	CROSSBOW COSTCODE LIST
			BCMRCS	CROSSBOW DEPARTMENT LIST
			BCORGS	MOBILE USER ORG LIST
			BEWSMD	EWS - METADATA DEFINITION
			BHDOCL	List Of Documents
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BICTRL	BI CONTROLLER REPORT
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTC	COST CODE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	BSDELA	Delivery addresses
			BSDEPT	DEPARTMENTS
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSDEVS	PRINTERS
			BSDOCA	DOCUMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSDSET	DATABRIDGE SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSESIG	ERECORDS LIST
			BSEXIM	EXPORT CONFIGURATION
			BSGMAC	COPY GIS MAP POPUP
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSIMPT	IMPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSMDEV	MOBILE DEVICES
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
			BSORGS	ORGANIZATIONS
			BSOSTR	REPORT ORGANIZATION STRUCTURE
			BSQRSE	QR CODES SETUP
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSSTRT	EWS NEW START CENTER
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BSTOPO	ADD TOP LEVEL ORGANIZATION
			BSUPLD	UPLOAD DOCUMENT POPUP
			BSUSER	USER SETUP
			BTDOCL	List Of Documents
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BTSNAP	ELECTRONIC RECORDS
			BTTMPR	LIST OF TAMPERED RECORDS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BYDOCL	List Of Documents
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZCHKA	CHECKLIST AUDIT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZDOCL	List Of Documents
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSNAP	ELECTRONIC RECORDS
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTMPR	LIST OF TAMPERED RECORDS
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			BZUSRL	USERS GROUP CONFIGURATION
			CSBBNT	BULLETIN BOARD NOTICES
			CSCASE	CASE MANAGEMENT
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	CSCRHS	CUSTOMER REQUEST HISTORY
			CSCSUR	CUSTOMER SURVEYS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			CTCONL	Overview Existing Contracts
			CYCCTR	CALL CENTER WO REPORT
			CYCONF	Print Contract
			CYCONL	Overview Existing Contracts
			CYCOTL	PRINT CONTRACT CLASSES
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONF	Print Contract
			CZCONL	Overview Existing Contracts
			CZCOTL	PRINT CONTRACT CLASSES
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			CZSURR	CUSTOMER SURVEY RESULTS
			CZTCCR	TOP 10 SERVICE REQUESTS
			CZUSGF	Discount Request Based On Usage
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
			DSPTNR	CREATE PARTNER
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			ISAPRF	APPROVE INSPECTION RESULTS
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			JCPROJ	CROSSBOW PROJ LIST
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			JYACOS	PROJECT AREA COST SUMMARY
			JYCODL	PROJECT COST BREAK DOWN
			JZACOS	PROJECT AREA COST SUMMARY
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			JZJOBL	LIST OF JOBS FOR PROJECT
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			LVGRID	COMMON LOOKUP FOR GRID FILTERS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			LVSCRN	SCREENER LOOKUP
			LVSUPR	SUPERVISOR LOOKUP
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OHAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OHCHLL	Overview Of Children Within An Object
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHOCS	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OPSVAR	ANALYTICS 7.8 VARIABLES
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCNAP	CREATE NEW ASSETS
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQPM	PM SCHEDULES
			OSEQPP	EQUIPMENT LOOKUP
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSKEYM	KEY MANAGEMENT
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJT	OBJECTIVES
			OSOCAP	ASSET CLASS OPERATIONAL CAPACITY
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSROUT	ROUTES
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OTCAEQ	CALIBRATION EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OTCLSL	Overview Of Classifications
			OTCSTL	WORK ORDER COST SUMMARY
			OTMHST	METER HISTORY
			OTOBJL	List Of Objects
			OYCLSL	Overview Of Classifications
			OYCOEM	CO2E EMISSIONS
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OYGIAN	GAS INDEX ANALYSIS
			OZAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OZAEST	TOTAL ANNUAL ENERGY USE
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCATL	LIST OF CATEGORIES PER CLASS
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCHLL	Overview Of Children Within An Object
			OZCLAI	WARRANTY CLAIM REPORT
			OZCLSL	Overview Of Classifications
			OZCOEM	CO2E EMISSIONS
			OZCORD	CO2 ANALYSIS
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTL	WO COST SUMMARY
			OZDCUR	DECAY CURVE CHART
			OZDEPR	EQUIPMENT DEPRECIATION
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZEQPL	EQUIPMENT PLANNING
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZFLTG	Fault Trend Analysis
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
			OZMHST	METER HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	OZMNBK	MOBILE NOTEBOOK
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZOEEM	OEE METRICS
			OZOMFL	Mean Time Between Failures Per Object
			OZONCF	NONCONFORMITIES ANALYSIS
			OZPAIL	PRINT ASSET INVENTORY LIST
			OZPRDC	RELIABILITY CALCULATIONS
			OZPROF	EQUIPMENT PROFILE
			OZRBCR	RELIABILITY CHART
			OZRCME	RCM EQUIPMENT AT RISK
			OZRCML	RCM RISK LEVELS
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZRHIS	RANKING HISTORY CHART
			OZRING	RING LIST-DETAIL
			OZRMSO	RISK MATRIX OVERVIEW
			OZTACR	TEMPERATURE ANALYSIS CHART
			OZTBRK	TOP 10 BREAKDOWN
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZURCR	UNRELIABILITY CHART
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PHHISL	Purchase History
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFGP	GENERATE POS FOR RFQS
			PSRFQR	QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZHISL	Purchase History
			PZINVL	List Of Invoices Not Yet Approved
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZPRFQ	REQUEST FOR QUOTATION
			PZPVAR	PRICING VARIANCE REPORT
			PZQUOS	QUOTATION SUMMARY
			PZRFAQ	REQUEST FOR QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			QZQUOL	PRINT LIST OF QUOTATION
			SCPART	CROSSBOW PART LIST
			SCSTOR	CROSSBOW STORE LIST
			SHREQF	Print Purchase Requisition
			SSABCA	GENERATE ABC ANALYSIS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSBSTK	STOCK ON STORES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSEOQA	CALCULATE EQ
			SSEVAL	PART EVALUATIONS
			SSGRFQ	GENERATE RFQS
			SSISSU	Stock Issues
			SSLOTS	LOTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPINS	PART INSPECTIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRCVI	INTERNAL REPAIR RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
			SSTAXS	TAX CODES
			SSVREQ	VIEW PURCHASE STATUS
			STLOWL	Overview Of Stock
			STPICK	Pick List Print
			STPOLD	Part-Wise History Of Stock Issuals
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			STRETF	Print Goods Return Note
			STSTDL	Stocktake Discrepancy
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			STTRAL	Printed List Of Stock Transactions
			SYABCA	ABC Analysis
			SYCONS	Consignment Activity
			SYEOQA	EOQ Analysis
			SYHISL	Purchase History Per Item/Supplier
			SYINST	INVENTORY STANDARD
			SYLOWL	Overview Of Stock
			SYPICK	Pick List Print
			SYPOLD	Part-Wise History Of Stock Issuals
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SYRESL	Parts Currently Reserved/Allocated
			SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SYSTDL	Stocktake Discrepancy
			SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST
			SYTRAL	Printed List Of Stock Transactions
			SYUSAL	Average Monthly Usage Analysis
			SYUSTL	MONTHLY USAGE TRENDS
			SZABCA	ABC Analysis
			SZCONS	Consignment Activity
			SZEKIT	LIST OF EXPIRED KITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	SZEOQA	EOQ Analysis
			SZHISL	Purchase History Per Item/Supplier
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZLOWL	Overview Of Stock
			SZMMPU	MONTHLY PART USAGE
			SZPICK	Pick List Print
			SZPOLD	Part-Wise History Of Stock Issuals
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			SZRESL	Parts Currently Reserved/Allocated
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			SZSOUT	PART STOCKOUTS
			SZSTD	Stocktake Discrepancy
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			SZTKIT	KIT TEMPLATE
			SZTRAL	Printed List Of Stock Transactions
			SZUSAL	Average Monthly Usage Analysis
			SZUSTL	MONTHLY USAGE TRENDS
			TSPROF	PROFILES
			UHBUDS	BUDGET SUMAMRY REPORT
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			USCPBP	COPY BUDGETPOPUP
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBUCL	LIST OF BUDGET CODES REPORT
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UYBUDS	BUDGET SUMAMRY REPORT
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBUCL	LIST OF BUDGET CODES REPORT
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUDS	BUDGET SUMAMRY REPORT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCMATL	CROSSBOW MATERIAL LIST
			WCPERS	CROSSBOW EMPLOYEE LIST
			WCSTWO	CROSSBOW STANDARD WO LIST
			WCTASK	CROSSBOW TASK LIST
			WCTRAD	CROSSBOW TRADE LIST
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	WHBLAC	BOOKED LABOR BY ACTIVITY
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSAVAC	CALCULATE AVAILABILITY
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBWOG	GENERATE/RELEASE WOS
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSCRWP	CREATE/EDIT CREW POPUP
			WSCTMP	CONTRACT TEMPLATES
			WSDEBE	EVENTS FOR CUSTOMERS
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFISS	FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFRECE	FUEL RECEIPTS
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGIMP	VIEW GIS MAP POPUP
			WSGISD	MAP VIEW
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSGWOD	GIS MAP WO DISPATCHING
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVP	GENERATE INVOICES
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOCP	CREATE STANDARD WO POPUP
			WSJOIN	CREATE INVOICE FOR WO
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSLOBX	LOCKOUTBOX
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMATL	MATERIAL LISTS
			WSMECH	MECHANIC'S WORKBENCH
			WSMOVE	MOVE PM ACTIVITY
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	WSPPME	EVENTS FOR PPM
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPROJ	CREATE PROJECT POPUP
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSFMX	SAFETY MATRIX
			WSSHIF	SHIFTS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWOUP	WO UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBf	Job Cards
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERF	Permits For Jobs
			WTPERL	List Of Permit Issues

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	WTPPML	List Of All Ppm Schedules
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WTSPER	Shift Personnel
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYHRIL	HOURS NEEDED FOR TASKS
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYSPER	Shift Personnel
			WYTOCO	TOOL USAGE
			WYTRDS	DAILY TRADE SCHEDULE
			WYVBIL	VEHICLE BILLING REPORT
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOAG	WORK ORDER AGING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOST	WORK ORDER STATISTICS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBLOG	Work Backlog
			WZBOOL	Allocations Per Employee
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZCJOB	CALCULATE CUSTOMER CHARGES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZCTRC	SERVICE REQUESTS CHART
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZERRF	EXPIRED WARRANTIES
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZHREL	Actual Labour Hours Against Estimated
			WZHRIL	HOURS NEEDED FOR TASKS
			WZHZCH	HAZARD CHART
			WZINVS	CUSTOMER INVOICE REPORT
			WZIRCA	SERVICE REQUESTS BY SERVICE CATEGORY
			WZIRMC	SERVICE REQUESTS BY DEPARTMENT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRSC	SERVICE REQUESTS BY SERVICE CODE
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZIRTR	TOTAL SERVICE REQUEST
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZOSRQ	OPEN SERVICE REQUESTS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZPFAR	PART FAILURES REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZPMCC	PM REPAIR COSTS CHART
			WZPMCP	PM COMPLAINE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	This is a new field used in conjunction with multi-organization security to create many organizations within one company and maintain separate security for each organization. So the user can choose different organizations for different records.	WZPMDO	PM DUE OVERVIEW
			WZPMMD	PRINT METER BASED PM DUE
			WZPMSP	PM SCHEDULE PROFILE
			WZPMTL	OUT OF TOLERANCE PM
			WZPPML	List Of All Ppm Schedules
			WZPPMQ	LIST OF PM SCHEDULES
			WZPSCR	PROJECT SUMMARY CHART
			WZPTWR	PRINT PERMIT TO WORK
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSPER	Shift Personnel
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZTOCO	TOOL USAGE
			WZTRDS	DAILY TRADE SCHEDULE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZVBIL	VEHICLE BILLING REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
			WZWEMP	WORK BY EMPLOYEE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOAG	WORK ORDER AGING REPORT
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
		Crossbow	YSACCD	VIEW GL VALUES
			BYDDAN	DEGREE DAY ANALYSIS
			TCIOBL	7I MOBILE BOILER TEXT
			TCIOBR	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16815	Organization	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BHDDAN	DEGREE DAY ANALYSIS
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
		Crossbow	OZAESD	ANNUAL ENERGY USE
			OZGIAN	GAS INDEX ANALYSIS
			TCCABT	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			TCDOCR	7I MOBILE BOILER TEXT
			TCJCLI	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCMSTL	7I MOBILE BOILER TEXT
			TCORCF	7I MOBILE BOILER TEXT
			TCPRLB	7I MOBILE BOILER TEXT
			WZLWOQ	LIST OF WORK ORDERS
23236	Organization Code	BSWHSE	DATA WAREHOUSE	
		WSCTMP	CONTRACT TEMPLATES	
27189	Organization Column Name	D7i Extended - Organization column name of the base table	BEWSMD	EWS - METADATA DEFINITION
33521	Organization Config	21411	TCCRSB	7I MOBILE BOILER TEXT
28954	Organization Currency	Data warehouse.	TCORCF	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
23237	Organization Description		AESEC	ANALYTICS SECURITY DETAILS
			BSWHSE	DATA WAREHOUSE
41442	Organization Detail	EAM-1831:Report Organization Structure	WSPTWS	PERMIT TO WORK SETUP
			BSTOPO	ADD TOP LEVEL ORGANIZATION
18128	Organization Details	Group header	BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
44698	Organization Tree Sort	EAM-14710	ESGSET	GENERAL SETTINGS
37833	Organization is invalid.	21786 Web Service Prompt - support custom fields	BCMOBL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
27960	Organization:	Barcode	FCSCRN	FLAMETHROWER SCREENS
25077	Organizations	D7i Extended - Users form - Organizations tab	BCMOBL	7I MOBILE BOILER TEXT
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSDELA	Delivery addresses
			BSEXAL	EXPORT BASE CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSUSER	USER SETUP
BSVSDP	VIEW STATUS DETAILS POPUP			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25077	Organizations	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
31898	Orig. Inv	EWS.CREP.UC.ListofInvoices - List of Invoices report	PZINVL	List Of Invoices Not Yet Approved
11958	Origin	The context of this field changes depending on the form in which the field appears. But, the field indicates a source of a change to the database, whether it be a person, event, or form. For example on SDPICK, origin identifies the pick list creator.	BZEALD	ELECTRONIC RECORDS FOR
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			ISMONT	MONITORED DATA
			OSWARR	WARRANTY
			WSAPPH	REVISION CONTROL HISTORY
12184	Original	E.g. the original budget value. Or: the original document code.	UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UYBUML	LIST OF BUDGETS (TOP LEVEL)
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUML	LIST OF BUDGETS (TOP LEVEL)
32667	Original Amount	EWS.BUD.UC.Budgets.doc	USBUDG	BUDGETS
21055	Original Code	Infor EAM - Original code of a document.	BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			OSWARR	WARRANTY
			PSPORD	PURCHASE ORDERS
			WSJOBS	CREATE WORK ORDER
47709	Original Component Value	EAM-22857	OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
43176	Original Date Effective	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
43177	Original Date Expired	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
37944	Original Deferred Activity	EWS.WORK.UC.WorkOrderQuickEntry / 33701	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
37943	Original Deferred WO		WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
		EWS.WORK.UC.ActivitiesforWorkOrder	WSJOVM	CREATE WORK ORDER
36638	Original Deferred WO-Activity		BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
37338	Original Due Date	32400	WSVITE	WORK ORDER QUICK ENTRY
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
31066	Original Estimate		WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPPLY
			WYHREL	Actual Labour Hours Against Estimated
		D7i Extended - Actual Labor Hours Against Estimated report	WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPPLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
31670	Original Event		BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
39439	Original Filename	EAM.ADMN.UC.CreateEditDocuments/34090	BSDOCU	DOCUMENTS
43174	Original From Point	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43161	Original Install Date	EAM-10424:EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSWARR	WARRANTY
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
33857	Original Invoice	SCR 23537; EWS.WORK.UC.GenerateInvoicesPopup.doc	WSINVP	GENERATE INVOICES
29963	Original Invoice Voucher	D7i Extended -- Invoices form -- Field label, noun	PSINVO	INVOICES
42265	Original Issue	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES
42264	Original Issue Date	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES
36611	Original PM Due Date	EWS.WORK.UC.CreateWorkOrder	JSCAMP	CAMPAIGN
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWOUP	WO UPDATE
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
31671	Original Quantity	EWS.CREP.UC.ElectronicRecords - Electronic Records report		
43159	Original Receipt Date	EAM-10424:EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSWARR	WARRANTY
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
42266	Original Return	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES
42267	Original Return Date	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29964	Original Supplier Invoice	D7i Extended -- Invoices form -- Field label, noun	PSINVO	INVOICES
34157	Original Text	EWS.ADMN.UC.GlobalTextChange.doc	BSBOIL	GLOBAL TEXT CHANGES
43175	Original To Point	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
27145	Original Transaction ID	D7i Extended - Monitor Interface screen/Error Correction tab - label name	YSINTF	INTERFACE OVERVIEW
33494	Original Unallocated Qty.	21342	PSINVA	BOOK INVOICE ALLOCATIONS
36839	Original WO	EWS.WORK.UC.ReallocateDirectMaterialsPopup/31570	BCMOBL	7I MOBILE BOILER TEXT
			WSDIMR	DIRECT MATERIAL REALLOCATION
36530	Original WO - Activity	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
36667	Original WO Activity	31111	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
36666	Original Work Order	31111	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
14696	Original text	Original text: A text for display on an R5 form or report as in the standard product. The text might have been altered locally.	BXBOIL	Customized Texts
42554	Originating Activity	EAM-5174	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
45130	Originating Case	EAM-14828 EAM.WORK.REQ.WorkOrder	WSJOBS	CREATE WORK ORDER
45131	Originating Case Task	EAM-14828 EAM.WORK.REQ.WorkOrder	WSJOBS	CREATE WORK ORDER
31885	Originating Equipment	EWS.EQUIP.UC.LinearEquipSearchpop-up.doc	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
43447	Originating Job	EAM-11186: EAM.WORK.REQ.WorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31886	Originating Point	EWS.EQUIP.UC.LinearEquipSearchpop-up.doc	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
29376	Originating Store/Supplier	D7i Extended -- EWS.MATL.UC.RequisitionsforPart.doc -- Field Label, noun	SSPART	PARTS
42553	Originating WO	EAM-5174	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
42525	Originating WO - Activity	EAM.WORK.REQ.WorkOrder/EAM-3535	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39544	Originating Work Order	Tracker id 43563	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
19810	Origination	group header on the work request form, ... from where the work request orginated	WSAREQ	VIEW/APPROVE WORK REQUEST
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
12385	Originator	Who/which company/department is the original author of a document. Often treated as requester.	BSMPWO	MP2 WORK ORDERS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSORDP	CREATE COMPLETE PO
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12385	Originator	Who/which company/department is the original author of a document. Often treated as requester.	PSRFGP	GENERATE POS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSSTOR	STORES
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STREQI	List Of Outstanding Requisition Items
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQI	List Of Outstanding Requisition Items
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZREQI	List Of Outstanding Requisition Items
			WHCOSL	Job Cost Summary Report
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSINVS	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSCHD	WORK ORDER SCHEDULE
			WYCOSL	Job Cost Summary Report
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
28303	Other	Crossbow	TCOHSI	7I MOBILE BOILER TEXT
		D7i Extended -- Screens form -- For Form Type dropdown	BSCLAS	CLASSES
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDSET	DATABRIDGE SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSENSI	ENTERPRISE SEARCH SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGROU	GROUPS
			BSUCOD	SYSTEM CODES
			BSWSET	WORK SETUP
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
31672	Other Charges	EWS.CREP.UC.ElectronicRecords - Electronic Records report		
30211	Other Costs	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
30220	Other Costs Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
46065	Other Details	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46060	Other Preferences	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
25826	Other Settlement	Extended (product name)	OZCLAI	WARRANTY CLAIM REPORT
46507	Otherwise, these fields will remain blank on the new observation.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46501	Otherwise, these fields will remain unprotected and any changes will update the header nonconformity. Protection of individual fields is still subject to the selections on the Nonconformities tab of the Revision Control Setup screen.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
23844	Our Contact	Infor EAM - Our contact person for the current supplier	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM SSSUPC SSSUPL SSSUPP	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CUSTOMERS SUPPLIER LOOKUP SUPPLIERS
31472	Our Reference	EWS.REP.UC.GoodsReturnNote.doc	SYRETF SZRETF	PRINT GOODS RETURN NOTE Print Goods Return Note
12776	Our contact	Our contact person.	FCGRD1	FLAMETHROWER GRID 1
12592	Our reference	This refers to a transaction number on a printed report.	STRCVF STRETF SYRCVF SZRCVF	Goods Received Note Print Goods Return Note GOODS RECEIVED NOTE Goods Received Note
27599	Out	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
46707	Out of Inventory	EAM-29032	BSUCOD	SYSTEM CODES
46706	Out of Order	EAM-29032	BSUCOD	SYSTEM CODES
20742	Out of Service	Infor EAM - Hide the value in the LOV	BCMOBL BSCDSS BSCHRT BSCLAS BSCLSB BSCSTC BSCSTP BSDELA BSDEPT BSDOCU BSENSS BSEXIM BSGMAP BSINBX BSKPIC	7I MOBILE BOILER TEXT USER DEFINED SCREEN SETUP CHART SETUP CLASSES CLASSES FOR BUSINESS EDITION COST CODE CUSTOM FIELDS LOOK UP POP UP Delivery addresses DEPARTMENTS DOCUMENTS ENTERPRISE SEARCH SETUP EXPORT CONFIGURATION CREATE EDIT MAPS INBOX SETUP DEFINING KPI ENTRIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20742	Out of Service	Infor EAM - Hide the value in the LOV	BSLANG	LANGUAGES
			BSMDEV	MOBILE DEVICES
			BSREGN	CREATE EDIT REGIONS
			BSUCOD	SYSTEM CODES
			BSUDLV	UDF LOOKUP VALUES
			BSUOMS	UOM SETUP
			BSVMRS	VMRS CODES
			BSWSPM	WEB SERVICES PROMPT
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSCINF	CONTACT INFO
			CSCCLGP	CALENDAR GROUPS
			CSCSUR	CUSTOMER SURVEYS
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSURA	SURVEY ANSWERS POPUP
			CSSVPB	SERVICE PROBLEM CODES
			FCGRD1	FLAMETHROWER GRID 1
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLCD	CLOSING CODE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20742	Out of Service	Infor EAM - Hide the value in the LOV	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTGY	CREATE STRATEGY
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSWKSP	WORKSPACES
			OZEQUD	EQUIPMENT DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZRING	RING LIST-DETAIL
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSORDT	PURCHASE ORDER TERMS
			SCSTOR	CROSSBOW STORE LIST
			SSCOMM	COMMODITIES
			SSCURR	CURRENCIES
			SSGHGS	GREENHOUSE GASES
			SSMANU	MANUFACTURERS
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPRCC	STORE GROUPS
			SSSTOR	STORES
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLCF	FLEET CONFIGURATION
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20742	Out of Service	Infor EAM - Hide the value in the LOV	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPPMS	PM SCHEDULES
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTRAD	TRADES
			WTCALD	CALIBRATION DUE REPORT
			WZCALD	CALIBRATION DUE REPORT
			WZPPMQ	LIST OF PM SCHEDULES
42411	Out of Service.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
12738	Out of service	Hide the value in the LOV	BCCSTC	CROSSBOW COSTCODE LIST
			BCUOMS	CROSSBOW UOM LIST
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSOBJC	CREATE ASSET CATEGORY
			OSVBJA	VIEW ASSET LIST
			SCPART	CROSSBOW PART LIST
			WCPERS	CROSSBOW EMPLOYEE LIST
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
26093	Output	used in calibration	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			TCJCAH	7I MOBILE BOILER TEXT
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
40103	Output Calculation Type	Crossbow		
		EAM.EQUIP.UC.CalibrationForEquipment/47189		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40103	Output Calculation Type	EAM.EQUIP.UC.CalibrationForEquipment/47189	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZCALR	CALIBRATION RECORD REPORT
47960	Output Format	EAM-37901	BHDDAN	DEGREE DAY ANALYSIS
			BHDOCL	List Of Documents
			BHFUNL	List Of Functions
			BHKIUR	KPI/INBOX USAGE
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BHUCOL	List Of R5 Codes
			BHUSRL	USERS GROUP CONFIGURATION
			BHVIOL	List Of Violations
			BZDOCL	List Of Documents
			OHAERC	ANNUAL ENERGY REDUCTION COMPARISON
			OHCHLL	Overview Of Children Within An Object
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHOCS	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			PHHISL	Purchase History
			PHORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			UHBUDS	BUDGET SUMAMRY REPORT
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOB	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47960	Output Format	EAM-37901	WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
25037	Output Options	Extended (product name)	WHWOSH	PRINT SHORT WORK ORDER CARDS
			PSRFGP	GENERATE POS FOR RFQS
			PSRFRG	GENERATE REQS FOR RFQS
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSEOQA	CALCULATE EOQ
			SSREQF	GENERATE REQS
			WSBWOG	GENERATE/RELEASE WOS
29065	Output Range	D7i Extended - Calibration for Equipment - the range of the output	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49047	Output Range From	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSITPP	IMPORT TEST POINTS
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
49000	Output Range To	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	WSJOVM	CREATE WORK ORDER
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49000	Output Range To	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	WSJOBS WSJOVM	CREATE WORK ORDER CREATE WORK ORDER
41552	Output Status Fail	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
41553	Output Status Pass	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
26078	Output UOM	Unit of measure of a the output (in calibration)	BZOBJD OSECN OSHPFY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSVTPO	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT TEST POINTS FOR EQUIPMENT
11961	Outstanding	EAM-50110 Not yet (fully) delivered. EWS.WORK.UC.PurchasingforWorkOrders	WSJOBS JSPROJ WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER PROJECTS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
31524	Outstanding Assignment Tickets	Vehicle Ticket	WSFLTK	FLEET VEHICLE TICKETS
40228	Outstanding Issues	EAM.WORK.UC.OutstandingIssuesforEmployee.docx	WSEMPs WSTOOL	EMPLOYEES TOOLS
31525	Outstanding Loaner Tickets	Vehicle Ticket	WSFLTK	FLEET VEHICLE TICKETS
29515	Outstanding POs	Infor EAM. Refer to EWS.MATL.UC.PurchaseOrdersforPart.doc.	OSVORD SSPART	PURCHASE ORDER TAB FOR EQUIPMENT PARTS
31523	Outstanding Pool Tickets	Vehicle Tickets form	WSFLTK	FLEET VEHICLE TICKETS
29377	Outstanding Qty.	D7i Extended -- EWS.MATL.UC.RequisitionsforPart.doc -- Field Label, noun	OSVORD SSPART SSRCVI	PURCHASE ORDER TAB FOR EQUIPMENT PARTS INTERNAL REPAIR RECEIPTS
30817	Outstanding Qty. (UOP)	Outstanding quantity in unit of purchase.	SSRECV SSRMPL	PO RECEIPTS RETRIEVE MULTIPLE PARTS
30889	Outstanding Quantity	D7i Extended - Purchase Orders Awaiting Invoicing report	PZONIL PZONOL	Purchase Orders Received But Not Yet Invoiced Approved Order Awaiting Delivery
37780	Outstanding Req. Qty.	EWS.MATL.UC.PartsforStoretoStoreIssues	SSIUSS	STORE TO STORE ISSUES
29517	Outstanding Requisitions	Infor EAM. Refer to EWS.MATL.UC.RequisitionsforPart.doc.	SSPART	PARTS
12448	Outstanding orders	Not yet (fully) delivered purchase orders.	JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
32775	Over 90	EWS.CREP.UC.WorkOrderAging.doc	WYWOAG WZWOAG	WORK ORDER AGING REPORT WORK ORDER AGING REPORT
29978	Over Invoiced	D7i Extended -- Lines tab, Invoices form -- Invoice Line Status	PSINVO	INVOICES
39105	Over Scheduled (% Scheduled > 100) Color	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
29582	Over The Period	D7i Extended - Calculate Labor Required Per Day or Trade report	WTRLDG	CALCULATE LABOUR REQUIRED PER DAY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32030	Over the Period	EWS.CREP.UC.LaborRequiredPerDayOrTrade.doc	SYUSTL SZUSTL WYRLDG WZRLDG	MONTHLY USAGE TRENDS MONTHLY USAGE TRENDS CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY
34958	Over the Period :PARAM1 - :PARAM2	23249-Localization problem with report subtitles	SYUSTL SZUSTL WYRLDG WZRLDG	MONTHLY USAGE TRENDS MONTHLY USAGE TRENDS CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY
42938	Overall Equipment Effectiveness	EAM-10033	OZOEEM	OEE METRICS
46981	Overdue	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
20796	Overdue %	Indicates the percentage that a PM is overdue for the bypassed minor PM.	WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
43382	Overdue Issue Buffer (Hours)	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	WZVRHS	VEHICLE RENTAL HISTORY
43351	Overdue Issues	EAM-9579 / EAM.CREP.REQ.OverdueVehicleIssueReturnL	WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
43383	Overdue Return Buffer (Hours)	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	WZVRHS	VEHICLE RENTAL HISTORY
43352	Overdue Returns	EAM-9579 / EAM.CREP.REQ.OverdueVehicleIssueReturnL	WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
45129	Overdue Tasks	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
43384	Overdue Transactions Only	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory	WZVRHS	VEHICLE RENTAL HISTORY
43349	Overdue Vehicle Issue/Return List	EAM-9579 / EAM.CREP.REQ.OverdueVehicleIssueReturnL	WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
49435	Overhead Code	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes	BSDOCA JSCUOC	DOCUMENTS COMPATIBLE UNITS OVERHEAD CODES
49438	Overhead Code Details	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
49738	Overhead Costs	EAM.PROJ.REQ.CostsforCUEstimate.docx	JSCUES	CU ESTIMATES
49436	Overhead Factor	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
49437	Overhead Type	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes	JSCUES JSCUOC	CU ESTIMATES COMPATIBLE UNITS OVERHEAD CODES
33161	Overridden	EWS.CREP.UC.WorkOrderCostSummary	OTCSTL OZCSTH OZCSTL	WORK ORDER COST SUMMARY WO COST SUMMARY_HOSPITALITY WO COST SUMMARY
15761	Override	This is a checkbox on the Authorization tab of the Groups form and if checked, it means that MP5 will allow the selected user group to override the default settings for queries and filters (View Easy Query, View Easy Filter).	TSASTP	DC TRANSACTION PROMPT
16598	Override System Query		M1	Pull-Down Menu Texts
35816	Overtime Factor	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35815	Overtime Hours	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
31673	Overtime Rate	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
33904	Overview	EWS.MATL.UC.OverviewforStores/11769	SSPART SSSTOR	PARTS STORES
42967	Overview Details	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS OSHPPY OSHPRM OSHPVH OSOBJA OSOBJP	CLASSES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42967	Overview Details	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSOBJS OSOVAM OSOVPM OSOVSM	CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46670	Overview Sequence	EAM.EQUIP.REQ.RouteParentsForEquipment:EAM-2826 1	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
33128	Own Contract	EWS.PRCH.UC.CreatePurchasingContracts, 22008	PSCONT	PURCHASING CONTRACTS
30039	Owner	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - 'Owner' indicates the system (D7i or ESRI) that data should be copied FROM during synchronization.	BCMOBL OSESCH OSGGMP	7I MOBILE BOILER TEXT RESERVATION CALENDAR GIS MAP DATA
23884	Owners	Infor EAM - a type of customer	WSDEBS	CREATE CUSTOMER
40880	Ownership Type	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL BZOBJD OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WSOPSS	EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR EQUIPMENTS CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OPTIMIZED SCHEDULER SETUP
27587	P&ID	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
28656	P&ID Drawing	D7i Extended - Calibrations for Work Orders-- P&ID = Process and Instrument Diagram	BZEVTD BZOBJD OSECN OSHPFY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WSJOBS WSJOVM WTCALR WZCALR	ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR EQUIPMENTS CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
26079	P&ID No	Process and Instrument Diagram number	BZEVTD BZOBJD OCOBJC WTCALR WZCALR	ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR EQUIPMENTS CROSSBOW EQUIPMENT LIST CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
28658	P&ID No.	D7i Extended - Calibrations for Work Order - Process and Instrument Diagram Number	OSECN OSHPFY OSHPRM OSHPVH	CREATE EQUIPMENT CONFIGURATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28658	P&ID No.	D7i Extended - Calibrations for Work Order - Process and Instrument Diagram Number	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			REPORT	General Report Function
43469	PDF Format	EAM-11454	BAL001	POWER FACTOR
41534	PF Setpoint	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
45252	PK	EAM-16761: EAM.CCTR.REQ.EquipmentForServiceCodes	BSSRES	STATUS REQUIREMENT SETTINGS POPUP
			CSSVPB	SERVICE PROBLEM CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTCS	SETS AND CONSISTS
			OSWKMV	WORKSPACE MOVES
			SSSUPP	SUPPLIERS
			19404	PM
ITLAPF	List Of Points To Be Inspected			
IYLAPF	List Of Points To Be Inspected			
IZLAPF	List Of Points To Be Inspected			
OSECON	CREATE EQUIPMENT CONFIGURATION			
OSVRHP	VIEW RESOURCE HISTORY PMS			
OTCAHI	CALIBRATION HISTORY REPORT			
OZCAHI	CALIBRATION HISTORY REPORT			
OZRCMS	RCM POTENTIAL YEARLY SAVINGS			
WCJOBS	CROSSBOW WORK ORDER FUNCTION			
WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)			
WSBWOG	GENERATE/RELEASE WOS			
WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS			
WSPDRQ	PRODUCTION REQUEST			
WSSCHD	WORK ORDER SCHEDULE			
WTCALD	CALIBRATION DUE REPORT			
WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)			
WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)			
WZCALD	CALIBRATION DUE REPORT			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19404	PM	Preventive maintenance...on WMJOBS this is a field that identifies a PM work order. Crossbow Crossbow	WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZPPML	List Of All Ppm Schedules
			TCOHSL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
		D7i Extended -- Monitored Data form -- Field Label on Aspect Points tab, noun	TCJCLR	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZPROF	EQUIPMENT PROFILE
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WHJOBL	Labour Hours For Jobs
			WSRELJ	RELEASE OF SELECTED JOBS
			WTBLOG	Work Backlog
			WTJOBL	Labour Hours For Jobs
			WYJOBL	Labour Hours For Jobs
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZJOBL	Labour Hours For Jobs
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMDO	PM DUE OVERVIEW
			WZPMMD	PRINT METER BASED PM DUE
			WZPMTL	OUT OF TOLERANCE PM
			WZWPMC	FUTURE MAINTENANCE COSTS
		EWS.BASE.UC.BE.PREPOPULATIONDATA.doc	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19404	PM	EWS.BASE.UC.BE.PREPOPULATIONDATA.doc	WZPMCP	ORDERS
31432	PM Activities	D7i Extended - List of Tampered Records report	BYTMPR	PM COMPLAINE
			BZTMPR	LIST OF TAMPERED RECORDS
34067	PM Activity Details	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSPMP	LIST OF TAMPERED RECORDS
42904	PM Attached	EAM-9216 EQUIP.REQ.DetailsForEquipmentGeneration	OSEQGN	PM PLANS
25028	PM Class	Extended (product name)	WSBWOG	EQUIPMENT GENERATION
			WSGPRW	GENERATE/RELEASE WOS
38763	PM Classes	EWS.WORK.UC.ParametersforGenerateProductionReque st	WZPMSP	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			BSLOVS	PM SCHEDULE PROFILE
20712	PM Code	Infor EAM - Preventive maintenance...code identifying a PM.	WZPMSP	LIST OF LOOKUPS
			BCMOBL	PM SCHEDULE PROFILE
			CSCCGM	7I MOBILE BOILER TEXT
			JSCAMP	CONTACT CENTER MAP SEARCH
			OSGISR	CAMPAIGN
			OSGISS	GIS MAP SEARCH
			OSGISW	GIS MAP SEARCH (OLD)
			OSJOBS	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSSTAT	CREATE WORK ORDER
			OSVCST	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	COSTS FOR EQUIPMENT
			PSINVA	EVENTS FOR EQUIPMENT
			WHWOSH	BOOK INVOICE ALLOCATIONS
			WSCOPO	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CONTRACTOR PORTAL
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	CREATE WORK ORDER
			WSOPSS	MAINTENANCE PATTERNS
			WSVITE	OPTIMIZED SCHEDULER SETUP
			WSWKPK	WORK ORDER QUICK ENTRY
			WSWLSH	PM WORK PACKAGES
			WSWOBU	WO LABOR SCHEDULING
			WSWOUUP	BATCH WORK ORDER UPDATE
			WYWOSH	WO UPDATE
			WZLWOQ	PRINT SHORT WORK ORDER CARDS
			WZVMRS	LIST OF WORK ORDERS
			WZWOLM	VMRS ACTIVITIES CHART
			WZWOSH	WORK ORDER LIST - DETAIL
34666	PM Comments	PVCS#27171	WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	7I MOBILE BOILER TEXT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
41206	PM Compliance	EAM.CREP.REQ.PMCompliance	WZPMCP	PM COMPLAINE
31788	PM Description	EWS.GIS.UC.DataFilterImport	BEGWAC	GIS DATA IMPORT FILTER GRID WO ACTIVITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31788	PM Description	EWS.GIS.UC.DataFilterImport	OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQPL	EQUIPMENT PLANNING
			WSRELJ	RELEASE OF SELECTED JOBS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
12227	PM Details		OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSPPMS	PM SCHEDULES
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
37149	PM Equipment	EWS.WORK.UC.ForecastingforPMForecasting	WSPMPL	PM FORECASTING
37341	PM Forecasting Session	32271	OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSPPMS	PM SCHEDULES
35071	PM Generation Options	EWS.WORK.UC.GenerateReleaseWorkOrders.doc	WSBWOG	GENERATE/RELEASE WOS
29503	PM Interval	D7i Extended - Calibration History report	OTCAEQ	CALIBRATION EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
31791	PM Meter UOM	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
43373	PM Near	EAM-10497	WZPMDO	PM DUE OVERVIEW
21773	PM Org.	Infor EAM - organization of a pm schedule	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21773	PM Org.	Infor EAM - organization of a pm schedule	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSWLSH	WO LABOR SCHEDULING
			WSWKPK	PM WORK PACKAGES
			BSDOCA	DOCUMENTS
34191	PM Package Details	EWS.WORK.UC.CreateEditPMWorkPackage.doc	BSLOVS	LIST OF LOOKUPS
31680	PM Plan	EWS.CREP.UC.ElectronicRecords and EWS.WORK.UC.CreateEditPMPlan	BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSPPMP	PM PLANS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
49476	PM Plan Description	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSPPMP	PM PLANS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
34014	PM Plan Details	EWS.WORK.UC.CREATEEDITPMPLAN	OSOBJP	CREATE POSITION EQUIPMENT
49477	PM Plan State	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSPPMP	PM PLANS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
49578	PM Plans	RCMFailureMitigationForEquipment/EAM-49865	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			BSLOVS	LIST OF LOOKUPS
			WZPMDO	PM DUE OVERVIEW
43372	PM Release	EAM-10497	OSHPFY	CREATE HOSPITALITY FACILITIES
41609	PM Repair Costs Chart	EAM-2216	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
24182	PM Revision	Extended (product name). Used on the Work Orders tab of PM Schedules.	OSVRHP	VIEW RESOURCE HISTORY PMS
			WSPPMS	PM SCHEDULES
			WSWLSH	WO LABOR SCHEDULING
			WSWoup	WO UPDATE
			BAL016	WORK ORDER GENERATION - PM SCHEDULES
21792	PM Schedule	Infor EAM - Work that should be executed on a regular basis. Periodic Preventive Maintenance.	BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21792	PM Schedule	Infor EAM - Work that should be executed on a regular basis. Periodic Preventive Maintenance.	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA
			OSAPMS	APM SCENARIO
			WHJOBQ	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCAPA	WO LOAD BALANCING
			WSMECH	MECHANIC'S WORKBENCH
			WSMOVE	MOVE PM ACTIVITY
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPFWM	PM FORECASTING WARNING
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPL	PM FORECASTING
			WSPPPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPRRS	REFRESH RESOURCES
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSFMTX	SAFETY MATRIX
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBQ	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZPMFC	PM FORECASTING
			WZPMSP	PM SCHEDULE PROFILE
			WZPPMQ	LIST OF PM SCHEDULES
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
37230	PM Schedule Description	EWS.WORK.UC.ForecastingforPMForecasting	BAL017	WORK ORDER GENERATION - DUP PM SCHEDULES
			WSPFWM	PM FORECASTING WARNING
			WSPMPL	PM FORECASTING
21793	PM Schedule Details	Infor EAM - group header on the PM Schedules tab of the equipment form that displays details of the PM schedule to add	OSAPMS	APM SCENARIO
			OSECON	CREATE EQUIPMENT CONFIGURATION
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21793	PM Schedule Details	Infor EAM - group header on the PM Schedules tab of the equipment form that displays details of the PM schedule to add	WSPMP	PM PLANS
39675	PM Schedule Options	45111	BSDTCV	DATA CONVERSION (MP2)
47849	PM Schedule Org.	EAM-36566:EAM.EQUIP.REQ.PMsforAPMSscenario	OSAPMS	APM SCENARIO
40092	PM Schedule Profile	SCR 47663	WZPMSP	PM SCHEDULE PROFILE
43659	PM Schedule Revision	EAM.WORK.REQ.MechanicWorkbench	WSMECH	MECHANIC'S WORKBENCH
42876	PM Schedule and Maintenance Pattern Details	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
47361	PM Schedule/Maintenance Pattern Type	EAM-34262 EAM.ADMN.REQ.GenerateWOAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
21714	PM Schedules	Infor EAM - name of tab on which users associate a PM schedule with a piece of equipment.	BSLOVS	LIST OF LOOKUPS
			OEEQPM	PM SCHEDULES
			OSCPN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSPMCP	COPY PM PLAN
			WSPMP	PM PLANS
			WSPPMS	PM SCHEDULES
42810	PM Schedules already existed for the equipment. Generation step skipped.	EAM.EQUIP.REQ.EquipmentGeneration	WSRVCS	REVISION CONTROL SETUP
			OSEQGN	EQUIPMENT GENERATION
47850	PM Schedules for Equipment	EAM-36566:EAM.EQUIP.REQ.PMsforAPMSscenario	OSAPMS	APM SCENARIO
37092	PM Selection Parameters	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
49473	PM State	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
43370	PM Status Description	EAM-10497	WZPMDO	PM DUE OVERVIEW
21774	PM Type	Infor EAM - Type of PPM (fixed, variable or duplicate).	BAL016	WORK ORDER GENERATION - PM SCHEDULES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21774	PM Type	Infor EAM - Type of PPM (fixed, variable or duplicate).	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WSBWOG	GENERATE/RELEASE WOS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPDRQ	PRODUCTION REQUEST
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSWKPK	PM WORK PACKAGES
			WTPPML	List Of All Ppm Schedules
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WZLMWO	LIST OF MAINTENANCE WO
			WZPMDO	PM DUE OVERVIEW
40097	PM Types	SCR 47663	WZPMSP	PM SCHEDULE PROFILE
			WZPPML	List Of All Ppm Schedules
			BSLOVS	LIST OF LOOKUPS
38660	PM WO Cost (last 365 days) (A)	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
43502	PM WO Department	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
44117	PM WOs	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24186	PM WOs Awaiting Release	Extended (product name). Use on the Work Orderd tab of PM Schedules.	WSPPME	EVENTS FOR PPM
34187	PM Work Package	EWS.WORK.UC.CreateEditPMWorkPackage.doc	BSDOCA	DOCUMENTS
			WSWKPK	PM WORK PACKAGES
35069	PM Work Package Selection Parameters	EWS.WORK.UC.GenerateReleaseWorkOrders.doc	WSBWOG	GENERATE/RELEASE WOS
19469	PM activities	activities of PM work orders	BTTMPR	LIST OF TAMPERED RECORDS
42773	PM revision control is active but PM work orders will be created without requiring approval.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12463	PM schedule	Work that should be executed on a regular basis. Periodic Preventive Maintenance.	OZEQPL	EQUIPMENT PLANNING
			WTJOB	Job Cards
37093	PM-Equipment Selection Parameters	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
29770	PMs	D7i Extended -- Approve Inspection Results -- Field Name, noun	BSLOVS	LIST OF LOOKUPS
			OSAPMS	APM SCENARIO
30337	PO	D7i Extended -- Invoice Lines Per Buyer -- Grid Column	BSWHSE	DATA WAREHOUSE
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
			PSINVL	INVOICE LINES PER BUYER
			PZVEND	VENDOR LEAD TIME
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQU	REQUISITIONS
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
36040	PO Addresses	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
23873	PO Approval	Infor EAM - The limit that a user cannot exceed when approving a purchase order - this appears on the record view and is preceded by 'limit' in the group header.	BSIMUS	IMPORT USERS
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
23874	PO Approval Limit	Infor EAM - The limit that a user cannot exceed when approving a purchase order.	BSGRPU	USERS PER GROUP
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
22917	PO Approval-to-Due Time (Days)		BSWHSE	DATA WAREHOUSE
34221	PO Contract	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
22915	PO Creation-to-Approval Time (Days)		BSWHSE	DATA WAREHOUSE
22916	PO Creation-to-Due Time (Days)		BSWHSE	DATA WAREHOUSE
47625	PO Currency	EAM-14716: Parts for Supplier Return	SSRETN	SUPPLIER RETURNS
31069	PO Description	D7i Extended. 'PO' is an abbreviation for 'Purchase Order.' This field contains the description of the purchase order for the purchase order history for the part.	PSRFGP	GENERATE POS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSPART	PARTS
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
17554	PO Details		PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
			PZORDF	Print Purchase Order
32369	PO Extended Cost	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
42849	PO Extra Charges/Discounts	EAM.MATL.REQ.TransactionsForRequisition	PSPORD	PURCHASE ORDERS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
27044	PO History	Infor EAM. Suppliers PO History.	SSPART	PARTS
			SSSUPP	SUPPLIERS
36041	PO Information	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25996	PO Line	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			WSBKPO	BOOK PO LABOR
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			YSACCD	VIEW GL VALUES
33855	PO Line Comments	EWS.CREP.UC.PurchaseOrderStatus	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
47400	PO Line Cost Code	34331-EAM.MATL.REQ.PartsforPackages	SSPACK	PACKAGES SCREEN
47401	PO Line Delivery Address	34331-EAM.MATL.REQ.PartsforPackages	SSPACK	PACKAGES SCREEN
39741	PO Line Details	EAM.WORK.UC.BookPOLabor	WSBKPO	BOOK PO LABOR
47399	PO Line Due Date	34331-EAM.MATL.REQ.PartsforPackages	SSPACK	PACKAGES SCREEN
31307	PO Line Excess Quantity Received	Datawarehouse - Analytics variable that reports how many items you received in excess of how may you ordered on a purchase order line	BSWHSE	DATA WAREHOUSE
35898	PO Line No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
47402	PO Line Package Tracking Number	34331-EAM.MATL.REQ.PartsforPackages	SSPACK	PACKAGES SCREEN
31305	PO Line Quantity Ordered	Datawarehouse - Analytics variable that reports the number of items ordered on a purchase order line	BSWHSE	DATA WAREHOUSE
31308	PO Line Quantity Ordered Not Received	Datawarehouse - Analytics variable that reports the number of items you ordered, but did not receive (e.g., you order 5 and get 3--the shortage is 2)	BSWHSE	DATA WAREHOUSE
31306	PO Line Quantity Received	Datawarehouse - Analytics variable that reports number of items received based on a purchase order line	BSWHSE	DATA WAREHOUSE
31309	PO Line Quantity Scrapped	Datawarehouse - Analytics variable that reports the number of items scrapped (or discarded), which were received against a purchase order line (e.g., you order 5 items and 3 are damaged; the 3 damaged items are 'scrapped'.)	BSWHSE	DATA WAREHOUSE
31310	PO Line Quantity in Good Condition	Datawarehouse - Analytics variable that reports the number of items received against a purchase order, which were in good condition/kept (e.g., The number of PO Line Quantity Received minus the number of PO Line Quantity Scrapped)	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29454	PO Line Status	D7i Extended - EWS.MATL.UC.PurchaseOrdersforPart.doc - Status field on Grid	OSOBJA	CREATE ASSET EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSINVL	INVOICE LINES PER BUYER
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46492	PO Line Status Code	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
26062	PO Lines	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	BSLOVS	LIST OF LOOKUPS
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
35819	PO No.	EWS.ADMN.UC.MP2WorkOrders	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
36755	PO Only	EWS.WORK.UC.AddDeferredActivitiesPopup.doc	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
46493	PO Order Qty	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
22911	PO Ordered Labor Cost (Default Currency)	Infor EAM. Label for a Purchase Order Organization field. Refer to PVCS 5615.	BSOPCB	ORDERED LABOR COST (DEFAULT CURRENCY)
22912	PO Ordered Labor Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
22905	PO Ordered Material Cost (Default Currency)		BSWHSE	DATA WAREHOUSE
22906	PO Ordered Material Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
26037	PO Org.		OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJA	CREATE ASSET EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSINVL	INVOICE LINES PER BUYER
			PSOBSJ	ASSETS FOR PO
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26037	PO Org.	Infor EAM. Label for a Purchase Order Organization field. Refer to PVCS 5615.	SSRECV SSREQU SSSTOR SSSUPP WSDFAC WSDFAP WSDIMR WSJOBS WSJOVH WSJOVM	PO RECEIPTS REQUISITIONS STORES SUPPLIERS DEFERRED MAINTENANCE ADD DEFERRED ACTIVITIES DIRECT MATERIAL REALLOCATION CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
42649	PO Part	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPOReceipts	SSRECV	PO RECEIPTS
42652	PO Part Condition	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPOReceipts	SSRECV	PO RECEIPTS
42650	PO Part Description	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPOReceipts	SSRECV	PO RECEIPTS
42651	PO Part Org.	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPOReceipts	SSRECV	PO RECEIPTS
32943	PO Price	EWS.CREP.UC.PricingVariance	PZPVAR SSRETN	PRICING VARIANCE REPORT SUPPLIER RETURNS
32784	PO Quantity	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
24945	PO Receipt	Extended (product name). Primary key field on the PO Receipt form.	BCMOBL BSDOCA FCGRD2 SSCMLS SSCNRL SSPINS SSRECV STRCVF SYRCVF SZRCVF	7I MOBILE BOILER TEXT DOCUMENTS FLAMETHROWER GRID 2 REMOVE MULTIPLE PACKING SLIP LINES CANCEL MULTIPLE RECEIPT LINES PART INSPECTIONS PO RECEIPTS Goods Received Note GOODS RECEIVED NOTE Goods Received Note
31223	PO Receipt Line	D7i Extended. Account Detail key field label (PO Receipt). 'PO' is an abbreviation of 'Purchase Order.'	SSPINS	PART INSPECTIONS
29775	PO Receipts	D7i Extended - LOV title for PO Receipts lookup	BCMOBL BSLOVS	7I MOBILE BOILER TEXT LIST OF LOOKUPS
36425	PO Receipts/Supplier Returns	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
22913	PO Received Labor Cost (Default Currency)		BSOPCD BSWHSE	RECEIVED LABOR COST (DEFAULT CURRENCY) DATA WAREHOUSE
22914	PO Received Labor Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
22907	PO Received Material Cost (Default Currency)		BSOPBX BSWHSE	RECEIVED MATL COST (DEFAULT CURRENCY) DATA WAREHOUSE
22908	PO Received Material Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
22909	PO Returned Material Cost (Default Currency)		BSOPBZ BSWHSE	RETURNED MATL COST (DEFAULT CURRENCY) DATA WAREHOUSE
22910	PO Returned Material Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
39739	PO Service Line Details	EAM.WORK.UC.BookPOLabor	WSBKPO	BOOK PO LABOR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21559	PO Status		BSLOVS	LIST OF LOOKUPS
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSINVL	INVOICE LINES PER BUYER
			PSRFGP	GENERATE POS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZVEND	VENDOR LEAD TIME
			SSASGN	GENERATE POS
			SSPART	PARTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSWHSE	DATA WAREHOUSE
47397	PO Supplier	31312 34331-EAM.MATL.REQ.PartsforPackages	BCMOBL	7I MOBILE BOILER TEXT
			SSPACK	PACKAGES SCREEN
47398	PO Supplier Description	34331-EAM.MATL.REQ.PartsforPackages	SSPACK	PACKAGES SCREEN
42850	PO Tax Amount	EAM.MATL.REQ.TransactionsForRequisition	PSPORD	PURCHASE ORDERS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			BSDOCA	DOCUMENTS
24403	PO Term	Extended (product name). Purchase Order Term.	PSORDT	PURCHASE ORDER TERMS
24410	PO Term Details	Extended (product name). Section title.	PSORDT	PURCHASE ORDER TERMS
35987	PO Type	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
34298	PO and Transaction Statuses	EWS.ADMN.UC.WorkSetup	BSPSET	PURCHASING SETUP
31384	PO lines daily snapshot	Analytics - a daily 'snapshot' (or summary) of purchase order lines	BSWHSE	DATA WAREHOUSE
25993	PO-Line	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27132	POs	D7i Extended - Status Change Authorization Dataspy	BSAUTH	STATUS AUTHORIZATION
41975	PTW	EAM-1017:EAM.EQUIP.REQ.LOTOForEquipment	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
42142	PTW Status	EAM.WORK.REQ.PermitsForWorkOrder	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
41827	PTW Type	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPHY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41827	PTW Type	EAM.WORK.REQ.PermitToWork	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
25275	PType	Crossbow - abbreviation of Point Type - point of inspection type	WSSTWO	STANDARD WOS
			WZPTWR	PRINT PERMIT TO WORK
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
47380	Package	EAM-34330	TCIRSV	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			SSPACK	PACKAGES SCREEN
			SSPACK	PACKAGES SCREEN
47387	Package Details	EAM-34330	SSPACK	PACKAGES SCREEN
47403	Package Qty.	34331-EAM.MATL.REQ.PartsforPackages	SSPACK	PACKAGES SCREEN
41261	Package Tracking Number	EAM-407: EAM.PRCH.UC.CreateEditPurchaseOrders	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
30876	Packing Slip	D7i Extended - Goods Received Note report	PSPORD	PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SYRCVF	GOODS RECEIVED NOTE
			SYRETF	PRINT GOODS RETURN NOTE
			SZRCVF	Goods Received Note
			SZRETF	Print Goods Return Note
34275	Packing Slip Details	Packing Slip For PO Receipts	SSRECV	PO RECEIPTS
34183	Packing Slip Qty.	EWS.MATI.UC.InstructionsforInspections	SSPINS	PART INSPECTIONS
36190	Packing Slips	29103	BSLOVS	LIST OF LOOKUPS
17592	Packing slip	Tab and field name for on-dock receipt, it identifies the number on the packing slip received with the shipment.	BCMOBL	7I MOBILE BOILER TEXT
			FCGRD2	FLAMETHROWER GRID 2
			STRCVF	Goods Received Note

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12181	Page		BCMOBL BSJSDN PHORDF PTORDF PYORDF PZORDF REPORT	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT Print Purchase Order Print Purchase Order Print Purchase Order Print Purchase Order General Report Function
39209	Page :PARAM1	EWS.MOBILE.UC.Screen Config.doc	TCSCCF	7I MOBILE BOILER TEXT
27908	Page Layout	Barcode	BSEXAL FCSCRN EAM-40940 BSCMEX FCSCRN	EXPORT BASE CONFIGURATION FLAMETHROWER SCREENS CONFIGURATION MANAGER - EXPORT FLAMETHROWER SCREENS
27915	Page Margin	Barcode	FCSCRN	FLAMETHROWER SCREENS
38225	Page Name	EWS.WORK.UC.RevisionControlSetup/35881	WSRVCS	REVISION CONTROL SETUP
24784	Page not found in Screen Configuration: Contact your system administrator.	Crossbow	TCCRND	7I MOBILE BOILER TEXT
35768	Pager No.	EWS.ADMN.UC.MP2WorkOrders	BSMPWO BSMPWR	MP2 WORK ORDERS MP2 WORK REQUESTS
11964	Pages		BHDOCL BSDOCP BSDOCU BTDOCL BZDOCL OSWARR PSPORD WSJOBS	List Of Documents DOCUMENTS POPUP DOCUMENTS List Of Documents List Of Documents WARRANTY PURCHASE ORDERS CREATE WORK ORDER
29967	Paid Date	D7i Extended -- Invoices form -- Field Label, noun	BZINVD PSINVO WSFBIL WSINVC WTVBIL WYVBIL WZVBIL	ELECTRONIC RECORDS FOR INVOICES INVOICES FLEET BILLS CUSTOMER INVOICES VEHICLE BILLING REPORT VEHICLE BILLING REPORT VEHICLE BILLING REPORT
25017	Pan	D7i Extended - GIS Map toolbar icon label. This icon changes the focus of the map center.	BSJSDN CSCCGM OSGIMP OSGISR OSGISS OSGVMP WSGIMP WSGVMP	COMMON FUNCTION FOR JAVASCRIPT CONTACT CENTER MAP SEARCH VIEW GIS MAP POPUP GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW GIS MAP POPUP (REST) VIEW GIS MAP POPUP VIEW GIS MAP POPUP (REST)
38127	Pan East	35829	CSCCGM OSGIMP OSGISR OSGISS WSGIMP	CONTACT CENTER MAP SEARCH VIEW GIS MAP POPUP GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW GIS MAP POPUP
38125	Pan North	35829	CSCCGM OSGIMP	CONTACT CENTER MAP SEARCH VIEW GIS MAP POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38125	Pan North	35829	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
38126	Pan North East	35829	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
38132	Pan North West	35829	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
38129	Pan South	35829	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
38128	Pan South East	35829	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
38130	Pan South West	35829	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
38131	Pan West	35829	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WSGIMP	VIEW GIS MAP POPUP
48319	Panel	EAM-41500 - DUX Screen Designer	BSDUXD	DUX SCREEN DESIGNER
			BSGROU	GROUPS
48494	Panel Available	EAM-43390 -	BSGROU	GROUPS
48413	Panels	EAM.ADMN.REQ.MobileScreenPermissionsfor		
31834	Param List	EAM-41500	BSLOVS	LIST OF LOOKUPS
12486	Parameter	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	7I MOBILE BOILER TEXT
		Prompts for selection criteria (used to start reports and queries). Before running a report the system expects that the user provides values for the parameters.	BSMAIP	E-MAIL PARAMETER POPUP
		D7i Extended -- Formula form -- Field Label on Parameters tab, noun	BSREPO	CREATE / EDIT REPORTS
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSALTP	ALERT TEXT PARAMETERS POPUP
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSUSER	USER SETUP
			ISFOMP	EDIT PARAMETER POP-UP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12486	Parameter	D7i Extended -- Formula form -- Field Label on Parameters tab, noun	ISFORM	FORMULAS
26909	Parameter Default	D7i Extended - Report Parameters	BSREPO	CREATE / EDIT REPORTS
26785	Parameter Details	D7i Extended - Report Parameters - block name	BSALTP	ALERT TEXT PARAMETERS POPUP
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSMAIP	E-MAIL PARAMETER POPUP
			BSREPO	CREATE / EDIT REPORTS
			ISFOMP	EDIT PARAMETER POP-UP
			ISFORM	FORMULAS
34901	Parameter Line Details	ParametersPopupforDatabridgePartnerJobSchedules	DSJSPP	PARAMETERS POPUP
25644	Parameter List	D7i Extended - field label for report parameters	BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
			ISAPRF	APPROVE INSPECTION RESULTS
			OSAINV	ASSET INVENTORY
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSEOQA	CALCULATE EOQ
			SSREQF	GENERATE REQS
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
27760	Parameter Name	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	7I MOBILE BOILER TEXT
		D7i Extended - Organizations form - field label, noun	BSMAPF	MAP FIELDS
			BSURLP	DEFINE URL PARAMETERS
			BZCHKA	CHECKLIST AUDIT
48833	Parameter Names	EAM-44652	BSLOVS	LIST OF LOOKUPS
			BZCHKA	CHECKLIST AUDIT
21001	Parameter String	Infor EAM - the parameter of the scheduling service	DSSTSK	DATABRIDGE SCHEDULED TASKS
29052	Parameter UOM	D7i Extended -- Formula form -- Field Label on Parameters tab, noun	ISFOMP	EDIT PARAMETER POP-UP
			ISFORM	FORMULAS
27761	Parameter Value	D7i Extended - Organizations form - field label, noun	BSURLP	DEFINE URL PARAMETERS
			BSUSER	USER SETUP
			BZCHKA	CHECKLIST AUDIT
48834	Parameter Values	EAM-44652	BSLOVS	LIST OF LOOKUPS
			BZCHKA	CHECKLIST AUDIT
20667	Parameters	new tab on batch work order report that displays the report parameters to generate	BSQRSE	QR CODES SETUP
			BSREPO	CREATE / EDIT REPORTS
			BSRPTG	GENERIC REPORT PARAMETERS
			ISAPRF	APPROVE INSPECTION RESULTS
			OSAINV	ASSET INVENTORY
			SSASGN	GENERATE POS
			SSREQF	GENERATE REQS
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20667	Parameters	new tab on batch work order report that displays the report parameters to generate	WSWLSH	WO LABOR SCHEDULING
			BSGRID	GRID DESIGNER
		D7i Extended - Organizations form - Tab title	BSLOVS	LIST OF LOOKUPS
			ISFORM	FORMULAS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJBPL	JOB PLANS
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			BSALTP	ALERT TEXT PARAMETERS POPUP
			BSDUXD	DUX SCREEN DESIGNER
			BSGMAC	COPY GIS MAP POPUP
			BSGMAP	CREATE EDIT MAPS
			BSLOVS	LIST OF LOOKUPS
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
			SSABCA	GENERATE ABC ANALYSIS
			SSEOQA	CALCULATE EOQ
			WSFLCF	FLEET CONFIGURATION
			WSGWOD	GIS MAP WO DISPATCHING
11965	Parent	Used in several instances: parent object, parent project, parent job. Always referring to a hierarchy: that what is one level higher.	BHFUNL	List Of Functions
			BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFUNC	CREATE UPDATE SCREENS
			BSIMPT	IMPORT CONFIGURATION
			BSKPIC	DEFINING KPI ENTRIES
			BTFUNL	List Of Functions
			BTTMPR	LIST OF TAMPERED RECORDS
			BYFUNL	LIST OF FUNCTIONS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZFUNL	List Of Functions
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZTMPR	LIST OF TAMPERED RECORDS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11965	Parent	Used in several instances: parent object, parent project, parent job. Always referring to a hierarchy: that what is one level higher.	JSPROJ	PROJECTS
			JZJOBL	LIST OF JOBS FOR PROJECT
			OHCHLL	Overview Of Children Within An Object
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRP	VIEW PARENT EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OZCHLL	Overview Of Children Within An Object
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
			WZERRF	EXPIRED WARRANTIES
			BCMOBL	7I MOBILE BOILER TEXT
			OZPROF	EQUIPMENT PROFILE
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			WSPMPL	PM FORECASTING
			WZPMFC	PM FORECASTING
			TCJOBR	7I MOBILE BOILER TEXT
21186	Parent & Child	Infor EAM - htis is an option in the Type of Meter pulldown menu that indicates that both the parent and child checkboxes will be checked for the equipment usage.	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21186	Parent & Child	Infor EAM - htis is an option in the Type of Meter pulldown menu that indicates that both the parent and child checkboxes will be checked for the equipment usage.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BCMOBL	7I MOBILE BOILER TEXT
27418	Parent Asset	D7i Extended	BZEQDL	EQUIPMENT LIST - DETAIL
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			OSCLCH	CLOSING CODE HIERARCHY
38108	Parent Asset Description	34807	OSECON	CREATE EQUIPMENT CONFIGURATION
40242	Parent Closing Code	EAM.EQUIP.UC.ClosingCodeHierarchy	OSECON	CREATE EQUIPMENT CONFIGURATION
45256	Parent Code Separator	EquipmentConfiguration EAM-15764	OSEQGN	EQUIPMENT GENERATION
42534	Parent Configuration	Details for Equipment Generation	OSECON	CREATE EQUIPMENT CONFIGURATION
42537	Parent Configuration Org.	Details for Equipment Generation	OSEQGN	EQUIPMENT GENERATION
40260	Parent Customer	EAM-37.WORK.REQ.Employee.doc	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
40261	Parent Customer Org.	EAM-37.WORK.REQ.Employee.doc	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
22558	Parent Description	Infor EAM - description of the parent piece of equipment	BSFFSP	FILTER FIELD SETUP SCREEN
			OSCLCH	CLOSING CODE HIERARCHY
			OSEQGN	EQUIPMENT GENERATION
			OSSTRP	VIEW PARENT EQUIPMENT
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
			WZPMFC	PM FORECASTING
21056	Parent Document	Infor EAM - E.g. the parent of 'Manual 3B' could be: 'Technical Manual' (i.e. the whole set of manuals)	BSLOVS	LIST OF LOOKUPS
			OSWARR	WARRANTY
18158	Parent Equipment	Group header on TXCCAU	BSLOVS	LIST OF LOOKUPS
			OHCHLL	Overview Of Children Within An Object
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTRP	VIEW PARENT EQUIPMENT
			OSWKSP	WORKSPACES
			OZCHLL	Overview Of Children Within An Object
			WSBWOG	GENERATE/RELEASE WOS
			WSEMPs	EMPLOYEES
			WSWKPK	PM WORK PACKAGES
34188	Parent Equipment Description	EWS.WORK.UC.CreateEditPMWorkPackage.doc	OSWKSP	WORKSPACES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34188	Parent Equipment Description	EWS.WORK.UC.CreateEditPMWorkPackage.doc	WSEMP	EMPLOYEES
34189	Parent Equipment Org.	EWS.WORK.UC.CreateEditPMWorkPackage.doc	OSWKSP	WORKSPACES
			WSEMP	EMPLOYEES
			WSWKPK	PM WORK PACKAGES
32352	Parent Equipment Type	EWS.CREP.UC.EquipmentHierarchies.doc	OHCHLL	Overview Of Children Within An Object
			OZCHLL	Overview Of Children Within An Object
			WSPMPL	PM FORECASTING
36997	Parent Grid Field	31690	BSGRID	GRID DESIGNER
42704	Parent Key	EAM-8627	BSLOVS	LIST OF LOOKUPS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			OZKEYT	KEY TRANSACTIONS
			WSEMP	EMPLOYEES
44429	Parent Key Description	EAM.EQUIP.REQ.KeyManagement.docx - EAM-14803	OSKEYM	KEY MANAGEMENT
44339	Parent Key Org.	EAM.EQUIP.REQ.KeyManagement	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			WSEMP	EMPLOYEES
39846	Parent Level	EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	OSRRLP	ADD / EDIT LEVELS POPUP
39869	Parent Levels	EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	BSLOVS	LIST OF LOOKUPS
19811	Parent Location	The parent (top level) location of the work request	BCMOBL	71 MOBILE BOILER TEXT
			OSOBJL	CREATE ASSET LOCATION
			WSAREQ	VIEW/APPROVE WORK REQUEST
31674	Parent Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
22557	Parent Org.	Infor EAM - organization of the parent piece of equipment	CSCCLG	CALENDAR GROUPS
			OSSTRP	VIEW PARENT EQUIPMENT
			WSPMPL	PM FORECASTING
			WSWLSH	WO LABOR SCHEDULING
			WZPMFC	PM FORECASTING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33785	Parent PM	EWS.WORK.UC.ParentPMsForRCApproval.doc/23019	WSAPPR	REVISION CONTROL APPROVAL
16338	Parent PMs	Static Text - Third tab on the Revision control approvals form - approval records can be approved on the 'Parent PPM's' tab of form WXAPPR.	WSAPPR	REVISION CONTROL APPROVAL
42066	Parent Part	EAM.MATL.REQ.Parts.doc	SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
27417	Parent Position	D7i Extended -	BCMOBL	7I MOBILE BOILER TEXT
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJP	CREATE POSITION EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
24658	Parent Project	Extended (product name)	BSLOVS	LIST OF LOOKUPS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
			WSPROJ	CREATE PROJECT POPUP
40989	Parent Property	EAM-273: EAM.EQUIP.REQ.PropertyHealthcare	OSOVPM	CREATE POSITION EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WZJOVM	PRINT WORK ORDER HEALTHCARE
24064	Parent Purchasing Clause	Infor EAM - see 12426 for current translation	PSCLAU	PURCHASING CLAUSE
42539	Parent Revision	Details for Equipment Generation	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
44337	Parent Ring	EAM.EQUIP.REQ.KeyManagement	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			WSEMPs	EMPLOYEES
44338	Parent Ring Org.	EAM.EQUIP.REQ.KeyManagement	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			WSEMPs	EMPLOYEES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25529	Parent Screen	D7i Extended - User Groups form, Related Screens tab	BSCDSS	USER DEFINED SCREEN SETUP
			BSGRID	GRID DESIGNER
34253	Parent Screen Description	EWS.ADMIN.UC.GridDesigner.doc	BSWSPM	WEB SERVICES PROMPT
			BSGRID	GRID DESIGNER
38165	Parent Screen Key Field	EWS.ADMN.UC.FieldsforWebServicePrompt / 35858	BSWSPM	WEB SERVICES PROMPT
			BSCDSS	USER DEFINED SCREEN SETUP
38166	Parent Screen Key Fields	EWS.ADMN.UC.FieldsforWebServicePrompt / 35858	BSWSPM	WEB SERVICES PROMPT
27848	Parent Screens	D7i Extended -- Screens form -- LOV title	BSLOVS	LIST OF LOOKUPS
20772	Parent Store	The parent store of a store is used if there is a central warehouse that does all purchases. Infor EAM - So the parent store is the primary 'supplier' for the particular store in this case. Supply done by inter-store transfers.	BSLOVS	LIST OF LOOKUPS
			BSDOCA	DOCUMENTS
			OSAINV	ASSET INVENTORY
23833	Parent Supplier	Infor EAM - the parent of the current supplier record, e.g., could be company headquarters.	SSSTOR	STORES
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSSUPPL	SUPPLIER LOOKUP
36866	Parent Supplier Org.	EWS.PRCH.UC.SuppliersForRFQs	OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
37314	Parent Type	EWS.WORK.UC.ForecastingforPMForecasting	OSCLCH	CLOSING CODE HIERARCHY
31329	Parent WO	D7i Extended - Work Order Cards report	BCMOBL	71 MOBILE BOILER TEXT
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
			WHCOSL	Job Cost Summary Report
			WHJOBQ	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31329	Parent WO	D7i Extended - Work Order Cards report	WSWOUP	WO UPDATE
			WYCOSL	Job Cost Summary Report
			WYJOBF	PRINT WORK ORDER
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
20725	Parent Work Order	Infor EAM - A parent job may serve as an 'umbrella' for several sub-jobs.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			OSCLAI	WARRANTY CLAIMS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			PSINVA	BOOK INVOICE ALLOCATIONS
			SSPART	PARTS
			SSSTOR	STORES
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
48653	Parent Work Order Description	EAM-44523	WSJOBS	CREATE WORK ORDER
33901	Parent Work Orders	SCR 23493; EWS.MATL.UC.TransactionsforStore.doc	BSLOVS	LIST OF LOOKUPS
		EWS.MATL.UC.TransactionsforPart.doc;		
11966	Parent document	EWS.BASE.UC.StandardModel.doc	BHDOCL BTDOCL BZDOCL	List Of Documents
		E.g. the parent of 'Manual 3B' could be: 'Technical Manual' (i.e. the whole set of manuals)		List Of Documents
				List Of Documents

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46243	Parent equipment does not exist.	Equipment Service	BCMOBL	7I MOBILE BOILER TEXT
12616	Parent work order	A parent job may serve as an 'umbrella' for several sub-jobs.	WTJOB	Job Cards
24968	Parents	D7i Extended - Equipment form	BSLOVS	LIST OF LOOKUPS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
22556	Parents of	Infor EAM - prompt to display the equipment number of the selected piece of equipment where the user is viewing the parents related to the equipment	OSSTRP	VIEW PARENT EQUIPMENT
45848	Pareto Chart	EAM-24206	OZONCF	NONCONFORMITIES ANALYSIS
34378	Pareto Stacked Bar with 3-D Effect	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
34377	Pareto Stacked Column with 3-D Effect	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
11940	Part	Definition of a spare part, spare item. Are used in maintenance activities. See also item.	BSCLAS	CLASSES
			BSDOCA	DOCUMENTS
			BSEPDS	CHANGE PART DESCRIPTION
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPAD	ELECTRONIC RECORDS FOR
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CMPROM	Contract Text Prompts
			CSCCGM	CONTACT CENTER MAP SEARCH
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZUSGF	Discount Request Based On Usage
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11940	Part	Definition of a spare part, spare item. Are used in maintenance activities. See also item.	OSCLAI	WARRANTY CLAIMS
			OSCNAP	CREATE NEW ASSETS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQCI	CHECKLIST ITEMS
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWARR	WARRANTY
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCLAI	WARRANTY CLAIM REPORT
			OZEQUD	EQUIPMENT DETAIL
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZTRAS	EQUIPMENT TRANSFER LOG
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSOBJS	ASSETS FOR PO
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11940	Part	Definition of a spare part, spare item. Are used in maintenance activities. See also item.	PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PYBPOL	BLANKET ORDER LIST
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZPRFQ	REQUEST FOR QUOTATION
			PZPVAR	PRICING VARIANCE REPORT
			PZQUOS	QUOTATION SUMMARY
			PZRFAQ	REQUEST FOR QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			QZQUOL	PRINT LIST OF QUOTATION
			SCPART	CROSSBOW PART LIST
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SHREQF	Print Purchase Requisition
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSBRKT	BREAKUP KIT
			SSBSTK	STOCK ON STORES
			SSBUKT	BUILD KITS
			SSBUYP	VIEW 71 BUY SYNC ERRORS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSPCPC	CHANGE PART CONDITION POPUP
			SSEOQA	CALCULATE EQQ
			SSEVAL	PART EVALUATIONS
			SSGRFQ	GENERATE RFQS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11940	Part	Definition of a spare part, spare item. Are used in maintenance activities. See also item.	SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPRES	PART RESERVATIONS
			SSPTPD	PART DETAILS POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSCRP	SCRAP PART
			SSSTOP	RECORD STOCKOUT POPUP
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTOU	PURGE STOCKOUTS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			STLOWL	Overview Of Stock
			STPICK	Pick List Print
			STPOLD	Part-Wise History Of Stock Issuals
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			STRETF	Print Goods Return Note
			STSTDL	Stocktake Discrepancy
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			STTRAL	Printed List Of Stock Transactions
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SYINST	INVENTORY STANDARD
			SYLOWL	Overview Of Stock
			SYPICK	Pick List Print
			SYPOLD	Part-Wise History Of Stock Issuals
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SYRESL	Parts Currently Reserved/Allocated

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11940	Part	Definition of a spare part, spare item. Are used in maintenance activities. See also item.	SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SYSTDL	Stocktake Discrepancy
			SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST
			SYTRAL	Printed List Of Stock Transactions
			SYUSAL	Average Monthly Usage Analysis
			SYUSTL	MONTHLY USAGE TRENDS
			SZBUKT	PRINT BUILD LIST
			SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZLOWL	Overview Of Stock
			SZMMPU	MONTHLY PART USAGE
			SZPICK	Pick List Print
			SZPOLD	Part-Wise History Of Stock Issuals
			SZPRSL	PRINT RESTOCK LIST
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			SZRESL	Parts Currently Reserved/Allocated
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			SZSOUT	PART STOCKOUTS
			SZSTDL	Stocktake Discrepancy
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			SZTKIT	KIT TEMPLATE
			SZTRAL	Printed List Of Stock Transactions
			SZUSAL	Average Monthly Usage Analysis
			SZUSTL	MONTHLY USAGE TRENDS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSASRD	ASSIGN REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCALR	VIEW CALIBRATION RESULTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMP	EMPLOYEES
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSGSRH	GIS MAP ROADS HIGHWAYS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11940	Part	Definition of a spare part, spare item. Are used in maintenance activities. See also item.	WSIMPL	IMPORT PART LIST
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPLPA	PLANNED PART AVAILABILITY
			WSPPMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSURCR	UNRETURNED CORES
			WSVITE	WORK ORDER QUICK ENTRY
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZJOB	PRINT WORK ORDER
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZPFAR	PART FAILURES REPORT
			WZPMSP	PM SCHEDULE PROFILE
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow - part number	BCMOBL	7I MOBILE BOILER TEXT
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			TCESYP	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCPRLB	7I MOBILE BOILER TEXT
			TCJAPL	7I MOBILE BOILER TEXT
			CYDEBL	LIST OF DEBIT DISCOUNTS
24702	Part #	Crossbow	CZDEBL	LIST OF DEBIT DISCOUNTS
34104	Part (Per Order/Cumulative) & Order (Per Order) Discounts	EWS.CREP.UC.ListOfDebitDiscounts.doc		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16625	Part / Task Plan		PZVEND	VENDOR LEAD TIME
42628	Part :PARAM1 cannot be issued because Prevent Issues is checked for the part condition on the associated part condition template.	EAM-7603 Part Condition	TCMRTP	7I MOBILE BOILER TEXT
20933	Part Association	Infor EAM - Group header on the Asset form to group parts associated information	BCMOBL OSECN OSHPVH OSOBJA OSOVAM OSSTAT OZEQUD TSPROF	7I MOBILE BOILER TEXT CREATE EQUIPMENT CONFIGURATION CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT EQUIPMENT OPERATIONAL STATUS EQUIPMENT DETAIL PROFILES
39733	Part Availability Overlay	45596	WSWLSH	WO LABOR SCHEDULING
40332	Part Bin	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT SZBUKT	BUILD KITS PRINT BUILD LIST
29005	Part Category	Data warehouse.	BSWHSE WSTASK	DATA WAREHOUSE TASKS
29006	Part Category Description	Data warehouse.	BSWHSE	DATA WAREHOUSE
31401	Part Charge	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
23988	Part Class	Infor EAM - this is used as a parameter to group together parts of the same class	CZUSGF SSPINV SSREQF SYLOWL SYSTOL SYTRAL SZLOWL SZSTOL SZTRAL WSARRS WSCCON WSCTMP WSFLCF WSINVC WZAGRS PSCONT WSTASK	Discount Request Based On Usage PHYSICAL INVENTORY GENERATE REQ Overview Of Stock Stock List Printed List Of Stock Transactions Overview Of Stock Stock List Printed List Of Stock Transactions PRICING SCHEDULE CUSTOMER CONTRACTS CONTRACT TEMPLATES FLEET CONFIGURATION CUSTOMER INVOICES PRINT CUSTOMER CONTRACT PURCHASING CONTRACTS TASKS
23270	Part Class Code		BSWHSE	DATA WAREHOUSE
23272	Part Class Description	Data warehouse.	BSWHSE	DATA WAREHOUSE
		Data warehouse.	BSWHSE	DATA WAREHOUSE
30733	Part Class Details	D7i Extended -- Fuel for Fleet Config -- Header	WSFLCF	FLEET CONFIGURATION
30734	Part Class Org.	D7i Extended -- Fuel for Fleet Config -- Field Label	SSREQF WSCCON WSCTMP WSFLCF WSINVC	GENERATE REQ CUSTOMER CONTRACTS CONTRACT TEMPLATES FLEET CONFIGURATION CUSTOMER INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30734	Part Class Org.	D7i Extended -- Fuel for Fleet Config -- Field Label	WSTASK	TASKS
29003	Part Class Organization	Data warehouse.	BSWHSE	DATA WAREHOUSE
23271	Part Class Organization Code		BSWHSE	DATA WAREHOUSE
28938	Part Classes	Data warehouse Dimension table name.	BSLOVS	LIST OF LOOKUPS
			BSWHSE	DATA WAREHOUSE
26122	Part Code	D7i Extended - Parts dimension table in the data warehouse	BCMOBL	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
			PSCONT	PURCHASING CONTRACTS
			PSWOPP	RETRIEVE WORK ORDER PARTS
32199	Part Comments:	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
43240	Part Condition	EAM.WORK.REQ.OperatorChecklist(Requestor)	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSTASK	TASKS
42059	Part Condition Details	EAM-4572: EAM.MATL.REQ.PartConditionTemplate	SSPCMP	PART CONDITION TEMPLATE
42016	Part Condition Template	EAM-4572:EAM.MATL.REQ.PartConditionTemplate.docx	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
42577	Part Condition Template Org.	EAM.MATL.REQ.Parts.doc	SSPART	PARTS
20690	Part Description	Infor EAM - description of a part	BSCLAS	CLASSES
			CZUSGF	Discount Request Based On Usage
			FCGRD1	FLAMETHROWER GRID 1
			OSCLAI	WARRANTY CLAIMS
			OSEQCI	CHECKLIST ITEMS
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20690	Part Description	Infor EAM - description of a part	PSPARP	SELECT PARTS POPUP
			PSPORD	PURCHASE ORDERS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSBRKT	BREAKUP KIT
			SSBUYP	VIEW 7I BUY SYNC ERRORS
			SSEOQA	CALCULATE EOQ
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQU	REQUISITIONS
			SYSTOL	Stock List
			SYUSAL	Average Monthly Usage Analysis
			SYUSTL	MONTHLY USAGE TRENDS
			SZBUKT	PRINT BUILD LIST
			SZLKIT	LIST OF KITS
			SZPRSL	PRINT RESTOCK LIST
			SZSTOL	Stock List
			SZTKIT	KIT TEMPLATE
			SZUSAL	Average Monthly Usage Analysis
			SZUSTL	MONTHLY USAGE TRENDS
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPLPA	PLANNED PART AVAILABILITY
			WSPPMS	PM SCHEDULES
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WZPFAR	PART FAILURES REPORT
		Crossbow - description of the part	BCMOBL	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
		D7i Extended - Parts dimension table in the data	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20690	Part Description	warehouse	SSISSU	Stock Issues
			SSPINV	PHYSICAL INVENTORY
		19828	BUYCAT	BUY CAT GRID QUERY BOT FUNCTION
17471	Part Details		BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSNCTP	NONCONFORMITY TYPES
			OSWARR	WARRANTY
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSCOMP	NON-PO RECEIPTS
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			WSDFAC	DEFERRED MAINTENANCE
22695	Part Details & Planning	Infor EAM - group header on the Parts tab of the work orders form to display information to planning parts	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
34114	Part Discount	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
34106	Part Discount %	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
33686	Part Discount Details	PartDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
33674	Part Discounts	PartDiscountsforPurchasingContract	PSCONT	PURCHASING CONTRACTS
38478	Part Evaluation	EWS.MATL.UC.CreateEditPartEvaluations.doc	BSDOCA	DOCUMENTS
			SSEVAL	PART EVALUATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36621	Part Failure	Parts Failure - Update Closing Codes/30837	SSISSU	Stock Issues
36252	Part Failure Details	Part Failures for Work Orders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
36249	Part Failures	Part Failures for Work Orders	WEJOBP	PARTFAILURESFORWORKORDERS WEBSERVICE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
20878	Part Hierarchies	Infor EAM - title on the LOV for Part Hierarchy field on the Parts form	LVSTRU	PART HIERARCHY LOOKUP
20745	Part Hierarchy	Infor EAM - code structure that has been defined for parts. You set up the structure prior to defining the part and LOV here shows that structure from you can choose.	PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSH CST	PART CODE STRUCTURE
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
20596	Part ID	Infor EAM - part number	OSWKMV	WORKSPACE MOVES
			SSPART	PARTS
44277	Part Info	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
22696	Part Issue/Return	Infor EAM - group header on the Parts tab of the Work Orders form to display issue and/or retrans information for the part on the work order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
44421	Part Level		BSINSS	INSTALL PARAMETER SETUP
23796	Part Line Details	Infor EAM - Group header on the Parts tab of the Material list form.	WSMATL	MATERIAL LISTS
40750	Part Line Items	EAM-437	PHORDF	Print Purchase Order
			PZORDF	Print Purchase Order
39688	Part Line Subtotal	EAM.PRCH.UC.PartsforPO	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
24317	Part Line Total	Extended (product name). Indicates the sum of the cost of the parts on the requisition line. EWS.MATL.UC.PartsforRequisition/4331.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
38503	Part Line UDF	EWS.REP.UC.PrintRequisition.doc	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
29663	Part Line extra charges and/or discounts added.	Infor EAM. Part Line extra charges and/or discounts added for PO History, extra charges and discounts link.	PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
23923	Part Lines	Infor EAM - see 16613 for current translation	BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23923	Part Lines	Infor EAM - see 16613 for current translation	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			SSREQU	REQUISITIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSMATL	MATERIAL LISTS
43137	Part List Required for Warranty Claim	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
46655	Part Location	EAM-19723	SSPINS	PART INSPECTIONS
			SSRECV	PO RECEIPTS
48281	Part Long Description	EAM.WORK.REQ.PurchasingforWorkOrders.doc	WSJOBS	CREATE WORK ORDER
40333	Part Lot	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SZBUKT	PRINT BUILD LIST
			SSBRKT	BREAKUP KIT
40334	Part Lot Expiration Date	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT	BUILD KITS
			BCMOBL	7I MOBILE BOILER TEXT
47524	Part Name	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx		
32401	Part No.	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
30164	Part Number	D7i Extended - MATL - EWS.MATL.UC.ChangePartNumberPopup	SSPTNP	CHANGE PART NUMBER POPUP
30100	Part Number Details	D7i Extended - MATL - Change Part Number Popup	SSPTNP	CHANGE PART NUMBER POPUP
30163	Part Numbers	D7i Extended - MATL - EWS.MATL.UC.ChangePartNumberPopup	BSLOVS	LIST OF LOOKUPS
25261	Part Org	Crossbow - part organization	BCMOBL	7I MOBILE BOILER TEXT
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			TCJAPR	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			FCGRD2	FLAMETHROWER GRID 2
		Barcoding EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEPAD	ELECTRONIC RECORDS FOR
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSISSU	Stock Issues
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25261	Part Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	SSRECV	PO RECEIPTS
			SSSUPP	SUPPLIERS
			SYSTOL	Stock List
			SZSTOL	Stock List
21440	Part Org.	Infor EAM - organization of the part	WSJOBS	CREATE WORK ORDER
			BSCLAS	CLASSES
			BSEPDS	CHANGE PART DESCRIPTION
			BSLOVS	LIST OF LOOKUPS
			BSPAAP	ALTERNATE PART POPUP IN PART ASSOCIATED
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSCHNO	CHANGE NOTICES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWARR	WARRANTY
			OZNCFL	LIST OF NONCONFORMITIES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSPARP	SELECT PARTS POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21440	Part Org.	Infor EAM - organization of the part	SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSBUYP	VIEW 71 BUY SYNC ERRORS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSPCPCP	CHANGE PART CONDITION POPUP
			SSEOQA	CALCULATE EOQ
			SSEVAL	PART EVALUATIONS
			SSGRFQ	GENERATE RFQS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPRES	PART RESERVATIONS
			SSPTPD	PART DETAILS POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOP	RECORD STOCKOUT POPUP
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTOU	PURGE STOCKOUTS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SZBUKT	PRINT BUILD LIST
			SZLKIT	LIST OF KITS
			SZPRSL	PRINT RESTOCK LIST
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21440	Part Org.	Infor EAM - organization of the part	WSAARD	ASSET REPAIR DETAILS
			WSASRD	ASSIGN REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMPs	EMPLOYEES
			WSIMPL	IMPORT PART LIST
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPLPA	PLANNED PART AVAILABILITY
			WSPPMs	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSURCR	UNRETURNED CORES
			WSVITE	WORK ORDER QUICK ENTRY
33195	Part Organization	EWS.CREP.UC.PurchaseOrderStatus.doc	SZTKIT	KIT TEMPLATE
26142	Part Organization Code	D7i Extended - Parts dimension table in the data warehouse	WSDFAP	ADD DEFERRED ACTIVITIES
			BSWHSE	DATA WAREHOUSE
26143	Part Organization Description	D7i Extended - Parts dimension table in the data warehouse	BSWHSE	DATA WAREHOUSE
42516	Part Requisition	EAM.MATL.REQ.(Requestor)CreateRequisition	BSDOCA	DOCUMENTS
			SSREQs	CREATE PURCHASE REQUISITION
29351	Part Save History	Data warehouse. Change algorithym for 'Par_SaveHistory' checkbox so the history accumulates from the min date in R5DWDates when the flag is set to '+'. EWS.WORK.UC.AddDeferredActivitiesPopup.doc	BSWHSE	DATA WAREHOUSE
36752	Part Source	EWS.WORK.UC.AddDeferredActivitiesPopup.doc	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
20739	Part Summary	Infor EAM - group header on the Part form that displays major details concerning the part.	SSPART	PARTS
41891	Part Turnover	EAM-4398	BIPTBS	MRO PARTS TURNOVER BY STORE
32844	Part Type	EWS.CREP.UC.StockValueListingByPartTypeWegman.doc	BSLOVS	LIST OF LOOKUPS
			PZQUOS	QUOTATION SUMMARY
			SYSTOL	Stock List
			SZSTOL	Stock List

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26818	Part Usage	Infor EAM. Default Dataspy name. Refer to EWS.MATL.UC.UsageforParts and PVCS 6328.	SSPART	PARTS
26150	Part Value at Shop (Default Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26168	Part Value at Shop (Organization Currency)	D7i Extended - The total value of all the items that are at the shop for the given part.	BSWHSE	DATA WAREHOUSE
26151	Part Value at Supplier (Default Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26152	Part Value at Supplier (Organization Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26148	Part Value in Transit (Default Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26149	Part Value in Transit (Organization Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26144	Part Value on Hand (Default Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26145	Part Value on Hand (Organization Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26146	Part Value to be Repaired (Default Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
26147	Part Value to be Repaired (Organization Currency)	D7i Extended - Parts Daily Snapshot fact table in the data warehouse	BSWHSE	DATA WAREHOUSE
10305	Part class		SYEQQA	EOQ Analysis
			SZEOQA	EOQ Analysis
			STLOWL	Overview Of Stock
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			STTRAL	Printed List Of Stock Transactions
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
17574	Part code hierarchy	Text for field on SLPART	FCGRD1	FLAMETHROWER GRID 1
12542	Part description		OSOBJP	CREATE POSITION EQUIPMENT
			SSREQI	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSRQLL	REQUISITION LINE
31210	Part for Issue/Return	Barcoding	FCGRD2	FLAMETHROWER GRID 2
31196	Part for Non-PO Receipt	Barcoding	FCGRD2	FLAMETHROWER GRID 2
31167	Part for PO Receipt	Barcoding	FCGRD2	FLAMETHROWER GRID 2
37907	Part for Store-to-Store Receipts	21051 Add Store to Store Receipt as a Data Source	FCGRD2	FLAMETHROWER GRID 2
42419	Part must be tracked by asset.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
33856	Part or Trade Description	EWS.CREP.UC.PurchaseOrderStatus	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
16845	Part org	This resource ID is part of the organization column in the MP5 base tables. An organization field for the supplier must be added to all tables joined with the parts table. This field label will also show on the Part form as well. Created through BMORGS.	FCGRD1	FLAMETHROWER GRID 1
			OCOBJC	CROSSBOW EQUIPMENT LIST
			WCMATL	CROSSBOW MATERIAL LIST
24851	Part#	Crossbow - Part Number	TCJAPR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
34119	Part/Service	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL	LIST OF DEBIT DISCOUNTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34119	Part/Service	EWS.CREP.UC.ListOfDebitDiscounts.doc	CZDEBL	LIST OF DEBIT DISCOUNTS
19678	Part/Trade	Field on PMINVO that either reflects a part or a trade.	PSINVO	INVOICES
29973	Part/Trade Description	D7i Extended -- Lines tab, Invoices form -- Field Label	PSINVO	INVOICES
29354	Partial Order	D7i Extended -- Blanket Order -- Tab text	PSBORD	CREATE EDIT BLANKET ORDERS
32898	Partner	EWS.DBADMIN.UC.CreateEditPartners.doc	BSLOVS	LIST OF LOOKUPS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
			DSPTNR	CREATE PARTNER
27295	Partner Contact	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
27304	Partner Delivery Service	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
27294	Partner E-mail Host	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
27300	Partner Host	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
20994	Partner ID	Infor EAM - the id number for the B2B partner used in dataBridge.	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			DSPTNR	CREATE PARTNER
			DSSSET	DATABRIDGE SYSTEM SETUP
			DSSTSK	DATABRIDGE SCHEDULED TASKS
27303	Partner Password	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
27301	Partner Port	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
24342	Partner Server Status	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
27302	Partner User ID	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
32893	Partners	EWS.DBADMIN.UC.CreateEditPartners.doc	BSLOVS	LIST OF LOOKUPS
			DSPTNR	CREATE PARTNER
12400	Parts		BSCLSB	CLASSES FOR BUSINESS EDITION
			BSLOVS	LIST OF LOOKUPS
			FCGRD1	FLAMETHROWER GRID 1
			JSCULB	COMPATIBLE UNITS LIBRARY
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OSNCTP	NONCONFORMITY TYPES
			OSWARR	WARRANTY
			OZHISL	Object History
			OZTRAS	EQUIPMENT TRANSFER LOG
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCRfQ	COPY RFQ POPUP
			PSPOCP	COPY PO POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SHREQF	Print Purchase Requisition
			SSCOMP	NON-PO RECEIPTS
			SSIUSS	STORE TO STORE ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12400	Parts		SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQCP	COPY REQUISITION POPUP
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SYSTOL	Stock List
			SZREQF	Print Purchase Requisition
			SZSTOL	Stock List
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSFMRK	FLEET MARKUP CODES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
		Data warehouse Dimension table name.	TCJACL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			BSWHSE	DATA WAREHOUSE
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			PSCONT	PURCHASING CONTRACTS
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZQUOS	QUOTATION SUMMARY
			SSSUCP	COPY SUPPLIER POPUP
			WSMACP	COPY MATERIAL LIST POPUP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
30956	Parts %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for parts	WSFMRK	FLEET MARKUP CODES
49441	Parts - Non-stock	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
49440	Parts - Stock	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
24028	Parts Associated	Infor EAM - see 12182 for current translation	BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			OSCHNO	CHANGE NOTICES
			OSPCPN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24028	Parts Associated	Infor EAM - see 12182 for current translation	OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			SSPART	PARTS
			TSPROF	PROFILES
			WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
49362	Parts Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
28909	Parts Daily Snapshot	Data Warehouse Data Mart.	ASOPAH	PARTS DAILY SNAPSHOT
			BSWHSE	DATA WAREHOUSE
37844	Parts Detail Section	EWS.CREP.UC.RequestForQuotationSummary.doc	PZRFQS	REQUEST FOR QUOTATION SUMMARY
44292	Parts Details & Planning	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
38541	Parts Equivalency	EWS.MATL.UC.PartsEquivalencyforPartEvaluations.doc	SSEVAL	PART EVALUATIONS
37841	Parts Header Section	EWS.CREP.UC.RequestForQuotationSummary.doc	PZRFQS	REQUEST FOR QUOTATION SUMMARY
29007	Parts Ordered	Data warehouse.	BSWHSE	DATA WAREHOUSE
45829	Parts Preview	EAM.MATL.REQ.GenerateRequisitions	SSREQF	GENERATE REQ
29149	Parts Quantity Back Ordered	Data warehouse.	BSWHSE	DATA WAREHOUSE
29145	Parts Quantity Issued	Data warehouse.	BSWHSE	DATA WAREHOUSE
29148	Parts Quantity Ordered	Data warehouse.	BSWHSE	DATA WAREHOUSE
29146	Parts Quantity Received	Data warehouse.	BSWHSE	DATA WAREHOUSE
29147	Parts Quantity Returned	Data warehouse.	BSWHSE	DATA WAREHOUSE
39681	Parts Tax Code	Tracker id 45321	SSSTOR	STORES
31371	Parts Tracked By Asset	D7i Extended - Physical Inventory Discrepancy report	SYSTD	Stocktake Discrepancy
			SZSTD	Stocktake Discrepancy
29141	Parts Transaction Daily Snapshot	Data warehouse. PVCS 10594.	ASOPAI	PARTS TRANSACTION DAILY SNAP
			BSWHSE	DATA WAREHOUSE
29158	Parts Value Back Ordered (Default Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
			BSWHSE	DATA WAREHOUSE
29159	Parts Value Back Ordered (Organization Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29150	Parts Value Issued (Default Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29151	Parts Value Issued (Organization Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29156	Parts Value Ordered (Default	Data warehouse.	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29157	Currency) Parts Value Ordered (Organization Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29152	Currency) Parts Value Received (Default Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29153	Currency) Parts Value Received (Organization Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29154	Currency) Parts Value Returned (Default Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29155	Currency) Parts Value Returned (Organization Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29011	Parts at Shop	Data warehouse.	BSWHSE	DATA WAREHOUSE
29012	Parts at Supplier	Data warehouse.	BSWHSE	DATA WAREHOUSE
37134	Parts displayed are associated with the selected Project, Budget, Work Order and/or Activity selected on the RFQ. Select a record(s) and then click Submit.	EWS.PRCH.UC.PartsForRFQs/31885	PSWOPP	RETRIEVE WORK ORDER PARTS
37976	Parts for Pick Tickets	33933	SEPICP	PICK TICKET PARTS
29010	Parts in Transit	Data warehouse.	BSWHSE	DATA WAREHOUSE
29008	Parts on Hand	Data warehouse.	BSWHSE	DATA WAREHOUSE
29009	Parts to be Repaired	Data warehouse.	BSWHSE	DATA WAREHOUSE
17971	Parts tracked by asset	SBSTTU - A part that is assigned to an asset.	STSTD	Stocktake Discrepancy
28849	Parts-Record View	Crossbow - Full VGA version	TCCRSB	7I MOBILE BOILER TEXT
26270	Pass	Used in calibration to only display records that passed.	WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
29727	Pass, Fail Exists	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
29728	Pass, Recal Exists	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
28856	Passw Expir Date	D7i Extended - Reports - BTUSRL	BHUSRL	USERS GROUP CONFIGURATION
			BTUSRL	USERS PER GROUP
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
12299	Passw expir date		BCUSER	CROSSBOW USER LIST
11943	Password	Encrypted code, required to obtain access to the system.	BCUSER	CROSSBOW USER LIST
			BSLGEX	EXPORT TRANSLATIONS POPUP
			BSLGIM	IMPORT TRANSLATIONS POPUP
			BSUSER	USER SETUP
			CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			DSPTNR	CREATE PARTNER
			LOGIN	LOGON SCREEN
			OSENRA	RETRIEVE CUSTOMER ACCOUNT ID
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11943	Password	Crossbow	TCELRC	7I MOBILE BOILER TEXT
			TCLOCK	7I MOBILE BOILER TEXT
			TCPRXY	7I MOBILE BOILER TEXT
			DSPTNR	CREATE PARTNER
			WSMECH	MECHANIC'S WORKBENCH
34325	Password Duration Days	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
23861	Password Expiration Date	Infor EAM - the date on which the user's password will expire	BHUSRL	USERS GROUP CONFIGURATION
			BSGRPU	USERS PER GROUP
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			FCSCRN	FLAMETHROWER SCREENS
27956	Password:	Barcode	OZHISD	EQUIPMENT HISTORY DRILLDOWN
45508	Past 180 Days	EAM-20103	OZHISD	EQUIPMENT HISTORY DRILLDOWN
45507	Past 30 Days	EAM-20103	OZHISD	EQUIPMENT HISTORY DRILLDOWN
45509	Past 365 Days	EAM-20103	OZHISD	EQUIPMENT HISTORY DRILLDOWN
45506	Past 7 Days	EAM-20103	OZHISD	EQUIPMENT HISTORY DRILLDOWN
13212	Paste	Pull down menu item	M1	Pull-Down Menu Texts
27542	Paste Above	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
27543	Paste Below	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
27541	Paste Left	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
27544	Paste On New Page	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
27540	Paste Right	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
30704	Patch	D7i Extended - For ABOUT function. Adding in Database Version & Application Version.	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
12731	Path	Where files can be found, e.g. \C:\HEREARE\MYFILES\ EWS.ADMN.UC.ExportFullConfigurationforExportConfig	REPORT	General Report Function
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
41657	Path to Layout image	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
41656	Path to Picture	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
41006	Patient Safety	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
41010	Patient/Visitor Injury	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
			BSWSPM	WEB SERVICES PROMPT
13994	Pattern	Enter the pattern of the data collected. You can use only one pattern.	TSASTP	DC TRANSACTION PROMPT
26404	Pattern Match	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSWSPM	WEB SERVICES PROMPT
			TSASTP	DC TRANSACTION PROMPT
38833	Pattern Start Date	EWS.WORK.UC.CreateEditMaintenancePattern.doc	WSMPAT	MAINTENANCE PATTERNS
			WZMPAT	PRINT MAINTENANCE PATTERN
32201	Pay By Method	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase	BZRFQD	ELECTRONIC RECORDS FOR RFQS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32201	Pay By Method	Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
31676	Pay Supplier Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZINVD	ELECTRONIC RECORDS FOR INVOICES
29966	Pay To	D7i Extended -- Invoices form -- Field Label	BZINVD	ELECTRONIC RECORDS FOR INVOICES
23838	Pay by Method	Infor EAM - the method of purchase order payment for the vendor/supplier	PSINVO	INVOICES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			FCGRD1	FLAMETHROWER GRID 1
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
18460	Pay by method	the method of purchase order payment for the vendor/supplier	PTORDF	Print Purchase Order
15782	Payment		PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			WHINVS	CUSTOMER INVOICE REPORT
			WYINVS	CUSTOMER INVOICE REPORT
			WZINVS	CUSTOMER INVOICE REPORT
29965	Payment Due Date	D7i Extended -- Invoices form -- Field label, noun	BZINVD	ELECTRONIC RECORDS FOR INVOICES
24408	Payment Method	Extended (product name). Dataspy name.	PSINVO	INVOICES
			BSMPPR	MP2 PURCHASING
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSIPVN	71 BUY VENDORS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
29429	Payment Methods	D7i Extended - LOV Title for Payment Method fields.	BSLOVS	LIST OF LOOKUPS
23840	Payment Terms	Infor EAM - The conditions for payments.	BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			FCGRD1	FLAMETHROWER GRID 1
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDF	Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23840	Payment Terms	Infor EAM - The conditions for payments.	PYORDS	PURCHASE ORDER STATUS
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
		Extended (product name). Dataspy name.	PSORDT	PURCHASE ORDER TERMS
12844	Payment terms	The conditions for payments.	PTORDF	Print Purchase Order
41070	Payroll No.	EAM - 295 : EAM.WORK.REQ.Employee	WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
39265	Peak Demand	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
41559	Peak Demand Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
35133	Penalty Factor	EWS.CCTR.UC.ServiceProblemCodes	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUd	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
33960	Pending	pvcS 23653 in shotgun	BCMOBL	7I MOBILE BOILER TEXT
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
46754	Pending Log	EAM-29254 Map View - Sync Log Feature	BCMOBL	7I MOBILE BOILER TEXT
46311	Pending edits	GIS	BCMOBL	7I MOBILE BOILER TEXT
24165	People	Crossbow	TCJACL	7I MOBILE BOILER TEXT
		Crossbow - People Required	TCJACR	7I MOBILE BOILER TEXT
25526	People Assigned	Extended (product name)	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
25525	People Available	Extended (product name)	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
31677	People Offered	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39371	People Remaining to be Scheduled People Req.	40522 EWS.CREP.UC.PrintShortWorkOrderCards	WSWLSH	WO LABOR SCHEDULING
31806			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
20721	People Required	Infor EAM - The number of workers needed to complete a work order	BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHACTV	VMRS ACTIVITIES
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSVITE	WORK ORDER QUICK ENTRY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20721	People Required	Infor EAM - The number of workers needed to complete a work order	WSWADP WSWKPK WSWLAS WSWLWD WTCALR WYJOBF WZACTV WZCALR WZJOBF WZJOBQ WZJOVH WZJOVM WZPMSP WZWOLG	VIEW WO/ACTIVITIES DETAILS POPUP PM WORK PACKAGES VIEW MODIFY ACTIVITY SCHEDULE WO DETAILS FOR WO DAILY SCHEDULING CALIBRATION RECORD REPORT PRINT WORK ORDER VMRS ACTIVITIES CALIBRATION RECORD REPORT PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HEALTHCARE PM SCHEDULE PROFILE PRINT WO LONG
12468	People req		WTJOBF	Job Cards
11970	People required	The number of persons required to complete the task.	WCTASK	CROSSBOW TASK LIST
			WCACTJ	CROSSBOW ACTIVITY LIST
			WCSTAC	CROSSBOW STWO ACTIVITY
44022	People required must be an integer in a range of 1 to 99999999.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
29584	Per Day	D7i Extended - Calculate Labor Required Per Day or Trade report	WTRLDG WYRLDG WZRLDG	CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY
33085	Per Order	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
37329	Per Part/Service	EWS.CREP.UC.QuotationSummary	PZQUOS	QUOTATION SUMMARY
37330	Per Supplier	EWS.CREP.UC.QuotationSummary	PZQUOS	QUOTATION SUMMARY
29585	Per Trade	D7i Extended - Calculate Labor Required Per Day or Trade report. Radio button.	WTRLDG WYRLDG WZRLDG	CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY CALCULATE LABOUR REQUIRED PER DAY
12179	Per order		CMPROM	Contract Text Prompts
24854	PerRes	Crossbow - Person Responsible	TCJACR	7I MOBILE BOILER TEXT
20810	Percent Complete	Infor EAM - indicates what percentage of a work order activity has been completed	CSCASE CSCMTK CZCASE WSCOPO WSDFAC WSDFAP WSJOBS WSJOVH WSJOVM WSMECH WSSCHD WSVITE	CASE MANAGEMENT CASE MANAGEMENT TASKS CASE MANAGEMENT REPORT CONTRACTOR PORTAL DEFERRED MAINTENANCE ADD DEFERRED ACTIVITIES CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MECHANIC'S WORKBENCH WORK ORDER SCHEDULE WORK ORDER QUICK ENTRY
40036	Percent Improvement	#47112	OHAERC OZAERC	ANNUAL ENERGY REDUCTION COMPARISON ANNUAL ENERGY REDUCTION COMPARISON
35043	Percent of the Activities Scheduled, were Worked on the Same Date	EWS.CREP.UC.ScheduleAttainment	WYSCHS WZSCHS	Schedule Attainment Report Schedule Attainment Report
35044	Percent of the WOs that were	EWS.CREP.UC.ScheduleAttainment	WYSCHS	Schedule Attainment Report

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35044	Scheduled, were Completed Percentage	EWS.CREP.UC.ScheduleAttainment	WZSCHS	Schedule Attainment Report
12622			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OYGIAN	GAS INDEX ANALYSIS
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
			WZAGRS	PRINT CUSTOMER CONTRACT
			PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
			PSINVO	INVOICES
		Assign GL Codes popup	OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OZDCUR	DECAY CURVE CHART
41584	Percentage Difference	EAM- 2229 EAM.PRCH.REQ.UtilityAuditForInvoiceVouch	PSINVO	INVOICES
43369	Percentage To Go	EAM-10497	WZPMDO	PM DUE OVERVIEW
41542	Percentage of Peak	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL002	PEAK DEMAND
43645	Percentage of Total	EAM-11749	WZSWOF	STANDARD WORK ORDER FREQUENCY
30020	Percentage of Value	D7i Extended - Materials - EWS.MATL.UC.GenerateABCAnalysis.doc - field label	SSABCA	GENERATE ABC ANALYSIS
39279	Perform After	EAM.WORK.UC.SequencesforMP/38265	WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39279	Perform After	EAM.WORK.UC.SequencesforMP/38265	WZMPAT	PRINT MAINTENANCE PATTERN
39280	Perform After UOM	EAM.WORK.UC.SequencesforMP/38265	WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WZMPAT	PRINT MAINTENANCE PATTERN
47083	Perform By 2 Responsibility	EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
			WSTASL	TASK LOOKUP
47082	Perform By Responsibility	EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSOPCL	OPERATOR CHECKLIST
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
49082	Perform Estimation	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
23808	Perform Every	Infor EAM - Indicates how frequently a PM is performed, e.g., 'Perform every' 5 hours.	OSECN	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZPROF	EQUIPMENT PROFILE
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WTPPML	List Of All Ppm Schedules
			WZPMDO	PM DUE OVERVIEW
			WZPMSP	PM SCHEDULE PROFILE
			WZPPML	List Of All Ppm Schedules
			WZPPMQ	LIST OF PM SCHEDULES
48914	Perform Exact Query	EAM-46207: EAM.BASE.REQ.HyperlinkSetupPopup	BSHYPL	HYPERLINK SETUP
47178	Perform Linear Search	EAM-31979-Perform Linear Search	OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
43840	Perform Map Search	EAM-12405 Change of tooltip text	CSCCTR	CONTACT CENTER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
37287	Perform On	32268	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECN	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37287	Perform On	32268	OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSWKPK	PM WORK PACKAGES
			WZPPMQ	LIST OF PM SCHEDULES
37305	Perform On Day	32268	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSWKPK	PM WORK PACKAGES
37105	Perform On Day Text	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
49421	Perform Reservation	EAM.PROJ.REQ.PartsforCompatibleUnitsLibrary.docx	JSCULB	COMPATIBLE UNITS LIBRARY
35761	Perform by Warranty	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
42937	Performance	EAM-10033	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
			OZOEEM	OEE METRICS
48141	Performance Details	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48141	Performance Details	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
48068	Performance Formula	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	BSDOCA	DOCUMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSPERF	PERFORMANCE FORMULAS
			OSRELR	EQUIPMENT RANKINGS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48142	Performance Formula Org.	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSRELR	EQUIPMENT RANKINGS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49387	Performance Formulas	EAM.EQUIP.REQ.EquipmentClassDefinition	BSLOVS	LIST OF LOOKUPS
48146	Performance Last Updated	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
41515	Performance Manager	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
32765	Performed By	PVCS 27338. This PIR states that the Performed By and Reviewed By buttons and fields must be added for Calibration Work Orders.	BCMOBL	7I MOBILE BOILER TEXT
			BSMPWO	MP2 WORK ORDERS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32765	Performed By	PVCS 27338. This PIR states that the Performed By and Reviewed By buttons and fields must be added for Calibration Work Orders.	OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSRVCS	REVISION CONTROL SETUP
			WZCALR	CALIBRATION RECORD REPORT
			OSOBJA	CREATE ASSET EQUIPMENT
46864	Performed By 2	EAM.WORK.REQ.ChecklistForWorkOrder	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
46892	Performed By 2 Name	EAM.WORK.REQ.ChecklistForWorkOrder	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			CSCASE	CASE MANAGEMENT
46891	Performed By Name	EAM.WORK.REQ.ChecklistForWorkOrder	CSCMTK	CASE MANAGEMENT TASKS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
49633	Performed By Name 2	EAM.EQUIP.REQ.WorkOrderChecklistsforEquipment.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
42035	Performed By Required	EAM.WORK.REQ.Task	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
47506	Performed By Signature	EAM.MOBILE.REQ.WorkOrderChecklist	BCMOBL	71 MOBILE BOILER TEXT
48466	Performed By WO Status	EAM-42566 - EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
46244	Performed By must be entered before the checklist can be reviewed.	Checklist	BCMOBL	71 MOBILE BOILER TEXT
42206	Performed Type	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42206	Performed Type	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			OSOBJA	CREATE ASSET EQUIPMENT
46866	Performed Type 2	EAM.WORK.REQ.ChecklistForWorkOrder	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
11945	Period	A budget term is split in budget periods (e.g. monthly periods). Also used in general.	BICTRL	BI CONTROLLER REPORT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			CMPROM	Contract Text Prompts
			OSDPDT	DEPRECIATION DETAILS
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
		Indicates a period delimited by a start date and an end date.	WSBWOG	GENERATE/RELEASE WOS
			WZCIND	CUSTOMER INVOICE DETAIL
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			PSPROM	PURCHASING CONTRACT TEXT
			REPORT	General Report Function
			USCLBP	CALCULATE BUDGET POPUP
			USYEAR	BUDGET TERMS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRELJ	RELEASE OF SELECTED JOBS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23962	Period (+) N.B.	Infor EAM - this is a column header on the PM Schedules form meaning Period Nested Buffer forward. The plus sign indicates 'forward'.	WSPPMS	PM SCHEDULES
23961	Period (-) N.B.	Infor EAM - this is a column header on the PM Schedules form meaning Period Nested Buffer back. The minus sign indicates 'back' or previous.	WSPPMS	PM SCHEDULES
47565	Period Based	EAM-35749 : EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
49753	Period Budget	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
31119	Period Charge Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31120	Period Charge Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31236	Period Charge Billed	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31237	Period Charge Billed Currency	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
30691	Period Description	D7i Extended -- Billing Schedules for Fleet Config -- Field Label	WSFBHD WSFLCF	BILLING HISTORY FOR FLEET CUSTOMERS FLEET CONFIGURATION
30690	Period End Date	D7i Extended -- Billing Schedules for Fleet Config -- Field Label	BSLOVS WSCCSR WSFBHD WSFBIL WSFCUS WSFLCF WSFLTK WTVBIL WTVTKT WYVBIL WZVBIL WZVTKT	LIST OF LOOKUPS FLEET COST CODE SEARCH & REPLACE BILLING HISTORY FOR FLEET CUSTOMERS FLEET BILLS FLEET CUSTOMERS FLEET CONFIGURATION FLEET VEHICLE TICKETS VEHICLE BILLING REPORT VEHICLE TICKET REPORT VEHICLE BILLING REPORT VEHICLE BILLING REPORT VEHICLE TICKET REPORT
31321	Period End Date/Time	D7i Extended -- Vehicle Ticket form, Assignment Billing popup -- Field Label	WSFLAB	ASSIGNMENT BILIING POPUP
33770	Period From	EWS.CREP.UC.BudgetAnalysis.doc	BSLOVS UYBANA UZBANA	LIST OF LOOKUPS BUDGET ANALYSES BUDGET ANALYSES
43551	Period Interval	11442:EAM.EQUIP.REQ.WorkOrdersForEquipmentOperatio	OSSTAT WSWLSH	EQUIPMENT OPERATIONAL STATUS WO LABOR SCHEDULING
31121	Period Markup Adjustment	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT WZVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
31122	Period Markup Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WSFBIL WSFLTK WTVTKT	FLEET BILLS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31122	Period Markup Adjustment Currency	D7i Extended -- Billing Adjustment for Vehicle Tickets -- Column Name	WZVTKT	VEHICLE TICKET REPORT
31238	Period Markup Billed	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
31239	Period Markup Billed Currency	D7i Extended -- Assignment Adjustments for Fleet Bills -- Field Label	WSFBIL	FLEET BILLS
33771	Period To	EWS.CREP.UC.BudgetAnalysis.doc	BSLOVS	LIST OF LOOKUPS
20785	Period UOM	Indicates the unit of measure for the PM Period, e.g., 'Period UOM' is days.	UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
11950	Periods		WSPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			BSLOVS	LIST OF LOOKUPS
35349	Perm. Fix Completed	EWS.CREP.UC.CallCenterWorkOrder	USYEAR	BUDGET TERMS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSINVC	CUSTOMER INVOICES
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
35346	Perm. Fix Due	EWS.CREP.UC.CallCenterWorkOrder	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
35641	Permanent Fix Date Completed	EWS.CREP.UC.PenaltyDeductionDetail.doc	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
35188	Permanent Fix Promise Date	EWS.WORK.UC.CreateWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35188	Permanent Fix Promise Date	EWS.WORK.UC.CreateWorkOrder	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
35131	Permanent Fix Turnaround	EWS.CCTR.UC.ServiceProblemCodes	CSSVPB	SERVICE PROBLEM CODES
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
35132	Permanent Turnaround Unit	EWS.CCTR.UC.ServiceProblemCodes	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
34433	Permission	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
44023	Permission to save this record is denied due to insufficient department security rights.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
46245	Permission to update this record is denied due to insufficient department security rights.	ChecklistDataController	BCMOBL	7I MOBILE BOILER TEXT
44024	Permission to update this record is denied due to insufficient department security rights.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
34432	Permissions	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34432	Permissions	EWS.CREP.UC.UserGroupConfiguration.doc	BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
11924	Permit	Work permit: A permit to work on a particular asset or piece of machinery. The permit may be required for many different reasons, like environment, safety, etc.	BSDOCA	DOCUMENTS
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WCPERM	CROSSBOW WO PERMIT LIST
			WHJOBf	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMs	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WTPERF	Permits For Jobs
			WTPERL	List Of Permit Issues
			WYJOBf	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBf	PRINT WORK ORDER
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	TCJPML	7I MOBILE BOILER TEXT
		EAM.WORK.REQ.PermitsForWorkOrder	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSJOBS	CREATE WORK ORDER
			WZPTWR	PRINT PERMIT TO WORK
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
29205	Permit Active	D7i Extended - List of Permit Issues Report	BSLOVS	LIST OF LOOKUPS
			WTPERL	List Of Permit Issues
24211	Permit Body	Extended (product name). This text is used for the Permit	WSPERM	PERMITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21162	Permit Comments	Body tab of the Permit form. Infor EAM - text field to enter comments associated with a permit	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
45907	Permit Date Review Required	EAM.CREP.REQ.ListofPMSchedulesQ	WSJOVM	CREATE WORK ORDER
			WZPPMQ	LIST OF PM SCHEDULES
42550	Permit Date Reviewed	EAM-5174	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
42003	Permit Description	EAM-3483 EAM.EQUIP.REQ.PermitsForPMSchedule	WSPPMS	PM SCHEDULES
21161	Permit Details	Infor EAM - group header on the permits tab of the equipment forms that displays permit-related information	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
42504	Permit Documents	EAM.WORK.REQ.WorkOrders.docx	WSJOVM	CREATE WORK ORDER
			WSPERM	PERMITS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSJOBS	CREATE WORK ORDER
41928	Permit Org.	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41928	Permit Org.	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WHJOBFB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZJOBFB	PRINT WORK ORDER
21392	Permit Reference	Infor EAM - field that is automatically populated by the system with a number used to reference a permit associated with a work order	BSLOVS	LIST OF LOOKUPS
			WHJOBFB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WTPERF	Permits For Jobs
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBFB	PRINT WORK ORDER
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSLOVS	LIST OF LOOKUPS
32250	Permit References	EWS.CREP.UC.PermitsForWorkOrders.doc - Permits for Work Orders reports		
42552	Permit Review Type	EAM-5174	BZEVTB	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
42551	Permit Reviewed By Name	EAM-5174	BZEVTB	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
41929	Permit Reviewed By eSignature Type	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	OSVPRE	PERMIT ENTITY
42137	Permit Revision	EAM.WORK.REQ.PermitsForWorkOrder	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHJOBFB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42137	Permit Revision	EAM.WORK.REQ.PermitsForWorkOrder	WSJOVM	CREATE WORK ORDER
			WZJOBF	PRINT WORK ORDER
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
42843	Permit Revisions	EAM-9685	BSLOVS	LIST OF LOOKUPS
11925	Permit reference	When you associate a permit to a work order and save the record, MP5 generates a number. This number is the work order number plus the sequence number of the permit and this number is the permit reference.	WTJOBF	Job Cards
41826	Permit to Work	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZCHKA	CHECKLIST AUDIT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			OSPWLT	IMPORT FROM PTW
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WSRVCS	REVISION CONTROL SETUP
			WZPTWR	PRINT PERMIT TO WORK
41840	Permit to Work Details	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
48555	Permit to Work LOTO	EAM-44345: User Groups Mobile Screen Permissions	WCPMTW	MOBILE PERMIT TO WORK
48554	Permit to Work Safety	EAM-44345: User Groups Mobile Screen Permissions	WCPMTW	MOBILE PERMIT TO WORK
41979	Permit to Work Setup	EAM.WORK.REQ.PermitToWorkSetup	BSDOCA	DOCUMENTS
45393	Permit to Work Tags	EAM-6684EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
14367	Permits		BSLOVS	LIST OF LOOKUPS
			OSPCPN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
14367	Permits	Crossbow EAM-3612: EAM.WORK.REQ.PermitsForRevisionControlSe EAM - 3851 : EAM.EQUIP.REQ.Categories	OZTRAS	EQUIPMENT TRANSFER LOG
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			TCJOBL	7I MOBILE BOILER TEXT
42151	Permits Date Review Required	EAM - 3851 : EAM.EQUIP.REQ.Categories	WSRVCS	REVISION CONTROL SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
42152	Permits Reviewed By	EAM - 3851 : EAM.EQUIP.REQ.Categories	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZPPMQ	LIST OF PM SCHEDULES
			WZWOLM	WORK ORDER LIST - DETAIL
48659 20601	Permits Reviewed By Name Person	EAM-44523 Infor EAM - person who was assigned to the service request	WSJOBS	CREATE WORK ORDER
			BSLOVS	LIST OF LOOKUPS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WSEMP	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20601	Person	Infor EAM - person who was assigned to the service request	WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
			YSACCD	VIEW GL VALUES
			BCMOBL	7I MOBILE BOILER TEXT
29210	Person Resp	D7i Extended - Scheduled Activities Report	TCJACR	7I MOBILE BOILER TEXT
			WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WZSCHA	Scheduled Activities
24167	Person Responsible	Crossbow	CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
			TCJACL	7I MOBILE BOILER TEXT
			WTSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
			WZSCHA	Scheduled Activities
		D7I Extended - Calibration Record Report	BAL001	POWER FACTOR
			BAL002	PEAK DEMAND
			BAL003	PHASE IMBALANCE
			BAL004	LOAD ELECTRICITY DATA
			BAL005	LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY
			BAL006	UTILITY INVOICE AUDIT
			BAL007	MISSING UTILITY INVOICES
			BAL010	WORK ORDER CALCULATED PRIORITY
			BSLOVS	LIST OF LOOKUPS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			PSCONT	PURCHASING CONTRACTS
			USBUDG	BUDGETS
			UYBUML	LIST OF BUDGETS (TOP LEVEL)
			UZBUML	LIST OF BUDGETS (TOP LEVEL)
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
11927	Person responsible		WACTJ	CROSSBOW ACTIVITY LIST
			WTJOB	Job Cards
39210	Personal Computer	EWS.MOBILE.UC.Screen Config.doc	TCSCMN	7I MOBILE BOILER TEXT
40874	Personal Protective Equipment	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40874	Personal Protective Equipment	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
41004	Personal Protective Equipment (PPE)	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
			BSSTRT	EWS NEW START CENTER
17378	Personalize	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIW	EQUIPMENT OVERVIEW 360
27333	Personalize Your Inbox	D7i Extended - Title for the Personalize Inbox popup	BSIBXP	PERSONALIZE INBOX POPUP
27337	Personalize Your KPIs	D7i Extended - Title for the personalize KPIs popup	BSKPIP	PERSONALIZE KPI POPUP
24168	Personnel	Crossbow	TCJOBR	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
25528	Personnel Details	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
		Extended (product name)	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
20171	Phone	Infor EAM - telephone number	CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			DSSSET	DATABRIDGE SYSTEM SETUP
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSDEBS	CREATE CUSTOMER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			OZMNBK	MOBILE NOTEBOOK
30833	Phone No.	D7i Extended -- Vehicle Ticket -- Field Label, no.=number	WHPTWR	PRINT PERMIT TO WORK
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZPTWR	PRINT PERMIT TO WORK
			WZVTKT	VEHICLE TICKET REPORT
40285	Phone Number	EAM-57.WORK.REQ.CustomerInvoices	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40285	Phone Number	EAM-57.WORK.REQ.CustomerInvoices	CSINRE	GUEST INCIDENT REQUEST
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZVRHS	VEHICLE RENTAL HISTORY
47019	Photo & Video Library	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
47165	Photo and Video Library	EAM-31578	BCMOBL	7I MOBILE BOILER TEXT
44025	Photos	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
23993	Physical Inventory	Infor EAM - name of new form on which to group parts together for the purpose of physically counting the inventory in the storeroom.	BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			SSPINV	PHYSICAL INVENTORY
			SYSTDL	Stocktake Discrepancy
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTDL	Stocktake Discrepancy
			SZSTTL	PRINT STOCKTAKE LIST
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			SCPHIN	CROSSBOW MATERIAL MENU
			TCCRSB	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			SCPHYS	CROSSBOW PHYSICAL INVENTORY
47391	Physical Inventory - CONN	EAM-34261 Make a Connected only physical inventory	BCMOBL	7I MOBILE BOILER TEXT
27669	Physical Inventory - CONNECTED	Crossbow - function title	SCPHYS	CROSSBOW PHYSICAL INVENTORY
47418	Physical Inventory - Connected	EAM-34261 EAM Transit - Physical Inventory - Make	BCMOBL	7I MOBILE BOILER TEXT
23991	Physical Inventory Date	Infor EAM - this date is used for generating physical inventory - when a date is entered here, the system displays inventory information for parts whose last stock date is prior to this date	SSPINV	PHYSICAL INVENTORY
		Infor EAM - group header on the Physical Inventory form to display the fields which are used to build the record and generate inventory	SSPINV	PHYSICAL INVENTORY
44026	Physical Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
		EAM.EQUIP.REQ.MobileNotebook.docx	OSMNBK	NOTEBOOK
41257	Physical Location Parent	EAM-1919.EQUIP.REQ.AssetInventory	BSLOVS	LIST OF LOOKUPS
			OSAINV	ASSET INVENTORY
41616	Physical Location Parent Org.	EAM-1919.EQUIP.REQ.AssetInventory	OSAINV	ASSET INVENTORY
41258	Physical Location Type	EAM-1919.EQUIP.REQ.AssetInventory	OSAINV	ASSET INVENTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43788	Physical Location Updated	EAM-9710 EAM.EQUIP.REQ.InventoryResultsforAssetInv Infor EAM - a real, tangible mtere, such as a car's odometer, that you physically attach to a piece of equipment to measure usage.	OSAINV	ASSET INVENTORY
21119	Physical Meter		BCMOBL	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			WSDEPO	DEPOTS
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
39737	Physical Meter Description	EAM.WORK.UC.FuelIssues.doc / SCR#45520	WSFISS	FUEL ISSUES
32489	Physical Meters	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
24087	Physical Qty.	Extended (product name). This field is on the Parts tab of the Physical Inventory form. Choose Materials > Physical Inventory. Add Tab > Parts.	BCMOBL	7I MOBILE BOILER TEXT
			SSPINV	PHYSICAL INVENTORY
45705	Physical Qty. must be a number between 0 and 999999999999999999.999999	EAM-21731 Support Stock take/Physical Inventory	BCMOBL	7I MOBILE BOILER TEXT
25266	Physical Quantity	Crossbow - physical inventory quantity	TCCERR	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMSTL	7I MOBILE BOILER TEXT
		D7i Extended - Physical Inventory Discrepancy report	SSPINV	PHYSICAL INVENTORY
			SYSTDL	Stocktake Discrepancy
			SZSTDL	Stocktake Discrepancy
38575	Physical Volume	EWS.WORK.UC.TanksForFuelPhysicalInventory / 37107	WSFUPI	PHYSICAL INVENTORY FOR FUEL
38576	Physical Volume UOM	EWS.WORK.UC.TanksForFuelPhysicalInventory / 37107	WSFUPI	PHYSICAL INVENTORY FOR FUEL
11930	Physical quantity	The actual quantity counted during a stock take.	STSTDL	Stocktake Discrepancy
30315	Pick List	D7i Extended - Reports - EWS.REP.UC.PrintPickList.Doc	BSMPWO	MP2 WORK ORDERS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			SY PICK	Pick List Print
			SZ PICK	Pick List Print
30342	Pick List Between	Infor EAM.	SY PICK	Pick List Print
			SZ PICK	Pick List Print
21437	Pick Ticket	Infor EAM - A pick ticket is the same thing as a pick list and it is basically a list of items needed to complete a job, such as a hammer or screwdriver.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			SSISSU	Stock Issues

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21437	Pick Ticket	Infor EAM - A pick ticket is the same thing as a pick list and it is basically a list of items needed to complete a job, such as a hammer or screwdriver.	SSPART SSPICK SSSTOR SYPICK SZPICK WSJOBS WSJOVH WSJOVM	PARTS PICK TICKETS STORES Pick List Print Pick List Print CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
23875	Pick Ticket Approval	Infor EAM - The limit that a user cannot exceed when approving pick tickets - this appears on the record view and is preceeded by 'limit' in the group header.	BSIMUS BSORGS BSROLE BSUSER	IMPORT USERS ORGANIZATIONS LDAP ROLES SETUP USER SETUP
23876	Pick Ticket Approval Limit	Infor EAM - The limit that a user cannot exceed when approving pick tickets.	BSORGS BSROLE BSUSER	ORGANIZATIONS LDAP ROLES SETUP USER SETUP
35118	Pick Ticket Between :PARAM1 and :PARAM2	Print Pick Ticket Report- change Pick List to Pick	SYPICK SZPICK	Pick List Print Pick List Print
23902	Pick Ticket Details	Infor EAM - group header on the pick ticket form	SSPICK	PICK TICKETS
31430	Pick Ticket Lines	D7i Extended - List of Tampered Records report	WSPPTP BYTMPR BZTMPR	CREATE PICK TICKET POPUP LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
21863	Pick Tickets	Infor EAM - plural form of pick ticket	LVPICK	PICK TICKET LOOKUP
13462	Pick list	The ticket number for the pick list. A pick ticket is the same thing as a pick list and it is basically a list of items needed to complete a job, such as a hammer or screwdriver.	STPICK STPICK	Pick List Print Pick List Print
13464	Pick list between		STPICK	Pick List Print
19466	Pick list lines	line items of a pick list...displays on printed report	BTTMPR	LIST OF TAMPERED RECORDS
44027	Picture Library	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44028	Pictures	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41577	Pie Chart	EAM.CREP.UC.PMRepairCostsChart.docx	WZPMCC	PM REPAIR COSTS CHART
34379	Pie with 3-D Effect	26376	OHWOCS OZWOCs	WORK ORDER COST SUMMARY GRAPH WORK ORDER COST SUMMARY GRAPH
28450	Pigging Frequency	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
26860	Ping host by ICMP (RFC 792)	Crossbow	FCSCRN	FLAMETHROWER SCREENS
26861	Ping host by TCP (RFC 1072)	Crossbow	TCPCON FCSCRN TCPCON	7I MOBILE BOILER TEXT FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
28431	Piping Class	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28432	Piping Class Rev.	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
28477	Piping Classes	D7i Extended -- Monitored Data form -- noun	BSLOVS	LIST OF LOOKUPS
23805	Plan	Infor EAM - field that identifies the PM Plan number. A PM plan is a group of PMs that will be realised together	WSPPMs WZPPMQ	PM SCHEDULES LIST OF PM SCHEDULES
42759	Plan Labor	EAM-9309: Ability to create/update job plan labor	WEJTAT WSJBPL	TASK PLAN LABOR JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42759	Plan Labor	EAM-9309: Ability to create/update job plan labor	WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
42760	Plan Labor Details	EAM-9309: Ability to create/update job plan labor	WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSTASK	TASKS
			WSJBPL	JOB PLANS
42756	Plan Parts	EAM-9310:EAM.WORK.REQ.PlanPartsforJobPlan	BCMOBL	7I MOBILE BOILER TEXT
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
42780	Plan Parts Details	EAM-9310:EAM.WORK.REQ.PlanPartsforJobPlan	WSTASK	TASKS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSJBPL	JOB PLANS
24269	Plan Priority	For PVCS 20503 (PIR - Full Electronic Record Contains Inconsistent Field Labels)	USINVP	INVESTMENT PLANNING
43542	Plan Qty.	EAM.MATL.REQ.ServicesforRequisition	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSREQU	REQUISITIONS
			WSBKPO	BOOK PO LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
43723	Plan Qty. UOM	EAM.WORK.REQ.BookPOLabor	WSBKPO	BOOK PO LABOR
31678	Plan Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
39703	Plan Tools	EAM.WORK.UC.PlanToolsforWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOC	CREATE STANDARD WO POPUP
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
41002	Plan for Improvement (PFI)	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	WSTASK	TASKS
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
40922	Plan for Improvement No.	EAM-417: Projects Healthcare	WZWOLM	WORK ORDER LIST - DETAIL
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
11932	Planned	Used for costing purposes, i.e., the amount of money planned for a job versus the actual or estimated amount.	JSPROJ	PROJECTS
			JYACOS	PROJECT AREA COST SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11932	Planned	Used for costing purposes, i.e., the amount of money planned for a job versus the actual or estimated amount.	JZACOS	PROJECT AREA COST SUMMARY
			JZCOSL	PROJECT COST SUMMARY
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
			WHCOSL	Job Cost Summary Report
			WHJOBL	Labour Hours For Jobs
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WTJOBL	Labour Hours For Jobs
			WYCOSL	Job Cost Summary Report
			WYJOBL	Labour Hours For Jobs
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZJOBL	Labour Hours For Jobs
31679	Planned Activity Start Date Relative to Planned Work Order Start Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
48134	Planned Adds	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
33106	Planned After	EWS.CREP.UC.ShortTermWorkOrderList(Activities).doc	WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
34959	Planned After :PARAM1	23249-Localization problem with report subtitles	WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
48137	Planned Balance	Hertz custom reports	WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
33105	Planned Before	EWS.CREP.UC.ShortTermWorkOrderList(Activities).doc	WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
34962	Planned Before :PARAM2	23249-Localization problem with report subtitles	WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
29130	Planned Between	D7i Extended - Long Term Work Order List Report	WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBL	Labour Hours For Jobs
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZJOBL	Labour Hours For Jobs
			WZJOLL	Job List
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBL	Labour Hours For Jobs
34935	Planned Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBL	Labour Hours For Jobs

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34935	Planned Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZJOBL	Labour Hours For Jobs
			WZJOLL	Job List
29732	Planned Comp Date	D7i Extended - Calibration Due Report	WTCALD	CALIBRATION DUE REPORT
32144	Planned Comp. Date	EWS.REP.UC.CalibrationDueReport - Calibration Due Report	WZCALD	CALIBRATION DUE REPORT
48136	Planned Deletes	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
44622	Planned Duration		BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
		CZCASE	CASE MANAGEMENT REPORT	
37470	Planned Materials	EWS.PRCH.UC.PartsForRFQs	PSWOPP	RETRIEVE WORK ORDER PARTS
34947	Planned On or After :PARAM1	23249-Localization problem with report subtitles	WHJOBL	Labour Hours For Jobs
			WYJOBL	Labour Hours For Jobs
			WZJOBL	Labour Hours For Jobs
34943	Planned On or Before :PARAM2	23249-Localization problem with report subtitles	WHJOBL	Labour Hours For Jobs
			WYJOBL	Labour Hours For Jobs
			WZJOBL	Labour Hours For Jobs
49758	Planned Options	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
37299	Planned Part	EWS.PRCH.UC.GenerateRequisitionsforRFQs.doc	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSRFGP	GENERATE POS FOR RFQS
			PSRFRG	GENERATE REQS FOR RFQS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
42162	Planned Parts	EAM-5333	BCMOBL	7I MOBILE BOILER TEXT
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
36651	Planned Qty	EWS.WORK.UC.PartsforDeferredMaintenance	BCMOBL	7I MOBILE BOILER TEXT
22683	Planned Qty.	Infor EAM - the number of parts estimate for a work order activity. Modified from 'Qty. Planned' to 'Planned Qty.' based on a product managment.QA decision.	PSWOPP	RETRIEVE WORK ORDER PARTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPLPA	PLANNED PART AVAILABILITY
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSVITE	WORK ORDER QUICK ENTRY
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48119	Planned Rentals	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48124	Planned Returns	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48130	Planned Shop-Ins	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48132	Planned Shop-Outs	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
22684	Planned Source	Infor EAM - the source of the planned parts for the work order, e.g., from inventory or direct	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22684	Planned Source	Infor EAM - the source of the planned parts for the work order, e.g., from inventory or direct	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
43602	Planned Trade	EAM.WORK.REQ.ViewEmployeeShiftSchedulePopup	WSMECH	MECHANIC'S WORKBENCH
			WSVEMS	VIEW EMPLOYEE SCHEDULE
48126	Planned Trip-Ins	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
48128	Planned Trip-Outs	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
44029	Planned must not be less than zero.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
49517	Planning Details	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49519	Planning Error	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
42851	Planning Level	Tasks - Rename to Task Plans	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMOVE	MOVE PM ACTIVITY
			WSPACT	IMPORT ACTIVITIES
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			USINVP	INVESTMENT PLANNING
49747	Planning Period	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
49506	Planning Periods	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49520	Planning Request Date	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49746	Planning Results	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
49521	Planning Run Date	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49522	Planning Run ID	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
49518	Planning Status	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
46978	Platform	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
47543	Please Check Your Configuration.	Mobile -	BCMOBL	7I MOBILE BOILER TEXT
		EAM.WORK.REQ.MechanicWorkbenchKiosk.docx		
46206	Please Select Transaction.	Physical Inventory	BCMOBL	7I MOBILE BOILER TEXT
27496	Please check your User ID and Password.	Crossbow	TCELRC	7I MOBILE BOILER TEXT
44030	Please check your UserID and Password.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47720	Please confirm if these items need to be swapped	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT
47845	Please confirm new password	EAM-35949 Change password - New screen to allow ch	BCMOBL	7I MOBILE BOILER TEXT
46803	Please enable location services to perform this function.	EAM-28694 EAM Transit- IOS support Apple Map	BCMOBL	7I MOBILE BOILER TEXT
44031	Please enable location services to	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	update location.			
44033	Please enter Asset ID.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44034	Please enter Cost.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46197	Please enter Date.	Meter Reading	BCMOBL	71 MOBILE BOILER TEXT
44036	Please enter Description	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44037	Please enter Estimated Hours.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
27637	Please enter Numeric Value.	Crossbow	TCJCDE	71 MOBILE BOILER TEXT
			TCSCMN	71 MOBILE BOILER TEXT
44039	Please enter Observed Location.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44050	Please enter Part.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44051	Please enter Password.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46196	Please enter Sequence.	FlexBusinessRules	BCMOBL	71 MOBILE BOILER TEXT
46198	Please enter Value.	Meter Reading	BCMOBL	71 MOBILE BOILER TEXT
44032	Please enter a comment.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
27651	Please enter a default value.	Crossbow	TCSRP	71 MOBILE BOILER TEXT
19880	Please enter a reason for rejection.	Infor EAM	WSWREQ	WORK REQUEST
47032	Please enter a reject reason.	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	71 MOBILE BOILER TEXT
46246	Please enter a valid Authenticate code.	EAMLoginView Controller	BCMOBL	71 MOBILE BOILER TEXT
47843	Please enter current password	EAM-35949 Change password - New screen to allow ch	BCMOBL	71 MOBILE BOILER TEXT
44035	Please enter data.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
47844	Please enter new password	EAM-35949 Change password - New screen to allow ch	BCMOBL	71 MOBILE BOILER TEXT
44038	Please enter number of persons.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
25174	Please enter or change Name to create a new Parameter List or keep Name to modify the current Parameter List, and make the parameter list your Default if desired.	Extended (product name)	BSPARM	PARAMETER LIST POPUP
44052	Please enter quantity.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
40821	Please enter the URL for the link:	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44058	Please enter the User ID to request reset password.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44057	Please enter the User ID.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44059	Please enter the Work Order Description.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44053	Please enter the activity for this Cost.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44054	Please enter the activity for this Part.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44055	Please enter the date for this Cost.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44056	Please enter the quantity for this Part.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
21248	Please enter the reason why you are rejecting :param1 :param2	Infor EAM - Below this phrase will appear an are where the user can write the reason they are rejecting something	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45083	Please enter the reason why you are rejecting Reservation Request :param1.	EAM.WORK.REQ.ReviewReservationRequests:EAM-15014	WSAPRR	REJECT REASON
20105	Please enter the reason why you are rejecting Work Request :PARAM1	Infor EAM - prompt for user to enter a rejection reason	WSAPRR	REJECT REASON
25600	Please enter valid Category values.	Crossbow	TCSYCF	71 MOBILE BOILER TEXT
25601	Please enter valid Class values.	Crossbow	TCSYCF	71 MOBILE BOILER TEXT
25602	Please enter valid Department values.	Crossbow	TCSYCF	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25603	Please enter valid Location values.	Crossbow	TCSYCF	71 MOBILE BOILER TEXT
25604	Please enter valid Store values.	Crossbow	TCSYCF	71 MOBILE BOILER TEXT
44060	Please enter value for End Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44061	Please enter value for Start Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44062	Please enter value for Trade.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44063	Please enter value to search.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
45489	Please fill out all required fields.	EAM-18785 iPad - Support Layout configuration on Activity List View	BCMOBL	71 MOBILE BOILER TEXT
47031	Please indicate which disciplines are rejected.	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	71 MOBILE BOILER TEXT
28594	Please log in to a non-common Organization.	Barcode	FCSCRN	FLAMETHROWER SCREENS
			TCCLOG	71 MOBILE BOILER TEXT
44064	Please provide a default value.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
24703	Please provide log in details.	Crossbow	TCCLOG	71 MOBILE BOILER TEXT
44066	Please select Activity.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44067	Please select Aspect.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44068	Please select Asset.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44070	Please select Bin.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44071	Please select Certification Number.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44072	Please select Certification Type.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46202	Please select Commission Date.	AddNewAsset	BCMOBL	71 MOBILE BOILER TEXT
44073	Please select Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44075	Please select Department.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44076	Please select Employee.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46203	Please select Entity Type.	Meter Reading	BCMOBL	71 MOBILE BOILER TEXT
44077	Please select Equipment.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46200	Please select Hours Requested.	PlanTool	BCMOBL	71 MOBILE BOILER TEXT
44079	Please select Issue/Return of parts.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44080	Please select Lot.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44081	Please select Occupation type.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46204	Please select Organization.	Add New Asset	BCMOBL	71 MOBILE BOILER TEXT
44082	Please select Part.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44085	Please select Point Type.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44084	Please select Point.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44086	Please select Result.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46201	Please select Return Condition.	Issue return	BCMOBL	71 MOBILE BOILER TEXT
44087	Please select Signature Type.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44088	Please select Status.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44089	Please select Store.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46205	Please select Tool.	Plan Tool	BCMOBL	71 MOBILE BOILER TEXT
44091	Please select Trade.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
44092	Please select Type.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
46207	Please select UOM.	Meters	BCMOBL	71 MOBILE BOILER TEXT
46221	Please select WorkOrder/Equipment.	Documents	BCMOBL	71 MOBILE BOILER TEXT
24704	Please select a Comment to delete.	Crossbow	TCJCML	71 MOBILE BOILER TEXT
24705	Please select a Comment to edit.	Crossbow	TCJCML	71 MOBILE BOILER TEXT
25267	Please select a Meter Reading first.	Crossbow	TCOMRL	71 MOBILE BOILER TEXT
24706	Please select a Part to delete.	Crossbow	TCJAPL	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24707	Please select a Part to edit.	Crossbow	TCJAPL	7I MOBILE BOILER TEXT
25268	Please select a WO first.	Crossbow	TCIWOL	7I MOBILE BOILER TEXT
24708	Please select a Work Order first.	Crossbow	TCJOB1	7I MOBILE BOILER TEXT
24709	Please select a Work Order to delete.	Crossbow	TCJOB1	7I MOBILE BOILER TEXT
24710	Please select a Work Order to edit.	Crossbow	TCJOB1	7I MOBILE BOILER TEXT
25271	Please select a current meter first.	Crossbow	TCOMRP	7I MOBILE BOILER TEXT
21493	Please select a reading to delete.	Infor EAM - prompt for the user action on the meter reading for equipment popup	OSAREA	READING FOR ASSET
			OSLREA	READING FOR LOCATION
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
44065	Please select a work order.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24711	Please select an Activity first.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
25269	Please select an Equipment first.	Crossbow	TCIOBL	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
24712	Please select an Equipment to view.	Crossbow	TCOBJL	7I MOBILE BOILER TEXT
25270	Please select an Inspection Result first.	Crossbow	TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
46199	Please select at least one layer.	GISSettings	BCMOBL	7I MOBILE BOILER TEXT
44069	Please select at least one to group.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44074	Please select date worked.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44078	Please select hours worked.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44083	Please select picture.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44090	Please select the type for this cost.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44348	Please select value for :PARAM1.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44093	Please sign here.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
20315	Please specify a layout for the List View.	Infor EAM - Prompt for the user to select a layout for the List View	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
20316	Please specify a layout for the Portlet View.	Infor EAM - Prompt for the user to select a layout for the Portlet View	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44115	Please upload image first.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44116	Please use filter to get records.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
31853	Please wait...	17058 - Adding Report attachments	BCMOBL	7I MOBILE BOILER TEXT
			BSADVR	ADVANCED REPORTING FUNCTION
40054	Plot Points Time Frame	#47317	OZEFSL	ASSET FAILURES BY SERVICE LIFE
33588	Plus or Minus %	22892	USBDET	COPY BUDGET
			USCPBP	COPY BUDGETPOPUP
12177	Point	Inspection point. Objects may have inspection points, to be measured on a (ir)regular basis.	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12177	Point	Inspection point. Objects may have inspection points, to be measured on a (ir)regular basis.	IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			OSEQCI	CHECKLIST ITEMS
			WHJOBf	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSROUT	ROUTES
			WTJOBf	Job Cards
			WYJOBf	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBf	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow - point of inspection	BCMOBL	7I MOBILE BOILER TEXT
			TCIAVI	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
28276	Point Comments	D7i Extended -- Work Orders form -- Boiler Text for Inspections tab of Work Order, noun	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			ISMONT	MONITORED DATA
28379	Point Condition Details	D7i Extended -- Monitored Data form -- Boiler text for Conditions tab, noun	ISMONT	MONITORED DATA
28384	Point Conditions	D7i Extended -- Monitored Data form -- Tab Title, noun	ISMONT	MONITORED DATA
28764	Point Custom Fields	D7i Extended -- Work Orders form -- Inspections tab, link, noun	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
25273	Point Desc	Crossbow - Point Description - description of point of inspection	TCIAVI	7I MOBILE BOILER TEXT
28382	Point Description	D7i Extended -- Monitored Data form -- Boiler text for Conditions tab	BCMOBL	7I MOBILE BOILER TEXT
			ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28277	Point Details	D7i Extended -- Work Orders form -- Boiler text for Inspection Tab of Work Order, noun	WSROUT	ROUTES
			ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28277	Point Details	D7i Extended -- Work Orders form -- Boiler text for Inspection Tab of Work Order, noun	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47715	Point No.	EAM-36202:EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
46135	Point Reference	EAM.EQUIP.REQ.LinearReferencesForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
48449	Point Revision	EAM.MOBILE.REQ.LOTOForPermitToWork	BCMOBL	7I MOBILE BOILER TEXT
25274	Point Type	Crossbow - point of inspection type	BCMOBL	7I MOBILE BOILER TEXT
			TCIAVI	7I MOBILE BOILER TEXT
			TCIRSL	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
		D7i Extended -- Work Orders form -- field label, noun	BSDOCA	DOCUMENTS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			ISPCOP	COPY ASPECT POINTS
			ISPNTP	POINT TYPES
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZRSLF	LIST OF INSPECTION RESULTS
			OSEQCI	CHECKLIST ITEMS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSROUT	ROUTES
			WSTASK	TASKS
46842	Point Type Description	EAM.INSPECTION.REQ.TolerancesForAspect	ISASPC	ASPECTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
27693	Point Type Details	Infor EAM. Refer to EWS.INSPECTION.UC.CreateEditPointType.	ISPNTP	POINT TYPES
28430	Point Types	D7i Extended -- Monitored Data form -- noun	BSLOVS	LIST OF LOOKUPS
47794	Point Value	EAM-37795 : EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
24464	Pointer	D7i Extended - GIS map toolbar icon alt text	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
17155	Points	POC	BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43305	Points of Interest	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	BCMOBL	7I MOBILE BOILER TEXT
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
41242	Policy	EAM-243: EAM.EQUIP.REQ.Policy	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
41243	Policy Description	EAM-243: EAM.EQUIP.REQ.Policy	OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
41246	Policy Org.	AM-400:EAM.EQUIP.REQ.Strategy	OSSTGY	CREATE STRATEGY
41244	Policy Statement	EAM-243: EAM.EQUIP.REQ.Policy	OSPOLI	CREATE POLICY
30630	Pool	D7i Extended -- Parameters for Fleet Configuration -- Field Label, adjective Hertz custom reports	WSFLCF	FLEET CONFIGURATION
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
			WSFMRK	FLEET MARKUP CODES
30951	Pool Mileage	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the charge for pool mileage	WSFMRK	FLEET MARKUP CODES
30958	Pool Mileage %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for pool mileage	WSFMRK	FLEET MARKUP CODES
30969	Pool Usage	D7i Extended -- Rates for Fleet Markup Codes --Field Label, markup amount entered for pool usage	WSFMRK	FLEET MARKUP CODES
30961	Pool Usage %	D7i Extended -- Rates for Fleet Markup Codes -- Field Label, enter the markup percentage for pool usage	WSFMRK	FLEET MARKUP CODES
31224	Pool/Loaner Adjustments	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Tab Name	WSFBIL	FLEET BILLS
34806	Poor	EWS.BASE.UC.BE.PREPOPULATIONDATA.doc/#26689	BCMOBL	7I MOBILE BOILER TEXT
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			WHJOBFB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WZJOBFB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
15264	Pop-up		BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
33654	Populate Contact Information on Unsuccessful Search	22087	CSCCSP	CONTACT CENTER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37522	Populate Suppliers	EWS.MATL.UC.GenerateRFQs/33146	SSGRFQ	GENERATE RFQS
45009	Popup	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
46682	Popup Description	EAM.ADMN.REQ.DataspiesforScreens.doc	BSFUNC	CREATE UPDATE SCREENS
45095	Popup Function	EAM.ADMN.REQ.ReservationCalendarforScreenSetup EAM-16690	BSFFSP	FILTER FIELD SETUP SCREEN
			BSLOVS	LIST OF LOOKUPS
27819	Popup Functions	D7i Extended - Screens form - DropDown element	BSFUNC	CREATE UPDATE SCREENS
49423	Portal	EAM-50152	BCMOBL	7I MOBILE BOILER TEXT
			WSGISD	MAP VIEW
45227	Portal ID	EAM-14718:EAM.CCTR.REQ.ContactInformation	CSCINF	CONTACT INFO
			PLOGON	PORTAL LOGON SCREEN
19894	Portlet	Infor EAM	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27224	Portlet Field List	D7i Extended - Comma separated Field list for a Portlet	BEWSMD	EWS - METADATA DEFINITION
11934	Position	Contexts: budget position (that is, how much is spent / is left). Also: functional position (type of object).	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OZEQUD	EQUIPMENT DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZRING	RING LIST-DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11934	Position	Contexts: budget position (that is, how much is spent / is left). Also: functional position (type of object).	WSGSRH WSJOBS WSJOVH WSJOVM WSOPSS WSPMPL WSWLSH WZPMFC	GIS MAP ROADS HIGHWAYS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP PM FORECASTING WO LABOR SCHEDULING PM FORECASTING
46247	Position Cost Roll Up	Equipment	BCMOBL	7I MOBILE BOILER TEXT
20941	Position Dependent	Infor EAM - filter option on the Assets list view screen. When the user selects this option they are asking the system to show them all position types of equipment with the dependent checkbox selected.	OSGFLD	ASSET FIELD LIST FOR MAPPING
37227	Position Description	32141	WSJOBS WSPMPL WSWLSH WZPMFC	CREATE WORK ORDER PM FORECASTING WO LABOR SCHEDULING PM FORECASTING
31681	Position Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
30250	Position Org.	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - Title for the mapped organization field for the parent position.	OSGFLD WSPMPL WSWLSH WZPMFC	ASSET FIELD LIST FOR MAPPING PM FORECASTING WO LABOR SCHEDULING PM FORECASTING
47110	Position Parent	EAM-24227 - EAM.EQUIP.REQ.Assets	OSOBJA	CREATE ASSET EQUIPMENT
19074	Positions	functions performed by a general kind of asset; e.g., the pump that moves water from one tank to another is a functional position, which can be filled by any number of actual physical pumps (assets)	BSLOVS OE OBJP OE OVPM OS OBJP	LIST OF LOOKUPS CREATE POSITION EQUIPMENT CREATE POSITION EQUIPMENT CREATE POSITION EQUIPMENT
		Infor EAM - name of dataspy on the structure tab of the equipment form	BIASPS BSLOVS ISMONT OSHVPVH OS OBJA OS OVAM OSSTRU	ASSETS POSITION SYSTEM LIST OF LOOKUPS MONITORED DATA CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT STRUCTURE FOR EQUIPMENT
27783	Positive Symbol	D7i Extended - Locales form	BSLOCL	LOCALE
42705	Possible Findings	EAM-8627	BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
37078	Possible duplicate work orders exist. If an existing work order covers the reported problem, select the work order and then click Link to Request. If the reported problem is new, click Create New WO.	31095	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
26183	Post Insert	D7i Extended - Flex SQL; This is dropdown select item label.	BCMOBL YSFLXS	7I MOBILE BOILER TEXT FLEX SQL
26182	Post Update	D7i Extended - Flex SQL; This is dropdown select item label.	BCMOBL YSFLXS	7I MOBILE BOILER TEXT FLEX SQL
38296	Postal Code	36409	BSREGN	CREATE EDIT REGIONS
42509	Posted Date	EAM.ADMN.REQ.View_eRecords (EAM-6652)	BSESIG	ERECORDS LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38427	Potential Equipment Details	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38479	Potential Manufacturer	EWS.MATL.UC.CreateEditPartEvaluations.doc	OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
38480	Potential Model Number	EWS.MATL.UC.CreateEditPartEvaluations.doc	OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
38482	Potential Part Details	EWS.MATL.UC.CreateEditPartEvaluations.doc	SSEVAL	PART EVALUATIONS
29714	Potential Standard	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
38677	Potential Total Annual Savings	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
39269	Power Factor (%)	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
39601	Power Usage Effectiveness	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
35974	Pre Approve 1	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35975	Pre Approve 1 Date	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35976	Pre Approve 2	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35977	Pre Approve 2 Date	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35978	Pre Approve 3	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35979	Pre Approve 3 Date	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
41751	Precaution	EAM.WORK.REQ.Precautions	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WHJOBf	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPCTN	PRECAUTIONS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WZJOBf	PRINT WORK ORDER
			WZPTWR	PRINT PERMIT TO WORK
47431	Precaution Applied	EAM-34683 - EAM.WORK.REQ.SafetyForPermitToWork.doc	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41970	Precaution Description	EAM-3113 EAM.WORK.REQ.PrecautionsForHazards	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSHZRD	HAZARDS
41916	Precaution Details	EAM.WORK.REQ.Precautions	WSPCTN	PRECAUTIONS
41919	Precaution Org.	EAM-3113 :EAM.WORK.REQ.PrecautionsForHazards	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
42124	Precaution Revision	Safety for Work Order	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
41882	Precautions	EAM-3612:	BSLOVS	LIST OF LOOKUPS
		EAM.WORK.REQ.PrecautionsForRevisionContr	WSHZRD	HAZARDS
			WSRVCS	REVISION CONTROL SETUP
27590	Precis	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
26083	Precision	Precision (number of decimal places), used in calibration, OMOBJC.	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			JSCAMP	CAMPAIGN
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26083	Precision	Precision (number of decimal places), used in calibration, OMOBJC.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
40923	Preconstruction Risk Assessment	EAM-417: Projects Healthcare	BZEVD	ELECTRONIC RECORDS FOR EVENTS
41001	Preconstruction Risk Assessment (PCRA)	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLM	WORK ORDER LIST - DETAIL
			WSJOBS	CREATE WORK ORDER
43339	Preferences	EAM-9345	BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
20861	Preferred	Infor EAM - checkbox on the Supplier's tab of the Parts form that identifies the Supplier as the preferred supplier for the selected part.	SSPART	PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
19921	Preferred Approver	Infor EAM	SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
35096	Preferred Contact Method	EWS.CCTR.UC.Provider	CSPROV	PROVIDERS
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSPART	PARTS
20838	Preferred Store	Indicates which other store should preferably supply this store.	SSREQF	GENERATE REQ
			SSSTOR	STORES
			SYUSAL	Average Monthly Usage Analysis
			SZUSAL	Average Monthly Usage Analysis
20746	Preferred Supplier	Infor EAM - Person or organization that is preferred for the purchase of particular materials / services. Also used for the automatic generation of stock item requisitions.	BSDOCA	DOCUMENTS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			PSPARP	SELECT PARTS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20746	Preferred Supplier	Infor EAM - Person or organization that is preferred for the purchase of particular materials / services. Also used for the automatic generation of stock item requisitions.	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSTOR	STORES
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			STLOWL	Overview Of Stock
			SYINST	INVENTORY STANDARD
			SYLOWL	Overview Of Stock
			SYUSAL	Average Monthly Usage Analysis
			SZINST	INVENTORY STANDARD
			SZLOWL	Overview Of Stock
			SZUSAL	Average Monthly Usage Analysis
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
43456	Preferred Supplier Org.	EAM-10901:EAM.WORK.REQ.JobsforStandardWO	WSTASK	TASKS
			WSPPMS	PM SCHEDULES
33155	Prefix	22012	WSSTWO	STANDARD WOS
			BSDTCV	DATA CONVERSION (MP2)
34885	Preliminary Analysis	26984	BSDTCV	DATA CONVERSION (MP2)
35412	Preliminary Analysis Options - Step 1 of 2	#28171	BSDTCV	DATA CONVERSION (MP2)
35413	Preliminary Analysis Options - Step 2 of 2	#28171	BSDTCV	DATA CONVERSION (MP2)
41834	Prepared By	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
44737	Prepared By E-mail	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
44736	Prepared By Name	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
43131	Prepayment	EAM.PRCH.REQ.LinesforInvoiceVoucher.doc	PSINVO	INVOICES
24475	Preplanned Material List	Extended (product name). Used for From dropdown on part tab of pick ticket page	SSIMPL	IMPORT PART LIST
22449	Preplanned Material Lists	Infor EAM - name of dataspy	WSMATL	MATERIAL LISTS
35268	Prerequisites	#28171	BSDTCV	DATA CONVERSION (MP2)
14353	Present width	When modifying the layout of a form, specifically the length of a field, you would click 'width' on BXLAYO and MP5 displays a popup window that displays field properties. Present width is the current length of the field.	BXLAYO	R5 Screen Layout Editor
43647	Preserve Calculated Priority	EAM-11440:Calculated Priority & override protection	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43869	Press down to start and let go to finish	EAM-13575/Draw toolbar tooltip	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40119	Prevent Issue from Default Return Bin	EAM.MATL.UC.StoresforParts	SSPART	PARTS
42020	Prevent Issues	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
			TCMRTP	7I MOBILE BOILER TEXT
48469	Prevent Performed By Signature	EAM-42566 - EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
36432	Prevent Reorders	EWS.MATL.UC.CreateEditParts.doc/30699	PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
48470	Prevent Reviewed By Signature	EAM-42566 - EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
37111	Prevent Separation Greater than 1 Period Between Forecast Start Date and new PM Due Dates	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
31360	Prevent Update Print Flag	D7i Extended - Print Short Work Order Cards report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
37612	Prevent new PM Due Dates prior to Forecast Start Date	33574	WSPMPL	PM FORECASTING
20935	Prevent non-PM WO Completion	Infor EAM - checkbox to indicate that any work order associated with the equipment cannot be closed.	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43493	Preventive Maintenance Details	EAM-11442:EAM.EQUIP.REQ.EquipmentOperationalStatus	OSSTAT	EQUIPMENT OPERATIONAL STATUS
31682	Preventive Maintenance Schedule	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD BZPPAD BZPPMD	ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR PPM ACTIVITIES ELECTRONIC RECORDS FOR PPM
11935	Preventive maintenance schedule	Predefined maintenance work with a regular frequency. PPM.	WTBLOG WTJOLL WTPPML WYJOLL WZBLOG WZBLOH WZBYPL WZJOLL	Work Backlog Job List List Of All Ppm Schedules Job List Work Backlog WORK BACKLOG_HOSPITALITY LIST OF JOBS BYPASSED DUE TO NESTING Job List
20628	Preview	button on new batch report to preview the report before printing	BSCMEX FCSCRN ISAPRF OSEQGN SSABCA SSASGN SSEOQA WSBWOG WSCAPA WSPMPL	CONFIGURATION MANAGER - EXPORT FLAMETHROWER SCREENS APPROVE INSPECTION RESULTS EQUIPMENT GENERATION GENERATE ABC ANALYSIS GENERATE POS CALCULATE EOQ GENERATE/RELEASE WOS WO LOAD BALANCING PM FORECASTING
37856	Preview Grid	EWS.ADMN.UC.CreateEditAlert / 33833	BSALPG BSALRT BSJSDN	PREVIEW ALERT GRID POPUP ALERT MANAGEMENT SYSTEM COMMON FUNCTION FOR JAVASCRIPT
38747	Preview Production Requests	EWS.WORK.UC.WOPreviewforGenerateProductionRequest	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
44118	Preview not available.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
15077	Previous	Used for date range	FCSCRN REPORT BSDTCV BSSTR	FLAMETHROWER SCREENS General Report Function DATA CONVERSION (MP2) EWS NEW START CENTER
41581	Previous Invoice	EAM- 2229 EAM.PRCH.REQ.UtilityAuditForInvoiceVouch	PSINVO	INVOICES
37157	Previous Month	EWS.WORK.UC.ForecastingforPMForecasting	WSPMPL	PM FORECASTING
40799	Previous Month (Control+Left)	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46426	Previous Observation Count	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
32485	Previous Org. Details	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
32481	Previous Organization	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
33803	Previous Page	EWS.CCTR.UC.KnowledgeBase	BSJSDN CSKBSP	COMMON FUNCTION FOR JAVASCRIPT KNOWLEDGE BASE SEARCH
41555	Previous Period Cons.	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
41556	Previous Period Cons. Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
41557	Previous Period Rate	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
41558	Previous Period Rate Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
22719	Previous Record (Ctrl+Up)	Infor EAM - mouse-over text for button on toolbar to go to the previous record	BANNER	BANNER
33793	Previous Results Page	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29267	Previous Search	D7i Extended - Equipment - pvcs 9782 - the title of a new button added in Gis Map search page	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
46298	Previous WO	Work Order	BCMOBL	7I MOBILE BOILER TEXT
36529	Previous WO - Activity	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
36657	Previous WO Activity	31111	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
39321	Previous Week	40522	WSCAPA	WO LOAD BALANCING
			WSWLSH	WO LABOR SCHEDULING
36656	Previous Work Order	31111	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			REPORT	General Report Function
17408	Previous field			
17285	Previous form	Tool Tip for Previous Form	M1	Pull-Down Menu Texts
13234	Previous function	Pull down menu item	M1	Pull-Down Menu Texts
17457	Previous query	Tool tip for Previous Query button on menu bar.	M1	Pull-Down Menu Texts
17279	Previous record	Tool Tip for Previous Record	M1	Pull-Down Menu Texts
39367	Previously Scheduled Hours	40522	WSWLSH	WO LABOR SCHEDULING
39370	Previously Scheduled People	40522	WSWLSH	WO LABOR SCHEDULING
11904	Price	Unit price (of a part).	BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CYCONF	Print Contract
			CZCONF	Print Contract
			FCGRD2	FLAMETHROWER GRID 2
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSOBJS	ASSETS FOR PO
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11904	Price	Unit price (of a part).	PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			PZPRFQ	REQUEST FOR QUOTATION
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSCOMP	NON-PO RECEIPTS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQF	GENERATE REQ
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			SYABCA	ABC Analysis
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SZABCA	ABC Analysis
			SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZLKIT	LIST OF KITS
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHINVS	CUSTOMER INVOICE REPORT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSBFUL	BATCH FUEL ISSUES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSDEPO	DEPOTS
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMP	EMPLOYEES
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSINVC	CUSTOMER INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11904	Price	Unit price (of a part).	WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSSREQ	SERVICE REQUESTS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WYINVS	CUSTOMER INVOICE REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZINVS	CUSTOMER INVOICE REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
38112	Price (UOM)	34884	SSRECV	PO RECEIPTS
38113	Price (UOP)	34884	SSREQU	REQUISITIONS
			PSPORD	PURCHASE ORDERS
37332	Price / Currency	EWS.CREP.UC.QuotationSummary	PSRFQR	QUOTATIONS
			PZQUOS	QUOTATION SUMMARY
20775	Price Code	Used in store-to-store transactions.	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			SSSTOR	STORES
31683	Price Code of Destination Store	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
31684	Price Code of Originating Store	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
21046	Price Codes	Infor EAM - title on lookup for price codes	LVPRIC	PRICE CODE LOOKUP
21156	Price Details	Infor EAM - group header on the Prices tab of the Part form that displays price-related information for a the part	SSPART	PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
49138	Price Override	EAM-46997 EAM.PROJ.REQ.PartsforCompatibleUnitsLib	JSCULB	COMPATIBLE UNITS LIBRARY
49139	Price Override Currency	EAM-46997 EAM.PROJ.REQ.PartsforCompatibleUnitsLib	JSCULB	COMPATIBLE UNITS LIBRARY
20750	Price Type	Infor EAM - determines the type of pricing used for parts and is defined by an installation parameter, e.g., can be A for weighted average, L for last price, or S for standard price	SSABCA	GENERATE ABC ANALYSIS
			SSPART	PARTS
			SSSTOR	STORES
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
31685	Price Update	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
32959	Price Variance Only	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
36931	Price in Line Currency	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21149	Prices	Infor EAM - title of tab on the parts form to enter multiple prices for a part (multi-org)	SSPART WSJBPL WSTASK	PARTS JOB PLANS TASKS
20130	Pricing	Infor EAM - group header on the part details screen that displays price information	SSREQ SSREQS	REQUISITION LINE CREATE PURCHASE REQUISITION
30321	Pricing Schedule	Infor EAM. Field label on the Pricing Schedules form.	BSDOCA BSLOVS WSAGRS WSARRS WSDEBS WZAGRS	DOCUMENTS LIST OF LOOKUPS CUSTOMER CONTRACTS PRICING SCHEDULE CREATE CUSTOMER PRINT CUSTOMER CONTRACT
35059	Pricing Schedule Class	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
30464	Pricing Schedule Description	Infor EAM. This string is related to the Asset Mgmt Services module (an AMS module user could be an apartment complex, where the cost of performing work is charged to the customer). This string identifies the price list (schedule) for work.	WSAGRS WSDEBS	CUSTOMER CONTRACTS CREATE CUSTOMER
35054	Pricing Schedules	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
12851	Primary	Flag, indicating whether the manufacturer is the primary manufacturer of a part.	BSPAMA SSMANP SSMANU SSPART TCJAPR TCMRTP WSAARD WSASRD WSWKPK	MANUFACTURER POPUP IN PART ASSOCIATED OVERVIEW OF MANUFACTURER PARTS MANUFACTURERS PARTS 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT ASSET REPAIR DETAILS ASSIGN REPAIR DETAILS PM WORK PACKAGES
40052	Primary Closing Code	#47317	OZEFSL	ASSET FAILURES BY SERVICE LIFE
36847	Primary Commodity	EWS.PRCH.UC.PartsForRFQs / 31085	PSPARP SSPART	SELECT PARTS POPUP PARTS
33135	Primary E-mail	22012	CSCINF WZGDCL	CONTACT INFO GDPR COMPLIANCE - CALLER
		EWS.CCTR.UC.ContactCenter	CSCCTR CSCSUR CSPROV SSSUPC SSSUPP WZGDPC	CONTACT CENTER CUSTOMER SURVEYS PROVIDERS CUSTOMERS SUPPLIERS GDPR COMPLIANCE - CONTACT
44923	Primary Email	EAM.WORK.REQ.IncidentRequestsforWO	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
33120	Primary Fax	Contact Info	CSCCTR CSCINF CSINRE CSPROV SSSUPC SSSUPP WSJOBS	CONTACT CENTER CONTACT INFO GUEST INCIDENT REQUEST PROVIDERS CUSTOMERS SUPPLIERS CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33120	Primary Fax	Contact Info	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
47683	Primary Fuel	EAM-35594	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47738	Primary Fuel Description	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
47741	Primary Fuel UOM	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	WSBFUL	BATCH FUEL ISSUES
42528	Primary Key	EAM-5174	BSGDPR	GDPR ADMINISTRATION
			BZGDPU	GDPR COMPLIANCE - USER
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			SSPART	PARTS
			WSCREEN	CUSTOMER RENTALS
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZGDCL	GDPR COMPLIANCE - CALLER
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZSUPI	GDPR COMPLIANCE - SUPERVISOR
35840	Primary Keys	EWS.ADMN.UC.TableStructurePopup.doc	BSTBST	TABLE STRUCTURE POPUP
37480	Primary Manufacturer	33106	BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			FCGRD1	FLAMETHROWER GRID 1
			PSINVA	BOOK INVOICE ALLOCATIONS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
37481	Primary Manufacturer Part Number	33106	BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			FCGRD1	FLAMETHROWER GRID 1
			PSINVA	BOOK INVOICE ALLOCATIONS
			SSPART	PARTS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37481	Primary Manufacturer Part Number	33106	WSTASK	TASKS
33250	Primary Phone	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSPROV	PROVIDERS
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZGDCL	GDPR COMPLIANCE - CALLER
			WZGDPC	GDPR COMPLIANCE - CONTACT
			WZJOB	PRINT WORK ORDER
45861	Primary System	EAM.EQUIP.REQ.Assets	BCMOBL	71 MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47227	Primary System Dependent	EAM-31306-EAM.GIS.REQ.MapFeatureAttributes	OSGFLD	ASSET FIELD LIST FOR MAPPING
45932	Primary System Org.	EAM-24785	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSGFLD	ASSET FIELD LIST FOR MAPPING
47736	Primary UOM	EAM-35595 EAM.WORK.REQ.BatchFuelIssues	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
37634	Primary Use	SCR#33576	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37695	Primary Use Code	SCR#33576	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
37696	Primary Use Codes	SCR#33576	BSLOVS	LIST OF LOOKUPS
11905	Print		BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCSCRN	FLAMETHROWER SCREENS
			ISASPC	ASPECTS
			JSCAMP	CAMPAIGN
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQT	REQUESTS FOR QUOTATIONS
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSVITE	WORK ORDER QUICK ENTRY
30019	Print ABC Analysis	D7i Extended - Materials - EWS.MATL.UC.GenerateABCAnalysis.doc - field label - users can select to print the ABC analysis	SSABCA	GENERATE ABC ANALYSIS
32864	Print All Released PMs	SCR 21447	WSRELJ	RELEASE OF SELECTED JOBS
23893	Print All eRecords	Infor EAM - button to print a list of the electronica records associated to the selected entity	BSESIG	ERECORDS LIST
33799	Print Article	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
29277	Print Assets	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
21558	Print Attachments		CYCCTR	CALL CENTER WO REPORT
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			OZEQUD	EQUIPMENT DETAIL
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SZREQF	Print Purchase Requisition
			WHJOBF	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21558	Print Attachments		WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYJOBQ	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPTWR	PRINT PERMIT TO WORK
			WZVTKT	VEHICLE TICKET REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WSFCUS	FLEET CUSTOMERS
31335	Print Bill	D7i Extended -- Billing History for Fleet Customers -- Button Label, used to print an existing bill for a certain billing cycle Refer to PVCS 17754.	WSFBIL	FLEET BILLS
48846	Print Booked Hours Labels	EAM-43700	WZJOBQ	PRINT WORK ORDER
48845	Print Booked Labor	EAM-43700	WZJOBQ	PRINT WORK ORDER
40328	Print Build Kit List	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT	BUILD KITS
34084	Print Calculated EOQ	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
42371	Print Core Return Label(s)	EAM-5197 EAM.MATL.REQ.IssueReturnParts	SSISSU	Stock Issues
42370	Print Core Return Qty.	EAM-5197 EAM.MATL.REQ.IssueReturnParts	SSISSU	Stock Issues
25473	Print Custom Fields	Extended. Associate Custom Fields form.	BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSCLSB	CLASSES FOR BUSINESS EDITION
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
34989	Print Description	15771-EWS.REP.UC.PrintPurchaseOrder	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			FCSCRN	FLAMETHROWER SCREENS
31198	Print Field	Barcoding	FCSCRN	FLAMETHROWER SCREENS
40001	Print Flex Business Rules List	SCR# 46968	BZFLXL	PRINT FLEX SQL LIST
38110	Print Front Page	EWS.ADMN.UC.AdministrationSetup/34625	BSBSET	ADMIN SETUP
15194	Print Front page	Checkbox label : Indicate whether a report front page with parameter and user data are shown.	REPORT	General Report Function
42235	Print Images	EAM-4625	CZCCTR	SERVICE REQUEST WO REPORT
			OZEQUD	EQUIPMENT DETAIL
			PHORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WHJOBQ	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42235	Print Images	EAM-4625	WHWOSH WZJOBF WZJOBQ WZJOVH WZJOVM WZPTWR WZVTKT WZWOSH	PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HEALTHCARE PRINT PERMIT TO WORK VEHICLE TICKET REPORT PRINT SHORT WORK ORDER CARDS
31197	Print Job	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31170	Print Jobs	Barcoding	FCSCRN	FLAMETHROWER SCREENS
40407	Print Kit Restock List	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
31458	Print Label		TCDTCL TCPMTR TCPRLB	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
30737	Print Label(s)	Infor EAM. Command for printing labels.	SEIRPP SSCOMP SSHIXF SSHSXF SSIRPP SSISSU SSRECV SSSTSR SSTTHI	ISSUE/RETURN PACKAGE PARTS POPUP NON-PO RECEIPTS HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER ISSUE/RETURN PACKAGE PARTS POPUP Stock Issues PO RECEIPTS STORE TO STORE RECEIPTS STOCK TO HELD ITEMS TRANSFER
33375	Print MEC Attachments	EWS.REP.UC.WorkOrderCards.doc	CYCCTR CZCCTR WHJOBF WHWOSH WYJOBF WYWOSH WZJOBF WZWOLG WZWOSH	CALL CENTER WO REPORT SERVICE REQUEST WO REPORT PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT WO LONG PRINT SHORT WORK ORDER CARDS
32061	Print No Charge Bills	EWS.REP.UC.FleetBill.doc - Fleet Bill report	WTVBIL WYVBIL WZVBIL	VEHICLE BILLING REPORT VEHICLE BILLING REPORT VEHICLE BILLING REPORT
37478	Print Option	EWS.PRCH.UC.CreateEditRequestsForQuotations	PSRFQT	REQUESTS FOR QUOTATIONS
25947	Print PO	Infor EAM. Field on 'Assign Requisition Lines to PO' form. Refer to PVCS 5615.	PSRFGP SSASGN	GENERATE POS FOR RFQS GENERATE POS
25787	Print Preview	Extended (product name). Toolbar icon tooltip text.	BANNER	BANNER
31686	Print Qty	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
28719	Print Qty.	D7i Extended -- Field lable to specify the number of prints (enter 'how many').	SEIRPP SSCOMP SSHIXF SSHSXF SSIRPP SSISSU SSRECV	ISSUE/RETURN PACKAGE PARTS POPUP NON-PO RECEIPTS HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER ISSUE/RETURN PACKAGE PARTS POPUP Stock Issues PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28719	Print Qty.	D7i Extended -- Field lable to specify the number of prints (enter 'how many').	SSSTSR	STORE TO STORE RECEIPTS
29275	Print Quantity	D7i Extended - Create Stocktake List Report	SSTTHI	STOCK TO HELD ITEMS TRANSFER
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
23606	Print Record (Alt+P)	Infor EAM - mouse-over text for button on the toolbar to print the current record.	BANNER	BANNER
31831	Print Report	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCCRSB	7I MOBILE BOILER TEXT
			TCPRRP	7I MOBILE BOILER TEXT
		21961	WSCJOP	GENERATE ALL CUSTOMER CHARGES
27138	Print Requisition	Infor EAM. Field label on the Generate Requisition form. Refer to PVCS 6697.	PSRFRG	GENERATE REQS FOR RFQS
			SSREQF	GENERATE REQS
39842	Print Selected PO	EAM.PRCH.UC.POUupdate.docx/45705	PSPoup	PO UPDATE
32970	Print Selected Released PM	EWS.WORK.UC.ReleasePMs	WSRELJ	RELEASE OF SELECTED JOBS
39802	Print Selected WO	EAM.WORK.UC.WOUpdate/45704	WSWoup	WO UPDATE
23894	Print Selected eRecord	Infor EAM - button to print just the selected electronic record (snapshot) for the selected entity	BSESIG	ERECORDS LIST
31171	Print Server Parameter	Barcoding	FCSCRN	FLAMETHROWER SCREENS
47434	Print Summary	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
25033	Print Summary Report	Extended (product name)	WSBWOG	GENERATE/RELEASE WOS
29767	Print Test Point Comments	D7i Extended - Calibration Analysis Report	WTCALA	CALIBRATION ANALYSIS
			WZCALA	CALIBRATION ANALYSIS
27912	Print Type	Barcode	FCSCRN	FLAMETHROWER SCREENS
36760	Print UDF on Supported Reports	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
43446	Print Warranty Return Label(s)	EAM.MATL.REQ.IssueReturnParts	SSISSU	Stock Issues
25034	Print Work Orders	Extended (product name)	WSBWOG	GENERATE/RELEASE WOS
			WSSESS	AUTO-GENERATED WO SESSIONS
22652	Print all reports	Pull down menu item	M1	Pull-Down Menu Texts
20559	Print attachments	This will be the flag on the report screen to let the system know whether or not to print attachments on the report.	PTORDF	Print Purchase Order
			WTJOBf	Job Cards
12516	Print dialog	Title of dialog box for report output options.	M1	Pull-Down Menu Texts
			REPORT	General Report Function
43412	Print in Supplier Language	EAM-11240	PHORDF	Print Purchase Order
			PZORDF	Print Purchase Order
32027	Print on Purchase Order	EWS.CREP.UC.ElectronicRecords	BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
32026	Print on Work Order	EWS.CREP.UC.ElectronicRecords	BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
13205	Print report	Pull down menu item	M1	Pull-Down Menu Texts
			REPORT	General Report Function
31468	Print request failed for current record.		TCPRLB	7I MOBILE BOILER TEXT
13204	Print screen	Pull down menu item	M1	Pull-Down Menu Texts
21093	Print with Document	Infor EAM - checkbox on the Add/Edit Comment pop-up that indicates that the comment should print when the document or record is printed.	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
			BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			BSCOMM	COMMENTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSWOBU	BATCH WORK ORDER UPDATE
21844	Print with Purchase Order	Infor EAM - checkbox to print thr document attached to the	BSDOCA	DOCUMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36109	Print with Report	part record when the purchase order for the part is printed	BSDOCA	DOCUMENTS
21842	Print with Work Order	EWS.BASE.UC.DocumentsAssociated.doc Infor EAM - checkbox to print the document attached to the work order when the work order is printed.	BSDOCA	DOCUMENTS
31459	Print?		TCPRLB	7I MOBILE BOILER TEXT
12176	Printed		BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			REPORT	General Report Function
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSVITE	WORK ORDER QUICK ENTRY
			WTPERF	Permits For Jobs
			WZPERF	Permits For Jobs
12337	Printer	A device to create paper copies of lists and forms.	BHUSRL	USERS GROUP CONFIGURATION
			BSDEVS	PRINTERS
			BTUSRL	USERS PER GROUP
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			FCSCRN	FLAMETHROWER SCREENS
			REPORT	General Report Function
		D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCDPRN	7I MOBILE BOILER TEXT
			TCPRRP	7I MOBILE BOILER TEXT
24385	Printer Code	Extended (product name). Administration module, Trades	BSGROU	GROUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27812	Printer Details	form.	BSDEVS	PRINTERS
28302	Printers	D7i Extended - Printers form	BSLOVS	LIST OF LOOKUPS
		D7i Extended -- Printers form -- noun	FCSCRN	FLAMETHROWER SCREENS
44293	Printing could not complete because of error: :PARAM1	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44119	Printing is not supported in this iOS version. Contact your system administrator.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
42940	Prior Year	EAM-10033	OZOEEM	OEE METRICS
28900	Priorities	Extended (product name)	BSLOVS	LIST OF LOOKUPS
47887	Prioritization Weights	EAM-38196:EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
11907	Priority	How important is the execution of a job.	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CYCCTR	CALL CENTER WO REPORT
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCCTR	SERVICE REQUEST WO REPORT
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11907	Priority	How important is the execution of a job.	OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OZNCFL	LIST OF NONCONFORMITIES
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCSTWO	CROSSBOW STANDARD WO LIST
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCAPA	WO LOAD BALANCING
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSCHD	WORK ORDER SCHEDULE
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11907	Priority	How important is the execution of a job.	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTJOB	Job Cards
			WTJOB	Labour Hours For Jobs
			WTJOLL	Job List
			WTPPML	List Of All Ppm Schedules
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOB	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYJOLL	Job List
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZJOB	PRINT WORK ORDER
			WZJOB	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPMSP	PM SCHEDULE PROFILE
			WZPPML	List Of All Ppm Schedules
			WZPPMQ	LIST OF PM SCHEDULES
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
	Crossbow		BCMOBL	7I MOBILE BOILER TEXT
			TCJOB	7I MOBILE BOILER TEXT
			TCJOB	7I MOBILE BOILER TEXT
	Crossbow		TCJOB	7I MOBILE BOILER TEXT
			WZPPMQ	LIST OF PM SCHEDULES
	EAM.WORK.REQ.PermitsForWorkOrder		BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11907	Priority	EAM.WORK.REQ.PermitsForWorkOrder	CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CZCASE	CASE MANAGEMENT REPORT
			OSAPMS	APM SCENARIO
			WHPTWR	PRINT PERMIT TO WORK
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZLMWO	LIST OF MAINTENANCE WO
			WZPTWR	PRINT PERMIT TO WORK
37898	Priority Code	How important is the execution of a job.	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49513	Priority Details	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
42113	Priority Icon	EAM.WORK.REQ.PermitToWork	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			WSCOPO	CONTRACTOR PORTAL
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49567	Priority Override	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
49565	Priority Weight	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
15242	Private		BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZMNBK	MOBILE NOTEBOOK
24857	ProbCo	Crossbow - Problem Code	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBRR	7I MOBILE BOILER TEXT
43150	Probabilities	EAM-9410	BSLOVS	LIST OF LOOKUPS
42720	Probability	EAM.EQUIP.REQ.FunctionalFailuresPopup:EAM-8383	OSFAIL	FAILURE MODES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZRCML	RCM RISK LEVELS
			OZRMSO	RISK MATRIX OVERVIEW
			OSFAIL	FAILURE MODES POPUP
47576	Probability %	EAM-36134: EAM.EQUIP.REQ.RiskMatrixSetup	OSFAIL	FAILURE MODES POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47576	Probability %	EAM-36134: EAM.EQUIP.REQ.RiskMatrixSetup	OSFUNF	FUNCTIONAL FAILURES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
41624	Probability Density	EAM-2416	OZPRDC	RELIABILITY CALCULATIONS
41623	Probability Density Chart	EAM-2416	OZPRDC	RELIABILITY CALCULATIONS
24178	Problem	Crossbow	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
20150	Problem Code	Infor EAM - Problem codes are used to indicate what type of work is required.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSINRE	GUEST INCIDENT REQUEST
			CZISGH	INCIDENT SUMMARY GRAPH
			JSCAMP	CAMPAIGN
			OSFAIL	FAILURE MODES POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZFLTG	Fault Trend Analysis
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZOMFL	Mean Time Between Failures Per Object
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZTBRK	TOP 10 BREAKDOWN
			SSISSU	Stock Issues
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20150	Problem Code	Infor EAM - Problem codes are used to indicate what type of work is required.	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WYJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPFAR	PART FAILURES REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOST	WORK ORDER STATISTICS
		D7i Extended - Closing Codes - dropdown option	BCMOBL	7I MOBILE BOILER TEXT
			OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			TCESYP	7I MOBILE BOILER TEXT
44120	Problem Code Desc	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41089	Problem Code Description	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
			OSFAIL	FAILURE MODES POPUP
			WSJOBS	CREATE WORK ORDER
37823	Problem Code Field	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
43809	Problem Code Org.	EAM-13010	WSJOVH	CREATE WORK ORDER
41090	Problem Code Property	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
30974	Problem Codes	D7i Extended - Fault-trend Analysis report	BSLOVS	LIST OF LOOKUPS
12341	Problem code	Requirement codes are used to indicate what type of work is required.	OCRECC	CROSSBOW PROBLEM CLASS LIST
			OCRECO	CROSSBOW PROBLEM CODE LIST
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCSTWO	CROSSBOW STANDARD WO LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12341	Problem code	Requirement codes are used to indicate what type of work is required.	WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WTJOB	Job Cards
29905 29902 38890	Problem generating the filter query. Problem initializing filter screen. Problem syncing data. Please try again.	Crossbow Crossbow 22099 Out of memory error on device	TCCFLT	7I MOBILE BOILER TEXT
			TCCFLT	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
12866	Process	Process (verb), used on buttons in the meaning 'Start the actual processing'	ISAPRF	APPROVE INSPECTION RESULTS
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSEOQA	CALCULATE EOQ
			SSREQF	GENERATE REQS
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPMPL	PM FORECASTING
42454	Process Error	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
35114	Process Group	WebServicesforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
35162	Process Group-Web Service	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
42456	Process Last Updated	Equipment Generation	OSDCUR	DECAY CURVE
			OSEQGN	EQUIPMENT GENERATION
29069	Process Range	D7i Extended - Calibration for Equipment - Process = noun	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
49049	Process Range From	EAM-46575		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49049	Process Range From	EAM.EQUIP.REQ.TestPointsForEquipment.doc	LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSITPP	IMPORT TEST POINTS
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49002	Process Range To	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
42455	Process Running	Equipment Generation	OSDCUR	DECAY CURVE
			OSEQGN	EQUIPMENT GENERATION
31946	Process Start Date	BillingScheduleforFleetConfiguration/16500	WSFLCF	FLEET CONFIGURATION
31947	Process Start Time	BillingScheduleforFleetConfiguration/16500	WSFLCF	FLEET CONFIGURATION
29068	Process Tolerance	D7i Extended - Calibration for Equipment - process=noun	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49048	Process Tolerance From	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSITPP	IMPORT TEST POINTS
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49001	Process Tolerance To	EAM-46575 EAM.EQUIP.REQ.TestPointsForEquipment.doc	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28504	Process Transactions	D7i Extended -- Prompt Machine form -- button label used in prompt machine, verb	TSTRAN	PROMPT MACHINE
42452	Processed	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
			WSJOBS	CREATE WORK ORDER
25664	Processed Lines	Extended (product name). Tab name on the PO Receipts form.	SSRECV	PO RECEIPTS
19399	Processed checkbox is selected	this is a value of the New status on BNEREC when you select this, the systems takes a snapshot of the electronic record when they system shows that the Processed checkbox (for inspections) is selected	BSEREC	ELECTRONIC RECORD SETUP
			BSESIG	ERECORDS LIST
33233	Processing	15880	DSMSGGS	VIEW MESSAGE STATUS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
26416	Processing Details	Infor EAM. Block label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			DSMSGGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGGS	VIEW MESSAGE STATUS
			TSASTP	DC TRANSACTION PROMPT
38189	Processing Retry Schedule	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
32975	Processing Status	EWS.DBADMIN.UC.ViewMessageStatus	BSLANG	LANGUAGES
			BSLOVS	LIST OF LOOKUPS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGGS	VIEW MESSAGE STATUS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
32980	Processing Status Info	EWS.DBADMIN.UC.ViewMessageStatus		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32980	Processing Status Info	EWS.DBADMIN.UC.ViewMessageStatus	BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGGS	VIEW MESSAGE STATUS
32976	Processing Status Message	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGGS	VIEW MESSAGE STATUS
32974	Processing Type	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGGS	VIEW MESSAGE STATUS
31852	Processing attachments.	17058 - Adding Report attachments	BSADVR	ADVANCED REPORTING FUNCTION
23764	Processing request.	Infor EAM - this is the text on the little popup that displays when the system is busy, i.e., the user must wait until this sign goes away to continue using the system.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28590	Processing response...	Barcode	FCSCRN	FLAMETHROWER SCREENS
33230	Processor	15880	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			DSMSGGS	VIEW MESSAGE STATUS
35205	Product	28030	BSDTCV	DATA CONVERSION (MP2)
38097	Product Logo Path	EWS.ADMN.UC.AdministrationSetup/34625	BSBSET	ADMIN SETUP
12668	Production	Flag indicating whether an object is used for production or not.	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
		Flag indicating whether an object is used for production or	CSCCGM	CONTACT CENTER MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12668	Production	not.	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
38801	Production Details	Create Edit Work Order	JSCAMP	CAMPAIGN
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
38772	Production End Date	37916	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
38769	Production Order	37916	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
38780	Production Order Details	EWS.ADMN.UC.CreateEditProductionRequests	WSPDRQ	PRODUCTION REQUEST
38887	Production Priorities	EWS.WORK.UC.ParametersforGenerateProductionRequest	BSLOVS	LIST OF LOOKUPS
38796	Production Priority	EWS.WORK.UC.CreateEditProductionRequests	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38796	Production Priority	EWS.WORK.UC.CreateEditProductionRequests	WSOPSS WSPDRQ WSPPPMS	OPTIMIZED SCHEDULER SETUP PRODUCTION REQUEST PM SCHEDULES
38825	Production Priority Desc.	EWS.WORK.UC.CreateEditProductionRequests	JSCAMP OSSTAT OSVEVT WSJOBS WSJOVH WSJOVM WSMPAT WSPDRQ WSPPPMS	CAMPAIGN EQUIPMENT OPERATIONAL STATUS EVENTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS PRODUCTION REQUEST PM SCHEDULES
38754	Production Request	37916	BSCLSB BSDOCA BZEVT BZPRQD JSCAMP OSSTAT OSVEVT WSJOBS WSJOVH WSJOVM WSMPAT WSOPSS WSPDRQ	CLASSES FOR BUSINESS EDITION DOCUMENTS ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR PRODUCTION REQUESTS CAMPAIGN EQUIPMENT OPERATIONAL STATUS EVENTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS OPTIMIZED SCHEDULER SETUP PRODUCTION REQUEST
38779	Production Request Details	EWS.ADMN.UC.CreateEditProductionRequests	WSPDRQ	PRODUCTION REQUEST
38797	Production Request Preview	37965	WEGPPR WSGPRW	PRODUCTION REQUEST PRVIEW GENERATE PRODUCTION REQUEST FOR WORK ORDERS
38798	Production Request Revision	Create Edit Work Order	BZEVT JSCAMP OSSTAT OSVEVT WSJOBS WSJOVH WSJOVM WSMPAT WSOPSS	ELECTRONIC RECORDS FOR EVENTS CAMPAIGN EQUIPMENT OPERATIONAL STATUS EVENTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS OPTIMIZED SCHEDULER SETUP
38773	Production Start Date	37916	BZEVT BZPRQD JSCAMP OSSTAT OSVEVT WSJOBS WSJOVH WSJOVM	ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR PRODUCTION REQUESTS CAMPAIGN EQUIPMENT OPERATIONAL STATUS EVENTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38773	Production Start Date	37916	WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
42658	Productivity %	EAM.CREP.REQ.LaborProductivity_Healthcare.docx	WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
43567	Productivity (Days)	EAM-11722: Employee Productivity new report	WZEPRO	EMPLOYEE PRODUCTIVITY
40978	Profession	EAM.WORK.REQ.WorkOrderHospitality	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSJOVH	CREATE WORK ORDER
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WZJOVH	PRINT WORK ORDER HOSPITALITY
13997	Profile	This is an MP5 object profile or template. It can be entered once and then referenced when building new MP5 objects.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSGROU	GROUPS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJI	PROFILE
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQUD	EQUIPMENT DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13997	Profile	This is an MP5 object profile or template. It can be entered once and then referenced when building new MP5 objects.	OZTRAS SSPART TSPROF WSBFUL WSGSRH WSJOBS WSJOVH WSJOVM WSOPSS	EQUIPMENT TRANSFER LOG PARTS PROFILES BATCH FUEL ISSUES GIS MAP ROADS HIGHWAYS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPTIMIZED SCHEDULER SETUP
20770	Profile Attachment	Crossbow Infor EAM - group header on the parts form that groups profile information for the part	TCESYP SSPART	7I MOBILE BOILER TEXT PARTS
27103	Profile Details	D7i Extended - Equipment Profiles	TSPROF	PROFILES
44176	Profile ID	EAM.EQUIP.REQ.Rooms.docx	OSHPRM OSOBJA WSJOBS WSJOVH	CREATE HOSPITALITY ROOMS CREATE ASSET EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER
20762	Profile Name	Infor EAM - This is an equipment profile or template. It can be entered once and then referenced when building new pieces of equipment.	SSPART	PARTS
31687	Profile Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
25707	Profile Org.	Extended (product name). Organization of the Infor EAM Profile that is being associated with a GIS mapping layer.	BSGROU OSGFLD	GROUPS ASSET FIELD LIST FOR MAPPING
47932	Profile Picture	EAM-38026	BSDOCU BSUSER BZOBJD OSOBJA OSOBJL OSOBJP OSOBJS SSPART WSCREW WSCRWP WSEMPs WSOPSS WSSUPR	DOCUMENTS USER SETUP ELECTRONIC RECORDS FOR EQUIPMENTS CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PARTS CREW CREATE/EDIT CREW POPUP EMPLOYEES OPTIMIZED SCHEDULER SETUP SUPERVISOR
47947	Profile Pictures	EAM-38026	BSLOVS	LIST OF LOOKUPS
26743	Profile cannot be empty.	Crossbow	TCESYP	7I MOBILE BOILER TEXT
26742	Profile with this name already exists. Please use some other name.	Crossbow	TCESYP	7I MOBILE BOILER TEXT
28378	Profiles	D7i Extended -- Monitored Data form -- noun	BSLOVS ISMONT	LIST OF LOOKUPS MONITORED DATA
37998	Profit	EWS.CREP.UC.GasIndexAnalysis	OYGIAN OZGIAH OZGIAN	GAS INDEX ANALYSIS GAS INDEX ANALYSIS_HOSPITALITY GAS INDEX ANALYSIS
37919	Profit/Loss	EWS.CREP.UC.GasIndexAnalysis	OYGIAN OZGIAH	GAS INDEX ANALYSIS GAS INDEX ANALYSIS_HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37919	Profit/Loss	EWS.CREP.UC.GasIndexAnalysis	OZGIAN	GAS INDEX ANALYSIS
48721	Progress Bar	EAM-45774	BZDLUP	DATA LAKE UPLOAD PROGRESS
24858	Proj	Crossbow - Project	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBOR	7I MOBILE BOILER TEXT
11908	Project	Projects can be defined within MP5. Work orders can be associated with a project and can be executed as part of a project.	BSDOCA	DOCUMENTS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			FCGRD1	FLAMETHROWER GRID 1
			JCPRBU	CROSSBOW PROJ BUDGET LIST
			JCPROJ	CROSSBOW PROJ LIST
			JSPROJ	PROJECTS
			JYACOS	PROJECT AREA COST SUMMARY
			JYCODL	PROJECT COST BREAK DOWN
			JZACOS	PROJECT AREA COST SUMMARY
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			JZJOBL	LIST OF JOBS FOR PROJECT
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			SSASGN	GENERATE POS
			SSISSU	Stock Issues
			SSREQU	REQUISITIONS
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
11908	Project	Projects can be defined within MP5. Work orders can be associated with a project and can be executed as part of a project.	UZBDEL	BUDGET POSITION DETAILS	
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)	
			WCJOBS	CROSSBOW WORK ORDER FUNCTION	
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)	
			WHJOB	PRINT WORK ORDER	
			WHJOB	Labour Hours For Jobs	
			WHJOBQ	PRINT WORK ORDER	
			WHJOV	PRINT WORK ORDER HOSPITALITY	
			WHJOV	PRINT WORK ORDER HEALTHCARE	
			WHWOSH	PRINT SHORT WORK ORDER CARDS	
			WSAGRS	CUSTOMER CONTRACTS	
			WSCAPA	WO LOAD BALANCING	
			WSDEBS	CREATE CUSTOMER	
			WSINVC	CUSTOMER INVOICES	
			WSJOBS	CREATE WORK ORDER	
			WSJOV	CREATE WORK ORDER	
			WSJOV	CREATE WORK ORDER	
			WSPROJ	CREATE PROJECT POPUP	
			WSRELJ	RELEASE OF SELECTED JOBS	
			WSSCHD	WORK ORDER SCHEDULE	
			WSWLSH	WO LABOR SCHEDULING	
			WSWOUP	WO UPDATE	
			WTJOB	Job Cards	
			WTJOB	Labour Hours For Jobs	
			WTJOLL	Job List	
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)	
			WYJOB	PRINT WORK ORDER	
			WYJOB	Labour Hours For Jobs	
			WYJOLL	Job List	
			WYWOSH	PRINT SHORT WORK ORDER CARDS	
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)	
			WZAGRS	PRINT CUSTOMER CONTRACT	
			WZCJOB	CALCULATE CUSTOMER CHARGES	
			WZJOB	PRINT WORK ORDER	
			WZJOB	Labour Hours For Jobs	
			WZJOBQ	PRINT WORK ORDER	
			WZJOLL	Job List	
			WZJOV	PRINT WORK ORDER HOSPITALITY	
			WZJOV	PRINT WORK ORDER HEALTHCARE	
			WZMATL	MATERIAL REQUIREMENT ANALYSIS	
			WZPSCR	PROJECT SUMMARY CHART	
			WZWOLG	PRINT WO LONG	
			WZWOLM	WORK ORDER LIST - DETAIL	
			WZWOSH	PRINT SHORT WORK ORDER CARDS	
			Crossbow	BCMOBL	7I MOBILE BOILER TEXT
				TCESYP	7I MOBILE BOILER TEXT
				TCJOB	7I MOBILE BOILER TEXT
				TCJOBR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11908	Project	Crossbow 21961	TCMRTP	7I MOBILE BOILER TEXT
			BSMPPR	MP2 PURCHASING
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			OSAPMS	APM SCENARIO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSPACK	PACKAGES SCREEN
			WSCCON	CUSTOMER CONTRACTS
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSINVC	CUSTOMER INVOICES
21436	Project - Budget	Infor EAM - displays the project code and the budget associated with the project	WSMPAT	MAINTENANCE PATTERNS
			WZVMRS	VMRS ACTIVITIES CHART
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPACK	PACKAGES SCREEN
			SSREQU	REQUISITIONS
			SSRETP	RETURN PART
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
25651	Project Budget	Extended (product name)	WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWODP	VIEW WO DETAILS POPUP
			BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25651	Project Budget	Extended (product name)		LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			JSPRBU	Project Budget Codes
			JSSHUT	SHUTDOWNS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			SSPACK	PACKAGES SCREEN
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
			WSWLSH	WO LABOR SCHEDULING
			WZLWOQ	LIST OF WORK ORDERS
24368	Project Budget Code Description	Extended (product name). For fix for SCR 4227. To fix the quick filter on the Work WO Project - Budget form.	JSPROJ	PROJECTS
25652	Project Budget Details	Extended (product name)	JSPRBU	Project Budget Codes
24367	Project Description	Extended (product name). For fix for SCR 4227. To fix the quick filter on the Work WO Project - Budget form.	JSPROJ	PROJECTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			SSISSU	Stock Issues
			WSAGRS	CUSTOMER CONTRACTS
			WSDEBS	CREATE CUSTOMER
			WSJOBS	CREATE WORK ORDER
18174	Project Details	group header on JMPROJ	JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			OSAPMS	APM SCENARIO
			WSPROJ	CREATE PROJECT POPUP
32757	Project Group	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
32758	Project Groups	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
35757	Project ID	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
39188	Project Org.	EAM.WORK.UC.WOActivityPreviewWOLaborScheduling.doc	OSAPMS	APM SCENARIO
			WSCCON	CUSTOMER CONTRACTS
			WSWLSH	WO LABOR SCHEDULING
49580	Project Status	RCMFailureMitigationForEquipment/EAM-49865	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49580	Project Status	RCMFailureMitigationForEquipment/EAM-49865	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
41610	Project Summary Chart	EAM-2335	JSPROJ	PROJECTS
35758	Project Task	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
34136	Project Total	EWS.CREP.UC.ProjectAreaCostSummary.doc	JYACOS	PROJECT AREA COST SUMMARY
			JZACOS	PROJECT AREA COST SUMMARY
			JZPBCT	PROJECT BUDGET CODE COST SUMAMRY
24661	Project WOs	Extended (product name)	JSPROJ	PROJECTS
12424	Project budget	A project can be separated into several project budget codes for more detailed financial analysis.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
25276	Project does not exist. Do you want to view the lookup?	Crossbow - Issue/Return form	TCMRTP	7I MOBILE BOILER TEXT
11909	Project status		OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
36736	Project-Budget		PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
48138	Projected Balance	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
48118	Projected Rentals	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
48123	Projected Returns	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
24652	Projects	Extended (product name)	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSLOVS	LIST OF LOOKUPS
			JSPROJ	PROJECTS
			OSAPMS	APM SCENARIO
33259	Promise Date	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZCTRC	SERVICE REQUESTS CHART
13998	Prompt	Prompt is the boiler text for a scanner transaction.	ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			TSASTP	DC TRANSACTION PROMPT
		Crossbow	MMPRMP	MOBILE PROMPTS
			TCCRBS	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
44121	Prompt Code	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
28495	Prompt Data 1	D7i Extended -- Prompt Machine form -- field label, noun	TSTRAN	PROMPT MACHINE
28496	Prompt Data 2	D7i Extended -- Prompt Machine form -- field label, noun	TSTRAN	PROMPT MACHINE
28497	Prompt Data 3	D7i Extended -- Prompt Machine form -- field label, noun	TSTRAN	PROMPT MACHINE
28498	Prompt Data 4	D7i Extended -- Prompt Machine form -- field label, noun	TSTRAN	PROMPT MACHINE
28499	Prompt Data 5	D7i Extended -- Prompt Machine form -- field label, noun	TSTRAN	PROMPT MACHINE
28500	Prompt Data 6	D7i Extended -- Prompt Machine form -- field label, noun	TSTRAN	PROMPT MACHINE
26401	Prompt Description	Infor EAM. Field label used in transaction prompt page for the Interface module.	TSASTP	DC TRANSACTION PROMPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
18129	Prompt Details	Group header	ISASPC	ASPECTS
			TSASTP	DC TRANSACTION PROMPT
			TSTRAN	PROMPT MACHINE
44122	Prompt Fields	EWS.ADMN.UC.CreateEditWebServicePrompts	BSWSPM	WEB SERVICES PROMPT
28493	Prompt Machine	D7i Extended -- Prompt Machine form -- page title, noun	BCMOBL	7I MOBILE BOILER TEXT
			TETRAN	PROMPT MACHINE
			TSTRAN	PROMPT MACHINE
26406	Prompt Sequence	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
30725	Prompt When No Billing Code	D7i Extended -- Parameters for Fleet Config -- Field Label	WSFLCF	FLEET CONFIGURATION
28820	Prompts	D7i Extended -- Aspects form -- function title on Prompts tab, noun	ISASPC	ASPECTS
44123	Proof of Delivery	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
19986	Properties		WCJOBS	CROSSBOW WORK ORDER FUNCTION
			BSLOVS	LIST OF LOOKUPS
			LVLEV1	LEVEL1 LOOKUP
12296	Property		TCSCCF	7I MOBILE BOILER TEXT
			BCPRMC	CROSSBOW CUST ATTRIB CONTROL LIST
			BCPRMP	CORSSBOW CUSTOM ATTRIB PROPERTY LIST
			BCPRMV	CROSSBOW CUST ATTRIB VALUE LIST
			BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSLOVS	LIST OF LOOKUPS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			CSINRE	GUEST INCIDENT REQUEST
			ISASPC	ASPECTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			REPORT	General Report Function
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHJOBFB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCALL	CREATE/EDIT CALLER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCOSH	WO COST LIST_HOSPITALITY
			WZJOBFB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12296	Property		WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSSERQ	PROPERTIES
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDCH	DEGREE DAYS VS ENERGY
				CONSUMPTION_HOSPITALITY
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			CSCCGM	CONTACT CENTER MAP SEARCH
			CZISGH	INCIDENT SUMMARY GRAPH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WSCALP	ADD EDIT CALLER
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
			WSINFO	CREATE / EDIT PROPERTY INFORMATION
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSVSER	VIEW SERVICE REQUESTS
			WZCOSH	WO COST LIST_HOSPITALITY
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
41013	Property Damage	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
44470	Property Definition	EAM-14717: EAM.ADMN.REQ.Classes	WZWOLM	WORK ORDER LIST - DETAIL
			BSCLAS	CLASSES
			CSCINF	CONTACT INFO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40991	Property Description	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	WSJOVM	CREATE WORK ORDER
24069	Property Details	Infor EAM - group header. 'Property' is related to the 'real estate', NOT the attribute.	BSSERQ	PROPERTIES
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
48063	Proposed Crew	EAM.WORK.REQ.CreateCrewPopup.docx	WSCRWP	CREATE/EDIT CREW POPUP
29872	Propty	Crossbow - Property	TCSVRQ	7I MOBILE BOILER TEXT
38282	Protect	EWS.WORK.UC.RevisionControlSetup/SCR #36272	WSRVCS	REVISION CONTROL SETUP
46416	Protect Header Data	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46427	Protect Observation Data on Header	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
23704	Protected	Infor EAM - when the user is in screen designer mode, they can click on a field and then right click and this will be one of the menu options meaning that they user wants to protect this field, i.e., make it read-only.	BHUSRL	USERS GROUP CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSWSPM	WEB SERVICES PROMPT
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
27299	Protocol	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
33015	Provider	EWS.CCTR.UC.KBAdmin	CSINRE	GUEST INCIDENT REQUEST
			CYCCTR	CALL CENTER WO REPORT
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
		EWS.CCTR.UC.Provider	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
35100	Provider Details	EWS.CCTR.UC.Provider	CSPROV	PROVIDERS
33016	Provider Org.	EWS.CCTR.UC.KBAdmin	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33322	Providers	21970	BSLOVS	LIST OF LOOKUPS
27581	Proxy	Crossbow	TCCLOG	7I MOBILE BOILER TEXT
27954	Proxy Server:	Barcode	FCSCRN	FLAMETHROWER SCREENS
27576	Proxy Settings	Crossbow	TCPRXY	7I MOBILE BOILER TEXT
		Barcode	FCSCRN	FLAMETHROWER SCREENS
27577	Proxy server	Crossbow	TCPRXY	7I MOBILE BOILER TEXT
12330	Public	A screen/report is public when all users may use it.	ASDTEN	DATA ENTRY FORMS
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12330	Public	A screen/report is public when all users may use it.	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
44124	Pull down to refresh.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40331	Pulled	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT	BUILD KITS
			SZBUKT	PRINT BUILD LIST
38305	Pump	EWS.WORK.UC.FuellIssues.doc	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSDEPO	DEPOTS
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
38487	Pump Description	EWS.WORK.UC.TankPumpsForDepots.doc	WSDEPO	DEPOTS
38502	Pump Details	EWS.WORK.UC.PumpsForDepots/36611	WSDEPO	DEPOTS
38321	Pumps	EWS.WORK.UC.FuellIssues.doc	BSLOVS	LIST OF LOOKUPS
			WSDEPO	DEPOTS
41895	Purchase	EAM-4398	BIMROP	MRO INVENTORY
40870	Purchase Cost	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
		EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40883	Purchase Date	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSAPMS	APM SCENARIO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
17551	Purchase Details		WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17551	Purchase Details		WSTASK	TASKS
			WSTASL	TASK LOOKUP
23871	Purchase Order	Infor EAM - The limit that a user cannot exceed when create a purchase order - this appears on the record view and is preceeded by 'limit' in the group header.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSIMUS	IMPORT USERS
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCINF	CONTACT INFO
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			FCGRD2	FLAMETHROWER GRID 2
			JSPROJ	PROJECTS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PHORDF	Print Purchase Order
			PSINVO	INVOICES
			PSOBSJ	ASSETS FOR PO
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23871	Purchase Order	Infor EAM - The limit that a user cannot exceed when create a purchase order - this appears on the record view and is preceeded by 'limit' in the group header.	PZPVAR	PRICING VARIANCE REPORT
			PZVEND	VENDOR LEAD TIME
			SSASGN	GENERATE POS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			SYHISL	Purchase History Per Item/Supplier
			SYRCVF	GOODS RECEIVED NOTE
			SYREQL	List Of Outstanding Requisition Items
			SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SZHISL	Purchase History Per Item/Supplier
			SZRCVF	Goods Received Note
			SZREQL	List Of Outstanding Requisition Items
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			WSACMP	ACTIVATE MP POPUP
			WSBKPO	BOOK PO LABOR
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			YSACCD	VIEW GL VALUES
40884	Purchase Order #	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	BZEQDL	EQUIPMENT LIST - DETAIL
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
20824	Purchase Order - Line	Infor EAM - displays the purchase order number and line number created for the work order	WSOPSS	OPTIMIZED SCHEDULER SETUP
			BSLOVS	LIST OF LOOKUPS
			BZEQDL	EQUIPMENT LIST - DETAIL
			JSCAMP	CAMPAIGN
			OSESCH	RESERVATION CALENDAR
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			PSINVO	INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20824	Purchase Order - Line	Infor EAM - displays the purchase order number and line number created for the work order	PSOBS	ASSETS FOR PO
			SSPACK	PACKAGES SCREEN
			SSRETN	SUPPLIER RETURNS
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49448	Purchase Order - Lines	EAM-46728	BSLOVS	LIST OF LOOKUPS
27837	Purchase Order Class Code	D7i Extended	BSWHSE	DATA WAREHOUSE
27839	Purchase Order Class Description	D7i Extended	BSWHSE	DATA WAREHOUSE
27838	Purchase Order Class Organization	D7i Extended	BSWHSE	DATA WAREHOUSE
23229	Purchase Order Description		BSWHSE	DATA WAREHOUSE
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PSPORD	PURCHASE ORDERS
26057	Purchase Order Details	Infor EAM. Section title on the Purchase Order form. Refer to PVCS 5752.	PSPORH	PO HISTORY
30225	Purchase Order Due Date	D7i Extended - Reports - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
23872	Purchase Order Limit	Infor EAM - The limit that a user cannot exceed when create a purchase order.	BSGRPU	USERS PER GROUP
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
20937	Purchase Order Line	Infor EAM - line number for a purchase order	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSPACK	PACKAGES SCREEN
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			WSJOBS	CREATE WORK ORDER
31688	Purchase Order Line/Requisition Line	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
28365	Purchase Order Lines	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23228	Purchase Order Number		BSWHSE	DATA WAREHOUSE
25943	Purchase Order Options	Infor EAM. Section header on the 'Assign Requisition Lines to PO' form. Refer to PVCS 5615.	PSRFGP	GENERATE POS FOR RFQS
			SSASGN	GENERATE POS
25512	Purchase Order Org.	Extended (product name). Purchase orrder organization field for Active Lines for PO Receipt.	PSPORH	PO HISTORY
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSPACK	PACKAGES SCREEN
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOR	STORES
23230	Purchase Order Organization Code		BSWHSE	DATA WAREHOUSE
23231	Purchase Order Organization Description		BSWHSE	DATA WAREHOUSE
31689	Purchase Order Rate	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
23234	Purchase Order Status Code		BSWHSE	DATA WAREHOUSE
23235	Purchase Order Status Description		BSWHSE	DATA WAREHOUSE
29418	Purchase Order System Status Code		BSWHSE	DATA WAREHOUSE
29419	Purchase Order System Status Description		BSWHSE	DATA WAREHOUSE
29416	Purchase Order System Type Code		BSWHSE	DATA WAREHOUSE
29417	Purchase Order System Type Description		BSWHSE	DATA WAREHOUSE
24414	Purchase Order Terms	Extended (product name).	PSBORD	CREATE EDIT BLANKET ORDERS
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
26061	Purchase Order Totals	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
23232	Purchase Order Type Code		BSWHSE	DATA WAREHOUSE
23233	Purchase Order Type Description		BSWHSE	DATA WAREHOUSE
35328	Purchase Order Types	#28171	BSDTCV	DATA CONVERSION (MP2)
27455	Purchase Order-Line	D7i Extended - required to use different boiler text from 'Purchase Order - Line'	BCMOBL	7I MOBILE BOILER TEXT
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			PSINVO	INVOICES
			SSREQU	REQUISITIONS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
25026	Purchase Orders	This is the title of the Purchase Orders LOV on the PO	BSCLSB	CLASSES FOR BUSINESS EDITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25026	Purchase Orders	Receipts form.	BSLOVS	LIST OF LOOKUPS
			JSPROJ	PROJECTS
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PZPVAR	PRICING VARIANCE REPORT
			SSPART	PARTS
			YSACCD	VIEW GL VALUES
		Data warehouse Dimension table name.	BSLOVS	LIST OF LOOKUPS
			BSWHSE	DATA WAREHOUSE
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			ASOPAC	PO ACCUMULATING SNAPSHOT
			BSWHSE	DATA WAREHOUSE
			PYPOCS	PO COST SUMMARY
28907	Purchase Orders Accumulating Snapshot	Data Warehouse Data Mart.	PZPOCS	PO COST SUMMARY
34987	Purchase Orders Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	PZPVAR	PRICING VARIANCE REPORT
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
34961	Purchase Orders On or After :PARAM1	23249-Localization problem with report subtitles	PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
34960	Purchase Orders On or Before :PARAM2	23249-Localization problem with report subtitles	PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
33890 26477	Purchase Price Purchase Qty.	EWS.MATL.UC.ContractsforPart.doc	PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			PHORDF	Print Purchase Order
		Infor EAM. Indicates the quantity of the line item to purchase. Refer to PVCS 6210.	PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SSPART	PARTS
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
		EWS.CREP.UC. RequestForQuotationSummary.doc	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			WSDIMR	DIRECT MATERIAL REALLOCATION
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26477	Purchase Qty.	EWS.CREP.UC. RequestForQuotationSummary.doc	PZRFQS	REQUEST FOR QUOTATION SUMMARY
27264	Purchase Qty. (UOP)	Infor EAM. Refer to PVCS 7277.	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PZPRFQ	REQUEST FOR QUOTATION
			SSRMPL	RETRIEVE MULTIPLE PARTS
31070	Purchase Qty. (UOP) / Hours	D7i Extended -- Partial Order for Blanket Order -- Column Title of the Grid for PO for BO. qty=quantity, uop=unit of purchase	PSBORD	CREATE EDIT BLANKET ORDERS
37331	Purchase Qty. /UOP	EWS.CREP.UC.QuotationSummary	PZQUOS	QUOTATION SUMMARY
37291	Purchase Qty. UOP	EWS.CREP.UC. RequestForQuotationSummary.doc	PSPORD	PURCHASE ORDERS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
20085	Purchase Requisition	Infor EAM - displays purchase requisitions	BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			FCGRD2	FLAMETHROWER GRID 2
			SHREQF	Print Purchase Requisition
			SSRECV	PO RECEIPTS
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
23832	Purchase Site	Infor EAM - Indicates that this supplier actually supplies materials or services. Unlike company HQ where no orders can be placed. However these entries may still be recorded in the supplier file.	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
11913	Purchase UOM	The units in which parts are ordered. Supplier-specific. Compare: issue unit, the units in which parts are issued from store.	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
11912	Purchase order	The unique code of a PO.	OSGFLD	ASSET FIELD LIST FOR MAPPING
			PTORDF	Print Purchase Order
			STRCVF	Goods Received Note

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11912	Purchase order	A request to a supplier to deliver a particular service (e.g. labour) and/or materials.	JZORDL OSOBJC OSVBJA SSISSU STREQL STRETF WTPPML WZPPML PTORDF	LIST OF PURCHASE ORDERS FOR PROJECT CREATE ASSET CATEGORY VIEW ASSET LIST Stock Issues List Of Outstanding Requisition Items Print Goods Return Note List Of All Ppm Schedules List Of All Ppm Schedules Print Purchase Order
11933	Purchase order due date	When the parts/services are expected to be delivered.	PTORDF	Print Purchase Order
12430	Purchase price	The unit price (of parts).	PSCONT	PURCHASING CONTRACTS
12158	Purchase requisition	Purchase requisition. A request to the purchasing department to procure parts or services.	STRCVF STREQF STREQL SYREQF	Goods Received Note Print Purchase Requisition List Of Outstanding Requisition Items PRINT PURCHASE REQUISITION
19484	Purchasing	Name of new tab in BNINST to display only installation parameters relating to the purchasing module	BSARCH BSDSET BSFUNA BSFUNM BSINST PSRFQT WSJOBS WSJOVH WSJOVM	CREATE / EDIT ARCHIVE RECORDS DATABRIDGE SETUP AVAILABLE SCREEN FUNCTIONS GRID AVAILABLE SCREEN FUNCTIONS GRID MOBILE INSTALL CODES REQUESTS FOR QUOTATIONS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
40868	Purchasing Asset ID	EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL BZOBJD OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WHJOVM WSOPSS WZJOVM	EQUIPMENT LIST - DETAIL ELECTRONIC RECORDS FOR EQUIPMENTS CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PRINT WORK ORDER HEALTHCARE OPTIMIZED SCHEDULER SETUP PRINT WORK ORDER HEALTHCARE
35818	Purchasing Center	EWS.ADMN.UC.MP2WorkOrders	BSINTR BSMPPR BSMPWO	MP2 INVENTORY TRANSACTIONS MP2 PURCHASING MP2 WORK ORDERS
27355	Purchasing Clause	Infor EAM. CreateUpdatePurchasingClause - PVCS 7525.	BSDOCA PSCLAU	DOCUMENTS PURCHASING CLAUSE
33125	Purchasing Contract	EWS.PRCH.UC.CreatePurchasingContracts, 22008	BSDOCA PSCONT SSPART	DOCUMENTS PURCHASING CONTRACTS PARTS
33072	Purchasing Contract Text	EWS.PRCH.UC.CreateEditPurchasingContractText	PSPROM	PURCHASING CONTRACT TEXT
33567	Purchasing Contracts	EWS.PRCH.UC.CreateEditPurchasingContracts	BSLOVS	LIST OF LOOKUPS
28250	Purge	Data warehouse. Refer to PVCS 9551.	BSDTCV BSWHSE	DATA CONVERSION (MP2) DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25765	Purge Action	Extended (product name). Audit Setup form.	BSPURP	PURGE AUDIT RECORDS POP UP
38354	Purge Actual Temperature Records	EWS ADMN UC ActualTemperaturesforRegions.doc	BSREGN	CREATE EDIT REGIONS
			BSREGP	PURGE ACTUAL TEMPERATURE RECORDS
31168	Purge All	Barcoding	FCSCRN	FLAMETHROWER SCREENS
25756	Purge Audit Records	Extended (product name). Audit Setup form.	BSAUDC	AUDIT SETUP
36240	Purge Before	29217	SSSTOU	PURGE STOCKOUTS
25764	Purge Details	Extended (product name). Audit Setup form.	BSMAPR	PURGE E-MAIL RECORDS
			BSPURP	PURGE AUDIT RECORDS POP UP
28265	Purge Dimension	Data warehouse. Refer to PVCS 9551. Dimension - an independent entity in a dimensional model that serves as an entry point or as the mechanism for slicing and dicing the additive measures located in the fact table of the dimensional model.	BSWHSE	DATA WAREHOUSE
26685	Purge E-mail Records	D7i Extended - E-mail Notification Setup	BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMAPR	PURGE E-MAIL RECORDS
			BSMVIW	E-MAIL VIEWER
28267	Purge Facts	Data warehouse. Refer to PVCS 9551. Fact - a business performance measurement , typically numeric and additive, that is stored in a fact table.	BSWHSE	DATA WAREHOUSE
39575	Purge Messages	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSM	ENERGY STAR MESSAGE VIEWER
39578	Purge Messages From	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSV	ENERGY STAR MESSAGE VIEWING POPUP
39579	Purge Messages To	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSV	ENERGY STAR MESSAGE VIEWING POPUP
27968	Purge Old Data	Data Warehouse. Flag indicating whether old data warehouse data should be deleted. Refer to pvcs 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
36238	Purge Stockout records	29217	SSSTOU	PURGE STOCKOUTS
36234	Purge Stockouts	29217	SSSTOR	STORES
27969	Purge to Date	Data Warehouse. The purge-to date, i.e., will purge all data up to and including this date. Refer to pvcs 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
21589	Purpose	Text field on the Qualifications tab of WNPERS in which you can enter the purpose of the qualification code.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
45391	Push Notification	EAM-16317 - Email Template checkbox	BSMTMP	E-MAIL TEMPLATES
45680	Push Notification Error	EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
47338	Push Notification Error Count	EAM-25779/EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
45682	Push Notification Error Message	EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
45678	Push Notification Sent	EAM.ADMN.REQ.EmailViewer.doc	BSMVIW	E-MAIL VIEWER
47114	QR Code Parameters	EAM-30660 EAM.MOBILE.REQ.SetupQRcodes	BSQRSE	QR CODES SETUP
24859	Qty	Crossbow - Quantity	BCMOBL	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCMPHL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			TCPLRB	7I MOBILE BOILER TEXT
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
		EWS.CREP.UC.ListOfDebitDiscounts.doc	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPQT	MP2 QUOTATIONS
			CYDEBL	LIST OF DEBIT DISCOUNTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24859	Qty	EWS.CREP.UC.ListOfDebitDiscounts.doc	CZDEBL	LIST OF DEBIT DISCOUNTS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OZCLAI	WARRANTY CLAIM REPORT
			WSDEPO	DEPOTS
			WSFUEL	FUEL
			WZCIND	CUSTOMER INVOICE DETAIL
			WZPMSP	PM SCHEDULE PROFILE
31690	Qty Invoiced	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
30314	Qty Issued	D7i Extended - Reports - EWS.REP.UC.PrintPickList.Doc	SY PICK	Pick List Print
			SZ PICK	Pick List Print
			WSFISS	FUEL ISSUES
35086	Qty Ordered	EWS.CREP.UC.ListOfPurchasesUnderContract	CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
36645	Qty Outstanding	EWS.WORK.UC.PartsforDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
35087	Qty Received	EWS.CREP.UC.ListOfPurchasesUnderContract	BSMPPR	MP2 PURCHASING
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
36022	Qty Received (UOP)	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
31691	Qty Requested	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			BSMPPR	MP2 PURCHASING
36023	Qty Requested (UOP)	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35825	Qty Required	EWS.ADMN.UC.MP2WorkOrders	BCMOBL	7I MOBILE BOILER TEXT
			BSMPWO	MP2 WORK ORDERS
32579	Qty Required > Qty in Stock	EWS.CREP.UC.MaterialRequirementAnalysis.doc	WZMATL	MATERIAL REQUIREMENT ANALYSIS
30541	Qty Requisitioned	D7i Extended - List of Stock report	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			BSMPPR	MP2 PURCHASING
36024	Qty Returned	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36025	Qty Returned (UOP)	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35824	Qty Used	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
25277	Qty cannot be greater than Avail Qty.	Crossbow - Issue/Return form	TCMRTP	7I MOBILE BOILER TEXT
17139	Qty issued		STPICK	Pick List Print
			WSDIMR	DIRECT MATERIAL REALLOCATION
36021	Qty per UOP	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
12502	Qty requisitioned	Infor EAM - number of part that will be issued Extended (product name)	STLOWL	Overview Of Stock
20605	Qty to Issue		WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
25522	Qty.		OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25522	Qty.	Extended (product name) EAM.WORK.UC.TransactionsforEmployee.docx	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			PZVEND	VENDOR LEAD TIME
			SZSOUT	PART STOCKOUTS
			WSPREQ	PART REQ POPUP FOR WO PARTS
			JSCUES	CU ESTIMATES
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			SZTKIT	KIT TEMPLATE
			WSEMPs	EMPLOYEES
			WSTOOL	TOOLS
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
30258	Qty. Assigned	Infor EAM. Field label indicating the number/quantity of the part that has been assigned for repair.	WSASRD	ASSIGN REPAIR DETAILS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47443	Qty. Available to Return	EAM.MATL.REQ.Packages-IssueReturnPartsPopup	SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
30259	Qty. Completed	Infor EAM. Field label indicating the number/quantity of the repairs have been completed on the parts to be repaired.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
34088	Qty. Demanded	EWS.MATL.UC.CalculateEOQ	SSEOQA	CALCULATE EOQ
29970	Qty. Invoiced	D7i Extended -- Lines tab, Invoices form -- Field Label	PSINVL	INVOICE LINES PER BUYER
32656	Qty. Invoiced (UOP)	20810	PSINVO	INVOICES
26904	Qty. Planned	Extended (product name)	WSSREQ	SERVICE REQUESTS
30260	Qty. Received	Infor EAM. Field label indicating the number/quantity of the parts that have been received for repair.	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			WSFREC	FUEL RECEIPTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			SY PICK	Pick List Print
30341	Qty. Req.	Infor EAM. 'Req.' is an abbreviation of 'Requested.'	SZ PICK	Pick List Print
			PYORDS	PURCHASE ORDER STATUS
32370	Qty. Requested	EWS.CREP.UC.PurchaseOrderStatus.doc	PZORDS	PURCHASE ORDER STATUS
			BCMOBL	71 MOBILE BOILER TEXT
20098	Qty. Required	Infor EAM - displays quantity needed for a requisition, purchase order, etc. This is an abbreviation for 'Quantity Required.'	SSBUKT	BUILD KITS
			SSREQ L	REQUISITION LINE
			SSREQ S	CREATE PURCHASE REQUISITION
			SSRQ L L	REQUISITION LINE
			SZBUKT	PRINT BUILD LIST
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSP PMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32041	Qty. Requisitioned	EWS.REP.UC.ListOfStock - List of Stock report	SSPART	PARTS
			SSSTOR	STORES
			SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
30802	Qty. Returned	D7i Extended. Indicates the quantity of the item that has been returned.	PSINVO	INVOICES
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
30261	Qty. Scrapped	Infor EAM. Field label indicating the number/quantity of the parts for repair that have been scrapped rather than being repaired.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
38402	Qty. UOM	EWS.WORK.UC.TransactionsForFuel.doc	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSDEPO	DEPOTS
			WSFUEL	FUEL
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
40404	Qty. Used	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
32403	Qty. Used (YTD)	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
32404	Qty. Used Last Year	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
30135	Qty. at Shop	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc - quantity at shop	SSPART	PARTS
			SSSTOR	STORES
48737	Qty. at Shop Installed	EAM.MATL.REQ.OverviewforParts	SSPART	PARTS
			SSSTOR	STORES
30137	Qty. at Supplier	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc	SSPART	PARTS
			SSSTOR	STORES
48736	Qty. at Supplier Installed	EAM.MATL.REQ.OverviewforParts	SSPART	PARTS
			SSSTOR	STORES
30134	Qty. for Repair	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc - quantity for repair	SSBSTK	STOCK ON STORES
			SSPART	PARTS
			SSPTPD	PART DETAILS POPUP
40335	Qty. in Bin	EAM.MATL.UC.BuildKit.doc/EAM-78	SSBUKT	BUILD KITS
36838	Qty. in Holding Area	EWS.WORK.UC.ReallocateDirectMaterialsPopup/31570	WSDIMR	DIRECT MATERIAL REALLOCATION
40403	Qty. in Kit	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
20806	Qty. on Hand	Infor EAM - Quantity currently in storeroom.	BSPAAP	ALTERNATE PART POPUP IN PART ASSOCIATED
			SSPCP	CHANGE PART CONDITION POPUP
			SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20806	Qty. on Hand	Infor EAM - Quantity currently in storeroom.	SSPTPD	PART DETAILS POPUP
			SSSTOR	STORES
48735	Qty. on Hand Installed	EAM.MATL.REQ.OverviewforParts / EAM-45332	SSPART	PARTS
			SSSTOR	STORES
32040	Qty. on Order	EWS.REP.UC.ListOfStock - List of Stock report	SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
42995	Qty. per UOM	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
27267	Qty. per UOP	Infor EAM. Refer to PVCS 7277.	BCMOBL	71 MOBILE BOILER TEXT
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
33499	Qty. to Allocate	21342	PSINVA	BOOK INVOICE ALLOCATIONS
30257	Qty. to Repair	Infor EAM. Field label indicating the number/quantity of the part that is to be repaired.	SSBRKT	BREAKUP KIT
			SZPRSL	PRINT RESTOCK LIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
40405	Qty. to Store	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
			SZPRSL	PRINT RESTOCK LIST
21380	Qualification	This is the name of a tab on the WNTRAD form.	WSTRAD	TRADES
			WTCALR	CALIBRATION RECORD REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21380	Qualification	This is the name of a tab on the WNTRAD form. Qualification code is used within the D7i training module to identify a specific standard of competence that must be completed/verified to indicate that a person is qualified to perform work.	WZCALR	CALIBRATION RECORD REPORT
			BSDOCA	DOCUMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCRWP	CREATE/EDIT CREW POPUP
			WSEMP	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQUAL	QUALIFICATION
			WSTASK	TASKS
			WTJOB	Job Cards
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WYJOB	PRINT WORK ORDER
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		This is a radio button on the Qualification expiration report (WRQEXP) enabling you to sort the report output by qualification.	BSESGN	ews - E SIGNATURE POPUP
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
29447	Qualification Class	Crossbow D7i Extended - Qualification Expiration Report -	WZQEXP	QUALIFICATION EXPIRATION REPORT
			TCELRC	7I MOBILE BOILER TEXT
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
29449	Qualification Description	D7i Extended - Qualification Expiration Report	WZQEXP	QUALIFICATION EXPIRATION REPORT
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYJOB	PRINT WORK ORDER
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
28763	Qualification Details	Extended (product name)	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28763	Qualification Details	Extended (product name)	WSEMPs	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQUAL	QUALIFICATION
			WSTASK	TASKS
			WSTRAD	TRADES
43601	Qualification Present	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
48352	Qualification Satisfied (individual qualifications)	EAM-40786	WSCRWP	CREATE/EDIT CREW POPUP
21641	Qualification description	This is a column heading for the report output for the Qualification expiration report.	WTJOBf	Job Cards
21584	Qualifications	The name of a new tab on WMJOBS where qualification information is displayed.	BSLOVS	LIST OF LOOKUPS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
			WSJBPL	JOB PLANS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WSTRAD	TRADES
21587	Qualified	A checkbox on the Qualifications tab of WNPERS. If selected, the checkbox indicates that the employee is qualified for the selected qualification code.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
39359	Qualified Employees	40522	WSWLSH	WO LABOR SCHEDULING
42939	Quality	EAM-10033	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZOEEM	OEE METRICS
12171	Quantity		BSDEPT	DEPARTMENTS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPAST	STOCK INFO POPUP IN PART ASSOCIATED
			BSPAWU	WHERE USED POPUP IN PART ASSOCIATED
			BZEPAD	ELECTRONIC RECORDS FOR
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSMUSE	MATERIAL USAGE ON EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12171	Quantity		OSWKMV	WORKSPACE MOVES
			OZHISL	Object History
			PHORDF	Print Purchase Order
			PSPOLN	IMPORT PO LINES
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			QZQUOL	PRINT LIST OF QUOTATION
			SHREQF	Print Purchase Requisition
			SSABCA	GENERATE ABC ANALYSIS
			SSBSTK	STOCK ON STORES
			SSISSU	Stock Issues
			SSLOTS	LOTS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPWCL	PART WARRANTY CLAIMS
			SSRECV	PO RECEIPTS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			STRETF	Print Goods Return Note
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			SYABCA	ABC Analysis
			SYCONS	Consignment Activity
			SYINST	INVENTORY STANDARD
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST
			SZABCA	ABC Analysis
			SZCONS	Consignment Activity
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
12171	Quantity		WCMATL	CROSSBOW MATERIAL LIST	
			WHJOB	PRINT WORK ORDER	
			WHWOSH	PRINT SHORT WORK ORDER CARDS	
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST	
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS	
			WSCCON	CUSTOMER CONTRACTS	
			WSCOPO	CONTRACTOR PORTAL	
			WSCREEN	CUSTOMER RENTALS	
			WSEMUP	EQUIPMENT MATERIAL USAGE	
			WSIMPL	IMPORT PART LIST	
			WSINVC	CUSTOMER INVOICES	
			WSJBPL	JOB PLANS	
			WSJOBS	CREATE WORK ORDER	
			WSJOVH	CREATE WORK ORDER	
			WSJOVM	CREATE WORK ORDER	
			WSMATL	MATERIAL LISTS	
			WSPPMS	PM SCHEDULES	
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST	
			WSSREQ	SERVICE REQUESTS	
			WSSTWO	STANDARD WOS	
			WSTASK	TASKS	
			WTCALR	CALIBRATION RECORD REPORT	
			WTJOB	Job Cards	
			WYJOB	PRINT WORK ORDER	
			WYTOCO	TOOL USAGE	
			WYWOSH	PRINT SHORT WORK ORDER CARDS	
			WZCALR	CALIBRATION RECORD REPORT	
			WZCTRC	SERVICE REQUESTS CHART	
			WZJOB	PRINT WORK ORDER	
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST	
			WZTOCO	TOOL USAGE	
			WZWOSH	PRINT SHORT WORK ORDER CARDS	
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT	
			TCJAPL	7I MOBILE BOILER TEXT	
			EAM-4699PROJ.REQ.ChildCUSforCompatibleUnitsLibrary	JSCUES	CU ESTIMATES
				JSCULB	COMPATIBLE UNITS LIBRARY
32577	Quantity Available	EWS.CREP.UC.MaterialRequirementAnalysis.doc	SSBUKT	BUILD KITS	
			WZMATL	MATERIAL REQUIREMENT ANALYSIS	
48731	Quantity Installed	EAM.MATL.REQ.StoresforParts / 45332	SSBSTK	STOCK ON STORES	
			SSPART	PARTS	
31692	Quantity Invoiced	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES	
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES	
30503	Quantity Issued	D7i Extended. Boiler text for the Stock Transaction Report. The quantity issued indicates the number of the part item that has been issued.	BZIPID	ELECTRONIC RECORDS FOR PICK LIST PARTS	
			SYTRAL	Printed List Of Stock Transactions	
			SZTRAL	Printed List Of Stock Transactions	
28707	Quantity Received	D7i Extended -- Purchase Orders tab -- Quantity Received label on Services tab	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28707	Quantity Received	D7i Extended -- Purchase Orders tab -- Quantity Received label on Services tab	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SYHISL	Purchase History Per Item/Supplier
			SYTRAL	Printed List Of Stock Transactions
			SZHISL	Purchase History Per Item/Supplier
31517	Quantity Required	EWS.CREP.UC.PrintShortWorkOrderCards - Print Short Work Order Cards report	SZTRAL	Printed List Of Stock Transactions
			BZPIDP	ELECTRONIC RECORDS FOR PICK LIST PARTS
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
30538	Quantity Reserved	D7i Extended - List of Stock report	WZWOSH	PRINT SHORT WORK ORDER CARDS
			SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
31693	Quantity Scrapped	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
31518	Quantity Used	EWS.CREP.UC.PrintShortWorkOrderCards - Print Short Work Order Cards report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			PZPVAR	PRICING VARIANCE REPORT
32960	Quantity Variance Only	EWS.CREP.UC.PricingVariance		
12388	Quantity available	The quantity in stock that is not allocated to other jobs.	SSISSU	Stock Issues
29755	Quantity in Bin	D7i Extended - Materials - SCR # 12331	SSBINL	BIN LOOKUP
12369	Quantity issued	How many parts were issued from store.	STTRAL	Printed List Of Stock Transactions
25278	Quantity must be greater than zero.	Crossbow - Issue/Return form	TCMRTP	7I MOBILE BOILER TEXT
12521	Quantity on order	The number of parts on a purchase order.	STLOWL	Overview Of Stock
11955	Quantity ordered		JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
12170	Quantity received	Parts are received.	STTRAL	Printed List Of Stock Transactions
13458	Quantity requested		STPICK	Pick List Print
12389	Quantity required		SSRQLL	REQUISITION LINE
12520	Quantity reserved	Displays the number of parts being reserved / held for a particular work order.	STLOWL	Overview Of Stock
44125	Quantity should be greater than 0.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
30536	Quantity to Be Repaired	D7i Extended - List of Stock report	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
30600	Quantity to Repair	D7i Extended - List Of Stock report, the quantity to be repaired	SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
			STSTOL	Stock List
18614	Quantity to be displayed		SSISSU	Stock Issues
18592	Quantity to be repaired	Number of parts that need to be repaired.	STLOWL	Overview Of Stock
			BSSTRT	EWS NEW START CENTER
15080	Quarter	Used for date range	REPORT	General Report Function
			WZVMRS	VMRS ACTIVITIES CHART
			BSWHSE	DATA WAREHOUSE
			WZVMRS	VMRS ACTIVITIES CHART
45125	Quarterly	EAM-16968	WSPMPL	PM FORECASTING
37107	Quarterly Designator	EWS.WORK.Parameters for PM Forecasting		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12156	Query	Retrieve or search records from the database.	BHFUNL	List Of Functions
			BHUSRL	USERS GROUP CONFIGURATION
			BSGROU	GROUPS
			BSHYPL	HYPERLINK SETUP
			BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BYUSRL	USERS GROUP CONFIGURATION
			BZFUNL	List Of Functions
			BZUSRL	USERS GROUP CONFIGURATION
			BSMESP	MENU STRUCTURE AND PERMISSIONS
27799	Query Allowed	D7i Extended - Screens form	BSQUER	QUERIES
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
30481	Query Code	D7i Extended -- Return Prompt for DC Transaction Prompt -- Field Label, query=adjective, code=noun	BSCDSS	USER DEFINED SCREEN SETUP
			BSGRID	GRID DESIGNER
			BSIMPT	IMPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSWSPM	WEB SERVICES PROMPT
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVIW	EQUIPMENT OVERVIEW 360
			OSPOLI	CREATE POLICY
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSTGY	CREATE STRATEGY
			TSASTP	DC TRANSACTION PROMPT
			YSACDP	ACCOUNT DETAIL SETUP
36584	Query Codes	30854	BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
25801	Query Details	D7i Extended - admin Query form	BSQUER	QUERIES
35168	Query Field	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
35170	Query Field X-Path	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
45780	Query Instructions	EAM-19865 EAM.ADMN.REQ.Queries	BSQUER	QUERIES
25802	Query Options	D7i Extended - admin Query form	BSQUER	QUERIES
35166	Query Web Service	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
15291	Query on custom fields		M1	Pull-Down Menu Texts
39833	Question	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	CSCSUR	CUSTOMER SURVEYS
			CZSurr	CUSTOMER SURVEY RESULTS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39833	Question	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELQ	ORDER QUESTIONS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSTGY	CREATE STRATEGY
			OZRELS	PRINT RELIABILITY SURVEY
			CSCSUR	CUSTOMER SURVEYS
44386	Question Code	EAM-14611	CSSURA	SURVEY ANSWERS POPUP
44471	Question Codes	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	BSLOVS	LIST OF LOOKUPS
44377	Question Details	EAM- 14611	CSCSUR	CUSTOMER SURVEYS
39847	Question Level	EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	OSRRLP	ADD / EDIT LEVELS POPUP
39863	Question Levels	EAM.EQUIP.UC.AddEditAnswersPopup	OSRELA	ADD / EDIT ANSWERS POPUP
		EAM.EQUIP.UC.AddEditAnswersPopup	BSLOVS	LIST OF LOOKUPS
44414	Question Sequence	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	OSRELA	ADD / EDIT ANSWERS POPUP
			CSSURA	SURVEY ANSWERS POPUP
44388	Question Text	EAM- 14611	CSCSUR	CUSTOMER SURVEYS
			CSSURA	SURVEY ANSWERS POPUP
39848	Question Translations	EAM.EQUIP.UC.AddEditLevelsPopup - Tracker id 46091	OSRRLP	ADD / EDIT LEVELS POPUP
44392	Questions	EAM- 14611	CSCSUR	CUSTOMER SURVEYS
27106	Queue	D7i Extended - Job Setup	BSJOBS	JOB SETUP
26459	Queue Name	D7i Extended - Interface Overview, Name of Queue for each driver	YSINTF	INTERFACE OVERVIEW
21180	Quick Close	Infor EAM - name of the menu for the Quick Close Work Order form	WSQCWO	QUICK CLOSE WORK ORDER
32702	Quick Filter	SCR#19354	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
41463	Quick Forms	Generic Web Part parent menu label	BSWSPE	WEB SERVICE PROMPT ENGINE
46222	Quick Issue	Quick Issue View	BCMOBL	7I MOBILE BOILER TEXT
44126	Quick Issue/Return	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48264	Quick Search	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	WSCRWP	CREATE/EDIT CREW POPUP
			WSGWOD	GIS MAP WO DISPATCHING
15232	Quick access bar	A document, sent by a supplier, indicating the prices for parts and/or services.	M1	Pull-Down Menu Texts
12167	Quotation		BSDOCA	DOCUMENTS
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZQLD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			PZRFQS	REQUEST FOR QUOTATION SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12167	Quotation	A document, sent by a supplier, indicating the prices for parts and/or services.	QZQUOL	PRINT LIST OF QUOTATION
			SHREQF	Print Purchase Requisition
			SSREQU	REQUISITIONS
			STREQF	Print Purchase Requisition
			STREQI	List Of Outstanding Requisition Items
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQI	List Of Outstanding Requisition Items
			SZREQF	Print Purchase Requisition
			SZREQI	List Of Outstanding Requisition Items
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
		A quotation is a request to a vendor or supplier for how much they would charge for parts or service.	BSLOVS	LIST OF LOOKUPS
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
37024	Quotation Currency	EWS.PRCH.UC.ViewTotalsbySupplierPopup/SCR#31744	PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
37353	Quotation Date	EWS.CREP.UC.PrintRequestForQuotation	PZPRFQ	REQUEST FOR QUOTATION
36934	Quotation Description	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
36858	Quotation Details	EWS.PRCH.UC.EditQuotations	PSRFQR	QUOTATIONS
24316	Quotation Indicator	Extended (product name). Indicates whether a quotation is required for the requisition. EWS.MATL.UC.PartsforRequisition/4331.	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			SYREQI	List Of Outstanding Requisition Items
			SZREQI	List Of Outstanding Requisition Items
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
36957	Quotation Line	EWS.PRCH.UC.PartsforQuotations	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SSREQU	REQUISITIONS
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			PSRFQR	QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			BSMPQT	MP2 QUOTATIONS
36864	Quotation Lines	EWS.PRCH.UC.EditQuotations	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
36054	Quotation No.	EWS.ADMN.UC.MP2Quotations	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36054	Quotation No.	EWS.ADMN.UC.MP2Quotations	PZORDF	Print Purchase Order
36935	Quotation Org.	EWS.PRCH.UC.SelectionforRFQs	PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSREQU	REQUISITIONS
37327	Quotation Status	EWS.CREP.UC.QuotationSummary	BSLOVS	LIST OF LOOKUPS
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
36863	Quotation Totals	EWS.PRCH.UC.EditQuotations	PSRFQR	QUOTATIONS
12711	Quotation UOM		BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
12571	Quotation indicator	Flag, indicating whether a quotation is required or not.	STREQL	List Of Outstanding Requisition Items
12293	Quotation type		WTBLOG	Work Backlog
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
37441	Quotation-Line	SCR#32134/EWS.MATL.UC.PartsforRequisition	PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
31350	Quotations	D7i Extended - List Of Out Standing Requisition Items report	BSLOVS	LIST OF LOOKUPS
35244	Quotations for Parts	EWS.CREP.UC.ListOfQuotations	QZQUOL	PRINT LIST OF QUOTATION
35245	Quotations for Services	EWS.CREP.UC.ListOfQuotations	QZQUOL	PRINT LIST OF QUOTATION
37468	Quote	EWS.CREP.UC.ElectronicRecords	BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
36898	Quote Details	EWS.PRCH.UC.ServicesforQuotation.doc	PSRFQR	QUOTATIONS
49083	Quote Estimate	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
28165	RAJA ES-16 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28166	RAJA ES-24 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28167	RAJA ES-4 - Shipping	Barcode - label format	FCLABL	FLAMETHROWER LABELS
42742	RCM	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
42883	RCM Details	EAM.EQUIP.REQ.Assets	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
49467	RCM Failure Mitigation	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49467	RCM Failure Mitigation	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
42884	RCM Level	EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZRCML	RCM RISK LEVELS
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS
			USINVP	INVESTMENT PLANNING
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43216	RCM Levels	EAM-9411	BSLOVS	LIST OF LOOKUPS
43260	RCM Potential Yearly Savings	EAM-9413: EAM.CREP.REQ.RCMPotentialYearlySavings	OZRCMS	RCM POTENTIAL YEARLY SAVINGS
43805	RCM Project	EAM-12974	BSORGS	ORGANIZATIONS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
			OZRCME	RCM EQUIPMENT AT RISK
			OZRCML	RCM RISK LEVELS
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS
			OZRMSO	RISK MATRIX OVERVIEW
43808	RCM Projects	EAM-12974	BSLOVS	LIST OF LOOKUPS
49379	RCM Template	EAM.EQUIP.REQ.RCMTemplates	BSDOCA	DOCUMENTS
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49657	RCM Template Description	EAM-49876- EAM.EQUIP.REQ.ImportRCMFromTemplatePopup	OSRCMI	IMPORT FROM RCM TEMPLATE
49662	RCM Template Details	EAM-49876: EAM.EQUIP.REQ.ImportRCMFromTemplatePopu	OSRCMI	IMPORT FROM RCM TEMPLATE
49658	RCM Template Org.	EAM-49876- EAM.EQUIP.REQ.ImportRCMFromTemplatePopup	OSRCMI	IMPORT FROM RCM TEMPLATE
49377	RCM Templates	EAM.EQUIP.REQ.RCMTemplates	BSLOVS	LIST OF LOOKUPS
48017	REMOVED	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
45793	RESET MY PASSWORD	EAM.BASE.REQ.SystemLogin - EAM-23734	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			LOGIN	LOGON SCREEN
35076	RETRIEVE PART	EWS#27707,	BSIBUY	INFOR EAM 7IBUY SHOPPING CART
36450	RFQ	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
36459	RFQ Awarded Totals	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
36556	RFQ Clause	ClausesForRFQ	PSRFQT	REQUESTS FOR QUOTATIONS
			PZPRFQ	REQUEST FOR QUOTATION
36557	RFQ Clause Details	ClausesForRFQ	PSRFQT	REQUESTS FOR QUOTATIONS
39213	RFQ Comments	PVCS # 41457	PZPRFQ	REQUEST FOR QUOTATION
36861	RFQ Currency	EWS.PRCH.UC.EditQuotations	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
37521	RFQ Description	EWS.MATL.UC.GenerateRFQs/33146	SSGRFQ	GENERATE RFQS
36451	RFQ Details	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
36773	RFQ Line	EWS.PRCH.UC.PartsForRFQs	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			PZRFQS	REQUEST FOR QUOTATION SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36773	RFQ Line	EWS.PRCH.UC.PartsForRFQs	SSREQU	REQUISITIONS
		EWS.CREP.UC.ElectronicRecords	BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
36460	RFQ Lines	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
36860	RFQ Org.	EWS.PRCH.UC.EditQuotations	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
36455	RFQ Print Options	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
37615	RFQ Required	EWS.MATL.UC.CreateEditRequisitions/33146	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
36463	RFQ Terms	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
37739	RFQ-Line	EWS.MATL.UC.PartsforRequisition/33146	SSREQU	REQUISITIONS
43448	RMA Number	EAM-10422 EAM.EQUIP.REQ.WarrantyClaim	OSCLAI	WARRANTY CLAIMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSPWCL	PART WARRANTY CLAIMS
			WSWRCP	CREATE WARRANTY CLAIM POPUP
43138	RMA Required	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
41627	ROI %	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	WSCPQR	CAPITAL PLANNING REQUEST
41653	ROI % (Return on Investment)	EAM-405:EAM.WORK.REQ.CapitalPlanningRequests	USINVP	INVESTMENT PLANNING
			WSCPQR	CAPITAL PLANNING REQUEST
41638	ROI (%)	EAM-404:EAM.WORK.REQ.CPRsforObjective	OSOBTV	OBJECTIVES
46654	ROW Direction	EAM.EQUIP.REQ.RouteParentsForEquipment:EAM-2826 1	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46653	ROW From Point	EAM.EQUIP.REQ.RouteParentsForEquipment:EAM-2826 1	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46651	ROW Length	EAM.EQUIP.REQ.RouteParentsForEquipment:EAM-2826	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46651	ROW Length	1	OSOBJP OSOBJS	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46652	ROW Linear Reference UOM	EAM.EQUIP.REQ.RouteParentsForEquipment:EAM-2826 1	OSOBJA OSOBJP OSOBJS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
39442	RRRR-MM-DD	D7i Extended - Locales form	BSLOCL	LOCALE
30434	RRRR/MM/DD	D7i Extended - date format as RRRR/MM/DD for Japan and China users	BSLOCL	LOCALE
26787	Radio Button	D7i Extended - Report Parameters - drop down option	BSREPO	CREATE / EDIT REPORTS
26912	Radio Button Default	D7i Extended - Report Parameters	BSREPO	CREATE / EDIT REPORTS
24453	Radius	D7i Extended - GIS Map search page Radius field label	CSCCGM OSGISR OSGISS BCMOBL	CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD) 7I MOBILE BOILER TEXT
46327	Radius Default value must be between the Maximum and Minimum values	GIS	BCMOBL	7I MOBILE BOILER TEXT
47272	Radius Default value must be between the Maximum and Minimum values.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
46346	Radius Minimum value must be less than the Maximum and Default values	GIS	BCMOBL	7I MOBILE BOILER TEXT
47271	Radius Minimum value must be less than the Maximum and Default values.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
49786	Radius Settings	EAM-52842	WSGISD	MAP VIEW
46345	Radius Settings Error	GIS	BCMOBL	7I MOBILE BOILER TEXT
42724	Radius UOM	EAM-7513/EWS.GIS.REQ.GISMapSearch	OSGISR OSGISS	GIS MAP SEARCH GIS MAP SEARCH (OLD)
46316	Radius settings	GIS	BCMOBL	7I MOBILE BOILER TEXT
27683	Random Result	EWS.INSP.UC.CreateEditAspect	ISASPC	ASPECTS
43346	Range	EAM-9345	BCMOBL OSOBJA OSOBJP OSOBJS WSJOBS WSPPMS	7I MOBILE BOILER TEXT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER PM SCHEDULES
26832	Range Details	D7i Extended - Ranges for KPIs - header name	BSINBX BSKPIC OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	INBOX SETUP DEFINING KPI ENTRIES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
43338	Range Selector	EAM-9345	OSOBJA OSOBJP OSOBJS WSJOBS	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37940	Range-1 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38912	Range-1 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38899	Range-1 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38911	Range-10 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38930	Range-10 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38929	Range-10 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38929	Range-10 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38903	Range-2 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
38914	Range-2 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
38913	Range-2 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38904	Range-3 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
38916	Range-3 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38916	Range-3 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38915	Range-3 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38905	Range-4 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38918	Range-4 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38917	Range-4 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38906	Range-5 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38920	Range-5 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38919	Range-5 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38907	Range-6 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38922	Range-6 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38921	Range-6 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38908	Range-7 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38908	Range-7 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
38924	Range-7 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
38923	Range-7 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
38909	Range-8 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
38926	Range-8 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
38925	Range-8 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38925	Range-8 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38910	Range-9 Design Consumption Rate	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38928	Range-9 High	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
38927	Range-9 Low	EWS.EQUIP.UC.DesignConsumptionforEquipment	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
17012	Ranges	This is the name of a tab on INRISK and you use it to define ranges for critical values of the risk focus. (used in risk-based inspections)	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSSTRT	EWS NEW START CENTER
45967	Rank By	EAM-22039	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
45966	Rank Category	EAM-22039	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
39813	Rank Details	EAM.EQUIP.UC.RanksforReliabilityRanking.docx Tracker id 45932	OSRELR	EQUIPMENT RANKINGS
45870	Ranking Calculation Error	EAM.EQUIP.REQ.Assets EAM-19884	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47977	Ranking Details	EAM-36561 EAM.EQUIP.REQ.Objective.docx	OSOBTV	OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47977	Ranking Details	EAM-36561 EAM.EQUIP.REQ.Objective.docx	OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
48738	Ranking History	EAM.EQUIP.REQ.RankingHistoryForEquipment / 45460	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
48020	Ranking History Chart	EAM-39048	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
48741	Ranking History Details	EAM.EQUIP.REQ.RankingHistoryForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
48784	Ranking History Selection	EAM.EQUIP.REQ.RankingHistorySelectionForDecayCurve	OSDCUR	DECAY CURVE
48785	Ranking History Selection Details	EAM.EQUIP.REQ.RankingHistorySelectionForDecayCurve	OSDCUR	DECAY CURVE
45737	Ranking Index	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	BSLOVS	LIST OF LOOKUPS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSRELR	EQUIPMENT RANKINGS
			OSSTGY	CREATE STRATEGY
45738	Ranking Score	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSRELR	EQUIPMENT RANKINGS
			OSSTGY	CREATE STRATEGY
45742	Ranking Setup Last Updated	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
39913	Ranking Survey	EAM.EQUIP.UC.ReliabilitysurveyforEquipment Tracker id 46101	OEOBJR	RELIABILITY SURVEY
			OEOBRS	OBJECTIVE RANKING SURVERY FOR WEB SERVICES
			OEPLRS	POLICY RANKING SURVERY FOR WEB SERVICES
			OESTRS	STRATEGY RANKING SURVERY FOR WEB SERVICES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39913	Ranking Survey	EAM.EQUIP.UC.ReliabilitysurveyforEquipment Tracker id 46101	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
45741	Ranking Survey Last Updated	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
45740	Ranking Values Last Calculated	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSSTGY	CREATE STRATEGY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
45739	Ranking Values Out of Sync	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
45733	Rankings	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSRELR	EQUIPMENT RANKINGS
			OSSTGY	CREATE STRATEGY
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
39808	Ranks	EAM.EQUIP.UC.RanksforReliabilityRanking.docx Tracker id 45932	OSOBJS	CREATE SYSTEM EQUIPMENT
			OERERR	RELIABILITY RANKING RANKS
			OSRELR	EQUIPMENT RANKINGS
12273	Rate		OSRRCP	COPY RELIABILITY RANKING
			BSDEPT	DEPARTMENTS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSADJU	ADJUSTMENT
			WSCREEN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12273	Rate	Infor EAM - Materials - PVCS#12376	WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZTOCO	TOOL USAGE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	7I MOBILE BOILER TEXT
			BSMPWO	MP2 WORK ORDERS
			SSTAXS	TAX CODES
			WSBKPO	BOOK PO LABOR
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
26767	Rate Code	Infor EAM. Refer to EWS.MATL.UC.RatesForTaxCodes.	PSINVO	INVOICES
			SSTAXS	TAX CODES
37530	Rate Codes	31976 : EWS.PRCH.UC.CreateEditInvoiceVoucher	BSLOVS	LIST OF LOOKUPS
25088	Rate Details	Extended (product name) - field name for the details of a rate for a service	SSSUPP	SUPPLIERS
			WSARRS	PRICING SCHEDULE
			WSEMPs	EMPLOYEES
			WSSTCR	STANDARD CREWS
			WSTRAD	TRADES
		Infor EAM - Materials - #12376 - field name for rate details for taxes	SSTAXS	TAX CODES
49080	Rate Override	EAM-46998 EAM.PROJ.REQ.LaborforCompatibleUnitsLib	JSCULB	COMPATIBLE UNITS LIBRARY
49081	Rate Override Currency	EAM-46998 EAM.PROJ.REQ.LaborforCompatibleUnitsLib	JSCULB	COMPATIBLE UNITS LIBRARY
25065	Rates	Extended (product name). Trade Rates form - specifies rates for services.	SSSUPP	SUPPLIERS
			WSEMPs	EMPLOYEES
			WSFBLC	FLEET BILLING CODES
			WSFMRK	FLEET MARKUP CODES
			WSTRAD	TRADES
		Infor EAM - Materials - #12376 - rates for taxes	SSSUCP	COPY SUPPLIER POPUP
			SSTAXS	TAX CODES
			WSSTCR	STANDARD CREWS
12294	Rating	Vendor rating. Indicates the performance of a supplier.	BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			QZQUOL	PRINT LIST OF QUOTATION
		Crossbow - abbreviation for Confidence Rating - Route Inspection form	BCMOBL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
42744	Rating / Severity	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42744	Rating / Severity	EAM.EQUIP.REQ.RCMForEquipment.docx	OSRCMT	RCM TEMPLATES
42678	Rating / Threshold	EAM.EQUIP.REQ.RiskMatrixSetup:EAM-7694	OSRMXS	RISK MATRIX SETUP
			OZRCML	RCM RISK LEVELS
43319	Ratio Expire Usage	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-10426	BAL009	WARRANTY EXPIRATION USAGE ALERT
45520	Re-Inspect After	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
45521	Re-Inspect After Unit	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
46422	Re-Inspection Status	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
42690	Re-arrange NS prefix for Infor BOD outbound	EAM.ADMN.REQ.DatabridgeSetup.doc	BSDSET	DATABRIDGE SETUP
12698	Reached		BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
25280	Read	Crossbow - abbreviation for Reading (meter reading)	TCJCDE	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
36624	Read Only	EWS.ADMN.UC.DepartmentSecurityforUserGroups	BCMOBL	7I MOBILE BOILER TEXT
			BSUSER	USER SETUP
			CSSVPB	SERVICE PROBLEM CODES
			SSSUPP	SUPPLIERS
18604	Read-only	BXLAYO - new button that when clicked makes the selected field non-updateable.	BXLAYO	R5 Screen Layout Editor
		Crossbow	TCSPRP	7I MOBILE BOILER TEXT
12347	Reading	A meter value. When reaching a certain value, a PPM job may be generated.	BCMOBL	7I MOBILE BOILER TEXT
			CZCASE	CASE MANAGEMENT REPORT
			OCREAD	CROSSBOW METER READING HIS LIST
			OSAREA	READING FOR ASSET
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSLREA	READING FOR LOCATION
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
			OTCAHI	CALIBRATION HISTORY REPORT
			OTMHST	METER HISTORY
			OZCAHI	CALIBRATION HISTORY REPORT
			OZMHST	METER HISTORY
			WHJOBF	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12347	Reading	A meter value. When reaching a certain value, a PPM job may be generated.	WHJOBQ	PRINT WORK ORDER
			WSFISS	FUEL ISSUES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			TCOMRL	7I MOBILE BOILER TEXT
37920	Reading Date	Crossbow Actual Consumption Tab	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
21780	Reading Due	Infor EAM - The future value of a meter at which a PPM job will be released.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRELJ	RELEASE OF SELECTED JOBS
			WZPMMD	PRINT METER BASED PM DUE
37604	Reading UOM	EWS.MATL.UC.IssueReturnParts/32426	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31694	Reading When Near Window Starts	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
31695	Reading When OK Window Ends	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
31696	Reading When Release Window Starts	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
25405	Reading must be greater than 0.	Crossbow. Error message for meter reading.	TCOMRD	7I MOBILE BOILER TEXT
25406	Reading must be greater than the last value.	Crossbow. Error message for meter reading.	TCOMRD	7I MOBILE BOILER TEXT
15267	Readings		BSSPMR	MP2 SPM READINGS
			OTMHST	METER HISTORY
			OZMHST	METER HISTORY
			OZMHST	METER HISTORY
34952	Readings Before or On :PARAM2	23249-Localization problem with report subtitles	OZMHST	METER HISTORY
29058	Readings Between	D7i Extended - Meter History Report	OTMHST	METER HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29058	Readings Between	D7i Extended - Meter History Report	OZMHST	METER HISTORY
34953	Readings Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	OZMHST	METER HISTORY
34951	Readings On or After :PARAM1	23249-Localization problem with report subtitles	OZMHST	METER HISTORY
21117	Readings for Calc.	Infor EAM - the number of readings to use when calculating the average daily usage.	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
28066	Ready Index 10 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28067	Ready Index 12 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28068	Ready Index 15 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28069	Ready Index 5 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28070	Ready Index 8 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
45099	Ready To Start Only	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
44951	Ready to Start	EAM-15258 Tasks for Case Management	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
23834	Real-time Info	Infor EAM - a checkbox on a form which indicates that the iProcure vendor will provide current price and availability information (information that is accurate up-to-the-minute)	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
31295	Real-time Upload	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
36642	Reallocate Direct Materials	EWS.WORK.UC.ActivitiesforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
36849	Reallocation Details	EWS.WORK.UC.ReallocateDirectMaterialsPopup/31570	WSDIMR	DIRECT MATERIAL REALLOCATION
22594	Reason	D7i - the cause of something, the explanation of a fact	BSINTR	MP2 INVENTORY TRANSACTIONS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
		Crossbow 21757 PIR: Add VMRS code to work order	TCJACR	7I MOBILE BOILER TEXT
18624	Reason For Repair	Title of new form	BSLOVS	LIST OF LOOKUPS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			OZCLAI	WARRANTY CLAIM REPORT
			WSCOPO	CONTRACTOR PORTAL
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
18624	Reason For Repair	Title of new form	WSSTWO WSTASK WSVITE	STANDARD WOS TASKS WORK ORDER QUICK ENTRY
35811	Reason for Failure	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35788	Reason for Outage	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
32653	Reason for Repair	EWS.CREP.UC.VMRSActivities	BCMOBL BSEXIM BSLOVS OSWARR OZHISD WHACTV WSDFAC WSDFAP WSJOBS WSPACT WZACTV WZVMRS	7I MOBILE BOILER TEXT EXPORT CONFIGURATION LIST OF LOOKUPS WARRANTY EQUIPMENT HISTORY DRILLDOWN VMRS ACTIVITIES DEFERRED MAINTENANCE ADD DEFERRED ACTIVITIES CREATE WORK ORDER IMPORT ACTIVITIES VMRS ACTIVITIES VMRS ACTIVITIES CHART
47697	Reason for Repair is a Required Field.	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT
25513	Reason for Return	Extended (product name). Reason for return field for Active Lines for PO Receipt.	BSDOCA SSPINS SSRECV SSREJR SSRETN	DOCUMENTS PART INSPECTIONS PO RECEIPTS REASON FOR RETURN SUPPLIER RETURNS
27261	Reason for Return Details	Infor EAM. 7-Ind Create Edit Reason for Return.	SSREJR	REASON FOR RETURN
25573	Reasons for Return	Extended (product name). This is the LOV title of the reason for return field.	BSLOVS	LIST OF LOOKUPS
34118	Rebate	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL CZDEBL	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS
29618	Recalculate Depreciation Details	D7i Extended -- Organizations form, Fiscal Years page -- button, recalculate=verb, depreciation=adejctive, details=noun	BSORGS	ORGANIZATIONS
43402	Recalculate System Records	EAM-10423 EAM.EQUIP.REQ.ClaimLinesforWarrantyClaim	OSCLAI	WARRANTY CLAIMS
44999	Recalculation Method	EAM-16074 EPM screens in EAM	ESPSET	POLICY SETTINGS
44996	Recalculation Type	EAM-16074 EPM screen in EAM	ESPSET	POLICY SETTINGS
26993	Recalibrate	Calibration status 'R', use less than 8 characters	WTCALA WTCALR WTCART WZCALA WZCALR WZCART	CALIBRATION ANALYSIS CALIBRATION RECORD REPORT CALIBRATION REVERSE TRACEABILITY CALIBRATION ANALYSIS CALIBRATION RECORD REPORT CALIBRATION REVERSE TRACEABILITY
41007	Recall Notice	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD WHJOVM WSJOBS WSJOVM WZJOVM WZWOLM	ELECTRONIC RECORDS FOR EVENTS PRINT WORK ORDER HEALTHCARE CREATE WORK ORDER CREATE WORK ORDER PRINT WORK ORDER HEALTHCARE WORK ORDER LIST - DETAIL
12166	Receipt	Receiving of parts.	STTRAL	Printed List Of Stock Transactions

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12166	Receipt	Receiving of parts.	SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
		Unique identifier of a receipt.	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			FCGRD2	FLAMETHROWER GRID 2
			STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			BCMOBL	7I MOBILE BOILER TEXT
			FCGRD2	FLAMETHROWER GRID 2
27884	Receipt Description	Barcode	SSCOMP	NON-PO RECEIPTS
24398	Receipt Details	Extended (product name). This is a section header on the non-po receipts form.	SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSCOMP	NON-PO RECEIPTS
31026	Receipt Line	D7i Extended - Field label for PO Receipts Account Detail tab.	SSCOMP	NON-PO RECEIPTS
35899	Receipt No.	EWS.ADMN.UC.MP2Purchasing	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
31025	Receipt Number	D7i Extended - Field label for PO Receipts Account Detail tab.	SSCOMP	NON-PO RECEIPTS
25508	Receipt Qty.	Receipt quantity field	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMP	NON-PO RECEIPTS
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			WSDIMR	DIRECT MATERIAL REALLOCATION
			BCMOBL	7I MOBILE BOILER TEXT
30363	Receipt Qty. (UOM)	Infor EAM. This field is related to repairable spares and indicates the unit of measure for the quantity of the part received, e.g., 'Case,' 'Each,' etc.	SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSRECV	PO RECEIPTS
			SSRMPL	RETRIEVE MULTIPLE PARTS
30364	Receipt Qty. (UOP)	Infor EAM. This field is related to repairable spares and indicates the unit of purchase of the quantity of the part received, e.g., 'Case,' 'Each,' etc.	BCMOBL	7I MOBILE BOILER TEXT
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSRECV	PO RECEIPTS
25665	Receipt Trans.	Extended (product name). Receipt transaction number.	SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRECV	PO RECEIPTS
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
47596	Receipt Trans. Description	EAM.MATL.REQ.HeldItemsTransfer	BCMOBL	7I MOBILE BOILER TEXT
32484	Receipt Transaction	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
31933	Receipt Value Returned to Supplier (Default Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
31937	Receipt Value Returned to Supplier	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31932	(Organization Currency) Receipt Value from Supplier (Default Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
31936	Receipt Value from Supplier (Organization Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
17595	Receipt date	field for on-dock receipt	FCGRD2	FLAMETHROWER GRID 2
13950	Receipts	A receipt is when you receive materials from the supplier and record the shipment in MP5. Then you physically move the items to the store and to their stock location. You record all this information in MP5.	BSMPPR	MP2 PURCHASING
31485	Receive All Parts	EWS.PRCH.UC.CreateEditPurchaseOrders.doc	BSJSDN PSPORD	COMMON FUNCTION FOR JAVASCRIPT PURCHASE ORDERS
24187	Receive Part	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
42026	Receive Repairs Condition Default	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
42025	Receive Repairs Condition List	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
36026	Receive To	EWS.ADMN.UC.MP2Purchasing	BSMPPR BSMPQT WSFREC	MP2 PURCHASING MP2 QUOTATIONS FUEL RECEIPTS
36027	Receive To ID	EWS.ADMN.UC.MP2Purchasing	BSMPPR BSMPQT	MP2 PURCHASING MP2 QUOTATIONS
36028	Receive Warehouse	EWS.ADMN.UC.MP2Purchasing	BSMPPR BSMPQT	MP2 PURCHASING MP2 QUOTATIONS
47009	Receive and View WO	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
12373	Received	Abbreviation for : received.	PSINVO PSPOLN WSBKPO WSJOBS WSJOVH WSJOVM WSVLAB	INVOICES IMPORT PO LINES BOOK PO LABOR CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER VIEW BOOKED LABOR (DAILY SCHEDULING)
24947	Received By	Extended (product name). Received by person on the PO Receipt form.	BZRFRD FCGRD2 PSRFQR SSRECV	ELECTRONIC RECORDS FOR RFQ RESPONSES FLAMETHROWER GRID 2 QUOTATIONS PO RECEIPTS
32106	Received Date	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BCMOBL BSWHSE	7I MOBILE BOILER TEXT DATA WAREHOUSE
32118	Received Dates	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32107	Received Day of Month	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required. Contact Rama Rajendrababu for further explanation.	BSWHSE	DATA WAREHOUSE
32108	Received Day of Year	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
40461	Received Equipment	EAM-89 EAM.WORK.REQ.CustomerRentals	BSLOVS OSSCHE OZEQRD	LIST OF LOOKUPS RESERVATION CALENDAR DETAILS POPUP EQUIPMENT RESERVATIONS DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40461	Received Equipment	EAM-89 EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
40462	Received Equipment Description	EAM-89 EAM.WORK.REQ.CustomerRentals	WSCREN	CUSTOMER RENTALS
40463	Received Equipment Org.	EAM-89 EAM.WORK.REQ.CustomerRentals	OSSCHE OZEQRD WSCREN	RESERVATION CALENDAR DETAILS POPUP EQUIPMENT RESERVATIONS DETAIL CUSTOMER RENTALS
32109	Received Half Year	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32119	Received Last Day in Month	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32120	Received Month Number	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
42653	Received Part	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPORceipts	SSRECV	PO RECEIPTS
42656	Received Part Condition	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPORceipts	SSRECV	PO RECEIPTS
42655	Received Part Description	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPORceipts	SSRECV	PO RECEIPTS
42654	Received Part Org.	EAM-7911: EAM.MATL.REQ.ProcessedLinesforPORceipts	SSRECV	PO RECEIPTS
31697	Received Qty	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRQLD OSOBJA PSPORD SSREQU	ELECTRONIC RECORDS FOR REQUISITION LINES CREATE ASSET EQUIPMENT PURCHASE ORDERS REQUISITIONS
26260	Received Qty.	Infor EAM. The received quantity field on PO Receipt Processed Lines tab. Refer to PVCS 6192.	PZVEND SSRECV SSREQU SSRQSS	VENDOR LEAD TIME PO RECEIPTS REQUISITIONS STORE TO STORE REQUISITIONS
32785	Received Quantity	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
32110	Received Quarter	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32111	Received Running Day Number	Refer to PVCS 12773. We need a separate data mart to include the analytic variables based on material receipts. Received date cannot be included in PO Accumulating snapshot as it will affect the granularity.	BSWHSE	DATA WAREHOUSE
32112	Received Running Month Number	Refer to PVCS 12773. We need a separate data mart to include the analytic variables based on material receipts. Received date cannot be included in PO Accumulating snapshot as it will affect the granularity.	BSWHSE	DATA WAREHOUSE
32113	Received Running Week Number	Refer to PVCS 12773. We need a separate data mart to include the analytic variables based on material receipts. Received date cannot be included in PO Accumulating snapshot as it will affect the granularity.	BSWHSE	DATA WAREHOUSE
29103	Received To Date	Extended (product name)	PSINVO WSBKPO WSJOBS WSJOVH WSJOVM	INVOICES BOOK PO LABOR CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30826	Received Vehicle	D7i Extended -- Vehicle Ticket -- Field Label	BSLOVS WSFLTK WTVTKT WZVTKT	LIST OF LOOKUPS FLEET VEHICLE TICKETS VEHICLE TICKET REPORT VEHICLE TICKET REPORT
30827	Received Vehicle Description	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
30828	Received Vehicle Org.	D7i Extended -- Vehicle Ticket -- Field Label, org.=organization	WSFLTK	FLEET VEHICLE TICKETS
30829	Received Vehicle Status	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
31909	Received Vehicles	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	BSLOVS	LIST OF LOOKUPS
33146	Received WOs	EWS.CREP.UC.WorkOrderStatistics	WHMEWC WYWOST WZMEWC WZPLSE WZWOST	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY WORK ORDER STATISTICS MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT WORK ORDER STATISTICS
32114	Received Week Number	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32115	Received Year	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32116	Received Year-Month	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
32117	Received Year-Quarter	Email from developer. The request contained no references to a use case or a PVCS entry. Only the text required.	BSWHSE	DATA WAREHOUSE
35900	Receiver No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
26859	Receiving data...	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
26856	Receiving response...	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
29834	Recent Transactions	D7i Extended - Materials - EWS.MATL.UC.TransactionsforPart	SSPART WSDEPO WSFUEL	PARTS DEPOTS FUEL
25044	Recipient	D7i Extended - E-mail Template form - The user or personnel code of the person who will receive email notifications.	BSALRT BSALTP BSMTRL LVRCP	ALERT MANAGEMENT SYSTEM ALERT TEXT PARAMETERS POPUP E-MAIL RECIPIENTS EMAIL RECIPIENTS LOOKUP
45407	Recipient Label	EAM.ADMN.REQ.IONPulseforAlerts EAM-337	BSALRT	ALERT MANAGEMENT SYSTEM
45425	Recipients	EAM.ADMN.REQ.EmailTemplates.doc	BSMTMP BSMVIW	E-MAIL TEMPLATES E-MAIL VIEWER
45560	Recommended Repair Date	EAM.EQUIP.REQ.Nonconformities	BAL015 BCMOBL OSNCFM OSNCHD OSOBJA	CREATE WORK ORDER FOR NONCONFORMITIES 7I MOBILE BOILER TEXT NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45560	Recommended Repair Date	EAM.EQUIP.REQ.Nonconformities	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
12770	Record	Extended (product name). Administration module - eRecord setup.	BSDTCV	DATA CONVERSION (MP2)
			M1	Pull-Down Menu Texts
			BSMPWO	MP2 WORK ORDERS
			WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
			WSURCR	UNRETURNED CORES
47106	Record Damage	Receive Asset	WSUWOD	UNSIGNED WO DIFFERENCES
			BCMOBL	7I MOBILE BOILER TEXT
			OCOBJA	MOBILE EQUIPMENT FUNCTION
28584	Record Details	Databridge Administration. Group header. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSDEPT	DEPARTMENTS
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
39938	Record ID	EAM.EQUIP.UC.CalculateEquipmentReliabilityRankingI	BSDOCA	DOCUMENTS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSATCP	CHECKLIST POPUP
			WSCTMP	CONTRACT TEMPLATES
			WSTCRT	LINEAR EQUIPMENT TRACE
35706	Record Number	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
34251	Record Packing Slip	Packing Slip For PO Receipts	SSRECV	PO RECEIPTS
34224	Record Performed By eSignature	PIR-21376	BZEVTD	ELECTRONIC RECORDS FOR EVENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34224	Record Performed By eSignature	PIR-21376	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
34225	Record Reviewed By eSignature	PIR-21376	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
		EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
20849	Record Stockouts	Infor EAM - Flag whether a record must be created when the stock is exhausted. EWS.MATL.UC.RecordStockoutsPopup.doc-30680	SSPART	PARTS
			SSSTOR	STORES
			SSISSU	Stock Issues
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			BCMOBL	7I MOBILE BOILER TEXT
			OSDCUR	DECAY CURVE
46735	Record Type	EAM.WORK.REQ.NonconformitiesStatusUpdatePopup	WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
			WZPMDO	PM DUE OVERVIEW
43371	Record Type Description	EAM-10497	BSALRT	ALERT MANAGEMENT SYSTEM
20135	Record View	Infor EAM - tab name	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSAUTH	STATUS AUTHORIZATION
			BSBOIL	GLOBAL TEXT CHANGES
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCLPE	CLOSING PERIODS
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSCSTC	COST CODE
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSDELA	Delivery addresses
			BSDEPT	DEPARTMENTS
			BSDEVS	PRINTERS
			BSDOCU	DOCUMENTS
			BSDTCV	DATA CONVERSION (MP2)
			BSDWRP	DATA WAREHOUSE RUN PARAMETERS
			BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	BSENS	ENTERPRISE SEARCH SETUP
			BSEREC	ELECTRONIC RECORD SETUP
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGDPR	GDPR ADMINISTRATION
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSHOME	HOME - OVERVIEW SCREEN
			BSINBX	INBOX SETUP
			BSINST	INSTALL CODES
			BSINTR	MP2 INVENTORY TRANSACTIONS
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			BSJOBS	JOB SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSLANG	LANGUAGES
			BSLGTK	LANGUAGE TOOLKIT
			BSLOCL	LOCALE
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMDEV	MOBILE DEVICES
			BSMENS	MOBILE ENTITIES SETUP
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSMOST	MULTI-ORG SECURITY
			BSMPMR	MP2 METER READINGS
			BSMTMP	E-MAIL TEMPLATES
			BSMVIW	E-MAIL VIEWER
			BSORGS	ORGANIZATIONS
			BSOSTR	REPORT ORGANIZATION STRUCTURE
			BSPROM	Custom Attributes
			BSQUER	QUERIES
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSROLE	LDAP ROLES SETUP
			BSSERQ	PROPERTIES
			BSSFLW	BUSINESS PROCESS MANAGEMENT CENTER
			BSUCOD	SYSTEM CODES
			BSUOMS	UOM SETUP
			BSUSER	USER SETUP
			BSVIEW	VIEWS
			BSVLOG	VIEW LOG FILES SCREEN
			BSVMRS	VMRS CODES
			BSWSPM	WEB SERVICES PROMPT
			CSBBNT	BULLETIN BOARD NOTICES
			CSCASE	CASE MANAGEMENT
			CSCCSP	CONTACT CENTER SETUP
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSRAPD	RAPID REQUEST
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			DSMSGs	VIEW MESSAGE STATUS
			DSPTNR	CREATE PARTNER
			DSSTSK	DATABRIDGE SCHEDULED TASKS
			ESGSET	GENERAL SETTINGS
			ESNOTI	NOTIFICATIONS
			ESPSET	POLICY SETTINGS
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OEPERF	PERFORMANCE FORMULAS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	ONSENSM	ENERGY STAR MESSAGE VIEWER
			OSEQGN	EQUIPMENT GENERATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFUND	FUNDING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSLDSE	LINEAR DIRECTION SETUP
			OSMETE	PHYSICAL METER
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVIW	EQUIPMENT OVERVIEW 360
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVBJA	VIEW ASSET LIST
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	PSOBS	ASSETS FOR PO
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			RSPRIO	MS PROJECT PRIORITY MAPPINGS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCURR	CURRENCIES
			SSEVAL	PART EVALUATIONS
			SSGHGS	GREENHOUSE GASES
			SSHCST	PART CODE STRUCTURE
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSIPVN	7I BUY VENDORS
			SSIUSS	STORE TO STORE ISSUES
			SSLOTS	LOTS
			SSMANP	OVERVIEW OF MANUFACTURER PARTS
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPHST	PART NUMBER HISTORY
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPRCC	STORE GROUPS
			SSPRES	PART RESERVATIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREJR	REASON FOR RETURN
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SSTXTP	TAX RATE TYPES
			SSVREQ	VIEW PURCHASE STATUS
			TCCRSB	7I MOBILE BOILER TEXT
			TSASTP	DC TRANSACTION PROMPT
			TSPROF	PROFILES
			TSTRAN	PROMPT MACHINE
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WSADJU	ADJUSTMENT
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPH	REVISION CONTROL HISTORY
			WSAPPL	APPROVAL LISTS
			WSARRS	PRICING SCHEDULE
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSCALR	VIEW CALIBRATION RESULTS
			WSCCON	CUSTOMER CONTRACTS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCLSR	CLOSE SERVICE REQUEST
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSDFAC	DEFERRED MAINTENANCE
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSHZRD	HAZARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	WSILPO	ISOLATION POINTS
			WSINFO	CREATE / EDIT PROPERTY INFORMATION
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSMATL	MATERIAL LISTS
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSRELJ	RELEASE OF SELECTED JOBS
			WSROUT	ROUTES
			WSRVCS	REVISION CONTROL SETUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSFMX	SAFETY MATRIX
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSURCR	UNRETURNED CORES
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSWKPK	PM WORK PACKAGES
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			YSACCD	VIEW GL VALUES
			YSACDP	ACCOUNT DETAIL SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20135	Record View	Infor EAM - tab name	YSFLXS YSGLRF YSPRCD	FLEX SQL GL REFERENCES GL PROCESS DEFINITIONS
47017	Record Voice Memo	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
47094	Record a Video	Workorder Documents	BCMOBL	7I MOBILE BOILER TEXT
41828	Record eSignature	EAM.WORK.REQ.PermitToWork	WSPMTW	PERMIT TO WORK
44127	Record has been changed. Select Yes to continue and the changes will be lost. Select No to stay on the screen.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
19397	Record is deleted	this is a value of the Old status on BNEREC when you select this, the systems takes a snapshot of the electronic record it is deleted from the database	BSEREC BSESIG	ELECTRONIC RECORD SETUP ERECORDS LIST
19398	Record is inserted	this is a value of the Old status on BNEREC when you select this, the systems takes a snapshot of the electronic record it is inserted in the database	BSEREC	ELECTRONIC RECORD SETUP
19401	Record is updated	this is a value of the Old status on BNEREC when you select this, the systems takes a snapshot of the electronic record it is updated in the database	BSEREC	ELECTRONIC RECORD SETUP
15259	Record view		BMHTCF BMOPSV SSREQL	HTML CONTENT SETUP OPS PACKAGE REQUISITION LINE
44128	Record was deleted successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44129	Record was saved successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
45566	Recorded By	EAM.EQUIP.REQ.Nonconformities	BCMOBL OSNCFM OSNCHD OSOBJA OSOBJL OSOBJP OSOBJS OZNCFL WHJOBQ WSJOBS WSOPCL WZJOBQ	7I MOBILE BOILER TEXT NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT LIST OF NONCONFORMITIES PRINT WORK ORDER CREATE WORK ORDER OPERATOR CHECKLIST PRINT WORK ORDER
49623	Recorded By Name	EAM.EQUIP.REQ.ChecklistsForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS WSOPCL	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER OPERATOR CHECKLIST
37081	Recorded in Mobile	EWS.ADMN.UC.AuditTrailPopup	BSAUDP BSCMTH	VIEW AUDIT TRAIL POPUP VIEW COMMENTS AUDIT TRAIL POPUP
20108	Records	Infor EAM - displays records associated with a requisitions, purchase order, etc.	BSJSDN LOVPOP WSVREQ	COMMON FUNCTION FOR JAVASCRIPT LOV POPUP FUNCTION USED TO GET LABELS VIEW WORK REQUEST STATUS
32488	Records Not Transferred	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
28528	Records Processed	Data warehouse. Number of records processed. Refer to PVCS 1647, 9649.	BSDWRL BSVSDP	DATA WAREHOUSE RUN LOG VIEW STATUS DETAILS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28528	Records Processed	EAM-28284	BSCMEX BSCMIM BSEXAL	CONFIGURATION MANAGER - EXPORT CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION
32487	Records Transferred	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
44130	Records cannot be created for the work order while it is a work request.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44131	Records cannot be created for the work order while status is Completed.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44132	Records cannot be created for the work order while status is Work Request.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41528	Recovered (%)	EAM-2157	OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
49479	Recurring Mitigation Cost	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49480	Recurring Mitigation Cost Currency	EAM-49865/RCMFailureMitigationForEquipment.docx	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
44884	Recurring Request	EAM.CCTR.REQ.CallCenter EAM-14817	BSLOVS CSCCTR WSJOBS WSJOVH WSJOVM	LIST OF LOOKUPS CONTACT CENTER CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
44595	Recurring Request Lookback Days	EAM-14819	CSCCSP	CONTACT CENTER SETUP
31698	Recv Qty	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
43524	Red Max. Limit (%)	EAM-10033	OSOBJA OSOBJP OSOBJS OZOEEM	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OEE METRICS
44364	Redirect Timer (sec)	EAM-14610:EAM.CCTR.REQ.CustomerSurveys.docx	CSCSUR	CUSTOMER SURVEYS
44363	Redirect URL	EAM-14610:EAM.CCTR.REQ.CustomerSurveys.docx	CSCSUR	CUSTOMER SURVEYS
45464	Redline Layers	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34174	Redo All	EWS.ADMN.UC.GlobalTextChange	BSBOIL	GLOBAL TEXT CHANGES
38085	Reduction % Based on Previous Year	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
38091	Reduction % can only be calculated if date range is populated and less than or equal to a year. Change the date range and run the report again.	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
38089	Reduction % or Efficiency	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
38072	Reduction Percentage	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
30400	Ref. Description	D7i Extended - LINEAR EQUIP -	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30400	Ref. Description	EWS.EQUIP.UC.LinearReferencesForEquipment - Ref. = Reference = noun (synonym = 'measurement', as in a 'reference point')	BSCLAS	CLASSES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHJOB	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
			WYJOB	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
30380	Ref. Precision	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - user enters the precision (or number of decimal points allowed) when entering a linear reference point	BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30380	Ref. Precision	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - user enters the precision (or number of decimal points allowed) when entering a linear reference point	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
38053	Ref. Precision Code	D7i Extended - EQUIP - EWS.EQUIP.UC.CreateAssetEQ.doc - user enters the precision (or number of decimal points allowed) when entering a linear reference point	JSCAMP	CAMPAIGN
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
12292	Reference		BCMOBL	7I MOBILE BOILER TEXT
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CZUSGF	Discount Request Based On Usage
			FCGRD2	FLAMETHROWER GRID 2
			OSCLAI	WARRANTY CLAIMS
			OSEQCI	CHECKLIST ITEMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			PZINVL	List Of Invoices Not Yet Approved
			SSRECV	PO RECEIPTS
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12292	Reference		WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSTASK	TASKS
			WZVRHS	VEHICLE RENTAL HISTORY
			DSPTNR	CREATE PARTNER
36166	Reference Code	EWS.DBADMIN.UC.ReferencesforPartners	OSOBJA	CREATE ASSET EQUIPMENT
45957	Reference Description	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			YSGLRF	GL REFERENCES
27941	Reference Details	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc. D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - Reference = noun	BSCLAS	CLASSES
			DSPTNR	CREATE PARTNER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZMNBK	MOBILE NOTEBOOK
			DSPTNR	CREATE PARTNER
			BSLOVS	LIST OF LOOKUPS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSCOMP	NON-PO RECEIPTS
46967	Reference Details Section	EAM-29929 Mobile Notebook report	SSHIXF	HELD ITEMS TRANSFER
			SSHXXF	HELD ITEMS TO STOCK TRANSFER
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
36164	Reference Name	EWS.DBADMIN.UC.ReferencesforPartners	DSPTNR	CREATE PARTNER
20010	Reference Number	Infor EAM - this field displays any kind of number given as a reference for a work request.	BSLOVS	LIST OF LOOKUPS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20010	Reference Number	Infor EAM - this field displays any kind of number given as a reference for a work request.	WSSREQ WSVCSR WSVSR	SERVICE REQUESTS CUSTOMER SERVICE REQUEST VIEW SERVICE REQUESTS
46062	Reference Point Details	EAM.WORK.REQ.TraceRoutePopup.docx	WSLLDT WSTCRT	LINEAR LOCATION DETAILS POPUP LINEAR EQUIPMENT TRACE
42327	Reference Precision	EAM.EQUIP.REQ.EquipmentConfiguration	OSECON	CREATE EQUIPMENT CONFIGURATION
46740	Reference System	EAM-26543	WSGSRH	GIS MAP ROADS HIGHWAYS
36168	Reference Type	EWS.DBADMIN.UC.ReferencesforPartners	DSPTNR OSOBJA OSOBJP OSOBJS	CREATE PARTNER CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
47189	Referenced Notebook Code	EAM-31932	BSLOVS OSMNBK OZMNBK	LIST OF LOOKUPS NOTEBOOK MOBILE NOTEBOOK
36162	References	EWS.DBADMIN.UC.ReferencesforPartners	BCMOBL DSPTNR OCMNBK OSMNBK	7I MOBILE BOILER TEXT CREATE PARTNER CROSSBOW MOBILE NOTEBOOK FUNCTION NOTEBOOK
17376	Refresh		BSHOME BSIMPT BSJSDN BSSTRT M1 OSOVIW USBUDG WSSCHD WZIRQO USINVP	HOME - OVERVIEW SCREEN IMPORT CONFIGURATION COMMON FUNCTION FOR JAVASCRIPT EWS NEW START CENTER Pull-Down Menu Texts EQUIPMENT OVERVIEW 360 BUDGETS WORK ORDER SCHEDULE SERVICE REQUEST OVERVIEW INVESTMENT PLANNING
49590	Refresh Age Data	EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni		
38223	Refresh All Dates	EWS.ADMN.UC.CreateEditLanguages.doc	BSRLNP	REFRESH INSTALLED LANGUAGE
40613	Refresh All Exchange Rates	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
25762	Refresh Audit Triggers	Extended (product name). Audit Setup form.	BSTRGP	VIEW TRIGGER STATUS POP UP
32318	Refresh Cost Data	EWS.EQUIP.UC.CostsForEquipment.doc	CSCASE CSCMTK OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CASE MANAGEMENT CASE MANAGEMENT TASKS CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
38680	Refresh Cost Data for Selected Records	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
26440	Refresh E-mail Triggers	D7i Extended - Email Notification Setup	BSMAIL BSMATS	MESSANGER TRIGGER DEFINITION VIEW TRIGGER STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38888	Refresh Error Text File	EWS.ADMN.UC.CreateEditLanguages.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLANG	LANGUAGES
45743	Refresh Every	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURR	BATCHUPDATERANKINGREFRESHPOPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
45744	Refresh Every Unit	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURR	BATCHUPDATERANKINGREFRESHPOPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
38218	Refresh Installed Language	EWS.ADMN.UC.CreateEditLanguages.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLANG	LANGUAGES
24450	Refresh Inventory	Extended (product name). This is the right-click menu (button) choice for refreshing inventory on the Physical Inventory screen.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSPINV	PHYSICAL INVENTORY
49571	Refresh Investment Period	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
34824	Refresh Part List	EWS.WORK.UC.CreatePickTicketPopup/17744	WSPPTP	CREATE PICK TICKET POPUP
43234	Refresh Required	EAM-9965: EAM.EQUIP.REQ.CostsForEquipment	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
37492	Refresh Resource Data	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WYVRSL	VIEW RESOURCE LOAD
			WZVRSL	VIEW RESOURCE LOAD
38625	Refresh Resources	37453	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			WSPRRS	REFRESH RESOURCES
45746	Refresh Sequence	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSBURR	BATCHUPDATERANKINGREFRESHPOPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45746	Refresh Sequence	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
38224	Refresh Since	EWS.ADMN.UC.CreateEditLanguages.doc	BSRLNP	REFRESH INSTALLED LANGUAGE
24348	Refresh Status	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
38231	Refresh Translated Text	EWS.ADMN.UC.CreateEditLanguages.doc	BSRLNP	REFRESH INSTALLED LANGUAGE
38221	Refresh Translated Text Details	EWS.ADMN.UC.CreateEditLanguages.doc	BSRLNP	REFRESH INSTALLED LANGUAGE
38525	Refresh Volumes	EWS.WORK.UC.PhysicalInventoryForFuel	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
31162	Regenerate Bill	D7i Extended -- Fleet Bills -- Button Label	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSFBIL	FLEET BILLS
45930	Regenerate In Progress	EAM.WORK.REQ.CustomerInvoices	WSINVC	CUSTOMER INVOICES
40284	Regenerate Invoice	EAM-57.WORK.REQ.CustomerInvoices	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSINVC	CUSTOMER INVOICES
45931	Regenerate Requested	EAM.WORK.REQ.CustomerInvoices	WSINVC	CUSTOMER INVOICES
40280	Regenerated	EAM-57.WORK.REQ.CustomerInvoices	WSINVC	CUSTOMER INVOICES
37633	Region	SCR#33576	BHDDAN	DEGREE DAY ANALYSIS
			BSDOCA	DOCUMENTS
			BSREGN	CREATE EDIT REGIONS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZTACR	TEMPERATURE ANALYSIS CHART
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37694	Region Code	SCR#33576	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
37693	Region Codes	SCR#33576	BSLOVS	LIST OF LOOKUPS
38300	Region Details	36409	BSREGN	CREATE EDIT REGIONS
39017	Region Org.	EWS.EQUIP.UC.CreateEditAssetEQ/38074	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39017	Region Org.	EWS.EQUIP.UC.CreateEditAssetEQ/38074	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
38343	Regions	36409	BSLOVS	LIST OF LOOKUPS
29959	Registration Date	D7i Extended -- Invoices form -- field label, noun	BZINVD	ELECTRONIC RECORDS FOR INVOICES
			PSINVO	INVOICES
42061	Regression Expected	EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
35814	Regular Hours	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
46104	Regulated	EAM.WORK.REQ.ChecklistForWorkOrder	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
44546	Regulatory	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			OSWARR	WARRANTY
49642	Regulatory Account	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	SSPWCL	PART WARRANTY CLAIMS
43616	Reimbursement Type	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	BCMOBL	71 MOBILE BOILER TEXT
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
19882	Reject	Infor EAM	SSREQS	CREATE PURCHASE REQUISITION
			SSVREQ	VIEW PURCHASE STATUS
			WSAPPR	REVISION CONTROL APPROVAL
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
			BCMOBL	71 MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
47028	Reject Checklist	EAM-29988 Transit app (iOS) - JSI Work Orders	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT
46867	Reject Performed By	EAM.WORK.REQ.ChecklistForWorkOrder		
46868	Reject Performed By 2	EAM.WORK.REQ.ChecklistForWorkOrder		
31699	Reject Qty	EWS.CREP.UC.ElectronicRecords - Electronic Records		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35686	Reject Qty.	report	SSRECV	LINES
20235	Reject Reason	EWS.MATL.UC.ProcessedLinesforPORceipts	BCMOBL	PO RECEIPTS
		Infor EAM - the reason something was rejected.	BZDKLD	7I MOBILE BOILER TEXT
				ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			WSAPPH	REVISION CONTROL HISTORY
			WSAPPR	REVISION CONTROL APPROVAL
			WSAPRR	REJECT REASON
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
30121	Reject Reason Details	Extended (product name); See EWS.WORK.UC.ApprovalsforRCAApproval.doc	WSAPRR	REJECT REASON
47029	Reject Signal	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47030	Reject Track	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
16303	Rejected	You approve or reject new revisions depending on the choice available for the MRC.	BCMOBL	7I MOBILE BOILER TEXT
			BZEALD	ELECTRONIC RECORDS FOR
			WSAPPH	REVISION CONTROL HISTORY
34182	Rejected Qty.	EWS.MATI.UC.InstructionsforInspections	SSPINS	PART INSPECTIONS
35492	Rejected Qty. (UOM)	EWS.MATL.UC.ActiveLinesforPORceipts / 27016	SSRECV	PO RECEIPTS
36975	RelWO	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	TCJCLR	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
35066	Related Contract	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
35057	Related Customer Contracts	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
43306	Related Equipment	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43306	Related Equipment	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSTCRT	LINEAR EQUIPMENT TRACE
46081	Related Equipment Description	EAM.WORK.REQ.TraceRoutePopup	WSTCRT	LINEAR EQUIPMENT TRACE
46082	Related Equipment Org.	EAM.WORK.REQ.TraceRoutePopup	WSTCRT	LINEAR EQUIPMENT TRACE
33975	Related Message Record	EWS.DBADMIN.UC.RelatedMessagesForMessageStatus	DSMSGGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
33232	Related Messages	15880	DSMSGGS	VIEW MESSAGE STATUS
49618	Related Meter Readings	EAM-50849 - EAM.WORK.REQ.LastMeterReadings.	WSJOBS	CREATE WORK ORDER
43307	Related Parts	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	BCMOBL	7I MOBILE BOILER TEXT
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
49462	Related WO	EAM.WORK.REQ.MeterReadingsforWOEquipment	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
36531	Related WO - Activity	EWS.ADMN.UC.CreateEditDeferredMaintenance	WSJOBS	CREATE WORK ORDER
36659	Related WO Activity	31111	WSDFAC	DEFERRED MAINTENANCE
32291	Related Work Order	EWS.WORK.UC.EquipmentforWorkOrder	WSDFAC	DEFERRED MAINTENANCE
			BCMOBL	7I MOBILE BOILER TEXT
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSAREA	READING FOR ASSET
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32291	Related Work Order	EWS.WORK.UC.EquipmentforWorkOrder	PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
			SSSTOR	STORES
			SSSUPP	SUPPLIERS
			TCJALL	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			WHJOB	PRINT WORK ORDER
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSWOBU	BATCH WORK ORDER UPDATE
			WZJOB	PRINT WORK ORDER
41171	Related Work Order History	EAM.WORK.REQ.RelatedWorkOrderHistoryforWorkOrder	WSJOBS	CREATE WORK ORDER
40833	Related Work Orders	EAM.WORK.REQ.RelatedWorkOrdersforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSVMRS	VMRS CODES
48544	Related to Class	EAM.ADMN.REQ.EMRSCodesLookup.docx	OSOBJA	CREATE ASSET EQUIPMENT
43345	Relationship	EAM-9345	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
42961	Relationship Type	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BCMOBL	7I MOBILE BOILER TEXT
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42961	Relationship Type	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSWREQ	WORK REQUEST
42032	Relative Days	EAM-3780	OZPRDC	RELIABILITY CALCULATIONS
43005	Relative Start	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
47708	Relative to Commission	EAM-22857	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
12362	Release		PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			WZPMDO	PM DUE OVERVIEW
			PSBORD	CREATE EDIT BLANKET ORDERS
18178	Release Details	group header on PMPORD	PYBPOL	BLANKET ORDER LIST
18179	Release Information	group header on PMPORD	PZBPOL	BLANKET ORDER LIST
39363	Release Maintenance Patterns	EAM.WORK.UC.GenerateReleaseWorkOrders	WSBWOG	GENERATE/RELEASE WOS
39365	Release Maintenance Patterns Selection Parameters	EAM.WORK.UC.GenerateReleaseWorkOrders	WSBWOG	GENERATE/RELEASE WOS
35820	Release No.	EWS.ADMN.UC.MP2WorkOrders	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
25029	Release WOs for Fixed/Variable PMs	Extended (product name)	WSBWOG	GENERATE/RELEASE WOS
23816	Release Window	Infor EAM - Time window, within which PPM jobs can be released.	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23816	Release Window	Infor EAM - Time window, within which PPM jobs can be released.	WZMPAT	PRINT MAINTENANCE PATTERN
			WZPPMQ	LIST OF PM SCHEDULES
31700	Release Window %	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
44133	Release to refresh.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
18369	Release work orders	Radio button on report, if you select it, MP5 will release all work orders.	BCMOBL	7I MOBILE BOILER TEXT
33000	Released	EWS.CREP.UC.WorkOrderCostSummary.doc	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			WSMPAT	MAINTENANCE PATTERNS
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZSJOB	SAFETY WORK ORDER REPORT
29984	Released Hours	D7i Extended -- Blanked Orders form, Services page -- Field label	PSBORD	CREATE EDIT BLANKET ORDERS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
28709	Released Qty.	D7i Extended -- Blanket Orders form -- Parts tab field label	PSBORD	CREATE EDIT BLANKET ORDERS
31701	Released Quantity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
40060	Released Safety Work Orders	47379	WZSJOB	SAFETY WORK ORDER REPORT
28291	Released Value	D7i Extended -- Blanket Order form -- field label, noun	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
43280	Released WO	EAM-10642	WSPPMS	PM SCHEDULES
32791	Released Work Orders	EWS.CREP.UC.CalculateWOCharges.doc	WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WZCJOB	CALCULATE CUSTOMER CHARGES
41642	Reliability	EAM-2414	OZPRDC	RELIABILITY CALCULATIONS
			OZRBCR	RELIABILITY CHART
47890	Reliability %	EAM-38196:EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
41363	Reliability Calculations	EAM-403, EAM.EQUIP.REQ.Objective	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTGY	CREATE STRATEGY
			OZPRDC	RELIABILITY CALCULATIONS
41648	Reliability Chart	EAM-2416	OZPRDC	RELIABILITY CALCULATIONS
42029	Reliability Growth	EAM-4928	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42029	Reliability Growth	EAM-4928	OSOBJP	CREATE POSITION EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
39797	Reliability Ranking	EAM.EQUIP.UC.CreateEditReliabilityRanking	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZRELS	PRINT RELIABILITY SURVEY
			WHJOBQ	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
39815	Reliability Ranking Details	EAM.EQUIP.UC.CreateEditReliabilityRanking	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
39809	Reliability Ranking Index	EAM.EQUIP.UC.RanksforReliabilityRanking.docx Tracker id 45932	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39809	Reliability Ranking Index	EAM.EQUIP.UC.RanksforReliabilityRanking.docx Tracker id 45932	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVBH	PRINT WORK ORDER HEALTHCARE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
39837	Reliability Ranking Level	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OERELD	DECISION TREE FOR RELIABILITY RANKING
47857	Reliability Ranking Org.	EAM.EQUIP.REQ.Positions	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
39898	Reliability Ranking Score	EAM.EQUIP.UC.CreateEditAssetEQ	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEQUD	EQUIPMENT DETAIL
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVBH	PRINT WORK ORDER HEALTHCARE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOBFB	PRINT WORK ORDER
			WZJOBQB	PRINT WORK ORDER
			WZJOVBH	PRINT WORK ORDER HOSPITALITY
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
			WZJOVBH	PRINT WORK ORDER HEALTHCARE
39951	Reliability Ranking Setup Last	EAM.EQUIP.UC.BatchUpdateReliabilityRankingValues	BZEQDL	EQUIPMENT LIST - DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39951	Updated	EAM.EQUIP.UC.BatchUpdateReliabilityRankingValues	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
39949	Reliability Ranking Values Last Calculated	EAM.EQUIP.UC.BatchUpdateReliabilityRankingValues	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
43711	Reliability Ranking Values Out of Sync	EAM-10704: Equipment Details new report	WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			OZEQUD	EQUIPMENT DETAIL
39948	Reliability Ranking Values Out of Sync	EAM.EQUIP.UC.BatchUpdateReliabilityRankingValues	BZEQDL	EQUIPMENT LIST - DETAIL
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
39922	Reliability Rankings	EAM.EQUIP.UC.CreateEditAssetEQ	BSLOVS	LIST OF LOOKUPS
39950	Reliability Survey Last Updated	EAM.EQUIP.UC.BatchUpdateReliabilityRankingValues	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
46307	Reload map files	GIS	WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BCMOBL	71 MOBILE BOILER TEXT
43002	Rem. Useful Life	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43002	Rem. Useful Life	EAM.EQUIP.REQ.DepreciationForEquipment	OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
32609	Remaining	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
48542	Remaining Available Hrs.	EAM-41841 : View Delete Dispatch Labor Popup	WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
29304	Remaining Balance	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
43598	Remaining Hours	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	OSOBJA	CREATE ASSET EQUIPMENT
47772	Remaining Useful Life (years)	EAM-37496 : EAM.EQUIP.REQ.Assets	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			PSBORD	CREATE EDIT BLANKET ORDERS
28292	Remaining Value	D7i Extended -- Blanket Order form -- field label, noun	BCMOBL	7I MOBILE BOILER TEXT
47305	Remark	EAM.WORK.REQ.ContractorSignOffPopup	WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSPMTW	PERMIT TO WORK
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
12469	Remarks		CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			OZOBJF	LIST OF EQUIPMENT DETAILS
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCCTR	PRINT SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSREPO	CREATE / EDIT REPORTS
13297	Remember	Whether the selection criteria in the report frontend should be defaulted to the remembered value.		
27962	Remember User ID and Organization	Barcode	FCSCRN	FLAMETHROWER SCREENS
19717	Remember User ID?	checkbox to have the system remember the user name	CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			LOGIN	LOGON SCREEN
34894	Remote	EWS.DBPARTNER.UC.DatabridgePartner.JobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
15340	Remove		BSIMPT	IMPORT CONFIGURATION
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			BSJSND	COMMON FUNCTION FOR JAVASCRIPT
40626	Remove Adjustment	EAM-90 Adjustments For Customer Rental	WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
42291	Remove All	EAM-5807	BSJSND	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42291	Remove All	EAM-5807	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
34250	Remove All Lines	Packing Slip For PO Receipts	SSRECV	PO RECEIPTS
33801	Remove Article from My Favorites	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
28429	Remove Aspect	D7i Extended -- Monitored Data form -- link button on Aspects tab	ISMONT	MONITORED DATA
28427	Remove Aspect Point	D7i Extended -- Monitored Data form -- link button on Aspect Point tab	ISMONT	MONITORED DATA
26683	Remove Asset	Infor EAM. Refer to EWS.PRCH.UC.CreateAssetsforPO.	PSOBSJ	ASSETS FOR PO
27066	Remove Authorization	D7i Extended - Status Change Authorization - link button	BSAUTH	STATUS AUTHORIZATION
33898	Remove Business Process	#23773	BSGROU	GROUPS
42427	Remove Chart	EAM-6203: Chart tab for User Groups	BSGROU	GROUPS
33432	Remove Child Clause	22537	PSCLAU	PURCHASING CLAUSE
27773	Remove Child KPI	D7i Extended - KPI Setup form - Link button, verb	BSKPIC	DEFINING KPI ENTRIES
29954	Remove Child Standard WO	Infor EAM (product name); See EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
26796	Remove Class	D7i Extended - Classes for Closing Codes - link button	BSFFSP BSVMRS ISFIND OSCLCD	FILTER FIELD SETUP SCREEN VMRS CODES FINDINGS CLOSING CODE
26542	Remove Clause	Infor EAM. Refer to PVCS 6212.	PSBORD PSCOTP PSPORD PSRFQT WSCCON WSCTMP	CREATE EDIT BLANKET ORDERS CLAUSES OF PURCHASING CONTRACTS PURCHASE ORDERS REQUESTS FOR QUOTATIONS CUSTOMER CONTRACTS CONTRACT TEMPLATES
31447	Remove Code	PVCS 16601	PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
29394	Remove Commodity	D7i Extended -- Suppliers form/Commodity page -- Link Button, remove=verb, commodity=noun	SSSUPP WSCCON	SUPPLIERS CUSTOMER CONTRACTS
43322	Remove Component	EAM-10421 EAM.EQUIP.REQ.ComponentsforWarranties	OSNCTP OSWARR	NONCONFORMITY TYPES WARRANTY
42028	Remove Condition	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
40607	Remove Contract Item	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
48486	Remove Crew	Crews for Shift	WSSHIF	SHIFTS
25477	Remove Custom Field	Extended. Associate Custom Fields form.	BSCLAS BSCSTF	CLASSES ASSOCIATE CUSTOM FIELDS
34392	Remove Custom Field Association	EWS.ADMN.UC.CustomFieldsForClasses	BSCLSB	CLASSES FOR BUSINESS EDITION
38940	Remove Custom Screen/Report	Tracker id 38890	BSGROU	GROUPS
36231	Remove Department	EWS.ADMN.UC.DepartmentSecurityforUserGroups	BSUSER	USER SETUP
39440	Remove Document Association	EAM.ADMN.UC.WhereUsedforDocuments/34090	BSDOCU	DOCUMENTS
21846	Remove Document Link	Infor EAM - button to remove the document link from the selected record	BSDOCA	DOCUMENTS
25505	Remove Employee	Extended (product name)	OSWKSP WSCREW WSSHIF WSWKPK	WORKSPACES CREW SHIFTS PM WORK PACKAGES
41467	Remove Energy Target	EAM-513 : Energy Targets for Objective	OSOBTV	OBJECTIVES
26992	Remove Equipment	Extended (product name)	CSCINF CSSVPB	CONTACT INFO SERVICE PROBLEM CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26992	Remove Equipment	Extended (product name)	JSCAMP JSSHUT OSGRTE OSSTCS SSSUPP WSJOBS WSJOVM WSMPAT WSPPMP WSWKPK	CAMPAIGN SHUTDOWNS CREATE ROUTE WORK ORDER SETS AND CONSISTS SUPPLIERS CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS PM PLANS PM WORK PACKAGES
45749	Remove Equipment Ranking	EAM.EQUIP.REQ.RankingsForEquipment: EAM-19868	OSOBJA OSOBJP OSOBJS WSFLTK	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT FLEET VEHICLE TICKETS
31017	Remove Exception	D7i Extended -- Exceptions for Vehicle Tickets -- Link Button, select to remove an exception from the grid		
33629	Remove Field	EWS.ADMIN.UC.FieldsToRememberforScreens	BSCDSS BSFUNC BSGRID BSWSPM	USER DEFINED SCREEN SETUP CREATE UPDATE SCREENS GRID DESIGNER WEB SERVICES PROMPT
37852	Remove Fuel Type	EWS.MATL.UC.FuelsForCommodities/SCR33846	SSCOMM	COMMODITIES
49645	Remove GL	EAM.PROJ.REQ.CompatibleUnitsAccountingCodes	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
48813	Remove Highest Zone	EAM-45464/MarkovTransitionMatrixforDecayCurve	OSDCUR	DECAY CURVE
34340	Remove Inbox	EWS.ADMN.UC.InboxesForUserGroups.doc	BSGROU	GROUPS
34338	Remove KPI	EWS.ADMN.UC.KPIsForUserGroups.doc	BSGROU	GROUPS
44673	Remove Key	EAM-15134	OSKEYM	KEY MANAGEMENT
35713	Remove Labor	EWS.WORK.UC.BookLaborForWorkOrder.doc/22217	JSCULB	COMPATIBLE UNITS LIBRARY
27907	Remove Line	Barcode	FCSCRN SSRECV	FLAMETHROWER SCREENS PO RECEIPTS
33726	Remove Location	EWS.EQUIP.UC.LocationsforChangeNotice	OSCHNO	CHANGE NOTICES
44700	Remove Logo	EAM-14710	ESGSET	GENERAL SETTINGS
39515	Remove Map	EAM.ADMN.UC.MapsforUser/43398	BSDEPT BSUSER	DEPARTMENTS USER SETUP
45578	Remove Material Type	EAM.EQUIP.REQ.MaterialTypesForNonconformityTypes	OSNCTP	NONCONFORMITY TYPES
35678	Remove Multiple Lines	EWS.MATL.UC.PackingSlipforPOReceipts	SSRECV	PO RECEIPTS
48569	Remove Multiple Organizations	EAM.ADMN.REQ.OrganizationsforUsers	BSUSER	USER SETUP
45611	Remove Nonconformity Type	EAM-20216: EAM.ADMN.REQ.NonconformityTypesForVMRSC	BSVMRS ISASPC SSPART	VMRS CODES ASPECTS PARTS
25079	Remove Organization	D7i Extended - Users form - Organizations tab - link button label	BSUSER	USER SETUP
34022	Remove PM Schedule	PM Schedules on PM Plan	WSPPMP	PM PLANS
27550	Remove Page	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
29055	Remove Parameter	D7i Extended -- Formula form -- Link Button on Parameters tab, remove=verb, parameter=noun	ISFORM	FORMULAS
24011	Remove Part	Infor EAM - link button on the Parts Associated tab to remove a part that has been associated with a record	BSPARA JSCULB OSNCTP SSCOMP	PART ASSOCIATED (NO CATEGORY) GRID COMPATIBLE UNITS LIBRARY NONCONFORMITY TYPES NON-PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24011	Remove Part	Infor EAM - link button on the Parts Associated tab to remove a part that has been associated with a record	SSPACK SSPART SSRCVI SSRETN	PACKAGES SCREEN PARTS INTERNAL REPAIR RECEIPTS SUPPLIER RETURNS
30732	Remove Part Class	D7i Extended -- Fuel for Fleet Config -- Link Button, remove=verb	WSFLCF	FLEET CONFIGURATION
36248	Remove Part Failure	Part Failures for Work Orders	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
27361	Remove Permission	D7i Extended - button link to remove permissions	BSGROU	GROUPS
28077	Remove Point	D7i Extended -- Work Orders form -- link button, verb	ISMONT WSJOBS WSJOVH WSJOVM WSROUT	MONITORED DATA CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER ROUTES
28381	Remove Point Condition	D7i Extended -- Monitored Data form -- Link Button on Conditions tab, verb	ISMONT	MONITORED DATA
28721	Remove Prompt	D7i Extended -- Aspects form -- link button on Prompts tab, verb	ISASPC	ASPECTS
26215	Remove Property	Extended (product name) Property = real estate	WSEMPs	EMPLOYEES
28762	Remove Qualification	Extended (product name)	OSOBJA OSOBJP OSOBJS WSEMPs WSJBPL WSJOBS WSJOVH WSJOVM WSTASK WSTRAD	CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EMPLOYEES JOB PLANS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER TASKS TRADES
26828	Remove Range	D7i Extended - Ranges for KPIs - link button	BSINBX BSKPIC	INBOX SETUP DEFINING KPI ENTRIES
29744	Remove Rate	Infor EAM - Materials - #12376 - link button to remove rate for taxes	SSTAXS	TAX CODES
33705	Remove Record	Alternate Flows for Screen Flow Setup	BSFLOW BSORGS CSSVPB OSAPMS OSBURV OSDCUR OSOBJA OSOBJL OSOBJP OSOBJS OSOCDE OSRCMT SSPART SSSUPP	BUSINESS PROCESS SETUP ORGANIZATIONS SERVICE PROBLEM CODES APM SCENARIO CALCULATE RELIABILITY RANKING INDEX DECAY CURVE CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT CLASS DEFINITION RCM TEMPLATES PARTS SUPPLIERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33705	Remove Record	Alternate Flows for Screen Flow Setup	USINVP WSCCON WSCTMP WSPPMS WSSTWO	INVESTMENT PLANNING CUSTOMER CONTRACTS CONTRACT TEMPLATES PM SCHEDULES STANDARD WOS
47101	Remove Responsibility	EAM.ADMN.REQ.ResponsibilitiesForUsers:EAM-31075	BSUSER	USER SETUP
27549	Remove Row	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
40265	Remove Sales Price	EAM-32.REQ.SalesPricesForContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
26200	Remove Screen	D7i Extended - Screen Flow form	BSEXAL	EXPORT BASE CONFIGURATION
42292	Remove Selected	EAM-5807	BSJSDN OSSTUP	COMMON FUNCTION FOR JAVASCRIPT STRUCTURE PREFERENCES ON STRUCTURES TAB
35677	Remove Selected Lines	EWS.MATL.UC.RemoveMultiplePackingSlipLinesPopup	SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
48565	Remove Selected Organizations	EAM.ADMN.REQ.RemoveMultipleOrganizationsPopupfor Users / EAM-42935	BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
27676	Remove Service	Infor EAM. Refer to EWS.MATL.UC.ServicesforSuppliers.	JSCULB SSSUPP	COMPATIBLE UNITS LIBRARY SUPPLIERS
44249	Remove Service Code	EAM-14723: EAM.MATL.REQ.ServiceCodesforSuppliers	CSPSCT OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM SSSUPP	SERVICE CATEGORIES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT SUPPLIERS
36430	Remove Store	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
29388	Remove Substitute	D7i Extended -- EWS.MATL.UC.SubstitutesforParts -- Link Button, remove=verb, substitute=noun	SSPART	PARTS
29234	Remove Supplier	Extended (product name)	CSSVPB OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM PSRFQT WSJBPL WSTASK	SERVICE PROBLEM CODES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT REQUESTS FOR QUOTATIONS JOB PLANS TASKS
29194	Remove Supplier Rate	Extended (product name)	WSTRAD	TRADES
49660	Remove Template	EAM-49876-	OSRCMI	IMPORT FROM RCM TEMPLATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46844	Remove Tolerance	EAM.EQUIP.REQ.ImportRCMFromTemplatePopup	ISASPC	ASPECTS
28713	Remove Tool	EAM.INSPECTION.TolerancesForAspect	BSDEPT	DEPARTMENTS
		D7i Extended -- Departments form -- Link Button, verb, Tools tab	JSCULB	COMPATIBLE UNITS LIBRARY
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
28502	Remove Transaction	D7i Extended -- Prompt Machine form -- link button, verb	TSTRAN	PROMPT MACHINE
40854	Remove Type	EAM-328 : EAM.ADMN.UC.TypesforFieldFilterSetup	BSFFSP	FILTER FIELD SETUP SCREEN
44453	Remove UOM	EAM-14521	ISASPC	ASPECTS
27712	Remove User	Extended (product name)	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			JSPROJ	PROJECTS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			WSAPPL	APPROVAL LISTS
25786	Remove User Group	Extended (product name). Button label for the User Groups tab of the KPI Setup.	BSCHRT	CHART SETUP
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
40256	Remove WO Criteria	EAM.WORK.REQ.WOCriteriaForContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
41051	Remove WO Equipment Type	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP	FILTER FIELD SETUP SCREEN
30715	Remove WO Type	D7i Extended -- Maintenance for Fleet Config -- Link Button, remove=verb	WSFLCF	FLEET CONFIGURATION
25932	Remove Web Service	D7i Extended - Web Services for User Groups - Button Link	BSWSPM	WEB SERVICES PROMPT
39224	Remove Work Order(s) from Bundle	EAM.WORK.UC.ProductionRequestPreviewforGenerateProductionRequest	WSBWOP	BUNDLED WORK ORDERS
45368	Remove Workspace Move	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21444	Remove from List	Infor EAM - button to remove the selected part record from the list of parts to be issued or returned	SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSSTOS	QUICK STORE-TO-STOCK TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSBKPO	BOOK PO LABOR
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSTCRT	LINEAR EQUIPMENT TRACE
32762	Remove from Screen Cache	#21449	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33796	Remove from Service Request	EWS.CCTR.UC.KnowledgeBase	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSKBSP	KNOWLEDGE BASE SEARCH
19050	Remove from favorites	Allows the use to remove the current form from the list of favorites	M1	Pull-Down Menu Texts

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25409	Remove the selected part?	Crossbow. Error message for issues and returns.	TCMRTP	7I MOBILE BOILER TEXT
21623	Removed	Check box on the Qualifications tab of WDACTJ that indicates whether the qualification has been deleted from the trade or task associated with the job.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
43147	Renewal Alert Email	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
29027	Renewal Date	D7i Extended - List of Existing Contracts Report	CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
			PSCONT	PURCHASING CONTRACTS
41199	Rental Custom Fields	EAM-182 EAM.WORK.REQ.ContractTemplate	WSCTMP	CONTRACT TEMPLATES
40477	Rental Details	EAM-89 EAM.WORK.REQ.CustomerRentals	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			WSCREN	CUSTOMER RENTALS
45775	Rental Details Section	EAM-22495 - Equipment Reservations Detail Report	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
40189	Rental Equipment	EAM-25.EQUIP.REQ. Positions	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSESCH	RESERVATION CALENDAR
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
43862	Rental Locations	EAM-13807	BSLOVS	LIST OF LOOKUPS
40190	Rental Template	EAM-25.EQUIP.REQ. Positions	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSCREN	CUSTOMER RENTALS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40191	Rental Template Org.	EAM-25.EQUIP.REQ. Positions	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			WSCREN	CUSTOMER RENTALS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40191	Rental Template Org.	EAM-25.EQUIP.REQ. Positions	WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40262	Rental Templates	EAM-25.EQUIP.REQ. Positions	BSLOVS	LIST OF LOOKUPS
40479	Rental Type	EAM-89 EAM.WORK.REQ.CustomerRentals	OSSECH	RESERVATION CALENDAR
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZVRHS	VEHICLE RENTAL HISTORY
43857	Rentals Between :PARAM1 and :PARAM2	EAM-13681	WZVRHS	VEHICLE RENTAL HISTORY
43859	Rentals On or After :PARAM1	EAM-13681	WZVRHS	VEHICLE RENTAL HISTORY
43858	Rentals On or Before :PARAM2	EAM-13681	WZVRHS	VEHICLE RENTAL HISTORY
16100	Reopened	A flag that indicates that a work order was reopened after completion.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSVITE	WORK ORDER QUICK ENTRY
20842	Reorder Level	Infor EAM - When the available stock falls below this level, a requisition is generated.	SSEOQA	CALCULATE EOQ
			SSPART	PARTS
			SSSTOR	STORES
			SYEOQA	EOQ Analysis
			SYINST	INVENTORY STANDARD
			SYLOWL	Overview Of Stock
			SZEOQA	EOQ Analysis
			SZINST	INVENTORY STANDARD
			SZLOWL	Overview Of Stock
32398	Reorder Qty.	EWS.CREP.UC.InventoryStandard.doc	SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
12523	Reorder level	When the available stock falls below this level, a requisition is generated.	STLOWL	Overview Of Stock
37286	Repair	31312	BSWHSE	DATA WAREHOUSE
30433	Repair Bin	Infor EAM. The repair bin is the bin location in the store where a repairable spare part is sent for internal repairs. Although the repair will not necessarily take place in a bin, the bin will be credited with having the part in inventory.	SSBRKT	BREAKUP KIT
			SZPRSL	PRINT RESTOCK LIST
47529	Repair Code Details	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
47522	Repair Codes	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
43442	Repair Comments	EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder	WSJOBS	CREATE WORK ORDER
42522	Repair Condition	EAM-4669: EAM.MATL.REQ.ActiveLinesforPOReceipts	SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35877	Repair Date	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
18593	Repair Details	New tab in SMSTOC	SSPART	PARTS
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
47847	Repair Needed	EAM-37495 RPA screens/EAM.EQUIP.REQ.AddEditAnswers	OSRELA	ADD / EDIT ANSWERS POPUP
30256	Repair Part Details	Infor EAM. This is the text for an area on the Repair Parts tab of the Work Orders form containing details about the repairs/part to repair on the work order. The word 'repair' is an adjective indicating the type of parts.	WSAARD	ASSET REPAIR DETAILS
			WSASRD	ASSIGN REPAIR DETAILS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
30492	Repair Part Number	Infor EAM. Repair part number indicates the number assigned to the repair 'transaction' (internal or external) for the repairable spare part.	PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SSPART	PARTS
			SSSUPP	SUPPLIERS
30252	Repair Parts	Infor EAM. This is the name of a tab on the Work Orders form. The word 'repair' is an adjective indicating the type of parts. The parts added on this tab are to be repaired. The user creates a work order on which they add parts for repair.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
29500	Repair Price	D7i Extended - EWS.MATL.UC.OverviewofSupplierParts.doc	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			SSASGN	GENERATE POS
			SSPART	PARTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
30432	Repair Store	Infor EAM. The repair store is the store to which a repairable spare part is sent for internal repairs. Although the repair will not necessarily take place in a store, the store will be credited with having the part in inventory.	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
46487	Repair Store Bin	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
46486	Repair Store Description	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
46488	Repair Store Lot	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35878	Repair Time	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
48105	Repair Time Calculation	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
30184	Repair Type	Infor EAM. Field label to indicate the type of repair to be performed on the part. Refer to EWS.MATL.UC.RepairDetailsforParts and/or SCR 14755.	SSPART	PARTS
35879	Repair WO. No.	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
37137	Repair dates:	31845	BSWHSE	DATA WAREHOUSE
42198	Repairable Cores Selection Parameters	EAm-5161EAM.WORK.REQ.GenerateReleaseWorkOrders	WSBWOG	GENERATE/RELEASE WOS
29306	Repairable Spare	D7i Extended - Materials - PVCS# 10652 - Field Label	PSPARP PSPART SSPARP SSSTOS SSSUBP WSSMLP SCPART	SELECT PARTS POPUP SELECT PARTS POPUP FOR PURCHASE ORDERS SELECT MULTIPLE PARTS POPUP FOR REQ QUICK STORE-TO-STORE TRANSFER SUBSTITUTE PART POP UP SELECT PARTS POPUP FOR MATERIAL LIST CROSSBOW PART LIST
18586	Repairable spare	Checkbox to indicate whether the part is a repairable spare.	BCMOBL	7I MOBILE BOILER TEXT
30511	Repaired	Checkbox which determines whether the displayed price concerns normal parts or repaired parts.	OSNCFM OSOBJA OSOBJL OSOBJP OSOBJS OZNCFL WHJOBQ WZJOBQ	NONCONFORMITY OBSERVATIONS CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT LIST OF NONCONFORMITIES PRINT WORK ORDER PRINT WORK ORDER
45695	Repaired All	EAM-19900 - EAM.WORK.REQ.NonconformitiesForWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
43461	Repairs	EAM-10903:EAM.WORK.REQ.RepairsforWorkOrder	WSJOBS	CREATE WORK ORDER
46103	Repairs Needed	EAM.WORK.REQ.ChecklistForWorkOrder	BCMOBL OSEQCI OSOBJA OSOBJL OSOBJP OSOBJS WHJOBQ WHJOBQ WSJOBS WSJOVM WSOPCK WSOPCL WZJOBQ WZJOBQ	7I MOBILE BOILER TEXT CHECKLIST ITEMS CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PRINT WORK ORDER PRINT WORK ORDER CREATE WORK ORDER CREATE WORK ORDER OPERATOR CHECKLIST REVIEW OPERATOR CHECKLIST PRINT WORK ORDER PRINT WORK ORDER
42970	Repeat Every Length	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS OSEQLR OSHPPY OSHPRM	CLASSES LINEAR REFERENCES FUNCTION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42970	Repeat Every Length	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
42958	Repeat Every UOM	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
48617	Repeat Header	EAM-41728 EAM.CREP.REQ.PrintWorkOrder-Comprehensiv	WZJOB	PRINT WORK ORDER
25183	Repeated Parent	Extended (product name). The repeated parent service request code for the Create/Edit Service Request PIR.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
42090	Repeating Occurrences	EAM.WORK.REQ.ChecklistForTask	WSJBPL	JOB PLANS
			WSTASK	TASKS
12663	Replace	When a sub-asset is replaced with another one (rotables).	BCMOBL	7I MOBILE BOILER TEXT
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSCPTW	COPY REPLACE PTW POPUP
			WSJOBS	CREATE WORK ORDER
38802	Replace Asset-see: Equipment Evaluation	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
48552	Replace Physical Meters	EAM-44345: User Groups Mobile Screen Permissions	OCOBJA	MOBILE EQUIPMENT FUNCTION
47549	Replace With	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
40711	Replace current value	EAM.WORK.REQ.BatchUpdateOrganization	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
41944	Replaced By	EAM.WORK.REQ.PermitToWork	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
28400	Replacement Frequency	D7i Extended -- Monitored Data form -- noun	ISMONT	MONITORED DATA
37301	Replacement Value	32190	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37301	Replacement Value	32190	OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			OZMAPP	EQUIPMENT PERFORMANCE TREE MAP
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
37638	Replacement Value UOM	EAM-274-EAM.EQUIP.REQ.SystemHealthcare EWS.MATL.UC.IssueReturnParts/32426	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
41833	Replaces	EAM.WORK.REQ.PermitToWork	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
47318	Replaces LOTO	EAM-33958 EAM.WORK.REQ.LOTOForPermitToWork.docx	WZPTWR	PRINT PERMIT TO WORK
			BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
20020	Replicate Parent	Infor EAM - the closed parent record of a service request. Replicate is a synonym of duplicate.	WSVSER	VIEW SERVICE REQUESTS
36859	Reply Date	EWS.PRCH.UC.EditQuotations	BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
12290	Report	A list or formatted output. Can be send to printer, screen (previewer).	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			BHFUNL	List Of Functions
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSMTMP	E-MAIL TEMPLATES
			BSREPO	CREATE / EDIT REPORTS
			BSVLOG	VIEW LOG FILES SCREEN
			BTFUNL	List Of Functions
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions
		Crossbow - Report Date	TCJCLR	7I MOBILE BOILER TEXT
		D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCJOBR	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			TCPRRP	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36102	Report Attachment Upload Directory	28993	BSBSET	ADMIN SETUP
38936	Report Author CD Key	SCR - 26409 UC Change- EWS.ADMN.UC.Administration	BSBSET	ADMIN SETUP
46342	Report Date	Work Order	BCMOBL	7I MOBILE BOILER TEXT
31215	Report Date cannot be later than current date.	Crossbow	TCJOBOR	7I MOBILE BOILER TEXT
30641	Report ID	Analytics - report = noun	ASDTEN	DATA ENTRY FORMS
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
30939	Report Name	Analytics - field label where users will name a report	BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
44694	Report Number Rounding	EAM-14710	ESGSET	GENERAL SETTINGS
25641	Report Options	D7i Extended - block label for report parameters	BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
		D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	7I MOBILE BOILER TEXT
41421	Report Organization Structure	EAM-1831:Report Organization Structure	BSOSTR	REPORT ORGANIZATION STRUCTURE
38954	Report Output Format	PVCS #38960	WZPMFC	PM FORECASTING
43474	Report Output Formats	EAM-11454	BSLOVS	LIST OF LOOKUPS
			REPORT	General Report Function
43069	Report Parameter	EAM-10185 : DefineReportParameterMappingPopup	BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
41664	Report Parameter Line Number	EAM-58	BSALTP	ALERT TEXT PARAMETERS POPUP
			BSMAIP	E-MAIL PARAMETER POPUP
43067	Report Parameter Mapping Details	EAM-10185 : DefineReportParameterMappingPopup	BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
25643	Report Parameters	D7i Extended - block label for report parameters	BSLOVS	LIST OF LOOKUPS
			BSREGN	CREATE EDIT REGIONS
			BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
			JSPROJ	PROJECTS
			OSDCUR	DECAY CURVE
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			SSPART	PARTS
			STPICK	Pick List Print
			STRETF	Print Goods Return Note
			SYPIK	Pick List Print
			SYRETF	PRINT GOODS RETURN NOTE
			SZPICK	Pick List Print
			SZRETF	Print Goods Return Note
			WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WTJOB	Job Cards

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25643	Report Parameters	D7i Extended - block label for report parameters	WYJOB WZJOB	PRINT WORK ORDER PRINT WORK ORDER
17286	Report Preview	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc Tool Tip for Report Preview	TCPRRP M1	7I MOBILE BOILER TEXT Pull-Down Menu Texts
44134	Report Server Install Parameter (IORURL) is invalid. Please provide a valid URL.	EAM-14486 :Android Tablet - Support localization	REPORT BCMOBL	General Report Function 7I MOBILE BOILER TEXT
29439	Report Title	D7i Extended - Report title	BSLOVS BSRPST	LIST OF LOOKUPS REPORT STATUS
32612	Report Type	EWS.CREP.UC.OutOfTolerancePMs	BSSTRT WZOTDE WZOTDT WZPMTL	EWS NEW START CENTER WORK ORDER ON TIME DELIVERY BY EMPLOYEE WORK ORDER ON-TIME DELIVERY BY TRADE OUT OF TOLERANCE PM
36320	Report fields definition error. Contact your system administrator.	EWS.MOBILE.UC.WSPromptEngine	TCPMTR	7I MOBILE BOILER TEXT
27719	Report is being generated.	D7i Extended - shown to user on clicking the report	BSREPO	CREATE / EDIT REPORTS
16014	Report shows		UYBDEL UZBDEL	BUDGET POSITION DETAILS BUDGET POSITION DETAILS
31844	Report submitted. Open the Crystal Clear Report Status screen to check the status.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCPRRP	7I MOBILE BOILER TEXT
20714	Reported By	Infor EAM - person who reported the problem requiring maintenance	BCMOBL CSCCGM CSCSUR JSCAMP OSGISR OSGISS OSGISW OSJOBS OSSTAT OSVCST OSVEVT WHJOB WHJOBQ WHJOVH WHJOVM WHWOSH WSCAPA WSJOBS WSJOVH WSJOVM WSMPAT WSOPSS WSSREQ WSVITE WSWLSH WSWLWD	7I MOBILE BOILER TEXT CONTACT CENTER MAP SEARCH CUSTOMER SURVEYS CAMPAIGN GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW AND/OR SCHEDULE WORK ORDER LABOR CREATE WORK ORDER EQUIPMENT OPERATIONAL STATUS COSTS FOR EQUIPMENT EVENTS FOR EQUIPMENT PRINT WORK ORDER PRINT WORK ORDER PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HEALTHCARE PRINT SHORT WORK ORDER CARDS WO LOAD BALANCING CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS OPTIMIZED SCHEDULER SETUP SERVICE REQUESTS WORK ORDER QUICK ENTRY WO LABOR SCHEDULING WO DETAILS FOR WO DAILY SCHEDULING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20714	Reported By	Infor EAM - person who reported the problem requiring maintenance	WSWOUP	WO UPDATE
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
48660	Reported By Name	EAM-44523	WSJOBS	CREATE WORK ORDER
23129	Reported Date		BSWHSE	DATA WAREHOUSE
			WSCAPA	WO LOAD BALANCING
28914	Reported Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23133	Reported Day of Month		BSWHSE	DATA WAREHOUSE
23134	Reported Day of Year		BSWHSE	DATA WAREHOUSE
23141	Reported Half Year		BSWHSE	DATA WAREHOUSE
23135	Reported Last Day in Month		BSWHSE	DATA WAREHOUSE
23137	Reported Month Number		BSWHSE	DATA WAREHOUSE
23139	Reported Quarter		BSWHSE	DATA WAREHOUSE
23130	Reported Running Day Number		BSWHSE	DATA WAREHOUSE
23132	Reported Running Month Number		BSWHSE	DATA WAREHOUSE
23131	Reported Running Week Number		BSWHSE	DATA WAREHOUSE
23136	Reported Week Number		BSWHSE	DATA WAREHOUSE
23142	Reported Year		BSWHSE	DATA WAREHOUSE
23138	Reported Year-Month		BSWHSE	DATA WAREHOUSE
23140	Reported Year-Quarter		BSWHSE	DATA WAREHOUSE
44207	Reported date cannot be later than today.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
30356	Reporting Currencies	Infor EAM. Field label for the Reporting Currencies selection parameter on Work Order Cost By Equipment report. This indicates the currencies in which to view the cost summary.	BSLOVS	LIST OF LOOKUPS
30354	Reporting Currency	D7i Extended -- EWS.REP.UC.WorkOrderCostByEquipment	OHOCS	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZWOC	WORK ORDER COST SUMMARY GRAPH
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
39552	Reporting Services	43560	BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BYUSRL	USERS GROUP CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39623	Reporting Services Reports	43560	BSREPO	CREATE / EDIT REPORTS
44691	Reporting Start Year	EAM-14710	ESGSET	GENERAL SETTINGS
38024	Reporting Year	EWS.CREP.UC.CO2Emissions	ESPSET	POLICY SETTINGS
			OYCOEM	CO2E EMISSIONS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
16914	Reporting currency	This is a field on the Job costing of object form and you can select the currency in which to display the costs on the printed report.	OTCSTL	WORK ORDER COST SUMMARY
15221	Reports		M1	Pull-Down Menu Texts
45001	Repositories	EAM-15922	BSENS	ENTERPRISE SEARCH SETUP
			BSLOVS	LIST OF LOOKUPS
45002	Repository	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENS	ENTERPRISE SEARCH SETUP
45053	Repository Column Details	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearchS	BSENS	ENTERPRISE SEARCH SETUP
45046	Repository Columns	EAM.ADMN.REQ.RepositoryColumnsforEnterpriseSearchS	BSENS	ENTERPRISE SEARCH SETUP
45451	Repository Description	EAM-17294 Generate Enterprise Search Setup	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
45010	Repository Details	EAM-15922	BSENS	ENTERPRISE SEARCH SETUP
12164	Reprint	When e.g. a purchase order is printed a second time.	CYCONF	Print Contract
			CZCONF	Print Contract
			PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SZPICK	Pick List Print
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WTPERF	Permits For Jobs
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZINVS	CUSTOMER INVOICE REPORT
			WZJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12164	Reprint	When e.g. a purchase order is printed a second time.	WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPERF	Permits For Jobs
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
35613	Reprocess	EWS.ADMN.UC.SummaryforDataConversions	BSDTCV	DATA CONVERSION (MP2)
37204	Req	31312	BSWHSE	DATA WAREHOUSE
30676	Req Items on Order	D7i Extended - List of Outstanding Requisition Items report	SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
37203	Req Line	31312	BSWHSE	DATA WAREHOUSE
37196	Req Line Status	31312	BSWHSE	DATA WAREHOUSE
37197	Req Status	31312	BSWHSE	DATA WAREHOUSE
12781	Req items on order		STREQL	List Of Outstanding Requisition Items
47456	Req.	EAM-34934	SSPART	PARTS
26838	Req. Approval Limit	D7i Extended - LDAP Roles - Requisition Approval Limit	BSROLE	LDAP ROLES SETUP
26475	Req. Due Date	Infor EAM. Indicates the due date for the requisition. Refer to PVCS 6210.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
20730	Req. End Date	Infor EAM - 'req' is abbreviation for 'requested' - date that the user wants the work order activity to end	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WZLWOQ	LIST OF WORK ORDERS
38885	Req. End Date Buff. (Days)	38631	WZWOLM	WORK ORDER LIST - DETAIL
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			WSMPAT	MAINTENANCE PATTERNS
26016	Req. Line	Infor EAM. Field label -- Requisition line. Refer to	WSPPMS	PM SCHEDULES
			OSCLAI	WARRANTY CLAIMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26016	Req. Line	CreateEditWarrantyClaim / PVCS 4842.	OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSREQU	REQUISITIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
30620	Req. No.	D7i Extended - List of Outstanding Requisition Items report - Requisition Number	SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
36754	Req. Only	EWS.WORK.UC.AddDeferredActivitiesPopup.doc	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
20729	Req. Start Date	Infor EAM - 'req' is abbreviation for 'requested' - date that the user wants the work order activity to start	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
			WZLWOQ	LIST OF WORK ORDERS
			WZWOLM	WORK ORDER LIST - DETAIL
38884	Req. Start Date Buff. (Days)	38631	BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
36756	Req. and PO	EWS.WORK.UC.AddDeferredActivitiesPopup.doc	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
36662	Req/PO WO Activity	31111	WSDFAC	DEFERRED MAINTENANCE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36662	Req/PO WO Activity	31111	WSDFAP	ADD DEFERRED ACTIVITIES
36661	Req/PO Work Order	31111	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
36643	Req/PO Work Order - Activity	EWS.WORK.UC.PartsforDeferredMaintenance	WSDFAC	DEFERRED MAINTENANCE
29867	ReqNm	Crossbow - Requestor Name	TCSVRQ	7I MOBILE BOILER TEXT
29868	ReqPh	Crossbow - Requestor Phone	TCSVRQ	7I MOBILE BOILER TEXT
35001	Request	EWS.CREP.UC.CustomerRequest	WZCCTR	PRINT SERVICE REQUESTS
12826	Request / description		BSRPST	REPORT STATUS
38032	Request Amount Minimum	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCEPV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
49566	Request Created	EAM.EQUIP.REQ.CapitalPlanningRequestsForInvestment	USINVP	INVESTMENT PLANNING
23059	Request Date		BSWHSE	DATA WAREHOUSE
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			WZCTRC	SERVICE REQUESTS CHART
			WZOSRQ	OPEN SERVICE REQUESTS
		EWS.CCTR.UC.ContactCenter	BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSRLP	SERVICE REQUEST PORTAL
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOB	PRINT WORK ORDER
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
28913	Request Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23063	Request Day of Month		BSWHSE	DATA WAREHOUSE
23064	Request Day of Year		BSWHSE	DATA WAREHOUSE
45331	Request Details	EAM-14818 - EAM.CCTR.REQ.ServiceRequestPortal-CreateRequest	CSSRPT	CREATE SERVICE REQUEST PORTAL
36569	Request For Quotation	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQT	REQUESTS FOR QUOTATIONS
23071	Request Half Year		BSWHSE	DATA WAREHOUSE
23065	Request Last Day in Month		BSWHSE	DATA WAREHOUSE
33235	Request Message	15880	DSMSG	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSG	VIEW MESSAGE STATUS
23067	Request Month Number		BSWHSE	DATA WAREHOUSE
35828	Request No.	EWS.ADMN.UC.MP2WorkRequests	BSMPPR	MP2 PURCHASING
			BSMPWR	MP2 WORK REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38031	Request Priority	EWS.CREP.UC.CapitalPerformanceEvaluation	BSLOVS OYCPEV OZCPEH OZCPEV	LIST OF LOOKUPS CAPITAL PERFORMANCE EVALUATION CAPITAL PERFORMANCE EVALUATION_HOSPITALITY CAPITAL PERFORMANCE EVALUATION
23069	Request Quarter	EAM-14818 - EAM.CCTR.REQ.ServiceRequestPortal-CreateRequest	BSWHSE	DATA WAREHOUSE
45333	Request Registration		CSSRPT	CREATE SERVICE REQUEST PORTAL
23060	Request Running Day Number	EWS.ADMN.UC.MP2Purchasing EWS.CREP.UC.CapitalPerformanceEvaluation	BSWHSE	DATA WAREHOUSE
23062	Request Running Month Number		BSWHSE	DATA WAREHOUSE
23061	Request Running Week Number		BSWHSE	DATA WAREHOUSE
35988	Request Status		BSMPPR	MP2 PURCHASING
			BSLOVS OYCPEV OZCPEH OZCPEV	LIST OF LOOKUPS CAPITAL PERFORMANCE EVALUATION CAPITAL PERFORMANCE EVALUATION_HOSPITALITY CAPITAL PERFORMANCE EVALUATION
33243	Request Taken By		CSCCTR CSCSUR CSINRE WHJOB WSJOBS WSJOVH WSJOVM WYJOB WZJOB	CONTACT CENTER CUSTOMER SURVEYS GUEST INCIDENT REQUEST PRINT WORK ORDER CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PRINT WORK ORDER PRINT WORK ORDER
35769	Request Time		BSMPWO	MP2 WORK ORDERS
23066	Request Week Number	new field on WRJOB report to show the number of parts requested for a work order	BSWHSE	DATA WAREHOUSE
23072	Request Year		BSWHSE	DATA WAREHOUSE
23068	Request Year-Month		BSWHSE	DATA WAREHOUSE
23070	Request Year-Quarter		BSWHSE	DATA WAREHOUSE
20566	Requested		WHJOB WTCALR WTJOB WYJOB WZCALR WZJOB	PRINT WORK ORDER CALIBRATION RECORD REPORT Job Cards PRINT WORK ORDER CALIBRATION RECORD REPORT PRINT WORK ORDER
			EWS.WORK.UC.PurchasingforWorkOrders	REQUESTS FOR QUOTATIONS
			WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
38010	Requested Appropriation Date		USINVP WSCPRQ	INVESTMENT PLANNING CAPITAL PLANNING REQUEST
24313	Requested Before		PSPORD PSPORH SSASGN SSREQF SSREQ SSREQS SSREQU	PURCHASE ORDERS PO HISTORY GENERATE POS GENERATE REQ REQUISITION LINE CREATE PURCHASE REQUISITION REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24313	Requested Before	Extended (product name). Indicates the date before which the requisitioned part must be received. EWS.MATL.UC.PartsforRequisition/4331.	SSRQSS	STORE TO STORE REQUISITIONS
20097	Requested By	Infor EAM - A person who requests e.g. a job, or a requisition.	BSMPPR	MP2 PURCHASING
			BSMPWR	MP2 WORK REQUESTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSJOBS	CREATE WORK ORDER
			OSOBTV	OBJECTIVES
			OSRCMT	RCM TEMPLATES
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			PZPRFQ	REQUEST FOR QUOTATION
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSPART	PARTS
			SSREQF	GENERATE REQS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			USINVP	INVESTMENT PLANNING
			WHJOB	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCCON	CUSTOMER CONTRACTS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20097	Requested By	Infor EAM - A person who requests e.g. a job, or a requisition.	WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPPMS	PM SCHEDULES
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSROUT	ROUTES
			WSTASK	TASKS
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPTWR	PRINT PERMIT TO WORK
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
35833	Requested Date	EWS.ADMN.UC.MP2WorkRequests	BSMPWR	MP2 WORK REQUESTS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
31702	Requested End Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJSIR	JOINT SWITCH AND FROG INSPECTION FORM
37968 24312	Requested End Date Field Requested Qty.	EWS.ADMN.UC.WorkOrderAlertsforAlerts Extended (product name). EWS.MATL.UC.PartsforRequisition/4331.	BSALRT	ALERT MANAGEMENT SYSTEM
			BZRFQD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSGRFQ	GENERATE RFQS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSREQF	GENERATE REQ
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
27266	Requested Qty. (UOM)	Infor EAM. Refer to PVCS 7277.	PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PZPRFQ	REQUEST FOR QUOTATION
			SSREQU	REQUISITIONS
37334	Requested Qty. / UOM	EWS.CREP.UC.QuotationSummary	PZQUOS	QUOTATION SUMMARY
37292	Requested Qty. UOM	EWS.CREP.UC. RequestForQuotationSummary.doc	PSPORD	PURCHASE ORDERS
			PZQUOS	QUOTATION SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37292	Requested Qty. UOM	EWS.CREP.UC. RequestForQuotationSummary.doc	PZRFQS	REQUEST FOR QUOTATION SUMMARY
25949	Requested Qty./Hours	Infor EAM. Grid field on 'Assign Requisition Lines to PO' form. Refer to PVCS 5615.	SSASGN	GENERATE POS
36891	Requested Quantity	EWS.PRCH.UC.SelectPartsPopup/31457	PSPARP	SELECT PARTS POPUP
36452	Requested Response Date	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZPRFQ	REQUEST FOR QUOTATION
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSGRFQ	GENERATE RFQS
31703	Requested Start Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJSIR	JOINT SWITCH AND FROG INSPECTION FORM
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
37967	Requested Start Date Field	EWS.ADMN.UC.WorkOrderAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
38736	Requested Start Date Range	EWS.WORK.UC.ParametersforGenerateProductionRequest	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
35834	Requested Time	EWS.ADMN.UC.MP2WorkRequests	BSMPWR	MP2 WORK REQUESTS
12754	Requested by	A person who requests e.g. a job, or a requisition.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WTJOB	Job Cards
31169	Requester	D7i.Flamethrower.2.0.ANL.PrintBarcode.doc	FCSCRN	FLAMETHROWER SCREENS
30566	Requester Name	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
30567	Requester Phone	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
19955	Requester name	WMJOBS - Service request sub-tab...employee making the service request	WTJOB	Job Cards
19956	Requester phone	WMJOBS - Service request sub-tab...phone number of the person making the service request	WTJOB	Job Cards
32796	Requesting Store	21377	SSREQF	GENERATE REQ
20929	Requestor	Checkbox on BMUSER/BMGROU determining whether the user or group is a normal or a Requestor user/group. Requestor is a product name.	BSGROU	GROUPS
		Extended (product name); refer to pvcs 11418	BSIMUS	IMPORT USERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20929	Requestor	Extended (product name); refer to pvcs 11418	BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
34395	Requestor CD Key	SCR - 26409 UC Change- EWS.ADMN.UC.Administration	BSBSET	ADMIN SETUP
24933	Requestor Details	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
20018	Requestor E-mail	Infor EAM - the email address of the person requesting the service	BSMPPR	MP2 PURCHASING
			CSCSUR	CUSTOMER SURVEYS
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
20016	Requestor Name	Infor EAM - the name of the person who requested the service	BZOSRQ	OPEN SERVICE REQUESTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
35980	Requestor Pager No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
20017	Requestor Phone	Infor EAM - the telephone number of the person requesting the service	BSMPPR	MP2 PURCHASING
			WSINRQ	CREATE INFORMATION REQUEST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
43088	Requests to Accept	EAM.WORK.REQ.ReviewCustomerRentalRequests	WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
19182	Required		BXLAYO	R5 Screen Layout Editor
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
		Infor EAM - when the user is in screen designer mode, they can click on a field and then right click and this will be one of the menu options meaning that they user wants to make this field required.	BHUSRL	USERS GROUP CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSWSPM	WEB SERVICES PROMPT
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSEQCI	CHECKLIST ITEMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19182	Required	Infor EAM - when the user is in screen designer mode, they can click on a field and then right click and this will be one of the menu options meaning that they user wants to make this field required.	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			YSACDP	ACCOUNT DETAIL SETUP
			BCMOBL	7I MOBILE BOILER TEXT
20100	Required Before	Infor EAM - the date before which a requisition or purchase order is required	TCSRP	7I MOBILE BOILER TEXT
			SSREQS	CREATE PURCHASE REQUISITION
			SSRQLL	REQUISITION LINE
34975	Required Before or On :PARAM2	23249-Localization problem with report subtitles	SYRESL	Parts Currently Reserved/Allocated
31055	Required Between	D7i Extended - Parts Currently Reserved/Allocated report	SZRESL	Parts Currently Reserved/Allocated
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
34976	Required Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	WZMATL	MATERIAL REQUIREMENT ANALYSIS
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
42273	Required End Date	EAM-3624	WHPTWR	PRINT PERMIT TO WORK
42088	Required Entry	EAM.WORK.REQ.ChecklistForTask	WZPTWR	PRINT PERMIT TO WORK
			WSJBPL	JOB PLANS
			WSTASK	TASKS
47531	Required Fields	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
29255	Required Hrs.	Extended (product name); Tooltip on the availability of trades; required hours	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34974	Required On or After :PARAM1	23249-Localization problem with report subtitles	SYRESL	Parts Currently Reserved/Allocated
24861	Required Part	Crossbow	SZRESL	Parts Currently Reserved/Allocated
			TCJAPL	7I MOBILE BOILER TEXT
24125	Required Qty.	Extended (product name). Materials module.	SSPICK	PICK TICKETS
48064	Required Qualifications	EAM.WORK.REQ.CreateCrewPopup.docx	WSPPTP	CREATE PICK TICKET POPUP
			WSCRWP	CREATE/EDIT CREW POPUP
			WHPTWR	PRINT PERMIT TO WORK
42272	Required Start Date	EAM-3624	WZPTWR	PRINT PERMIT TO WORK
42709	Required To Close Document	EAM-8627	BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			TCMRTP	7I MOBILE BOILER TEXT
37249	Required information is missing for one or more parts in the list. Transactions will not be created for these records. Continue?	21841 Parts Issues - Parts not used from material		
49122	Requirement will be ignored on Quick WO entry and Quick Close WO screens.	EAM-46298/StatusRequirementSettingsPopup	BSSRES	STATUS REQUIREMENT SETTINGS POPUP
35928	Requires Notification	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19183	Requisition		BSDOCA	DOCUMENTS
			BSIMUS	IMPORT USERS
			BSMPPR	MP2 PURCHASING
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			OSCLAI	WARRANTY CLAIMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSOBSJ	ASSETS FOR PO
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQLL	REQUISITION LINE
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSVREQ	VIEW PURCHASE STATUS
			SYRCVF	GOODS RECEIVED NOTE
			SYREQL	List Of Outstanding Requisition Items
			SZRCVF	Goods Received Note
			SZREQL	List Of Outstanding Requisition Items
			WSASRD	ASSIGN REPAIR DETAILS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
20823	Requisition - Line	Infor EAM - displays the requisition number and line number created for the work order.	OSCLAI	WARRANTY CLAIMS
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			PSPORD	PURCHASE ORDERS
			WSDFAC	DEFERRED MAINTENANCE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20823	Requisition - Line	Infor EAM - displays the requisition number and line number created for the work order.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
23866	Requisition Approval	Infor EAM - The limit that a user cannot exceed when approving requisitions - this appears on the record view and is preceeded by 'limit' in the group header.	BSIMUS	IMPORT USERS
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
23865	Requisition Approval Limit	Infor EAM - The limit that a user cannot exceed when approving requisitions.	BSGRPU	USERS PER GROUP
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
20188	Requisition Approvals	Infor EAM - displays approved requisitions	BSCUST	CUSTOMIZE
30573	Requisition Comments	D7i Extended - Purchase Requisition report	SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			BSMPPR	MP2 PURCHASING
30572	Requisition Date	D7i Extended - Purchase Requisition report	SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			SSREQS	CREATE PURCHASE REQUISITION
20152	Requisition Description	Infor EAM - description of the requisition	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			PSPORD	PURCHASE ORDERS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSVREQ	VIEW PURCHASE STATUS
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSPREQ	PART REQ POPUP FOR WO PARTS
20822	Requisition Header	Infor EAM - Group header on the Create ALbor Requisition pop-up window (from the Activities tab of the Work form).	OSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
23864	Requisition Limit	Infor EAM - The maximum value for which a requisition may be created.	BSGRPU	USERS PER GROUP
			BSORGS	ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
21820	Requisition Line	Infor EAM	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21820	Requisition Line	Infor EAM	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSISSU	Stock Issues
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			WSASRD	ASSIGN REPAIR DETAILS
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
29379	Requisition Line Status	Extended (product name)	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46490	Requisition Line Status Code	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			SSREQU	REQUISITIONS
23925	Requisition Lines	Infor EAM - the total number of lines (parts and services) on the requisition	SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			YSACCD	VIEW GL VALUES
35929	Requisition No.	EWS.ADMN.UC.MP2Purchasing	BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING
28369	Requisition Number	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSMPQT	MP2 QUOTATIONS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
30465	Requisition Options	Infor EAM. Title for block on form in which you enter options for generating requisitions.	YSACCD	VIEW GL VALUES
			PSRFRG	GENERATE REQS FOR RFQS
46491	Requisition Order Qty	EAM-28006/EAM.MATL.REQ.OpenRepairsforRequisition	SSREQF	GENERATE REQS
			OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
29374	Requisition Org.	D7i Extended -- EWS.MATL.UC.RequisitionsforPart.doc --	SSREQU	REQUISITIONS
			PSRFQT	REQUESTS FOR QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29374	Requisition Org.	Field Label	SSPART	PARTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27263	Requisition Qty.	Infor EAM. Refer to PVCS 7277.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
20088	Requisition Status	Infor EAM - menu item to display requisition status	PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			SSPART	PARTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
34297	Requisition Statuses	EWS.ADMN.UC.WorkSetup	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSPSET	PURCHASING SETUP
			BSMPPR	MP2 PURCHASING
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
20156	Requisition Total	Infor EAM - displays the totals (prices) of the requisition	SSRQSS	STORE TO STORE REQUISITIONS
			SHREQF	Print Purchase Requisition
23929	Requisition Totals	Infor EAM - group header on the requisition form to display total values.	SSREQF	GENERATE REQS
			SYREQF	PRINT PURCHASE REQUISITION
30571	Requisition Type	D7i Extended - Purchase Requisition report	SZREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
12162	Requisition date	Type of requisition.	STREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
12692	Requisition type	EAM-11195 : EAM.WORK.REQ.PlanLaborforWorkOrder	STREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
43561	Requisition-Line	EWS.REP.UC.ListOfOutstandingRequisitionItems.doc	WSJOBS	CREATE WORK ORDER
			WSJOBS	CREATE WORK ORDER
33577	Requisitioned Items Not Yet Ordered	EWS.REP.UC.ListOfOutstandingRequisitionItems.doc	SYREQF	PRINT PURCHASE REQUISITION
			SYREQF	PRINT PURCHASE REQUISITION
12782	Requisitioned item not yet ordered	Infor EAM - displays multiple requisitions	SZREQF	Print Purchase Requisition
			SZREQF	Print Purchase Requisition
20187	Requisitions	Infor EAM - displays multiple requisitions	BSAUTH	STATUS AUTHORIZATION
			BSAUTH	STATUS AUTHORIZATION
39156	Requisitions Between :PARAM1 and :PARAM2	PVCS #40940	BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCUST	CUSTOMIZE
			BSLOVS	LIST OF LOOKUPS
			SSPART	PARTS
			YSACCD	VIEW GL VALUES
			SHREQF	Print Purchase Requisition
39154	Requisitions On or After :PARAM1	PVCS #40940	SYREQF	PRINT PURCHASE REQUISITION
			SYREQF	PRINT PURCHASE REQUISITION
39155	Requisitions On or Before :PARAM2	PVCS #40940	SZREQF	Print Purchase Requisition
			SZREQF	Print Purchase Requisition
21854	Requisitions to Approve	Infor EAM - name of dataspy to view all requisitions that	SHREQF	Print Purchase Requisition
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			SZREQF	Print Purchase Requisition
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47012	Resend	the user must approve EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
44613	Reservable Equipment	Use-Case: EAM.EQUIP.REQ.Assets EAM-15456	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
44535	Reservation	EAM:14701	BSDOCA	DOCUMENTS
			OSESCH	RESERVATION CALENDAR
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			WSCREEN	CUSTOMER RENTALS
44393	Reservation Calendar	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/ EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
			OSESCH	RESERVATION CALENDAR
44537	Reservation Calendar Owner	EAM:14701	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
46637	Reservation Calendar Owners	EAM.EQUIP.REQ.ReservationCalendarDetailsPopup.docx	WSAPPL	APPROVAL LISTS
46639	Reservation Calendar Owners List	EAM.EQUIP.REQ.ReservationCalendarDetailsPopup.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46639	Reservation Calendar Owners List	EAM.EQUIP.REQ.ReservationCalendarDetailsPopup.docx	WSOPSS	OPTIMIZED SCHEDULER SETUP
44394	Reservation Calendar Setup Details	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/ EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
48504	Reservation Created	EAM.WORK.REQ.PartsForWorkOrder - EAM-43615	WSJOBS	CREATE WORK ORDER
45774	Reservation Details Section	EAM-22495 - Equipment Reservations Detail Report	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
44513	Reservation ID	EAM:14701	BSLOVS	LIST OF LOOKUPS
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
43965	Reservation No.	EAM.WORK.REQ.WorkOrderHospitality.docx EAM-14760	WSJOVH	CREATE WORK ORDER
44766	Reservation Request	EAM.Work.REQ.ReservationRequests(Requestor).docx	WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
43030	Reservation Request Details	EAM.WORK.REQ.CustomerRentalRequest	WSCREQ	CUSTOMER RENTAL REQUESTS
44536	Reservation Type	EAM:14701	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
45776	Reservation UDF Section	EAM-22495 - Equipment Reservations Detail Report	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
44406	Reservation for		OESCH	EQUIPMENT SCHEDULING
36254	Reservations	EWS.MATL.UC.ReservationsForPart	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			SSSTOR	STORES
12281	Reserve		BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
36753	Reserved	EWS.WORK.UC.AddDeferredActivitiesPopup.doc	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
21446	Reserved Items	Infor EAM - The situation where spare parts are reserved and the reservation is soft, i.e. the parts are still available for other work orders too.	SSISSU	Stock Issues
21176	Reserved Parts	Infor EAM - title of read-only tab to view parts that have been reserved for a work order	SSPARR	PARTS RESERVATIONS
27008	Reserved Parts Buffer (Days)	Extended (product name)	SSSTOR	STORES
29721	Reserved Qty	D7i Extended - Calibration Record Report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSDFAC	DEFERRED MAINTENANCE
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29721	Reserved Qty	D7i Extended - Calibration Record Report	WZCALR	CALIBRATION RECORD REPORT
			WZJOBF	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
21177	Reserved Qty.	Infor EAM - Quantity Reserved - the number of parts reserved for a work order activity. Modified from 'Qty. Reserved' to 'Reserved Qty.' based on a product managment.QA decision.	SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSSTOR	STORES
			SYRESL	Parts Currently Reserved/Allocated
			SZRESL	Parts Currently Reserved/Allocated
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPLPA	PLANNED PART AVAILABILITY
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSVITE	WORK ORDER QUICK ENTRY
29919	Reserved Quantity	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
35822	Reserved Warehouse	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
48513	Reserved for Equipment	EAM-43615	WSJOBS	CREATE WORK ORDER
48502	Reserved for Equipment Org.	EAM.WORK.REQ.PartsForWorkOrder - EAM-43615	WSJOBS	CREATE WORK ORDER
48503	Reserved for Related WO	EAM.WORK.REQ.PartsForWorkOrder - EAM-43615	WSJOBS	CREATE WORK ORDER
12423	Reserved qty		WTJOBf	Job Cards
16027	Reset		BSCUST	CUSTOMIZE
			BSGROU	GROUPS
			BSREPT	REPORT PARAMETERS
			BSUAED	USER ACCOUNT EDIT
			BXLAYO	R5 Screen Layout Editor
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			FCSCRN	FLAMETHROWER SCREENS
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSGRTE	CREATE ROUTE WORK ORDER
			OSJOBS	CREATE WORK ORDER
			OSSTRP	VIEW PARENT EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSPTNP	CHANGE PART NUMBER POPUP
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSVREQ	VIEW PURCHASE STATUS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			USINVP	INVESTMENT PLANNING
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSCSRQ	CUSTOMER SERVICE PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16027	Reset	Crossbow	WSFREZ	FREEZE/UNFREEZE POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSNCIM	NONCOMFORMITIES POPUP
			WSPPMP	PM PLANS
			WSERQ	CREATE SERVICE REQUESTS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVREQ	VIEW WORK REQUEST STATUS
			BCMOBL	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
			TCIOBR	7I MOBILE BOILER TEXT
24188	Reset Activity	Crossbow	TCJACL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
46299	Reset All	Nonconformity	WSJOBS	CREATE WORK ORDER
45696	Reset All (Closed/Repaired)	EAM-19900 - EAM.WORK.REQ.NonconformitiesForWorkOrder	WSJOBS	CREATE WORK ORDER
40610	Reset All Charge Definitions	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
40608	Reset All Contract Templates	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
40612	Reset All Tax Codes	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
33589	Reset Amounts to Zero	22892	USBDET	COPY BUDGET
			USCPBP	COPY BUDGETPOPUP
40611	Reset Charge Definitions	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
40355	Reset Contract Charge Definitions	Reset Contract Charge Definitions	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
			WSCCON	CUSTOMER CONTRACTS
40609	Reset Contract Template	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
48453	Reset Layout	EAM.BASE.REQ.DUXScreenDesigner	BSDUXD	DUX SCREEN DESIGNER
44135	Reset Password	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48491	Reset Schedule	EAM-43786	BSDLUS	DATA LAKE UPLOAD SETUP
22721	Reset Screen (Ctrl+R)	Infor EAM - mouse-over text for button on toolbar to reset the screen	BANNER	BANNER
45594	Reset Screen Layout	EAM-21099	BANNER	BANNER
40541	Reset Tax Codes	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
47296	Reset User Data	EAM.MOBILE.REQ.ResetUserData.doc	BCMOBL	7I MOBILE BOILER TEXT
15207	Reset list layout		M1	Pull-Down Menu Texts
45807	Reset your Password	EAM.BASE.REQ.SystemLogin - EAM-23734	CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			LOGIN	LOGON SCREEN
47297	Resetting the user data will delete all data on the mobile device, for the logged in user-organization combination. Do you want to continue?	EAM.MOBILE.REQ.ResetUserData.doc	BCMOBL	7I MOBILE BOILER TEXT
41792	Residual Energy	1015	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41792	Residual Energy	1015	WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
29647	Residual Value	D7i Extended - Equipment Depreciation - 12203 - the scrap value	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
42544	Resize KPIs	EAM.BASE.REQ.StartCenter.docx	BSSTRT	EWS NEW START CENTER
41424	Resolution	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	BCMOBL	7I MOBILE BOILER TEXT
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			OSAINV	ASSET INVENTORY
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
41449	Resolved	EAM-2004 : InventoryResultsforAssetInventory	OSAINV	ASSET INVENTORY
23157	Resolved Date		BSWHSE	DATA WAREHOUSE
28916	Resolved Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23161	Resolved Day of Month		BSWHSE	DATA WAREHOUSE
23162	Resolved Day of Year		BSWHSE	DATA WAREHOUSE
23169	Resolved Half Year		BSWHSE	DATA WAREHOUSE
23163	Resolved Last Day in Month		BSWHSE	DATA WAREHOUSE
23165	Resolved Month Number		BSWHSE	DATA WAREHOUSE
23167	Resolved Quarter		BSWHSE	DATA WAREHOUSE
23158	Resolved Running Day Number		BSWHSE	DATA WAREHOUSE
23160	Resolved Running Month Number		BSWHSE	DATA WAREHOUSE
23159	Resolved Running Week Number		BSWHSE	DATA WAREHOUSE
23164	Resolved Week Number		BSWHSE	DATA WAREHOUSE
23170	Resolved Year		BSWHSE	DATA WAREHOUSE
23166	Resolved Year-Month		BSWHSE	DATA WAREHOUSE
23168	Resolved Year-Quarter		BSWHSE	DATA WAREHOUSE
26853	Resolving host using DNS...	Crossbow	FCSCRN	FLAMETHROWER SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26853	Resolving host using DNS... Resource	Crossbow	TCPCON	7I MOBILE BOILER TEXT
38569		Resources tab on Equipment screens	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVRHE	VIEW RESOURCE HISTORY OBJS
			OSVRHP	VIEW RESOURCE HISTORY PMS
			WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
37486	Resource Days Required	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WYVRSL	VIEW RESOURCE LOAD
			WZVRSL	VIEW RESOURCE LOAD
38565	Resource Details	Resources tab on Equipment screens	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
27202	Resource ID Line Number	D7i Extended - Resource Id Line Number	BEWSMD	EWS - METADATA DEFINITION
37494	Resource Load Details	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
38613	Resource Name	EWS.WORK.UC.ResourcesforPMSchedule #PVCS37444	WSBWOP	BUNDLED WORK ORDERS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPPMS	PM SCHEDULES
27195	Resource Text ID	D7i Extended - Resource Text Id	BEWSMD	EWS - METADATA DEFINITION
38571	Resource Type	Resources tab on Equipment screens	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38571	Resource Type	Resources tab on Equipment screens	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
19035	Resources	Section header; the fields in this section are used to indicate whether information about various things (e.g., personnel, tools, suppliers) that are responsible/used for completing a task will be sent to MS Project for scheduling	BSLOVS	LIST OF LOOKUPS
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
16783	Response	This relates to the ID number 16713 (Criteria Response). Response contains a list of values of the criteria responses defined on the evaluation codes form.	WSPPPMS	PM SCHEDULES
			CZSURR	CUSTOMER SURVEY RESULTS
32910	Response Details	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
32982	Response Document	EWS.DBADMIN.UC.ViewMessageStatus	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			DSMSBH	VIEW MESSAGES
			DSMSGGS	VIEW MESSAGE STATUS
33236	Response Message	15880	DSMSGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGGS	VIEW MESSAGE STATUS
38215	Response Retry Count	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
38216	Response Retry Interval	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
32907	Response Special Handling	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
20034	Response Time	Infor EAM - the amount of time to pass before responding back to the caller of the service request	WSSERQ	CREATE SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
			WZRTBD	RESPONSE TIME BY DEPARTMENT
35779	Response Time (Days)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35780	Response Time (Hours)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35781	Response Time (Minutes)	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
41631	Response Time Details	EAM-2071 Create Incident Response Time Chart	UZIRTC	INCIDENT RESPONSE TIME CHART
44774	Response Time by Department	EAM-14687	WZRTBD	RESPONSE TIME BY DEPARTMENT
47098	Responsibilities	EAM.ADMN.REQ.ResponsibilitiesForUsers:EAM-31075	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47098	Responsibilities	EAM.ADMN.REQ.ResponsibilitiesForUsers:EAM-31075	BSUSER	USER SETUP
16301	Responsibility	The responsibility of the current user -	BCMOBL	7I MOBILE BOILER TEXT
			BSUSER	USER SETUP
			BZEALD	ELECTRONIC RECORDS FOR
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSAPPH	REVISION CONTROL HISTORY
			WSAPPL	APPROVAL LISTS
			WSAPPR	REVISION CONTROL APPROVAL
			WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSPCTN	PRECAUTIONS
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
47099	Responsibility Details	EAM.ADMN.REQ.ResponsibilitiesForUsers:EAM-31075	BSUSER	USER SETUP
41836	Responsible	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
44618	Responsible E-mail	EAM.CCTR.REQ.CaseTasksForServiceCodes:EAM-1526 1	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
44617	Responsible Name	EAM.CCTR.REQ.CaseTasksForServiceCodes:EAM-1526 1	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
44616	Responsible Role	EAM.CCTR.REQ.CaseTasksForServiceCodes:EAM-1526 1	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
14699	Restore	Restore : Used as button label. Means : restore old values.	BXBOIL	Customized Texts
47893	Restore User Data	EAM.MOBILE.REQ.RestoreUserData	BCMOBL	7I MOBILE BOILER TEXT
47894	Restoring the user data will delete all data on the mobile device, for the logged in user-organization combination. Do you want to continue?	EAM.MOBILE.REQ.RestoreUserData	BCMOBL	7I MOBILE BOILER TEXT
12282	Result		BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			CSCASE	CASE MANAGEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12282	Result	Crossbow - abbreviation for inspection result	CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			ISMONT	MONITORED DATA
			ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
37830	Result Code	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
37831	Result Code Org.	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
28278	Result Details	D7i Extended -- Work Orders form -- Boiler text from Inspections tab, noun	ISMONT	MONITORED DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28510	Results	D7i Extended -- Monitored Data form -- noun, Results tab	BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
			CSCSUR	CUSTOMER SURVEYS
			CZSARR	CUSTOMER SURVEY RESULTS
			ISMONT	MONITORED DATA
33789	Results Summary	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
38257	Resume Retry Schedule	EWS.DBADMIN.UC.ViewMessageStatus/35899	DSMSG	VIEW MESSAGE STATUS
31199	Retries on Errors (times)	Barcoding	FCSCRN	FLAMETHROWER SCREENS
36304	Retrieval Fails	EWS.MOBILE.UC.WSPromptEngine.doc	TCCRTF	7I MOBILE BOILER TEXT
45823	Retrieve	EAM.EQUIP.REQ.EnergyStarSetup.doc	OSENRA	RETRIEVE CUSTOMER ACCOUNT ID
45819	Retrieve Customer Account ID	EAM.EQUIP.REQ.EnergyStarSetup.doc	OSENSG	ENERGY STAR CUSTOMER ID POPUP FOR GET
35167	Retrieve Field	EWS.ADMN.UC.FieldsforWebServicePrompt	BSLOVS	LIST OF LOOKUPS
			BSWSPM	WEB SERVICES PROMPT
35169	Retrieve Field X-Path	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
35164	Retrieve From Group-Web Service	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
34652	Retrieve Lines	Packing Slip For PO Receipts	SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49128	Retrieve Multiple Parts	EAM-48221/EAM.MATL.REQ.ActiveLinesforPORceipts	SSRECV	PO RECEIPTS
39740	Retrieve PO Service Lines	EAM.WORK.UC.BookPOLabor	WSBKPO	BOOK PO LABOR
25515	Retrieve Parts	Extended (product name). Retrieve Parts for Active Lines for PO Receipt.	SSBRKT	BREAKUP KIT
			SSIUSS	STORE TO STORE ISSUES
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SSSTSR	STORE TO STORE RECEIPTS
			SSBUKT	BUILD KITS
35493	Retrieve Parts (Skip Packing Slip)	EAM.MATL.UC.BuildKit.doc/EAM-78	SSRECV	PO RECEIPTS
36671	Retrieve WO Parts	EWS.MATL.UC.ActiveLinesforPORceipts / 27016	PSRFQT	REQUESTS FOR QUOTATIONS
36734	Retrieve WO Services	SCR#31107 EWS.PRCH.UC.PartsForRFQs.doc	PSRFQT	REQUESTS FOR QUOTATIONS
35176	Retrieved Field	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
43731	Retrieved Value	EAM.ADMN.REQ.FieldsForUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
35652	Retrieved Value Details	EWS.ADMN.UC.RetrievedValuesforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
45479	Retrieved Value Query	EAM.ADMN.REQ.FieldsforUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
35598	Retrieved Values	EWS.ADMN.UC.RetrievedValuesforWebServicePrompt.doc	BSCWSP	COPY WEB SERVICE PROMPT POPUP
			BSWSPM	WEB SERVICES PROMPT
33815	Retry	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGs	VIEW MESSAGE STATUS
38210	Retry 01 (Minutes)	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
38211	Retry 02 (Minutes)	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
38212	Retry 03 (Minutes)	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
38213	Retry 04 (Minutes)	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
38214	Retry 05 (Minutes)	EWS.DBADMIN.UC.CreateEditPartners/35899	DSPTNR	CREATE PARTNER
32905	Retry Count	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
33237	Retry Details	15880	DSMSGs	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGs	VIEW MESSAGE STATUS
46626	Retry Import	EAM-28284	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
32906	Retry Interval (min.)	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
31200	Retry Interval (seconds)	Barcoding	FCSCRN	FLAMETHROWER SCREENS
38255	Retry Messages	EWS.DBADMIN.UC.ViewMessageStatus/35899	DSMSGs	VIEW MESSAGE STATUS
38254	Retry Schedule Suspended	EWS.DBADMIN.UC.ViewMessageStatus/35899	DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
33238	Retry Scheduled At	15880	DSMSGs	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGs	VIEW MESSAGE STATUS
21757	Retry Transaction	databridge	DSTRAN	DATABRIDGE TRANSACTIONS
12028	Return	Unique code identifying a return.	BSLOVS	LIST OF LOOKUPS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			SSISSU	Stock Issues
			STRCVF	Goods Received Note
			STRETF	Print Goods Return Note
			SYRCVF	GOODS RECEIVED NOTE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12028	Return	Unique code identifying a return.	SYRETF	PRINT GOODS RETURN NOTE
			SZRCVF	Goods Received Note
			SZRETF	Print Goods Return Note
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			BCMOBL	7I MOBILE BOILER TEXT
		When too many parts are issued for an activity, the remaining ones are returned to the store. The transaction is called a return. Parts can also be returned to suppliers. Crossbow. Return part.	BZINVD	ELECTRONIC RECORDS FOR INVOICES
		EAM-51564	TCMRTP	7I MOBILE BOILER TEXT
38037	Return %	EWS.CREP.UC.CapitalPerformanceEvaluation	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
38036	Return Amount	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
35893	Return Authorization No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
42295	Return Condition	EAM-4659	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			SSISSU	Stock Issues
			SSRETP	RETURN PART
			TCMRTP	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
49419	Return Currency	EAM-46728	PSINVO	INVOICES
25850	Return Date	Extended (product name). Refer to PVCS 5637.	SSRETN	SUPPLIER RETURNS
40424	Return Date/Time	EAM.WORK.REQ.CustomerRentals	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSCREEN	CUSTOMER RENTALS
			WZVRHS	VEHICLE RENTAL HISTORY
34303	Return Days	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
22573	Return Details	Infor EAM - group header on the return popup	SSRETP	RETURN PART
			WSCREEN	CUSTOMER RENTALS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
33756	Return Equipment	EWS.CCTR.UC.GISMapSearchforContactCenter (23450)	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
27030	Return From	Extended (product name)	BSMPPR	MP2 PURCHASING
			SSRETN	SUPPLIER RETURNS
35894	Return From ID	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35895	Return From Warehouse	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
40428	Return Fuel Level	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
			WZVRHS	VEHICLE RENTAL HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49417	Return Hours	EAM-46728	PSINVO	INVOICES
40427	Return Location	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
			WZVRHS	VEHICLE RENTAL HISTORY
22571	Return Part	Infor EAM - link button on the stock tab of the parts form where the user can return the selected part to inventory	SSPART	PARTS
		Crossbow	SSRETP	RETURN PART
			TCCRSB	7I MOBILE BOILER TEXT
31118	Return Price	D7i Extended -- Lines tab on Invoice Voucher form -- Field Label	PSINVO	INVOICES
30484	Return Prompt Details	D7i Extended -- Return Prompts for DC Transaction Prompts	TSASTP	DC TRANSACTION PROMPT
30488	Return Prompts	D7i Extended -- Return Prompts for DC Transaction Prompts -- Field Label, return=adjective, pronmpts=noun	TSASTP	DC TRANSACTION PROMPT
22574	Return Qty.	Infor EAM - the number of parts to return from a work order, project, and/or equipment to inventory	SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
31704	Return Quantity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
49418	Return Rate	EAM-46728	PSINVO	INVOICES
40425	Return Reading	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
			WZVRHS	VEHICLE RENTAL HISTORY
35896	Return Reason Code	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
31785	Return Status	EWS.CREP.UC.GoodsReturnNote.doc - Goods Return Note report	SYRETF	PRINT GOODS RETURN NOTE
			SZRETF	Print Goods Return Note
25666	Return Trans.	Extended (product name). Return transaction number.	SSRECV	PO RECEIPTS
40426	Return UOM	EAM.WORK.REQ.CustomerRentals	WSCREEN	CUSTOMER RENTALS
32713	Return Value	20370/EWS.BASE.UC.StandardModel.doc	BANNER	BANNER
33757	Return Work Order	EWS.CCTR.UC.GISMapSearchforContactCenter (23450)	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
31039	Return for Repair	D7i Extended. Used to specify that you are returning a part to be repaired.	WSSREQ	SERVICE REQUESTS
12490	Return here	Whether, after running a report, the screen with selection criteria should be redisplayed, or not.	REPORT	General Report Function
38967	Return on Investment	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
42022	Return to Store Condition Default	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
42021	Return to Store Condition List	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
37055	Return to Storeroom	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
			WSJOBS	CREATE WORK ORDER
31420	Returned Date	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30846	Returned Date/Time	D7i Extended -- Vehicle Ticket -- Field Label, the exact date and time the vehicle was returned	WSFBIL	FLEET BILLS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30843	Returned Fuel Level	D7i Extended -- Vehicle Ticket -- Field Label, amount of fuel available when the vehicle is returned	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30845	Returned Mileage	D7i Extended -- Vehicle Ticket -- Field Label, the number of miles on the vehicle when returned	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30844	Returned Parking Location	D7i Extended -- Vehicle Ticket -- Field Label, the exact location the vehicle was returned to	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30835	Returned To	D7i Extended -- Vehicle Ticket -- Field Label	WSCREEN	CUSTOMER RENTALS
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
12539	Returned by		STRETF	Print Goods Return Note
			SYRETF	PRINT GOODS RETURN NOTE
			SZRETF	Print Goods Return Note
17961	Returned to	SRRETF - code identifying the supplier to which you return the goods	STRETF	Print Goods Return Note
13951	Returns		BSMPPR	MP2 PURCHASING
			SYRETN	LIST OF RETURNS
			SZRETN	LIST OF RETURNS
34941	Returns Before or on :PARAM2	23249-Localization problem with report subtitles	SYRETN	LIST OF RETURNS
			SZRETN	LIST OF RETURNS
30875	Returns Between	D7i Extended - Return Summary report	SYRETN	LIST OF RETURNS
			SZRETN	LIST OF RETURNS
34944	Returns Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	SYRETN	LIST OF RETURNS
			SZRETN	LIST OF RETURNS
34940	Returns on or After :PARAM1	23249-Localization problem with report subtitles	SYRETN	LIST OF RETURNS
			SZRETN	LIST OF RETURNS
21785	Reuse Dormant Period	Infor EAM - If checkbox checked the dormant period will be reused next year.	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCINF	CONTACT INFO
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21785	Reuse Dormant Period	Infor EAM - If checkbox checked the dormant period will be reused next year.	OSOVS	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQU	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPPMS	PM SCHEDULES
			WZMPAT	PRINT MAINTENANCE PATTERN
34326	Reuse Password Days	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
17953	Rev	Abbreviation for Revision used on PMPORD	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
25913	Reverse Return Code	Extended (product name). This is a field label or the Flex SQL screen. Refer to EWS.ADMN.UC.CreateUpdateFlexSQL.doc.	BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BZFLXL	PRINT FLEX SQL LIST
			YSFLXS	FLEX SQL
15223	Revert	Undo all changes to a record before posting	M1	Pull-Down Menu Texts
27076	Revert to Standard Report Definition	D7i Extended - Create Reports - button	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSREPO	CREATE / EDIT REPORTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
41922	Review Details	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSFMT	SAFETY MATRIX
			WSSTWO	STANDARD WOS
42515	Review Part Requisition	EAM.MATL.REQ.ApproveRequisitionList	SSAREQ	VIEW/APPROVE PURCHASE REQUISITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20137	Review Part Requisitions	Infor EAM - title of form on which to view or approve requisitions	SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
47081	Review Responsibility	EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSOPCL	OPERATOR CHECKLIST
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
41943	Review Trigger	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSHZRD	HAZARDS
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
41923	Review Type	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32766	Reviewed By	Please refer to the information in the 'Definition' and 'Additional Information' fields on Boilerplate Text text code 32765 for more information.	BCMOBL	71 MOBILE BOILER TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMS	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WZCALR	CALIBRATION RECORD REPORT
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
41925	Reviewed By Name	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41925	Reviewed By Name	EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			SSPART	PARTS
			TSPROF	PROFILES
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
		EAM-1020 :EAM.EQUIP.REQ.PermitsForEquipment	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
42036	Reviewed By Required	EAM.WORK.REQ.Task	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
47507	Reviewed By Signature	EAM.MOBILE.REQ.WorkOrderChecklist	BCMOBL	7I MOBILE BOILER TEXT
48467	Reviewed By WO Status	EAM-42566 - EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
41986	Reviewed By eSignature Date	EAM.WORK.REQ.SafetyForPMSchedule	WSHZRD	HAZARDS
41987	Reviewed By eSignature Type	EAM.WORK.REQ.SafetyForPMSchedule	WSHZRD	HAZARDS
42208	Reviewed Type	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42208	Reviewed Type	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
33734	Revised Entity Code	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
14001	Revision	Revision contains the manufacturer revision number, this information is stored in a MP5 object.	BZEALD	ELECTRONIC RECORDS FOR
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			JSCAMP	CAMPAIGN
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OZEQPL	EQUIPMENT PLANNING
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZTRAS	EQUIPMENT TRANSFER LOG
			SSPART	PARTS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
14001	Revision	Revision contains the manufacturer revision number, this information is stored in a MP5 object.	WCACTJ	CROSSBOW ACTIVITY LIST
			WCMATL	CROSSBOW MATERIAL LIST
			WCTASK	CROSSBOW TASK LIST
			WHJOB	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBFUL	BATCH FUEL ISSUES
			WSCCON	CUSTOMER CONTRACTS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WSTASL	TASK LOOKUP
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZJOB	PRINT WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPMDO	PM DUE OVERVIEW
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Revision number used in PM revision control (PPM's, tasks, material lists and routes)	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
14001	Revision	Revision number used in PM revision control (PPM's, tasks, material lists and routes)	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROUT	ROUTES
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSSUPP	SUPPLIERS
			WSAPPH	REVISION CONTROL HISTORY
			WSAPPR	REVISION CONTROL APPROVAL
			WSMATL	MATERIAL LISTS
			WSMOVE	MOVE PM ACTIVITY
			WSMPAT	MAINTENANCE PATTERNS
			WSPDRQ	PRODUCTION REQUEST
			WSPMPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPRRS	REFRESH RESOURCES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWKPK	PM WORK PACKAGES
			WZCCON	PRINT CUSTOMER CONTRACT
30012	Revision Control	Crossbow Extended (product name); Refer to EWS.WORK.UC.CreateEditMaterialList	TCJACR	7I MOBILE BOILER TEXT
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
30034	Revision Control Approval	Extended (product name); See EWS.WORK.UC.RevisionControlApproval	BYSNAP	ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZSNAP	ELECTRONIC RECORDS
			BZTMPR	LIST OF TAMPERED RECORDS
			WSAPPR	REVISION CONTROL APPROVAL
46638	Revision Control Approvers	EAM.EQUIP.REQ.ReservationCalendarDetailsPopup.docx	WSAPPL	APPROVAL LISTS
21052	Revision Date	Infor EAM - The date that a document was revised.	BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSUPLD	UPLOAD DOCUMENT POPUP
			OSWARR	WARRANTY
			PSPORD	PURCHASE ORDERS
23800	Revision Details	Infor EAM - Group header on the tasks form that displays information pertaining to the revision of the task	WSJOBS	CREATE WORK ORDER
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSRCMT	RCM TEMPLATES
			USINVP	INVESTMENT PLANNING
			WSCCON	CUSTOMER CONTRACTS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21051	Revision Number	Infor EAM - When a document is revised, it may get a new revision number.	BHDOCL	List Of Documents
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSUPLD	UPLOAD DOCUMENT POPUP
			BTDOCL	List Of Documents
			BYDOCL	List Of Documents
			BZDOCL	List Of Documents
			OSWARR	WARRANTY
			PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			WSJOBS	CREATE WORK ORDER
30092	Revision Reason	Extended (product name); Refer to EWS.WORK.UC.CreateMaterialList	BZEALD	ELECTRONIC RECORDS FOR
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSRCMT	RCM TEMPLATES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSREVP	REVISION REASON POPUP
			USINVP	INVESTMENT PLANNING
			WSAPPH	REVISION CONTROL HISTORY
			WSAPPR	REVISION CONTROL APPROVAL
			WSCCON	CUSTOMER CONTRACTS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPPMs	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
39803	Revision Reason Details	EAM.PRCH.UC.CreateEditPurchaseOrders.doc id 45702	Tracker PSREVP	REVISION REASON POPUP
33736	Revision Requested By	EWS.WORK.UC.RevisionControlApprovalHistory	WSAPPH	REVISION CONTROL HISTORY
21770	Revision Status	Infor EAM - status of a revision to a material list	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSROUT	ROUTES
			WSTASK	TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19468	Revision control approval	The date that a document was revised.	BTTMPR	LIST OF TAMPERED RECORDS
12160	Revision date		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
12284	Revision number	When a document is revised, it may get a new revision number.	PTORDF	Print Purchase Order
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORCAST
40362	Revisit Date	Revisit Date	WSCCON	CUSTOMER CONTRACTS
			WZCCON	PRINT CUSTOMER CONTRACT
47206	Revoke	EAM-32013	BSUSER	USER SETUP
			CSCINF	CONTACT INFO
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
			WSSUPR	SUPERVISOR
27241	Right Label Style		BEWSMD	EWS - METADATA DEFINITION
44327	Ring		OZRING	RING LIST-DETAIL
44941	Ring Description	EAM-16304 & EAM-16305	OZRING	RING LIST-DETAIL
44710	Ring Key Details	EAM-15134	OSKEYM	KEY MANAGEMENT
44671	Ring Keys	EAM-15134	OSKEYM	KEY MANAGEMENT
44942	Ring Organization	EAM 16304 & EAM 16305	OZRING	RING LIST-DETAIL
44938	Rings	EAM-16304 & EAM-16305	BSLOVS	LIST OF LOOKUPS
			OZRING	RING LIST-DETAIL
41830	Risk	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41830	Risk	EAM.WORK.REQ.PermitToWork	WSPTWS	PERMIT TO WORK SETUP
			WSSTWO	STANDARD WOS
			WZPTWR	PRINT PERMIT TO WORK
42743	Risk Analysis	EAM.EQUIP.REQ.RCMForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZRCML	RCM RISK LEVELS
40909	Risk Assessment	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OZRCML	RCM RISK LEVELS
40873	Risk Assessment Details	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40910	Risk Assessment Index	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40911	Risk Assessment Score	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40915	Risk Assessment Setup Last Updated	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40914	Risk Assessment Survey Last Updated	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40913	Risk Assessment Values Last Calculated	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
40912	Risk Assessment Values Out of Sync	EAM-274-EAM.EQUIP.REQ.SystemHealthcare	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
48223	Risk Consequence Cost	EAM-41162/EAM.EQUIP.REQ.EquipmentLookup	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48269	Risk Consequence Cost Currency	EAM.EQUIP.REQ.Assets.docx EAM-41386	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
28401	Risk Focus	D7i Extended -- Monitored Data form -- noun	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			ISMONT	MONITORED DATA
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSLOVS	LIST OF LOOKUPS
			WSPMTW	PERMIT TO WORK
28425	Risk Focuses	D7i Extended -- Monitored Data from -- noun	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
42335	Risk Icon	EAM.WORK.REQ.PermitToWork / EAM-5121	OSOBJA	CREATE ASSET EQUIPMENT
42885	Risk Level	EAM.EQUIP.REQ.Assets	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQU	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZRCME	RCM EQUIPMENT AT RISK
			OZRCML	RCM RISK LEVELS
			OZRCMS	RCM POTENTIAL YEARLY SAVINGS
			OZRMSS	RISK MATRIX OVERVIEW
			USINVP	INVESTMENT PLANNING
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
43213	Risk Levels	EAM-9411	BSLOVS	LIST OF LOOKUPS
42697	Risk Matrix Setup	EAM.EQUIP.REQ.RiskMatrixSetup:EAM-7694	BSDOCA	DOCUMENTS
			OSRMXS	RISK MATRIX SETUP
47765	Risk Priority Index	EAM-37496 : EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZRHIS	RANKING HISTORY CHART
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49310	Risk Priority Index Type	EAM-48905 / EAM.CREP.REQ.RankingHistoryChart	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZRHIS	RANKING HISTORY CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49317	Risk Priority Index Types	EAM-48905	BSLOVS	LIST OF LOOKUPS
42886	Risk Priority Number	EAM.EQUIP.REQ.Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZRCME	RCM EQUIPMENT AT RISK
			OZRCML	RCM RISK LEVELS
			USINVP	INVESTMENT PLANNING
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
17001	Risk focus	A general area of concern with respect to risk. Risk focus can relate to object, object category, or object class and would impact the frequency of inspection. By definition, risk focus occupies Level 1 in its decision tree.	WTJOBf	Job Cards
26730	Role	Infor EAM. Field label for the new Role field to be used for the LDAP enhancement. Refer to D7i. Base.UC.CreateEditLDAPRoles.	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
			BANNER	BANNER
			BSIMUS	IMPORT USERS
			BSLOVS	LIST OF LOOKUPS
			BSORGS	ORGANIZATIONS
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSROLE	LDAP ROLES SETUP
			BSUSER	USER SETUP
			BZUSRL	USERS GROUP CONFIGURATION
26843	Role Details	Extended (product name)	BSROLE	LDAP ROLES SETUP
26844	Role Limits	Extended (product name)	BSROLE	LDAP ROLES SETUP
35249	Roles	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			BZUSRL	USERS GROUP CONFIGURATION
29024	Roll Down	D7i Extended - Meter History Report	OTMHST	METER HISTORY
			OZMHST	METER HISTORY
29025	Roll Up	D7i Extended - Meter History Report	OTMHST	METER HISTORY
			OZMHST	METER HISTORY
39866	Roll Up Child WO Costs	PVCS #46181	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
39527	Roll Up MEC Costs to ME Work Order	PVCS #43433	OZCSTL	WO COST SUMMARY
44994	Rolling Year	EAM-16074	ESPSET	POLICY SETTINGS
40497	Rollover	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40497	Rollover	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WZCCON	PRINT CUSTOMER CONTRACT
40705	Rollover Buffer	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC WZCIND	CUSTOMER INVOICES CUSTOMER INVOICE DETAIL
40691	Rollup Total	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
40937	Room	EAM.EQUIP.REQ.Rooms	BCMOBL CSINRE CZISGH OSHPRM	7I MOBILE BOILER TEXT GUEST INCIDENT REQUEST INCIDENT SUMMARY GRAPH CREATE HOSPITALITY ROOMS
41087	Room Description	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
40956	Room Details	EAM.EQUIP.REQ.Rooms	OSHPRM	CREATE HOSPITALITY ROOMS
41088	Room Property	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
40938	Room Type	EAM.EQUIP.REQ.Rooms	BZOBJD OSHPRM	ELECTRONIC RECORDS FOR EQUIPMENTS CREATE HOSPITALITY ROOMS
41108	Room Types	EAM.EQUIP.REQ.Vehicles	BSLOVS	LIST OF LOOKUPS
44890	Room/Unit	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR CSCINF CSSRLP CSSRPT WSJOBS WSJOVH WSJOVM	CONTACT CENTER CONTACT INFO SERVICE REQUEST PORTAL CREATE SERVICE REQUEST PORTAL CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
45226	Room/Unit Org.	EAM-14718:EAM.CCTR.REQ.ContactInformation	CSCCTR CSCINF CSSRPT	CONTACT CENTER CONTACT INFO CREATE SERVICE REQUEST PORTAL
41328	Rooms	EAM-1088	BSLOVS	LIST OF LOOKUPS
44137	Root Path is invalid in XMLMapping.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44136	Root Path is invalid.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44138	Root Path is missing in XMLMapping.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44139	Root Path missing.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
39208	Rotate	EWS.MOBILE.UC.Screen Config.doc	TCSCCF	7I MOBILE BOILER TEXT
31201	Rotate 90 clockwise		FCSCRN	FLAMETHROWER SCREENS
31202	Rotate 90 counter-clockwise	Barcoding	FCSCRN	FLAMETHROWER SCREENS
30626	Round Billing Hrs. Up	D7i Extended -- Parameters for Fleet Configuration -- Field Label	WSFLCF	FLEET CONFIGURATION
40211	Rounding Days	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
40365	Rounding Details	Rounding Details	WSCCON	CUSTOMER CONTRACTS
40210	Rounding Hours	EAM-18 EAM.WORK.REQ.ContractTemplate	WSCCON WSCTMP	CUSTOMER CONTRACTS CONTRACT TEMPLATES
12677	Route	A list of objects or inspection points, ordering based on the location. This is how you get from point A to point B.	BCMOBL BSDOCA BZACTD BZEVTD BZTRLD ISAPRF ITCHKF	7I MOBILE BOILER TEXT DOCUMENTS ELECTRONIC RECORDS FOR ACTIVITIES ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR TRANSACTION LINES APPROVE INSPECTION RESULTS Inspection results

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12677	Route	A list of objects or inspection points, ordering based on the location. This is how you get from point A to point B.	ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYLAPF	List Of Points To Be Inspected
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZLAPF	List Of Points To Be Inspected
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLROE	VIEW ROUTE EVENTS POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSROUT	ROUTES
			OSVCST	COSTS FOR EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHJOB	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPMSP	PM SCHEDULE PROFILE
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow. Field label related to route inspection.	TCIWOL	7I MOBILE BOILER TEXT
		D7i Extended - Inspections - Route = noun	BSWHSE	DATA WAREHOUSE
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12677	Route	D7i Extended - Inspections - Route = noun EAM:24907:EAM.EQUIP.REQ.RoutesForEquipment	JSSHUT	SHUTDOWNS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWORS	CHANGE INSPECTION STATUS
			WZLWOQ	LIST OF WORK ORDERS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
29784	Route :param1 has been created in a Request Approval Status because the user has insufficient privileges to approve the Route.	D7i Extended - EWS.GIS.UC.CreateRoute_RouteWO - Message displayed when route is created but user does not have privileges for approval.	WSTCRT	LINEAR EQUIPMENT TRACE
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29783	Route :param1 has been created in an Unfinished Status.	D7i Extended - EWS.GIS.UC.CreateRoute_RouteWO - Message displayed when route is created with an unfinished status.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48372	Route Description	EAM-42186	WSJOBS	CREATE WORK ORDER
24980	Route Details	Extended (product name) EAM-24907 EAM.EQUIP.REQ.RoutesForEquipment	WSWORS	CHANGE INSPECTION STATUS
			OSGRTE	CREATE ROUTE WORK ORDER
46050	Route Direction	EAM-24907 EAM.EQUIP.REQ.RoutesForEquipment	WSROUT	ROUTES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSTCRT	LINEAR EQUIPMENT TRACE
40096	Route Equipment	SCR 47663 EAM-28260: EAM.EQUIP.REQ.SegmentParentsForEquipmen	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
46627	Route From Point	EAM-28260: EAM.EQUIP.REQ.SegmentParentsForEquipmen	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
46039	Route Identifier	EAM:24907:EAM.EQUIP.REQ.RoutesForEquipment	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
46673	Route Identifiers	EAM-28817 /S) Routes - Route Identifier	OSOBJS	CREATE SYSTEM EQUIPMENT
			BSLOVS	LIST OF LOOKUPS
24723	Route Inspection	Crossbow	ICRTIN	CROSSBOW INSPECTION MENU
			TCCRSB	7I MOBILE BOILER TEXT
			TCIWOL	7I MOBILE BOILER TEXT
48545	Route Inspections	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
46613	Route Length	EAM-28260 :	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46613	Route Length	EAM.EQUIP.REQ.SegmentParentsForEquipme	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46614	Route Linear Reference UOM	EAM-28260 : EAM.EQUIP.REQ.SegmentParentsForEquipme	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
31705	Route Parent	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
46650	Route Parent Details	EAM.EQUIP.REQ.RouteParentsForEquipment:EAM-28261	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46649	Route Parents	EAM.EQUIP.REQ.RouteParentsForEquipment : EAM-282	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
31706	Route Rev	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
48575	Route Revision	EAM.PROJ.REQ.EquipmentForShutdown.doc	JSSHUT	SHUTDOWNS
48993	Route Sequence	EAM-46197/EAM.WORK.REQ.ChecklistForWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
28786	Route Status	D7i Extended -- Inspections form -- field label, noun	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
		31312	BSWHSE	DATA WAREHOUSE
31707	Route Sys Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
22780	Route parent	D7i -	WCJOBS	CROSSBOW WORK ORDER FUNCTION
12716	Route status	The status of the inspection route, e.g., approved, canceled, unfinished.	WCJOBS	CROSSBOW WORK ORDER FUNCTION
31708	Routed From/By	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
28952	Routes	D7i Extended -- Work Orders form, Inspections tab -- noun, field label	BSLOVS	LIST OF LOOKUPS
		EAM-24907:EAM.EQUIP.REQ.RoutesForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46014	Routes and Segments	EAM.EQUIP.REQ.LinearOverviewForEquipment.docx	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46014	Routes and Segments	EAM.EQUIP.REQ.LinearOverviewForEquipment.docx	OSOBJS WSJOBS	CREATE SYSTEM EQUIPMENT CREATE WORK ORDER
21754	Routing Status	databridge - status of the document as it flows through its route, or course.	DSTRAN	DATABRIDGE TRANSACTIONS
46147	Row & Control Point	EAM-26543	WSGSRH	GIS MAP ROADS HIGHWAYS
46004	Row Count (Max 25)	EAM-20992	BSHOME OSOVIW	HOME - OVERVIEW SCREEN EQUIPMENT OVERVIEW 360
27862	Row Identity	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
42627	RtnCon	EAM-7603 Part Condition	TCMRTP	7I MOBILE BOILER TEXT
41956	Ruby	EAM.ADMN.REQ.SystemCodes	BSCLAS BSUCOD	CLASSES SYSTEM CODES
19883	Run	Infor EAM	BSDTSP BSJSDN DSMSGGS LOVPOP OSELRS OSEQPP SSREQI SSREQS WSACTS WSSERQ	DATASPY COMMON FUNCTION FOR JAVASCRIPT VIEW MESSAGE STATUS LOV POPUP FUNCTION USED TO GET LABELS EQUIPMENT LINEAR REFERENCE SEARCH EQUIPMENT LOOKUP REQUISITION LINE CREATE PURCHASE REQUISITION ACTIVITIES GRID IN WO SCHEDULING CREATE SERVICE REQUESTS
30633	Run Billing Process	D7i Extended -- Parameters for Fleet Configuration -- Button, run=verb	BSJSDN WSFLCF	COMMON FUNCTION FOR JAVASCRIPT FLEET CONFIGURATION
28662	Run Calibration Report	D7i Extended - Calibrations for Work Orders - verb - click to run a report	WSJOBS WSJOVM	CREATE WORK ORDER CREATE WORK ORDER
25009	Run Date	Extended (product name)	WSCJOB WZAGRS	APPROVE CUSTOMER CHARGES PRINT CUSTOMER CONTRACT
39968	Run Filter	46731	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37840	Run Future Maintenance Cost Report	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
21401	Run GL Process	Infor EAM - button that initiates the execution of the general ledger process selected	DSGLPR DSGLPS	DATABRIDGE GL PROCESSES GL PROCESS SCHEDULES
34881	Run Job	EWS.DBPARTNER.UC.DatabridgePartnerJobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
28001	Run Number	Data Warehouse. Sequential number assigned to each execution of the data warehouse load process. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
49167	Run Optimized Scheduler	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
27958	Run Parameters Details	Data Warehouse. Run Parameters Details. Refer to PVCS 1644.	BSDWRP	DATA WAREHOUSE RUN PARAMETERS
37839	Run Resource Load Graph	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
34878	Run at	EWS.DBPARTNER.UC.DatabridgePartnerJobSchedules	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
21407	Run on Day(s)	Infor EAM - this is a prompt for the user to select a day of the week on which to run the general ledger process	DSGLPR DSGLPS	DATABRIDGE GL PROCESSES GL PROCESS SCHEDULES
23032	Running Day Number		BSWHSE	DATA WAREHOUSE
23034	Running Month Number		BSWHSE	DATA WAREHOUSE
23033	Running Week Number		BSWHSE	DATA WAREHOUSE
16015	Running positions		UYBDEL UZBDEL	BUDGET POSITION DETAILS BUDGET POSITION DETAILS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34999	Runs once a day at 2 am. S	EWS.DBPARTNER.UC.DatabridgePartner.JobSchedules Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Sunday.' Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Saturday.'	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
26019			WSCAPA	WO LOAD BALANCING
			WSWLSH	WO LABOR SCHEDULING
			WSCAPA	WO LOAD BALANCING
28686	S.O.P	D7i Extended - Calibrations - Standard Operating Procedures	WSWLSH	WO LABOR SCHEDULING
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
26084			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			JSCAMP	CAMPAIGN
	S.O.P.	Standard Operating Procedure (used in calibration).	OCOBJC	CROSSBOW EQUIPMENT LIST
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
41219			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
41220			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
36469			BSGRID	GRID DESIGNER
	SDM Path	EAM-1627	BSGSEL	SELECT CLAUSE LOOKUP
			BSLOVS	LIST OF LOOKUPS
48114			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
44551	SLA	EAM-14833	WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
43777			BAL011	WORK ORDER STATUS ESCALATION
43778			BAL011	WORK ORDER STATUS ESCALATION
43751	SLA Response Overdue	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL011	WORK ORDER STATUS ESCALATION
43750			BAL011	WORK ORDER STATUS ESCALATION
41008			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOVM	PRINT WORK ORDER HEALTHCARE
	SMDA	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41008	SMDA	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	WZWOLM	WORK ORDER LIST - DETAIL
38862	SOA UOM	EWS.ADMN.UC.CreateUpdateUOM / 38487	BSLOVS	LIST OF LOOKUPS
			BSUOMS	UOM SETUP
27592	SOP	Crossbow	TCJCAL	7I MOBILE BOILER TEXT
34148	SQL	EWS.ADMIN.UC.GridDesigner.doc	BSGRID	GRID DESIGNER
			OSOVIW	EQUIPMENT OVERVIEW 360
26413	SQL Code	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSCHRT	CHART SETUP
			BSLOVS	LIST OF LOOKUPS
			TSASTP	DC TRANSACTION PROMPT
26919	SQL Codes	D7i Extended - Title for the LVSQLCODESKPI lookup	BSLOVS	LIST OF LOOKUPS
36076	SQL Details	EWS.ADMN.UC.ViewErrorsforDataConversionPop - 28750	BSDCVS	VIEW SQL POPUP
25803	SQL Statement	D7i Extended - admin Query form	BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSQUER	QUERIES
			BSVIEW	VIEWS
			TSASTP	DC TRANSACTION PROMPT
			YSFLXS	FLEX SQL
		D7i Extended - Dataspy - label on advanced filter screen	BSDTSP	DATASPY
			BSWSPM	WEB SERVICES PROMPT
			BZFLXL	PRINT FLEX SQL LIST
			YSACDP	ACCOUNT DETAIL SETUP
26563	SQL Statement Text	D7i Extended - field label	BHKIUR	KPI/INBOX USAGE
			BSCHRT	CHART SETUP
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSWSPM	WEB SERVICES PROMPT
			BZKIUR	KPI/INBOX USAGE
			BSQUER	QUERIES
45781	SQL Statement can make use of the following parameters:	EAM-19865 EAM.ADMN.REQ.Queries		
12883	SQL statement	A statement written in the SQL programming language. To insert, update, delete or retrieve records from the database.	BHKIUR	KPI/INBOX USAGE
			BZKIUR	KPI/INBOX USAGE
44245	SR-Information Request	EAM-14731-EAM.BASE.REQ.MenusAndFunctions	WSINRQ	CREATE INFORMATION REQUEST
44243	SR-Properties	EAM-14731-EAM.BASE.REQ.MenusAndFunctions	WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
44246	SR-Service Code	EAM-14731-EAM.BASE.REQ.MenusAndFunctions	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERC	SERVICE CODES
			WSSREQ	SERVICE REQUESTS
44487	SR-Service Codes	EAM-14731	BSLOVS	LIST OF LOOKUPS
44304	SR-Service Request	EAM-14731-EAM.BASE.REQ.MenusAndFunctions	CSCRHS	CUSTOMER REQUEST HISTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44304	SR-Service Request	EAM-14731-EAM.BASE.REQ.MenusAndFunctions	CSCSUR	CUSTOMER SURVEYS
			CZSURR	CUSTOMER SURVEY RESULTS
			WHJOB	PRINT WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WZJOB	PRINT WORK ORDER
44244	SR-Service Request Details	EAM-14731-EAM.BASE.REQ.MenusAndFunctions	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
45216	SR-Service Request No	EAM.WORK.REQ.WorkOrder EAM-14828	WSJOBS	CREATE WORK ORDER
13313	Safety		WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSPCPN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13313	Safety		OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZTRAS	EQUIPMENT TRANSFER LOG
			SSPART	PARTS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCPTW	COPY REPLACE PTW POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTJOBF	Job Cards
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZPTWR	PRINT PERMIT TO WORK
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13313	Safety	Crossbow	TCOBJR	7I MOBILE BOILER TEXT
47889	Safety %	EAM-38196:EAM.EQUIP.REQ.APMScenario	OSAPMS	APM SCENARIO
42101	Safety Comments	EAM.WORK.REQ.PermitToWork.docx	WHPTWR	PRINT PERMIT TO WORK
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
41988	Safety Date Review Required	EAM.WORK.REQ.SafetyForPMSchedule	BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZPPMQ	LIST OF PM SCHEDULES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
42548	Safety Date Reviewed	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			OSECON	CREATE EQUIPMENT CONFIGURATION
41980	Safety Details	EAM.WORK.REQ.SafetyForPMSchedule	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WHJOB	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMX	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WZJOB	PRINT WORK ORDER
42100	Safety Documents	EAM.WORK.REQ.PermitToWork.docx	WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSSFMX	SAFETY MATRIX
47393	Safety Matrix PK	EAM.WORK.REQ.SafetyMatrix	OZEQU	EQUIPMENT DETAIL
43698	Safety Review Date	EAM-10704: Equipment Details new report	BZEVD	ELECTRONIC RECORDS FOR EVENTS
42549	Safety Review Type	EAM-5174	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
41989	Safety Reviewed By	EAM.WORK.REQ.SafetyForPMSchedule	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41989	Safety Reviewed By	EAM.WORK.REQ.SafetyForPMSchedule	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZEQUUD	EQUIPMENT DETAIL
			SSPART	PARTS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZPPMQ	LIST OF PM SCHEDULES
			WZWOLM	WORK ORDER LIST - DETAIL
41990	Safety Reviewed By Name	EAM.WORK.REQ.SafetyForPMSchedule	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			WSJOBS	CREATE WORK ORDER
12722	Safety limit has been reached		ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
40187	Sales Price	EAM-27.ADMN.REQ.SalesPricesForEntities	CSSVPB	SERVICE PROBLEM CODES
			SSPART	PARTS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WZCCON	PRINT CUSTOMER CONTRACT
			CSSVPB	SERVICE PROBLEM CODES
40188	Sales Price Details	EAM-27.ADMN.REQ.SalesPricesForEntities	SSPART	PARTS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			CSSVPB	SERVICE PROBLEM CODES
40200	Sales Prices	EAM-27.ADMN.REQ.SalesPricesForEntities	SSPART	PARTS
			WSCCON	CUSTOMER CONTRACTS
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WZCCON	PRINT CUSTOMER CONTRACT
			WSCCON	CUSTOMER CONTRACTS
			WSCCON	CUSTOMER CONTRACTS
40604	Sales Tax Code	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS

Page 1,108

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
13252	Save	Pull down menu item	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
			WSMOVE	MOVE PM ACTIVITY
			WSPMPL	PM FORECASTING
			WSPPPMP	PM PLANS
			WSTASK	TASKS
			OSAINV	ASSET INVENTORY
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
			WSCRWP	CREATE/EDIT CREW POPUP
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGWOP	GIS WO DISPATCH - PARAMETERS
23625	Save As New	Infor EAM - button to save the current record as a new service request, rather than a modified version.	WSWLSH	WO LABOR SCHEDULING
			WSCALL	CREATE/EDIT CALLER
20121	Save Changes	Infor EAM - button to changes done on service request	CSINRE	GUEST INCIDENT REQUEST
			WSCALL	CREATE/EDIT CALLER
			WSCALP	ADD EDIT CALLER
			WSSERQ	CREATE SERVICE REQUESTS
20608	Save Charges	Infor EAM - button to save the charge that was entered	WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
34168	Save Comment	EWS.BASE.UC.Comments.doc	BSCOMM	COMMENTS
44887	Save Contact Changes	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
44886	Save Contact as New	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
41798	Save File(s)	EAM.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN
22566	Save Grid Layout	Infor EAM - fly-over text for button on the grid	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSPMPL	PM FORECASTING
22565	Save Grid To Excel	Infor EAM - fly-over text for button on the grid	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSPMPL	PM FORECASTING
26251	Save History	Infor EAM. New checkbox on the Parts form. Refer to PVCS 5429.	SSPART	PARTS
20602	Save Hours	Infor EAM - button on close service request form to save the hours entered	WSQCWO	QUICK CLOSE WORK ORDER
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
35004	Save Instruction	4609	WSJBPL	JOB PLANS
			WSTASK	TASKS
20606	Save Issue Qty	Infor EAM - button to save the quantity to issue that was entered.	WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
22728	Save Layout (Ctrl+S)	Infor EAM - mouse-over text for button on toolbar to save the current layout of the current screen	BANNER	BANNER
44141	Save Observed Physical/Bin Location Only	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
22717	Save Record (Ctrl+S)	Infor EAM - mouse-over text for toolbar button to save the current record	BANNER	BANNER
29018	Save Session	Extended (product name); Link on WO Load Balance form	SSBUKT	BUILD KITS
			WSCAPA	WO LOAD BALANCING
			WSPMPL	PM FORECASTING
19947	Save and Add Another	button on Infor EAM form to save the current record and	SSREQ	REQUISITION LINE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19947	Save and Add Another	then add another one.	SSREQS	CREATE PURCHASE REQUISITION
34995	Save and Create Another Work Order	27483	WSVITE	WORK ORDER QUICK ENTRY
47008	Save and Receive Another	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
42547	Save as Default	EAM.BASE.REQ.StartCenter.docx	BSSTRT	EWS NEW START CENTER
47503	Save as Draft	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
27061	Save as New	Extended (product name)	CSINRE	GUEST INCIDENT REQUEST
			WSCALP	ADD EDIT CALLER
20501	Save as default	Alert button text on updating a set of parameters (on the report selection criteria screen).	REPORT	General Report Function
46277	Save error	GIS	BCMOBL	7I MOBILE BOILER TEXT
44140	Save failed	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
35350	Save on Client	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
35354	Save on Server	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
15199	Save preferences		M1	Pull-Down Menu Texts
15229	Save query		M1	Pull-Down Menu Texts
20497	Save the new set of parameters as default?	Alert text on using the save button on reports (insert).	REPORT	General Report Function
23469	Save to Group	Infor EAM - the user can select a user group to which to save the current screen design. Here they would select that group	BSDUXD	DUX SCREEN DESIGNER
			BXLAYO	R5 Screen Layout Editor
23472	Save to Group(s)	Infor EAM - button to save the screen design to the selected user groups	BXLAYO	R5 Screen Layout Editor
21257	Saved	Infor EAM - an indication from the system that the action was successfully saved	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25175	Saved Parameter Details	Extended (product name)	BSPARM	PARAMETER LIST POPUP
47504	Saved as Draft	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
20500	Saved parameters	Prompt for the new 'set of parameters' list item field on the report selection criteria screen.	REPORT	General Report Function
20498	Saving this set will overwrite the existing set. Click 'Save' to save the set. Click 'Save as default' to save the set as default. Click 'Cancel' to cancel the operation.	Alert text on using the save button on reports (update).	REPORT	General Report Function
44142	Saving...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
41646	Scale Multiplier	EAM-2416	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZPRDC	RELIABILITY CALCULATIONS
44143	Scan	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47006	Scan Asset	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
27146	Scan Date	D7i Extended - Monitor Interface screen/Error Correction tab - label name	YSINTF	INTERFACE OVERVIEW
47007	Scan Part	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47260	Scan QR Code	EAM.MOBILE.REQ.Login.docx	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29493	Scanner Menus	D7i Extended -- User Groups form, Scanner Menus tab -- Function Title, scanner=adjective, menus=noun	BSFUNC	CREATE UPDATE SCREENS
47703	Scenario	EAM-36562: EAM.EQUIP.REQ.APMSscenario	BSGROU	GROUPS
47704	Scenario Details	EAM-36562: EAM.EQUIP.REQ.APMSscenario	BSDOCA	DOCUMENTS
41871	Sch.	EAM-3546	OSAPMS	APM SCENARIO
20717	Sched. End Date	Infor EAM - 'sched.' is abbreviation for 'scheduled'. This is the date that work is scheduled to end	OSAPMS	APM SCENARIO
			BSSTRT	EWS NEW START CENTER
			BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WZWOLM	WORK ORDER LIST - DETAIL
44491	Sched. End Time	EAM-14760	WSJOVH	CREATE WORK ORDER
39376	Sched. Hrs.	40522	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35347	Sched. Start	EWS.CREP.UC.CallCenterWorkOrder	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
20716	Sched. Start Date	Infor EAM - 'sched.' is abbreviation for 'scheduled'. This is the date that work is scheduled to begin	BAL011	WORK ORDER STATUS ESCALATION
			BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			JSCAMP	CAMPAIGN
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			JSPROJ	PROJECTS
			OHTTEC	TOP 10 EQUIPMENT COST
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20716	Sched. Start Date	Infor EAM - 'sched.' is abbreviation for 'scheduled'. This is the date that work is scheduled to begin	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZPROF	EQUIPMENT PROFILE
			OZTTEC	TOP 10 EQUIPMENT COST
			PSINVA	BOOK INVOICE ALLOCATIONS
			SSPARR	PARTS RESERVATIONS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
44490 12768	Sched. Start Time Schedule	EAM-14760 A set of job records to schedule.	WZWOLM	WORK ORDER LIST - DETAIL
			WSJOVH	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
			BSDLUS	DATA LAKE UPLOAD SETUP
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WHJOBF	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTJOBF	Job Cards
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBF	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Infor EAM - displays the schedule for the selected general ledger process	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			WSSCHD	WORK ORDER SCHEDULE
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
26961 34838	Schedule By Schedule Description	Extended (product name) EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabrid ePar	BZDLUS	DATA LAKE UPLOAD SETUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			DSGLPR	DATABRIDGE GL PROCESSES
21406	Schedule Details	Infor EAM - group header on the GL process screen that displays the details for the schedule	DSGLPS	GL PROCESS SCHEDULES
			BSDEPT	DEPARTMENTS
			CSCINF	CONTACT INFO
34884	Schedule Group	EWS.CCTR.UC.EquipmentForContactInformation/26445	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34884	Schedule Group	EWS.CCTR.UC.EquipmentForContactInformation/26445	OSOVM	CREATE HEALTHCARE ASSET EQUIPMENT
47858	Schedule ID	EAM.DTLK.REQ.DataLakeDataUploadScheduler.doc	BSDLUS	DATA LAKE UPLOAD SETUP
			BZDLUP	DATA LAKE UPLOAD PROGRESS
			BZDLUS	DATA LAKE UPLOAD SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
21679	Schedule Labor	Infor EAM - title of new form on which users schedule or plan personnel work for a work order	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47859	Schedule Name	EAM.DTLK.REQ.DataLakeDataUploadScheduler.doc	BSDLUS	DATA LAKE UPLOAD SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
37952	Schedule Now	EWS.ADMN.UC.PreviewGridforAlertsPopup	BSALPG	PREVIEW ALERT GRID POPUP
47904	Schedule Order	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
47954	Schedule Status	EAM.ADMN.REQ.DataLakeDataUploadSetupSchedules.doc	BSDLUS	DATA LAKE UPLOAD SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
34836	Schedule Time	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridgePar	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
32968	Schedule Tool Details	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
32967	Schedule Tools	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
27149	Schedule WOs	D7i Extended - label for one of drop down options on GIS Map Search page	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			CSCCSP	CONTACT CENTER SETUP
28961	Schedule Window (Days)	23424 Extended (product name); Number of days to generate schedule availability.	WSCAPA	WO LOAD BALANCING
13307	Schedule group	A group of maintenance responsibility centers (MRCs), defined for scheduling purposes. Schedule is not a verb, it is used in the sense of an adjective.	WSPPMS	PM SCHEDULES
33619	Scheduled	EWS.BASE.UC.Archive/22105	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSDTCV	DATA CONVERSION (MP2)
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
34938	Scheduled Activities Before or On :PARAM2	23249-Localization problem with report subtitles	WYSCHA	Scheduled Activities
34937	Scheduled Activities On or After :PARAM1	23249-Localization problem with report subtitles	WZSCHA	Scheduled Activities
			WYSCHA	Scheduled Activities
21681	Scheduled By	Infor EAM - The person who scheduled to the work order activity.	WZSCHA	Scheduled Activities
			BCMOBL	7I MOBILE BOILER TEXT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSJOBS	CREATE WORK ORDER
23087	Scheduled Completion Date	Data warehouse Dimension table name.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSWHSE	DATA WAREHOUSE
28920	Scheduled Completion Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23091	Scheduled Completion Day of Month		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23092	Scheduled Completion Day of Year	Infor EAM	BSWHSE	DATA WAREHOUSE
23099	Scheduled Completion Half Year		BSWHSE	DATA WAREHOUSE
23093	Scheduled Completion Last Day in Month		BSWHSE	DATA WAREHOUSE
23095	Scheduled Completion Month Number		BSWHSE	DATA WAREHOUSE
23097	Scheduled Completion Quarter		BSWHSE	DATA WAREHOUSE
23088	Scheduled Completion Running Day Number		BSWHSE	DATA WAREHOUSE
23090	Scheduled Completion Running Month Number		BSWHSE	DATA WAREHOUSE
23089	Scheduled Completion Running Week Number		BSWHSE	DATA WAREHOUSE
23094	Scheduled Completion Week Number		BSWHSE	DATA WAREHOUSE
23100	Scheduled Completion Year		BSWHSE	DATA WAREHOUSE
23096	Scheduled Completion Year-Month		BSWHSE	DATA WAREHOUSE
23098	Scheduled Completion Year-Quarter		BSWHSE	DATA WAREHOUSE
21680	Scheduled Date		BCMOBL	7I MOBILE BOILER TEXT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSCHD	WORK ORDER SCHEDULE
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZSCHD	Scheduled / Actual Detail
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
29708	Scheduled Date Range	D7I Extended - Calibration Record Report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
31709	Scheduled End	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WZDPML	DELINQUENT PM SUMMARY
28892	Scheduled End Date	Extended (product name)	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CZCASE	CASE MANAGEMENT REPORT
			WHJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28892	Scheduled End Date	Extended (product name)	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSBWOP	BUNDLED WORK ORDERS
			WSCAPA	WO LOAD BALANCING
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WYJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
35775	Scheduled Finish Date	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
20815	Scheduled Hours	Infor EAM - number of hours scheduled for the work	BCMOBL	7I MOBILE BOILER TEXT
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSSCHD	WORK ORDER SCHEDULE
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WYTRDS	DAILY TRADE SCHEDULE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZTRDS	DAILY TRADE SCHEDULE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
27454	Scheduled Job Code	D7i Extended - Job Setup	DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
34427	Scheduled Labor	EWS.WORK.UC.CopyWOPopup.doc/22606	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
33220	Scheduled Qty.	20774	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
36118	Scheduled Ship Date	27957	PSPORD	PURCHASE ORDERS
23073	Scheduled Start Date		BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23073	Scheduled Start Date		BSMPWO	MP2 WORK ORDERS
			BSWHSE	DATA WAREHOUSE
			CZCASE	CASE MANAGEMENT REPORT
			IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WHCOSL	Job Cost Summary Report
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBWOG	GENERATE/RELEASE WOS
			WSBWOP	BUNDLED WORK ORDERS
			WSCAPA	WO LOAD BALANCING
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSVREQ	VIEW WORK REQUEST STATUS
			WYCOSL	Job Cost Summary Report
			WYJOBF	PRINT WORK ORDER
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WZCALR	CALIBRATION RECORD REPORT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZDTTL	DOWNTIME TRACKING
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCP	PM COMPLAINE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23073	Scheduled Start Date		WZRTBD WZSJOB WZVMRS WZWPMC WZWOLG WZWORL WZWOSH	RESPONSE TIME BY DEPARTMENT SAFETY WORK ORDER REPORT VMRS ACTIVITIES CHART FUTURE MAINTENANCE COSTS PRINT WO LONG LIST OF WORK ORDERS PRINT SHORT WORK ORDER CARDS
37966	Scheduled Start Date Field	EWS.ADMN.UC.WorkOrderAlertsforAlerts	BSALRT	ALERT MANAGEMENT SYSTEM
28919	Scheduled Start Dates	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
23077	Scheduled Start Day of Month		BSWHSE	DATA WAREHOUSE
23078	Scheduled Start Day of Year		BSWHSE	DATA WAREHOUSE
23085	Scheduled Start Half Year		BSWHSE	DATA WAREHOUSE
23079	Scheduled Start Last Day in Month		BSWHSE	DATA WAREHOUSE
23081	Scheduled Start Month Number		BSWHSE	DATA WAREHOUSE
23083	Scheduled Start Quarter		BSWHSE	DATA WAREHOUSE
23074	Scheduled Start Running Day Number		BSWHSE	DATA WAREHOUSE
23076	Scheduled Start Running Month Number		BSWHSE	DATA WAREHOUSE
23075	Scheduled Start Running Week Number		BSWHSE	DATA WAREHOUSE
35774	Scheduled Start Time	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
23080	Scheduled Start Week Number		BSWHSE	DATA WAREHOUSE
23086	Scheduled Start Year		BSWHSE	DATA WAREHOUSE
23082	Scheduled Start Year-Month		BSWHSE	DATA WAREHOUSE
23084	Scheduled Start Year-Quarter		BSWHSE	DATA WAREHOUSE
33620	Scheduled Time	EWS.BASE.UC.Archive/22105	BSARCH BSDTCV	CREATE / EDIT ARCHIVE RECORDS DATA CONVERSION (MP2)
34428	Scheduled Tools	EWS.WORK.UC.CopyWOPopup.doc/22606	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
43790	Scheduled Trade	EAM-12584	WSMECH	MECHANIC'S WORKBENCH
34132	Scheduled WOs	EWS.CREP.UC.WorkOrderOnTimeDeliveryByTrade.doc	WSACTS WSSCHD WZOTDE WZOTDT	ACTIVITIES GRID IN WO SCHEDULING WORK ORDER SCHEDULE WORK ORDER ON TIME DELIVERY BY EMPLOYEE WORK ORDER ON-TIME DELIVERY BY TRADE
32102	Scheduled but Not Worked on the Same Date	Scheduled vs. actual - Detail report	WYSCHD WZSCHD	SCHEDULED / ACTUAL DETAIL Scheduled / Actual Detail
13333	Scheduled date	A date this activity, or some of it, is scheduled for.	WTJOB	Job Cards
14174	Scheduled date range	Used on a report to determine if the scheduling dates are to be used to limit the query. Checkbox on a report and when you select it, MP5 only prints job cards with specific schedules.	WTJOB	Job Cards
31045	Scheduled; Not Worked on the Same Date	D7i Extended - Schedule Attainment report	WYSCHS WZSCHS	Schedule Attainment Report Schedule Attainment Report
44395	Scheduler View	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/ EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
20733	Scheduling	Infor EAM - group header on the Create work orders form that groups information pertaining to scheduling functions for the work order	BCMOBL BSALRT JSCAMP OSJOBS	7I MOBILE BOILER TEXT ALERT MANAGEMENT SYSTEM CAMPAIGN CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
20733	Scheduling	Infor EAM - group header on the Create work orders form that groups information pertaining to scheduling functions for the work order	WSJOBS	CREATE WORK ORDER			
			WSJOVH	CREATE WORK ORDER			
			WSJOVM	CREATE WORK ORDER			
			WSOPSS	OPTIMIZED SCHEDULER SETUP			
			WSPMTW	PERMIT TO WORK			
			WSPPMS	PM SCHEDULES			
			WSSREQ	SERVICE REQUESTS			
17476	Scheduling Details	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	DSSTSK	DATABRIDGE SCHEDULED TASKS			
27863	Scheduling Group		BZEVD	ELECTRONIC RECORDS FOR EVENTS			
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS			
			BZPPMD	ELECTRONIC RECORDS FOR PPM			
			WTBLOG	Work Backlog			
			WTCALR	CALIBRATION RECORD REPORT			
			WTJOBL	Labour Hours For Jobs			
			WTJOLL	Job List			
			WZCALR	CALIBRATION RECORD REPORT			
			YSPRCD	GL PROCESS DEFINITIONS			
			D7i Extended - Work Order Cards report	WHWOSH	PRINT SHORT WORK ORDER CARDS		
				WYWOSH	PRINT SHORT WORK ORDER CARDS		
				WZWOSH	PRINT SHORT WORK ORDER CARDS		
			27875	Scheduling Group Value	Infor EAM - Databridge. Refer to EWS.ADMN.UC.CreateEditGLReferences.doc.	YSGLRF	GL REFERENCES
39110	Scheduling Options	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING			
21000	Scheduling Service	Infor EAM - The b2b service called to schedule the task Extended (product name)	DSSTSK	DATABRIDGE SCHEDULED TASKS			
29368	Scheduling Session		CSCCGM	CONTACT CENTER MAP SEARCH			
			JSCAMP	CAMPAIGN			
			OSGISR	GIS MAP SEARCH			
			OSGISS	GIS MAP SEARCH (OLD)			
			OSSTAT	EQUIPMENT OPERATIONAL STATUS			
			OSVCST	COSTS FOR EQUIPMENT			
			OSVEVT	EVENTS FOR EQUIPMENT			
			WSEMPs	EMPLOYEES			
			WSJOBS	CREATE WORK ORDER			
			WSJOVH	CREATE WORK ORDER			
			WSJOVM	CREATE WORK ORDER			
			WSMPAT	MAINTENANCE PATTERNS			
			WSOPSS	OPTIMIZED SCHEDULER SETUP			
39045	Scheduling Session Type	EWS.WORK.UC.CreateEditWorkOrder.doc	JSCAMP	CAMPAIGN			
			OSSTAT	EQUIPMENT OPERATIONAL STATUS			
			OSVEVT	EVENTS FOR EQUIPMENT			
			WSEMPs	EMPLOYEES			
			WSJOBS	CREATE WORK ORDER			
			WSJOVH	CREATE WORK ORDER			
			WSJOVM	CREATE WORK ORDER			
			WSMPAT	MAINTENANCE PATTERNS			
			WSOPSS	OPTIMIZED SCHEDULER SETUP			
12876	Scheduling group	All users in a user group having the same permissions and menu structure.	UYBDEL	BUDGET POSITION DETAILS			
			UZBDEL	BUDGET POSITION DETAILS			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12876	Scheduling group	Group assigned to complete the work order	WTJOB	Job Cards
23444	Schema	Infor EAM	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
48312	Schematic	EAM.EQUIP.REQ.Categories.doc	OSOB	CREATE ASSET CATEGORY
27217	Scope	D7i Extended - Scope of the dataspy, (public or private)	BEWSMD	EWS - METADATA DEFINITION
			OSOBTV	OBJECTIVES
12285	Score	Used to rate vendors.	BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			OZRHIS	RANKING HISTORY CHART
34856	Scrap Part	EWS.MATL.UC.ScrapPopup.doc/24715	SESCR	WEB SERVICE FOR SCRAP PART
			SSPART	PARTS
			SSSCR	SCRAP PART
35019	Scrap Part Details	EWS.MATL.UC.ScrapPopup.doc/24715	SSSCR	SCRAP PART
36429	Scrap Parts from Stock	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
31488	Scrap Qty.	Refer to EWS.MATL.UC.PartsforStoretoStoreReceipts.	SSSCR	SCRAP PART
			SSSTSR	STORE TO STORE RECEIPTS
47721	Scrap Selected Item	Jira # EAM-35948	BCMOBL	7I MOBILE BOILER TEXT
35079	Scrapped By:	EWS.UC.MATL.SCRAPPOPUP/24715	SSSCR	SCRAP PART
29662	Scrapped Qty.	D7i Extended - EWS.MATL.UC.TransactionsforParts.doc - Field for showing the scrapped quantities on transactions.	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			WSJOBS	CREATE WORK ORDER
12161	Screen		BANNER	BANNER
			BHFUNL	List Of Functions
			BHUSRL	USERS GROUP CONFIGURATION
			BSBOIL	GLOBAL TEXT CHANGES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSDUXD	DUX SCREEN DESIGNER
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFFTP	SELECT TYPES
			BSFFWP	SELECT WO EQUIPMENT TYPES
			BSFLCP	SELECT CLASSES
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNC	CREATE UPDATE SCREENS
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSGROU	GROUPS
			BSINBX	INBOX SETUP
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSREPO	CREATE / EDIT REPORTS
			BSWSPM	WEB SERVICES PROMPT
			BTAUDT	AUDIT LOG
			BTFUNL	List Of Functions

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12161	Screen	Crossbow	BYAUDT	AUDIT LOG
			BYFUNL	LIST OF FUNCTIONS
			BYUSRL	USERS GROUP CONFIGURATION
			BZAUDT	AUDIT LOG
			BZFUNL	List Of Functions
			BZUSRL	USERS GROUP CONFIGURATION
			WSRVCS	REVISION CONTROL SETUP
			BCRAPD	MOBILE RAPID REQUEST
			TCSCMN	7I MOBILE BOILER TEXT
			TCSRP	7I MOBILE BOILER TEXT
33973	Screen Code	24409	BSEXAL	EXPORT BASE CONFIGURATION
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGROU	GROUPS
			BSMAPF	MAP FIELDS
			BSUSRP	USERS
			TCCRSB	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
26747	Screen Config	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
			TCCRND	7I MOBILE BOILER TEXT
24787	Screen Configuration Settings not found in database: Contact your system administrator.	Crossbow		
44144	Screen Configuration saved successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
33972	Screen Description	EW.ADMN.UC.BusinessProcessSetup	BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSWSPM	WEB SERVICES PROMPT
			TCCERR	7I MOBILE BOILER TEXT
23795	Screen Designer	Infor EAM - title of page where the user can update the page layout and text of a form.	BCMOBL	7I MOBILE BOILER TEXT
			BSUSER	USER SETUP
			BXLAYO	R5 Screen Layout Editor
22547	Screen Designer (Alt+E)	Infor EAM - fly-over text for toolbar button on screen designer	BANNER	BANNER
44921	Screen Designer User Group	EAM.ADMN.REQ.ExportCopiedScreensforExportConfiguration EAM-16155	BSEXIM	EXPORT CONFIGURATION
49053	Screen Designer permissions should NOT be used for the selected Custom Field if Status Requirement Settings are enabled.	EAM-46298/StatusRequirementSettingsPopup.doc	BSSRES	STATUS REQUIREMENT SETTINGS POPUP
27794	Screen Details	D7i Extended - Screens form - Block Header 1	BSCDSS	USER DEFINED SCREEN SETUP
			BSEXAL	EXPORT BASE CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFUNC	CREATE UPDATE SCREENS
35257	Screen Flows	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
36310	Screen ID	EWS.MOBILE.UC.WSPromptEngine.doc	TCCERR	7I MOBILE BOILER TEXT
26748	Screen Label	Crossbow	TCESYP	7I MOBILE BOILER TEXT
25864	Screen Name	Extended (product name). Screen Flow Setup Form.	BSCDSS	USER DEFINED SCREEN SETUP
			BSEXAL	EXPORT BASE CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25864	Screen Name	Extended (product name). Screen Flow Setup Form.	BSFUNC BSHOME BSMESP OSOVIW	CREATE UPDATE SCREENS HOME - OVERVIEW SCREEN MENU STRUCTURE AND PERMISSIONS EQUIPMENT OVERVIEW 360
25689	Screen Permissions	Extended (product name). Tab name/Section label.	BSGROU	GROUPS
36382	Screen Section Title	#30284	BSWSPM	WEB SERVICES PROMPT
44636	Screen Setup	EAM.ADMN.UC.FieldFilterSetup/EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
27630	Screen configuration saved to database.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
32542	Screen/Report	EWS.BASE.UC.HyperlinkSetupPopup.doc - field label	BHUSRL BSACRP BSHYPL BYUSRL BZUSRL	USERS GROUP CONFIGURATION ADD CUSTOM REPORT POPUP (USED IN MENUS TAB) HYPERLINK SETUP USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
34445	Screen/Report Description	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL BYUSRL BZUSRL	USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
39799	Screen/Reports	45448	BSLOVS	LIST OF LOOKUPS
12805	Screeneer	A person who reviews jobs.	BSDEPT BSROLE BSUSER BZEVTD LVSCRN	DEPARTMENTS LDAP ROLES SETUP USER SETUP ELECTRONIC RECORDS FOR EVENTS SCREENER LOOKUP
24082	Screeneer Name	Infor EAM - name of the person who reviews jobs.	BSDEPT LVSCRN	DEPARTMENTS SCREENER LOOKUP
24415	Screeners	Extended (product name). Administration - Departments form.	BSDEPT BSLOVS	DEPARTMENTS LIST OF LOOKUPS
25640	Screens	D7i Extended - User Groups, Related Screens tab, lookup title	BCMOBL BSFLOW BSGROU BSLOVS	7I MOBILE BOILER TEXT BUSINESS PROCESS SETUP GROUPS LIST OF LOOKUPS
35252	Screens and Reports	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX BSEXAL BSVSDP	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION VIEW STATUS DETAILS POPUP
34450	Screens/Reports	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL BSLOVS BYUSRL BZUSRL	USERS GROUP CONFIGURATION LIST OF LOOKUPS USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
27204	Script Event	D7i Extended - Grid event handler associated with the control	BEWSMD	EWS - METADATA DEFINITION
40797	Scroll Down	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40796	Scroll Up	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12786	Search	Button - click to search for objects.	BANNER BCMOBL BSJSDN BSSTRT CSCCGM CSCCTR	BANNER 7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT EWS NEW START CENTER CONTACT CENTER MAP SEARCH CONTACT CENTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12786	Search	Button - click to search for objects.	CSINRE	GUEST INCIDENT REQUEST
			CSKBSP	KNOWLEDGE BASE SEARCH
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSINRQ	CREATE INFORMATION REQUEST
			WSSREQ	SERVICE REQUESTS
45457	Search Along	EAM.GIS.REQ.GISMapSearch/EAM-15909	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44145	Search Asset	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48622	Search Batch Book Labor	EAM-43428	BCMOBL	7I MOBILE BOILER TEXT
33246	Search Criteria	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
22697	Search Details	Infor EAM - group header displaying details of the performed search	CSKBSP	KNOWLEDGE BASE SEARCH
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
44146	Search Equipment	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
46321	Search Error	GIS	BCMOBL	7I MOBILE BOILER TEXT
24451	Search For	D7i Extended - Field label in GIS map search page	BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
33393	Search MEC WOs	EWS.REP.UC.ShortTermWorkOrderList(WOs)	WHJOBL	Labour Hours For Jobs
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBL	Labour Hours For Jobs
			WZJOLL	Job List
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WHWOSH	PRINT SHORT WORK ORDER CARDS
33630	Search MEC Work Orders	EWS.CREP.UC.PrintShortWorkOrderCards	WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
48005	Search Map Configurations	EAM-28612	BCMOBL	7I MOBILE BOILER TEXT
49611	Search Nonconformities	EAM-51038	BCMOBL	7I MOBILE BOILER TEXT
47010	Search Notebook	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
46223	Search PO Receipts	Main View	BCMOBL	7I MOBILE BOILER TEXT
24172	Search Parameters	Extended (product name). For use on the Equipment Lookup.	DSMSG	VIEW MESSAGE STATUS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
49809	Search Part	EAM-53604	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48042	Search Permit To Work	EAM-40680	BCMOBL	7I MOBILE BOILER TEXT
44147	Search Prompt	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47181	Search Range End	EAM-31979-Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
47179	Search Range Start	EAM-31979-Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
33788	Search Results	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
44148	Search Work Orders	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
		EAM.EQUIP.REQ.StructureForEquipment.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
47183	Search and View Results	EAM-31979-Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
47264	Search around	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
49291	Search for Work Orders	EAM-47419	WSGISD	MAP VIEW
19943	Search for a	field on Infor EAM form that prompts user to enter search criteria	SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
42643	Search within	EAM-7019	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49354	Search...	EAM-49402	WSGISD	MAP VIEW
44968	Seating Designation	EAM-15651	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			WSEMP	EMPLOYEES
40053	Secondary Closing Code	#47317	OZEFSL	ASSET FAILURES BY SERVICE LIFE
20757	Secondary Commodity	Infor EAM - See primary commodity.	PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSEVAL	PART EVALUATIONS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQS
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
33136	Secondary E-mail	22012	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCSUR	CUSTOMER SURVEYS
			CSPROV	PROVIDERS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
33121	Secondary Fax	Contact Info	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
33251	Secondary Phone	EWS.CCTR.UC.ContactCenter	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33251	Secondary Phone	EWS.CCTR.UC.ContactCenter	CSPROV	PROVIDERS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
41793	Secondary Residual Energy	1015	BCMOBL	7I MOBILE BOILER TEXT
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHPTWR	PRINT PERMIT TO WORK
			WSILPO	ISOLATION POINTS
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
			WSEMPs	EMPLOYEES
41071	Security Badge No.	EAM - 295 : EAM.WORK.REQ.Employee	WSOPSS	OPTIMIZED SCHEDULER SETUP
29705	Security Filter	Infor EAM. Field label used in permissions tab.	BSDTSP	DATASPY
			BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSTBOP	CHANGE TAB ORDER POPUP
45540	Security Filters	EAM-21705	BSMESP	MENU STRUCTURE AND PERMISSIONS
41012	Security Incident	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
39631	See Comment for details.	Tracker id 43912	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46013	Segment	EAM-24671:SegmentsForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
28329	Segment 01	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSDSET	DATABRIDGE SETUP
			JSCUES	CU ESTIMATES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28329	Segment 01	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
34727	Segment 01 Value	26915	BSDSET	DATABRIDGE SETUP
28330	Segment 02	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSDSET	DATABRIDGE SETUP
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
34728	Segment 02 Value	26915	BSDSET	DATABRIDGE SETUP
			BSDSET	DATABRIDGE SETUP
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSINVO	INVOICES
28331	Segment 03	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	BSDSET	DATABRIDGE SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28331	Segment 03	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
34729	Segment 03 Value	26915	BSDSET	DATABRIDGE SETUP
28332	Segment 04	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28333	Segment 05	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28333	Segment 05	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28334	Segment 06	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28335	Segment 07	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28335	Segment 07	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28336	Segment 08	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28337	Segment 09	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28338	Segment 10	Databridge. Field name on the View GL Values form. Refer	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28338	Segment 10	to EWS.DBADMIN.UC.ViewGLValues.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28339	Segment 11	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28340	Segment 12	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28340	Segment 12	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28341	Segment 13	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
28342	Segment 14	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28342	Segment 14	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
28343	Segment 15	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVP	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28344	Segment 16	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVP	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28344	Segment 16	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
28345	Segment 17	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28346	Segment 18	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28346	Segment 18	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28347	Segment 19	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28348	Segment 20	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28348	Segment 20	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
28349	Segment 21	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28350	Segment 22	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28351	Segment 23	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28351	Segment 23	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28352	Segment 24	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28353	Segment 25	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28353	Segment 25	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28354	Segment 26	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
28355	Segment 27	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSCREN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28355	Segment 27	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSOVS	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
28356	Segment 28	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28357	Segment 29	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28357	Segment 29	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28358	Segment 30	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			WSCREEN	CUSTOMER RENTALS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28532	Segment Column	Databridge. Display name. Refer to PVCS EWS.ADMN.UC.DetailsforGLReferences. D7i Extended. The 'segment column' identifies a portion or 'segment' of an account code. For example, you have an account code: 001-2004-09-2145. The 001 segment might identify an organization, the 2004 segment a year, the 09 segment a dept., etc.	YSACCD	VIEW GL VALUES
			YSGLRF	GL REFERENCES
			BSLOVS	LIST OF LOOKUPS
28531	Segment Details	Databridge. Block title. Refer to PVCS EWS.ADMN.UC.DetailsforGLReferences.	YSACDP	ACCOUNT DETAIL SETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
45939	Segment Direction	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	YSGLRF	GL REFERENCES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
46616	Segment Parent Details	EAM-28260 : EAM.EQUIP.REQ.SegmentParentsForEquipme	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
46617	Segment Parents	EAM-28260 :	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46617	Segment Parents	EAM.EQUIP.REQ.SegmentParentsForEquipme	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
12895	Segments		OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			YSPRCD	GL PROCESS DEFINITIONS
17588	Select	BXPROM. Custom attributes tab	BSDEPT	DEPARTMENTS
			BSFFTP	SELECT TYPES
			BSFLCP	SELECT CLASSES
			BSMENS	MOBILE ENTITIES SETUP
			BSORGS	ORGANIZATIONS
			BSTBOP	CHANGE TAB ORDER POPUP
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			ISAPRF	APPROVE INSPECTION RESULTS
			OSGADR	GIS ADDRESS SELECTOR (REST)
			OSGIAS	GIS ADDRESS SELECTOR
			OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGSWO	SELECTABLE LAYERS FOR WO
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			SSABCA	GENERATE ABC ANALYSIS
			SSASGN	GENERATE POS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSPACK	PACKAGES SCREEN
			SSSUPP	SUPPLIERS
			WSCAPA	WO LOAD BALANCING
			WSCPQR	CAPITAL PLANNING REQUEST
			WSEMPs	EMPLOYEES
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSPFWM	PM FORECASTING WARNING
			WSPMPL	PM FORECASTING
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
		Crossbow - Select with one space after - for the lookups	BCMOBL	7I MOBILE BOILER TEXT
			TCCFLT	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
		D7i Extended - E-mail Template form - Text for a checkbox appearing in each row of a multi-record lookup. The	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSEXIM	EXPORT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17588	Select	checked rows are returned.	BSFFWP	SELECT WO EQUIPMENT TYPES
			BSFUNC	CREATE UPDATE SCREENS
			BSGFRM	FROM CLAUSE LOOKUP
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSGSEL	SELECT CLAUSE LOOKUP
			BSIMUS	IMPORT USERS
			BSINBX	INBOX SETUP
			BSLOVS	LIST OF LOOKUPS
			BSMTRL	E-MAIL RECIPIENTS
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVLOG	VIEW LOG FILES SCREEN
			DSMSBH	VIEW MESSAGES
			FCSCRN	FLAMETHROWER SCREENS
			ISPCOP	COPY ASPECT POINTS
			JSCAMP	CAMPAIGN
			LVRCP	EMAIL RECIPIENTS LOOKUP
			OSAINV	ASSET INVENTORY
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZMNBK	MOBILE NOTEBOOK
			OZRMSO	RISK MATRIX OVERVIEW
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPOLN	IMPORT PO LINES
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSEOQA	CALCULATE EOQ
			SSEVAL	PART EVALUATIONS
			SSGRFQ	GENERATE RFQS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSIMPL	IMPORT PART LIST
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17588	Select		SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPWIP	IMPORT PARTS POPUP
			SSREQF	GENERATE REQ
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WHPTWR	PRINT PERMIT TO WORK
			WSACMP	ACTIVATE MP POPUP
			WSAPPR	REVISION CONTROL APPROVAL
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBWOG	GENERATE/RELEASE WOS
			WSBWOP	BUNDLED WORK ORDERS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSIMPL	IMPORT PART LIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSPACT	IMPORT ACTIVITIES
			WSPMTW	PERMIT TO WORK
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSPRRS	REFRESH RESOURCES
			WSRVCS	REVISION CONTROL SETUP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSTASK	TASKS
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZPTWR	PRINT PERMIT TO WORK
25038	Select All	Extended (product name)	BCMOBL	7I MOBILE BOILER TEXT
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSDTCV	DATA CONVERSION (MP2)
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSWSPM	WEB SERVICES PROMPT
			FCSCRN	FLAMETHROWER SCREENS
			TCPRLB	7I MOBILE BOILER TEXT
46267	Select All Parts	Parts	WSPPTP	CREATE PICK TICKET POPUP
			BCMOBL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46760	Select By	EAM-26543	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43571	Select By Freehand Polygon	EAM-9775/GIS Map Search (REST) screen	OSGISR	GIS MAP SEARCH
37229	Select Child Equipment	32141	WSPMPL	PM FORECASTING
40850	Select Classes	EAM-329 : EAM.ADMN.UC.ClassesforFieldFilterSetup	BSFFSP	FILTER FIELD SETUP SCREEN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40850	Select Classes	EAM-329 : EAM.ADMN.UC.ClassesforFieldFilterSetup	BSFLCP	SELECT CLASSES
36812	Select Clauses	EWS.PRCH.UC.ClausesforRFQs/31397	PSRFQT	REQUESTS FOR QUOTATIONS
44150	Select Connection Mode	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44891	Select Contact Equipment	EAM.CCTR.REQ.CallCenter EAM-14817	CSCCTR	CONTACT CENTER
36626	Select Custom Fields	EWS.ADMN.UC.FieldsforWebServicePropt.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSWSPM	WEB SERVICES PROMPT
45817	Select Customer Account ID from list or type in a new Customer Account ID. Optionally, click Retrieve Customer Account ID.	EAM.EQUIP.REQ.EnergyStarSetup.doc	OSENSG	ENERGY STAR CUSTOMER ID POPUP FOR GET
45820	Select Customer Account ID from list to Confirm Pending Authorizations.	EAM.EQUIP.REQ.EnergyStarSetup.doc	OSENSC	ENERGY STAR CUSTOMER ID POPUP FOR CONFIRM
44785	Select Dataspy	EAM-14779 EAM.BASE.REQ.StandardModel	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38222	Select Date and Text Type options and click Submit.	EWS.ADMN.UC.CreateEditLanguages.doc	BSRLNP	REFRESH INSTALLED LANGUAGE
38528	Select Document Method, then populate the appropriate fields.	#34109	BSUPLD	UPLOAD DOCUMENT POPUP
48198	Select Employee/Crew By	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48398	Select Employee/Crew By Circle	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48397	Select Employee/Crew By Freehand Polygon	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48399	Select Employee/Crew By Point	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48396	Select Employee/Crew By Polygon	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48395	Select Employee/Crew By Rectangle	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39136	Select Equipment	EWS.PROJ.UC.EquipmentforCampaign/40727	BCMOBL	7I MOBILE BOILER TEXT
			JSCAMP	CAMPAIGN
			OSOVIW	EQUIPMENT OVERVIEW 360
46739	Select Equipment From Map	EAM-26543	WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
41432	Select Equipment to perform Disposition and click on link(s) below	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	OSAINV	ASSET INVENTORY
47036	Select Feature Layer	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
29575	Select Features	D7i Extended - Equipment module - pvcs 11736 - title of the new button under GIS map on GIS map search page	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
48368	Select File	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35175	Select Multiple Fields	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
47004	Select Nonconformity Type	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
36670	Select Parts	EWS.PRCH.UC.PartsForRFQs.doc	PSPORD	PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSREQU	REQUISITIONS
			WSJBPL	JOB PLANS
			WSMATL	MATERIAL LISTS
			WSTASK	TASKS
23610	Select Popup	Infor EAM - button to select the popup that is available on the current form	BXLAYO	R5 Screen Layout Editor
47486	Select Precaution Applied	EAM.MOBILE.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
46764	Select Preference	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46764	Select Preference	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSOBJP OSOBJS	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
47662	Select Record Type.	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
49121	Select Records	DUX - NA	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31910	Select Records By	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT WZVTKT	VEHICLE TICKET REPORT VEHICLE TICKET REPORT
38568	Select Resources	Resources tab on Equipment screens	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
44151	Select Session to show Asset Inventory.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36448	Select Substitute Part	EWS.MATL.UC.CreateEditParts.doc/30699	PSPORD PSRFQT SSREQ SSREQS SSREQU WSJOBS WSJOVH WSJOVM	PURCHASE ORDERS REQUESTS FOR QUOTATIONS REQUISITION LINE CREATE PURCHASE REQUISITION REQUISITIONS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
47357	Select Supp. Catalog Parts	EAM.PRCH.REQ.SelectSupplierCatalogPartsforPOs	PSPORD	PURCHASE ORDERS
36793	Select Suppliers	EWS.PRCH.UC.SuppliersForRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
45073	Select Task Plans and/or Job Plans to export, then press the Export button.	EAM.ADMN.REQ.ExportTaskPlans-JobPlansExportConfiguration.docx EAM-16156	BSEXIM	EXPORT CONFIGURATION
45072	Select Task Plans to export, then press the Export button.	EAM.ADMN.REQ.ExportTaskPlans-JobPlansExportConfiguration.docx	BSEXIM	EXPORT CONFIGURATION
47663	Select To Status.	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
40853	Select Types	EAM-328 : EAM.ADMN.UC.TypesforFieldFilterSetup	BSFFSP BSFFTP	FILTER FIELD SETUP SCREEN SELECT TYPES
41052	Select WO Equipment Types	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP BSFFWP	FILTER FIELD SETUP SCREEN SELECT WO EQUIPMENT TYPES
48199	Select WOs By	EAM.WORK.REQ.GISMapWODispatching/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48388	Select WOs By Polygon	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48387	Select WOs By Rectangle	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48393	Select WOs by Circle	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48392	Select WOs by Freehand Polygon	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48394	Select WOs by Point	EAM.WORK.REQ.GISMapWODispatching/38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44208	Select Work Order	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
33579	Select a Budget Structure and Budget Term. Click Submit to copy all budget details to the new budget.	22892	USCPBP	COPY BUDGETPOPUP
34914	Select a Budget. Click Submit to copy all budget details to the new budget.	EWS.BUD.UC.CopyBudgetDetailsPopup	USBDET	COPY BUDGET

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47541	Select a Code	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
36300	Select a Date and/or a Part to Purge Stockout records.	29437	SSSTOU	PURGE STOCKOUTS
35263	Select a Delivery Method and the options to export, and press the Export button	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
22555	Select a Parent link to modify.		OSSTRP	VIEW PARENT EQUIPMENT
26738	Select a Profile to use for sync.	Crossbow	TCSYPF	7I MOBILE BOILER TEXT
35626	Select a Prompt Data to delete.	Web Service Prompt	TCPMTL	7I MOBILE BOILER TEXT
35625	Select a Prompt Data to edit.	Web Service Prompt	TCPMTL	7I MOBILE BOILER TEXT
35624	Select a Prompt Data.	Web Service Prompt	TCPMTL	7I MOBILE BOILER TEXT
47999	Select a Role to switch	EAM-39467	BANNER	BANNER
25484	Select a Setup Type and Entity	Extended. User Codes form.	BSUCOD	SYSTEM CODES
33352	Select a Source Type, and then enter the destination to use for the Hyperlink.	21970	CSEDLK	CREATE HTML EDITOR LINK
49393	Select a Standard WO, then select the activities to import.	Activities for WO - Import Activities Pop-up	WSPACT	IMPORT ACTIVITIES
49699	Select a Start Date.	EAM-50504	BCMOBL	7I MOBILE BOILER TEXT
33743	Select a Store and view Part quantities and availability.	EWS.MATL.UC.PartDetailsPopup / 21540	SSPTPD	PART DETAILS POPUP
33006	Select a Store and view the availability of parts that have been planned for the selected Work Order.	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	WSPLPA	PLANNED PART AVAILABILITY
28494	Select a Transaction Type and enter field values for which you are prompted.	D7i Extended -- Prompt Machine form -- page caption	TSTRAN	PROMPT MACHINE
21832	Select a budget from this project.	Infor EAM - text on project-budget lookup on the issue/return screen	JSCAMP PSRFQT SSISSP SSISSU SSRETP WSJOBS WSJOVH WSJOVM WSVITE BSSTRT WSPMPP BSREGP	CAMPAIGN REQUESTS FOR QUOTATIONS ISSUE PART Stock Issues RETURN PART CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER WORK ORDER QUICK ENTRY EWS NEW START CENTER COLOR POPUP PURGE ACTUAL TEMPERATURE RECORDS
45937	Select a chart type.	EAM-22445-Start Center	BSSTRT	EWS NEW START CENTER
37274	Select a color for the :param1	EWS.WORK.UC.ParametersforPMForecasting	WSPMPP	COLOR POPUP
38356	Select a date. Press Submit to delete all records up to and including this date.	EWS ADMN UC ActualTemperaturesforRegions.doc	BSREGP	PURGE ACTUAL TEMPERATURE RECORDS
21839	Select a document to link to the selected record.	Infor EAM - text to appear on the link document popup	BSDOCA	DOCUMENTS
24929	Select a line number from this blanket order.	Extended (product name). Blanket Order/Line lookup.	SSREQU	REQUISITIONS
26699	Select a line number from this purchase order.	Infor EAM. Refer to EWS.PRCH.UC.CreateAssetsforPO.	PSINVO PSOBSJ	INVOICES ASSETS FOR PO
26474	Select a line number from this requisition.	Infor EAM. Prompt text in Requisition-Line chained lookup. Refer to PVCS 6210.	PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29345	Select a new Status and click Submit.	Extended (product name)	WSWORS	CHANGE INSPECTION STATUS
28973	Select a new Trade or Start Date for the selected Activity.	D7i Extended - WO Load Balancing	WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
24170	Select a record and then click OK.	Extended (product name). For use on the Equipment Lookup.	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
32695	Select a record, and then click OK.	20057	WSTASL	TASK LOOKUP
			BSGFRM	FROM CLAUSE LOOKUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSSVPB	SERVICE PROBLEM CODES
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			OSCLCL	CLOSING CODES LOOKUP
			OSCNL	CHANGE NOTICE LOOKUP
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLT	GIS ATTRIBUTE FILTER
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPL	SUPPLIER LOOKUP
44343	Select a record, and then click OK. If you selected multiple records, then click Submit, the system will save all the selected records at once, but will ignore any already entered values and defaults on the screen.	14723: EAM.MATL.REQ.ServiceCodesforSuppliers	CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			SSSUPP	SUPPLIERS
32451	Select a route and view the associated equipment.	EWS.WORK.UC.RouteLookup	LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
22572	Select a work order and activity, a piece of equipment, or a project and budget from which to return the part.	Infor EAM - user prompt on the return popup invoked from the stock tab of the parts form	WSRTEP	ROUTE LOOKUP
			SSRETP	RETURN PART
22568	Select a work order and activity, a piece of equipment, or a project and budget to which to issue the part.	Infor EAM - user prompt on the issue popup invoked from the stock tab of the parts form	SSISSP	ISSUE PART
46063	Select all of your equipment included in the trace, and then click Submit.	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE
29091	Select an Activity to view the number of trade-specific and task plan-specific qualifications that are not already linked to the activity; import from either source as necessary.	Extended (product name)	WSJOQP	IMPORT UNLINKED QUALIFICATIONS
41635	Select an Asset to be added to the List	EAM-2004:InventoryResultsforAssetInventory	BCMOBL	71 MOBILE BOILER TEXT
			OSAIRP	SELECT ASSETS
35382	Select an Import Method and the Base Configuration file to import, then press the Import button.	EWS.ADMN.UC.ImportConfiguration	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
24033	Select an Instruction to modify or enter a new one.	Infor EAM - prompt text on popup for adding or editing instructions for tasks	BSCMTP	COMMENTS POPUP FOR WORK ORDER INSPECTION
			WSJBPL	JOB PLANS
			WSTASK	TASKS
20625	Select an activity from this work order.	Infor EAM - this message displays as a prompt on a pop-up form	LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			PSINVO	INVOICES
			WSBOOK	BOOK LABOR BY EMPLOYEE
			OSWKMV	WORKSPACE MOVES
			PSINVA	BOOK INVOICE ALLOCATIONS
		Infor EAM - text on work order-activity lookup on the issue/return screen	PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20625	Select an activity from this work order.	Infor EAM - text on work order-activity lookup on the issue/return screen	PSRFQT	REQUESTS FOR QUOTATIONS
			SSBRKT	BREAKUP KIT
			SSCOMP	NON-PO RECEIPTS
			SSISSP	ISSUE PART
			SSISSU	Stock Issues
			SSPICK	PICK TICKETS
			SSREQI	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETP	RETURN PART
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
33603	Select an address and click Next.	EWS.CCTR.UC.ContactCenter (22929)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28282	Select an aspect point from this equipment.	D7i Extended -- Work Orders form -- Boiler text for Inspection Tab of Work Order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21492	Select an entry type and then enter the date and value of the meter reading.	Infor EAM - prompt for the user action on the meter reading for equipment popup	OSAREA	READING FOR ASSET
			OSLREA	READING FOR LOCATION
			OSPREA	READING FOR POSITION
			OSSREA	READING FOR SYSTEM
29242	Select an order line from this order.	Extended (product name)	WSBKPO	BOOK PO LABOR
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28299	Select an originator and store for the new PO.	D7i Extended -- Blanket Orders form -- instruction on popup dialog	PSBORD	CREATE EDIT BLANKET ORDERS
			PSORDP	CREATE COMPLETE PO
38122	Select by Circle	24233	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38123	Select by Line	24233	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45503	Select by Point	EAM.GIS.REQ.GISMapSearch UC/EAM-19767	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38124	Select by Polygon	24233	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38121	Select by Rectangle	24233	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46758	Select by Trace	EAM-26543	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44920	Select copied screens to export and specify the user group to determine the screen designer options to export, then press the Export button.	EAM.ADMN.REQ.ExportCopiedScreensforExportConfiguration EAM-16155	BSEXIM	EXPORT CONFIGURATION
39206	Select employees for which to perform Scheduling, and then click the applicable Scheduling tab or click Start Scheduling.	EAM.WORK.UC.EmployeePreviewforWOLaborScheduling	WSWLSH	WO LABOR SCHEDULING
38629	Select equipment and then click Submit. The system will remove all resources related to the PM schedule and equipment. Current resources for the equipment will then be added to the PM schedule.	EWS.WORK.UC.ResourcesforPMShedule, PVCS#37444	WSPRRS	REFRESH RESOURCES
37225	Select equipment for which to perform PM forecasting, then click Start PM Forecasting.	32141	WSPMPL	PM FORECASTING
39174	Select equipment for which to perform Scheduling, and then click either	EAM.WORK.UC.EquipmentPreviewforWOLaborScheduling	WSWLSH	WO LABOR SCHEDULING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	additional Preview tabs or click Start Scheduling.			
46278	Select feature	GIS	BCMOBL	71 MOBILE BOILER TEXT
46314	Select feature layers	GIS	BCMOBL	71 MOBILE BOILER TEXT
49287	Select feature to view its details.	EAM-47419	BCMOBL	71 MOBILE BOILER TEXT
			WSGISD	MAP VIEW
34839	Select fixed interval in Hours or Minutes	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridg	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
		ePar		
35786	Select for Printing	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
48367	Select from Image Library	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33817	Select from the following options to display on the GIS Map Search popup.	23424	CSCCSP	CONTACT CENTER SETUP
46086	Select linear reference point details and any additional details as required, and then click Submit.	EAM.WORK.REQ.LinearLocationDetailsPopup	WSLLDT	LINEAR LOCATION DETAILS POPUP
34847	Select month and day for occurrence	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridg	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
		ePar		
48564	Select multiple Organizations to be removed.	EAM.ADMN.REQ.RemoveMultipleOrganizationsPopupfor	BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
		Us		
41034	Select one or more Classes, and then click Submit.	EAM-329 : Classes for Field filter Setup	BSFLCP	SELECT CLASSES
40966	Select one or more Types, and then click Submit.	EAM-328 : Types for Field Filter Setup	BSFFTP	SELECT TYPES
41055	Select one or more WO Equipment Types for which to filter the equipment lookup on the work order screen, and then click Submit.	EAM-559:WO Equipment Types for Field Filter Setup	BSFFWP	SELECT WO EQUIPMENT TYPES
28895	Select one or more addresses that best meet the search criteria and click Submit.	D7i Extended - GIS Map Search - Form subtitle for GIS	OSGADR	GIS ADDRESS SELECTOR (REST)
		address selector popup	OSGIAS	GIS ADDRESS SELECTOR
36627	Select one or more custom fields available for the web service, and click OK.	EWS.ADMN.UC.FieldsforWebServicePropt.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35388	Select one or more fields available in the web service, and click Submit.	EWS.ADMN.UC.FieldsForWebServicePrompt	BSMSFP	SELECT MULTIPLE FIELDS POPUP
35642	Select one or more recipients, and click Submit.	EWS.ADMN.UC.E-mailTemplates	BSMTRL	E-MAIL RECIPIENTS
38317	Select one or more records, and click Submit to Retry selected Messages.	EWS.DBADMIN.UC.View Message Popup/35899	DSMSBH	VIEW MESSAGES
38319	Select one or more records, and click Submit to resume Retry Schedule for selected Messages.	EWS.DBADMIN.UC.View Message Popup/35899	DSMSBH	VIEW MESSAGES
38318	Select one or more records, and click Submit to suspend Retry Schedule for selected Messages.	EWS.DBADMIN.UC.View Message Popup/35899	DSMSBH	VIEW MESSAGES
36732	Select one or more records, and click Submit.	SCR#30759 EWS.PRCH.UC.ClausesforRFQs	PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36732	Select one or more records, and click Submit.	SCR#30759 EWS.PRCH.UC.ClausesforRFQs	SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPWIP	IMPORT PARTS POPUP
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
36680	Select one or more records, and then click OK.	EWS.ADMN.UC.DepartmentSecurityforUsers/SCR31089	WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			BSMSLV	MULTIPLE SELECT LOOKUP
			BSUSER	USER SETUP
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			WSJBPL	JOB PLANS
			WSPMPL	PM FORECASTING
			WSTASK	TASKS
42399	Select one or more records, and then click OK. Attributes of the selected precautions will overwrite already selected values on the screen.	EAM-1016:EAM.EQUIP.REQ.SafetyForEquipment	WSWLSH	WO LABOR SCHEDULING
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
42568	Select one or more records, and then click OK. Only the Resolution selected on the screen will be applied to the selected records.	EAM-5659 EAM.WORK.REQ.ConflictsForPermitToWork	WSSTWO	STANDARD WOS
			WSPMTW	PERMIT TO WORK
46686	Select one or more user records to receive a copy of the selected Dataspy and click Submit.	Add Users Popup for Screens - EAM-28710	BSUSRP	USERS
46688	Select one or more users to receive the selected Dataspy as their default Dataspy.	Add Users Popup for Screens - EAM-28710	BSUSRP	USERS
39227	Select one or more work orders to remove from the bundle then click Remove Work Order(s) from Bundle.	EAM.WORK.UC.ProductionRequestPreviewforGeneratePr oductionRequest	WSBWOP	BUNDLED WORK ORDERS
35088	Select test points and click the Import Test Point button.	EWS.EQUIP.UC.ImportTestPointsPopup/16323	OSITPP	IMPORT TEST POINTS
39720	Select the Alerts to export, then press the Export button.	ExportAlertsforExportConfiguration / 45171	BSEXIM	EXPORT CONFIGURATION
34492	Select the Custom Fields to export, then press the Export button.	EWS.ADMN.UC.ExportKPIs.doc	BSEXIM	EXPORT CONFIGURATION
38160	Select the Custom Report to export, then press the Export button.	Export Custom Reports	BSEXIM	EXPORT CONFIGURATION
36655	Select the Deferred Activities to Add	31111	WSDFAP	ADD DEFERRED ACTIVITIES
41973	Select the Equipment and Isolation Type (optional) from which LOTO	EAM-1017:EAM.EQUIP.REQ.LOTOForEquipment	OSEQLT	IMPORT FROM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	details will be copied. Note: Existing records with the same Isolation Type will be overwritten.			
42105	Select the Equipment and Isolation Type from which LOTO details will be copied. Note: System will append to existing records.	LOTOforPermitToWork	OSEQLT	IMPORT FROM EQUIPMENT
45718	Select the Equipment from which nonconformity records will be copied, then select one or more Nonconformities of the selected Equipment for re-inspection or repair, and click Submit.	EAM.WORK.REQ.NonconformitiesImportPopup	WSNCIM	NONCOMFORMITIES POPUP
45493	Select the Event Layer for which to view route events. Select the Show Only Highlighted Events checkbox to view only those events currently highlighted on the map.	EWS.GIS.REQ.GISMapSearch/EAM-18068	OSLROE	VIEW ROUTE EVENTS POPUP
34207	Select the Field to update, enter the New Value and click Submit.	#26060	BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
36592	Select the Fields, and then click OK.	26101	BSGSEL	SELECT CLAUSE LOOKUP
35144	Select the Flex Business Rule Statements to export, then press the Export button.	Export Flex Business Rule	BSEXIM	EXPORT CONFIGURATION
48571	Select the From Organization and then select the users to import. If any values are entered in insert mode on the calling screen (excluding the User ID and Default checkbox) they will override the values of the From Organization.	EAM-43021 EAM.ADMN.REQ.UsersforOrganizations-Import	BSIMUS	IMPORT USERS
49700	Select the Hours.	EAM-50504.	BCMOBL	7I MOBILE BOILER TEXT
34491	Select the Inbox items to export, then press the Export button.	EWS.ADMN.UC.ExportKPIs.doc	BSEXIM	EXPORT CONFIGURATION
34490	Select the KPIs to export, then press the Export button.	EWS.ADMN.UC.ExportKPIs.doc	BSEXIM	EXPORT CONFIGURATION
29332	Select the Menu Group to copy from and click Submit.	D7i Extended -- User Groups form -- Caption	BSCPMP BSSNCP	COPY MENU POPUP COPY MENU POPUP
21537	Select the New Bin to which to transfer the part and enter the number of parts to transfer.	Infor EAM - prompt text on the Bin to Bin transfer popup	SSBNBN	TRANSFER PARTS BETWEEN BINS
27089	Select the New Status for the work order and click Submit.	Extended (product name)	WSCHST	CHANGE WO STATUS POPUP
34064	Select the PM Schedule and Activity number to which to move the selected PM Activity.	EWS.WORK.UC.ActivitiesforPMPlan.doc	WSMOVE WSPMP	MOVE PM ACTIVITY PM PLANS
41974	Select the Permit To Work and Isolation Type (mandatory) from which LOTO details will be copied. Note: Existing records with the same Isolation Type will be overwritten.	EAM-1017:EAM.EQUIP.REQ.LOTOForEquipment	OSPWLT	IMPORT FROM PTW
42104	Select the Permit To Work from which LOTO details will be copied. Note:	LOTO for Permit To Work	OSPWLT	IMPORT FROM PTW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	System will append to existing records.			
30050	Select the Purchase Order - Line and enter the Quantity and Price.	D7i Extended -- Popup on Invoices form -- Caption of the Popup	PSPOLN	IMPORT PO LINES
49655	Select the RCM Template from which RCM details will be copied. Note: System will append to existing data. Any mitigation, if available and included, will also be copied but with the Mitigation Applied checkbox unselected.	EAM-49876- EAM.EQUIP.REQ.ImportRCMFromTemplatePopup	OSRCMI	IMPORT FROM RCM TEMPLATE
46734	Select the Record Type, From Status and To Status, and then click Submit.	EAM.WORK.REQ.NonconformitiesStatusUpdatePopup	WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
48317	Select the Screen-Panel combination (if applicable) to load the layout, to make screen designer changes for the User Groups' Digital Work App. Changes made here will not affect the web application.	EAM-41500 - DUX Screen Designer	BSDUXD	DUX SCREEN DESIGNER
29668	Select the Standards used to perform the Calibration.	D7i Extended - EWS.WORK.UC.StandardsUsedForCalibration - Caption	WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
39685	Select the User Defined Grids to export, then press the Export button.	ExportUserDefinedGridsforExportConfiguration/42215	BSEXIM	EXPORT CONFIGURATION
39698	Select the Web Service Prompts to export, then press the Export button.	ExportWebServicePromptsforExportConfig/42214	BSEXIM	EXPORT CONFIGURATION
37020	Select the Work Order Statuses and click OK.	31095	CSCCSP	CONTACT CENTER SETUP
37019	Select the Work Order Types and click OK.	31095	CSCCSP	CONTACT CENTER SETUP
45403	Select the Workspace Move records to import.	EAM-16143: EAM.WORK.REQ.ImportWorkspaceMovesPopup	WSWKMV	IMPORT WORKSPACE MOVES POPUP
36227	Select the boiler text record to change. Note that it may be necessary to clear the cache on the server to see the changes. Depending on browser settings, it may also be necessary to clear the client's cache as well.	EWS.ADMN.UC.GlobalTextChange	BSBOIL	GLOBAL TEXT CHANGES
34512	Select the configuration file to import, then press the Import button.	EWS.ADMN.UC.ImportConfigurations	BSIMPT	IMPORT CONFIGURATION
27232	Select the date range, and a specific Department if desired, for which to Freeze or Unfreeze schedules, and click Submit.	Infor EAM. Refer to PVCS 6838.	WSFREZ	FREEZE/UNFREEZE POPUP
39577	Select the dates to purge Energy Star Message Records.	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSV	ENERGY STAR MESSAGE VIEWING POPUP
41441	Select the desired Top Level Organization.	EAM-1831:Report Organization Structure	BSTOPO	ADD TOP LEVEL ORGANIZATION
29490	Select the desired main menu folder.	D7i Extended -- User Groups form, Scanner Menus tab -- Caption	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29483	Select the desired main sub-menu folder.	D7i Extended -- User Group form, Scanner Menus tab -- Caption	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49598	Select the equipment from which RCM	ImportRCMFromEquipmentPopup/EAM-49877	OSIRCM	IMPORT RCM FROM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	details will be copied.			
37005	Select the equipment from which to import the matrix, and then click OK.	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSISDM	IMPORT SERVICE DELIVERY MATRIX POPUP
34462	Select the fiscal year for which to enter Units of Output and click Submit.	EWS EQUIP UC DepreciationforEquipment/26047	OSEQUO	UNITS OF OUTPUT
35620	Select the following Source Tables to run the checks selected in Step 1.	SCR#28171	BSDTCV	DATA CONVERSION (MP2)
35616	Select the following checkboxes to check your MP2 data for duplicates and field length issues within the system.	SCR#28171	BSDTCV	DATA CONVERSION (MP2)
35693	Select the following checkboxes to check your MP2 data for duplicates, field length issues and special characters within Infor EAM prior to conversion.	#28171	BSDTCV	DATA CONVERSION (MP2)
39373	Select the labor schedule records to move then click OK.	40522	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
47678	Select the linear equipment, then enter the range over this equipment for which to search Nonconformities. Select the Include Children checkbox to also search for Nonconformities over the same range for equipment structure children.	EAM-32250: Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
47185	Select the linear equipment, then enter the range over this equipment for which to search WOs. Select the Include Children checkbox to also search for WOs over the same range for equipment structure children.	EAM-31979-Perform Linear Search	WSLNSR	PERFORM LINEAR SEARCH POPUP
33571	Select the lines to Cancel.	EWS.MATL.UC.CancelMultipleReceiptLinesPOPUP/16299	SSCNRL	CANCEL MULTIPLE RECEIPT LINES
35676	Select the lines to Remove.	EWS.MATL.UC.RemoveMultiplePackingSlipLinesPopUp	SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
29355	Select the lines to include on the Purchase Order.	D7i Extended -- Blanket Order -- Section label	PSBORD	CREATE EDIT BLANKET ORDERS
26849	Select the map layers to display, and then click Submit.	D7i Extended - GIS Map Search - Page description for the dialog that lists the visible layers of a GIS map	OSGIML OSGIMR OSGSWO	AVAILABLE GIS MAP LAYERS AVAILABLE GIS MAP LAYERS (REST) SELECTABLE LAYERS FOR WO
27398	Select the new Custom Report to upload and click Submit button.	Extended (product name)	BSREPO	CREATE / EDIT REPORTS
42304	Select the new part condition, enter a quantity then click Submit.	EAM-4985: EAM.MATL.REQ.ChangeConditionPopUp	SSPCPCP	CHANGE PART CONDITION POPUP
19890	Select the order in which the result will be sorted	Infor EAM	BSDTSP BSJSDN	DATASPY COMMON FUNCTION FOR JAVASCRIPT
49130	Select the parts to retrieve, change Receipt Qty. if necessary, then click Submit.	EAM-48221/EAM.MATL.REQ.RetrieveMultiplePartsPopUp	SSRMPL	RETRIEVE MULTIPLE PARTS
19813	Select the portlets to display on your home page, and then click Submit.	Infor EAM - directions for selecting portlets	BSCUST	CUSTOMIZE
25763	Select the range and type of Audit records to purge.	Extended (product name). Audit Setup form.	BSPURP	PURGE AUDIT RECORDS POP UP
26684	Select the range of E-mail Records to	D7i Extended - E-mail Notification Setup	BSMAPR	PURGE E-MAIL RECORDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45251	purge. Select the repositories to export and then click Download.	EAM.ADMN.REQ.GenerateEnterpriseSearchDefinitions	BSSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
22777	Select the source and then select the part lines to import.	Infor EAM - prompt text for the Import Parts popup form accessed from the Parts tab of the work order screen	SSIMPL WSIMPL	IMPORT PART LIST IMPORT PART LIST
33553	Select the type(s) of translations to export and enter the database/schema user name and password to which to export.	EWS.BASE.UC.ExportTranslationPopup/22624	BSLGEX	EXPORT TRANSLATIONS POPUP
27053	Select the user group from which to copy screen layouts. Then, select a single user group to which to save layouts or click Advanced to save layouts to multiple user groups.	D7i Extended - header line in group select popup of screen designer	BXLAYO	R5 Screen Layout Editor
29740	Select to view all bins for the store, only bins for the selected part, or only bins not associated with a part. Select a record, and then click OK.	D7i Extended - EWS.MATL.UC.BinLookup - Caption Title	SSBINL	BIN LOOKUP
29655	Select to view depreciation details based on Fiscal Years or Months.	D7i Extended - Equipment Depreciation - 12203 - Caption	OSDPDT	DEPRECIATION DETAILS
42638	Select which Global Dataspies to hide from the selected User Group and click Submit. Dataspies marked as Security Filters are not displayed.	EAM.ADMN.REQ.HideDaspiesPopup	BSHDSP	HIDE DATASPIES POPUP
38786	Select work order resources from which to generate production requests, then click Create Production Requests.	37888 / EWS.WORK.UC.ProductionRequestPreviewforGen	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
33451	Select work orders	EWS.WORK.UC.BookInvoiceAllocations	BCMOBL	7I MOBILE BOILER TEXT
39187	Select work orders and activities for which to perform Scheduling, and then click either additional Preview tabs or click Start Scheduling.	EAM.WORK.UC.WOActivityPreviewWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
38746	Select work orders from which to generate production requests, then click Preview Production Requests.	EWS.WORK.UC.WOPreviewforGenerateProductionRequest	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
36824	Select your log option. The log option will be reset when Mobile is closed.	21784 PIR - Logger : New logger function for Release	TCCLGR	7I MOBILE BOILER TEXT
46518	Select your preferences and click Save.	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
43303	Select your preferences for the Linear Overview and click Submit.	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
46759	Selectable	EAM-26543	WSGSRH	GIS MAP ROADS HIGHWAYS
15250	Selected	This field is used when moving one thing to another. For example, when copying objects from MP5to files on the local drive, the 'Selected' column displays the objects you selected to copy.	BSMPQT	MP2 QUOTATIONS
		Crossbow	TCCCNF	7I MOBILE BOILER TEXT
		46731	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCRWP	CREATE/EDIT CREW POPUP
48463	Selected Activities	EAM.WORK.REQ.GISMapWODispatching.docx/	WSGWOD	GIS MAP WO DISPATCHING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48463	Selected Activities	EAM-42845	WSOPSS	OPTIMIZED SCHEDULER SETUP
47548	Selected Item	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL WSGISD	7I MOBILE BOILER TEXT MAP VIEW
47540	Selected Items	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
48700	Selected Main	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
45496	Selected Routes	EWS.GIS.REQ.GISMapSearch/EAM-18068	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36578	Selected Tables	30854	BSTABL	POP-UP FUNCTION FOR TABLE LOOKUP
42952	Selected vs. Prior	EAM-10033	OZOEEM	OEE METRICS
36945	Selection	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
38447	Selection Criteria Details	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL SSEVAL	EQUIPMENT EVALUATIONS PART EVALUATIONS
38448	Selection Custom Fields	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL SSEVAL	EQUIPMENT EVALUATIONS PART EVALUATIONS
36917	Selection For RFQs	EWS.PRCH.UC.SelectionforRFQs / 31732	PERFSL	RFQ SELECTION
30530	Selection Options	D7i Extended - List of Stock report	SYLOWL SZLOWL	Overview Of Stock Overview Of Stock
25035	Selection Parameters	Extended (product name)	ISAPRF SSABCA SSASGN SSEOQA SSREQF WSBWOG WSCAPA WSGPRW	APPROVE INSPECTION RESULTS GENERATE ABC ANALYSIS GENERATE POS CALCULATE EOQ GENERATE REQ GENERATE/RELEASE WOS WO LOAD BALANCING GENERATE PRODUCTION REQUEST FOR WORK ORDERS
37333	Selection Status	EWS.CREP.UC.QuotationSummary	PZQUOS	QUOTATION SUMMARY
12568	Selection options		STLOWL STSTDL	Overview Of Stock Stocktake Discrepancy
12489	Selection parameters	Same as selection criteria.	REPORT	General Report Function
32207	Selections (temporary)	EWS.GIS.UC.GISMapSearch.doc - SCR # 17934	OSGIML OSGIMR OSGSWO	AVAILABLE GIS MAP LAYERS AVAILABLE GIS MAP LAYERS (REST) SELECTABLE LAYERS FOR WO
28589	Sending block request...	Barcode	FCSCRN	FLAMETHROWER SCREENS
26858	Sending data...	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
28588	Sending initial request...	Barcode	FCSCRN	FLAMETHROWER SCREENS
26855	Sending request...	Crossbow	FCSCRN TCPCON	FLAMETHROWER SCREENS 7I MOBILE BOILER TEXT
44152	Sending...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47013	Sent	EAM.MOBILE.REQ.MobileNotebook	BCMOBL	7I MOBILE BOILER TEXT
37397	Sep :YEAR	EWS.WORK.UC.ForecastingforPMForecasting.doc	WSPMPL	PM FORECASTING
40019	Sep.	#47067	CZISGH SZMMPU WZVMRS	INCIDENT SUMMARY GRAPH MONTHLY PART USAGE VMRS ACTIVITIES CHART
33968	September	Email received from developer requesting the change. See 'Additional Information' field for explanation of the need for these IDs. No contextual information exists for the existing	BSJSCT DSGLPS	JOB SCHEDULES SCHEDULE TIME POP-UP GL PROCESS SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33968	September	IDs. EAM-5333	WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
27505	Seq	Crossbow	QZQUOL	PRINT LIST OF QUOTATION
			TCJCAH	7I MOBILE BOILER TEXT
		D7i Extended - Inspection Route Report	ITJBRT	Inspection Route Report
31203	Seq No	Barcoding	FCSCRN	FLAMETHROWER SCREENS
25282	Seq#	Crossbow - abbreviation for Sequence Number	TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
			TCJCDE	7I MOBILE BOILER TEXT
18073	Seq.	PMPORD - Indicates the sequence in which to apply the extra charges/discounts to the purchase order.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
40008	Seq. No.	SCR# 46968	BZFLXL	PRINT FLEX SQL LIST
12324	Sequence		BSCDSS	USER DEFINED SCREEN SETUP
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			BTTMPR	LIST OF TAMPERED RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTMPR	LIST OF TAMPERED RECORDS
			DSSTAT	DATABRIDGE SYSTEM STATUS
			OSGGMP	GIS MAP DATA
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			STSTD	Stocktake Discrepancy
			STSTTL	PRINT STOCKTAKE LIST
			SYSTD	Stocktake Discrepancy
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTD	Stocktake Discrepancy
			SZSTTL	PRINT STOCKTAKE LIST
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHPTWR	PRINT PERMIT TO WORK
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSWOBU	BATCH WORK ORDER UPDATE
			WTCALA	CALIBRATION ANALYSIS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12324	Sequence	Sequence Number	WZCALA	CALIBRATION ANALYSIS
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPTWR	PRINT PERMIT TO WORK
			BAL018	WORK ORDER GENERATION - MPS
			BAL019	WORK ORDER GENERATION - DUPLICATE MPS
			BSHYPL	HYPERLINK SETUP
			BSMAPF	MAP FIELDS
			BSWSPM	WEB SERVICES PROMPT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OZRELS	PRINT RELIABILITY SURVEY
			SSASGN	GENERATE POS
			SSPART	PARTS
			SSREQF	GENERATE REQ
			USBUDG	BUDGETS
			USCLBP	CALCULATE BUDGET POPUP
			WHJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12324	Sequence	Sequence Number	WSAPPH	REVISION CONTROL HISTORY
			WSAPPL	APPROVAL LISTS
			WSAPPR	REVISION CONTROL APPROVAL
			WSATCP	CHECKLIST POPUP
			WSBWOG	GENERATE/RELEASE WOS
			WSCALR	VIEW CALIBRATION RESULTS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSFLTK	FLEET VEHICLE TICKETS
			WSHZRD	HAZARDS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WZJOBF	PRINT WORK ORDER
		EAM.WORK.REQ.JobsforTaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			BZCHKA	CHECKLIST AUDIT
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CZCASE	CASE MANAGEMENT REPORT
			CZSURR	CUSTOMER SURVEY RESULTS
			OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WHJOBQ	PRINT WORK ORDER
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSFMX	SAFETY MATRIX
			WZJOBQ	PRINT WORK ORDER
39277	Sequence Details	EAM.WORK.UC.SequencesforMP/38265	WSMPAT	MAINTENANCE PATTERNS
42315	Sequence Length	EAM.EQUIP.REQ.EquipmentConfiguration	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
33829	Sequence Name	23289	BSFLOW	BUSINESS PROCESS SETUP
35966	Sequence No.	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
			WZMPAT	PRINT MAINTENANCE PATTERN
24065	Sequence Number	Infor EAM - see 12578 for current translation	BSEMCD	E-MAIL CONDITIONS
			BSEXIM	EXPORT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24065	Sequence Number	Infor EAM - see 12578 for current translation	BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGROU	GROUPS
			BSHYPL	HYPERLINK SETUP
			BSIBXP	PERSONALIZE INBOX POPUP
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSKPIP	PERSONALIZE KPI POPUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMAIP	E-MAIL PARAMETER POPUP
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSREPO	CREATE / EDIT REPORTS
			BSSTRT	EWS NEW START CENTER
			BSTBOP	CHANGE TAB ORDER POPUP
			BSUSER	USER SETUP
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZEALD	ELECTRONIC RECORDS FOR
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSSVPB	SERVICE PROBLEM CODES
			JSCUES	CU ESTIMATES
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSEQPM	PM SCHEDULES
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSRELQ	ORDER QUESTIONS POPUP
			OSSTGY	CREATE STRATEGY
			OZRBCR	RELIABILITY CHART
			OZURCR	UNRELIABILITY CHART
			PSCLAU	PURCHASING CLAUSE
			PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24065	Sequence Number	Infor EAM - see 12578 for current translation	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			USYEAR	BUDGET TERMS
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
		Crossbow - number in a sequence	WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSFLXS	FLEX SQL
			TCIRSL	7I MOBILE BOILER TEXT
			TCPMTL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSDWRL	DATA WAREHOUSE RUN LOG
			BSGROU	GROUPS
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
29736	Sequence Number must be an integer in a range of 1 to 99999999.	D7i Extended - This message is displayed for invalid sequence.	OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
48415	Sequence must be an integer in a range of 1 to 999999.	EAM-37176	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12578	Sequence number	Number, used for sorting.	BCMOBL	7I MOBILE BOILER TEXT
			BCPRMV	CROSSBOW CUST ATTRIB VALUE LIST
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSWARR	WARRANTY
			WHJOB	PRINT WORK ORDER
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
46745	Sequence of the visible routes is only used if the route overview sequence and identifier are both blank.	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	WZJOB	PRINT WORK ORDER
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
39283	Sequences	EAM.WORK.UC.SequencesforMP / 38265	BSLOVS	LIST OF LOOKUPS
			WSCMPP	COPY MP POPUP
			WSMPAT	MAINTENANCE PATTERNS
35482	Sequentially Generate Meter Numbers beginning with	#28171	BSDTCV	DATA CONVERSION (MP2)
24863	Serial	Crossbow - Serial Number	TCOBLJ	7I MOBILE BOILER TEXT
			TCOBLR	7I MOBILE BOILER TEXT
35810	Serial No.	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35810	Serial No.	EWS.ADMN.UC.MP2WorkOrders	OZPROF	EQUIPMENT PROFILE
20931	Serial Number	Infor EAM - A code that a supplier and/or manufacturer has given to a piece of equipment.	BCMOBL	71 MOBILE BOILER TEXT
			BSINTR	MP2 INVENTORY TRANSACTIONS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSWARR	WARRANTY
			OZCLAI	WARRANTY CLAIM REPORT
			OZEQUD	EQUIPMENT DETAIL
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20931	Serial Number	Infor EAM - A code that a supplier and/or manufacturer has given to a piece of equipment.	SSRETN	SUPPLIER RETURNS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			STSTTL	PRINT STOCKTAKE LIST
			SYRCVF	GOODS RECEIVED NOTE
			SYSTTL	PRINT STOCKTAKE LIST
			SZRCVF	Goods Received Note
			SZSTTL	PRINT STOCKTAKE LIST
			USINVP	INVESTMENT PLANNING
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZERRF	EXPIRED WARRANTIES
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
12146	Serial number	A code that a supplier and/or manufacturer has given to an object.	OCOBJC	CROSSBOW EQUIPMENT LIST
			OSOBJC	CREATE ASSET CATEGORY
			OSVBJA	VIEW ASSET LIST
			STRCVF	Goods Received Note
27588	Serv%	Crossbow	WTJOB	Job Cards
			TCJCAL	7I MOBILE BOILER TEXT
26946	Server	Crossbow	TCPCON	7I MOBILE BOILER TEXT
			BSOCHA	ANALYTICS CHARTS
25412	Server Address	Crossbow - Field on the Login screen.	EWS.ADMN.UC.ViewLogFiles	VIEW LOG FILES SCREEN
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
			TCCABT	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25412	Server Address	Crossbow - Field on the Login screen.	TCCLOG	7I MOBILE BOILER TEXT
27950	Server Address:	Barcode	FCSCRN	FLAMETHROWER SCREENS
48904	Server Name	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27901	Server Settings	Barcode	FCSCRN	FLAMETHROWER SCREENS
		EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24470	Server Time Offset	D7i Extended - ORG form	BSORGS	ORGANIZATIONS
47115	Server URL	EAM-30660 EAM.MOBILE.REQ.SetupQRCodes	BSQRSE	QR CODES SETUP
19328	Server time offset	in this field you would enter thenumber of hours difference between the server time and the local time, for example if the server was in Paris and the local time is Atlanta, you would enter -6 for the difference	BCORGS	MOBILE USER ORG LIST
27964	Server:	Barcode	FCSCRN	FLAMETHROWER SCREENS
20998	Service	Infor EAM - the B2B service for the transaction driver (task)	DSSTSK	DATABRIDGE SCHEDULED TASKS
			OHOCST	Job Costing By Object Cost
			OZOCST	Job Costing By Object Cost
26081	Service %	Service % (used in calibration, OMOBJC)	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
33321	Service Categories	21970	BSLOVS	LIST OF LOOKUPS
33017	Service Category	EWS.CCTR.UC.KBAdmin	BCMOBL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSPSCT	SERVICE CATEGORIES
			CSRAPD	RAPID REQUEST
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33017	Service Category	EWS.CCTR.UC.KBAdmin	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWOUP	WO UPDATE
			WZCCTR	PRINT SERVICE REQUESTS
			WZCTRC	SERVICE REQUESTS CHART
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WSCOPO	CONTRACTOR PORTAL
45383	Service Category Description	EAM.WORK.REQ.ContractorPortal : EAM-14829	WSJOBS	CREATE WORK ORDER
35209	Service Category Details	EWS.CCTR.UC.ServiceCategory	CSPSCT	SERVICE CATEGORIES
33018	Service Category Org.	EWS.CCTR.UC.KBAdmin	BCMOBL	71 MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWOUP	WO UPDATE
39267	Service Charge	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
20011	Service Code	Infor EAM - work requests - code identifying the type of service needed on the work request	BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			BSINTR	MP2 INVENTORY TRANSACTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20011	Service Code	Infor EAM - work requests - code identifying the type of service needed on the work request	BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
			BZOSRQ	OPEN SERVICE REQUESTS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSPSCT	SERVICE CATEGORIES
			CSRAPD	RAPID REQUEST
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSERQ	CREATE SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
			WSWOUP	WO UPDATE
			WZCCTR	PRINT SERVICE REQUESTS
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
44648	Service Code Class	EAM-14727	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44648	Service Code Class	EAM-14727	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
44650	Service Code Class Description	EAM-14727	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
44649	Service Code Class Org.	EAM-14727	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
44933	Service Code Custom Fields	EAM-16485 EAM.CREP.REQ.PenaltyDeductionDetail.doc	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
20224	Service Code Description	Used in Infor EAM to display the service code description	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERQ	CREATE SERVICE REQUESTS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVSER	VIEW SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24003	Service Code Details	Infor EAM - group header on the Service Codes form	CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
			WSSERC	SERVICE CODES
44589	Service Code Exclusions	EAM-14734	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
44247	Service Code Org.	EAM-14723: EAM.MATL.REQ.ServiceCodesforSuppliers	BCMOBL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSPSCT	SERVICE CATEGORIES
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44247	Service Code Org.	EAM-14723: EAM.MATL.REQ.ServiceCodesforSuppliers	WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWOUP	WO UPDATE
44587	Service Code PK	EAM-14734	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
44935	Service Code Penalty Factor	EAM-16485 EAM.CREP.REQ.PenaltyDeductionDetail.doc	CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
44644	Service Code Source Code	EAM-14727	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
44645	Service Code Source Org.	EAM-14727	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
44643	Service Code Source Type	EAM-14727	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
44934	Service Code UDF	EAM-16485	OSOVSM	CREATE SYSTEM EQUIPMENT
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37017	Service Code Validation	EAM.CREP.REQ.PenaltyDeductionDetail.doc EWS.CCTR.UC.CallCenterSetup	CSCCSP WSWOUP	CONTACT CENTER SETUP WO UPDATE
46605	Service Code Validation Filter	EAM-22959 - Service code validation filter checkbox to determine how the search is done	CSKBSP	KNOWLEDGE BASE SEARCH
20651	Service Codes	Infor EAM -Service Requests - code identifying the type of service needed on the service request	BSDTCV BSLOVS CSPSCT OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM SSSUCP SSSUPP	DATA CONVERSION (MP2) LIST OF LOOKUPS SERVICE CATEGORIES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT COPY SUPPLIER POPUP SUPPLIERS
44588	Service Codes Excluded	EAM-14734	SSSUPP	SUPPLIERS
31710	Service Cost	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
36818	Service Delivery Combination Details	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
36815	Service Delivery Matrix	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	CSCCGM CSCCSP JSCAMP OESDMS OSBURV OSECN OSGISR OSGISS OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS	CONTACT CENTER MAP SEARCH CONTACT CENTER SETUP CAMPAIGN EQUIPMENT SERVICE DELIVERY MATRIX CALCULATE RELIABILITY RANKING INDEX CREATE EQUIPMENT CONFIGURATION GIS MAP SEARCH GIS MAP SEARCH (OLD) CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36815	Service Delivery Matrix	EWS.EQUIP.UC.ServiceDeliveryMatrixForEquipment	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWOUP	WO UPDATE
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			BAL011	WORK ORDER STATUS ESCALATION
36881	Service Delivery Matrix Equipment	EWS.CCTR.UC.ServiceDeliveryMatrixEQForKBArticles	WSLOGS	CREATE / VIEW SERVICE LOGS
20181	Service Desc.	Shogtun - Used to show description of service requests.	JSCULB	COMPATIBLE UNITS LIBRARY
25207	Service Details	Infor EAM. Additional boiler text for the enhancement for adding services to blanket purchase orders for version 7.7.	PSBORD	CREATE EDIT BLANKET ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			BZEQDL	EQUIPMENT LIST - DETAIL
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			BCMOBL	7I MOBILE BOILER TEXT
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
41079	Service Life	EAM-654	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			USINVP	INVESTMENT PLANNING
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
47773	Service Life Usage	EAM-37496 : EAM.EQUIP.REQ.Assets	OSOCDE	EQUIPMENT CLASS DEFINITION
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOCDE	EQUIPMENT CLASS DEFINITION
47840	Service Life Usage Details	EAM-37876:EAM.EQUIP.REQ.ServiceLifeUsagesforAsset	OSOCDE	EQUIPMENT CLASS DEFINITION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47774	Service Life Usage UOM	C EAM-37496 : EAM.EQUIP.REQ.Assets	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			USINVP	INVESTMENT PLANNING
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47839	Service Life Usages	EAM-37876:EAM.EQUIP.REQ.ServiceLifeUsagesforAsset C	OSOCDE	EQUIPMENT CLASS DEFINITION
40749	Service Line Items	EAM-437	PHORDF	Print Purchase Order
39687	Service Line Subtotal	EAM.PRCH.UC.ServicesforPORrevisionHistory	PZORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
27855	Service Line Total	D7i Extended - Service for Requisitions form - The sum total of the service line.	PSPORH	PO HISTORY
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
38504	Service Line UDF	EWS.REP.UC.PrintRequisition.doc	SSREQU	REQUISITIONS
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
23924	Service Lines	Infor EAM - see 16614 for current translation	SZREQF	Print Purchase Requisition
			BZRFDR	ELECTRONIC RECORDS FOR RFQ RESPONSES
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			SSREQU	REQUISITIONS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
35193	Service Orders	EWS.CREP.UC.ProjectPurchaseOrders	OSMETE	PHYSICAL METER
23880	Service Point	Infor EAM - meters form - the time at which the equipment needs to be serviced		
32887	Service Problem Code	EWS.CCTR.UC.ServiceProblemCodes	BAL011	WORK ORDER STATUS ESCALATION
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			CYCCTR	CALL CENTER WO REPORT
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCCTR	SERVICE REQUEST WO REPORT
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OZTBK	TOP 10 BREAKDOWN
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32887	Service Problem Code	EWS.CCTR.UC.ServiceProblemCodes	WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WZCTRC	SERVICE REQUESTS CHART
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
36270	Service Problem Code Custom Fields	EWS.CREP.UC.PenaltyDeductionDetail_latest	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
33019	Service Problem Code Org.	EWS.CCTR.UC.KBAdmin	BAL011	WORK ORDER STATUS ESCALATION
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			BSLOVS	LIST OF LOOKUPS
35581	Service Problem Code Penalty Factor	EWS.CREP.UC.PenaltyDeductionSummary	BSLOVS	LIST OF LOOKUPS
36964	Service Problem Code UDF	31515	WSCON	CUSTOMER CONTRACTS
33320	Service Problem Codes	21970	WSCTMP	CONTRACT TEMPLATES
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
40225	Service Provider	EAM-24.MATL.REQ.BusinessPartners.doc	WSSERQ	CREATE SERVICE REQUESTS
20035	Service Req. Type	Infor EAM - the type of the service request (predefined in the Infor EAM), e.g., leaking faucet.	WSSERQ	CREATE SERVICE REQUESTS
20684	Service Request	code identifying the service request. used in Infor EAM.	BSDOCA	DOCUMENTS
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOSRQ	OPEN SERVICE REQUESTS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZSURR	CUSTOMER SURVEY RESULTS
			TCJOBL	7I MOBILE BOILER TEXT
			TCSVRQ	7I MOBILE BOILER TEXT
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20684	Service Request	code identifying the service request. used in Infor EAM.	WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVSR	VIEW SERVICE REQUESTS
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCCTR	PRINT SERVICE REQUESTS
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZJOBF	PRINT WORK ORDER
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
23023	Service Request Assigned-to Code	Infor EAM - group header on the Create service request form that displays detailed information relating to the service request	BSWHSE	DATA WAREHOUSE
23024	Service Request Assigned-to Name		BSWHSE	DATA WAREHOUSE
23018	Service Request Building		BSWHSE	DATA WAREHOUSE
23016	Service Request Caller Name		BSWHSE	DATA WAREHOUSE
23006	Service Request Code		BSWHSE	DATA WAREHOUSE
23012	Service Request Customer Code		BSWHSE	DATA WAREHOUSE
23013	Service Request Customer Description		BSWHSE	DATA WAREHOUSE
23014	Service Request Customer Type Code		BSWHSE	DATA WAREHOUSE
23015	Service Request Customer Type Description		BSWHSE	DATA WAREHOUSE
23007	Service Request Description		BSWHSE	DATA WAREHOUSE
20022	Service Request Details		CSCCTR	CONTACT CENTER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSERQ	CREATE SERVICE REQUESTS
23029	Service Request Duplicate Parent	WSSREQ	SERVICE REQUESTS	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
		BSWHSE	DATA WAREHOUSE	
23756	Service Request Equipment Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
22868	Service Request Estimated Cost (Default Currency)	Infor EAM	BSOPAN	SR ESTIMATED COST (DEFAULT CURRENCY)
22869	Service Request Estimated Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
	BSWHSE		DATA WAREHOUSE	
23019	Service Request Floor/Room	Infor EAM	BSWHSE	DATA WAREHOUSE
23027	Service Request Information Type Code		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23028	Service Request Information Type Description		BSWHSE	DATA WAREHOUSE
20713	Service Request No	code identifying the service request. used in Infor EAM.	CSCCGM JSCAMP OSGISR OSGISS OSGISW OSJOBS OSSTAT OSVCST OSVEVT WSJOVH WSJOVM WSMPAT WSVITE	CONTACT CENTER MAP SEARCH CAMPAIGN GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW AND/OR SCHEDULE WORK ORDER LABOR CREATE WORK ORDER EQUIPMENT OPERATIONAL STATUS COSTS FOR EQUIPMENT EVENTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS WORK ORDER QUICK ENTRY
45013	Service Request Org.	EAM-15257	CSCASE CSCMTK WSJOBS	CASE MANAGEMENT CASE MANAGEMENT TASKS CREATE WORK ORDER
43997	Service Request Overview	EAM.CREP.REQ.TotalServiceRequests.docx	WZIRQO WZSRQO	SERVICE REQUEST OVERVIEW SERVICE REQUEST OVERVIEW GOLDMAN SACHS
45337	Service Request Portal	EAM.CCTR.REQ.ServiceRequestPortal-RequestList	CSPSCT CSSRLP CSSVPB	SERVICE CATEGORIES SERVICE REQUEST PORTAL SERVICE PROBLEM CODES
23022	Service Request Priority		BSWHSE	DATA WAREHOUSE
23017	Service Request Property		BSWHSE	DATA WAREHOUSE
23030	Service Request Replicate Parent		BSWHSE	DATA WAREHOUSE
22867	Service Request Response Time (mins)		BSOPAM BSWHSE	SR RESPONSE TIME (MINS) DATA WAREHOUSE
20119	Service Request Status	Infor EAM - title of screen to view a list of service requests	CSCASE CSCMTK WSJOBS	CASE MANAGEMENT CASE MANAGEMENT TASKS CREATE WORK ORDER
23010	Service Request Status Code		BSWHSE	DATA WAREHOUSE
23011	Service Request Status Description		BSWHSE	DATA WAREHOUSE
44045	Service Request Status Summary by Type	EAM.CREP.REQ.TotalServiceRequests.docx	WZIRQO WZSRQO	SERVICE REQUEST OVERVIEW SERVICE REQUEST OVERVIEW GOLDMAN SACHS
29410	Service Request System Customer Type Code		BSWHSE	DATA WAREHOUSE
29411	Service Request System Customer Type Description		BSWHSE	DATA WAREHOUSE
29412	Service Request System Information Type Code		BSWHSE	DATA WAREHOUSE
29413	Service Request System Information Type Description		BSWHSE	DATA WAREHOUSE
29408	Service Request System Status Code		BSWHSE	DATA WAREHOUSE
29409	Service Request System Status Description		BSWHSE	DATA WAREHOUSE
29406	Service Request System Type Code		BSWHSE	DATA WAREHOUSE
29407	Service Request System Type Description		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24905	Service Request Type	Extended (product name)	BZOSRQ WSSREQ WZSRQO WZSRSC WZTSRQ	OPEN SERVICE REQUESTS SERVICE REQUESTS SERVICE REQUEST OVERVIEW GOLDMAN SACHS SERVICE REQUEST BY SERVICE CODE TOTAL SERVICE REQUESTS
23008	Service Request Type Code		BSWHSE	DATA WAREHOUSE
23009	Service Request Type Description		BSWHSE	DATA WAREHOUSE
20683	Service Request Types	Infor EAM - the type of the service request (predefined in the Infor EAM), e.g., leaking faucet.	LVS RTP	SERVICE REQUEST TYPE LOOKUP
20487	Service Requests	Infor EAM	BSLOVS CZCCTR WCJOBS WHJOBFB WSJOBS WSJOVB WSJOVM WZJOBFB BSWHSE	LIST OF LOOKUPS SERVICE REQUEST WO REPORT CROSSBOW WORK ORDER FUNCTION PRINT WORK ORDER CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PRINT WORK ORDER DATA WAREHOUSE
45416	Service Requests by Department	Data warehouse Dimension table name. EAM-17585	WZIRQO	SERVICE REQUEST OVERVIEW
44040	Service Requests by Floor	EAM.CREP.REQ.TotalServiceRequests.docx	WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
45415	Service Requests by Service Category	EAM-17585	WZIRQO	SERVICE REQUEST OVERVIEW
44041	Service Requests by Service Code	EAM.CREP.REQ.TotalServiceRequests.docx	WZIRQO WZSRQO WZSRSC	SERVICE REQUEST OVERVIEW SERVICE REQUEST OVERVIEW GOLDMAN SACHS SERVICE REQUEST BY SERVICE CODE
44043	Service Requests by Status	EAM.CREP.REQ.TotalServiceRequests.docx	WZIRQO WZSRQO	SERVICE REQUEST OVERVIEW SERVICE REQUEST OVERVIEW GOLDMAN SACHS
44044	Service Requests by Type	EAM.CREP.REQ.TotalServiceRequests.docx	WZIRQO WZSRQO	SERVICE REQUEST OVERVIEW SERVICE REQUEST OVERVIEW GOLDMAN SACHS
20073	Service code	code identifying the service (for service requests)	BCMOBL	7I MOBILE BOILER TEXT
19954	Service request	WMJOBS - Service request sub-tab...code identifying the service request.	WSCLSR WTJOBFB	CLOSE SERVICE REQUEST Job Cards
28706	Service/Work Order Details	D7i Extended -- Purchase Orders form -- Form section header on Services tab	PSPORD	PURCHASE ORDERS
12147	Services	Contract from a third party to provide service.	BSLOVS JSCULB JYCODL JZCODL JZCOSL JZORDL OHTTEC OHWOCS OTCSTL OZCLAI OZCSTH OZCSTL OZTTEC OZWOCs OZWRCC	LIST OF LOOKUPS COMPATIBLE UNITS LIBRARY PROJECT COST BREAK DOWN PROJECT COST BREAK DOWN PROJECT COST SUMMARY LIST OF PURCHASE ORDERS FOR PROJECT TOP 10 EQUIPMENT COST WORK ORDER COST SUMMARY GRAPH WORK ORDER COST SUMMARY WARRANTY CLAIM REPORT WO COST SUMMARY_HOSPITALITY WO COST SUMMARY TOP 10 EQUIPMENT COST WORK ORDER COST SUMMARY GRAPH WORK ORDER REPAIR COSTS CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12147	Services	Contract from a third party to provide service.	PSBORD	CREATE EDIT BLANKET ORDERS
			PSCRQF	COPY RFQ POPUP
			PSPOCP	COPY PO POPUP
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZQUOS	QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SSREQU	REQUISITIONS
			SZREQF	Print Purchase Requisition
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WYCOSH	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WYPFMC	FUTURE MAINTENANCE COST
			WYWFMC	FUTURE MAINTENANCE COSTS
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZINVS	CUSTOMER INVOICE REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCC	PM REPAIR COSTS CHART
			WZWPMC	FUTURE MAINTENANCE COSTS
		another word for supplied labor...it's a checkbox indicating whether the supplier provides labor for services.	JSPROJ	PROJECTS
			OSCLAI	WARRANTY CLAIMS
			PYPOCS	PO COST SUMMARY
			PZPOCS	PO COST SUMMARY
			SSSUCP	COPY SUPPLIER POPUP
			SSSUPP	SUPPLIERS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPROJ	CREATE PROJECT POPUP
25955	Services %	EAM.PROJ.REQ.CompatibleUnitsOverheadCodes Infor EAM. Indicates the percentage of the warranty claim related to services costs. Refer to SCR 5601.	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			OSWARR	WARRANTY
			WSARRS	PRICING SCHEDULE
30218	Services Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
49364	Services Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
37842	Services Detail Section	EWS.CREP.UC.RequestForQuotationSummary.doc	PZRFQS	REQUEST FOR QUOTATION SUMMARY
37843	Services Header Section	EWS.CREP.UC.RequestForQuotationSummary.doc	PZRFQS	REQUEST FOR QUOTATION SUMMARY
45828	Services Preview	EAM.MATL.REQ.GenerateRequisitions	SSREQF	GENERATE REQS
39682	Services Tax Code	Tracker id 45321	SSSTOR	STORES
12446	Services on order	Situation where services have been ordered.	JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
12287	Session	When you log in, you get a session number. It disappears when you log out.	BCMOBL	7I MOBILE BOILER TEXT
			BSCMEX	CONFIGURATION MANAGER - EXPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12287	Session	When you log in, you get a session number. It disappears when you log out.	BSEXAL	EXPORT BASE CONFIGURATION
			BSVLOG	VIEW LOG FILES SCREEN
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			OSEQGN	EQUIPMENT GENERATION
			WSJOBS	CREATE WORK ORDER
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
15745	Session ID		BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSIMPT	IMPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSVEDP	VIEW ERROR DETAILS POPUP
			BSVSDP	VIEW STATUS DETAILS POPUP
			OSAINV	ASSET INVENTORY
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OZPAIL	PRINT ASSET INVENTORY LIST
			SSASGN	GENERATE POS
			SSBUKT	BUILD KITS
			SSEOQA	CALCULATE EOQ
			SSREQF	GENERATE REQ
			SZBUKT	PRINT BUILD LIST
			WSBWOP	BUNDLED WORK ORDERS
			WSCAPA	WO LOAD BALANCING
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSPMPL	PM FORECASTING
			WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
			WSUWOD	UNSIGNED WO DIFFERENCES
			WSWLSH	WO LABOR SCHEDULING
			WYPFMC	FUTURE MAINTENANCE COST
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMFC	PM FORECASTING
			YSINTF	INTERFACE OVERVIEW
28969	Session IDs	D7i Extended - Lookup title for Session ID lookup	BSLOVS	LIST OF LOOKUPS
38155	Session List	EWS.ADMN.UC.ViewLogFiles	BSVLOG	VIEW LOG FILES SCREEN
29224	Session Timeout (minutes)	Infor EAM. Indicates the amount of time in minutes a user session can remain inactive before the session is dropped.	BSGROU	GROUPS
26448	Set	A set is a number of calibration test points belonging together.	BSUSER	USER SETUP
			BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26448	Set	A set is a number of calibration test points belonging together.	OSOBJS	CREATE ASSET CATEGORY
			OSOBJS	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTCS	SETS AND CONSISTS
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35680	Set Default Value	26809	BSSTDF	SET DEFAULT VALUE
35683	Set Default Value to Null	26809	OSEQGN	EQUIPMENT GENERATION
42880	Set Due Values	EAM.EQUIP.REQ.EquipmentGeneration	OSEQLR	LINEAR REFERENCES FUNCTION
43048	Set ID	EAM.EQUIP.REQ.LinearreferencesForEquipment	OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSPPMS	PM SCHEDULES
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28227	Set Inbox Tab as Default	D7i Extended - Right click menu label used in the Start Center	BCMOBL	7I MOBILE BOILER TEXT
47003	Set Linear Location	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47001	Set Map Location	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47002	Set Non-Linear Location	EAM-29988 Transit app (iOS) - JSI Work Orders	OSOBJA	CREATE ASSET EQUIPMENT
45067	Set Position	EAM-16281:EAM.EQUIP.REQ.Systems	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTCS	SETS AND CONSISTS
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
			BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
			BSUSRP	USERS
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
34866	Set Value to Null	EWS.BASE.UC.Right-Click.doc/#26060	M1	Pull-Down Menu Texts
46687	Set as Default	Add Users Popup for Screens - EAM-28710	YSGLRF	GL REFERENCES
45855	Set as Default for Selected Equipment	EAM-19885:		
		EAM.EQUIP.REQ.EquipmentforBatchUpdateER		
13251	Set languages	Pull down menu item		
27868	Set of Books ID	Infor EAM - Databridge Administration. Refer to		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27868	Set of Books ID	EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc. Accounting term.	YSPRCD	GL PROCESS DEFINITIONS
24466	Set of Books Name	D7i Extended - ORG form. It is the name associated with the set of books ID (financial)	BSORGS	ORGANIZATIONS
48011	Set to equipment length	EAM-37031	BCMOBL	7I MOBILE BOILER TEXT
35275	Set up Equipment Criticalities (optional)	#28171	BSDTCV	DATA CONVERSION (MP2)
35272	Set up Organizations	#28171	BSDTCV	DATA CONVERSION (MP2)
35277	Set up User Groups (optional)	#28171	BSDTCV	DATA CONVERSION (MP2)
35274	Set up Work Order Priorities (optional)	#28171	BSDTCV	DATA CONVERSION (MP2)
35276	Set up Work Order Types (optional)	#28171	BSDTCV	DATA CONVERSION (MP2)
35273	Set up one User with Organization Rights	#28171	BSDTCV	DATA CONVERSION (MP2)
15236	Set up quick access bar		M1	Pull-Down Menu Texts
45063	Set/Consist	EAM-16279: EAM.EQUIP.REQ.Sets-Consists	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			OSSTCS	SETS AND CONSISTS
45421	Set/Consist Type	EAM-16280 EAM.EQUIP.REQ.EquipmentforSets-Consists	OSSTCS	SETS AND CONSISTS
47290	Setting location to device location	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
32234	Settings		BANNER	BANNER
			BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
43619	Settlement Cash Amount	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
18171	Settlement Details	Group header on OMCLAI	OSCLAI	WARRANTY CLAIMS
			OZCLAI	WARRANTY CLAIM REPORT
43622	Settlement Receiving Bin	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
43623	Settlement Receiving Lot	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
43621	Settlement Receiving Store	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
43620	Settlement Replacement Qty.	EAM-10712 EAM.MATL.REQ.PartsforPartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
41527	Settlement Total Amount	EAM-2157	OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
15237	Setup		BCMOBL	7I MOBILE BOILER TEXT
			BSUCOD	SYSTEM CODES
			M1	Pull-Down Menu Texts
41939	Setup Details	EAM.WORK.REQ.PermitToWorkSetup	WSPTWS	PERMIT TO WORK SETUP
39958	Setup Last Updated	EAM.EQUIP.UC.BatchUpdateReliabilityRankingValues	OSRELR	EQUIPMENT RANKINGS
44517	Setup Time (Minutes)	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
46914	Severities	Mobile Notebook	BSLOVS	LIST OF LOOKUPS
32297	Severity	19879	ASOLOG	ANALYTICS SERVER LOG
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			ISASPC	ASPECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32297	Severity	19879	OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRMXS	RISK MATRIX SETUP
			OZNCFL	LIST OF NONCONFORMITIES
			OZONCF	NONCONFORMITIES ANALYSIS
			WHJOBF	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
12148	Shift	In MP5, shifts indicate patterns according to which people work.	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSSCHD	WORK ORDER SCHEDULE
			WSSHIF	SHIFTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WTSPER	Shift Personnel
			WYSPER	Shift Personnel
			WZSPER	Shift Personnel
			WZWOLM	WORK ORDER LIST - DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12148	Shift	EAM.WORK.REQ.MechanicWorkbench	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSGWOP	GIS WO DISPATCH - PARAMETERS
			WSMECH	MECHANIC'S WORKBENCH
			WSPPMS	PM SCHEDULES
			WZLWOQ	LIST OF WORK ORDERS
48661	Shift Description	EAM-44523	WSJOBS	CREATE WORK ORDER
24553	Shift Details	Extended (product name) Shifts form.	WSSHIF	SHIFTS
43558	Shift Duration	EAM.WORK.REQ.ParametersforWODailyScheduling.doc	WSMECH	MECHANIC'S WORKBENCH
			WSWLSH	WO LABOR SCHEDULING
43556	Shift Scheduling	EAM.WORK.REQ.ParametersforWODailyScheduling.doc	WSWLSH	WO LABOR SCHEDULING
43653	Shift Scheduling Session	EAM.WORK.REQ.MechanicWorkbench	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSWLSH	WO LABOR SCHEDULING
43682	Shift Scheduling Session Org.	EAM-11435	WSWLSH	WO LABOR SCHEDULING
43578	Shift Scheduling Started	EAM.WORK.REQ.ParametersforWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
43557	Shift Start	EAM.WORK.REQ.ParametersforWODailyScheduling.doc	WSMECH	MECHANIC'S WORKBENCH
			WSWLSH	WO LABOR SCHEDULING
24555	Shift Start Date	Extended (product name) Shifts form.	WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSSHIF	SHIFTS
44449	Shift View Left	EAM-14696	OSESCH	RESERVATION CALENDAR
44450	Shift View Right	EAM-14696	OSESCH	RESERVATION CALENDAR
31905	Shifts	EWS.CREP.UC.ShiftEmployee - Shift Employee report	BSLOVS	LIST OF LOOKUPS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49180	Shifts Dataspy	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
48448	Ship From Address	EAM-41863 : Added Ship From address type	PZORDF	Print Purchase Order
35910	Ship To Address 1	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35911	Ship To Address 2	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35912	Ship To Address 3	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35913	Ship To City	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35914	Ship To Country	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35915	Ship To E-mail	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35916	Ship To Name	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35917	Ship To Phone	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35918	Ship To State	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35919	Ship To Zip	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
23837	Ship Via	Infor EAM - Statement, put on purchase orders. Method of shipping, e.g. first class, normal mail, Fedex etc.	BSLOVS	LIST OF LOOKUPS
			BSMPPR	MP2 PURCHASING
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			FCGRD1	FLAMETHROWER GRID 1

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23837	Ship Via	Infor EAM - Statement, put on purchase orders. Method of shipping, e.g. first class, normal mail, Fedex etc.	FCGRD2	FLAMETHROWER GRID 2
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			SSRECV	PO RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
12846	Ship via	Statement, put on purchase orders. Method of shipping, e.g. first class, normal mail, Fedex etc.	PTORDF	Print Purchase Order
36119	Shipment Qty.	27957	PSPORD	PURCHASE ORDERS
35989	Shipping Charge	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36121	Shipping Charges	27957	PSPORD	PURCHASE ORDERS
24951	Shipping Details	Extended (product name). Section header on the PO Receipts form.	SSRECV	PO RECEIPTS
36117	Shipping Number	27957	PSPORD	PURCHASE ORDERS
32378	Shipping Terms	EWS.CREP.UC.PurchaseOrderStatus.doc	BSMPPR	MP2 PURCHASING
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			WSFLTK	FLEET VEHICLE TICKETS
30825	Shop	D7i Extended -- Vehicle Ticket -- Field Label	WSPLPA	PLANNED PART AVAILABILITY
33011	Shortage Qty.	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	M1	Pull-Down Menu Texts
19033	Shortcut bar	Option in the menu under View Quick Access Bar, if active only the shortcut bar will be displayed.	BHDOCL	List Of Documents
12565	Show	EAM-47419	BTDOCL	List Of Documents
			BZDOCL	List Of Documents
			M1	Pull-Down Menu Texts
			WSGISD	MAP VIEW
49124	Show Activity w/o Checklists	EAM-46199	BCMOBL	7I MOBILE BOILER TEXT
43595	Show All	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
42873	Show All Records	9522: EAM.WORK.REQ.PlanPartsforTaskPlan	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCL	OPERATOR CHECKLIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42873	Show All Records	9522: EAM.WORK.REQ.PlanPartsforTaskPlan	WSPPMS WSSTWO WSTASK WSWLSH	PM SCHEDULES STANDARD WOS TASKS WO LABOR SCHEDULING
48508	Show Available Only	EAM.Work.Req.GISMapWODispatching/EAM-41843	WSCRWP WSGWOD	CREATE/EDIT CREW POPUP GIS MAP WO DISPATCHING
23710	Show Block	Infor EAM - when the user is in screen designer mode, they can click on a block and then right click and this will be one of the menu options meaning that they user wants to show this block on the form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33427	Show Block Collapsed	#22323	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33426	Show Block Expanded	#22323	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
41674	Show Budget Line	New UI (Start Center)	BSSTRT	EWS NEW START CENTER
25067	Show Button	D7i Extended - Screen Designer. Show is an imperative verb.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43833	Show Checklist	EAM.WORK.REQ.OperatorChecklist.docx	BCMOBL WSOPCL	7I MOBILE BOILER TEXT OPERATOR CHECKLIST
30455	Show Child Equipment	D7i Extended - Work Order Cost Summary report	OZCSTH OZCSTL	WO COST SUMMARY_HOSPITALITY WO COST SUMMARY
26927	Show Children	D7i Extended - GIS Map Search - Options drop-down menu	CSCCGM CSCCSP OSGISR OSGISS	CONTACT CENTER MAP SEARCH CONTACT CENTER SETUP GIS MAP SEARCH GIS MAP SEARCH (OLD)
46089	Show Classes	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
31474	Show Costs	EWS.CREP.UC.EquipmentHistory	OZHISL	Object History
30931	Show Costs By	D7i Extended - Work Order Cost by Type, Cost Code, or Dept report	OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
37132	Show Defer Maintenance Activities	31081	WHJOB WHWOSH WYJOB WYWOSH WZJOB WZWOSH	PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS
24171	Show Details	Extended (product name). For use on the Equipment Lookup.	OSELRS OSEQPP OZCSTH OZCSTL WZCSTD	EQUIPMENT LINEAR REFERENCE SEARCH EQUIPMENT LOOKUP WO COST SUMMARY_HOSPITALITY WO COST SUMMARY COST SUMMARY BY TRANSACTION DATE
32101	Show Details of Activities Where:	Scheduled vs. actual - Detail report	WYSCHD WZSCHD	SCHEDULED / ACTUAL DETAIL Scheduled / Actual Detail
48380	Show Directions	EAM-42545	OSOBJA OSOBJL OSOBJP OSOBJS WSJOBS	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE WORK ORDER
43127	Show Equipment	EAM-9410	OZRMSO	RISK MATRIX OVERVIEW
43099	Show Failure Modes	EAM-9410	OZRMSO	RISK MATRIX OVERVIEW
30476	Show Faults By	D7i Extended - Mean-time Between Failures report	OZFLTG	Fault Trend Analysis

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30476	Show Faults By	D7i Extended - Mean-time Between Failures report	OZJMFL	Mean Time Between Failures Per Fault
			OZOMFL	Mean Time Between Failures Per Object
43304	Show Features	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
34440	Show Field Attributes	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
39927	Show Filter Row	Common UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48915	Show History	EAM-45466	OSDCUR	DECAY CURVE
			OZDCUR	DECAY CURVE CHART
46524	Show Icons	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
49770	Show Image URL	EAM.EQUIP.REQ.EquipmentOverview360/EAM-51120	OSOVIW	EQUIPMENT OVERVIEW 360
30286	Show Internal Part#	D7i Extended - Print Purchase Order report	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
27239	Show Labels?	D7i Extended - Graph - Show Labels?	BEWSMD	EWS - METADATA DEFINITION
26847	Show Legend	D7i Extended - GIS Map Search - button that displays the legend of the current map	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OZRMSO	RISK MATRIX OVERVIEW
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSPMPL	PM FORECASTING
39491	Show Log Folder	22557 - Logger - consolidate the Mobile log	TCCLOG	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
33782	Show MEC Details	EWS.REP.UC.CalibrationDueReport.doc	OZHISL	Object History
			WHACTV	VMRS ACTIVITIES
			WZACTV	VMRS ACTIVITIES
			WZCALD	CALIBRATION DUE REPORT
33613	Show MEC Work Orders	EWS.REP.UC.WorkBacklogReport SCR#22826	WZBLOG	Work Backlog
44696	Show MMTCO2e on Dashboard (MTCO2e is default)	EAM-14710	ESGSET	GENERAL SETTINGS
20707	Show Me	Infor EAM - fields label for the Dataspy pull down menu. It prompts the user to select a specific saved query to run. For example 'Show Me: Parts tracked by Asset'. If the user selects that query, the system runs the query.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
34521	Show Menu Item	EWS.ADMN.UC.ScreenPermissionforUserGroups	BSGROU	GROUPS
48381	Show Nearby Users	EAM-42545	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
46744	Show Observations	EAM-27986 : List of Nonconformities	OZNCFL	LIST OF NONCONFORMITIES
45494	Show Only Highlighted Events	EWS.GIS.REQ.GISMapSearch/EAM-18068	OSLROE	VIEW ROUTE EVENTS POPUP
46522	Show Options	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
22498	Show Parents	Infor EAM - link button on the Structure tab of the	OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22498	Show Parents	Equipment form to show all the parents of the selected piece of equipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
46526	Show Parts	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
34439	Show Permissions	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
36274	Show Phy. Inventory Expected QTY	29405	BSMBST	MOBILE SETUP
49769	Show Profile Image	EAM.EQUIP.REQ.EquipmentOverview360/EAM-51120	OSOVIV	EQUIPMENT OVERVIEW 360
48060	Show Qualified Only	EAM.WORK.REQ.CreateCrewPopup.docx	WSCRWP	CREATE/EDIT CREW POPUP
			WSGWOD	GIS MAP WO DISPATCHING
37328	Show RFQs	EWS.CREP.UC.QuotationSummary	PZQUOS	QUOTATION SUMMARY
32993	Show Related Messages Only	EWS.DBADMIN.UC.ViewMessageStatus	DSMSGs	VIEW MESSAGE STATUS
46700	Show Route Types	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
40002	Show SQL Statement	SCR# 46968	BZFLXL	PRINT FLEX SQL LIST
43591	Show Scheduled	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
48429	Show Section	EAM.BASE.REQ.DUXScreenDesigner.doc	BSDUXD	DUX SCREEN DESIGNER
46699	Show Segment Types	EAM.EQUIP.REQ.LinearOverviewPreferencesPopup	OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
33844	Show Service Category in Knowledge Base	23338	CSCCSP	CONTACT CENTER SETUP
37288	Show Service Code in Knowledge Base	EWS.CCTR.UC.CallCenterSetup.doc / 31325	CSCCSP	CONTACT CENTER SETUP
34451	Show Status Authorizations	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			CSCCSP	CONTACT CENTER SETUP
33843	Show Supplier in Knowledge Base	23338	CSCCSP	CONTACT CENTER SETUP
48703	Show Toolbar on Load	EAM-44212	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
21671	Show Total Record Count	Infor EAM - name of button in the list view page to show how many records are in that form.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			OZKEYD	KEY LIST-DETAIL
33168	Show Totals	EWS.CREP.UC.WorkOrderStatistics	OZKEYT	KEY TRANSACTIONS
			OZNCFL	LIST OF NONCONFORMITIES
			OZRING	RING LIST-DETAIL
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZWOLM	WORK ORDER LIST - DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33168	Show Totals	EWS.CREP.UC.WorkOrderStatistics	WZWOST	WORK ORDER STATISTICS
33003	Show Totals (Or Positions)	EWS.CREP.UC.BudgetPositionDetail.doc	UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
46525	Show VMRS Codes	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	BHUSRL	USERS GROUP CONFIGURATION
34452	Show WO Authorizations	EWS.CREP.UC.UserGroupConfiguration.doc	BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43568	Show WOs	EAM-9775/GIS Map Search (REST) screen	OSGISR	GIS MAP SEARCH
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
46527	Show Workspaces	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	DSTRAN	DATABRIDGE TRANSACTIONS
21758	Show XML	databridge - XML - extensible markup language	BSSTRT	EWS NEW START CENTER
41675	Show Year/Year	New UI (Start Center)	OTCSTL	WORK ORDER COST SUMMARY
19056	Show child equipment	checkbox that when selected the report also includes subobjects of the object entered	PTORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			STREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
16080	Show dual currency	This is a checkbox on certain reports that indicates whether MP5 displays foreign currencies on the printed report.	M1	Pull-Down Menu Texts
13240	Show error	Pull down menu item.	TCCERR	7I MOBILE BOILER TEXT
32145	Show error after sync.		OZDCUR	DECAY CURVE CHART
48916	Show history is not available for decay curves of this type.	EAM-45466		
40826	Shrink Text	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12824	Shutdown	A large, recurring project. E.g. a yearly overhaul.	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			WSPROJ	CREATE PROJECT POPUP
			JSSHUT	SHUTDOWNS
26240	Shutdown Details	Extended (product name)	JSPROJ	PROJECTS
24662	Shutdown WOs	Extended (product name)	JSPROJ	PROJECTS
24664	Shutdown WOs Created	Extended (product name)	JSSHUT	SHUTDOWNS
26241	Shutdowns	Extended (product name)	BCMOBL	7I MOBILE BOILER TEXT
47026	Sign	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
44209	Sign In	EAM-14486 :Android Tablet - Support localization	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
41844	Sign Off	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
44210	Sign Out	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
27583	Sign Type	Crossbow	TCELRC	7I MOBILE BOILER TEXT
49796	Sign here	EAM.WORK.REQ.ContractorsignOffPopup.docx	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49343	Sign-in status	EAM.ADMN.REQ.eSignaturePop-up.docx/EAM-47505	BSESGN	EWS - ESIGNATURE POPUP
46805	Signals	EAM-29656	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
47023	Signals Signature	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
12149	Signature		WHPTWR	PRINT PERMIT TO WORK
			WTCALR	CALIBRATION RECORD REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12149	Signature	checkbox on the electronic record setup form that indicates that the status change requires an electronic signature	WZCALR	CALIBRATION RECORD REPORT
			WZPTWR	PRINT PERMIT TO WORK
			BSEREC	ELECTRONIC RECORD SETUP
25498	Signature Details	D7i Extended - eSignature popup	BSESGN	EWS - ESIGNATURE POPUP
24105	Signature Required	Extended (product name). For use for eRecords electronic signatures.	BSEREC	ELECTRONIC RECORD SETUP
23977	Signature Type	Infor EAM - see 19208 for current translation	BHSIGN	LIST OF ELECTRONIC RECORDS
			BSESIG	ERECORDS LIST
			BSLOVS	LIST OF LOOKUPS
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZTMPR	LIST OF TAMPERED RECORDS
			PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SZ PICK	Pick List Print
			SZRCVF	Goods Received Note
		D7i Extended - field label	BCMOBL	7I MOBILE BOILER TEXT
			BSESGN	EWS - ESIGNATURE POPUP
			BYSNAP	ELECTRONIC RECORDS
			BZSNAP	ELECTRONIC RECORDS
			OZOBJF	LIST OF EQUIPMENT DETAILS
			PYPOL	BLANKET ORDER LIST
			PZPOL	BLANKET ORDER LIST
			PZINVL	List Of Invoices Not Yet Approved
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WCSOF	CONTRACTOR SIGN OFF POPUP
			WSPMTW	PERMIT TO WORK
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
24217	Signature Type Description	D7i Extended - Column label for Signature Type Description in eRecord list view	BSESIG	ERECORDS LIST
			WSPMTW	PERMIT TO WORK
48478	Signature not required for this activity.	EAM-42567	BCMOBL	7I MOBILE BOILER TEXT
48481	Signature optional. Waiting for the checklist to be completed.	EAM-42567	BCMOBL	7I MOBILE BOILER TEXT
48483	Signature optional. Waiting for the	EAM-42567	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48482	performed by signature(s). Signature required. Waiting for the checklist to be completed.	EAM-42567	BCMOBL	71 MOBILE BOILER TEXT
48484	Signature required. Waiting for the performed by signature(s).	EAM-42567	BCMOBL	71 MOBILE BOILER TEXT
19208	Signature type		BTSIGN BTSNAP BTTMPR PTORDF STPICK STRCVF STREQF STRETF WTJOB	LIST OF ELECTRONIC RECORDS ELECTRONIC RECORDS LIST OF TAMPERED RECORDS Print Purchase Order Pick List Print Goods Received Note Print Purchase Requisition Print Goods Return Note Job Cards
39633	Signed Value	Tracker id 43912 - Create/Edit Work Order	WSUPWD WSUWOD	PERMIT TO WORK UNSIGNED DIFFERENCES UNSIGNED WO DIFFERENCES
49344	Signed in	EAM.ADMN.REQ.eSignaturePop-up.docx/EAM-47505	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44596	Simplified SDM	EAM-14819	CSCCSP	CONTACT CENTER SETUP
24347	Since	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.	DSSTAT	DATABRIDGE SYSTEM STATUS
23364	Single	Infor EAM - indicates the width of the HTML portlet to create.	BMHTCF BMOPSV	HTML CONTENT SETUP OPS PACKAGE
43825	Single Class Setup	EAM-12952	BSFFSP	FILTER FIELD SETUP SCREEN
30748	Single Labels	D7i Extended. List value for Label Default Printing field in barcode printing.	SSPART	PARTS
46775	Single Move Status	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	OSWKMV	WORKSPACE MOVES
46796	Single Move Statuses	EAM.EQUIP.REQ.AssociationsforWorkspaceMoves	BSLOVS	LIST OF LOOKUPS
46146	Single Point Asset	EAM-26543	WSGSRH	GIS MAP ROADS HIGHWAYS
39226	Single Resource WO	Prod. Req. Preview for Gen. Prod. Req./41073	WSBWOP WSGPRW	BUNDLED WORK ORDERS GENERATE PRODUCTION REQUEST FOR WORK ORDERS
27913	Single Sheet	Barcode	FCSCRN	FLAMETHROWER SCREENS
36029	Single Source	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36030	Single Source Vendor ID	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
23687	Single Wide	Infor EAM - this identifies the width of the graph to display in the portlet. Single wide basically means one column on the entire page	BSHOME OSOVIW	HOME - OVERVIEW SCREEN EQUIPMENT OVERVIEW 360
35452	Site	#28171	BSMPPR BSMPQT BSMPWO BSMPWR BSSPMR	MP2 PURCHASING MP2 QUOTATIONS MP2 WORK ORDERS MP2 WORK REQUESTS MP2 SPM READINGS
39590	Site Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39590	Site Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39592	Site Annual Energy Intensity	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39602	Site Energy Intensity For 50 Rating	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39603	Site Energy Intensity For 75 Rating	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
35286	Sites	#28171	BSDTCV	DATA CONVERSION (MP2)
12150	Size	Document size.	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BHDOCL	List Of Documents
			BSIMPT	IMPORT CONFIGURATION
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
45516	Size From	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45516	Size From	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	WSSTWO	STANDARD WOS
45517	Size To	EAM-19894:EAM.EQUIP.REQ.ConditionScoreMatrixSetup	OECSMS	CONDITION SCORE MATRIX SETUP
			OSCSMS	CONDITION SCORE MATRIX SETUP
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
46882	Size for Tolerance	EAM-29684	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
29753	Sketch	D7i Extended - GIS Map Search - label of the Sketch tool button. Means 'press this button to sketch'.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
32208	Sketches (temporary)	EWS.GIS.UC.GISMapSearch.doc - SCR # 17934	OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGSWO	SELECTABLE LAYERS FOR WO
35291	Skip Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
35445	Skip Employee Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
42785	Skip Equipment Selection Process	EAM-9321	WSWLSH	WO LABOR SCHEDULING
35449	Skip Location Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
35462	Skip Meter Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
35466	Skip Role Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
35460	Skip Task Plan Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
35456	Skip Vendor Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
35476	Skip Work Order Type Conversion	#28171	BSDTCV	DATA CONVERSION (MP2)
44607	Skip this Level	EAM-14726 - EAM.EQUIP.REQ.SuppliersForEquipment	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
48901	Skip this step	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
19355	Slack	number of hours slack time or downtime	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
25413	Slope	Crossbow - 'Assessed Slope'	TCIWIR	71 MOBILE BOILER TEXT
		EAM-4928	OZRGCA	RELIABILITY GROWTH CROW-AMSAA
47219	Slow	EAM-31863	BSFUNC	CREATE UPDATE SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47278	Small	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
28317	Socket Error: Cannot send packet.	Barcode	FCSCRN	FLAMETHROWER SCREENS
40867	Software Version	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
29779	Sold/Scrap Date	D7i Extended - Equipment - SCR # 12194 - Date the Asset/Position/System was sold or scrapped.	BZEQDL	EQUIPMENT LIST - DETAIL
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
31711	Sold/Scrapped Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
35812	Solution	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
47307	Some lines are missing the Receipt Qty.	EAM-27777, EAM.MOBILE.REQ.PORceipts	BCMOBL	7I MOBILE BOILER TEXT
19887	Sort	Infor EAM	BCMOBL	7I MOBILE BOILER TEXT
			BSDTCV	DATA CONVERSION (MP2)
			BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			TCCFLT	7I MOBILE BOILER TEXT
			WSWOBU	BATCH WORK ORDER UPDATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28962	Sort By	Extended (product name); Field by which to sort a query.	BCMOBL	7I MOBILE BOILER TEXT
			OTOBJL	List Of Objects
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCLAI	WARRANTY CLAIM REPORT
			OZCORD	CO2 ANALYSIS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZDEPR	EQUIPMENT DEPRECIATION
			OZOBJL	List Of Objects
			OZRCML	RCM RISK LEVELS
			SY PICK	Pick List Print
			SYRESL	Parts Currently Reserved/Allocated
			SZ PICK	Pick List Print
			SZRESL	Parts Currently Reserved/Allocated
			WSCAPA	WO LOAD BALANCING
			WTBLOG	Work Backlog
			WTCALD	CALIBRATION DUE REPORT
			WTPERL	List Of Permit Issues
			WTPPML	List Of All Ppm Schedules
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALD	CALIBRATION DUE REPORT
			WZLMWO	LIST OF MAINTENANCE WO
			WZPERL	List Of Permit Issues
			WZPMMD	PRINT METER BASED PM DUE
			WZPPML	List Of All Ppm Schedules
			WZQEXP	QUALIFICATION EXPIRATION REPORT
48363	Sort Direction	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48455	Sort Field	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32805	Sort Order Details	EWS.BASE.UC.ReportParameters.doc/21254	BSRPTG	GENERIC REPORT PARAMETERS
27220	Sort XML	D7i Extended - Sort XML	BEWSMD	EWS - METADATA DEFINITION
15225	Sort ascending		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSRPTG	GENERIC REPORT PARAMETERS
			M1	Pull-Down Menu Texts
11977	Sort by	Specify sorting sequence.	M1	Pull-Down Menu Texts
			REPORT	General Report Function
			STPICK	Pick List Print
15226	Sort descending		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSRPTG	GENERIC REPORT PARAMETERS
			M1	Pull-Down Menu Texts
27187	Sortable Field(s)	D7i Extended - Comma Separated List of Field Ids that are sortable	BEWSMD	EWS - METADATA DEFINITION
27193	Sortable Field(s) (MultiOrg)	D7i Extended - Comma separated list of field ids that are sortable	BEWSMD	EWS - METADATA DEFINITION
46520	Sorting Options	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15642	Source	D7i Extended - GIS - EWS.GIS.UC.MapFeatureAttributes - The Source field indicates in which system the user created the equipment/feature (ie--D71 or ESRI).	BCMOBL	71 MOBILE BOILER TEXT
			BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CZISGH	INCIDENT SUMMARY GRAPH
			FCSCRN	FLAMETHROWER SCREENS
			ISPCOP	COPY ASPECT POINTS
			STREQL	List Of Outstanding Requisition Items
			SYREQL	List Of Outstanding Requisition Items
			SZREQL	List Of Outstanding Requisition Items
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOB	PRINT WORK ORDER
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSWSPM	WEB SERVICES PROMPT
			OSGGMP	GIS MAP DATA
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
		19879	ASOLOG	ANALYTICS SERVER LOG
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZOSRQ	OPEN SERVICE REQUESTS
		22839	BSLOVS	LIST OF LOOKUPS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
39594	Source Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39594	Source Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSOVS	CREATE SYSTEM EQUIPMENT
39596	Source Annual Energy Intensity	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVS	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
35290	Source Area	#28171	BSDTCV	DATA CONVERSION (MP2)
48511	Source Assembly Level	EAM-31685	BSVMRS	VMRS CODES
42045	Source By	LOTO for Permit to Work	BZLTPW BZSFWO WSJOBS WSJOVH WSJOVM WSPMTW	ELECTRONIC RECORDS FOR LOTO ELECTRONIC RECORDS FOR SAFETY CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PERMIT TO WORK
26060	Source Code	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	BSCOMM BSDOCP BZACTD BZEVD BZINVD BZISSD BZIVLD BZLTPW BZOBJD BZORDD BZORLD BZPCLD BZPRJD BZRECD BZREQD BZRETD BZRQLD BZSCAD BZSFWO BZSTOD BZTRAD BZTRLD OSECN OSEQLR OSHPFY OSHPRM OSHPVH OSOBJA	COMMENTS DOCUMENTS POPUP ELECTRONIC RECORDS FOR ACTIVITIES ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR INVOICES ELECTRONIC RECORDS FOR ISSUE ELECTRONIC RECORDS FOR INVOICE LINES ELECTRONIC RECORDS FOR LOTO ELECTRONIC RECORDS FOR EQUIPMENTS ELECTRONIC RECORDS FOR PURCHASE ORDERS ELECTRONIC RECORDS FOR PURCHASE ORDER LINES ELECTRONIC RECORDS FOR BUDGETS ELECTRONIC RECORDS FOR PROJECTS ELECTRONIC RECORDS FOR RECEIPT ELECTRONIC RECORDS FOR REQUISITIONS ELECTRONIC RECORDS FOR RETURN ELECTRONIC RECORDS FOR REQUISITION LINES ELECTRONIC RECORDS FOR SERVICE CATALOGUE ELECTRONIC RECORDS FOR SAFETY ELECTRONIC RECORDS FOR STORE-TO-STORE ELECTRONIC RECORDS FOR TRANSACTIONS ELECTRONIC RECORDS FOR TRANSACTION LINES CREATE EQUIPMENT CONFIGURATION LINEAR REFERENCES FUNCTION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26060	Source Code	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSVPRE	PERMIT ENTITY
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			TSPROF	PROFILES
			WSCCON	CUSTOMER CONTRACTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			YSINTF	INTERFACE OVERVIEW
35422	Source Count	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSDTCV	DATA CONVERSION (MP2)
42046	Source Date	LOTO for Permit to Work	BSCOMM	COMMENTS
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
42049	Source Date Reviewed	LOTO for Permit to Work	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSPMTW	PERMIT TO WORK
35594	Source Description	EWS.ADMN.UC.RetrievedValuesforWebServicePrompt.doc	BSWSPM	WEB SERVICES PROMPT
42044	Source Details	LOTO for Permit to Work	WSCCON	CUSTOMER CONTRACTS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42004	Source Entity	EAM-3483 EAM.EQUIP.REQ.PermitsForPMSchedule	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSPPMS	PM SCHEDULES
43729	Source Field	EAM.ADMIN.REQ.FieldsForUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
			BSLOVS	LIST OF LOOKUPS
			BSHYPL	HYPERLINK SETUP
32443	Source Field Name	EWS.BASE.UC.HyperlinkPopup.doc	BSDTCV	DATA CONVERSION (MP2)
35471	Source High Value	#28171	BZLTPW	ELECTRONIC RECORDS FOR LOTO
42051	Source Isolation Type	LOTO for Permit to Work	WSPMTW	PERMIT TO WORK
			BSDTCV	DATA CONVERSION (MP2)
35470	Source Low Value	#28171	BEWSMD	EWS - METADATA DEFINITION
23478	Source Name	Infor EAM - the origin	BSSTRT	EWS NEW START CENTER
			BSLOVS	LIST OF LOOKUPS
			BSLOVS	LIST OF LOOKUPS
34345	Source Names	EWS.BASE.UC.AddPortlets.doc/26180	OSNCHD	NONCONFORMITIES
28755	Source Objects	D7i Extended - ADMN	OSOBJA	CREATE ASSET EQUIPMENT
46411	Source Observation	EAM.EQUIP.REQ.Nonconformities	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
28756	Source Org.	D7i Extended - Inspections	BSCOMM	COMMENTS
			BSDOCP	DOCUMENTS POPUP
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			ISPCOP	COPY ASPECT POINTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			OSVPRE	PERMIT ENTITY
			PSPORD	PURCHASE ORDERS
			SSPART	PARTS
			TSPROF	PROFILES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44608	Source PK	EAM-14726 - EAM.EQUIP.REQ.SuppliersForEquipment	CSSVPB	SERVICE PROBLEM CODES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SSSUPP	SUPPLIERS
30477	Source Prompt	D7i Extended -- Return Prompts for DC Transaction Prompts -- Field Label	BSLOVS	LIST OF LOOKUPS
30478	Source Prompt Description	D7i Extended -- Return Prompts for DC Transaction Prompts -- Field Label	TSASTP	DC TRANSACTION PROMPT
			TSASTP	DC TRANSACTION PROMPT
42063	Source Review Type	LOTO for Permit To Work	BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSPMTW	PERMIT TO WORK
42047	Source Reviewed By	LOTO for Permit to Work	BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSPMTW	PERMIT TO WORK
42048	Source Reviewed Name	LOTO for Permit to Work	BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			WSPMTW	PERMIT TO WORK
35467	Source Role	#28171	BSDTCV	DATA CONVERSION (MP2)
45656	Source Screen Field	EAM.BASE.REQ.MapFieldsforHyperlinkSetupPopup	BSMAPF	MAP FIELDS
45686	Source Screen Fields	EAM.BASE.REQ.MapFieldsforHyperlinkSetupPopup	BSLOVS	LIST OF LOOKUPS
32442	Source Screen Name	EWS.BASE.UC.HyperlinkPopup.doc	BSHYPL	HYPERLINK SETUP
35287	Source Site	#28171	BSDTCV	DATA CONVERSION (MP2)
27148	Source System	D7i Extended - Monitor Interface screen/Error Correction tab - label name	BSDTCV	DATA CONVERSION (MP2)
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27148	Source System	D7i Extended - Monitor Interface screen/Error Correction tab - label name	BZTRLD YSINTF	ELECTRONIC RECORDS FOR TRANSACTION LINES INTERFACE OVERVIEW
48510	Source System Level	EAM-31685	BSVMRS	VMRS CODES
35621	Source Tables	SCR#28171	BSDTCV	DATA CONVERSION (MP2)
28754	Source Type	D7i Extended - ADMN	BSCOMM BSDOCP BZLTPW BZSFWO CSCASE CSCMTK CSEDLK ISPCOP OSECN OSEQLR OSHPPY OSHPRM OSHPVH OSOBJA OSOBJC OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSVPRE PSPORD SSPART TSPROF WSJOBS WSJOVH WSJOVM WSPMTW WSPPMS WSSTWO	COMMENTS DOCUMENTS POPUP ELECTRONIC RECORDS FOR LOTO ELECTRONIC RECORDS FOR SAFETY CASE MANAGEMENT CASE MANAGEMENT TASKS CREATE HTML EDITOR LINK COPY ASPECT POINTS CREATE EQUIPMENT CONFIGURATION LINEAR REFERENCES FUNCTION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET CATEGORY CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PERMIT ENTITY PURCHASE ORDERS PARTS PROFILES CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PERMIT TO WORK PM SCHEDULES STANDARD WOS
27871	Source Update Statement	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
42050	Source Valid Until	LOTO for Permit to Work	BZLTPW BZSFWO WSJOBS WSJOVH WSJOVM WSPMTW	ELECTRONIC RECORDS FOR LOTO ELECTRONIC RECORDS FOR SAFETY CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PERMIT TO WORK
35477	Source WO Type	#28171	BSDTCV	DATA CONVERSION (MP2)
35311	Source Warehouse	#28171	BSDTCV	DATA CONVERSION (MP2)
41326	Sources	EAM-1088	BSLOVS	LIST OF LOOKUPS
27918	Spacing	Barcode	FCSCRN	FLAMETHROWER SCREENS
49091	Span	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49092	Span Length	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
49093	Span Length UOM	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
12151	Special		BSDEVS	PRINTERS
			BSDTCV	DATA CONVERSION (MP2)
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
35426	Special Characters	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDTCV	DATA CONVERSION (MP2)
32900	Special Handling	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
42129	Special Hazards	Safety for Work Order	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			SSPART	PARTS
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSSFMX	SAFETY MATRIX
			WZPTWR	PRINT PERMIT TO WORK
25674	Specific Information	Extended (product name). Information associated to the selected property and information type.	WSINRQ	CREATE INFORMATION REQUEST
47090	Specific address	GIS	BCMOBL	7I MOBILE BOILER TEXT
36056	Specifications	EWS.ADMN.UC.MP2Quotations	BSMPQT	MP2 QUOTATIONS
31204	Specify name for template first.	Barcoding	FCSCRN	FLAMETHROWER SCREENS
48580	Specify the assets for the repair.	EAM-43959/ EAM.WORK.REQ.AssignAssetRepairDetailsPop	WSAARD	ASSET REPAIR DETAILS
20623	Specify the criteria by which to filter on the lines below, and then click Run to search for all parts that match the criteria.	Infor EAM - this message displays as a prompt on a pop-up form	LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
30495	Specify which bins identify the parts to repair.	Infor EAM. This text appears as instructions for entering information on the Repair Details popup form on which you enter/view information about the internal or external repair for a repairable spare part.	WSASRD	ASSIGN REPAIR DETAILS
38039	Spend %	EWS.CREP.UC.CapitalPerformanceEvaluation	OYCEPV	CAPITAL PERFORMANCE EVALUATION
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
12152	Spent	Used in budget reporting, Spent is the past tense form of the verb 'to spend' and if you select the radio button on the report, MP5 prints only the amount of money that was spent for the budget period specified.	UHBUDS	BUDGET SUMAMRY REPORT
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDS	BUDGET SUMAMRY REPORT
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDS	BUDGET SUMAMRY REPORT
43050	Split	EAM.EQUIP.REQ.LinearreferencesForEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43050	Split	EAM.EQUIP.REQ.LinearreferencesForEquipment	OSOVS	CREATE SYSTEM EQUIPMENT
43182	Split Linear Reference	EAM.EQUIP.REQ.LinearReferencesSplitPopup	OSLRFS	LINEAR REFERENCE POPUP
43178	Split Point	EAM.EQUIP.REQ.LinearReferencesPopup	OSLRFS	LINEAR REFERENCE POPUP
41673	Split View (Ctrl+Home)	New UI	BANNER	BANNER
44441	Split View Display	EAM-14786	BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
40944	Square Footage	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
40106	Square Root	EAM.EQUIP.UC.CalibrationForEquipment/47189	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
29866	SrvReq	Crossbow - Service Request	TCSVQR	7I MOBILE BOILER TEXT
13230	Stack	Pull down menu item. Menu showing the screens/reports that were used earlier during the session.	M1	Pull-Down Menu Texts
34376	Stacked Bar with 3-D Effect	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOC	WORK ORDER COST SUMMARY GRAPH
34374	Stacked Column with 3-D Effect	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOC	WORK ORDER COST SUMMARY GRAPH
41011	Staff Injury/Illness	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZWOLM	WORK ORDER LIST - DETAIL
38163	Stand-alone Screen	EWS.ADMN.UC.CreateEditWebServicePrompts / 35858	BSWSPM	WEB SERVICES PROMPT
21185	Standalone	Infor EAM - in this case standalone is referring to a meter that is not associated to a piece of equipment	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
26265	Standard	Expected (standard) reading of a test point at calibration	BSBSET	ADMIN SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSITPP	IMPORT TEST POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26265	Standard	Expected (standard) reading of a test point at calibration	WSJOBS WSJOVM WTCALR WTCART WZCALR WZCART	CREATE WORK ORDER CREATE WORK ORDER CALIBRATION RECORD REPORT CALIBRATION REVERSE TRACEABILITY CALIBRATION RECORD REPORT CALIBRATION REVERSE TRACEABILITY
48796	Standard Crew	Crossbow EAM-14486 :Android Tablet - Support localization EAM-46924/EAM.WORK.REQ.StandardCrews.doc	TCJCAH BCMOBL BSDOCA JSCULB WSCREW WSOPSS WSSTCR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT DOCUMENTS COMPATIBLE UNITS LIBRARY CREW OPTIMIZED SCHEDULER SETUP STANDARD CREWS
48797	Standard Crew Description	EAM-46924/EAM.WORK.REQ.StandardCrews.doc	JSCULB WSSTCR	COMPATIBLE UNITS LIBRARY STANDARD CREWS
48798	Standard Crew Details	EAM-46924/EAM.WORK.REQ.StandardCrews.doc	WSSTCR	STANDARD CREWS
48826	Standard Crew Org.	EAM-46924/EAM.WORK.REQ.Crews	JSCULB WSCREW WSOPSS	COMPATIBLE UNITS LIBRARY CREW OPTIMIZED SCHEDULER SETUP
48825	Standard Crews	EAM-46924/EAM.WORK.REQ.Crews	BSLOVS	LIST OF LOOKUPS
29671	Standard Details	D7i Extended - EWS.WORK.UC.StandardsUsedForCalibration - Block Title	WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
20755	Standard Price	Infor EAM - Also called fixed price. Updated by the user only. Used for parts or stock.	SSPART SSSTOR	PARTS STORES
20075	Standard Response Time	the amount of time to pass in minutes between the creation of the service request for the service code and the call back to the customer.	CSSVPB	SERVICE PROBLEM CODES
44539	Standard Response Time Unit	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
48950	Standard Sheet	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
49414	Standard UOM	EAM-50110	WSJOBS	CREATE WORK ORDER
20709	Standard WO	Infor EAM - A prepared work order with predefined activities that can be used to generate a job.	BSALRT BSDOCA BSLOVS CSCASE CSCCGM CSCCTR CSCMTK CSINRE CSSVPB ISMONT JSCAMP JSSHUT OSAINV OSFAIL OSGISR OSGISS OSGISW	ALERT MANAGEMENT SYSTEM DOCUMENTS LIST OF LOOKUPS CASE MANAGEMENT CONTACT CENTER MAP SEARCH CONTACT CENTER CASE MANAGEMENT TASKS GUEST INCIDENT REQUEST SERVICE PROBLEM CODES MONITORED DATA CAMPAIGN SHUTDOWNS ASSET INVENTORY FAILURE MODES POPUP GIS MAP SEARCH GIS MAP SEARCH (OLD) VIEW AND/OR SCHEDULE WORK ORDER LABOR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20709	Standard WO	Infor EAM - A prepared work order with predefined activities that can be used to generate a job.	OSJOBS	CREATE WORK ORDER
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSRCMT	RCM TEMPLATES
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			SSPART	PARTS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WSADJU	ADJUSTMENT
			WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPACT	IMPORT ACTIVITIES
			WSSERC	SERVICE CODES
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCCTR	PRINT SERVICE REQUESTS
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZSWOF	STANDARD WORK ORDER FREQUENCY
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCJOB	7I MOBILE BOILER TEXT
			TCJOB	7I MOBILE BOILER TEXT
			WZLWOQ	LIST OF WORK ORDERS
		D7i Extended -- Monitored Data form -- Field Label on Aspect Points tab	WHJOB	PRINT WORK ORDER
			WHJOB	PRINT WORK ORDER
			WHJOV	PRINT WORK ORDER HOSPITALITY
			WHJOV	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20709	Standard WO	D7i Extended -- Monitored Data form -- Field Label on Aspect Points tab	WZJOBQ WZJOVH WZJOVM WZWOSH	PRINT WORK ORDER PRINT WORK ORDER HOSPITALITY PRINT WORK ORDER HEALTHCARE PRINT SHORT WORK ORDER CARDS
47919	Standard WO Cost	EAM-38516:EAM.EQUIP.REQ.CostTypesforAssetClassDe fi	OSOCDE	EQUIPMENT CLASS DEFINITION
47920	Standard WO Cost Currency	EAM-38516:EAM.EQUIP.REQ.CostTypesforAssetClassDe fi	OSOCDE	EQUIPMENT CLASS DEFINITION
44153	Standard WO Desc	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48655	Standard WO Description	EAM-44523	WSJOBS	CREATE WORK ORDER
25051	Standard WO Details	Extended (product name)	WSCPST WSSTWO	COPY STANDARD ORDER POPUP STANDARD WOS
49482	Standard WOs	EAM.WORK.REQ.ActivitiesforWO-ImportActivitiesPop-u	BSLOVS	LIST OF LOOKUPS
29281	Standard Work Order	D7i Extended - List of Inspection Results Report	BZEPOD BZEVTD ITJBRT ITRSLF IYJBRT IYRSLF IZJBRT IZRSLF WHWOSH WSJOBS WYWOSH WZWOSH	ELECTRONIC RECORDS FOR EVENT POINTS ELECTRONIC RECORDS FOR EVENTS Inspection Route Report LIST OF INSPECTION RESULTS Inspection Route Report LIST OF INSPECTION RESULTS Inspection Route Report LIST OF INSPECTION RESULTS PRINT SHORT WORK ORDER CARDS CREATE WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT SHORT WORK ORDER CARDS
24108	Standard Work Orders	Extended (product name). This boiler text will be the lookup title for the Standard WO field on the Service Code Record View tab. Choose Work > Service Codes, and then click the Record View tab.	BSLOVS LVSTWO WSCCON WSCTMP	LIST OF LOOKUPS STANDARD WO LOOKUP CUSTOMER CONTRACTS CONTRACT TEMPLATES
12852	Standard life	The expected maximum usage, expressed in units of measure.	BCMOBL	7I MOBILE BOILER TEXT
12353	Standard work order	A prepared work order with predefined activities that can be used to generate a job.	WCJOBS WCSTAC WCSTWO WTJOB	CROSSBOW WORK ORDER FUNCTION CROSSBOW STWO ACTIVITY CROSSBOW STANDARD WO LIST Job Cards
26618	Standards Used	used in calibration (header in WMJOBS)	OTCAHI OZCAHI WSJOBS WSJOVM WTCALR WZCALR	CALIBRATION HISTORY REPORT CALIBRATION HISTORY REPORT CREATE WORK ORDER CREATE WORK ORDER CALIBRATION RECORD REPORT CALIBRATION RECORD REPORT
18638	Start	Crossbow Numeric value which identifies the date on which the PPM starts, relative to the target date of the PPM job. Start is used as a noun.	TCJCST DSSTSK WSPPMS WSSTWO WYSCHA WZPMSP WZSCHA	7I MOBILE BOILER TEXT DATABRIDGE SCHEDULED TASKS PM SCHEDULES STANDARD WOS Scheduled Activities PM SCHEDULE PROFILE Scheduled Activities

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
18638	Start	Crossbow - Start is used as noun, meaning start of an activity, booked hours, etc	TCJACR	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSDTCV	DATA CONVERSION (MP2)
			OZPROF	EQUIPMENT PROFILE
			WSJOBS	CREATE WORK ORDER
			WSPACT	IMPORT ACTIVITIES
			WSPMP	PM PLANS
			WSVITE	WORK ORDER QUICK ENTRY
			BCMOBL	7I MOBILE BOILER TEXT
24192	Start Activity	Crossbow	TCJACL	7I MOBILE BOILER TEXT
35282	Start Analysis	#28171	BSDTCV	DATA CONVERSION (MP2)
33152	Start Backlog	EWS.CREP.UC.WorkOrderStatistics	WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZWOST	WORK ORDER STATISTICS
41508	Start Billing Period	EAM- 2226 EAM.EQUIP.REQ. Assets	BAL002	PEAK DEMAND
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
21817	Start Center	Infor EAM - name of the screen (after login) where the user begins using the system	LOGIN	LOGON SCREEN
		Infor EAM - menu at the very top of the program to take the user back to the stating page of the application	BANNER	BANNER
46692	Start Center Personalization	EAM-28707 Inbox Users-Add a newtabtoassociateUser	BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BSINBX	INBOX SETUP
45597	Start Center Personalization Setup	EAM.ADMN.REQ.UserGroupsforInboxKPIChart	BSKPIC	DEFINING KPI ENTRIES
			BSGROU	GROUPS
			BSINBX	INBOX SETUP
20811	Start Date	Infor EAM - date on which work is to begin	BSKPIC	DEFINING KPI ENTRIES
			BHDDAN	DEGREE DAY ANALYSIS
			BHVIOL	List Of Violations
			BSMPWR	MP2 WORK REQUESTS
			BSORGS	ORGANIZATIONS
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSREPT	REPORT PARAMETERS
			BSRPTG	GENERIC REPORT PARAMETERS
			BTVIOL	List Of Violations

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20811	Start Date	Infor EAM - date on which work is to begin	BYDDAN	DEGREE DAY ANALYSIS
			BYDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BYTMPR	LIST OF TAMPERED RECORDS
			BYVIOL	List Of Violations
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCH	DEGREE DAYS VS ENERGY CONSUMPTION_HOSPITALITY
			BZDDCN	DEGREE DAYS VS. ENERGY CONSUMPTION
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZTMPR	LIST OF TAMPERED RECORDS
			BZVIOL	List Of Violations
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			CSBBNT	BULLETIN BOARD NOTICES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CTCONL	Overview Existing Contracts
			CYCCTR	CALL CENTER WO REPORT
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZISGH	INCIDENT SUMMARY GRAPH
			CZTCCR	TOP 10 SERVICE REQUESTS
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZJOBL	LIST OF JOBS FOR PROJECT
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OHEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OHTTEC	TOP 10 EQUIPMENT COST
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAPMS	APM SCENARIO
			OSCHNO	CHANGE NOTICES
			OSDPDT	DEPRECIATION DETAILS
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20811	Start Date	Infor EAM - date on which work is to begin	OSENSR	ENERGY STAR DATE RANGE POPUP FOR GET RATINGS
			OSEQUO	UNITS OF OUTPUT
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OTCAHI	CALIBRATION HISTORY REPORT
			OTMHST	METER HISTORY
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OYGIAN	GAS INDEX ANALYSIS
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCLAI	WARRANTY CLAIM REPORT
			OZCORD	CO2 ANALYSIS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			OZEGHG	CO2E EMISSIONS BY GREENHOUSE GAS
			OZEQPL	EQUIPMENT PLANNING
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZESRC	ENERGY STAR RATINGS CHART
			OZFLTG	Fault Trend Analysis
			OZGIAH	GAS INDEX ANALYSIS_HOSPITALITY
			OZGIAN	GAS INDEX ANALYSIS
			OZJMFL	Mean Time Between Failures Per Fault
			OZKEYT	KEY TRANSACTIONS
			OZMHST	METER HISTORY
			OZMNBK	MOBILE NOTEBOOK
			OZOEEM	OEE METRICS
			OZONCF	NONCONFORMITIES ANALYSIS
			OZRHIS	RANKING HISTORY CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20811	Start Date	Infor EAM - date on which work is to begin	OZTACR	TEMPERATURE ANALYSIS CHART
			OZTBRK	TOP 10 BREAKDOWN
			OZTCCR	TOP 25 CALL CENTER REQUESTS
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PHHISL	Purchase History
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPROM	PURCHASING CONTRACT TEXT
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZHISL	Purchase History
			PZINVL	List Of Invoices Not Yet Approved
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZRFAQS	REQUEST FOR QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			SHREQF	Print Purchase Requisition
			SSCURR	CURRENCIES
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETN	LIST OF RETURNS
			SYTRAL	Printed List Of Stock Transactions
			SZREQF	Print Purchase Requisition
			SZRETN	LIST OF RETURNS
			SZSOUT	PART STOCKOUTS
			SZSTD	Stocktake Discrepancy
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
			USCLBP	CALCULATE BUDGET POPUP
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WHJOB	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20811	Start Date	Infor EAM - date on which work is to begin	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWEMP	WORK BY EMPLOYEE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSAVAC	CALCULATE AVAILABILITY
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCREW	CREW
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSFBLC	FLEET BILLING CODES
			WSFMRK	FLEET MARKUP CODES
			WSINVP	GENERATE INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
			WSMPAT	MAINTENANCE PATTERNS
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSPPMS	PM SCHEDULES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSRVCS	REVISION CONTROL SETUP
			WSSHIF	SHIFTS
			WSSTCR	STANDARD CREWS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERL	List Of Permit Issues
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WTSPER	Shift Personnel
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYHRIL	HOURS NEEDED FOR TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20811	Start Date	Infor EAM - date on which work is to begin	WYJOBF	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSPER	Shift Personnel
			WYVBIL	VEHICLE BILLING REPORT
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WZHREL	Actual Labour Hours Against Estimated
			WZHRIL	HOURS NEEDED FOR TASKS
			WZIRCA	SERVICE REQUESTS BY SERVICE CATEGORY
			WZIRMC	SERVICE REQUESTS BY DEPARTMENT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRSC	SERVICE REQUESTS BY SERVICE CODE
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZIRTR	TOTAL SERVICE REQUEST
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZJOB	PRINT WORK ORDER
			WZJOB	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLMWO	LIST OF MAINTENANCE WO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
20811	Start Date	Infor EAM - date on which work is to begin	WZLWOQ	LIST OF WORK ORDERS	
			WZMATL	MATERIAL REQUIREMENT ANALYSIS	
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT	
			WZOSRQ	OPEN SERVICE REQUESTS	
			WZPERL	List Of Permit Issues	
			WZPFMC	FUTURE MAINTENANCE COST	
			WZPMCC	PM REPAIR COSTS CHART	
			WZPMCP	PM COMPLAINEE	
			WZPMTL	OUT OF TOLERANCE PM	
			WZQEXP	QUALIFICATION EXPIRATION REPORT	
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY	
			WZRTBD	RESPONSE TIME BY DEPARTMENT	
			WZSJOB	SAFETY WORK ORDER REPORT	
			WZSPER	Shift Personnel	
			WZSRQL	SERVICE REQUESTS LIST	
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS	
			WZSRQS	SERVICE REQUESTS BY STATUS	
			WZSRQT	SERVICE REQUESTS BY TYPE	
			WZSRRR	SAFETY REVIEW REQUIRED REPORT	
			WZSRSC	SERVICE REQUEST BY SERVICE CODE	
			WZSWOF	STANDARD WORK ORDER FREQUENCY	
			WZTSRQ	TOTAL SERVICE REQUESTS	
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL	
			WZVBIL	VEHICLE BILLING REPORT	
			WZVMRS	VMRS ACTIVITIES CHART	
			WZVRHS	VEHICLE RENTAL HISTORY	
			WZVTKT	VEHICLE TICKET REPORT	
			WZWEMP	WORK BY EMPLOYEE	
			WZWPMC	FUTURE MAINTENANCE COSTS	
			WZWOLM	WORK ORDER LIST - DETAIL	
			WZWORL	LIST OF WORK ORDERS	
			WZWOSH	PRINT SHORT WORK ORDER CARDS	
			Crossbow	BCMOBL	7I MOBILE BOILER TEXT
				TCJACL	7I MOBILE BOILER TEXT
43148	Start Date Basis	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY	
29877	Start Date and End Date must be the same.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT	
44154	Start Date must be equal to or occur before the Current System Date.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT	
24715	Start Date must be equal to or occur before the current system date.	Crossbow	TCJCLR	7I MOBILE BOILER TEXT	
31217	Start Date must be the same as or later than the Date Reported.		TCJCLR	7I MOBILE BOILER TEXT	
31712	Start Date of Near Window	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS	
31713	Start Date of Release Window	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS	
43247	Start Date/Time	EAM.WORK.REQ.OperatorChecklist(Requestor)	OSHPHY	CREATE HOSPITALITY FACILITIES	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
43247	Start Date/Time	EAM.WORK.REQ.OperatorChecklist(Requestor)	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
41647	Start Day	EAM-2416	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZPRDC	RELIABILITY CALCULATIONS
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			BCMOBL	7I MOBILE BOILER TEXT
44278	Start Face Time	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
43656	Start Job	EAM.WORK.REQ.MechanicWorkbench	WSMECH	MECHANIC'S WORKBENCH
34904	Start Job at Activation Time	EWS.DBPARTNER.UC.ScheduleTimePopupforDatabridge Par	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
35281	Start Over	#28171	BSDTCV	DATA CONVERSION (MP2)
37228	Start PM Forecasting	32141	WSPMPL	PM FORECASTING
49523	Start Planning	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP	INVESTMENT PLANNING
35450	Start Position	#28171	BSDTCV	DATA CONVERSION (MP2)
37499	Start Reading	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES
39167	Start Scheduling	EAM.WORK.UC.EquipmentPreviewforWOLaborScheduling	WSWLSH	WO LABOR SCHEDULING
21032	Start Time	Infor EAM Start time. Used for hour bookings.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WHJOBf	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21032	Start Time	Infor EAM Start time. Used for hour bookings.	WSQCWO	QUICK CLOSE WORK ORDER
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWOBU	BATCH WORK ORDER UPDATE
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZERRF	EXPIRED WARRANTIES
			WZJOBF	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
		Data Warehouse. A timestamp indicating the date/time the data warehouse process started. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
37445	Start Time and End Time should be on the same day when booking hours to all equipment.	21810 - Multipe Equipment Work Order	TCJBKL	7I MOBILE BOILER TEXT
40806	Start a bulleted list.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40807	Start a numbered list.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12155	Start date		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BTTMPR	LIST OF TAMPERED RECORDS
			BZDOCL	List Of Documents
			CMPROM	Contract Text Prompts
			OCWARR	CROSSBOW WARRANTY LIST
			OTCSTL	WORK ORDER COST SUMMARY
			STTRAL	Printed List Of Stock Transactions
			WCACTJ	CROSSBOW ACTIVITY LIST
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCSTAC	CROSSBOW STWO ACTIVITY
			WTJOBF	Job Cards
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WTJOBF	Job Cards
38080	Start/Stop WO Activity	EWS.WORK.UC.WorkOrderQuickEntry/34495	WSVITE	WORK ORDER QUICK ENTRY
29440	Started	D7i Extended - Date/time the process was started	BSRPST	REPORT STATUS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CZCASE	CASE MANAGEMENT REPORT
			WSMECH	MECHANIC'S WORKBENCH
29725	Starting	D7i Extended - Calibration Record Report	OZCLAI	WARRANTY CLAIM REPORT
			WHCOSL	Job Cost Summary Report
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29725	Starting	D7i Extended - Calibration Record Report	WYCOSL	Job Cost Summary Report
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBHRW	WEEKLY BOOKED HOURS BY DEPARTMENT
			WZCALR	CALIBRATION RECORD REPORT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZTOCO	TOOL USAGE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			USINVP	INVESTMENT PLANNING
49510	Starting Budget	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	BSSPMR	MP2 SPM READINGS
35880	Starting Date	EWS.ADMN.UC.MP2SPMReadings	BSWHSE	DATA WAREHOUSE
28923	Starting Dates	Data warehouse Dimension table name.	BSUOMS	UOM SETUP
40537	Starting Meter Value	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WZCCON	PRINT CUSTOMER CONTRACT
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
42959	Starting Sequence	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
21166	Starting Usage	Infor EAM - The usage for which the warranty period starts. Usage (utilization) of a piece of equipment.	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			ISPCOP	COPY ASPECT POINTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
28833	Starting Value	D7i Extended -- Monitored Data form -- Popup on Points tab, Field label, noun	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			ISPCOP	COPY ASPECT POINTS
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28833	Starting Value	D7i Extended -- Monitored Data form -- Popup on Points tab, Field label, noun	OSOVPM	CREATE POSITION EQUIPMENT
49229	Starting X Coordinate	EAM-48071	OSOVSM	CREATE SYSTEM EQUIPMENT
			WSCREW	CREW
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
49230	Starting Y Coordinate	EAM-48071	WSCREW	CREW
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSLLDT	LINEAR LOCATION DETAILS POPUP
45938	Starting at	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	WSTCRT	LINEAR EQUIPMENT TRACE
			OCWARR	CROSSBOW WARRANTY LIST
12837	Starting usage	The usage for which the warranty period starts. Usage (utilization) of an object.		
20309	Starts With	Infor EAM - this is an operator, i.e., a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID Begins with...some value.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			DSTRAN	DATABRIDGE TRANSACTIONS
27809	Startup Action	D7i Extended - Screens form	BSEXIM	EXPORT CONFIGURATION
42608	Startup View	EAM.ADMN.REQ.CreatEditScreens	BSFUNC	CREATE UPDATE SCREENS
			BSEXIM	EXPORT CONFIGURATION
15343	State	Object State (as in good, defective, etc)	BSFUNC	CREATE UPDATE SCREENS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSEMPs	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZCCTR	PRINT SERVICE REQUESTS
			WZGDPC	GDPR COMPLIANCE - CONTACT
		Part of address (BPADRS).	BSADRS	ADDRESSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15343	State	Part of address (BPADRS).	BSDELA	Delivery addresses
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
48207	State 1	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48216	State 10	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48208	State 2	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48209	State 3	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48210	State 4	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48211	State 5	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48212	State 6	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48213	State 7	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48214	State 8	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
48215	State 9	EAM.EQUIP.REQ.CurvePointsforDecayCurve	OSDCUR	DECAY CURVE
38049	State Code	Code of Object State (as in good, defective, etc)	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
44688	State/Province	EAM-14710 ENX/EPM screens in EAM	ESGSET	GENERAL SETTINGS
15249	Statement		BSGDPR	GDPR ADMINISTRATION
			ISFOMP	EDIT PARAMETER POP-UP
			ISFORM	FORMULAS
40876	Statement of Conditions		EAM.EQUIP.REQ.AssetHealthcare.docx	BZEQDL
		BZEVTD		ELECTRONIC RECORDS FOR EVENTS
		BZOBJD		ELECTRONIC RECORDS FOR EQUIPMENTS
		OSOBJA		CREATE ASSET EQUIPMENT
		OSOBJP		CREATE POSITION EQUIPMENT
		OSOBJS		CREATE SYSTEM EQUIPMENT
		OSOVAM		CREATE HEALTHCARE ASSET EQUIPMENT
		OSOVPM		CREATE POSITION EQUIPMENT
		OSOVSM		CREATE SYSTEM EQUIPMENT
		WHJOVM		PRINT WORK ORDER HEALTHCARE
		WSJOBS		CREATE WORK ORDER
		WSJOVM		CREATE WORK ORDER
		WSOPSS		OPTIMIZED SCHEDULER SETUP
		WZJOVM		PRINT WORK ORDER HEALTHCARE
		WZWOLM		WORK ORDER LIST - DETAIL
46909	Stationing (major)	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
46910	Stationing (minor)	Mobile Notebook	BCMOBL	7I MOBILE BOILER TEXT
			OSMNBK	NOTEBOOK
			OZMNBK	MOBILE NOTEBOOK
12138	Status		BAL011	WORK ORDER STATUS ESCALATION
			BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BHSIGN	LIST OF ELECTRONIC RECORDS
			BHUCOL	List Of R5 Codes
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSASET	ASSET SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSEREC	ELECTRONIC RECORD SETUP
			BSESIG	ERECORDS LIST
			BSEXAL	EXPORT BASE CONFIGURATION
			BSGDPR	GDPR ADMINISTRATION
			BSLOVS	LIST OF LOOKUPS
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMATS	VIEW TRIGGER STATUS
			BSPSET	PURCHASING SETUP
			BSRPST	REPORT STATUS
			BSSRES	STATUS REQUIREMENT SETTINGS POPUP
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BSTRGP	VIEW TRIGGER STATUS POP UP
			BSVSDP	VIEW STATUS DETAILS POPUP
			BSWSET	WORK SETUP
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BTTMPR	LIST OF TAMPERED RECORDS
			BTUCOL	List Of R5 Codes
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BYUCOL	List Of R5 Codes
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZOSRQ	OPEN SERVICE REQUESTS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTMPR	LIST OF TAMPERED RECORDS
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZUCOL	List Of R5 Codes
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			CTCONL	Overview Existing Contracts
			CYCCTR	CALL CENTER WO REPORT
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZISGH	INCIDENT SUMMARY GRAPH
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
			DSMSGs	VIEW MESSAGE STATUS
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSSTSK	DATABRIDGE SCHEDULED TASKS
			DSTRAN	DATABRIDGE TRANSACTIONS
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			FCSCRN	FLAMETHROWER SCREENS
			JCPROJ	CROSSBOW PROJ LIST
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			JSPROJ	PROJECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		JYACOS	PROJECT AREA COST SUMMARY
			JZACOS	PROJECT AREA COST SUMMARY
			JZJOBL	LIST OF JOBS FOR PROJECT
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OHTTEC	TOP 10 EQUIPMENT COST
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCNAP	CREATE NEW ASSETS
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSENSM	ENERGY STAR MESSAGE VIEWER
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVCST	COSTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		OSVEVT	EVENTS FOR EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OTCAEQ	CALIBRATION EQUIPMENT
			OTMHST	METER HISTORY
			OTOBJL	List Of Objects
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZMHST	METER HISTORY
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPAIL	PRINT ASSET INVENTORY LIST
			OZPROF	EQUIPMENT PROFILE
			OZRCME	RCM EQUIPMENT AT RISK
			OZRING	RING LIST-DETAIL
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PHHISL	Purchase History
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPOUP	PO UPDATE
			PSRFQR	QUOTATIONS
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZHISL	Purchase History
			PZINVL	List Of Invoices Not Yet Approved
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			QZQUOL	PRINT LIST OF QUOTATION
			SHREQF	Print Purchase Requisition

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSCOMP	NON-PO RECEIPTS
			SSGRFQ	GENERATE RFQS
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			STPICK	Pick List Print
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			STRETF	Print Goods Return Note
			SYHISL	Purchase History Per Item/Supplier
			SYPICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SYRETF	PRINT GOODS RETURN NOTE
			SYSTDL	Stocktake Discrepancy
			SZHISL	Purchase History Per Item/Supplier
			SZPICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			SZRETF	Print Goods Return Note
			SZSTDL	Stocktake Discrepancy
			TSPROF	PROFILES
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			UYBANA	BUDGET ANALYSES
			UYBUML	LIST OF BUDGETS (TOP LEVEL)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		UZBANA	BUDGET ANALYSES
			UZBUML	LIST OF BUDGETS (TOP LEVEL)
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCTASK	CROSSBOW TASK LIST
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOBF	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSAGRS	CUSTOMER CONTRACTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSDEBS	CREATE CUSTOMER
			WSDFAC	DEFERRED MAINTENANCE
			WSEMPs	EMPLOYEES
			WSFLTK	FLEET VEHICLE TICKETS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGISD	MAP VIEW
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMs	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPROJ	CREATE PROJECT POPUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSERQ	CREATE SERVICE REQUESTS
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSREQ	SERVICE REQUESTS
			WSVCSR	CUSTOMER SERVICE REQUEST
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WTJOBL	Labour Hours For Jobs
			WTPERL	List Of Permit Issues
			WTVTKT	VEHICLE TICKET REPORT
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOBf	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12138	Status		WZCCON	PRINT CUSTOMER CONTRACT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZCTRC	SERVICE REQUESTS CHART
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
			WZINVS	CUSTOMER INVOICE REPORT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZOSRQ	OPEN SERVICE REQUESTS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPERL	List Of Permit Issues
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZPMCC	PM REPAIR COSTS CHART
			WZPMCP	PM COMPLAINT
			WZPMTL	OUT OF TOLERANCE PM
			WZPTWR	PRINT PERMIT TO WORK
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZSRSC	SERVICE REQUEST BY SERVICE CODE
			WZTSRQ	TOTAL SERVICE REQUESTS
			WZVMRS	VMRS ACTIVITIES CHART
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
			WZWEMP	WORK BY EMPLOYEE
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSGLRF	GL REFERENCES
		Crossbow	OZNCFL	LIST OF NONCONFORMITIES
			TCIWOL	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT

Page 1,222

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29601	Status Code	Data warehouse.	WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOBU	BATCH WORK ORDER UPDATE
46987	Status Date	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
46528	Status Dependencies	EAM-27706: EAM.EQUIP.REQ.StatusDependenciesForNonc	OSNCSP	NONCONFORMITIESSETUP
24218	Status Description	D7i Extended - Column label for Status Description in eRecord listview	BSESIG	ERECORDS LIST
			BSWHSE	DATA WAREHOUSE
			OZEQPL	EQUIPMENT PLANNING
34293	Status Details	EWS.ADMN.UC.WorkSetup	BSASET	ASSET SETUP
			BSPSET	PURCHASING SETUP
			BSSRES	STATUS REQUIREMENT SETTINGS POPUP
			BSVSDP	VIEW STATUS DETAILS POPUP
			BSWSET	WORK SETUP
29509	Status Entities	Extended (product name)	BSWHSE	DATA WAREHOUSE
37136	Status Entity	31844	BSWHSE	DATA WAREHOUSE
44454	Status Icon	EAM-14786	WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33231	Status Message	15880	BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			DSMSGGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGGS	VIEW MESSAGE STATUS
49055	Status Requirement Settings	EAM-46298/EAM.ADMN.REQ.AssociateCustomFields	BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSSRES	STATUS REQUIREMENT SETTINGS POPUP
29602	Status System Code	Data warehouse.	BSWHSE	DATA WAREHOUSE
29603	Status System Description	Data warehouse.	BSWHSE	DATA WAREHOUSE
43975	Status Trigger	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	CSCSUR	CUSTOMER SURVEYS
29559	Status daily snapshot	Data warehouse. Status daily snapshot.	ASOPAL	STATUS DAILY SNAPSHOT
			BSWHSE	DATA WAREHOUSE
29571	Status direction	Data warehouse.	BSWHSE	DATA WAREHOUSE
47621	Status is updated	EAM-12521 EAM.ADMN.REQ.eRecordsSetup	BSEREC	ELECTRONIC RECORD SETUP
25507	Statuses	D7i Extended - User Codes form	BSLOVS	LIST OF LOOKUPS
			BSUCOD	SYSTEM CODES
27598	Std	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
35881	Std. Deviation	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
23996	Std. Response Time	Infor EAM - standard response time - see 20075 for current translation	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERC	SERVICE CODES
			WSSREQ	SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24866	StdWO	Crossbow - Standard Work Order	TCIWIR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
17118	Step	Used for child work orders...identifies the order in which the child work order is to be completed.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
		Data Warehouse. A step in the data warehouse process. Refer to PVCS 1647.	CZCASE	CASE MANAGEMENT REPORT
			BSDWRL	DATA WAREHOUSE RUN LOG
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			WSSTWO	STANDARD WOS
47319	Step Number	EAM-33958	BCMOBL	7I MOBILE BOILER TEXT
		EAM.WORK.REQ.LOTOForPermitToWork.docx	WSPMTW	PERMIT TO WORK
48417	Step Number must be an integer in a range of 1 to 999999.	EAM-37176	BCMOBL	7I MOBILE BOILER TEXT
12139	Still missing	Not yet received.	STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
48218	Stochastic Modelling	EAM.EQUIP.REQ.DecayCurve	OSDCUR	DECAY CURVE
13285	Stock	All parts kept in a store at a specific (bin)-location.	FCGRD1	FLAMETHROWER GRID 1
			SSSTOR	STORES
			STSTOL	Stock List
			SYSTOL	Stock List
			SZSTOL	Stock List
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPPMS	PM SCHEDULES
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
		Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
30533	Stock At/Below Minimum Level	D7i Extended - List of Stock report	SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
41201	Stock At/Below Reorder Level	EAM.CREP.REQ.ListOfStock	SZLOWL	Overview Of Stock
30532	Stock Below Reorder Level	D7i Extended - List of Stock report	SYLOWL	Overview Of Stock
			SZLOWL	Overview Of Stock
20851	Stock Class	Infor EAM - classification code of the stock	SSEOQA	CALCULATE EOQ
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSSTOR	STORES
			STSTOL	Stock List
			SYEOQA	EOQ Analysis
			SYSTOL	Stock List
			SYUSAL	Average Monthly Usage Analysis

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20851	Stock Class	Infor EAM - classification code of the stock	SZEOQA SZSTOL SZUSAL	EOQ Analysis Stock List Average Monthly Usage Analysis
30946	Stock Classes	D7i Extended - Stock Value Listing by Part Type report	BSLOVS	LIST OF LOOKUPS
35063	Stock Cost	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
20847	Stock Date	Infor EAM - the date on which the stock was physically counted	SSPART SSSTOR	PARTS STORES
21044	Stock Details	Infor EAM - Group header for stock information relating to a part	SSPART	PARTS
33612	Stock In Transit	15467	SSSTOR	STORES
24014	Stock Info	Infor EAM - link button on the Parts Associated tab that will display a popu[with stock information pertaining to the current part record	BSPARA BSPAST	PART ASSOCIATED (NO CATEGORY) GRID STOCK INFO POPUP IN PART ASSOCIATED
49783	Stock Initialization	EAM-52342-EAM.MATL.REQ.TransactionsforPart.doc	SSPART	PARTS
12140	Stock Items	Parts that are kept in store.	JSPROJ JYCODL JZCODL JZCOSL OHTTEC OSCLAI OZCLAI OZTTEC OZWRCC WHCOSL WHINVS WSCJOB WSJOBS WSJOVH WSJOVM WSPROJ WYCOSL WYINVS WZCOSH WZCOSL WZCSTD WZINVS WZPMCC WSJBPL WSPPMS WSSTWO WSTASK OSWARR WSARRS	PROJECTS PROJECT COST BREAK DOWN PROJECT COST BREAK DOWN PROJECT COST SUMMARY TOP 10 EQUIPMENT COST WARRANTY CLAIMS WARRANTY CLAIM REPORT TOP 10 EQUIPMENT COST WORK ORDER REPAIR COSTS CHART Job Cost Summary Report CUSTOMER INVOICE REPORT APPROVE CUSTOMER CHARGES CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER CREATE PROJECT POPUP Job Cost Summary Report CUSTOMER INVOICE REPORT WO COST LIST_HOSPITALITY Job Cost Summary Report COST SUMMARY BY TRANSACTION DATE CUSTOMER INVOICE REPORT PM REPAIR COSTS CHART JOB PLANS PM SCHEDULES STANDARD WOS TASKS WARRANTY PRICING SCHEDULE
25956	Stock Items %	Infor EAM. Indicates the percentage of the warranty claim related to the cost of stocked materials. Refer to SCR 5601.	OSWARR WSARRS	WARRANTY PRICING SCHEDULE
30215	Stock Items Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
44422	Stock Level		BSINSS	INSTALL PARAMETER SETUP
16131	Stock Materials	This is the summary of the stock material cost.	OZHISL	Object History
27028	Stock Method	Extended (product name)	BSLOVS	LIST OF LOOKUPS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27028	Stock Method	Extended (product name)	SSPART SSSTOR SYINST SZINST	PARTS STORES INVENTORY STANDARD INVENTORY STANDARD
31714	Stock Price	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRLD SSPTPD	ELECTRONIC RECORDS FOR TRANSACTION LINES PART DETAILS POPUP
44155	Stock Qty	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
30535	Stock Quantity	D7i Extended - List of Stock report	SSPART SYLOWL SZLOWL WZMATL	PARTS Overview Of Stock Overview Of Stock MATERIAL REQUIREMENT ANALYSIS
30534	Stock Requiring New Order	D7i Extended - List of Stock report	SYLOWL SZLOWL	Overview Of Stock Overview Of Stock
30562	Stock Requisitions	D7i Extended - Work Order Cards report	WHJOB WHWOSH WYJOB WYWOSH WZJOB WZWOSH	PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS
30561	Stock Reservations are in Store:	D7i Extended - Work Order Cards report	WHJOB WHWOSH WYJOB WYWOSH WZJOB WZWOSH	PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS PRINT WORK ORDER PRINT SHORT WORK ORDER CARDS
33094	Stock Transactions	EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
21389	Stock Value	The value of the parts in store.	SSPART SYPOLD SZPOLD	PARTS Part-Wise History Of Stock Issuals Part-Wise History Of Stock Issuals
12205	Stock at/below minimum level		STLOWL	Overview Of Stock
12518	Stock below reorder level		STLOWL	Overview Of Stock
12387	Stock quantity		STLOWL	Overview Of Stock
12519	Stock requiring new order		STLOWL	Overview Of Stock
12141	Stock requisitions	Requisition for spare parts that are kept in store.	WTJOB	Job Cards
12142	Stock reservations are in store:	A reservation indicates that a certain part is required on a certain date for a certain activity. Stock reservations have been made in the following store.	WTJOB	Job Cards
12143	Stock value	The value of the parts in store.	STPOLD	Part-Wise History Of Stock Issuals
36243	Stockout Details	29217	SSSTOP SSSTOR SSSTOU	RECORD STOCKOUT POPUP STORES PURGE STOCKOUTS
36405	Stockout Qty.	EWS.MATL.UC.RecordStockoutsPopup.doc-30680	SSSTOP	RECORD STOCKOUT POPUP
13452	Stockouts	Occurrence of zero items stocked.	SESOUS SSSTOR	STOCK OUT FOR STORES WEBSERVICE STORES
12137	Stocktake	A stores activity, often done yearly: going around the store and actually counting the available stock.	SSPINV STSTD STSTL	PHYSICAL INVENTORY Stocktake Discrepancy PRINT STOCKTAKE LIST
		Crossbow. Stocktakes are related to physical inventory.	TCESYP	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12137	Stocktake	Refer to Datstream 7i documentation.	TCMSTL	7I MOBILE BOILER TEXT
29274	Stocktake Date	D7i Extended - Create Stocktake List Report	STSTTL	PRINT STOCKTAKE LIST
			SYSTTL	PRINT STOCKTAKE LIST
			SZSTTL	PRINT STOCKTAKE LIST
25415	Stocktakes	Crossbow. Stocktakes are related to physical inventory. Refer to Infor EAM documentation.	TCMSTL	7I MOBILE BOILER TEXT
		Create stocktake list report	BSLOVS	LIST OF LOOKUPS
21002	Stop	Infor EAM - button to stop the dataBridge services	DSSTSK	DATABRIDGE SCHEDULED TASKS
		EWS.BASE.UC.Archive.doc	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSDTCV	DATA CONVERSION (MP2)
			WSJOBS	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
24197	Stop Activity	Crossbow	BCMOBL	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT
43657	Stop Job	EAM.WORK.REQ.MechanicWorkbench	BCMOBL	7I MOBILE BOILER TEXT
			WSMECH	MECHANIC'S WORKBENCH
45721	Stop tracking location	EAM.GIS.REQ.GISMapSearch.doc/EAM-20159	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12131	Store	A central location where (spare) parts are kept on stock.	BCMRCS	CROSSBOW DEPARTMENT LIST
			BSDOCA	DOCUMENTS
			BSGROU	GROUPS
			BSPAAP	ALTERNATE PART POPUP IN PART ASSOCIATED
			BSPAST	STOCK INFO POPUP IN PART ASSOCIATED
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZ0BJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZ0RDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZQU0D	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRL0	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CTCONL	Overview Existing Contracts
			CYCONF	Print Contract
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZCONF	Print Contract
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			DSPTNR	CREATE PARTNER
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPROJ	PROJECTS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12131	Store	A central location where (spare) parts are kept on stock.	LVPART	DUMMY FUNCTION FOR R5F10
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCNAP	CREATE NEW ASSETS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			OZHISL	Object History
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSOBJS	ASSETS FOR PO
			PSORDP	CREATE COMPLETE PO
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFGP	GENERATE POS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSRFRG	GENERATE REQS FOR RFQS
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PYPOCS	PO COST SUMMARY
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZPOCS	PO COST SUMMARY
			QZQUOL	PRINT LIST OF QUOTATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12131	Store	A central location where (spare) parts are kept on stock.	SCSTOR	CROSSBOW STORE LIST
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSABCA	GENERATE ABC ANALYSIS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSCOMP	NON-PO RECEIPTS
			SSEOQA	CALCULATE EOQ
			SSGRFQ	GENERATE RFQS
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSU	Stock Issues
			SSLOTS	LOTS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPRES	PART RESERVATIONS
			SSPTPD	PART DETAILS POPUP
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOP	RECORD STOCKOUT POPUP
			SSSTOR	STORES
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			STLOWL	Overview Of Stock
			STPICK	Pick List Print
			STPOLD	Part-Wise History Of Stock Issuals
			STSTD	Stocktake Discrepancy
			STSTOL	Stock List
			STSTTL	PRINT STOCKTAKE LIST
			SYABCA	ABC Analysis
			SYCONS	Consignment Activity
			SYINST	INVENTORY STANDARD
			SYLOWL	Overview Of Stock
			SYPIK	Pick List Print
			SYPIOLD	Part-Wise History Of Stock Issuals
			SYRESL	Parts Currently Reserved/Allocated
			SYRETN	LIST OF RETURNS
			SYSTD	Stocktake Discrepancy
			SYSTOL	Stock List
			SYSTTL	PRINT STOCKTAKE LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12131	Store	A central location where (spare) parts are kept on stock.	SYUSAL	Average Monthly Usage Analysis
			SYUSTL	MONTHLY USAGE TRENDS
			SZABCA	ABC Analysis
			SZBUKT	PRINT BUILD LIST
			SZCONS	Consignment Activity
			SZEKIT	LIST OF EXPIRED KITS
			SZINST	INVENTORY STANDARD
			SZLKIT	LIST OF KITS
			SZLOWL	Overview Of Stock
			SZMMPU	MONTHLY PART USAGE
			SZPICK	Pick List Print
			SZPOLD	Part-Wise History Of Stock Issuals
			SZRESL	Parts Currently Reserved/Allocated
			SZRETN	LIST OF RETURNS
			SZSOUT	PART STOCKOUTS
			SZSTD	Stocktake Discrepancy
			SZSTOL	Stock List
			SZSTTL	PRINT STOCKTAKE LIST
			SZTKIT	KIT TEMPLATE
			SZUSAL	Average Monthly Usage Analysis
			SZUSTL	MONTHLY USAGE TRENDS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAARD	ASSET REPAIR DETAILS
			WSASRD	ASSIGN REPAIR DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSBWOG	GENERATE/RELEASE WOS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMP	EMPLOYEES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPLPA	PLANNED PART AVAILABILITY
			WSPPMS	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
12131	Store	A central location where (spare) parts are kept on stock.	WSSREQ	SERVICE REQUESTS			
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST			
			WSSTWO	STANDARD WOS			
			WSTASK	TASKS			
			WSTOOL	TOOLS			
			WSVITE	WORK ORDER QUICK ENTRY			
			WTJOB	Job Cards			
			WYJOB	PRINT WORK ORDER			
			WYWOSH	PRINT SHORT WORK ORDER CARDS			
			WZJOB	PRINT WORK ORDER			
			WZMATL	MATERIAL REQUIREMENT ANALYSIS			
			WZWOSH	PRINT SHORT WORK ORDER CARDS			
		Crossbow. A central location where (spare) parts are kept on stock.	BCMOBL	7I MOBILE BOILER TEXT			
			TCESYP	7I MOBILE BOILER TEXT			
			TCMPHL	7I MOBILE BOILER TEXT			
			TCMRTL	7I MOBILE BOILER TEXT			
			TCMRTP	7I MOBILE BOILER TEXT			
			TCMSTL	7I MOBILE BOILER TEXT			
			TCOBLR	7I MOBILE BOILER TEXT			
			40406	Store Bin	EAM.MATL.UC.BreakupKit.doc	SSBRKT	BREAKUP KIT
SZPRSL	PRINT RESTOCK LIST						
23244	Store Class Code	Infor EAM	BSWHSE	DATA WAREHOUSE			
23245	Store Class Description		BSWHSE	DATA WAREHOUSE			
23749	Store Class Organization Code		BSWHSE	DATA WAREHOUSE			
23242	Store Code		BCMOBL	7I MOBILE BOILER TEXT			
			BSWHSE	DATA WAREHOUSE			
23243	Store Description	19828	BUYSTR	BUY STORE CODE GRID BOT FUNCTION			
			BSWHSE	DATA WAREHOUSE			
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP			
			SSASGN	GENERATE POS			
			SSBUKT	BUILD KITS			
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP			
			SSPACK	PACKAGES SCREEN			
			SSPART	PARTS			
			SSREQS	CREATE PURCHASE REQUISITION			
			SZBUKT	PRINT BUILD LIST			
			18118	Store Details	Group header on SMSTOR	SSSTOR	STORES
						WSPLPA	PLANNED PART AVAILABILITY
33930	Store Filter	EWS.MATL.UC.PartDetailsPopup / 21540	SSPTPD	PART DETAILS POPUP			
36242	Store Group	28889	BSDOCA	DOCUMENTS			
			SSPRCC	STORE GROUPS			
			SSSTOR	STORES			
36241	Store Group Details	28889	SSPRCC	STORE GROUPS			
36478	Store Groups	EWS.MATL.UC.TransferFeesForStoreGroups	BSLOVS	LIST OF LOOKUPS			
23246	Store Location Code	Infor EAM - identifies the organization of the store on the Stores tab of the Parts form.	BSWHSE	DATA WAREHOUSE			
23247	Store Location Description		BSWHSE	DATA WAREHOUSE			
21045	Store Org.		PSPORD	PURCHASE ORDERS			
			SSABCA	GENERATE ABC ANALYSIS			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21045	Store Org.	Infor EAM - identifies the organization of the store on the Stores tab of the Parts form.	SSEOQA SSPACK SSPART SSPINV SSRCVI SSREQU SSSTOR SSSUPP WSBWOG WSJOBS WSJOVH WSJOVM WSURCR	CALCULATE EOQ PACKAGES SCREEN PARTS PHYSICAL INVENTORY INTERNAL REPAIR RECEIPTS REQUISITIONS STORES SUPPLIERS GENERATE/RELEASE WOS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER UNRETURNED CORES
34037	Store Organization	19828	BUYSTR	BUY STORE CODE GRID BOT FUNCTION
24128	Store Qty.	Extended (product name). Materials module.	SSPART SSPICK SSSUBP	PARTS PICK TICKETS SUBSTITUTE PART POP UP
36421	Store Security	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
36431	Store Security Details	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
31930	Store Value Issued to WO (Default Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
31934	Store Value Issued to WO (Organization Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
31931	Store Value Returned from WO (Default Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
31935	Store Value Returned from WO (Organization Currency)	Refer to SCR 11615.	BSWHSE	DATA WAREHOUSE
15206	Store list layout		M1	Pull-Down Menu Texts
31715	Store-To-Store From	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
31716	Store-To-Store To	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
34800	Store-to-Store	27043	SSREQF	GENERATE REQS
31246	Store-to-Store Issue	D7i Extended. A 'Store-to-Store Issue' is a transaction by which materials are transferred between different stores within an organization.	BSDOCA SSIUSS	DOCUMENTS STORE TO STORE ISSUES
31251	Store-to-Store Issue Details	D7i Extended. Block header for the Store-to-Store Issues form.	SSIUSS	STORE TO STORE ISSUES
36423	Store-to-Store Issues (From Store)	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
31302	Store-to-Store Receipt	D7i Extended. A 'store-to-store receipt' is a receiving transaction by which you receive items requisitioned from another store. It is different than a purchase receipt, by which you receive items that you have purchased from a supplier.	BSDOCA FCGRD2 SSSTSR	DOCUMENTS FLAMETHROWER GRID 2 STORE TO STORE RECEIPTS
31319	Store-to-Store Receipt Details	D7i Extended. Block title for the store-to-store receipt form in which detailed information about the receipt is entered and displayed.	SSSTSR	STORE TO STORE RECEIPTS
31944	Store-to-Store Receipts	EWS.MATL.UC.StoretoStoreReceipts	BSLOVS	LIST OF LOOKUPS
36424	Store-to-Store Receipts (To Store)	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
30924	Store-to-Store Requisition	D7i Extended. Field label on the Store to Store Requisition	SSRQSS	STORE TO STORE REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34732	Store/Department	form.	BSDSET	DATABRIDGE SETUP
29380	Store/Supplier Org.	26915	SSPART	PARTS
27885	Storeroom Receipt	Extended (product name)	FCGRD2	FLAMETHROWER GRID 2
27287	Stores	Barcode	BSCMEX	CONFIGURATION MANAGER - EXPORT
		D7i Extended - Departments form	BSLOVS	LIST OF LOOKUPS
			BSVSDP	VIEW STATUS DETAILS POPUP
			FCGRD1	FLAMETHROWER GRID 1
			BSWHSE	DATA WAREHOUSE
28905	Stores Daily Snapshot	Data warehouse Dimension table name.	ASOPAE	STORES DAILY SNAPSHOT
		Data Warehouse Data Mart.	BSWHSE	DATA WAREHOUSE
41578	Strategies	EAM-399:Strategies Tab for Policy Screen	OSPOLI	CREATE POLICY
41245	Strategy	EAM-400:EAM.EQUIP.REQ.Strategy	BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
41250	Strategy Description	EAM-400:EAM.EQUIP.REQ.Strategy	OSOBTV	OBJECTIVES
			OSPOLI	CREATE POLICY
41366	Strategy Org.	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
41247	Strategy Statement	EAM-400:EAM.EQUIP.REQ.Strategy	OSPOLI	CREATE POLICY
			OSSTGY	CREATE STRATEGY
24452	Street	D7i Extended - GIS Map Search page	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
44742	Streets	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36880	String	EWS.ADMN.UC.ParametersForGridDesigner	BSALRT	ALERT MANAGEMENT SYSTEM
			BSGRID	GRID DESIGNER
22494	Structure	Infor EAM - lable of tab name on the equipment lookup form	BCMOBL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			TCESTR	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			WSJOVH	CREATE WORK ORDER
22454	Structure Changes	Infor EAM - name of dataspy	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22858	Structure Details	Infor EAM - group header that displays information about the hierarchy	OSECON OSELRS OSEQPP OSHPPY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE EQUIPMENT CONFIGURATION EQUIPMENT LINEAR REFERENCE SEARCH EQUIPMENT LOOKUP CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
46517	Structure Preferences	EAM-2577 EAM.EQUIP.REQ.StructureforEQ-Preferences	OSOBJA	CREATE ASSET EQUIPMENT
22501	Structure for Equipment	Infor EAM - displays the hierarchical structure of equipment relationships.	OESTRU	STRUCTURE FOR EQUIPMENT
31717	Sub Account	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
29484	Sub-Menu Folder Detail	D7i Extended -- User Groups form, Scanner Menus tab -- block title	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29578	Sub-Menu Folders	D7i Extended -- User Groups form, Scanner Menus page -- Title Text, noun	BSLOVS	LIST OF LOOKUPS
32798	Sub-Project	EWS.CREP.UC.ProjectCostBreakdown.doc	JYCODL JZCODL JZCOSL	PROJECT COST BREAK DOWN PROJECT COST BREAK DOWN PROJECT COST SUMMARY
23885	Sub-Tenants	Infor EAM - a type of customer	WSDEBS	CREATE CUSTOMER
35453	Sub-location 1	#28171	BSMPPR BSMPWO BSMPWR	MP2 PURCHASING MP2 WORK ORDERS MP2 WORK REQUESTS
35454	Sub-location 2	#28171	BSMPPR BSMPWO BSMPWR	MP2 PURCHASING MP2 WORK ORDERS MP2 WORK REQUESTS
35455	Sub-location 3	#28171	BSMPPR BSMPWO BSMPWR	MP2 PURCHASING MP2 WORK ORDERS MP2 WORK REQUESTS
12133	Sub-project	A project may be split into smaller sub-projects.	JSPROJ	PROJECTS
25877	Sub-projects	Extended (product name)	JSPROJ	PROJECTS
41039	Subcategory Adjustment	EAM-397	WZCIND	CUSTOMER INVOICE DETAIL
45426	Subject	EAM.ADMN.REQ.EmailTemplates.doc	BSMTMP	E-MAIL TEMPLATES
40545	Submetered	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON WZCCON	CUSTOMER CONTRACTS PRINT CUSTOMER CONTRACT
41560	Submetered Cons.	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
41561	Submetered Cons. Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL006	UTILITY INVOICE AUDIT
15626	Submit		BCMOBL BSACRP BSADRS BSAFMP BSALNP	7I MOBILE BOILER TEXT ADD CUSTOM REPORT POPUP (USED IN MENUS TAB) ADDRESSES ADDITIONAL FIELD MAPPING POPUP MAKE LANGUAGE AVAILABLE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		BSALRT	ALERT MANAGEMENT SYSTEM
			BSALTP	ALERT TEXT PARAMETERS POPUP
			BSASET	ASSET SETUP
			BSAUDC	AUDIT SETUP
			BSAUTH	STATUS AUTHORIZATION
			BSBOIL	GLOBAL TEXT CHANGES
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCFIH	INSPECTION HEADER CUSTOM FIELDS
			BSCHRT	CHART SETUP
			BSCICP	CHANGE ICON POPUP (USED IN MENUS TAB)
			BSCIPP	INSPECTION POINT CUSTOM FIELDS
			BSCLAS	CLASSES
			BSCLBP	CHANGE LABEL POPUP (USED IN MENUS TAB)
			BSCLPE	CLOSING PERIODS
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCPMF	COPY MENU POPUP
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSCUSP	INSPECTION CUSTOM FIELDS
			BSCUST	CUSTOMIZE
			BSCUSW	CUSTOM FIELD FOR WORK ORDER
			BSCWSP	COPY WEB SERVICE PROMPT POPUP
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDELA	Delivery addresses
			BSDEPT	DEPARTMENTS
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSDLUC	FIELDS POPUP
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSEMCD	E-MAIL CONDITIONS
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSEPDS	CHANGE PART DESCRIPTION
			BSEXAL	EXPORT BASE CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFFTP	SELECT TYPES
			BSFFWP	SELECT WO EQUIPMENT TYPES
			BSFLCP	SELECT CLASSES
			BSFLOW	BUSINESS PROCESS SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSGMAC	COPY GIS MAP POPUP
			BSGMAP	CREATE EDIT MAPS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSHDSP	HIDE DATASPIES POPUP
			BSHOME	HOME - OVERVIEW SCREEN
			BSHYPL	HYPERLINK SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		BSIBXP	PERSONALIZE INBOX POPUP
			BSIMUS	IMPORT USERS
			BSINBX	INBOX SETUP
			BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
			BSJOBS	JOB SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSKPIP	PERSONALIZE KPI POPUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMAIP	E-MAIL PARAMETER POPUP
			BSMAPF	MAP FIELDS
			BSMAPR	PURGE E-MAIL RECORDS
			BSMENS	MOBILE ENTITIES SETUP
			BSMSFP	SELECT MULTIPLE FIELDS POPUP
			BSMTRL	E-MAIL RECIPIENTS
			BSORGS	ORGANIZATIONS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPARM	PARAMETER LIST POPUP
			BSPROM	Custom Attributes
			BSPSET	PURCHASING SETUP
			BSPURP	PURGE AUDIT RECORDS POP UP
			BSREGG	GET ACTUAL TEMPERATURES POPUP
			BSREGN	CREATE EDIT REGIONS
			BSREGP	PURGE ACTUAL TEMPERATURE RECORDS
			BSREPO	CREATE / EDIT REPORTS
			BSREPT	REPORT PARAMETERS
			BSRLNP	REFRESH INSTALLED LANGUAGE
			BSRPMP	DEFINE REPORT PARAMETER MAPPING POPUP
			BSSERQ	PROPERTIES
			BSSMEN	ADD MAIN MENU FOLDER POPUP
			BSSNCP	COPY MENU POPUP
			BSSRES	STATUS REQUIREMENT SETTINGS POPUP
			BSSTDF	SET DEFAULT VALUE
			BSTBOP	CHANGE TAB ORDER POPUP
			BSTOPO	ADD TOP LEVEL ORGANIZATION
			BSUAED	USER ACCOUNT EDIT
			BSUCOD	SYSTEM CODES
			BSUDFO	USER DEFINED FIELD OPTIONS
			BSUDLV	UDF LOOKUP VALUES
			BSUOMS	UOM SETUP
			BSUPLD	UPLOAD DOCUMENT POPUP
			BSUPLV	UPDATE MULTIPLE ROWS ON LIST VIEWS POPUP
			BSURLP	DEFINE URL PARAMETERS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BSWSET	WORK SETUP
			BSWSPM	WEB SERVICES PROMPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			CSCINF	CONTACT INFO
			CSCCLGP	CALENDAR GROUPS
			CSCMTK	CASE MANAGEMENT TASKS
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSCSUR	CUSTOMER SURVEYS
			CSEQUP	ADDITIONAL EQUIPMENT
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSPSCT	SERVICE CATEGORIES
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSURA	SURVEY ANSWERS POPUP
			CSSVPB	SERVICE PROBLEM CODES
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			DSJSPP	PARAMETERS POPUP
			DSJSTP	DATABRIDGE PARTNER JOB SCHEDULES
			DSMSBH	VIEW MESSAGES
			DSPTNR	CREATE PARTNER
			FCSCRN	FLAMETHROWER SCREENS
			ISASPC	ASPECTS
			ISFIND	FINDINGS
			ISFOMP	EDIT PARAMETER POP-UP
			ISFORM	FORMULAS
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCCMP	COPY CAMPAIGN POPUP
			JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OSAIRP	SELECT ASSETS
			OSAPMS	APM SCENARIO
			OSAREA	READING FOR ASSET
			OSBURR	BATCHUPDATERANKINGREFRESHPOPUP
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCEQN	CHANGE EQUIPMENT NUMBER POPUP
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSCLCH	CLOSING CODE HIERARCHY
			OSCNAP	CREATE NEW ASSETS
			OSPCPS	COPY CONSIST POPUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		OSENSC	ENERGY STAR CUSTOMER ID POPUP FOR CONFIRM
			OSENSG	ENERGY STAR CUSTOMER ID POPUP FOR GET
			OSENSR	ENERGY STAR DATE RANGE POPUP FOR GET RATINGS
			OSENSS	ENERGY STAR SETUP
			OSENSV	ENERGY STAR MESSAGE VIEWING POPUP
			OSEQGN	EQUIPMENT GENERATION
			OSEQLT	IMPORT FROM EQUIPMENT
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQUO	UNITS OF OUTPUT
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSGADR	GIS ADDRESS SELECTOR (REST)
			OSGIAS	GIS ADDRESS SELECTOR
			OSGICA	GIS CREATE NEW ASSET FORM
			OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMP	VIEW GIS MAP POPUP
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGSWO	SELECTABLE LAYERS FOR WO
			OSGVMP	VIEW GIS MAP POPUP (REST)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSIRCM	IMPORT RCM FROM EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKECP	COPY KEY POPUP
			OSKEYM	KEY MANAGEMENT
			OSLREA	READING FOR LOCATION
			OSLRFS	LINEAR REFERENCE POPUP
			OSMETE	PHYSICAL METER
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVW	EQUIPMENT OVERVIEW 360
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSPREA	READING FOR POSITION
			OSPWLT	IMPORT FROM PTW
			OSRCMI	IMPORT FROM RCM TEMPLATE
			OSRCMT	RCM TEMPLATES
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELN	NORMALIZE LEVEL POPUP
			OSRELQ	ORDER QUESTIONS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSRRCP	COPY RELIABILITY RANKING
			OSRRFP	ADD / EDIT FORMULA POPUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSRRQD	TRANSLATION POPUP QUESTIONS
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSREA	READING FOR SYSTEM
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSSTRP	VIEW PARENT EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKSP	WORKSPACES
			PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSCONT	PURCHASING CONTRACTS
			PSCOTP	CLAUSES OF PURCHASING CONTRACTS
			PSCRFP	COPY RFQ POPUP
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSOBS	ASSETS FOR PO
			PSORDP	CREATE COMPLETE PO
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPOCP	COPY PO POPUP
			PSPORD	PURCHASE ORDERS
			PSPROM	PURCHASING CONTRACT TEXT
			PSREVP	REVISION REASON POPUP
			PSRFQR	QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			RSPRIO	MS PROJECT PRIORITY MAPPINGS
			SEIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSBNBN	TRANSFER PARTS BETWEEN BINS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSCPCP	CHANGE PART CONDITION POPUP
			SSCREP	CATALOG REFERENCES
			SSCURR	CURRENCIES
			SSHCST	PART CODE STRUCTURE
			SSIMPL	IMPORT PART LIST
			SSIPVN	71 BUY VENDORS
			SSIRPP	ISSUE/RETURN PACKAGE PARTS POPUP
			SSISSP	ISSUE PART
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPRCC	STORE GROUPS
			SSPTNP	CHANGE PART NUMBER POPUP
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRETP	RETURN PART
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQCP	COPY REQUISITION POPUP
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSCRP	SCRAP PART
			SSSTOP	RECORD STOCKOUT POPUP
			SSSTOR	STORES
			SSSTOU	PURGE STOCKOUTS
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUCP	COPY SUPPLIER POPUP
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTAXH	TAX RATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		SSTAXS	TAX CODES
			SSVREQ	VIEW PURCHASE STATUS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			TSASTP	DC TRANSACTION PROMPT
			TSPROF	PROFILES
			USBDET	COPY BUDGET
			USBGRP	BUDGET GROUPS
			USBUDG	BUDGETS
			USCLBP	CALCULATE BUDGET POPUP
			USCPBP	COPY BUDGETPOPUP
			USINVP	INVESTMENT PLANNING
			WSAARD	ASSET REPAIR DETAILS
			WSACMP	ACTIVATE MP POPUP
			WSAGRS	CUSTOMER CONTRACTS
			WSAPPL	APPROVAL LISTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSARRS	PRICING SCHEDULE
			WSASRD	ASSIGN REPAIR DETAILS
			WSATCP	CHECKLIST POPUP
			WSBCOR	BATCH COPY ORGANIZATION
			WSBFUL	BATCH FUEL ISSUES
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBUOR	BATCH UPDATE ORGANIZATION POPUP
			WSCCON	CUSTOMER CONTRACTS
			WSCHST	CHANGE WO STATUS POPUP
			WSCMPP	COPY MP POPUP
			WSCOPO	CONTRACTOR PORTAL
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCPST	COPY STANDARD ORDER POPUP
			WSCREEN	CUSTOMER RENTALS
			WSCREW	CREW
			WSCSOF	CONTRACTOR SIGN OFF POPUP
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDEPO	DEPOTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMPs	EMPLOYEES
			WSFBIL	FLEET BILLS
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		WSFMRK	FLEET MARKUP CODES
			WSFREZ	FREEZE/UNFREEZE POPUP
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSIMCL	IMPORT CHECKLIST
			WSIMPL	IMPORT PART LIST
			WSINFO	CREATE / EDIT PROPERTY INFORMATION
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOCP	CREATE STANDARD WO POPUP
			WSJOIN	CREATE INVOICE FOR WO
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMACP	COPY MATERIAL LIST POPUP
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSNCIM	NONCONFORMITIES POPUP
			WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
			WSOPCL	OPERATOR CHECKLIST
			WSPACT	IMPORT ACTIVITIES
			WSPDRQ	PRODUCTION REQUEST
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPFWM	PM FORECASTING WARNING
			WSPMCP	COPY PM PLAN
			WSPMTW	PERMIT TO WORK
			WSPPPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPROJ	CREATE PROJECT POPUP
			WSPRRS	REFRESH RESOURCES
			WSROUT	ROUTES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSHIF	SHIFTS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSSTCR	STANDARD CREWS
			WSSTDC	SELECT STANDARDS USED FOR CALIBRATION
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSTRAD	TRADES
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVREQ	VIEW WORK REQUEST STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15626	Submit		WSWKMV WSWKPK WSWLAS WSWLWD WSWORS WSWRCP YSACCD YSGLRF	IMPORT WORKSPACE MOVES POPUP PM WORK PACKAGES VIEW MODIFY ACTIVITY SCHEDULE WO DETAILS FOR WO DAILY SCHEDULING CHANGE INSPECTION STATUS CREATE WARRANTY CLAIM POPUP VIEW GL VALUES GL REFERENCES
31205	Submit Time	Barcoding	FCSCRN	FLAMETHROWER SCREENS
21442	Submit Transaction	Infor EAM - button to create and save the current issue or return transaction	SSHIXF SSHSXF SSISSU SSSTOS SSTTHI WSFISS WSFREC	HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER Stock Issues QUICK STORE-TO-STORE TRANSFER STOCK TO HELD ITEMS TRANSFER FUEL ISSUES FUEL RECEIPTS
20080	Submit and Add Another	Infor EAM - button to submit the work request and create another	BCMOBL CSSRPT WSAREQ WSCSOF WCSQRQ WSSERQ WSVREQ	7I MOBILE BOILER TEXT CREATE SERVICE REQUEST PORTAL VIEW/APPROVE WORK REQUEST CONTRACTOR SIGN OFF POPUP CUSTOMER SERVICE PORTAL CREATE SERVICE REQUESTS VIEW WORK REQUEST STATUS
41017	Submit and Close	EAM.WORK.REQ.ChecklistPopup	WSATCP	CHECKLIST POPUP
47539	Submit to Warehouse	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
32916	Subscription Details	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
32912	Subscriptions	EWS.DBADMIN.UC.CreateEditPartners.doc	DSPTNR	CREATE PARTNER
49242	Substitute	EAM-47141/ EAM.WORK.REQ.EquipmentReplacementForWork	WSJOBS	CREATE WORK ORDER
29389	Substitute Details	D7i Extended -- EWS.MATL.UC.SubstitutesforParts -- noun	SSPART	PARTS
29523	Substitute Part	Infor EAM, Materials module. Refer to EWS.MATL.UC.SubstitutesforParts.	BSPAAP SSPART	ALTERNATE PART POPUP IN PART ASSOCIATED PARTS
42194	Substitute Part Org.	EAM.MATL.REQ.SubstitutesforParts	SSPART	PARTS
39328	Substitute values	EAM.WORK.UC.EquipmentforMP/38266	WSMPAT	MAINTENANCE PATTERNS
29391	Substitutes	D7i Extended -- EWS.MATL.UC.SubstitutesforParts -- field label	BSPAAP BSPARA SSPART	ALTERNATE PART POPUP IN PART ASSOCIATED PART ASSOCIATED (NO CATEGORY) GRID PARTS
19801	Subtotal	Quantity * Price on lines tab of PMINVO.	BSMPPR OZDEPR OZKEYD OZKEYT OZNCFL OZRING PSINVO PYORDS PZORDS	MP2 PURCHASING EQUIPMENT DEPRECIATION KEY LIST-DETAIL KEY TRANSACTIONS LIST OF NONCONFORMITIES RING LIST-DETAIL INVOICES PURCHASE ORDER STATUS PURCHASE ORDER STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19801	Subtotal	Quantity * Price on lines tab of PMINVO.	REPORT	General Report Function
			SYHISL	Purchase History Per Item/Supplier
			SYSTOL	Stock List
			SZHISL	Purchase History Per Item/Supplier
			SZSTOL	Stock List
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBKPO	BOOK PO LABOR
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTVBIL	VEHICLE BILLING REPORT
			WYTRDS	DAILY TRADE SCHEDULE
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOST	WORK ORDER STATISTICS
			WZLWOQ	LIST OF WORK ORDERS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZPPMQ	LIST OF PM SCHEDULES
			WZTRDS	DAILY TRADE SCHEDULE
			WZVBIL	VEHICLE BILLING REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
39694	Subtotal Part Value	EAM.PRCH.UC.CreateEditPurchaseOrders	PSPORD	PURCHASE ORDERS
39695	Subtotal Service Value	EAM.PRCH.UC.CreateEditPurchaseOrders	PSPORH	PO HISTORY
			PSPORD	PURCHASE ORDERS
47950	Success	EAM-37080	PSPORH	PO HISTORY
			BCMOBL	7I MOBILE BOILER TEXT
21339	Success Msg. Timeout	Success Message Timeout - this is where the user indicates their preference for how long a successful message displays on the screen, for example, they can enter '5 seconds' and the system will close the message after 5 seconds have passed.	BSDLUS	DATA LAKE UPLOAD SETUP
			BSROLE	LDAP ROLES SETUP
			BSUAED	USER ACCOUNT EDIT
			BSUSER	USER SETUP
36185	Successful	29096	BSDCER	VIEW DETAILS (DATA CONVERSION)
33218	Successful Records	EWS.BASE.UC.ResultTabsForArchive	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSDTCV	DATA CONVERSION (MP2)
			BSDTCV	DATA CONVERSION (MP2)
35451	Suffix	#28171	SSPCMP	PART CONDITION TEMPLATE
42018	Suffix Code	EAM-4573:EAM.MATL.REQ.ConditionsforPartConditionT	SSPCMP	PART CONDITION TEMPLATE
42017	Suffix Separator	EAM-4572:EAM.MATL.REQ.PartConditionTemplate.docx	SSPCMP	PART CONDITION TEMPLATE
20813	Suggested End Date	Infor EAM - This is the date on which you anticipate the project will end.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20813	Suggested End Date	Infor EAM - This is the date on which you anticipate the project will end.	WSJOVM	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
36458	Sum Quantities by Due Dates	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
36457	Sum Quantities with Earliest Due Date	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
13457	Summarize		BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
12878	Summary		BCMOBL	7I MOBILE BOILER TEXT
			BSDTCV	DATA CONVERSION (MP2)
			JSCUES	CU ESTIMATES
			OZCLAI	WARRANTY CLAIM REPORT
			OZHISL	Object History
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			YSPRCD	GL PROCESS DEFINITIONS
27010	Sun.	Extended (product name) Sunday	SSSTOR	STORES
27841	Sunday	D7i Extended - Locales form	BSFFSP	FILTER FIELD SETUP SCREEN
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			BSLOCL	LOCALE
			DSGLPS	GL PROCESS SCHEDULES
			REPORT	General Report Function
			WSPPMS	PM SCHEDULES
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
35238	Sunday End Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35231	Sunday Start Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
46421	Superseded Status	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
24083	Supervisor	Infor EAM - person who manages group of people	BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			LVSUPR	SUPERVISOR LOOKUP
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOBFB	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WSBWOG	GENERATE/RELEASE WOS
			WSCREW	CREW
			WSCRWP	CREATE/EDIT CREW POPUP
			WSEMPMS	EMPLOYEES
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24083	Supervisor	Infor EAM - person who manages group of people	WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSPPM	EVENTS FOR PPM
			WSPPM	PM SCHEDULES
			WSSUPR	SUPERVISOR
			WYJOB	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZJOB	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMSP	PM SCHEDULE PROFILE
			WZPPMQ	LIST OF PM SCHEDULES
			WZSUPI	GDPR COMPLIANCE - SUPERVISOR
			WZSUPI	GDPR COMPLIANCE - SUPERVISOR
47211	Supervisor Description	EAM-32017	WSSUPR	SUPERVISOR
24477	Supervisor Details	Extended (Product Name). Supervisor Form	BSDEPT	DEPARTMENTS
24084	Supervisors	Infor EAM	BSLOVS	LIST OF LOOKUPS
			WESUPR	SUPERVISOR
47341	Supp. Catalog Parts	EAM.PRCH.REQ.SelectSupplierCatalogPartsforPOs	PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
25874	Supp. Catalog Reference	Extended (product name). Please refer to PVCS 5011.	BSLOVS	LIST OF LOOKUPS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMP	NON-PO RECEIPTS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
27896	Supp. Catalog References	D7i Extended - Services for Requisitions form - This is the title for the Supplier Catalog References LOV on the Services tab of Requisitions.	BSLOVS	LIST OF LOOKUPS
25800	Supplemental Details	Extended (product name)	WSINRQ	CREATE INFORMATION REQUEST
12026	Supplier	Person or organization that delivers materials, services or both.	BAL007	MISSING UTILITY INVOICES
			BCMOBL	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12026	Supplier	Person or organization that delivers materials, services or both.	BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBL0D	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			CMPROM	Contract Text Prompts
			CSCCTR	CONTACT CENTER
			CSCSUR	CUSTOMER SURVEYS
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSPROV	PROVIDERS
			CSRAPD	RAPID REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			CTCONL	Overview Existing Contracts
			CYCONF	Print Contract
			CYCONL	Overview Existing Contracts
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONF	Print Contract
			CZCONL	Overview Existing Contracts
			CZDEBL	LIST OF DEBIT DISCOUNTS
			CZKBAD	PRINT KNOWLEDGE BASE ARTICLE
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZUSGF	Discount Request Based On Usage
			FCGRD1	FLAMETHROWER GRID 1
			FCGRD2	FLAMETHROWER GRID 2
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			JSPROJ	PROJECTS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12026	Supplier	Person or organization that delivers materials, services or both.	LVPART	DUMMY FUNCTION FOR R5F10
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWARR	WARRANTY
			OZCLAI	WARRANTY CLAIM REPORT
			OZKEYD	KEY LIST-DETAIL
			PHHISL	Purchase History
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSOBSJ	ASSETS FOR PO
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSPROM	PURCHASING CONTRACT TEXT
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12026	Supplier	Person or organization that delivers materials, services or both.	PZHISL	Purchase History
			PZINVL	List Of Invoices Not Yet Approved
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZPRFQ	REQUEST FOR QUOTATION
			PZPVAR	PRICING VARIANCE REPORT
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			QZQUOL	PRINT LIST OF QUOTATION
			SHREQF	Print Purchase Requisition
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSBUYP	VIEW 7I BUY SYNC ERRORS
			SSCOMP	NON-PO RECEIPTS
			SSGRFQ	GENERATE RFQS
			SSIPVN	7I BUY VENDORS
			SSISSU	Stock Issues
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQLL	REQUISITION LINE
			SSSTOR	STORES
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			SSVREQ	VIEW PURCHASE STATUS
			STSTOL	Stock List
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SYSTOL	Stock List
			SYUSAL	Average Monthly Usage Analysis

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12026	Supplier	Person or organization that delivers materials, services or both.	SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			SZSTOL	Stock List
			SZUSAL	Average Monthly Usage Analysis
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCOPO	CONTRACTOR PORTAL
			WSDEPO	DEPOTS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMPs	EMPLOYEES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSWOUP	WO UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WZCCTR	PRINT SERVICE REQUESTS
			WZCTRC	SERVICE REQUESTS CHART
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZSRQL	SERVICE REQUESTS LIST
44520	Supplier 1	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions					
			Code	Description				
44520	Supplier 1	EAM:14701	OZEQRD	EQUIPMENT RESERVATIONS DETAIL				
44522	Supplier 2	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP				
44524	Supplier 3	EAM:14701	OZEQRD	EQUIPMENT RESERVATIONS DETAIL				
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP				
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL				
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP				
36132	Supplier Address 1	27957	PSPORD	PURCHASE ORDERS				
36133	Supplier Address 2	27957	PSPORD	PURCHASE ORDERS				
36134	Supplier Address 3	27957	PSPORD	PURCHASE ORDERS				
28301	Supplier Blanket Orders	D7i Extended -- Blanket Orders form -- Dataspy name, noun	PSBORD	CREATE EDIT BLANKET ORDERS				
22954	Supplier Buyer Code	EWS.CREP.UC.PrintRequestForQuotation	BSWHSE	DATA WAREHOUSE				
22955	Supplier Buyer Name		BSWHSE	DATA WAREHOUSE				
37354	Supplier Catalog Reference		PZPRFQ	REQUEST FOR QUOTATION				
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST				
36135	Supplier City	27957	PSPORD	PURCHASE ORDERS				
44646	Supplier Class	EAM-14727	OSHPFY	CREATE HOSPITALITY FACILITIES				
			OSHPRM	CREATE HOSPITALITY ROOMS				
			OSHPVH	CREATE VEHICLE EQUIPMENT				
			OSOBJA	CREATE ASSET EQUIPMENT				
			OSOBJL	CREATE ASSET LOCATION				
			OSOBJP	CREATE POSITION EQUIPMENT				
			OSOBJS	CREATE SYSTEM EQUIPMENT				
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT				
			OSOVPM	CREATE POSITION EQUIPMENT				
			OSOVSM	CREATE SYSTEM EQUIPMENT				
			22952	Supplier Class Code	EAM-14727	BSWHSE	DATA WAREHOUSE	
			22953	Supplier Class Description		BSWHSE	DATA WAREHOUSE	
						OSHPFY	CREATE HOSPITALITY FACILITIES	
						OSHPRM	CREATE HOSPITALITY ROOMS	
						OSHPVH	CREATE VEHICLE EQUIPMENT	
						OSOBJA	CREATE ASSET EQUIPMENT	
						OSOBJL	CREATE ASSET LOCATION	
						OSOBJP	CREATE POSITION EQUIPMENT	
						OSOBJS	CREATE SYSTEM EQUIPMENT	
						OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT	
						OSOVPM	CREATE POSITION EQUIPMENT	
						OSOVSM	CREATE SYSTEM EQUIPMENT	
44647	Supplier Class Org.					OSHPFY	CREATE HOSPITALITY FACILITIES	
			OSHPRM	CREATE HOSPITALITY ROOMS				
			OSHPVH	CREATE VEHICLE EQUIPMENT				
			OSOBJA	CREATE ASSET EQUIPMENT				
			OSOBJL	CREATE ASSET LOCATION				
			OSOBJP	CREATE POSITION EQUIPMENT				
			OSOBJS	CREATE SYSTEM EQUIPMENT				
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT				
			OSOVPM	CREATE POSITION EQUIPMENT				
			OSOVSM	CREATE SYSTEM EQUIPMENT				
			23744	Supplier Class Organization Code		BSWHSE	DATA WAREHOUSE	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22948	Supplier Code		BCMOBL	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
36128	Supplier Contact E-mail	27957	PSPORD	PURCHASE ORDERS
36130	Supplier Contact Ext.	27957	PSPORD	PURCHASE ORDERS
36131	Supplier Contact Fax	27957	PSPORD	PURCHASE ORDERS
36862	Supplier Contact Info	EWS.PRCH.UC.EditQuotations	PSRFQR	QUOTATIONS
36126	Supplier Contact Name	27957	PSPORD	PURCHASE ORDERS
36129	Supplier Contact Phone	27957	PSPORD	PURCHASE ORDERS
36127	Supplier Contact Title	27957	PSPORD	PURCHASE ORDERS
36138	Supplier Country	27957	PSPORD	PURCHASE ORDERS
26983	Supplier Currency	Extended (product name)	SSPART	PARTS
20039	Supplier Description	Infor EAM - Search part form - field to search on the supplier's description	BAL007	MISSING UTILITY INVOICES
			BCMOBL	7I MOBILE BOILER TEXT
			CSPROV	PROVIDERS
			CSSVPB	SERVICE PROBLEM CODES
			JSCUES	CU ESTIMATES
			LVPARC	ADVANCED PART SEARCH:SUPPLIER PART SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
			PSPORD	PURCHASE ORDERS
			PSRFGP	GENERATE POS FOR RFQS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			SSASGN	GENERATE POS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			WSCOPO	CONTRACTOR PORTAL
			WSEMPs	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			BSWHSE	DATA WAREHOUSE
			PSBORD	CREATE EDIT BLANKET ORDERS
			SSREQS	CREATE PURCHASE REQUISITION
17510	Supplier Details		CSSVPB	SERVICE PROBLEM CODES
			JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17510	Supplier Details		OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSIPVN	7I BUY VENDORS
			SSPART	PARTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
44591	Supplier Exclusions	EAM-14734	WSJBPL	JOB PLANS
			WSTASK	TASKS
			CSSVPB	SERVICE PROBLEM CODES
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
36140	Supplier Ext.	27957	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSINVO	INVOICES
			PZPVAR	PRICING VARIANCE REPORT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
36141	Supplier Fax	27957	OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZKEYD	KEY LIST-DETAIL
29960	Supplier Invoice	D7i Extended -- Invoices form -- Field label, noun		
44324	Supplier Key Number	EAM.EQUIP.REQ.KeyManagement		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44324	Supplier Key Number	EAM.EQUIP.REQ.KeyManagement	WSEMPS	EMPLOYEES
40062	Supplier Lead Time	#47535	PZVEND	VENDOR LEAD TIME
31718	Supplier Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSPART	PARTS
			SSSUPP	SUPPLIERS
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJBPL	JOB PLANS
21821	Supplier Org.	Infor EAM	BCMOBL	71 MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			CSCCTR	CONTACT CENTER
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSKBSP	KNOWLEDGE BASE SEARCH
			CSPROV	PROVIDERS
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			JSCUES	CU ESTIMATES
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21821	Supplier Org.	Infor EAM	OSOVS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWARR	WARRANTY
			OZKEYD	KEY LIST-DETAIL
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSPoup	PO UPDATE
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			SSASGN	GENERATE POS
			SSBUYP	VIEW 7I BUY SYNC ERRORS
			SSGRFQ	GENERATE RFQS
			SSIPVN	7I BUY VENDORS
			SSISSU	Stock Issues
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSREQF	GENERATE REQ
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			SSVREQ	VIEW PURCHASE STATUS
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMP	EMPLOYEES
			WSFREC	FUEL RECEIPTS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions			
			Code	Description		
21821	Supplier Org.	Infor EAM	WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB		
			WSMPAT	MAINTENANCE PATTERNS		
			WSOPSS	OPTIMIZED SCHEDULER SETUP		
			WSPACT	IMPORT ACTIVITIES		
			WSPMPM	PM PLANS		
			WSPPMS	PM SCHEDULES		
			WSPREQ	PART REQ POPUP FOR WO PARTS		
			WSSTWO	STANDARD WOS		
			WSTASK	TASKS		
			WSTASL	TASK LOOKUP		
			WSTRAD	TRADES		
			WSWOUP	WO UPDATE		
			WSWRCP	CREATE WARRANTY CLAIM POPUP		
			22950	Supplier Organization Code	BSWHSE	DATA WAREHOUSE
22951	Supplier Organization Description	BSWHSE	DATA WAREHOUSE			
44586	Supplier PK	EAM-14734	CSSVPB	SERVICE PROBLEM CODES		
			OSHPFY	CREATE HOSPITALITY FACILITIES		
			OSHPRM	CREATE HOSPITALITY ROOMS		
			OSHPVH	CREATE VEHICLE EQUIPMENT		
			OSOBJA	CREATE ASSET EQUIPMENT		
			OSOBJL	CREATE ASSET LOCATION		
			OSOBJP	CREATE POSITION EQUIPMENT		
			OSOBJS	CREATE SYSTEM EQUIPMENT		
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT		
			OSOVPM	CREATE POSITION EQUIPMENT		
			OSOVSM	CREATE SYSTEM EQUIPMENT		
			SSSUPP	SUPPLIERS		
			22956	Supplier Parent Code	BSWHSE	DATA WAREHOUSE
			22957	Supplier Parent Description	BSWHSE	DATA WAREHOUSE
36124	Supplier Part Code	27957	PSPORD	PURCHASE ORDERS		
20859	Supplier Part Desc.	Infor EAM - the vendor's description of the part	PHORDF	Print Purchase Order		
			PZORDF	Print Purchase Order		
			SSPART	PARTS		
			SSSUPP	SUPPLIERS		
			SSSUPT	OVERVIEW OF SUPPLIER PARTS		
			SSSUPP	SUPPLIERS		
37716	Supplier Part Description	EWS.PRCH.UC.PartsforPO/32426	PSPORD	PURCHASE ORDERS		
36139	Supplier Phone	27957	SSPART	PARTS		
20747	Supplier Price	Infor EAM - the price the supplier charges for a part	WSTRAD	TRADES		
29195	Supplier Rate Details	Extended (product name)	WSTRAD	TRADES		
29213	Supplier Rates	Extended (product name)	BSPASP	SUPPLIER POPUP IN PART ASSOCIATED		
20102	Supplier Reference	Infor EAM - The part code used by the supplier.	BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES		
			PSCONT	PURCHASING CONTRACTS		
			PSPOLN	IMPORT PO LINES		
			SSRQLL	REQUISITION LINE		
			SYRCVF	GOODS RECEIVED NOTE		
			SZRCVF	Goods Received Note		
29501	Supplier Repair Part Number	D7i Extended -	SSSUPP	SUPPLIERS		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29501	Supplier Repair Part Number	EWS.MATL.UC.OverviewofSupplierParts.doc	SSSUPT	OVERVIEW OF SUPPLIER PARTS
25852	Supplier Return	Extended (product name). Refer to PVCS 5637.	BSDOCA	DOCUMENTS
			SSRETN	SUPPLIER RETURNS
25875	Supplier Return Details	Extended (product name). Block header. Refer to PVCS 5637.	SSRETN	SUPPLIER RETURNS
44638	Supplier Service Codes	EAM-14727	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
44641	Supplier Source Code	EAM-14727	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
44642	Supplier Source Org.	EAM-14727	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
44640	Supplier Source Type	EAM-14727	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
36136	Supplier State	27957	PSPORD	PURCHASE ORDERS
20748	Supplier UOM	Infor EAM - the supplier's unit of measure for a part	SSPART	PARTS
36142	Supplier URL	27957	PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36137	Supplier Zip	27957	PSPORD	PURCHASE ORDERS
19534	Supplier part code		SSRQLL	REQUISITION LINE
12136	Supplier reference	The part code used by the supplier.	STRCVF	Goods Received Note
15274	Suppliers	Persons or organizations that delivers materials, services or both.	BSCLSB	CLASSES FOR BUSINESS EDITION
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPASP	SUPPLIER POPUP IN PART ASSOCIATED
			CSSVPB	SERVICE PROBLEM CODES
			FCGRD1	FLAMETHROWER GRID 1
			JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSCRFAQ	COPY RFQ POPUP
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSSUPL	SUPPLIER LOOKUP
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSTRAD	TRADES
		Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
		EWS.MATL.UC.InforEAMSuppliersfor7iBuyVendors	SSIPVN	7I BUY VENDORS
44590	Suppliers Excluded	EAM-14734	CSSVPB	SERVICE PROBLEM CODES
37283	Suppliers dimension has type 2 SCD records	31312	BSWHSE	DATA WAREHOUSE
46992	Support	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
39043	Survey	EWS.WORK.UC.CreateEditWorkOrder.doc	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			JSCAMP	CAMPAIGN
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVITE	WORK ORDER QUICK ENTRY
			WSWODP	VIEW WO DETAILS POPUP
			WZWOLM	WORK ORDER LIST - DETAIL
44424	Survey Answer	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSSURA	SURVEY ANSWERS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44415	Survey Answer Details	EAM.CCTR.REQ.AddEditSurveyAnswerspopup.docx;EAM-14612	CSSURA	SURVEY ANSWERS POPUP
39914	Survey Details	EAM.EQUIP.UC.ReliabilitysurveyforEquipment Tracker id 46101	CSCSUR OSBURV OSHPPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOBTV OSOVAM OSOVPM OSOVSM OSPOLI OSSTGY	CUSTOMER SURVEYS CALCULATE RELIABILITY RANKING INDEX CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT OBJECTIVES CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE POLICY CREATE STRATEGY
39151	Survey Equipment	EAM.WORK.UC.SurveyEquipmentforWorkOrder/40860	BCMOBL WCJOBS WSJOBS WSJOVH WSJOVM	7I MOBILE BOILER TEXT CROSSBOW WORK ORDER FUNCTION CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
44637	Survey Event	EAM.CCTR.REQ.ResultsforCustomerSurveys EAM-14831	CSCSUR CZSURR	CUSTOMER SURVEYS CUSTOMER SURVEY RESULTS
39125	Survey Line Status	EWS.PROJ.UC.EquipmentforCampaign/40727	BCMOBL JSCAMP WSJOBS WSJOVH WSJOVM	7I MOBILE BOILER TEXT CAMPAIGN CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
39051	Survey Required	EWS.PROJ.UC.CreateEditCampaign/40385	BZCAMD JSCAMP	ELECTRONIC RECORDS FOR CAMPAIGNS CAMPAIGN
39825	Survey Setup	EAM.EQUIP.UC.DecisionTreeforReliabilityRanking	OSRELR OSRRCP	EQUIPMENT RANKINGS COPY RELIABILITY RANKING
43970	Survey Status	EAM.CCTR.REQ.CustomerSurveys.docx:EAM-14610	CSCSUR CZSURR	CUSTOMER SURVEYS CUSTOMER SURVEY RESULTS
44360	Survey Title	EAM-14610:EAM.CCTR.REQ.CustomerSurveys.docx	CSCSUR CZSURR	CUSTOMER SURVEYS CUSTOMER SURVEY RESULTS
39124	Survey WO	EWS.PROJ.UC.EquipmentforCampaign/40727	JSCAMP WSJOBS WSJOVH WSJOVM	CAMPAIGN CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
38256	Suspend Retry Schedule	EWS.DBADMIN.UC.ViewMessageStatus/35899	DSMSGs	VIEW MESSAGE STATUS
33953	Suspended		DSGLPS	GL PROCESS SCHEDULES
41841	Suspension Reason	EAM.WORK.REQ.PermitToWork	BCMOBL BZPMTW WHPTWR WSPMTW WZPTWR	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR PERMIT TO WORK PRINT PERMIT TO WORK PERMIT TO WORK PRINT PERMIT TO WORK
38003	Sustainability	EWS.WORK.UC.CreateEditCapitalPlanningRequests	USINVP	INVESTMENT PLANNING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38003	Sustainability	EWS.WORK.UC.CreateEditCapitalPlanningRequests	WSCPRQ	CAPITAL PLANNING REQUEST
37246	Swap	Issuing and Returning Parts	SSISSU	Stock Issues
44741	Switch Basemap	EAM-15727	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
47021	Switch Number	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47998	Switch Role	EAM-39467	BANNER	BANNER
48000	Switch Roles	EAM-39467	BANNER	BANNER
22724	Switch to Preview Mode (Alt+W)	Infor EAM - mouse-over text for button on toolbar to switch the screen to preview mode	BANNER	BANNER
22725	Switch to Screen Designer Mode (Alt+E)	Infor EAM - mouse-over text for button on toolbar to switch the screen to screen designer mode	BANNER	BANNER
40809	Switch to source viewing mode.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46255	Switch user	switch user	BCMOBL	7I MOBILE BOILER TEXT
30419	Symbol	D7i Extended -- Analytics -- Fields Label, Analytics symbol, e.g., <, > =	BSOSYM	ANALYTICS SYMBOLS
27932	Symbology	Barcode	FCSCRN	FLAMETHROWER SCREENS
48258	Symptom	EAM-41717 EAM.EQUIP.REQ.ClosingCodes	OSCLCD	CLOSING CODE
			OSFAIL	FAILURE MODES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
			WSWREQ	WORK REQUEST
49144	Symptoms	EAM.EQUIP.REQ.FailureModesPopup	BSLOVS	LIST OF LOOKUPS
44156	Sync Config	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25416	Sync Configuration	Crossbow.'Sync' is an abbreviation of 'synchronize' or 'synchronization'	BCMOBL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
25417	Sync Configure	Crossbow.'Sync' is an abbreviation of 'synchronize' or 'synchronization'	TCCRSB	7I MOBILE BOILER TEXT
25728	Sync Data	Crossbow - menu item on main screen	BCMOBL	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
48012	Sync Error Log	EAM-37071	BCMOBL	7I MOBILE BOILER TEXT
40360	Sync Fixed Exchange Rates	Sync Fixed Exchange Rates	WSCCON	CUSTOMER CONTRACTS
46317	Sync Log	GIS	BCMOBL	7I MOBILE BOILER TEXT
26737	Sync Profile	Crossbow	TCAUSY	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCSYPF	7I MOBILE BOILER TEXT
28983	Sync config change will take effect next time you synchronize.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
44157	Sync failed with some errors. A second attempt was made for the entity, which was successful.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44158	Sync failed with some errors. Please try to sync again. If you continue to have problems, please check with your administrator.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46306	Sync is in progress. Please try again once the current sync operation is complete.	GIS	BCMOBL	7I MOBILE BOILER TEXT
44211	Sync process timed out. Please check your network connection and try again.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
33994	Sync timeout. Please retry.	Mobile 21545	TCCLOG	7I MOBILE BOILER TEXT
25798	Sync updates...	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
46417	Synchronize Header With Observation SysLvl	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687 Crossbow - System Level	TCCRSB	7I MOBILE BOILER TEXT
			OSNCSP	NONCONFORMITIESSETUP
24868			TCJACR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
12128	System		TCOBJR	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSDOCA	DOCUMENTS
			BSGRID	GRID DESIGNER
			BSLGTK	LANGUAGE TOOLKIT
			BSORGS	ORGANIZATIONS
			BSURLP	DEFINE URL PARAMETERS
			BZOSRQ	OPEN SERVICE REQUESTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSAINV	ASSET INVENTORY
			OSCLAI	WARRANTY CLAIMS
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSITPP	IMPORT TEST POINTS
			OSRELR	EQUIPMENT RANKINGS
			OTCAEQ	CALIBRATION EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAEQ	CALIBRATION EQUIPMENT
			OZCAHI	CALIBRATION HISTORY REPORT
			SSSTOR	STORES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSERC	SERVICE CODES
			WSSERQ	CREATE SERVICE REQUESTS
			WSSREQ	SERVICE REQUESTS
			WSVSER	VIEW SERVICE REQUESTS
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12128	System		WZSRQO WZSRSC WZTSRQ SSRECV	SERVICE REQUEST OVERVIEW GOLDMAN SACHS SERVICE REQUEST BY SERVICE CODE TOTAL SERVICE REQUESTS PO RECEIPTS
25734	System Asset Type	Extended (product name). Dataspy heading for system asset type on PO Receipt lines.		
40248	System Availability Status	EAM-25.EQUIP.REQ.Positions	OSHPPY OSHPRM OSHPPH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM WSOPSS	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT OPTIMIZED SCHEDULER SETUP
42766	System Bin Location	EAM-9305: EAM.EQUIP.REQ.InventoryResultsforAssetIn	BCMOBL OSAINV	7I MOBILE BOILER TEXT ASSET INVENTORY
17547	System Code		BHUCOL BSUCOD BTUCOL BYUCOL BZUCOL BHUCOL BTUCOL BYUCOL BZUCOL	List Of R5 Codes SYSTEM CODES List Of R5 Codes List Of R5 Codes List Of R5 Codes List Of R5 Codes List Of R5 Codes List Of R5 Codes List Of R5 Codes
25501	System Codes	D7i Extended - Custom Fields form	BSCMEX BSEXAL BSLOVS BSUCOD BSVSDP	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION LIST OF LOOKUPS SYSTEM CODES VIEW STATUS DETAILS POPUP
33519	System Data	21411	TCORCF	7I MOBILE BOILER TEXT
41521	System Date	EAM-2777	BAL004 BAL005 BAL006 BAL008 BAL010	LOAD ELECTRICITY DATA LOAD ACTUAL CONSUMPTION DATA FOR ELECTRICITY UTILITY INVOICE AUDIT WARRANTY EXPIRATION DATE ALERT WORK ORDER CALCULATED PRIORITY
25494	System Default	D7i Extended - User Code form	BSASET BSPSET BSUCOD BSWSET	ASSET SETUP PURCHASING SETUP SYSTEM CODES WORK SETUP
25073	System Entity	D7i Extended - Custom Fields form	BSAUTH BSDOCU BSEXIM BSFUNC BSLOVS BSPARA BSPROM	STATUS AUTHORIZATION DOCUMENTS EXPORT CONFIGURATION CREATE UPDATE SCREENS LIST OF LOOKUPS PART ASSOCIATED (NO CATEGORY) GRID Custom Attributes

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25073	System Entity	D7i Extended - Custom Fields form	BSUCOD	SYSTEM CODES
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZEALD	ELECTRONIC RECORDS FOR
			BZEPAD	ELECTRONIC RECORDS FOR
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			DSPTNR	CREATE PARTNER
			SSSTOR	STORES
			WSSREQ	SERVICE REQUESTS
38551	System Evaluation Status	EWS.EQUIP.UC.CreateEditEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
			SSEVAL	PART EVALUATIONS
42698	System Event Type	Extended (product name). Work module. This is used in grid view to show the true system event type.	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
22838	System Function	Infor EAM - identifies the code (mnemonic) of the form shown in the user's inbox.	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNC	CREATE UPDATE SCREENS
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSSTRT	EWS NEW START CENTER
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
45429	System Functions	EAM-17294 EAM.ADMN.REQ.RepositoriesforEnterpriseSe	BSLOVS	LIST OF LOOKUPS
47191	System Generated	EAM-18682EAM.ADMIN.REQ.FieldsforUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
34468	System Hidden	EWS.CREP.UC.UserGroupConfiguration.doc	OSOBJS	CREATE SYSTEM EQUIPMENT
			BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
25419	System Level	Crossbow. Meter readings.	BCMOBL	7I MOBILE BOILER TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OZNCFL	LIST OF NONCONFORMITIES
			TCOMRD	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
		Extended (product name). Refer to EWS.ADMN.UC.CreateEditVMRSCodes.doc	BSLOVS	LIST OF LOOKUPS
			BSVMRS	VMRS CODES
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25419	System Level	Extended (product name). Refer to EWS.ADMN.UC.CreateEditVMRSCodes.doc	OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZCLAI	WARRANTY CLAIM REPORT
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WHACTV	VMRS ACTIVITIES
			WSBFUL	BATCH FUEL ISSUES
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
			WZACTV	VMRS ACTIVITIES
			WZVMRS	VMRS ACTIVITIES CHART
49227	System Levels	EAM.ADMN.REQ.EMRSCodesLookup.docx	BSLOVS	LIST OF LOOKUPS
44159	System Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47532	System Lvl	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
30417	System Org.	D7i Extended -- GIS Map Features -- System=adjective, org.=organization=noun, Organization field for the parent System. Same type of label as the Position Org. and Location Org. fields.	SSSTOR	STORES
23995	System Organization	Infor EAM - organization of the system type equipment	WSSERC WSSERQ WSSREQ	SERVICE CODES CREATE SERVICE REQUESTS SERVICE REQUESTS
26746	System Parameter	Crossbow	TCESYP	7I MOBILE BOILER TEXT
41429	System Physical Location	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	OSAINV OZPAIL	ASSET INVENTORY PRINT ASSET INVENTORY LIST
41430	System Physical Location Org.	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	OSAINV	ASSET INVENTORY
34467	System Required	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL BYUSRL BZUSRL	USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
31748	System Result	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
26795	System Screen	D7i Extended - Report Parameters - field label	BSREPO	CREATE / EDIT REPORTS
18124	System Settings	Group header	BSFUNC	CREATE UPDATE SCREENS
27291	System Setup	Databridge system setup. Refer to PVCS 7210.	DSSSET	DATABRIDGE SYSTEM SETUP
31719	System State	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
24490	System Status	Extended (product name). Materials module. This is used in list view to show the true system status.	BSASET BSPSET BSRPST BSWSET BZCAMD BZCNHD BZEVD BZINVD BZMTLD BZOBJD BZORDD BZORLD BZPICD BZPMTW BZPPMD BZPRJD BZPRQD BZQUOD BZRECD BZREQD BZRETD BZRFQD BZRFRD BZRQLD	ASSET SETUP PURCHASING SETUP REPORT STATUS WORK SETUP ELECTRONIC RECORDS FOR CAMPAIGNS ELECTRONIC RECORDS FOR CHANGED NOTICE ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR INVOICES ELECTRONIC RECORDS FOR MATERIAL LISTS ELECTRONIC RECORDS FOR EQUIPMENTS ELECTRONIC RECORDS FOR PURCHASE ORDERS ELECTRONIC RECORDS FOR PURCHASE ORDER LINES ELECTRONIC RECORDS FOR PICK LISTS ELECTRONIC RECORDS FOR PERMIT TO WORK ELECTRONIC RECORDS FOR PPM ELECTRONIC RECORDS FOR PROJECTS ELECTRONIC RECORDS FOR PRODUCTION REQUESTS ELECTRONIC RECORDS FOR QUOTATIONS ELECTRONIC RECORDS FOR RECEIPT ELECTRONIC RECORDS FOR REQUISITIONS ELECTRONIC RECORDS FOR RETURN ELECTRONIC RECORDS FOR RFQS ELECTRONIC RECORDS FOR RFQ RESPONSES ELECTRONIC RECORDS FOR REQUISITION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24490	System Status	Extended (product name). Materials module. This is used in list view to show the true system status.	BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			CSKBAD	KNOWLEDGE BASE ADMINISTRATION
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSPROJ	PROJECTS
			OSAINV	ASSET INVENTORY
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSPORD	PURCHASE ORDERS
			PSPoup	PO UPDATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24490	System Status	Extended (product name). Materials module. This is used in list view to show the true system status.	PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSCOMP	NON-PO RECEIPTS
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			USBUDG	BUDGETS
			USINVP	INVESTMENT PLANNING
			WSAGRS	CUSTOMER CONTRACTS
			WSCALR	VIEW CALIBRATION RESULTS
			WSCCON	CUSTOMER CONTRACTS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSDEBE	EVENTS FOR CUSTOMERS
			WSDEBS	CREATE CUSTOMER
			WSDFAC	DEFERRED MAINTENANCE
			WSFLTK	FLEET VEHICLE TICKETS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVS	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24490	System Status	Extended (product name). Materials module. This is used in list view to show the true system status.	WSPERM	PERMITS
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPPMS	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSER	VIEW SERVICE REQUESTS
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WZVMRS	VMRS ACTIVITIES CHART
37893	System Status Code		LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
34290	System Status Description	EWS.ADMN.UC.WorkSetup	WSJOVM	CREATE WORK ORDER
			BSASET	ASSET SETUP
			BSPSET	PURCHASING SETUP
23892	System Type	Infor EAM - field to allow users to filter by system type (or R code), as opposed to user type.	BSWSET	WORK SETUP
			BSASET	ASSET SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSPSET	PURCHASING SETUP
			BSWSET	WORK SETUP
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZEPAD	ELECTRONIC RECORDS FOR
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCCGM	CONTACT CENTER MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23892	System Type	Infor EAM - field to allow users to filter by system type (or R code), as opposed to user type.	CSCINF	CONTACT INFO
			CSPSCT	SERVICE CATEGORIES
			DSMSBH	VIEW MESSAGES
			DSMSGGS	VIEW MESSAGE STATUS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTRP	VIEW PARENT EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			PSCARD	CREDIT CARDS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSSTOR	STORES
			WSCREN	CUSTOMER RENTALS
			WSDEBS	CREATE CUSTOMER
			WSFLTK	FLEET VEHICLE TICKETS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSPCTN	PRECAUTIONS
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23892	System Type	Infor EAM - field to allow users to filter by system type (or R code), as opposed to user type.	WSWOUP	WO UPDATE
37985	System Type Code	EWS.WORK.UC.WorkOrderQuickEntry / 33701	OSHPVH OSOBJA OSOVAM WSJOBS WSJOVH WSJOVM	CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
34289	System Type Description	EWS.ADMN.UC.WorkSetup	BSASET BSPSET BSWSET	ASSET SETUP PURCHASING SETUP WORK SETUP
31786	System Vehicle Status	EWS.EQUIP.UC.CreateAssetEQ.doc	BZOBJD CSCCGM OSGISR OSGISS OSHPVH OSOBJA OSOVAM WSOPSS	ELECTRONIC RECORDS FOR EQUIPMENTS CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD) CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT OPTIMIZED SCHEDULER SETUP
12127	System administrator		BHUSRL BTUSRL BYUSRL BZUSRL	USERS GROUP CONFIGURATION USERS PER GROUP USERS GROUP CONFIGURATION USERS GROUP CONFIGURATION
48307	System booked :PARAM1 hours for :PARAM2 on Work Order :PARAM3 Activity :PARAM4.	EAM.MOBILE.REQ.ActivitiesforWorkOrder	BCMOBL	71 MOBILE BOILER TEXT
12603	System code	A hard-coded value, used by MP5 internally, e.g. 'C' for completed jobs, 'PART' to indicate parts etc.(Different from user codes.)	BCUCOD WSSERQ	CORSSBOW UCODE LIST CREATE SERVICE REQUESTS
12336	System entity	Codes to indicate types of entities: e.g. PROJ for projects, OBJ for objects etc.	BCAUTH BCCLAS BCCOMM BCPRMC BCPRMP BCPRMV BCUCOD OSVPRE WSAPPH WSAPPR	CROSSBOW AUTH LIST CROSSBOW CLASS LIST CROSSBOW COMMENT LIST CROSSBOW CUST ATTRIB CONTROL LIST CORSSBOW CUSTOM ATTRIB PROPERTY LIST CROSSBOW CUST ATTRIB VALUE LIST CORSSBOW UCODE LIST PERMIT ENTITY REVISION CONTROL HISTORY REVISION CONTROL APPROVAL
18811	System level	Part of VMRS enhancement; user will be able to select a code that identifies the specific system of the vehicle involved in repairs, etc. (e.g., brakes)	BSPARA FCGRD1 OCOBJC OSGFLD OSWARR OZEQUD	PART ASSOCIATED (NO CATEGORY) GRID FLAMETHROWER GRID 1 CROSSBOW EQUIPMENT LIST ASSET FIELD LIST FOR MAPPING WARRANTY EQUIPMENT DETAIL
12427	System record	Flag, indicating that the record has a special meaning because it is used by the system.	CMPROM	Contract Text Prompts
19356	System status		OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49051	System will make selected custom field required for the selected Status. Systems	EAM-46298/StatusRequirementSettingsPopup.doc	BSSRES	STATUS REQUIREMENT SETTINGS POPUP
19073		collections of positions and/or assets that work together so that when one part goes down, all parts are affected	BSLOVS	LIST OF LOOKUPS
			OEOBJS	CREATE SYSTEM EQUIPMENT
		Infor EAM - name of dataspy on the structure tab of the equipment form	OEOVSM	CREATE SYSTEM EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			BIASPS	ASSETS POSITION SYSTEM
			BSLOVS	LIST OF LOOKUPS
			ISMONT	MONITORED DATA
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
	OSSTRU		STRUCTURE FOR EQUIPMENT	
26021	T	Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Tuesday.'	WSCAPA	WO LOAD BALANCING
		Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Thursday.'	WSWLSH	WO LABOR SCHEDULING
26947	TCP Ping	Crossbow	TCPCON	7I MOBILE BOILER TEXT
27966	TCP Ping:	Barcode	FCSCRN	FLAMETHROWER SCREENS
35846	TYPE	EWS.ADMN.UC.TableStructurePopup.doc	BSTBST	TABLE STRUCTURE POPUP
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
27892	Tab	D7i Extended -- Inbox setup form -- Field label used in personalize inbox popup, noun	BHUSRL	USERS GROUP CONFIGURATION
			BSBOIL	GLOBAL TEXT CHANGES
			BSCDSS	USER DEFINED SCREEN SETUP
			BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSGRID	GRID DESIGNER
			BSGROU	GROUPS
			BSWSPM	WEB SERVICES PROMPT
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			WSRVCS	REVISION CONTROL SETUP
28204			Tab 89.36 - Address	Barcode - label format
25691	Tab Always Displayed	Extended (product name). Field label.	BSGROU	GROUPS
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSTBOP	CHANGE TAB ORDER POPUP
25690	Tab Available	Extended (product name). Field label.	BSGROU	GROUPS
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSTBOP	CHANGE TAB ORDER POPUP
34654	Tab Code	#26808	BSFUNC	CREATE UPDATE SCREENS
			BSMAPF	MAP FIELDS
			BSURLP	DEFINE URL PARAMETERS
			BSUSRP	USERS
34258	Tab Description	EWS.ADMN.UC.GlobalTextChange.doc / SCR#26194	BSBOIL	GLOBAL TEXT CHANGES
			BSFUNC	CREATE UPDATE SCREENS
			BSWSPM	WEB SERVICES PROMPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
27817	Tab Functions	D7i Extended - Screens form - DropDown element	BSFUNC	CREATE UPDATE SCREENS
25929	Tab Name	D7i Extended - Menus for User Groups - field label used in change tab order popup	BEWSMD	EWS - METADATA DEFINITION
			BSFUNC	CREATE UPDATE SCREENS
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSTBOP	CHANGE TAB ORDER POPUP
38164	Tab On Screen	EWS.ADMN.UC.CreateEditWebServicePrompts / 35858	BSWSPM	WEB SERVICES PROMPT
34435	Tab Permission	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
34434	Tab Permissions	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
34329	Tab Save Behavior	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
15256	Tab name		M1	Pull-Down Menu Texts
28205	Tab1 102.36 - Diskette	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28206	Tab1 107.23 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28207	Tab1 107.36 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28208	Tab1 107.49 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28209	Tab1 125.74 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28210	Tab1 85.108 - Name Tag	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28211	Tab1 89.23 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28212	Tab2 107.23 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28213	Tab2 107.36 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28214	Tab2 89.23 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28215	Tab2 89.36 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
12410	Table	In the database tables, all data are stored.	BCMOBL	7I MOBILE BOILER TEXT
			BSAUDC	AUDIT SETUP
			BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSDTCV	DATA CONVERSION (MP2)
			BSENSS	ENTERPRISE SEARCH SETUP
			BSFLDT	FIELD DETAILS POPUP
			BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMATS	VIEW TRIGGER STATUS
			BSMOST	MULTI-ORG SECURITY
			BSTABL	POP-UP FUNCTION FOR TABLE LOOKUP
			BSTRGP	VIEW TRIGGER STATUS POP UP
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BZAUDT	AUDIT LOG
			BZFLXL	PRINT FLEX SQL LIST
			WSRVCS	REVISION CONTROL SETUP
			YSFLXS	FLEX SQL
			YSINTF	INTERFACE OVERVIEW
		EAM-45774	BZDLUD	DATA LAKE UPLOAD PROGRESS DETAILS
			BZDLUP	DATA LAKE UPLOAD PROGRESS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12410	Table	EAM-45774	BZDLUS	DATA LAKE UPLOAD SETUP
36579	Table Details	30854	BSTABL	POP-UP FUNCTION FOR TABLE LOOKUP
25760	Table Fields	Extended (product name). Audit Setup form.	BSLOVS	LIST OF LOOKUPS
47948	Table ID	EAM-37080	BSDLUS	DATA LAKE UPLOAD SETUP
			BZDLUS	DATA LAKE UPLOAD SETUP
25758	Table Name	Extended (product name). Audit Setup form.	BSAUDC	AUDIT SETUP
			BSCDSS	USER DEFINED SCREEN SETUP
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSGFRM	FROM CLAUSE LOOKUP
			BSGRID	GRID DESIGNER
			BSGSEL	SELECT CLAUSE LOOKUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSVEDP	VIEW ERROR DETAILS POPUP
45006	Table Prefix	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
35753	Table Structure Details	EWS.ADMN.UC.TableStructurePopup	BSTBST	TABLE STRUCTURE POPUP
24790	Table Style cannot be created.	Crossbow	TCOBJL	7I MOBILE BOILER TEXT
			TCOHL	7I MOBILE BOILER TEXT
			TCOMRL	7I MOBILE BOILER TEXT
25759	Tables	Extended (product name). Audit Setup form.	BSAUDC	AUDIT SETUP
			BSDLUS	DATA LAKE UPLOAD SETUP
			BSGFRM	FROM CLAUSE LOOKUP
			BSGRID	GRID DESIGNER
			BSLOVS	LIST OF LOOKUPS
35441	Tables to Convert	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSDTCV	DATA CONVERSION (MP2)
44818	Tabs	EAM-14780	BANNER	BANNER
			BSFUNC	CREATE UPDATE SCREENS
			BSLOVS	LIST OF LOOKUPS
48274	Tactical Cause	EAM.EQUIP.REQ.FailureModesPopup	BSLOVS	LIST OF LOOKUPS
			OSFAIL	FAILURE MODES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRCMT	RCM TEMPLATES
			WSJOBS	CREATE WORK ORDER
19358	Tag	equipment tag	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
45394	Tag Header	EAM-6684EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
45395	Tag Line 1	EAM-6684EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
45396	Tag Line 2	EAM-6684EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45396	Tag Line 2	EAM-6684EAM.WORK.REQ.TaskPlans	WSTASK	TASKS
45397	Tag Line 3	EAM-6684EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
45398	Tag Line 4	EAM-6684EAM.WORK.REQ.TaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			WSPMTW	PERMIT TO WORK
			WSTASK	TASKS
27205	Tag Name	D7i Extended - Grid - alias that identifies a field in a grid	BEWSMD	EWS - METADATA DEFINITION
27206	Tag Parameters	D7i Extended - Grid Tag Parameters. Used for dropdown query	BEWSMD	EWS - METADATA DEFINITION
45400	Tag Translations	EAM-6684-EAM.WORK.REQ.TagTranslationsForTaskPlans	WSTASK	TASKS
46224	Take a Picture	Documents Panel	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
38374	Tank	EWS.WORK.UC.DepotTankForFuel	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSDEPO	DEPOTS
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
38454	Tank Description	EWS.WORK.UC.FuelReceipts	WSDEPO	DEPOTS
			WSFREC	FUEL RECEIPTS
38420	Tank Details	EWS.WORK.UC.TanksForDepots/36610	WSDEPO	DEPOTS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
38489	Tank/Pump	EWS.WORK.UC.TankPumpsForDepots.doc	WSDEPO	DEPOTS
38488	Tank/Pump Details	EWS.WORK.UC.TankPumpsForDepots.doc	WSDEPO	DEPOTS
38403	Tanks	EWS.WORK.UC.FuelReceipts.doc	BSLOVS	LIST OF LOOKUPS
			WSDEPO	DEPOTS
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
47285	Tap on map to select location of the feature	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
47037	Tap on map to select location of the feature.	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
49127	Tap to view error	DUX - NA	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12797	Target	The ideal value for a performance indicator or the target date.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12797	Target	Crossbow - Target Date	TCJCLR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
41355	Target Amount	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
41354	Target Change %	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
46986	Target Complete Date	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
20149	Target Date	Infor EAM - The date that a job will start.	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			ITJBRT	Inspection Route Report
			JZJOBL	LIST OF JOBS FOR PROJECT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WTCALR	CALIBRATION RECORD REPORT
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WZCALR	CALIBRATION RECORD REPORT
		Crossbow	TCJOBL	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
26803	Target Date must be later than or equal to today.	Crossbow		
41370	Target Details	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
21187	Target Equipment	Infor EAM - the piece of equipment that will receive the new meter reading	LVTGEP	LIST VALUES OF TARGET EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
21318	Target Equipment Org.	Infor EAM - organization of the target equipment for a work order.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
28018	Target Object	Data Warehouse. The database object (table, index, sequence, etc.) being operated on. Refer to PVCS 1647.	BSDWRL	DATA WAREHOUSE RUN LOG
41507	Target Peak Demand (W)	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
41506	Target Power Factor	EAM- 2226 EAM.EQUIP.REQ. Assets	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
30479	Target Prompt	D7i Extended -- Return Prompt for DC Transaction Prompt -- Field Label	BSLOVS	LIST OF LOOKUPS
			TSASTP	DC TRANSACTION PROMPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30480	Target Prompt Description	D7i Extended -- Return Prompt for DC Transaction Prompt -- Field Label target prompt=adjective, description=noun	TSASTP	DC TRANSACTION PROMPT
46985	Target Start Date	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
41364	Target Subtype	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
41365	Target Type	EAM-403, EAM.EQUIP.REQ.Objective	OSOBTV	OBJECTIVES
			OSSTGY	CREATE STRATEGY
20711	Target Value	Infor EAM - See target. Translate as target - target value or target date.	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSVITE	WORK ORDER QUICK ENTRY
37605	Target Value Currency	EWS.MATL.UC.IssueReturnParts/32426	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
12129	Target date	The date that a job will start.	WTJOBF	Job Cards
26854	Target host unresolved.	Crossbow	FCSCRN	FLAMETHROWER SCREENS
			TCPCON	7I MOBILE BOILER TEXT
29718	Tariff Group	D7i Extended - Calibration Record Report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
12474	Tariff group	Defines the labor rate to be used.	WTJOBF	Job Cards
45106	Task	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
45116	Task Assigned To	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
45445	Task Comments	EAM-17388	CZCASE	CASE MANAGEMENT REPORT
47530	Task Complete	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
45107	Task Description	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			CSCMTK	CASE MANAGEMENT TASKS
17550	Task Details		CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
45117	Task Due In	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20995	Task ID	Infor EAM - ID of the task scheduled in dataBridge	DSSTSK	DATABRIDGE SCHEDULED TASKS
44160	Task Instructions	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			DSSTSK	DATABRIDGE SCHEDULED TASKS
20996	Task Name	Infor EAM - the name of the task scheduled in dataBridge	DSSTSK	DATABRIDGE SCHEDULED TASKS
35756	Task No.	EWS.ADMN.UC.MP2WorkOrders	BSDOCA	DOCUMENTS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			BAL012	CASE TASK READY TO START
			BAL014	CASE TASK COMPLETED
			BSDOCA	DOCUMENTS
45118	Task Overdue	EAM.ADMN.SCOPE.PreConfiguredAlerts	BSFFSP	FILTER FIELD SETUP SCREEN
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
12412	Task Plan	Sub-division of an activity. Instructions.	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZCHKA	CHECKLIST AUDIT
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			OZHISL	Object History
			OZPROF	EQUIPMENT PROFILE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12412	Task Plan	Sub-division of an activity. Instructions.	PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZVEND	VENDOR LEAD TIME
			QZQUOL	PRINT LIST OF QUOTATION
			SHREQF	Print Purchase Requisition
			SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSREQF	GENERATE REQ
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			STREQF	Print Purchase Requisition
			STREQ	List Of Outstanding Requisition Items
			SYHISL	Purchase History Per Item/Supplier
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQ	List Of Outstanding Requisition Items
			SZHISL	Purchase History Per Item/Supplier
			SZREQF	Print Purchase Requisition
			SZREQ	List Of Outstanding Requisition Items
			WCACTJ	CROSSBOW ACTIVITY LIST
			WCSTAC	CROSSBOW STWO ACTIVITY
			WCTASK	CROSSBOW TASK LIST
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSBKPO	BOOK PO LABOR
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSIMCL	IMPORT CHECKLIST
			WSJOBS	CREATE WORK ORDER
			WSJOQP	IMPORT UNLINKED QUALIFICATIONS
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12412	Task Plan	Sub-division of an activity. Instructions.	WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSFMT	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WYHRIL	HOURS NEEDED FOR TASKS
			WYJOB	PRINT WORK ORDER
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZHRIL	HOURS NEEDED FOR TASKS
			WZJOB	PRINT WORK ORDER
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPMSP	PM SCHEDULE PROFILE
			WZQREQ	QUALIFICATION REQUIREMENT REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	TCESYP	7I MOBILE BOILER TEXT
		Crossbow	TCJACL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			TCJACR	7I MOBILE BOILER TEXT
			TCJATL	7I MOBILE BOILER TEXT
42871	Task Plan	EAM-9519: Rename screen to Task Plans	WSMECH	MECHANIC'S WORKBENCH
41795	Task Plan Checklist	EAM-3960	WHJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
42706	Task Plan Checklist Code	EAM-8627	BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
47259	Task Plan Class	EAM.MOBILE.REQ.ChecklistForWorkOrder.docx	BCMOBL	7I MOBILE BOILER TEXT
20718	Task Plan Code	Infor EAM - code identifying the task, or 'instructions for the work order'	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20718	Task Plan Code	Infor EAM - code identifying the task, or 'instructions for the work order'	OSVEVT	EVENTS FOR EQUIPMENT
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
20807	Task Plan Code Revision	Infor EAM - revision number of a task	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
32198	Task Plan Comments:	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
39788	Task Plan Description	SchedulingforWODailyScheduling.doc	BSFFSP	FILTER FIELD SETUP SCREEN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCOPO	CONTRACTOR PORTAL
			WSIMCL	IMPORT CHECKLIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSWLSH	WO LABOR SCHEDULING
			WZDELP	PROOF OF DELIVERY
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
42892	Task Plan Details	EAM-9519: Rename screen to Task Plans	WSTASK	TASKS
27006	Task Plan Instructions	Extended (product name)	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
31720	Task Plan List	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
27677	Task Plan Org.	Infor EAM. Refer to EWS.MATL.UC.ServicesforSuppliers.	BSFFSP	FILTER FIELD SETUP SCREEN
			SSSUPP	SUPPLIERS
31721	Task Plan Qty Received	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20808	Task Plan Qty.	Infor EAM - The quantity of the task, for example, how many hours.	BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPMP	PM PLANS
			WSPPM	PM SCHEDULES
			WSSTWO	STANDARD WOS
37611	Task Plan Qty. UOM	EWS.MATL.UC.IssueReturnParts/32426	WSVITE	WORK ORDER QUICK ENTRY
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
29879	Task Plan Revision	Extended (product name)	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			SSGRFQ	GENERATE RFQS
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29879	Task Plan Revision	Extended (product name)	WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSIMCL	IMPORT CHECKLIST
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSVITE	WORK ORDER QUICK ENTRY
			WSMECH	MECHANIC'S WORKBENCH
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
31722	Task Plan Status	EAM.WORK.REQ.MechanicWorkbench EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTSKD	ELECTRONIC RECORDS FOR TASKS
31723	Task Plan System Status	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTSKD	ELECTRONIC RECORDS FOR TASKS
44615	Task Plan for Checklist	EAM.CCTR.REQ.CaseTasksForServiceCodes:EAM-15261	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CZCASE	CASE MANAGEMENT REPORT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WHJOBQ	PRINT WORK ORDER
			WSJOBS	CREATE WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
44949	Task Plan for Checklist Revision	EAM-15258 Tasks for Case Management	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			BSDTCV	DATA CONVERSION (MP2)
			BSEXIM	EXPORT CONFIGURATION
12346	Task Plans	A task describes how an activity should be executed.	BSLOVS	LIST OF LOOKUPS
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSTASK	TASKS
		EAM-9519: Rename screen to Task Plans		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23904	Task Plans by Trade	Infor EAM - name of Dataspy on the Tasks form that displays task records according to a specific trade	WSTASK	TASKS
45109	Task Priority	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012 BAL014 CZCASE	CASE TASK READY TO START CASE TASK COMPLETED CASE MANAGEMENT REPORT
45115	Task Responsible	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012 BAL014	CASE TASK READY TO START CASE TASK COMPLETED
45014	Task Sequence	EAM-15265	BAL012 BAL014 CSCASE CSCMTK	CASE TASK READY TO START CASE TASK COMPLETED CASE MANAGEMENT CASE MANAGEMENT TASKS
45108	Task Step	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL012 BAL014	CASE TASK READY TO START CASE TASK COMPLETED
20997	Task Type	Infor EAM - the type of the task scheduled in dataBridge...'dataBridge' if inbound/outbound driver; 'external' if custom driver	DSSTSK	DATABRIDGE SCHEDULED TASKS
45446	Task UDF	EAM-17388	CZCASE	CASE MANAGEMENT REPORT
44161	Tasks	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
		EAM-20011 EAM.CCTR.REQ.TasksForCaseManagement	CSCASE	CASE MANAGEMENT
12839	Tax	Tax code.	PSINVO PSPORD PYPOCS PZPOCS WHINVS WSDEBS WSINVS WYINVS WZCIND WZCINS WZINVS WSDEBS	INVOICES PURCHASE ORDERS PO COST SUMMARY PO COST SUMMARY CUSTOMER INVOICE REPORT CREATE CUSTOMER CUSTOMER INVOICES CUSTOMER INVOICE REPORT CUSTOMER INVOICE DETAIL SHORT CUSTOMER INVOICE CUSTOMER INVOICE REPORT CREATE CUSTOMER
23882	Tax %	Infor EAM - field to display the tax percentage of the tax associated with the customer	WSDEBS	CREATE CUSTOMER
29972	Tax Amount	D7i Extended -- Lines tab, Invoices form -- Field Label	PSINVL PSINVO WSCCON WSCREN WSINVC WSINVC	INVOICE LINES PER BUYER INVOICES CUSTOMER CONTRACTS CUSTOMER RENTALS CUSTOMER INVOICES CUSTOMER INVOICES
40696	Tax Base	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	BSMPPR	MP2 PURCHASING
36031	Tax Charge	EWS.ADMN.UC.MP2Purchasing	BSDOCA	DOCUMENTS
20743	Tax Code	Infor EAM - A unique identifier for a certain type of tax.	BSMPPR BZIVLD BZORLD BZRRLD BZSCAD PSPARP	MP2 PURCHASING ELECORONIC RECORDS FOR INVOICE LINES ELECTRONIC RECORDS FOR PURCHASE ORDER LINES ELECTRONIC RECORDS FOR RFQ RESPONSE LINES ELECTRONIC RECORDS FOR SERVICE CATALOTUE SELECT PARTS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20743	Tax Code	Infor EAM - A unique identifier for a certain type of tax.	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSSUPT	OVERVIEW OF SUPPLIER PARTS
			SSTAXS	TAX CODES
			WSCCON	CUSTOMER CONTRACTS
			WSCREEN	CUSTOMER RENTALS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSTASK	TASKS
			WSTRAD	TRADES
			WZCCON	PRINT CUSTOMER CONTRACT
30093	Tax Code 1	D7i Extended -- Lines tab on Invoice Voucher form -- Field Label, noun	PSINVO	INVOICES
26479	Tax Code 2	Infor EAM. Indicates the second tax code that is applicable to the requisition line. Refer to PVCS 6210.	PSPOLN	IMPORT PO LINES
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
24371	Tax Code Details	Extended (product name). Section header on the Tax Codes form.	PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSTAXS	TAX CODES
20880	Tax Codes	Infor EAM - title on LOV for Tax Code field on Parts form	BSDTCV	DATA CONVERSION (MP2)
39715	Tax Details	EAM.MATL.UC.TaxesForStore	LVTAX	TAX CODE LOOKUP
			SSSTOR	STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35935	Tax Name	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
32562	Tax Percentage	EWS.WORK.UC.CustomerInvoices.doc	WHINVS	CUSTOMER INVOICE REPORT
			WSINVC	CUSTOMER INVOICES
			WSINVS	CUSTOMER INVOICES
			WYINVS	CUSTOMER INVOICE REPORT
			WZINVS	CUSTOMER INVOICE REPORT
			BSDOCA	DOCUMENTS
24373	Tax Rate	Extended (product name). Field label on the Tax Rates form (SCR 4532)	BSMPPR	MP2 PURCHASING
			SSTAXH	TAX RATES
			SSTAXH	TAX RATES
24374	Tax Rate Details	Extended (product name). Section heading on the Tax Rates form (SCR 4532)	SSTAXH	TAX RATES
25649	Tax Rate Type	Extended (product name)	BSDOCA	DOCUMENTS
			SSTXTP	TAX RATE TYPES
24569	Tax Rate Types	Extended (product name). Title for the Tax Rate Types list of values.	BSLOVS	LIST OF LOOKUPS
26766	Tax Rates	Infor EAM. Lookup title for removing a tax code rate. Refer to EWS.MATL.UC.RatesForTaxCodes.	BSLOVS	LIST OF LOOKUPS
36032	Tax Type	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
12840	Tax code	A unique identifier for a certain type of tax.	FCGRD1	FLAMETHROWER GRID 1
36033	Taxable	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
			SSSTOR	STORES
39712	Taxes	EAM.MATL.UC.TaxesForStore	SSSTOR	STORES
44518	Tear Down Time (Minutes)	EAM:14701	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			BCMOBL	7I MOBILE BOILER TEXT
29302	Technician Part Failure	Extended (product name)	BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			OZCLAI	WARRANTY CLAIM REPORT
			WHACTV	VMRS ACTIVITIES
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY
			WZACTV	VMRS ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29302	Technician Part Failure	Extended (product name)	WZVMRS	VMRS ACTIVITIES CHART
29724	Technician Time	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
11929	Telephone		BSADRS	ADDRESSES
			BSDELA	Delivery addresses
			CTCONL	Overview Existing Contracts
			CYCONL	Overview Existing Contracts
			CZCONL	Overview Existing Contracts
			FCGRD1	FLAMETHROWER GRID 1
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PHORDF	Print Purchase Order
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			PZPRFQ	REQUEST FOR QUOTATION
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSSUPC	CUSTOMERS
			SSSUPL	SUPPLIER LOOKUP
			SSSUPP	SUPPLIERS
35765	Telephone No.	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
46995	Telephone Number	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
41545	Temp Increase Pct	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-2777	BAL003	PHASE IMBALANCE
35348	Temp. Fix Completed	EWS.CREP.UC.CallCenterWorkOrder	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
35345	Temp. Fix Due	EWS.CREP.UC.CallCenterWorkOrder	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
17047	Temperature		OZTACR	TEMPERATURE ANALYSIS CHART
41608	Temperature Analysis Chart	EAM-2170	BSREGN	CREATE EDIT REGIONS
38347	Temperature Average	36691	BSREGN	CREATE EDIT REGIONS
38346	Temperature Maximum	36691	BSREGN	CREATE EDIT REGIONS
38345	Temperature Minimum	36691	BSREGN	CREATE EDIT REGIONS
40865	Temperature Monitored	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40865	Temperature Monitored	EAM.EQUIP.REQ.AssetHealthcare.docx	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
38342	Temperature UOM	36409	BSREGN	CREATE EDIT REGIONS
12678	Template	Whether a route contains real objects, or categories of objects (= a template).	ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
			OSGRTE	CREATE ROUTE WORK ORDER
			WSROUT	ROUTES
			WSRTEP	ROUTE LOOKUP
			FCSCRN	FLAMETHROWER SCREENS
		D7i Extended - Inspections - noun	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
49382	Template Details	EAM.EQUIP.REQ.RCMTemplates	OSRCMT	RCM TEMPLATES
31206	Template already exists.	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31207	Template with this name already exists. Please change template name first.	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31208	Template:	Barcoding	FCSCRN	FLAMETHROWER SCREENS
31209	Templates	Barcoding	FCSCRN	FLAMETHROWER SCREENS
28947	Temporarily Disqualified	D7i Extended -- Employees form -- Qualifications tab, field label	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSEMPs	EMPLOYEES
45444	Temporary	EAM-18058	BSDTSP	DATASPY
			WSCRWP	CREATE/EDIT CREW POPUP
35189	Temporary Fix Date Completed	EWS.WORK.UC.CreateWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
35187	Temporary Fix Promise Date	EWS.WORK.UC.CreateWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35187	Temporary Fix Promise Date	EWS.WORK.UC.CreateWorkOrder	JSCAMP	CAMPAIGN
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			CSSVPB	SERVICE PROBLEM CODES
35129	Temporary Fix Turnaround	EWS.CCTR.UC.ServiceProblemCodes	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSMATL	MATERIAL LISTS
			CSSVPB	SERVICE PROBLEM CODES
			OSHFPY	CREATE HOSPITALITY FACILITIES
22450 35130	Temporary Material Lists Temporary Turnaround Unit	Infor EAM - name of dataspy EWS.CCTR.UC.ServiceProblemCodes	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMPWO	MP2 WORK ORDERS
			BSQRSE	QR CODES SETUP
			WSDEBS	CREATE CUSTOMER
			WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
28591 21488	Terminating session... Terms/Clauses	Barcode This is new boiler text to be added as a new output option on the Blanket order list report (PRBPOL).	FCSCRN	FLAMETHROWER SCREENS
			PYPOL	BLANKET ORDER LIST
44745 26951	Terrain with Labels Test	EAM-15727 Crossbow	PZBPOL	BLANKET ORDER LIST
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27115 32192	Test Conn. Test Connection	Barcode Crossbow - button on log in screen	TCPCON	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
			TCCLOG	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32192	Test Connection		BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
25916	Test Flex Business Rule	Extended (product name). This is a link button label on the Flex SQL screen. Refer to EWS.ADMN.UC.CreateUpdateFlexSQL.doc.	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			YSFLXS	FLEX SQL
49166	Test Optimized Scheduler Connection	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
27483	Test Point	Crossbow	TCJCAH	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
		Extended (product name) Test is used as an adjective in this case (not a verb)	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OTCAEQ	CALIBRATION EQUIPMENT
			OZCAEQ	CALIBRATION EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
26091	Test Point Details	Group header on the calibration tab of OMOBJC	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
29629	Test Point Set	D7i Extended - Calibration - Test Point Set field on Equipment tab of PPMs.	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29629	Test Point Set	D7i Extended - Calibration - Test Point Set field on Equipment tab of PPMs.	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSMPAT	MAINTENANCE PATTERNS
			WSPPMS	PM SCHEDULES
			WZMPAT	PRINT MAINTENANCE PATTERN
29630	Test Point Sets	D7i Extended - Calibration - Title for the LOV of the Test Point Set field.	BSLOVS	LIST OF LOOKUPS
28666	Test Point UOM	D7i Extended - Calibrations - Test Point Unit of Measure	BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVTPO	TEST POINTS FOR EQUIPMENT
			WSCALR	VIEW CALIBRATION RESULTS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
42796	Test Point UOM is out of service or deleted. Test point will not be attached to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
35090	Test Point(s)	EWS.EQUIP.UC.ImportTestPointsPopup/16323	OSITPP	IMPORT TEST POINTS
26617	Test Points	Used in Calibration (header in WMJOBS).	OSCPCN	COPY CONFIGURATION POPUP
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQGN	EQUIPMENT GENERATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			BSALRT	ALERT MANAGEMENT SYSTEM
12897	Test SQL	Click to test the SQL statement.		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12897	Test SQL	Click to test the SQL statement.	BSJSDN BSQUER BSVIEW BSDTSP	COMMON FUNCTION FOR JAVASCRIPT QUERIES VIEWS DATASPY
28876	Test Where Clause	D7i Extended - Dataspy - link label. Test is a verb.	OSITPP	IMPORT TEST POINTS
26092	Test point	Used in Calibration.	WSCALR	VIEW CALIBRATION RESULTS
27593	TestPt	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
12275	Text		AEDEF	ANALYTICS VARIABLE DEFINITION RIGHTS
			ASLOV	ANALYTICS LIST OF VALUES
			BCPRMP	CORSSBOW CUSTOM ATTRIB PROPERTY LIST
			BSENS	ENTERPRISE SEARCH SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSREPO	CREATE / EDIT REPORTS
			BXBOIL	Customized Texts
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			FCSCRN	FLAMETHROWER SCREENS
			OSGCUS	CUSTOM FIELD MAPPING QUERY
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			TCSCMN	7I MOBILE BOILER TEXT
28453	Text 1		ISMONT	MONITORED DATA
28462	Text 10		ISMONT	MONITORED DATA
28454	Text 2		ISMONT	MONITORED DATA
28455	Text 3		ISMONT	MONITORED DATA
28456	Text 4		ISMONT	MONITORED DATA
28457	Text 5		ISMONT	MONITORED DATA
28458	Text 6		ISMONT	MONITORED DATA
28459	Text 7		ISMONT	MONITORED DATA
28460	Text 8		ISMONT	MONITORED DATA
28461	Text 9		ISMONT	MONITORED DATA
28073	Text Details	D7i Extended -- Screens form -- Section label	BSFUNC	CREATE UPDATE SCREENS
			BSREPO	CREATE / EDIT REPORTS
27934	Text Font	Barcode	FCSCRN	FLAMETHROWER SCREENS
40827	Text Highlight Color	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSSTR	EWS NEW START CENTER
38195	Text ID	EWS.ADMN.UC.ErrorTextforLanguages.doc	BSLANG	LANGUAGES
35882	Text Reading	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
44460	Text Response	EAM.CCTR.REQ.ResultsforCustomerSurveys } EAM-14831	CSCSUR	CUSTOMER SURVEYS
38196	Text Type	EWS.ADMN.UC.ErrorTextforLanguages.doc	BSLANG	LANGUAGES
28315	The Data Source file does not exist.	Barcode	FCSCRN	FLAMETHROWER SCREENS
37432	The Date Worked cannot be later than the date completed of any Work Order related to child equipment for which the hours are to be booked. Select another Date Worked.	21813 - Multi Equipment WO Book Hour	TCJBKL	7I MOBILE BOILER TEXT
44212	The Date Worked cannot be later than today. Select another Date Worked.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44213	The Date Worked must occur after the Date Reported of the Work Order. Select another Date Worked.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25420	The Date/Time cannot be later than today's date.	Crossbow. Error message for meter reading.	TCOMRD	7I MOBILE BOILER TEXT
25421	The Date/Time must occur after the Date/Time of the last reading.	Crossbow. Error message for meter readings.	TCOMRD	7I MOBILE BOILER TEXT
48895	The Document and Scanning features need your permission to access your camera.	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48894	The Document feature needs your permission to access your photo library.	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25424	The End Time must occur after the Start Time. You must enter another End Time or change the Start Time.	Crossbow. Error message for booking hours.	TCJBKL	7I MOBILE BOILER TEXT
44164	The End User License Agreement	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
45841	The Equipment Length and UOM must be specified together.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
45842	The Equipment Length must be a positive number.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
45843	The Equipment Length, Equipment Length UOM, and Reference Precision fields must contain a value if the Linear Reference UOM has a value.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
25882	The Equipment-Aspect-Point for this Work Order already exists.	Crossbow	TCIWIR	7I MOBILE BOILER TEXT
31941	The From Point and To Point must be greater than or equal to 0.	SCR #s 16232 and 17078	BCMOBL BSJSDN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT
30921	The From Point and To Point must fall on or within the defined equipment length.	D7i Extended - LINEAR EQUIP - From Point and To Point are fields where users will enter numeric values to define a range (e.g., Mile Markers 5 to 20 on Interstate 85).	BCMOBL BSJSDN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT
46235	The From Point and To Point must fall on or within the defined work order From Point and To Point.	Linear Reference	BCMOBL	7I MOBILE BOILER TEXT
48023	The From Point and/or To Point has been adjusted based on the equipment length, versus feature length, to avoid a length validation error.	EAM-39662	BCMOBL	7I MOBILE BOILER TEXT
48010	The From Point or To Point has been adjusted based on the equipment length, versus feature length, to avoid a length validation error.	EAM-37031	BCMOBL	7I MOBILE BOILER TEXT
42487	The Group By Text field is used to give a label to the values being returned in Field 3. This label will be displayed next to a selection field on the Start Center screen.	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
27648	The Height you have selected goes beyond the screen limit.	Crossbow	TCSPRP	7I MOBILE BOILER TEXT
47461	The Infor EAM server you are	EAM-34883 iOS Transit - User Notification	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	connected to has not been updated to support the Infor EAM Mobile version you are using. Please contact your system administrator.			
47462	The Infor EAM server you are connected to is updated to support a newer version of the Infor EAM Mobile app. Please download the latest version of EAM Mobile from the Apple App Store.	EAM-34883 iOS Transit - User Notification	BCMOBL	71 MOBILE BOILER TEXT
47463	The Infor EAM server you are connected to is updated to support a newer version of the Infor EAM Mobile app. Please download the latest version of EAM Mobile from the Google Play Store.	EAM-34883 iOS Transit - User Notification	BCMOBL	71 MOBILE BOILER TEXT
47464	The Infor EAM server you are connected to is updated to support a newer version of the Infor EAM Mobile app. Please download the latest version of EAM Mobile from the Microsoft Store.	EAM-34883 iOS Transit - User Notification	BCMOBL	71 MOBILE BOILER TEXT
29861	The Inspection result that you selected has a safety/hazard equipment.	Crossbow	TCIWIL	71 MOBILE BOILER TEXT
28308	The Label Configuration already exists, please specify another name.	Barcode	FCSCRN	FLAMETHROWER SCREENS
48702	The Main Isolation tables are not available. Confirm that the Download Main Isolation Tables option has been selected in the Sync Config and perform a sync.	EAM-44119	BCMOBL	71 MOBILE BOILER TEXT
49716	The QR code scanned is not valid. Try again or manually configure.	EAM.DUX.ITP.Login.docx	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29735	The Route cannot be created because a Sequence and/or Equipment is duplicated for the Route.	D7i Extended - This message is displayed when user clicks next on Create Route screen and there are duplicate sequences.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29734	The Route cannot be created because it already exists in the system.	Infor EAM, GIS Module. This message is displayed when user clicks next on Create Route screen and route already exists.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44214	The Start Time must occur after the Time Reported of the Work Order. Enter another value.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
25426	The Start Time must occur before the End Time. You must enter another Start Time or change the End Time.	Crossbow. Error message for booking hours.	TCJBKL	71 MOBILE BOILER TEXT
44172	The System is unable to make another attempt to retrieve one or more field values at this time. Select one of the following options and then click OK.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
30922	The To Point must be greater than or equal to the From Point.	D7i Extended - LINEAR EQUIP - From Point and To Point are fields where users will enter numeric values to define a range (e.g., Mile Markers 5 to 20 on Interstate 85).	BCMOBL	71 MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44173	The Transaction	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44174	The Transaction Qty. exceeds the quantity currently available in stock.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
39411	The User Defined List View is not supported in disconnected mode. Error Message ":PARAM1".	EWS.MOBILE.DES.UserDefinedGrid	TCUDGL	7I MOBILE BOILER TEXT
42488	The Value Type field is used to define Field 4 as either a number or a monetary amount. The only effect is the currency will be displayed on the hover text of the chart on the Start Center screen.	EAM-5016: EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
46237	The Value exceeds the maximum value permitted for this meter. Enter a new value that falls within the range of values associated with the meter.	Meter Reading	BCMOBL	7I MOBILE BOILER TEXT
49811	The Voice Control feature needs your permission to access your microphone.	EAM-51954	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29859	The WO that you selected has a safety/hazard equipment.	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
25436	The WO/Activity does not exist. Would you like to use the lookup?	Crossbow. Error message for issues/returns.	TCMRTP	7I MOBILE BOILER TEXT
44295	The Work Order: :PARAM1 and Activity: :PARAM2 is already started. Do you want to reset the Activity: :PARAM3 and start this Activity.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
48771	The acknowledgement, which usually indicates nothing has changed, will fill the Date Recorded and Recorded By fields and may also copy other data to the acknowledged observation as requested on this screen, such as Severity, Intensity, etc.	EAM-46913: NonconformitiesSetup	OSNCSP	NONCONFORMITIESSETUP
37990	The activity cannot be started because another activity is currently started.	21902 WO Activities - user is allowed to Start m	TCJACL	7I MOBILE BOILER TEXT
49810	The app uses speech recognition for the Voice Control feature.	EAM-51954	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37756	The application has been locked. Please enter your password to unlock.	21829 PIR: Mobile Timeout PIR	TCLOCK	7I MOBILE BOILER TEXT
37835	The category is not valid for the class and class organization.	21786 Web Service Prompt - support custom fields	BCMOBL TCPMTR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
46240	The changes are saved successfully.	Open Wo for Equip	BCMOBL	7I MOBILE BOILER TEXT
24551	The currencies of the following organizations don't have a valid exchange rate. Equipment with these organizations are not displayed.	text used in report ORDEPR	OZDEPR	EQUIPMENT DEPRECIATION
44162	The current status of this work order does not allow additions or modifications to this page.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36971	The current status of this work order does not allow for additions or modifications to this page.	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	BCMOBL TCJEQL	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44163	The current work order is completed.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37979	The data entered does not match the required Pattern: PARAM1.	21787 WSPromptEngine - UC differs from Mobile 4.6.	TCPMTR	7I MOBILE BOILER TEXT
40819	The date in this field must be after {0}	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40820	The date in this field must be before {0}	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31216	The date worked must occur after the date reported of the work order. Select another date.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT
29862	The difference between Start Date and End Date cannot be more than one day.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT
49215	The employee code associated to your User ID is not downloaded to the device. Start and Stop buttons are therefore unavailable.	EAM-46634	BCMOBL	7I MOBILE BOILER TEXT
31957	The entered From Point and/or To Point exceed the calculated length of the equipment: :param1 :param2. Continue?	# 16232	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
45844	The equipment must have a parent before dependency or cost roll-up can be indicated.	EAM-23338 Android Tablet - Support Add Equipment	BCMOBL	7I MOBILE BOILER TEXT
46253	The equipment on this work order does not have deferred maintenance activities.	Activity Deferred maintainace	BCMOBL	7I MOBILE BOILER TEXT
29858	The equipment that you have selected is a safety/hazard item. Would you like to continue?	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
29860	The equipment that you selected is a safety/hazard item.	Crossbow	TCIOBL TCOBJL	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
49052	The field will not be shown as Required on the designated screen; user will receive an error message if the designated field is left blank.	EAM-46298/StatusRequirementSettingsPopup.doc	BSSRES	STATUS REQUIREMENT SETTINGS POPUP
44165	The file has been uploaded successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44166	The file is saved successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47269	The filter cannot be executed because the entered equipment code does not match an equipment displayed on the map.	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
33524	The first synchronization must be made by a Mobile Administrator user.	21411	TCCLOG	7I MOBILE BOILER TEXT
26198	The following Analytics data is associated to the selected equipment. The Dataspy may be used to query for a subset of Analytics data.	D7i Extended - text for Analytics Popup	OSGISA	ANALYTICS DATA RELATED TO AN ASSET
24016	The following list displays alternate part information for this part.	Infor EAM - prompt text that displays on the Alternates popup	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24021	The following list displays information on where this part is used.	Infor EAM - prompt text to displays on the Where Used popup on the Part Associated tab	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24019	The following list displays manufacturer information for this part.	Infor EAM - prompt text to display on the Manufacturer popup from the Part Associated form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36183	The following list displays parts with iProcure Sync Errors.	#27949	SSBUYP	VIEW 7I BUY SYNC ERRORS
24015	The following list displays stock information for this part.	Infor EAM - text that displays on the Stock Info popup	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24018	The following list displays supplier information for this part.	Infor EAM - prompt text to display on the Supplier popup from the Part Associated form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43390	The following list displays the Checklist Items for the selected Task Plan:	EAM.EQUIP.REQ.OperatorChecklistforEquipment.docx	OSEQCI	CHECKLIST ITEMS
46124	The following list displays the Checklist Items for the selected Work Order - Activity:	EAM.EQUIP.REQ.WorkOrderChecklistsforEquipment	OSEQCI	CHECKLIST ITEMS
21513	The following list displays work order reservations for this part	Infor EAM - description of popup window invoked from the Stores tab of the Parts form	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39620	The following part record is a duplicate: Part[:PARAM1 , :PARAM2], Bin [:PARAM3], Lot [:PARAM4]. Remove the duplicate record.	22580 Add a check to prevent duplicate parts bein	TCMRTP	7I MOBILE BOILER TEXT
39621	The following part record is a duplicate: Part[:PARAM1 , :PARAM2], Bin [:PARAM3]. Remove the duplicate record.	22580 Add a check to prevent duplicate parts bein	TCMRTP	7I MOBILE BOILER TEXT
28318	The host is not responding.	Barcode	FCSCRN	FLAMETHROWER SCREENS
47468	The host name could not be found. Check your host.	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
47472	The host name does not match the security certificate common name.	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
29606	The installation default currency has been changed. You must run a full (initial) load to re-initialize the data warehouse.	Data warehouse. Refer to PVCS 12236.	BSWHSE	DATA WAREHOUSE
37460	The labor correction cannot be performed because there is insufficient booked labor for one or more work order equipment.	MEC WO - Book Labor	TCJBKL	7I MOBILE BOILER TEXT
37989	The lookup query is invalid. Correct the SQL statement associated to the Query Code or Mobile Query Code for this field.	21918 Web Service Prompt Engine - lookup query is	TCCLOV	7I MOBILE BOILER TEXT
47664	The map cannot be displayed because GIS credentials have not been entered on the GIS Settings screen.	EAM-36539	BCMOBL	7I MOBILE BOILER TEXT
49630	The map cannot be displayed because it has not been downloaded to the device.	EAM-49607	BCMOBL	7I MOBILE BOILER TEXT
46305	The map view has new data available. However, we cannot load the new map files until your pending edits are either discarded or uploaded. Please either	GIS	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	clear your map files manually or perform a GIS Sync to push your pending changes to the server.			
40817	The maximum value for this field is {0}	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40816	The minimum value for this field is {0}	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28319	The operation timed out.	Barcode	FCSCRN	FLAMETHROWER SCREENS
37250	The previous Equipment exists on the Equipment page for the selected work order. Do you want to replace the Equipment on this page as well?	21811 Multiple Equipment Work Order	BCMOBL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
25408	The reading you entered will cause the meter to roll over. Do you wish to continue?'	Crossbow. Error message for meter reading.	TCOMRD	7I MOBILE BOILER TEXT
48037	The record must be synced before performing this action.	EAM-40710	BCMOBL	7I MOBILE BOILER TEXT
44167	The record was deleted successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44168	The record was saved successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36303	The request cannot be processed because a connection to the server cannot be established.	EWS.MOBILE.UC.WSPromptEngine.doc	BCMOBL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
47470	The secure connection failed because the security certificate has expired.	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
34176	The selected boiler text is used on the following screens.	EWS.ADMN.UC.GlobalTextChange	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44169	The server URL you are trying to connect to does not support the current version of Infor EAM Mobile. Please contact your system administrator.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44170	The server URL you are trying to connect to does not support the current version of Infor EAM Mobile. Please download the most recent version from the Apple AppStore	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
45501	The server URL you are trying to connect to does not support the current version of Infor EAM Mobile. Please download the most recent version from the Google Play.	EAM-20304	BCMOBL	7I MOBILE BOILER TEXT
45502	The server URL you are trying to connect to does not support the current version of Infor EAM Mobile. Please download the most recent version from the Windows Store.	EAM-20304	BCMOBL	7I MOBILE BOILER TEXT
47469	The server could not be verified, and its security certificate is not trusted. Do you want to continue?	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
33525	The server information has changed. Are you connecting to a new server? Clicking YES will delete your current data.	21411	TCCLOG	7I MOBILE BOILER TEXT
49696	The server is busy, try to sync again	EAM-51975	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44575	later. If you continue to have problems, check with your administrator. The setting for PRICELEV does not correspond with the setting for PRICETYP. If PRICELEV is P, then PRICETYP must be A, L, or S. If PRICELEV is S, then PRICETYP can be A, L, S, LIFO, or FIFO. These parameters must correspond when setting up stock.	EAM 14486	BCMOBL	7I MOBILE BOILER TEXT
46236	The setting for price level does not correspond with the setting for price type.	Asset POPup	BCMOBL	7I MOBILE BOILER TEXT
38115	The standard cannot be updated for all equipment because it is not associated with all of the equipment or the calibration is complete on one or more equipment.	21970 Calibration: Error message is not displayed	TCJCST	7I MOBILE BOILER TEXT
44171	The standard work order cannot be modified or cleared because information has been added to additional tabs on the work order.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
33945	The system could not download the language settings. Please synchronize data again.	Crossbow #21532	TCCLOG	7I MOBILE BOILER TEXT
25647	The system has generated work order :param from this service request. Any assignments will be stored on the activities for this work order.	Extended (product name)	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
48728	The system identified a conflict in started activities. The system cannot automatically post labor at this time. Correct the problem and manually post labor record.	EAM-40704	BCMOBL	7I MOBILE BOILER TEXT
36305	The system is unable to retrieve one or more field values at this time. Select one of the following options and click OK.	EWS.MOBILE.UC.WSPromptEngine.doc	TCCRTF	7I MOBILE BOILER TEXT
49789	The system was unable to communicate with the server.	EAM-50873	BCMOBL	7I MOBILE BOILER TEXT
20314	The system will delete the following Dataspy:	Infor EAM - Confirmation message to the user for Deletion of the dataspy	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
29476	The system will delete the following GIS Filter:	D7i Extended - EWS.GIS.UC.GISFilter - Confirmation text displayed when user requests that a GIS Filter be deleted.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44294	The transaction :PARAM1 was submitted successfully.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37317	The transaction cannot be created because work is completed on all work order equipment.	21812 - Multipe Equipment WO - Issue/Return Part	BCMOBL TCJBKL TCMRTP	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
24717	The value does not exist. Do you want to see the lookup?	Crossbow	TCCLOV	7I MOBILE BOILER TEXT
27652	The value entered is not allowed by system user.	Crossbow	TCSRP	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25607	The value entered is out of limit for Category.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25606	The value entered is out of limit for Class.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25608	The value entered is out of limit for Days.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25609	The value entered is out of limit for Department.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25610	The value entered is out of limit for Location.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25611	The value entered is out of limit for Qty.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25612	The value entered is out of limit for Store.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
25613	The value entered is out of limit for Types.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
24898	The value entered is too long.	Extended (product name). Entered for PVCS 2526.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
25407	The value of the reading is greater than the maximum value.	Crossbow. Error message for meter reading.	TCOMRD	7I MOBILE BOILER TEXT
36822	The web service prompt cannot be started because at least one field's next sequence value does not exist within the prompt.	21768 Web Service Prompt Engine - support custom	TCPMTR	7I MOBILE BOILER TEXT
48244	The work order :PARAM1 Activity :PARAM2 that was previously started, does not exist on the device. That transaction will be ignored, and the current activity will be started.	EAM-41656 - Work Order Activity - Display error	BCMOBL	7I MOBILE BOILER TEXT
29864	The working hours on one day cannot exceed 24.	Crossbow	TCJBKL	7I MOBILE BOILER TEXT
33707	Then Screen Description	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
33702	Then Sequence	Alternate Flows for Screen Flow Setup	BSFLOW	BUSINESS PROCESS SETUP
48390	There are no crews that meet the criteria.	EAM.Work.Req.GISMapWODispatching.docx/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
48389	There are no employees that meet the criteria.	EAM.Work.Req.GISMapWODispatching.docx/EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
46238	There are no lines to approve.	PO Receipts	BCMOBL	7I MOBILE BOILER TEXT
25427	There are no parts selected for Issue/Return.	Crossbow. Error message for issues/returns.	TCMRTP	7I MOBILE BOILER TEXT
40832	There are no records to display.	New UI	BCMOBL BSJSDN	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT
47546	There is no Default Store associated with the Department. Default Store value is required for creating Pick Ticket.	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
24718	There is no Equipment for this Work Order.	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
28242	There is no data to preview.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28236	There is no data to print.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28241	There is no table to preview.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28235	There is no table to print.	Barcode	FCSCRN	FLAMETHROWER SCREENS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48690	There is not sufficient data in the Main Isolation tables to determine a solution. Contact the system administrator.	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
43091	These records are not stored for task plan specific jobs when task plan is Superseded, Canceled, or Rejected.	EAM-10362	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33252	Third Phone	EWS.CCTR.UC.ContactCenter	CSCCTR CSCINF CSINRE CSPROV SSSUPC SSSUPP	CONTACT CENTER CONTACT INFO GUEST INCIDENT REQUEST PROVIDERS CUSTOMERS SUPPLIERS
24719	This Activity has already been synchronized.	Crossbow	TCJACL	7I MOBILE BOILER TEXT
44205	This Equipment is under warranty.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
35636	This File Contains	EWS.ADMN.UC.ImportBaseConfigurationforConfiguratio	BSIMFD	VIEW FILE CONTENTS
46226	This Meter Reading cannot be deleted since there are additional readings after this.	Meter Reading	BCMOBL	7I MOBILE BOILER TEXT
46227	This Meter Reading cannot be updated since there are additional readings after this.	Meter Reading	BCMOBL	7I MOBILE BOILER TEXT
47465	This QR code is not intended for this application.	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
30490	This Report Includes Faults by	Infor EAM. 'Faults' refers to the cause of failure. Refer to EWS.REP.UC.MeantimeBetweenFailures.	OZFLTG OZJMFL OZOMFL	Fault Trend Analysis Mean Time Between Failures Per Fault Mean Time Between Failures Per Object
46980	This Week	EAM-30011 Transit app (iOS) - JSI Map	BCMOBL	7I MOBILE BOILER TEXT
24721	This Work Order is already closed.	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
27720	This action will move all the marked related fields. Do you want to proceed?	Crossbow	TCSCCF	7I MOBILE BOILER TEXT
46239	This app does not have access to your camera.	Documents	BCMOBL	7I MOBILE BOILER TEXT
40815	This date is after the maximum date.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40814	This date is before the minimum date.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44175	This document cannot be viewed in disconnected mode.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
31214	This duration will set the Target/Due Date beyond the expected range.	Crossbow	TCJOBR	7I MOBILE BOILER TEXT
46254	This employee has already been assigned to other work on this date during the time frame specified. Overlap of actual labor time entries is not permitted.	Book Labor	BCMOBL	7I MOBILE BOILER TEXT
44215	This employee is already booked to this work order and date using a different Start and End Time format. In order to assign this employee to work on this date, you must use the same	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46225	Start and End Time format. This feature is only available when there is a network connection.	Home View	BCMOBL	7I MOBILE BOILER TEXT
46304	This feature requires ArcGIS Authorization. Please update your ArcGIS Credentials on the GIS Settings menu and try again.	GIS	BCMOBL	7I MOBILE BOILER TEXT
46322	This feature requires a GPS connection. Please establish a GPS connection and try again.	GIS	BCMOBL	7I MOBILE BOILER TEXT
24720	This field can only contain numeric values.	Crossbow	TCJCFR	7I MOBILE BOILER TEXT
27632	This field cannot be hidden per default settings.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
31267	This field cannot be left empty because the corresponding checkbox is selected.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
27635	This field cannot be made visible per default settings.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
37420	This function is not available for Work Requests.	21819 - Department security	TCJOBL	7I MOBILE BOILER TEXT
49693	This image size is :PARAM1. You can reduce image size to one of the sizes below.	EAM-51274	BCMOBL	7I MOBILE BOILER TEXT
27633	This is a required field and cannot be hidden per default settings.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
27634	This is a required field, please enter a default value before hiding it.	Crossbow	TCSCMN	7I MOBILE BOILER TEXT
48459	This log file has been truncated.	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
31270	This option is disabled in Parent Configuration.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
26745	This profile does not exist for the selected group/user.	Crossbow	TCESYP	7I MOBILE BOILER TEXT
44178	This record already exists.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36972	This record cannot be deleted because it is associated with another record in the system.	EWS.MOBILE.UC.EquipmentforWorkOrder.doc	BCMOBL	7I MOBILE BOILER TEXT
13471	This report includes activities		TCJEQL	7I MOBILE BOILER TEXT
23701	This revision is no longer valid		WYSCHD	SCHEDULED / ACTUAL DETAIL
			WZSCHD	Scheduled / Actual Detail
			PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
46600	This screen is used to create views in the database. This functionality is intended to be used with the Grid Designer feature to facilitate the creation of more complex queries. Note: View Name must begin with "U5".	EAM.ADMN.REQ.Views	BSVIEW	VIEWS
48727	This transaction cannot be deleted	EAM-40704	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	because a later transaction depends on it.			
44179	This type of transaction cannot be modified here.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47279	This video size is :PARAM1. You can reduce video size to one of the sizes below.	EAM-31578 EAM Transit - Update Document Attachment	BCMOBL	7I MOBILE BOILER TEXT
49776	This widget is equipment sensitive. The use of :OBJECT and :OBJECTORG in the where clause of the query statement is allowed.	EAM.EQUIP.REQ.EquipmentOverview360/EAM-51120	OSOVIW	EQUIPMENT OVERVIEW 360
37251	This work order cannot be deleted because it is a completed work order.	21811 Multiple Equipment Work Order	BCMOBL TCJOBR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
12836	Threshold	A value above/below which something happens.	BAL008 BAL009 OSECN OSEQWR OSHPLY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSWARR OZRMSO	WARRANTY EXPIRATION DATE ALERT WARRANTY EXPIRATION USAGE ALERT CREATE EQUIPMENT CONFIGURATION WARRANTY FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT WARRANTY RISK MATRIX OVERVIEW
43292	Threshold Date	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-10426	BAL008	WARRANTY EXPIRATION DATE ALERT
39100	Threshold Percent Between Lightly / Moderately Scheduled	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
21168	Threshold UOM	The unit of measure for the value of the threshold (level at which something happens) see 12836 for translation	OSECN OSEQWR OSHPLY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSWARR	CREATE EQUIPMENT CONFIGURATION WARRANTY FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT WARRANTY
43316	Threshold Usage	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-10426	BAL009	WARRANTY EXPIRATION USAGE ALERT
40901	Thresholds and Rates	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
16775	Through	This is a label on a printed report that shows the dates of the report, e.g., from the warranty expiration date 01-oct-2000 through 01-nov-2000.	WZERRF	EXPIRED WARRANTIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45003	Thumbnail	EAM-15922	BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
47249	Thumbnail File Name	EAM-32268	BSUPLD	UPLOAD DOCUMENT POPUP
27014	Thurs.	Extended (product name) Thursday	SSSTOR	STORES
27845	Thursday	D7i Extended - Locales form	BSFFSP	FILTER FIELD SETUP SCREEN
			BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP
			BSLOCL	LOCALE
			DSGLPS	GL PROCESS SCHEDULES
			REPORT	General Report Function
			WSPPMS	PM SCHEDULES
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
35235	Thursday End Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35228	Thursday Start Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
30818	Ticket	D7i Extended -- Vehicle Ticket -- Field Label	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSFBIL	FLEET BILLS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
		Analytics - Unique file identifier used to upload/download to/from server	ASDTEN	DATA ENTRY FORMS
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
30744	Ticket Authorization Details	D7i Extended -- Vehicle Ticket Auth for Fleet Config -- Details Header	WSFLCF	FLEET CONFIGURATION
30837	Ticket Class	D7i Extended -- Vehicle Ticket -- Field Label, ticket=adjective, class=noun	WSFLTK	FLEET VEHICLE TICKETS
			WZVTKT	VEHICLE TICKET REPORT
30820	Ticket Status	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
30746	Ticket Type	D7i Extended -- Vehicle Ticket Auth for Fleet Config -- Field Label to describe the type of ticket being used	WSFLCF	FLEET CONFIGURATION
			WSFLTK	FLEET VEHICLE TICKETS
			WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31423	Ticket Type Description	D7i Extended. Ticket Type Description - Ticket LOV Grid Column Name.	WSFBIL	FLEET BILLS
31907	Tickets	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	BSLOVS	LIST OF LOOKUPS
27565	Time	Crossbow	TCSCMN	71 MOBILE BOILER TEXT
		EWS.DBADMIN.UC.ViewMessageStatus	BSGRID	GRID DESIGNER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMPMR	MP2 METER READINGS
			BSMPWO	MP2 WORK ORDERS
			BSSPMR	MP2 SPM READINGS
			DSMSGs	VIEW MESSAGE STATUS
35830	Time Approved	EWS.ADMN.UC.MP2WorkRequests	BSMPWR	MP2 WORK REQUESTS
40600	Time Based Usage	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
30558	Time Completed	D7i Extended - Work Order Cards report	WHJOBf	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30558	Time Completed	D7i Extended - Work Order Cards report	WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
20113	Time Correction	Infor EAM - used to enter time, in minutes, to correct the response time for service requests.	WSLOGS	CREATE / VIEW SERVICE LOGS
33229	Time Delivered	15880	WSSREQ	SERVICE REQUESTS
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
27682	Time Dependency	Infor EAM. EWS.INSP.UC.CreateEditAspect.	DSMSGs	VIEW MESSAGE STATUS
			ISASPC	ASPECTS
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
			IYJBRT	Inspection Route Report
			IYRSLF	LIST OF INSPECTION RESULTS
			IZJBRT	Inspection Route Report
			IZRSLF	LIST OF INSPECTION RESULTS
47547	Time Estimated	Mobile - EAM.WORK.REQ.MechanicWorkbenchKiosk.docx	BCMOBL	7I MOBILE BOILER TEXT
39573	Time Lapse	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSM	ENERGY STAR MESSAGE VIEWER
29594	Time Lost due to Regression of Record Statutes (Hours)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29716	Time Off	D7i Extended - Calibration Record Report	WHJOBf	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBf	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBf	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
29715	Time On	D7i Extended - Calibration Record Report	WHJOBf	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBf	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29715	Time On	D7i Extended - Calibration Record Report	WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
20030	Time Open	Infor EAM - the difference between the system date and the time the service request was created.	WSLOGS	CREATE / VIEW SERVICE LOGS
33228	Time Processed	15880	DSMSGs	VIEW MESSAGE STATUS
35061	Time Rounding (Min)	EWS.CREP.UC.PrintCustomerContract	WZAGRS	PRINT CUSTOMER CONTRACT
30325	Time Rounding (min.)	Infor EAM. Field label on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
29595	Time Spent as a Specified Record Status (Hours)	Data warehouse.	BSWHSE	DATA WAREHOUSE
47054	Time Worked	EAM-30103 EAM transit: mixed up of french and engl	BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
29592	Time between Consecutive Record Statuses (Hours)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29591	Time between Initial and Final Record Statuses (Hours)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29593	Time between Non-consecutive Record Statuses (Hours)	Data warehouse.	BSWHSE	DATA WAREHOUSE
29570	Time between statuses (hrs)	Data warehouse.	BSWHSE	DATA WAREHOUSE
44180	Time cannot be booked for the work order while it is a work request.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
12122	Time completed	The time when a job is completed.	WTJOBf	Job Cards
12472	Time off	End time. Used for hour bookings. End time for timesheet. Printed on jobcard so they can fill in the paper.	WTJOBf	Job Cards
12471	Time on	Start time. Used for hour bookings.	WTJOBf	Job Cards
39772	Timeline End Date	45521	WZMPAT	PRINT MAINTENANCE PATTERN
39771	Timeline Start Date	45521	WZMPAT	PRINT MAINTENANCE PATTERN
32516	Times Performed	EWS.CREP.UC.HoursNeededForTask.doc - Hours Needed for Task report	WYHRIL	HOURS NEEDED FOR TASKS
			WZHRIL	HOURS NEEDED FOR TASKS
21759	Timestamp	databridge - noun - a date and time setting on a document, e.g., the date and time a record or document was created	DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
47940	Timestamp Field	EAM-37081 - Fields Popup for Data Lake Upload Setu	BSDLUC	FIELDS POPUP
41752	Timing	EAM.WORK.REQ.Precautions	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WHJOBf	PRINT WORK ORDER
			WHPTWR	PRINT PERMIT TO WORK
			WSHZRD	HAZARDS
			WSJOBS	CREATE WORK ORDER
			WSPCTN	PRECAUTIONS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41752	Timing	EAM.WORK.REQ.Precautions	WSSFMX WSSTWO WZJOBF WZPTWR	SAFETY MATRIX STANDARD WOS PRINT WORK ORDER PRINT PERMIT TO WORK
15252	Title	Title is the text related to the form for which to set up on the quick access bar.	BSFUNC CSBBNT CSKBAD OSSCHE OZEQRD BSDOCU BSUPLD	CREATE UPDATE SCREENS BULLETIN BOARD NOTICES KNOWLEDGE BASE ADMINISTRATION RESERVATION CALENDAR DETAILS POPUP EQUIPMENT RESERVATIONS DETAIL DOCUMENTS UPLOAD DOCUMENT POPUP
19052	Title bar	EAM-21705 menu option which allows the user to turn on/off the bar running across the top of the forms (title bar)	M1	Pull-Down Menu Texts
12270	To	A preposition mostly used to specify an ending date, e.g., the date to which to view specific recods.	BCMOBL BTAUDT BYAUDT BZAUDT BZCHKA OSOBTV SSPART STRCVF STRETF SYRCVF SYRETF SZRCVF SZRETF	7I MOBILE BOILER TEXT AUDIT LOG AUDIT LOG AUDIT LOG CHECKLIST AUDIT OBJECTIVES PARTS Goods Received Note Print Goods Return Note GOODS RECEIVED NOTE PRINT GOODS RETURN NOTE Goods Received Note Print Goods Return Note
		Ending point of something (non date/numeric ranges).	BSREGG BZISSD BZRECD BZREQD BZSTOD BZTRAD FCGRD2 WSIMPL	GET ACTUAL TEMPERATURES POPUP ELECTRONIC RECORDS FOR ISSUE ELECTRONIC RECORDS FOR RECEIPT ELECTRONIC RECORDS FOR REQUISITIONS ELECTRONIC RECORDS FOR STORE-TO-STORE ELECTRONIC RECORDS FOR TRANSACTIONS FLAMETHROWER GRID 2 IMPORT PART LIST
		This is a preposition to express a range of dates, which is used inside of a sentence.. For example, 'Average calculated for the period (date) To (date).	WYHRIL WZHRIL	HOURS NEEDED FOR TASKS HOURS NEEDED FOR TASKS
33400	To Asset	EWS.EQUIP.UC.LinesforChangeNotice	OSCHNO	CHANGE NOTICES
33401	To Asset Org.	EWS.EQUIP.UC.LinesforChangeNotice	OSCHNO	CHANGE NOTICES
23990	To Bin		BZTRLD SSHIXF SSHSXF SSSTOS SSTTHI SSPINV SSSTSR	ELECTRONIC RECORDS FOR TRANSACTION LINES HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER QUICK STORE-TO-STORE TRANSFER STOCK TO HELD ITEMS TRANSFER PHYSICAL INVENTORY STORE TO STORE RECEIPTS
		D7i Extended - PVCS # 12438	SSSTSR	STORE TO STORE RECEIPTS
29273	To Bin Location	D7i Extended - Create Stocktake List Report	STSTTL SYSTTL	PRINT STOCKTAKE LIST PRINT STOCKTAKE LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29273	To Bin Location	D7i Extended - Create Stocktake List Report	SZSTTL	PRINT STOCKTAKE LIST
34917	To Budget	EWS.BUD.UC.CopyBudgetDetailsPopup	USBDET	COPY BUDGET
34919	To Budget Group	EWS.BUD.UC.CopyBudgetDetailsPopup	USBDET	COPY BUDGET
33582	To Budget Structure	22892. Use when users 'COPY' the Budget structure only (due to Japanese translation).	USCPBP	COPY BUDGETPOPUP
33583	To Budget Term	22892.	USCPBP	COPY BUDGETPOPUP
45242	To Building	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
45364	To Building Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
45241	To Campus	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
45363	To Campus Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
30878	To Code	D7i Extended - Goods Received Note report	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
21740	To Date	databridge - the ending point of a date range	BSMAPR	PURGE E-MAIL RECORDS
			BSPURP	PURGE AUDIT RECORDS POP UP
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			PSINVO	INVOICES
			SSABCA	GENERATE ABC ANALYSIS
			WSFREZ	FREEZE/UNFREEZE POPUP
			WSINVC	CUSTOMER INVOICES
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCINS	SHORT CUSTOMER INVOICE
22700	To Date/Time	Infor EAM - the ending of a time/date sequence	DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
31724	To Entity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46881	To Equipment Size	EAM-29647	ISASPC	ASPECTS
45243	To Floor	EAM.EQUIP.REQ.WorkspaceMoves	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
45365	To Floor Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
48033	To Geographical Ref.	EAM-40099	BCMOBL	7I MOBILE BOILER TEXT
43368	To Go	EAM-10497	WZPMDO	PM DUE OVERVIEW
29335	To Group	D7i Extended -- User Groups form -- Field Label	BCMOBL	7I MOBILE BOILER TEXT
			BSCPMP	COPY MENU POPUP
			BSSNCP	COPY MENU POPUP
46034	To Horizontal Offset	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46035	To Horizontal Offset Type	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46043	To Horizontal Offset UOM	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40723	To Invoicing Org.	EAM.WORK.REQ.BatchCopyOrganization	BSLOVS	LIST OF LOOKUPS
			WSBCOR	BATCH COPY ORGANIZATION
45952	To Latitude	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
35967	To Location	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
45953	To Longitude	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45942	To Offset	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45986	To Offset %	EAM.EQUIP.REQ.LinearReferencesForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45986	To Offset %	EAM.EQUIP.REQ.LinearReferencesForEquipment	WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45949	To Offset Direction	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
31725	To Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
31248	To Organization		BSIMUS	IMPORT USERS
			SSIUSS	STORE TO STORE ISSUES
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
30887	To Part	D7i Extended - Fault-trend Analysis report	SYPOLD	Part-Wise History Of Stock Issuals
			SZPOLD	Part-Wise History Of Stock Issuals
33265	To Period	EWS.BUD.UC.CalculateBudgetPopup.doc / SCR #22176	USCLBP	CALCULATE BUDGET POPUP
35109	To Pick Ticket	Print Pick Ticket Report- change Pick List to Pick	BSLOVS	LIST OF LOOKUPS
			SY PICK	Pick List Print
			SZ PICK	Pick List Print
30404	To Point	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - user enters the measurement of the end point for the linear equipment	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPM	PM SCHEDULES
			OSGEVT	GIS MAP ATTRIBUTES
			OSGFLD	ASSET FIELD LIST FOR MAPPING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30404	To Point	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment - user enters the measurement of the end point for the linear equipment	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSGRTE	CREATE ROUTE WORK ORDER
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSLRFS	LINEAR REFERENCE POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHJOBFB	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			WYJOBFB	PRINT WORK ORDER
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOBFB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
46743	To Point Distance To Equipment	EAM-28650	OSEQLR	LINEAR REFERENCES FUNCTION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30724	To Point Geographical Ref.	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a geographical reference for the 'To Point', e.g., on an interstate, the 'To Point' might be mile 356 and the geographical ref might be a lake.	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
49614	To Point Geographical Reference	RCMFailureMitigationForEquipment/EAM-49865	CSCASE	CASE MANAGEMENT
30723	To Point Ref. Description	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a description of the geographical reference for the 'To Point', e.g., on an interstate, the 'To Point' might be mile 356 and the geographical ref might be a lake.	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BCMOBL	7I MOBILE BOILER TEXT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30723	To Point Ref. Description	D7i Extended - LINEAR EQUIP - Ref. = reference = noun - users will enter a description of the geographical reference for the 'To Point', e.g., on an interstate, the 'To Point' might be mile 356 and the geographical ref might be a lake.	ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSWREQ	WORK REQUEST
49617	To Point Reference Description	RCMFailureMitigationForEquipment/EAM-49865	CSCASE	CASE MANAGEMENT
30405	To Point UOM	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment	CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPM	PM SCHEDULES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30405	To Point UOM	D7i Extended - LINEAR EQUIP - EWS.EQUIP.UC.LinearReferencesForEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLRFS	LINEAR REFERENCE POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSGIMP	VIEW GIS MAP POPUP
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSMECH	MECHANIC'S WORKBENCH
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
48032	To Ref. Description	EAM-40099	BCMOBL	7I MOBILE BOILER TEXT
46031	To Ref. Offset	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46032	To Ref. Offset Direction	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46032	To Ref. Offset Direction	EAM-24933	WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45948	To Reference	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
46030	To Reference Point	EAM-24933	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSROUT	ROUTES
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
46033	To Relationship Type	EAM-24933	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
45244	To Room/Unit	EAM.EQUIP.REQ.WorkspaceMoves	WSWKMV	IMPORT WORKSPACE MOVES POPUP
			OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
45366	To Room/Unit Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	WSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45366	To Room/Unit Org.	EAM.WORK.REQ.WorkspaceMovesforWorkOrder	WSWKMV	IMPORT WORKSPACE MOVES POPUP
31726	To Serial Number	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
		EWS.EQUIP.UC.LinesForChangeNotice.doc/22480	OSCHNO	CHANGE NOTICES
35968	To Site	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
48230	To State 1	EAM-41025	OSDCUR	DECAY CURVE
48315	To State 10	EAM-41025	OSDCUR	DECAY CURVE
48231	To State 2	EAM-41025	OSDCUR	DECAY CURVE
48232	To State 3	EAM-41025	OSDCUR	DECAY CURVE
48233	To State 4	EAM-41025	OSDCUR	DECAY CURVE
48234	To State 5	EAM-41025	OSDCUR	DECAY CURVE
48235	To State 6	EAM-41025	OSDCUR	DECAY CURVE
48236	To State 7	EAM-41025	OSDCUR	DECAY CURVE
48237	To State 8	EAM-41025	OSDCUR	DECAY CURVE
48238	To State 9	EAM-41025	OSDCUR	DECAY CURVE
23978	To Status	Infor EAM - displays the status that the record was changed to during an electronic signature snapshot	BCMOBL	7I MOBILE BOILER TEXT
			BSAUTH	STATUS AUTHORIZATION
			BSEREC	ELECTRONIC RECORD SETUP
			BSESIG	ERECORDS LIST
			BSLOVS	LIST OF LOOKUPS
			BSMAIL	MESSENGER TRIGGER DEFINITION
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WSNCSC	NONCONFORMITIESSTATUSUPDATE POPUP
			WSPMTW	PERMIT TO WORK
27256	To Status Desc.	D7i Extended - Status Change Authorization	BSAUTH	STATUS AUTHORIZATION
25542	To Store	Extended (product name). Boiler text for Quick Store to Store Transfer. 'To' is a preposition used as an adjective indicating which store. The 'To' store is the store for which you are requesting/transferring the materials.	FCGRD2	FLAMETHROWER GRID 2
			SSIUSS	STORE TO STORE ISSUES
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
		EAM.MATL.REQ.HeldItemsTransfer / EAM-34293	SSHIXF	HELD ITEMS TRANSFER
			SSHSHX	HELD ITEMS TO STOCK TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
36474	To Store Group	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
31727	To System Entity	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRETD	ELECTRONIC RECORDS FOR RETURN
31728	To System Type	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
21741	To Time	databrige - the ending point of a time range	DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
31729	To Type	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31729	To Type	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
37872	To UOM	SCR#33940-ConversionforUOM	BSUOMS	UOM SETUP
35490	To Value	EWS.CCTR.UC.CustomerRequestHistory	CSCASE	CASE MANAGEMENT
			CSCRHS	CUSTOMER REQUEST HISTORY
			ISASPC	ASPECTS
46036	To Vertical Offset	EAM-24933	JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
46037	To Vertical Offset Type	EAM-24933	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
46044	To Vertical Offset UOM	EAM-24933	OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
35969	To Warehouse	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
			OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
45240	To Workspace	EAM.EQUIP.REQ.WorkspaceMoves	WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
45950	To X Coordinate	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45950	To X Coordinate	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
45951	To Y Coordinate	EAM-24671: EAM.EQUIP.REQ.SegmentsForEquipment	OSEQLR	LINEAR REFERENCES FUNCTION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER
			WSLLDT	LINEAR LOCATION DETAILS POPUP
			WSTCRT	LINEAR EQUIPMENT TRACE
			WSWREQ	WORK REQUEST
39744	To be Applied to Completed Multi-Equipment WOs where Equipment is All Equipment	EAM.WORK.UC.BookPOLabor	WSBKPO	BOOK PO LABOR
14007	To entity		BZISSD	ELECTRONIC RECORDS FOR ISSUE
25615	To is not specified.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
12756	To part		STPOLD	Part-Wise History Of Stock Issuals
13461	To pick list		STPICK	Pick List Print
35481	To run the conversion, return to record view and change status to Awaiting conversion to begin conversion process.	#28171	BSDTCV	DATA CONVERSION (MP2)
25616	To should be greater than From.	Crossbow	TCSYCF	7I MOBILE BOILER TEXT
29512	To-Entity Status	Extended (product name)	BSWHSE	DATA WAREHOUSE
23256	To-Store Class Code		BSWHSE	DATA WAREHOUSE
23257	To-Store Class Description		BSWHSE	DATA WAREHOUSE
23751	To-Store Class Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23254	To-Store Code		BSWHSE	DATA WAREHOUSE
23255	To-Store Description		BSWHSE	DATA WAREHOUSE
23258	To-Store Location Code		BSWHSE	DATA WAREHOUSE
23259	To-Store Location Description		BSWHSE	DATA WAREHOUSE
28937	To-Stores	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
22974	To-Supplier Buyer Code		BSWHSE	DATA WAREHOUSE
22975	To-Supplier Buyer Name		BSWHSE	DATA WAREHOUSE
22972	To-Supplier Class Code		BSWHSE	DATA WAREHOUSE
22973	To-Supplier Class Description		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23746	To-Supplier Class Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
22968	To-Supplier Code		BSWHSE	DATA WAREHOUSE
22969	To-Supplier Description		BSWHSE	DATA WAREHOUSE
22970	To-Supplier Organization Code		BSWHSE	DATA WAREHOUSE
22971	To-Supplier Organization Description		BSWHSE	DATA WAREHOUSE
22976	To-Supplier Parent Code		BSWHSE	DATA WAREHOUSE
22977	To-Supplier Parent Description		BSWHSE	DATA WAREHOUSE
28942	To-Suppliers		BSWHSE	DATA WAREHOUSE
22946	To-Work Order Action Code		BSWHSE	DATA WAREHOUSE
22947	To-Work Order Action Description		BSWHSE	DATA WAREHOUSE
22934	To-Work Order Assigned-by Code	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
22935	To-Work Order Assigned-by Name		BSWHSE	DATA WAREHOUSE
22936	To-Work Order Assigned-to Code		BSWHSE	DATA WAREHOUSE
22937	To-Work Order Assigned-to Name		BSWHSE	DATA WAREHOUSE
22944	To-Work Order Cause Code		BSWHSE	DATA WAREHOUSE
22945	To-Work Order Cause Description		BSWHSE	DATA WAREHOUSE
23349	To-Work Order Class Code		BSWHSE	DATA WAREHOUSE
23350	To-Work Order Class Description		BSWHSE	DATA WAREHOUSE
23742	To-Work Order Class Organization Code		BSWHSE	DATA WAREHOUSE
23343	To-Work Order Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23353	To-Work Order Cost Code		BSWHSE	DATA WAREHOUSE
23354	To-Work Order Cost Code Description		BSWHSE	DATA WAREHOUSE
23344	To-Work Order Description		BSWHSE	DATA WAREHOUSE
22938	To-Work Order Equipment under Warranty		BSWHSE	DATA WAREHOUSE
23345	To-Work Order Event Type Code		BSWHSE	DATA WAREHOUSE
23346	To-Work Order Event Type Description		BSWHSE	DATA WAREHOUSE
22942	To-Work Order Failure Code		BSWHSE	DATA WAREHOUSE
22943	To-Work Order Failure Description		BSWHSE	DATA WAREHOUSE
23355	To-Work Order Location Code		BSWHSE	DATA WAREHOUSE
23356	To-Work Order Location Description	Infor EAM	BSWHSE	DATA WAREHOUSE
23755	To-Work Order Location Organization Code		BSWHSE	DATA WAREHOUSE
23360	To-Work Order Priority		BSWHSE	DATA WAREHOUSE
22940	To-Work Order Problem Code		BSWHSE	DATA WAREHOUSE
22941	To-Work Order Problem Description		BSWHSE	DATA WAREHOUSE
23359	To-Work Order Project Budget Code		BSWHSE	DATA WAREHOUSE
23357	To-Work Order Project Code		BSWHSE	DATA WAREHOUSE
23358	To-Work Order Project Description		BSWHSE	DATA WAREHOUSE
22939	To-Work Order Reopened		BSWHSE	DATA WAREHOUSE
23361	To-Work Order Shift Code		BSWHSE	DATA WAREHOUSE
23362	To-Work Order Shift Description	Infor EAM	BSWHSE	DATA WAREHOUSE
23351	To-Work Order Status Code		BSWHSE	DATA WAREHOUSE
23352	To-Work Order Status Description		BSWHSE	DATA WAREHOUSE
23347	To-Work Order WO Type Code		BSWHSE	DATA WAREHOUSE
23348	To-Work Order WO Type Description		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28932	To-Work Orders	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
29563	To-status code	Data warehouse.	BSWHSE	DATA WAREHOUSE
29564	To-status description	Data warehouse.	BSWHSE	DATA WAREHOUSE
29565	To-status rcode	Data warehouse.	BSWHSE	DATA WAREHOUSE
29566	To-status rcode description	Data warehouse.	BSWHSE	DATA WAREHOUSE
29569	To-status timestamp	Data warehouse.	BSWHSE	DATA WAREHOUSE
15075	Today	Used for date range	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSRPST	REPORT STATUS
			OSESCH	RESERVATION CALENDAR
			REPORT	General Report Function
32885	Today's Booked Labor	EWS.WORK.UC.BookLaborByEmployee	WSBOOK	BOOK LABOR BY EMPLOYEE
22499	Toggle Cost Rollup	Infor EAM - link button on the Structure tab of the Equipment form telling the system to turn on or turn off the cost roll-up checkbox in the backend for the selected piece of equipment	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
30176	Toggle Overview Map	D7i Extended - GIS - PVCS # 14693 - Toggle = verb	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
17283	Toggle Startup	Tool Tip for Toggle Startup	M1	Pull-Down Menu Texts
35092	Tol. From	EWS.EQUIP.UC.ImportTestPointsPopup/16323	OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
35093	Tol. To	EWS.EQUIP.UC.ImportTestPointsPopup/16323	OSITPP	IMPORT TEST POINTS
			OSOBJA	CREATE ASSET EQUIPMENT
27597	Toler	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
16606	Tolerance		OCOBJC	CROSSBOW EQUIPMENT LIST
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT
			WSJOBS	CREATE WORK ORDER
			WTCALA	CALIBRATION ANALYSIS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WZCALA	CALIBRATION ANALYSIS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
46877	Tolerance Create Nonconformity	EAM.WORK.REQ.ChecklistForWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46877	Tolerance Create Nonconformity	EAM.WORK.REQ.ChecklistForWorkOrder	WSOPCL	OPERATOR CHECKLIST
46853	Tolerance Details	EAM.INSPECTION.TolerancesForAspect	ISASPC	ASPECTS
46839	Tolerance ID	EAM.INSPECTION.TolerancesForAspect	ISASPC	ASPECTS
46875	Tolerance Nonconformity Type	EAM.WORK.REQ.ChecklistForWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
46876	Tolerance Nonconformity Type Org.	EAM.WORK.REQ.ChecklistForWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
46874	Tolerance Severity	EAM.WORK.REQ.ChecklistForWorkOrder	OSEQCI	CHECKLIST ITEMS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
46845	Tolerances	EAM.INSPECTION.TolerancesForAspect	ISASPC	ASPECTS
44369	Too many invalid attempts. You will be logged out.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
49420	Too many wrong inputs, device must be locked and unlocked to use Biometrics again.	EAM-49963	BCMOBL	7I MOBILE BOILER TEXT
25495	Tool	Extended (product name)	BCMOBL	7I MOBILE BOILER TEXT
			BSDEPT	DEPARTMENTS
			BSDOCA	DOCUMENTS
			JSCULB	COMPATIBLE UNITS LIBRARY
			OZHISL	Object History
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSSUBP	SUBSTITUTE PART POP UP
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25495	Tool	Extended (product name)	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPPMS	PM SCHEDULES
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WTCALR	CALIBRATION RECORD REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			YSACCD	VIEW GL VALUES
20976	Tool Cost	Infor EAM - This is the total cost of tool usage, or how often they are used.	JSPROJ	PROJECTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			OHTTEC	TOP 10 EQUIPMENT COST
			OSJOBS	CREATE WORK ORDER
			OSVCST	COSTS FOR EQUIPMENT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZHISL	Object History
			OZTTEC	TOP 10 EQUIPMENT COST
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPROJ	CREATE PROJECT POPUP
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZINVS	CUSTOMER INVOICE REPORT
34304	Tool Days	EWS.ADMN.UC.Worksetup.doc	BSWSET	WORK SETUP
28991	Tool Description	D7i Extended - Tools for Departments	BSDEPT	DEPARTMENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
25496	Tool Details	Extended (product name)	BSDEPT	DEPARTMENTS
			JSCULB	COMPATIBLE UNITS LIBRARY
			WSTOOL	TOOLS
21441	Tool Hours	Infor EAM - number of hours that the tool-part was used. This field becomes enabled when the user s returning a tool-part.	SSISSU	Stock Issues
			SSRETP	RETURN PART
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21441	Tool Hours	Infor EAM - number of hours that the tool-part was used. This field becomes enabled when the user s returning a tool-part.	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
28992	Tool Org.	D7i Extended - Tools for Departments - Org. = Organization	BSDEPT	DEPARTMENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
25143	Tool Usage	Extended (product name)	BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			OZHISL	Object History
			YSACCD	VIEW GL VALUES
30324	Tool Usage %	Infor EAM. Field label on the Pricing Schedules form.	WSARRS	PRICING SCHEDULE
32721	Tool Usage Details	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
46228	Tool Usage cannot be added for future dates.	Tool usage	BCMOBL	7I MOBILE BOILER TEXT
46229	Tool Usage cannot be earlier than the work order date time reported.	Tool usage	BCMOBL	7I MOBILE BOILER TEXT
16276	Tool usage	Title of the tool usage form - form is used to record tool usage when returning tools.	BCMOBL	7I MOBILE BOILER TEXT
12818	Tools	A piece of maintenance equipment used by tradesmen to undertake jobs.	BSLOVS	LIST OF LOOKUPS
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OTCSTL	WORK ORDER COST SUMMARY
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_ HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			SSPART	PARTS
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHJOBf	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCPST	COPY STANDARD ORDER POPUP
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WTJOBf	Job Cards
			WYJOBf	PRINT WORK ORDER
			WYPFMC	FUTURE MAINTENANCE COST
			WYTOCO	TOOL USAGE
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOBf	PRINT WORK ORDER
			WZPFMC	FUTURE MAINTENANCE COST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12818	Tools	A piece of maintenance equipment used by tradesmen to undertake jobs.	WZPMCC	PM REPAIR COSTS CHART
			WZTOCO	TOOL USAGE
		Tools are pieces of equipment an MRC - maintenance responsibility center, uses to carry out a piece of maintenance work - ex. hammers, screwdrivers, pliers. The MRC is the owner of a tool so the MRC's store keeps the tools	WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSDEPT	DEPARTMENTS
			BSLOVS	LIST OF LOOKUPS
			FCGRD1	FLAMETHROWER GRID 1
			OSCLAI	WARRANTY CLAIMS
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		EAM.WORK.REQ.EstimatedCostsForTaskPlans	BCMOBL	7I MOBILE BOILER TEXT
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			WSJBPL	JOB PLANS
			WSPPM	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			OSWARR	WARRANTY
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49037	Tools Adjustment 0	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49038	Tools Adjustment 1	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49039	Tools Adjustment 2	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49036	Tools Adjustment 3	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49040	Tools Adjustment 4	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49041	Tools Adjustment 5	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49042	Tools Adjustment 6	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49043	Tools Adjustment 7	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
49044	Tools Adjustment 8	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49044	Tools Adjustment 8	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCULB	COMPATIBLE UNITS LIBRARY
49045	Tools Adjustment 9	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
49147	Tools Adjustment Details	EAM.PROJ.REQ.CompatibleUnitsEstimates	JSCUES	CU ESTIMATES
30217	Tools Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
49363	Tools Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
31574	Tools Required	EWS.CREP.UC.PrintShortWorkOrderCards	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
32717	Tools Usage	EWS.WORK.UC.ToolsUsageforWorkOrders	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31575	Tools Used	EWS.CREP.UC.PrintShortWorkOrderCards	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
45968	Top	EAM-22039	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
43721	Top 10 Breakdown	EAM-11750	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
33429	Top 10 KB Articles	#22323	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
41658	Top Left X	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
41659	Top Left Y	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
37091	Top Level	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
42468	Top Level Only	Equipment Generation	OSEQGN	EQUIPMENT GENERATION
25834	Top Parent	Extended (product name)	BSLOVS	LIST OF LOOKUPS
			OSCLAI	WARRANTY CLAIMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSWRCP	CREATE WARRANTY CLAIM POPUP
39006	Top Parent Org.	Extended (product name)	OSCLAI	WARRANTY CLAIMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39006	Top Parent Org.	Extended (product name)	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			BSLOVS	LIST OF LOOKUPS
25835	Top Parent Usage	Extended (product name)	OSCLAI	WARRANTY CLAIMS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			CSCCSP	CONTACT CENTER SETUP
33382	Top Ten Lookback Days	Contact Center Setup - SCR 22087 EWS.CCTR.UC.ContactCenterSetup		
41662	Top Z	EAM-2762	BSBGLT	BUILDING LAYOUT FOR START CENTER
27916	Top:	Barcode	FCSCRN	FLAMETHROWER SCREENS
41963	Topaz	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
44746	Topographic	EAM-15727	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
12101	Total		BCMOBL	7I MOBILE BOILER TEXT
			BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			JZCOSL	PROJECT COST SUMMARY
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSDCUR	DECAY CURVE
			OTCSTL	WORK ORDER COST SUMMARY
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12101	Total		OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PYPOCS	PO COST SUMMARY
			PZORDF	Print Purchase Order
			PZPOCS	PO COST SUMMARY
			REPORT	General Report Function
			SHREQF	Print Purchase Requisition
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSVREQ	VIEW PURCHASE STATUS
			STREQF	Print Purchase Requisition
			STSTOL	Stock List
			SYHISL	Purchase History Per Item/Supplier
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETN	LIST OF RETURNS
			SYSTOL	Stock List
			SZHISL	Purchase History Per Item/Supplier
			SZREQF	Print Purchase Requisition
			SZRETN	LIST OF RETURNS
			SZSTOL	Stock List
			UYBDEL	BUDGET POSITION DETAILS
			UZBDEL	BUDGET POSITION DETAILS
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WTBLOG	Work Backlog
			WTVBIL	VEHICLE BILLING REPORT
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYVBIL	VEHICLE BILLING REPORT
			WYWOAG	WORK ORDER AGING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZDPML	DELINQUENT PM SUMMARY
			WZFSTR	FIRST TRANSIT REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12101	Total		WZFUTX	FUEL TRANSACTIONS
			WZINVS	CUSTOMER INVOICE REPORT
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
			WZSCHD	Scheduled / Actual Detail
			WZVBIL	VEHICLE BILLING REPORT
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOAG	WORK ORDER AGING REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
49266	Total Additional Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
49703	Total Allocated Costs	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
30910	Total Amount	D7i Extended - Purchase History Per Order/Supplier report	BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			PHHISL	Purchase History
			PZHISL	Purchase History
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
33792	Total Articles Found	EWS.CCTR.UC.KnowledgeBase	CSKBSP	KNOWLEDGE BASE SEARCH
34131	Total Available	EWS.CREP.UC.ProjectAreaCostSummary.doc	JYACOS	PROJECT AREA COST SUMMARY
			JZACOS	PROJECT AREA COST SUMMARY
			JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
33008	Total Available Qty.	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	WSPLPA	PLANNED PART AVAILABILITY
43528	Total Available- Suppress if Zero	EAM.CREP.REQ.ProjectBudgetCodeCostSummary	JZPBCS	PROJECT BUDGET CODE COST SUMAMRY
39270	Total Bill Amount	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
49365	Total CU Cost	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
49265	Total CU Estimate Cost	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
			JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
44733	Total Calculated Costs	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
			CZCASE	CASE MANAGEMENT REPORT
44734	Total Calculated Costs Currency	EAM-15257 EAM.CCTR.REQ.CaseManagement	CSCASE	CASE MANAGEMENT
30212	Total Claim	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
25824	Total Claim Amount	Extended (product name)	OSCLAI	WARRANTY CLAIMS
			OSHFPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
25992	Total Claim Amounts	Infor EAM. Related to warranty claims.	OSCLAI	WARRANTY CLAIMS
30221	Total Claim Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
30797	Total Claim Settlement	D7i Extended - Warranty Claims Report	OZCLAI	WARRANTY CLAIM REPORT
33150	Total Completed WOs	EWS.CREP.UC.WorkOrderStatistics	WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33150	Total Completed WOs	EWS.CREP.UC.WorkOrderStatistics	WZPLSE	CRITICALITY PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
34012	Total Contract Order Discount	25086 / EWS.PRCH.UC.CreateEditPurchaseOrders.doc	WZWOST	WORK ORDER STATISTICS
33745	Total Core Value	EWS.MATL.UC.PartDetailsPopup / 21540	JSPROJ	PROJECTS
20977	Total Cost	Infor EAM - the sum of all the charges incurred	PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPTPD	PART DETAILS POPUP
			BCMOBL	7I MOBILE BOILER TEXT
			BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
			JSPROJ	PROJECTS
			JZCOSL	PROJECT COST SUMMARY
			OHTTEC	TOP 10 EQUIPMENT COST
			OSJOBS	CREATE WORK ORDER
			OSVCST	COSTS FOR EQUIPMENT
			OZTTEC	TOP 10 EQUIPMENT COST
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			SYINST	INVENTORY STANDARD
			SYSTOL	Stock List
			SZINST	INVENTORY STANDARD
			SZSTOL	Stock List
			WHCOSL	Job Cost Summary Report
			WSCOPO	CONTRACTOR PORTAL
			WSFLAB	ASSIGNMENT BILIING POPUP
			WSFLTK	FLEET VEHICLE TICKETS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WTVTKT	VEHICLE TICKET REPORT
			WYCOSL	Job Cost Summary Report
			WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZPFMC	FUTURE MAINTENANCE COST
			WZVTKT	VEHICLE TICKET REPORT
			WZWPMC	FUTURE MAINTENANCE COSTS
30865	Total Cost Currency	D7i Extended -- Vehicle Ticket -- Field Label	WSFLTK	FLEET VEHICLE TICKETS
32961	Total Cost Variance	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32962	Total Cost Variance (Include Taxes and Extra Charges)	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
34109	Total Cumulative Part Rebate	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL CZDEBL	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS
43004	Total Depreciation (To Date)	EAM.EQUIP.REQ.DepreciationForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
48376	Total Desired Capacity	EAM-41142 CapacitiesforEquipmentClassDefinitio	OSOCDE	EQUIPMENT CLASS DEFINITION
43822	Total Digits	EAM.ADMIN.REQ.FieldsforUserDefinedScreens	BSCDSS	USER DEFINED SCREEN SETUP
31376	Total Discrepancy of Asset Parts	D7i Extended - Physical Inventory Discrepancy report	SYSTDL SZSTDL	Stocktake Discrepancy Stocktake Discrepancy
31375	Total Discrepancy of Consumable Parts	D7i Extended - Physical Inventory Discrepancy report	SYSTDL SZSTDL	Stocktake Discrepancy Stocktake Discrepancy
48195	Total Dispatched Hrs.	EAM-40784 View Delete Dispatch Labor Popup	WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
49798	Total Errors	EAM-53502	BCMOBL	7I MOBILE BOILER TEXT
38007	Total Estimated Cost	EWS.WORK.UC.CreateEditCapitalPlanningRequests	OSOBTV USINVP	OBJECTIVES INVESTMENT PLANNING
44549	Total Estimated Costs	EAM.CCTR.REQ.ServiceCodes	WSCPQR BAL015 BCMOBL CSCASE CSCCTR CSSVPB CZCASE OSNCFM OSNCHD OSOBJA OSOBJL OSOBJP OSOBJS WSCOPO WSJOBS WSJOVH WSJOVM	CAPITAL PLANNING REQUEST CREATE WORK ORDER FOR NONCONFORMITIES 7I MOBILE BOILER TEXT CASE MANAGEMENT CONTACT CENTER SERVICE PROBLEM CODES CASE MANAGEMENT REPORT NONCONFORMITY OBSERVATIONS NONCONFORMITIES CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CONTRACTOR PORTAL CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
44548	Total Estimated Costs Currency	EAM.CCTR.REQ.ServiceCodes	CSCASE CSSVPB	CASE MANAGEMENT SERVICE PROBLEM CODES
42761	Total Estimated Hours	EAM-9309: Ability to create/update job plan labor	WSJBPL WSJOBS WSJOVH WSJOVM WSPACT WSPPMS WSSTWO WSTASK	JOB PLANS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER IMPORT ACTIVITIES PM SCHEDULES STANDARD WOS TASKS
31730	Total Extra Charges	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZIVLD BZORLD PHORDF PYORDF PYPOCS	ELECORONIC RECORDS FOR INVOICE LINES ELECTRONIC RECORDS FOR PURCHASE ORDER LINES Print Purchase Order Print Purchase Order PO COST SUMMARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31730	Total Extra Charges	EWS.CREP.UC.ElectronicRecords - Electronic Records report	PZORDF	Print Purchase Order
36461	Total Extra Charges / Discounts	EWS.PRCH.UC.CreateEditRequestsForQuotations/30757	PZPOCS	PO COST SUMMARY
26482	Total Extra Charges/Discounts	Infor EAM. Indicates the total extra charges and/discount. Refer to PVCS 6210.	PSPORH	PO HISTORY
49712	Total FERC Unit Estimate Cost	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	PSRFQT	REQUESTS FOR QUOTATIONS
38467	Total Fuel Cost	EWS.EQUIP.UC.EquipmentFuelCosts / 37012	JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			JSCUES	CU ESTIMATES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
20595	Total Hours	Infor EAM - total hours on a work order, service request, etc.	BCMOBL	7I MOBILE BOILER TEXT
43218	Total Hours Remaining	EAM.WORK.REQ.ActivitiesforWorkOrder	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
42917	Total Hours Requested	EAM:9523:EAM.WORK.UC.PlanToolsforTaskPlan	WSJBPL	JOB PLANS
39700	Total Hours Required	EAM.WORK.UC.PlanToolsforWorkOrder	WSTASK	TASKS
			BCMOBL	7I MOBILE BOILER TEXT
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
42269	Total Issued Qty.	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES
16130	Total Labor Cost	Summary of the external and internal labor cost.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
			OZHISL	Object History
49261	Total Labor Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
16132	Total Material Cost		OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16132	Total Material Cost		OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
			OZHISL	Object History
32505	Total Monthly Demand	EWS.CREP.UC.AverageMonthlyUsageAnalysis.doc - Average Monthly Usage Analysis report	SYUSAL	Average Monthly Usage Analysis
32504	Total Monthly Usage	EWS.CREP.UC.AverageMonthlyUsageAnalysis.doc - Average Monthly Usage Analysis report	SZUSAL	Average Monthly Usage Analysis
			SYUSAL	Average Monthly Usage Analysis
49704	Total Non-Allocated Costs	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	SZUSAL	Average Monthly Usage Analysis
			JSCUES	CU ESTIMATES
21107	Total Overall Cost	Infor EAM - the sum of all costs incurred for a work order	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVCST	COSTS FOR EQUIPMENT
			JSCUES	CU ESTIMATES
			SSRECV	PO RECEIPTS
49702	Total Overhead Costs	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
24948	Total PO Receipt Lines	Extended (product name). Number of lines on a PO Receipt.	SSRECV	PO RECEIPTS
26063	Total PO Value	Infor EAM. Field label on the Purchase Order form. Refer to PVCS 5752.	BZRFQD	ELECTRONIC RECORDS FOR RFQS
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
23926	Total Part Value	Infor EAM - the total monetary value of the all the parts lines	BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			SSREQU	REQUISITIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			JSCUES	CU ESTIMATES
36926	Total Part Value in Quotation Currency	EWS.PRCH.UC.ViewTotalsbySupplierPopup/SCR#31744	BCMOBL	71 MOBILE BOILER TEXT
49262	Total Parts Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	WSJBPL	JOB PLANS
49797	Total Pending	EAM-53502	WSJOBS	CREATE WORK ORDER
42762	Total People Required	EAM-9309: Ability to create/update job plan labor	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42762	Total People Required	EAM-9309: Ability to create/update job plan labor	WSPACT WSPPMS WSSTWO WSTASK	IMPORT ACTIVITIES PM SCHEDULES STANDARD WOS TASKS
49752	Total Period Cost	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
33592	Total Previously Allocated Qty.	21342/EWS.PRCH.UC.BookInvoiceAllocation.doc	PSINVA	BOOK INVOICE ALLOCATIONS
23799	Total Price	Infor EAM - the total amount charged for a service provided by a supplier	BZTSKD PHHISL PZHISL WSDEBE WSJBPL WSTASK	ELECTRONIC RECORDS FOR TASKS Purchase History Purchase History EVENTS FOR CUSTOMERS JOB PLANS TASKS
47429	Total Processed	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
30497	Total Qty. Assigned	Infor EAM. Field label in which you enter the total quantity of the part that has been assigned for repair on the Repair Details popup form on which you enter/view information about the internal or external repair for a repairable spare part.	WSAARD WSASRD	ASSET REPAIR DETAILS ASSIGN REPAIR DETAILS
31296	Total Qty. Available	D7i Extended. 'Qty.' is an abbreviation for 'Quantity.' This field indicates the total number of parts that are available for the work order.	SSBUKT SZBUKT WSJOBS WSJOVH WSJOVM	BUILD KITS PRINT BUILD LIST CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
33591	Total Qty. Issued	21342/EWS.PRCH.UC.BookInvoiceAllocation.doc	PSINVA	BOOK INVOICE ALLOCATIONS
42918	Total Qty. Required	EAM:9523:EAM.WORK.UC.PlanToolsforTaskPlan	WSJBPL WSTASK	JOB PLANS TASKS
30496	Total Qty. to Repair	Infor EAM. Field label in which you enter the total quantity of the part that needs to be repaired on the Repair Details popup form on which you enter/view information about the internal or external repair for a repairable spare part.	WSAARD WSASRD	ASSET REPAIR DETAILS ASSIGN REPAIR DETAILS
36865	Total Quotation Value	EWS.PRCH.UC.EditQuotations	PSRFQR PSVTSP	QUOTATIONS VIEW TOTALS BY SUPPLIER POPUP
36928	Total Quotation Value in Quotation Currency	EWS.PRCH.UC.ViewTotalsbySupplierPopup/SCR#31744	PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
37477	Total RFQ Value	EWS.PRCH.UC.CreateEditRequestsForQuotations	PSRFQT	REQUESTS FOR QUOTATIONS
34111	Total Rebate	EWS.CREP.UC.ListOfDebitDiscounts.doc	CYDEBL CZDEBL	LIST OF DEBIT DISCOUNTS LIST OF DEBIT DISCOUNTS
29949	Total Receipt Lines	D7i Extended - Materials - Create/Edit Internal Repair Receipts - number of lines associated with this receipt	SSRCVI	INTERNAL REPAIR RECEIPTS
48718	Total Records	EAM-45774	BZDLUP	DATA LAKE UPLOAD PROGRESS
23928	Total Req. Value	Infor EAM - the total monetary value of the requisition (parts and services)	SSREQU SSRQSS	REQUISITIONS STORE TO STORE REQUISITIONS
37493	Total Resource Days Required	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
25851	Total Return Items	Extended (product name). Refer to PVCS 5637.	SSRETN	SUPPLIER RETURNS
42270	Total Returned Qty.	EAM-5200: EAM.WORK.REQ.UnreturnedCores	WSURCR	UNRETURNED CORES
39374	Total Sched. Hrs.	40522	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44042	Total Service Requests	EAM.CREP.REQ.TotalServiceRequests.docx	WZIRQO WZSRQO	SERVICE REQUEST OVERVIEW SERVICE REQUEST OVERVIEW GOLDMAN SACHS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44042	Total Service Requests	EAM.CREP.REQ.TotalServiceRequests.docx	WZTSRQ	TOTAL SERVICE REQUESTS
23927	Total Service Value	Infor EAM - the total monetary value of all the services lines on the requisition	BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
			SSREQU	REQUISITIONS
36927	Total Service Value in Quotation Currency	EWS.PRCH.UC.ViewTotalsbySupplierPopup/SCR#31744	PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
49264	Total Services Costs	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate	JSCUES	CU ESTIMATES
25827	Total Settlement	Extended (product name)	OSCLAI	WARRANTY CLAIMS
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
33744	Total Stock Value	EWS.MATL.UC.PartDetailsPopup / 21540	SSPTPD	PART DETAILS POPUP
32340	Total Store %	EWS.CREP.UC.ABCAnalysis.doc	SYABCA	ABC Analysis
			SZABCA	ABC Analysis
33746	Total Store Value	EWS.MATL.UC.PartDetailsPopup / 21540	SSPTPD	PART DETAILS POPUP
32833	Total Sub-Budget Amount	EWS.BUD.UC.Budgets.doc / SCR #21512	USBUDG	BUDGETS
33291	Total Tax	EWS.PRCH.UC.CreateEditPurchaseOrders/19208	BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			JSPROJ	PROJECTS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
26903	Total Tax (%)	Infor EAM. Field Label for Tax Code Record View Screen. Refer to EWS.MATL.UC.CreateEditTaxCode.	SSTAXS	TAX CODES
26481	Total Tax Amount	Infor EAM. Indicates the total tax amount. Refer to PVCS 6210.	BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			PHORDF	Print Purchase Order
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
36930	Total Tax Amount in Line Currency	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
36925	Total Tax in Quotation Currency	EWS.PRCH.UC.ViewTotalsbySupplierPopup/SCR#31744	PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
29643	Total Test Points	D7i Extended - Calibration - 11598 - Field in Test Point Set LOV for showing Total # of test points in a set.	WSPPMS	PM SCHEDULES
29717	Total Time	D7i Extended - Calibration Record Report	WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29717	Total Time	D7i Extended - Calibration Record Report	WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBF	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOSH	PRINT SHORT WORK ORDER CARDS
21106	Total Tool Cost	Infor EAM - This is the total cost of tool usage.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
49263 33497 21113	Total Tools Costs Total Unallocated Amount Total Usage	EAM-47072 EAM.PROJ.REQ.CostsforCUEstimate 21342 Infor EAM - the complete usage of a meter that has been attached to a piece of equipment.	OSVCST	COSTS FOR EQUIPMENT
			JSCUES	CU ESTIMATES
			PSINVA	BOOK INVOICE ALLOCATIONS
			BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
23901	Total Value	Infor EAM - see 12310 for current traslation	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			SYUSTL	MONTHLY USAGE TRENDS
			SZUSTL	MONTHLY USAGE TRENDS
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			QZQUOL	PRINT LIST OF QUOTATION
			SSABCA	GENERATE ABC ANALYSIS
			SSPICK	PICK TICKETS
			SSREQF	GENERATE REQ
			SYABCA	ABC Analysis
			SYCONS	Consignment Activity
			SYUSTL	MONTHLY USAGE TRENDS
			SZABCA	ABC Analysis
			SZCONS	Consignment Activity

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23901	Total Value	Infor EAM - see 12310 for current traslation	SZUSTL	MONTHLY USAGE TRENDS
48424	Total WO Activities	EAM.WORK.REQ.GISMapWODispatching.docx/ EAM-38604	WSGWOD	GIS MAP WO DISPATCHING
33147	Total WOs	EWS.CREP.UC.WorkOrderStatistics	WSOPSS	OPTIMIZED SCHEDULER SETUP
			JSCAMP	CAMPAIGN
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WYWOST	WORK ORDER STATISTICS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZWOST	WORK ORDER STATISTICS
27769	Total Weight (Must equal 100%)	D7i Extended - KPI Setup form - Field label, noun	BSKPIC	DEFINING KPI ENTRIES
28782	Total Work Order Cost (Default Currency)		BSWHSE	DATA WAREHOUSE
28784	Total Work Order Labor Cost (Default Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
28783	Total Work Order Material Cost (Default Currency)	Data warehouse.	BSWHSE	DATA WAREHOUSE
18058	Total discrepancy of asset parts	This is a label on a printed stocktake discrepancy report that displays the total discrepancy (the degree of difference between statements).	STSTDL	Stocktake Discrepancy
18057	Total discrepancy of consumable parts	This is a label on a printed stocktake discrepancy report that displays the total discrepancy (the degree of difference between statements).	STSTDL	Stocktake Discrepancy
46268	Total document size	Activity	BCMOBL	7I MOBILE BOILER TEXT
18071	Total extra charges	PMPORD - Indicates the total of all additional charges and discounts applied to the purchase order.	PTORDF	Print Purchase Order
12309	Total price		WSTASL	TASK LOOKUP
18070	Total tax amount	PMPORD - Indicates the total of the tax charges applied to the purchase order calculated based on the tax codes entered for the purchase order.	PTORDF	Print Purchase Order
12473	Total time		WTJOB	Job Cards
12544	Total usage		OCUSGD	CROSSBOW METER USAGE DEF LIST
38989	Totals	PVCS #39004	BHDDAN	DEGREE DAY ANALYSIS
			BYDDAN	DEGREE DAY ANALYSIS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			JSPROJ	PROJECTS
			WSBKPO	BOOK PO LABOR
			WZDTTL	DOWNTIME TRACKING
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49352	Touch	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
49366	Touch ID	EAM-47562	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
41968	Tourmaline	EAM.ADMN.REQ.SystemCodes	BSCLAS	CLASSES
			BSUCOD	SYSTEM CODES
			WSGSRH	GIS MAP ROADS HIGHWAYS
46145	Trace	EAM-26543	WSTCRT	LINEAR EQUIPMENT TRACE
46078	Trace From	EAM.WORK.REQ.TraceRoutePopup	WSTCRT	LINEAR EQUIPMENT TRACE
46079	Trace No.	EAM.WORK.REQ.TraceRoutePopup	WSTCRT	LINEAR EQUIPMENT TRACE
46067	Trace Number	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46083	Trace Route	EAM.Work.REQ.WorkOrder	WSJOBS	CREATE WORK ORDER
46509	Trace Route Popup	EAM-28153	WSJOBS	CREATE WORK ORDER
46066	Trace Status	EAM.WORK.REQ.TraceRoutePopup.docx	WSJOBS	CREATE WORK ORDER
			WSTCRT	LINEAR EQUIPMENT TRACE
46068	Trace Step	EAM.WORK.REQ.TraceRoutePopup.docx	WSTCRT	LINEAR EQUIPMENT TRACE
42195	Track Cores	EAM-5161 EAM.MATL.REQ.Parts	SSPART	PARTS
37629	Track GAS	SCR#33576	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
		EAM:327-EAM.EQUIP.UC.CreateEditFacilities	OSHPFY	CREATE HOSPITALITY FACILITIES
47753	Track History	EAM-37388:EAM.EQUIP.REQ.EquipmentRanking	OSRELR	EQUIPMENT RANKINGS
38726	Track Resources	37518	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
47024	Track Signature	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
47025	Track Superintendent Signature	EAM-29988 Transit app (iOS) - JSI Work Orders	BCMOBL	7I MOBILE BOILER TEXT
44181	Track User Activity By Date	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44370	Track User Activity By User	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37628	Track Utility Bills	SCR#33576	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37628	Track Utility Bills	SCR#33576	OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WGSGRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40199	Track as Kit	EAM:327-EAM.EQUIP.UC.CreateEditFacilities	OSHPPY	CREATE HOSPITALITY FACILITIES
		EAM.WORK.UC.TransactionsforEmployee.docx	SSPART	PARTS
			WSEMPs	EMPLOYEES
20741	Track by Asset	Infor EAM - this is a checkbox that determines whether a part is also an asset. 'Track' in this sense is a verb meaning to track this part as an asset	PSBORD	CREATE EDIT BLANKET ORDERS
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSBUKT	BUILD KITS
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQs
			SSPART	PARTS
			SSPINV	PHYSICAL INVENTORY
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSASRD	ASSIGN REPAIR DETAILS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
42065	Track by Condition	EAM.MATL.REQ.Parts.doc	SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSSUPP	SUPPLIERS
			WSJOBS	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
20760	Track by Lot	Infor EAM - When receiving such parts, each shipment is assigned a unique lot code. Whether for a part individual	OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20760	Track by Lot	lots must be recorded. In this case 'track' is a verb meaning 'to track'.	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSREQ	SERVICE REQUESTS
45720	Track location	EAM.GIS.REQ.GISMapSearch.doc/EAM-20159	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
18991	Tracking	name of a new page (tab) on the Purchase Orders form that will provide information (tracking information) about the current status of the purchase order (especially for use with iProcure)	PSPORD	PURCHASE ORDERS
			SSPART	PARTS
20131	Tracking Details	Infor EAM - group header on Part details screen	BCMOBL	7I MOBILE BOILER TEXT
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRMXS	RISK MATRIX SETUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			TSPROF	PROFILES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20131	Tracking Details	Infor EAM - group header on Part details screen	WSJOBS	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
18930	Tracking ID	for use with iProcure; info sent from the vendor about the PO. The Tracking ID is the number used by the carrier (shipping company) to track the shipment	PSPORD	PURCHASE ORDERS
20744	Tracking Method	Infor EAM - The option of recording quantities and how price is stored. Applicable for how parts are tracked in the store room	PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			SYINST	INVENTORY STANDARD
			SZINST	INVENTORY STANDARD
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
37984	Tracking Method Code	EWS.MATL.UC.PartsforNonPOReceipts/32428	SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
20879	Tracking Methods	Infor EAM - title on the LOV for Tracking Method field on the Parts form	BSLOVS	LIST OF LOOKUPS
			LVTRAK	TRACKING METHOD LOOKUP
36330	Tracking Reports	EWS.MOBILE.UC.TransactionErrors.doc	TCCERR	7I MOBILE BOILER TEXT
36114	Tracking Type	27957	PSPORD	PURCHASE ORDERS
19571	Tracking URL	this is for iProcure meaning that the URL is used in tracking shipments, packages, etc.	PSPORD	PURCHASE ORDERS
13381	Tracking method	The option of recording quantities and how price is stored. Applicable for how parts are tracked in the store room	STSTOL	Stock List
12121	Trade	The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			JSCULB	COMPATIBLE UNITS LIBRARY
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12121	Trade	The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZPROF	EQUIPMENT PROFILE
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PYBPOL	BLANKET ORDER LIST
			PYORDS	PURCHASE ORDER STATUS
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZORDS	PURCHASE ORDER STATUS
			PZPOCS	PO COST SUMMARY
			PZPRFQ	REQUEST FOR QUOTATION
			PZQUOS	QUOTATION SUMMARY
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			QZQUOL	PRINT LIST OF QUOTATION
			SSASGN	GENERATE POS
			SSGRFQ	GENERATE RFQS
			SSREQF	GENERATE REQs
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WCACTJ	CROSSBOW ACTIVITY LIST
			WCBKEV	CROSSBOW BOOK HOURS LISR VIEW
			WCPERS	CROSSBOW EMPLOYEE LIST
			WCSTAC	CROSSBOW STWO ACTIVITY
			WCTASK	CROSSBOW TASK LIST
			WCTRAD	CROSSBOW TRADE LIST
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHJOBf	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12121	Trade	The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSARRS	PRICING SCHEDULE
			WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
			WSAVAC	CALCULATE AVAILABILITY
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSEMPs	EMPLOYEES
			WSEXCL	GROUP AVAILABILITY EXCEPTIONS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLBAU	UPDATE ACTIVITY FOR WO LOAD BALANCING
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSRVCS	REVISION CONTROL SETUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSHIF	SHIFTS
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12121	Trade	The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKPK	PM WORK PACKAGES
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE
			WTBLOG	Work Backlog
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBFB	Job Cards
			WTJOBFB	Labour Hours For Jobs
			WTJOLL	Job List
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTQREQ	QUALIFICATION REQUIREMENT REPORT
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WTSPER	Shift Personnel
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYHREL	Actual Labour Hours Against Estimated
			WYJOBFB	PRINT WORK ORDER
			WYJOBFB	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYQREQ	QUALIFICATION REQUIREMENT REPORT
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYSPER	Shift Personnel
			WYTRDS	DAILY TRADE SCHEDULE
			WYVRSL	VIEW RESOURCE LOAD
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBLOG	Work Backlog
			WZCALR	CALIBRATION RECORD REPORT
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZDELP	PROOF OF DELIVERY
			WZDPML	DELINQUENT PM SUMMARY
			WZEMPI	GDPR COMPLIANCE - EMPLOYEE
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZHREL	Actual Labour Hours Against Estimated

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions			
			Code	Description		
12121	Trade	The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	WZJLPM	LABOR PRODUCTIVITY HEALTHCARE		
			WZJOBF	PRINT WORK ORDER		
			WZJOBL	Labour Hours For Jobs		
			WZJOBQ	PRINT WORK ORDER		
			WZJOLL	Job List		
			WZJOVH	PRINT WORK ORDER HOSPITALITY		
			WZJOVM	PRINT WORK ORDER HEALTHCARE		
			WZMATL	MATERIAL REQUIREMENT ANALYSIS		
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE		
			WZPFMC	FUTURE MAINTENANCE COST		
			WZPMSP	PM SCHEDULE PROFILE		
			WZQEXP	QUALIFICATION EXPIRATION REPORT		
			WZQREQ	QUALIFICATION REQUIREMENT REPORT		
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY		
			WZSCHA	Scheduled Activities		
			WZSCHD	Scheduled / Actual Detail		
			WZSCHS	Schedule Attainment Report		
			WZSPER	Shift Personnel		
			WZTRDS	DAILY TRADE SCHEDULE		
			WZVMRS	VMRS ACTIVITIES CHART		
			WZVRSL	VIEW RESOURCE LOAD		
			WZWPMC	FUTURE MAINTENANCE COSTS		
			WZWOLG	PRINT WO LONG		
			WZWOSH	PRINT SHORT WORK ORDER CARDS		
		Crossbow. The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	TCESYP	7I MOBILE BOILER TEXT		
			TCJACL	7I MOBILE BOILER TEXT		
			TCJALL	7I MOBILE BOILER TEXT		
			Crossbow. The educational background of maintenance employees, for example mechanical engineer, electrician, etc.	BCMOBL	7I MOBILE BOILER TEXT	
		TCJACR		7I MOBILE BOILER TEXT		
		TCJBKL		7I MOBILE BOILER TEXT		
		32143	Trade Class	EWS.REP.UC.QualificationRequirementReport - Qualification Requirement Report	BSLOVS	LIST OF LOOKUPS
					WYQREQ	QUALIFICATION REQUIREMENT REPORT
					WZQREQ	QUALIFICATION REQUIREMENT REPORT
		23264	Trade Class Code		BSWHSE	DATA WAREHOUSE
					WTQREQ	QUALIFICATION REQUIREMENT REPORT
		23265	Trade Class Description	Infor EAM	BSWHSE	DATA WAREHOUSE
23739	Trade Class Organization Code	BSWHSE	DATA WAREHOUSE			
23262	Trade Code	BSWHSE	DATA WAREHOUSE			
23263	Trade Description		BSWHSE		DATA WAREHOUSE	
			JSCULB		COMPATIBLE UNITS LIBRARY	
			UYBANA		BUDGET ANALYSES	
			UZBANA		BUDGET ANALYSES	
			WSARRS		PRICING SCHEDULE	
			WSCOPO		CONTRACTOR PORTAL	
			WSPPMS		PM SCHEDULES	
			WSSTWO		STANDARD WOS	
24381	Trade Details	Extended (product name). Administration module, Trades	WSTASK	TASKS		
			JSCULB	COMPATIBLE UNITS LIBRARY		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24381	Trade Details	form.	WSTRAD	TRADES
25524	Trade Filter	Extended (product name)	WSSRPR	ASSIGN PERSONNEL TO SERVICE REQUEST
32390	Trade Org.	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
21031	Trade Rate	Infor EAM - the amount of money charged for the type of work performed	WSTRAD	TRADES
		EWS.CREP.UC.FutureMaintenaceCost.doc	WYPFMC	FUTURE MAINTENANCE COST
			WYWPMC	FUTURE MAINTENANCE COSTS
			WZPFMC	FUTURE MAINTENANCE COST
			WZWPMC	FUTURE MAINTENANCE COSTS
15283	Trade Rates	This a the name of a tab on the trades form. The tab lists all the rates that are associated to a specific trade.	WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
38895	Trade cannot be updated directly or as a result of changing Task Plan because transactions exist for the work order activity.	22042 Add in ability for the trade to update to	TCJACR	7I MOBILE BOILER TEXT
26981	Trade/Department	Extended (product name)	WSSCHD	WORK ORDER SCHEDULE
27457	Trades	Infor EAM. Title for trade lookups. Refer to PVCS 8016.	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSVSDP	VIEW STATUS DETAILS POPUP
		Data warehouse Dimension table name.	BCMOBL	7I MOBILE BOILER TEXT
			BSWHSE	DATA WAREHOUSE
43594	Trades/Employees	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
45011	Tradesperson	EAM-16001	WSEMPs	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
27732	Training Record	Extended (product name); Refer to EWS.WORK.UC.CreateEditQualification.doc	WSQUAL	QUALIFICATION
12269	Transaction	The act or process of transacting. MP5 transactions have a unique code, e.g. stores transactions.	BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			FCGRD2	FLAMETHROWER GRID 2
			SSPART	PARTS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			STTRAL	Printed List Of Stock Transactions
			SYCONS	Consignment Activity
			SYTRAL	Printed List Of Stock Transactions
			SZCONS	Consignment Activity
			SZTRAL	Printed List Of Stock Transactions
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WZCCON	PRINT CUSTOMER CONTRACT
		Crossbow. For issues/returns.	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12269	Transaction	Crossbow. For issues/returns.	TCCERR	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
42217	Transaction Adjustments	EAM-5370: Report- Customer Invoice Details- Add Tr	WZCIND	CUSTOMER INVOICE DETAIL
40693	Transaction Amount	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
36475	Transaction Class	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
36476	Transaction Class Org.	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
29774	Transaction Code	D7i Extended - Parameter name on the Goods Received Note report. Could be used anywhere a transaction code label is needed.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
31399	Transaction Date	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	BSMPPR	MP2 PURCHASING
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
27886	Transaction Description	Barcode	FCGRD2	FLAMETHROWER GRID 2
			WSEMP5	EMPLOYEES
			WSTOOL	TOOLS
21540	Transaction Details	Infor EAM - group header on the issue/return screen that displays detail information about the transaction about to be submitted	SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSFISS	FUEL ISSUES
			WSFRECE	FUEL RECEIPTS
			YSINTF	INTERFACE OVERVIEW
36328	Transaction Errors	EWS.MOBILE.UC.TransactionErrors	TCCERR	7I MOBILE BOILER TEXT
			TCCRSB	7I MOBILE BOILER TEXT
39986	Transaction Header	EAM.MATL.UC.QuickStoretoStore	SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
15736	Transaction ID		BSINTR	MP2 INVENTORY TRANSACTIONS
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			FCGRD1	FLAMETHROWER GRID 1
28371	Transaction Line	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	PSPORD	PURCHASE ORDERS
			SSBRKT	BREAKUP KIT
			SSPACK	PACKAGES SCREEN
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28371	Transaction Line	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSJOVM	CREATE WORK ORDER
			YSACCD	VIEW GL VALUES
28366	Transaction Lines	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
44183	Transaction Log	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
39570	Transaction No.	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSM	ENERGY STAR MESSAGE VIEWER
			OSKEYM	KEY MANAGEMENT
			OZKEYT	KEY TRANSACTIONS
26068	Transaction Number	Infor EAM. Transaction code field label. Refer to PVCS 5801.	PSPORD	PURCHASE ORDERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			WSEMPs	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTOOL	TOOLS
			YSACCD	VIEW GL VALUES
44184	Transaction Qty	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
21438	Transaction Qty.	Infor EAM - number of parts to include in the issue or return transaction	PSPORD	PURCHASE ORDERS
			SSISSU	Stock Issues
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			WSJOBS	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
35901	Transaction Time	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
40694	Transaction Total	EAM-93	WSINVC	CUSTOMER INVOICES
		EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi		
21435	Transaction Type	E.g. an issue, receiving, return to supplier etc. Movements of parts.	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSLOVS	LIST OF LOOKUPS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			OZKEYT	KEY TRANSACTIONS
			SSISSU	Stock Issues
			SSRECV	PO RECEIPTS
			SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
			TSASTP	DC TRANSACTION PROMPT
			TSTRAN	PROMPT MACHINE
			WSDEPO	DEPOTS
			WSFUEL	FUEL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21435	Transaction Type	E.g. an issue, receiving, return to supplier etc. Movements of parts.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			YSINTF	INTERFACE OVERVIEW
			BCMOBL	71 MOBILE BOILER TEXT
44182	Transaction deleted successfully.	EAM-14486 :Android Tablet - Support localization	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
12268	Transaction type	E.g. an issue, receiving, return to supplier etc. Movements of parts.	STTRAL	Printed List Of Stock Transactions
42586	Transactional Data Created	EAM-4553: EQUIP.REQ.PreviewForEquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
17556	Transactions		BSLOVS	LIST OF LOOKUPS
			OSKEYM	KEY MANAGEMENT
			PSPORD	PURCHASE ORDERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFUEL	FUEL
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSTOOL	TOOLS
			YSACCD	VIEW GL VALUES
			OSTRAS	TRANSFER EQUIPMENT
			OZTRAS	EQUIPMENT TRANSFER LOG
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
42288	Transfer Core Qty.	EAM-5161 EAM.MATL.REQ.QuickStoretoStore	BZEQDL	EQUIPMENT LIST - DETAIL
30416	Transfer Date	D7i Extended -- EWS.EQUIP.UC.TransferEquipmentpop-up -- Field Label, Transfer=adverb, date=noun	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			OZTRAS	EQUIPMENT TRANSFER LOG
			WSGSRH	GIS MAP ROADS HIGHWAYS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30416	Transfer Date	D7i Extended -- EWS.EQUIP.UC.TransferEquipmentpopup -- Field Label, Transfer=adverb, date=noun	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
25540	Transfer Desc.	Extended (product name). Boiler text for field Transfer Description in Quick Store to Store Transfer. EAM.MATL.REQ.HeldItemsTransfer / EAM-34293	SSSTOS SSHIXF SSHXSX SSTTHI	QUICK STORE-TO-STORE TRANSFER HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER STOCK TO HELD ITEMS TRANSFER
20509	Transfer Details	Group header in form OXTRAS.	SSBNBN WSEMP	TRANSFER PARTS BETWEEN BINS EMPLOYEES
30265	Transfer Equipment	D7i Extended - EQUIP - EWS.EQUIP.UC.TransferEquipmentpopup - transfer = verb	BSJSDN OSHPPY OSHPRM OSHPPV OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	COMMON FUNCTION FOR JAVASCRIPT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
36481	Transfer Fee Details	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
36483	Transfer Fees	EWS.MATL.UC.TransferFeesForStoreGroups	SSPRCC	STORE GROUPS
30621	Transfer Items	D7i Extended - List of Outstanding Requisition Items report	SYREQL SZREQL	List Of Outstanding Requisition Items List Of Outstanding Requisition Items
20567	Transfer No.	Prompt for the transfer number on report ORTRAS.	BSLOVS OZTRAS	LIST OF LOOKUPS EQUIPMENT TRANSFER LOG
30879	Transfer On Hand Qty.	D7i Extended. Indicates the number of parts from On Hand quantity to transfer. Transfer here is a verb used as an adjective indicating how much of the part to transfer. On Hand is an adjective indicating what kind.	SSSTOS	QUICK STORE-TO-STORE TRANSFER
24204	Transfer Org.	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
21536	Transfer Part between Bins	Infor EAM - title of form on which the user transfers parts to another bin	SSBNBN SSPART	TRANSFER PARTS BETWEEN BINS PARTS
21539	Transfer Qty.	Infor EAM - number of parts to transfer in a bin to bin transfer transaction	SSBNBN SSHIXF SSHXSX SSTTHI WSDIMR	TRANSFER PARTS BETWEEN BINS HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER STOCK TO HELD ITEMS TRANSFER DIRECT MATERIAL REALLOCATION
19391	Transfer date		OSGFLD	ASSET FIELD LIST FOR MAPPING
12527	Transfer items	Parts that are transferred from one store to another.	STREQL	List Of Outstanding Requisition Items
31731	Transfer to General Ledger	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
36499	Transferred By	TransfersforEmployee/30778	WSEMP	EMPLOYEES
32486	Transferred Details	EWS.CREP.UC.EquipmentTransferLog.doc	OZTRAS	EQUIPMENT TRANSFER LOG
36533	Transferred To Employee	TransfersforEmployee/30778	WSEMP WSOPSS	EMPLOYEES OPTIMIZED SCHEDULER SETUP
36534	Transferred To Employee Org.	TransfersforEmployee/30778	WSEMP WSOPSS	EMPLOYEES OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36390	Transfers	MP5 Tracker id #29105	WSEMP5	EMPLOYEES
48228	Transition Details	EAM-41025	OSDCUR	DECAY CURVE
48313	Transition Probabilities	EAM-41025	OSDCUR	DECAY CURVE
48239	Transition Probabilities/Weight	EAM-41025	OSDCUR	DECAY CURVE
45646	Translate Group Label	EAM-21738	BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
40498	Translate Invoicing Description	EAM-33.WORK.REQ.ChargeDefinitionsForContractTempla	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
44630	Translate Task	EAM.CCTR.REQ.CaseTasksForServiceCodes	CSCASE	CASE MANAGEMENT
			CSSVPB	SERVICE PROBLEM CODES
42038	Translate WO Description	EAM.WORK.REQ.Task	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			WSJBPL	JOB PLANS
			WSTASK	TASKS
12574	Translated		BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			CSCSUR	CUSTOMER SURVEYS
			OSRRQD	TRANSLATION POPUP QUESTIONS
			WSTASK	TASKS
25152	Translated Description	D7i Extended - Multilingual tab	BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			CSCSUR	CUSTOMER SURVEYS
			OSRRQD	TRANSLATION POPUP QUESTIONS
			WSTASK	TASKS
25151	Translation Details	D7i Extended - Multilingual tab	BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSEMLT	TRANSLATION POPUP IN MENUS FOR USER GROUPS
			BSLANG	LANGUAGES
			OSRRQD	TRANSLATION POPUP QUESTIONS
15202	Translations		BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCPRQ	CAPITAL REQUEST CATEGORIZATION CODES
			BSCSTC	COST CODE
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSDEPT	DEPARTMENTS
			BSDOCU	DOCUMENTS
			BSFUNC	CREATE UPDATE SCREENS
			BSGROU	GROUPS
			BSHYPL	HYPERLINK SETUP
			BSINBX	INBOX SETUP
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSKPIC	DEFINING KPI ENTRIES
			BSMTMP	E-MAIL TEMPLATES
			BSORGS	ORGANIZATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15202	Translations		BSPROM	Custom Attributes
			BSQUER	QUERIES
			BSREGN	CREATE EDIT REGIONS
			BSREPO	CREATE / EDIT REPORTS
			BSUCOD	SYSTEM CODES
			BSUDLV	UDF LOOKUP VALUES
			BSUOMS	UOM SETUP
			BSVIEW	VIEWS
			BSVMRS	VMRS CODES
			BSWSPM	WEB SERVICES PROMPT
			CSCASE	CASE MANAGEMENT
			CSCCLGP	CALENDAR GROUPS
			CSCSUR	CUSTOMER SURVEYS
			CSPROV	PROVIDERS
			CSPSCT	SERVICE CATEGORIES
			CSSVPB	SERVICE PROBLEM CODES
			DSEORH	ENTERPRISE ORGANIZATION HIERARCHY
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISFORM	FORMULAS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPRBU	Project Budget Codes
			JSPROJ	PROJECTS
			JSSHUT	SHUTDOWNS
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCHNO	CHANGE NOTICES
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEVAL	EQUIPMENT EVALUATIONS
			OSFAIL	FAILURE MODES POPUP
			OSFUND	FUNDING
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSKEYM	KEY MANAGEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15202	Translations		OSMETE	PHYSICAL METER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSRRLP	ADD / EDIT LEVELS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PSCLAU	PURCHASING CLAUSE
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMM	COMMODITIES
			SSCURR	CURRENCIES
			SSEVAL	PART EVALUATIONS
			SSGHGS	GREENHOUSE GASES
			SSHCST	PART CODE STRUCTURE
			SSIUSS	STORE TO STORE ISSUES
			SSMANU	MANUFACTURERS
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPCMP	PART CONDITION TEMPLATE
			SSPICK	PICK TICKETS
			SSPRCC	STORE GROUPS
			SSPWCL	PART WARRANTY CLAIMS
			SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15202	Translations		SSREJR	REASON FOR RETURN
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSTAXH	TAX RATES
			SSTAXS	TAX CODES
			SSTXTP	TAX RATE TYPES
			TSPROF	PROFILES
			USBGRP	BUDGET GROUPS
			USBSTR	BUDGET STRUCTURE
			USCALE	BUDGET CALENDAR TYPES
			USINVP	INVESTMENT PLANNING
			USYEAR	BUDGET TERMS
			WSADJU	ADJUSTMENT
			WSAPPL	APPROVAL LISTS
			WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCPST	COPY STANDARD ORDER POPUP
			WSCREEN	CUSTOMER RENTALS
			WSCREW	CREW
			WSCTMP	CONTRACT TEMPLATES
			WSDEBS	CREATE CUSTOMER
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFBLC	FLEET BILLING CODES
			WSFCUS	FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
			WSFMRK	FLEET MARKUP CODES
			WSFUEL	FUEL
			WSFUPI	PHYSICAL INVENTORY FOR FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINRQ	CREATE INFORMATION REQUEST
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPDRQ	PRODUCTION REQUEST
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPMP	PM PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15202	Translations	EWS.ADMN.UC.MP2InventoryTransactions	WSPPMS	PM SCHEDULES
			WSQUAL	QUALIFICATION
			WSROUT	ROUTES
			WSSERC	SERVICE CODES
			WSSHIF	SHIFTS
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSTRAD	TRADES
			WSWKPK	PM WORK PACKAGES
			BSDTSP	DATASPY
			WSJBPL	JOB PLANS
35357 18656	Transmit PO to iProcure Transmitted	27951 This is a check box on PMPORD that indicates that the purchase order was transmitted to iProcure	WSTASK	TASKS
			PSPORD	PURCHASE ORDERS
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSRETN	SUPPLIER RETURNS
			PSPORD	PURCHASE ORDERS
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
36122 44515 44516 12863 12882	Transport Method Travel From (Minutes) Travel To (Minutes) Tries Trigger	27957 EAM:14701 EAM:14701 How many times the interface software should try to send a record from one table to another. A small SQL program in the database or in a screen that is 'fired' when a certain event happens.	OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			YSINTF	INTERFACE OVERVIEW
			BSMOBL	7I MOBILE BOILER TEXT
			BSMATS	VIEW TRIGGER STATUS
			BSTRGP	VIEW TRIGGER STATUS POP UP
			BZFLXL	PRINT FLEX SQL LIST
			YSFLXS	FLEX SQL
			BSAUDC	AUDIT SETUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMATS	VIEW TRIGGER STATUS
			BSTRGP	VIEW TRIGGER STATUS POP UP
			CSCSUR	CUSTOMER SURVEYS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
25757	Trigger Details	Extended (product name). Audit Setup form.	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
20728	Trigger Event	Infor EAM - event that triggers the release of this work order		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20728	Trigger Event	Infor EAM - event that triggers the release of this work order	OSGISW OSJOBS OSSTAT OSVCST OSVEVT WSJOBS WSJOVH WSJOVM WSMPAT WSVITE WZWOLM WSSTWO	VIEW AND/OR SCHEDULE WORK ORDER LABOR CREATE WORK ORDER EQUIPMENT OPERATIONAL STATUS COSTS FOR EQUIPMENT EVENTS FOR EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS WORK ORDER QUICK ENTRY WORK ORDER LIST - DETAIL STANDARD WOS
29951	Trigger Sequence	Infor EAM (product name); See EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
30291	Trigger Sequence - Step	Extended (product name); refer to EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
30290	Trigger Sequence - Trigger Step	Extended (product name); Refer to EWS.WORK.UC.ChildrenForStandardWO.doc	BSLOVS	LIST OF LOOKUPS
29952	Trigger Step	Infor EAM (product name); See EWS.WORK.UC.ChildrenForStandardWO.doc	WSSTWO	STANDARD WOS
35146	Trigger Type	Export Flex SQL	BSEXIM	EXPORT CONFIGURATION
37813	Trigger within Min/Max Values	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
36066	Triggers	28754	BSEXIM BSTBST CSCSUR	EXPORT CONFIGURATION TABLE STRUCTURE POPUP CUSTOMER SURVEYS
35117	Trim HTML tags	MP5 Tracker id 28652	REPORT	General Report Function
23366	Triple	Infor EAM - indicates the width of the HTML portlet to create.	BMHTCF BMOPSV	HTML CONTENT SETUP OPS PACKAGE
23689	Triple Wide	Infor EAM - this identifies the width of the graph to display in the portlet. Triple wide basically means three columns which takes up the entire page.	BSHOME OSOVIW	HOME - OVERVIEW SCREEN EQUIPMENT OVERVIEW 360
48907	Troubleshooting	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28257	Truncate Table	Data warehouse. Refer to PVCS 9551.	BSWHSE	DATA WAREHOUSE
34655	Trusted Site	#26808	BSFUNC	CREATE UPDATE SCREENS
27012	Tues.	Extended (product name) Tuesday	SSSTOR	STORES
27843	Tuesday	D7i Extended - Locales form	BSFFSP BSJSCT BSLOCL DSGLPS REPORT WSPPMS WZMSCH	FILTER FIELD SETUP SCREEN JOB SCHEDULES SCHEDULE TIME POP-UP LOCALE GL PROCESS SCHEDULES General Report Function PM SCHEDULES MONTHLY SCHEDULING DETAILS REPORT
35233	Tuesday End Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35227	Tuesday Start Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
41962	Turquoise	EAM.ADMN.REQ.SystemCodes	BSCLAS BSUCOD	CLASSES SYSTEM CODES
11920	Type		AEDEF BCAUTH BCCOMM	ANALYTICS VARIABLE DEFINITION RIGHTS CROSSBOW AUTH LIST CROSSBOW COMMENT LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type		BCPRMP	CORSSBOW CUSTOM ATTRIB PROPERTY LIST
			BEWSMD	EWS - METADATA DEFINITION
			BHKIUR	KPI/INBOX USAGE
			BHUCOL	List Of R5 Codes
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSDESC	MULTILINGUAL TAB
			BSDESP	TRANSLATION POPUP
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSFUNC	CREATE UPDATE SCREENS
			BSLOVS	LIST OF LOOKUPS
			BSREPO	CREATE / EDIT REPORTS
			BSWSPM	WEB SERVICES PROMPT
			BTUCOL	List Of R5 Codes
			BYMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BYMSSS	MESSAGE STATUS SUMMARY
			BYMSST	MESSAGE STATUS
			BYUCOL	List Of R5 Codes
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
			BZKIUR	KPI/INBOX USAGE
			BZMPDH	MESSAGE PROCESSING AND DELIVERY HISTORY
			BZMSSS	MESSAGE STATUS SUMMARY
			BZMSST	MESSAGE STATUS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZUCOL	List Of R5 Codes
			BZWARD	ELECTRONIC RECORDS FOR WARRANTIES
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type		CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			ISPNTF	POINT TYPES
			ITRSLF	LIST OF INSPECTION RESULTS
			IYRSLF	LIST OF INSPECTION RESULTS
			IZRSLF	LIST OF INSPECTION RESULTS
			JSPROJ	PROJECTS
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSEQPP	EQUIPMENT LOOKUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSGCUS	CUSTOM FIELD MAPPING QUERY
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRP	VIEW PARENT EQUIPMENT
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OSTRAS	TRANSFER EQUIPMENT
			OSVBJA	VIEW ASSET LIST
			OSWARR	WARRANTY
			OTOBJL	List Of Objects
			OZNCFL	LIST OF NONCONFORMITIES
			OZOBJL	List Of Objects
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			OZPRDC	RELIABILITY CALCULATIONS
			PSCARD	CREDIT CARDS
			PSINVL	INVOICE LINES PER BUYER
			PSINVO	INVOICES
			PSORDT	PURCHASE ORDER TERMS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PYBPOL	BLANKET ORDER LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Describes the type of MP5 objects, A-assets, S-system, P-position, and L-location.	PZBPOL	BLANKET ORDER LIST
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSSUPP	SUPPLIERS
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			STRCVF	Goods Received Note
			STTRAL	Printed List Of Stock Transactions
			SYCONS	Consignment Activity
			SYRCVF	GOODS RECEIVED NOTE
			SYTRAL	Printed List Of Stock Transactions
			SZCONS	Consignment Activity
			SZRCVF	Goods Received Note
			SZTRAL	Printed List Of Stock Transactions
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCMATL	CROSSBOW MATERIAL LIST
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPFWM	PM FORECASTING WARNING
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
			WSUWOD	UNSIGNED WO DIFFERENCES
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WTCALR	CALIBRATION RECORD REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZOSRQ	OPEN SERVICE REQUESTS
			WZPPMQ	LIST OF PM SCHEDULES
			WZSRQO	SERVICE REQUEST OVERVIEW GOLDMAN SACHS
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSASET	ASSET SETUP
			BSPSET	PURCHASING SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Describes the type of MP5 objects, A-assets, S-system, P-position, and L-location.	BSWSET	WORK SETUP
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZEPAD	ELECTRONIC RECORDS FOR
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCCGM	CONTACT CENTER MAP SEARCH
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYJBRT	Inspection Route Report
			IZJBRT	Inspection Route Report
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			OTCAHI	CALIBRATION HISTORY REPORT
			OTCSTL	WORK ORDER COST SUMMARY
			OTMHST	METER HISTORY
			OZCAHI	CALIBRATION HISTORY REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZDEPR	EQUIPMENT DEPRECIATION
			OZFLTG	Fault Trend Analysis
			OZMHST	METER HISTORY
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZPROF	EQUIPMENT PROFILE
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PSEXCD	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSOBS	ASSETS FOR PO
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			SSPART	PARTS
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBf	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSPMPL	PM FORECASTING
			WSSERQ	CREATE SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Describes the type of MP5 objects, A-assets, S-system, P-position, and L-location.	WTBLOG	Work Backlog
			WTCALD	CALIBRATION DUE REPORT
			WTJOB	Job Cards
			WTJOB	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERL	List Of Permit Issues
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOB	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYJOLL	Job List
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALD	CALIBRATION DUE REPORT
			WZCTRC	SERVICE REQUESTS CHART
			WZERRF	EXPIRED WARRANTIES
			WZJOB	PRINT WORK ORDER
			WZJOB	Labour Hours For Jobs
			WZJOLL	Job List
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZPERL	List Of Permit Issues
		Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	ASCACH	ANALYTICS VARIABLES CACHE
			ASDTEN	DATA ENTRY FORMS
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			BAL011	WORK ORDER STATUS ESCALATION
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSCMIM	CONFIGURATION MANAGER - IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSEXIM	EXPORT CONFIGURATION
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSFFTP	SELECT TYPES
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSGROU	GROUPS
			BSHOME	HOME - OVERVIEW SCREEN
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
			BSMDEV	MOBILE DEVICES
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
			BSFROM	Custom Attributes
			BSTART	INFOR EAM 71 EXTENDED START PAGE GRID
			BSUSER	USER SETUP
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CZCASE	CASE MANAGEMENT REPORT
			CZSurr	CUSTOMER SURVEY RESULTS
			DSMSBH	VIEW MESSAGES
			DSMSGs	VIEW MESSAGE STATUS
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			ESNOTI	NOTIFICATIONS
			ISAPRF	APPROVE INSPECTION RESULTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OPSVAR	ANALYTICS 7.8 VARIABLES
			OSAPMS	APM SCENARIO
			OSCLAI	WARRANTY CLAIMS
			OSCLCD	CLOSING CODE
			OSCNAP	CREATE NEW ASSETS
			OSDCUR	DECAY CURVE
			OSEQCI	CHECKLIST ITEMS
			OSESCH	RESERVATION CALENDAR
			OSFUND	FUNDING
			OSGGMP	GIS MAP DATA
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPLY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHVVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSKEYM	KEY MANAGEMENT
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVIV	EQUIPMENT OVERVIEW 360
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	OSPOLI	CREATE POLICY
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVCST	COSTS FOR EQUIPMENT
			OSWKSP	WORKSPACES
			OZEQUD	EQUIPMENT DETAIL
			OZKEYD	KEY LIST-DETAIL
			OZOEEM	OEE METRICS
			OZPROF	EQUIPMENT PROFILE
			OZRCME	RCM EQUIPMENT AT RISK
			OZRGCA	RELIABILITY GROWTH CROW-AMSAA
			OZRHIS	RANKING HISTORY CHART
			OZRING	RING LIST-DETAIL
			OZRMSO	RISK MATRIX OVERVIEW
			OZTBK	TOP 10 BREAKDOWN
			PSAGLP	ASSIGN GL CODES POPUP ON INVOICE LINES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSEXCH	EXTRA CHARGES OR DISCOUNTS ON PO LINES
			PSIEXP	EXTRA CHARGES OR DISCOUNTS ON INVOICE LINES
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSASGN	GENERATE POS
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSTOR	STORES
			SSTAXH	TAX RATES
			SYSTOL	Stock List
			SZSTOL	Stock List
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHJOBQ	PRINT WORK ORDER
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCALP	ADD EDIT CALLER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	WSDEBS	CREATE CUSTOMER
			WSEMP	EMPLOYEES
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOC	CREATE STANDARD WO POPUP
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSRTEP	ROUTE LOOKUP
			WSRVCS	REVISION CONTROL SETUP
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSVSR	VIEW SERVICE REQUESTS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWOBU	BATCH WORK ORDER UPDATE
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			WTVTKT	VEHICLE TICKET REPORT
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBQ	PRINT WORK ORDER
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPMSP	PM SCHEDULE PROFILE
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZVTKT	VEHICLE TICKET REPORT
		Crossbow	TCESYP	7I MOBILE BOILER TEXT
			TCIOBL	7I MOBILE BOILER TEXT
			TCIOBR	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11920	Type	Crossbow	TCOBJL	7I MOBILE BOILER TEXT
			TCOHSL	7I MOBILE BOILER TEXT
			TCSYCF	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			TCELRC	7I MOBILE BOILER TEXT
			TCJCAH	7I MOBILE BOILER TEXT
			TCJCLI	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCSCCF	7I MOBILE BOILER TEXT
			TCSCMN	7I MOBILE BOILER TEXT
		Extended (function title). This is not an object type. It is for a separate screen.	BSCHRT	CHART SETUP
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			OSCLAI	WARRANTY CLAIMS
			PSRFQT	REQUESTS FOR QUOTATIONS
			WSSREQ	SERVICE REQUESTS
			WZPPMQ	LIST OF PM SCHEDULES
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSPPMS	PM SCHEDULES
46116	Type Class	EAM-26306EAM.WORK.REQ.NonconformitiesForPMSchedule	WSSTWO	STANDARD WOS
46117	Type Class Org.	EAM-26306EAM.WORK.REQ.NonconformitiesForPMSchedule	WSPPMS	PM SCHEDULES
33988	Type Code	SCR#24832	WSSTWO	STANDARD WOS
			CSCSUR	CUSTOMER SURVEYS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			PSPORD	PURCHASE ORDERS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOBU	BATCH WORK ORDER UPDATE
45564	Type Description	EAM.EQUIP.REQ.Nonconformities	OSDCUR	DECAY CURVE
			OSMGNC	MERGE NONCONFORMITIES POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
25083	Type Details	Extended (product name)	WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			BSASET	ASSET SETUP
			BSFFSP	FILTER FIELD SETUP SCREEN
			BSPSET	PURCHASING SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25083	Type Details	Extended (product name)	BSWSET	WORK SETUP
			WSEMP	EMPLOYEES
47744	Type Max	EAM-37478 : Decay Curve - Additional enhancements	OSDCUR	DECAY CURVE
45565	Type Org.	EAM.EQUIP.REQ.Nonconformities	OSMGNC	MERGE NONCONFORMITIES POPUP
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZNCFL	LIST OF NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
		Nonconformity	BCMOBL	7I MOBILE BOILER TEXT
45616	Type User Defined Field 01	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45617	Type User Defined Field 02	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45618	Type User Defined Field 03	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45619	Type User Defined Field 04	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
45620	Type User Defined Field 05	EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
30989	Type desc	Analytics back end table text - description of analytics variable type	ASOBOT	BOILER TEXT
16053	Type description		REPORT	General Report Function
21030	Type of Hours	Infor EAM - the user must select what type of hours were worked, e.g., normal or overtime	BCMOBL	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWEMP	WORK BY EMPLOYEE
			WSARRS	PRICING SCHEDULE
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSEMP	EMPLOYEES
			WSINVC	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSQCWO	QUICK CLOSE WORK ORDER
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
			WSSREQ	SERVICE REQUESTS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21030	Type of Hours	Infor EAM - the user must select what type of hours were worked, e.g., normal or overtime	WSWOBU	BATCH WORK ORDER UPDATE
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWEMP	WORK BY EMPLOYEE
			WZWOLG	PRINT WO LONG
30506	Type of Hours Description	Extended (product name); Refer to EWS.WORK.UC.MarkupbyTradeForPricingSchedules	WSARRS	PRICING SCHEDULE
21112	Type of Meter	Infor EAM - the type of the meter to be used, e.g., physical or logical.	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			BCMOBL	7I MOBILE BOILER TEXT
41829	Type of Work	EAM.WORK.REQ.PermitToWork	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
			WHPTWR	PRINT PERMIT TO WORK
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41829	Type of Work	EAM.WORK.REQ.PermitToWork	WSSTWO	STANDARD WOS
			WZPTWR	PRINT PERMIT TO WORK
25059	Types	Extended (product name). Employee Types form.	BSLOVS	LIST OF LOOKUPS
			BSUCOD	SYSTEM CODES
			WSEMPs	EMPLOYEES
			WSPMPL	PM FORECASTING
		EWS.WORK.UC.ParametersforGenerateProductionReque	BSFFSP	FILTER FIELD SETUP SCREEN
		st	BSLOVS	LIST OF LOOKUPS
37584	UDC01	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37585	UDC02	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37586	UDC03	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37587	UDC04	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37588	UDC05	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37574	UDD01	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37575	UDD02	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37576	UDD03	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37577	UDD04	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37578	UDD05	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
36902	UDF Lookup Values	31088	BSUDLV	UDF LOOKUP VALUES
37544	UDF01	21818 User Defined field on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37545	UDF02	21818 User Defined field on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37546	UDF03	21818 User Defined field on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37547	UDF04	21818 User Defined field on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37548	UDF05	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37549	UDF06	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37550	UDF07	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37551	UDF08	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37552	UDF09	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
			TCOBRJ	7I MOBILE BOILER TEXT
37553	UDF10	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37553	UDF10	21818 User Defined Fields on WO/Equipment screen	TCOBJR	7I MOBILE BOILER TEXT
37562	UDF11	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37554	UDF12	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37555	UDF13	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37556	UDF14	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37557	UDF15	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37558	UDF16	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37559	UDF17	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37560	UDF18	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37561	UDF19	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37563	UDF20	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37564	UDF21	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37565	UDF22	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37566	UDF23	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37567	UDF24	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37568	UDF25	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37569	UDF26	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37570	UDF27	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37571	UDF28	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37572	UDF29	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37573	UDF30	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
39717	UDG	EAM.ADMN.UC.ImportConfiguration/42215	BSIMPT	IMPORT CONFIGURATION
37579	UDN01	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37580	UDN02	21818 User Defined Fields on WO/Equipment screen	TCOBJR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
37581	UDN03	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
37582	UDN04	21818 User Defined Fields on WO/Equipment screen	TCOBJR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCOBJR	7I MOBILE BOILER TEXT
37583	UDN05	21818 User Defined Fields on WO/Equipment screen	TCJOBR	7I MOBILE BOILER TEXT
40860	UMDNS Code	EAM.EQUIP.REQ.AssetHealthcare.docx	TCOBJR	7I MOBILE BOILER TEXT
			BSLOVS	LIST OF LOOKUPS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
41450	UMDNS Description	EAM-1651:Healthcare Assets	OSOVSM	CREATE SYSTEM EQUIPMENT
28168	UNISTAT 37961 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28169	UNISTAT 38930 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28170	UNISTAT 38931 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28172	UNISTAT 38932 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28173	UNISTAT 38933 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28174	UNISTAT 38934 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28175	UNISTAT 38935 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28176	UNISTAT 38936 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28177	UNISTAT 38937 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28178	UNISTAT 38938 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28179	UNISTAT 38940 - Address	Barcode - label format	FCLABL	FLAMETHROWER LABELS
48027	UNSPSC Code	EAM-40309 - EAM.PRCH.REQ.PartsforPO	PSPORD	PURCHASE ORDERS
34247	UOD	Packing Slip For PO Receipts	SSREQU	REQUISITIONS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSRECV	PO RECEIPTS
34049	UOG Default	19828	BUYORG	BUY ORG GRID BOT FUNCTION
34047	UOG Organization	19828	BUYORG	BUY ORG GRID BOT FUNCTION
34048	UOG User	19828	BUYORG	BUY ORG GRID BOT FUNCTION
12421	UOM		BCUOMS	CROSSBOW UOM LIST
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZEPAD	ELECTRONIC RECORDS FOR
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			CYCONF	Print Contract
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZCONF	Print Contract
			CZDEBL	LIST OF DEBIT DISCOUNTS
			FCGRD1	FLAMETHROWER GRID 1
			ISMONT	MONITORED DATA
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
			IYJBRT	Inspection Route Report
			IYRSLF	LIST OF INSPECTION RESULTS
			IZJBRT	Inspection Route Report
			IZRSLF	LIST OF INSPECTION RESULTS
			JSCULB	COMPATIBLE UNITS LIBRARY
			OCREAD	CROSSBOW METER READING HIS LIST
			OCUSGD	CROSSBOW METER USAGE DEF LIST
			OCWARR	CROSSBOW WARRANTY LIST
			OSMETE	PHYSICAL METER
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORH	PO HISTORY
			PTORDF	Print Purchase Order
			PYORDF	Print Purchase Order

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12421	UOM		PZONIL	Purchase Orders Received But Not Yet Invoiced
			PZONOL	Approved Order Awaiting Delivery
			PZORDF	Print Purchase Order
			QZQUOL	PRINT LIST OF QUOTATION
			SCPART	CROSSBOW PART LIST
			SHREQF	Print Purchase Requisition
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSREQL	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQLL	REQUISITION LINE
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STREQL	List Of Outstanding Requisition Items
			STSTOL	Stock List
			SYINST	INVENTORY STANDARD
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYREQL	List Of Outstanding Requisition Items
			SYSTOL	Stock List
			SZINST	INVENTORY STANDARD
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZREQL	List Of Outstanding Requisition Items
			SZSTOL	Stock List
			WHJOBFB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVB	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSTASK	TASKS
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBFB	Job Cards
			WTPPML	List Of All Ppm Schedules
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZJOBFB	PRINT WORK ORDER
			WZPPML	List Of All Ppm Schedules

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12421	UOM	A method by which you measure, e.g., a quart, liter, meter, etc.	WZWOSH	PRINT SHORT WORK ORDER CARDS
			BSDOCA	DOCUMENTS
			BSUOMS	UOM SETUP
			CYORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZORDL	PRINT LIST OF PURCHASES UNDER CONTRACT
			CZUSGF	Discount Request Based On Usage
			PSPORD	PURCHASE ORDERS
			SSREQF	GENERATE REQ
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
			STSTD	Stocktake Discrepancy
			STSTTL	PRINT STOCKTAKE LIST
			SYEOQA	EOQ Analysis
			SYSTD	Stocktake Discrepancy
			SYSTTL	PRINT STOCKTAKE LIST
			SZEOQA	EOQ Analysis
			SZSTD	Stocktake Discrepancy
			SZSTTL	PRINT STOCKTAKE LIST
			WSPPM	PM SCHEDULES
			WSSTWO	STANDARD WOS
			BSPAAP	ALTERNATE PART POPUP IN PART ASSOCIATED
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			OSCLAI	WARRANTY CLAIMS
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZCLAI	WARRANTY CLAIM REPORT
			OZHISL	Object History
			PSBORD	CREATE EDIT BLANKET ORDERS
			SSPICK	PICK TICKETS
			SSREQS	CREATE PURCHASE REQUISITION
			SSRQLL	REQUISITION LINE
			STPICK	Pick List Print
			STRETF	Print Goods Return Note
			SYPICK	Pick List Print
			SYRETF	PRINT GOODS RETURN NOTE
			SYRETN	LIST OF RETURNS
			SZPICK	Pick List Print
			SZRETF	Print Goods Return Note
			SZRETN	LIST OF RETURNS
			WCMATL	CROSSBOW MATERIAL LIST
			WSEMP	EMPLOYEES
			WSSREQ	SERVICE REQUESTS
			WSTASL	TASK LOOKUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12421	UOM	Infor EAM - A method by which you measure, e.g., a quart, liter, meter, etc. Changed from 'Unit of Measure' to 'UOM' at developer's request.	WZERRF	EXPIRED WARRANTIES
			BAL009	WARRANTY EXPIRATION USAGE ALERT
			BSCLAS	CLASSES
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCUES	CU ESTIMATES
			JSCULB	COMPATIBLE UNITS LIBRARY
			LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSENSS	ENERGY STAR SETUP
			OSEQCI	CHECKLIST ITEMS
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTGY	CREATE STRATEGY
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OYCOEM	CO2E EMISSIONS
			OZCLAI	WARRANTY CLAIM REPORT
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12421	UOM	Infor EAM - A method by which you measure, e.g., a quart, liter, meter, etc. Changed from 'Unit of Measure' to 'UOM' at developer's request.	OZMHST	METER HISTORY
			OZPROF	EQUIPMENT PROFILE
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			PZVEND	VENDOR LEAD TIME
			SSASGN	GENERATE POS
			SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSEOQA	CALCULATE EOQ
			SSGRFQ	GENERATE RFQS
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSRECV	PO RECEIPTS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSCRP	SCRAP PART
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUBP	SUBSTITUTE PART POP UP
			SSSUPP	SUPPLIERS
			SZBUKT	PRINT BUILD LIST
			SZTKIT	KIT TEMPLATE
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSCCON	CUSTOMER CONTRACTS
			WSCREN	CUSTOMER RENTALS
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSFISS	FUEL ISSUES
			WSFREC	FUEL RECEIPTS
			WSFUEL	FUEL
			WSINVC	CUSTOMER INVOICES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12421	UOM	Infor EAM - A method by which you measure, e.g., a quart, liter, meter, etc. Changed from 'Unit of Measure' to 'UOM' at developer's request.	WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPACT	IMPORT ACTIVITIES
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMTW	PERMIT TO WORK
			WSPMP	PM PLANS
			WSPPM	PM SCHEDULES
			WSPPTP	CREATE PICK TICKET POPUP
			WSPREQ	PART REQ POPUP FOR WO PARTS
			WSQUA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WZPMSP	PM SCHEDULE PROFILE
		Crossbow	TCESYP	7I MOBILE BOILER TEXT
			TCJAPL	7I MOBILE BOILER TEXT
			TCJCAH	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
			TCJCDE	7I MOBILE BOILER TEXT
		Crossbow - Unit of Measure	TCOMRL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCOMRD	7I MOBILE BOILER TEXT
			TCOMRP	7I MOBILE BOILER TEXT
			WSCCON	CUSTOMER CONTRACTS
			BCMOBL	7I MOBILE BOILER TEXT
40576	UOM Conflicts	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
32606	UOM Description	EWS.WORK.UC.BatchMeterReadings.doc	WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSFISS	FUEL ISSUES
24046	UOM Details	Infor EAM - group header on the Unit of measure form	BSUOMS	UOM SETUP
			ISASPC	ASPECTS
44759	UOM Relative Start	EAM-15954	OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
47589	UOM Type	EAM-36187 :	OSOCAP	ASSET CLASS OPERATIONAL CAPACITY
		EAM.EQUIP.REQ.AssetClassOperationalCap		
36764	UOM Value	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
42794	UOM is out of service or deleted and will not be copied to the equipment.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
25433	UOM not found.	Crossbow. Error message for meter reading.	TCOMRD	7I MOBILE BOILER TEXT
44456	UOMs	EAM-14521 Unit of Measure for Aspect usecase	ISASPC	ASPECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19186	UOP	unit of purchase	BCMOBL	7I MOBILE BOILER TEXT
			BSMPQT	MP2 QUOTATIONS
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCONT	PURCHASING CONTRACTS
			PSINVO	INVOICES
			PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			PSVPQP	VIEW PART PURCHASE QTY POPUP
			PYBPOL	BLANKET ORDER LIST
			PZBPOL	BLANKET ORDER LIST
			SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSPART	PARTS
			SSRECV	PO RECEIPTS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSSUPP	SUPPLIERS
			STRCVF	Goods Received Note
			SYHISL	Purchase History Per Item/Supplier
			SYRCVF	GOODS RECEIVED NOTE
			SZHISL	Purchase History Per Item/Supplier
			SZRCVF	Goods Received Note
34248	UOP per Delivery UOD	Packing Slip For PO Receipts	SSCMLS	REMOVE MULTIPLE PACKING SLIP LINES
			SSRECV	PO RECEIPTS
19184	UOP quantity	unit of purchase quantity	STRCVF	Goods Received Note
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
35990	UOW	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
19485	URL	Name of new tab in BNINST to display installation parameters only for URLs. URL stands for Universal Resource Locator	BMHTCF	HTML CONTENT SETUP
			BSFUNC	CREATE UPDATE SCREENS
			BSINST	INSTALL CODES
42784	URL Parameters Details	EAM.ADMN.REQ.DefineURLParameterPopup	BSURLP	DEFINE URL PARAMETERS
27807	URL Path	D7i Extended - Screens form	BSFUNC	CREATE UPDATE SCREENS
41832	Un-Assessed Conflicts	EAM.WORK.REQ.PermitToWork	BCMOBL	7I MOBILE BOILER TEXT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			WHPTWR	PRINT PERMIT TO WORK
			WSPMTW	PERMIT TO WORK
			WZPTWR	PRINT PERMIT TO WORK
			OSHPFY	CREATE HOSPITALITY FACILITIES
22500	Un-Link	Infor EAM - link button on the Structure tab of the Equipment form that removes the link between the selected piece of equipment in the header and the selection on the Structure tab.	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22500	Un-Link	Infor EAM - link button on the Structure tab of the Equipment form that removes the link between the selected piece of equipment in the header and the selection on the Structure tab.	OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
47317	Unable to Complete	EAM-33958 EAM.WORK.REQ.LOTOForPermitToWork.docx	BCMOBL WSPMTW	7I MOBILE BOILER TEXT PERMIT TO WORK
24791	Unable to apply the configuration: Contact your system administrator.	Crossbow	TCCCNF	7I MOBILE BOILER TEXT
24792	Unable to assign values: Contact your system administrator.	Crossbow	TCOBJR	7I MOBILE BOILER TEXT
48680	Unable to book labor past midnight.	EAM-43428	BCMOBL	7I MOBILE BOILER TEXT
25879	Unable to delete the error log entry.	Crossbow	TCCERR	7I MOBILE BOILER TEXT
25880	Unable to delete the transaction.	Crossbow	TCCERR	7I MOBILE BOILER TEXT
48692	Unable to determine additional mains that would be impacted by a valve closure based on available information in the Main Isolation tables.	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
48691	Unable to determine valve(s) to be closed to isolate the selected main based on available information in the Main Isolation tables.	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
24793	Unable to fetch data: Contact your system administrator.	Crossbow	TCJALL	7I MOBILE BOILER TEXT
29903	Unable to fill the filter screen controls.	Crossbow	TCCFLT	7I MOBILE BOILER TEXT
24794	Unable to get data: Contact your system administrator.	Crossbow	TCOBJR	7I MOBILE BOILER TEXT
24795	Unable to initialize configuration screen: Contact your system administrator.	Crossbow	TCCCNF	7I MOBILE BOILER TEXT
31827	Unable to load data.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCDPRN	7I MOBILE BOILER TEXT
25437	Unable to locate the selected WO/Activity.	Crossbow.	TCMRTP	7I MOBILE BOILER TEXT
25431	Unable to render configuration.	Crossbow.	TCSYCF	7I MOBILE BOILER TEXT
25432	Unable to render the grid for selecting parts.	Crossbow. Error message for issues/returns.	TCMRTP	7I MOBILE BOILER TEXT
25430	Unable to retrieve the parts for the material list.	Crossbow. Error message for issues/returns.	TCMRTP	7I MOBILE BOILER TEXT
24796	Unable to save configuration to the database: Contact your system administrator.	Crossbow	TCCCNF	7I MOBILE BOILER TEXT
25599	Unable to save configuration.	Crossbow	TCSCCF TCSYCF	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
31826	Unable to save data.	D7i.Crossbow.4.3.Anl.PrintCrystalClearReports.doc	TCDPRN	7I MOBILE BOILER TEXT
24797	Unable to set default configuration: Contact your system administrator.	Crossbow	TCCCNF	7I MOBILE BOILER TEXT
24799	Unable to validate data: Contact your system administrator.	Crossbow	TCCLOV	7I MOBILE BOILER TEXT
33495	Unallocated Qty.	21342	PSINVA	BOOK INVOICE ALLOCATIONS
33496	Unallocated Unit Cost	21342	PSINVA	BOOK INVOICE ALLOCATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32691	Unapproved Customer Charges	20860- EWS.WORK.UC.GenerateInvoicesPopup.doc	WSINVP	GENERATE INVOICES
39990	Unapproved Parent PM Exists	EAM.WORK.UC.RevisionControlApproval	WSAPPR	REVISION CONTROL APPROVAL
42711	Unassigned	EAM-8650	BCMOBL	7I MOBILE BOILER TEXT
			WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
36668	Unassigned Deferred Maintenance	EWS.WORK.UC.CreateEditDeferredMaintenance.doc	WSDFAC	DEFERRED MAINTENANCE
44911	Unassigned WO	EAM-16256	BCMOBL	7I MOBILE BOILER TEXT
29632	Unassociated Bins	D7i Extended - Materials - EWS.MATL.UC.BinLoop - Dataspy Name	SSBINL	BIN LOOKUP
47878	Unconstrained Funding	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
			OSFUND	FUNDING
47879	Unconstrained Funding Currency	EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS	APM SCENARIO
			OSFUND	FUNDING
45850	Undefined	EAM-24206	OZONCF	NONCONFORMITIES ANALYSIS
35809	Under Warranty	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
40824	Underline (Ctrl+U)	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40829	Underline the selected text.	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37114	Underscore	EWS.WORK.ParametersforPMPlanning	WSPMPL	PM FORECASTING
35269	Understanding of the basic modules	#28171	BSDTCV	DATA CONVERSION (MP2)
49231	Undispatched WO Activities	WOActivitiesforOptimizedSchedulerSetup/EAM-47303	WSOPSS	OPTIMIZED SCHEDULER SETUP
34172	Undo	EWS.ADMN.UC.GlobalTextChange	BSBOIL	GLOBAL TEXT CHANGES
34173	Undo All	EWS.ADMN.UC.GlobalTextChange	BSBOIL	GLOBAL TEXT CHANGES
35496	Undo Cancel Line	EWS.MATL.UC.ActiveLinesforPORceipts / 27016	SSRECV	PO RECEIPTS
15166	Undo all		BXBOIL	Customized Texts
37127	Unexpired Lowest Line Total	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
37126	Unexpired Lowest Price	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
11921	Unfinished	The status of being incomplete, e.g. a purchase order or requisition with an 'unfinished' status.	BSLOVS	LIST OF LOOKUPS
			CYCONF	Print Contract
			CZCONF	Print Contract
34201	Unfinished Part Inspections	EWS.MATL.UC.ViewModifyPartInspections	SSPINS	PART INSPECTIONS
24399	Unfinished Receipts	Extended (product name). This is the name of the default dataspy for the non-po receipts form.	SSCOMP	NON-PO RECEIPTS
12533	Unfinished work orders		JZJOBL	LIST OF JOBS FOR PROJECT
27236	Unfreeze	Infor EAM. Refer to PVCS 6838.	WSFREZ	FREEZE/UNFREEZE POPUP
35841	Unique Keys	EWS.ADMN.UC.TableStructurePopup.doc	BSTBST	TABLE STRUCTURE POPUP
30423	Unit	D7i Extended -- Analytics -- Field Label -- Analytics unit of measure	WSGISD	MAP VIEW
39268	Unit Charge	EAM.PRCH.UC.UtilityBillsforInvoiceVouchers	PSINVO	INVOICES
36034	Unit Cost	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
36035	Unit Cost - Multi Currency	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
24127	Unit Price	Extended (product name). Materials module.	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZDEBL	LIST OF DEBIT DISCOUNTS
			PHORDF	Print Purchase Order
			PYPOL	BLANKET ORDER LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24127	Unit Price	Extended (product name). Materials module.	PYORDF	Print Purchase Order
			PYORDS	PURCHASE ORDER STATUS
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			PZORDS	PURCHASE ORDER STATUS
			SHREQF	Print Purchase Requisition
			SSPICK	PICK TICKETS
			SYREQF	PRINT PURCHASE REQUISITION
			SYSTOL	Stock List
			SYTRAL	Printed List Of Stock Transactions
			SZREQF	Print Purchase Requisition
			SZSTOL	Stock List
			SZTRAL	Printed List Of Stock Transactions
			WSPPTP	CREATE PICK TICKET POPUP
			BZIVLD	ELECORONIC RECORDS FOR INVOICE LINES
31732	Unit Price Discount	EWS.CREP.UC.ElectronicRecords - Electronic Records report		
40939	Unit Type	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
36038	Unit Weight	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
27909	Unit of Measure	Barcode	BAL011	WORK ORDER STATUS ESCALATION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSMPPR	MP2 PURCHASING
			BSOUNI	ANALYTICS UNITS
			FCSCRN	FLAMETHROWER SCREENS
			ISFORM	FORMULAS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
33669	Unit of Measure Class Code	7839	BSWHSE	DATA WAREHOUSE
33711	Unit of Measure Class Organization	7839	BSWHSE	DATA WAREHOUSE
33667	Unit of Measure Code	7839	BSWHSE	DATA WAREHOUSE
33668	Unit of Measure Description	7839	BSWHSE	DATA WAREHOUSE
36036	Unit of Purchase	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
36037	Unit of Weight	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
33670	Unit of measure class description	7839	BSWHSE	DATA WAREHOUSE
11922	Unit price	This is the price for one part. For example, on a purchase order, you're ordering 10 parts with a unit price of 5 USD. Therefore, the order price is 50 USD.	STSTOL	Stock List
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			PTORDF	Print Purchase Order

Page 1,379

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32550	Unknown Address	EWS.DBADMIN.UC.ViewSystemStatus. 20550	BSJSDN CSCCGM OSGISR OSGISS	COMMON FUNCTION FOR JAVASCRIPT CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD)
37889	Unknown field mapping	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
47160	Unlink Certificate	EAM-31750	BSUAED	USER ACCOUNT EDIT
22549	Unlinked Equipment	Infor EAM - name of dataspy on the structure tab of the equipment form	OSHPVH OSOBJA OSOVAM OSSTRU	CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT STRUCTURE FOR EQUIPMENT
29088	Unlinked Task Plan Qualifications	Extended (product name)	WSJOQP	IMPORT UNLINKED QUALIFICATIONS
29087	Unlinked Trade Qualifications	Extended (product name)	WSJOQP	IMPORT UNLINKED QUALIFICATIONS
39362	Unlock Language Processing	EAM.ADMN.UC.CreateEditLanguages	BSJSDN BSLANG	COMMON FUNCTION FOR JAVASCRIPT LANGUAGES
40782	Unlock PM Due Date	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
23877	Unlock User	This is a button on the Users form that, when clicked, resets a locked out user. This means that the user made 5 unsuccessful login attempts and the system will not let them in. The system admin clicks this button and the user can now log back in.	BSJSDN BSUSER	COMMON FUNCTION FOR JAVASCRIPT USER SETUP
39511	Unmapped Buildings/Meters	EAM.EQUIP.UC.EnergyStarSetup.doc	OSENSS	ENERGY STAR SETUP
35173	Unmapped Field	EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
47449	Unmatched Cost Line	EAM.PRCH.REQ.UnmatchedCostLinesforInvoiceVoucher. d	PSINVO	INVOICES
47453	Unmatched Costs	Unmatched Cost Lines for Invoice Voucher	PSINVO	INVOICES
47448	Unmatched Costs Voucher Details	EAM.PRCH.REQ.UnmatchedCostLinesforInvoiceVoucher. d	PSINVO	INVOICES
49564	Unmitigated Rating / Severity	EAM.EQUIP.REQ.RCMForEquipment/EAM-49865	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49381	Unmitigated Risk Level	EAM.EQUIP.REQ.RCMTemplates	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49380	Unmitigated Risk Priority Number	EAM.EQUIP.REQ.RCMTemplates	OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT	CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES
49759	Unplanned Options	EAM-5020EAM.BUD.REQ.PlanningResultsForInvestment PI	USINVP	INVESTMENT PLANNING
48720	Unprocessed Percentage	EAM-45774	BZDLUP	DATA LAKE UPLOAD PROGRESS
48719	Unprocessed Records	EAM-45774	BZDLUP	DATA LAKE UPLOAD PROGRESS
41644	Unreliability	EAM-2415	OZPRDC OZURCR	RELIABILITY CALCULATIONS UNRELIABILITY CHART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41649	Unreliability Chart	EAM-2416	OZPRDC	RELIABILITY CALCULATIONS
22920	Unrepairable Scrap Cost (Default Currency)		BSOPBJ	UNREPAIRABLE SCRAP COST (DEFAULT CURRENCY)
22921	Unrepairable Scrap Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
42218	Unreturned Core Charges	EAM-5199:EAM.WORK.UC.CostSummaryForWorkOrder	BSWHSE	DATA WAREHOUSE
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39099	Unscheduled (% Scheduled = 0) Color	EAM.WORK.UC.ParametersforWOLaborScheduling.doc Extended (product name)	WSWLSH	WO LABOR SCHEDULING
27092	Unscheduled WOs		WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSSCHD	WORK ORDER SCHEDULE
31460	Unselect All	28209	TCPLRB	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
17590	Unselect all	BXPROM, Custom attributes tab	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
41846	Unsigned PTW Differences	EAM.WORK.REQ.PermitToWork	WSPMTW	PERMIT TO WORK
39632	Unsigned WO Differences	Tracker id 43912 - Create/Edit Work Order	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSUWOD	UNSIGNED WO DIFFERENCES
49447	Unsupported URL	EAM-41455	BCMOBL	7I MOBILE BOILER TEXT
12266	Until		STPOLD	Part-Wise History Of Stock Issuals
			SYOLD	Part-Wise History Of Stock Issuals
			SZPOLD	Part-Wise History Of Stock Issuals
38200	Untranslated Text	EWS.ADMN.UC.MenuTextforLanguages.doc	BSLANG	LANGUAGES
38359	Up To Date	EWS ADMN UC ActualTemperaturesforRegions.doc	BSREGP	PURGE ACTUAL TEMPERATURE RECORDS
42828	Up/Down Meter	EAM-9315	BCMOBL	7I MOBILE BOILER TEXT
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
12391	Update	Change (a record). Verb.	BHFUNL	List Of Functions
			BSGROU	GROUPS
			BSTBOP	CHANGE TAB ORDER POPUP
			BTFUNL	List Of Functions
			BXBOIL	Customized Texts
			BYFUNL	LIST OF FUNCTIONS
			BZFUNL	List Of Functions

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12391	Update	SCR 19983.	BCMOBL	7I MOBILE BOILER TEXT
			BHUSRL	USERS GROUP CONFIGURATION
			BSAUDC	AUDIT SETUP
			BSAUDP	VIEW AUDIT TRAIL POPUP
			BSBSET	ADMIN SETUP
			BSMAIL	MESSENGER TRIGGER DEFINITION
			BSMESP	MENU STRUCTURE AND PERMISSIONS
			BSWSPM	WEB SERVICES PROMPT
			BTAUDT	AUDIT LOG
			BYAUDT	AUDIT LOG
			BYUSRL	USERS GROUP CONFIGURATION
			BZAUDT	AUDIT LOG
			BZCHKA	CHECKLIST AUDIT
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			ISASPC	ASPECTS
			PSUSCP	UPDATE SUPPLIER CATALOG POPUP
			WSFLCF	FLEET CONFIGURATION
			SSABCA	GENERATE ABC ANALYSIS
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
30166	Update ABC Class	D7i Extended - MATL - PVCS # 14745	TCCERR	7I MOBILE BOILER TEXT
			TCJACR	7I MOBILE BOILER TEXT
			WSCAPA	WO LOAD BALANCING
24207	Update Activity	Crossbow	JSCUES	CU ESTIMATES
			BSEXIM	EXPORT CONFIGURATION
49496	Update Adjustments	Extended (product name); Link on WO Load Balance form EAM.PROJ.REQ.CUEstimate.docx	BSFUNC	CREATE UPDATE SCREENS
27804	Update Allowed	D7i Extended - Screens form	CSKBSP	KNOWLEDGE BASE SEARCH
33819	Update Article Status	EWS.CCTR.UC.KnowledgeBase	BCMOBL	7I MOBILE BOILER TEXT
31734	Update Count	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BSDTCV	DATA CONVERSION (MP2)
			BSGROU	GROUPS
			BSMAPF	MAP FIELDS
			BSMOST	MULTI-ORG SECURITY
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZADDD	ELECTRONIC RECORDS FOR FREE FORMAT TEXT
			BZBLLD	ELECTRONIC RECORDS FOR BLANKET ORDER LINES
			BZBLOD	ELECTRONIC RECORDS FOR BLANKET ORDERS
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZCNHD	ELECTRONIC RECORDS FOR CHANGED NOTICE
			BZCNLD	ELECTRONIC RECORDS FOR CHANGED NOTICE LINES
			BZDAED	ELECTRONIC RECORDS FOR DOCUMENTS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEALD	ELECTRONIC RECORDS FOR
			BZEPAD	ELECTRONIC RECORDS FOR
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31734	Update Count	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZISSD	ELECTRONIC RECORDS FOR ISSUE
			BZIVLD	ELECTRONIC RECORDS FOR INVOICE LINES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZMLPD	ELECTRONIC RECORDS FOR MATERIAL LIST PARTS
			BZMTLD	ELECTRONIC RECORDS FOR MATERIAL LISTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPCLD	ELECTRONIC RECORDS FOR BUDGETS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPIPD	ELECTRONIC RECORDS FOR PICK LIST PARTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRD	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZPRVD	ELECTRONIC RECORDS FOR CUSTOM FIELDS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZQUOD	ELECTRONIC RECORDS FOR QUOTATIONS
			BZRECD	ELECTRONIC RECORDS FOR RECEIPT
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRETD	ELECTRONIC RECORDS FOR RETURN
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSCAD	ELECTRONIC RECORDS FOR SERVICE CATALOGUE
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZSTOD	ELECTRONIC RECORDS FOR STORE-TO-STORE
			BZTRAD	ELECTRONIC RECORDS FOR TRANSACTIONS
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			JSCAMP	CAMPAIGN
			OSEQCI	CHECKLIST ITEMS
			OSWKMV	WORKSPACE MOVES
			PSCLAU	PURCHASING CLAUSE
			PSPARP	SELECT PARTS POPUP
			PSPOUP	PO UPDATE
			PSWOPP	RETRIEVE WORK ORDER PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31734	Update Count	EWS.CREP.UC.ElectronicRecords - Electronic Records report	SSBRKT	BREAKUP KIT
			SSBUKT	BUILD KITS
			USYEAR	BUDGET TERMS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPMTW	PERMIT TO WORK
			WSPMP	PM PLANS
			WSRVCS	REVISION CONTROL SETUP
			WSTASK	TASKS
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
			WSWKPK	PM WORK PACKAGES
			WSWOUP	WO UPDATE
38526	Update Current Tank Volume	EWS.WORK.UC.PhysicalInventoryForFuel	WSFUPI	PHYSICAL INVENTORY FOR FUEL
40543	Update Energy Preferences	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
32393	Update Equipment	Infor EAM - button to update equipment calibration data	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSOBJC	CREATE ASSET CATEGORY
42786	Update Equipment Configurations	EAM.EQUIP.REQ.CalibrationForEquipment	OSOBJC	CREATE ASSET CATEGORY
34517	Update Existing Records	EWS.ADMN.UC.ImportConfigurations	BSIMPT	IMPORT CONFIGURATION
34865	Update Field	EWS.BASE.UC.Right-Click.doc/#26060	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28744	Update Formulas	D7i Extended -- Aspects form -- Prompts tab, button	BSLOVS	LIST OF LOOKUPS
44185	Update Location	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSCREN	CUSTOMER RENTALS
40433	Update Meter Readings	EAM.WORK.REQ.CustomerRentals	WSBREA	BATCH METER READINGS FOR WORK ORDER
32555	Update Meters	EWS.WORK.UC.BatchMeterReadings.doc	SSEOQA	CALCULATE EOQ
34137	Update Order Qty.	EWS.MATL.UC.CalculateEOQ	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40775	Update PM Due Date	N/A	WSRELJ	RELEASE OF SELECTED JOBS
21565	Update PMs	Used on a new button on OMOBJC to update PM objects data with the current dormant period data associated to the object. Modified the string from 'Update PM's' to 'Update PMs' to move the incorrect possessive punctuation 5/1/2003.		
39841	Update POs	EAM.PRCH.UC.POUpdate.docx/45705	PSPoup	PO UPDATE
24208	Update Part	Crossbow	TCCERR	7I MOBILE BOILER TEXT
			TCJAPR	7I MOBILE BOILER TEXT
			OSESCH	RESERVATION CALENDAR
44584	Update Reservation from {0}	EAM-14696	BSWHSE	DATA WAREHOUSE
28269	Update Run Parameters	Data warehouse. Refer to PVCS 9551.	BCMOBL	7I MOBILE BOILER TEXT
46270	Update Selected WOs	Open Work Orders	SSPART	PARTS
36070	Update Selected iProcure Item	#27949	SSSUPP	SUPPLIERS
			BCMOBL	7I MOBILE BOILER TEXT
			WSJOBS	CREATE WORK ORDER
45693	Update Status	EAM-19900 - EAM.WORK.REQ.NonconformitiesForWorkOrder		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36428	Update Stock Records	EWS.ADMN.UC.StoreSecurityforUserGroups	BSGROU	GROUPS
36938	Update Supplier Catalog	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
41433	Update System with Observed Physical/Bin Location	EAM-2004 : EAM.EQUIP.REQ.InventoryResultsforAssetI	BCMOBL	7I MOBILE BOILER TEXT
30623	Update Ticket PM Details	D7i Extended -- Parameters for Fleet Configuration -- Field Label, update=verb	OSAINV	ASSET INVENTORY
40710	Update Type	EAM.WORK.REQ.BatchUpdateOrganization	WSFLCF	FLEET CONFIGURATION
30629	Update Vehicle Cost Code	D7i Extended -- Parameters for Fleet Configuration -- Section Header for Fleet configuration Parameters, update=verb	WSBUOR	BATCH UPDATE ORGANIZATION POPUP
24209	Update WO	Crossbow	WSFLCF	FLEET CONFIGURATION
39786	Update WOs	Work Ordar Update Grid/45704	TCCERR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWOUP	WO UPDATE
36065	Update Work Address	25586	CSCCGM	CONTACT CENTER MAP SEARCH
32466	Update Work Order	EWS.WORK.UC.CommentsforBatchWOUpdate	OSGISR	GIS MAP SEARCH
39478	Update Work Orders without Closing Session	43258	WSWOBU	BATCH WORK ORDER UPDATE
15165	Update all		WSWLSH	WO LABOR SCHEDULING
47417	Update and Allow Geometry Updates	EAM-33907 Map View Portal privileges -	BXBOIL	Customized Texts
20159	Update count	output on printed report for electronic signatures	BCMOBL	7I MOBILE BOILER TEXT
			ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDEOT	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDTEN	DATA ENTRY FORMS
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
			BEWSMD	EWS - METADATA DEFINITION
			BSAUDC	AUDIT SETUP
			BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSOATT	ANALYTICS ATTRIBUTES
			BSOCHA	ANALYTICS CHARTS
			BSOREP	ANALYTICS REPORTS
			BSOSYM	ANALYTICS SYMBOLS
			BSOUNI	ANALYTICS UNITS
			BSTBOP	CHANGE TAB ORDER POPUP
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSGGMP	GIS MAP DATA
			OSRELQ	ORDER QUESTIONS POPUP
			OSSTRP	VIEW PARENT EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20159	Update count	output on printed report for electronic signatures	WSAPPR WSASRD WSPRRS WSRELJ	REVISION CONTROL APPROVAL ASSIGN REPAIR DETAILS REFRESH RESOURCES RELEASE OF SELECTED JOBS
18345	Update database	This is a checkbox that when selected indicates to update the database while previewing a report.	WZCJOB	CALCULATE CUSTOMER CHARGES
36069	Update iProcure Items	#27949	PSPORD SSPART SSREQU SSSUPP	PURCHASE ORDERS PARTS REQUISITIONS SUPPLIERS
49636	Update the description of the selected part and then click Submit.	EAM-50546/EAM.BASE.REQ.EditPartDescription.docx	BSEPDS	CHANGE PART DESCRIPTION
27218	Updateable	D7i Extended - Updateable	BEWSMD	EWS - METADATA DEFINITION
21786	Updated	Infor EAM - checkbox to indicate that the PM schedule has been updated by the user	BCMOBL BZEPOD BZESTD BZETPD BZPRVD OSEQPM OSHPPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM WSPPMS YSINTF	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR EVENT POINTS ELECTRONIC RECORDS FOR STANDARDS ELECTRONIC RECORDS FOR TEST POINTS ELECTRONIC RECORDS FOR CUSTOM FIELDS PM SCHEDULES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PM SCHEDULES INTERFACE OVERVIEW
31388	Updated After	D7i Extended - List of Tampered Records report	BYTMPR BZTMPR	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
34983	Updated After :PARAM1	23249-Localization problem with report subtitles	BYTMPR BZTMPR	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
31387	Updated Before	D7i Extended - List of Tampered Records report	BYTMPR BZTMPR	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
34982	Updated Before :PARAM2	23249-Localization problem with report subtitles	BYTMPR BZTMPR	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
31386	Updated Between	D7i Extended - List of Tampered Records report	BYTMPR BZTMPR	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
34981	Updated Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	BYTMPR BZTMPR	LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS
24949	Updated By	Extended product name). Last person to update a PO Receipt.	BCMOBL BEWSMD BSCDSS BSCLAS BSINTR BSMPMR	7I MOBILE BOILER TEXT EWS - METADATA DEFINITION USER DEFINED SCREEN SETUP CLASSES MP2 INVENTORY TRANSACTIONS MP2 METER READINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24949	Updated By	Extended product name). Last person to update a PO Receipt.	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BSSPMR	MP2 SPM READINGS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPRJD	ELECTRONIC RECORDS FOR PROJECTS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			ISASPC	ASPECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQCI	CHECKLIST ITEMS
			OSEQGN	EQUIPMENT GENERATION
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFAIL	FAILURE MODES POPUP
			OSFFFM	FUNCTIONAL FAILURES FOR FAILURE MODES
			OSFUNC	FUNCTIONAL FAILURE CONSEQUENCES POPUP
			OSFUNF	FUNCTIONAL FAILURES POPUP
			OSFUNS	FUNCTIONS POPUP
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLDSE	LINEAR DIRECTION SETUP
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCSP	NONCONFORMITIESSETUP
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24949	Updated By	Extended product name). Last person to update a PO Receipt.	OSOVP	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			OSPER	PERFORMANCE FORMULAS
			OSRCMT	RCM TEMPLATES
			OSRMXS	RISK MATRIX SETUP
			OSVPR	PERMIT ENTITY
			OZNCFL	LIST OF NONCONFORMITIES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPINS	PART INSPECTIONS
			SSRECV	PO RECEIPTS
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHPTWR	PRINT PERMIT TO WORK
			WSATCP	CHECKLIST POPUP
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJBPL	JOB PLANS
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSFMT	SAFETY MATRIX
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WZPTWR	PRINT PERMIT TO WORK
49632	Updated By Name	EAM.EQUIP.REQ.ChecklistsForEquipment.docx	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
35261	Updated Text	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX	CONFIGURATION MANAGER - EXPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35261	Updated Text	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSEXAL	EXPORT BASE CONFIGURATION
			BSVSDP	VIEW STATUS DETAILS POPUP
35799	Updated Time	EWS.ADMN.UC.MP2WorkOrders	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPMR	MP2 METER READINGS
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
			BSSPMR	MP2 SPM READINGS
19241	Updated after	The date after which a record was updated	BTTMPR	LIST OF TAMPERED RECORDS
19240	Updated before	The date before which a record was updated.	BTTMPR	LIST OF TAMPERED RECORDS
19239	Updated between	The dates between which a record was updated	BTTMPR	LIST OF TAMPERED RECORDS
44187	Upgrade	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
17765	Upload	This is a button on BXBROW - click it to upload the selected document.	BSIMPT	IMPORT CONFIGURATION
26420	Upload Column	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	BSLOVS	LIST OF LOOKUPS
			ISASPC	ASPECTS
			TSASTP	DC TRANSACTION PROMPT
34795	Upload Completed	26984	BSDTCV	DATA CONVERSION (MP2)
35423	Upload Count	EWS.ADMN.UC.PreliminaryAnalysisforDataConversions	BSDTCV	DATA CONVERSION (MP2)
27073	Upload Custom Report Definition	D7i Extended - Create Reports - button	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSREPO	CREATE / EDIT REPORTS
27147	Upload Date	D7i Extended - Monitor Interface screen/Error Correction tab - label name	YSINTF	INTERFACE OVERVIEW
34886	Upload Details	26984	BSDTCV	DATA CONVERSION (MP2)
30007	Upload Document	D7i Extended - Upload Document popup - button link label used in document setup	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			BSDOCP	DOCUMENTS POPUP
			BSDOCU	DOCUMENTS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSUPLD	UPLOAD DOCUMENT POPUP
			ISASPC	ASPECTS
			ISCOND	CONDITIONS
			ISFIND	FINDINGS
			ISMETH	METHODS
			ISPNTP	POINT TYPES
			OSMNBK	NOTEBOOK
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSPORD	PURCHASE ORDERS
			SSCOMP	NON-PO RECEIPTS
			SSIUSS	STORE TO STORE ISSUES
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSRECV	PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30007	Upload Document	D7i Extended - Upload Document popup - button link label used in document setup	SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTOR	STORES
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPP	SUPPLIERS
			TCCERR	7I MOBILE BOILER TEXT
			TCDOCR	7I MOBILE BOILER TEXT
			WSCOPO	CONTRACTOR PORTAL
			WSCREW	CREW
			WSEMPs	EMPLOYEES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSJOBS	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMATL	MATERIAL LISTS
			WSMPAT	MAINTENANCE PATTERNS
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQUAL	QUALIFICATION
			WSSHIF	SHIFTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSSUPR	SUPERVISOR
			WSTASK	TASKS
			WSTOOL	TOOLS
			WSWREQ	WORK REQUEST
34751	Upload ID	26984	BSDCER	VIEW DETAILS (DATA CONVERSION)
			BSDTCV	DATA CONVERSION (MP2)
			BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPMR	MP2 METER READINGS
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
			BSMPWR	MP2 WORK REQUESTS
44701	Upload Logo	EAM-14710	BSSPMR	MP2 SPM READINGS
			ESGSET	GENERAL SETTINGS
31219	Upload Only		BCMOBL	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
44188	Upload Picture	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47933	Upload Profile Picture	EAM-38026	BSUSER	USER SETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47933	Upload Profile Picture	EAM-38026	OSOBJS SSPART WSCREW WSCRWP WSEMPs WSSUPR	CREATE SYSTEM EQUIPMENT PARTS CREW CREATE/EDIT CREW POPUP EMPLOYEES SUPERVISOR
34794	Upload Started	26984	BSDTCV	DATA CONVERSION (MP2)
34792	Upload Status	26984	BSDLUS BSDTCV BSIMPT BZDLUS	DATA LAKE UPLOAD SETUP DATA CONVERSION (MP2) IMPORT CONFIGURATION DATA LAKE UPLOAD SETUP
34796	Upload Stopped	26984	BSDTCV	DATA CONVERSION (MP2)
44216	Upload To	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
49698	Upload is in progress. Try again later.	EAM-51772	BCMOBL	7I MOBILE BOILER TEXT
27521	Uploaded	Infor EAM. Refer to PVCS 21324.	BSDOCP BSDOCU PSPORD WSJOBS	DOCUMENTS POPUP DOCUMENTS PURCHASE ORDERS CREATE WORK ORDER
34793	Uploaded By	26984	BSDTCV	DATA CONVERSION (MP2)
45233	Uploading	EAM-17315	BSIMPT	IMPORT CONFIGURATION
38078	Uploading Attachment...	21949 WO- Uploading Attachment ... Boilertext Miss	TCCLOG TCCRSB	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
44189	Uploading data...	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
25731	Uploading...	Crossbow -Text on login screen to show sync status	TCCLOG TCCRSB	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
13296	Uppercase	Whether the selection criteria in the report frontend should be uppercase.	BSCDSS BSGRID BSREPO ISASPC	USER DEFINED SCREEN SETUP GRID DESIGNER CREATE / EDIT REPORTS ASPECTS
35418	Usability	Crossbow WO Header Updates/SCR#27926	TCSRP WSJOBS WSJOVH WSJOVM	7I MOBILE BOILER TEXT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
12259	Usage		OSCLAI OSEQWR OSHFPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSWARR OZCLAI OZRHIS SSPART	WARRANTY CLAIMS WARRANTY FOR EQUIPMENT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT WARRANTY WARRANTY CLAIM REPORT RANKING HISTORY CHART PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12259	Usage	'Usage' is used here in the meaning of 'using something up' (e.g. parts). At the end of usage, there are fewer or no parts left. Do not use this Text ID in the meaning of 'utilizing something' (without using it up).	WSFCUS	FLEET CUSTOMERS
			WZERRF	EXPIRED WARRANTIES
			BSLOVS	LIST OF LOOKUPS
			OSCLAI	WARRANTY CLAIMS
			PSINVO	INVOICES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WTVBIL	VEHICLE BILLING REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
31410	Usage Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up		
30282	Usage Based	Infor EAM. Usage Based is a type of ABC analysis in which values and the ABC class are determined determined based on the amount of usage for the part rather than the value on hand.	OSDCUR	DECAY CURVE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OZRHIS	RANKING HISTORY CHART
			SSABCA	GENERATE ABC ANALYSIS
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
30942	Usage Charge	D7i Extended -- Rates for Billing Codes -- Field Label, amount charged for usage	WSFBLC	FLEET BILLING CODES
31325	Usage Cost	D7i Extended -- Vehicle Ticket form, Assignment Billing popup -- Field Label	WSFLAB	ASSIGNMENT BILIING POPUP
48986	Usage Details	EAM-46995 EAM.PROJ.REQ.CompatibleUnitsLibrary	JSCULB	COMPATIBLE UNITS LIBRARY
40707	Usage Or Energy	EAM-93 EAM.WORK.REQ.InvoiceDetailsForCustomerInvoi	WSINVC	CUSTOMER INVOICES
40899	Usage Qty	EAM-398	WZCCON	PRINT CUSTOMER CONTRACT
40601	Usage Quantity	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
30941	Usage Rate Type	D7i Extended -- Rates for Fleet Billing Codes --Field Label, rate type used to bill for usage	WSFBLC	FLEET BILLING CODES
21114	Usage Since Install	Infor EAM - the meter usage since the object was installed or put into use	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSECON	CREATE EQUIPMENT CONFIGURATION
21115	Usage Since Last WO	Infor EAM - the meter usage of the piece of equipment		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21115	Usage Since Last WO	since the last work order for the equipment	OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMETE	PHYSICAL METER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31392	Usage Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
40500	Usage UOM	EAM-33.WORK.REQ.ChargeDefinitionsForContractTemplate	WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSINVC	CUSTOMER INVOICES
35883	Use 1 Std. Deviation	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
35884	Use 2 Std. Deviations	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
35885	Use 3 Std. Deviations	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
42512	Use Approved Revision	EAM.EQUIP.REQ.ConfigurationsAssociatedForEquipment	OSECON	CREATE EQUIPMENT CONFIGURATION
30104	Use Auto-number	D7i Extended - MATL - Change Part Number Popup	SSPTNP	CHANGE PART NUMBER POPUP
35886	Use Control Dates	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
43313	Use Cost Coverage Values on Header	EAM-10421 EAM.EQUIP.REQ.ComponentsforWarranties	OSWARR	WARRANTY
35887	Use Daily Average	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
35712	Use Default Organization	EWS.CCTR.UC.CallCenterSetup	CSCCSP	CONTACT CENTER SETUP
35690	Use Department Structure Values Only Once	EWS.CCTR.UC.CallCenterSetup	CSCCSP	CONTACT CENTER SETUP
48077	Use Downtime Hours if Present	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
45600	Use EAM Field Value	EAM-21781 -	BSURLP	DEFINE URL PARAMETERS
		EAM.ADMN.REQ.DefineURLParameterpopup		
40599	Use Fixed Exchange Rate	EAM.WORK.REQ.ContractItemsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
40359	Use Fixed Exchange Rates	Use Fixed Exchange Rates	WSCCON	CUSTOMER CONTRACTS
40546	Use Floor Area	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
47466	Use ION API for Authentication	EAM.MOBILE.REQ.Login, support ION authentication	BCMOBL	7I MOBILE BOILER TEXT
35888	Use Manufacturer's Specifications	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS
39218	Use Maximum Value for Downtime	ParametersforGenerateProductionRequest/41067	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
37809	Use Min/Max	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSEXIM	EXPORT CONFIGURATION
39216	Use Narrowest Range for Requested Dates	ParametersforGenerateProductionRequest/41067	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
46420	Use Observation Status	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
27199	Use Optimizer?	D7i Extended - Flag to indicate if DB Optimizer is on or off	BEWSMD	EWS - METADATA DEFINITION
42857	Use PM Schedule Setup	EAM.EQUIP.REQ.PMSchedulesForEquipmentConfigurat	OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35174	Use Previous Value	n EWS.ADMN.UC.FieldsforWebServicePrompt	BSWSPM	WEB SERVICES PROMPT
36314	Use Proxy to Sync	#21395	TCPRXY	7I MOBILE BOILER TEXT
37267	Use Quotation Description	EWS.PRCH.UC.GeneratePOs for RFQs/32154	PSRFGP	GENERATE POS FOR RFQS
19881	Use Reason for All	Infor EAM - checkbox to use the same reject reason for the all the records.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			SSREQS	CREATE PURCHASE REQUISITION
			WSAPRR	REJECT REASON
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
49784	Use Road Distance	EAM.WORK.REQ.OptimizedSchedulerSetup.docx	WSOPSS	OPTIMIZED SCHEDULER SETUP
48370	Use Search Value	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
30138	Use Stock Method	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc - use = verb	SSPART	PARTS
39217	Use Sum of Values for Downtime	ParametersforGenerateProductionRequest/41067	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
39215	Use Widest Range for Requested Dates	ParametersforGenerateProductionRequest/41067	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
34717	Use equipment from	MP5 Tracker id #28469	OSITPP	IMPORT TEST POINTS
25475	Use for Validation	Extended. Associate Custom Fields form.	BSCLAS	CLASSES
			BSCSTF	ASSOCIATE CUSTOM FIELDS
13301	Use for validation	A list of values is used to validate data (a value entered must be in the list). This a check option.	BCPRMC	CROSSBOW CUST ATTRIB CONTROL LIST
39769	Use the Parts Catalog Price if no Contract Price Exists	Tracker id 45675	PSPOCP	COPY PO POPUP
44697	Use the following currency for all reporting	EAM-14710	ESGSET	GENERAL SETTINGS
22685	Used	Infor EAM - number of parts on a pick ticket that have been used already for the work order.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSSREQ	SERVICE REQUESTS
33007	Used Qty.	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	WSPLPA	PLANNED PART AVAILABILITY
11923	User	An individual who uses the system. Has a private password. Is member of a user group.	BCAUTH	CROSSBOW AUTH LIST
			BCCOMM	CROSSBOW COMMENT LIST
			BCORGS	MOBILE USER ORG LIST
			BCUSER	CROSSBOW USER LIST
			BHKIUR	KPI/INBOX USAGE
			BHUSRL	USERS GROUP CONFIGURATION
			BSAUTH	STATUS AUTHORIZATION
			BSGRPU	USERS PER GROUP
			BSLOVS	LIST OF LOOKUPS
			BSRMOG	REMOVE MULTIPLE ORGANIZATIONS
			BSRPST	REPORT STATUS
			BSUSER	USER SETUP
			BTSNAP	ELECTRONIC RECORDS
			BTUSRL	USERS PER GROUP
			BYSNAP	ELECTRONIC RECORDS
			BYUSRL	USERS GROUP CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11923	User	An individual who uses the system. Has a private password. Is member of a user group.	BZEALD	ELECTRONIC RECORDS FOR
			BZGDPU	GDPR COMPLIANCE - USER
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZKIUR	KPI/INBOX USAGE
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZSNAP	ELECTRONIC RECORDS
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			FCGRD1	FLAMETHROWER GRID 1
			JSPROJ	PROJECTS
			LVAUSR	ASSOCIATED USERS LOOKUP
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZTRAS	EQUIPMENT TRANSFER LOG
			PHORDF	Print Purchase Order
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZINVL	List Of Invoices Not Yet Approved
			PZORDF	Print Purchase Order
			REPORT	General Report Function
			SHREQF	Print Purchase Requisition
			SSPHST	PART NUMBER HISTORY
			STPICK	Pick List Print
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STRETF	Print Goods Return Note
			SY PICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SZPICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			TC DPRN	71 MOBILE BOILER TEXT
			WCPERS	CROSSBOW EMPLOYEE LIST
			WHJOB F	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAPPR	REVISION CONTROL APPROVAL
			WSCCSR	FLEET COST CODE SEARCH & REPLACE
			WSEMP S	EMPLOYEES
			WSLOGS	CREATE / VIEW SERVICE LOGS
			WSPMTW	PERMIT TO WORK
			WTJOB F	Job Cards

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
11923	User	An individual who uses the system. Has a private password. Is member of a user group. EWS.CCTR.UC.CustomerRequestHistory	WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			BCMOBL	7I MOBILE BOILER TEXT
			BICTRL	BI CONTROLLER REPORT
			BZUSRL	USERS GROUP CONFIGURATION
			CSCRHS	CUSTOMER REQUEST HISTORY
			JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
28359	User Attribute 1	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	WSAPPL	APPROVAL LISTS
			YSACCD	VIEW GL VALUES
28360	User Attribute 2	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
28361	User Attribute 3	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
28362	User Attribute 4	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
28363	User Attribute 5	Databridge. Field name on the View GL Values form. Refer to EWS.DBADMIN.UC.ViewGLValues.	YSACCD	VIEW GL VALUES
27710	User Authorization	Extended (product name)	JSPROJ	PROJECTS
25487	User Code	Extended. User Codes form.	BHKIUR	KPI/INBOX USAGE
			BSFUNC	CREATE UPDATE SCREENS
			BSUCOD	SYSTEM CODES
			BSUSRP	USERS
			BZKIUR	KPI/INBOX USAGE
			BSUCOD	SYSTEM CODES
25493	User Code Details	D7i Extended - User Code form	TCORCF	7I MOBILE BOILER TEXT
33520	User Data	21411	CSCCTR	CONTACT CENTER
45583	User Defined Button 1	EAM.BASE.REQ.UserDefinedFields.doc	CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45583	User Defined Button 1	EAM.BASE.REQ.UserDefinedFields.doc	WCSQRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWREQ	WORK REQUEST
45584	User Defined Button 2	EAM.BASE.REQ.UserDefinedFields.doc	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSCOPO	CONTRACTOR PORTAL
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWREQ	WORK REQUEST
45585	User Defined Button 3	EAM.BASE.REQ.UserDefinedFields.doc	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45585	User Defined Button 3	EAM.BASE.REQ.UserDefinedFields.doc	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSCOPO	CONTRACTOR PORTAL
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWREQ	WORK REQUEST
45586	User Defined Button 4	EAM.BASE.REQ.UserDefinedFields.doc	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSCOPO	CONTRACTOR PORTAL
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45586	User Defined Button 4	EAM.BASE.REQ.UserDefinedFields.doc	WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWREQ	WORK REQUEST
45587	User Defined Button 5	EAM.BASE.REQ.UserDefinedFields.doc	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			JSCAMP	CAMPAIGN
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSCOPO	CONTRACTOR PORTAL
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWREQ	WORK REQUEST
36725	User Defined Checkbox 01	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36725	User Defined Checkbox 01	31088	BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36725	User Defined Checkbox 01	31088	OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36725	User Defined Checkbox 01	31088	SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36725	User Defined Checkbox 01	31088	WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36726	User Defined Checkbox 02	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36726	User Defined Checkbox 02	31088	BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36726	User Defined Checkbox 02	31088	OSOVS	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSREL	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36726	User Defined Checkbox 02	31088	WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36727	User Defined Checkbox 03	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36727	User Defined Checkbox 03	31088	BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36727	User Defined Checkbox 03	31088	JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36727	User Defined Checkbox 03	31088	PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36727	User Defined Checkbox 03	31088	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36728	User Defined Checkbox 04	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36728	User Defined Checkbox 04	31088	BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36728	User Defined Checkbox 04	31088	OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36728	User Defined Checkbox 04	31088	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP5	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36728	User Defined Checkbox 04	31088	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36729	User Defined Checkbox 05	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36729	User Defined Checkbox 05	31088	ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36729	User Defined Checkbox 05	31088	OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOB	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36729	User Defined Checkbox 05	31088	WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41143	User Defined Checkbox 06	EAM.BASE.REQ.UserDefinedFields	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41143	User Defined Checkbox 06	EAM.BASE.REQ.UserDefinedFields	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41144	User Defined Checkbox 07	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41144	User Defined Checkbox 07	EAM.BASE.REQ.UserDefinedFields	WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41145	User Defined Checkbox 08	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41146	User Defined Checkbox 09	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41146	User Defined Checkbox 09	EAM.BASE.REQ.UserDefinedFields	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41147	User Defined Checkbox 10	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41147	User Defined Checkbox 10	EAM.BASE.REQ.UserDefinedFields	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
36720	User Defined Date 01	31088	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36720	User Defined Date 01	31088	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36720	User Defined Date 01	31088	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36720	User Defined Date 01	31088	SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36720	User Defined Date 01	31088	WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36721	User Defined Date 02	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36721	User Defined Date 02	31088	ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36721	User Defined Date 02	31088	OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQR	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36721	User Defined Date 02	31088	WSEMP5	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36722	User Defined Date 03	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36722	User Defined Date 03	31088	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36722	User Defined Date 03	31088	OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBSJ	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36722	User Defined Date 03	31088	SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQR	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPM	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36722	User Defined Date 03	31088	WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36723	User Defined Date 04	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36723	User Defined Date 04	31088	CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36723	User Defined Date 04	31088	OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36723	User Defined Date 04	31088	WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMs	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36724	User Defined Date 05	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36724	User Defined Date 05	31088	BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36724	User Defined Date 05	31088	OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36724	User Defined Date 05	31088	SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36724	User Defined Date 05	31088	WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41133	User Defined Date 06	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41133	User Defined Date 06	EAM.BASE.REQ.UserDefinedFields	WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
41134	User Defined Date 07	EAM.BASE.REQ.UserDefinedFields	WSWREQ	WORK REQUEST
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41135	User Defined Date 08	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41135	User Defined Date 08	EAM.BASE.REQ.UserDefinedFields	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41136	User Defined Date 09	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41136	User Defined Date 09	EAM.BASE.REQ.UserDefinedFields	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41137	User Defined Date 10	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41137	User Defined Date 10	EAM.BASE.REQ.UserDefinedFields	WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
35299	User Defined Field	#28171	BSDTCV	DATA CONVERSION (MP2)
			BSMPPR	MP2 PURCHASING
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCSTWO	CROSSBOW STANDARD WO LIST
			WSPTWM	MOBILE PERMIT TO WORK
36685	User Defined Field 01	31088	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36685	User Defined Field 01	31088	CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36685	User Defined Field 01	31088	OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36685	User Defined Field 01	31088	WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQR	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPM	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36686	User Defined Field 02	31088	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36686	User Defined Field 02	31088	BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36686	User Defined Field 02	31088	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBSJ	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36686	User Defined Field 02	31088	SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36686	User Defined Field 02	31088	WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36687	User Defined Field 03	31088	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36687	User Defined Field 03	31088	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36687	User Defined Field 03	31088	OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36687	User Defined Field 03	31088	TCOBJL	71 MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP5	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36688	User Defined Field 04	31088	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36688	User Defined Field 04	31088	JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJT	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36688	User Defined Field 04	31088	PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36688	User Defined Field 04	31088	WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36689	User Defined Field 05	31088	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36689	User Defined Field 05	31088	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36689	User Defined Field 05	31088	OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36689	User Defined Field 05	31088	SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36689	User Defined Field 05	31088	WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36690	User Defined Field 06	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36690	User Defined Field 06	31088	JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36690	User Defined Field 06	31088	OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36690	User Defined Field 06	31088	WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36691	User Defined Field 07	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36691	User Defined Field 07	31088		LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36691	User Defined Field 07	31088	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36691	User Defined Field 07	31088	SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOB	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQR	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPM	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36691	User Defined Field 07	31088	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36692	User Defined Field 08	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36692	User Defined Field 08	31088	JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36692	User Defined Field 08	31088	PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36692	User Defined Field 08	31088	WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36693	User Defined Field 09	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36693	User Defined Field 09	31088	BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36693	User Defined Field 09	31088	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36693	User Defined Field 09	31088	SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35300	User Defined Field 1	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
35309	User Defined Field 10	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
		31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35309	User Defined Field 10	31088	CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35309	User Defined Field 10	31088	OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35309	User Defined Field 10	31088	WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPM	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36695	User Defined Field 11	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36695	User Defined Field 11	31088	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36695	User Defined Field 11	31088	OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36695	User Defined Field 11	31088	SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36696	User Defined Field 12	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36696	User Defined Field 12	31088	BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36696	User Defined Field 12	31088	OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36696	User Defined Field 12	31088	SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOB	71 MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36696	User Defined Field 12	31088	WSPPMs	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36697	User Defined Field 13	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36697	User Defined Field 13	31088	CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36697	User Defined Field 13	31088	OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	71 MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36697	User Defined Field 13	31088	WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36698	User Defined Field 14	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36698	User Defined Field 14	31088	BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36698	User Defined Field 14	31088	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36698	User Defined Field 14	31088	TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36699	User Defined Field 15	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36699	User Defined Field 15	31088	BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRL	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36699	User Defined Field 15	31088	OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSHX	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36699	User Defined Field 15	31088	SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36699	User Defined Field 15	31088	WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36700	User Defined Field 16	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36700	User Defined Field 16	31088	JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36700	User Defined Field 16	31088	OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOB	71 MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36700	User Defined Field 16	31088	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
36701	User Defined Field 17	31088	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36701	User Defined Field 17	31088	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36701	User Defined Field 17	31088	OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	71 MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36701	User Defined Field 17	31088	WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36702	User Defined Field 18	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36702	User Defined Field 18	31088	BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36702	User Defined Field 18	31088	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36702	User Defined Field 18	31088	SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36703	User Defined Field 19	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36703	User Defined Field 19	31088	BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36703	User Defined Field 19	31088	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36703	User Defined Field 19	31088	SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36703	User Defined Field 19	31088	WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
35301	User Defined Field 2	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
36704	User Defined Field 20	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36704	User Defined Field 20	31088	CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36704	User Defined Field 20	31088	OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36704	User Defined Field 20	31088	WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36705	User Defined Field 21	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36705	User Defined Field 21	31088	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36705	User Defined Field 21	31088	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36705	User Defined Field 21	31088	WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36706	User Defined Field 22	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36706	User Defined Field 22	31088	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLR	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36706	User Defined Field 22	31088	OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36706	User Defined Field 22	31088	SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36706	User Defined Field 22	31088	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36707	User Defined Field 23	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36707	User Defined Field 23	31088	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBSJ	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36707	User Defined Field 23	31088	SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36707	User Defined Field 23	31088	WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36708	User Defined Field 24	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36708	User Defined Field 24	31088	CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36708	User Defined Field 24	31088	OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36708	User Defined Field 24	31088	WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36709	User Defined Field 25	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36709	User Defined Field 25	31088	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36709	User Defined Field 25	31088	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36709	User Defined Field 25	31088	WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMs	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36710	User Defined Field 26	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36710	User Defined Field 26	31088	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLR	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36710	User Defined Field 26	31088	OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36710	User Defined Field 26	31088	SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMTX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36710	User Defined Field 26	31088	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36711	User Defined Field 27	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36711	User Defined Field 27	31088	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBSJ	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36711	User Defined Field 27	31088	SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36711	User Defined Field 27	31088	WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36712	User Defined Field 28	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36712	User Defined Field 28	31088	CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36712	User Defined Field 28	31088	OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36712	User Defined Field 28	31088	WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36713	User Defined Field 29	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36713	User Defined Field 29	31088	BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36713	User Defined Field 29	31088	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36713	User Defined Field 29	31088	WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
35302	User Defined Field 3	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
36714	User Defined Field 30	31088	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36714	User Defined Field 30	31088	BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36714	User Defined Field 30	31088	OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36714	User Defined Field 30	31088	SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36714	User Defined Field 30	31088	WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
41118	User Defined Field 31	EAM.BASE.REQ.UserDefinedFields	WSWREQ	WORK REQUEST
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41119	User Defined Field 32	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41119	User Defined Field 32	EAM.BASE.REQ.UserDefinedFields	OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41120	User Defined Field 33	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41120	User Defined Field 33	EAM.BASE.REQ.UserDefinedFields	OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41121	User Defined Field 34	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41121	User Defined Field 34	EAM.BASE.REQ.UserDefinedFields	WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41122	User Defined Field 35	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41123	User Defined Field 36	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41123	User Defined Field 36	EAM.BASE.REQ.UserDefinedFields	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41124	User Defined Field 37	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41124	User Defined Field 37	EAM.BASE.REQ.UserDefinedFields	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41125	User Defined Field 38	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41125	User Defined Field 38	EAM.BASE.REQ.UserDefinedFields	WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41126	User Defined Field 39	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41126	User Defined Field 39	EAM.BASE.REQ.UserDefinedFields	WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
35303	User Defined Field 4	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
41127	User Defined Field 40	EAM.BASE.REQ.UserDefinedFields	BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMs	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41128	User Defined Field 41	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41128	User Defined Field 41	EAM.BASE.REQ.UserDefinedFields	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41129	User Defined Field 42	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41129	User Defined Field 42	EAM.BASE.REQ.UserDefinedFields	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
41130	User Defined Field 43	EAM.BASE.REQ.UserDefinedFields	WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41130	User Defined Field 43	EAM.BASE.REQ.UserDefinedFields	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
41131	User Defined Field 44	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
41132	User Defined Field 45	EAM.BASE.REQ.UserDefinedFields	BZEVT	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49681	User Defined Field 46	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49681	User Defined Field 46	EAM.BASE.REQ.UserDefinedFields.doc	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49682	User Defined Field 47	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49682	User Defined Field 47	EAM.BASE.REQ.UserDefinedFields.doc	WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
49683	User Defined Field 48	EAM.BASE.REQ.UserDefinedFields.doc	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49683	User Defined Field 48	EAM.BASE.REQ.UserDefinedFields.doc	WSWREQ	WORK REQUEST
49684	User Defined Field 49	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
35304	User Defined Field 5	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
49685	User Defined Field 50	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49685	User Defined Field 50	EAM.BASE.REQ.UserDefinedFields.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49686	User Defined Field 51	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49686	User Defined Field 51	EAM.BASE.REQ.UserDefinedFields.doc	WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49687	User Defined Field 52	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49687	User Defined Field 52	EAM.BASE.REQ.UserDefinedFields.doc	WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49688	User Defined Field 53	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49689	User Defined Field 54	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49689	User Defined Field 54	EAM.BASE.REQ.UserDefinedFields.doc	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
49690	User Defined Field 55	EAM.BASE.REQ.UserDefinedFields.doc	JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
49690	User Defined Field 55	EAM.BASE.REQ.UserDefinedFields.doc	WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBA	ARCHIVED EVENTS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPL	PM FORECASTING
			WSPPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
35305	User Defined Field 6	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
35306	User Defined Field 7	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
35307	User Defined Field 8	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
35308	User Defined Field 9	#28171	BSDTCV	DATA CONVERSION (MP2)
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
36786	User Defined Field Lookup Values	31088	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
36757	User Defined Field Options	EWS.BASE.UC.ScreenDesigner	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
32627	User Defined Fields	EWS.CREP.UC.ListOfEquipmentDetails.doc	BCMOBL	7I MOBILE BOILER TEXT
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSDTCV	DATA CONVERSION (MP2)
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSVMRS	VMRS CODES
			CSCASE	CASE MANAGEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32627	User Defined Fields	EWS.CREP.UC.ListOfEquipmentDetails.doc	CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCCMP	COPY CAMPAIGN POPUP
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSFUND	FUNDING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32627	User Defined Fields	EWS.CREP.UC.ListOfEquipmentDetails.doc	OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			OZEQUD	EQUIPMENT DETAIL
			OZMNBK	MOBILE NOTEBOOK
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			PHORDF	Print Purchase Order
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
			SHREQF	Print Purchase Requisition
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			TCESYP	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32627	User Defined Fields	EWS.CREP.UC.ListOfEquipmentDetails.doc	TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WHPTWR	PRINT PERMIT TO WORK
			WSADJU	ADJUSTMENT
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCMPP	COPY MP POPUP
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOCP	CREATE STANDARD WO POPUP
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORCAST
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWREQ	WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32627	User Defined Fields	EWS.CREP.UC.ListOfEquipmentDetails.doc	WZCCTR	PRINT SERVICE REQUESTS
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZPTWR	PRINT PERMIT TO WORK
47293	User Defined Note 01	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSCOPO	CONTRACTOR PORTAL
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47304	User Defined Note 02	EAM.BASE.REQ.UserDefinedFields	BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVEVT	EVENTS FOR EQUIPMENT
			SSPART	PARTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			WSACMP	ACTIVATE MP POPUP
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCOPO	CONTRACTOR PORTAL
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMPL	PM FORECASTING
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36715	User Defined Number 01	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36715	User Defined Number 01	31088	BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36715	User Defined Number 01	31088	JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJT	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36715	User Defined Number 01	31088	PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36715	User Defined Number 01	31088	WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36716	User Defined Number 02	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36716	User Defined Number 02	31088	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36716	User Defined Number 02	31088	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36716	User Defined Number 02	31088	SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSQR	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPM	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36716	User Defined Number 02	31088	WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36717	User Defined Number 03	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36717	User Defined Number 03	31088	CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36717	User Defined Number 03	31088	OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36717	User Defined Number 03	31088	WSCREN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMPs	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36718	User Defined Number 04	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36718	User Defined Number 04	31088	BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36718	User Defined Number 04	31088	OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJT	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHXXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36718	User Defined Number 04	31088	SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36718	User Defined Number 04	31088	WSPPMs	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36719	User Defined Number 05	31088	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSCLAS	CLASSES
			BSCSTC	COST CODE
			BSDOCU	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			BSUSRP	USERS
			BSVMRS	VMRS CODES
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCAMD	ELECTRONIC RECORDS FOR CAMPAIGNS
			BZDKLD	ELECTRONIC RECORDS FOR ON-DOCK RECEIPT LINES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZINVD	ELECTRONIC RECORDS FOR INVOICES
			BZLTPW	ELECTRONIC RECORDS FOR LOTO
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZORDD	ELECTRONIC RECORDS FOR PURCHASE ORDERS
			BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZPRED	ELECTRONIC RECORDS FOR PERMISSIONS
			BZPWCD	ELECTRONIC RECORDS FOR CONFLICTS
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			BZSFWO	ELECTRONIC RECORDS FOR SAFETY
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36719	User Defined Number 05	31088	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSCMTK	CASE MANAGEMENT TASKS
			CSCSUR	CUSTOMER SURVEYS
			CSINRE	GUEST INCIDENT REQUEST
			CSPSCT	SERVICE CATEGORIES
			CSSRLP	SERVICE REQUEST PORTAL
			CSSRPT	CREATE SERVICE REQUEST PORTAL
			CSSVPB	SERVICE PROBLEM CODES
			ISASPC	ASPECTS
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			JSCUAC	COMPATIBLE UNITS ACCOUNTING CODES
			JSCUES	CU ESTIMATES
			JSCUFA	COMPATIBLE UNITS FIXED ASSET CODES
			JSCULB	COMPATIBLE UNITS LIBRARY
			JSCUOC	COMPATIBLE UNITS OVERHEAD CODES
			JSPROJ	PROJECTS
			OECSMS	CONDITION SCORE MATRIX SETUP
			OSAPMS	APM SCENARIO
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSCLAI	WARRANTY CLAIMS
			OSCSMS	CONDITION SCORE MATRIX SETUP
			OSDCUR	DECAY CURVE
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQDP	DEPRECIATION TYPE FOR EQUIPMENT
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSFUND	FUNDING
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSMNBK	NOTEBOOK
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSNCTP	NONCONFORMITY TYPES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBTV	OBJECTIVES
			OSOCDE	EQUIPMENT CLASS DEFINITION
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36719	User Defined Number 05	31088	OSPERF	PERFORMANCE FORMULAS
			OSPOLI	CREATE POLICY
			OSRCMT	RCM TEMPLATES
			OSRELR	EQUIPMENT RANKINGS
			OSRMXS	RISK MATRIX SETUP
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSSTGY	CREATE STRATEGY
			OSVEVT	EVENTS FOR EQUIPMENT
			OSVPRE	PERMIT ENTITY
			OSVTPO	TEST POINTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OSYIPC	YEARLY INFLATION PERCENTAGE
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			SSCOMM	COMMODITIES
			SSCOMP	NON-PO RECEIPTS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSISSU	Stock Issues
			SSIUSS	STORE TO STORE ISSUES
			SSPACK	PACKAGES SCREEN
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPINV	PHYSICAL INVENTORY
			SSPWCL	PART WARRANTY CLAIMS
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSSTOR	STORES
			SSSTOS	QUICK STORE-TO-STORE TRANSFER
			SSSTSR	STORE TO STORE RECEIPTS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			TCJOBL	7I MOBILE BOILER TEXT
			TCOBJL	7I MOBILE BOILER TEXT
			TSPROF	PROFILES
			USINVP	INVESTMENT PLANNING
			WSADJU	ADJUSTMENT
			WSAREQ	VIEW/APPROVE WORK REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
36719	User Defined Number 05	31088	WSBFUL	BATCH FUEL ISSUES
			WSBKPO	BOOK PO LABOR
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSCCON	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSCTMP	CONTRACT TEMPLATES
			WSDEPO	DEPOTS
			WSEMP	EMPLOYEES
			WSFISS	FUEL ISSUES
			WSFUEL	FUEL
			WSHZRD	HAZARDS
			WSILPO	ISOLATION POINTS
			WSINVC	CUSTOMER INVOICES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLOBX	LOCKOUTBOX
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPCTN	PRECAUTIONS
			WSPERM	PERMITS
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSPTWS	PERMIT TO WORK SETUP
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSFMX	SAFETY MATRIX
			WSSREQ	SERVICE REQUESTS
			WSSTCR	STANDARD CREWS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WTASL	TASK LOOKUP
			WSTRAD	TRADES
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
37859	User Defined Number 06	EWS.ADMN.UC.CreateEditAlert / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37859	User Defined Number 06	EWS.ADMN.UC.CreateEditAlert / 33833	BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQR	QUOTATIONS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WCSQRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
37860	User Defined Number 07	EWS.ADMN.UC.CreateEditAlert / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37860	User Defined Number 07	EWS.ADMN.UC.CreateEditAlert / 33833	BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQR	QUOTATIONS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
37861	User Defined Number 08	EWS.ADMN.UC.CreateEditAlert / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37861	User Defined Number 08	EWS.ADMN.UC.CreateEditAlert / 33833	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQR	QUOTATIONS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
37862	User Defined Number 09	EWS.ADMN.UC.CreateEditAlert / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37862	User Defined Number 09	EWS.ADMN.UC.CreateEditAlert / 33833	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQR	QUOTATIONS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
37863	User Defined Number 10	EWS.ADMN.UC.CreateEditAlert / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
			BSCHRT	CHART SETUP
			BSEXIM	EXPORT CONFIGURATION
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZRFRD	ELECTRONIC RECORDS FOR RFQ RESPONSES
			BZRRLD	ELECTRONIC RECORDS FOR RFQ RESPONSE LINES
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37863	User Defined Number 10	EWS.ADMN.UC.CreateEditAlert / 33833	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTCS	SETS AND CONSISTS
			OSVEVT	EVENTS FOR EQUIPMENT
			PSRFQR	QUOTATIONS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSBFUL	BATCH FUEL ISSUES
			WSCSRQ	CUSTOMER SERVICE PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWOUP	WO UPDATE
			WSWREQ	WORK REQUEST
36272	User Defined Organization Download	29405	BSMBST	MOBILE SETUP
48053	User Defined Screens	EAM-40940	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSVSDP	VIEW STATUS DETAILS POPUP
48058	User Defined Screens Setup	EAM-40941	BSCMEX	CONFIGURATION MANAGER - EXPORT
40073	User Description	EAM.CREP.UC.KPIInboxUsage.docx	BHKIUR	KPI/INBOX USAGE
			BSFUNC	CREATE UPDATE SCREENS
			BSIMUS	IMPORT USERS
			BSORGS	ORGANIZATIONS
			BSUSRP	USERS
			BZKIUR	KPI/INBOX USAGE
18131	User Details	Group header	BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
			JSPROJ	PROJECTS
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSCARD	CREDIT CARDS
			WSAPPL	APPROVAL LISTS
22839	User Function	Infor EAM - a user-defined code (mnemonic) for a form create by the user	AESEC	ANALYTICS SECURITY DETAILS
			BSENSG	GENERATE ENTERPRISE SEARCH DEFINITIONS
			BSENSS	ENTERPRISE SEARCH SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22839	User Function	Infor EAM - a user-defined code (mnemonic) for a form create by the user	BSFUNC BSFUNM BSSTRT BSTART BSLOVS	CREATE UPDATE SCREENS AVAILABLE SCREEN FUNCTIONS GRID MOBILE EWS NEW START CENTER INFOR EAM 7I EXTENDED START PAGE GRID LIST OF LOOKUPS
45428	User Functions	EAM-17294 EAM.ADMN.REQ.RepositoriesforEnterpriseSe		
23859	User Group	Infor EAM - Users that have the same permissions in the system regarding the usage of screens, reports etc.	BHUSRL BSAUTH BSCHRT BSDOCA BSDTCV BSFUNC BSGROU BSIMUS BSINBX BSKPIC BSMESP BSORGS BSRMOG BSROLE BSTBOP BSUSER BSUSRP BTUSRL BYUSRL BZGDPU BZUSRL OSROTA WSFLCF	USERS GROUP CONFIGURATION STATUS AUTHORIZATION CHART SETUP DOCUMENTS DATA CONVERSION (MP2) CREATE UPDATE SCREENS GROUPS IMPORT USERS INBOX SETUP DEFINING KPI ENTRIES MENU STRUCTURE AND PERMISSIONS ORGANIZATIONS REMOVE MULTIPLE ORGANIZATIONS LDAP ROLES SETUP CHANGE TAB ORDER POPUP USER SETUP USERS USERS PER GROUP USERS GROUP CONFIGURATION GDPR COMPLIANCE - USER USERS GROUP CONFIGURATION CHILD EQUIPMENT REPLACEMENT FLEET CONFIGURATION
48067	User Group Description	EAM.ADMN.REQ.UsersforOrganizations	BSIMUS BSORGS	IMPORT USERS ORGANIZATIONS
24388	User Group Details	Extended (product name). User Group form.	BSCHRT BSGROU BSINBX BSKPIC	CHART SETUP GROUPS INBOX SETUP DEFINING KPI ENTRIES
24481	User Groups	D7i Extended - User Group form	BSCHRT BSCMEX BSGROU BSINBX BSKPIC BSLOVS	CHART SETUP CONFIGURATION MANAGER - EXPORT GROUPS INBOX SETUP DEFINING KPI ENTRIES LIST OF LOOKUPS
35247	User Groups and Permissions	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSCMEX BSEXAL BSVSDP	CONFIGURATION MANAGER - EXPORT EXPORT BASE CONFIGURATION VIEW STATUS DETAILS POPUP
16111	User ID		ABOUT ASCACH BHSIGN BHVIOL	FUNCTION TO GET LABELS FOR ABOUT PAGE ANALYTICS VARIABLES CACHE LIST OF ELECTRONIC RECORDS List Of Violations

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16111	User ID		BSDOCA	DOCUMENTS
			BSESIG	ERECORDS LIST
			BSIMUS	IMPORT USERS
			BSINTR	MP2 INVENTORY TRANSACTIONS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSORGS	ORGANIZATIONS
			BSRPST	REPORT STATUS
			BSUAED	USER ACCOUNT EDIT
			BSUSER	USER SETUP
			BTSIGN	LIST OF ELECTRONIC RECORDS
			BTTMPR	LIST OF TAMPERED RECORDS
			BTVIOL	List Of Violations
			BYSIGN	LIST OF ELECTRONIC RECORDS
			BYTMPR	LIST OF TAMPERED RECORDS
			BYVIOL	List Of Violations
			BZGDPD	GDPR COMPLIANCE - USER
			BZSIGN	LIST OF ELECTRONIC RECORDS
			BZTMPR	LIST OF TAMPERED RECORDS
			BZVIOL	List Of Violations
			CPLOGN	CONVERGED PROCUREMENT LOGON SCREEN
			DSPTNR	CREATE PARTNER
			FCSCRN	FLAMETHROWER SCREENS
			LOGIN	LOGON SCREEN
			OSENRA	RETRIEVE CUSTOMER ACCOUNT ID
		Crossbow - User ID	BCMOBL	7I MOBILE BOILER TEXT
		Crossbow	TCCABT	7I MOBILE BOILER TEXT
			TCCLOG	7I MOBILE BOILER TEXT
			TCELRC	7I MOBILE BOILER TEXT
			TCLOCK	7I MOBILE BOILER TEXT
		EWS.DBADMIN.UC.CreateEditPartners/SCR #27627	TCPRXY	7I MOBILE BOILER TEXT
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
23860	User ID Expiration Date	Infor EAM - the date on which the user's account will expire	DSPTNR	CREATE PARTNER
			BSGRPU	USERS PER GROUP
			BSORGS	ORGANIZATIONS
27900	User ID:	Barcode	BSUSER	USER SETUP
			FCSCRN	FLAMETHROWER SCREENS
23878	User Limits	Infor EAM - group header on the User Setup form that groups fields related to user limits, i.e., invoice approval limit.	BSORGS	ORGANIZATIONS
			BSUSER	USER SETUP
34327	User Lock Attempts	EWS.ADMN.UC.AdministrationSetup	BSBSET	ADMIN SETUP
21338	User Name	An individual who uses the system. Has a private password.	BCMOBL	7I MOBILE BOILER TEXT
			BSUAED	USER ACCOUNT EDIT
			CSCASE	CASE MANAGEMENT
			DSOQUE	DATABRIDGE OUTBOUND QUEUE
			DSTRAN	DATABRIDGE TRANSACTIONS
			WSPMTW	PERMIT TO WORK

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48793	User Organizations	EAM-39647	BZUSRL	USERS GROUP CONFIGURATION
31929	User Password	EWS.CREP.UC.AccessViolations	BHVIOL	List Of Violations
			BTVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
			WSVITE	WORK ORDER QUICK ENTRY
18125	User Settings	Group header	BSFUNC	CREATE UPDATE SCREENS
23858	User Setup	Infor EAM - name of form on which to set up user information	BSUSER	USER SETUP
27067	User Specific Auth.	D7i Extended - Status Change Authorization	BSAUTH	STATUS AUTHORIZATION
21755	User Status	databridge - status of a user	DSTRAN	DATABRIDGE TRANSACTIONS
28533	User Value	Databridge. User value. Refer to PVCS EWS.ADMN.UC.DetailsforGLReferences.	YSGLRF	GL REFERENCES
47656	User data has been reset for the logged in user. Enter password to login again.	EAM-36628MissTranslat EAM.MOBILE.REQ.ResetUserData	BCMOBL	7I MOBILE BOILER TEXT
12031	User group	Users that have the same permissions in MP5 regarding the usage of screens, reports etc.	BCAUTH	CROSSBOW AUTH LIST
			BCORGS	MOBILE USER ORG LIST
			BCUSER	CROSSBOW USER LIST
			BHKIUR	KPI/INBOX USAGE
			BZKIUR	KPI/INBOX USAGE
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
35789	User-defined 1	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35798	User-defined 10	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35790	User-defined 2	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35791	User-defined 3	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35792	User-defined 4	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35793	User-defined 5	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35794	User-defined 6	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35795	User-defined 7	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35796	User-defined 8	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35797	User-defined 9	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
44190	User/Groups	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
26749	User/Org/Group	Crossbow	TCESYP	7I MOBILE BOILER TEXT
12300	Userid expir. date	The user is not allowed to use MP5 after this date.	BCUSER	CROSSBOW USER LIST
44191	Username	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
19225	Users	tab name on BMGROU	BEUSER	USER SETUP FOR WEB SERVICE
			BHUSRL	USERS GROUP CONFIGURATION
			BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSGROU	GROUPS
			BSINBX	INBOX SETUP
			BSKPIC	DEFINING KPI ENTRIES
			BSLOVS	LIST OF LOOKUPS
			BSORGS	ORGANIZATIONS
			BSVSDP	VIEW STATUS DETAILS POPUP
			BYUSRL	USERS GROUP CONFIGURATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions				
			Code	Description			
19225	Users	tab name on BMGROU	BZUSRL	USERS GROUP CONFIGURATION			
			PSBORD	CREATE EDIT BLANKET ORDERS			
			PSCARD	CREDIT CARDS			
			WSAPPL	APPROVAL LISTS			
44192	Users near a User	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT			
12726	Using previous result for extrapolation		ITCHKF	Inspection results			
			IYCHKF	Inspection results			
			IZCHKF	Inspection results			
41618	Utility Audit	EAM- 2229.PRCH.REQ.UtilityAuditForInvoiceVouchers	PSINVO	INVOICES			
37515	Utility Bill Charges	31976 : EWS.PRCH.UC.CreateEditInvoiceVoucher	PSINVO	INVOICES			
37503	Utility Bill Details	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES			
37937	Utility Bill Source	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSHPFY	CREATE HOSPITALITY FACILITIES			
			OSHPRM	CREATE HOSPITALITY ROOMS			
			OSHPVH	CREATE VEHICLE EQUIPMENT			
			OSOBJA	CREATE ASSET EQUIPMENT			
			OSOBJP	CREATE POSITION EQUIPMENT			
			OSOBJS	CREATE SYSTEM EQUIPMENT			
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT			
			OSOVPM	CREATE POSITION EQUIPMENT			
			OSOVSM	CREATE SYSTEM EQUIPMENT			
			PSINVO	INVOICES			
			WSCCON	CUSTOMER CONTRACTS			
			WZCCON	PRINT CUSTOMER CONTRACT			
			37938	Utility Bill Source Org.	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	OSHPFY	CREATE HOSPITALITY FACILITIES
						OSHPRM	CREATE HOSPITALITY ROOMS
						OSHPVH	CREATE VEHICLE EQUIPMENT
						OSOBJA	CREATE ASSET EQUIPMENT
						OSOBJP	CREATE POSITION EQUIPMENT
						OSOBJS	CREATE SYSTEM EQUIPMENT
						OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
						OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT			
			PSINVO	INVOICES			
			WSCCON	CUSTOMER CONTRACTS			
			WZCCON	PRINT CUSTOMER CONTRACT			
38000	Utility Bill Sources	EWS.EQUIP.UC.DesignConsumptionforEquipment / 33612	BSLOVS	LIST OF LOOKUPS			
37495	Utility Bills	31976: Utility Bill tab for Invoice Vouchers	PSINVO	INVOICES			
40998	Utility System Incident	EAM.WORK.REQ.WorkOrderHealthcare/EAM-336	BZEVTD	ELECTRONIC RECORDS FOR EVENTS			
			WSJOBS	CREATE WORK ORDER			
			WSJOVM	CREATE WORK ORDER			
			WZWOLM	WORK ORDER LIST - DETAIL			
34161	Utilization (%)	EWS.CREP.UC.DailyTradeSchedule	WYTRDS	DAILY TRADE SCHEDULE			
			WZTRDS	DAILY TRADE SCHEDULE			
40952	VIP Status	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS			
			CSCCTR	CONTACT CENTER			
			CSCINF	CONTACT INFO			
			CSINRE	GUEST INCIDENT REQUEST			

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40952	VIP Status	EAM.EQUIP.REQ.Rooms	CZISGH OSHPRM WHJOVH WSJOBS WSJOVH WZJOVH	INCIDENT SUMMARY GRAPH CREATE HOSPITALITY ROOMS PRINT WORK ORDER HOSPITALITY CREATE WORK ORDER CREATE WORK ORDER PRINT WORK ORDER HOSPITALITY
41327	VIP Statuses	EAM-1088	BSLOVS	LIST OF LOOKUPS
30224	VMRS Code	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
29044	VMRS Code Details	D7i Extended - VMRS for Warranties - VMRS = Vehicle Maintenance Reporting System	OSCLAI	WARRANTY CLAIMS
29427	VMRS Description	Extended (product name)	BCMOBL OSHPPFY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVPM OZEQUD SSPART WSGSRH USINVP	7I MOBILE BOILER TEXT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE POSITION EQUIPMENT EQUIPMENT DETAIL PARTS GIS MAP ROADS HIGHWAYS INVESTMENT PLANNING
49589	Valid Investment Options	EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni		
31735	Valid Until	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BCMOBL BZPMTW BZQULD BZQUOD QZQUOL WHPTWR WSILPO WSPMTW WZPTWR	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR PERMIT TO WORK ELECTRONIC RECORDS FOR QUOTATION LINES ELECTRONIC RECORDS FOR QUOTATIONS PRINT LIST OF QUOTATION PRINT PERMIT TO WORK ISOLATION POINTS PERMIT TO WORK PRINT PERMIT TO WORK
48618	Valid for All Organizations	Delivery Address	BSDELA	Delivery addresses
40181	Valid for all Equipment Classes	EAM.EQUIP.UC.CreateEditClosingCodes	OSCLCD	CLOSING CODE
40183	Valid for all Part Classes	EAM.EQUIP.UC.CreateEditClosingCodes	OSCLCD	CLOSING CODE
12260	Valid until	Quotations are valid until a certain date.	WSPMTW	PERMIT TO WORK
16482	Validate		BSJSDN ISASPC TSASTP	COMMON FUNCTION FOR JAVASCRIPT ASPECTS DC TRANSACTION PROMPT
36759	Validate Against Lookup	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
26415	Validate File	Infor EAM. Field label used in transaction prompt page for the Interface module. Refer to EWS.DCI.UC.CreateEditDCTransactionPrompt.	TSASTP	DC TRANSACTION PROMPT
28789	Validate Formula	D7i Extended	BSJSDN ISFORM	COMMON FUNCTION FOR JAVASCRIPT FORMULAS
28742	Validate Formulas	D7i Extended -- Aspects form	BSLOVS	LIST OF LOOKUPS
29053	Validate Parameter	D7i Extended -- Formula form -- Link Button on Parameters tab, validate=verb, parameter=noun	ISFORM	FORMULAS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40774	Validate Record	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
37153	Validate Session	EWS.WORK.UC.ForecastingforPMForecasting	WSPMPL	PM FORECASTING
36888	Validation	30878	BSGRID	GRID DESIGNER
36869	Validation Details	30878	BSGRID	GRID DESIGNER
37151	Validation Warnings	EWS.WORK.UC.ForecastingforPMForecasting	WSPFWM	PM FORECASTING WARNING
12261	Value		ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDEOT	DATA FOR ANALYTICS 7.8 VARIABLES
			BCMOBL	7I MOBILE BOILER TEXT
			BCPRMV	CROSSBOW CUST ATTRIB VALUE LIST
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSALTP	ALERT TEXT PARAMETERS POPUP
			BSCSTP	CUSTOM FIELDS LOOK UP POP UP
			BSGMAP	CREATE EDIT MAPS
			BSINBX	INBOX SETUP
			BSINST	INSTALL CODES
			BSKPIC	DEFINING KPI ENTRIES
			BSMPMR	MP2 METER READINGS
			BSMPWO	MP2 WORK ORDERS
			BSORGS	ORGANIZATIONS
			BSREPO	CREATE / EDIT REPORTS
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BSUDLV	UDF LOOKUP VALUES
			BTSNAP	ELECTRONIC RECORDS
			BYSNAP	ELECTRONIC RECORDS
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZCHKA	CHECKLIST AUDIT
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			BZSNAP	ELECTRONIC RECORDS
			CSCASE	CASE MANAGEMENT
			CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
			CSCMTK	CASE MANAGEMENT TASKS
			CYDEBL	LIST OF DEBIT DISCOUNTS
			CZCASE	CASE MANAGEMENT REPORT
			CZDEBL	LIST OF DEBIT DISCOUNTS
			DSJSPP	PARAMETERS POPUP
			DSMSGs	VIEW MESSAGE STATUS
			DSSTAT	DATABRIDGE SYSTEM STATUS
			FCGRD1	FLAMETHROWER GRID 1
			FCSCRN	FLAMETHROWER SCREENS
			ISLVAL	ASPECT PROMPT LOOKUP VALUES POPUP
			ISMONT	MONITORED DATA
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12261	Value		IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZRSLF	LIST OF INSPECTION RESULTS
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSAREA	READING FOR ASSET
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQCI	CHECKLIST ITEMS
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQPP	EQUIPMENT LOOKUP
			OSGIFA	VIEW GIS ATTRIBUTES
			OSGIFR	VIEW GIS ATTRIBUTES (REST)
			OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSLREA	READING FOR LOCATION
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOBJT	OBJECTIVES
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPOLI	CREATE POLICY
			OSPREA	READING FOR POSITION
			OSRELA	ADD / EDIT ANSWERS POPUP
			OSRELR	EQUIPMENT RANKINGS
			OSSREA	READING FOR SYSTEM
			OSSTGY	CREATE STRATEGY
			OSVBJA	VIEW ASSET LIST
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			STSTD	Stocktake Discrepancy
			STSTOL	Stock List
			SYCONS	Consignment Activity
			SYHISL	Purchase History Per Item/Supplier
			SYSTD	Stocktake Discrepancy
			SZCONS	Consignment Activity
			SZHISL	Purchase History Per Item/Supplier
			SZSTD	Stocktake Discrepancy
			UYBANA	BUDGET ANALYSES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12261	Value		UJBANA	BUDGET ANALYSES
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		Crossbow	TCIRSL	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCIWIR	7I MOBILE BOILER TEXT
			TCOJB	7I MOBILE BOILER TEXT
			BSEMCD	E-MAIL CONDITIONS
16455	Value 1	These are all parameters and value headers for the MP5 Messenger module - table designer - document MP5.55.B.MAIL.DES.S01 : MP5 Enterprise Messenger Table design		
16456	Value 2	These are all parameters and value headers for the MP5 Messenger module - table designer - document MP5.55.B.MAIL.DES.S01 : MP5 Enterprise Messenger Table design	BSEMCD	E-MAIL CONDITIONS
			BZCHKA	CHECKLIST AUDIT
31736	Value Added Tax	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZINVD	ELECTRONIC RECORDS FOR INVOICES
30283	Value Based	Infor EAM. Value Based is a type of ABC analysis in which values and the ABC class are determined by the actual value of the parts currently in stock.	SSABCA	GENERATE ABC ANALYSIS
			SYABCA	ABC Analysis
			SZABCA	ABC Analysis
48837	Value Desc.	EAM-44652	BZCHKA	CHECKLIST AUDIT
26239	Value Details	Infor EAM. Refer to EWS.MATL.UC.ValuesforTaxRates.	SSTAXH	TAX RATES
31737	Value Invoiced	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
48836	Value Org.	EAM-44652	BZCHKA	CHECKLIST AUDIT
28708	Value Received	D7i Extended -- Purchase Orders form -- Value Received label on Services tab	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
42404	Value Type	EAM-5016 : EAM.ADMN.REQ.ChartSetup	BSCHRT	CHART SETUP
46230	Value cannot be less than the Last Reading.	Meter reading	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46231	Value is less than the Last Reading, which indicates the meter has rolled over. Is this correct?	Meter reading	BCMOBL	7I MOBILE BOILER TEXT
46481	Value of the Status of new observations when created for a re-inspection of an existing nonconformity. Used for automatically generated observations during the release of PM or Maintenance Pattern work orders.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
46480	Value of the Status of the currently approved observation after approval of a new observation. You can select any value, as long as it is attached to an approved or superseded system code.	EAM.EQUIP.REQ.NonconformitiesSetup:EAM-27687	OSNCSP	NONCONFORMITIESSETUP
26236	Values	Infor EAM. Refer to EWS.MATL.UC.ValuesforTaxRates.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
27515	Values for Output and UOM must be entered.	Crossbow	SSTAXH	TAX RATES
27514	Values for Standard and UOM must be entered.	Crossbow	TCJCDE	7I MOBILE BOILER TEXT
48698	Valve inoperable	EAM-44119	TCJCDE	7I MOBILE BOILER TEXT
48699	Valve operated (Closed successfully)	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
48697	Valve required for Isolation	EAM-44119	BCMOBL	7I MOBILE BOILER TEXT
26072	Variable	Infor EAM. Grid Column Title - On the Analytics pop up screen invoked from GIS Map Search screen. Refer to PVCS 5947.	BCMOBL	COMMON FUNCTION FOR JAVASCRIPT
15344	Variable 1		BSJSDN	ANALYTICS DATA RELATED TO AN ASSET
			OSGISA	ANALYTICS DATA RELATED TO AN ASSET
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSPART	PARTS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15344	Variable 1		WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48080	Variable 1 Query	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48159	Variable 1 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48079	Variable 1 Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48158	Variable 1 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
17719	Variable 10		ISMONT	MONITORED DATA
15345	Variable 2		BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSPART	PARTS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48082	Variable 2 Query	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48161	Variable 2 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48161	Variable 2 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48081	Variable 2 Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48160	Variable 2 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
15346	Variable 3		WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSPART	PARTS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48084	Variable 3 Query	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48163	Variable 3 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
48083	Variable 3 Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSPERF	PERFORMANCE FORMULAS
48162	Variable 3 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
48162	Variable 3 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
15347	Variable 4		BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSPART	PARTS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48086	Variable 4 Query	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48165	Variable 4 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48085	Variable 4 Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48164	Variable 4 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
15348	Variable 5		BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15348	Variable 5		OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSPART	PARTS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
48088	Variable 5 Query	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSPERF	PERFORMANCE FORMULAS
48167	Variable 5 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48087	Variable 5 Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
			OSOBJA	CREATE ASSET EQUIPMENT
48166	Variable 5 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
15349	Variable 6		CSCCGM	CONTACT CENTER MAP SEARCH
			ISMONT	MONITORED DATA
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
15349	Variable 6		OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			SSPART	PARTS
			TSPROF	PROFILES
			WSBFUL	BATCH FUEL ISSUES
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48090	Variable 6 Query	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48169	Variable 6 Rating	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
48089	Variable 6 Rating Weight	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48168	Variable 6 Result	EAM-41136: EAM.EQUIP.REQ.EquipmentClassDefinition	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOCDE	EQUIPMENT CLASS DEFINITION
			WSOPSS	OPTIMIZED SCHEDULER SETUP
17716	Variable 7	Infor EAM - code of the variable	ISMONT	MONITORED DATA
17717	Variable 8		ISMONT	MONITORED DATA
17718	Variable 9		ISMONT	MONITORED DATA
22635	Variable Code		BMOPSV	OPS PACKAGE
48078	Variable Details		OSPERF	PERFORMANCE FORMULAS
30421	Variable Number	D7i Extended -- Analytics -- Field Label, Analytics variable number	ASCACH	ANALYTICS VARIABLES CACHE
			ASCACH	ANALYTICS VARIABLES CACHE
			ASDDE	DATA FOR ANALYTICS 7.8 VARIABLES
			ASDEOT	DATA FOR ANALYTICS 7.8 VARIABLES
			ASOVAR	ANALYTICS VARIABLE DEFINITIONS
30936	Variable key	Analytics - EWS.ANLT.UC.VariableDefinition - Unique value that identifies a variable record in database	OPSVAR	ANALYTICS 7.8 VARIABLES
			OSEQUO	UNITS OF OUTPUT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
21023	Variables	Infor EAM - Group header on the equipment form to group all the variables together	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			TSPROF	PROFILES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32958	Variance Type	EWS.CREP.UC.PricingVariance	PZPVAR	PRICING VARIANCE REPORT
32963	Variance Types	EWS.CREP.UC.PricingVariance	BSLOVS	LIST OF LOOKUPS
41892	Variance as %	EAM-4398	BIPTBS	MRO PARTS TURNOVER BY STORE
30821	Vehicle	D7i Extended -- Vehicle Ticket -- Field Label	BSLOVS	LIST OF LOOKUPS
			BSWHSE	DATA WAREHOUSE
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSBFUL	BATCH FUEL ISSUES
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSDEPO	DEPOTS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFBIL	FLEET BILLS
			WSFISS	FUEL ISSUES
			WSFLTK	FLEET VEHICLE TICKETS
			WSFUEL	FUEL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCL	OPERATOR CHECKLIST
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZFSTR	FIRST TRANSIT REPORT
			WZFUTX	FUEL TRANSACTIONS
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30821	Vehicle	D7i Extended -- Vehicle Ticket -- Field Label	WZVBIL	VEHICLE BILLING REPORT
			WZVRHS	VEHICLE RENTAL HISTORY
			WZVTKT	VEHICLE TICKET REPORT
30822	Vehicle Description	D7i Extended -- Vehicle Ticket -- Field Label	WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFLTK	FLEET VEHICLE TICKETS
41104	Vehicle Details	EAM.EQUIP.REQ.Vehicles	OSHPVH	CREATE VEHICLE EQUIPMENT
48113	Vehicle Group	Hertz custom reports	OZDSTP	DAILY SHORT TERM PLANNING - HERTZ
			OZHSTP	HOURLY SHORT TERM PLANNING - HERTZ
44904	Vehicle Location	EAM-16349	WSCREQ	CUSTOMER RENTAL REQUESTS
44917	Vehicle Location Org.	EAM.WORK.REQ.CustomerReservationRequest.doc	WSCREQ	CUSTOMER RENTAL REQUESTS
30823	Vehicle Org.	D7i Extended -- Vehicle Ticket -- Field Label, org.=organization	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSCREW	CREW
			WSFBHD	BILLING HISTORY FOR FLEET CUSTOMERS
			WSFISS	FUEL ISSUES
			WSFLTK	FLEET VEHICLE TICKETS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZVRHS	VEHICLE RENTAL HISTORY
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSESCH	RESERVATION CALENDAR
43380 30824	Vehicle Rental History Vehicle Status	EAM-10669 EAM.CREP.REQ.VehicleRentalHistory D7i Extended -- Vehicle Ticket -- Field Label	OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQUD	EQUIPMENT DETAIL
			WSBFUL	BATCH FUEL ISSUES
			WSFLTK	FLEET VEHICLE TICKETS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
38054	Vehicle Status Code	D7i Extended -- Vehicle Ticket -- Field Label	BSWHSE	DATA WAREHOUSE
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
39132	Vehicle System Status	EWS.PROJ.UC.EquipmentforCampaign/40727	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			JSCAMP	CAMPAIGN
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39132	Vehicle System Status	EWS.PROJ.UC.EquipmentforCampaign/40727	WSJOVM	CREATE WORK ORDER
30867	Vehicle Ticket	D7i Extended -- Vehicle Ticket -- Field Label	WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WSFLCF	FLEET CONFIGURATION
30743	Vehicle Ticket Authorizations	D7i Extended -- Vehicle Ticket Auth for Fleet Config -- Header	WSFLCF	FLEET CONFIGURATION
31917	Vehicle Ticket Comments	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31916	Vehicle Ticket Custom Fields	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	WTVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
31261	Vehicle Tickets	D7i Extended -- Pool/Loaner Adjustments for Fleet Bills -- Field Label	BSLOVS	LIST OF LOOKUPS
42908	Vehicle Type	EAM-9576	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSESCH	RESERVATION CALENDAR
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZOBJQ	LIST OF EQUIPMENT DETAILS
			WSBFUL	BATCH FUEL ISSUES
			WSCREEN	CUSTOMER RENTALS
			WSCREEN	CUSTOMER RENTAL REQUESTS
			WSCRER	REVIEW CUSTOMER RENTAL REQUESTS
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
41099	Vehicle Value	EAM.EQUIP.REQ.Vehicles	WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZVRHS	VEHICLE RENTAL HISTORY
			OSHPVH	CREATE VEHICLE EQUIPMENT
			BSLOVS	LIST OF LOOKUPS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
31908	Vehicles	EWS.REP.UC.VehicleTicket - Vehicle Ticket report	OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
49187	Vehicles Dataspy	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSOPSS	OPTIMIZED SCHEDULER SETUP
40864	Vendor	EAM.EQUIP.REQ.AssetHealthcare.docx	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
35991	Vendor Address 1	EWS.ADMN.UC.MP2Purchasing	WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOVM	PRINT WORK ORDER HEALTHCARE
35991	Vendor Address 1	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35992	Vendor Address 2	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35993	Vendor Address 3	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
29105	Vendor Booking Details	Extended (product name). 'Booking' should be treated as 'Recording (retroactive)' instead of 'Reserving (future).'	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
35459	Vendor Branch	#28171	BSINTR	MP2 INVENTORY TRANSACTIONS
			BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
35994	Vendor City	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35995	Vendor Contact	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35996	Vendor Country	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35028	Vendor Currency	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	PSPORD	PURCHASE ORDERS
			SSIPVN	7I BUY VENDORS
35018	Vendor Details	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	SSIPVN	7I BUY VENDORS
35017	Vendor E-mail	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			SSIPVN	7I BUY VENDORS
35997	Vendor Ext.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35998	Vendor Fax	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35813	Vendor ID	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
			BSMPWO	MP2 WORK ORDERS
36055	Vendor Item No.	EWS.ADMN.UC.MP2Quotations	BSMPQT	MP2 QUOTATIONS
35027	Vendor Language	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	SSIPVN	7I BUY VENDORS
36108	Vendor Name	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35041	Vendor Notes	27694-EWS.MATL.UC.CreateEdit7iBuyVendors	SSIPVN	7I BUY VENDORS
35999	Vendor Pager No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
36000	Vendor Phone	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35026	Vendor Site	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	SSIPVN	7I BUY VENDORS
36001	Vendor State	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
35025	Vendor URL	27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	SSIPVN	7I BUY VENDORS
36002	Vendor Zip	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
			BSMPQT	MP2 QUOTATIONS
32380	Vendor's Address 1	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
32381	Vendor's Address 2	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32381	Vendor's Address 2	EWS.CREP.UC.PurchaseOrderStatus.doc	PZORDS	PURCHASE ORDER STATUS
32382	Vendor's Address 3	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
32386	Vendor's County	EWS.CREP.UC.PurchaseOrderStatus.doc	PZORDS	PURCHASE ORDER STATUS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PYORDS	PURCHASE ORDER STATUS
32387	Vendor's Fax No.	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PYORDS	PURCHASE ORDER STATUS
36039	Vendor's Item No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
32385	Vendor's Postal Code	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
			PYORDS	PURCHASE ORDER STATUS
32384	Vendor's State	EWS.CREP.UC.PurchaseOrderStatus.doc	PZORDS	PURCHASE ORDER STATUS
			PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
35296	Vendors	#28171	BSDTCV	DATA CONVERSION (MP2)
			BSMPQT	MP2 QUOTATIONS
32383	Vendor's City	EWS.CREP.UC.PurchaseOrderStatus.doc	PYORDS	PURCHASE ORDER STATUS
			PZORDS	PURCHASE ORDER STATUS
28788	Verify Parameters	D7i Extended -- Formulae form -- button, verb	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			ISFORM	FORMULAS
12338	Version	Version of R5.	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
			BSDTCV	DATA CONVERSION (MP2)
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			FCSCRN	FLAMETHROWER SCREENS
			REPORT	General Report Function
			BCMOBL	7I MOBILE BOILER TEXT
			TCCABT	7I MOBILE BOILER TEXT
			FCSCRN	FLAMETHROWER SCREENS
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
27920 42971	Vert: Vertical Offset	Barcode EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
42966	Vertical Offset Type	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42965	Vertical Offset UOM	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	BSCLAS	CLASSES
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
22633	Vertical Size	Infor EAM - HTML content setup page - field where user indicates the size of the HTML content to appear vertically (top to bottom) on the page	BMHTCF	HTML CONTENT SETUP
13228	View	Pull down menu item	BSDTCV	DATA CONVERSION (MP2)
			BSVIEW	VIEWS
			DSMSGGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
			DSMSGGS	VIEW MESSAGE STATUS
			M1	Pull-Down Menu Texts
48730	View Activity	EAM-45857	BCMOBL	7I MOBILE BOILER TEXT
39429	View Activity Booked Labor	40522	WSWLSH	WO LABOR SCHEDULING
42666	View Activity Comments	EAM-6744	WSACTS	ACTIVITIES GRID IN WO SCHEDULING
31391	View Adjustment Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSFBIL	FLEET BILLS
			WSFCUS	FLEET CUSTOMERS
48458	View All	EAM-42186	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
47175	View All Comments	EAM-31983	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
47176	View All Documents	EAM-31983	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
36107	View All Error Details	EWS.ADMIN.UC.ViewStatusDetailsPopup	BSVSDP	VIEW STATUS DETAILS POPUP
26071	View Analytics Data	Infor EAM. Button Text - This button will invoke the pop-up for the Analytics data. Refer to PVCS 5947.	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			BSCOMM	COMMENTS
29461	View Audit Trail	D7i Extended -- Audit Setup form -- Field label used on Comments tab	WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSTASK	TASKS
			WSQUBO	VIEW BOOK LABOR ON QUICK WORK ORDER ENTRY
34997	View Booked Labor	27483	WSVITE	WORK ORDER QUICK ENTRY
29071	View Calibration Results	D7i Extended - Calibration for Equipment - View = verb	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29071	View Calibration Results	D7i Extended - Calibration for Equipment - View = verb	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
46105	View Checklist Item Comments	EAM.WORK.REQ.ChecklistForWorkOrder	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
			BCMOBL	71 MOBILE BOILER TEXT
47300 26957	View Child Asset Custom Fields View Comments	EAM.WORK.REQ.EquipmentCustomFieldsPopup Extended (product name)	BSCOMM	COMMENTS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSSREQ	SERVICE REQUESTS
			SSASGN	GENERATE POS
			WSMECH	MECHANIC'S WORKBENCH
			WSVITE	WORK ORDER QUICK ENTRY
			CSINRE	GUEST INCIDENT REQUEST
			OSDPDT	DEPRECIATION DETAILS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
34994 34734 29653	View Custom Fields View Customer Equipment View Depreciation Details	27483		
		EWS.CCTR.UC.CallCenter.doc/26445		
		D7i Extended - Equipment Depreciation - 12203 - link button		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29653	View Depreciation Details	D7i Extended - Equipment Depreciation - 12203 - link button	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
46595	View Details	EAM.ADMN.REQ.Views	BSVIEW	VIEWS
49452	View Digital Work Signature	EAM.WORK.REQ.ContractorSignaturesForPermitToWork	WSPMTW	PERMIT TO WORK
21079	View Document	Infor EAM - Link button to view the document that has been associated with the record or warranty	BSDOCA	DOCUMENTS
			BSDOCU	DOCUMENTS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSWARR	WARRANTY
42209	View Documents	EAM.WORK.REQ.ChecklistForWorkOrder/EAM-435	CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
39430	View Employee Booked Labor	40522	WSWLSH	WO LABOR SCHEDULING
43588	View Employee Schedule	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
46325	View Equipment	GIS	BCMOBL	7I MOBILE BOILER TEXT
		EAM-47419	OSRCMT	RCM TEMPLATES
			WSGISD	MAP VIEW
33825	View Equipment Custom Fields	EWS.WORK.UC.CreateWorkOrder/21539	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
33824	View Equipment Custom Fields.	EWS.WORK.UC.EquipmentCustomFieldsPopup/21539	WSEQCF	VIEW EQUIPMENT CUSTOM FIELDS POPUP
37362	View Equipment Details	EWS.WORK.UC.ForecastingforPMForecasting / 32361	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSMECH	MECHANIC'S WORKBENCH
			WSPMPL	PM FORECASTING
34740	View Equipment Material Usage	EWS.WORK.UC.EquipmentMaterialUsagePopup/13722	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34740	View Equipment Material Usage	EWS.WORK.UC.EquipmentMaterialUsagePopup/13722	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
33888	View Equipment Within Search Area	EWS.GIS.UC.GISMapSearch.doc / 23450	CSCCGM OSGISR OSGISS	CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD)
36062	View Error Details	EWS.ADMIN.UC.ViewStatusDetailsPopup	BSCMIM BSEXAL BSVEDP BSVSDP	CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION VIEW ERROR DETAILS POPUP VIEW STATUS DETAILS POPUP
33922	View Field Details	EWS.BASE.UC.ScreenDesigner.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
13290	View Field Properties	Show properties of all fields on the screen.	M1	Pull-Down Menu Texts
34791	View File Contents	#26617	BSCMIM BSEXAL BSIMPT	CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION IMPORT CONFIGURATION
26652	View GIS Attributes	D7i Extended - View Infor EAM & GIS Asset Attributes	BSJSDN OSHPPFY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVPM	COMMON FUNCTION FOR JAVASCRIPT CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE POSITION EQUIPMENT
28689	View GIS Map	D7i Extended - GIS Map Search - verb	BSJSDN OSGIMP OSGRTE OSGVMP OSHPPFY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVPM WSJOBS WSJOVH WSJOVM WSROUT	COMMON FUNCTION FOR JAVASCRIPT VIEW GIS MAP POPUP CREATE ROUTE WORK ORDER VIEW GIS MAP POPUP (REST) CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE POSITION EQUIPMENT CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER ROUTES
45491	View Highlighted Route Events	EWS.GIS.REQ.GISMapSearch.doc/EAM-18068	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
43395	View Job Plan Instructions	EAM-10599	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
48883	View Logs	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
28663	View Loop Instruments	D7i Extended - Calibrations for Work Orders - verb - click to view all of the equipment contained within a loop	WSJOBS WSJOVM	CREATE WORK ORDER CREATE WORK ORDER
33273	View Map	EWS.CCTR.UC.ContactCenter	CSINRE	GUEST INCIDENT REQUEST
39574	View Message	EAM.EQUIP.UC.EnergyStarMessageViewer.doc	OSENSM	ENERGY STAR MESSAGE VIEWER
21132	View Meter History	Infor EAM - link to view all the meter readings for a piece	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21132	View Meter History	of equipment	OSECN	CREATE EQUIPMENT CONFIGURATION
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
46552	View Name	EAM.ADMN.REQ.Views	BSVIEW	VIEWS
32549	View Nearest Address	20550	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCSP	CONTACT CENTER SETUP
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
			OSOBJA	CREATE ASSET EQUIPMENT
45676	View Nonconformity	EAM-20364EAM.EQUIP.REQ.NonconformitiesForEquipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
45675	View Observation	EAM-20364EAM.EQUIP.REQ.NonconformitiesForEquipment	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
47080	View Only Responsibility	EAM.WORK.REQ.TaskPlans	OSOBJS	CREATE SYSTEM EQUIPMENT
			WSTASK	TASKS
			WSTASL	TASK LOOKUP
49271	View Operator Checklist	EAM.EQUIP.REQ.ChecklistForEquipment / EAM-45837	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
46232	View Other Store Quantities	Quick Issue	BCMOBL	7I MOBILE BOILER TEXT
33158	View PM Activity Comments	EWS.WORK.UC.ActivitiesforWorkOrder/20532	WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
40777	View PM Details	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
33784	View Part Details	EWS.MATL.UC.CreateEditParts / 21540	SSPART	PARTS
			WSQUPA	VIEW PART ON QUICK WORK ORDER ENTRY
			WSVITE	WORK ORDER QUICK ENTRY
			SSPART	PARTS
21259	View Parts Reserved	Infor EAM - link to view the part reservations for work orders for the selected part and store		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21163	View Permit Document	Infor EAM - link to view a permit document associated with a piece of equipment	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJC	CREATE ASSET CATEGORY
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSVPRE	PERMIT ENTITY
			TSPROF	PROFILES
33012	View Planned Part Availability	EWS.WORK.UC.PlannedPartAvailabilityPopup.doc	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
47934	View Profile Picture	EAM-38026	WSWLSH	WO LABOR SCHEDULING
			BSUSER	USER SETUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPART	PARTS
			WSCREW	CREW
			WSCRWP	CREATE/EDIT CREW POPUP
			WSEMPs	EMPLOYEES
37779	View Purchase Qty.	33775	WSSUPR	SUPERVISOR
37901	View Purchase Qty. for entered Requested Qty. Click OK to retrieve entered Requested Qty.	EWS.PRCH.UC.ViewPartPurchaseQtyPopup/33725	PSRFQT	REQUESTS FOR QUOTATIONS
			PSVPQP	VIEW PART PURCHASE QTY POPUP
49718	View RCM Template	EAM-49896/ EAM.EQUIP.REQ.WhereUsedForRCMTemplate	OSRCMT	RCM TEMPLATES
38991	View Release Notes and Hardware/Software Guide	/8.4/Base/EWS.BASE.UC.Toolbar&SystemLinks.doc	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
24935	View Requests for Caller	Extended (product name)	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
24936	View Requests for Customer	Extended (product name)	WSSREQ	SERVICE REQUESTS
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSSREQ	SERVICE REQUESTS
20652	View Requisitions	Infor EAM - form title	SSVREQ	VIEW PURCHASE STATUS
38740	View Resource History	Resources tab on Equipment screens	OSHPPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38740	View Resource History	Resources tab on Equipment screens	OSOVAM OSOVPM OSOVSM WSPPMS	CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT PM SCHEDULES
37155	View Resource Load	EWS.WORK.UC.ForecastingforPMForecasting	WSPMPL	PM FORECASTING
37156	View Resource Load Report	EWS.WORK.UC.ForecastingforPMForecasting	WSPMPL	PM FORECASTING
45490	View Route Events	EWS.GIS.REQ.GISMapSearch.doc/EAM-18068	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
35709	View SQL	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
36086	View SQL and click Close.	EWS.ADMN.UC.ViewErrorsforDataConversionPop - 28750	BSDCVS	VIEW SQL POPUP
20014	View Service Requests	Infor EAM - form on which to view a list of service requests	WSVSER	VIEW SERVICE REQUESTS
40792	View Source	New UI	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
20104	View Status	Infor EAM - screen on which to view work request status	OSVBJA	VIEW ASSET LIST
35943	View Status Details	EWS.ADMN.UC.StatusforConfigurationManager	BSCMIM BSEXAL	CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION
35710	View Table Structure	EWS.ADMN.UC.ViewErrorsforDataConversionPopup.doc	BSDCER	VIEW DETAILS (DATA CONVERSION)
45373	View Task Plan Documents	EAM.WORK.REQ.ContractorPortal : EAM-14829	WSCOPO	CONTRACTOR PORTAL
42667	View Task Plan Instructions	EAM-6744	WSACTS WSCOPO WSJOBS WSJOVH WSJOVM WSPPMS WSSTWO	ACTIVITIES GRID IN WO SCHEDULING CONTRACTOR PORTAL CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PM SCHEDULES STANDARD WOS
36941	View Totals for All Suppliers	EWS.PRCH.UC.SelectionforRFQs	PSRFQT	REQUESTS FOR QUOTATIONS
31390	View Transactions	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSFBIL WSFCUS	FLEET BILLS FLEET CUSTOMERS
25755	View Trigger Status	Extended (product name). Audit Setup form.	BSAUDC BSMAIL BSMATS	AUDIT SETUP MESSENGER TRIGGER DEFINITION VIEW TRIGGER STATUS
27213	View Type	D7i Extended - Grid - View Type : LIST, LOV, PORTLET	BEWSMD	EWS - METADATA DEFINITION
42665	View WO Comments	EAM-6744	WSACTS	ACTIVITIES GRID IN WO SCHEDULING
40776	View WO Details	N/A	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44193	View Work Order	EAM-14486 :Android Tablet - Support localization EAM.EQUIP.REQ.ChecklistForEquipment / EAM-45837	BCMOBL OSOBJA OSOBJL OSOBJP OSOBJS WSGISD	7I MOBILE BOILER TEXT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT MAP VIEW
33371	View Work Order Details	EWS.WORK.UC.ViewWODetailsPOPUP/17703	WSCAPA	WO LOAD BALANCING
33886	View Work Orders	EWS.GIS.UC.GISMapSearch.doc / 23450	WSMECH CSCCGM OSGISR OSGISS	MECHANIC'S WORKBENCH CONTACT CENTER MAP SEARCH GIS MAP SEARCH GIS MAP SEARCH (OLD)
20079	View Work Requests	Infor EAM - form title	WSAREQ WSVREQ	VIEW/APPROVE WORK REQUEST VIEW WORK REQUEST STATUS
39431	View an associated document, add/remove a document association or	EAM.BASE.UC.DocumentsPopup.DOC	BSDOCP PSPORD	DOCUMENTS POPUP PURCHASE ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39431	create/upload a new document as necessary.	EAM.BASE.UC.DocumentsPopup.DOC	WSJOBS	CREATE WORK ORDER
32302	View and edit translated descriptions.	EWS.BASE.UC.TranslationsPopup.doc - text for Translations popup	BSDESP BSEMLT OSRRQD WSWLWD	TRANSLATION POPUP TRANSLATION POPUP IN MENUS FOR USER GROUPS TRANSLATION POPUP QUESTIONS WO DETAILS FOR WO DAILY SCHEDULING
39480	View and modify details for the selected work order and activity, then click Submit.	EAM.WORK.UC.ViewModifyWODetails		
39481	View and modify labor schedules for the selected employee. To add labor schedules from a work order Not in Session, click Add WO to Session.	EAM.WORK.UC.ViewModifyEmployeeSchedule	WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
39453	View and modify labor schedules for the selected work order activity. To add activities from a work order Not in Session, click Add WO to Session.	EAM.WORK.UC.ViewModifyActivitySchedule.doc	WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
27129	View and schedule work order activities associated to the selected equipment record(s).	D7i Extended - Equip - The detail title/header/caption of the view schedule wo activities popup form	OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
27196	View as Portlet	D7i Extended - flag to show if this grid can be selected as a portlet	BEWSMD	EWS - METADATA DEFINITION
31320	View billing information for periods in which the Assignment ticket has been billed.	D7i Extended -- Vehicle Ticket form, Assignment Billing popup -- Caption	BSJSDN WSFLAB	COMMON FUNCTION FOR JAVASCRIPT ASSIGNMENT BILIING POPUP
39447	View booked labor for the WO activity selected on the calling screen.	EAM.WORK.UC.ViewActivityBookedLabor	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39457	View booked labor for the employee selected on the calling screen.	EAM.WORK.UC.ViewEmployeeBookedLabor	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
42078	View current fields and detail records that are different from the last electronically signed permit to work.	EAM.WORK.REQ.PermitToWork	WSUPWD	PERMIT TO WORK UNSIGNED DIFFERENCES
39634	View current work order fields and detail records that are different from the last electronically signed work order.	Tracker id 43912 - Create/Edit Work Order	WSUWOD	UNSIGNED WO DIFFERENCES
15091	View graph		M1	Pull-Down Menu Texts
36179	View iProcure Sync Errors	#27949	PSPORD SSPART SSREQU SSSUPP BSCMTP WSGDDL	PURCHASE ORDERS PARTS REQUISITIONS SUPPLIERS COMMENTS POPUP FOR WORK ORDER INSPECTION VIEW/DELETE DISPATCH LABOR POPUP
43396	View job plan instructions.	EAM-10599		
48543	View open dispatch records for the selected crew or employee. Select the record(s) to delete and click Delete Selected Records. Total Dispatched Hrs. includes records with dispatch dates later than the Dispatch Date selected on the calling screen.	EAM-41841: View Delete Dispatch Labor Popup		
43603	View or change Scheduled Hours and/or Main Resource, and then click Submit.	EAM.WORK.REQ.ViewEmployeeShiftSchedulePopup	WSVEMS	VIEW EMPLOYEE SCHEDULE
36189	View or change the equipment list, and	29012	CSEQUP	ADDITIONAL EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21840	then click Close. View or modify the document link as necessary.	Infor EAM - text on the edit document link popup	BSDOCA	DOCUMENTS
43256	View task plan instructions.	EAM-10598	BSCMTP WSJOBS WSJOVH WSJOVM	COMMENTS POPUP FOR WORK ORDER INSPECTION CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
13242	View technical information	Pull down menu item	M1	Pull-Down Menu Texts
29579	View the Comments, and then click Close.	D7i Extended -- PO History form, Services tab -- Message on Comments popup	BSCMTP BSCOMM	COMMENTS POPUP FOR WORK ORDER INSPECTION COMMENTS
42569	View the Documents (double-click), and then click Close.	EAM.BASE.REQ.MultiSourceDocumentsPopup	BSDOCP WSJOBS	DOCUMENTS POPUP CREATE WORK ORDER
37313	View the Equipment Details and click Close.	EWS.WORK.UC.ForecastingforPMForecasting	WSPFEP	EQUIPMENT POPUP ON FORECASTING FOR PM FORECAST
31745	View the GIS Attributes below.	EWS.GIS.UC.ViewInfor EAM&GISAssetAttributes.doc	OSGIFA OSGIFR	VIEW GIS ATTRIBUTES VIEW GIS ATTRIBUTES (REST)
36063	View the Groups contained in the selected process. Click the View Error Details link to see the errors for the selected group. Click the View All Error Details to see the errors for all the groups.	EWS.ADMIN.UC.ViewStatusDetailsPopup	BSVSDP	VIEW STATUS DETAILS POPUP
37402	View the PM Details and click Close.	32480	WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
37337	View the PM Schedule details. Update the Due Dates as necessary and click Submit.	32400	WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
33976	View the Related Message Record, and then click Close.	EWS.DBADMIN.UC.RelatedMessagesForMessageStatus	DSMSGR	DATABRIDGE RELATED MESSAGE RECORD POPUP
36923	View the Totals for All Suppliers and click Close.	EWS.PRCH.UC.ViewTotalsbySupplierPopup/SCR#31744	PSVTSP	VIEW TOTALS BY SUPPLIER POPUP
33372	View the Work Order Details and click Close.	EWS.WORK.UC.ViewWODetailsPOPUP/17703	WSWADP WSWODP	VIEW WO/ACTIVITIES DETAILS POPUP VIEW WO DETAILS POPUP
33558	View the additional information and click Close.	EWS.CCTR.UC.AdditionalInfoPopup (22929)	CSCCAI	CONTACT CENTER ADDITIONAL INFORMATION POPUP
29617	View the comments audit trail.	D7i Extended -- Audit Setup form, Comments and Custom Fields page -- Caption	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
35488	View the event log or add new events, and then click Close.	EWS.CCTR.UC.CustomerRequestHistory	CSCRHS	CUSTOMER REQUEST HISTORY
49312	View the event log, and then click Close.	EAM.PROJ.REQ.EventLogPopupforCUEstimate	JSEVLP	EVENTLOG POPUP FOR CU ESTIMATES
35635	View the file contents and click Close.	EWS.ADMN.UC.ImportBaseConfigurationforConfiguratio	BSIMFD	VIEW FILE CONTENTS
29921	View the instructions audit trail.	Extended (product name)	BSCMTH	VIEW COMMENTS AUDIT TRAIL POPUP
34739	View the list of materials used for work completed on equipment and click Close.	EWS.EQUIP.UC.EquipmentMaterialUsagePopup/13722	WSEMUP	EQUIPMENT MATERIAL USAGE
37487	View the number of resource days required for each trade in the PM forecasting session. Make changes to the PM forecast as necessary to balance resource requirements.	EWS.WORK.UC.ViewResourceLoad / 32647	WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
31441	View the related GIS map, and then	Caption text	WSGIMP	VIEW GIS MAP POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
31441	select to have the map associated to the work order as a PDF document.	Caption text	WSGVMP	VIEW GIS MAP POPUP (REST)
28690	View the related GIS map, and then select to have the map automatically attached to work orders when they are released for the equipment or route.	D7i Extended - GIS Map Search - text appears as a caption in the GIS Map Search window.	OSGIMP	VIEW GIS MAP POPUP
			OSGVMP	VIEW GIS MAP POPUP (REST)
47447	View the results for the selected work order session. Click a report button to run the associated report for all work orders in the session.	EAM-34294 Work Orders for Auto-Generated WO Sessio	WSSESS	AUTO-GENERATED WO SESSIONS
47424	View the results summary for work order sessions. Select a session, then click a report button to run the associated report for all work orders in the session.	EAM-34189 Auto-Generated WO Sessions	WSSESS	AUTO-GENERATED WO SESSIONS
35752	View the structure for the selected table and click Close.	EWS.ADMN.UC.TableStructurePopup	BSTBST	TABLE STRUCTURE POPUP
31419	View the transactions and click Close.	Infor EAM (product name); Refer to EWS.WORK.UC.ViewFleetBillTransactionsPop-up	WSBLTX	VIEW FLEET BILLING TRANSACTIONS
37235	View warnings produced by changes in the planning session. Choose to ignore warning conditions then click Close, or correct the condition and revalidate.	EWS.WORK.UC.ForecastingforPMForecasting	WSPFWM	PM FORECASTING WARNING
47274	View/Add Nonconformities	EAM.MOBILE.REQ.MapViewforMobileGIS.docx	BCMOBL	7I MOBILE BOILER TEXT
49801	View/Add Nonconformity	EAM-53502	BCMOBL	7I MOBILE BOILER TEXT
48426	View/Delete Dispatch Labor	EAM.WORK.REQ.GISMapWODispatching.docx/ EAM-38604	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
39432	View/Edit Document	EAM.BASE.UC.DocumentsPopup.DOC	BSDOCP	DOCUMENTS POPUP
37960	View/Select WO/Activity	EWS.WORK.UC.WorkOrderQuickEntry/33701	PSPORD	PURCHASE ORDERS
			WSJOBS	CREATE WORK ORDER
			BSLOVS	LIST OF LOOKUPS
			WSVITE	WORK ORDER QUICK ENTRY
49095	Vintage Year	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
29029	Violation Date	D7i Extended - Access Violations Report	BHVIOL	List Of Violations
			BTVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
			BTVIOL	List Of Violations
			BTVIOL	List Of Violations
			BHVIOL	List Of Violations
16200	Violations After	D7i Extended - Access Violations Report	BTVIOL	List Of Violations
29033	Violations Before		BTVIOL	List Of Violations
29032	Violations Between	D7i Extended - Access Violations Report	BHVIOL	List Of Violations
			BTVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
34984	Violations Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	BHVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
31928	Violations On or After	EWS.CREP.UC.AccessViolations	BHVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34986	Violations On or After :PARAM1	23249-Localization problem with report subtitles	BHVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
32529	Violations On or Before	EWS.CREP.UC.AccessViolations	BHVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
34985	Violations On or Before :PARAM2	23249-Localization problem with report subtitles	BHVIOL	List Of Violations
			BYVIOL	List Of Violations
			BZVIOL	List Of Violations
34441	Visible	EWS.CREP.UC.UserGroupConfiguration.doc	BHUSRL	USERS GROUP CONFIGURATION
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSSTUP	STRUCTURE PREFERENCES ON STRUCTURES TAB
19892	Visible Fields	Infor EAM	BSDTSP	DATASPY
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSRPTG	GENERIC REPORT PARAMETERS
26846	Visible Layers	D7i Extended - GIS Map Search - button that displays the visible layers of a map	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
			WSDEPO	DEPOTS
16241	Volume UOM	This is a field on the usage correlations form and it is used to calculate volume. Enter the unit of measure (UOM) for which to calculate volume.	WSFUEL	FUEL
			PSPOLN	IMPORT PO LINES
30052	Voucher Details	D7i Extended -- Popup on Invoices form -- Container Title	PSINVO	INVOICES
29962	Voucher Total	D7i Extended -- Invoices form -- Field label, noun	PSINVO	INVOICES
19701	Voucher Totals	Header in PMINVO, cost tab.	PSINVO	INVOICES
29969	Vouchers	D7i Extended -- Invoices form -- Title For Original Voucher LOV	BSLOVS	LIST OF LOOKUPS
26022	W	Infor EAM. Refer to PVCS 21288. One character abbreviation for 'Wednesday.'	WSCAPA	WO LOAD BALANCING
			WSWLSH	WO LABOR SCHEDULING
36893	WARNING:	31357	BSDTSP	DATASPY
37226	WARNING: All PM equipment records included in the forecast will be locked within the system; therefore, no changes or PM generation for the PM equipment is possible until the session is approved or cancelled.	32141	WSPMPL	PM FORECASTING
36769	WARNING: Changes to User Defined Field Options apply to supported screens for this entity and for all user groups.	EWS.BASE.UC.ScreenDesigner	BSUDFO	USER DEFINED FIELD OPTIONS
49371	WARNING: Maximum of 500 Custom Fields will display.	EAM.ADMN.REQ.AssociateCustomFields/EAM-47239	BSCLAS	CLASSES
48054	WARNING: Performing Export	EAM-40940	BSCSTF	ASSOCIATE CUSTOM FIELDS
			BSCMEX	CONFIGURATION MANAGER - EXPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
	operations for large datasets can cause high server load. It is recommended this operation be performed during off peak hours.			
36327	WARNING: Performing Import or Export operations for large datasets can cause high server load. It is recommended this operation be performed during off peak hours.	29547	BSCMIM	CONFIGURATION MANAGER – IMPORT
			BSEXAL	EXPORT BASE CONFIGURATION
46607	WARNING: This feature, if implemented incorrectly, could alter or delete data. Infor recommends that these features be enabled only by experts who have received training on these features.	EAM-28213	BSJAVA	EXTENSIBLE FRAMEWORK JAVASCRIPT
			YSFLXS	FLEX SQL
36489	WHERE Clause	26101	BSGRID	GRID DESIGNER
27870	WHERE Statement	Infor EAM - Databridge Administration. Refer to EWS.DBADMIN.UC.CreateEditGLProcessDefinitions.doc.	YSPRCD	GL PROCESS DEFINITIONS
24724	WO	Crossbow	TCJCAH	7I MOBILE BOILER TEXT
			TCJOBL	7I MOBILE BOILER TEXT
		Crossbow - Work Order	TCIRSC	7I MOBILE BOILER TEXT
			TCIRSF	7I MOBILE BOILER TEXT
			TCIRST	7I MOBILE BOILER TEXT
			TCIRSV	7I MOBILE BOILER TEXT
			TCIWIL	7I MOBILE BOILER TEXT
			TCJACL	7I MOBILE BOILER TEXT
			TCJALL	7I MOBILE BOILER TEXT
			TCJAPL	7I MOBILE BOILER TEXT
			TCJATL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCAL	7I MOBILE BOILER TEXT
			TCJCFR	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJCML	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCMRTL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
		D7i Extended -Reports - EWS.REP.UC.PurchaseHistoryPerItemSupplier	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSWHSE	DATA WAREHOUSE
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
			WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WZPMDO	PM DUE OVERVIEW
			WZWORL	LIST OF WORK ORDERS
35246	WO # / Activity	EWS.CREP.UC.ListOfQuotations	QZQUOL	PRINT LIST OF QUOTATION

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24919	WO - Activity	Extended (product name). This is the work order/activity label to be used on the Issue/Return form.	SSISSU	Stock Issues
			SSTTHI	STOCK TO HELD ITEMS TRANSFER
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSVEMS	VIEW EMPLOYEE SCHEDULE
49232	WO Activities	WOActivitiesforOptimizedSchedulerSetup/EAM-47303	WSOPSS	OPTIMIZED SCHEDULER SETUP
49179	WO Activities Dataspy	EAM-47301/EAM.WORK.REQ.OptimizedSchedulerSetup	WSOPSS	OPTIMIZED SCHEDULER SETUP
49200	WO Activities to be Dispatched	OptimizedSchedulerSetup WO Activities/EAM-47303	WSOPSS	OPTIMIZED SCHEDULER SETUP
47480	WO Activity	EAM-35065 EAM Barcode localization	BCMOBL	7I MOBILE BOILER TEXT
39181	WO Activity Details	EAM.PROJ.UC.CampaignEventsforCampaign/41039	JSCAMP	CAMPAIGN
39166	WO Activity Preview	EAM.WORK.UC.EquipmentPreviewforWOLaborScheduling	WSWLSH	WO LABOR SCHEDULING
47481	WO Activity Trade	EAM-35065 EAM Barcode localization	BCMOBL	7I MOBILE BOILER TEXT
22882	WO Actual Duration (Days)		BSOPBB	ACTUAL DURATION (DAYS)
			BSWHSE	DATA WAREHOUSE
21688	WO Actual Hours	Infor EAM - work order actual hours - actual number of hours required for the work order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			BSOPAV	ACTUAL LABOR COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22877	WO Actual Labor Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
22879	WO Actual Labor Hours		BSOPAY	ACTUAL LABOR HOURS
			BSWHSE	DATA WAREHOUSE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
22872	WO Actual Material Cost (Default Currency)	Infor EAM	BSOPAR	ACTUAL MATL COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22873	WO Actual Material Cost (Organization Currency)	Infor EAM	BSWHSE	DATA WAREHOUSE
31738	WO Alias	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
39086	WO Assigned By	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
29695	WO Assigned To	D7i Extended - EWS.WORK.UC.ViewCalibrationResults.doc - field in grid	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29695	WO Assigned To	D7i Extended - EWS.WORK.UC.ViewCalibrationResults.doc - field in grid	WSACMP	ACTIVATE MP POPUP
			WSCALR	VIEW CALIBRATION RESULTS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
26297	WO Authorizations	D7i Extended - WO Authorizations for User Groups - tab text	BHUSRL	USERS GROUP CONFIGURATION
			BSGROU	GROUPS
			BYUSRL	USERS GROUP CONFIGURATION
			BZUSRL	USERS GROUP CONFIGURATION
39214	WO Bundling Options	ParametersforGenerateProductionRequest/41067	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
39662	WO Campaign	EAM.WORK.UC.ParametersforWODailyScheduling/43652	WSWLSH	WO LABOR SCHEDULING
39663	WO Campaign Event	EAM.WORK.UC.ParametersforWODailyScheduling/43652	WSWLSH	WO LABOR SCHEDULING
40539	WO Charge Details	EAM.WORK.REQ.ChargeDefinitionsForCustomerContract	WSCCON	CUSTOMER CONTRACTS
			WSINVC	CUSTOMER INVOICES
30210	WO Claim	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
25822	WO Claim Amount	Extended (product name)	OSCLAI	WARRANTY CLAIMS
30219	WO Claim Close	D7i Extended - Reports - Warranty Claims	OZCLAI	WARRANTY CLAIM REPORT
30796	WO Claim Settlement	D7i Extended - Warranty Claims Report	OZCLAI	WARRANTY CLAIM REPORT
23807	WO Class	Infor EAM - class of the work order - appears on PM schedules to identify custom fields to be copied to the work order	BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZCSTL	WO COST SUMMARY
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23807	WO Class	Infor EAM - class of the work order - appears on PM schedules to identify custom fields to be copied to the work order	WSJOVM	CREATE WORK ORDER
			WSPMPL	PM FORECASTING
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WZCCON	PRINT CUSTOMER CONTRACT
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZPMMD	PRINT METER BASED PM DUE
			WZPPMQ	LIST OF PM SCHEDULES
			WZPPMQ	LIST OF PM SCHEDULES
34190	WO Class Description	EWS.WORK.UC.CreateEditPMWorkPackage.doc	OSECON	CREATE EQUIPMENT CONFIGURATION
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSSTWO	STANDARD WOS
31739	WO Class Org	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			WZPPMQ	LIST OF PM SCHEDULES
24054	WO Class Org.	Infor EAM - organization of the work order class	CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWOUP	WO UPDATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32358	WO Classes	EWS.CREP.UC.MeterBasedPMDue	BSLOVS	LIST OF LOOKUPS
33604	WO Comments	#22323	CSCCTR	CONTACT CENTER
			CSINRE	GUEST INCIDENT REQUEST
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			JSCAMP	CAMPAIGN
			WHJOB	PRINT WORK ORDER
			WSCOPO	CONTRACTOR PORTAL
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
32196	WO Comments:	EWS.REP.UC.PrintPurchaseOrders.doc - Print Purchase Orders	PHORDF	Print Purchase Order
			PYORDF	Print Purchase Order
			PZORDF	Print Purchase Order
23628	WO Completed	Infor EAM - displays the date on which the work order was completed	WSLOGS	CREATE / VIEW SERVICE LOGS
			WSSREQ	SERVICE REQUESTS
			WSVSR	VIEW SERVICE REQUESTS
29768	WO Contains CGMP Equipment	D7i Extended - Calibration Record Report	WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
30555	WO Contains cGMP Equipment	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
39307	WO Cost Code	EAM.WORK.UC.DeactivateMPEquipmentPopup/38268	WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
25825	WO Cost Settlement	Extended (product name)	OSCLAI	WARRANTY CLAIMS
41812	WO Count	EAM-4398	BIWPER	TEN WORST PERFORMERS
22884	WO Created-to-Actual Start Time (Days)		BSWHSE	DATA WAREHOUSE
22885	WO Created-to-Completed Time (Days)		BSWHSE	DATA WAREHOUSE
22883	WO Created-to-Scheduled Start Time (Days)		BSWHSE	DATA WAREHOUSE
32506	WO Criteria	EWS.Work.UC.WOsAllowedforPricingSchedule	WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCPCC	COPY CUSTOMER CONTRACT POPUP
			WSCPCT	COPY CONTRACTTEMPLATE POPUP
			WSCTMP	CONTRACT TEMPLATES
			WZCCON	PRINT CUSTOMER CONTRACT
32513	WO Criteria Details	EWS.Work.UC.WOsAllowedforPricingSchedule	WSARRS	PRICING SCHEDULE
			WSCCON	CUSTOMER CONTRACTS
			WSCTMP	CONTRACT TEMPLATES
39087	WO Criticality	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
30029	WO Custom Field Values	Extended (product name)	WSCPST	COPY STANDARD ORDER POPUP
23944	WO Custom Fields	Infor EAM - see 20540 for current translation	CSSVPB	SERVICE PROBLEM CODES
			WSPPMS	PM SCHEDULES
			WSSTWO	STANDARD WOS
		Crossbow	TCJCFR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46017	WO Dataspy	EWS.GIS.REQ.GISMapSearch.doc/EAM-19620	BSDTSP	DATASPY
27453	WO Department	D7i Extended - Department at Work Order level, to distinguish Department at WO schedule level	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			SSPACK	PACKAGES SCREEN
			WSACMP	ACTIVATE MP POPUP
			WSCALR	VIEW CALIBRATION RESULTS
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
22562	WO Description	Infor EAM - description of a work order	BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSSTOR	STORES
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHJOBL	Labour Hours For Jobs
			WSBWOP	BUNDLED WORK ORDERS
			WSCALR	VIEW CALIBRATION RESULTS
			WSDEBS	CREATE CUSTOMER
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSTASK	TASKS
			WSVITE	WORK ORDER QUICK ENTRY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
22562	WO Description	Infor EAM - description of a work order	WSVLAB	VIEW BOOKED LABOR (DAILY SCHEDULING)
			WSWLAS	VIEW MODIFY ACTIVITY SCHEDULE
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WZJOBL	Labour Hours For Jobs
			WZJOLL	Job List
22561	WO Details	Infor EAM	WZMPAT	PRINT MAINTENANCE PATTERN
			JSCAMP	CAMPAIGN
			JSGNWO	GENERATE WORK ORDER/ACTIVITY
			OSJOBS	CREATE WORK ORDER
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WSJOVH	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSWLSH	WO LABOR SCHEDULING
41333	WO Details for Equipment	EAM-1970	OHTTEC	TOP 10 EQUIPMENT COST
			OZTTEC	TOP 10 EQUIPMENT COST
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
22930	WO Direct Material Cost (Default Currency)		BSOPAI	DIRECT MATL COST (DEFAULT CURRENCY)
22931	WO Direct Material Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
			BSWHSE	DATA WAREHOUSE
25829	WO Direct Purchases	Extended (product name)	OSCLAI	WARRANTY CLAIMS
45434	WO Documents	EAM.WORK.REQ.ContractorPortal :EAM-14829	WSCOPO	CONTRACTOR PORTAL
31740	WO Due Date	EWS.CREP.UC.ElectronicRecords - Electronic Records report	BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSRELJ	RELEASE OF SELECTED JOBS
			BSOPAA	OWN LABOR COST (DEFAULT CURRENCY)
22922	WO Employee Labor Cost (Default Currency)		BSWHSE	DATA WAREHOUSE
22923	WO Employee Labor Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
30130	WO Equip. Org.	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc	SSPART	PARTS
30132	WO Equipment	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc	BCMOBL	7I MOBILE BOILER TEXT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSROTA	CHILD EQUIPMENT REPLACEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30132	WO Equipment	D7i Extended - MATL - EWS.MATL.UC.RepairDetailsforParts.doc	SSPART	PARTS
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WSJOBS	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
47482	WO Equipment Department	EAM-35065 EAM Barcode localization	BCMOBL	7I MOBILE BOILER TEXT
48566	WO Equipment Description	EAM-43954	WSJOBS	CREATE WORK ORDER
22880	WO Equipment Downtime		BSOPAZ	EQUIPMENT DOWNTIME
			BSWHSE	DATA WAREHOUSE
27727	WO Equipment Downtime Cost (Default Currency)	Extended (product name); Work order equipment downtime cost in the default currency	BSWHSE	DATA WAREHOUSE
27728	WO Equipment Downtime Cost (Organization Currency)	Extended (product name); Work order equipment downtime cost in the organization's currency	BSWHSE	DATA WAREHOUSE
39084	WO Equipment Org.	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJOBS	CREATE WORK ORDER
			WSWLSH	WO LABOR SCHEDULING
			BEFFSW	WO EQUIPMENT TYPES FOR FIELD FILTER SETUP
41048	WO Equipment Type	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP	FILTER FIELD SETUP SCREEN
			BSFFWP	SELECT WO EQUIPMENT TYPES
			BSWHSE	DATA WAREHOUSE
28491	WO Equipment Type Description	Data Warehouse. Refer to PVCS 7721.	BSWHSE	DATA WAREHOUSE
41049	WO Equipment Type Details	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP	FILTER FIELD SETUP SCREEN
41047	WO Equipment Types	EAM-559:WO Equipment Types for Field Filter Setup	BSFFSP	FILTER FIELD SETUP SCREEN
21039	WO Est. Hours	Infor EAM - Work order estimated hours - the number of hours estimated to complete the work order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
22874	WO Estimated Labor Cost (Default Currency)	Infor EAM	BSOPAT	ESTIMATED LABOR COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22875	WO Estimated Labor Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
22878	WO Estimated Labor Hours		BSOPAX	ESTIMATED LABOR HOURS
			BSWHSE	DATA WAREHOUSE
22870	WO Estimated Material Cost (Default Currency)	Infor EAM	BSOPAP	ESTIMATED MATL COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22871	WO Estimated Material Cost (Organization Currency)	Infor EAM	BSWHSE	DATA WAREHOUSE
35698	WO Events	28547	CSCRHS	CUSTOMER REQUEST HISTORY
37819	WO Exception Mappings	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
22926	WO Fixed Price Labor Cost (Default Currency)		BSOPAE	FIXED LABOR COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22927	WO Fixed Price Labor Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
35089	WO Header	EWS.EQUIP.UC.ImportTestPointsPopup/16323	OSITPP	IMPORT TEST POINTS
32631	WO Header Equipment	20247	BCMOBL	7I MOBILE BOILER TEXT
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32631	WO Header Equipment	20247	LVMECO	MULTIPLE EQUIPMENT LOOKUP FOR WORK ORDERS
			SHREQF	Print Purchase Requisition
			SYREQF	PRINT PURCHASE REQUISITION
			SZREQF	Print Purchase Requisition
			TCJBKL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJCST	7I MOBILE BOILER TEXT
			TCJPML	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
			WHJOB	PRINT WORK ORDER
			WSDFA	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSWOBU	BATCH WORK ORDER UPDATE
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			CSCCSP	CONTACT CENTER SETUP
			CSCCSP	CONTACT CENTER SETUP
36995	WO Header Only	31095	OSCLAI	WARRANTY CLAIMS
36996	WO Header or Equipment Tab	31095	BSOPAC	HIRED LABOR COST (DEFAULT CURRENCY)
25832	WO Hired Labor	Extended (product name)	BSWHSE	DATA WAREHOUSE
22924	WO Hired Labor Cost (Default Currency)		BSWHSE	DATA WAREHOUSE
22925	WO Hired Labor Cost (Organization Currency)	Extended (product name)	OSCLAI	WARRANTY CLAIMS
25831	WO Labor		WSACMP	ACTIVATE MP POPUP
39306	WO Loc. Org.	EAM.WORK.UC.DeactivateMPEquipmentPopup/38268	WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
31795	WO Location	EWS.GIS.UC.DataFilterImport	WSMPAT	MAINTENANCE PATTERNS
			BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			WSACMP	ACTIVATE MP POPUP
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSMPAT	MAINTENANCE PATTERNS
32747	WO Location Group	EWS.BUD.UC.DetailsForBudgets	WSWLSH	WO LABOR SCHEDULING
			USBUDG	BUDGETS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
32747	WO Location Group	EWS.BUD.UC.DetailsForBudgets	UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
32748	WO Location Groups	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
32745	WO Location Org.	EWS.BUD.UC.DetailsForBudgets	USBUDG	BUDGETS
			WSWLSH	WO LABOR SCHEDULING
32746	WO Locations	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
39660	WO MP Org.	EAM.WORK.UC.ParametersforWODailyScheduling/43652	WSWLSH	WO LABOR SCHEDULING
39661	WO MP Sequence	EAM.WORK.UC.ParametersforWODailyScheduling/43652	WSWLSH	WO LABOR SCHEDULING
39659	WO Maintenance Pattern	EAM.WORK.UC.ParametersforWODailyScheduling/43652	WSWLSH	WO LABOR SCHEDULING
31792	WO Meter UOM	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
35755	WO No.	EWS.ADMN.UC.MP2WorkOrders	BSMPPR	MP2 PURCHASING
			BSMPWO	MP2 WORK ORDERS
			BSSPMR	MP2 SPM READINGS
			WSVITE	WORK ORDER QUICK ENTRY
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
21041	WO OT Hours	Infor EAM - Work order overtime hours - the number of overtime hours worked on a work order, i.e., not regular.	WSJOVM	CREATE WORK ORDER
			OSAPMS	APM SCENARIO
			SSPART	PARTS
			SSPRES	PART RESERVATIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
29693	WO Org.	D7i Extended - EWS.WORK.UC.ViewCalibrationResults.doc - field in grid	SSRCVI	INTERNAL REPAIR RECEIPTS
			WSCALR	VIEW CALIBRATION RESULTS
			WSWODP	VIEW WO DETAILS POPUP
			OSJOBS	CREATE WORK ORDER
			WSBOOK	BOOK LABOR BY EMPLOYEE
			TCJOBR	7I MOBILE BOILER TEXT
22563	WO Organization	Infor EAM - organization of a work order	BSWHSE	DATA WAREHOUSE
28492	WO Organization Description	21411 Data Warehouse. Refer to PVCS 7721.	WSWLSH	WO LABOR SCHEDULING
39081	WO PM Schedule	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	OZCLAI	WARRANTY CLAIM REPORT
43801	WO Parts List	EAM-11311	WEGPWO	WO PREVIEW FOR GENERATE PRODUCTION REQUEST
38750	WO Preview	EWS.WORK.UC.WOPreviewforGenerateProductionRequest	WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
33258	WO Priority	EWS.CCTR.UC.ContactCenter	CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			CZISGH	INCIDENT SUMMARY GRAPH
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
33258	WO Priority	EWS.CCTR.UC.ContactCenter	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSJBPL	JOB PLANS
			WSTASK	TASKS
			WSWLSH	WO LABOR SCHEDULING
			WZCCTR	PRINT SERVICE REQUESTS
39082	WO Project	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	SSPACK	PACKAGES SCREEN
			WSWLSH	WO LABOR SCHEDULING
39083	WO Project Budget	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	SSPACK	PACKAGES SCREEN
			WSWLSH	WO LABOR SCHEDULING
41665	WO Properties	EAM-2171	BSLOVS	LIST OF LOOKUPS
41091	WO Property	EAM.WORK.REQ.IncidentRequests	CSINRE	GUEST INCIDENT REQUEST
21040	WO Regular Hours	Infor EAM - Work order regular hours - the number of regular hours worked on a work order, i.e., not overtime.	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
39085	WO Reported By	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
38803	WO Resources	EWS.WORK.UC.CreateEditProductionRequests	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
31796	WO Safety	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
21687	WO Sched. Hours	Infor EAM - work order scheduled hours - number of hours scheduled for the work order	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
22881	WO Scheduled Duration (Days)		BSOPBA	SCHEDULED DURATION (DAYS)
			BSWHSE	DATA WAREHOUSE
31018	WO Scheduled Labor Hours	Data warehouse.	BSWHSE	DATA WAREHOUSE
39109	WO Scheduled Start Date Range	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
46266	WO Scheduling	Work Order	BCMOBL	7I MOBILE BOILER TEXT
39106	WO Selection Parameters	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
25833	WO Services	Extended (product name)	OSCLAI	WARRANTY CLAIMS
39090	WO Shift	EAM.WORK.UC.ParametersforWOLaborScheduling.doc	WSWLSH	WO LABOR SCHEDULING
24183	WO Status	Extended (product name). Use on the Work Order tab of PM Schedules.	BCMOBL	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			CSCASE	CASE MANAGEMENT
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSSVPB	SERVICE PROBLEM CODES
			ISAPRF	APPROVE INSPECTION RESULTS
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAPMS	APM SCENARIO
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24183	WO Status	Extended (product name). Use on the Work Orderd tab of PM Schedules.	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			SSPACK	PACKAGES SCREEN
			WSBWOG	GENERATE/RELEASE WOS
			WSCALR	VIEW CALIBRATION RESULTS
			WSGWOD	GIS MAP WO DISPATCHING
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMS	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSREQ	SERVICE REQUESTS
			WSTASK	TASKS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WTCALR	CALIBRATION RECORD REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZPMDO	PM DUE OVERVIEW
			BSWHSE	DATA WAREHOUSE
43364	WO Status Description	31312 EAM-10497	WZPMDO	PM DUE OVERVIEW
33783	WO Statuses	SCR#22884	BSLOVS	LIST OF LOOKUPS
			CSCCSP	CONTACT CENTER SETUP
25830	WO Stock Items	Extended (product name)	OSCLAI	WARRANTY CLAIMS
22928	WO Stock Material Cost (Default Currency)		BSOPAG	STOCK MATL COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22929	WO Stock Material Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE
44475	WO Supplier	EAM-14823:	WSJOBS	CREATE WORK ORDER
		EAM.WORK.REQ.DailySchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
44476	WO Supplier Org.	EAM-14823:	WSJOBS	CREATE WORK ORDER
		EAM.WORK.REQ.DailySchedulingForWODailyScheduling	WSWLSH	WO LABOR SCHEDULING
49212	WO System Status	EAM.EQUIP.REQ.ChecklistForEquipment	EAM-45837 OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
22932	WO Tool Usage Cost (Default Currency)		BSOPAK	TOOL USAGE COST (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22933	WO Tool Usage Cost (Organization Currency)		BSWHSE	DATA WAREHOUSE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25828	WO Tools	Extended (product name)	OSCLAI	WARRANTY CLAIMS
29303	WO Totals	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
23804	WO Type	Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	BCMOBL	7I MOBILE BOILER TEXT
			BHUSRL	USERS GROUP CONFIGURATION
			BSGROU	GROUPS
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			BSSTRT	EWS NEW START CENTER
			BYUSRL	USERS GROUP CONFIGURATION
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSSVPB	SERVICE PROBLEM CODES
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			OHOCST	Job Costing By Object Cost
			OHTTEC	TOP 10 EQUIPMENT COST
			OSAPMS	APM SCENARIO
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZTBRK	TOP 10 BREAKDOWN
			OZTTEC	TOP 10 EQUIPMENT COST
			SSPACK	PACKAGES SCREEN
			USBSTR	BUDGET STRUCTURE
			USBUDG	BUDGETS
			UYBANA	BUDGET ANALYSES
			UYBCOL	BUDGETS CONSISTENCY CONTROL
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBCOL	BUDGETS CONSISTENCY CONTROL
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23804	WO Type	Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHJOBF	PRINT WORK ORDER
			WHJOBBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSACTS	ACTIVITIES GRID IN WO SCHEDULING
			WSARRS	PRICING SCHEDULE
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBWOG	GENERATE/RELEASE WOS
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCPQR	CAPITAL PLANNING REQUEST
			WSCTMP	CONTRACT TEMPLATES
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSFLCF	FLEET CONFIGURATION
			WSGWOD	GIS MAP WO DISPATCHING
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPFDP	UPDATE DT POPUP ON FORECASTING FOR PM FORECAST
			WSPMPF	VIEW PM/ACTIVITY DETAILS POPUP
			WSPMPL	PM FORECASTING
			WSPMPM	PM PLANS
			WSPPMS	PM SCHEDULES
			WSRELJ	RELEASE OF SELECTED JOBS
			WSSCHD	WORK ORDER SCHEDULE
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSTWO	STANDARD WOS
			WSTASK	TASKS
			WSWKPK	PM WORK PACKAGES
			WSWLSH	WO LABOR SCHEDULING
			WSWODP	VIEW WO DETAILS POPUP
			WTBLOG	Work Backlog
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTPPML	List Of All Ppm Schedules
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYJOBF	PRINT WORK ORDER
			WYJOBBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYWOAG	WORK ORDER AGING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOST	WORK ORDER STATISTICS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23804	WO Type	Infor EAM - User-definable types of jobs, e.g. inspection, modification, etc.	WZAGRS	PRINT CUSTOMER CONTRACT
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBYPL	LIST OF JOBS BYPASSED DUE TO NESTING
			WZCCON	PRINT CUSTOMER CONTRACT
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPMSP	PM SCHEDULE PROFILE
			WZPMTL	OUT OF TOLERANCE PM
			WZPPML	List Of All Ppm Schedules
			WZPPMQ	LIST OF PM SCHEDULES
			WZVMRS	VMRS ACTIVITIES CHART
			WZWOAG	WORK ORDER AGING REPORT
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
		StatusChangeforIntegratedPlanningConfiguration	BSIPCF	ADVANCED MAINTENANCE PLANNING CONFIGURATION
			JSCAMP	CAMPAIGN
			WZPPMQ	LIST OF PM SCHEDULES
			WSARRS	PRICING SCHEDULE
32508	WO Type Description	EWS.Work.UC.WOsAllowedforPricingSchedule	WSFLCF	FLEET CONFIGURATION
30720	WO Type Details	D7i Extended -- Maintenance for Fleet Config -- Details	USBUDG	BUDGETS
32750	WO Type Group	EWS.BUD.UC.DetailsForBudgets	UYBANA	BUDGET ANALYSES
			UYBDEL	BUDGET POSITION DETAILS
			UYBUDL	LIST OF BUDGETS (LOWER LEVEL)
			UZBANA	BUDGET ANALYSES
			UZBDEL	BUDGET POSITION DETAILS
			UZBUDL	LIST OF BUDGETS (LOWER LEVEL)
			BSLOVS	LIST OF LOOKUPS
32751	WO Type Groups	EWS.BUD.UC.DetailsForBudgets	BSLOVS	LIST OF LOOKUPS
32749	WO Types	EWS.BUD.UC.DetailsForBudgets	CSCCSP	CONTACT CENTER SETUP
45314	WO User Defined Checkbox 01	EAM.WORK.REQ.ContractorPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45315	WO User Defined Checkbox 02	EAM.WORK.REQ.ContractorPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45316	WO User Defined Checkbox 03	EAM.WORK.REQ.ContractorPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45317	WO User Defined Checkbox 04	EAM.WORK.REQ.ContractorPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45318	WO User Defined Checkbox 05	EAM.WORK.REQ.ContractorPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
47822	WO User Defined Checkbox 06	EAM.WORK.REQ.ContractorPortal	WSCOPO	CONTRACTOR PORTAL
47823	WO User Defined Checkbox 07	EAM.WORK.REQ.ContractorPortal	WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47824	WO User Defined Checkbox 08	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47825	WO User Defined Checkbox 09	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47826	WO User Defined Checkbox 10	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
45309	WO User Defined Date 01	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45310	WO User Defined Date 02	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45311	WO User Defined Date 03	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45312	WO User Defined Date 04	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45313	WO User Defined Date 05	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
47812	WO User Defined Date 06	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47813	WO User Defined Date 07	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47814	WO User Defined Date 08	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47815	WO User Defined Date 09	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47816	WO User Defined Date 10	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
45274	WO User Defined Field 01	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45275	WO User Defined Field 02	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45276	WO User Defined Field 03	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45277	WO User Defined Field 04	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45278	WO User Defined Field 05	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45279	WO User Defined Field 06	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45280	WO User Defined Field 07	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45281	WO User Defined Field 08	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45282	WO User Defined Field 09	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45283	WO User Defined Field 10	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45284	WO User Defined Field 11	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45285	WO User Defined Field 12	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45286	WO User Defined Field 13	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45287	WO User Defined Field 14	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45288	WO User Defined Field 15	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45289	WO User Defined Field 16	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45290	WO User Defined Field 17	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45291	WO User Defined Field 18	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45292	WO User Defined Field 19	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45293	WO User Defined Field 20	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45294	WO User Defined Field 21	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45295	WO User Defined Field 22	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45296	WO User Defined Field 23	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45297	WO User Defined Field 24	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45298	WO User Defined Field 25	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45299	WO User Defined Field 26	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45300	WO User Defined Field 27	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45301	WO User Defined Field 28	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45302	WO User Defined Field 29	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45303	WO User Defined Field 30	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
47797	WO User Defined Field 31	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47798	WO User Defined Field 32	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47799	WO User Defined Field 33	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47800	WO User Defined Field 34	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47801	WO User Defined Field 35	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
47802	WO User Defined Field 36	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47803	WO User Defined Field 37	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47804	WO User Defined Field 38	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47805	WO User Defined Field 39	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47806	WO User Defined Field 40	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47807	WO User Defined Field 41	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47808	WO User Defined Field 42	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47809	WO User Defined Field 43	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47810	WO User Defined Field 44	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47811	WO User Defined Field 45	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
49719	WO User Defined Field 46	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49720	WO User Defined Field 47	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49721	WO User Defined Field 48	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49722	WO User Defined Field 49	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49723	WO User Defined Field 50	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49724	WO User Defined Field 51	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49725	WO User Defined Field 52	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49726	WO User Defined Field 53	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49727	WO User Defined Field 54	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
49728	WO User Defined Field 55	EAM.BASE.REQ.UserDefinedFields.doc	WSCOPO	CONTRACTOR PORTAL
39058	WO User Defined Fields	EWS.WORK.UC.CreateEditStandardWO/40383	JSCAMP	CAMPAIGN
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSCOPO	CONTRACTOR PORTAL
			WCSQR	CUSTOMER SERVICE PORTAL
			WSPPM	PM SCHEDULES
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
47435	WO User Defined Note 01	EAM-34252 EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47436	WO User Defined Note 02	EAM-34252 EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
45304	WO User Defined Number 01	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45305	WO User Defined Number 02	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45306	WO User Defined Number 03	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45307	WO User Defined Number 04	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
45308	WO User Defined Number 05	EAM.WORK.REQ.ContractorsPortal - EAM-14829	WSCOPO	CONTRACTOR PORTAL
47817	WO User Defined Number 06	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47818	WO User Defined Number 07	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47819	WO User Defined Number 08	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47820	WO User Defined Number 09	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
47821	WO User Defined Number 10	EAM.WORK.REQ.ContractorsPortal	WSCOPO	CONTRACTOR PORTAL
31789	WO Warranty	EWS.GIS.UC.DataFilterImport	BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSWLSH	WO LABOR SCHEDULING
19360	WO alias	the alias of the work order	WCJOBS	CROSSBOW WORK ORDER FUNCTION
20539	WO class	class of the work order - appears on WMPPMS to identify custom fields to be copied to the work order	WCSTWO	CROSSBOW STANDARD WO LIST
20541	WO class org	WMPPMS organization of the work order class (when	WCSTWO	CROSSBOW STANDARD WO LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25013	WO contains cGMP equipment	copying work order custom fields from the PM to work order) When user prints the report WRJOBFB,WRJOBBA and WRJOBNA. If the work order printed is associated to a cGMP equipment, then the above message will print on the header of the report.	WTJOBFB	Job Cards
20540	WO custom fields	button on WMPPMS to enter custom fields to be copied to the work order	WSCOPO	CONTRACTOR PORTAL
19055	WO status		BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
11917	WO type	User-definable types of jobs, e.g. inspection, modification, etc.	OTCSTL	WORK ORDER COST SUMMARY
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WCSTWO	CROSSBOW STANDARD WO LIST
44519	WO-Activity	EAM:14701	WTJOBFB	Job Cards
27130	WO-Activity-Trade	D7i Extended - label for combined field of wo, activity and trade	BCMOBL	7I MOBILE BOILER TEXT
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
25435	WO/Activity	Crossbow. 'WO' = Work Order.	TCMRTP	7I MOBILE BOILER TEXT
		D7i Extended - Purchase Requisition report	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			SHREQF	Print Purchase Requisition
			SSISSU	Stock Issues
			SYREQF	PRINT PURCHASE REQUISITION
			SYRESL	Parts Currently Reserved/Allocated
			SZREQF	Print Purchase Requisition
			SZRESL	Parts Currently Reserved/Allocated
35970	WO/Equipment Location	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
35971	WO/Equipment Sub-location 1	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
35972	WO/Equipment Sub-location 2	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
35973	WO/Equipment Sub-location 3	EWS.ADMN.UC.MP2InventoryTransactions	BSINTR	MP2 INVENTORY TRANSACTIONS
31339	WO/PM Comments	D7i Extended - Work Order Cards report - Section label for comments	WHJOBFB	PRINT WORK ORDER
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WYJOBFB	PRINT WORK ORDER
			WZJOBFB	PRINT WORK ORDER
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
31102	WO/Task Plan	D7i Extended. 'WO' is a common English abbreviation for 'Work Order.' Please translate as the equivalent of 'Work Order' in the language into which the text is being translated. 'Task' is a noun. A 'task' is a type of activity to be performed.	PZONOL	Approved Order Awaiting Delivery
12004	WO/activity	This field identifies the work order number and the activity associated the the work order, mailny used to book hours for the work order, record tool usage, return a part, etc.	STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			SYRCVF	GOODS RECEIVED NOTE
			SZRCVF	Goods Received Note
33906	WO:	EWS.GIS.UC.GISMapSearch.doc / 23450	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
30453	WOs Between	D7i Extended - Work Order Cost Summary report	OHWOCS	WORK ORDER COST SUMMARY GRAPH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30453	WOs Between	D7i Extended - Work Order Cost Summary report	OZCSTH OZCSTL OZWOCs	WO COST SUMMARY_HOSPITALITY WO COST SUMMARY WORK ORDER COST SUMMARY GRAPH
34679	WOs Between :PARAM1 and :PARAM2	EWS.CREP.UC.WorkOrderCostSummary.doc	OZCSTH OZCSTL	WO COST SUMMARY_HOSPITALITY WO COST SUMMARY
34133	WOs Delivered On Time	EWS.CREP.UC.WorkOrderOnTimeDeliveryByTrade.doc	WZOTDE WZOTDT	WORK ORDER ON TIME DELIVERY BY EMPLOYEE WORK ORDER ON-TIME DELIVERY BY TRADE
29726	WOs Starting Between	D7i Extended - Calibration Record Report	WHCOSL WTCALR WYCOSL WZCALR WZCOSH WZCOSL WZCALR	Job Cost Summary Report CALIBRATION RECORD REPORT Job Cost Summary Report CALIBRATION RECORD REPORT WO COST LIST_HOSPITALITY Job Cost Summary Report CALIBRATION RECORD REPORT
34969	WOs Starting Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles		
29125	WOs Under Warranty	D7i Extended - Work Backlog Report	WTBLOG WZBLOG WZBLOH OTCSTL	Work Backlog Work Backlog WORK BACKLOG_HOSPITALITY WORK ORDER COST SUMMARY
19054	WOs between	part of heading on a report;will end up saying 'jobs between <date> and <date>'		
12462	WOs starting between		WHJOBf WTJOBf WYJOBf WZJOBf WYSCHS WZSCHS	PRINT WORK ORDER Job Cards PRINT WORK ORDER PRINT WORK ORDER Schedule Attainment Report Schedule Attainment Report
31049	WOs were Scheduled or Partially Scheduled	D7i Extended - Schedule Attainment report	BSIMPT BSMPWO	IMPORT CONFIGURATION MP2 WORK ORDERS
39725	WSP	EAM.ADMN.UC.ImportConfiguration/42214	DSSSET	DATABRIDGE SYSTEM SETUP
35817	Wage Code	EWS.ADMN.UC.MP2WorkOrders	BSCMIM BSEXAL	CONFIGURATION MANAGER – IMPORT EXPORT BASE CONFIGURATION
27293	Wait Between Retries (Milliseconds)	Databridge system setup. Refer to PVCS 7210.	BSREPT	REPORT PARAMETERS
35385	Wait for File to be Imported	EWS.ADMN.UC.ImportConfiguration	BSDLUS BSDTCV BSINST	DATA LAKE UPLOAD SETUP DATA CONVERSION (MP2) INSTALL CODES
29527	Wait for Report	D7i Extended - Report Parameters	OSHPPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OSVRHE OSVRHP WSBWOP WSGPRW	CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT VIEW RESOURCE HISTORY OBJs VIEW RESOURCE HISTORY PMS BUNDLED WORK ORDERS GENERATE PRODUCTION REQUEST FOR WORK
47953	Waiting	In Queue		
32419	Warehouse	PVCS # 16298		
38590	Warm-up Time (Hours)	EWS.EQUIP.UC.ResourcesforEquipment / 37415		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
38590	Warm-up Time (Hours)	EWS.EQUIP.UC.ResourcesforEquipment / 37415	WSJOBS WSJOVH WSJOVM WSPDRQ WSPPMS	ORDERS CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PRODUCTION REQUEST PM SCHEDULES
37231	Warning	EWS.WORK.UC.ForecastingforPMForecasting	BCMOBL BSJSDN OSEQGN WSPFWM	7I MOBILE BOILER TEXT COMMON FUNCTION FOR JAVASCRIPT EQUIPMENT GENERATION PM FORECASTING WARNING
38679	Warning Messages	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
38647	Warnings Exist	EWS.EQUIP.UC.CostAnalysisforEquipmentEvaluations	OSEVAL	EQUIPMENT EVALUATIONS
48911	Warnings and Errors	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
19464	Warranties	the number of warranties affected...displays on printed report	BSLOVS BTTMPR BYTMPR BZTMPR OSPCPN OSECON OSEQGN OSHPLY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OZTRAS	LIST OF LOOKUPS LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS LIST OF TAMPERED RECORDS COPY CONFIGURATION POPUP CREATE EQUIPMENT CONFIGURATION EQUIPMENT GENERATION CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT TRANSFER LOG
43315	Warranties Meeting Threshold	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-10426	BAL008 BAL009	WARRANTY EXPIRATION DATE ALERT WARRANTY EXPIRATION USAGE ALERT
42478	Warranties already existed for the equipment. Generation step skipped.	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
12829	Warranty	A document that guarantees the performance of an object, part, etc.	BAL008 BAL009 BSDOCA BZACTD BZEVTD BZRQLD BZTRLD BZWARD CSCCGM JSCAMP OSCLAI OSECON OSEQWR OSGISR	WARRANTY EXPIRATION DATE ALERT WARRANTY EXPIRATION USAGE ALERT DOCUMENTS ELECTRONIC RECORDS FOR ACTIVITIES ELECTRONIC RECORDS FOR EVENTS ELECTRONIC RECORDS FOR REQUISITION LINES ELECTRONIC RECORDS FOR TRANSACTION LINES ELECTRONIC RECORDS FOR WARRANTIES CONTACT CENTER MAP SEARCH CAMPAIGN WARRANTY CLAIMS CREATE EQUIPMENT CONFIGURATION WARRANTY FOR EQUIPMENT GIS MAP SEARCH

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12829	Warranty	A document that guarantees the performance of an object, part, etc.	OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSJOBS	CREATE WORK ORDER
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVEVT	EVENTS FOR EQUIPMENT
			OSWARR	WARRANTY
			OZCLAI	WARRANTY CLAIM REPORT
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			SSISSU	Stock Issues
			SSPART	PARTS
			SSPWCL	PART WARRANTY CLAIMS
			SSREQU	REQUISITIONS
			SSSTOR	STORES
			STTRAL	Printed List Of Stock Transactions
			SYTRAL	Printed List Of Stock Transactions
			SZTRAL	Printed List Of Stock Transactions
			WCJOBS	CROSSBOW WORK ORDER FUNCTION
			WHJOBFB	PRINT WORK ORDER
			WHJOBQB	PRINT WORK ORDER
			WHJOVBH	PRINT WORK ORDER HOSPITALITY
			WHJOVMB	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSJOVBH	CREATE WORK ORDER
			WSJOVMB	CREATE WORK ORDER
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSSREQ	SERVICE REQUESTS
			WSVITE	WORK ORDER QUICK ENTRY
			WSWODPB	VIEW WO DETAILS POPUP
			WSWOUPB	WO UPDATE
			WSWRCPB	CREATE WARRANTY CLAIM POPUP
			WTBLOG	Work Backlog
			WTJOBFB	Job Cards
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZBLOG	Work Backlog
			WZBLOHB	WORK BACKLOG_HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12829	Warranty	A document that guarantees the performance of an object, part, etc.	WZERRF	EXPIRED WARRANTIES
			WZJOBF	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
		Crossbow	WZWOSH	PRINT SHORT WORK ORDER CARDS
			TCJACR	7I MOBILE BOILER TEXT
			TCJEQL	7I MOBILE BOILER TEXT
		Crossbow	TCOHSL	7I MOBILE BOILER TEXT
			BCMOBL	7I MOBILE BOILER TEXT
			TCJCLR	7I MOBILE BOILER TEXT
			TCJEQR	7I MOBILE BOILER TEXT
			TCJOBR	7I MOBILE BOILER TEXT
			WZLWOQ	LIST OF WORK ORDERS
34537	Warranty Claim	26418	BSDOCA	DOCUMENTS
			OSCLAI	WARRANTY CLAIMS
			OZWCSC	WARRANTY CLAIM VS. SETTLE CHART
			BSWHSE	DATA WAREHOUSE
22897	Warranty Claim Amount (Organization Currency)			
22896	Warranty Claim Amount (Default Currency)		BSOPCF	CLAIM AMOUNT (DEFAULT CURRENCY)
			BSWHSE	DATA WAREHOUSE
22981	Warranty Claim Class Code		BSWHSE	DATA WAREHOUSE
22982	Warranty Claim Class Description		BSWHSE	DATA WAREHOUSE
23748	Warranty Claim Class Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
22978	Warranty Claim Code		BSWHSE	DATA WAREHOUSE
22979	Warranty Claim Description		BSWHSE	DATA WAREHOUSE
36733	Warranty Claim Details	EWS.WORK.UC.CreateWarrantyClaimPopup	WSWRCP	CREATE WARRANTY CLAIM POPUP
32227	Warranty Claim Status Code	Data Warehouse dimension attributes	BSWHSE	DATA WAREHOUSE
32228	Warranty Claim Status Description	Data Warehouse dimension attributes.	BSWHSE	DATA WAREHOUSE
32229	Warranty Claim System Status Code	Data Warehouse dimension attributes.	BSWHSE	DATA WAREHOUSE
32230	Warranty Claim System Status Description	Data Warehouse dimension attributes.	BSWHSE	DATA WAREHOUSE
22983	Warranty Claim is open		BSWHSE	DATA WAREHOUSE
41612	Warranty Claim vs. Settlement Chart	Warranty Claim vs. Settlement Chart	OSWARR	WARRANTY
28943	Warranty Claims	Data warehouse Dimension table name.	BSWHSE	DATA WAREHOUSE
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
28906	Warranty Claims Accumulating	Data Warehouse Data Mart.	ASOPAJ	WARRANTY CLAIMS ACCUM SNAP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
28906	Snapshot	Data Warehouse Data Mart.	BSWHSE	DATA WAREHOUSE
22899	Warranty Close Amount (Organization Currency)		BSWHSE	DATA WAREHOUSE
22898	Warranty Close Amount (Default Currency)		BSOPCH	CLOSE AMOUNT (DEFAULT CURRENCY)
22980	Warranty Code		BSWHSE	DATA WAREHOUSE
20759	Warranty Days	Infor EAM - On the parts form...identifies the number of days the selected part is under warranty from the date of issue.	PSPART	SELECT PARTS POPUP FOR PURCHASE ORDERS
			SSPARP	SELECT MULTIPLE PARTS POPUP FOR REQ
			SSPART	PARTS
			SSSUBP	SUBSTITUTE PART POP UP
			WSSMLP	SELECT PARTS POPUP FOR MATERIAL LIST
			BAL008	WARRANTY EXPIRATION DATE ALERT
43296	Warranty Description	EAM.ADMIN.SCOPE.PreConfiguredAlerts EAM-10426	BAL009	WARRANTY EXPIRATION USAGE ALERT
18123	Warranty Details	Group header	OSECON	CREATE EQUIPMENT CONFIGURATION
			OSEQWR	WARRANTY FOR EQUIPMENT
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			OSWARR	WARRANTY
32651	Warranty Expiration	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
32652	Warranty Expiration Between	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
34707	Warranty Expiration Between :PARAM1 and :PARAM2	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
34705	Warranty Expiration On or After :PARAM1	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
34706	Warranty Expiration On or Before :PARAM2	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
22902	Warranty Filed-to-Resolved Time (Days)		BSWHSE	DATA WAREHOUSE
32588	Warranty Name	EWS.CREP.UC.ExpiredWarranties	WZERRF	EXPIRED WARRANTIES
43534	Warranty Org.	EAM-11416 :EAM.MATL.REQ.PartWarrantyClaim	SSPWCL	PART WARRANTY CLAIMS
43407	Warranty Period	EAM-10714 EAM.EQUIP.REQ.PartsforWarranty	OSWARR	WARRANTY
22900	Warranty Reported-to-Filed Time (Days)		BSWHSE	DATA WAREHOUSE
22901	Warranty Reported-to-Resolved Time (Days)		BSWHSE	DATA WAREHOUSE
43164	Warranty Type	EAM.EQUIP.REQ.Warranty	OSWARR	WARRANTY
39589	Weather Normalized Site Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39589	Weather Normalized Site Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
39591	Weather Normalized Site Annual Energy Intensity	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
39593	Weather Normalized Source Annual Energy Consumption	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
39595	Weather Normalized Source Annual Energy Intensity	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
19482	Web	Infor EAM	M1	Pull-Down Menu Texts
25934	Web Service	D7i Extended - Web Services for User Groups - Field label	BSWSPM	WEB SERVICES PROMPT
			OSENSM	ENERGY STAR MESSAGE VIEWER
38948	Web Service Authentication Method	SCR 38957	BSBSET	ADMIN SETUP
25933	Web Service Details	D7i Extended - Web Services for User Groups - Section label	BSWSPM	WEB SERVICES PROMPT
34927	Web Service Prompt	EWS.ADMN.UC.CreateEditWebServicePrompts	BSEXIM	EXPORT CONFIGURATION
			BSWSPM	WEB SERVICES PROMPT
			TCPMTL	7I MOBILE BOILER TEXT
			TCPMTR	7I MOBILE BOILER TEXT
34928	Web Service Prompts	EWS.ADMN.UC.CreateEditWebServicePrompts	BSCMEX	CONFIGURATION MANAGER - EXPORT
			BSEXAL	EXPORT BASE CONFIGURATION
			BSFUNC	CREATE UPDATE SCREENS
			BSVSDP	VIEW STATUS DETAILS POPUP
			BSWSPM	WEB SERVICES PROMPT
			TCESYP	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
25935	Web Services	D7i Extended - Web Services for User Groups - Tab name	BSCWSP BSLOVS BSWSPM BSBSET	COPY WEB SERVICE PROMPT POPUP LIST OF LOOKUPS WEB SERVICES PROMPT ADMIN SETUP
38947	Web User Authentication Method	SCR 38957	BSLOVS	LIST OF LOOKUPS
32918	Webservice Event	EWS.DBADMIN.UC.CreateEditPartners.doc	BCMOBL	7I MOBILE BOILER TEXT
46994	Website Address	EAM-29988 Transit app (iOS) - JSI Work Orders	SSSTOR	STORES
27013	Wed.	Extended (product name) Wednesday	BSFFSP	FILTER FIELD SETUP SCREEN
27844	Wednesday	D7i Extended - Locales form	BSJSCT BSLOCL DSGLPS REPORT WSPPMS WZMSCH	JOB SCHEDULES SCHEDULE TIME POP-UP LOCALE GL PROCESS SCHEDULES General Report Function PM SCHEDULES MONTHLY SCHEDULING DETAILS REPORT
35234	Wednesday End Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
35226	Wednesday Start Time	EWS.CCTR.UC.PeriodsForCalendarGroups/27900	CSCCLGP	CALENDAR GROUPS
12458	Week		WHHREH WYHREL WYVRSL WZHREH WZHREL WZJLPM WZVMRS WZVRSL REPORT BSWHSE	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY Actual Labour Hours Against Estimated VIEW RESOURCE LOAD ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY Actual Labour Hours Against Estimated LABOR PRODUCTIVITY HEALTHCARE VMRS ACTIVITIES CHART VIEW RESOURCE LOAD General Report Function DATA WAREHOUSE
23038	Week Number	Used for date range	BSDEPT	DEPARTMENTS
35137	Week(s)	EWS.CCTR.UC.ServiceProblemCodes	CSCASE CSSVPB OSHPFY OSHPRM OSHPVH OSOBJA OSOBJL OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM	CASE MANAGEMENT SERVICE PROBLEM CODES CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT
37103	Weekend Background Color	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
45124	Weekly	EAM-16968	WZVMRS	VMRS ACTIVITIES CHART
37109	Weekly Designator	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
47937	Weeks	EAM.ADMN.REQ.DataLakeDataUploadSetupSchedules.doc	BSDLUS	DATA LAKE UPLOAD SETUP
16712	Weight		BSMPPR BSUCOD	MP2 PURCHASING SYSTEM CODES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16712	Weight	EAM.EQUIP.REQ.InvestmentOptionsForEquipmentClassDe	OSOCDE	EQUIPMENT CLASS DEFINITION
27768	Weight (%)	D7i Extended - KPI Setup - field label, noun	BSKPIC	DEFINING KPI ENTRIES
48314	Weights	EAM-41025	OSDCUR	DECAY CURVE
24877	Welcome	Crossbow	TCCLOG	7I MOBILE BOILER TEXT
47261	Welcome to	EAM.MOBILE.REQ.Login.docx	BCMOBL	7I MOBILE BOILER TEXT
19718	Welcome to Infor EAM	Infor EAM is the name of the new product	LOGIN	LOGON SCREEN
28451	Weld Type	D7i Extended -- Monitored Data form -- field label on Equipment Details tab	ISMONT	MONITORED DATA
18422	What	This is a field on the activities page of the PPMplan form that describes a value of the activity.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
39743	When Date Worked Outside Activity Date Range	EAM.WORK.UC.BookPOLabor	WSBKPO	BOOK PO LABOR
34815	When Ordering	EWS.CREP.UC.RequestDiscountBasedOnPurchases	CZUSGF	Discount Request Based On Usage
18423	Where	This is a field on the activities page of the PPMplan form that describes a value of the activity.	BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
28874	Where Clause	D7i Extended - Dataspy - field label	BSDTSP	DATASPY
24013	Where Used	Infor EAM - see 14635 for current translation	BSBOIL	GLOBAL TEXT CHANGES
			BSDOCU	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BSPARA	PART ASSOCIATED (NO CATEGORY) GRID
			BSPAWU	WHERE USED POPUP IN PART ASSOCIATED
			JSCULB	COMPATIBLE UNITS LIBRARY
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSRCMT	RCM TEMPLATES
			SSPART	PARTS
			WSCTMP	CONTRACT TEMPLATES
			WSHZRD	HAZARDS
49771	Widget Title	EAM.EQUIP.REQ.EquipmentOverview360/EAM-51120	OSOVIW	EQUIPMENT OVERVIEW 360
46010	Widget Type	EAM-20992	BSHOME	HOME - OVERVIEW SCREEN
			OSOVIW	EQUIPMENT OVERVIEW 360
14357	Width		BSCLAS	CLASSES
			BXLAYO	R5 Screen Layout Editor
			OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
		Crossbow	TCSRP	7I MOBILE BOILER TEXT
42996	Width UOM	EAM-9953:	BSCLAS	CLASSES
		EAM.ADMN.REQ.LinearReferencesForClasses	OSEQLR	LINEAR REFERENCES FUNCTION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
42996	Width UOM	EAM-9953: EAM.ADMN.REQ.LinearReferencesForClasses	OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
27926	Width:	Barcode	FCSCRN	FLAMETHROWER SCREENS
48476	Windows Mobile Menus	EAM-43389 / EAM.ADMN.REQ.MobileMenusforUserGroups	BSGROU	GROUPS
40953	Wing	EAM.EQUIP.REQ.Rooms	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSHPRM	CREATE HOSPITALITY ROOMS
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WSJOVH	CREATE WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
33696	With Part Issued	EWS.PRCH.UC.BookInvoiceAllocations	PSINVA	BOOK INVOICE ALLOCATIONS
31950	With Period End Dates	EWS.REP.UC.FleetBill.doc - Fleet Bill report	WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WYVBIL	VEHICLE BILLING REPORT
			WZVBIL	VEHICLE BILLING REPORT
34695	With Period End Dates Between :PARAM1 and :PARAM2	EWS.CREP.UC.VehicleTicket	WZVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WZVTKT	VEHICLE TICKET REPORT
34696	With Period End Dates On or After :PARAM1	EWS.CREP.UC.VehicleTicket	WZVTKT	VEHICLE TICKET REPORT
34697	With Period End Dates On or Before :PARAM2	EWS.CREP.UC.VehicleTicket	WZVTKT	VEHICLE TICKET REPORT
37245	Withdraw Installed Equipment	Issuing and Returning Parts	SSISSU	Stock Issues
37054	Withdraw/Scrap	EWS.EQUIP.UC.EquipmentChildReplacement	OSROTA	CHILD EQUIPMENT REPLACEMENT
			WSJOBS	CREATE WORK ORDER
20936	Withdrawal Date	Infor EAM - Date we stopped using a piece of equipment	BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			JSCAMP	CAMPAIGN
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSELRS	EQUIPMENT LINEAR REFERENCE SEARCH
			OSEQPP	EQUIPMENT LOOKUP
			OSESCH	RESERVATION CALENDAR
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20936	Withdrawal Date	Infor EAM - Date we stopped using a piece of equipment	OSOVM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSRELR	EQUIPMENT RANKINGS
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSSTRU	STRUCTURE FOR EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			OSOBJS	CREATE ASSET CATEGORY
12344	Withdrawal date	Date we stopped using a piece of equipment The date that an object was taken out off service.	OSVBJA	VIEW ASSET LIST
47087	Within radius	GIS	BCMOBL	7I MOBILE BOILER TEXT
19483	Work	Name of new tab in BNINST to display all the installation parameters that relate to the work module	BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSDSET	DATABRIDGE SETUP
			BSFUNA	AVAILABLE SCREEN FUNCTIONS GRID
			BSFUNM	AVAILABLE SCREEN FUNCTIONS GRID MOBILE
			BSINST	INSTALL CODES
			MMWORK	MOBILE WORK
			TCCRSB	7I MOBILE BOILER TEXT
			BSGROU	GROUPS
48729	Work :PARAM1 Activity :PARAM2 has been stopped. However, the system could not automatically post the labor record because total booked hours exceed 24. Labor record must be manually posted.	EAM-24263- EAM.ADMN.REQ.MobileSettingsforUserGroups	BCMOBL	7I MOBILE BOILER TEXT
		EAM-40704		
29301	Work Accomplished	Extended (product name). Part of the VMRS enhancement. User will be able to select from a list of standard codes that classify and identify the exact work done by the mechanic	BCMOBL	7I MOBILE BOILER TEXT
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZPPAD	ELECTRONIC RECORDS FOR PPM ACTIVITIES
			BZTSKD	ELECTRONIC RECORDS FOR TASKS
			OSWARR	WARRANTY
			OZCLAI	WARRANTY CLAIM REPORT
			WHACTV	VMRS ACTIVITIES
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPACT	IMPORT ACTIVITIES
			WSPPMS	PM SCHEDULES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29301	Work Accomplished	Extended (product name). Part of the VMRS enhancement. User will be able to select from a list of standard codes that classify and identify the exact work done by the mechanic	WSSTWO WSTASK WSVITE WZACTV WZVMRS	STANDARD WOS TASKS WORK ORDER QUICK ENTRY VMRS ACTIVITIES VMRS ACTIVITIES CHART
33256	Work Address	EWS.CCTR.UC.ContactCenter	BZEVTD CSCASE CSCCTR CSCMTK CSINRE CYCCTR CZCCTR JSCAMP OSSCHE OSSTAT OSVEVT OZEQRD WHJOB WSCOPO WSJOBS WSJOVH WSJOVM WSMPAT WSOPSS WYJOB WZCCTR WZJOB	ELECTRONIC RECORDS FOR EVENTS CASE MANAGEMENT CONTACT CENTER CASE MANAGEMENT TASKS GUEST INCIDENT REQUEST CALL CENTER WO REPORT SERVICE REQUEST WO REPORT CAMPAIGN RESERVATION CALENDAR DETAILS POPUP EQUIPMENT OPERATIONAL STATUS EVENTS FOR EQUIPMENT EQUIPMENT RESERVATIONS DETAIL PRINT WORK ORDER CONTRACTOR PORTAL CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER MAINTENANCE PATTERNS OPTIMIZED SCHEDULER SETUP PRINT WORK ORDER PRINT SERVICE REQUESTS PRINT WORK ORDER
30579	Work Backlog	D7i Extended - Work Backlog Report	WZBLOG	Work Backlog
29123	Work Backlog Between	D7i Extended - Work Backlog Report	WZBLOH	WORK BACKLOG_HOSPITALITY
34950	Work Backlog Between :PARAM1 and :PARAM2	23249-Localization problem with report subtitles	WTBLOG WZBLOG WZBLOH	Work Backlog Work Backlog WORK BACKLOG_HOSPITALITY
34948	Work Backlog On or After :PARAM1	23249-Localization problem with report subtitles	WZBLOG WZBLOH	Work Backlog WORK BACKLOG_HOSPITALITY
34949	Work Backlog On or Before :PARAM2	23249-Localization problem with report subtitles	WZBLOG WZBLOH	Work Backlog WORK BACKLOG_HOSPITALITY
31365	Work Completed	D7i Extended - Equipment History report	OZHISL	Object History
36053	Work Date	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS
35342	Work Details	EWS.CREP.UC.CallCenterWorkOrder	BCMOBL CYCCTR CZCCTR WSMECH WZDELP	71 MOBILE BOILER TEXT CALL CENTER WO REPORT SERVICE REQUEST WO REPORT MECHANIC'S WORKBENCH PROOF OF DELIVERY
49708	Work Function	EAM.PROJ.REQ.FERCUnitEstimateforCUEstimate	JSCUES	CU ESTIMATES
40091	Work History	#47652	OZPROF	EQUIPMENT PROFILE
40084	Work History End Date	#47652	OZPROF	EQUIPMENT PROFILE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40083	Work History Start Date	#47652	OZPROF	EQUIPMENT PROFILE
37096	Work Hours per Day	EWS.WORK.Parameters for PM Forecasting	WSPMPL	PM FORECASTING
			WSPMRL	PM FORECASTING VIEW RESOURCE LOAD POPUP
24725	Work Offline	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
24726	Work Online	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
20086	Work Order	Infor EAM - displays work orders	BAL011	WORK ORDER STATUS ESCALATION
			BAL016	WORK ORDER GENERATION - PM SCHEDULES
			BAL018	WORK ORDER GENERATION - MPS
			BSALRT	ALERT MANAGEMENT SYSTEM
			BSALTP	ALERT TEXT PARAMETERS POPUP
			BSDOCA	DOCUMENTS
			BSEXIM	EXPORT CONFIGURATION
			BSLOVS	LIST OF LOOKUPS
			BSMPWO	MP2 WORK ORDERS
			BSTART	INFOR EAM 7I EXTENDED START PAGE GRID
			BZACTD	ELECTRONIC RECORDS FOR ACTIVITIES
			BZCHKA	CHECKLIST AUDIT
			BZEPOD	ELECTRONIC RECORDS FOR EVENT POINTS
			BZESTD	ELECTRONIC RECORDS FOR STANDARDS
			BZETPD	ELECTRONIC RECORDS FOR TEST POINTS
			BZEVTD	ELECTRONIC RECORDS FOR EVENTS
			BZPICD	ELECTRONIC RECORDS FOR PICK LISTS
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			BZPRQD	ELECTRONIC RECORDS FOR PRODUCTION REQUESTS
			BZQULD	ELECTRONIC RECORDS FOR QUOTATION LINES
			BZREQD	ELECTRONIC RECORDS FOR REQUISITIONS
			BZRFLD	ELECTRONIC RECORDS FOR RFQ LINES
			BZRFQD	ELECTRONIC RECORDS FOR RFQS
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
			BZTRLD	ELECTRONIC RECORDS FOR TRANSACTION LINES
			CSCASE	CASE MANAGEMENT
			CSCCGM	CONTACT CENTER MAP SEARCH
			CSCCTR	CONTACT CENTER
			CSCMTK	CASE MANAGEMENT TASKS
			CSCRHS	CUSTOMER REQUEST HISTORY
			CSCSUR	CUSTOMER SURVEYS
			CSEVTF	CALL CENTER EVENT TYPE FILTER
			CSINRE	GUEST INCIDENT REQUEST
			CYCCTR	CALL CENTER WO REPORT
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZISGH	INCIDENT SUMMARY GRAPH
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDSM	PRINT PENALTY DEDUCTION SUMAMRY
			CZSURR	CUSTOMER SURVEY RESULTS
			ISAPRF	APPROVE INSPECTION RESULTS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Infor EAM - displays work orders	ISMONT	MONITORED DATA
			ITCHKF	Inspection results
			ITJBRT	Inspection Route Report
			ITRSLF	LIST OF INSPECTION RESULTS
			IYCHKF	Inspection results
			IYJBRT	Inspection Route Report
			IYRSLF	LIST OF INSPECTION RESULTS
			IZCHKF	Inspection results
			IZJBRT	Inspection Route Report
			IZRSLF	LIST OF INSPECTION RESULTS
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			JZJOBL	LIST OF JOBS FOR PROJECT
			OHTTEC	TOP 10 EQUIPMENT COST
			OSAPMS	APM SCENARIO
			OSAREA	READING FOR ASSET
			OSCLAI	WARRANTY CLAIMS
			OSEQMR	METER READINGS FOR EQUIPMENT
			OSEQPM	PM SCHEDULES
			OSGEVT	GIS MAP ATTRIBUTES
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSITPP	IMPORT TEST POINTS
			OSJOBS	CREATE WORK ORDER
			OSLREA	READING FOR LOCATION
			OSMUSE	MATERIAL USAGE ON EQUIPMENT
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSPREA	READING FOR POSITION
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OSSREA	READING FOR SYSTEM
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OSVCST	COSTS FOR EQUIPMENT
			OSVORD	PURCHASE ORDER TAB FOR EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			OTCAHI	CALIBRATION HISTORY REPORT
			OZCAHI	CALIBRATION HISTORY REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Infor EAM - displays work orders	OZCLAI	WARRANTY CLAIM REPORT
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZEQPL	EQUIPMENT PLANNING
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZHISD	EQUIPMENT HISTORY DRILLDOWN
			OZHISL	Object History
			OZNCFL	LIST OF NONCONFORMITIES
			OZPROF	EQUIPMENT PROFILE
			OZTTEC	TOP 10 EQUIPMENT COST
			OZWRCC	WORK ORDER REPAIR COSTS CHART
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVA	BOOK INVOICE ALLOCATIONS
			PSINVO	INVOICES
			PSPARP	SELECT PARTS POPUP
			PSPOLN	IMPORT PO LINES
			PSPORD	PURCHASE ORDERS
			PSPORH	PO HISTORY
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PSWOPP	RETRIEVE WORK ORDER PARTS
			PSWOSR	RETRIEVE WORK ORDER SERVICES
			PZONOL	Approved Order Awaiting Delivery
			PZQUOS	QUOTATION SUMMARY
			SHREQF	Print Purchase Requisition
			SSAREQ	VIEW/APPROVE PURCHASE REQUISITION
			SSASGN	GENERATE POS
			SSCNRL	CANCEL MULTIPLE RECEIPT LINES
			SSGRFQ	GENERATE RFQS
			SSHIXF	HELD ITEMS TRANSFER
			SSHSXF	HELD ITEMS TO STOCK TRANSFER
			SSPACK	PACKAGES SCREEN
			SSPARR	PARTS RESERVATIONS
			SSPART	PARTS
			SSPICK	PICK TICKETS
			SSPRES	PART RESERVATIONS
			SSPWCL	PART WARRANTY CLAIMS
			SSPWIP	IMPORT PARTS POPUP
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSRECV	PO RECEIPTS
			SSREQF	GENERATE REQ
			SSREQ	REQUISITION LINE
			SSREQS	CREATE PURCHASE REQUISITION
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRMPL	RETRIEVE MULTIPLE PARTS
			SSRQLL	REQUISITION LINE
			SSSTOR	STORES

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Infor EAM - displays work orders	SSSUPP	SUPPLIERS
			SSVREQ	VIEW PURCHASE STATUS
			SYHISL	Purchase History Per Item/Supplier
			SY PICK	Pick List Print
			SYRESL	Parts Currently Reserved/Allocated
			SYRETN	LIST OF RETURNS
			SZHISL	Purchase History Per Item/Supplier
			SZ PICK	Pick List Print
			SZREQF	Print Purchase Requisition
			SZRESL	Parts Currently Reserved/Allocated
			SZRETN	LIST OF RETURNS
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHBLAC	BOOKED LABOR BY ACTIVITY
			WHBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WHCOSL	Job Cost Summary Report
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOB F	PRINT WORK ORDER
			WHJOB L	Labour Hours For Jobs
			WHJOB Q	PRINT WORK ORDER
			WHJOV H	PRINT WORK ORDER HOSPITALITY
			WHJOV M	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWEMP	WORK BY EMPLOYEE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSAGRS	CUSTOMER CONTRACTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSASRD	ASSIGN REPAIR DETAILS
			WSATCP	CHECKLIST POPUP
			WSBKPO	BOOK PO LABOR
			WSBLCR	BOOK LABOR CORRECTION POPUP
			WSBLTX	VIEW FLEET BILLING TRANSACTIONS
			WSBOOK	BOOK LABOR BY EMPLOYEE
			WSBREA	BATCH METER READINGS FOR WORK ORDER
			WSBWOG	GENERATE/RELEASE WOS
			WSBWOP	BUNDLED WORK ORDERS
			WSCALR	VIEW CALIBRATION RESULTS
			WSCAPA	WO LOAD BALANCING
			WSCCON	CUSTOMER CONTRACTS
			WSCHST	CHANGE WO STATUS POPUP
			WSCJOB	APPROVE CUSTOMER CHARGES
			WSCJOP	GENERATE ALL CUSTOMER CHARGES
			WSCLSR	CLOSE SERVICE REQUEST
			WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
			WSCOPO	CONTRACTOR PORTAL
			WSCP RQ	CAPITAL PLANNING REQUEST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Infor EAM - displays work orders	WSDEBE	EVENTS FOR CUSTOMERS
			WSDEBS	CREATE CUSTOMER
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP
			WSDFAC	DEFERRED MAINTENANCE
			WSDFAP	ADD DEFERRED ACTIVITIES
			WSDIMR	DIRECT MATERIAL REALLOCATION
			WSEMUP	EQUIPMENT MATERIAL USAGE
			WSFLTK	FLEET VEHICLE TICKETS
			WSGDDL	VIEW/DELETE DISPATCH LABOR POPUP
			WSGISD	MAP VIEW
			WSGPRW	GENERATE PRODUCTION REQUEST FOR WORK ORDERS
			WSGWOD	GIS MAP WO DISPATCHING
			WSINVC	CUSTOMER INVOICES
			WSINVL	CUSTOMER INVOICE LINES OVERVIEW
			WSINVP	GENERATE INVOICES
			WSINVS	CUSTOMER INVOICES
			WSJOBS	CREATE WORK ORDER
			WSJOIN	CREATE INVOICE FOR WO
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSLREQ	LABOR REQUISITION FOR ACTIVITIES
			WSLRQJ	CREATE LABOR REQUISITION FOR WO JOB
			WSMECH	MECHANIC'S WORKBENCH
			WSMPAT	MAINTENANCE PATTERNS
			WSOPSQ	OPTIMIZED WO SEQUENCE
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPDRQ	PRODUCTION REQUEST
			WSPFLG	PM FORECAST LEGEND POPUP
			WSPLPA	PLANNED PART AVAILABILITY
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSRELJ	RELEASE OF SELECTED JOBS
			WSRVCS	REVISION CONTROL SETUP
			WSSCHD	WORK ORDER SCHEDULE
			WSSESS	AUTO-GENERATED WO SESSIONS
			WSSRBK	BOOK HOURS FOR SERVICE REQUEST
			WSSREQ	SERVICE REQUESTS
			WSSRIS	ISSUE PARTS FOR SERVICE REQUEST
			WSTOOL	TOOLS
			WSVEMS	VIEW EMPLOYEE SCHEDULE
			WSVITE	WORK ORDER QUICK ENTRY
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWLSH	WO LABOR SCHEDULING
			WSWLWD	WO DETAILS FOR WO DAILY SCHEDULING
			WSWOBU	BATCH WORK ORDER UPDATE

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Infor EAM - displays work orders	WSWODP	VIEW WO DETAILS POPUP
			WSWORS	CHANGE INSPECTION STATUS
			WSWOUP	WO UPDATE
			WSWRCP	CREATE WARRANTY CLAIM POPUP
			WSWREQ	WORK REQUEST
			WTBLOG	Work Backlog
			WTCALA	CALIBRATION ANALYSIS
			WTCALD	CALIBRATION DUE REPORT
			WTCALR	CALIBRATION RECORD REPORT
			WTCART	CALIBRATION REVERSE TRACEABILITY
			WTJOBL	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERF	Permits For Jobs
			WTPERL	List Of Permit Issues
			WTSCHA	Scheduled Activities
			WTVTKT	VEHICLE TICKET REPORT
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSL	Job Cost Summary Report
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOBF	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYTOCO	TOOL USAGE
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBLAC	BOOKED LABOR BY ACTIVITY
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBWOG	BATCH WORK ORDER GENERATION SUMMARY
			WZCALA	CALIBRATION ANALYSIS
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCART	CALIBRATION REVERSE TRACEABILITY
			WZCCTR	PRINT SERVICE REQUESTS
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZDELP	PROOF OF DELIVERY
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Infor EAM - displays work orders	WZEPRO	EMPLOYEE PRODUCTIVITY
			WZINVS	CUSTOMER INVOICE REPORT
			WZIRQO	SERVICE REQUEST OVERVIEW
			WZIRST	SERVICE REQUEST STATUS SUMMARY BY TYPE
			WZJOBF	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZJSIR	JOINT SWITCH AND FROG INSPECTION FORM
			WZLMWO	LIST OF MAINTENANCE WO
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMPAT	PRINT MAINTENANCE PATTERN
			WZMSCH	MONTHLY SCHEDULING DETAILS REPORT
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCC	PM REPAIR COSTS CHART
			WZPMCP	PM COMPLAINE
			WZPMMD	PRINT METER BASED PM DUE
			WZPMTL	OUT OF TOLERANCE PM
			WZPTWR	PRINT PERMIT TO WORK
			WZRTBD	RESPONSE TIME BY DEPARTMENT
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSJOB	SAFETY WORK ORDER REPORT
			WZSRQL	SERVICE REQUESTS LIST
			WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZTOCO	TOOL USAGE
			WZVMRS	VMRS ACTIVITIES CHART
			WZVTKT	VEHICLE TICKET REPORT
			WZWEMP	WORK BY EMPLOYEE
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOLG	PRINT WO LONG
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
			YSACCD	VIEW GL VALUES
		Crossbow	OZEQPL	EQUIPMENT PLANNING
			PZRFQS	REQUEST FOR QUOTATION SUMMARY
			TCCRSB	7I MOBILE BOILER TEXT
			TCESYP	7I MOBILE BOILER TEXT
			TCIWOL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20086	Work Order	Crossbow Crossbow	WCWOLS BCMOBL TCJOBL WZOSRQ WCJOBS	CROSSBOW WORK MENU FUNCTION 7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT OPEN SERVICE REQUESTS CROSSBOW WORK ORDER FUNCTION
20153	Work Order - Activity	Crossbow - function title Infor EAM - work order number plus activity number	BSLOVS BZRFQD OSWKMV PSINVA PSINVO PSPORD PSRFQR PSRFQT SSBRKT SSHIXF SSHSXF SSISSP SSPACK SSREQL SSREQS SSREQU SSRETP SSVREQ WSBKPO WZMOVA	LIST OF LOOKUPS ELECTRONIC RECORDS FOR RFQS WORKSPACE MOVES BOOK INVOICE ALLOCATIONS INVOICES PURCHASE ORDERS QUOTATIONS REQUESTS FOR QUOTATIONS BREAKUP KIT HELD ITEMS TRANSFER HELD ITEMS TO STOCK TRANSFER ISSUE PART PACKAGES SCREEN REQUISITION LINE CREATE PURCHASE REQUISITION REQUISITIONS RETURN PART VIEW PURCHASE STATUS BOOK PO LABOR WORKSPACE MOVES ASSOCIATIONS LIST
23307	Work Order Action Code		BSWHSE	DATA WAREHOUSE
23308	Work Order Action Description		BSWHSE	DATA WAREHOUSE
27128	Work Order Activities	D7i Extended - title of view schedule Work Order Activities	OSGISW WCJOBS WSWLSH	VIEW AND/OR SCHEDULE WORK ORDER LABOR CROSSBOW WORK ORDER FUNCTION WO LABOR SCHEDULING
24880	Work Order Activity	Crossbow EAM-28007/EAM.EQUIP.REQ.OpenRepairsforEquipment	TCJACL OSOBJA	7I MOBILE BOILER TEXT CREATE ASSET EQUIPMENT
37818	Work Order Alert Details	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
37808	Work Order Alerts	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
42879	Work Order Assigned By	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
42878	Work Order Assigned To	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
23295	Work Order Assigned-by Code		BSWHSE	DATA WAREHOUSE
23296	Work Order Assigned-by Name		BSWHSE	DATA WAREHOUSE
23297	Work Order Assigned-to Code		BSWHSE	DATA WAREHOUSE
23298	Work Order Assigned-to Name		BSWHSE	DATA WAREHOUSE
37100	Work Order Background Color	EWS.WORK.Parameters for PM Forecasting	WSPMPL WSPMPP WZPMFC	PM FORECASTING COLOR POPUP PM FORECASTING
23305	Work Order Cause Code		BSWHSE	DATA WAREHOUSE
23306	Work Order Cause Description		BSWHSE	DATA WAREHOUSE
46976	Work Order Checklist	EAM-30011 Transit app (iOS) - Work Order Checklist EAM.MOBILE.REQ.WorkOrderChecklist	WCWJSI BCMOBL	CROSSBOW JSI WORK ORDER FUNCTION 7I MOBILE BOILER TEXT
46123	Work Order Checklists	EAM.EQUIP.REQ.WorkOrderChecklistsforEquipment	OSOBJA	CREATE ASSET EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
46123	Work Order Checklists	EAM.EQUIP.REQ.WorkOrderChecklistsforEquipment	OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
23281	Work Order Class Code		BSWHSE	DATA WAREHOUSE
23282	Work Order Class Description		BSWHSE	DATA WAREHOUSE
			WSJOBS	CREATE WORK ORDER
23741	Work Order Class Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
23275	Work Order Code		BSWHSE	DATA WAREHOUSE
24881	Work Order Comments	Crossbow	TCCERR	7I MOBILE BOILER TEXT
			TCJCML	7I MOBILE BOILER TEXT
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
		EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
41174	Work Order Compliance Details	EAM-653	WHJOVM	PRINT WORK ORDER HEALTHCARE
			WZJOVM	PRINT WORK ORDER HEALTHCARE
23285	Work Order Cost Code		BEGWEQ	GIS DATA IMPORT FILTER GRID WO EQUIPMENT
			BSWHSE	DATA WAREHOUSE
			OSEQGN	EQUIPMENT GENERATION
23286	Work Order Cost Code Description		BSWHSE	DATA WAREHOUSE
18232	Work Order Cost Details	Group header	WSCJOB	APPROVE CUSTOMER CHARGES
34370	Work Order Cost Summary Graph By Cost Code	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
34369	Work Order Cost Summary Graph By Department	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
34371	Work Order Cost Summary Graph By Equipment	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
34368	Work Order Cost Summary Graph By Location	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
34372	Work Order Cost Summary Graph By Trade	26376	OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
28904	Work Order Costs Daily Snapshot	Data Warehouse Data Mart.	ASOPAK	WO COST DAILY SNAPSHOT
			BSWHSE	DATA WAREHOUSE
28910	Work Order Costs Rolled Up By Equipment	Data Warehouse Data Mart.	ASOPAF	EQUIPMENT ROLLUP DAILY SNAPSHOT
			BSWHSE	DATA WAREHOUSE
26249	Work Order Count	D7i Extended - The count of work order filtered with certain criteria (for work order count variable in 7i-EWS-Analytics)	BSWHSE	DATA WAREHOUSE
29710	Work Order Custom Fields	D7i Extended - Calibration Record Report	CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			WHJOBFB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVB	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOBFB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOBFB	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
29710	Work Order Custom Fields	D7I Extended - Calibration Record Report	WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
42875	Work Order Department	EAM.EQUIP.REQ.EquipmentGeneration	BAL011	WORK ORDER STATUS ESCALATION
			OSEQGN	EQUIPMENT GENERATION
			SSREQF	GENERATE REQS
38770	Work Order Desc.	37916	WSGWOD	GIS MAP WO DISPATCHING
			WSJOBS	CREATE WORK ORDER
			WSPDRQ	PRODUCTION REQUEST
23276	Work Order Description		BAL011	WORK ORDER STATUS ESCALATION
			BSWHSE	DATA WAREHOUSE
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			SSISSU	Stock Issues
			SSREQS	CREATE PURCHASE REQUISITION
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WSAGRS	CUSTOMER CONTRACTS
			WSCOPO	CONTRACTOR PORTAL
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWORS	CHANGE INSPECTION STATUS
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZPMTL	OUT OF TOLERANCE PM
			BCMOBL	7I MOBILE BOILER TEXT
			CSINRE	GUEST INCIDENT REQUEST
			CSSVPB	SERVICE PROBLEM CODES
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			OSAPMS	APM SCENARIO
			OSFAIL	FAILURE MODES POPUP
			OSJOBS	CREATE WORK ORDER
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSROTA	CHILD EQUIPMENT REPLACEMENT
17473	Work Order Details		PSRFQR	QUOTATIONS
			PTORDF	Print Purchase Order
			WSCHST	CHANGE WO STATUS POPUP
			WSCOPO	CONTRACTOR PORTAL
			WSDFAC	DEFERRED MAINTENANCE
			WSJOBS	CREATE WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
17473	Work Order Details		WSJOVM	CREATE WORK ORDER
			WSPPMS	PM SCHEDULES
			WSQCWO	QUICK CLOSE WORK ORDER
			WSSREQ	SERVICE REQUESTS
			WSSTWO	STANDARD WOS
			WSWADP	VIEW WO/ACTIVITIES DETAILS POPUP
			WSWKPK	PM WORK PACKAGES
			WSWODP	VIEW WO DETAILS POPUP
46271	Work Order Documents	Workorder Documents	BCMOBL	7I MOBILE BOILER TEXT
22840	Work Order EQ	Infor EAM - work order parts import parts popup - option from which to import the parts. In this case, the wor order equipment	WSIMPL	IMPORT PART LIST
44488	Work Order Equipment	EAM-14486	BCMOBL	7I MOBILE BOILER TEXT
23299	Work Order Equipment under Warranty		BSWHSE	DATA WAREHOUSE
37453	Work Order Event Log Types	EWS.CCTR.UC.EventLogTypeFilter / 32566	CSEVTF	CALL CENTER EVENT TYPE FILTER
23277	Work Order Event Type Code		BSWHSE	DATA WAREHOUSE
23278	Work Order Event Type Description		BSWHSE	DATA WAREHOUSE
23303	Work Order Failure Code		BSWHSE	DATA WAREHOUSE
23304	Work Order Failure Description		BSWHSE	DATA WAREHOUSE
45526	Work Order Field	EAM.ADMN.REQ.AdditionalFieldMappingPopup	BSAFMP	ADDITIONAL FIELD MAPPING POPUP
45547	Work Order Fields	EAM.ADMN.REQ.AdditionalFieldMappingPopup	BSLOVS	LIST OF LOOKUPS
34151	Work Order Header	Work Order Quick Entry	WSVITE	WORK ORDER QUICK ENTRY
42877	Work Order Location	EAM.EQUIP.REQ.EquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
23287	Work Order Location Code		BSWHSE	DATA WAREHOUSE
23288	Work Order Location Description		BSWHSE	DATA WAREHOUSE
42903	Work Order Location Org.	EAM-9216, EQUIP.REQ.DetailsForEquipmentGeneration	OSEQGN	EQUIPMENT GENERATION
23753	Work Order Location Organization Code	Infor EAM	BSWHSE	DATA WAREHOUSE
21775	Work Order Org.	Infor EAM	BAL011	WORK ORDER STATUS ESCALATION
			BSALRT	ALERT MANAGEMENT SYSTEM
			CSCCTR	CONTACT CENTER
			OSEQPM	PM SCHEDULES
			OSGISW	VIEW AND/OR SCHEDULE WORK ORDER LABOR
			OSHPPY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSROTA	CHILD EQUIPMENT REPLACEMENT
			SSWOAP	SERVICE FOR REQ. - CREATE WO POP-UP
			WHPTWR	PRINT PERMIT TO WORK
			WSACMP	ACTIVATE MP POPUP
			WSCAPA	WO LOAD BALANCING

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions			
			Code	Description		
21775	Work Order Org.	Infor EAM	WSCCON	CUSTOMER CONTRACTS		
			WSDEMP	DEACTIVATE MP EQUIPMENT POPUP		
			WSGWOP	GIS WO DISPATCH - PARAMETERS		
			WSMPAT	MAINTENANCE PATTERNS		
			WSPMPL	PM FORECASTING		
			WSPPMP	PM PLANS		
			WSPPMS	PM SCHEDULES		
			WSRTEP	ROUTE LOOKUP		
			WSSCHD	WORK ORDER SCHEDULE		
			WSWKPK	PM WORK PACKAGES		
			WSWLSH	WO LABOR SCHEDULING		
			WZPTWR	PRINT PERMIT TO WORK		
			37964	Work Order Org. Field	EWS.ADMN.UC.WorkOrderAlertsforAlerts	BSALRT
42902	Work Order Organization	EAM-9216, EQUIP.REQ.DetailsForEquipmentGeneration	OSEQGN	EQUIPMENT GENERATION		
			WSGWOD	GIS MAP WO DISPATCHING		
24882	Work Order Permit	Crossbow	TCJPML	7I MOBILE BOILER TEXT		
49355	Work Order Pins	EAM-49402	WSGISD	MAP VIEW		
34295	Work Order Priorities	EWS.ADMN.UC.WorkSetup	BSDTCV	DATA CONVERSION (MP2)		
			BSWSET	WORK SETUP		
23292	Work Order Priority	EWS.ADMN.UC.CreateEditAlerts / 33833	BSWHSE	DATA WAREHOUSE		
37825	Work Order Priority Field		BSALRT	ALERT MANAGEMENT SYSTEM		
23301	Work Order Problem Code		BSWHSE	DATA WAREHOUSE		
23302	Work Order Problem Description		BSWHSE	DATA WAREHOUSE		
23291	Work Order Project Budget Code		BSWHSE	DATA WAREHOUSE		
23289	Work Order Project Code		BSWHSE	DATA WAREHOUSE		
23290	Work Order Project Description		BSWHSE	DATA WAREHOUSE		
21181	Work Order Quick Close		Infor EAM - name of form to rapidly close work orders	WSQCWO	QUICK CLOSE WORK ORDER	
45621	Work Order Release		EAM.ADMN.SCOPE.PreConfiguredAlerts	BAL015	CREATE WORK ORDER FOR NONCONFORMITIES	
23300	Work Order Reopened			BSWHSE	DATA WAREHOUSE	
41547	Work Order Repair Costs Chart	EAM-2337	OZWRCC	WORK ORDER REPAIR COSTS CHART		
			OSHPPFY	CREATE HOSPITALITY FACILITIES		
		OSHPRM	CREATE HOSPITALITY ROOMS			
		OSHPPVH	CREATE VEHICLE EQUIPMENT			
		OSOBJA	CREATE ASSET EQUIPMENT			
		OSOBJP	CREATE POSITION EQUIPMENT			
		OSOBJS	CREATE SYSTEM EQUIPMENT			
		OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT			
		OSOVPM	CREATE POSITION EQUIPMENT			
		OSOVSM	CREATE SYSTEM EQUIPMENT			
		38624	Work Order Resources	37453	WEJOBR	WORK ORDER RESOURCES TAB WEB SERVICE
		48548	Work Order Safety	EAM-44345: User Groups Mobile Screen Permissions	WCJOBS	CROSSBOW WORK ORDER FUNCTION
		23293	Work Order Shift Code		BSWHSE	DATA WAREHOUSE
23294	Work Order Shift Description		BSWHSE	DATA WAREHOUSE		
35889	Work Order Site	EWS.ADMN.UC.MP2SPMReadings	BSSPMR	MP2 SPM READINGS		
20177	Work Order Status	Infor EAM - Used to display Work order Status	OZEQPL	EQUIPMENT PLANNING		
			WSLOGS	CREATE / VIEW SERVICE LOGS		
23283	Work Order Status Code		BSWHSE	DATA WAREHOUSE		
23284	Work Order Status Description		BSWHSE	DATA WAREHOUSE		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23284	Work Order Status Description		OZEQPL	EQUIPMENT PLANNING
34294	Work Order Statuses	EWS.ADMN.UC.WorkSetup	BSLOVS	LIST OF LOOKUPS
			BSWSET	WORK SETUP
			CSCCSP	CONTACT CENTER SETUP
29404	Work Order System Status Code		BSWHSE	DATA WAREHOUSE
29405	Work Order System Status Description		BSWHSE	DATA WAREHOUSE
29402	Work Order System Type Code		BSWHSE	DATA WAREHOUSE
29403	Work Order System Type Description		BSWHSE	DATA WAREHOUSE
35829	Work Order Type	EWS.ADMN.UC.MP2WorkRequests	BIWONT	WO COUNT BY WO TYPE
			BSARCH	CREATE / EDIT ARCHIVE RECORDS
			BSMPWR	MP2 WORK REQUESTS
			WSCOPO	CONTRACTOR PORTAL
			WZRTBD	RESPONSE TIME BY DEPARTMENT
23279	Work Order Type Code		BSWHSE	DATA WAREHOUSE
23280	Work Order Type Description		BSWHSE	DATA WAREHOUSE
37824	Work Order Type Field	EWS.ADMN.UC.CreateEditAlerts / 33833	BSALRT	ALERT MANAGEMENT SYSTEM
28899	Work Order Types	Extended (product name)	BSDTCV	DATA CONVERSION (MP2)
			BSLOVS	LIST OF LOOKUPS
			BSWSET	WORK SETUP
		31095	BSLOVS	LIST OF LOOKUPS
			CSCCSP	CONTACT CENTER SETUP
36856	Work Order User Defined Fields	31515	CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			WHJOBQ	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOBQ	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCCTR	PRINT SERVICE REQUESTS
			WZJOBQ	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
48902	Work Order and Equipment Update Location feature requires your permission to access your location.	EAM-46338	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
44194	Work Order authorization denied for work order.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44195	Work Order can be closed only at the work order location.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
24802	Work Order not found in database.	Crossbow	TCJOBR	7I MOBILE BOILER TEXT
24727	Work Order saved and %1% Activities added to this Work Order.	Crossbow	TCJOBR	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24221	Work Order-Activity	Extended (product name). For Pick Ticket header in Materials module. A text code with no additional spaces between Work Order, the dash, and Activity is required.	PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			PZQUOS	QUOTATION SUMMARY
			SSPICK	PICK TICKETS
			SSRECV	PO RECEIPTS
			SSREQU	REQUISITIONS
			WSINVC	CUSTOMER INVOICES
			WSWLSH	WO LABOR SCHEDULING
43593	Work Order/Activities	EAM.WORK.REQ.ShiftSchedulingForWODailyScheduling	WSCMTP	VIEW COMMENTS POPUP IN WO SCHEDULES
27001	Work Order/Activity Comments	Extended (product name)	BCMOBL	7I MOBILE BOILER TEXT
24198	Work Orders	Extended (product name). For the Events for PPM enhancement.	BSAUTH	STATUS AUTHORIZATION
			BSCLSB	CLASSES FOR BUSINESS EDITION
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BSLOVS	LIST OF LOOKUPS
			JSCAMP	CAMPAIGN
			JSPROJ	PROJECTS
			LVEVNT	WO-ACT LOV (WORK ORDER)
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSAPMS	APM SCENARIO
			OSGGMP	GIS MAP DATA
			OSLAVP	LINEAR OVERVIEW PREFERENCES POPUP
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSSTAT	EQUIPMENT OPERATIONAL STATUS
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZWOCS	WORK ORDER COST SUMMARY GRAPH
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WHJOBF	PRINT WORK ORDER
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSJOBS	CREATE WORK ORDER
			WSMPAT	MAINTENANCE PATTERNS
			WSPDRQ	PRODUCTION REQUEST
			WSPPMS	PM SCHEDULES
			WSRVCS	REVISION CONTROL SETUP
			WSSESS	AUTO-GENERATED WO SESSIONS
			WTCALR	CALIBRATION RECORD REPORT
			WYCOSL	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24198	Work Orders	Extended (product name). For the Events for PPM enhancement.	WYJOBF	PRINT WORK ORDER
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOST	WORK ORDER STATISTICS
			WZCALR	CALIBRATION RECORD REPORT
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated
			WZJOBF	PRINT WORK ORDER
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZTOCO	TOOL USAGE
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
			YSACCD	VIEW GL VALUES
			BSWHSE	DATA WAREHOUSE
			WSGISD	MAP VIEW
			WSOPSQ	OPTIMIZED WO SEQUENCE
33905	Work Orders (temporary)	EWS.GIS.UC.GISMapSearch.doc / 23450	OSGIML	AVAILABLE GIS MAP LAYERS
			OSGIMR	AVAILABLE GIS MAP LAYERS (REST)
			OSGSWO	SELECTABLE LAYERS FOR WO
28903	Work Orders Accumulating Snapshot	Data Warehouse Data Mart.	ASOPAD	WO ACCUMULATING SNAPSHOT
34138	Work Orders Between :PARAM1 and :PARAM2	EWS.CREP.UC.WorkOrderOnTimeDeliveryByEmployee.doc 23249-Localization problem with report subtitles	BSWHSE	DATA WAREHOUSE
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
28781	Work Orders Completed	Data warehouse.	WZCJOB	CALCULATE CUSTOMER CHARGES
			BSWHSE	DATA WAREHOUSE
			OHOCST	Job Costing By Object Cost
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			WZPMCP	PM COMPLAINEE
34945	Work Orders Completed Before or On :PARAM2	23249-Localization problem with report subtitles	WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WYHREL	Actual Labour Hours Against Estimated
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY
			WZHREL	Actual Labour Hours Against Estimated

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34945	Work Orders Completed Before or On :PARAM2	23249-Localization problem with report subtitles	WZJLPM	LABOR PRODUCTIVITY HEALTHCARE
30932	Work Orders Completed Between	D7i Extended - Work Order Cost by Type, Cost Code, or Dept report	OZCCOL OZHISL OZLCOL OZOCOL	Job Costing By Cost Code, Mrc Or Job Type Object History Cost Of Jobs Per Cost Code, Mrc, Or Job Type Cost Of Jobs Per Object
34946	Work Orders Completed Between :PARAM1 And :PARAM2	23249-Localization problem with report subtitles	OZLCOL OZOCOL WHHREH WYHREL WZHREH WZHREL WZJLPM	Cost Of Jobs Per Cost Code, Mrc, Or Job Type Cost Of Jobs Per Object ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated LABOR PRODUCTIVITY HEALTHCARE
34673	Work Orders Completed Between :PARAM1 and :PARAM2	EWS.REP.UC.WorkOrderCostByTypeCostCodeOrDept.doc	OHOCST OZCCOL OZHISL OZOCST	Job Costing By Object Cost Job Costing By Cost Code, Mrc Or Job Type Object History Job Costing By Object Cost
34675	Work Orders Completed On or After :PARAM1	EWS.REP.UC.WorkOrderCostByTypeCostCodeOrDept.doc 23249-Localization problem with report subtitles	OHOCST OZCCOL OZHISL OZOCST OZLCOL OZOCOL WHHREH WYHREL WZHREH WZHREL WZJLPM	Job Costing By Object Cost Job Costing By Cost Code, Mrc Or Job Type Object History Job Costing By Object Cost Cost Of Jobs Per Cost Code, Mrc, Or Job Type Cost Of Jobs Per Object ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPTLY Actual Labour Hours Against Estimated LABOR PRODUCTIVITY HEALTHCARE
34674	Work Orders Completed On or Before :PARAM2	EWS.REP.UC.WorkOrderCostByTypeCostCodeOrDept.doc 23249-Localization problem with report subtitles	OHOCST OZCCOL OZHISL OZOCST OZLCOL OZOCOL	Job Costing By Object Cost Job Costing By Cost Code, Mrc Or Job Type Object History Job Costing By Object Cost Cost Of Jobs Per Cost Code, Mrc, Or Job Type Cost Of Jobs Per Object
28780	Work Orders Created	Data warehouse. EWS.CREP.UC.ElectronicRecords - Electronic Records report	BSOPDG BSWHSE BZPRJD	WORK ORDERS CREATED DATA WAREHOUSE ELECTRONIC RECORDS FOR PROJECTS
34140	Work Orders On or After :PARAM1	EWS.CREP.UC.WorkOrderOnTimeDeliveryByEmployee.doc 23249-Localization problem with report subtitles	OZCSTH OZCSTL WZOTDE WZOTDT CYCCTR CZCCTR	WO COST SUMMARY_HOSPITALITY WO COST SUMMARY WORK ORDER ON TIME DELIVERY BY EMPLOYEE WORK ORDER ON-TIME DELIVERY BY TRADE CALL CENTER WO REPORT SERVICE REQUEST WO REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
34140	Work Orders On or After :PARAM1	23249-Localization problem with report subtitles	WZCJOB	CALCULATE CUSTOMER CHARGES
34139	Work Orders On or Before :PARAM2	EWS.CREP.UC.WorkOrderOnTimeDeliveryByEmployee.doc	OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			WZOTDE	WORK ORDER ON TIME DELIVERY BY EMPLOYEE
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
		23249-Localization problem with report subtitles	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			WZCJOB	CALCULATE CUSTOMER CHARGES
33719	Work Orders Scheduled	23033	BSWHSE	DATA WAREHOUSE
			WZPMCP	PM COMPLAINT
45901	Work Orders Starting	EAM-24260	WZLWOQ	LIST OF WORK ORDERS
34936	Work Orders Starting Before or On :PARAM2	23249-Localization problem with report subtitles	WHCOSL	Job Cost Summary Report
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYCOSL	Job Cost Summary Report
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZWOSH	PRINT SHORT WORK ORDER CARDS
30657	Work Orders Starting Between	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYJOB	PRINT WORK ORDER
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZJOB	PRINT WORK ORDER
			WZTOCO	TOOL USAGE
			WZWOLG	PRINT WO LONG
			WZWOSH	PRINT SHORT WORK ORDER CARDS
34701	Work Orders Starting Between :PARAM1 and :PARAM2	EWS.CREP.UC.ToolUsage	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			WHCOSL	Job Cost Summary Report
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYCOSL	Job Cost Summary Report
			WYJOB	PRINT WORK ORDER
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZTOCO	TOOL USAGE
			WZWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
30659	Work Orders Starting On or After	D7i Extended - Work Order Cards report	WHJOB	PRINT WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
			WZWOLG	PRINT WO LONG
34699	Work Orders Starting On or After :PARAM1	EWS.CREP.UC.ToolUsage	OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			WHCOSL	Job Cost Summary Report
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYCOSL	Job Cost Summary Report
			WYJOB	PRINT WORK ORDER
			WYTOCO	TOOL USAGE
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZTOCO	TOOL USAGE
30658	Work Orders Starting On or Before	D7i Extended - Work Order Cards report	WZWOSH	PRINT SHORT WORK ORDER CARDS
			WHJOB	PRINT WORK ORDER
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
34700	Work Orders Starting On or Before :PARAM2	EWS.CREP.UC.ToolUsage	WZWOLG	PRINT WO LONG
			OHECRC	EQUIPMENT COSTS BY RANKING CHART
			OZECRC	EQUIPMENT COSTS BY RANKING CHART
			WHJOB	PRINT WORK ORDER
			WHJOBQ	PRINT WORK ORDER
			WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WYJOB	PRINT WORK ORDER
			WYTOCO	TOOL USAGE
			WZJOB	PRINT WORK ORDER
			WZJOBQ	PRINT WORK ORDER
			WZJOVH	PRINT WORK ORDER HOSPITALITY
33887	Work Orders Within Search Area	EWS.GIS.UC.GISMapSearch.doc / 23450	WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZTOCO	TOOL USAGE
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGISR	GIS MAP SEARCH
23806	Work Package	Infor EAM - field that identifies the work package number; a work package is a group of PPM jobs with the same frequency that can be released together.	OSGISS	GIS MAP SEARCH (OLD)
			BSLOVS	LIST OF LOOKUPS
			BZEVD	ELECTRONIC RECORDS FOR EVENTS
			BZPPMD	ELECTRONIC RECORDS FOR PPM

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
23806	Work Package	Infor EAM - field that identifies the work package number; a work package is a group of PPM jobs with the same frequency that can be released together.	OSECN	CREATE EQUIPMENT CONFIGURATION
			OSEQPM	PM SCHEDULES
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			WSBWOG	GENERATE/RELEASE WOS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WSPPMP	PM PLANS
			WSPPMS	PM SCHEDULES
			WZLWOQ	LIST OF WORK ORDERS
			WZPMSP	PM SCHEDULE PROFILE
			WZPPMQ	LIST OF PM SCHEDULES
			WZWOLM	WORK ORDER LIST - DETAIL
27179	Work Performed	Extended (product name)	WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
29722	Work Permit	D7i Extended - Calibration Record Report	WHJOB	PRINT WORK ORDER
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WTCALR	CALIBRATION RECORD REPORT
			WYJOB	PRINT WORK ORDER
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZCALR	CALIBRATION RECORD REPORT
			WZJOB	PRINT WORK ORDER
			WZWOSH	PRINT SHORT WORK ORDER CARDS
41076	Work Phone No.	EAM - 295 : EAM.WORK.REQ.Employee	OSSCHE	RESERVATION CALENDAR DETAILS POPUP
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			WSCREEN	CUSTOMER RENTALS
			WSCREQ	CUSTOMER RENTAL REQUESTS
			WSEMP	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZOVIR	OVERDUE VEHICLE ISSUE/RETURN LIST
			WZVRHS	VEHICLE RENTAL HISTORY
49090	Work Point	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
49211	Work Point Description	EAM.PROJ.REQ.CompatibleUnitsforCUEstimate	JSCUES	CU ESTIMATES
49089	Work Point Details	EAM.PROJ.REQ.WorkPointsforCUEstimate	JSCUES	CU ESTIMATES
49088	Work Points	EAM.PROJ.REQ.WorkPointsforCUEstimate	BSLOVS	LIST OF LOOKUPS
			JSCCUP	COPY CU ESTIMATE
			JSCUES	CU ESTIMATES
35759	Work Priority	EWS.ADMN.UC.MP2WorkOrders	BSMPWO	MP2 WORK ORDERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
35343	Work Progress	EWS.CREP.UC.CallCenterWorkOrder	CYCCTR	CALL CENTER WO REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
20081	Work Request	Infor EAM - displays code of work request	BCMOBL	7I MOBILE BOILER TEXT
			BSDOCA	DOCUMENTS
			WSAREQ	VIEW/APPROVE WORK REQUEST
			WSVREQ	VIEW WORK REQUEST STATUS
			WSWREQ	WORK REQUEST
		EAM-13665 Support screen permission for iPad/Andro	WCWREQ	MOBILE WORK REQUEST
20190	Work Request Approvals	Infor EAM - displays approved work requests information	BSCUST	CUSTOMIZE
23615	Work Request Details	Infor EAM - group header on the work request form to display specific details about the current work request	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			WSWREQ	WORK REQUEST
24674	Work Request/Work Order	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
			WCWRWO	CROSSBOW WORK MENU FUNCTION
31357	Work Requested	D7i Extended - Print Short Work Order Cards report	OZHISL	Object History
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
20189	Work Requests	Infor EAM - displays multiple work requests	BSCUST	CUSTOMIZE
			MWWREQ	WORK REQUEST
21853	Work Requests To Approve	Infor EAM - name of dataspy to view all work requests that the user must approve	WSAREQ	VIEW/APPROVE WORK REQUEST
37272	Work is completed on one or more equipment for the work order. Should the transaction apply to equipment whose work is completed?	21813 Multiple Equipment Work Order -- Booked Hour	BCMOBL	7I MOBILE BOILER TEXT
			TCJBKL	7I MOBILE BOILER TEXT
			TCMRTP	7I MOBILE BOILER TEXT
48308	Work is currently under progress on Work Order :PARAM1 Activity :PARAM2. Do you want the system to automatically book :PARAM3 hours?	EAM.MOBILE.REQ.ActivitiesforWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
48309	Work is currently under progress on Work Order :PARAM1 Activity :PARAM2. You must stop this activity before starting a new one.	EAM.MOBILE.REQ.ActivitiesforWorkOrder	BCMOBL	7I MOBILE BOILER TEXT
12005	Work order	The unique code of a job/work order.	FCGRD1	FLAMETHROWER GRID 1
			SSRQLL	REQUISITION LINE
		Job is equivalent to work order (less formal).	STPICK	Pick List Print
			SYHISL	Purchase History Per Item/Supplier
			SZHISL	Purchase History Per Item/Supplier
			WCPERM	CROSSBOW WO PERMIT LIST
			WSADCH	ADDITIONAL CHARGES FOR SERVICE REQUEST
			WSASGN	ASSIGN PERSONNEL TO SERVICE REQUEST
			WTJOBF	Job Cards
12134	Work order cost per	This is a title on the printed report that introduces the dates for the report.	OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
44217	Work order costs cannot be added for future dates.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44218	Work order costs cannot be earlier than the work order date/time reported.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20495	Work order custom fields	WRJOBF - checkbox to print custom fields associated with the work order on the printed report	CYPDDT WTJOBF	PRINT PENALTY DEDUCTION DETAIL Job Cards
12451	Work order description		WTJOBF	Job Cards
12512	Work order options	Print job options are: send report to printer, change language ,etc.	REPORT	General Report Function
12303	Work orders		OTCSTL WTJOBF	WORK ORDER COST SUMMARY Job Cards
12642	Work orders created	On the form, this is a checkbox that, when selected, indicates that work orders were created. On a printed report this also indicates that jobs were created.	ITCHKF IYCHKF IZCHKF	Inspection results Inspection results Inspection results
44538	Work orders will be created with the following priority given to (1) the Standard WO or (2) the Task Plan or (3) the individual attributes, if supplied.	EAM.CCTR.REQ.ServiceCodes	CSSVPB	SERVICE PROBLEM CODES
12467	Work permit	See 'permit'	WTJOBF	Job Cards
12262	Work requested	Description of work required somewhere in the organization. It is actually a request to the maintenance department.	WHJOBF WTJOBF WYJOBF WZJOBF	PRINT WORK ORDER Job Cards PRINT WORK ORDER PRINT WORK ORDER
37308	WorkOrder MonitoredDataResults	EWS.WORK.UC.MonitoredDataResultsForWO/32326	WEJOBM	WORKORDER MONITORED DATA RESULTS
28071	WorkSaver 5 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
28072	WorkSaver 8 - Tabs	Barcode - label format	FCLABL	FLAMETHROWER LABELS
31046	Worked and Scheduled on the Same Date	D7i Extended - Schedule Attainment report	WYSCHD WYSCHS WZSCHD WZSCHS	SCHEDULED / ACTUAL DETAIL Schedule Attainment Report Scheduled / Actual Detail Schedule Attainment Report
31047	Worked but Not Scheduled	D7i Extended - Schedule Attainment report	WYSCHD WYSCHS WZSCHD WZSCHS	SCHEDULED / ACTUAL DETAIL Schedule Attainment Report Scheduled / Actual Detail Schedule Attainment Report
44400	Working Days	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/ EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
44398	Working End Time	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
44397	Working Start Time	EAM.ADMN.UC.EquipmentSchedulingforScreenSetup/ EAM-14702	BSFFSP	FILTER FIELD SETUP SCREEN
48276	Workmanship	EAM.EQUIP.REQ.FailureModesPopup	BSLOVS OSFAIL OSOBJA OSOBJL OSOBJP OSOBJS OSRCMT WSJOBS	LIST OF LOOKUPS FAILURE MODES POPUP CREATE ASSET EQUIPMENT CREATE ASSET LOCATION CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT RCM TEMPLATES CREATE WORK ORDER
44965	Workspace	EAM-15651	BSDOCA BSLOVS CSCCTR OSJOBS OSKEYM	DOCUMENTS LIST OF LOOKUPS CONTACT CENTER CREATE WORK ORDER KEY MANAGEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44965	Workspace	EAM-15651	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKMV	WORKSPACE MOVES
			OSWKSP	WORKSPACES
			OZKMES	KEY MANAGEMENT EQUIPMENT STRUCTURE
			SSPART	PARTS
			WSEMPs	EMPLOYEES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
44966	Workspace Description	EAM-15651	OSWKSP	WORKSPACES
44967	Workspace Details	EAM-15651	WSJOBS	CREATE WORK ORDER
45222	Workspace Move	EAM-16124	OSWKSP	WORKSPACES
			BSDOCA	DOCUMENTS
			OSWKMV	WORKSPACE MOVES
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSWKMV	IMPORT WORKSPACE MOVES POPUP
45027	Workspace Moves	EAM-16001	WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			BSLOVS	LIST OF LOOKUPS
			WSJOBS	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
44964	Workspace No.	EAM-15651	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWKSP	WORKSPACES
			WSEMPs	EMPLOYEES
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WSEMPs	EMPLOYEES
45012	Workspace Occupant	EAM-16001	WSOPSS	OPTIMIZED SCHEDULER SETUP
45084	Workspace Org.	EAM-15990	OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
45085	Workspaces	EAM-15990	WSEMPs	EMPLOYEES
			BSLOVS	LIST OF LOOKUPS
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
45085	Workspaces	EAM-15990	OSOVAM OSOVPM OSOVSM WSEMP5	CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EMPLOYEES
38087	Worst	EWS.CREP.UC.CO2Reduction.doc	OYCORD OZCORD	CO2 ANALYSIS CO2 ANALYSIS
48092	Worst Acceptable Result 1	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48094	Worst Acceptable Result 2	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48096	Worst Acceptable Result 3	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48098	Worst Acceptable Result 4	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48100	Worst Acceptable Result 5	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
48102	Worst Acceptable Result 6	EAM-41135/EAM.EQUIP.REQ.PerformanceFormulas.docx	OSPERF	PERFORMANCE FORMULAS
41436	Worst Performers	EAM-2072	WZEPDT	EQUIPMENT PERFORMANCE BY DOWNTIME
25439	Would you like to add this inspection result?	Crossbow. Message for Ad hoc inspection.	TCIRSF TCIWIR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
25440	Would you like to assign this Equipment?	Crossbow. Message for Ad hoc inspection.	TCIOBR	7I MOBILE BOILER TEXT
48714	Would you like to delete the basemap data as well?	EAM-43796	BCMOBL	7I MOBILE BOILER TEXT
25441	Would you like to save the Meter Replacement?	Crossbow. Message for meter readings.	TCOMRP	7I MOBILE BOILER TEXT
25442	Would you like to save the new Meter Reading?	Crossbow. Message for meter readings.	TCOMRD	7I MOBILE BOILER TEXT
25443	Would you like to save the new quantity?	Crossbow. Message for physical inventory.	TCMPHL	7I MOBILE BOILER TEXT
25444	Would you like to save this labor booking?	Crossbow. Message for booked hours. 'Booking' should be treated as 'Recording (retroactive)' instead of 'Reserving (future).'	TCJBKL	7I MOBILE BOILER TEXT
25445	Would you like to update this inspection result?	Crossbow.	TCIRSF TCIWIR	7I MOBILE BOILER TEXT 7I MOBILE BOILER TEXT
31213	Would you like to upload the data on Mobile?	Crossbow	TCCRSB	7I MOBILE BOILER TEXT
44196	Would you like to upload the picture?	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
36379	WrkAcc	Crossbow 21757 PIR: Add VMRS code to work order	TCJACR	7I MOBILE BOILER TEXT
27946	X	Barcode	FCSCRN	FLAMETHROWER SCREENS
24458	X Coordinate	D7i Extended - field label in GIS Map page	BCMOBL BZOBJD OSAINV OSGFLD OSHPFY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OZEQUD	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR EQUIPMENTS ASSET INVENTORY ASSET FIELD LIST FOR MAPPING CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT DETAIL

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24458	X Coordinate	D7i Extended - field label in GIS Map page	OZOBJQ WHJOVM WSGSRH WSOPSQ WSOPSS WZJOVM	LIST OF EQUIPMENT DETAILS PRINT WORK ORDER HEALTHCARE GIS MAP ROADS HIGHWAYS OPTIMIZED WO SEQUENCE OPTIMIZED SCHEDULER SETUP PRINT WORK ORDER HEALTHCARE
44303	X-Axis	EAM-14678	OHECRC OZECRC WZIRST WZSRQL WZSRQS WZSRQT WZTTIR BCMOBL	EQUIPMENT COSTS BY RANKING CHART EQUIPMENT COSTS BY RANKING CHART SERVICE REQUEST STATUS SUMMARY BY TYPE SERVICE REQUESTS LIST SERVICE REQUESTS BY STATUS SERVICE REQUESTS BY TYPE TOP 25 SERVICE REQUESTS-DETAIL 7I MOBILE BOILER TEXT
44199	XML Template is invalid in XMLMapping	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44197	XML Template is invalid.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44200	XML Template is missing in XMLMapping.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44201	XML Template is missing.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
44198	XML template is invalid in JSON.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
35184	Xpath	EWS.BASE.UC.ScreenDesigner.doc	BSFLDT WSRVCS	FIELD DETAILS POPUP REVISION CONTROL SETUP
27947	Y	Barcode	FCSCRN WZSRRR	FLAMETHROWER SCREENS SAFETY REVIEW REQUIRED REPORT
24459	Y Coordinate	D7i Extended - field label in GIS Map page	BCMOBL BZOBJD OSAINV OSGFLD OSHPPY OSHPRM OSHPPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM OSOVSM OZEQUD OZOBJQ WHJOVM WSGSRH WSOPSQ WSOPSS WZJOVM	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR EQUIPMENTS ASSET INVENTORY ASSET FIELD LIST FOR MAPPING CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT EQUIPMENT DETAIL LIST OF EQUIPMENT DETAILS PRINT WORK ORDER HEALTHCARE GIS MAP ROADS HIGHWAYS OPTIMIZED WO SEQUENCE OPTIMIZED SCHEDULER SETUP PRINT WORK ORDER HEALTHCARE
44302	Y-Axis	EAM-14678	OHECRC OZECRC WZIRST WZSRQL	EQUIPMENT COSTS BY RANKING CHART EQUIPMENT COSTS BY RANKING CHART SERVICE REQUEST STATUS SUMMARY BY TYPE SERVICE REQUESTS LIST

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
44302	Y-Axis	EAM-14678	WZSRQS	SERVICE REQUESTS BY STATUS
			WZSRQT	SERVICE REQUESTS BY TYPE
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
12263	Year		BHDDAN	DEGREE DAY ANALYSIS
			BSDOCA	DOCUMENTS
			BSLOVS	LIST OF LOOKUPS
			BSREGN	CREATE EDIT REGIONS
			BYDDAN	DEGREE DAY ANALYSIS
			BYDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZDDCS	DEGREE DAYS VS. ENERGY COSTS
			BZDDEH	DEGREE DAYS VS. ENERGY COSTS_HOSPITALITY
			CZISGH	INCIDENT SUMMARY GRAPH
			OSAPMS	APM SCENARIO
			OSYIPC	YEARLY INFLATION PERCENTAGE
			OZAEST	TOTAL ANNUAL ENERGY USE
			OZESRC	ENERGY STAR RATINGS CHART
			REPORT	General Report Function
			UYBANA	BUDGET ANALYSES
			UZBANA	BUDGET ANALYSES
			UZIRTC	INCIDENT RESPONSE TIME CHART
			WZVMRS	VMRS ACTIVITIES CHART
			BSWHSE	DATA WAREHOUSE
		Infor EAM. The purpose of this ID is to get east language charactes for 'Year'. Refer to PVCS 21288.	OYCOEM	CO2E EMISSIONS
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
40038	Year (YYYY)	#47115	OZAEST	TOTAL ANNUAL ENERGY USE
37635	Year Built	SCR#33576	BCMOBL	7I MOBILE BOILER TEXT
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OZEQUD	EQUIPMENT DETAIL
			WSGSRH	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
39586	Year Labeled	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
39586	Year Labeled	Tracker id 42862: EAM.EQUIP.UC.energyStarRatingsforEquipment	OSOBJA	CREATE ASSET EQUIPMENT	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJS	CREATE SYSTEM EQUIPMENT	
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT	
			OSOVPM	CREATE POSITION EQUIPMENT	
			OSOVSM	CREATE SYSTEM EQUIPMENT	
35139	Year(s)	EWS.CCTR.UC.ServiceProblemCodes	BSDEPT	DEPARTMENTS	
			CSCASE	CASE MANAGEMENT	
			CSSVPB	SERVICE PROBLEM CODES	
			OSHPFY	CREATE HOSPITALITY FACILITIES	
			OSHPRM	CREATE HOSPITALITY ROOMS	
			OSHPVH	CREATE VEHICLE EQUIPMENT	
			OSOBJA	CREATE ASSET EQUIPMENT	
			OSOBJL	CREATE ASSET LOCATION	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJS	CREATE SYSTEM EQUIPMENT	
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT	
			OSOVPM	CREATE POSITION EQUIPMENT	
			OSOVSM	CREATE SYSTEM EQUIPMENT	
			23040	Year-Month	EWS.DBPARTNER.UC.ScheduleTimePOPUPforDatabridgePar
23042	Year-Quarter	BSWHSE	DATA WAREHOUSE		
34843	Yearly	BSJSCT	JOB SCHEDULES SCHEDULE TIME POP-UP		
49583	Yearly Average		WZVMRS	VMRS ACTIVITIES CHART	
			USINVP	INVESTMENT PLANNING	
37106	Yearly Designator	EAM-50200- EAM.BUD.REQ.EquipmentForInvestmentPlanni			
47877	Yearly Growth %		EWS.WORK.Parameters for PM Forecasting	WSPMPL PM FORECASTING	
			EAM-36571: EAM.EQUIP.REQ.Funding	OSAPMS APM SCENARIO	
49511	Yearly Increase		OSFUND	FUNDING	
			USINVP	INVESTMENT PLANNING	
49512	Yearly Increase %	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP INVESTMENT PLANNING		
49507	Yearly Inflation %	EAM-50199-EAM.BUD.REQ.InvestmentPlanning	USINVP INVESTMENT PLANNING		
47758	Yearly Inflation Percentage	EAM-37583 EAM.EQUIP.REQ.YearlyInflationPercentage	OSYIPC YEARLY INFLATION PERCENTAGE		
47592	Years		EAM - 35749 : EAM.EQUIP.REQ.DecayCurve	BSDLUS DATA LAKE UPLOAD SETUP	
				OSDCUR DECAY CURVE	
43262	Years Included in Avg.	EAM-9413	OZRCMS	RCM POTENTIAL YEARLY SAVINGS	
43525	Yellow Max. Limit (%)		OSOBJA	CREATE ASSET EQUIPMENT	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJS	CREATE SYSTEM EQUIPMENT	
			OZOEEM	OEE METRICS	
			ASLOV	ANALYTICS LIST OF VALUES	
16522	Yes		BCMOBL	7I MOBILE BOILER TEXT	
			BHDDAN	DEGREE DAY ANALYSIS	
			BHUSRL	USERS GROUP CONFIGURATION	
			BSASET	ASSET SETUP	
			BSBSET	ADMIN SETUP	
			BSDSET	DATABRIDGE SETUP	
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT	
			BSMBST	MOBILE SETUP	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16522	Yes		BSPSET	PURCHASING SETUP
			BSSSET	MATERIAL SETUP
			BSTBST	TABLE STRUCTURE POPUP
			BSWSET	WORK SETUP
			BYDDAN	DEGREE DAY ANALYSIS
			BYUSRL	USERS GROUP CONFIGURATION
			BZACKD	ELECTRONIC RECORDS FOR CHECKLIST
			BZDDAH	DEGREE DAY ANALYSIS_HOSPITALITY
			BZDDAN	DEGREE DAY ANALYSIS
			BZEQDL	EQUIPMENT LIST - DETAIL
			BZFLXL	PRINT FLEX SQL LIST
			BZUSRL	USERS GROUP CONFIGURATION
			CSCASE	CASE MANAGEMENT
			CSCMTK	CASE MANAGEMENT TASKS
			CYCCTR	CALL CENTER WO REPORT
			CYCONF	Print Contract
			CYPDDT	PRINT PENALTY DEDUCTION DETAIL
			CZCASE	CASE MANAGEMENT REPORT
			CZCCTR	SERVICE REQUEST WO REPORT
			CZCONF	Print Contract
			CZPDDT	PRINT PENALTY DEDUCTION DETAIL
			ITCHKF	Inspection results
			IYCHKF	Inspection results
			IZCHKF	Inspection results
			JZJOBL	LIST OF JOBS FOR PROJECT
			JZORDL	LIST OF PURCHASE ORDERS FOR PROJECT
			LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
			M1	Pull-Down Menu Texts
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OSEQCI	CHECKLIST ITEMS
			OSNCFM	NONCONFORMITY OBSERVATIONS
			OSNCHD	NONCONFORMITIES
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJL	CREATE ASSET LOCATION
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			OSRELA	ADD / EDIT ANSWERS POPUP
			OTCSTL	WORK ORDER COST SUMMARY
			OYCOEM	CO2E EMISSIONS
			OYCORD	CO2 ANALYSIS
			OYCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCLAI	WARRANTY CLAIM REPORT
			OZCOEH	CO2E EMISSIONS_HOSPITALITY
			OZCOEM	CO2E EMISSIONS
			OZCORD	CO2 ANALYSIS
			OZCPEH	CAPITAL PERFORMANCE EVALUATION_HOSPITALITY
			OZCPEV	CAPITAL PERFORMANCE EVALUATION
			OZCSTH	WO COST SUMMARY_HOSPITALITY

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16522	Yes		OZCSTL	WO COST SUMMARY
			OZEFSL	ASSET FAILURES BY SERVICE LIFE
			OZEQRD	EQUIPMENT RESERVATIONS DETAIL
			OZEQUD	EQUIPMENT DETAIL
			OZHISL	Object History
			OZMNBK	MOBILE NOTEBOOK
			OZOBJF	LIST OF EQUIPMENT DETAILS
			OZPROF	EQUIPMENT PROFILE
			OZRCML	RCM RISK LEVELS
			OZTECL	TABLE OF EQUIPMENT WITH CUSTOM FIELDS
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PHORDF	Print Purchase Order
			PTORDF	Print Purchase Order
			PYBPOL	BLANKET ORDER LIST
			PYORDF	Print Purchase Order
			PZBPOL	BLANKET ORDER LIST
			PZORDF	Print Purchase Order
			PZPRFQ	REQUEST FOR QUOTATION
			REPORT	General Report Function
			SHREQF	Print Purchase Requisition
			STPICK	Pick List Print
			STRCVF	Goods Received Note
			STREQF	Print Purchase Requisition
			STRETF	Print Goods Return Note
			STSTTL	PRINT STOCKTAKE LIST
			SYABCA	ABC Analysis
			SYEOQA	EOQ Analysis
			SYPICK	Pick List Print
			SYRCVF	GOODS RECEIVED NOTE
			SYREQF	PRINT PURCHASE REQUISITION
			SYRETF	PRINT GOODS RETURN NOTE
			SYSTTL	PRINT STOCKTAKE LIST
			SZABCA	ABC Analysis
			SZBUKT	PRINT BUILD LIST
			SZEOQA	EOQ Analysis
			SZLKIT	LIST OF KITS
			SZPICK	Pick List Print
			SZRCVF	Goods Received Note
			SZREQF	Print Purchase Requisition
			SZRETF	Print Goods Return Note
			SZSTTL	PRINT STOCKTAKE LIST
			TCCERM	71 MOBILE BOILER TEXT
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHACTV	VMRS ACTIVITIES
			WHINVS	CUSTOMER INVOICE REPORT
			WHJOBf	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHJOBQ	PRINT WORK ORDER

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16522	Yes		WHJOVH	PRINT WORK ORDER HOSPITALITY
			WHJOVM	PRINT WORK ORDER HEALTHCARE
			WHPTWR	PRINT PERMIT TO WORK
			WHWOSH	PRINT SHORT WORK ORDER CARDS
			WSCALL	CREATE/EDIT CALLER
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSOPCK	OPERATOR CHECKLIST REVIEW
			WSOPCL	OPERATOR CHECKLIST
			WSPMTW	PERMIT TO WORK
			WSSREQ	SERVICE REQUESTS
			WTCALR	CALIBRATION RECORD REPORT
			WTJOBf	Job Cards
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYINVS	CUSTOMER INVOICE REPORT
			WYJOBf	PRINT WORK ORDER
			WYJOBL	Labour Hours For Jobs
			WYJOLL	Job List
			WYPFMC	FUTURE MAINTENANCE COST
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYWPMC	FUTURE MAINTENANCE COSTS
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZACTV	VMRS ACTIVITIES
			WZAGRS	PRINT CUSTOMER CONTRACT
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZCALD	CALIBRATION DUE REPORT
			WZCALR	CALIBRATION RECORD REPORT
			WZCCON	PRINT CUSTOMER CONTRACT
			WZCCTR	PRINT SERVICE REQUESTS
			WZCIND	CUSTOMER INVOICE DETAIL
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCSTD	COST SUMMARY BY TRANSACTION DATE
			WZDPML	DELINQUENT PM SUMMARY
			WZDTTL	DOWNTIME TRACKING
			WZEPRO	EMPLOYEE PRODUCTIVITY
			WZINVS	CUSTOMER INVOICE REPORT
			WZJOBf	PRINT WORK ORDER
			WZJOBL	Labour Hours For Jobs
			WZJOBQ	PRINT WORK ORDER
			WZJOLL	Job List
			WZJOVH	PRINT WORK ORDER HOSPITALITY
			WZJOVM	PRINT WORK ORDER HEALTHCARE
			WZMOVA	WORKSPACE MOVES ASSOCIATIONS LIST
			WZMPAT	PRINT MAINTENANCE PATTERN

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
16522	Yes		WZPERF	Permits For Jobs
			WZPERL	List Of Permit Issues
			WZPFAR	PART FAILURES REPORT
			WZPFMC	FUTURE MAINTENANCE COST
			WZPMCP	PM COMPLAINEE
			WZPMDO	PM DUE OVERVIEW
			WZPMSP	PM SCHEDULE PROFILE
			WZPTWR	PRINT PERMIT TO WORK
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZSRRR	SAFETY REVIEW REQUIRED REPORT
			WZTTIR	TOP 25 SERVICE REQUESTS-DETAIL
			WZVMRS	VMRS ACTIVITIES CHART
			WZWPMC	FUTURE MAINTENANCE COSTS
			WZWOAG	WORK ORDER AGING REPORT
			WZWOLG	PRINT WO LONG
			WZWORL	LIST OF WORK ORDERS
			WZWOSH	PRINT SHORT WORK ORDER CARDS
37422	You are not assigned to this Work Order.	21820 - Job type authorization	TCJOBL	7I MOBILE BOILER TEXT
37423	You are not assigned to this Work Order/Activity.	21820 - Job type authorization	TCJACL	7I MOBILE BOILER TEXT
27649	You are only allowed to enter * in the default field.	Crossbow	TCSRP	7I MOBILE BOILER TEXT
27650	You are only allowed to enter + or - in the default field.	Crossbow	TCSRP	7I MOBILE BOILER TEXT
27654	You are only allowed to enter numeric values.	Crossbow	TCSRP	7I MOBILE BOILER TEXT
38893	You cannot enter a Device Reading without also specifying the Tolerance and the Standard.	22164 WO Calibrations - tolerance is always equa	TCJCDE	7I MOBILE BOILER TEXT
37461	You cannot make changes to a standard Material List.	Reserve Part for Activity	TCJAPL	7I MOBILE BOILER TEXT
25399	You cannot mix the type of time when booking hours. You must book 'on' hours or 'off' hours..	Crossbow. Book hours. 'Booking' should be treated as 'Recording (retroactive)' instead of 'Reserving (future).'	TCJBKL	7I MOBILE BOILER TEXT
46233	You do not have authorization to perform this action. Contact your system administrator.	PORceipts	BCMOBL	7I MOBILE BOILER TEXT
46234	You do not have permission to make changes.	Sync	BCMOBL	7I MOBILE BOILER TEXT
44203	You do not have permission to perform this function.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
47419	You do not have permissions to perform this function. The following Capability checkbox must be selected for the feature server.	EAM-33907 Map View Portal privileges -	BCMOBL	7I MOBILE BOILER TEXT
37248	You do not have sufficient department security to update this record.	21819 Department Security	TCCRSB	7I MOBILE BOILER TEXT
49788	You do not have sufficient privileges to perform this function, contact your	EAM-50873	BCMOBL	7I MOBILE BOILER TEXT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
37421	System Administrator. You do not have sufficient work order authorization for this work order.	21820 - Job type authorization	TCJOBL	7I MOBILE BOILER TEXT
44202	You do not have the proper department security rights to perform the selected function.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
37431	You don t have permission to perform this function.	21819 - Department Security	TCCRSB	7I MOBILE BOILER TEXT
49060	You have already successfully acknowledged all observations attached to the work order.	EAM-46297	BCMOBL	7I MOBILE BOILER TEXT
25617	You have an Activity running for this Work Order. You should stop the Activity before closing the Work Order.	Crossbow	TCJOBL	7I MOBILE BOILER TEXT
35479	You have completed all the MP2 Conversion setup options!	#28171	BSDTCV	DATA CONVERSION (MP2)
47287	You have insufficient privileges to perform this function.	EAM-3171 Map View - honor portal privileges when c	BCMOBL	7I MOBILE BOILER TEXT
29241	You have selected the following Order:	Extended (product name)	WSBKPO WSJOBS WSJOVH WSJOVM SSREQU	BOOK PO LABOR CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER REQUISITIONS
24928	You have selected the following blanket order:	Extended (product name). Blanket Order/Line lookup. This message was modified on 7/21/2003 per developer's request. 'Blanket Order' was changed to 'blanket order.'		
28281	You have selected the following equipment:	D7i Extended -- Work Orders form -- Boiler text for Inspection Tab of Work Order	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
21831	You have selected the following project:	Infor EAM - text on project-budget lookup on the issue/return screen. This message was modified on 7/21/2003 per developer's request. 'Project' was changed to 'project.'	JSCAMP PSRFQT SSISSP SSISSU SSRETP WSJOBS WSJOVH WSJOVM WSVITE	CAMPAIGN REQUESTS FOR QUOTATIONS ISSUE PART Stock Issues RETURN PART CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER WORK ORDER QUICK ENTRY
26698	You have selected the following purchase order:	Infor EAM. Refer to EWS.PRCH.UC.CreateAssetsforPO.	PSINVO PSOBSJ PSPORD	INVOICES ASSETS FOR PO PURCHASE ORDERS
26473	You have selected the following requisition:	Infor EAM. Prompt text in Requisition-Line chained lookup. Refer to PVCS 6210.		
21828	You have selected the following work order:	Infor EAM - text on work order-activity lookup on the issue/return screen. This message was modified on 7/21/2003 per developer's request. 'Work Order' was changed to 'work order.'	OSWKMV PSINVA PSINVO PSPORD PSRFQT SSBRKT SSCOMP SSISSP	WORKSPACE MOVES BOOK INVOICE ALLOCATIONS INVOICES PURCHASE ORDERS REQUESTS FOR QUOTATIONS BREAKUP KIT NON-PO RECEIPTS ISSUE PART

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
21828	You have selected the following work order:	Infor EAM - text on work order-activity lookup on the issue/return screen. This message was modified on 7/21/2003 per developer's request. 'Work Order' was changed to 'work order.'	SSISSU SSPICK SSREQL SSREQS SSREQU SSRETP SSTTHI WSBOOK BCMOBL	Stock Issues PICK TICKETS REQUISITION LINE CREATE PURCHASE REQUISITION REQUISITIONS RETURN PART STOCK TO HELD ITEMS TRANSFER BOOK LABOR BY EMPLOYEE 71 MOBILE BOILER TEXT
49059	You have successfully acknowledged that all observations attached to the work order that were not manually updated have not changed since the previous observation and that no additional action is required.	EAM-46297		
44219	You may not correct more hours than have been booked for the employee on the specified Date Worked. Enter another value.	EAM-14486 :Android Tablet - Support localization	BCMOBL	71 MOBILE BOILER TEXT
36325	You must enter/select a WO/Activity or Equipment to issue or return a part.	21730 Issue/Return Part- incorrect error message	TCMRTP	71 MOBILE BOILER TEXT
25438	You must enter/select a WO/Activity, Equipment, or Project to issue or return a part.	Crossbow.	TCMRTP	71 MOBILE BOILER TEXT
28234	You must first select a Data Source.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28231	You must first select a Label Configuration.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28314	You must first specify the Data Source file.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28313	You must first specify the Server Settings.	Barcode	FCSCRN	FLAMETHROWER SCREENS
37262	You must select a record before performing this action.	21819 Department Security	BCMOBL TCCRSB	71 MOBILE BOILER TEXT 71 MOBILE BOILER TEXT
28233	You must specify a Label Configuration name.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28597	You must specify a Server Address.	Barcode	FCSCRN	FLAMETHROWER SCREENS
28232	You must specify at least 1 label per page.	Barcode	FCSCRN	FLAMETHROWER SCREENS
20624	You selected the following Work Order to associate with the requisition:	Infor EAM - this message displays as a prompt on a pop-up form	LOVPOP	LOV POPUP FUNCTION USED TO GET LABELS
21830	You will be prompted to select a budget after you have selected a project.	Infor EAM - text on project-budget lookup on the issue/return screen	JSCAMP PSRFQT SSISSP SSISSU SSRETP WSJOBS WSJOVH WSJOVM WSVITE SSREQU	CAMPAIGN REQUESTS FOR QUOTATIONS ISSUE PART Stock Issues RETURN PART CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER WORK ORDER QUICK ENTRY REQUISITIONS
24927	You will be prompted to select a line number after you have selected a	Extended (product name). Blanket Order/Line lookup.		

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
26697	blanket order. You will be prompted to select a line number after you have selected a purchase order.	Infor EAM. Refer to EWS.PRCH.UC.CreateAssetsforPO.	PSINVO PSOBS	INVOICES ASSETS FOR PO
26472	You will be prompted to select a line number after you have selected a requisition.	Infor EAM. Prompt text in Requisition-Line chained lookup. Refer to PVCS 6210.	PSPORD	PURCHASE ORDERS
20622	You will be prompted to select an activity after you have selected a work order.	Infor EAM - this message displays as a prompt on a pop-up form Infor EAM - text on work order-activity lookup on the issue/return screen	LOVPOP PSINVA PSINVO SSBRKT OSWKMV PSPORD PSRFQT SSCOMP SSISSP SSISSU SSPICK SSREQL SSREQS SSREQU SSRETP SSTTHI WSBOOK WSJOBS WSJOVH WSJOVM	LOV POPUP FUNCTION USED TO GET LABELS BOOK INVOICE ALLOCATIONS INVOICES BREAKUP KIT WORKSPACE MOVES PURCHASE ORDERS REQUESTS FOR QUOTATIONS NON-PO RECEIPTS ISSUE PART Stock Issues PICK TICKETS REQUISITION LINE CREATE PURCHASE REQUISITION REQUISITIONS RETURN PART STOCK TO HELD ITEMS TRANSFER BOOK LABOR BY EMPLOYEE
28280	You will be prompted to select an aspect point associated with the selected equipment.	D7i Extended -- Work Orders form -- Boiler text for Inspection Tab of Work Order	WSJOBS WSJOVH WSJOVM	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
29240	You will be prompted to select an order line after you have selected an order.	Extended (product name)	WSBKPO WSJOBS WSJOVH WSJOVM	BOOK PO LABOR CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER
12591	Your reference	This refers to a transaction number on a printed report.	STRCVF STRETF SYRCVF SZRCVF	Goods Received Note Print Goods Return Note GOODS RECEIVED NOTE Goods Received Note
31851	Your report is running.	17058 - Adding Report attachments	BSADVR	ADVANCED REPORTING FUNCTION
44204	Your session has timed out.	EAM-14486 :Android Tablet - Support localization	BCMOBL	7I MOBILE BOILER TEXT
40772	Z Coordinate	EAM.EQUIP.REQ. Assets.doc	BCMOBL BZOBJD OSAINV OSHPPY OSHPRM OSHPVH OSOBJA OSOBJP OSOBJS OSOVAM OSOVPM	7I MOBILE BOILER TEXT ELECTRONIC RECORDS FOR EQUIPMENTS ASSET INVENTORY CREATE HOSPITALITY FACILITIES CREATE HOSPITALITY ROOMS CREATE VEHICLE EQUIPMENT CREATE ASSET EQUIPMENT CREATE POSITION EQUIPMENT CREATE SYSTEM EQUIPMENT CREATE HEALTHCARE ASSET EQUIPMENT CREATE POSITION EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
40772	Z Coordinate	EAM.EQUIP.REQ. Assets.doc	OSOVS	CREATE SYSTEM EQUIPMENT
			OZEQU	EQUIPMENT DETAIL
			OZOBJ	LIST OF EQUIPMENT DETAILS
			WHJOV	PRINT WORK ORDER HEALTHCARE
			WSGSR	GIS MAP ROADS HIGHWAYS
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZJOV	PRINT WORK ORDER HEALTHCARE
24445	Zip Code	D7i Extended - Addresses form/tab	BSADRS	ADDRESSES
			BSDELA	Delivery addresses
			CSCCTR	CONTACT CENTER
			CSCINF	CONTACT INFO
			CSINRE	GUEST INCIDENT REQUEST
			CSPROV	PROVIDERS
			SSSUPC	CUSTOMERS
			SSSUPP	SUPPLIERS
			WSEMP	EMPLOYEES
			WSOPSS	OPTIMIZED SCHEDULER SETUP
			WZCCTR	PRINT SERVICE REQUESTS
			ESGSET	GENERAL SETTINGS
44689	Zip/Postal Code	EAM-14710 ENX/EPM screens in EAM	CSCCGM	CONTACT CENTER MAP SEARCH
28898	Zone	D7i Extended - GIS Map Search - Label for zip/city field on GIS Map Search screen	OSDCUR	DECAY CURVE
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
24461	Zoom In	D7i Extended - Map toolbar icon alt text	CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSGIMP	VIEW GIS MAP POPUP
			WSJOBS	CREATE WORK ORDER
			CSCCGM	CONTACT CENTER MAP SEARCH
24462	Zoom Out	D7i Extended - GIS Map toolbar icon alt text	OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSOBJA	CREATE ASSET EQUIPMENT
			OSOBJP	CREATE POSITION EQUIPMENT
			OSOBJS	CREATE SYSTEM EQUIPMENT
			WSGIMP	VIEW GIS MAP POPUP
			WSJOBS	CREATE WORK ORDER
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
24460	Zoom to Full Etent	D7i Extended - toolbar alt text	OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGIMP	VIEW GIS MAP POPUP

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
24460	Zoom to Full Extent	D7i Extended - toolbar alt text	WSGVMP	VIEW GIS MAP POPUP (REST)
24463	Zoom to Previous Extent	D7i Extended - GIS map toolbar icon alt text	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			CSCCGM	CONTACT CENTER MAP SEARCH
			OSGIMP	VIEW GIS MAP POPUP
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSGVMP	VIEW GIS MAP POPUP (REST)
			WSGIMP	VIEW GIS MAP POPUP
			WSGVMP	VIEW GIS MAP POPUP (REST)
21204	[JAN','FEB','MAR','APR','MAY','JUN','JUL','AUG','SEP','OCT','NOV','DEC']	Infor EAM -abbreviations for months of the year	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
21205			TCCRSB	7I MOBILE BOILER TEXT
	[January','February','March','April','May','June','July','August','September','October','November','December']	Infor EAM - the months of the year	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			TCCRSB	7I MOBILE BOILER TEXT
21206	[S','M','T','W','T','F','S']	Infor EAM - Single day abbreviations for the days of the week: S - Sunday; M - Monday; T - Tuesday, W - Wednesday; T - Thursday; F - Friday; S - Saturday	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			TCCRSB	7I MOBILE BOILER TEXT
21207	[Sun','Mon','Tue','Wed','Thu','Fri','Sat']	Infor EAM - abbreviations for the days of the week	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			TCCRSB	7I MOBILE BOILER TEXT
21208	[Sunday','Monday','Tuesday','Wednesday','Thursday','Friday','Saturday']	Infor EAM - the days of the week	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			TCCRSB	7I MOBILE BOILER TEXT
37358		EWS.CREP.UC.PrintRequestForQuotation	PZPRFQ	REQUEST FOR QUOTATION
12320	and	Time line. For example, 'Between July and August'	BHDOCL	List Of Documents
			BHVIOL	List Of Violations
			BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			BTDOCL	List Of Documents
			BTTMPR	LIST OF TAMPERED RECORDS
			BTVIOL	List Of Violations
			BYTMPR	LIST OF TAMPERED RECORDS
			BYVIOL	List Of Violations
			BZDOCL	List Of Documents
			BZTMPR	LIST OF TAMPERED RECORDS
			BZVIOL	List Of Violations
			ITLAPF	List Of Points To Be Inspected
			ITRSLF	LIST OF INSPECTION RESULTS
			IYLAPF	List Of Points To Be Inspected
			IYRSLF	LIST OF INSPECTION RESULTS
			IZLAPF	List Of Points To Be Inspected
			IZRSLF	LIST OF INSPECTION RESULTS
			JYCODL	PROJECT COST BREAK DOWN
			JZCODL	PROJECT COST BREAK DOWN
			OHOCST	Job Costing By Object Cost
			OHWOCS	WORK ORDER COST SUMMARY GRAPH
			OTCSTL	WORK ORDER COST SUMMARY
			OTMHST	METER HISTORY
			OZCCOL	Job Costing By Cost Code, Mrc Or Job Type
			OZCLAI	WARRANTY CLAIM REPORT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12320	and	Time line. For example, 'Between July and August'	OZCSTH	WO COST SUMMARY_HOSPITALITY
			OZCSTL	WO COST SUMMARY
			OZHISL	Object History
			OZJMFL	Mean Time Between Failures Per Fault
			OZLCOL	Cost Of Jobs Per Cost Code, Mrc, Or Job Type
			OZMHST	METER HISTORY
			OZOCOL	Cost Of Jobs Per Object
			OZOCST	Job Costing By Object Cost
			OZOMFL	Mean Time Between Failures Per Object
			OZWOCs	WORK ORDER COST SUMMARY GRAPH
			PHHISL	Purchase History
			PYBPOL	BLANKET ORDER LIST
			PYPOCS	PO COST SUMMARY
			PZBPOL	BLANKET ORDER LIST
			PZHISL	Purchase History
			PZPOCS	PO COST SUMMARY
			PZPVAR	PRICING VARIANCE REPORT
			STPICK	Pick List Print
			STREQL	List Of Outstanding Requisition Items
			STSTTL	PRINT STOCKTAKE LIST
			STTRAL	Printed List Of Stock Transactions
			SYCONS	Consignment Activity
			SYEOQA	EOQ Analysis
			SYHISL	Purchase History Per Item/Supplier
			SYPICK	Pick List Print
			SYREQL	List Of Outstanding Requisition Items
			SYRESL	Parts Currently Reserved/Allocated
			SYRETN	LIST OF RETURNS
			SYSTTL	PRINT STOCKTAKE LIST
			SYTRAL	Printed List Of Stock Transactions
			SZCONS	Consignment Activity
			SZEOQA	EOQ Analysis
			SZHISL	Purchase History Per Item/Supplier
			SZPICK	Pick List Print
			SZREQL	List Of Outstanding Requisition Items
			SZRESL	Parts Currently Reserved/Allocated
			SZRETN	LIST OF RETURNS
			SZSTTL	PRINT STOCKTAKE LIST
			SZTRAL	Printed List Of Stock Transactions
			WHACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WHCOSL	Job Cost Summary Report
			WHHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WHJOBf	PRINT WORK ORDER
			WHJOBL	Labour Hours For Jobs
			WHMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WHWOSH	PRINT SHORT WORK ORDER CARDS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12320	and	Time line. For example, 'Between July and August'	WTBLOG	Work Backlog
			WTBOOL	Allocations Per Employee
			WTCALR	CALIBRATION RECORD REPORT
			WTJOB	Job Cards
			WTJOB	Labour Hours For Jobs
			WTJOLL	Job List
			WTPERL	List Of Permit Issues
			WTQEXP	QUALIFICATION EXPIRATION REPORT
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WTSCHA	Scheduled Activities
			WTVBIL	VEHICLE BILLING REPORT
			WTVTKT	VEHICLE TICKET REPORT
			WYACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WYCOSH	Job Cost Summary Report
			WYHREL	Actual Labour Hours Against Estimated
			WYJOB	PRINT WORK ORDER
			WYJOB	Labour Hours For Jobs
			WYJOLL	Job List
			WYQEXP	QUALIFICATION EXPIRATION REPORT
			WYRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYSCHA	Scheduled Activities
			WYSCHD	SCHEDULED / ACTUAL DETAIL
			WYSCHS	Schedule Attainment Report
			WYTOCO	TOOL USAGE
			WYVBIL	VEHICLE BILLING REPORT
			WYWOSH	PRINT SHORT WORK ORDER CARDS
			WYWOST	WORK ORDER STATISTICS
			WZACTL	SHORT TERM WORK ORDER LIST (ACTIVITIES)
			WZBLOG	Work Backlog
			WZBLOH	WORK BACKLOG_HOSPITALITY
			WZBOOL	Allocations Per Employee
			WZCALR	CALIBRATION RECORD REPORT
			WZCJOB	CALCULATE CUSTOMER CHARGES
			WZCOSH	WO COST LIST_HOSPITALITY
			WZCOSL	Job Cost Summary Report
			WZERRF	EXPIRED WARRANTIES
			WZHREH	ACTUAL LABOUR HOURS AGAINST ESTIMATED_HOSPITY
			WZHREL	Actual Labour Hours Against Estimated
			WZJOB	PRINT WORK ORDER
			WZJOB	Labour Hours For Jobs
			WZJOLL	Job List
			WZLWOQ	LIST OF WORK ORDERS
			WZMATL	MATERIAL REQUIREMENT ANALYSIS
			WZMEWC	MEDICAL EQUIPMENT WORK ORDERS BY CRITICALITY
			WZOTDT	WORK ORDER ON-TIME DELIVERY BY TRADE
			WZPERL	List Of Permit Issues

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
12320	and	Time line. For example, 'Between July and August'	WZPLSE	PM COMPLETION REPORT LIFE SUPPORT EQUIPMENT
			WZPMTL	OUT OF TOLERANCE PM
			WZQEXP	QUALIFICATION EXPIRATION REPORT
			WZRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WZSCHA	Scheduled Activities
			WZSCHD	Scheduled / Actual Detail
			WZSCHS	Schedule Attainment Report
			WZTOCO	TOOL USAGE
			WZVBIL	VEHICLE BILLING REPORT
			WZVTKT	VEHICLE TICKET REPORT
			WZWOLM	WORK ORDER LIST - DETAIL
			WZWOSH	PRINT SHORT WORK ORDER CARDS
			WZWOST	WORK ORDER STATISTICS
			DSSTAT	DATABRIDGE SYSTEM STATUS
24343	as of	Databridge Administration (in Extended). EWS.DBADMIN.UC.ViewSystemStatus.		
16060	before or on		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
			OTCSTL	WORK ORDER COST SUMMARY
			STPICK	Pick List Print
			STREQL	List Of Outstanding Requisition Items
			STTRAL	Printed List Of Stock Transactions
			WHJOBFB	PRINT WORK ORDER
			WTJOBFB	Job Cards
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYJOBFB	PRINT WORK ORDER
			WZJOBFB	PRINT WORK ORDER
12248	between	For use in reports. Should not be capitalized!	BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
			STTRAL	Printed List Of Stock Transactions
			SYEOQA	EOQ Analysis
			SZEOQA	EOQ Analysis
			WZCJOB	CALCULATE CUSTOMER CHARGES
24937	cGMP	Infor EAM (Base). This is the field label for a new check box on the form OMOBJC. If the check box is cheked then the particular equipment is designated as being Cgmp equipment. cGMP=current Good Manufacturing Practices	BZOBJD	ELECTRONIC RECORDS FOR EQUIPMENTS
			CSCCGM	CONTACT CENTER MAP SEARCH
			FCGRD1	FLAMETHROWER GRID 1
			JSCAMP	CAMPAIGN
			OCOBJC	CROSSBOW EQUIPMENT LIST
			OSBURV	CALCULATE RELIABILITY RANKING INDEX
			OSECON	CREATE EQUIPMENT CONFIGURATION
			OSGFLD	ASSET FIELD LIST FOR MAPPING
			OSGISR	GIS MAP SEARCH
			OSGISS	GIS MAP SEARCH (OLD)
			OSHPFY	CREATE HOSPITALITY FACILITIES
			OSHPRM	CREATE HOSPITALITY ROOMS
			OSHPVH	CREATE VEHICLE EQUIPMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions		
			Code	Description	
24937	cGMP	Infor EAM (Base). This is the field label for a new check box on the form OMOBJC. If the check box is cheked then the particular equipment is designated as being Cgmp equipment. cGMP=current Good Manufacturing Practices	OSOBJA	CREATE ASSET EQUIPMENT	
			OSOBJL	CREATE ASSET LOCATION	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJS	CREATE SYSTEM EQUIPMENT	
			OSOVPM	CREATE POSITION EQUIPMENT	
			OSRELR	EQUIPMENT RANKINGS	
			OSSTAT	EQUIPMENT OPERATIONAL STATUS	
			OZEQUD	EQUIPMENT DETAIL	
			OZOBJQ	LIST OF EQUIPMENT DETAILS	
			WHJOB	PRINT WORK ORDER	
			WSBFUL	BATCH FUEL ISSUES	
			WSGSRH	GIS MAP ROADS HIGHWAYS	
			WSJOBS	CREATE WORK ORDER	
			WSJOVH	CREATE WORK ORDER	
			WSJOVM	CREATE WORK ORDER	
			WSOPSS	OPTIMIZED SCHEDULER SETUP	
			WTJOB	Job Cards	
			WYJOB	PRINT WORK ORDER	
			WZJOB	PRINT WORK ORDER	
			WZWOLG	PRINT WO LONG	
15218	contains	Infor EAM - name of dataspy	BSEMCD	E-MAIL CONDITIONS	
22444	dataBridge Scheduled Tasks		DSSTSK	DATABRIDGE SCHEDULED TASKS	
15219	does not contain		BSEMCD	E-MAIL CONDITIONS	
18375	dummy		OSBURV	CALCULATE RELIABILITY RANKING INDEX	
			OSCLAI	WARRANTY CLAIMS	
39627	eRecord Code	42548	TSASTP	DC TRANSACTION PROMPT	
			BSESIG	ERECORDS LIST	
			BSEREC	ELECTRONIC RECORD SETUP	
			BSCMEX	CONFIGURATION MANAGER - EXPORT	
			BSEXAL	EXPORT BASE CONFIGURATION	
24048	eRecord Details	EWS.ADMN.UC.ExportFullConfigurationforExportConfig	BSVSDP	VIEW STATUS DETAILS POPUP	
35259	eRecord Setup		BHSIGN	LIST OF ELECTRONIC RECORDS	
			BYSIGN	LIST OF ELECTRONIC RECORDS	
			BZSIGN	LIST OF ELECTRONIC RECORDS	
			BTSIGN	LIST OF ELECTRONIC RECORDS	
31061	eRecord Valid	D7i Extended - List of Electronic Records report	BSESIG	ERECORDS LIST	
19253	eRecord valid	field on report BRSIGN, indicated whether the eleconic record was valid	CSCASE	CASE MANAGEMENT	
			JSCAMP	CAMPAIGN	
			JSPROJ	PROJECTS	
			OSCHNO	CHANGE NOTICES	
			OSHPFY	CREATE HOSPITALITY FACILITIES	
19220	eRecords	new option on the toolbar to view all the electronic records entered on a form	OSHPRM	CREATE HOSPITALITY ROOMS	
			OSHPVH	CREATE VEHICLE EQUIPMENT	
			OSOBJA	CREATE ASSET EQUIPMENT	
			OSOBJC	CREATE ASSET CATEGORY	
			OSOBJL	CREATE ASSET LOCATION	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJP	CREATE POSITION EQUIPMENT	
			OSOBJP	CREATE POSITION EQUIPMENT	

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
19220	eRecords	new option on the toolbar to view all the electronic records entered on a form	OSOBJS	CREATE SYSTEM EQUIPMENT
			OSOVAM	CREATE HEALTHCARE ASSET EQUIPMENT
			OSOVPM	CREATE POSITION EQUIPMENT
			OSOVSM	CREATE SYSTEM EQUIPMENT
			OSWARR	WARRANTY
			PSBORD	CREATE EDIT BLANKET ORDERS
			PSINVO	INVOICES
			PSPORD	PURCHASE ORDERS
			PSRFQR	QUOTATIONS
			PSRFQT	REQUESTS FOR QUOTATIONS
			SSCOMP	NON-PO RECEIPTS
			SSIUSS	STORE TO STORE ISSUES
			SSPICK	PICK TICKETS
			SSPINS	PART INSPECTIONS
			SSPINV	PHYSICAL INVENTORY
			SSRCVI	INTERNAL REPAIR RECEIPTS
			SSREQU	REQUISITIONS
			SSRETN	SUPPLIER RETURNS
			SSRQSS	STORE TO STORE REQUISITIONS
			SSSTSR	STORE TO STORE RECEIPTS
			WSFLTK	FLEET VEHICLE TICKETS
			WSJBPL	JOB PLANS
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSMATL	MATERIAL LISTS
			WSPDRQ	PRODUCTION REQUEST
			WSPMTW	PERMIT TO WORK
			WSPPMS	PM SCHEDULES
			WSROUT	ROUTES
			WSTASK	TASKS
25232	eSignature	D7i Extended - title of the popup	BSESGN	EWS - ESIGNATURE POPUP
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
			WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			TCELRC	7I MOBILE BOILER TEXT
39471	eSignature Date	42548	TCESYP	7I MOBILE BOILER TEXT
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT
			WSJOBS	CREATE WORK ORDER
			WSJOVH	CREATE WORK ORDER
39619	eSignature Type	42548	WSJOVM	CREATE WORK ORDER
			WSPMTW	PERMIT TO WORK
			BZPMTW	ELECTRONIC RECORDS FOR PERMIT TO WORK
			CSCASE	CASE MANAGEMENT

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
39619	eSignature Type	42548	WSJOBS WSJOVH WSJOVM WSPMTW	CREATE WORK ORDER CREATE WORK ORDER CREATE WORK ORDER PERMIT TO WORK
33334	ftp://	21970	CSEDLK	CREATE HTML EDITOR LINK
33331	http://	21970	CSEDLK	CREATE HTML EDITOR LINK
33332	https://	21970	CSEDLK	CREATE HTML EDITOR LINK
41345	iPad Options	EAM-1919.EQUIP.REQ.ParametersforAssetInventory	OSAINV	ASSET INVENTORY
35985	iProcure Control No.	EWS.ADMN.UC.MP2Purchasing	BSMPPR	MP2 PURCHASING
35002	iProcure Date Last Updated	7iBuy enhancement	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			PSPORD	PURCHASE ORDERS
			SSBUYP	VIEW 7I BUY SYNC ERRORS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
36180	iProcure Error	#27949	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			PSPORD	PURCHASE ORDERS
			SSPART	PARTS
			SSREQU	REQUISITIONS
			SSSUPP	SUPPLIERS
36184	iProcure Error Message	#27949	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			SSBUYP	VIEW 7I BUY SYNC ERRORS
35073	iProcure Item Association	ews#27707	BSIBUY	INFOR EAM 7IBUY SHOPPING CART
37717	iProcure Last Updated	EWS.PRCH.UC.PartsforPO/32426	PSSCPA	SELECT SUPPLIER CATALOG PARTS FOR POS
			SSSUPP	SUPPLIERS
31551	iProcure Price	EWS.CREP.UC.ElectronicRecords	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
			BZRQLD	ELECTRONIC RECORDS FOR REQUISITION LINES
35099	iProcure Security	EWS.ADMN.UC.7iBuySecurityforUserGroups	BEBSFU	7I BUY SECURITY
			BSGROU	GROUPS
36068	iProcure Sync Error	#27949	SSBUYP	VIEW 7I BUY SYNC ERRORS
23830	iProcure Vendor	iProcure (product name). Code identifying the Infor EAM Buy vendor. Changed 'iProcure' to 'Infor EAM Buy' for PVCS 20299. Changed back to iProcure for SCR 46970	SSSUPC	CUSTOMERS
		Barcode	SSSUPP	SUPPLIERS
		27694 - EWS.MATL.UC.CreateEdit7iBuyVendors	FCGRD1	FLAMETHROWER GRID 1
18789	iProcure add item	Title of one of the Infor EAM Buy icons on the toolbar. 'iProcure' has been changed to 'D7i Buy' for PVCS 20299.	SSIPVN	7I BUY VENDORS
			M1	Pull-Down Menu Texts
18792	iProcure batch price and lead time updates	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
18797	iProcure get current price and availability	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
18791	iProcure get items	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
18798	iProcure get ship notice information	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
18790	iProcure item association	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
18793	iProcure record price and lead time update	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
18794	iProcure transmit purchase order	Title of one of the Infor EAM Buy icons on the toolbar. Changed 'iProcure' to 'D7i Buy' for PVCS 20299.	M1	Pull-Down Menu Texts
33045	iProcure update status	27467	BZORLD	ELECTRONIC RECORDS FOR PURCHASE ORDER LINES
15216	is between	#47067	BSEMCD	E-MAIL CONDITIONS
15214	is blank		BSEMCD	E-MAIL CONDITIONS
15208	is equal to		BSEMCD	E-MAIL CONDITIONS
15210	is greater than		BSEMCD	E-MAIL CONDITIONS
15212	is greater than or equal to		BSEMCD	E-MAIL CONDITIONS
15211	is less than		BSEMCD	E-MAIL CONDITIONS
15213	is less than or equal to		BSEMCD	E-MAIL CONDITIONS
15217	is not between		BSEMCD	E-MAIL CONDITIONS
15215	is not blank		BSEMCD	E-MAIL CONDITIONS
15209	is not equal to		BSEMCD	E-MAIL CONDITIONS
40017	kBtu's		OZAESD	ANNUAL ENERGY USE
			OZAESH	ANNUAL ENERGY USE_HOSPITALITY
			OZAEST	TOTAL ANNUAL ENERGY USE
33333	mailto:	21970	CSDLK	CREATE HTML EDITOR LINK
28437	mm	D7i Extended -- Monitored Data form -- field label of radio button on Equipment Details tab	ISMONT	MONITORED DATA
20094	of	Infor EAM - links asentence	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			REPORT	General Report Function
			WSVREQ	VIEW WORK REQUEST STATUS
21408	of the month at	Infor EAM - this is a prompt for the user to enter a time on which to run the general ledger process	DSGLPR	DATABRIDGE GL PROCESSES
			DSGLPS	GL PROCESS SCHEDULES
16061	on or after		BHDOCL	List Of Documents
			BTDOCL	List Of Documents
			BZDOCL	List Of Documents
			OTCSTL	WORK ORDER COST SUMMARY
			STPICK	Pick List Print
			STREQL	List Of Outstanding Requisition Items
			STTRAL	Printed List Of Stock Transactions
			WHJOB	PRINT WORK ORDER
			WTJOB	Job Cards
			WTRLDG	CALCULATE LABOUR REQUIRED PER DAY
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
16065	starting	This is a label on a printed report that displays the dates of the report, e.g., jobs starting on 01-oct-2000	WHJOB	PRINT WORK ORDER
			WTJOB	Job Cards
			WYJOB	PRINT WORK ORDER
			WZJOB	PRINT WORK ORDER
36263	stockoutforstorescode	29217	SSSTOR	STORES
20660	temp	Infor EAM - temp is an abbreviation for 'temporary' meaning that something is not permanent. In Infor EAM this will be used as an abbreviation for temporary dataspy.	BSJSDN	COMMON FUNCTION FOR JAVASCRIPT
			OSGIML	AVAILABLE GIS MAP LAYERS

Infor11.7 EAM Field Descriptions / Usage

Text Code	Field Description	Field Definition	Used in Functions	
			Code	Description
20660	temp	Infor EAM - temp is an abbreviation for 'temporary' meaning that something is not permanent. In Infor EAM this will be used as an abbreviation for temporary dataspy.	OSGIMR OSGSWO	AVAILABLE GIS MAP LAYERS (REST) SELECTABLE LAYERS FOR WO
21253	that begins with	Infor EAM - this is an operator, i.e., a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that User ID Begins with...some value.	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
21252	that contains	Infor EAM - this is an operator, i.e a means by which to search for something. For example, the user selects a field User ID and they want to find everywhere that contains...[value].	BSJSND CSCCTR CSINRE SSREQ SSREQS WSINRQ WSSERQ WSSREQ	COMMON FUNCTION FOR JAVASCRIPT CONTACT CENTER GUEST INCIDENT REQUEST REQUISITION LINE CREATE PURCHASE REQUISITION CREATE INFORMATION REQUEST CREATE SERVICE REQUESTS SERVICE REQUESTS
19944	that equals	field on Infor EAM form that prompts user to enter search criteria e.g., ...'search for a...that equals...'	BSJSND	COMMON FUNCTION FOR JAVASCRIPT
25428	to	Crossbow. #47112	TCSYCF OHAERC OZAERC	7I MOBILE BOILER TEXT ANNUAL ENERGY REDUCTION COMPARISON ANNUAL ENERGY REDUCTION COMPARISON
44501	was successfully saved.	EAM-14486	BCMOBL	7I MOBILE BOILER TEXT
35586	©2002-2006 JBoss Inc. All rights reserved.	#28343	ABOUT	FUNCTION TO GET LABELS FOR ABOUT PAGE
31758	À	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31759	Á	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31760	Â	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31761	Ã	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31762	Ä	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31763	Å	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31764	Æ	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31765	Ç	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31766	È	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31767	É	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31768	Ê	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31757	Š	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function
31756	†	EWS.REP.UC.WorkOrderCards.doc	REPORT	General Report Function