



Infor LN User Guide for Additional Information Fields

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor LN 2022.x

Publication Date: March 8, 2023

Document code: ln_2022.x_comaddinfor__en-us

Contents

About this Guide.....	4
Contacting Infor.....	5
Chapter 1: Introduction.....	6
Additional information fields.....	6
Chapter 2: Additional Information Field Setup.....	9
To define additional information fields.....	9
Additional information definition levels.....	10
Chapter 3: Additional Information Fields Across LN.....	12
Additional information fields for Project.....	12
Additional information fields in Service.....	14
Additional information fields in Sales.....	20
Additional information fields in Procurement.....	23
Additional information for project pegged purchase documents.....	26
Additional information fields in Warehousing.....	27
Additional information fields in Invoicing.....	31
Additional information fields in Quality.....	32
Additional information fields in Financials.....	32
Index.....	34

About this Guide

Intended Audience

This book is intended for those who want to learn how to use and define additional information fields.

Assumed Knowledge

Familiarity with the business processes involved in the flow down of additional information, and general knowledge of the LN functionality will help you understand this guide. In addition, Common training courses are available to give you a head start.

References

Use this guide as the primary reference for additional information fields. Use the current editions of these related references to research information that is not covered in this guide:

- *User Guide for Contract Management*
- *User Guide for Project Estimation*
- *User Guide for Sales Orders*
- *User Guide for Purchase and Sales Schedules*
- *User Guide for Purchase Requisitions*
- *User Guide for Requests for Quotation (RFQs)*
- *User Guide for Purchase Orders*
- *User Guide for Project Pegging*
- *User Guide for the Inbound Goods Flow*
- *User Guide for the Outbound and Shipment Goods Flows*
- *User Guide for Handling Units*

How to read this document

This document is assembled from online Help topics.

Text in italics followed by a page number represents a hyperlink to another section in this document.

Underlined terms indicate a link to a glossary definition. If you view this document online, clicking the underlined term takes you to the glossary definition at the end of this document.

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

For the latest documentation, go to Documentation Central at docs.infor.com. We recommend that you check this website periodically for updated documentation. If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1: Introduction

Additional information fields

You can define *additional information fields* that are added as extra fields to LN standard sessions. In the standard sessions, users can modify the values of these fields.

The contents of additional information fields can be transferred between various sessions in the inbound and outbound flow, such as:

- From a project planned PRP purchase order via a purchase order to a receipt in Warehousing.
- From a sales order or sales schedule via the related warehousing order to a shipment in Warehousing.
- From a project contract via a contract deliverable to an outbound order line in Warehousing.

Additional information fields are used, for example, to transfer contract information or contract clauses to all parties involved in the supply chain.

Define additional information fields

Additional information fields are defined in the **Additional Information Definitions (tcstl2100m000)** session.

See To define additional information fields.

Additional information field properties

These additional information fields are available:

- 26 Alphanumeric string fields, each with a field length of 30 characters.
- 13 Alphanumeric string fields, each with a field length of 20 characters.
- 2 Date fields
- 2 Numeric fields
- 2 Check boxes
- 1 Text field

Except for the text field, for each additional information field you can specify whether the field contents must be printed on external documents or are intended for internal use only. The text field is for internal use only.

No functional logic is linked to the contents of the additional information fields.

Displaying additional information fields

The 26 string fields with a field length of 30 characters are displayed on the **Additional Information** tab of the overview and details sessions corresponding to the database table for which the additional information fields are defined.

The additional information fields of all other formats defined for a database table are displayed in the **Extended Additional Information (tcstl2110m000)** session if this session is started from the session corresponding to the database table for which the additional information fields are defined.

The **Extended Additional Information (tcstl2110m000)** session is started by clicking **Extended Additional Information** in the sessions for which additional information fields are present.

Note: Fields defined for the Additional Information (tcstl210) table in the Customer Defined Fields (ttadv4591m000) session are also displayed in the **Extended Additional Information (tcstl2110m000)** session.

In various sessions, you can print the Annex report that lists the additional information fields and their contents.

Some sessions with additional information fields of their own can also obtain information fields that are transferred from other sessions.

For example, a project pegged purchase order line with additional information fields of its own can inherit information fields from the related contract line.

To check if the additional information fields from both sources are conflicting or redundant, differences reports are available. For more information, refer to Additional information for project pegged purchase documents.

Transferring additional information

LN can transfer additional information fields between database tables, for example, from table tppdm700 (contract deliverable) to whinh220 (warehouse outbound order lines). Transfer is only performed if additional fields with identical field formats and field names are defined for both tables in the **Additional Information Definitions (tcstl2100m000)** session.

Example

For example, an additional string field with field name Cost Accounting Standard (CAS) is linked to the contract deliverable table. To transfer the value of the Cost Accounting Standard (CAS) field from a contract deliverable to an outbound order line, a field of the same format and with the same field name, Cost Accounting Standard (CAS), must be present in the additional information definition of the whinh220 table. The whinh220 table corresponds to the **Outbound Order Lines (whinh2120m000)** session.

BOD publishing

For integrations between LN and other applications through *Infor ION*, outbound additional information fields are published in the ShipmentOutBOD. This *Business Object Document (BOD)* publishes the additional information fields related to shipments, shipment lines, or handling units. These additional fields are retrieved from the **General** or the **Sold-to Business Partner** definition levels.

For the inbound flow, the additional information fields are published in the purchase order *BODs*. These additional fields are retrieved from the **General** or the **Buy-from Business Partner** definition levels.

Chapter 2: Additional Information Field Setup

To define additional information fields

In the **Additional Information Definitions (tcstl2100m000)** session, you can link fields of various field formats to a database table or a combination of database table and specific sold-to or buy-from business partner.

Additional information fields can be defined for these database tables.

The additional fields are displayed in the sessions corresponding to the database table. For example, if you link additional information fields to the Warehousing Orders (whinh200) table, the additional information fields are displayed and editable in the corresponding **Warehousing Orders (whinh2100m000)** session.

If you link additional information fields to the Warehousing Orders (whinh200) table and buy-from business partner X, the additional information fields are displayed and editable in the corresponding **Warehousing Orders (whinh2100m000)** session if buy-from business partner X is specified in the warehousing order.

Defining additional information fields

- 1** Start the **Additional Information Definitions (tcstl2100m000)** session.
- 2** Click **New**.
- 3** In the **Table** field, specify the database table for which you define the additional information fields.
- 4** In the **Level** field, select **Sold-to Business Partner Or Buy-from Business Partner** if you define the additional information fields for a combination of database table and business partner. For more information, refer to Additional information definition levels.
- 5** If you selected **Sold-to Business Partner Or Buy-from Business Partner** in the previous step, specify the relevant business partner in the **Code** field.
- 6** In the Field Name field, specify the field name as required.
- 7** If required, select a label code.
- 8** In the Field Name field, specify the field name that must be displayed in the session corresponding to the selected database table.
- 9** Select the Active check box.
- 10** If the field is internal and the contents must not be communicated to customers or suppliers, select the Internal (Additional Info) check box.
- 11** Repeat steps 6 - 10 for each additional information field that you define.
- 12** In the Print extra Label on Additional Information Annex field, select the required option for an extra label for the Annex report.

Additional information definition levels

Additional information definition levels

The additional information fields can be defined for these additional information definition levels:

- **General**
- **Sold-to Business Partner**
- **Buy-from Business Partner**

General

The additional fields linked to the specified database table are displayed in the corresponding overview and details sessions. The additional information fields are grouped in separate tabs. In the details sessions, you can edit the values of these fields.

Business partner

The additional information fields linked to the specified database table and the selected business partner are displayed and can be edited in the details session corresponding to the specified database table if:

- **Sold-to Business Partner**
A sales order or sales schedule initiates the process of creating a record in the specified database table.
- The selected business partner is the *sold-to business partner* of the sales order or sales schedule.
- **Buy-from Business Partner**
A purchase document initiates the process of creating a record in the specified database table.
- The selected business partner is the *buy-from business partner* of the purchase document.

For example, an additional information field defined for the `whinh200` table and business partner A is displayed in the **Warehousing Orders (whinh2100m000)** session for a warehousing order if:

- The originating order of the warehousing order is a sales order or a sales schedule.
- Business partner A is the sold-to business partner of the sales order or sales schedule.

General and Sold-to Business Partner/ Buy-from Business Partner related fields combined

When retrieving additional information fields for a database table corresponding to a particular session, the application selects the **Sold-to Business Partner** OR **Buy-from Business Partner** definition level. If not available, the **General** definition level is selected.

Consequently, if the additional information fields of both the **General** definition level and the **Sold-to Business Partner** OR **Buy-from Business Partner** definition level are required for a particular business partner, the fields defined in the **General** definition level must also be defined for the **Sold-to Business Partner** OR **Buy-from Business Partner** definition level, respectively.

Example

Database table `whinh200` corresponds to the **Warehousing Orders (whinh2100m000)** session.

In addition to the general additional fields defined for all business partners, business partner A requires extra fields. To accomplish this, the fields defined for the **General** definition level are also defined in the **Sold-to Business Partner** definition level for business partner A:

whinh200 Level = General	Requirement Business partner A	whinh200 Level = Business partner A
Customer Name	Accounting Clerk	Customer Name
Customer Storage Location	Container Reference A	Customer Storage Location
		Accounting Clerk
		Container Reference A

Chapter 3: Additional Information Fields Across LN

Additional information fields for Project

This topic provides an overview of the tables in Project, to which you can link *additional information fields*. The table lists the corresponding sessions which display the additional information fields. You can also edit the additional information fields, using the sessions linked to these tables:

Table	Session
tpctm100	Contracts (tpctm1100m000)
tpctm102	Contract History (tpctm1102m000)
tpctm110	Contract Lines (tpctm1110m000)
tpctm112	Contract Line History (tpctm1112m000)
tpest300	Bid (tpest3600m000)
tp- pdm700	Contract Deliverables (tppdm7100m100)
tp- pdm710	Contract Deliverables History (tppdm7110m100)
tppss610	Planned PRP Purchase Order (Material) (tppss6110m000) The Planned PRP Purchase Orders (tppss6810m000) session is used to start the sessions listed below.
tppss611	Planned PRP Purchase Order (Equipment) (tppss6111m000)
tppss612	Planned PRP Purchase Order (Subcontracting) (tppss6112m000)
tppss615	Planned PRP Warehouse Order (tppss6115m000)

Additional information can be transferred from one table to another. These are the additional information flows that are supported in Project:

- Bid to contract or contract lines
Bid- > Contracts (tpctm1100m000) or Contract Lines (tpctm1110m000)
- Contract to contract deliverables
Contracts (tpctm1100m000)-> Contract Lines (tpctm1110m000)- > Contract Deliverables (tppdm7100m100)
- Project planned PRP order to Purchase Control objects

Planned PRP Purchase Orders (tppss6810m000)-> RFQ (tdpur8310m000)/ RFQ Lines (tdpur1502m000)-> Purchase Orders (tdpur4100m000)/ Purchase Order Lines (tdpur4101m000)

Alternatively, the request for quotation header and lines sessions can be skipped in this flow:

Planned PRP Purchase Orders (tppss6810m000)-> Purchase Orders (tdpur4100m000)/ Purchase Order Lines (tdpur4101m000)

- Project planned PRP order to Warehousing objects

Planned PRP Warehouse Orders (tppss6815m000)-> Warehousing Orders (whinh2100m000)/ Inbound Order Lines (whinh2110m000)/ Outbound Order Lines (whinh2120m000)

- Planned PRP purchase order to PRP warehousing order and vice versa
 - **Planned PRP Purchase Orders (tppss6810m000)-> Planned PRP Warehouse Orders (tppss6815m000)**
 - **Planned PRP Warehouse Orders (tppss6815m000)-> Planned PRP Purchase Orders (tppss6810m000)**

Bid- > Contracts (tpctm1100m000) or Contract Lines (tpctm1110m000)

For example, for both the Bid and Contract, a Quality Standard additional information field is defined. For the Bid, the ISO9001 data is captured. When creating a Contract, based on the Bid, the value is copied to match the information fields. The ISO9001 is displayed on the contract created.

The additional information on the contract line can be retrieved from the initiating object, for example, a contract or specified manually. The additional information is transferred from the contract to the contract line. For example, the Quality Standard field is also available for the contract line. The ISO9001 value is copied to the contract lines, when creating a line linked to the contract.

Contracts (tpctm1100m000)-> Contract Lines (tpctm1110m000)- > Contract Deliverables (tppdm7100m100)

The additional information is also transferred from the contract line to the contract deliverable line. For example, the Quality Standard field is also available for the contract deliverable. The ISO9001 value is copied from the contract line to the contract deliverable. The value can then be transferred from the contract deliverable to the warehousing order line.

Planned PRP Purchase Orders (tppss6810m000)-> RFQ (tdpur8310m000)/ RFQ Lines (tdpur1502m000)-> Purchase Orders (tdpur4100m000)/ Purchase Order Lines (tdpur4101m000)

Additional information, such as contract clauses, is transferred from the planned purchase order in Project to the request for quotation and the purchase order in Purchase Control. Next, the additional information from the purchase document is transferred to the inbound and receipt documents in Warehousing.

Planned PRP Warehouse Orders (tppss6815m000)-> Warehousing Orders (whinh2100m000)/ Inbound Order Lines (whinh2110m000)/ Outbound Order Lines (whinh2120m000)

In both the inbound and the outbound flow, the additional information is copied from the planned warehousing order to the inbound or outbound order lines in Warehousing.

In the outbound flow, for delivery types **Wrh->BP** and **Proj->Wrh->BP**, the additional information fields defined for the *sold-to business partner* of the contract line linked through the *peg* are used. If no additional fields are defined for the business partner, the additional information fields defined for the **General** level are used.

For the other delivery types, the additional information fields defined for the **General** level are used.

Delivery type **Project->Wrh** is used in the inbound flow. For this delivery type, the additional information fields defined for the **General** level are used.

Planned PRP Purchase Order (Material) (tppss6110m000)-> Planned PRP Warehouse Orders (tppss6815m000) or vice versa

If you change a planned purchase order into a planned warehousing order using the **Change to Planned Warehouse Order** option in the *appropriate menu* of the **Planned PRP Purchase Orders (tppss6810m000)** session, the additional information fields (if present) are copied to the planned warehousing order.

The delivery type of the generated planned PRP warehouse order is defaulted to **Wrh->Project**. This means that when copying the additional information, the **General** level defined for the planned PRP warehouse order is used.

Similarly, if you change a planned warehousing order to a planned purchase order, the additional information fields are copied to the planned purchase order.

When copying the additional information to the generated planned purchase order, the **Buy-from Business Partner** level is used. The buy-from business partner is defaulted from the **Items (tcibd0501m000)** session. If no additional fields are defined for the business partner, the additional information fields defined for the **General** level are used.

Additional information fields in Service

The use of *additional information fields* is supported in various database tables in Service.

The table lists the database tables in Service to which you can link *additional information fields*. The table also contains the corresponding sessions in which you can view and maintain the additional information fields.

Table	Session
	tsclm100 Calls
tsclm100	<ul style="list-style-type: none"> • Call (tscml1100m000) • Calls (tscml1100m000) • Calls (tscml1500m000) • Call Overview (tscml1509m000)
	tsclm810 Call History
tsclm810	Call History (tsclm8510m002) This session is started from the Calls (tsclm1600m100) session.

Table	Session
	tscmm100 Customer Claim
tscmm100	<ul style="list-style-type: none"> • Customer Claims (tscmm1100m000) • Customer Claims (tscmm1100m100) • Customer Claims (tscmm1100m000)
	tscmm110 Customer Claim Lines
tscmm110	<ul style="list-style-type: none"> • Customer Claim Lines (tscmm1110m000) • Customer Claim Lines (tscmm1110m200) • Print Customer Claim Acknowledgement (tscmm1410m000)
	tscmm112 Customer Claim Delivery Lines
tscmm112	Customer Claim Deliveries (tscmm1112m000)
	tscmm113 Customer Claim Receipt Lines
tscmm113	Customer Claim Receipts (tscmm1113m000)
	tscmm114 Supplier Claim Requests
	<ul style="list-style-type: none"> • Supplier Claim Requests (tscmm1114m000) • Print Supplier Claim Request Additional Information Differences (tscmm1414m100) <p>In this session, you can print the additional information in the report. The additional information is not displayed in the session itself.</p> <ul style="list-style-type: none"> • Supplier Claim Requests (tscmm1514m000)
	tscmm200 Supplier Claims
tscmm200	<ul style="list-style-type: none"> • Supplier Claims (tscmm2100m000) • Supplier Claims (tscmm2500m000) • Supplier Claim (tscmm2600m000)
	tscmm210 Supplier Claim Lines
tscmm210	<ul style="list-style-type: none"> • Supplier Claim Lines (tscmm2110m000) • Supplier Claim Lines (tscmm2510m100) • Print Supplier Claim (tscmm2410m000) • Print Supplier Claim Line Additional Information Differences (tscmm2410m100) <p>In the print sessions, you can print the additional information in the report. The additional information is not displayed in the sessions themselves.</p>
	tscmm212 Supplier Claim Delivery Lines

Table	Session
tscmm212	<ul style="list-style-type: none"> • Supplier Claim Deliveries (tscmm2112m000) • Print Supplier Claim Delivery Additional Information Differences (tscmm2412m100) <p>In this session, you can print the additional information in the report. The additional information is not displayed in the session itself.</p>
	tscmm213 Supplier Claim Receipt Lines
tscmm213	<ul style="list-style-type: none"> • Supplier Claim Receipts (tscmm2113m000) • Print Supplier Claim Receipt Additional Information Differences (tscmm2413m100) <p>In this session, you can print the additional information in the report. The additional information is not displayed in the session itself.</p>
	tscmm800 Customer Claim History
tscmm800	Customer Claim History (tscmm8100m000)
	tscmm810 Customer Claim Line History
tscmm810	Warehousing Orders History (whinh2550m000)
	tscmm812 Customer Claim Delivery Line History
tscmm812	Customer Claim Deliveries History (tscmm8112m000)
	tscmm813 Customer Claim Receipt Line History
tscmm813	Customer Claim Receipts History (tscmm8113m000)
	tscmm814 Supplier Claim Request History
tscmm814	Supplier Claim Requests History (tscmm8114m000)
	tscmm850 Supplier Claim History
tscmm850	Supplier Claim History (tscmm8150m000)
	tscmm860 Supplier Claim Line History
tscmm860	Supplier Claim Lines History (tscmm8160m000)
	tscmm862 Supplier Claim Delivery Lines History
tscmm862	Supplier Claim Delivery Lines History (tscmm8162m000)
	tscmm863 Supplier Claim Receipt Lines History

Table	Session
tscmm863	Supplier Claim Receipt Lines History (tscmm8163m000)
	tsepp100 Quotes
tsepp100	<ul style="list-style-type: none"> • Quotes (tsepp1100m000) • Quote (tsepp1100m100) • Quote Requests (tsepp1100m200) • Print Quote Documents (tsepp1400m000) <p>In this session, you can print the additional information in the report. The additional information is not displayed in the session itself.</p> <ul style="list-style-type: none"> • Quote Request (tsepp1600m000)
	tsepp110 Quote Lines
tsepp110	<ul style="list-style-type: none"> • Quote Lines (tsepp1110m000) • Quote Request Lines (tsepp1110m100)
	tsepp810 Quotes History
tsepp810	<ul style="list-style-type: none"> • Quote History (tsepp8510m000) • Quote Request History (tsepp8510m100)
	tsepp811 Quote Line History
tsepp811	<ul style="list-style-type: none"> • Quote Line History (tsepp8511m000) • Quote Request Line History (tsepp8511m100)
	tmsmc100 Maintenance Sales Order
tmsmc100	<ul style="list-style-type: none"> • Maintenance Sales Orders (tmsmc1100m000) • Maintenance Sales Order (tmsmc1100m100)
	tmsmc110 Maintenance Sales Order Item Lines
tmsmc110	<ul style="list-style-type: none"> • Maintenance Sales Order - Part Lines (tmsmc1110m000) • Maintenance Sales Order - Part Maintenance Lines (tmsmc1110m100) • Maintenance Sales Order - Part Loan Lines (tmsmc1110m200) • Maintenance Sales Order - Part Delivery Lines (tmsmc1110m300) • Maintenance Sales Order - Part Receipt Lines (tmsmc1110m400) • Part Maintenance Lines (tmsmc1110m500)
	tmsmc111 Maintenance Sales Order Activity Lines
tmsmc111	Maintenance Sales Order Activity Lines (tmsmc1111m000)

Table	Session
	tmsmc120 Maintenance Sales Order Coverage
tmsmc120	Maintenance Sales Order - Coverage Lines (tmsmc1120m000)
	tmsmc800 Maintenance Sales Order
tmsmc800	Maintenance Sales Order History (tmsmc8100m000)
	tmsmc810 Maintenance Sales Order Item Line History
tmsmc810	Maintenance Sales Order - Item Line History (tmsmc8110m000)
	tmsmc811 Maintenance Sales Order Activity Lines History
tmsmc811	Maintenance Sales Order Activity Lines - History (tmsmc8111m000)
	tmsmc820 Maintenance Sales Order Coverage Line History
tmsmc820	Maintenance Sales Order Line - Coverage Lines History (tmsmc8120m000)
	tssoc200 Service Orders
tssoc200	<ul style="list-style-type: none"> • Service Order • Service Order (tssoc2100m100)
Service Order Activities (tssoc2511m000)	tssoc210 Service Order Activities
tssoc210	<ul style="list-style-type: none"> • Service Order Activity • Service Order Activity (tssoc2110m100) • Service Order Activities (tssoc2511m000)
	tssoc220 Service Order Material Costs
tssoc220	<ul style="list-style-type: none"> • Service Order Estimated Material Costs (tssoc2120m000) • Service Order Actual Material Costs (tssoc2121m000) • Service Order Actual Material Costs (tssoc2121m100) • Service Order Material Costs (tssoc2122m000)
	tssoc850 History Service Orders
tssoc850	Service Order History (tssoc8551m000)
	tssoc855 Service Order Activity History
tssoc855	Service Order Activities History (tssoc8552m000)

Table	Session
tssoc860	tssoc860 Service Order Material Cost History Service Order Material Cost History (tssoc8555m000)
tstdm501	tstdm501 After Sales Service Lines After Sales Service Lines (tstdm5101m000)
tstdm851	tstdm851 After Sales Service Lines History After Sales Service Lines History (tstdm8551m000)
tswcs200	tswcs200 Work Orders <ul style="list-style-type: none"> • Work Orders (tswcs2100m000) • Work Order (tswcs2100m100) • Work Orders (tswcs2100m200)
tswcs210	tswcs210 Work Order Activities <ul style="list-style-type: none"> • Work Order Activities (tswcs2110m000) • Work Order Activities (tswcs2110m200) • Work Order Activity (tswcs2610m000)
tswcs410	tswcs410 Work Order Material Resources Work Order Material Resources (tswcs4110m000)
tswcs450	tswcs450 Work Order Outgoing Subassemblies Work Order Outgoing Subassemblies (tswcs4150m000)
tswcs451	tswcs451 Work Order Incoming Subassemblies Work Order Incoming Subassemblies (tswcs4151m000)
tswcs820	tswcs820 Work Order History Work Order History (tswcs8520m000)
tswcs821	tswcs821 Work Order Activity History Work Order Activity History (tswcs8521m000)
tswcs841	tswcs841 Work Order Material Resource History Work Order Material Resource History (tswcs8541m000)
tswcs850	tswcs850 Work Order Outgoing Subassembly History Work Order Outgoing Subassembly History (tswcs8550m000)

Table	Session
tswcs851	tswcs851 Work Order Incoming Subassembly History
	Work Order Incoming Subassembly History (tswcs8551m000)

In the details session of the corresponding sessions and in the **Extended Additional Information (tcstl2110m000)** session, you can specify or modify the information in the additional information fields.

Additional information definition levels

The additional information fields can be defined for these additional information definition levels:

- [General](#) on page 10
- [Sold-to or Buy-from Business Partner](#) on page 10

Transferring additional information

The information in the additional fields can be transferred to additional information fields in other sessions. For example, if you specified a value in additional information field ExampleRef in the **Quote (tsepp1100m100)** session, this value is transferred to the additional information field ExampleRef in the **Service Order (tssoc2100m100)** session.

For example, these additional information flows are supported in Service:

Part Maintenance Lines (tsmsc1110m500) → Work Order (tswcs2100m100)

Originating Sales Control object → **Customer Claims (tscmm1100m100) → Supplier Claim (tscmm2600m000)**

Originating Procurement object → **Service Order (tssoc2100m100)**

Originating Project Contract Deliverable → **After Sales Service (tstdm5600m000) → Service Order (tssoc2100m100)**

If no additional information is present for the originating object, but is specified for the project peg, the additional information is retrieved from the related project contract.

Additional information fields in Sales

This table provides an overview of the tables in Sales to which you can link *additional information fields*. The table also contains the corresponding sessions in which the additional information fields are displayed:

Table	Session
td-sls400	Sales Orders (tdsls4100m000)
td-sls401	<ul style="list-style-type: none"> • Sales Order Lines (tdsls4101m000) • Sales Order Planned Delivery Lines (tdsls4101m100)

Table	Session
td-sls308	Sales Release Lines (tdsls3508m000)
td-sls315	Sales Release Line Details (tdsls3515m000)
td-sls316	<ul style="list-style-type: none"> • Sales Release Lines - Sequence Shipping Schedule (td-sls3116m000) • Sales Release Line Details - Pick-up Sheet (tdsls3116m100)
td-sls311	Sales Schedules (tdsls3111m000)
td-sls307	Sales Schedule Lines (tdsls3107m000)
td-sls320	Sales Schedule Planned Delivery Lines (tdsls3520m000)
td-sls450	<ul style="list-style-type: none"> • Sales Order History (tdsls4550m000) • Sales Schedule History (tdsls3560m000)
td-sls451	<ul style="list-style-type: none"> • Sales Order Line History (tdsls4551m000) • Sales Order Line History Overview (tdsls4551m200) • Sales Schedule Line History (tdsls3561m000)

Note:

- As long as it is allowed to update a sales order, sales release, or sales schedule, you can edit the additional information fields on the order, release, or schedule.
- Additional information can be available in the Sales Schedule Planned Warehouse Orders (tdsls320) table if the **Use Contracts for Schedules** check box is selected in the **Sales Schedule Parameters (tdsls0100s500)** session.

Transferring additional information

Additional information can be transferred from one table to another table.

The following flows of additional information are supported in Sales:

- Sales order
- Material release / Shipping schedule
- Sequence shipping schedule
- Pick-up sheets

The additional information from the sales document is transferred to the outbound and shipment documents in Warehousing.

Additional information definition levels

The additional information fields can be retrieved for these additional information definition levels:

- **General**

- **Sold-to Business Partner**

Before transferring additional information from one document to another, the additional information definitions for the source document table and target document table are verified. Transfer only takes place if additional fields with identical field formats and field names are defined for both tables in the **Additional Information Definitions (tcstl2100m000)** session. If a **Sold-to Business Partner** definition is available for the applicable sold-to business partner, this definition is used. Else, the **General** definition is used. See Additional information definition levels.

Sales order

The additional information is transferred as follows:

- Header flow
Sales Orders (tdsls4100m000)-> Warehousing Orders (whinh2100m000).
- Line flow
Sales Order Lines (tdsls4101m000)-> (Sales Order Planned Delivery Lines (tdsls4101m100)) -> Outbound Order Lines (whinh2120m000).

Material release/ Shipping schedule

The additional information is transferred as follows:

- Header flow
Sales Release Lines (tdsls3508m000)-> Sales Schedules (tdsls3111m000)-> Warehousing Orders (whinh2100m000).
- Line flow
Sales Release Line Details (tdsls3515m000)-> Sales Schedule Lines (tdsls3107m000)-> Sales Schedule Planned Delivery Lines (tdsls3520m000)-> Outbound Order Lines (whinh2120m000).

Sequence shipping schedule

The additional information is transferred as follows:

- Header flow
Sales Release Lines - Sequence Shipping Schedule (tdsls3116m000)-> Sales Schedules (tdsls3111m000)-> Warehousing Orders (whinh2100m000).
- Line flow
Sales Release Lines - Sequence Shipping Schedule (tdsls3116m000)-> Sales Schedule Lines (tdsls3107m000)-> Sales Schedule Planned Delivery Lines (tdsls3520m000)-> Outbound Order Lines (whinh2120m000).

Pick-up sheet

The additional information is transferred as follows:

- Header flow
Sales Release Line Details - Pick-up Sheet (tdsls3116m100)-> Sales Schedules (tdsls3111m000)-> Warehousing Orders (whinh2100m000).

- Line flow

Sales Release Line Details - Pick-up Sheet (tdsls3116m100)-> Sales Schedule Lines (tdsls3107m000)-> Sales Schedule Planned Delivery Lines (tdsls3520m000)-> Outbound Order Lines (whinh2120m000).

Additional information fields in Procurement

This table provides an overview of the tables in Procurement to which you can link *additional information fields*. The table also lists the corresponding sessions in which the additional information fields are displayed:

Table	Session
td-pur200	Purchase Requisitions (tdpur2501m000)
td-pur201	Purchase Requisition Lines (tdpur2502m000) Prepare Conversion Purchase Requisition Lines (tdpur2502m100)
td-pur203	Purchase Requisition History (tdpur2504m000)
td-pur204	Purchase Requisition Line History (tdpur2514m000)
td-pur100	Requests for Quotation (tdpur1501m000)
td-pur101	RFQ Lines (tdpur1502m000)
td-pur106	RFQ Responses (tdpur1506m000) RFQ Responses (tdpur1506m100)
td-pur150	RFQ History (tdpur1550m000)
td-pur151	RFQ Line History (tdpur1551m000)
td-pur156	RFQ Response History (tdpur1556m000)
td-pur400	Purchase Orders (tdpur4100m000) Purchase Order (tdpur4100m900)
td-pur401	Purchase Order Lines (tdpur4101m000) Purchase Order Line Details (tdpur4101m200) Purchase Order Line (tdpur4601m000)
td-pur450	Purchase Schedule History (tdpur3560m000) Purchase Order History (tdpur4550m000)

Table	Session
td-pur451	Purchase Schedule Line History (tdpur3561m000) Purchase Order Line History (tdpur4551m000)
td-pur310	Purchase Schedules (tdpur3110m000) Purchase Schedules (tdpur3110m100)
td-pur311	Purchase Schedule Lines (tdpur3111m000) Purchase Schedule Lines (tdpur3111m200)
td-pur321	Purchase Release Line (tdpur3121m000) Purchase Release Lines (tdpur3121m100)
td-pur322	Purchase Release Line - Details (tdpur3522m000) Purchase Release Line - Details by Schedule (tdpur3522m100)

Transferring additional information

Additional information can be transferred from one table to another table.

In Procurement, additional information is supported for these purchase documents and related flows:

- Purchase requisition
- Request for quotation (RFQ)
- Purchase order
- Purchase schedule

The additional information from the purchase document is transferred to the inbound and receipt documents in Warehousing.

Additional information definition levels

The additional information fields can be retrieved for these additional information definition levels:

- **General**
- **Buy-from Business Partner**

Before transferring additional information from one document to another, the additional information definitions for the source document table and target document table are compared. Data is transferred only if additional fields with identical field formats and field names are defined for both tables in the **Additional Information Definitions (tcstl2100m000)** session. If a **Buy-from Business Partner** definition is available for the applicable buy-from business partner, this definition is used. Else, the **General** definition is used. See Additional information definition levels.

Purchase requisition

The additional information is transferred as follows:

- Header flow
Purchase Requisitions (tdpur2501m000)-> Requests for Quotation (tdpur1501m000)-> Purchase Orders (tdpur4100m000)-> Warehousing Orders (whinh2100m000).

- Line flow

Purchase Requisition Lines (tdpur2502m000)-> RFQ Lines (tdpur1502m000)-> RFQ Responses (tdpur1506m000)-> Purchase Order Lines (tdpur4101m000)-> Inbound Order Lines (whinh2110m000).

Note: The generation of an RFQ from a requisition is not mandatory. You can directly convert the requisition to a purchase order.

Request for quotation (RFQ)

The additional information is transferred as follows:

- Header flow

Purchase Requisitions (tdpur2501m000)/ Transfer Planned PRP Purchase Orders (tppss6230m000)/ Contracts (tpctm1100m000)-> Requests for Quotation (tdpur1501m000)-> Purchase Orders (tdpur4100m000)-> Warehousing Orders (whinh2100m000).

- Line flow

Purchase Requisition Lines (tdpur2502m000)/ Transfer Planned PRP Purchase Orders (tppss6230m000)/ Contract Lines (tpctm1110m000)-> RFQ Lines (tdpur1502m000)-> RFQ Responses (tdpur1506m000)-> Purchase Order Lines (tdpur4101m000)-> Inbound Order Lines (whinh2110m000).

Note:

- An RFQ with additional information can be generated either from a purchase requisition, planned PRP order, or a project contract line.
- You can also manually create RFQs and RFQ lines and specify the additional information.

Purchase order

The additional information is transferred as follows:

- Header flow

Purchase Requisitions (tdpur2501m000)/ Requests for Quotation (tdpur1501m000)/ Transfer Planned PRP Purchase Orders (tppss6230m000)/ Contracts (tpctm1100m000)-> Purchase Orders (tdpur4100m000)-> Warehousing Orders (whinh2100m000).

- Line flow

Purchase Requisition Lines (tdpur2502m000)/ RFQ Lines (tdpur1502m000)-> RFQ Responses (tdpur1506m000)/ Contract Lines (tpctm1110m000)-> Purchase Order Lines (tdpur4101m000)-> Inbound Order Lines (whinh2110m000).

Note:

- A purchase order with additional information can be generated either from a purchase requisition, RFQ, planned PRP order, or a project contract line.
- You can also manually create purchase orders and purchase order lines and specify the additional information.

Purchase (push) schedule

The additional information is transferred as follows:

- Header flow

Transfer Planned PRP Purchase Orders (tppss6230m000)-> Purchase Schedules (tdpur3110m000)-> Purchase Release Line (tdpur3121m000)-> Warehousing Orders (whinh2100m000) (*blanket warehousing order*).

- Line flow

Purchase Schedule Lines (tdpur3111m000)-> Purchase Release Line - Details (tdpur3522m000).

Notes

- If a purchase document is project *pegged*, the additional information from the project contract is transferred to the purchase document line. See Additional information for project pegged purchase documents.
- When a requisition is converted to an RFQ, the additional information for the *RFQ response* is copied from the requisition line instead of from the RFQ line. This method is used to retrieve additional information fields based on the **Buy-from Business Partner** definition level instead of the **General** definition level, which is applicable for RFQ lines. If, after conversion, new bidders or RFQ lines (responses) are added, the additional information is copied from the RFQ line. Consequently, copying additional information from the requisition line is applicable only during conversion of the requisition.
- To print the differences between the additional information fields of an *RFQ response* and related *RFQ line*, a buyer can use the Print Purchase RFQ Response Additional Information Differences (tdpur1426m000) session. If additional information is missing or redundant, a buyer can manually modify the information.

Additional information for project pegged purchase documents

Standards, conditions, and requirements (clauses) between a customer and contractor can be specified as *additional information* on project contract lines. Because these clauses also affect the suppliers or subcontractors involved, the clauses can be transferred down the supply chain.

If a purchase document line, such as a requisition line, RFQ line, or purchase order line is generated or manually created and the line is project *pegged*, the additional information that is specified for the linked (project) contract line(s), is verified. The information in the additional fields of the project contract line(s) is transferred to the additional fields of the purchase document line, only if identical additional field names are specified for both the tables in the **Additional Information Definitions (tcstl2100m000)** session.

Example

This table shows the additional information fields that are applicable for a purchase document line:

Contract line	Purchase order line	Field relevant?
ADI1	ADI1	yes
ADI2	-	no
-	ADI3	yes

If a purchase document line is generated from a source that includes additional information and that also has a peg distribution with additional information, only the additional information of the source document is transferred to the purchase document line that is generated. The additional information of the linked peg distribution is not considered. If an additional information definition is not specified for the source document in the **Additional Information Definitions (tcstl2100m000)** session, but the source document is linked to a peg distribution with additional information, the additional information from the peg distribution is transferred to the purchase document.

Example

- 1 A purchase requisition line with a peg distribution is manually specified.
- 2 When specifying the pegs, the information in the additional fields of the project contract line(s) is transferred to the additional fields of the requisition line.
- 3 The requisition is converted to an RFQ.
- 4 The additional information of the requisition line is transferred to the RFQ line/ response line. The additional information for the linked peg distribution is not verified, because the requisition line already includes this information. Modifications made by the buyer to the additional information fields on the requisition line, are also transferred to the RFQ line/ response line.

When a project peg is deleted or modified for the purchase document line peg distribution, the additional information fields are not removed or updated. Buyers must review the additional information to determine if data is missing or redundant and must be manually modified. They can generate reports to view the differences between the additional information fields for the purchase document line and the project contract line(s). Additional information fields with matching content are not displayed.

Depending on the purchase document type, buyers can use these sessions to compare the additional information and print the differences:

- **Print Purchase Requisition Additional Information Differences (tdpur2406m000)**
- **Print Purchase RFQ Additional Information Differences (tdpur1421m000)**
- **Print Purchase RFQ Response Additional Information Differences (tdpur1426m000)**
- **Print Purchase Schedule Additional Information Differences (tdpur3411m100)**
- **Print Purchase Order Additional Information Differences (tdpur4410m000)**

Note:

- Additional information can be compared only if the purchase document has a linked peg distribution. Each peg in the peg distribution is compared with the document line. Consequently, a document line can be displayed more than once on a report.
- If multiple pegs, related to different project contract lines, are linked to a purchase document line, the clauses (additional information) of all these contract lines are transferred to the purchase document line. Contradicting clauses (additional information with the same field name, but a different field value) lead to loss of information. By setting up *planning groups* and commingling exceptions in **Project Pegging** in Common, you can avoid this conflict of clauses of different project pegs.

Additional information fields in Warehousing

The use of *additional information fields* is supported in various database tables in Warehousing.

The table lists the database tables in Warehousing to which you can link *additional information fields*. The table also contains the corresponding sessions which display the additional information fields:

Table	Session
whinh200	Warehousing Orders (whinh2100m000)
whinh250	Warehousing Orders History (whinh2550m000)
	Outbound
whinh220	Outbound Order Lines (whinh2120m000)
whinh270	Outbound Order Lines History (whinh2570m000)
whinh430	Shipments (whinh4130m000)
whinh450	Shipment History (whinh4550s000)
whinh431	Shipment Lines (whinh4131m000)
whinh451	Shipment Line History (whinh4551s000)
	Inbound
whinh210	Inbound Order Lines (whinh2110m000)
whinh260	Inbound Order Lines History (whinh2560m000)
whinh312	Warehouse Receipt Lines (whinh3512m100)
	Receipt Lines (whinh3112s000)
whinh362	Receipt Lines History (whinh3562m000)
	Handling units
whwmd530	Handling Units (whwmd5130m000)
whwmd531	Handling Unit Version History (whwmd5531m000)

In the details session of the corresponding sessions and in the **Extended Additional Information (tcstl2110m000)** session, you can specify or modify the information in the additional information fields.

Additional information definition levels

The additional information fields can be defined for these additional information definition levels:

- [General](#) on page 10
- [Sold-to or Buy-from Business Partner](#) on page 10

Transferring additional information

The information in the additional fields can be transferred to additional information fields in other sessions. For example, if you specified a value in additional information field ConsumptionPoint in the **Warehousing Orders (whinh2100m000)** session, this value is transferred to the additional information field ConsumptionPoint in the **Shipments (whinh4130m000)** session.

These additional information flows are supported in Warehousing:

- Header flow outbound
Originating Sales Control or Project object, or manual entry --> **Warehousing Orders (whinh2100m000)**-> **Shipments (whinh4130m000)**-> **Handling Units (whwmd5130m000)**
- Line flow outbound
Originating Sales Control or Project object, or manual entry --> **Outbound Order Lines (whinh2120m000)**-> **Shipment Lines (whinh4131m000)**-> **Handling Units (whwmd5130m000)**
- Header flow inbound
Originating Project or Purchase Control object, or manual entry --> **Warehousing Orders (whinh2100m000)**
- Line flow inbound
Originating Project or Purchase Control object, or manual entry **Inbound Order Lines (whinh2110m000)**-> **Warehouse Receipt Lines (whinh3512m100)** or **Receipt Lines (whinh3112s000)**-> **Handling Units (whwmd5130m000)**

Note:

The information can only be transferred if all tables involved contain identical additional field formats and field names. For example, to enable the value of additional information field ConsumptionPoint of the string format to be transferred through the header flow, the whinh200, whinh430 and whwmd530 tables must contain a string field named ConsumptionPoint.

Header flow outbound: Originating Sales Control or Project object, or manual entry Warehousing Orders (whinh2100m000)-> Shipments (whinh4130m000)-> Handling Units (whwmd5130m000)

The additional information on the warehouse order header can be retrieved from the originating object, for example, a sales schedule header, or specified manually. The additional information is transferred from the warehouse order header to the shipment header.

Additional information is not overwritten during the transfer process. This rule applies to the individual field level. For example, two warehouse orders are available. For the first warehousing order, a value is specified in additional field 1. For the second, a value is specified in additional field 2. Both warehouse orders result in the same shipment. The shipment header displays the value of additional field 1 from the first warehouse order and the value of additional field 2 from the second warehouse order.

The following table lists a few scenarios. Warehouse Order 1 is the first order that is linked to the shipment:

Warehouse Order 1		Warehouse Order 2		Shipment	
Content Field 1	Content Field 2	Content Field 1	Content Field 2	Content Field 1	Content Field 2
Sample_x	Sample_y	Sample_z		Sample_x	Sample_y
		Sample_q	Sample_r	Sample_q	Sample_r
Sample_s		Sample_q	Sample_r	Sample_s	Sample_r

If handling units are used, and are created automatically for the shipment header during the confirmation of the picking list, the additional information can be transferred from the shipment header to the generated handling unit.

Line flow outbound: Originating Sales Control or Project object, or manual entry -> Outbound Order Lines (whinh2120m000)-> Shipment Lines (whinh4131m000)-> Handling Units (whwmd5130m000)

The additional information on the outbound order line can be retrieved from the initiating object, for example, a sales schedule line, or specified manually for the manual warehouse order types. This additional information is transferred from the outbound order line to the shipment line.

When handling units from stock are used in the outbound and shipment processes, additional information that is manually specified can already be present for these handling units. The additional information of the shipment line is merged with the additional information of the handling unit.

Existing additional information of the handling unit is not overwritten by additional information from the shipment line. This rule applies to the individual field level. The table outlines some scenarios:

Shipment Line		Handling Unit before merge		Handling Unit after merge	
Content Field 1	Content Field 2	Content Field 1	Content Field 2	Content Field 1	Content Field 2
Sample_x	Sample_y			Sample_x	Sample_y
Sample_x	Sample_y	Sample_q		Sample_q	Sample_y
Sample_x	Sample_y	Sample_q	Sample_r	Sample_q	Sample_r

Header flow inbound: Originating Project or Purchase Control object, or manual entry -> Warehousing Orders (whinh2100m000)

The additional information on the warehouse order header can be retrieved from the originating object, for example, a purchase order or purchase schedule header, or specified manually. The additional information field contents are not transferred from the warehouse order header to the inbound order lines, receipt lines or handling units.

Line flow inbound: Originating Project or Purchase Control object, or manual entry -> Inbound Order Lines (whinh2110m000)-> Receipt Lines (whinh3112s000)-> Handling Units (whwmd5130m000)

The additional information of the inbound order lines is retrieved from the originating purchase order line or purchase schedule, or entered manually. The additional information is then transferred from the inbound order line to the receipt line. This is done when the order line is linked to the receipt.

If handling units are used, the additional information can be transferred from the receipt line to the linked or generated handling units in the **Handling Units (whwmd5130m000)** session.

Handling units can be linked to an inbound order line before the inbound order line is linked to the receipt line. These handling units can contain additional information. If the handling units are linked to receipt lines that also contain additional information, the additional information of the inbound order-line handling unit is merged with the additional information of the receipt line. The additional information of the handling unit is not overwritten with the additional information of the receipt line.

Print Labels (whwmd5430m100)

If *additional information fields* are present for the handling unit, outbound order line, or shipment line for which labels are printed, the descriptions of the additional information fields are also printed.

Integration with Quality

For inbound order inspections created in Quality that are linked to warehousing inspections, the additional information fields are retrieved from the related Warehousing inbound order line.

For outbound order inspections in Quality, the additional information fields are retrieved from the outbound order line.

Additional information fields are not available for Warehousing inspections.

Additional information fields in Invoicing

The use of *additional information fields* is supported in various database tables in Invoicing.

The table lists the database tables in Invoicing to which you can link *additional information fields*. The table also contains the corresponding sessions in which you can view and maintain the additional information fields.

Table	Session
	cisli810 Billable Lines
cisli810	<ul style="list-style-type: none"> • Billable Lines (cisli8110m000) • Billable Lines (cisli8110m200)
	cisli310 Invoice Lines
cisli310	<ul style="list-style-type: none"> • Invoice Lines (cisli3110m000) • Invoice Lines (cisli3110m200)

Additional information definition levels

The additional information fields can be defined for these additional information definition levels:

- [General](#) on page 10
- [Sold-to or Buy-from Business Partner](#) on page 10

Transferring additional information

The information in the additional fields can be transferred to additional information fields in other sessions in other tables. For example, if you specified a value in additional information field ExampleRef in the **Contract Lines (tpctm1110m000)** session, this value is transferred to the additional information field ExampleRef in the **Billable Lines (cisli8110m000)** session.

These additional information flows are supported in Invoicing:

Contract Lines (tpctm1110m000) / Contract Deliverables (tppdm7100m100) → Billable Lines (cisli8110m000) → Invoice Lines (cisli3110m000)

Additional information fields in Quality

The use of *additional information fields* is supported in various database tables in Quality.

The table lists the database tables in Quality to which you can link *additional information fields*. The table also contains the corresponding sessions in which you can view and maintain the additional information fields.

Table	Session
	qmptc120 Order Inspections
qmptc120	Order Inspections (qmptc1120m000)

Additional information definition levels

The additional information fields can be defined for these additional information definition levels:

- [General](#) on page 10
- [Sold-to or Buy-from Business Partner](#) on page 10

Transferring additional information

The information in the additional fields can be transferred to additional information fields in other sessions in other tables. For example, if you specified a value in additional information field ExampleRef in the originating **Contract Deliverables (tppdm7100m100)** session, this value is transferred to the additional information field ExampleRef in the **Order Inspections (qmptc1120m000)** session, in which you can modify this value if required.

These additional information flows are supported in Quality:

- Line flow inbound
Originating Purchase order line or Purchase Schedule → **Inbound Order Lines (whinh2110m000)** → **Order Inspections (qmptc1120m000)**
- Line flow outbound
Originating Sales order line / Sales Schedule / Contract Deliverable → **Outbound Order Lines (whinh2120m000)** → **Order Inspections (qmptc1120m000)**

Additional information fields in Financials

The use of *additional information fields* is supported in various database tables in Financials.

The table lists the database tables in Financials to which you can link *additional information fields*. The table also contains the corresponding sessions in which you can view and maintain the additional information fields.

Table	Session
	tfgld107 Interim Tax Table
tfgld107	<ul style="list-style-type: none">• Tax Details (tfgld1109m000)• Tax Analysis (tfgld1520m000)

Additional information definition levels

The additional information fields can be defined for these additional information definition levels:

- [General](#) on page 10
- [Sold-to or Buy-from Business Partner](#) on page 10

Transferring additional information

The information in the additional fields can be transferred to additional information fields in other sessions in other tables. For example, if you specified a value in additional information field ExampleRef in the originating **Tax Details (tfgld1109m000)** session, this value is transferred to the additional information field ExampleRef in the **Tax Analysis (tfgld1520m000)** session, in which you can modify this value if required.

Index

A

- additional information fields [12](#), [14](#), [20](#), [23](#), [26–27](#), [31–32](#)
- Additional information fields
 - project pegged documents [26](#)
- Additional Information fields
 - define [9](#)
 - definition levels [10](#)
 - tables [6](#), [9–10](#)

D

- Define
 - additional Information fields [9](#)
- Definition levels
 - additional Information fields [10](#)

T

- Tables
 - additional Information fields [6](#), [9](#)