



Infor LN Quality Quality Inspection Workbench User Guide

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor LN 2022.x

Publication Date: December 5, 2022

Document code: ln_2022.x_qmqualinspwnbug__en-us

Contents

About this Guide.....	4
Contacting Infor.....	5
Chapter 1: Quality Inspection Order Workbench.....	6
Introduction to Quality Inspection Workbench.....	6
Chapter 2: The Workbench Toolbar.....	8
Workbench Navigation.....	8
Specifying the selection criteria.....	8
Chapter 3: Personalization.....	10
Layout Customization.....	10
Chapter 4: Workbench Features.....	11
Working with Inspection Orders.....	11

About this Guide

This document provides information about the various concepts and processes for the Quality Inspection Workbench.

Objectives

The objectives of this book are to describe the purpose of quality inspection orders workbench and execute the order inspection functionality.

Intended Audience

This guide is intended for those who want to learn how to use inspection order workbench in the way that best serves their purposes. Both end users and users on administrator level will find the information they require.

Assumed Knowledge

Familiarity with the business processes involved in handling inspections in Quality, and general knowledge of the LN functionality will help you understand this book. In addition, Quality training courses are available to give you a head start.

Document summary

The first chapter, Introduction describes the purpose and the general characteristics of the Inspection Workbench session.

The following chapters, describe the tool bar, user settings and how to use the workbench session.

How to read this document

This document was assembled from online Help topics. As a result, references to other sections in the manual are presented as shown in the following example:

Please refer to the Table of Contents to locate the referred section.

Underlined terms indicate a link to a glossary definition. If you view this document online and you click on underlined text, you jump to the glossary definition at the end of this document. Non-underlined references do not represent a link to glossary definitions or other elements.

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

The latest documentation is available from docs.infor.com or from the Infor Support Portal. To access documentation on the Infor Support Portal, select **Search > Browse Documentation**. We recommend that you check this portal periodically for updated documentation.

If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1: Quality Inspection Order Workbench

Introduction to Quality Inspection Workbench

This chapter provides information on the inspection order workbench.

The objective of the quality inspection workbench is to offer a consolidated view of the existing functionality, improving the efficiency and the decision making capabilities of the Quality Management Inspector.

Using the defined selection criteria, you can select the order origins, that have an inspection order linked. At the order inspection level, you can review:

- The inspection orders linked to the order inspection and perform the following inspection related tasks :
 - Specifying data in the test data lines linked to an inspection order line.
 - Activate/Complete inspection order lines.
- The aggregated information from the lower levels is displayed.
- A count of the tests to be performed, accepted and rejected tests for all the inspection orders linked to an inspection.

Positioning

The Quality Inspection Workbench is positioned along with the product testing control sessions in Quality.

Launching the Workbench

To access this workbench, Quality> Inspection Orders> Quality Inspection Workbench.

You can access the **Inspection Workbench (qmptc8355m000)** session.

Layout

The workbench contains the following sections:


Chapter 2: The Workbench Toolbar

This chapter describes the tool bar options available for the user.

Workbench Navigation

Toolbar

The following options are available:



- Refresh: Refreshes the data for selected order inspections. **Note:** The workbench is refreshed when there is no selection made.
- Complete: Use this option to set the status of the selected order inspection/inspection order/inspection order line to Complete.
- Process: Use this option to process the order inspection.
- Activate: Sets the status of the Order Inspection/inspection order/inspection order line to Active.
- Skip Lot Accept: Sets the status of the selected inspection order to Completed.
- Evaluate Algorithm: Use this option to calculate the value of the algorithm characteristic for the inspection order test data lines, based on the data of other characteristics. LN sorts the test data lines to display the lines in a sequence based on the algorithm. You cannot modify the calculated results.
- Quantitative Easy Entry: Opens the Quantitative Easy Entry screen for the test data lines of the inspection order. This option is enabled only if the inspection order line has the Result Type field set to Quantitative.
- Qualitative Easy Entry: Opens the Qualitative Easy Entry screen for the test data lines of the inspection order. This option is enabled only if the inspection order line has the Result Type field set to Qualitative.

Specifying the selection criteria

The user can specify the following selection criteria to view the origin orders and the linked inspection orders:

Origin: Test Area: Team:

- 1** **Origin:** You can specify the order origin. If the origin order groups are specified, the user can view the orders for all the origins comprising a group. The following are the origin order groups:
 - Sales Group [Sales & Sales Schedule]
 - Purchase Group [Purchase & Purchase Schedule]
 - Production Group [Production (JSC), Material (BOM) & Routing (TI)]
 - Warehouse Group [Warehouse Transfer & Warehouse Transfer Manual]
- 2** **Test Area:** You can specify the test area to filter the orders. Test Area is linked to a warehouse. If this filter is specified, all the order inspections linked to the warehouse are displayed.
- 3** **Team:** You can specify a value for the team (group of employees) to filter the orders. Team is linked to the test group and is also applicable for inspection orders.

Note If values in both the Test Area and Team fields are specified, LN considers the data displayed by the Test Area first. In case test area is not specified, all order inspections for the selected origin are filtered by the value specified in the team field.

For a user profile defined in the **Quality User Profiles (qmptc0130m000)** session, LN defaults the values in the Origin, Test Area, and Team fields in the Workbench, with the data from this session.

Chapter 3: Personalization

Layout Customization

This chapter describes the settings available for the user to customize the layout.

You can personalize the view in the workbench based on the requirements. For example, if you want to hide fields or re-arrange specified fields, increase or decrease the width of the fields in the session, you must:

- Select and customize the view.
- Save the view using the save layout personalization option. If the layout is modified, and the changes are not saved, the Save Layout Personalization setting is displayed as:

Save Layout Personalization

When you access the workbench again, the last saved view is displayed.

The following settings are available:

- Save Layout Personalization : You can use this option to save your own personalized view.
- Clear Layout Personalization : You can use this option to clear your personalized view.
- Get Layout Personalization: You can use this option to retrieve the personalized view saved previously.
- About: Displays the version and copyright information of the workbench.
- Show Filter Row: If you select this option, the column filters are not displayed.
- Column Personalization: You can use this option to hide/view the specific fields.

From the **Inspection Workbench (qmptc8355m000)** session, you can access the specified origin order session, the **Inspection Lines (whinh2131m000)**, and the **Inspection Order (qmptc1100m100)** session.

- The Number of Tests: Indicates the number of test data lines linked an inspection order.
- Tests Inspected: The number of tests that are inspected
- Test Rejected: The number of tests that are rejected.

LN defaults the employee id of the inspector when the user specifies data for a test data line.

	Complete	Process	Activate	Skip Lot Accept	Evaluate Algorithm	Quantitative Easy Entry	Qualitative Easy Entry					
Origin:	Purchase	Test Area:		Team:								
Order Inspections												
	Origin Order	Origin Order Line	Inspection	Order Inspection Status	Order Quantity	Number of Tests	Tests Inspected	Tests Rejected	Completion Date	Recommended Quantity Accepted	Recommended Quantity Rejected	Due Date
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>		<input type="text"/>	<input type="text"/>	
<input type="checkbox"/>	PUR003323	30	IN0023786	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	30	IN0023787	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	40	IN0023788	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	40	IN0023789	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	40	IN0023790	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	40	IN0023791	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	40	IN0023792	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	50	IN0023796	Free	3.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	60	IN0023797	Active	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	60	IN0023798	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	60	IN0023799	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	60	IN0023800	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	60	IN0023801	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003323	70	IN0023809	Free	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	9/28/2012 7:22 PM
<input type="checkbox"/>	PUR003324	10	IN0023807	Active	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	10/1/2012 3:51 PM
<input type="checkbox"/>	PUR003325	10	IN0023808	Active	1.00 pcs	0	0	0		0.00 pcs	0.00 pcs	10/1/2012 3:53 PM
<input type="checkbox"/>	PUR003329	10	IN0024542	Free	10.00 pcs	0	0	0		0.00 pcs	0.00 pcs	10/29/2012 3:58 PM
<input checked="" type="checkbox"/>	PUR003329	20	IN0024544	Active	10.00 pcs	4	4	1		0.00 pcs	0.00 pcs	10/29/2012 3:58 PM
<input checked="" type="checkbox"/>	PUR003330	10	IN0024546	Active	10.00 pcs	0	0	0		0.00 pcs	0.00 pcs	10/29/2012 8:39 PM

Infor LN Quality Quality Inspection Workbench User Guide | 11

Complete Process Activate Skip Lot Accept Evaluate Algorithm Quantitative Easy Entry Qualitative Easy Entry


Origin: Purchase Test Area: Team:

Order Inspection

Origin Order	Origin Order Line	Inspection	Order Inspection Status	Order Quantity	Number of Tests	Tests Inspected	Tests Rejected	Completion Date	Recommended Quantity Accepted	Recommended Quantity Rejected
PUR003329	20	IN0024544	Active	10.00 pcs	4	4	1		0.00 pcs	0.00 pcs

Inspection Orders

Inspection Order	Inspection Status	Number of Tests	Tests Inspected	Tests Rejected	Skip Lot	Standard Test Procedure	Test Type	Sampling Plan	Result	Accepted Quantity	Rejected Quantity
R01000226	Active	0	0	0	<input type="checkbox"/>	SHAKU	100 %		Undefined	0.00 pcs	0.00 pcs
R01000227	Active	4	4	1	<input type="checkbox"/>	SHAKU	Single Sampling		Undefined	0.00 pcs	0.00 pcs

If you click the  icon for an inspection order, you can view the test data lines linked to the order.

On the inspection order pane, you can view the following three tabs:

- Lines
- Samples
- Test Data

Complete Process Activate Skip Lot Accept Evaluate Algorithm Quantitative Easy Entry Qualitative Easy Entry

Origin: Purchase Test Area: Team:

Order Inspection

Origin Order	Origin Order Line	Inspection	Order Inspection Status	Order Quantity	Number of Tests	Tests Inspected	Tests Rejected	Completion Date	Recommended Q
PUR003329	20	IN0024544	Active	10.00 pcs	11	4	1		0.00

Inspection Order

Inspection Order	Inspection Status	Number of Tests	Tests Inspected	Tests Rejected	Skip Lot	Standard Test Procedure	Test Type	Sampling Plan	Result	Accepted Quantity
R01000227	Active	11	4	1	<input type="checkbox"/>	SHAKU	Single Sampling		Undefined	0.00 pcs

Lines | Samples | Test Data

Inspection Line	Aspect	Description	Characteristic	Description	Characteristic Type	Inspection Status	Actual Start Date	Actual Completion Date	Result
10	CONEBOLT	Shaku's conical bi MASS	MASS - Shaku's c Integer		Integer	Active	10/30/2012	3:58 PM	Undefined
20	CONEBOLT	Shaku's conical bi RADIUS	Radius - Shaku's c Integer		Integer	Active	10/30/2012	7:43 PM	Undefined
30	CONEBOLT	Shaku's conical bi COLOR	Color		Option	Active	11/7/2012	7:08 PM	Undefined

On the Lines tab of the Inspection Order pane, you can:

- View the serial/lots data. In the Serial Number [Lot] field, click the Count button to view the serial linked to the test data line.
- Modify the lot/serial data. Click the Details button to replace the existing serial with another serial.
- View the user name of the user who has specified the data on the test data lines.

LN sorts the lines to display the lines in a sequence, based on the algorithm. The algorithm based lines are displayed after the lines for which the algorithm is not specified.

On the Test Data tab of the inspection order, you can specify the data:

- In the test data line.
- In the qualitative easy entry screen
- In the quantitative easy entry screen

Note: You can reset the Result field in the test data line tab for an active inspection order line.

The Quantitative/Qualitative Easy Entry buttons are enabled only if the quantitative or qualitative test data lines are linked to the selected inspection order.

The Qualitative Easy Entry

You can access this screen from the Inspection Order pane. The qualitative easy entry option is enabled only if the inspection order line has the Result Type field set to Qualitative.

Qualitative Easy Entry

Origin: Test Area: Team:

Inspection Order	Test Sequence	Sample Part	Item	Serial Number [Lot]	Test Quantity	Aspect	Characteristic	Option Set	Option	Result	NCM Report
R01000227	2	1	ESH PARTS Count: 0		2.0000 pcs	CONEBOLT	COLOR	YN	OK	Pass	
R01000227	2	2	ESH PARTS Count: 0		2.0000 pcs	CONEBOLT	COLOR	YN	NOK	Fail	
R01000227	2	3	ESH PARTS Count: 0		2.0000 pcs	CONEBOLT	COLOR	YN		Not Inspected	

NCM Reports

NCMR Number	Item	BOM Item	NCM Type	NCM Severity	NCMR Status	Corrective Action Plan	Creation Date	Disposition	Disposition Date
NCM000769	ESH PA				Open		10/30/2012	Awaiting Dispositi	
NCM000828	ESH PA				Open		11/7/2012	Awaiting Dispositi	
NCM000829	ESH PA				Open		11/7/2012	Awaiting Dispositi	
NCM000830	ESH PA				Open		11/7/2012	Awaiting Dispositi	
NCM000831	ESH PA				Open		11/7/2012	Awaiting Dispositi	
NCM000832	ESH PA				Open		11/7/2012	Awaiting Dispositi	
NCM000833	ESH PA				Open		11/7/2012	Awaiting Dispositi	


From the Qualitative Easy Entry screen, you can:

- View the test data lines displayed in a new screen.
- Specify the test data for the lines and view the lots and serials for the item. However, this data cannot be modified. When the data for all the lines is specified, LN sets the inspection order line status to Complete.
- Click **NCMR** to generate a NCMR for the selected test data line with the Result Fail, once the data in all the lines is specified.
- View the Non conformance reports in the NCM Reports pane, for the item and business partner combination specified. You can also access the Non-Conformance Reports (qmncm1100m000), Corrective Action Plan(qmcpl1100m000), Item-General (tcibd0101s000), and the BOM Item sessions from this pane. **Note** The status of the non conformance reports must be set to a status other than Cancelled or Closed.


LN defaults the test data specified and the status of the inspection order line to the corresponding inspection order line in the **Inspection Order (qmptc1100m100)** session.

The Quantitative Easy Entry

You can access this screen from the Inspection Order pane. The quantitative easy entry button is enabled only if the inspection order line has the Result Type field set to Quantitative.



From the Quantitative Easy Entry screen, you can:

- View the test data lines displayed in a new screen.
- Specify the data for each test data in the Sample field.
- View the lots and serials for the item. However, this data cannot be modified. When the data for all the lines is specified, LN sets the inspection order line status to Complete.
- Create non-conformance reports for items with test result fail.
- The  icon indicates the evaluate algorithm functionality.
- You can view the Non conformance reports in the NCM Reports pane, for the item and business partner combination specified. You can also access the Non-Conformance Reports (qmncm1100m000), Corrective Action Plan (qmcpl1100m000), Item-General (tcibd0101s000), and the BOM Item sessions from this pane. The status of the non conformance reports must be set to a status other than Cancelled or Closed.


Infor LN defaults the test data specified and the status of the inspection order line to the corresponding inspection order line in the **Inspection Order (qmptc1100m100)** session.

Actual Results Graph


LN The actual results graph is plotted based on the sample number and the sample value specified for each sample. When the sample data is specified, the value is plotted on the Actual Results graph.

On the graph:

- The green line represents the Norm value.
- The dotted red line represents the Upper and Lower Limit values defined for the inspection order line.



When you click the Show All Values checkbox, the entire graph is displayed.



Else, the values within the upper and lower limit specified are displayed.

