



Infor LN Warehousing User Guide for Multisite

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor LN 2022.x

Publication Date: December 5, 2022

Document code: ln_2022.x_whmultisiteug__en-us

Contents

| | |
|--|-----------|
| About this Guide..... | 4 |
| Contacting Infor..... | 5 |
| Chapter 1: Introduction..... | 6 |
| Multisite in Warehousing..... | 6 |
| Chapter 2: Data and Settings on Company Level..... | 9 |
| Warehouse data and settings on company level..... | 9 |
| Chapter 3: Data and Settings on Site Level..... | 10 |
| Warehouse data and settings on site level..... | 10 |
| Warehousing item data updated to site and warehouse level..... | 11 |
| Chapter 4: Data and Settings on Warehouse Level..... | 12 |
| Warehouse data and settings on warehouse level..... | 12 |
| Chapter 5: Item Data and Settings on Company Level..... | 13 |
| Warehousing item data and settings on company level..... | 13 |
| Mandatory warehouse – item settings on company level..... | 13 |
| Chapter 6: Item Data and Settings on Site Level..... | 15 |
| Warehousing item data and settings on site level..... | 15 |
| Chapter 7: Item Data and Settings on Warehouse Level..... | 16 |
| Warehousing item data and settings on warehouse level..... | 16 |
| Index..... | 17 |

About this Guide

Objectives

The objectives of this book are to describe the purpose and the use of multisite in Warehousing.

Intended Audience

This book is intended for those who want to learn how to set up and use the multisite functionality in Warehousing.

Assumed Knowledge

Familiarity with the business processes involved in Warehousing, master data setup, and general knowledge of the LN functionality will help you understand this book. In addition, Warehousing training courses are available to give you a head start.

References

Use this guide as the primary reference for the kanban supply system. Use the current editions of these documents for information that is not covered in this guide:

- *User Guide for Enterprise Structures*
- *User Guide for Warehousing Procedures*
- *User Guide for Warehouses*
- *User Guide for the Inbound Goods Flow (U9788 US)*
- *User Guide for the Outbound and Shipments Goods Flows (U9794 US)*
- *User Guide for Item Setup*
- *User Guide for Site Activation*

How to read this document

This document is assembled from online Help topics.

Text in italics followed by a page number represents a hyperlink to another section in this document.

Underlined terms indicate a link to a glossary definition. If you view this document online, clicking the underlined term takes you to the glossary definition at the end of this document.

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

The latest documentation is available from docs.infor.com or from the Infor Support Portal. To access documentation on the Infor Support Portal, select **Search > Browse Documentation**. We recommend that you check this portal periodically for updated documentation.

If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1: Introduction

Multisite in Warehousing

In a *multisite* environment, a *site* is one of the key building blocks.

A company can include multiple sites.

You can link multiple *warehouses* and *departments* to a site. It is mandatory to link a warehouse to a site. A warehouse can be linked to one site.


Note: Sites are available if the **Sites** parameter is activated in the **Concept Activation (tcomm4600m000)** session.

Warehousing and warehouse item settings on company, site, and warehouse level

If you use sites, warehouse data and warehousing-specific *item* data can be globally applicable for the entire company structure, or locally for specific sites or warehouses.

Data specified by company are applicable for all sites and warehouses of the company, unless adjusted for specific sites or warehouses.

Data specified by site apply to the warehouses linked to the site, unless adjusted for specific warehouses, and you can specify data for individual warehouses.



Note: To define warehousing data for an item and a site in the **Item - Warehousing by Site (whwmd4104m000)** session, the item must be present in the **Items (tcibd0501m000)** and the **Items by Site (tcibd1550m000)** session.

| Legend | |
|---------|--|
| Num-ber | Description |
| 1 | See Warehouse data and settings on company level |
| 2 | See Warehouse data and settings on site level and Warehousing item data updated to site and warehouse level |
| 3 | See Warehouse data and settings on warehouse level |
| 4 | See Warehousing item data and settings on company level and Mandatory warehouse – item settings on company level |
| 5 | See Warehousing item data and settings on site level and Warehousing item data and settings on warehouse level |

Overviews by company, site, and warehouse

Using *multisite* allows for various overviews by site:

- Inventory
- Item issues by site and period

- Inventory consumptions
- Receipt transactions

The overviews display the aggregated data of the warehouses of each site specified in the overview.

Chapter 2: Data and Settings on Company Level

Warehouse data and settings on company level

Warehouse data and settings on company level are specified in these sessions:

- Inventory Handling Parameters (whinh0100m000)
- Warehouse Master Data Parameters (whwmd0100s000)
- Inventory Reporting Parameters (whinr0100s000)
- Inventory Planning Parameters (whinp0100m000)
- Inventory Analysis Parameters (whina0100m000)

This data is copied to the Warehousing Settings by Site (whwmd2101m000) session if the relevant Use Global check boxes are selected in this session. If a Use Global check box is cleared, the settings that this check box controls can be specified for individual sites.

Chapter 3: Data and Settings on Site Level

Warehouse data and settings on site level

Warehouse data and settings on site level are specified in the **Warehousing Settings by Site (whwmd2101m000)** session.

Settings specified for a site can be defaulted to the **Warehouses (whwmd2500m000)** session for the warehouses linked to the site.

If the **Use Site Settings** check box is cleared in the **Warehouses (whwmd2500m000)** session, you can change the settings defaulted from the **Warehousing Settings by Site (whwmd2101m000)** session.

If the **Use Site Settings** check box is selected, you cannot change the settings derived from the site, and if the settings are changed for the site in the **Warehousing Settings by Site (whwmd2101m000)** session, the changes are updated for the warehouses of the site in the **Warehouses (whwmd2500m000)** session.

The following settings in the **Warehousing Settings by Site (whwmd2101m000)** session are updated to the **Warehouses (whwmd2500m000)** and **Item - Warehousing by Site (whwmd4104m000)** sessions regardless of the setting of the **Use Site Settings** check box:

- **Handling Units in Use**
- **Dynamic Cross-docking**
- **DMS Supplied**
- **Process Inventory Variances Automatically**
- **Quarantine Inventory**

You cannot change these settings for individual warehouses or items in the **Warehouses (whwmd2500m000)** and **Item - Warehousing by Site (whwmd4104m000)** sessions.

This is subject to these conditions:

- The changes are only updated to warehouses linked to the sites for which the changes are made in the **Warehousing Settings by Site (whwmd2101m000)** session.
- The **Use Global Item Warehousing** check box is cleared in the **Item - Warehousing by Site (whwmd4104m000)** session. This is because otherwise only updates from the **Item - Warehousing (whwmd4500m000)** session are allowed.

Warehousing item data updated to site and warehouse level

If *multisite* is activated, you can specify that various warehousing item settings in Warehousing only apply to warehouses that belong to specific sites.

These fields from the **Item - Warehousing (whwmd4500m000)** and **Item - Warehousing (whwmd4600m000)** sessions are updated in the **Item - Warehousing by Site (whwmd4104m000)** session, if in the **Item - Warehousing by Site (whwmd4104m000)** session the **Use Global Item Warehousing** check box is selected:

- **Location Controlled**
- **Process Inventory Variances Automatically**
- **Handling Units in Use**
- **Dynamic Cross-docking**
- **DMS Supplied**
- **DMS upon Receipt**
- **DMS upon JSC Receipt**
- **DMS on Inventory**
- **Create Outbound Advice Despite Inventory Shortage**
- **Allow Negative Inventory**
- **Issue Priority**
- **Registration Level**
- **Allocation Level**

You cannot modify these fields in the **Item - Warehousing by Site (whwmd4104m000)** session.

Chapter 4: Data and Settings on Warehouse Level

Warehouse data and settings on warehouse level

Warehouse data and settings on warehouse level are specified in the Warehouses (whwmd2500m000) session.

In the **Warehouses (whwmd2500m000)** session, you can specify data for individual warehouses or use site specific settings defaulted from the **Warehousing Settings by Site (whwmd2101m000)** session. For this purpose, select or clear the Use Site Settings check box.

Various fields, such as those relating to locations, and the **Shipment through Warehouse** and **Warehouse** fields, are unavailable for the company or site level. You can only specify these fields for individual warehouses in the **Warehouses (whwmd2500m000)** session.

Changes in these data in the **Warehouses (whwmd2500m000)** session are updated to the **Item Data by Warehouse (whwmd2510m000)** session:

- **Locations**
- **Process Inventory Variances Automatically**
- **Use Handling Units in** and related check boxes.
- **Creation ASN**
- **Confirm Receipts**
- **Creation of Projected Shipments**
- **Confirm Picking**
- **DMS Supplied**
- **DMS upon Receipt**
- **DMS upon JSC Receipt**
- **DMS on Inventory**
- **Consolidate Handling Units in one Shipment Line during Picking**
- **Process Adjustments Orders**
- **Process Cycle Counting Orders**

Chapter 5: Item Data and Settings on Company Level

Warehousing item data and settings on company level

For Warehousing, on company level item data are specified in the Item - Warehousing (whwmd4500m000) and Item Warehousing Defaults (whwmd4501m000) sessions. You can also use the Item - Warehousing (whwmd4600m000) and Item Warehousing Defaults (whwmd4601m000) sessions to specify these data.

If you select the **Use Global Item Warehousing** check box in the **Item - Warehousing by Site (whwmd4104m000)** session, various field values from the **Item - Warehousing (whwmd4500m000)** session are copied to the **Item - Warehousing by Site (whwmd4104m000)** session. See Warehousing item data updated to site and warehouse level.

If the field values are changed in the Item - Warehousing (whwmd4500m000) session, the changes are updated in the **Item - Warehousing by Site (whwmd4104m000)** session.

Mandatory company settings

Some data specified in the Item - Warehousing (whwmd4500m000) session are mandatory for all sites and individual warehouses of the logistic company. See Mandatory warehouse – item settings on company level.

Mandatory warehouse – item settings on company level

If *multisite* is activated, you can specify that various item settings in Warehousing only apply to warehouses that belong to specific sites. Some settings, however, are mandatory for all warehouses in the company structure.

These fields from the **Item - Warehousing (whwmd4500m000)** and **Item - Warehousing (whwmd4600m000)** sessions are mandatory for all sites throughout the company:

- Search Key
- Floor Stock
- Height
- Width
- Length
- Outbound Method
- Hazardous Material
- Class of Risk

- Lot Price
- Lot Tracking
- Lots in Inventory
- Lot Entry for Direct Delivery
- Lot Entry During Receipt
- Lot Entry During Transfer
- Register Lot Issue During As Built
- Register Lot Issue in Service & Maintenance
- Serial Tracking
- Serials in Inventory
- Serial Number Entry for Direct Delivery
- Serial Number Entry During Receipt
- Serial Number Entry During Transfer
- Register Serial Issue During As Built
- Register Serial Issue in Service
- Lot and Serial Registration Template
- Product Assembly Kit Part

Chapter 6: Item Data and Settings on Site Level

Warehousing item data and settings on site level

For Warehousing, on site level item data are specified in the **Item - Warehousing by Site (whwmd4104m000)** session. Default values are specified in the **Item Warehousing Defaults by Site (whwmd4109m000)** session.

If you select the **Use Global Item Warehousing** check box in the **Item - Warehousing by Site (whwmd4104m000)** session, Warehousing item data updated to site and warehouse level from the **Item - Warehousing (whwmd4500m000)** session are copied to the **Item - Warehousing by Site (whwmd4104m000)** session.

To specify data for individual sites, clear this check box.

Chapter 7: Item Data and Settings on Warehouse Level

Warehousing item data and settings on warehouse level

For Warehousing, on warehouse level item data are specified in the Item Data by Warehouse (whwmd2510m000) session.

Item data specified for a site in the **Item - Warehousing by Site (whwmd4104m000)** session are updated to the warehouses linked to the site in the **Item Data by Warehouse (whwmd2510m000)** session.

Changes in these data in the **Warehouses (whwmd2500m000)** session are updated to the **Item Data by Warehouse (whwmd2510m000)** session:

- **Locations**
- **Process Inventory Variances Automatically**
- **Use Handling Units in** and related check boxes.
- **Creation ASN**
- **Confirm Receipts**
- **Creation of Projected Shipments**
- **Confirm Picking**
- **DMS Supplied**
- **DMS upon Receipt**
- **DMS upon JSC Receipt**
- **DMS on Inventory**
- **Consolidate Handling Units in one Shipment Line during Picking**
- **Process Adjustments Orders**
- **Process Cycle Counting Orders**

Index

E

Enterprise structure

- multisite [6](#)
- site [6](#)

M

Multisite

- company level [9–10](#), [12–13](#), [15–16](#)
- enterprise structure [6](#)
- mandatory company settings [11](#), [13](#)
- site [6](#)
- Warehousing [6](#), [11](#), [13](#)

S

Site

- company level [9](#), [13](#), [15–16](#)
- mandatory company settings [11](#), [13](#)
- overview [6](#)
- settings [9–10](#), [12–13](#), [15–16](#)
- site level [10](#)
- warehouse level [12](#)
- Warehousing [6](#)

W

Warehousing

- multisite [6](#), [9–13](#), [15–16](#)
- site [6](#), [9–10](#), [12–13](#), [15–16](#)