

Adding Package tl to Existing Package Combinations

Copyright © 2009 Infor

All rights reserved. The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other trademarks listed herein are the property of their respective owners.

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above.

Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Trademark Acknowledgements

All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Document code: U9570A US

Release: Infor Baan ERP 5.0

Publication date: May 09

Table of Contents

Chapter 1	Introduction	1-1
	Abbreviations	1-1
Chapter 2	Adding Package tl to Your Package Combinations	2-1

About this Guide

This document explains how to create the Tools Addons (tl) package and make it available in existing package combinations in Baan ERP 5.0.

This document contains the following chapters:

Chapter 1, "Introduction," introduces the document and provides a list of definitions.

Chapter 2, "Adding Package tl to Your Package Combinations," explains how to create a new Package VRC and include it in the package combination.

Send us your comments

We continually review and improve our documentation. Any remarks/requests for information concerning this document or topic are appreciated. Please e-mail your comments to documentation@infor.com.

In your e-mail, refer to the document code and title. More specific information will enable us to process feedback efficiently.

Chapter 1

Introduction

1

The Package Tools Addons (tl) is released for Baan ERP 5.0. This document provides the steps you must take to create the package and make it available in existing package combinations; before you install the PMC solution, these steps must be completed.

Abbreviations

Abbreviations that are used in this document are listed below.

Abbreviation	Term
tl	Package Tools Addons
VRC	Version Release Customer
PMC	Product Maintenance and Control
SOA	Service Oriented Architecture

Chapter 2


Adding Package tl to Your Package Combinations

2


To create a new Package VRC and add it to the package combination, complete the following steps.

IMPORTANT: Before you install the PMC solution, complete the following steps.

- 1 Start the Packages (ttadv1100m000) session and add the new Package tl, as shown here.



- 2 Start the Package VRCs (ttadv1511m000) session. Create a new Package VRC for Package tl in the Update VRC (default is 7.1U a stnd) where the PMC solution will be installed. The value of the update VRC might be different than the default value, which can be found in the Update VRC's (ttpmc2140m000) session. The status of the Update VRC should be set to Released. An example of the new Update Package VRC is as follows.
-



ttadv111s000 : Package VRCs [User: hthuijls] [000]

Package: tl Tools Addons

Version: 7.1U

Release: a

Customer: stnd

Description: Tools Addons

Status: Released

Derived from:

Version: []

Release: []

Customer: []


Integration with:

Package VRCs in: []

Pack.Combination: []

Buttons: Save, Close, Revert, Help

- 3 Start the Directories of Software Components (ttadv111m000) session and enter the directories for the Update VRC.



ttadv111m000 : Directories of Software Components [User: hthuijls] [000]


Package: tl Tools Addons

VRC: 7.1U a stnd Tools Addons

Software comp.	Path on System
Forms	\$(BSE)/application
Menus	\$(BSE)/application
Objects	\$(BSE)/application
Program Scripts	\$(BSE)/application
Report Scripts	\$(BSE)/application

Buttons: File, Edit, View, Group, Workflow, Tools, Specific, Window, Help

- 4 In the Packages by Package Combination (ttaad1121m000) session, include the new Update Package VRC in all Package Combinations that will use the functionality from the Tools Addons.



ttad1121m000 : Packages by Package Combination [User: hthuijls] [000]

Package Combination: b50cupd Baan V Update

Choose option <Rebuild DD> to process changes


Package	Description	Version	Release	Customer
tl	Tools Addons	7.1U	a	stnd Tools Addons
tm	OpenWorld Middleware enabling	2.2	a	OpenWorld 2.2
tp	Project	B50U	c	stnd Project
tr	Transport BAAN IV	B50U	c	stnd Transport
ts	Service	B50U	c	stnd Service

Buttons: File, Edit, View, Group, Workflow, Tools, Specific, Window, Help

Note: If you do not require SOA functionality, you need not include the tl package in your package combination.

- 5 Save the modification. To rebuild the data dictionary, start option Rebuild DD from the Specific menu.
- 6 Start the Update VRC's (ttpmc2140m000) session add a line that has the following fields:

Package For Determining = tl
 Update VRC = 7.1U a stnd
 Base VRC = 7.1 a tl
 VRC Combination = <empty>



After you have completed the process, you must log on again.
